

Computer Algebra Independent Integration Tests

Summer 2024

6-Hyperbolic-functions/6.1-Hyperbolic-sine/295-6.1.4

Nasser M. Abbasi

May 18, 2024

Compiled on May 18, 2024 at 4:50am

Contents

1	Introduction	3
1.1	Listing of CAS systems tested	4
1.2	Results	5
1.3	Time and leaf size Performance	9
1.4	Performance based on number of rules Rubi used	11
1.5	Performance based on number of steps Rubi used	12
1.6	Solved integrals histogram based on leaf size of result	13
1.7	Solved integrals histogram based on CPU time used	14
1.8	Leaf size vs. CPU time used	15
1.9	list of integrals with no known antiderivative	16
1.10	List of integrals solved by CAS but has no known antiderivative	16
1.11	list of integrals solved by CAS but failed verification	16
1.12	Timing	17
1.13	Verification	17
1.14	Important notes about some of the results	18
1.15	Current tree layout of integration tests	21
1.16	Design of the test system	22
2	detailed summary tables of results	23
2.1	List of integrals sorted by grade for each CAS	24
2.2	Detailed conclusion table per each integral for all CAS systems	28
2.3	Detailed conclusion table specific for Rubi results	37
3	Listing of integrals	39
3.1	$\int x^2 \sinh(a + bx + cx^2) dx$	41
3.2	$\int x \sinh(a + bx + cx^2) dx$	50
3.3	$\int \sinh(a + bx + cx^2) dx$	57
3.4	$\int \frac{\sinh(a+bx+cx^2)}{x} dx$	63
3.5	$\int \left(-\frac{b \cosh(a+bx+cx^2)}{x} + \frac{\sinh(a+bx+cx^2)}{x^2} \right) dx$	68
3.6	$\int x^2 \sinh(a + bx - cx^2) dx$	73

3.7	$\int x \sinh(a + bx - cx^2) dx$	82
3.8	$\int \sinh(a + bx - cx^2) dx$	89
3.9	$\int \frac{\sinh(a+bx-cx^2)}{x} dx$	95
3.10	$\int \left(-\frac{b \cosh(a+bx-cx^2)}{x} + \frac{\sinh(a+bx-cx^2)}{x^2} \right) dx$	100
3.11	$\int x^2 \sinh\left(\frac{1}{4} + x + x^2\right) dx$	105
3.12	$\int x \sinh\left(\frac{1}{4} + x + x^2\right) dx$	113
3.13	$\int \sinh\left(\frac{1}{4} + x + x^2\right) dx$	119
3.14	$\int \frac{\sinh\left(\frac{1}{4}+x+x^2\right)}{x} dx$	125
3.15	$\int \frac{\sinh\left(\frac{1}{4}+x+x^2\right)}{x^2} dx$	130
3.16	$\int x^2 \sinh^2(a + bx + cx^2) dx$	135
3.17	$\int x \sinh^2(a + bx + cx^2) dx$	143
3.18	$\int \sinh^2(a + bx + cx^2) dx$	149
3.19	$\int \frac{\sinh^2(a+bx+cx^2)}{x} dx$	154
3.20	$\int x^2 \sinh^2(a + bx - cx^2) dx$	159
3.21	$\int x \sinh^2(a + bx - cx^2) dx$	167
3.22	$\int \sinh^2(a + bx - cx^2) dx$	173
3.23	$\int \frac{\sinh^2(a+bx-cx^2)}{x} dx$	178
3.24	$\int x^2 \sinh^2\left(\frac{1}{4} + x + x^2\right) dx$	183
3.25	$\int x \sinh^2\left(\frac{1}{4} + x + x^2\right) dx$	189
3.26	$\int \sinh^2\left(\frac{1}{4} + x + x^2\right) dx$	195
3.27	$\int \frac{\sinh^2\left(\frac{1}{4}+x+x^2\right)}{x} dx$	200
3.28	$\int (d + ex)^2 \sinh(a + bx + cx^2) dx$	205
3.29	$\int (d + ex) \sinh(a + bx + cx^2) dx$	215
3.30	$\int \frac{\sinh(a+bx+cx^2)}{d+ex} dx$	223
3.31	$\int (d + ex)^2 \sinh^2(a + bx + cx^2) dx$	228
3.32	$\int (d + ex) \sinh^2(a + bx + cx^2) dx$	236
3.33	$\int \frac{\sinh^2(a+bx+cx^2)}{d+ex} dx$	243
4	Appendix	248
4.1	Listing of Grading functions	248
4.2	Links to plain text integration problems used in this report for each CAS266	

CHAPTER 1

INTRODUCTION

1.1	Listing of CAS systems tested	4
1.2	Results	5
1.3	Time and leaf size Performance	9
1.4	Performance based on number of rules Rubi used	11
1.5	Performance based on number of steps Rubi used	12
1.6	Solved integrals histogram based on leaf size of result	13
1.7	Solved integrals histogram based on CPU time used	14
1.8	Leaf size vs. CPU time used	15
1.9	list of integrals with no known antiderivative	16
1.10	List of integrals solved by CAS but has no known antiderivative	16
1.11	list of integrals solved by CAS but failed verification	16
1.12	Timing	17
1.13	Verification	17
1.14	Important notes about some of the results	18
1.15	Current tree layout of integration tests	21
1.16	Design of the test system	22

This report gives the result of running the computer algebra independent integration test. The download section in on the main webpage contains links to download the problems in plain text format used for all CAS systems. The number of integrals in this report is [33]. This is test number [295].

1.1 Listing of CAS systems tested

The following are the CAS systems tested:

1. Mathematica 14 (January 9, 2024) on windows 10 pro.
2. Rubi 4.17.3 (Sept 25, 2023) on Mathematica 14 on windows 10m pro.
3. Maple 2024 (March 1, 2024) on windows 10 pro.
4. Maxima 5.47 (June 1, 2023) using Lisp SBCL 2.4.0 on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
5. FriCAS 1.3.10 built with sbcl 2.3.11 (January 10, 2024) on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
6. Giac/Xcas 1.9.0-99 on Linux via sagemath 10.3.
7. Sympy 1.12 using Python 3.11.6 (Nov 14 2023, 09:36:21) [GCC 13.2.1 20230801] on Linux Manjaro 23.1.2 KDE.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 on windows 10.
9. Reduce CSL rev 6687 (January 9, 2024) on Linux Manjaro 23.1.2 KDE.

Maxima and Fricas and Giac are called using Sagemath. This was done using Sagemath `integrate` command by changing the name of the algorithm to use the different CAS systems.

Sympy was run directly in Python not via sagemath.

Reduce was called directly.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed. If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	% solved	% Failed
Rubi	100.00 (33)	0.00 (0)
Mathematica	100.00 (33)	0.00 (0)
Fricas	100.00 (33)	0.00 (0)
Maple	93.94 (31)	6.06 (2)
Giac	93.94 (31)	6.06 (2)
Maxima	93.94 (31)	6.06 (2)
Reduce	30.30 (10)	69.70 (23)
Mupad	27.27 (9)	72.73 (24)
Sympy	27.27 (9)	72.73 (24)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	72.727	0.000	0.000	27.273
Mathematica	72.727	0.000	0.000	27.273
Giac	51.515	0.000	15.152	33.333
Maple	45.455	6.061	15.152	33.333
Fricas	18.182	54.545	0.000	27.273
Maxima	18.182	39.394	9.091	33.333
Mupad	0.000	0.000	0.000	100.000
Reduce	0.000	3.030	0.000	96.970
Sympy	0.000	0.000	0.000	100.000

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the grades of the CAS systems.



The following table shows the distribution of the different types of failures for each CAS. There are 3 types failures. The first is when CAS returns the input within the time limit, which means it could not solve it. This is the typical failure and given as **F**.

The second failure is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned. This is assigned **F(-1)**.

The third is due to an exception generated, indicated as **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in the CAS itself. This type of error requires more investigation to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00	0.00	0.00
Mathematica	0	0.00	0.00	0.00
Fricas	0	0.00	0.00	0.00
Maple	2	100.00	0.00	0.00
Giac	2	100.00	0.00	0.00
Maxima	2	100.00	0.00	0.00
Reduce	23	100.00	0.00	0.00
Mupad	24	0.00	100.00	0.00
Sympy	24	100.00	0.00	0.00

Table 1.4: Failure statistics for each CAS

1.3 Time and leaf size Performance

The table below summarizes the performance of each CAS system in terms of time used and leaf size of results.

Mean size is the average leaf size produced by the CAS (before any normalization). The Normalized mean is relative to the mean size of the optimal anti-derivative given in the input files.

For example, if CAS has **Normalized mean** of 3, then the mean size of its leaf size is 3 times as large as the mean size of the optimal leaf size.

Median size is value of leaf size where half the values are larger than this and half are smaller (before any normalization). i.e. The Middle value.

Similarly the **Normalized median** is relative to the median leaf size of the optimal.

For example, if a CAS has Normalized median of 1.2, then its median is 1.2 as large as the median leaf size of the optimal.

System	Mean time (sec)
Fricas	0.10
Giac	0.13
Reduce	0.17
Maxima	0.28
Maple	0.29
Rubi	0.37
Sympy	1.16
Mupad	1.34
Mathematica	2.32

Table 1.5: Time performance for each CAS

System	Mean size	Normalized mean	Median size	Normalized median
Sympy	14.89	0.92	14.00	0.90
Mupad	17.67	1.08	18.00	1.11
Reduce	38.20	1.91	22.00	1.13
Giac	91.00	0.93	79.00	0.93
Mathematica	100.91	1.07	109.00	1.13
Rubi	108.48	1.04	107.00	1.00
Maple	123.48	1.05	79.00	1.00
Maxima	249.87	2.37	123.00	1.93
Fricas	296.88	2.28	132.00	1.92

Table 1.6: Leaf size performance for each CAS

1.4 Performance based on number of rules Rubi used

This section shows how each CAS performed based on the number of rules Rubi needed to solve the same integral. One diagram is given for each CAS.

On the y axis is the percentage solved which Rubi itself needed the number of rules given the x axis. These plots show that as more rules are needed then most CAS system percentage of solving decreases which indicates the integral is becoming more complicated to solve.




Figure 1.1: Solving statistics per number of Rubi rules used

1.5 Performance based on number of steps Rubi used

This section shows how each CAS performed based on the number of steps Rubi needed to solve the same integral. Note that the number of steps Rubi needed can be much higher than the number of rules, as the same rule could be used more than once.




Figure 1.2: Solving statistics per number of Rubi steps used

The above diagram shows that the percentage of solved integrals decreases for most CAS systems as the number of steps increases. As expected, for integrals that required less steps by Rubi, CAS systems had more success which indicates the integral was not as hard to solve. As Rubi needed more steps to solve the integral, the solved percentage decreased for most CAS systems which indicates the integral is becoming harder to solve.

1.6 Solved integrals histogram based on leaf size of result

The following shows the distribution of solved integrals for each CAS system based on leaf size of the antiderivatives produced by each CAS. It shows that most integrals solved produced leaf size less than about 100 to 150. The bin size used is 40.




Figure 1.3: Solved integrals based on leaf size distribution

1.7 Solved integrals histogram based on CPU time used

The following shows the distribution of solved integrals for each CAS system based on CPU time used in seconds. The bin size used is 0.1 second.




Figure 1.4: Solved integrals histogram based on CPU time used

1.8 Leaf size vs. CPU time used

The following shows the relation between the CPU time used to solve an integral and the leaf size of the antiderivative.

The result for Fracas, Maxima and Giac is shifted more to the right than the other CAS system due to the use of sagemath to call them, which causes an initial slight delay in the timing to start the integration due to overhead of starting a new process each time. This should also be taken into account when looking at the timing of these three CAS systems. Direct calls not using sagemath would result in faster timings, but current implementation uses sagemath as this makes testing much easier to do.




Figure 1.5: Leaf size vs. CPU time. Full range

1.9 list of integrals with no known antiderivative

{4, 9, 14, 15, 19, 23, 27, 30, 33}

1.10 List of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Reduce {}

Mupad {}

1.11 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not necessarily mean that the anti-derivative is wrong as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it possible to do further investigation to determine why the result could not be verified.

Rubi {}

Mathematica {}

Maple {}

Maxima Verification phase not currently implemented.

Fricas Verification phase not currently implemented.

Sympy Verification phase not currently implemented.

Giac Verification phase not currently implemented.

Reduce Verification phase not currently implemented.

Mupad Verification phase not currently implemented.

1.12 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of_int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 CPU minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out was not counted in the final statistics.

1.13 Verification

A verification phase was applied on the result of integration for **Rubi** and **Mathematica**.

Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative was correct.

Verification phase also had 3 minutes time out. An integral whose result was not verified could still be correct, but further investigation is needed on those integrals. These integrals were marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.14 Important notes about some of the results

Important note about Maxima results

Since tests were run in a batch mode, and using an automated script, then any integral where Maxima needed an interactive response from the user to answer a question during the evaluation of the integral will fail.

The exception raised is `ValueError`. Therefore Maxima results is lower than what would result if Maxima was run directly and each question was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the `Timofeev` test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate the cause of error.

Maxima `integrate` was run using SageMath with the following settings set by default

```
'besselexpand : true'  
'display2d : false'  
'domain : complex'  
'keepfloat : true'  
'load(to_poly_solve)'  
'load(simplify_sum)'  
'load(abs_integrate)' 'load(diag)'
```

SageMath automatic loading of Maxima `abs_integrate` was found to cause some problems. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib  
maxima_lib.set('extra_definite_integration_methods', '[]')  
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

Important note about FriCAS result

There were few integrals which failed due to SageMath interface and not because FriCAS system could not do the integration.

These will fail With error `Exception raised: NotImplementedError`.

The number of such cases seems to be very small. About 1 or 2 percent of all integrals. These can be identified by looking at the exception message given in the result.

Important note about finding leaf size of antiderivative

For Mathematica, Rubi, and Maple, the builtin system function `LeafSize` was used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy antiderivative was determined using the following function, thanks to user `slelievre` at https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which was called directly from Python, the following code was used to obtain the leafsize of its result

```
try:  
    # 1.7 is a fudge factor since it is low side from actual leaf count  
    leafCount = round(1.7*count_ops(anti))  
  
except Exception as ee:  
    leafCount = 1
```

Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative. Maple was used to determine the leaf size of Mupad output by post processing Mupad result.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.

The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')  
the_variable = evalin(symengine, 'x')  
anti = int(integrand, the_variable)
```

Which gives $\sin(x)^2/2$

1.15 Current tree layout of integration tests





Figure 1.6: CAS integration tests tree

1.16 Design of the test system

The following diagram gives a high level view of the current test build system.



High level overview of the CAS independent integration test build system

One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer. the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "E"
13. String. Small string description of why the grade was given.
14. integer. 1 if result was verified or 0 if not verified. (For mma, rubi and maple only)

The following fields are present only in Rubi Table file

15. integer. Number of steps used.
16. integer. Number of rules used.
17. integer. Integrand leaf size.
18. real number. Ratio. Field 16 over field 17
19. String of form "{n,n,...}" which is list of the rules used by Rubi
20. String. The optimal antiderivative in Mathematica syntax

Nasser M. Abbasi
January 13, 2024
Design note

CHAPTER 2

DETAILED SUMMARY TABLES OF RESULTS

2.1	List of integrals sorted by grade for each CAS	24
2.2	Detailed conclusion table per each integral for all CAS systems	28
2.3	Detailed conclusion table specific for Rubi results	37

2.1 List of integrals sorted by grade for each CAS

Rubi	24
Mma	24
Maple	25
Fricas	25
Maxima	25
Giac	26
Mupad	26
Sympy	26
Reduce	27

Rubi

A grade { 1, 2, 3, 5, 6, 7, 8, 10, 11, 12, 13, 16, 17, 18, 20, 21, 22, 24, 25, 26, 28, 29, 31, 32 }

B grade { }

C grade { }

F normal fail { }

F(-1) timedout fail { }

F(-2) exception fail { }

Mma

A grade { 1, 2, 3, 5, 6, 7, 8, 10, 11, 12, 13, 16, 17, 18, 20, 21, 22, 24, 25, 26, 28, 29, 31, 32 }

B grade { }

C grade { }

F normal fail { }

F(-1) timedout fail { }

F(-2) exception fail { }

Maple

A grade { 1, 2, 3, 6, 7, 8, 16, 17, 18, 20, 21, 22, 24, 29, 32 }

B grade { 28, 31 }

C grade { 11, 12, 13, 25, 26 }

F normal fail { 5, 10 }

F(-1) timeout fail { }

F(-2) exception fail { }

Fricas

A grade { 3, 8, 13, 18, 22, 26 }

B grade { 1, 2, 5, 6, 7, 10, 11, 12, 16, 17, 20, 21, 24, 25, 28, 29, 31, 32 }

C grade { }

F normal fail { }

F(-1) timeout fail { }

F(-2) exception fail { }

Maxima

A grade { 16, 17, 18, 20, 21, 22 }

B grade { 1, 2, 3, 6, 7, 8, 11, 12, 13, 28, 29, 31, 32 }

C grade { 24, 25, 26 }

F normal fail { 5, 10 }

F(-1) timeout fail { }

F(-2) exception fail { }

Giac

A grade { 1, 2, 3, 6, 7, 8, 16, 17, 18, 20, 21, 22, 24, 28, 29, 31, 32 }

B grade { }

C grade { 11, 12, 13, 25, 26 }

F normal fail { 5, 10 }

F(-1) timeout fail { }

F(-2) exception fail { }

Mupad

A grade { }

B grade { }

C grade { }

F normal fail { }

F(-1) timeout fail { 1, 2, 3, 5, 6, 7, 8, 10, 11, 12, 13, 16, 17, 18, 20, 21, 22, 24, 25, 26, 28, 29, 31, 32 }

F(-2) exception fail { }

Sympy

A grade { }

B grade { }

C grade { }

F normal fail { 1, 2, 3, 5, 6, 7, 8, 10, 11, 12, 13, 16, 17, 18, 20, 21, 22, 24, 25, 26, 28, 29, 31, 32 }

F(-1) timeout fail { }

F(-2) exception fail { }

Reduce

A grade { }

B grade { 11 }

C grade { }

F normal fail { 1, 2, 3, 5, 6, 7, 8, 10, 12, 13, 16, 17, 18, 20, 21, 22, 24, 25, 26, 28, 29, 31, 32
}

F(-1) timedout fail { }

F(-2) exception fail { }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by the table below. The elapsed time is in seconds. For failed result it is given as **F(-1)** if the failure was due to timeout. It is given as **F(-2)** if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given as **F**.

In this table, the column **N.S.** means **normalized size** and is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$. To make the table fit the page, the name **Mathematica** was abbreviated to **MMA**.

Problem 1	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	B	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	225	244	149	252	755	430	0	163	302	0
N.S.	1	1.08	0.66	1.12	3.36	1.91	0.00	0.72	1.34	0.00
time (sec)	N/A	0.832	0.202	0.201	0.348	0.110	0.000	0.125	0.161	0.000

Problem 2	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	B	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	111	118	130	124	611	343	0	121	33	0
N.S.	1	1.06	1.17	1.12	5.50	3.09	0.00	1.09	0.30	0.00
time (sec)	N/A	0.376	0.118	0.162	0.296	0.113	0.000	0.119	0.159	0.000

Problem 3	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	A	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	91	91	105	83	464	111	0	79	13	0
N.S.	1	1.00	1.15	0.91	5.10	1.22	0.00	0.87	0.14	0.00
time (sec)	N/A	0.329	0.057	0.131	0.253	0.099	0.000	0.124	0.164	0.000

Problem 4	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	15	17	15	17	17	14	17	17	17
N.S.	1	1.00	1.13	1.00	1.13	1.13	0.93	1.13	1.13	1.13
time (sec)	N/A	0.198	5.165	0.044	0.663	0.080	0.667	0.126	0.159	1.331

Problem 5	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	107	107	132	0	0	331	0	0	38	0
N.S.	1	1.00	1.23	0.00	0.00	3.09	0.00	0.00	0.36	0.00
time (sec)	N/A	0.296	0.386	0.000	0.000	0.099	0.000	0.000	0.167	0.000

Problem 6	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	B	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	227	246	152	244	834	467	0	167	247	0
N.S.	1	1.08	0.67	1.07	3.67	2.06	0.00	0.74	1.09	0.00
time (sec)	N/A	0.942	0.207	0.202	0.387	0.086	0.000	0.128	0.160	0.000

Problem 7	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	B	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	112	119	134	120	674	385	0	123	36	0
N.S.	1	1.06	1.20	1.07	6.02	3.44	0.00	1.10	0.32	0.00
time (sec)	N/A	0.418	0.122	0.164	0.312	0.087	0.000	0.123	0.160	0.000

Problem 8	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	A	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	91	91	109	79	512	115	0	81	14	0
N.S.	1	1.00	1.20	0.87	5.63	1.26	0.00	0.89	0.15	0.00
time (sec)	N/A	0.342	0.049	0.126	0.259	0.090	0.000	0.126	0.155	0.000

Problem 9	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	16	16	18	16	22	21	14	18	18	18
N.S.	1	1.00	1.12	1.00	1.38	1.31	0.88	1.12	1.12	1.12
time (sec)	N/A	0.198	6.052	0.049	0.715	0.075	0.668	0.125	0.159	1.337

Problem 10	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	108	108	136	0	0	371	0	0	40	0
N.S.	1	1.00	1.26	0.00	0.00	3.44	0.00	0.00	0.37	0.00
time (sec)	N/A	0.320	0.437	0.000	0.000	0.090	0.000	0.000	0.162	0.000

Problem 11	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	B	B	F	C	B	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	66	119	72	75	183	127	0	53	89	0
N.S.	1	1.80	1.09	1.14	2.77	1.92	0.00	0.80	1.35	0.00
time (sec)	N/A	0.689	0.102	0.216	0.151	0.096	0.000	0.128	0.163	0.000

Problem 12	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	B	B	F	C	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	52	57	75	49	123	108	0	43	21	0
N.S.	1	1.10	1.44	0.94	2.37	2.08	0.00	0.83	0.40	0.00
time (sec)	N/A	0.304	0.049	0.161	0.178	0.099	0.000	0.125	0.161	0.000

Problem 13	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	B	A	F	C	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	39	39	24	25	94	16	0	21	9	0
N.S.	1	1.00	0.62	0.64	2.41	0.41	0.00	0.54	0.23	0.00
time (sec)	N/A	0.238	0.018	0.110	0.131	0.079	0.000	0.126	0.160	0.000

Problem 14	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	13	15	11	13	13	12	13	13	13
N.S.	1	1.00	1.15	0.85	1.00	1.00	0.92	1.00	1.00	1.00
time (sec)	N/A	0.190	5.841	0.059	0.568	0.085	0.637	0.122	0.162	1.345

Problem 15	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	13	15	11	13	13	14	13	13	13
N.S.	1	1.00	1.15	0.85	1.00	1.00	1.08	1.00	1.00	1.00
time (sec)	N/A	0.435	7.464	0.057	0.383	0.095	0.453	0.119	0.189	1.336

Problem 16	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	B	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	268	268	176	281	294	766	0	182	372	0
N.S.	1	1.00	0.66	1.05	1.10	2.86	0.00	0.68	1.39	0.00
time (sec)	N/A	0.485	0.507	0.561	0.180	0.111	0.000	0.140	0.174	0.000

Problem 17	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	B	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	136	136	155	141	200	648	0	142	219	0
N.S.	1	1.00	1.14	1.04	1.47	4.76	0.00	1.04	1.61	0.00
time (sec)	N/A	0.304	0.261	0.487	0.169	0.105	0.000	0.134	0.173	0.000

Problem 18	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	110	110	140	94	96	128	0	94	15	0
N.S.	1	1.00	1.27	0.85	0.87	1.16	0.00	0.85	0.14	0.00
time (sec)	N/A	0.261	0.093	0.441	0.118	0.087	0.000	0.126	0.188	0.000

Problem 19	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	17	19	17	51	19	15	19	65	19
N.S.	1	1.00	1.12	1.00	3.00	1.12	0.88	1.12	3.82	1.12
time (sec)	N/A	0.218	11.569	0.106	0.258	0.079	0.844	0.139	0.164	1.357

Problem 20	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	B	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	268	268	181	273	322	843	0	186	310	0
N.S.	1	1.00	0.68	1.02	1.20	3.15	0.00	0.69	1.16	0.00
time (sec)	N/A	0.479	0.493	0.539	0.192	0.132	0.000	0.135	0.164	0.000

Problem 21	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	B	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	136	136	159	137	216	730	0	144	176	0
N.S.	1	1.00	1.17	1.01	1.59	5.37	0.00	1.06	1.29	0.00
time (sec)	N/A	0.299	0.267	0.490	0.166	0.085	0.000	0.127	0.165	0.000

Problem 22	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	110	110	144	90	96	132	0	96	16	0
N.S.	1	1.00	1.31	0.82	0.87	1.20	0.00	0.87	0.15	0.00
time (sec)	N/A	0.260	0.102	0.439	0.130	0.087	0.000	0.128	0.168	0.000

Problem 23	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	51	22	15	20	69	20
N.S.	1	1.00	1.11	1.00	2.83	1.22	0.83	1.11	3.83	1.11
time (sec)	N/A	0.219	13.012	0.108	0.244	0.096	0.870	0.135	0.163	1.345

Problem 24	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	C	B	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	68	68	99	77	113	268	0	61	105	0
N.S.	1	1.00	1.46	1.13	1.66	3.94	0.00	0.90	1.54	0.00
time (sec)	N/A	0.292	0.144	0.615	0.158	0.118	0.000	0.119	0.161	0.000

Problem 25	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	C	B	F	C	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	75	75	88	75	121	307	0	70	123	0
N.S.	1	1.00	1.17	1.00	1.61	4.09	0.00	0.93	1.64	0.00
time (sec)	N/A	0.258	0.146	0.539	0.178	0.095	0.000	0.134	0.168	0.000

Problem 26	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	C	A	F	C	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	56	56	48	49	45	41	0	42	11	0
N.S.	1	1.00	0.86	0.88	0.80	0.73	0.00	0.75	0.20	0.00
time (sec)	N/A	0.234	0.051	0.477	0.117	0.082	0.000	0.129	0.163	0.000

Problem 27	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	15	17	13	43	15	14	15	54	15
N.S.	1	1.00	1.13	0.87	2.87	1.00	0.93	1.00	3.60	1.00
time (sec)	N/A	0.215	12.817	0.153	0.217	0.090	0.719	0.128	0.165	1.342

Problem 28	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	261	269	194	460	536	634	0	227	554	0
N.S.	1	1.03	0.74	1.76	2.05	2.43	0.00	0.87	2.12	0.00
time (sec)	N/A	0.901	0.375	0.284	0.258	0.108	0.000	0.123	0.187	0.000

Problem 29	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	B	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	128	127	146	200	254	413	0	139	53	0
N.S.	1	0.99	1.14	1.56	1.98	3.23	0.00	1.09	0.41	0.00
time (sec)	N/A	0.398	0.171	0.210	0.151	0.091	0.000	0.125	0.190	0.000

Problem 30	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	19	21	19	21	21	17	21	21	21
N.S.	1	1.00	1.11	1.00	1.11	1.11	0.89	1.11	1.11	1.11
time (sec)	N/A	0.187	2.854	0.060	0.618	0.077	0.583	0.126	0.178	1.328

Problem 31	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	311	311	240	528	601	1142	0	263	732	0
N.S.	1	1.00	0.77	1.70	1.93	3.67	0.00	0.85	2.35	0.00
time (sec)	N/A	0.616	0.886	0.878	0.323	0.102	0.000	0.136	0.207	0.000

Problem 32	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	B	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	160	160	177	231	299	777	0	165	352	0
N.S.	1	1.00	1.11	1.44	1.87	4.86	0.00	1.03	2.20	0.00
time (sec)	N/A	0.354	0.445	0.673	0.268	0.111	0.000	0.128	0.197	0.000

Problem 33	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	21	23	21	72	23	19	23	23	23
N.S.	1	1.00	1.10	1.00	3.43	1.10	0.90	1.10	1.10	1.10
time (sec)	N/A	0.234	5.979	0.104	0.257	0.096	4.959	0.154	0.190	1.382

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi only. It gives additional statistics for each integral. The column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is also given. The larger this ratio is, the harder the integral is to solve. In this test file, problem number [11] had the largest ratio of [.769230999999999998]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	10	10	1.08	15	0.667
2	A	5	5	1.06	13	0.385
3	A	4	4	1.00	11	0.364
4	N/A	1	0	1.00	15	0.000
5	A	1	1	1.00	33	0.030
6	A	10	10	1.08	16	0.625
7	A	5	5	1.06	14	0.357
8	A	4	4	1.00	12	0.333
9	N/A	1	0	1.00	16	0.000
10	A	1	1	1.00	35	0.029
11	A	10	10	1.80	13	0.769
12	A	5	5	1.10	11	0.455
13	A	4	4	1.00	9	0.444
14	N/A	1	0	1.00	13	0.000
15	N/A	6	0	1.00	13	0.000
16	A	2	2	1.00	17	0.118
17	A	2	2	1.00	15	0.133
18	A	2	2	1.00	13	0.154
19	N/A	2	0	1.00	17	0.000
20	A	2	2	1.00	18	0.111

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
21	A	2	2	1.00	16	0.125
22	A	2	2	1.00	14	0.143
23	N/A	2	0	1.00	18	0.000
24	A	2	2	1.00	15	0.133
25	A	2	2	1.00	13	0.154
26	A	2	2	1.00	11	0.182
27	N/A	2	0	1.00	15	0.000
28	A	10	10	1.03	19	0.526
29	A	5	5	0.99	17	0.294
30	N/A	1	0	1.00	19	0.000
31	A	2	2	1.00	21	0.095
32	A	2	2	1.00	19	0.105
33	N/A	2	0	1.00	21	0.000

CHAPTER 3

LISTING OF INTEGRALS

3.1	$\int x^2 \sinh(a + bx + cx^2) dx$	41
3.2	$\int x \sinh(a + bx + cx^2) dx$	50
3.3	$\int \sinh(a + bx + cx^2) dx$	57
3.4	$\int \frac{\sinh(a+bx+cx^2)}{x} dx$	63
3.5	$\int \left(-\frac{b \cosh(a+bx+cx^2)}{x} + \frac{\sinh(a+bx+cx^2)}{x^2} \right) dx$	68
3.6	$\int x^2 \sinh(a + bx - cx^2) dx$	73
3.7	$\int x \sinh(a + bx - cx^2) dx$	82
3.8	$\int \sinh(a + bx - cx^2) dx$	89
3.9	$\int \frac{\sinh(a+bx-cx^2)}{x} dx$	95
3.10	$\int \left(-\frac{b \cosh(a+bx-cx^2)}{x} + \frac{\sinh(a+bx-cx^2)}{x^2} \right) dx$	100
3.11	$\int x^2 \sinh\left(\frac{1}{4} + x + x^2\right) dx$	105
3.12	$\int x \sinh\left(\frac{1}{4} + x + x^2\right) dx$	113
3.13	$\int \sinh\left(\frac{1}{4} + x + x^2\right) dx$	119
3.14	$\int \frac{\sinh(\frac{1}{4}+x+x^2)}{x} dx$	125
3.15	$\int \frac{\sinh(\frac{1}{4}+x+x^2)}{x^2} dx$	130
3.16	$\int x^2 \sinh^2(a + bx + cx^2) dx$	135
3.17	$\int x \sinh^2(a + bx + cx^2) dx$	143
3.18	$\int \sinh^2(a + bx + cx^2) dx$	149
3.19	$\int \frac{\sinh^2(a+bx+cx^2)}{x} dx$	154
3.20	$\int x^2 \sinh^2(a + bx - cx^2) dx$	159
3.21	$\int x \sinh^2(a + bx - cx^2) dx$	167
3.22	$\int \sinh^2(a + bx - cx^2) dx$	173
3.23	$\int \frac{\sinh^2(a+bx-cx^2)}{x} dx$	178
3.24	$\int x^2 \sinh^2\left(\frac{1}{4} + x + x^2\right) dx$	183
3.25	$\int x \sinh^2\left(\frac{1}{4} + x + x^2\right) dx$	189

3.26	$\int \sinh^2\left(\frac{1}{4} + x + x^2\right) dx$	195
3.27	$\int \frac{\sinh^2\left(\frac{1}{4} + x + x^2\right)}{x} dx$	200
3.28	$\int (d + ex)^2 \sinh(a + bx + cx^2) dx$	205
3.29	$\int (d + ex) \sinh(a + bx + cx^2) dx$	215
3.30	$\int \frac{\sinh(a + bx + cx^2)}{d + ex} dx$	223
3.31	$\int (d + ex)^2 \sinh^2(a + bx + cx^2) dx$	228
3.32	$\int (d + ex) \sinh^2(a + bx + cx^2) dx$	236
3.33	$\int \frac{\sinh^2(a + bx + cx^2)}{d + ex} dx$	243

3.1 $\int x^2 \sinh (a + bx + cx^2) dx$

Optimal result	41
Mathematica [A] (verified)	42
Rubi [A] (verified)	42
Maple [A] (verified)	45
Fricas [B] (verification not implemented)	46
Sympy [F]	47
Maxima [B] (verification not implemented)	47
Giac [A] (verification not implemented)	48
Mupad [F(-1)]	49
Reduce [F]	49

Optimal result

Integrand size = 15, antiderivative size = 225

$$\int x^2 \sinh (a + bx + cx^2) dx = -\frac{b \cosh (a + bx + cx^2)}{4c^2} + \frac{x \cosh (a + bx + cx^2)}{2c} - \frac{b^2 e^{-a+\frac{b^2}{4c}} \sqrt{\pi} \operatorname{erf}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{16c^{5/2}} - \frac{e^{-a+\frac{b^2}{4c}} \sqrt{\pi} \operatorname{erf}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{8c^{3/2}} + \frac{b^2 e^{a-\frac{b^2}{4c}} \sqrt{\pi} \operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{16c^{5/2}} - \frac{e^{a-\frac{b^2}{4c}} \sqrt{\pi} \operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{8c^{3/2}}$$

output

```
-1/4*b*cosh(c*x^2+b*x+a)/c^2+1/2*x*cosh(c*x^2+b*x+a)/c-1/16*b^2*exp(-a+1/4
*b^2/c)*Pi^(1/2)*erf(1/2*(2*c*x+b)/c^(1/2))/c^(5/2)-1/8*exp(-a+1/4*b^2/c)*
Pi^(1/2)*erf(1/2*(2*c*x+b)/c^(1/2))/c^(3/2)+1/16*b^2*exp(a-1/4*b^2/c)*Pi^(
1/2)*erfi(1/2*(2*c*x+b)/c^(1/2))/c^(5/2)-1/8*exp(a-1/4*b^2/c)*Pi^(1/2)*erf
i(1/2*(2*c*x+b)/c^(1/2))/c^(3/2)
```

Mathematica [A] (verified)

Time = 0.20 (sec) , antiderivative size = 149, normalized size of antiderivative = 0.66

$$\int x^2 \sinh(a + bx + cx^2) dx$$

$$= \frac{4\sqrt{c}(-b + 2cx) \cosh(a + x(b + cx)) + (b^2 + 2c) \sqrt{\pi} \operatorname{erf}\left(\frac{b+2cx}{2\sqrt{c}}\right) \left(-\cosh\left(a - \frac{b^2}{4c}\right) + \sinh\left(a - \frac{b^2}{4c}\right)\right) + (b^2 - 2c) \sqrt{\pi} \operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right) \left(\cosh\left(a - \frac{b^2}{4c}\right) + \sinh\left(a - \frac{b^2}{4c}\right)\right)}{16c^{5/2}}$$

input

```
Integrate[x^2*Sinh[a + b*x + c*x^2],x]
```

output

```
(4*Sqrt[c]*(-b + 2*c*x)*Cosh[a + x*(b + c*x)] + (b^2 + 2*c)*Sqrt[Pi]*Erf[(b + 2*c*x)/(2*Sqrt[c])]*(-Cosh[a - b^2/(4*c)] + Sinh[a - b^2/(4*c)]) + (b^2 - 2*c)*Sqrt[Pi]*Erfi[(b + 2*c*x)/(2*Sqrt[c])]*(Cosh[a - b^2/(4*c)] + Sinh[a - b^2/(4*c)]))/(16*c^(5/2))
```

Rubi [A] (verified)

Time = 0.83 (sec) , antiderivative size = 244, normalized size of antiderivative = 1.08, number of steps used = 10, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {5909, 5898, 2664, 2633, 2634, 5905, 5897, 2664, 2633, 2634}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^2 \sinh(a + bx + cx^2) dx$$

$$\downarrow 5909$$

$$\frac{b \int x \sinh(cx^2 + bx + a) dx}{2c} - \frac{\int \cosh(cx^2 + bx + a) dx}{2c} + \frac{x \cosh(a + bx + cx^2)}{2c}$$

$$\downarrow 5898$$

$$-\frac{\frac{1}{2} \int e^{-cx^2 - bx - a} dx + \frac{1}{2} \int e^{cx^2 + bx + a} dx}{2c} - \frac{b \int x \sinh(cx^2 + bx + a) dx}{2c} + \frac{x \cosh(a + bx + cx^2)}{2c}$$

$$\downarrow 2664$$

$$\begin{aligned}
& -\frac{\frac{1}{2}e^{\frac{b^2}{4c}-a} \int e^{-\frac{(b+2cx)^2}{4c}} dx + \frac{1}{2}e^{a-\frac{b^2}{4c}} \int e^{\frac{(b+2cx)^2}{4c}} dx}{2c} - \frac{b \int x \sinh (cx^2 + bx + a) dx}{2c} + \\
& \quad \frac{x \cosh (a + bx + cx^2)}{2c} \\
& \quad \downarrow \text{2633} \\
& -\frac{\frac{1}{2}e^{\frac{b^2}{4c}-a} \int e^{-\frac{(b+2cx)^2}{4c}} dx + \frac{\sqrt{\pi}e^{a-\frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}}}{2c} - \frac{b \int x \sinh (cx^2 + bx + a) dx}{2c} + \\
& \quad \frac{x \cosh (a + bx + cx^2)}{2c} \\
& \quad \downarrow \text{2634} \\
& -\frac{b \int x \sinh (cx^2 + bx + a) dx}{2c} - \frac{\frac{\sqrt{\pi}e^{\frac{b^2}{4c}-a} \operatorname{erf}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} + \frac{\sqrt{\pi}e^{a-\frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}}}{2c} + \\
& \quad \frac{x \cosh (a + bx + cx^2)}{2c} \\
& \quad \downarrow \text{5905} \\
& -\frac{b\left(\frac{\cosh(a+bx+cx^2)}{2c} - \frac{b \int \sinh (cx^2 + bx + a) dx}{2c}\right)}{2c} - \frac{\frac{\sqrt{\pi}e^{\frac{b^2}{4c}-a} \operatorname{erf}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} + \frac{\sqrt{\pi}e^{a-\frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}}}{2c} + \\
& \quad \frac{x \cosh (a + bx + cx^2)}{2c} \\
& \quad \downarrow \text{5897} \\
& -\frac{b\left(\frac{\cosh(a+bx+cx^2)}{2c} - \frac{b\left(\frac{1}{2} \int e^{cx^2+bx+a} dx - \frac{1}{2} \int e^{-cx^2-bx-a} dx\right)}{2c}\right)}{2c} - \\
& \quad \frac{\frac{\sqrt{\pi}e^{\frac{b^2}{4c}-a} \operatorname{erf}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} + \frac{\sqrt{\pi}e^{a-\frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}}}{2c} + \frac{x \cosh (a + bx + cx^2)}{2c} \\
& \quad \downarrow \text{2664} \\
& -\frac{b\left(\frac{\cosh(a+bx+cx^2)}{2c} - \frac{b\left(\frac{1}{2}e^{a-\frac{b^2}{4c}} \int e^{\frac{(b+2cx)^2}{4c}} dx - \frac{1}{2}e^{\frac{b^2}{4c}-a} \int e^{-\frac{(b+2cx)^2}{4c}} dx\right)}{2c}\right)}{2c} - \\
& \quad \frac{\frac{\sqrt{\pi}e^{\frac{b^2}{4c}-a} \operatorname{erf}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} + \frac{\sqrt{\pi}e^{a-\frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}}}{2c} + \frac{x \cosh (a + bx + cx^2)}{2c} \\
& \quad \downarrow \text{2633}
\end{aligned}$$

$$\begin{aligned}
 & \left(\frac{\cosh(a+bx+cx^2)}{2c} - \frac{b \left(\frac{\sqrt{\pi} e^{a-\frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} - \frac{1}{2} e^{\frac{b^2}{4c}-a} \int e^{-\frac{(b+2cx)^2}{4c}} dx \right)}{2c} \right) \\
 & \frac{\sqrt{\pi} e^{\frac{b^2}{4c}-a} \operatorname{erf}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} + \frac{\sqrt{\pi} e^{a-\frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} + \frac{x \cosh(a+bx+cx^2)}{2c} \\
 & \quad \downarrow \text{2634} \\
 & \left(\frac{\cosh(a+bx+cx^2)}{2c} - \frac{b \left(\frac{\sqrt{\pi} e^{a-\frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} - \frac{\sqrt{\pi} e^{\frac{b^2}{4c}-a} \operatorname{erf}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} \right)}{2c} \right) \\
 & \frac{\sqrt{\pi} e^{\frac{b^2}{4c}-a} \operatorname{erf}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} + \frac{\sqrt{\pi} e^{a-\frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} + \frac{x \cosh(a+bx+cx^2)}{2c}
 \end{aligned}$$

input `Int[x^2*Sinh[a + b*x + c*x^2],x]`

output `(x*Cosh[a + b*x + c*x^2])/(2*c) - ((E^(-a + b^2/(4*c))*Sqrt[Pi]*Erf[(b + 2*c*x)/(2*Sqrt[c]])/(4*Sqrt[c]))/(2*c) - (b*(Cosh[a + b*x + c*x^2]/(2*c) - (b*(-1/4*(E^(-a + b^2/(4*c))*Sqrt[Pi]*Erf[(b + 2*c*x)/(2*Sqrt[c]]))/Sqrt[c] + (E^(a - b^2/(4*c))*Sqrt[Pi]*Erfi[(b + 2*c*x)/(2*Sqrt[c]])/(4*Sqrt[c]))/(2*c)))/(2*c)`

Defintions of rubi rules used

rule 2633 `Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]`

rule 2634 $\text{Int}[(F_)^((a_.) + (b_.)*(c_.) + (d_.)*(x_)^2), x_Symbol] \rightarrow \text{Simp}[F^a \sqrt{\text{Pi}} * (\text{Erf}[(c + d*x)*\text{Rt}[(-b)*\text{Log}[F], 2]]) / (2*d*\text{Rt}[(-b)*\text{Log}[F], 2])], x] /;$ $\text{FreeQ}\{F, a, b, c, d, x\} \ \&\& \ \text{NegQ}[b]$

rule 2664 $\text{Int}[(F_)^((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] \rightarrow \text{Simp}[F^{(a - b^2/(4*c))} \text{Int}[F^{((b + 2*c*x)^2/(4*c))}, x], x] /;$ $\text{FreeQ}\{F, a, b, c, x\}$

rule 5897 $\text{Int}[\text{Sinh}[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] \rightarrow \text{Simp}[1/2 \text{Int}[E^{(a + b*x + c*x^2)}, x], x] - \text{Simp}[1/2 \text{Int}[E^{(-a - b*x - c*x^2)}, x], x] /;$ $\text{FreeQ}\{a, b, c, x\}$

rule 5898 $\text{Int}[\text{Cosh}[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] \rightarrow \text{Simp}[1/2 \text{Int}[E^{(a + b*x + c*x^2)}, x], x] + \text{Simp}[1/2 \text{Int}[E^{(-a - b*x - c*x^2)}, x], x] /;$ $\text{FreeQ}\{a, b, c, x\}$

rule 5905 $\text{Int}[((d_.) + (e_.)*(x_))*\text{Sinh}[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] \rightarrow \text{Simp}[e*(\text{Cosh}[a + b*x + c*x^2]/(2*c)), x] - \text{Simp}[(b*e - 2*c*d)/(2*c) \text{Int}[\text{Sinh}[a + b*x + c*x^2], x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, x\} \ \&\& \ \text{NeQ}[b*e - 2*c*d, 0]$

rule 5909 $\text{Int}[((d_.) + (e_.)*(x_))^{(m_)}*\text{Sinh}[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] \rightarrow \text{Simp}[e*(d + e*x)^{(m - 1)}*(\text{Cosh}[a + b*x + c*x^2]/(2*c)), x] + (-\text{Simp}[(b*e - 2*c*d)/(2*c) \text{Int}[(d + e*x)^{(m - 1)}*\text{Sinh}[a + b*x + c*x^2], x], x] - \text{Simp}[e^{2*(m - 1)}/(2*c) \text{Int}[(d + e*x)^{(m - 2)}*\text{Cosh}[a + b*x + c*x^2], x], x]) /;$ $\text{FreeQ}\{a, b, c, d, e, x\} \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ \text{NeQ}[b*e - 2*c*d, 0]$

Maple [A] (verified)

Time = 0.20 (sec) , antiderivative size = 252, normalized size of antiderivative = 1.12

method	result
risch	$\frac{x e^{-c x^2 - b x - a}}{4c} - \frac{b e^{-c x^2 - b x - a}}{8c^2} - \frac{b^2 \sqrt{\pi} e^{-\frac{4ac - b^2}{4c}} \text{erf}\left(\sqrt{c}x + \frac{b}{2\sqrt{c}}\right)}{16c^{\frac{5}{2}}} - \frac{\sqrt{\pi} e^{-\frac{4ac - b^2}{4c}} \text{erf}\left(\sqrt{c}x + \frac{b}{2\sqrt{c}}\right)}{8c^{\frac{3}{2}}} + \frac{x e^{c x^2 + b x + a}}{4c} - \frac{b}{4c}$

input `int(x^2*sinh(c*x^2+b*x+a),x,method=_RETURNVERBOSE)`

output
$$\frac{1}{4}cx \exp(-cx^2-bx-a) - \frac{1}{8}b/c^2 \exp(-cx^2-bx-a) - \frac{1}{16}b^2/c^{5/2} \pi^{1/2} \exp(-1/4(4ac-b^2)/c) \operatorname{erf}(c^{1/2}x+1/2b/c^{1/2}) - \frac{1}{8}c^{3/2} \pi^{1/2} \exp(-1/4(4ac-b^2)/c) \operatorname{erf}(c^{1/2}x+1/2b/c^{1/2}) + \frac{1}{4}cx \exp(cx^2+bx+a) - \frac{1}{8}b/c^2 \exp(cx^2+bx+a) - \frac{1}{16}b^2/c^2 \pi^{1/2} \exp(1/4(4ac-b^2)/c) / (-c)^{1/2} \operatorname{erf}(-(-c)^{1/2}x+1/2b/(-c)^{1/2}) + \frac{1}{8}c \pi^{1/2} \exp(1/4(4ac-b^2)/c) / (-c)^{1/2} \operatorname{erf}(-(-c)^{1/2}x+1/2b/(-c)^{1/2})$$

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 430 vs. $2(169) = 338$.

Time = 0.11 (sec) , antiderivative size = 430, normalized size of antiderivative = 1.91

$$\int x^2 \sinh(a + bx + cx^2) dx$$

$$= \frac{4c^2x + 2(2c^2x - bc) \cosh(cx^2 + bx + a)^2 - \sqrt{\pi} \left((b^2 - 2c) \cosh(cx^2 + bx + a) \cosh\left(-\frac{b^2 - 4ac}{4c}\right) + (b^2 - 2c) \cosh\left(-\frac{b^2 - 4ac}{4c}\right) \cosh(cx^2 + bx + a) \right)}{4c^2}$$

input `integrate(x^2*sinh(c*x^2+b*x+a),x, algorithm="fricas")`

output
$$\frac{1}{16}(4c^2x + 2(2c^2x - bc) \cosh(cx^2 + bx + a)^2 - \sqrt{\pi}((b^2 - 2c) \cosh(cx^2 + bx + a) \cosh(-1/4(b^2 - 4ac)/c) + (b^2 - 2c) \cosh(-1/4(b^2 - 4ac)/c) + (b^2 - 2c) \sinh(-1/4(b^2 - 4ac)/c) \sinh(cx^2 + bx + a)) \sqrt{-c} \operatorname{erf}(1/2(2cx + b) \sqrt{-c}/c) - \sqrt{\pi}((b^2 + 2c) \cosh(cx^2 + bx + a) \cosh(-1/4(b^2 - 4ac)/c) - (b^2 + 2c) \cosh(cx^2 + bx + a) \sinh(-1/4(b^2 - 4ac)/c) + ((b^2 + 2c) \cosh(-1/4(b^2 - 4ac)/c) - (b^2 + 2c) \sinh(-1/4(b^2 - 4ac)/c)) \sinh(cx^2 + bx + a)) \sqrt{c} \operatorname{erf}(1/2(2cx + b) \sqrt{c}) + 4(2c^2x - bc) \cosh(cx^2 + bx + a) \sinh(cx^2 + bx + a) + 2(2c^2x - bc) \sinh(cx^2 + bx + a)^2 - 2b^2c / (c^3 \cosh(cx^2 + bx + a) + c^3 \sinh(cx^2 + bx + a))$$

Sympy [F]

$$\int x^2 \sinh(a + bx + cx^2) dx = \int x^2 \sinh(a + bx + cx^2) dx$$

input `integrate(x**2*sinh(c*x**2+b*x+a),x)`

output `Integral(x**2*sinh(a + b*x + c*x**2), x)`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 755 vs. $2(169) = 338$.

Time = 0.35 (sec) , antiderivative size = 755, normalized size of antiderivative = 3.36

$$\int x^2 \sinh(a + bx + cx^2) dx = \text{Too large to display}$$

input `integrate(x^2*sinh(c*x^2+b*x+a),x, algorithm="maxima")`

output

```

1/3*x^3*sinh(c*x^2 + b*x + a) + 1/96*(sqrt(pi)*(2*c*x + b)*b^3*(erf(1/2*sqrt(-(2*c*x + b)^2/c)) - 1)/(sqrt(-(2*c*x + b)^2/c)*c^(7/2)) - 6*b^2*e^(1/4*(2*c*x + b)^2/c)/c^(5/2) - 12*(2*c*x + b)^3*b*gamma(3/2, -1/4*(2*c*x + b)^2/c)/((-2*c*x + b)^2/c)^(3/2)*c^(7/2)) + 8*gamma(2, -1/4*(2*c*x + b)^2/c)/c^(3/2))*b*e^(a - 1/4*b^2/c)/sqrt(c) - 1/96*(sqrt(pi)*(2*c*x + b)*b^4*(erf(1/2*sqrt(-(2*c*x + b)^2/c)) - 1)/(sqrt(-(2*c*x + b)^2/c)*c^(9/2)) - 8*b^3*e^(1/4*(2*c*x + b)^2/c)/c^(7/2) - 24*(2*c*x + b)^3*b^2*gamma(3/2, -1/4*(2*c*x + b)^2/c)/((-2*c*x + b)^2/c)^(3/2)*c^(9/2)) + 32*b*gamma(2, -1/4*(2*c*x + b)^2/c)/c^(5/2) - 16*(2*c*x + b)^5*gamma(5/2, -1/4*(2*c*x + b)^2/c)/((-2*c*x + b)^2/c)^(5/2)*c^(9/2))*sqrt(c)*e^(a - 1/4*b^2/c) + 1/96*(sqrt(pi)*(2*c*x + b)*b^3*(erf(1/2*sqrt((2*c*x + b)^2/c)) - 1)/(sqrt((2*c*x + b)^2/c)*(-c)^(7/2)) + 6*b^2*c*e^(-1/4*(2*c*x + b)^2/c)/(-c)^(7/2) - 12*(2*c*x + b)^3*b*gamma(3/2, 1/4*(2*c*x + b)^2/c)/(((2*c*x + b)^2/c)^(3/2)*(-c)^(7/2)) + 8*c^2*gamma(2, 1/4*(2*c*x + b)^2/c)/(-c)^(7/2))*b*e^(-a + 1/4*b^2/c)/sqrt(-c) + 1/96*(sqrt(pi)*(2*c*x + b)*b^4*(erf(1/2*sqrt((2*c*x + b)^2/c)) - 1)/(sqrt((2*c*x + b)^2/c)*(-c)^(9/2)) + 8*b^3*c*e^(-1/4*(2*c*x + b)^2/c)/(-c)^(9/2) - 24*(2*c*x + b)^3*b^2*gamma(3/2, 1/4*(2*c*x + b)^2/c)/(((2*c*x + b)^2/c)^(3/2)*(-c)^(9/2)) + 32*b*c^2*gamma(2, 1/4*(2*c*x + b)^2/c)/(-c)^(9/2) - 16*(2*c*x + b)^5*gamma(5/2, 1/4*(2*c*x + b)^2/c)/(((2*c*x + b)^2/c)^(5/2)*(-c)^(9/2)))*c*e^(-a + 1/4*b^2/c)/sqrt(-c)

```

Giac [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 163, normalized size of antiderivative = 0.72

$$\begin{aligned}
& \int x^2 \sinh(a + bx + cx^2) dx \\
&= \frac{\sqrt{\pi}(b^2+2c) \operatorname{erf}\left(-\frac{1}{2}\sqrt{c}\left(2x+\frac{b}{c}\right)\right) e^{\left(\frac{b^2-4ac}{4c}\right)} + 2\left(c\left(2x+\frac{b}{c}\right) - 2b\right) e^{(-cx^2-bx-a)}}{\sqrt{c}} \\
&\quad - \frac{16c^2 \sqrt{\pi}(b^2-2c) \operatorname{erf}\left(-\frac{1}{2}\sqrt{-c}\left(2x+\frac{b}{c}\right)\right) e^{\left(-\frac{b^2-4ac}{4c}\right)} - 2\left(c\left(2x+\frac{b}{c}\right) - 2b\right) e^{(cx^2+bx+a)}}{16c^2}
\end{aligned}$$

input

```
integrate(x^2*sinh(c*x^2+b*x+a),x, algorithm="giac")
```

output

```
1/16*(sqrt(pi)*(b^2 + 2*c)*erf(-1/2*sqrt(c)*(2*x + b/c))*e^(1/4*(b^2 - 4*a
*c)/c)/sqrt(c) + 2*(c*(2*x + b/c) - 2*b)*e^(-c*x^2 - b*x - a))/c^2 - 1/16*
(sqrt(pi)*(b^2 - 2*c)*erf(-1/2*sqrt(-c)*(2*x + b/c))*e^(-1/4*(b^2 - 4*a*c)
/c)/sqrt(-c) - 2*(c*(2*x + b/c) - 2*b)*e^(c*x^2 + b*x + a))/c^2
```

Mupad [F(-1)]

Timed out.

$$\int x^2 \sinh(a + bx + cx^2) dx = \int x^2 \sinh(cx^2 + bx + a) dx$$

input

```
int(x^2*sinh(a + b*x + c*x^2),x)
```

output

```
int(x^2*sinh(a + b*x + c*x^2), x)
```

Reduce [F]

$$\int x^2 \sinh(a + bx + cx^2) dx$$

$$= \frac{-\sqrt{\pi} e^{cx^2+bx+2a} \operatorname{erf}\left(\frac{2cix+bi}{2\sqrt{c}}\right) b^2 i + 2\sqrt{\pi} e^{cx^2+bx+2a} \operatorname{erf}\left(\frac{2cix+bi}{2\sqrt{c}}\right) ci - 2e^{\frac{8c^2x^2+8bcx+8ac+b^2}{4c}} \sqrt{c} b + 4e^{\frac{8c^2x^2+8bcx+8ac+b^2}{4c}}}{16e^{\frac{4c^2x^2+4bcx+4ac+b^2}{4c}}}$$

input

```
int(x^2*sinh(c*x^2+b*x+a),x)
```

output

```
( - sqrt(pi)*e**(2*a + b*x + c*x**2)*erf((b*i + 2*c*i*x)/(2*sqrt(c)))*b**2
*i + 2*sqrt(pi)*e**(2*a + b*x + c*x**2)*erf((b*i + 2*c*i*x)/(2*sqrt(c)))*c
*i - 2*e***((8*a*c + b**2 + 8*b*c*x + 8*c**2*x**2)/(4*c))*sqrt(c)*b + 4*e**
((8*a*c + b**2 + 8*b*c*x + 8*c**2*x**2)/(4*c))*sqrt(c)*c*x - 2*e**((b**2 +
4*b*c*x + 4*c**2*x**2)/(4*c))*sqrt(c)*int(1/e**(b*x + c*x**2),x)*b**2 - 4
*e**((b**2 + 4*b*c*x + 4*c**2*x**2)/(4*c))*sqrt(c)*int(1/e**(b*x + c*x**2)
,x)*c - 2*e**((b**2)/(4*c))*sqrt(c)*b + 4*e**((b**2)/(4*c))*sqrt(c)*c*x)/(16*e
**((4*a*c + b**2 + 4*b*c*x + 4*c**2*x**2)/(4*c))*sqrt(c)*c**2)
```

3.2 $\int x \sinh (a + bx + cx^2) dx$

Optimal result	50
Mathematica [A] (verified)	50
Rubi [A] (verified)	51
Maple [A] (verified)	53
Fricas [B] (verification not implemented)	53
Sympy [F]	54
Maxima [B] (verification not implemented)	54
Giac [A] (verification not implemented)	55
Mupad [F(-1)]	55
Reduce [F]	56

Optimal result

Integrand size = 13, antiderivative size = 111

$$\int x \sinh (a + bx + cx^2) dx = \frac{\cosh (a + bx + cx^2)}{2c} + \frac{be^{-a+\frac{b^2}{4c}} \sqrt{\pi} \operatorname{erf}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{8c^{3/2}} - \frac{be^{a-\frac{b^2}{4c}} \sqrt{\pi} \operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{8c^{3/2}}$$

output

```
1/2*cosh(c*x^2+b*x+a)/c+1/8*b*exp(-a+1/4*b^2/c)*Pi^(1/2)*erf(1/2*(2*c*x+b)/c^(1/2))/c^(3/2)-1/8*b*exp(a-1/4*b^2/c)*Pi^(1/2)*erfi(1/2*(2*c*x+b)/c^(1/2))/c^(3/2)
```

Mathematica [A] (verified)

Time = 0.12 (sec) , antiderivative size = 130, normalized size of antiderivative = 1.17

$$\int x \sinh (a + bx + cx^2) dx = \frac{4\sqrt{c} \cosh(a + x(b + cx)) + b\sqrt{\pi} \operatorname{erf}\left(\frac{b+2cx}{2\sqrt{c}}\right) \left(\cosh\left(a - \frac{b^2}{4c}\right) - \sinh\left(a - \frac{b^2}{4c}\right)\right) - b\sqrt{\pi} \operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right) \left(\cosh\left(a - \frac{b^2}{4c}\right) + \sinh\left(a - \frac{b^2}{4c}\right)\right)}{8c^{3/2}}$$

input

```
Integrate[x*Sinh[a + b*x + c*x^2],x]
```

output

```
(4*sqrt(c)*Cosh[a + x*(b + c*x)] + b*sqrt(Pi)*Erf[(b + 2*c*x)/(2*sqrt(c))]
*(Cosh[a - b^2/(4*c)] - Sinh[a - b^2/(4*c)]) - b*sqrt(Pi)*Erfi[(b + 2*c*x)
/(2*sqrt(c))]*(Cosh[a - b^2/(4*c)] + Sinh[a - b^2/(4*c)]))/(8*c^(3/2))
```

Rubi [A] (verified)

Time = 0.38 (sec) , antiderivative size = 118, normalized size of antiderivative = 1.06, number of steps used = 5, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$, Rules used = {5905, 5897, 2664, 2633, 2634}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x \sinh(a + bx + cx^2) dx \\
 & \quad \downarrow \text{5905} \\
 & \frac{\cosh(a + bx + cx^2)}{2c} - \frac{b \int \sinh(cx^2 + bx + a) dx}{2c} \\
 & \quad \downarrow \text{5897} \\
 & \frac{\cosh(a + bx + cx^2)}{2c} - \frac{b \left(\frac{1}{2} \int e^{cx^2 + bx + a} dx - \frac{1}{2} \int e^{-cx^2 - bx - a} dx \right)}{2c} \\
 & \quad \downarrow \text{2664} \\
 & \frac{\cosh(a + bx + cx^2)}{2c} - \frac{b \left(\frac{1}{2} e^{a - \frac{b^2}{4c}} \int e^{\frac{(b+2cx)^2}{4c}} dx - \frac{1}{2} e^{\frac{b^2}{4c} - a} \int e^{-\frac{(b+2cx)^2}{4c}} dx \right)}{2c} \\
 & \quad \downarrow \text{2633} \\
 & \frac{\cosh(a + bx + cx^2)}{2c} - \frac{b \left(\frac{\sqrt{\pi} e^{a - \frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} - \frac{1}{2} e^{\frac{b^2}{4c} - a} \int e^{-\frac{(b+2cx)^2}{4c}} dx \right)}{2c} \\
 & \quad \downarrow \text{2634} \\
 & \frac{\cosh(a + bx + cx^2)}{2c} - \frac{b \left(\frac{\sqrt{\pi} e^{a - \frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} - \frac{\sqrt{\pi} e^{\frac{b^2}{4c} - a} \operatorname{erf}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} \right)}{2c}
 \end{aligned}$$

input `Int[x*Sinh[a + b*x + c*x^2],x]`

output `Cosh[a + b*x + c*x^2]/(2*c) - (b*(-1/4*(E^(-a + b^2/(4*c))*Sqrt[Pi]*Erf[(b + 2*c*x)/(2*Sqrt[c]])/Sqrt[c] + (E^(a - b^2/(4*c))*Sqrt[Pi]*Erfi[(b + 2*c*x)/(2*Sqrt[c]])/(4*Sqrt[c])))/(2*c)`

Defintions of rubi rules used

rule 2633 `Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]`

rule 2634 `Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]`

rule 2664 `Int[(F_)^((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[F^(a - b^2/(4*c)) Int[F^((b + 2*c*x)^2/(4*c)), x], x] /; FreeQ[{F, a, b, c}, x]`

rule 5897 `Int[Sinh[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] := Simp[1/2 Int[E^(a + b*x + c*x^2), x], x] - Simp[1/2 Int[E^(-a - b*x - c*x^2), x], x] /; FreeQ[{a, b, c}, x]`

rule 5905 `Int[((d_.) + (e_.)*(x_))*Sinh[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] := Simp[e*(Cosh[a + b*x + c*x^2]/(2*c)), x] - Simp[(b*e - 2*c*d)/(2*c) Int[Sinh[a + b*x + c*x^2], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b*e - 2*c*d, 0]`

Maple [A] (verified)

Time = 0.16 (sec) , antiderivative size = 124, normalized size of antiderivative = 1.12

method	result	size
risch	$\frac{e^{-cx^2-bx-a}}{4c} + \frac{b\sqrt{\pi} e^{-\frac{4ac-b^2}{4c}} \operatorname{erf}\left(\sqrt{c}x + \frac{b}{2\sqrt{c}}\right)}{8c^{\frac{3}{2}}} + \frac{e^{cx^2+bx+a}}{4c} + \frac{b\sqrt{\pi} e^{\frac{4ac-b^2}{4c}} \operatorname{erf}\left(-\sqrt{-c}x + \frac{b}{2\sqrt{-c}}\right)}{8c\sqrt{-c}}$	124

input `int(x*sinh(c*x^2+b*x+a),x,method=_RETURNVERBOSE)`

output
$$\frac{1}{4}c \exp(-cx^2-bx-a) + \frac{1}{8}b/c^{(3/2)} \pi^{(1/2)} \exp(-1/4*(4*a*c-b^2)/c) \operatorname{erf}(c^{(1/2)}*x + 1/2*b/c^{(1/2)}) + \frac{1}{4}c \exp(cx^2+bx+a) + \frac{1}{8}b/c \pi^{(1/2)} \exp(1/4*(4*a*c-b^2)/c) / (-c)^{(1/2)} \operatorname{erf}(-(-c)^{(1/2)}*x + 1/2*b/(-c)^{(1/2)})$$

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 343 vs. 2(83) = 166.

Time = 0.11 (sec) , antiderivative size = 343, normalized size of antiderivative = 3.09

$$\int x \sinh(a + bx + cx^2) dx$$

$$= \frac{2c \cosh(cx^2 + bx + a)^2 + \sqrt{\pi} \left(b \cosh(cx^2 + bx + a) \cosh\left(-\frac{b^2-4ac}{4c}\right) + b \cosh(cx^2 + bx + a) \sinh\left(-\frac{b^2-4ac}{4c}\right) \right)}{4c^2}$$

input `integrate(x*sinh(c*x^2+b*x+a),x, algorithm="fricas")`

output
$$\frac{1}{8}*(2*c*\cosh(c*x^2 + b*x + a)^2 + \sqrt{\pi}*(b*\cosh(c*x^2 + b*x + a)*\cosh(-1/4*(b^2 - 4*a*c)/c) + b*\cosh(c*x^2 + b*x + a)*\sinh(-1/4*(b^2 - 4*a*c)/c) + (b*\cosh(-1/4*(b^2 - 4*a*c)/c) + b*\sinh(-1/4*(b^2 - 4*a*c)/c))*\sinh(c*x^2 + b*x + a)*\sqrt{-c}*\operatorname{erf}(1/2*(2*c*x + b)*\sqrt{-c}/c) + \sqrt{\pi}*(b*\cosh(c*x^2 + b*x + a)*\cosh(-1/4*(b^2 - 4*a*c)/c) - b*\cosh(c*x^2 + b*x + a)*\sinh(-1/4*(b^2 - 4*a*c)/c) + (b*\cosh(-1/4*(b^2 - 4*a*c)/c) - b*\sinh(-1/4*(b^2 - 4*a*c)/c))*\sinh(c*x^2 + b*x + a)*\sqrt{c}*\operatorname{erf}(1/2*(2*c*x + b)/\sqrt{c})) + 4*c*\cosh(c*x^2 + b*x + a)*\sinh(c*x^2 + b*x + a) + 2*c*\sinh(c*x^2 + b*x + a)^2 + 2*c)/(c^2*\cosh(c*x^2 + b*x + a) + c^2*\sinh(c*x^2 + b*x + a))$$

Sympy [F]

$$\int x \sinh(a + bx + cx^2) dx = \int x \sinh(a + bx + cx^2) dx$$

input `integrate(x*sinh(c*x**2+b*x+a),x)`

output `Integral(x*sinh(a + b*x + c*x**2), x)`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 611 vs. $2(83) = 166$.

Time = 0.30 (sec) , antiderivative size = 611, normalized size of antiderivative = 5.50

$$\int x \sinh(a + bx + cx^2) dx = \text{Too large to display}$$

input `integrate(x*sinh(c*x^2+b*x+a),x, algorithm="maxima")`

output `1/2*x^2*sinh(c*x^2 + b*x + a) - 1/32*(sqrt(pi)*(2*c*x + b)*b^2*(erf(1/2*sqrt(-(2*c*x + b)^2/c)) - 1)/(sqrt(-(2*c*x + b)^2/c)*c^(5/2)) - 4*b*e^(1/4*(2*c*x + b)^2/c)/c^(3/2) - 4*(2*c*x + b)^3*gamma(3/2, -1/4*(2*c*x + b)^2/c)/((-2*c*x + b)^2/c^(3/2)*c^(5/2))*b*e^(a - 1/4*b^2/c)/sqrt(c) + 1/32*(sqrt(pi)*(2*c*x + b)*b^3*(erf(1/2*sqrt(-(2*c*x + b)^2/c)) - 1)/(sqrt(-(2*c*x + b)^2/c)*c^(7/2)) - 6*b^2*e^(1/4*(2*c*x + b)^2/c)/c^(5/2) - 12*(2*c*x + b)^3*b*gamma(3/2, -1/4*(2*c*x + b)^2/c)/((-2*c*x + b)^2/c^(3/2)*c^(7/2)) + 8*gamma(2, -1/4*(2*c*x + b)^2/c)/c^(3/2)*sqrt(c)*e^(a - 1/4*b^2/c) + 1/32*(sqrt(pi)*(2*c*x + b)*b^2*(erf(1/2*sqrt((2*c*x + b)^2/c)) - 1)/(sqrt((2*c*x + b)^2/c)*(-c)^(5/2)) + 4*b*c*e^(-1/4*(2*c*x + b)^2/c)/(-c)^(5/2) - 4*(2*c*x + b)^3*gamma(3/2, 1/4*(2*c*x + b)^2/c)/(((2*c*x + b)^2/c)^(3/2)*(-c)^(5/2))*b*e^(-a + 1/4*b^2/c)/sqrt(-c) + 1/32*(sqrt(pi)*(2*c*x + b)*b^3*(erf(1/2*sqrt((2*c*x + b)^2/c)) - 1)/(sqrt((2*c*x + b)^2/c)*(-c)^(7/2)) + 6*b^2*c*e^(-1/4*(2*c*x + b)^2/c)/(-c)^(7/2) - 12*(2*c*x + b)^3*b*gamma(3/2, 1/4*(2*c*x + b)^2/c)/(((2*c*x + b)^2/c)^(3/2)*(-c)^(7/2)) + 8*c^2*gamma(2, 1/4*(2*c*x + b)^2/c)/(-c)^(7/2)*c*e^(-a + 1/4*b^2/c)/sqrt(-c)`

Giac [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 121, normalized size of antiderivative = 1.09

$$\int x \sinh(a + bx + cx^2) dx = -\frac{\frac{\sqrt{\pi}b \operatorname{erf}\left(-\frac{1}{2}\sqrt{c}\left(2x + \frac{b}{c}\right)\right)e^{\left(\frac{b^2 - 4ac}{4c}\right)}}{\sqrt{c}} - 2e^{(-cx^2 - bx - a)}}{8c} + \frac{\frac{\sqrt{\pi}b \operatorname{erf}\left(-\frac{1}{2}\sqrt{-c}\left(2x + \frac{b}{c}\right)\right)e^{\left(-\frac{b^2 - 4ac}{4c}\right)}}{\sqrt{-c}} + 2e^{(cx^2 + bx + a)}}{8c}$$

input `integrate(x*sinh(c*x^2+b*x+a),x, algorithm="giac")`output `-1/8*(sqrt(pi)*b*erf(-1/2*sqrt(c)*(2*x + b/c))*e^(1/4*(b^2 - 4*a*c)/c)/sqrt(c) - 2*e^(-c*x^2 - b*x - a))/c + 1/8*(sqrt(pi)*b*erf(-1/2*sqrt(-c)*(2*x + b/c))*e^(-1/4*(b^2 - 4*a*c)/c)/sqrt(-c) + 2*e^(c*x^2 + b*x + a))/c`**Mupad [F(-1)]**

Timed out.

$$\int x \sinh(a + bx + cx^2) dx = \int x \sinh(cx^2 + bx + a) dx$$

input `int(x*sinh(a + b*x + c*x^2),x)`output `int(x*sinh(a + b*x + c*x^2), x)`

Reduce [F]

$$\int x \sinh (a + bx + cx^2) dx = \frac{\cosh (cx^2 + bx + a) - (\int \sinh (cx^2 + bx + a) dx) b}{2c}$$

input `int(x*sinh(c*x^2+b*x+a),x)`

output `(cosh(a + b*x + c*x**2) - int(sinh(a + b*x + c*x**2),x)*b)/(2*c)`

3.3 $\int \sinh(a + bx + cx^2) dx$

Optimal result	57
Mathematica [A] (verified)	57
Rubi [A] (verified)	58
Maple [A] (verified)	59
Fricas [A] (verification not implemented)	60
Sympy [F]	60
Maxima [B] (verification not implemented)	60
Giac [A] (verification not implemented)	61
Mupad [F(-1)]	62
Reduce [F]	62

Optimal result

Integrand size = 11, antiderivative size = 91

$$\int \sinh(a + bx + cx^2) dx = -\frac{e^{-a+\frac{b^2}{4c}} \sqrt{\pi} \operatorname{erf}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} + \frac{e^{a-\frac{b^2}{4c}} \sqrt{\pi} \operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}}$$

output

```
-1/4*exp(-a+1/4*b^2/c)*Pi^(1/2)*erf(1/2*(2*c*x+b)/c^(1/2))/c^(1/2)+1/4*exp
(a-1/4*b^2/c)*Pi^(1/2)*erfi(1/2*(2*c*x+b)/c^(1/2))/c^(1/2)
```

Mathematica [A] (verified)

Time = 0.06 (sec) , antiderivative size = 105, normalized size of antiderivative = 1.15

$$\int \sinh(a + bx + cx^2) dx = \frac{\sqrt{\pi} \left(\operatorname{erf}\left(\frac{b+2cx}{2\sqrt{c}}\right) \left(-\cosh\left(a - \frac{b^2}{4c}\right) + \sinh\left(a - \frac{b^2}{4c}\right) \right) + \operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right) \left(\cosh\left(a - \frac{b^2}{4c}\right) + \sinh\left(a - \frac{b^2}{4c}\right) \right) \right)}{4\sqrt{c}}$$

input

```
Integrate[Sinh[a + b*x + c*x^2],x]
```

output

```
(Sqrt[Pi]*(Erf[(b + 2*c*x)/(2*Sqrt[c]])*(-Cosh[a - b^2/(4*c)] + Sinh[a - b^2/(4*c)]) + Erfi[(b + 2*c*x)/(2*Sqrt[c]])*(Cosh[a - b^2/(4*c)] + Sinh[a - b^2/(4*c)])))/(4*Sqrt[c])
```

Rubi [A] (verified)

Time = 0.33 (sec) , antiderivative size = 91, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {5897, 2664, 2633, 2634}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \sinh(a + bx + cx^2) dx \\
 & \quad \downarrow \text{5897} \\
 & \frac{1}{2} \int e^{cx^2+bx+a} dx - \frac{1}{2} \int e^{-cx^2-bx-a} dx \\
 & \quad \downarrow \text{2664} \\
 & \frac{1}{2} e^{a-\frac{b^2}{4c}} \int e^{\frac{(b+2cx)^2}{4c}} dx - \frac{1}{2} e^{\frac{b^2}{4c}-a} \int e^{-\frac{(b+2cx)^2}{4c}} dx \\
 & \quad \downarrow \text{2633} \\
 & \frac{\sqrt{\pi} e^{a-\frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} - \frac{1}{2} e^{\frac{b^2}{4c}-a} \int e^{-\frac{(b+2cx)^2}{4c}} dx \\
 & \quad \downarrow \text{2634} \\
 & \frac{\sqrt{\pi} e^{a-\frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} - \frac{\sqrt{\pi} e^{\frac{b^2}{4c}-a} \operatorname{erf}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}}
 \end{aligned}$$

input

```
Int[Sinh[a + b*x + c*x^2], x]
```

output

```
-1/4*(E^(-a + b^2/(4*c))*Sqrt[Pi]*Erf[(b + 2*c*x)/(2*Sqrt[c])])/Sqrt[c] + (E^(a - b^2/(4*c))*Sqrt[Pi]*Erfi[(b + 2*c*x)/(2*Sqrt[c])])/(4*Sqrt[c])
```

Definitions of rubi rules used

rule 2633 $\text{Int}[(F_)^{\wedge}((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] \text{:> Simp}[F^{\wedge}a*\text{Sqrt}[\text{Pi}]*(\text{Erfi}[(c + d*x)*\text{Rt}[b*\text{Log}[F], 2]]/(2*d*\text{Rt}[b*\text{Log}[F], 2])), x] \text{/; FreeQ}\{F, a, b, c, d\}, x] \ \&\& \ \text{PosQ}[b]$

rule 2634 $\text{Int}[(F_)^{\wedge}((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] \text{:> Simp}[F^{\wedge}a*\text{Sqrt}[\text{Pi}]*(\text{Erf}[(c + d*x)*\text{Rt}[(-b)*\text{Log}[F], 2]]/(2*d*\text{Rt}[(-b)*\text{Log}[F], 2])), x] \text{/; FreeQ}\{F, a, b, c, d\}, x] \ \&\& \ \text{NegQ}[b]$

rule 2664 $\text{Int}[(F_)^{\wedge}((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] \text{:> Simp}[F^{\wedge}(a - b^2/(4*c)) \ \text{Int}[F^{\wedge}((b + 2*c*x)^2/(4*c)), x], x] \text{/; FreeQ}\{F, a, b, c\}, x]$

rule 5897 $\text{Int}[\text{Sinh}[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] \text{:> Simp}[1/2 \ \text{Int}[E^{\wedge}(a + b*x + c*x^2), x], x] - \text{Simp}[1/2 \ \text{Int}[E^{\wedge}(-a - b*x - c*x^2), x], x] \text{/; FreeQ}\{a, b, c\}, x]$

Maple [A] (verified)

Time = 0.13 (sec) , antiderivative size = 83, normalized size of antiderivative = 0.91

method	result	size
risch	$-\frac{\sqrt{\pi} e^{-\frac{4ac-b^2}{4c}} \text{erf}\left(\sqrt{c}x + \frac{b}{2\sqrt{c}}\right)}{4\sqrt{c}} - \frac{\sqrt{\pi} e^{\frac{4ac-b^2}{4c}} \text{erf}\left(-\sqrt{-c}x + \frac{b}{2\sqrt{-c}}\right)}{4\sqrt{-c}}$	83

input `int(sinh(c*x^2+b*x+a),x,method=_RETURNVERBOSE)`

output
$$\begin{aligned} & -1/4*\text{Pi}^{\wedge}(1/2)*\text{exp}(-1/4*(4*a*c-b^2)/c)/c^{\wedge}(1/2)*\text{erf}(c^{\wedge}(1/2)*x+1/2*b/c^{\wedge}(1/2)) \\ & -1/4*\text{Pi}^{\wedge}(1/2)*\text{exp}(1/4*(4*a*c-b^2)/c)/(-c)^{\wedge}(1/2)*\text{erf}(-(-c)^{\wedge}(1/2)*x+1/2*b/(-c)^{\wedge}(1/2)) \end{aligned}$$

Fricas [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 111, normalized size of antiderivative = 1.22

$$\int \sinh(a + bx + cx^2) dx = \frac{\sqrt{\pi}\sqrt{-c}\left(\cosh\left(-\frac{b^2-4ac}{4c}\right) + \sinh\left(-\frac{b^2-4ac}{4c}\right)\right) \operatorname{erf}\left(\frac{(2cx+b)\sqrt{-c}}{2c}\right) + \sqrt{\pi}\sqrt{c}\left(\cosh\left(-\frac{b^2-4ac}{4c}\right) - \sinh\left(-\frac{b^2-4ac}{4c}\right)\right)}{4c}$$

input `integrate(sinh(c*x^2+b*x+a),x, algorithm="fricas")`

output `-1/4*(sqrt(pi)*sqrt(-c)*(cosh(-1/4*(b^2 - 4*a*c)/c) + sinh(-1/4*(b^2 - 4*a*c)/c))*erf(1/2*(2*c*x + b)*sqrt(-c)/c) + sqrt(pi)*sqrt(c)*(cosh(-1/4*(b^2 - 4*a*c)/c) - sinh(-1/4*(b^2 - 4*a*c)/c))*erf(1/2*(2*c*x + b)/sqrt(c))/c`

Sympy [F]

$$\int \sinh(a + bx + cx^2) dx = \int \sinh(a + bx + cx^2) dx$$

input `integrate(sinh(c*x**2+b*x+a),x)`

output `Integral(sinh(a + b*x + c*x**2), x)`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 464 vs. 2(65) = 130.

Time = 0.25 (sec) , antiderivative size = 464, normalized size of antiderivative = 5.10

$$\int \sinh(a + bx + cx^2) dx = \text{Too large to display}$$

input `integrate(sinh(c*x^2+b*x+a),x, algorithm="maxima")`

output

```

1/8*(sqrt(pi)*(2*c*x + b)*b*(erf(1/2*sqrt(-(2*c*x + b)^2/c)) - 1)/(sqrt(-(2*c*x + b)^2/c)*c^(3/2)) - 2*e^(1/4*(2*c*x + b)^2/c)/sqrt(c))*b*e^(a - 1/4*b^2/c)/sqrt(c) - 1/8*(sqrt(pi)*(2*c*x + b)*b^2*(erf(1/2*sqrt(-(2*c*x + b)^2/c)) - 1)/(sqrt(-(2*c*x + b)^2/c)*c^(5/2)) - 4*b*e^(1/4*(2*c*x + b)^2/c)/c^(3/2) - 4*(2*c*x + b)^3*gamma(3/2, -1/4*(2*c*x + b)^2/c)/((-2*c*x + b)^2/c)^(3/2)*c^(5/2)))*sqrt(c)*e^(a - 1/4*b^2/c) + 1/8*(sqrt(pi)*(2*c*x + b)*b*(erf(1/2*sqrt((2*c*x + b)^2/c)) - 1)/(sqrt((2*c*x + b)^2/c)*(-c)^(3/2)) + 2*c*e^(-1/4*(2*c*x + b)^2/c)/(-c)^(3/2))*b*e^(-a + 1/4*b^2/c)/sqrt(-c) + 1/8*(sqrt(pi)*(2*c*x + b)*b^2*(erf(1/2*sqrt((2*c*x + b)^2/c)) - 1)/(sqrt((2*c*x + b)^2/c)*(-c)^(5/2)) + 4*b*c*e^(-1/4*(2*c*x + b)^2/c)/(-c)^(5/2) - 4*(2*c*x + b)^3*gamma(3/2, 1/4*(2*c*x + b)^2/c)/(((2*c*x + b)^2/c)^(3/2)*(-c)^(5/2)))*c*e^(-a + 1/4*b^2/c)/sqrt(-c) + x*sinh(c*x^2 + b*x + a)

```

Giac [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 79, normalized size of antiderivative = 0.87

$$\int \sinh(a + bx + cx^2) dx = \frac{\sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2}\sqrt{c}\left(2x + \frac{b}{c}\right)\right) e^{\left(\frac{b^2 - 4ac}{4c}\right)}}{4\sqrt{c}} - \frac{\sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2}\sqrt{-c}\left(2x + \frac{b}{c}\right)\right) e^{\left(-\frac{b^2 - 4ac}{4c}\right)}}{4\sqrt{-c}}$$

input

```
integrate(sinh(c*x^2+b*x+a),x, algorithm="giac")
```

output

```

1/4*sqrt(pi)*erf(-1/2*sqrt(c)*(2*x + b/c))*e^(1/4*(b^2 - 4*a*c)/c)/sqrt(c) - 1/4*sqrt(pi)*erf(-1/2*sqrt(-c)*(2*x + b/c))*e^(-1/4*(b^2 - 4*a*c)/c)/sqrt(-c)

```

Mupad [F(-1)]

Timed out.

$$\int \sinh(a + bx + cx^2) dx = \int \sinh(cx^2 + bx + a) dx$$

input `int(sinh(a + b*x + c*x^2),x)`output `int(sinh(a + b*x + c*x^2), x)`**Reduce [F]**

$$\int \sinh(a + bx + cx^2) dx = \int \sinh(cx^2 + bx + a) dx$$

input `int(sinh(c*x^2+b*x+a),x)`output `int(sinh(a + b*x + c*x**2),x)`

3.4 $\int \frac{\sinh(a+bx+cx^2)}{x} dx$

Optimal result	63
Mathematica [N/A]	63
Rubi [N/A]	64
Maple [N/A]	64
Fricas [N/A]	65
Sympy [N/A]	65
Maxima [N/A]	65
Giac [N/A]	66
Mupad [N/A]	66
Reduce [N/A]	67

Optimal result

Integrand size = 15, antiderivative size = 15

$$\int \frac{\sinh(a+bx+cx^2)}{x} dx = \text{Int}\left(\frac{\sinh(a+bx+cx^2)}{x}, x\right)$$

output `Defer(Int)(sinh(c*x^2+b*x+a)/x,x)`

Mathematica [N/A]

Not integrable

Time = 5.17 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\sinh(a+bx+cx^2)}{x} dx = \int \frac{\sinh(a+bx+cx^2)}{x} dx$$

input `Integrate[Sinh[a + b*x + c*x^2]/x,x]`

output `Integrate[Sinh[a + b*x + c*x^2]/x, x]`

Rubi [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\sinh(a + bx + cx^2)}{x} dx$$

↓ 5915

$$\int \frac{\sinh(a + bx + cx^2)}{x} dx$$

input `Int[Sinh[a + b*x + c*x^2]/x,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.04 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.00

$$\int \frac{\sinh(cx^2 + bx + a)}{x} dx$$

input `int(sinh(c*x^2+b*x+a)/x,x)`

output `int(sinh(c*x^2+b*x+a)/x,x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\sinh(a + bx + cx^2)}{x} dx = \int \frac{\sinh(cx^2 + bx + a)}{x} dx$$

input `integrate(sinh(c*x^2+b*x+a)/x,x, algorithm="fricas")`

output `integral(sinh(c*x^2 + b*x + a)/x, x)`

Sympy [N/A]

Not integrable

Time = 0.67 (sec) , antiderivative size = 14, normalized size of antiderivative = 0.93

$$\int \frac{\sinh(a + bx + cx^2)}{x} dx = \int \frac{\sinh(a + bx + cx^2)}{x} dx$$

input `integrate(sinh(c*x**2+b*x+a)/x,x)`

output `Integral(sinh(a + b*x + c*x**2)/x, x)`

Maxima [N/A]

Not integrable

Time = 0.66 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\sinh(a + bx + cx^2)}{x} dx = \int \frac{\sinh(cx^2 + bx + a)}{x} dx$$

input `integrate(sinh(c*x^2+b*x+a)/x,x, algorithm="maxima")`

output `integrate(sinh(c*x^2 + b*x + a)/x, x)`

Giac [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\sinh(a + bx + cx^2)}{x} dx = \int \frac{\sinh(cx^2 + bx + a)}{x} dx$$

input `integrate(sinh(c*x^2+b*x+a)/x,x, algorithm="giac")`

output `integrate(sinh(c*x^2 + b*x + a)/x, x)`

Mupad [N/A]

Not integrable

Time = 1.33 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\sinh(a + bx + cx^2)}{x} dx = \int \frac{\sinh(cx^2 + bx + a)}{x} dx$$

input `int(sinh(a + b*x + c*x^2)/x,x)`

output `int(sinh(a + b*x + c*x^2)/x, x)`

Reduce [N/A]

Not integrable

Time = 0.16 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\sinh(a + bx + cx^2)}{x} dx = \int \frac{\sinh(cx^2 + bx + a)}{x} dx$$

input `int(sinh(c*x^2+b*x+a)/x,x)`output `int(sinh(a + b*x + c*x**2)/x,x)`

3.5 $\int \left(-\frac{b \cosh(a+bx+cx^2)}{x} + \frac{\sinh(a+bx+cx^2)}{x^2} \right) dx$

Optimal result	68
Mathematica [A] (verified)	68
Rubi [A] (verified)	69
Maple [F]	70
Fricas [B] (verification not implemented)	70
Sympy [F]	71
Maxima [F]	71
Giac [F]	71
Mupad [F(-1)]	72
Reduce [F]	72

Optimal result

Integrand size = 33, antiderivative size = 107

$$\int \left(-\frac{b \cosh(a+bx+cx^2)}{x} + \frac{\sinh(a+bx+cx^2)}{x^2} \right) dx$$

$$= \frac{1}{2}\sqrt{c}e^{-a+\frac{b^2}{4c}}\sqrt{\pi}\operatorname{erf}\left(\frac{b+2cx}{2\sqrt{c}}\right) + \frac{1}{2}\sqrt{c}e^{a-\frac{b^2}{4c}}\sqrt{\pi}\operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right) - \frac{\sinh(a+bx+cx^2)}{x}$$

output $1/2*c^{(1/2)}*\exp(-a+1/4*b^2/c)*Pi^{(1/2)}*erf(1/2*(2*c*x+b)/c^{(1/2)})+1/2*c^{(1/2)}*\exp(a-1/4*b^2/c)*Pi^{(1/2)}*erfi(1/2*(2*c*x+b)/c^{(1/2)})-\sinh(c*x^2+b*x+a)/x$

Mathematica [A] (verified)

Time = 0.39 (sec) , antiderivative size = 132, normalized size of antiderivative = 1.23

$$\int \left(-\frac{b \cosh(a+bx+cx^2)}{x} + \frac{\sinh(a+bx+cx^2)}{x^2} \right) dx$$

$$= \frac{\sqrt{c}\sqrt{\pi}x\operatorname{erf}\left(\frac{b+2cx}{2\sqrt{c}}\right)\left(\cosh\left(a-\frac{b^2}{4c}\right)-\sinh\left(a-\frac{b^2}{4c}\right)\right) + \sqrt{c}\sqrt{\pi}x\operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right)\left(\cosh\left(a-\frac{b^2}{4c}\right)+\sinh\left(a-\frac{b^2}{4c}\right)\right)}{2x}$$

input $\text{Integrate}\left[-\frac{(b*\text{Cosh}[a + b*x + c*x^2])}{x} + \frac{\text{Sinh}[a + b*x + c*x^2]}{x^2}, x\right]$

output

```
(Sqrt[c]*Sqrt[Pi]*x*Erf[(b + 2*c*x)/(2*Sqrt[c])]*(Cosh[a - b^2/(4*c)] - Sinh[a - b^2/(4*c)]) + Sqrt[c]*Sqrt[Pi]*x*Erfi[(b + 2*c*x)/(2*Sqrt[c])]*(Cosh[a - b^2/(4*c)] + Sinh[a - b^2/(4*c)]) - 2*Sinh[a + x*(b + c*x)]/(2*x)
```

Rubi [A] (verified)

Time = 0.30 (sec) , antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, $\frac{\text{number of rules}}{\text{integrand size}} = 0.030$, Rules used = {2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \left(\frac{\sinh(a + bx + cx^2)}{x^2} - \frac{b \cosh(a + bx + cx^2)}{x} \right) dx$$

↓ 2009

$$\frac{1}{2}\sqrt{\pi}\sqrt{c}e^{\frac{b^2}{4c}-a}\operatorname{erf}\left(\frac{b+2cx}{2\sqrt{c}}\right) + \frac{1}{2}\sqrt{\pi}\sqrt{c}e^{a-\frac{b^2}{4c}}\operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right) - \frac{\sinh(a + bx + cx^2)}{x}$$

input

```
Int[-((b*Cosh[a + b*x + c*x^2])/x) + Sinh[a + b*x + c*x^2]/x^2,x]
```

output

```
(Sqrt[c]*E^(-a + b^2/(4*c))*Sqrt[Pi]*Erf[(b + 2*c*x)/(2*Sqrt[c])])/2 + (Sqrt[c]*E^(a - b^2/(4*c))*Sqrt[Pi]*Erfi[(b + 2*c*x)/(2*Sqrt[c])])/2 - Sinh[a + b*x + c*x^2]/x
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :-> Simp[IntSum[u, x], x] /; SumQ[u]
```

Maple [F]

$$\int \left(-\frac{b \cosh(cx^2 + bx + a)}{x} + \frac{\sinh(cx^2 + bx + a)}{x^2} \right) dx$$

input `int(-b*cosh(c*x^2+b*x+a)/x+sinh(c*x^2+b*x+a)/x^2,x)`

output `int(-b*cosh(c*x^2+b*x+a)/x+sinh(c*x^2+b*x+a)/x^2,x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 331 vs. $2(81) = 162$.

Time = 0.10 (sec) , antiderivative size = 331, normalized size of antiderivative = 3.09

$$\int \left(-\frac{b \cosh(a + bx + cx^2)}{x} + \frac{\sinh(a + bx + cx^2)}{x^2} \right) dx =$$

$$\frac{\sqrt{\pi} \left(x \cosh(cx^2 + bx + a) \cosh\left(-\frac{b^2 - 4ac}{4c}\right) + x \cosh(cx^2 + bx + a) \sinh\left(-\frac{b^2 - 4ac}{4c}\right) + \left(x \cosh\left(-\frac{b^2 - 4ac}{4c}\right) \right. \right.}{-}$$

input `integrate(-b*cosh(c*x^2+b*x+a)/x+sinh(c*x^2+b*x+a)/x^2,x, algorithm="fricas")`

output `-1/2*(sqrt(pi)*(x*cosh(c*x^2 + b*x + a)*cosh(-1/4*(b^2 - 4*a*c)/c) + x*cosh(c*x^2 + b*x + a)*sinh(-1/4*(b^2 - 4*a*c)/c) + (x*cosh(-1/4*(b^2 - 4*a*c)/c) + x*sinh(-1/4*(b^2 - 4*a*c)/c))*sinh(c*x^2 + b*x + a)*sqrt(-c)*erf(1/2*(2*c*x + b)*sqrt(-c)/c) - sqrt(pi)*(x*cosh(c*x^2 + b*x + a)*cosh(-1/4*(b^2 - 4*a*c)/c) - x*cosh(c*x^2 + b*x + a)*sinh(-1/4*(b^2 - 4*a*c)/c) + (x*cosh(-1/4*(b^2 - 4*a*c)/c) - x*sinh(-1/4*(b^2 - 4*a*c)/c))*sinh(c*x^2 + b*x + a)*sqrt(c)*erf(1/2*(2*c*x + b)/sqrt(c)) + cosh(c*x^2 + b*x + a)^2 + 2*cosh(c*x^2 + b*x + a)*sinh(c*x^2 + b*x + a) + sinh(c*x^2 + b*x + a)^2 - 1)/(x*cosh(c*x^2 + b*x + a) + x*sinh(c*x^2 + b*x + a))`

Sympy [F]

$$\int \left(-\frac{b \cosh(a + bx + cx^2)}{x} + \frac{\sinh(a + bx + cx^2)}{x^2} \right) dx$$

$$= -\int \left(-\frac{\sinh(a + bx + cx^2)}{x^2} \right) dx - \int \frac{b \cosh(a + bx + cx^2)}{x} dx$$

input `integrate(-b*cosh(c*x**2+b*x+a)/x+sinh(c*x**2+b*x+a)/x**2,x)`

output `-Integral(-sinh(a + b*x + c*x**2)/x**2, x) - Integral(b*cosh(a + b*x + c*x**2)/x, x)`

Maxima [F]

$$\int \left(-\frac{b \cosh(a + bx + cx^2)}{x} + \frac{\sinh(a + bx + cx^2)}{x^2} \right) dx$$

$$= \int -\frac{b \cosh(cx^2 + bx + a)}{x} + \frac{\sinh(cx^2 + bx + a)}{x^2} dx$$

input `integrate(-b*cosh(c*x^2+b*x+a)/x+sinh(c*x^2+b*x+a)/x^2,x, algorithm="maxima")`

output `integrate(-b*cosh(c*x^2 + b*x + a)/x + sinh(c*x^2 + b*x + a)/x^2, x)`

Giac [F]

$$\int \left(-\frac{b \cosh(a + bx + cx^2)}{x} + \frac{\sinh(a + bx + cx^2)}{x^2} \right) dx$$

$$= \int -\frac{b \cosh(cx^2 + bx + a)}{x} + \frac{\sinh(cx^2 + bx + a)}{x^2} dx$$

input `integrate(-b*cosh(c*x^2+b*x+a)/x+sinh(c*x^2+b*x+a)/x^2,x, algorithm="giac")`

output `integrate(-b*cosh(c*x^2 + b*x + a)/x + sinh(c*x^2 + b*x + a)/x^2, x)`

Mupad [F(-1)]

Timed out.

$$\begin{aligned} & \int \left(-\frac{b \cosh(a + bx + cx^2)}{x} + \frac{\sinh(a + bx + cx^2)}{x^2} \right) dx \\ &= \int \frac{\sinh(cx^2 + bx + a)}{x^2} - \frac{b \cosh(cx^2 + bx + a)}{x} dx \end{aligned}$$

input `int(sinh(a + b*x + c*x^2)/x^2 - (b*cosh(a + b*x + c*x^2))/x,x)`

output `int(sinh(a + b*x + c*x^2)/x^2 - (b*cosh(a + b*x + c*x^2))/x, x)`

Reduce [F]

$$\begin{aligned} & \int \left(-\frac{b \cosh(a + bx + cx^2)}{x} + \frac{\sinh(a + bx + cx^2)}{x^2} \right) dx \\ &= -\left(\int \frac{\cosh(cx^2 + bx + a)}{x} dx \right) b + \int \frac{\sinh(cx^2 + bx + a)}{x^2} dx \end{aligned}$$

input `int(-b*cosh(c*x^2+b*x+a)/x+sinh(c*x^2+b*x+a)/x^2,x)`

output `- int(cosh(a + b*x + c*x**2)/x,x)*b + int(sinh(a + b*x + c*x**2)/x**2,x)`

3.6 $\int x^2 \sinh(a + bx - cx^2) dx$

Optimal result	73
Mathematica [A] (verified)	74
Rubi [A] (verified)	74
Maple [A] (verified)	77
Fricas [B] (verification not implemented)	78
Sympy [F]	79
Maxima [B] (verification not implemented)	79
Giac [A] (verification not implemented)	80
Mupad [F(-1)]	81
Reduce [F]	81

Optimal result

Integrand size = 16, antiderivative size = 227

$$\int x^2 \sinh(a + bx - cx^2) dx = -\frac{b \cosh(a + bx - cx^2)}{4c^2} - \frac{x \cosh(a + bx - cx^2)}{2c} - \frac{b^2 e^{a + \frac{b^2}{4c}} \sqrt{\pi} \operatorname{erf}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{16c^{5/2}} - \frac{e^{a + \frac{b^2}{4c}} \sqrt{\pi} \operatorname{erf}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{8c^{3/2}} + \frac{b^2 e^{-a - \frac{b^2}{4c}} \sqrt{\pi} \operatorname{erfi}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{16c^{5/2}} - \frac{e^{-a - \frac{b^2}{4c}} \sqrt{\pi} \operatorname{erfi}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{8c^{3/2}}$$

output

```
-1/4*b*cosh(-c*x^2+b*x+a)/c^2-1/2*x*cosh(-c*x^2+b*x+a)/c-1/16*b^2*exp(a+1/4*b^2/c)*Pi^(1/2)*erf(1/2*(-2*c*x+b)/c^(1/2))/c^(5/2)-1/8*exp(a+1/4*b^2/c)*Pi^(1/2)*erf(1/2*(-2*c*x+b)/c^(1/2))/c^(3/2)+1/16*b^2*exp(-a-1/4*b^2/c)*Pi^(1/2)*erfi(1/2*(-2*c*x+b)/c^(1/2))/c^(5/2)-1/8*exp(-a-1/4*b^2/c)*Pi^(1/2)*erfi(1/2*(-2*c*x+b)/c^(1/2))/c^(3/2)
```

Mathematica [A] (verified)

Time = 0.21 (sec) , antiderivative size = 152, normalized size of antiderivative = 0.67

$$\int x^2 \sinh(a + bx - cx^2) dx$$

$$= \frac{-4\sqrt{c}(b + 2cx) \cosh(a + x(b - cx)) + (b^2 - 2c) \sqrt{\pi} \operatorname{erfi}\left(\frac{-b+2cx}{2\sqrt{c}}\right) \left(-\cosh\left(a + \frac{b^2}{4c}\right) + \sinh\left(a + \frac{b^2}{4c}\right)\right) + (b^2 - 2c) \sqrt{\pi} \operatorname{erfi}\left(\frac{-b+2cx}{2\sqrt{c}}\right) \left(-\cosh\left(a + \frac{b^2}{4c}\right) + \sinh\left(a + \frac{b^2}{4c}\right)\right)}{16c^{5/2}}$$

input

```
Integrate[x^2*Sinh[a + b*x - c*x^2],x]
```

output

```
(-4*Sqrt[c]*(b + 2*c*x)*Cosh[a + x*(b - c*x)] + (b^2 - 2*c)*Sqrt[Pi]*Erfi[
(-b + 2*c*x)/(2*Sqrt[c])]*(-Cosh[a + b^2/(4*c)] + Sinh[a + b^2/(4*c)]) + (
b^2 + 2*c)*Sqrt[Pi]*Erf[(-b + 2*c*x)/(2*Sqrt[c])]*(Cosh[a + b^2/(4*c)] + S
inh[a + b^2/(4*c)]))/(16*c^(5/2))
```

Rubi [A] (verified)

Time = 0.94 (sec) , antiderivative size = 246, normalized size of antiderivative = 1.08, number of steps used = 10, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {5909, 5898, 2664, 2633, 2634, 5905, 5897, 2664, 2633, 2634}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^2 \sinh(a + bx - cx^2) dx$$

$$\downarrow 5909$$

$$\frac{b \int x \sinh(-cx^2 + bx + a) dx}{2c} + \frac{\int \cosh(-cx^2 + bx + a) dx}{2c} - \frac{x \cosh(a + bx - cx^2)}{2c}$$

$$\downarrow 5898$$

$$\frac{\frac{1}{2} \int e^{-cx^2 + bx + a} dx + \frac{1}{2} \int e^{cx^2 - bx - a} dx}{2c} + \frac{b \int x \sinh(-cx^2 + bx + a) dx}{2c} - \frac{x \cosh(a + bx - cx^2)}{2c}$$

$$\downarrow 2664$$

$$\begin{aligned}
& \frac{\frac{1}{2}e^{a+\frac{b^2}{4c}} \int e^{-\frac{(b-2cx)^2}{4c}} dx + \frac{1}{2}e^{-a-\frac{b^2}{4c}} \int e^{\frac{(b-2cx)^2}{4c}} dx}{2c} + \frac{b \int x \sinh(-cx^2 + bx + a) dx}{2c} - \\
& \quad \frac{x \cosh(a + bx - cx^2)}{2c} \\
& \quad \downarrow \text{2633} \\
& \frac{\frac{1}{2}e^{a+\frac{b^2}{4c}} \int e^{-\frac{(b-2cx)^2}{4c}} dx - \frac{\sqrt{\pi}e^{-a-\frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{4\sqrt{c}}}{2c} + \frac{b \int x \sinh(-cx^2 + bx + a) dx}{2c} - \\
& \quad \frac{x \cosh(a + bx - cx^2)}{2c} \\
& \quad \downarrow \text{2634} \\
& \frac{b \int x \sinh(-cx^2 + bx + a) dx}{2c} + \frac{-\frac{\sqrt{\pi}e^{a+\frac{b^2}{4c}} \operatorname{erf}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} - \frac{\sqrt{\pi}e^{-a-\frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{4\sqrt{c}}}{2c} - \\
& \quad \frac{x \cosh(a + bx - cx^2)}{2c} \\
& \quad \downarrow \text{5905} \\
& \frac{b \left(\frac{b \int \sinh(-cx^2 + bx + a) dx}{2c} - \frac{\cosh(a + bx - cx^2)}{2c} \right)}{2c} + \frac{-\frac{\sqrt{\pi}e^{a+\frac{b^2}{4c}} \operatorname{erf}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} - \frac{\sqrt{\pi}e^{-a-\frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{4\sqrt{c}}}{2c} - \\
& \quad \frac{x \cosh(a + bx - cx^2)}{2c} \\
& \quad \downarrow \text{5897} \\
& \frac{b \left(\frac{b \left(\frac{1}{2} \int e^{-cx^2 + bx + a} dx - \frac{1}{2} \int e^{cx^2 - bx - a} dx \right)}{2c} - \frac{\cosh(a + bx - cx^2)}{2c} \right)}{2c} + \\
& \quad \frac{-\frac{\sqrt{\pi}e^{a+\frac{b^2}{4c}} \operatorname{erf}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} - \frac{\sqrt{\pi}e^{-a-\frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{4\sqrt{c}}}{2c} - \frac{x \cosh(a + bx - cx^2)}{2c} \\
& \quad \downarrow \text{2664} \\
& \frac{b \left(\frac{b \left(\frac{1}{2}e^{a+\frac{b^2}{4c}} \int e^{-\frac{(b-2cx)^2}{4c}} dx - \frac{1}{2}e^{-a-\frac{b^2}{4c}} \int e^{\frac{(b-2cx)^2}{4c}} dx \right)}{2c} - \frac{\cosh(a + bx - cx^2)}{2c} \right)}{2c} + \\
& \quad \frac{-\frac{\sqrt{\pi}e^{a+\frac{b^2}{4c}} \operatorname{erf}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} - \frac{\sqrt{\pi}e^{-a-\frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{4\sqrt{c}}}{2c} - \frac{x \cosh(a + bx - cx^2)}{2c} \\
& \quad \downarrow \text{2633}
\end{aligned}$$

$$\begin{aligned}
& b \left(\frac{b \left(\frac{1}{2} e^{a + \frac{b^2}{4c}} \int e^{-\frac{(b-2cx)^2}{4c}} dx + \frac{\sqrt{\pi} e^{-a - \frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} \right)}{2c} - \frac{\cosh(a+bx-cx^2)}{2c} \right) \\
& + \frac{-\frac{\sqrt{\pi} e^{a + \frac{b^2}{4c}} \operatorname{erf}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} - \frac{\sqrt{\pi} e^{-a - \frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{4\sqrt{c}}}{2c} - \frac{x \cosh(a+bx-cx^2)}{2c} \\
& \quad \downarrow \text{2634} \\
& b \left(\frac{b \left(\frac{\sqrt{\pi} e^{-a - \frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} - \frac{\sqrt{\pi} e^{a + \frac{b^2}{4c}} \operatorname{erf}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} \right)}{2c} - \frac{\cosh(a+bx-cx^2)}{2c} \right) \\
& + \frac{-\frac{\sqrt{\pi} e^{a + \frac{b^2}{4c}} \operatorname{erf}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} - \frac{\sqrt{\pi} e^{-a - \frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{4\sqrt{c}}}{2c} - \frac{x \cosh(a+bx-cx^2)}{2c}
\end{aligned}$$

input `Int[x^2*Sinh[a + b*x - c*x^2], x]`

output
$$\begin{aligned}
& -1/2*(x*\operatorname{Cosh}[a + b*x - c*x^2])/c + (-1/4*(E^{(a + b^2/(4*c))*\operatorname{Sqrt}[\operatorname{Pi}]}*\operatorname{Erf}[(b - 2*c*x)/(2*\operatorname{Sqrt}[c]])]/\operatorname{Sqrt}[c] - (E^{(-a - b^2/(4*c))*\operatorname{Sqrt}[\operatorname{Pi}]}*\operatorname{Erfi}[(b - 2*c*x)/(2*\operatorname{Sqrt}[c]])]/(4*\operatorname{Sqrt}[c]))/(2*c) + (b*(-1/2*\operatorname{Cosh}[a + b*x - c*x^2])/c \\
& + (b*(-1/4*(E^{(a + b^2/(4*c))*\operatorname{Sqrt}[\operatorname{Pi}]}*\operatorname{Erf}[(b - 2*c*x)/(2*\operatorname{Sqrt}[c]])]/\operatorname{Sqrt}[c] + (E^{(-a - b^2/(4*c))*\operatorname{Sqrt}[\operatorname{Pi}]}*\operatorname{Erfi}[(b - 2*c*x)/(2*\operatorname{Sqrt}[c]])]/(4*\operatorname{Sqrt}[c])))/(2*c)))/(2*c)
\end{aligned}$$

Defintions of rubi rules used

rule 2633

```
Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] := Simp[F^a*Sqrt
[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{
F, a, b, c, d}, x] && PosQ[b]
```

rule 2634 $\text{Int}[(F_)^((a_.) + (b_.)*(c_.) + (d_.)*(x_)^2), x_Symbol] \text{:> Simp}[F^a*\text{Sqrt}[\text{Pi}]*(\text{Erf}[(c + d*x)*\text{Rt}[(-b)*\text{Log}[F], 2]]/(2*d*\text{Rt}[(-b)*\text{Log}[F], 2])), x] \text{/; FreeQ}\{F, a, b, c, d\}, x] \ \&\& \ \text{NegQ}[b]$

rule 2664 $\text{Int}[(F_)^((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] \text{:> Simp}[F^{(a - b^2/(4*c))} \text{Int}[F^{((b + 2*c*x)^2/(4*c))}, x], x] \text{/; FreeQ}\{F, a, b, c\}, x]$

rule 5897 $\text{Int}[\text{Sinh}[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] \text{:> Simp}[1/2 \text{Int}[E^{(a + b*x + c*x^2)}, x], x] - \text{Simp}[1/2 \text{Int}[E^{(-a - b*x - c*x^2)}, x], x] \text{/; FreeQ}\{a, b, c\}, x]$

rule 5898 $\text{Int}[\text{Cosh}[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] \text{:> Simp}[1/2 \text{Int}[E^{(a + b*x + c*x^2)}, x], x] + \text{Simp}[1/2 \text{Int}[E^{(-a - b*x - c*x^2)}, x], x] \text{/; FreeQ}\{a, b, c\}, x]$

rule 5905 $\text{Int}(((d_.) + (e_.)*(x_))*\text{Sinh}[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] \text{:> Simp}[e*(\text{Cosh}[a + b*x + c*x^2]/(2*c)), x] - \text{Simp}[(b*e - 2*c*d)/(2*c) \text{Int}[\text{Sinh}[a + b*x + c*x^2], x], x] \text{/; FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[b*e - 2*c*d, 0]$

rule 5909 $\text{Int}(((d_.) + (e_.)*(x_))^{(m_)}*\text{Sinh}[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] \text{:> Simp}[e*(d + e*x)^{(m - 1)}*(\text{Cosh}[a + b*x + c*x^2]/(2*c)), x] + (-\text{Simp}[(b*e - 2*c*d)/(2*c) \text{Int}[(d + e*x)^{(m - 1)}*\text{Sinh}[a + b*x + c*x^2], x], x] - \text{Simp}[e^{2*(m - 1)}/(2*c) \text{Int}[(d + e*x)^{(m - 2)}*\text{Cosh}[a + b*x + c*x^2], x], x]) \text{/; FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ \text{NeQ}[b*e - 2*c*d, 0]$

Maple [A] (verified)

Time = 0.20 (sec) , antiderivative size = 244, normalized size of antiderivative = 1.07

method	result
risch	$-\frac{x e^{c x^2 - b x - a}}{4c} - \frac{b e^{c x^2 - b x - a}}{8c^2} - \frac{b^2 \sqrt{\pi} e^{-\frac{4ac+b^2}{4c}} \operatorname{erf}\left(\sqrt{-c}x + \frac{b}{2\sqrt{-c}}\right)}{16c^2 \sqrt{-c}} + \frac{\sqrt{\pi} e^{-\frac{4ac+b^2}{4c}} \operatorname{erf}\left(\sqrt{-c}x + \frac{b}{2\sqrt{-c}}\right)}{8c \sqrt{-c}} - \frac{x e^{-c x^2 + b x - a}}{4c}$

input `int(x^2*sinh(-c*x^2+b*x+a),x,method=_RETURNVERBOSE)`

output
$$\begin{aligned} & -1/4/c*x*\exp(c*x^2-b*x-a)-1/8*b/c^2*\exp(c*x^2-b*x-a)-1/16*b^2/c^2*Pi^{(1/2)} \\ & * \exp(-1/4*(4*a*c+b^2)/c)/(-c)^{(1/2)}*erf((-c)^{(1/2)}*x+1/2*b/(-c)^{(1/2)})+1/8 \\ & /c*Pi^{(1/2)}*\exp(-1/4*(4*a*c+b^2)/c)/(-c)^{(1/2)}*erf((-c)^{(1/2)}*x+1/2*b/(-c)^{(1/2)}) \\ & -1/4/c*x*\exp(-c*x^2+b*x+a)-1/8*b/c^2*\exp(-c*x^2+b*x+a)-1/16*b^2/c^2 \\ & *Pi^{(1/2)}*\exp(1/4*(4*a*c+b^2)/c)*erf(-c^{(1/2)}*x+1/2*b/c^{(1/2)})-1/8/c^{(3/2)} \\ & *Pi^{(1/2)}*\exp(1/4*(4*a*c+b^2)/c)*erf(-c^{(1/2)}*x+1/2*b/c^{(1/2)}) \end{aligned}$$

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 467 vs. $2(179) = 358$.

Time = 0.09 (sec) , antiderivative size = 467, normalized size of antiderivative = 2.06

$$\int x^2 \sinh(a + bx - cx^2) dx =$$

$$\frac{4c^2x + 2(2c^2x + bc) \cosh(cx^2 - bx - a)^2 - \sqrt{\pi} \left((b^2 - 2c) \cosh(cx^2 - bx - a) \cosh\left(\frac{b^2 + 4ac}{4c}\right) - (b^2 - 2c) \right)}{c^3}$$

input `integrate(x^2*sinh(-c*x^2+b*x+a),x, algorithm="fricas")`

output
$$\begin{aligned} & -1/16*(4*c^2*x + 2*(2*c^2*x + b*c)*\cosh(c*x^2 - b*x - a)^2 - \text{sqrt}(\text{pi})*((b^2 \\ & - 2*c)*\cosh(c*x^2 - b*x - a)*\cosh(1/4*(b^2 + 4*a*c)/c) - (b^2 - 2*c)*\cosh \\ & (c*x^2 - b*x - a)*\sinh(1/4*(b^2 + 4*a*c)/c) + ((b^2 - 2*c)*\cosh(1/4*(b^2 \\ & + 4*a*c)/c) - (b^2 - 2*c)*\sinh(1/4*(b^2 + 4*a*c)/c))*\sinh(c*x^2 - b*x - a) \\ &)*\text{sqrt}(-c)*\text{erf}(1/2*(2*c*x - b)*\text{sqrt}(-c)/c) - \text{sqrt}(\text{pi})*((b^2 + 2*c)*\cosh(c* \\ & x^2 - b*x - a)*\cosh(1/4*(b^2 + 4*a*c)/c) + (b^2 + 2*c)*\cosh(c*x^2 - b*x - \\ & a)*\sinh(1/4*(b^2 + 4*a*c)/c) + ((b^2 + 2*c)*\cosh(1/4*(b^2 + 4*a*c)/c) + (b \\ & ^2 + 2*c)*\sinh(1/4*(b^2 + 4*a*c)/c))*\sinh(c*x^2 - b*x - a)*\text{sqrt}(c)*\text{erf}(1/ \\ & 2*(2*c*x - b)/\text{sqrt}(c)) + 4*(2*c^2*x + b*c)*\cosh(c*x^2 - b*x - a)*\sinh(c*x^2 \\ & - b*x - a) + 2*(2*c^2*x + b*c)*\sinh(c*x^2 - b*x - a)^2 + 2*b*c)/(c^3*\cosh \\ & (c*x^2 - b*x - a) + c^3*\sinh(c*x^2 - b*x - a)) \end{aligned}$$

Sympy [F]

$$\int x^2 \sinh(a + bx - cx^2) dx = \int x^2 \sinh(a + bx - cx^2) dx$$

input `integrate(x**2*sinh(-c*x**2+b*x+a),x)`

output `Integral(x**2*sinh(a + b*x - c*x**2), x)`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 834 vs. $2(179) = 358$.

Time = 0.39 (sec) , antiderivative size = 834, normalized size of antiderivative = 3.67

$$\int x^2 \sinh(a + bx - cx^2) dx = \text{Too large to display}$$

input `integrate(x^2*sinh(-c*x^2+b*x+a),x, algorithm="maxima")`

output

```

-1/3*x^3*sinh(c*x^2 - b*x - a) - 1/96*(sqrt(pi)*(2*c*x - b)*b^3*(erf(1/2*sqrt((2*c*x - b)^2/c)) - 1)/(sqrt((2*c*x - b)^2/c)*(-c)^(7/2)) - 6*b^2*c*e^(-1/4*(2*c*x - b)^2/c)/(-c)^(7/2) - 12*(2*c*x - b)^3*b*gamma(3/2, 1/4*(2*c*x - b)^2/c)/(((2*c*x - b)^2/c)^(3/2)*(-c)^(7/2)) - 8*c^2*gamma(2, 1/4*(2*c*x - b)^2/c)/(-c)^(7/2))*b*e^(a + 1/4*b^2/c)/sqrt(-c) - 1/96*(sqrt(pi)*(2*c*x - b)*b^4*(erf(1/2*sqrt((2*c*x - b)^2/c)) - 1)/(sqrt((2*c*x - b)^2/c)*(-c)^(9/2)) - 8*b^3*c*e^(-1/4*(2*c*x - b)^2/c)/(-c)^(9/2) - 24*(2*c*x - b)^3*b^2*gamma(3/2, 1/4*(2*c*x - b)^2/c)/(((2*c*x - b)^2/c)^(3/2)*(-c)^(9/2)) - 32*b*c^2*gamma(2, 1/4*(2*c*x - b)^2/c)/(-c)^(9/2) - 16*(2*c*x - b)^5*gamma(5/2, 1/4*(2*c*x - b)^2/c)/(((2*c*x - b)^2/c)^(5/2)*(-c)^(9/2)))*c*e^(a + 1/4*b^2/c)/sqrt(-c) - 1/96*(sqrt(pi)*(2*c*x - b)*b^3*(erf(1/2*sqrt(-(2*c*x - b)^2/c)) - 1)/(sqrt(-(2*c*x - b)^2/c)*c^(7/2)) + 6*b^2*e^(1/4*(2*c*x - b)^2/c)/c^(5/2) - 12*(2*c*x - b)^3*b*gamma(3/2, -1/4*(2*c*x - b)^2/c)/((-2*c*x - b)^2/c)^(3/2)*c^(7/2)) - 8*gamma(2, -1/4*(2*c*x - b)^2/c)/c^(3/2))*b*e^(-a - 1/4*b^2/c)/sqrt(c) + 1/96*(sqrt(pi)*(2*c*x - b)*b^4*(erf(1/2*sqrt(-(2*c*x - b)^2/c)) - 1)/(sqrt(-(2*c*x - b)^2/c)*c^(9/2)) + 8*b^3*e^(1/4*(2*c*x - b)^2/c)/c^(7/2) - 24*(2*c*x - b)^3*b^2*gamma(3/2, -1/4*(2*c*x - b)^2/c)/((-2*c*x - b)^2/c)^(3/2)*c^(9/2)) - 32*b*gamma(2, -1/4*(2*c*x - b)^2/c)/c^(5/2) - 16*(2*c*x - b)^5*gamma(5/2, -1/4*(2*c*x - b)^2/c)/((-2*c*x - b)^2/c)^(5/2)*c^(9/2))*sqrt(c)*e^(-a - 1/4*b^2/c)

```

Giac [A] (verification not implemented)

Time = 0.13 (sec) , antiderivative size = 167, normalized size of antiderivative = 0.74

$$\begin{aligned}
 & \int x^2 \sinh(a + bx - cx^2) dx \\
 &= -\frac{\sqrt{\pi}(b^2+2c) \operatorname{erf}\left(-\frac{1}{2}\sqrt{c}\left(2x-\frac{b}{c}\right)\right) e^{\left(\frac{b^2+4ac}{4c}\right)} + 2\left(c\left(2x-\frac{b}{c}\right) + 2b\right) e^{(-cx^2+bx+a)}}{\sqrt{c}} \\
 & \quad + \frac{\sqrt{\pi}(b^2-2c) \operatorname{erf}\left(-\frac{1}{2}\sqrt{-c}\left(2x-\frac{b}{c}\right)\right) e^{\left(-\frac{b^2+4ac}{4c}\right)} - 2\left(c\left(2x-\frac{b}{c}\right) + 2b\right) e^{(cx^2-bx-a)}}{\sqrt{-c}} \\
 & \quad \frac{16c^2}{16c^2}
 \end{aligned}$$

input

```
integrate(x^2*sinh(-c*x^2+b*x+a),x, algorithm="giac")
```

output

```
-1/16*(sqrt(pi)*(b^2 + 2*c)*erf(-1/2*sqrt(c)*(2*x - b/c))*e^(1/4*(b^2 + 4*
a*c)/c)/sqrt(c) + 2*(c*(2*x - b/c) + 2*b)*e^(-c*x^2 + b*x + a))/c^2 + 1/16
*(sqrt(pi)*(b^2 - 2*c)*erf(-1/2*sqrt(-c)*(2*x - b/c))*e^(-1/4*(b^2 + 4*a*c
)/c)/sqrt(-c) - 2*(c*(2*x - b/c) + 2*b)*e^(c*x^2 - b*x - a))/c^2
```

Mupad [F(-1)]

Timed out.

$$\int x^2 \sinh(a + bx - cx^2) dx = \int x^2 \sinh(-cx^2 + bx + a) dx$$

input

```
int(x^2*sinh(a + b*x - c*x^2),x)
```

output

```
int(x^2*sinh(a + b*x - c*x^2), x)
```

Reduce [F]

$$\int x^2 \sinh(a + bx - cx^2) dx = \frac{\sqrt{\pi} e^{\frac{4c^2x^2 + 4bcx + 8ac + b^2}{4c}} \operatorname{erf}\left(\frac{2cx - b}{2\sqrt{c}}\right) b^2 + 2\sqrt{\pi} e^{\frac{4c^2x^2 + 4bcx + 8ac + b^2}{4c}} \operatorname{erf}\left(\frac{2cx - b}{2\sqrt{c}}\right) c - 2e^{2bx + 2a} \sqrt{c} b - 4e^{2bx + 2a} \sqrt{c} cx - 16e^{cx^2 + bx + a} \sqrt{c} c^2}{16e^{cx^2 + bx + a} \sqrt{c} c^2}$$

input

```
int(x^2*sinh(-c*x^2+b*x+a),x)
```

output

```
(sqrt(pi)*e**((8*a*c + b**2 + 4*b*c*x + 4*c**2*x**2)/(4*c))*erf((- b + 2*
c*x)/(2*sqrt(c)))*b**2 + 2*sqrt(pi)*e**((8*a*c + b**2 + 4*b*c*x + 4*c**2*x
**2)/(4*c))*erf((- b + 2*c*x)/(2*sqrt(c)))*c - 2*e**(2*a + 2*b*x)*sqrt(c)
*b - 4*e**(2*a + 2*b*x)*sqrt(c)*c*x - 2*e**(b*x + c*x**2)*sqrt(c)*int(e**
(c*x**2)/e**(b*x),x)*b**2 + 4*e**(b*x + c*x**2)*sqrt(c)*int(e**(c*x**2)/e**
(b*x),x)*c - 2*e**(2*c*x**2)*sqrt(c)*b - 4*e**(2*c*x**2)*sqrt(c)*c*x)/(16*
e**(a + b*x + c*x**2)*sqrt(c)*c**2)
```

3.7 $\int x \sinh (a + bx - cx^2) dx$

Optimal result	82
Mathematica [A] (verified)	82
Rubi [A] (verified)	83
Maple [A] (verified)	85
Fricas [B] (verification not implemented)	85
Sympy [F]	86
Maxima [B] (verification not implemented)	86
Giac [A] (verification not implemented)	87
Mupad [F(-1)]	87
Reduce [F]	88

Optimal result

Integrand size = 14, antiderivative size = 112

$$\int x \sinh (a + bx - cx^2) dx = -\frac{\cosh (a + bx - cx^2)}{2c} - \frac{be^{a+\frac{b^2}{4c}} \sqrt{\pi} \operatorname{erf}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{8c^{3/2}} + \frac{be^{-a-\frac{b^2}{4c}} \sqrt{\pi} \operatorname{erfi}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{8c^{3/2}}$$

output

```
-1/2*cosh(-c*x^2+b*x+a)/c-1/8*b*exp(a+1/4*b^2/c)*Pi^(1/2)*erf(1/2*(-2*c*x+b)/c^(1/2))/c^(3/2)+1/8*b*exp(-a-1/4*b^2/c)*Pi^(1/2)*erfi(1/2*(-2*c*x+b)/c^(1/2))/c^(3/2)
```

Mathematica [A] (verified)

Time = 0.12 (sec) , antiderivative size = 134, normalized size of antiderivative = 1.20

$$\int x \sinh (a + bx - cx^2) dx = \frac{-4\sqrt{c} \cosh(a + x(b - cx)) + b\sqrt{\pi} \operatorname{erfi}\left(\frac{-b+2cx}{2\sqrt{c}}\right) \left(-\cosh\left(a + \frac{b^2}{4c}\right) + \sinh\left(a + \frac{b^2}{4c}\right)\right) + b\sqrt{\pi} \operatorname{erf}\left(\frac{-b+2cx}{2\sqrt{c}}\right) \left(-\cosh\left(a + \frac{b^2}{4c}\right) + \sinh\left(a + \frac{b^2}{4c}\right)\right)}{8c^{3/2}}$$

input

```
Integrate[x*Sinh[a + b*x - c*x^2],x]
```

output

$$\frac{(-4\sqrt{c}\operatorname{Cosh}[a + x(b - cx)] + b\sqrt{\pi}\operatorname{Erfi}[(-b + 2cx)/(2\sqrt{c})])\cdot(-\operatorname{Cosh}[a + b^2/(4c)] + \operatorname{Sinh}[a + b^2/(4c)]) + b\sqrt{\pi}\operatorname{Erf}[(-b + 2cx)/(2\sqrt{c})]\cdot(\operatorname{Cosh}[a + b^2/(4c)] + \operatorname{Sinh}[a + b^2/(4c)])}{(8c^{3/2})}$$
Rubi [A] (verified)

Time = 0.42 (sec) , antiderivative size = 119, normalized size of antiderivative = 1.06, number of steps used = 5, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {5905, 5897, 2664, 2633, 2634}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x \sinh(a + bx - cx^2) dx$$

$$\downarrow 5905$$

$$\frac{b \int \sinh(-cx^2 + bx + a) dx}{2c} - \frac{\cosh(a + bx - cx^2)}{2c}$$

$$\downarrow 5897$$

$$\frac{b\left(\frac{1}{2} \int e^{-cx^2 + bx + a} dx - \frac{1}{2} \int e^{cx^2 - bx - a} dx\right)}{2c} - \frac{\cosh(a + bx - cx^2)}{2c}$$

$$\downarrow 2664$$

$$\frac{b\left(\frac{1}{2}e^{a + \frac{b^2}{4c}} \int e^{-\frac{(b-2cx)^2}{4c}} dx - \frac{1}{2}e^{-a - \frac{b^2}{4c}} \int e^{\frac{(b-2cx)^2}{4c}} dx\right)}{2c} - \frac{\cosh(a + bx - cx^2)}{2c}$$

$$\downarrow 2633$$

$$\frac{b\left(\frac{1}{2}e^{a + \frac{b^2}{4c}} \int e^{-\frac{(b-2cx)^2}{4c}} dx + \frac{\sqrt{\pi}e^{-a - \frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{4\sqrt{c}}\right)}{2c} - \frac{\cosh(a + bx - cx^2)}{2c}$$

$$\downarrow 2634$$

$$\frac{b\left(\frac{\sqrt{\pi}e^{-a - \frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} - \frac{\sqrt{\pi}e^{a + \frac{b^2}{4c}} \operatorname{erf}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{4\sqrt{c}}\right)}{2c} - \frac{\cosh(a + bx - cx^2)}{2c}$$

input `Int[x*Sinh[a + b*x - c*x^2],x]`

output `-1/2*Cosh[a + b*x - c*x^2]/c + (b*(-1/4*(E^(a + b^2/(4*c))*Sqrt[Pi]*Erf[(b - 2*c*x)/(2*Sqrt[c]])/Sqrt[c] + (E^(-a - b^2/(4*c))*Sqrt[Pi]*Erfi[(b - 2*c*x)/(2*Sqrt[c]])/(4*Sqrt[c])))/(2*c)`

Defintions of rubi rules used

rule 2633 `Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]`

rule 2634 `Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]`

rule 2664 `Int[(F_)^((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[F^(a - b^2/(4*c)) Int[F^((b + 2*c*x)^2/(4*c)), x], x] /; FreeQ[{F, a, b, c}, x]`

rule 5897 `Int[Sinh[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] := Simp[1/2 Int[E^(a + b*x + c*x^2), x], x] - Simp[1/2 Int[E^(-a - b*x - c*x^2), x], x] /; FreeQ[{a, b, c}, x]`

rule 5905 `Int[((d_.) + (e_.)*(x_))*Sinh[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] := Simp[e*(Cosh[a + b*x + c*x^2]/(2*c)), x] - Simp[(b*e - 2*c*d)/(2*c) Int[Sinh[a + b*x + c*x^2], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b*e - 2*c*d, 0]`

Maple [A] (verified)

Time = 0.16 (sec) , antiderivative size = 120, normalized size of antiderivative = 1.07

method	result	size
risch	$-\frac{e^{cx^2-bx-a}}{4c} - \frac{b\sqrt{\pi}e^{-\frac{4ac+b^2}{4c}} \operatorname{erf}\left(\sqrt{-c}x + \frac{b}{2\sqrt{-c}}\right)}{8c\sqrt{-c}} - \frac{e^{-cx^2+bx+a}}{4c} - \frac{b\sqrt{\pi}e^{\frac{4ac+b^2}{4c}} \operatorname{erf}\left(-\sqrt{c}x + \frac{b}{2\sqrt{c}}\right)}{8c^{\frac{3}{2}}}$	120

input `int(x*sinh(-c*x^2+b*x+a),x,method=_RETURNVERBOSE)`

output

```
-1/4/c*exp(c*x^2-b*x-a)-1/8*b/c*Pi^(1/2)*exp(-1/4*(4*a*c+b^2)/c)/(-c)^(1/2)
)*erf((-c)^(1/2)*x+1/2*b/(-c)^(1/2))-1/4/c*exp(-c*x^2+b*x+a)-1/8*b/c^(3/2)
*Pi^(1/2)*exp(1/4*(4*a*c+b^2)/c)*erf(-c^(1/2)*x+1/2*b/c^(1/2))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 385 vs. 2(88) = 176.

Time = 0.09 (sec) , antiderivative size = 385, normalized size of antiderivative = 3.44

$$\int x \sinh(a + bx - cx^2) dx =$$

$$\frac{2c \cosh(cx^2 - bx - a)^2 - \sqrt{\pi} \left(b \cosh(cx^2 - bx - a) \cosh\left(\frac{b^2 + 4ac}{4c}\right) - b \cosh(cx^2 - bx - a) \sinh\left(\frac{b^2 + 4ac}{4c}\right) \right)}{4c^2}$$

input `integrate(x*sinh(-c*x^2+b*x+a),x, algorithm="fricas")`

output

```
-1/8*(2*c*cosh(c*x^2 - b*x - a)^2 - sqrt(pi)*(b*cosh(c*x^2 - b*x - a)*cosh
(1/4*(b^2 + 4*a*c)/c) - b*cosh(c*x^2 - b*x - a)*sinh(1/4*(b^2 + 4*a*c)/c)
+ (b*cosh(1/4*(b^2 + 4*a*c)/c) - b*sinh(1/4*(b^2 + 4*a*c)/c))*sinh(c*x^2 -
b*x - a))*sqrt(-c)*erf(1/2*(2*c*x - b)*sqrt(-c)/c) - sqrt(pi)*(b*cosh(c*x
^2 - b*x - a)*cosh(1/4*(b^2 + 4*a*c)/c) + b*cosh(c*x^2 - b*x - a)*sinh(1/4
*(b^2 + 4*a*c)/c) + (b*cosh(1/4*(b^2 + 4*a*c)/c) + b*sinh(1/4*(b^2 + 4*a*c
)/c))*sinh(c*x^2 - b*x - a))*sqrt(c)*erf(1/2*(2*c*x - b)/sqrt(c)) + 4*c*co
sh(c*x^2 - b*x - a)*sinh(c*x^2 - b*x - a) + 2*c*sinh(c*x^2 - b*x - a)^2 +
2*c)/(c^2*cosh(c*x^2 - b*x - a) + c^2*sinh(c*x^2 - b*x - a))
```

Sympy [F]

$$\int x \sinh(a + bx - cx^2) dx = \int x \sinh(a + bx - cx^2) dx$$

input `integrate(x*sinh(-c*x**2+b*x+a),x)`

output `Integral(x*sinh(a + b*x - c*x**2), x)`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 674 vs. $2(88) = 176$.

Time = 0.31 (sec) , antiderivative size = 674, normalized size of antiderivative = 6.02

$$\int x \sinh(a + bx - cx^2) dx = \text{Too large to display}$$

input `integrate(x*sinh(-c*x^2+b*x+a),x, algorithm="maxima")`

output `-1/2*x^2*sinh(c*x^2 - b*x - a) + 1/32*(sqrt(pi)*(2*c*x - b)*b^2*(erf(1/2*sqrt((2*c*x - b)^2/c)) - 1)/(sqrt((2*c*x - b)^2/c)*(-c)^(5/2)) - 4*b*c*e^(-1/4*(2*c*x - b)^2/c)/(-c)^(5/2) - 4*(2*c*x - b)^3*gamma(3/2, 1/4*(2*c*x - b)^2/c)/(((2*c*x - b)^2/c)^(3/2)*(-c)^(5/2))*b*e^(a + 1/4*b^2/c)/sqrt(-c) + 1/32*(sqrt(pi)*(2*c*x - b)*b^3*(erf(1/2*sqrt((2*c*x - b)^2/c)) - 1)/(sqrt((2*c*x - b)^2/c)*(-c)^(7/2)) - 6*b^2*c*e^(-1/4*(2*c*x - b)^2/c)/(-c)^(7/2) - 12*(2*c*x - b)^3*b*gamma(3/2, 1/4*(2*c*x - b)^2/c)/(((2*c*x - b)^2/c)^(3/2)*(-c)^(7/2)) - 8*c^2*gamma(2, 1/4*(2*c*x - b)^2/c)/(-c)^(7/2))*c*e^(a + 1/4*b^2/c)/sqrt(-c) - 1/32*(sqrt(pi)*(2*c*x - b)*b^2*(erf(1/2*sqrt(-(2*c*x - b)^2/c)) - 1)/(sqrt(-(2*c*x - b)^2/c)*c^(5/2)) + 4*b*e^(1/4*(2*c*x - b)^2/c)/c^(3/2) - 4*(2*c*x - b)^3*gamma(3/2, -1/4*(2*c*x - b)^2/c)/((-2*c*x - b)^2/c)^(3/2)*c^(5/2))*b*e^(-a - 1/4*b^2/c)/sqrt(c) + 1/32*(sqrt(pi)*(2*c*x - b)*b^3*(erf(1/2*sqrt(-(2*c*x - b)^2/c)) - 1)/(sqrt(-(2*c*x - b)^2/c)*c^(7/2)) + 6*b^2*e^(1/4*(2*c*x - b)^2/c)/c^(5/2) - 12*(2*c*x - b)^3*b*gamma(3/2, -1/4*(2*c*x - b)^2/c)/((-2*c*x - b)^2/c)^(3/2)*c^(7/2)) - 8*gamma(2, -1/4*(2*c*x - b)^2/c)/c^(3/2))*sqrt(c)*e^(-a - 1/4*b^2/c)`

Giac [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 123, normalized size of antiderivative = 1.10

$$\int x \sinh(a + bx - cx^2) dx = -\frac{\frac{\sqrt{\pi}b \operatorname{erf}\left(-\frac{1}{2}\sqrt{c}\left(2x - \frac{b}{c}\right)\right)e^{\left(\frac{b^2+4ac}{4c}\right)}}{\sqrt{c}} + 2e^{(-cx^2+bx+a)}}{8c} + \frac{\frac{\sqrt{\pi}b \operatorname{erf}\left(-\frac{1}{2}\sqrt{-c}\left(2x - \frac{b}{c}\right)\right)e^{\left(-\frac{b^2+4ac}{4c}\right)}}{\sqrt{-c}} - 2e^{(cx^2-bx-a)}}{8c}$$

input `integrate(x*sinh(-c*x^2+b*x+a),x, algorithm="giac")`output `-1/8*(sqrt(pi)*b*erf(-1/2*sqrt(c)*(2*x - b/c))*e^(1/4*(b^2 + 4*a*c)/c)/sqrt(c) + 2*e^(-c*x^2 + b*x + a))/c + 1/8*(sqrt(pi)*b*erf(-1/2*sqrt(-c)*(2*x - b/c))*e^(-1/4*(b^2 + 4*a*c)/c)/sqrt(-c) - 2*e^(c*x^2 - b*x - a))/c`**Mupad [F(-1)]**

Timed out.

$$\int x \sinh(a + bx - cx^2) dx = \int x \sinh(-cx^2 + bx + a) dx$$

input `int(x*sinh(a + b*x - c*x^2),x)`output `int(x*sinh(a + b*x - c*x^2), x)`

Reduce [F]

$$\int x \sinh(a + bx - cx^2) dx = \frac{-\cosh(-cx^2 + bx + a) + (\int \sinh(-cx^2 + bx + a) dx) b}{2c}$$

input `int(x*sinh(-c*x^2+b*x+a),x)`

output `(- cosh(a + b*x - c*x**2) + int(sinh(a + b*x - c*x**2),x)*b)/(2*c)`

3.8 $\int \sinh(a + bx - cx^2) dx$

Optimal result	89
Mathematica [A] (verified)	89
Rubi [A] (verified)	90
Maple [A] (verified)	91
Fricas [A] (verification not implemented)	92
Sympy [F]	92
Maxima [B] (verification not implemented)	92
Giac [A] (verification not implemented)	93
Mupad [F(-1)]	94
Reduce [F]	94

Optimal result

Integrand size = 12, antiderivative size = 91

$$\int \sinh(a + bx - cx^2) dx = -\frac{e^{a+\frac{b^2}{4c}} \sqrt{\pi} \operatorname{erf}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} + \frac{e^{-a-\frac{b^2}{4c}} \sqrt{\pi} \operatorname{erfi}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{4\sqrt{c}}$$

output

```
-1/4*exp(a+1/4*b^2/c)*Pi^(1/2)*erf(1/2*(-2*c*x+b)/c^(1/2))/c^(1/2)+1/4*exp
(-a-1/4*b^2/c)*Pi^(1/2)*erfi(1/2*(-2*c*x+b)/c^(1/2))/c^(1/2)
```

Mathematica [A] (verified)

Time = 0.05 (sec) , antiderivative size = 109, normalized size of antiderivative = 1.20

$$\int \sinh(a + bx - cx^2) dx = \frac{\sqrt{\pi} \left(\operatorname{erfi}\left(\frac{-b+2cx}{2\sqrt{c}}\right) \left(-\cosh\left(a + \frac{b^2}{4c}\right) + \sinh\left(a + \frac{b^2}{4c}\right) \right) + \operatorname{erf}\left(\frac{-b+2cx}{2\sqrt{c}}\right) \left(\cosh\left(a + \frac{b^2}{4c}\right) + \sinh\left(a + \frac{b^2}{4c}\right) \right) \right)}{4\sqrt{c}}$$

input

```
Integrate[Sinh[a + b*x - c*x^2], x]
```

output

```
(Sqrt[Pi]*(Erfi[(-b + 2*c*x)/(2*Sqrt[c])]*(-Cosh[a + b^2/(4*c)] + Sinh[a +
b^2/(4*c)]) + Erf[(-b + 2*c*x)/(2*Sqrt[c])]*(Cosh[a + b^2/(4*c)] + Sinh[a
+ b^2/(4*c)])))/(4*Sqrt[c])
```

Rubi [A] (verified)

Time = 0.34 (sec) , antiderivative size = 91, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {5897, 2664, 2633, 2634}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \sinh(a + bx - cx^2) dx \\
 & \quad \downarrow \text{5897} \\
 & \frac{1}{2} \int e^{-cx^2+bx+a} dx - \frac{1}{2} \int e^{cx^2-bx-a} dx \\
 & \quad \downarrow \text{2664} \\
 & \frac{1}{2} e^{a+\frac{b^2}{4c}} \int e^{-\frac{(b-2cx)^2}{4c}} dx - \frac{1}{2} e^{-a-\frac{b^2}{4c}} \int e^{\frac{(b-2cx)^2}{4c}} dx \\
 & \quad \downarrow \text{2633} \\
 & \frac{1}{2} e^{a+\frac{b^2}{4c}} \int e^{-\frac{(b-2cx)^2}{4c}} dx + \frac{\sqrt{\pi} e^{-a-\frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} \\
 & \quad \downarrow \text{2634} \\
 & \frac{\sqrt{\pi} e^{-a-\frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} - \frac{\sqrt{\pi} e^{a+\frac{b^2}{4c}} \operatorname{erf}\left(\frac{b-2cx}{2\sqrt{c}}\right)}{4\sqrt{c}}
 \end{aligned}$$

input

```
Int[Sinh[a + b*x - c*x^2],x]
```

output

```
-1/4*(E^(a + b^2/(4*c))*Sqrt[Pi]*Erf[(b - 2*c*x)/(2*Sqrt[c])])/Sqrt[c] + (
E^(-a - b^2/(4*c))*Sqrt[Pi]*Erfi[(b - 2*c*x)/(2*Sqrt[c])])/(4*Sqrt[c])
```

Definitions of rubi rules used

rule 2633 $\text{Int}[(F_)^{\wedge}((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] \text{:> Simp}[F^{\wedge}a*\text{Sqrt}[\text{Pi}]*(\text{Erfi}[(c + d*x)*\text{Rt}[b*\text{Log}[F], 2]]/(2*d*\text{Rt}[b*\text{Log}[F], 2])), x] \text{/; FreeQ}\{F, a, b, c, d\}, x] \ \&\& \ \text{PosQ}[b]$

rule 2634 $\text{Int}[(F_)^{\wedge}((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] \text{:> Simp}[F^{\wedge}a*\text{Sqrt}[\text{Pi}]*(\text{Erf}[(c + d*x)*\text{Rt}[(-b)*\text{Log}[F], 2]]/(2*d*\text{Rt}[(-b)*\text{Log}[F], 2])), x] \text{/; FreeQ}\{F, a, b, c, d\}, x] \ \&\& \ \text{NegQ}[b]$

rule 2664 $\text{Int}[(F_)^{\wedge}((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] \text{:> Simp}[F^{\wedge}(a - b^2/(4*c)) \ \text{Int}[F^{\wedge}((b + 2*c*x)^2/(4*c)), x], x] \text{/; FreeQ}\{F, a, b, c\}, x]$

rule 5897 $\text{Int}[\text{Sinh}[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] \text{:> Simp}[1/2 \ \text{Int}[E^{\wedge}(a + b*x + c*x^2), x], x] - \text{Simp}[1/2 \ \text{Int}[E^{\wedge}(-a - b*x - c*x^2), x], x] \text{/; FreeQ}\{a, b, c\}, x]$

Maple [A] (verified)

Time = 0.13 (sec) , antiderivative size = 79, normalized size of antiderivative = 0.87

method	result	size
risch	$-\frac{\sqrt{\pi} e^{-\frac{4ac+b^2}{4c}} \operatorname{erf}\left(\sqrt{-c}x + \frac{b}{2\sqrt{-c}}\right)}{4\sqrt{-c}} - \frac{\sqrt{\pi} e^{\frac{4ac+b^2}{4c}} \operatorname{erf}\left(-\sqrt{c}x + \frac{b}{2\sqrt{c}}\right)}{4\sqrt{c}}$	79

input $\text{int}(\sinh(-c*x^2+b*x+a), x, \text{method}=_RETURNVERBOSE)$

output $-1/4*\text{Pi}^{\wedge}(1/2)*\exp(-1/4*(4*a*c+b^2)/c)/(-c)^{\wedge}(1/2)*\operatorname{erf}((-c)^{\wedge}(1/2)*x+1/2*b/(-c)^{\wedge}(1/2))-1/4*\text{Pi}^{\wedge}(1/2)*\exp(1/4*(4*a*c+b^2)/c)/c^{\wedge}(1/2)*\operatorname{erf}(-c^{\wedge}(1/2)*x+1/2*b/c^{\wedge}(1/2))$

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 115, normalized size of antiderivative = 1.26

$$\int \sinh(a + bx - cx^2) dx = \frac{\sqrt{\pi}\sqrt{-c}\left(\cosh\left(\frac{b^2+4ac}{4c}\right) - \sinh\left(\frac{b^2+4ac}{4c}\right)\right)\operatorname{erf}\left(\frac{(2cx-b)\sqrt{-c}}{2c}\right) + \sqrt{\pi}\sqrt{c}\left(\cosh\left(\frac{b^2+4ac}{4c}\right) + \sinh\left(\frac{b^2+4ac}{4c}\right)\right)\operatorname{erf}\left(\frac{(2cx-b)\sqrt{c}}{2c}\right)}{4c}$$

input `integrate(sinh(-c*x^2+b*x+a),x, algorithm="fricas")`

output `1/4*(sqrt(pi)*sqrt(-c)*(cosh(1/4*(b^2 + 4*a*c)/c) - sinh(1/4*(b^2 + 4*a*c)/c))*erf(1/2*(2*c*x - b)*sqrt(-c)/c) + sqrt(pi)*sqrt(c)*(cosh(1/4*(b^2 + 4*a*c)/c) + sinh(1/4*(b^2 + 4*a*c)/c))*erf(1/2*(2*c*x - b)/sqrt(c))/c`

Sympy [F]

$$\int \sinh(a + bx - cx^2) dx = \int \sinh(a + bx - cx^2) dx$$

input `integrate(sinh(-c*x**2+b*x+a),x)`

output `Integral(sinh(a + b*x - c*x**2), x)`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 512 vs. 2(69) = 138.

Time = 0.26 (sec) , antiderivative size = 512, normalized size of antiderivative = 5.63

$$\int \sinh(a + bx - cx^2) dx = \text{Too large to display}$$

input `integrate(sinh(-c*x^2+b*x+a),x, algorithm="maxima")`

output

```
-1/8*(sqrt(pi)*(2*c*x - b)*b*(erf(1/2*sqrt((2*c*x - b)^2/c)) - 1)/(sqrt((2
*c*x - b)^2/c)*(-c)^(3/2)) - 2*c*e^(-1/4*(2*c*x - b)^2/c)/(-c)^(3/2))*b*e^
(a + 1/4*b^2/c)/sqrt(-c) - 1/8*(sqrt(pi)*(2*c*x - b)*b^2*(erf(1/2*sqrt((2*
c*x - b)^2/c)) - 1)/(sqrt((2*c*x - b)^2/c)*(-c)^(5/2)) - 4*b*c*e^(-1/4*(2*
c*x - b)^2/c)/(-c)^(5/2) - 4*(2*c*x - b)^3*gamma(3/2, 1/4*(2*c*x - b)^2/c)
/(((2*c*x - b)^2/c)^(3/2)*(-c)^(5/2)))*c*e^(a + 1/4*b^2/c)/sqrt(-c) - 1/8*
(sqrt(pi)*(2*c*x - b)*b*(erf(1/2*sqrt(-(2*c*x - b)^2/c)) - 1)/(sqrt(-(2*c*
x - b)^2/c)*c^(3/2)) + 2*e^(1/4*(2*c*x - b)^2/c)/sqrt(c))*b*e^(-a - 1/4*b^
2/c)/sqrt(c) + 1/8*(sqrt(pi)*(2*c*x - b)*b^2*(erf(1/2*sqrt(-(2*c*x - b)^2/
c)) - 1)/(sqrt(-(2*c*x - b)^2/c)*c^(5/2)) + 4*b*e^(1/4*(2*c*x - b)^2/c)/c^
(3/2) - 4*(2*c*x - b)^3*gamma(3/2, -1/4*(2*c*x - b)^2/c)/((-2*c*x - b)^2/c
)^(3/2)*c^(5/2)))*sqrt(c)*e^(-a - 1/4*b^2/c) - x*sinh(c*x^2 - b*x - a)
```

Giac [A] (verification not implemented)

Time = 0.13 (sec) , antiderivative size = 81, normalized size of antiderivative = 0.89

$$\int \sinh(a + bx - cx^2) dx = -\frac{\sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2}\sqrt{c}\left(2x - \frac{b}{c}\right)\right) e^{\left(\frac{b^2+4ac}{4c}\right)}}{4\sqrt{c}} + \frac{\sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2}\sqrt{-c}\left(2x - \frac{b}{c}\right)\right) e^{\left(-\frac{b^2+4ac}{4c}\right)}}{4\sqrt{-c}}$$

input

```
integrate(sinh(-c*x^2+b*x+a),x, algorithm="giac")
```

output

```
-1/4*sqrt(pi)*erf(-1/2*sqrt(c)*(2*x - b/c))*e^(1/4*(b^2 + 4*a*c)/c)/sqrt(c
) + 1/4*sqrt(pi)*erf(-1/2*sqrt(-c)*(2*x - b/c))*e^(-1/4*(b^2 + 4*a*c)/c)/s
qrt(-c)
```

Mupad [F(-1)]

Timed out.

$$\int \sinh(a + bx - cx^2) dx = \int \sinh(-cx^2 + bx + a) dx$$

input `int(sinh(a + b*x - c*x^2),x)`output `int(sinh(a + b*x - c*x^2), x)`**Reduce [F]**

$$\int \sinh(a + bx - cx^2) dx = \int \sinh(-cx^2 + bx + a) dx$$

input `int(sinh(-c*x^2+b*x+a),x)`output `int(sinh(a + b*x - c*x**2),x)`

3.9 $\int \frac{\sinh(a+bx-cx^2)}{x} dx$

Optimal result	95
Mathematica [N/A]	95
Rubi [N/A]	96
Maple [N/A]	96
Fricas [N/A]	97
Sympy [N/A]	97
Maxima [N/A]	97
Giac [N/A]	98
Mupad [N/A]	98
Reduce [N/A]	99

Optimal result

Integrand size = 16, antiderivative size = 16

$$\int \frac{\sinh(a+bx-cx^2)}{x} dx = \text{Int}\left(\frac{\sinh(a+bx-cx^2)}{x}, x\right)$$

output `Defer(Int)(sinh(-c*x^2+b*x+a)/x,x)`

Mathematica [N/A]

Not integrable

Time = 6.05 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{\sinh(a+bx-cx^2)}{x} dx = \int \frac{\sinh(a+bx-cx^2)}{x} dx$$

input `Integrate[Sinh[a + b*x - c*x^2]/x,x]`

output `Integrate[Sinh[a + b*x - c*x^2]/x, x]`

Rubi [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\sinh(a + bx - cx^2)}{x} dx$$

↓ 5915

$$\int \frac{\sinh(a + bx - cx^2)}{x} dx$$

input `Int[Sinh[a + b*x - c*x^2]/x,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.05 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int \frac{\sinh(-cx^2 + bx + a)}{x} dx$$

input `int(sinh(-c*x^2+b*x+a)/x,x)`

output `int(sinh(-c*x^2+b*x+a)/x,x)`

Fricas [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.31

$$\int \frac{\sinh(a + bx - cx^2)}{x} dx = \int \frac{\sinh(-cx^2 + bx + a)}{x} dx$$

input `integrate(sinh(-c*x^2+b*x+a)/x,x, algorithm="fricas")`

output `integral(-sinh(c*x^2 - b*x - a)/x, x)`

Sympy [N/A]

Not integrable

Time = 0.67 (sec) , antiderivative size = 14, normalized size of antiderivative = 0.88

$$\int \frac{\sinh(a + bx - cx^2)}{x} dx = \int \frac{\sinh(a + bx - cx^2)}{x} dx$$

input `integrate(sinh(-c*x**2+b*x+a)/x,x)`

output `Integral(sinh(a + b*x - c*x**2)/x, x)`

Maxima [N/A]

Not integrable

Time = 0.72 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.38

$$\int \frac{\sinh(a + bx - cx^2)}{x} dx = \int \frac{\sinh(-cx^2 + bx + a)}{x} dx$$

input `integrate(sinh(-c*x^2+b*x+a)/x,x, algorithm="maxima")`

output `-integrate(sinh(c*x^2 - b*x - a)/x, x)`

Giac [N/A]

Not integrable

Time = 0.12 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{\sinh(a + bx - cx^2)}{x} dx = \int \frac{\sinh(-cx^2 + bx + a)}{x} dx$$

input `integrate(sinh(-c*x^2+b*x+a)/x,x, algorithm="giac")`

output `integrate(sinh(-c*x^2 + b*x + a)/x, x)`

Mupad [N/A]

Not integrable

Time = 1.34 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{\sinh(a + bx - cx^2)}{x} dx = \int \frac{\sinh(-cx^2 + bx + a)}{x} dx$$

input `int(sinh(a + b*x - c*x^2)/x,x)`

output `int(sinh(a + b*x - c*x^2)/x, x)`

Reduce [N/A]

Not integrable

Time = 0.16 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{\sinh(a + bx - cx^2)}{x} dx = \int \frac{\sinh(-cx^2 + bx + a)}{x} dx$$

input `int(sinh(-c*x^2+b*x+a)/x,x)`output `int(sinh(a + b*x - c*x**2)/x,x)`

3.10
$$\int \left(-\frac{b \cosh(a+bx-cx^2)}{x} + \frac{\sinh(a+bx-cx^2)}{x^2} \right) dx$$

Optimal result	100
Mathematica [A] (verified)	100
Rubi [A] (verified)	101
Maple [F]	102
Fricas [B] (verification not implemented)	102
Sympy [F]	103
Maxima [F]	103
Giac [F]	103
Mupad [F(-1)]	104
Reduce [F]	104

Optimal result

Integrand size = 35, antiderivative size = 108

$$\int \left(-\frac{b \cosh(a+bx-cx^2)}{x} + \frac{\sinh(a+bx-cx^2)}{x^2} \right) dx$$

$$= \frac{1}{2} \sqrt{c} e^{a+\frac{b^2}{4c}} \sqrt{\pi} \operatorname{erf}\left(\frac{b-2cx}{2\sqrt{c}}\right) + \frac{1}{2} \sqrt{c} e^{-a-\frac{b^2}{4c}} \sqrt{\pi} \operatorname{erfi}\left(\frac{b-2cx}{2\sqrt{c}}\right) - \frac{\sinh(a+bx-cx^2)}{x}$$

output

```
1/2*c^(1/2)*exp(a+1/4*b^2/c)*Pi^(1/2)*erf(1/2*(-2*c*x+b)/c^(1/2))+1/2*c^(1/2)*exp(-a-1/4*b^2/c)*Pi^(1/2)*erfi(1/2*(-2*c*x+b)/c^(1/2))-sinh(-c*x^2+bx+a)/x
```

Mathematica [A] (verified)

Time = 0.44 (sec) , antiderivative size = 136, normalized size of antiderivative = 1.26

$$\int \left(-\frac{b \cosh(a+bx-cx^2)}{x} + \frac{\sinh(a+bx-cx^2)}{x^2} \right) dx$$

$$= \frac{1}{2} \left(\sqrt{c} \sqrt{\pi} \operatorname{erfi}\left(\frac{-b+2cx}{2\sqrt{c}}\right) \left(-\cosh\left(a+\frac{b^2}{4c}\right) + \sinh\left(a+\frac{b^2}{4c}\right) \right) \right. \\ \left. - \sqrt{c} \sqrt{\pi} \operatorname{erf}\left(\frac{-b+2cx}{2\sqrt{c}}\right) \left(\cosh\left(a+\frac{b^2}{4c}\right) + \sinh\left(a+\frac{b^2}{4c}\right) \right) \right) \\ - \frac{2 \sinh(a+x(b-cx))}{x}$$

input `Integrate[-((b*Cosh[a + b*x - c*x^2])/x) + Sinh[a + b*x - c*x^2]/x^2,x]`

output `(Sqrt[c]*Sqrt[Pi]*Erfi[(-b + 2*c*x)/(2*Sqrt[c])]*(-Cosh[a + b^2/(4*c)] + Sinh[a + b^2/(4*c)]) - Sqrt[c]*Sqrt[Pi]*Erf[(-b + 2*c*x)/(2*Sqrt[c])]*(Cosh[a + b^2/(4*c)] + Sinh[a + b^2/(4*c)]) - (2*Sinh[a + x*(b - c*x)]/x))/2`

Rubi [A] (verified)

Time = 0.32 (sec) , antiderivative size = 108, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, $\frac{\text{number of rules}}{\text{integrand size}} = 0.029$, Rules used = {2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \left(\frac{\sinh(a + bx - cx^2)}{x^2} - \frac{b \cosh(a + bx - cx^2)}{x} \right) dx$$

↓ 2009

$$\frac{1}{2} \sqrt{\pi} \sqrt{c} e^{a + \frac{b^2}{4c}} \operatorname{erf}\left(\frac{b - 2cx}{2\sqrt{c}}\right) + \frac{1}{2} \sqrt{\pi} \sqrt{c} e^{-a - \frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b - 2cx}{2\sqrt{c}}\right) - \frac{\sinh(a + bx - cx^2)}{x}$$

input `Int[-((b*Cosh[a + b*x - c*x^2])/x) + Sinh[a + b*x - c*x^2]/x^2,x]`

output `(Sqrt[c]*E^(a + b^2/(4*c))*Sqrt[Pi]*Erf[(b - 2*c*x)/(2*Sqrt[c])])/2 + (Sqrt[c]*E^(-a - b^2/(4*c))*Sqrt[Pi]*Erfi[(b - 2*c*x)/(2*Sqrt[c])])/2 - Sinh[a + b*x - c*x^2]/x`

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

Maple [F]

$$\int \left(-\frac{b \cosh(-cx^2 + bx + a)}{x} + \frac{\sinh(-cx^2 + bx + a)}{x^2} \right) dx$$

input

```
int(-b*cosh(-c*x^2+b*x+a)/x+sinh(-c*x^2+b*x+a)/x^2,x)
```

output

```
int(-b*cosh(-c*x^2+b*x+a)/x+sinh(-c*x^2+b*x+a)/x^2,x)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 371 vs. 2(86) = 172.

Time = 0.09 (sec) , antiderivative size = 371, normalized size of antiderivative = 3.44

$$\int \left(-\frac{b \cosh(a + bx - cx^2)}{x} + \frac{\sinh(a + bx - cx^2)}{x^2} \right) dx$$

$$= \frac{\sqrt{\pi} \left(x \cosh(cx^2 - bx - a) \cosh\left(\frac{b^2 + 4ac}{4c}\right) - x \cosh(cx^2 - bx - a) \sinh\left(\frac{b^2 + 4ac}{4c}\right) + \left(x \cosh\left(\frac{b^2 + 4ac}{4c}\right) - x \right) \right)}{2}$$

input

```
integrate(-b*cosh(-c*x^2+b*x+a)/x+sinh(-c*x^2+b*x+a)/x^2,x, algorithm="fricas")
```

output

```
1/2*(sqrt(pi)*(x*cosh(c*x^2 - b*x - a)*cosh(1/4*(b^2 + 4*a*c)/c) - x*cosh(c*x^2 - b*x - a)*sinh(1/4*(b^2 + 4*a*c)/c) + (x*cosh(1/4*(b^2 + 4*a*c)/c) - x*sinh(1/4*(b^2 + 4*a*c)/c))*sinh(c*x^2 - b*x - a)*sqrt(-c)*erf(1/2*(2*c*x - b)*sqrt(-c)/c) - sqrt(pi)*(x*cosh(c*x^2 - b*x - a)*cosh(1/4*(b^2 + 4*a*c)/c) + x*cosh(c*x^2 - b*x - a)*sinh(1/4*(b^2 + 4*a*c)/c) + (x*cosh(1/4*(b^2 + 4*a*c)/c) + x*sinh(1/4*(b^2 + 4*a*c)/c))*sinh(c*x^2 - b*x - a))*sqrt(c)*erf(1/2*(2*c*x - b)/sqrt(c)) + cosh(c*x^2 - b*x - a)^2 + 2*cosh(c*x^2 - b*x - a)*sinh(c*x^2 - b*x - a) + sinh(c*x^2 - b*x - a)^2 - 1)/(x*cosh(c*x^2 - b*x - a) + x*sinh(c*x^2 - b*x - a))
```

Sympy [F]

$$\int \left(-\frac{b \cosh(a + bx - cx^2)}{x} + \frac{\sinh(a + bx - cx^2)}{x^2} \right) dx$$

$$= -\int \left(-\frac{\sinh(a + bx - cx^2)}{x^2} \right) dx - \int \frac{b \cosh(a + bx - cx^2)}{x} dx$$

input `integrate(-b*cosh(-c*x**2+b*x+a)/x+sinh(-c*x**2+b*x+a)/x**2,x)`

output `-Integral(-sinh(a + b*x - c*x**2)/x**2, x) - Integral(b*cosh(a + b*x - c*x**2)/x, x)`

Maxima [F]

$$\int \left(-\frac{b \cosh(a + bx - cx^2)}{x} + \frac{\sinh(a + bx - cx^2)}{x^2} \right) dx$$

$$= \int -\frac{b \cosh(-cx^2 + bx + a)}{x} + \frac{\sinh(-cx^2 + bx + a)}{x^2} dx$$

input `integrate(-b*cosh(-c*x^2+b*x+a)/x+sinh(-c*x^2+b*x+a)/x^2,x, algorithm="maxima")`

output `integrate(-b*cosh(c*x^2 - b*x - a)/x - sinh(c*x^2 - b*x - a)/x^2, x)`

Giac [F]

$$\int \left(-\frac{b \cosh(a + bx - cx^2)}{x} + \frac{\sinh(a + bx - cx^2)}{x^2} \right) dx$$

$$= \int -\frac{b \cosh(-cx^2 + bx + a)}{x} + \frac{\sinh(-cx^2 + bx + a)}{x^2} dx$$

input `integrate(-b*cosh(-c*x^2+b*x+a)/x+sinh(-c*x^2+b*x+a)/x^2,x, algorithm="giac")`

output `integrate(-b*cosh(-c*x^2 + b*x + a)/x + sinh(-c*x^2 + b*x + a)/x^2, x)`

Mupad [F(-1)]

Timed out.

$$\int \left(-\frac{b \cosh(a + bx - cx^2)}{x} + \frac{\sinh(a + bx - cx^2)}{x^2} \right) dx$$

$$= \int \frac{\sinh(-cx^2 + bx + a)}{x^2} - \frac{b \cosh(-cx^2 + bx + a)}{x} dx$$

input `int(sinh(a + b*x - c*x^2)/x^2 - (b*cosh(a + b*x - c*x^2))/x,x)`

output `int(sinh(a + b*x - c*x^2)/x^2 - (b*cosh(a + b*x - c*x^2))/x, x)`

Reduce [F]

$$\int \left(-\frac{b \cosh(a + bx - cx^2)}{x} + \frac{\sinh(a + bx - cx^2)}{x^2} \right) dx$$

$$= -\left(\int \frac{\cosh(-cx^2 + bx + a)}{x} dx \right) b + \int \frac{\sinh(-cx^2 + bx + a)}{x^2} dx$$

input `int(-b*cosh(-c*x^2+b*x+a)/x+sinh(-c*x^2+b*x+a)/x^2,x)`

output `- int(cosh(a + b*x - c*x**2)/x,x)*b + int(sinh(a + b*x - c*x**2)/x**2,x)`

3.11 $\int x^2 \sinh\left(\frac{1}{4} + x + x^2\right) dx$

Optimal result	105
Mathematica [A] (verified)	105
Rubi [A] (verified)	106
Maple [C] (verified)	109
Fricas [B] (verification not implemented)	109
Sympy [F]	110
Maxima [B] (verification not implemented)	110
Giac [C] (verification not implemented)	111
Mupad [F(-1)]	111
Reduce [B] (verification not implemented)	112

Optimal result

Integrand size = 13, antiderivative size = 66

$$\int x^2 \sinh\left(\frac{1}{4} + x + x^2\right) dx = -\frac{1}{4} \cosh\left(\frac{1}{4} + x + x^2\right) + \frac{1}{2}x \cosh\left(\frac{1}{4} + x + x^2\right) + \frac{3}{16}\sqrt{\pi}\operatorname{erf}\left(\frac{1}{2}(-1 - 2x)\right) - \frac{1}{16}\sqrt{\pi}\operatorname{erfi}\left(\frac{1}{2}(1 + 2x)\right)$$

output

```
-1/4*cosh(1/4+x+x^2)+1/2*x*cosh(1/4+x+x^2)-3/16*Pi^(1/2)*erf(1/2+x)-1/16*Pi^(1/2)*erfi(1/2+x)
```

Mathematica [A] (verified)

Time = 0.10 (sec) , antiderivative size = 72, normalized size of antiderivative = 1.09

$$\int x^2 \sinh\left(\frac{1}{4} + x + x^2\right) dx = \frac{1}{16} \left(-3\sqrt{\pi}\operatorname{erf}\left(\frac{1}{2} + x\right) - \sqrt{\pi}\operatorname{erfi}\left(\frac{1}{2} + x\right) + \frac{2(-1 + 2x) \left((1 + \sqrt{e}) \cosh(x(1 + x)) + (-1 + \sqrt{e}) \sinh(x(1 + x)) \right)}{\sqrt[4]{e}} \right)$$

input `Integrate[x^2*Sinh[1/4 + x + x^2],x]`

output `(-3*Sqrt[Pi]*Erf[1/2 + x] - Sqrt[Pi]*Erfi[1/2 + x] + (2*(-1 + 2*x)*((1 + Sqrt[E])*Cosh[x*(1 + x)] + (-1 + Sqrt[E])*Sinh[x*(1 + x)]))/E^(1/4))/16`

Rubi [A] (verified)

Time = 0.69 (sec) , antiderivative size = 119, normalized size of antiderivative = 1.80, number of steps used = 10, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.769$, Rules used = {5909, 5898, 2664, 2633, 2634, 5905, 5897, 2664, 2633, 2634}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x^2 \sinh\left(x^2 + x + \frac{1}{4}\right) dx \\
 & \quad \downarrow \text{5909} \\
 & -\frac{1}{2} \int x \sinh\left(x^2 + x + \frac{1}{4}\right) dx - \frac{1}{2} \int \cosh\left(x^2 + x + \frac{1}{4}\right) dx + \frac{1}{2} x \cosh\left(x^2 + x + \frac{1}{4}\right) \\
 & \quad \downarrow \text{5898} \\
 & \frac{1}{2} \left(-\frac{1}{2} \int e^{-x^2 - x - \frac{1}{4}} dx - \frac{1}{2} \int e^{x^2 + x + \frac{1}{4}} dx \right) - \frac{1}{2} \int x \sinh\left(x^2 + x + \frac{1}{4}\right) dx + \\
 & \quad \frac{1}{2} x \cosh\left(x^2 + x + \frac{1}{4}\right) \\
 & \quad \downarrow \text{2664} \\
 & -\frac{1}{2} \int x \sinh\left(x^2 + x + \frac{1}{4}\right) dx + \frac{1}{2} \left(-\frac{1}{2} \int e^{-\frac{1}{4}(2x+1)^2} dx - \frac{1}{2} \int e^{\frac{1}{4}(2x+1)^2} dx \right) + \\
 & \quad \frac{1}{2} x \cosh\left(x^2 + x + \frac{1}{4}\right) \\
 & \quad \downarrow \text{2633} \\
 & \frac{1}{2} \left(-\frac{1}{2} \int e^{-\frac{1}{4}(2x+1)^2} dx - \frac{1}{4} \sqrt{\pi} \operatorname{erfi}\left(\frac{1}{2}(2x+1)\right) \right) - \frac{1}{2} \int x \sinh\left(x^2 + x + \frac{1}{4}\right) dx + \\
 & \quad \frac{1}{2} x \cosh\left(x^2 + x + \frac{1}{4}\right)
 \end{aligned}$$

$$\begin{aligned} & \downarrow 2634 \\ -\frac{1}{2} \int x \sinh \left(x^2 + x + \frac{1}{4} \right) dx + \frac{1}{2} \left(-\frac{1}{4} \sqrt{\pi} \operatorname{erf} \left(\frac{1}{2} (2x + 1) \right) - \frac{1}{4} \sqrt{\pi} \operatorname{erfi} \left(\frac{1}{2} (2x + 1) \right) \right) + \\ & \quad \frac{1}{2} x \cosh \left(x^2 + x + \frac{1}{4} \right) \end{aligned}$$

$$\begin{aligned} & \downarrow 5905 \\ \frac{1}{2} \left(\frac{1}{2} \int \sinh \left(x^2 + x + \frac{1}{4} \right) dx - \frac{1}{2} \cosh \left(x^2 + x + \frac{1}{4} \right) \right) + \\ \frac{1}{2} \left(-\frac{1}{4} \sqrt{\pi} \operatorname{erf} \left(\frac{1}{2} (2x + 1) \right) - \frac{1}{4} \sqrt{\pi} \operatorname{erfi} \left(\frac{1}{2} (2x + 1) \right) \right) + \frac{1}{2} x \cosh \left(x^2 + x + \frac{1}{4} \right) \end{aligned}$$

$$\begin{aligned} & \downarrow 5897 \\ \frac{1}{2} \left(\frac{1}{2} \left(\frac{1}{2} \int e^{x^2 + x + \frac{1}{4}} dx - \frac{1}{2} \int e^{-x^2 - x - \frac{1}{4}} dx \right) - \frac{1}{2} \cosh \left(x^2 + x + \frac{1}{4} \right) \right) + \\ \frac{1}{2} \left(-\frac{1}{4} \sqrt{\pi} \operatorname{erf} \left(\frac{1}{2} (2x + 1) \right) - \frac{1}{4} \sqrt{\pi} \operatorname{erfi} \left(\frac{1}{2} (2x + 1) \right) \right) + \frac{1}{2} x \cosh \left(x^2 + x + \frac{1}{4} \right) \end{aligned}$$

$$\begin{aligned} & \downarrow 2664 \\ \frac{1}{2} \left(\frac{1}{2} \left(\frac{1}{2} \int e^{\frac{1}{4}(2x+1)^2} dx - \frac{1}{2} \int e^{-\frac{1}{4}(2x+1)^2} dx \right) - \frac{1}{2} \cosh \left(x^2 + x + \frac{1}{4} \right) \right) + \\ \frac{1}{2} \left(-\frac{1}{4} \sqrt{\pi} \operatorname{erf} \left(\frac{1}{2} (2x + 1) \right) - \frac{1}{4} \sqrt{\pi} \operatorname{erfi} \left(\frac{1}{2} (2x + 1) \right) \right) + \frac{1}{2} x \cosh \left(x^2 + x + \frac{1}{4} \right) \end{aligned}$$

$$\begin{aligned} & \downarrow 2633 \\ \frac{1}{2} \left(\frac{1}{2} \left(\frac{1}{4} \sqrt{\pi} \operatorname{erfi} \left(\frac{1}{2} (2x + 1) \right) - \frac{1}{2} \int e^{-\frac{1}{4}(2x+1)^2} dx \right) - \frac{1}{2} \cosh \left(x^2 + x + \frac{1}{4} \right) \right) + \\ \frac{1}{2} \left(-\frac{1}{4} \sqrt{\pi} \operatorname{erf} \left(\frac{1}{2} (2x + 1) \right) - \frac{1}{4} \sqrt{\pi} \operatorname{erfi} \left(\frac{1}{2} (2x + 1) \right) \right) + \frac{1}{2} x \cosh \left(x^2 + x + \frac{1}{4} \right) \end{aligned}$$

$$\begin{aligned} & \downarrow 2634 \\ \frac{1}{2} \left(\frac{1}{2} \left(\frac{1}{4} \sqrt{\pi} \operatorname{erfi} \left(\frac{1}{2} (2x + 1) \right) - \frac{1}{4} \sqrt{\pi} \operatorname{erf} \left(\frac{1}{2} (2x + 1) \right) \right) - \frac{1}{2} \cosh \left(x^2 + x + \frac{1}{4} \right) \right) + \\ \frac{1}{2} \left(-\frac{1}{4} \sqrt{\pi} \operatorname{erf} \left(\frac{1}{2} (2x + 1) \right) - \frac{1}{4} \sqrt{\pi} \operatorname{erfi} \left(\frac{1}{2} (2x + 1) \right) \right) + \frac{1}{2} x \cosh \left(x^2 + x + \frac{1}{4} \right) \end{aligned}$$

input `Int [x^2*Sinh[1/4 + x + x^2],x]`

output

$$\begin{aligned} & (x \operatorname{Cosh}[1/4 + x + x^2])/2 + (-1/4 * (\operatorname{Sqrt}[\operatorname{Pi}] * \operatorname{Erf}[(1 + 2x)/2]) - (\operatorname{Sqrt}[\operatorname{Pi}] * \\ & \operatorname{Erfi}[(1 + 2x)/2])/4)/2 + (-1/2 * \operatorname{Cosh}[1/4 + x + x^2] + (-1/4 * (\operatorname{Sqrt}[\operatorname{Pi}] * \operatorname{Erf}[\\ & (1 + 2x)/2]) + (\operatorname{Sqrt}[\operatorname{Pi}] * \operatorname{Erfi}[(1 + 2x)/2])/4)/2)/2 \end{aligned}$$
Defintions of rubi rules used

rule 2633

$$\operatorname{Int}[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] \rightarrow \operatorname{Simp}[F^a * \operatorname{Sqrt}[\operatorname{Pi}] * (\operatorname{Erfi}[(c + dx) * \operatorname{Rt}[b * \operatorname{Log}[F], 2]] / (2 * d * \operatorname{Rt}[b * \operatorname{Log}[F], 2])), x] /; \operatorname{FreeQ}\{F, a, b, c, d\}, x] \ \&\& \operatorname{PosQ}[b]$$

rule 2634

$$\operatorname{Int}[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] \rightarrow \operatorname{Simp}[F^a * \operatorname{Sqrt}[\operatorname{Pi}] * (\operatorname{Erf}[(c + dx) * \operatorname{Rt}[(-b) * \operatorname{Log}[F], 2]] / (2 * d * \operatorname{Rt}[(-b) * \operatorname{Log}[F], 2])), x] /; \operatorname{FreeQ}\{F, a, b, c, d\}, x] \ \&\& \operatorname{NegQ}[b]$$

rule 2664

$$\operatorname{Int}[(F_)^((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] \rightarrow \operatorname{Simp}[F^{(a - b^2/(4*c))} \operatorname{Int}[F^{((b + 2*c*x)^2/(4*c))}, x], x] /; \operatorname{FreeQ}\{F, a, b, c\}, x]$$

rule 5897

$$\operatorname{Int}[\operatorname{Sinh}[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] \rightarrow \operatorname{Simp}[1/2 \operatorname{Int}[E^{(a + b*x + c*x^2)}, x], x] - \operatorname{Simp}[1/2 \operatorname{Int}[E^{(-a - b*x - c*x^2)}, x], x] /; \operatorname{FreeQ}\{a, b, c\}, x]$$

rule 5898

$$\operatorname{Int}[\operatorname{Cosh}[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] \rightarrow \operatorname{Simp}[1/2 \operatorname{Int}[E^{(a + b*x + c*x^2)}, x], x] + \operatorname{Simp}[1/2 \operatorname{Int}[E^{(-a - b*x - c*x^2)}, x], x] /; \operatorname{FreeQ}\{a, b, c\}, x]$$

rule 5905

$$\operatorname{Int}[((d_.) + (e_.)*(x_))*\operatorname{Sinh}[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] \rightarrow \operatorname{Simp}[e * (\operatorname{Cosh}[a + b*x + c*x^2] / (2*c)), x] - \operatorname{Simp}[(b*e - 2*c*d) / (2*c) \operatorname{Int}[\operatorname{Sinh}[a + b*x + c*x^2], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e\}, x] \ \&\& \operatorname{NeQ}[b*e - 2*c*d, 0]$$

rule 5909

```
Int[((d_.) + (e_.)*(x_)^(m_))*Sinh[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2], x_Sy
mbol] := Simp[e*(d + e*x)^(m - 1)*(Cosh[a + b*x + c*x^2]/(2*c)), x] + (-Simp
p[(b*e - 2*c*d)/(2*c) Int[(d + e*x)^(m - 1)*Sinh[a + b*x + c*x^2], x], x]
- Simp[e^2*(m - 1)/(2*c) Int[(d + e*x)^(m - 2)*Cosh[a + b*x + c*x^2],
x], x]) /; FreeQ[{a, b, c, d, e}, x] && GtQ[m, 1] && NeQ[b*e - 2*c*d, 0]
```

Maple [C] (verified)

Result contains complex when optimal does not.

Time = 0.22 (sec) , antiderivative size = 75, normalized size of antiderivative = 1.14

method	result	size
risch	$\frac{x e^{-\frac{(1+2x)^2}{4}}}{4} - \frac{e^{-\frac{(1+2x)^2}{4}}}{8} - \frac{3\sqrt{\pi} \operatorname{erf}(\frac{1}{2}+x)}{16} + \frac{x e^{\frac{(1+2x)^2}{4}}}{4} - \frac{e^{\frac{(1+2x)^2}{4}}}{8} + \frac{i\sqrt{\pi} \operatorname{erf}(ix+\frac{1}{2}i)}{16}$	75

input

```
int(x^2*sinh(1/4+x+x^2),x,method=_RETURNVERBOSE)
```

output

```
1/4*x*exp(-1/4*(1+2*x)^2)-1/8*exp(-1/4*(1+2*x)^2)-3/16*Pi^(1/2)*erf(1/2+x)
+1/4*x*exp(1/4*(1+2*x)^2)-1/8*exp(1/4*(1+2*x)^2)+1/16*I*Pi^(1/2)*erf(I*x+1
/2*I)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 127 vs. 2(38) = 76.

Time = 0.10 (sec) , antiderivative size = 127, normalized size of antiderivative = 1.92

$$\int x^2 \sinh\left(\frac{1}{4} + x + x^2\right) dx$$

$$= \frac{2(2x-1) \cosh\left(x^2 + x + \frac{1}{4}\right)^2 + 4(2x-1) \cosh\left(x^2 + x + \frac{1}{4}\right) \sinh\left(x^2 + x + \frac{1}{4}\right) + 2(2x-1) \sinh\left(x^2 + x + \frac{1}{4}\right)}{16}$$

input

```
integrate(x^2*sinh(1/4+x+x^2),x, algorithm="fricas")
```

output

```
1/16*(2*(2*x - 1)*cosh(x^2 + x + 1/4)^2 + 4*(2*x - 1)*cosh(x^2 + x + 1/4)*
sinh(x^2 + x + 1/4) + 2*(2*x - 1)*sinh(x^2 + x + 1/4)^2 - sqrt(pi)*(3*cosh
(x^2 + x + 1/4)*erf(x + 1/2) + cosh(x^2 + x + 1/4)*erfi(x + 1/2) + (3*erf(
x + 1/2) + erfi(x + 1/2))*sinh(x^2 + x + 1/4)) + 4*x - 2)/(cosh(x^2 + x +
1/4) + sinh(x^2 + x + 1/4))
```

Sympy [F]

$$\int x^2 \sinh\left(\frac{1}{4} + x + x^2\right) dx = \int x^2 \sinh\left(x^2 + x + \frac{1}{4}\right) dx$$

input

```
integrate(x**2*sinh(1/4+x+x**2),x)
```

output

```
Integral(x**2*sinh(x**2 + x + 1/4), x)
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 183 vs. $2(38) = 76$.

Time = 0.15 (sec) , antiderivative size = 183, normalized size of antiderivative = 2.77

$$\begin{aligned} \int x^2 \sinh\left(\frac{1}{4} + x + x^2\right) dx &= \frac{1}{3} x^3 \sinh\left(x^2 + x + \frac{1}{4}\right) + \frac{(2x+1)^5 \Gamma\left(\frac{5}{2}, \frac{1}{4}(2x+1)^2\right)}{6((2x+1)^2)^{\frac{5}{2}}} \\ &+ \frac{(2x+1)^5 \Gamma\left(\frac{5}{2}, -\frac{1}{4}(2x+1)^2\right)}{6(-(2x+1)^2)^{\frac{5}{2}}} \\ &+ \frac{(2x+1)^3 \Gamma\left(\frac{3}{2}, \frac{1}{4}(2x+1)^2\right)}{8((2x+1)^2)^{\frac{3}{2}}} \\ &+ \frac{(2x+1)^3 \Gamma\left(\frac{3}{2}, -\frac{1}{4}(2x+1)^2\right)}{8(-(2x+1)^2)^{\frac{3}{2}}} \\ &+ \frac{1}{48} e^{\left(\frac{1}{4}(2x+1)^2\right)} - \frac{1}{48} e^{\left(-\frac{1}{4}(2x+1)^2\right)} \\ &- \frac{1}{4} \Gamma\left(2, \frac{1}{4}(2x+1)^2\right) - \frac{1}{4} \Gamma\left(2, -\frac{1}{4}(2x+1)^2\right) \end{aligned}$$

input `integrate(x^2*sinh(1/4+x+x^2),x, algorithm="maxima")`

output
$$\begin{aligned} & \frac{1}{3}x^3\sinh(x^2 + x + 1/4) + \frac{1}{6}(2x + 1)^5\gamma(5/2, 1/4*(2x + 1)^2)/ \\ & ((2x + 1)^2)^{(5/2)} + \frac{1}{6}(2x + 1)^5\gamma(5/2, -1/4*(2x + 1)^2)/(-(2x \\ & + 1)^2)^{(5/2)} + \frac{1}{8}(2x + 1)^3\gamma(3/2, 1/4*(2x + 1)^2)/((2x + 1)^2)^{(3/2)} \\ & + \frac{1}{8}(2x + 1)^3\gamma(3/2, -1/4*(2x + 1)^2)/(-(2x + 1)^2)^{(3/2)} \\ & + \frac{1}{48}e^{(1/4*(2x + 1)^2)} - \frac{1}{48}e^{(-1/4*(2x + 1)^2)} - \frac{1}{4}\gamma(2, 1/4* \\ & (2x + 1)^2) - \frac{1}{4}\gamma(2, -1/4*(2x + 1)^2) \end{aligned}$$

Giac [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.13 (sec) , antiderivative size = 53, normalized size of antiderivative = 0.80

$$\begin{aligned} \int x^2 \sinh\left(\frac{1}{4} + x + x^2\right) dx &= \frac{1}{8}(2x - 1)e^{(x^2+x+\frac{1}{4})} + \frac{1}{8}(2x - 1)e^{(-x^2-x-\frac{1}{4})} \\ &\quad - \frac{3}{16}\sqrt{\pi} \operatorname{erf}\left(x + \frac{1}{2}\right) - \frac{1}{16}i\sqrt{\pi} \operatorname{erf}\left(-ix - \frac{1}{2}i\right) \end{aligned}$$

input `integrate(x^2*sinh(1/4+x+x^2),x, algorithm="giac")`

output
$$\frac{1}{8}(2x - 1)*e^{(x^2 + x + 1/4)} + \frac{1}{8}(2x - 1)*e^{(-x^2 - x - 1/4)} - \frac{3}{16}*\sqrt{\pi}*\operatorname{erf}(x + 1/2) - \frac{1}{16}*I*\sqrt{\pi}*\operatorname{erf}(-I*x - 1/2*I)$$

Mupad [F(-1)]

Timed out.

$$\int x^2 \sinh\left(\frac{1}{4} + x + x^2\right) dx = \int x^2 \sinh\left(x^2 + x + \frac{1}{4}\right) dx$$

input `int(x^2*sinh(x + x^2 + 1/4),x)`

output `int(x^2*sinh(x + x^2 + 1/4), x)`

Reduce [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 89, normalized size of antiderivative = 1.35

$$\int x^2 \sinh\left(\frac{1}{4} + x + x^2\right) dx$$

$$= \frac{\sqrt{\pi} e^{x^2+x+\frac{1}{2}} \operatorname{erf}\left(ix + \frac{1}{2}i\right) i - 3\sqrt{\pi} e^{x^2+x+\frac{1}{2}} \operatorname{erf}\left(x + \frac{1}{2}\right) + 4e^{2x^2+2x+\frac{3}{4}} x - 2e^{2x^2+2x+\frac{3}{4}} + 4e^{\frac{1}{4}} x - 2e^{\frac{1}{4}}}{16e^{x^2+x+\frac{1}{2}}}$$

input `int(x^2*sinh(1/4+x+x^2),x)`output `(sqrt(pi)*e**((2*x**2 + 2*x + 1)/2)*erf((2*i*x + i)/2)*i - 3*sqrt(pi)*e**((2*x**2 + 2*x + 1)/2)*erf((2*x + 1)/2) + 4*e**((8*x**2 + 8*x + 3)/4)*x - 2*e**((8*x**2 + 8*x + 3)/4) + 4*e**(1/4)*x - 2*e**(1/4))/(16*e**((2*x**2 + 2*x + 1)/2))`

3.12 $\int x \sinh\left(\frac{1}{4} + x + x^2\right) dx$

Optimal result	113
Mathematica [A] (verified)	113
Rubi [A] (verified)	114
Maple [C] (verified)	115
Fricas [B] (verification not implemented)	116
Sympy [F]	116
Maxima [B] (verification not implemented)	117
Giac [C] (verification not implemented)	117
Mupad [F(-1)]	118
Reduce [F]	118

Optimal result

Integrand size = 11, antiderivative size = 52

$$\int x \sinh\left(\frac{1}{4} + x + x^2\right) dx = \frac{1}{2} \cosh\left(\frac{1}{4} + x + x^2\right) - \frac{1}{8} \sqrt{\pi} \operatorname{erf}\left(\frac{1}{2}(-1 - 2x)\right) - \frac{1}{8} \sqrt{\pi} \operatorname{erfi}\left(\frac{1}{2}(1 + 2x)\right)$$

output

```
1/2*cosh(1/4+x+x^2)+1/8*Pi^(1/2)*erf(1/2+x)-1/8*Pi^(1/2)*erfi(1/2+x)
```

Mathematica [A] (verified)

Time = 0.05 (sec) , antiderivative size = 75, normalized size of antiderivative = 1.44

$$\int x \sinh\left(\frac{1}{4} + x + x^2\right) dx = \frac{2(1 + \sqrt{e}) \cosh(x(1 + x)) + \sqrt[4]{e} \sqrt{\pi} \operatorname{erf}\left(\frac{1}{2} + x\right) - \sqrt[4]{e} \sqrt{\pi} \operatorname{erfi}\left(\frac{1}{2} + x\right) + 2(-1 + \sqrt{e}) \sinh(x(1 + x))}{8\sqrt[4]{e}}$$

input

```
Integrate[x*Sinh[1/4 + x + x^2],x]
```

output

```
(2*(1 + Sqrt[E])*Cosh[x*(1 + x)] + E^(1/4)*Sqrt[Pi]*Erf[1/2 + x] - E^(1/4)
*Sqrt[Pi]*Erfi[1/2 + x] + 2*(-1 + Sqrt[E])*Sinh[x*(1 + x)])/(8*E^(1/4))
```

Rubi [A] (verified)

Time = 0.30 (sec) , antiderivative size = 57, normalized size of antiderivative = 1.10, number of steps used = 5, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.455$, Rules used = {5905, 5897, 2664, 2633, 2634}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x \sinh \left(x^2 + x + \frac{1}{4} \right) dx$$

$$\downarrow 5905$$

$$\frac{1}{2} \cosh \left(x^2 + x + \frac{1}{4} \right) - \frac{1}{2} \int \sinh \left(x^2 + x + \frac{1}{4} \right) dx$$

$$\downarrow 5897$$

$$\frac{1}{2} \left(\frac{1}{2} \int e^{-x^2 - x - \frac{1}{4}} dx - \frac{1}{2} \int e^{x^2 + x + \frac{1}{4}} dx \right) + \frac{1}{2} \cosh \left(x^2 + x + \frac{1}{4} \right)$$

$$\downarrow 2664$$

$$\frac{1}{2} \left(\frac{1}{2} \int e^{-\frac{1}{4}(2x+1)^2} dx - \frac{1}{2} \int e^{\frac{1}{4}(2x+1)^2} dx \right) + \frac{1}{2} \cosh \left(x^2 + x + \frac{1}{4} \right)$$

$$\downarrow 2633$$

$$\frac{1}{2} \left(\frac{1}{2} \int e^{-\frac{1}{4}(2x+1)^2} dx - \frac{1}{4} \sqrt{\pi} \operatorname{erfi} \left(\frac{1}{2}(2x+1) \right) \right) + \frac{1}{2} \cosh \left(x^2 + x + \frac{1}{4} \right)$$

$$\downarrow 2634$$

$$\frac{1}{2} \left(\frac{1}{4} \sqrt{\pi} \operatorname{erf} \left(\frac{1}{2}(2x+1) \right) - \frac{1}{4} \sqrt{\pi} \operatorname{erfi} \left(\frac{1}{2}(2x+1) \right) \right) + \frac{1}{2} \cosh \left(x^2 + x + \frac{1}{4} \right)$$

input

```
Int[x*Sinh[1/4 + x + x^2],x]
```

output

$$\text{Cosh}[1/4 + x + x^2]/2 + ((\text{Sqrt}[\text{Pi}]*\text{Erf}[(1 + 2*x)/2])/4 - (\text{Sqrt}[\text{Pi}]*\text{Erfi}[(1 + 2*x)/2])/4)/2$$

Defintions of rubi rules used

rule 2633

$$\text{Int}[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{2}), x_Symbol] \text{ :> } \text{Simp}[F^a*\text{Sqrt}[\text{Pi}]*(\text{Erfi}[(c + d*x)*\text{Rt}[b*\text{Log}[F], 2]]/(2*d*\text{Rt}[b*\text{Log}[F], 2])), x] \text{ /; } \text{FreeQ}\{F, a, b, c, d\}, x] \ \&\& \ \text{PosQ}[b]$$

rule 2634

$$\text{Int}[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{2}), x_Symbol] \text{ :> } \text{Simp}[F^a*\text{Sqrt}[\text{Pi}]*(\text{Erf}[(c + d*x)*\text{Rt}[(-b)*\text{Log}[F], 2]]/(2*d*\text{Rt}[(-b)*\text{Log}[F], 2])), x] \text{ /; } \text{FreeQ}\{F, a, b, c, d\}, x] \ \&\& \ \text{NegQ}[b]$$

rule 2664

$$\text{Int}[(F_)^((a_.) + (b_.)*(x_) + (c_.)*(x_)^{2}), x_Symbol] \text{ :> } \text{Simp}[F^{(a - b^2/(4*c))} \text{Int}[F^{((b + 2*c*x)^2/(4*c))}, x], x] \text{ /; } \text{FreeQ}\{F, a, b, c\}, x]$$

rule 5897

$$\text{Int}[\text{Sinh}[(a_.) + (b_.)*(x_) + (c_.)*(x_)^{2}], x_Symbol] \text{ :> } \text{Simp}[1/2 \text{Int}[E^{(a + b*x + c*x^2)}, x], x] - \text{Simp}[1/2 \text{Int}[E^{(-a - b*x - c*x^2)}, x], x] \text{ /; } \text{FreeQ}\{a, b, c\}, x]$$

rule 5905

$$\text{Int}(((d_.) + (e_.)*(x_))*\text{Sinh}[(a_.) + (b_.)*(x_) + (c_.)*(x_)^{2}], x_Symbol] \text{ :> } \text{Simp}[e*(\text{Cosh}[a + b*x + c*x^2]/(2*c)), x] - \text{Simp}[(b*e - 2*c*d)/(2*c) \text{Int}[\text{Sinh}[a + b*x + c*x^2], x], x] \text{ /; } \text{FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[b*e - 2*c*d, 0]$$

Maple [C] (verified)

Result contains complex when optimal does not.

Time = 0.16 (sec) , antiderivative size = 49, normalized size of antiderivative = 0.94

method	result	size
risch	$\frac{e^{-\frac{(1+2x)^2}{4}}}{4} + \frac{\sqrt{\pi} \operatorname{erf}\left(\frac{1}{2}+x\right)}{8} + \frac{e^{\frac{(1+2x)^2}{4}}}{4} + \frac{i\sqrt{\pi} \operatorname{erf}\left(ix+\frac{1}{2}i\right)}{8}$	49

input `int(x*sinh(1/4+x+x^2),x,method=_RETURNVERBOSE)`

output `1/4*exp(-1/4*(1+2*x)^2)+1/8*Pi^(1/2)*erf(1/2+x)+1/4*exp(1/4*(1+2*x)^2)+1/8*I*Pi^(1/2)*erf(I*x+1/2*I)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 108 vs. $2(28) = 56$.

Time = 0.10 (sec) , antiderivative size = 108, normalized size of antiderivative = 2.08

$$\int x \sinh\left(\frac{1}{4} + x + x^2\right) dx$$

$$= \frac{2 \cosh\left(x^2 + x + \frac{1}{4}\right)^2 + 4 \cosh\left(x^2 + x + \frac{1}{4}\right) \sinh\left(x^2 + x + \frac{1}{4}\right) + 2 \sinh\left(x^2 + x + \frac{1}{4}\right)^2 + \sqrt{\pi} \left(\cosh\left(x^2 + x + \frac{1}{4}\right) \operatorname{erf}\left(x + \frac{1}{2}\right) - \cosh\left(x^2 + x + \frac{1}{4}\right) \operatorname{erfi}\left(x + \frac{1}{2}\right) + (\operatorname{erf}\left(x + \frac{1}{2}\right) - \operatorname{erfi}\left(x + \frac{1}{2}\right)) \sinh\left(x^2 + x + \frac{1}{4}\right)\right)}{8 \left(\cosh\left(x^2 + x + \frac{1}{4}\right) + \sinh\left(x^2 + x + \frac{1}{4}\right)\right)}$$

input `integrate(x*sinh(1/4+x+x^2),x, algorithm="fricas")`

output `1/8*(2*cosh(x^2 + x + 1/4)^2 + 4*cosh(x^2 + x + 1/4)*sinh(x^2 + x + 1/4) + 2*sinh(x^2 + x + 1/4)^2 + sqrt(pi)*(cosh(x^2 + x + 1/4)*erf(x + 1/2) - cosh(x^2 + x + 1/4)*erfi(x + 1/2) + (erf(x + 1/2) - erfi(x + 1/2))*sinh(x^2 + x + 1/4)) + 2)/(cosh(x^2 + x + 1/4) + sinh(x^2 + x + 1/4))`

Sympy [F]

$$\int x \sinh\left(\frac{1}{4} + x + x^2\right) dx = \int x \sinh\left(x^2 + x + \frac{1}{4}\right) dx$$

input `integrate(x*sinh(1/4+x+x**2),x)`

output `Integral(x*sinh(x**2 + x + 1/4), x)`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 123 vs. $2(28) = 56$.

Time = 0.18 (sec) , antiderivative size = 123, normalized size of antiderivative = 2.37

$$\int x \sinh\left(\frac{1}{4} + x + x^2\right) dx = \frac{1}{2} x^2 \sinh\left(x^2 + x + \frac{1}{4}\right) - \frac{(2x+1)^3 \Gamma\left(\frac{3}{2}, \frac{1}{4}(2x+1)^2\right)}{4((2x+1)^2)^{\frac{3}{2}}} \\ - \frac{(2x+1)^3 \Gamma\left(\frac{3}{2}, -\frac{1}{4}(2x+1)^2\right)}{4(-(2x+1)^2)^{\frac{3}{2}}} \\ - \frac{1}{16} e^{\left(\frac{1}{4}(2x+1)^2\right)} + \frac{1}{16} e^{\left(-\frac{1}{4}(2x+1)^2\right)} \\ + \frac{1}{4} \Gamma\left(2, \frac{1}{4}(2x+1)^2\right) + \frac{1}{4} \Gamma\left(2, -\frac{1}{4}(2x+1)^2\right)$$

input `integrate(x*sinh(1/4+x+x^2),x, algorithm="maxima")`

output `1/2*x^2*sinh(x^2 + x + 1/4) - 1/4*(2*x + 1)^3*gamma(3/2, 1/4*(2*x + 1)^2)/((2*x + 1)^2)^(3/2) - 1/4*(2*x + 1)^3*gamma(3/2, -1/4*(2*x + 1)^2)/(-(2*x + 1)^2)^(3/2) - 1/16*e^(1/4*(2*x + 1)^2) + 1/16*e^(-1/4*(2*x + 1)^2) + 1/4*gamma(2, 1/4*(2*x + 1)^2) + 1/4*gamma(2, -1/4*(2*x + 1)^2)`

Giac [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.13 (sec) , antiderivative size = 43, normalized size of antiderivative = 0.83

$$\int x \sinh\left(\frac{1}{4} + x + x^2\right) dx = \frac{1}{8} \sqrt{\pi} \operatorname{erf}\left(x + \frac{1}{2}\right) - \frac{1}{8} i \sqrt{\pi} \operatorname{erf}\left(-i x - \frac{1}{2} i\right) \\ + \frac{1}{4} e^{(x^2+x+\frac{1}{4})} + \frac{1}{4} e^{(-x^2-x-\frac{1}{4})}$$

input `integrate(x*sinh(1/4+x+x^2),x, algorithm="giac")`

output `1/8*sqrt(pi)*erf(x + 1/2) - 1/8*I*sqrt(pi)*erf(-I*x - 1/2*I) + 1/4*e^(x^2 + x + 1/4) + 1/4*e^(-x^2 - x - 1/4)`

Mupad [F(-1)]

Timed out.

$$\int x \sinh\left(\frac{1}{4} + x + x^2\right) dx = \int x \sinh\left(x^2 + x + \frac{1}{4}\right) dx$$

input `int(x*sinh(x + x^2 + 1/4),x)`output `int(x*sinh(x + x^2 + 1/4), x)`**Reduce [F]**

$$\int x \sinh\left(\frac{1}{4} + x + x^2\right) dx = \frac{\cosh\left(x^2 + x + \frac{1}{4}\right)}{2} - \frac{\left(\int \sinh\left(x^2 + x + \frac{1}{4}\right) dx\right)}{2}$$

input `int(x*sinh(1/4+x+x^2),x)`output `(cosh((4*x**2 + 4*x + 1)/4) - int(sinh((4*x**2 + 4*x + 1)/4),x))/2`

3.13 $\int \sinh\left(\frac{1}{4} + x + x^2\right) dx$

Optimal result	119
Mathematica [A] (verified)	119
Rubi [A] (verified)	120
Maple [C] (verified)	121
Fricas [A] (verification not implemented)	122
Sympy [F]	122
Maxima [B] (verification not implemented)	122
Giac [C] (verification not implemented)	123
Mupad [F(-1)]	123
Reduce [F]	124

Optimal result

Integrand size = 9, antiderivative size = 39

$$\int \sinh\left(\frac{1}{4} + x + x^2\right) dx = \frac{1}{4}\sqrt{\pi}\operatorname{erf}\left(\frac{1}{2}(-1 - 2x)\right) + \frac{1}{4}\sqrt{\pi}\operatorname{erfi}\left(\frac{1}{2}(1 + 2x)\right)$$

output

```
-1/4*Pi^(1/2)*erf(1/2+x)+1/4*Pi^(1/2)*erfi(1/2+x)
```

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 24, normalized size of antiderivative = 0.62

$$\int \sinh\left(\frac{1}{4} + x + x^2\right) dx = \frac{1}{4}\sqrt{\pi}\left(-\operatorname{erf}\left(\frac{1}{2} + x\right) + \operatorname{erfi}\left(\frac{1}{2} + x\right)\right)$$

input

```
Integrate[Sinh[1/4 + x + x^2],x]
```

output

```
(Sqrt[Pi]*(-Erf[1/2 + x] + Erfi[1/2 + x]))/4
```


Rubi [A] (verified)

Time = 0.24 (sec) , antiderivative size = 39, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$, Rules used = {5897, 2664, 2633, 2634}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \sinh \left(x^2 + x + \frac{1}{4} \right) dx \\
 & \quad \downarrow \text{5897} \\
 & \frac{1}{2} \int e^{x^2+x+\frac{1}{4}} dx - \frac{1}{2} \int e^{-x^2-x-\frac{1}{4}} dx \\
 & \quad \downarrow \text{2664} \\
 & \frac{1}{2} \int e^{\frac{1}{4}(2x+1)^2} dx - \frac{1}{2} \int e^{-\frac{1}{4}(2x+1)^2} dx \\
 & \quad \downarrow \text{2633} \\
 & \frac{1}{4} \sqrt{\pi} \operatorname{erfi} \left(\frac{1}{2}(2x+1) \right) - \frac{1}{2} \int e^{-\frac{1}{4}(2x+1)^2} dx \\
 & \quad \downarrow \text{2634} \\
 & \frac{1}{4} \sqrt{\pi} \operatorname{erfi} \left(\frac{1}{2}(2x+1) \right) - \frac{1}{4} \sqrt{\pi} \operatorname{erf} \left(\frac{1}{2}(2x+1) \right)
 \end{aligned}$$

input `Int[Sinh[1/4 + x + x^2],x]`

output `-1/4*(Sqrt[Pi]*Erf[(1 + 2*x)/2]) + (Sqrt[Pi]*Erfi[(1 + 2*x)/2])/4`

Defintions of rubi rules used

rule 2633 $\text{Int}[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] \rightarrow \text{Simp}[F^a*\text{Sqrt}[\text{Pi}]*(\text{Erfi}[(c + d*x)*\text{Rt}[b*\text{Log}[F], 2]]/(2*d*\text{Rt}[b*\text{Log}[F], 2])), x] /; \text{FreeQ}\{F, a, b, c, d\}, x] \&\& \text{PosQ}[b]$

rule 2634 $\text{Int}[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] \rightarrow \text{Simp}[F^a*\text{Sqrt}[\text{Pi}]*(\text{Erf}[(c + d*x)*\text{Rt}[(-b)*\text{Log}[F], 2]]/(2*d*\text{Rt}[(-b)*\text{Log}[F], 2])), x] /; \text{FreeQ}\{F, a, b, c, d\}, x] \&\& \text{NegQ}[b]$

rule 2664 $\text{Int}[(F_)^((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] \rightarrow \text{Simp}[F^{(a - b^2/(4*c))} \text{Int}[F^{((b + 2*c*x)^2/(4*c))}, x], x] /; \text{FreeQ}\{F, a, b, c\}, x]$

rule 5897 $\text{Int}[\text{Sinh}[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] \rightarrow \text{Simp}[1/2 \text{Int}[E^{(a + b*x + c*x^2)}, x], x] - \text{Simp}[1/2 \text{Int}[E^{(-a - b*x - c*x^2)}, x], x] /; \text{FreeQ}\{a, b, c\}, x]$

Maple [C] (verified)

Result contains complex when optimal does not.

Time = 0.11 (sec) , antiderivative size = 25, normalized size of antiderivative = 0.64

method	result	size
risch	$-\frac{\sqrt{\pi} \operatorname{erf}(\frac{1}{2}+x)}{4} - \frac{i\sqrt{\pi} \operatorname{erf}(ix+\frac{1}{2}i)}{4}$	25

input `int(sinh(1/4+x+x^2),x,method=_RETURNVERBOSE)`

output `-1/4*Pi^(1/2)*erf(1/2+x)-1/4*I*Pi^(1/2)*erf(I*x+1/2*I)`

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 16, normalized size of antiderivative = 0.41

$$\int \sinh\left(\frac{1}{4} + x + x^2\right) dx = -\frac{1}{4} \sqrt{\pi} \left(\operatorname{erf}\left(x + \frac{1}{2}\right) - \operatorname{erfi}\left(x + \frac{1}{2}\right) \right)$$

input `integrate(sinh(1/4+x+x^2),x, algorithm="fricas")`

output `-1/4*sqrt(pi)*(erf(x + 1/2) - erfi(x + 1/2))`

Sympy [F]

$$\int \sinh\left(\frac{1}{4} + x + x^2\right) dx = \int \sinh\left(x^2 + x + \frac{1}{4}\right) dx$$

input `integrate(sinh(1/4+x+x**2),x)`

output `Integral(sinh(x**2 + x + 1/4), x)`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 94 vs. 2(19) = 38.

Time = 0.13 (sec) , antiderivative size = 94, normalized size of antiderivative = 2.41

$$\int \sinh\left(\frac{1}{4} + x + x^2\right) dx = \frac{(2x+1)^3 \Gamma\left(\frac{3}{2}, \frac{1}{4}(2x+1)^2\right)}{2((2x+1)^2)^{\frac{3}{2}}} + \frac{(2x+1)^3 \Gamma\left(\frac{3}{2}, -\frac{1}{4}(2x+1)^2\right)}{2(-(2x+1)^2)^{\frac{3}{2}}} \\ + x \sinh\left(x^2 + x + \frac{1}{4}\right) + \frac{1}{4} e^{\left(\frac{1}{4}(2x+1)^2\right)} - \frac{1}{4} e^{\left(-\frac{1}{4}(2x+1)^2\right)}$$

input `integrate(sinh(1/4+x+x^2),x, algorithm="maxima")`

output

```
1/2*(2*x + 1)^3*gamma(3/2, 1/4*(2*x + 1)^2)/((2*x + 1)^2)^(3/2) + 1/2*(2*x
+ 1)^3*gamma(3/2, -1/4*(2*x + 1)^2)/(-(2*x + 1)^2)^(3/2) + x*sinh(x^2 + x
+ 1/4) + 1/4*e^(1/4*(2*x + 1)^2) - 1/4*e^(-1/4*(2*x + 1)^2)
```

Giac [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.13 (sec) , antiderivative size = 21, normalized size of antiderivative = 0.54

$$\int \sinh\left(\frac{1}{4} + x + x^2\right) dx = -\frac{1}{4}\sqrt{\pi} \operatorname{erf}\left(x + \frac{1}{2}\right) + \frac{1}{4}i\sqrt{\pi} \operatorname{erf}\left(-ix - \frac{1}{2}i\right)$$

input

```
integrate(sinh(1/4+x+x^2),x, algorithm="giac")
```

output

```
-1/4*sqrt(pi)*erf(x + 1/2) + 1/4*I*sqrt(pi)*erf(-I*x - 1/2*I)
```

Mupad [F(-1)]

Timed out.

$$\int \sinh\left(\frac{1}{4} + x + x^2\right) dx = \int \sinh\left(x^2 + x + \frac{1}{4}\right) dx$$

input

```
int(sinh(x + x^2 + 1/4),x)
```

output

```
int(sinh(x + x^2 + 1/4), x)
```

Reduce **[F]**

$$\int \sinh\left(\frac{1}{4} + x + x^2\right) dx = \int \sinh\left(x^2 + x + \frac{1}{4}\right) dx$$

input `int(sinh(1/4+x+x^2),x)`

output `int(sinh((4*x**2 + 4*x + 1)/4),x)`

$$3.14 \quad \int \frac{\sinh\left(\frac{1}{4} + x + x^2\right)}{x} dx$$

Optimal result	125
Mathematica [N/A]	125
Rubi [N/A]	126
Maple [N/A]	126
Fricas [N/A]	127
Sympy [N/A]	127
Maxima [N/A]	127
Giac [N/A]	128
Mupad [N/A]	128
Reduce [N/A]	129

Optimal result

Integrand size = 13, antiderivative size = 13

$$\int \frac{\sinh\left(\frac{1}{4} + x + x^2\right)}{x} dx = \text{Int}\left(\frac{\sinh\left(\frac{1}{4} + x + x^2\right)}{x}, x\right)$$

output `Defer(Int)(sinh(1/4+x+x^2)/x,x)`

Mathematica [N/A]

Not integrable

Time = 5.84 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{\sinh\left(\frac{1}{4} + x + x^2\right)}{x} dx = \int \frac{\sinh\left(\frac{1}{4} + x + x^2\right)}{x} dx$$

input `Integrate[Sinh[1/4 + x + x^2]/x,x]`

output `Integrate[Sinh[1/4 + x + x^2]/x, x]`

Rubi [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\sinh\left(x^2 + x + \frac{1}{4}\right)}{x} dx$$

↓ 5915

$$\int \frac{\sinh\left(x^2 + x + \frac{1}{4}\right)}{x} dx$$

input `Int[Sinh[1/4 + x + x^2]/x,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.06 (sec) , antiderivative size = 11, normalized size of antiderivative = 0.85

$$\int \frac{\sinh\left(\frac{1}{4} + x + x^2\right)}{x} dx$$

input `int(sinh(1/4+x+x^2)/x,x)`

output `int(sinh(1/4+x+x^2)/x,x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00

$$\int \frac{\sinh\left(\frac{1}{4} + x + x^2\right)}{x} dx = \int \frac{\sinh\left(x^2 + x + \frac{1}{4}\right)}{x} dx$$

input `integrate(sinh(1/4+x+x^2)/x,x, algorithm="fricas")`output `integral(sinh(x^2 + x + 1/4)/x, x)`**Sympy [N/A]**

Not integrable

Time = 0.64 (sec) , antiderivative size = 12, normalized size of antiderivative = 0.92

$$\int \frac{\sinh\left(\frac{1}{4} + x + x^2\right)}{x} dx = \int \frac{\sinh\left(x^2 + x + \frac{1}{4}\right)}{x} dx$$

input `integrate(sinh(1/4+x+x**2)/x,x)`output `Integral(sinh(x**2 + x + 1/4)/x, x)`**Maxima [N/A]**

Not integrable

Time = 0.57 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00

$$\int \frac{\sinh\left(\frac{1}{4} + x + x^2\right)}{x} dx = \int \frac{\sinh\left(x^2 + x + \frac{1}{4}\right)}{x} dx$$

input `integrate(sinh(1/4+x+x^2)/x,x, algorithm="maxima")`

output `integrate(sinh(x^2 + x + 1/4)/x, x)`

Giac [N/A]

Not integrable

Time = 0.12 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00

$$\int \frac{\sinh\left(\frac{1}{4} + x + x^2\right)}{x} dx = \int \frac{\sinh\left(x^2 + x + \frac{1}{4}\right)}{x} dx$$

input `integrate(sinh(1/4+x+x^2)/x,x, algorithm="giac")`

output `integrate(sinh(x^2 + x + 1/4)/x, x)`

Mupad [N/A]

Not integrable

Time = 1.34 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00

$$\int \frac{\sinh\left(\frac{1}{4} + x + x^2\right)}{x} dx = \int \frac{\sinh\left(x^2 + x + \frac{1}{4}\right)}{x} dx$$

input `int(sinh(x + x^2 + 1/4)/x,x)`

output `int(sinh(x + x^2 + 1/4)/x, x)`

Reduce [N/A]

Not integrable

Time = 0.16 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00

$$\int \frac{\sinh\left(\frac{1}{4} + x + x^2\right)}{x} dx = \int \frac{\sinh\left(x^2 + x + \frac{1}{4}\right)}{x} dx$$

input

`int(sinh(1/4+x+x^2)/x,x)`

output

`int(sinh((4*x**2 + 4*x + 1)/4)/x,x)`

$$3.15 \quad \int \frac{\sinh\left(\frac{1}{4}+x+x^2\right)}{x^2} dx$$

Optimal result	130
Mathematica [N/A]	130
Rubi [N/A]	131
Maple [N/A]	132
Fricas [N/A]	132
Sympy [N/A]	133
Maxima [N/A]	133
Giac [N/A]	133
Mupad [N/A]	134
Reduce [N/A]	134

Optimal result

Integrand size = 13, antiderivative size = 13

$$\int \frac{\sinh\left(\frac{1}{4}+x+x^2\right)}{x^2} dx = -\frac{1}{2}\sqrt{\pi}\operatorname{erf}\left(\frac{1}{2}(-1-2x)\right) + \frac{1}{2}\sqrt{\pi}\operatorname{erfi}\left(\frac{1}{2}(1+2x)\right) - \frac{\sinh\left(\frac{1}{4}+x+x^2\right)}{x} + \operatorname{Int}\left(\frac{\cosh\left(\frac{1}{4}+x+x^2\right)}{x}, x\right)$$

output

```
1/2*Pi^(1/2)*erf(1/2+x)+1/2*Pi^(1/2)*erfi(1/2+x)-sinh(1/4+x+x^2)/x+Defer(Int)(cosh(1/4+x+x^2)/x,x)
```

Mathematica [N/A]

Not integrable

Time = 7.46 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{\sinh\left(\frac{1}{4}+x+x^2\right)}{x^2} dx = \int \frac{\sinh\left(\frac{1}{4}+x+x^2\right)}{x^2} dx$$

input

```
Integrate[Sinh[1/4 + x + x^2]/x^2,x]
```

output

Integrate[Sinh[1/4 + x + x^2]/x^2, x]

Rubi [N/A]

Not integrable

Time = 0.44 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\sinh\left(x^2 + x + \frac{1}{4}\right)}{x^2} dx \\
 & \quad \downarrow \text{5913} \\
 & 2 \int \cosh\left(x^2 + x + \frac{1}{4}\right) dx + \int \frac{\cosh\left(x^2 + x + \frac{1}{4}\right)}{x} dx - \frac{\sinh\left(x^2 + x + \frac{1}{4}\right)}{x} \\
 & \quad \downarrow \text{5898} \\
 & 2\left(\frac{1}{2} \int e^{-x^2 - x - \frac{1}{4}} dx + \frac{1}{2} \int e^{x^2 + x + \frac{1}{4}} dx\right) + \int \frac{\cosh\left(x^2 + x + \frac{1}{4}\right)}{x} dx - \frac{\sinh\left(x^2 + x + \frac{1}{4}\right)}{x} \\
 & \quad \downarrow \text{2664} \\
 & \int \frac{\cosh\left(x^2 + x + \frac{1}{4}\right)}{x} dx + 2\left(\frac{1}{2} \int e^{-\frac{1}{4}(2x+1)^2} dx + \frac{1}{2} \int e^{\frac{1}{4}(2x+1)^2} dx\right) - \frac{\sinh\left(x^2 + x + \frac{1}{4}\right)}{x} \\
 & \quad \downarrow \text{2633} \\
 & 2\left(\frac{1}{2} \int e^{-\frac{1}{4}(2x+1)^2} dx + \frac{1}{4} \sqrt{\pi} \operatorname{erfi}\left(\frac{1}{2}(2x+1)\right)\right) + \int \frac{\cosh\left(x^2 + x + \frac{1}{4}\right)}{x} dx - \frac{\sinh\left(x^2 + x + \frac{1}{4}\right)}{x} \\
 & \quad \downarrow \text{2634} \\
 & \int \frac{\cosh\left(x^2 + x + \frac{1}{4}\right)}{x} dx + 2\left(\frac{1}{4} \sqrt{\pi} \operatorname{erf}\left(\frac{1}{2}(2x+1)\right) + \frac{1}{4} \sqrt{\pi} \operatorname{erfi}\left(\frac{1}{2}(2x+1)\right)\right) - \\
 & \quad \frac{\sinh\left(x^2 + x + \frac{1}{4}\right)}{x} \\
 & \quad \downarrow \text{5916}
 \end{aligned}$$

$$\int \frac{\cosh\left(x^2 + x + \frac{1}{4}\right)}{x} dx + 2 \left(\frac{1}{4} \sqrt{\pi} \operatorname{erf}\left(\frac{1}{2}(2x+1)\right) + \frac{1}{4} \sqrt{\pi} \operatorname{erfi}\left(\frac{1}{2}(2x+1)\right) \right) - \frac{\sinh\left(x^2 + x + \frac{1}{4}\right)}{x}$$

input `Int[Sinh[1/4 + x + x^2]/x^2,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.06 (sec) , antiderivative size = 11, normalized size of antiderivative = 0.85

$$\int \frac{\sinh\left(\frac{1}{4} + x + x^2\right)}{x^2} dx$$

input `int(sinh(1/4+x+x^2)/x^2,x)`

output `int(sinh(1/4+x+x^2)/x^2,x)`

Fricas [N/A]

Not integrable

Time = 0.10 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00

$$\int \frac{\sinh\left(\frac{1}{4} + x + x^2\right)}{x^2} dx = \int \frac{\sinh\left(x^2 + x + \frac{1}{4}\right)}{x^2} dx$$

input `integrate(sinh(1/4+x+x^2)/x^2,x, algorithm="fricas")`

output `integral(sinh(x^2 + x + 1/4)/x^2, x)`

Sympy [N/A]

Not integrable

Time = 0.45 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.08

$$\int \frac{\sinh\left(\frac{1}{4} + x + x^2\right)}{x^2} dx = \int \frac{\sinh\left(x^2 + x + \frac{1}{4}\right)}{x^2} dx$$

input `integrate(sinh(1/4+x+x**2)/x**2,x)`output `Integral(sinh(x**2 + x + 1/4)/x**2, x)`**Maxima [N/A]**

Not integrable

Time = 0.38 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00

$$\int \frac{\sinh\left(\frac{1}{4} + x + x^2\right)}{x^2} dx = \int \frac{\sinh\left(x^2 + x + \frac{1}{4}\right)}{x^2} dx$$

input `integrate(sinh(1/4+x+x^2)/x^2,x, algorithm="maxima")`output `integrate(sinh(x^2 + x + 1/4)/x^2, x)`**Giac [N/A]**

Not integrable

Time = 0.12 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00

$$\int \frac{\sinh\left(\frac{1}{4} + x + x^2\right)}{x^2} dx = \int \frac{\sinh\left(x^2 + x + \frac{1}{4}\right)}{x^2} dx$$

input `integrate(sinh(1/4+x+x^2)/x^2,x, algorithm="giac")`

output `integrate(sinh(x^2 + x + 1/4)/x^2, x)`

Mupad [N/A]

Not integrable

Time = 1.34 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00

$$\int \frac{\sinh\left(\frac{1}{4} + x + x^2\right)}{x^2} dx = \int \frac{\sinh\left(x^2 + x + \frac{1}{4}\right)}{x^2} dx$$

input `int(sinh(x + x^2 + 1/4)/x^2,x)`

output `int(sinh(x + x^2 + 1/4)/x^2, x)`

Reduce [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00

$$\int \frac{\sinh\left(\frac{1}{4} + x + x^2\right)}{x^2} dx = \int \frac{\sinh\left(x^2 + x + \frac{1}{4}\right)}{x^2} dx$$

input `int(sinh(1/4+x+x^2)/x^2,x)`

output `int(sinh((4*x**2 + 4*x + 1)/4)/x**2,x)`

3.16 $\int x^2 \sinh^2(a + bx + cx^2) dx$

Optimal result	135
Mathematica [A] (verified)	136
Rubi [A] (verified)	136
Maple [A] (verified)	137
Fricas [B] (verification not implemented)	138
Sympy [F]	139
Maxima [A] (verification not implemented)	140
Giac [A] (verification not implemented)	140
Mupad [F(-1)]	141
Reduce [F]	141

Optimal result

Integrand size = 17, antiderivative size = 268

$$\int x^2 \sinh^2(a + bx + cx^2) dx = -\frac{x^3}{6} + \frac{b^2 e^{-2a + \frac{b^2}{2c}} \sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right)}{32c^{5/2}} + \frac{e^{-2a + \frac{b^2}{2c}} \sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right)}{32c^{3/2}}$$

$$+ \frac{b^2 e^{2a - \frac{b^2}{2c}} \sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right)}{32c^{5/2}} - \frac{e^{2a - \frac{b^2}{2c}} \sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right)}{32c^{3/2}}$$

$$- \frac{b \sinh(2a + 2bx + 2cx^2)}{16c^2} + \frac{x \sinh(2a + 2bx + 2cx^2)}{8c}$$

output

```
-1/6*x^3+1/64*b^2*exp(-2*a+1/2*b^2/c)*2^(1/2)*Pi^(1/2)*erf(1/2*(2*c*x+b)*2
^(1/2)/c^(1/2))/c^(5/2)+1/64*exp(-2*a+1/2*b^2/c)*2^(1/2)*Pi^(1/2)*erf(1/2*
(2*c*x+b)*2^(1/2)/c^(1/2))/c^(3/2)+1/64*b^2*exp(2*a-1/2*b^2/c)*2^(1/2)*Pi^
(1/2)*erfi(1/2*(2*c*x+b)*2^(1/2)/c^(1/2))/c^(5/2)-1/64*exp(2*a-1/2*b^2/c)*
2^(1/2)*Pi^(1/2)*erfi(1/2*(2*c*x+b)*2^(1/2)/c^(1/2))/c^(3/2)-1/16*b*sinh(2
*c*x^2+2*b*x+2*a)/c^2+1/8*x*sinh(2*c*x^2+2*b*x+2*a)/c
```


Mathematica [A] (verified)

Time = 0.51 (sec) , antiderivative size = 176, normalized size of antiderivative = 0.66

$$\int x^2 \sinh^2(a + bx + cx^2) dx$$

$$= \frac{3(b^2 + c) \sqrt{2\pi} \operatorname{erf}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right) \left(\cosh\left(2a - \frac{b^2}{2c}\right) - \sinh\left(2a - \frac{b^2}{2c}\right)\right) + 3(b^2 - c) \sqrt{2\pi} \operatorname{erfi}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right) \left(\cosh\left(2a - \frac{b^2}{2c}\right) + \sinh\left(2a - \frac{b^2}{2c}\right)\right)}{192c^{5/2}}$$

input

```
Integrate[x^2*Sinh[a + b*x + c*x^2]^2,x]
```

output

```
(3*(b^2 + c)*Sqrt[2*Pi]*Erf[(b + 2*c*x)/(Sqrt[2]*Sqrt[c])]*(Cosh[2*a - b^2/(2*c)] - Sinh[2*a - b^2/(2*c)]) + 3*(b^2 - c)*Sqrt[2*Pi]*Erfi[(b + 2*c*x)/(Sqrt[2]*Sqrt[c])]*(Cosh[2*a - b^2/(2*c)] + Sinh[2*a - b^2/(2*c)]) - 4*Sqrt[c]*(8*c^2*x^3 + 3*(b - 2*c*x)*Sinh[2*(a + x*(b + c*x))]))/(192*c^(5/2))
```

Rubi [A] (verified)

Time = 0.48 (sec) , antiderivative size = 268, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {5917, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^2 \sinh^2(a + bx + cx^2) dx$$

$$\downarrow 5917$$

$$\int \left(\frac{1}{2} x^2 \cosh(2a + 2bx + 2cx^2) - \frac{x^2}{2} \right) dx$$

$$\downarrow 2009$$

$$\frac{\sqrt{\frac{\pi}{2}} e^{\frac{b^2}{2c} - 2a} \operatorname{erf}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right)}{32c^{3/2}} + \frac{\sqrt{\frac{\pi}{2}} b^2 e^{\frac{b^2}{2c} - 2a} \operatorname{erf}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right)}{32c^{5/2}} - \frac{\sqrt{\frac{\pi}{2}} e^{2a - \frac{b^2}{2c}} \operatorname{erfi}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right)}{32c^{3/2}} + \frac{\sqrt{\frac{\pi}{2}} b^2 e^{2a - \frac{b^2}{2c}} \operatorname{erfi}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right)}{32c^{5/2}} - \frac{b \sinh(2a + 2bx + 2cx^2)}{16c^2} + \frac{x \sinh(2a + 2bx + 2cx^2)}{8c} - \frac{x^3}{6}$$

input `Int[x^2*Sinh[a + b*x + c*x^2]^2,x]`

output
$$-1/6*x^3 + (b^2*E^{(-2*a + b^2/(2*c))*Sqrt[Pi/2]*Erf[(b + 2*c*x)/(Sqrt[2]*Sqrt[c])])/(32*c^{(5/2)}) + (E^{(-2*a + b^2/(2*c))*Sqrt[Pi/2]*Erf[(b + 2*c*x)/(Sqrt[2]*Sqrt[c])])/(32*c^{(3/2)}) + (b^2*E^{(2*a - b^2/(2*c))*Sqrt[Pi/2]*Erfi[(b + 2*c*x)/(Sqrt[2]*Sqrt[c])])/(32*c^{(5/2)}) - (E^{(2*a - b^2/(2*c))*Sqrt[Pi/2]*Erfi[(b + 2*c*x)/(Sqrt[2]*Sqrt[c])])/(32*c^{(3/2)}) - (b*Sinh[2*a + 2*b*x + 2*c*x^2])/(16*c^2) + (x*Sinh[2*a + 2*b*x + 2*c*x^2])/(8*c)$$

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 5917 `Int[((d_.) + (e_.)*(x_)^(m_.)*Sinh[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]^(n_) , x_Symbol] := Int[ExpandTrigReduce[(d + e*x)^m, Sinh[a + b*x + c*x^2]^n, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 1]`

Maple [A] (verified)

Time = 0.56 (sec) , antiderivative size = 281, normalized size of antiderivative = 1.05

method	result
risch	$-\frac{x^3}{6} - \frac{x e^{-2c x^2 - 2bx - 2a}}{16c} + \frac{b e^{-2c x^2 - 2bx - 2a}}{32c^2} + \frac{b^2 \sqrt{\pi} e^{-\frac{4ac-b^2}{2c}} \sqrt{2} \operatorname{erf}\left(\sqrt{2} \sqrt{c} x + \frac{b\sqrt{2}}{2\sqrt{c}}\right)}{64c^{\frac{5}{2}}} + \frac{\sqrt{\pi} e^{-\frac{4ac-b^2}{2c}} \sqrt{2} \operatorname{erf}\left(\sqrt{2} \sqrt{c} x\right)}{64c^{\frac{3}{2}}}$

input `int(x^2*sinh(c*x^2+b*x+a)^2,x,method=_RETURNVERBOSE)`

output

```
-1/6*x^3-1/16/c*x*exp(-2*c*x^2-2*b*x-2*a)+1/32*b/c^2*exp(-2*c*x^2-2*b*x-2*
a)+1/64*b^2/c^(5/2)*Pi^(1/2)*exp(-1/2*(4*a*c-b^2)/c)*2^(1/2)*erf(2^(1/2)*c
^(1/2)*x+1/2*b*2^(1/2)/c^(1/2))+1/64/c^(3/2)*Pi^(1/2)*exp(-1/2*(4*a*c-b^2)
/c)*2^(1/2)*erf(2^(1/2)*c^(1/2)*x+1/2*b*2^(1/2)/c^(1/2))+1/16/c*x*exp(2*c*
x^2+2*b*x+2*a)-1/32*b/c^2*exp(2*c*x^2+2*b*x+2*a)-1/32*b^2/c^2*Pi^(1/2)*exp
(1/2*(4*a*c-b^2)/c)/(-2*c)^(1/2)*erf(-(-2*c)^(1/2)*x+b/(-2*c)^(1/2))+1/32/
c*Pi^(1/2)*exp(1/2*(4*a*c-b^2)/c)/(-2*c)^(1/2)*erf(-(-2*c)^(1/2)*x+b/(-2*c
)^(1/2))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 766 vs. $2(210) = 420$.

Time = 0.11 (sec) , antiderivative size = 766, normalized size of antiderivative = 2.86

$$\int x^2 \sinh^2(a + bx + cx^2) dx = \text{Too large to display}$$

input

```
integrate(x^2*sinh(c*x^2+b*x+a)^2,x, algorithm="fricas")
```

output

```

-1/192*(32*c^3*x^3*cosh(c*x^2 + b*x + a)^2 - 6*(2*c^2*x - b*c)*cosh(c*x^2
+ b*x + a)^4 - 24*(2*c^2*x - b*c)*cosh(c*x^2 + b*x + a)*sinh(c*x^2 + b*x +
a)^3 - 6*(2*c^2*x - b*c)*sinh(c*x^2 + b*x + a)^4 + 3*sqrt(2)*sqrt(pi)*((b
^2 - c)*cosh(c*x^2 + b*x + a)^2*cosh(-1/2*(b^2 - 4*a*c)/c) + (b^2 - c)*cos
h(c*x^2 + b*x + a)^2*sinh(-1/2*(b^2 - 4*a*c)/c) + ((b^2 - c)*cosh(-1/2*(b^
2 - 4*a*c)/c) + (b^2 - c)*sinh(-1/2*(b^2 - 4*a*c)/c))*sinh(c*x^2 + b*x + a
)^2 + 2*((b^2 - c)*cosh(c*x^2 + b*x + a)*cosh(-1/2*(b^2 - 4*a*c)/c) + (b^2
- c)*cosh(c*x^2 + b*x + a)*sinh(-1/2*(b^2 - 4*a*c)/c))*sinh(c*x^2 + b*x +
a))*sqrt(-c)*erf(1/2*sqrt(2)*(2*c*x + b)*sqrt(-c)/c) - 3*sqrt(2)*sqrt(pi)
*((b^2 + c)*cosh(c*x^2 + b*x + a)^2*cosh(-1/2*(b^2 - 4*a*c)/c) - (b^2 + c)
*cosh(c*x^2 + b*x + a)^2*sinh(-1/2*(b^2 - 4*a*c)/c) + ((b^2 + c)*cosh(-1/2
*(b^2 - 4*a*c)/c) - (b^2 + c)*sinh(-1/2*(b^2 - 4*a*c)/c))*sinh(c*x^2 + b*x
+ a)^2 + 2*((b^2 + c)*cosh(c*x^2 + b*x + a)*cosh(-1/2*(b^2 - 4*a*c)/c) -
(b^2 + c)*cosh(c*x^2 + b*x + a)*sinh(-1/2*(b^2 - 4*a*c)/c))*sinh(c*x^2 + b
*x + a))*sqrt(c)*erf(1/2*sqrt(2)*(2*c*x + b)/sqrt(c)) + 12*c^2*x + 4*(8*c^
3*x^3 - 9*(2*c^2*x - b*c)*cosh(c*x^2 + b*x + a)^2)*sinh(c*x^2 + b*x + a)^2
- 6*b*c + 8*(8*c^3*x^3*cosh(c*x^2 + b*x + a) - 3*(2*c^2*x - b*c)*cosh(c*x
^2 + b*x + a)^3)*sinh(c*x^2 + b*x + a)/(c^3*cosh(c*x^2 + b*x + a)^2 + 2*c
^3*cosh(c*x^2 + b*x + a)*sinh(c*x^2 + b*x + a) + c^3*sinh(c*x^2 + b*x + a
^2)

```

SymPy [F]

$$\int x^2 \sinh^2(a + bx + cx^2) dx = \int x^2 \sinh^2(a + bx + cx^2) dx$$

input

```
integrate(x**2*sinh(c*x**2+b*x+a)**2,x)
```

output

```
Integral(x**2*sinh(a + b*x + c*x**2)**2, x)
```

Maxima [A] (verification not implemented)

Time = 0.18 (sec) , antiderivative size = 294, normalized size of antiderivative = 1.10

$$\int x^2 \sinh^2(a + bx + cx^2) dx = -\frac{1}{6} x^3$$

$$+ \frac{\sqrt{2} \left(\frac{\sqrt{\pi}(2cx+b)b^2 \left(\operatorname{erf}\left(\sqrt{\frac{1}{2}} \sqrt{-\frac{(2cx+b)^2}{c}}\right) - 1\right)}{\sqrt{-\frac{(2cx+b)^2}{c}} c^{\frac{5}{2}}} - \frac{2\sqrt{2}be^{\left(\frac{(2cx+b)^2}{2c}\right)}}{c^{\frac{3}{2}}} - \frac{2(2cx+b)^3 \Gamma\left(\frac{3}{2}, -\frac{(2cx+b)^2}{2c}\right)}{\left(-\frac{(2cx+b)^2}{c}\right)^{\frac{3}{2}} c^{\frac{5}{2}}} \right) e^{\left(2a - \frac{b^2}{2c}\right)}}{64\sqrt{c}}$$

$$- \frac{\sqrt{2} \left(\frac{\sqrt{\pi}(2cx+b)b^2 \left(\operatorname{erf}\left(\sqrt{\frac{1}{2}} \sqrt{\frac{(2cx+b)^2}{c}}\right) - 1\right)}{\sqrt{\frac{(2cx+b)^2}{c}} (-c)^{\frac{5}{2}}} + \frac{2\sqrt{2}bce^{\left(-\frac{(2cx+b)^2}{2c}\right)}}{(-c)^{\frac{5}{2}}} - \frac{2(2cx+b)^3 \Gamma\left(\frac{3}{2}, \frac{(2cx+b)^2}{2c}\right)}{\left(\frac{(2cx+b)^2}{c}\right)^{\frac{3}{2}} (-c)^{\frac{5}{2}}} \right) e^{\left(-2a + \frac{b^2}{2c}\right)}}{64\sqrt{-c}}$$

input `integrate(x^2*sinh(c*x^2+b*x+a)^2,x, algorithm="maxima")`output

```

-1/6*x^3 + 1/64*sqrt(2)*(sqrt(pi)*(2*c*x + b)*b^2*(erf(sqrt(1/2)*sqrt(-(2*c*x + b)^2/c)) - 1)/(sqrt(-(2*c*x + b)^2/c)*c^(5/2)) - 2*sqrt(2)*b*e^(1/2*(2*c*x + b)^2/c)/c^(3/2) - 2*(2*c*x + b)^3*gamma(3/2, -1/2*(2*c*x + b)^2/c)/((-2*c*x + b)^2/c)^(3/2)*c^(5/2)))e^(2*a - 1/2*b^2/c)/sqrt(c) - 1/64*sqrt(2)*(sqrt(pi)*(2*c*x + b)*b^2*(erf(sqrt(1/2)*sqrt((2*c*x + b)^2/c)) - 1)/(sqrt((2*c*x + b)^2/c)*(-c)^(5/2)) + 2*sqrt(2)*b*c*e^(-1/2*(2*c*x + b)^2/c)/(-c)^(5/2) - 2*(2*c*x + b)^3*gamma(3/2, 1/2*(2*c*x + b)^2/c)/(((2*c*x + b)^2/c)^(3/2)*(-c)^(5/2)))e^(-2*a + 1/2*b^2/c)/sqrt(-c)

```

Giac [A] (verification not implemented)

Time = 0.14 (sec) , antiderivative size = 182, normalized size of antiderivative = 0.68

$$\int x^2 \sinh^2(a + bx + cx^2) dx$$

$$= -\frac{1}{6} x^3 - \frac{\frac{\sqrt{2}\sqrt{\pi}(b^2+c) \operatorname{erf}\left(-\frac{1}{2}\sqrt{2}\sqrt{c}\left(2x+\frac{b}{c}\right)\right) e^{\left(\frac{b^2-4ac}{2c}\right)}}{\sqrt{c}} + 2\left(c\left(2x+\frac{b}{c}\right) - 2b\right) e^{\left(-2cx^2-2bx-2a\right)}}{64c^2}$$

$$- \frac{\frac{\sqrt{2}\sqrt{\pi}(b^2-c) \operatorname{erf}\left(-\frac{1}{2}\sqrt{2}\sqrt{-c}\left(2x+\frac{b}{c}\right)\right) e^{\left(-\frac{b^2-4ac}{2c}\right)}}{\sqrt{-c}} - 2\left(c\left(2x+\frac{b}{c}\right) - 2b\right) e^{\left(2cx^2+2bx+2a\right)}}{64c^2}$$

input `integrate(x^2*sinh(c*x^2+b*x+a)^2,x, algorithm="giac")`

output
$$-1/6*x^3 - 1/64*(\sqrt{2}*\sqrt{\pi}*(b^2 + c)*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{c}*(2*x + b/c))*e^{(1/2*(b^2 - 4*a*c)/c)/\sqrt{c}} + 2*(c*(2*x + b/c) - 2*b)*e^{(-2*c*x^2 - 2*b*x - 2*a)/c^2} - 1/64*(\sqrt{2}*\sqrt{\pi}*(b^2 - c)*\operatorname{erf}(-1/2*\sqrt{2})*\sqrt{-c}*(2*x + b/c))*e^{(-1/2*(b^2 - 4*a*c)/c)/\sqrt{-c}} - 2*(c*(2*x + b/c) - 2*b)*e^{(2*c*x^2 + 2*b*x + 2*a)/c^2}$$

Mupad [F(-1)]

Timed out.

$$\int x^2 \sinh^2(a + bx + cx^2) dx = \int x^2 \sinh(cx^2 + bx + a)^2 dx$$

input `int(x^2*sinh(a + b*x + c*x^2)^2,x)`

output `int(x^2*sinh(a + b*x + c*x^2)^2, x)`

Reduce [F]

$$\int x^2 \sinh^2(a + bx + cx^2) dx$$

$$= \frac{-3\sqrt{\pi} e^{2cx^2+2bx+4a} \operatorname{erf}\left(\frac{2cix+bi}{\sqrt{c}\sqrt{2}}\right) b^2 i + 3\sqrt{\pi} e^{2cx^2+2bx+4a} \operatorname{erf}\left(\frac{2cix+bi}{\sqrt{c}\sqrt{2}}\right) ci - 3e^{\frac{8c^2x^2+8bcx+8ac+b^2}{2c}} \sqrt{c} \sqrt{2} b + 6e^{\frac{8c^2x^2+8bcx+8ac+b^2}{2c}}}{1}$$

input `int(x^2*sinh(c*x^2+b*x+a)^2,x)`

output

```
( - 3*sqrt(pi)*e**(4*a + 2*b*x + 2*c*x**2)*erf((b*i + 2*c*i*x)/(sqrt(c)*sqrt(2)))*b**2*i + 3*sqrt(pi)*e**(4*a + 2*b*x + 2*c*x**2)*erf((b*i + 2*c*i*x)/(sqrt(c)*sqrt(2)))*c*i - 3*e**((8*a*c + b**2 + 8*b*c*x + 8*c**2*x**2)/(2*c))*sqrt(c)*sqrt(2)*b + 6*e**((8*a*c + b**2 + 8*b*c*x + 8*c**2*x**2)/(2*c))*sqrt(c)*sqrt(2)*c*x - 16*e**((4*a*c + b**2 + 4*b*c*x + 4*c**2*x**2)/(2*c))*sqrt(c)*sqrt(2)*c**2*x**3 + 6*e**((b**2 + 4*b*c*x + 4*c**2*x**2)/(2*c))*sqrt(c)*sqrt(2)*int(1/e**(2*b*x + 2*c*x**2),x)*b**2 + 6*e**((b**2 + 4*b*c*x + 4*c**2*x**2)/(2*c))*sqrt(c)*sqrt(2)*int(1/e**(2*b*x + 2*c*x**2),x)*c + 3*e**(b**2/(2*c))*sqrt(c)*sqrt(2)*b - 6*e**(b**2/(2*c))*sqrt(c)*sqrt(2)*c*x)/(96*e**((4*a*c + b**2 + 4*b*c*x + 4*c**2*x**2)/(2*c))*sqrt(c)*sqrt(2)*c**2)
```

3.17 $\int x \sinh^2(a + bx + cx^2) dx$

Optimal result	143
Mathematica [A] (verified)	143
Rubi [A] (verified)	144
Maple [A] (verified)	145
Fricas [B] (verification not implemented)	145
Sympy [F]	146
Maxima [A] (verification not implemented)	147
Giac [A] (verification not implemented)	147
Mupad [F(-1)]	148
Reduce [F]	148

Optimal result

Integrand size = 15, antiderivative size = 136

$$\int x \sinh^2(a + bx + cx^2) dx = -\frac{x^2}{4} - \frac{be^{-2a+\frac{b^2}{2c}} \sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right)}{16c^{3/2}} - \frac{be^{2a-\frac{b^2}{2c}} \sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right)}{16c^{3/2}} + \frac{\sinh(2a + 2bx + 2cx^2)}{8c}$$

output

```
-1/4*x^2-1/32*b*exp(-2*a+1/2*b^2/c)*2^(1/2)*Pi^(1/2)*erf(1/2*(2*c*x+b)*2^(1/2)/c^(1/2))/c^(3/2)-1/32*b*exp(2*a-1/2*b^2/c)*2^(1/2)*Pi^(1/2)*erfi(1/2*(2*c*x+b)*2^(1/2)/c^(1/2))/c^(3/2)+1/8*sinh(2*c*x^2+2*b*x+2*a)/c
```

Mathematica [A] (verified)

Time = 0.26 (sec) , antiderivative size = 155, normalized size of antiderivative = 1.14

$$\int x \sinh^2(a + bx + cx^2) dx = \frac{b\sqrt{2\pi}\operatorname{erf}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right) \left(-\cosh\left(2a - \frac{b^2}{2c}\right) + \sinh\left(2a - \frac{b^2}{2c}\right)\right) - b\sqrt{2\pi}\operatorname{erfi}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right) \left(\cosh\left(2a - \frac{b^2}{2c}\right) + \sinh\left(2a - \frac{b^2}{2c}\right)\right)}{32c^{3/2}}$$

input

```
Integrate[x*Sinh[a + b*x + c*x^2]^2,x]
```


output

```
(b*Sqrt[2*Pi]*Erf[(b + 2*c*x)/(Sqrt[2]*Sqrt[c])]*(-Cosh[2*a - b^2/(2*c)] + Sinh[2*a - b^2/(2*c)]) - b*Sqrt[2*Pi]*Erfi[(b + 2*c*x)/(Sqrt[2]*Sqrt[c])]*(Cosh[2*a - b^2/(2*c)] + Sinh[2*a - b^2/(2*c)]) + 4*Sqrt[c]*(-2*c*x^2 + Sinh[2*(a + x*(b + c*x))]))/(32*c^(3/2))
```

Rubi [A] (verified)

Time = 0.30 (sec) , antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {5917, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x \sinh^2(a + bx + cx^2) dx$$

$$\downarrow 5917$$

$$\int \left(\frac{1}{2} x \cosh(2a + 2bx + 2cx^2) - \frac{x}{2} \right) dx$$

$$\downarrow 2009$$

$$-\frac{\sqrt{\frac{\pi}{2}} b e^{\frac{b^2}{2c} - 2a} \operatorname{erf}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right)}{16c^{3/2}} - \frac{\sqrt{\frac{\pi}{2}} b e^{2a - \frac{b^2}{2c}} \operatorname{erfi}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right)}{16c^{3/2}} + \frac{\sinh(2a + 2bx + 2cx^2)}{8c} - \frac{x^2}{4}$$

input

```
Int[x*Sinh[a + b*x + c*x^2]^2,x]
```

output

```
-1/4*x^2 - (b*E^(-2*a + b^2/(2*c))*Sqrt[Pi/2]*Erf[(b + 2*c*x)/(Sqrt[2]*Sqrt[c])])/(16*c^(3/2)) - (b*E^(2*a - b^2/(2*c))*Sqrt[Pi/2]*Erfi[(b + 2*c*x)/(Sqrt[2]*Sqrt[c])])/(16*c^(3/2)) + Sinh[2*a + 2*b*x + 2*c*x^2]/(8*c)
```

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 5917 `Int[((d_.) + (e_.)*(x_))^(m_.)*Sinh[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]^(n_) , x_Symbol] := Int[ExpandTrigReduce[(d + e*x)^m, Sinh[a + b*x + c*x^2]^n, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 1]`

Maple [A] (verified)

Time = 0.49 (sec) , antiderivative size = 141, normalized size of antiderivative = 1.04

method	result
risch	$-\frac{x^2}{4} - \frac{e^{-2cx^2-2bx-2a}}{16c} - \frac{b\sqrt{\pi} e^{-\frac{4ac-b^2}{2c}} \sqrt{2} \operatorname{erf}\left(\sqrt{2}\sqrt{c}x + \frac{b\sqrt{2}}{2\sqrt{c}}\right)}{32c^{\frac{3}{2}}} + \frac{e^{2cx^2+2bx+2a}}{16c} + \frac{b\sqrt{\pi} e^{\frac{4ac-b^2}{2c}} \operatorname{erf}\left(-\sqrt{-2c}x + \frac{b}{\sqrt{-2c}}\right)}{16c\sqrt{-2c}}$

input `int(x*sinh(c*x^2+b*x+a)^2,x,method=_RETURNVERBOSE)`

output `-1/4*x^2-1/16/c*exp(-2*c*x^2-2*b*x-2*a)-1/32*b/c^(3/2)*Pi^(1/2)*exp(-1/2*(4*a*c-b^2)/c)*2^(1/2)*erf(2^(1/2)*c^(1/2)*x+1/2*b*2^(1/2)/c^(1/2))+1/16/c*exp(2*c*x^2+2*b*x+2*a)+1/16*b/c*Pi^(1/2)*exp(1/2*(4*a*c-b^2)/c)/(-2*c)^(1/2)*erf(-(-2*c)^(1/2)*x+b/(-2*c)^(1/2))`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 648 vs. $2(106) = 212$.

Time = 0.11 (sec) , antiderivative size = 648, normalized size of antiderivative = 4.76

$$\int x \sinh^2(a + bx + cx^2) dx = \text{Too large to display}$$

input `integrate(x*sinh(c*x^2+b*x+a)^2,x, algorithm="fricas")`

output

```

-1/32*(8*c^2*x^2*cosh(c*x^2 + b*x + a)^2 - 2*c*cosh(c*x^2 + b*x + a)^4 - 8
*c*cosh(c*x^2 + b*x + a)*sinh(c*x^2 + b*x + a)^3 - 2*c*sinh(c*x^2 + b*x +
a)^4 - sqrt(2)*sqrt(pi)*(b*cosh(c*x^2 + b*x + a)^2*cosh(-1/2*(b^2 - 4*a*c)
/c) + b*cosh(c*x^2 + b*x + a)^2*sinh(-1/2*(b^2 - 4*a*c)/c) + (b*cosh(-1/2*
(b^2 - 4*a*c)/c) + b*sinh(-1/2*(b^2 - 4*a*c)/c))*sinh(c*x^2 + b*x + a)^2 +
2*(b*cosh(c*x^2 + b*x + a)*cosh(-1/2*(b^2 - 4*a*c)/c) + b*cosh(c*x^2 + b*
x + a)*sinh(-1/2*(b^2 - 4*a*c)/c))*sinh(c*x^2 + b*x + a)*sqrt(-c)*erf(1/2
*sqrt(2)*(2*c*x + b)*sqrt(-c)/c) + sqrt(2)*sqrt(pi)*(b*cosh(c*x^2 + b*x +
a)^2*cosh(-1/2*(b^2 - 4*a*c)/c) - b*cosh(c*x^2 + b*x + a)^2*sinh(-1/2*(b^2
- 4*a*c)/c) + (b*cosh(-1/2*(b^2 - 4*a*c)/c) - b*sinh(-1/2*(b^2 - 4*a*c)/c)
))*sinh(c*x^2 + b*x + a)^2 + 2*(b*cosh(c*x^2 + b*x + a)*cosh(-1/2*(b^2 - 4
*a*c)/c) - b*cosh(c*x^2 + b*x + a)*sinh(-1/2*(b^2 - 4*a*c)/c))*sinh(c*x^2
+ b*x + a)*sqrt(c)*erf(1/2*sqrt(2)*(2*c*x + b)/sqrt(c)) + 4*(2*c^2*x^2 -
3*c*cosh(c*x^2 + b*x + a)^2)*sinh(c*x^2 + b*x + a)^2 + 8*(2*c^2*x^2*cosh(c
*x^2 + b*x + a) - c*cosh(c*x^2 + b*x + a)^3)*sinh(c*x^2 + b*x + a) + 2*c)/
(c^2*cosh(c*x^2 + b*x + a)^2 + 2*c^2*cosh(c*x^2 + b*x + a)*sinh(c*x^2 + b*
x + a) + c^2*sinh(c*x^2 + b*x + a)^2)

```

SymPy [F]

$$\int x \sinh^2(a + bx + cx^2) dx = \int x \sinh^2(a + bx + cx^2) dx$$

input

```
integrate(x*sinh(c*x**2+b*x+a)**2,x)
```

output

```
Integral(x*sinh(a + b*x + c*x**2)**2, x)
```

Maxima [A] (verification not implemented)

Time = 0.17 (sec) , antiderivative size = 200, normalized size of antiderivative = 1.47

$$\int x \sinh^2(a + bx + cx^2) dx$$

$$= -\frac{1}{4}x^2 - \frac{\sqrt{2} \left(\frac{\sqrt{\pi}(2cx+b)b \left(\operatorname{erf}\left(\sqrt{\frac{1}{2}}\sqrt{-\frac{(2cx+b)^2}{c}}\right) - 1\right)}{\sqrt{-\frac{(2cx+b)^2}{c}}c^{\frac{3}{2}}} - \frac{\sqrt{2}e^{\frac{(2cx+b)^2}{2c}}}{\sqrt{c}} \right) e^{2a - \frac{b^2}{2c}}}{32\sqrt{c}}$$

$$- \frac{\sqrt{2} \left(\frac{\sqrt{\pi}(2cx+b)b \left(\operatorname{erf}\left(\sqrt{\frac{1}{2}}\sqrt{\frac{(2cx+b)^2}{c}}\right) - 1\right)}{\sqrt{\frac{(2cx+b)^2}{c}}(-c)^{\frac{3}{2}}} + \frac{\sqrt{2}ce^{-\frac{(2cx+b)^2}{2c}}}{(-c)^{\frac{3}{2}}} \right) e^{-2a + \frac{b^2}{2c}}}{32\sqrt{-c}}$$

input `integrate(x*sinh(c*x^2+b*x+a)^2,x, algorithm="maxima")`output `-1/4*x^2 - 1/32*sqrt(2)*(sqrt(pi)*(2*c*x + b)*b*(erf(sqrt(1/2)*sqrt(-(2*c*x + b)^2/c)) - 1)/(sqrt(-(2*c*x + b)^2/c)*c^(3/2)) - sqrt(2)*e^(1/2*(2*c*x + b)^2/c)/sqrt(c))*e^(2*a - 1/2*b^2/c)/sqrt(c) - 1/32*sqrt(2)*(sqrt(pi)*(2*c*x + b)*b*(erf(sqrt(1/2)*sqrt((2*c*x + b)^2/c)) - 1)/(sqrt((2*c*x + b)^2/c)*(-c)^(3/2)) + sqrt(2)*c*e^(-1/2*(2*c*x + b)^2/c)/(-c)^(3/2))*e^(-2*a + 1/2*b^2/c)/sqrt(-c)`**Giac [A] (verification not implemented)**

Time = 0.13 (sec) , antiderivative size = 142, normalized size of antiderivative = 1.04

$$\int x \sinh^2(a + bx + cx^2) dx = -\frac{1}{4}x^2$$

$$+ \frac{\sqrt{2}\sqrt{\pi}b \operatorname{erf}\left(-\frac{1}{2}\sqrt{2}\sqrt{c}\left(2x + \frac{b}{c}\right)\right) e^{\frac{b^2 - 4ac}{2c}}}{\sqrt{c}} - 2e^{(-2cx^2 - 2bx - 2a)}$$

$$+ \frac{\sqrt{2}\sqrt{\pi}b \operatorname{erf}\left(-\frac{1}{2}\sqrt{2}\sqrt{-c}\left(2x + \frac{b}{c}\right)\right) e^{-\frac{b^2 - 4ac}{2c}}}{\sqrt{-c}} + 2e^{(2cx^2 + 2bx + 2a)}$$

input `integrate(x*sinh(c*x^2+b*x+a)^2,x, algorithm="giac")`

output

```
-1/4*x^2 + 1/32*(sqrt(2)*sqrt(pi)*b*erf(-1/2*sqrt(2)*sqrt(c)*(2*x + b/c))*
e^(1/2*(b^2 - 4*a*c)/c)/sqrt(c) - 2*e^(-2*c*x^2 - 2*b*x - 2*a))/c + 1/32*(
sqrt(2)*sqrt(pi)*b*erf(-1/2*sqrt(2)*sqrt(-c)*(2*x + b/c))*e^(-1/2*(b^2 - 4
*a*c)/c)/sqrt(-c) + 2*e^(2*c*x^2 + 2*b*x + 2*a))/c
```

Mupad [F(-1)]

Timed out.

$$\int x \sinh^2(a + bx + cx^2) dx = \int x \sinh(cx^2 + bx + a)^2 dx$$

input

```
int(x*sinh(a + b*x + c*x^2)^2,x)
```

output

```
int(x*sinh(a + b*x + c*x^2)^2, x)
```

Reduce [F]

$$\int x \sinh^2(a + bx + cx^2) dx$$

$$= \frac{\sqrt{\pi} e^{2cx^2+2bx+4a} \operatorname{erf}\left(\frac{2cix+bi}{\sqrt{c}\sqrt{2}}\right) bi + e^{\frac{8c^2x^2+8bcx+8ac+b^2}{2c}} \sqrt{c}\sqrt{2} - 4e^{\frac{4c^2x^2+4bcx+4ac+b^2}{2c}} \sqrt{c}\sqrt{2} cx^2 - 2e^{\frac{4c^2x^2+4bcx+b^2}{2c}} \sqrt{c}\sqrt{2} c}{16e^{\frac{4c^2x^2+4bcx+4ac+b^2}{2c}} \sqrt{c}\sqrt{2} c}$$

input

```
int(x*sinh(c*x^2+b*x+a)^2,x)
```

output

```
(sqrt(pi)*e**(4*a + 2*b*x + 2*c*x**2)*erf((b*i + 2*c*i*x)/(sqrt(c)*sqrt(2)
))*b*i + e**((8*a*c + b**2 + 8*b*c*x + 8*c**2*x**2)/(2*c))*sqrt(c)*sqrt(2)
- 4*e**((4*a*c + b**2 + 4*b*c*x + 4*c**2*x**2)/(2*c))*sqrt(c)*sqrt(2)*c*x
**2 - 2*e**((b**2 + 4*b*c*x + 4*c**2*x**2)/(2*c))*sqrt(c)*sqrt(2)*int(1/e*
*(2*b*x + 2*c*x**2),x)*b - e**((b**2/(2*c))*sqrt(c)*sqrt(2))/(16*e**((4*a*c
+ b**2 + 4*b*c*x + 4*c**2*x**2)/(2*c))*sqrt(c)*sqrt(2)*c)
```

3.18 $\int \sinh^2(a + bx + cx^2) dx$

Optimal result	149
Mathematica [A] (verified)	149
Rubi [A] (verified)	150
Maple [A] (verified)	151
Fricas [A] (verification not implemented)	151
Sympy [F]	152
Maxima [A] (verification not implemented)	152
Giac [A] (verification not implemented)	153
Mupad [F(-1)]	153
Reduce [F]	153

Optimal result

Integrand size = 13, antiderivative size = 110

$$\int \sinh^2(a + bx + cx^2) dx = -\frac{x}{2} + \frac{e^{-2a+\frac{b^2}{2c}} \sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right)}{8\sqrt{c}} + \frac{e^{2a-\frac{b^2}{2c}} \sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right)}{8\sqrt{c}}$$

output

```
-1/2*x+1/16*exp(-2*a+1/2*b^2/c)*2^(1/2)*Pi^(1/2)*erf(1/2*(2*c*x+b)*2^(1/2)/c^(1/2))/c^(1/2)+1/16*exp(2*a-1/2*b^2/c)*2^(1/2)*Pi^(1/2)*erfi(1/2*(2*c*x+b)*2^(1/2)/c^(1/2))/c^(1/2)
```

Mathematica [A] (verified)

Time = 0.09 (sec) , antiderivative size = 140, normalized size of antiderivative = 1.27

$$\int \sinh^2(a + bx + cx^2) dx = \frac{-4\sqrt{2}\sqrt{cx} + \sqrt{\pi}\operatorname{erf}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right) \left(\cosh\left(2a - \frac{b^2}{2c}\right) - \sinh\left(2a - \frac{b^2}{2c}\right)\right) + \sqrt{\pi}\operatorname{erfi}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right) \left(\cosh\left(2a - \frac{b^2}{2c}\right) + \sinh\left(2a - \frac{b^2}{2c}\right)\right)}{8\sqrt{2}\sqrt{c}}$$

input

```
Integrate[Sinh[a + b*x + c*x^2]^2,x]
```

output

$$\frac{(-4\sqrt{2}\sqrt{c}x + \sqrt{\pi}\operatorname{Erf}[(b + 2cx)/(\sqrt{2}\sqrt{c})])\operatorname{Cosh}[2a - b^2/(2c)] - \operatorname{Sinh}[2a - b^2/(2c)] + \sqrt{\pi}\operatorname{Erfi}[(b + 2cx)/(\sqrt{2}\sqrt{c})]\operatorname{Cosh}[2a - b^2/(2c)] + \operatorname{Sinh}[2a - b^2/(2c)]}{8\sqrt{2}\sqrt{c}}$$
Rubi [A] (verified)

Time = 0.26 (sec) , antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {5899, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sinh^2(a + bx + cx^2) dx$$

$$\downarrow \text{5899}$$

$$\int \left(\frac{1}{2} \cosh(2a + 2bx + 2cx^2) - \frac{1}{2} \right) dx$$

$$\downarrow \text{2009}$$

$$\frac{\sqrt{\frac{\pi}{2}} e^{\frac{b^2}{2c} - 2a} \operatorname{erf}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right)}{8\sqrt{c}} + \frac{\sqrt{\frac{\pi}{2}} e^{2a - \frac{b^2}{2c}} \operatorname{erfi}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right)}{8\sqrt{c}} - \frac{x}{2}$$

input

$$\operatorname{Int}[\operatorname{Sinh}[a + b*x + c*x^2]^2, x]$$

output

$$\frac{-1/2*x + (E^{(-2*a + b^2/(2*c))}\sqrt{\pi/2}\operatorname{Erf}[(b + 2*c*x)/(\sqrt{2}*\sqrt{c})])/(8*\sqrt{c}) + (E^{(2*a - b^2/(2*c))}\sqrt{\pi/2}\operatorname{Erfi}[(b + 2*c*x)/(\sqrt{2}*\sqrt{c})])/(8*\sqrt{c})}{8*\sqrt{c}}$$

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 5899 `Int[Sinh[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]^(n_), x_Symbol] := Int[ExpandTrigReduce[Sinh[a + b*x + c*x^2]^n, x], x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 1]`

Maple [A] (verified)

Time = 0.44 (sec) , antiderivative size = 94, normalized size of antiderivative = 0.85

method	result	size
risch	$-\frac{x}{2} + \frac{\sqrt{\pi} e^{-\frac{4ac-b^2}{2c}} \sqrt{2} \operatorname{erf}\left(\sqrt{2}\sqrt{c}x + \frac{b\sqrt{2}}{2\sqrt{c}}\right)}{16\sqrt{c}} - \frac{\sqrt{\pi} e^{\frac{4ac-b^2}{2c}} \operatorname{erf}\left(-\sqrt{-2c}x + \frac{b}{\sqrt{-2c}}\right)}{8\sqrt{-2c}}$	94

input `int(sinh(c*x^2+b*x+a)^2,x,method=_RETURNVERBOSE)`

output
$$-1/2*x+1/16*\Pi^{(1/2)}*\exp(-1/2*(4*a*c-b^2)/c)*2^{(1/2)}/c^{(1/2)}*\operatorname{erf}(2^{(1/2)}*c^{(1/2)}*x+1/2*b*2^{(1/2)}/c^{(1/2)})-1/8*\Pi^{(1/2)}*\exp(1/2*(4*a*c-b^2)/c)/(-2*c)^{(1/2)}*\operatorname{erf}(-(-2*c)^{(1/2)}*x+b/(-2*c)^{(1/2)})$$

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 128, normalized size of antiderivative = 1.16

$$\int \sinh^2(a + bx + cx^2) dx = \frac{\sqrt{2}\sqrt{\pi}\sqrt{-c}\left(\cosh\left(-\frac{b^2-4ac}{2c}\right) + \sinh\left(-\frac{b^2-4ac}{2c}\right)\right)\operatorname{erf}\left(\frac{\sqrt{2}(2cx+b)\sqrt{-c}}{2c}\right) - \sqrt{2}\sqrt{\pi}\sqrt{c}\left(\cosh\left(-\frac{b^2-4ac}{2c}\right) - \sinh\left(-\frac{b^2-4ac}{2c}\right)\right)\operatorname{erf}\left(\frac{\sqrt{2}(2cx+b)\sqrt{c}}{2c}\right)}{16c}$$

input `integrate(sinh(c*x^2+b*x+a)^2,x, algorithm="fricas")`

output

```
-1/16*(sqrt(2)*sqrt(pi)*sqrt(-c)*(cosh(-1/2*(b^2 - 4*a*c)/c) + sinh(-1/2*(b^2 - 4*a*c)/c))*erf(1/2*sqrt(2)*(2*c*x + b)*sqrt(-c)/c) - sqrt(2)*sqrt(pi)*sqrt(c)*(cosh(-1/2*(b^2 - 4*a*c)/c) - sinh(-1/2*(b^2 - 4*a*c)/c))*erf(1/2*sqrt(2)*(2*c*x + b)/sqrt(c)) + 8*c*x/c
```

Sympy [F]

$$\int \sinh^2(a + bx + cx^2) dx = \int \sinh^2(a + bx + cx^2) dx$$

input

```
integrate(sinh(c*x**2+b*x+a)**2,x)
```

output

```
Integral(sinh(a + b*x + c*x**2)**2, x)
```

Maxima [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 96, normalized size of antiderivative = 0.87

$$\int \sinh^2(a + bx + cx^2) dx = \frac{\sqrt{2}\sqrt{\pi} \operatorname{erf}\left(\sqrt{2}\sqrt{-c}x - \frac{\sqrt{2}b}{2\sqrt{-c}}\right) e^{2a - \frac{b^2}{2c}}}{16\sqrt{-c}} + \frac{\sqrt{2}\sqrt{\pi} \operatorname{erf}\left(\sqrt{2}\sqrt{c}x + \frac{\sqrt{2}b}{2\sqrt{c}}\right) e^{-2a + \frac{b^2}{2c}}}{16\sqrt{c}} - \frac{1}{2}x$$

input

```
integrate(sinh(c*x^2+b*x+a)^2,x, algorithm="maxima")
```

output

```
1/16*sqrt(2)*sqrt(pi)*erf(sqrt(2)*sqrt(-c)*x - 1/2*sqrt(2)*b/sqrt(-c))*e^(2*a - 1/2*b^2/c)/sqrt(-c) + 1/16*sqrt(2)*sqrt(pi)*erf(sqrt(2)*sqrt(c)*x + 1/2*sqrt(2)*b/sqrt(c))*e^(-2*a + 1/2*b^2/c)/sqrt(c) - 1/2*x
```

Giac [A] (verification not implemented)

Time = 0.13 (sec) , antiderivative size = 94, normalized size of antiderivative = 0.85

$$\int \sinh^2(a + bx + cx^2) dx = -\frac{\sqrt{2}\sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2}\sqrt{2}\sqrt{c}\left(2x + \frac{b}{c}\right)\right) e^{\left(\frac{b^2-4ac}{2c}\right)}}{16\sqrt{c}} - \frac{\sqrt{2}\sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2}\sqrt{2}\sqrt{-c}\left(2x + \frac{b}{c}\right)\right) e^{\left(-\frac{b^2-4ac}{2c}\right)}}{16\sqrt{-c}} - \frac{1}{2}x$$

input `integrate(sinh(c*x^2+b*x+a)^2,x, algorithm="giac")`output `-1/16*sqrt(2)*sqrt(pi)*erf(-1/2*sqrt(2)*sqrt(c)*(2*x + b/c))*e^(1/2*(b^2 - 4*a*c)/c)/sqrt(c) - 1/16*sqrt(2)*sqrt(pi)*erf(-1/2*sqrt(2)*sqrt(-c)*(2*x + b/c))*e^(-1/2*(b^2 - 4*a*c)/c)/sqrt(-c) - 1/2*x`**Mupad [F(-1)]**

Timed out.

$$\int \sinh^2(a + bx + cx^2) dx = \int \sinh(cx^2 + bx + a)^2 dx$$

input `int(sinh(a + b*x + c*x^2)^2,x)`output `int(sinh(a + b*x + c*x^2)^2, x)`**Reduce [F]**

$$\int \sinh^2(a + bx + cx^2) dx = \int \sinh(cx^2 + bx + a)^2 dx$$

input `int(sinh(c*x^2+b*x+a)^2,x)`output `int(sinh(a + b*x + c*x**2)**2,x)`

3.19 $\int \frac{\sinh^2(a+bx+cx^2)}{x} dx$

Optimal result	154
Mathematica [N/A]	154
Rubi [N/A]	155
Maple [N/A]	155
Fricas [N/A]	156
Sympy [N/A]	156
Maxima [N/A]	156
Giac [N/A]	157
Mupad [N/A]	157
Reduce [N/A]	158

Optimal result

Integrand size = 17, antiderivative size = 17

$$\int \frac{\sinh^2(a+bx+cx^2)}{x} dx = -\frac{\log(x)}{2} + \frac{1}{2} \text{Int}\left(\frac{\cosh(2a+2bx+2cx^2)}{x}, x\right)$$

output

```
-1/2*ln(x)+1/2*Defer(Int)(cosh(2*c*x^2+2*b*x+2*a)/x,x)
```

Mathematica [N/A]

Not integrable

Time = 11.57 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.12

$$\int \frac{\sinh^2(a+bx+cx^2)}{x} dx = \int \frac{\sinh^2(a+bx+cx^2)}{x} dx$$

input

```
Integrate[Sinh[a + b*x + c*x^2]^2/x,x]
```

output

```
Integrate[Sinh[a + b*x + c*x^2]^2/x, x]
```

Rubi [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\sinh^2(a + bx + cx^2)}{x} dx$$

$$\downarrow \text{5917}$$

$$\int \left(\frac{\cosh(2a + 2bx + 2cx^2)}{2x} - \frac{1}{2x} \right) dx$$

$$\downarrow \text{2009}$$

$$\frac{1}{2} \int \frac{\cosh(2cx^2 + 2bx + 2a)}{x} dx - \frac{\log(x)}{2}$$

input `Int[Sinh[a + b*x + c*x^2]^2/x,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.11 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.00

$$\int \frac{\sinh(cx^2 + bx + a)^2}{x} dx$$

input `int(sinh(c*x^2+b*x+a)^2/x,x)`

output `int(sinh(c*x^2+b*x+a)^2/x,x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.12

$$\int \frac{\sinh^2(a + bx + cx^2)}{x} dx = \int \frac{\sinh(cx^2 + bx + a)^2}{x} dx$$

input `integrate(sinh(c*x^2+b*x+a)^2/x,x, algorithm="fricas")`

output `integral(sinh(c*x^2 + b*x + a)^2/x, x)`

Sympy [N/A]

Not integrable

Time = 0.84 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.88

$$\int \frac{\sinh^2(a + bx + cx^2)}{x} dx = \int \frac{\sinh^2(a + bx + cx^2)}{x} dx$$

input `integrate(sinh(c*x**2+b*x+a)**2/x,x)`

output `Integral(sinh(a + b*x + c*x**2)**2/x, x)`

Maxima [N/A]

Not integrable

Time = 0.26 (sec) , antiderivative size = 51, normalized size of antiderivative = 3.00

$$\int \frac{\sinh^2(a + bx + cx^2)}{x} dx = \int \frac{\sinh(cx^2 + bx + a)^2}{x} dx$$

input `integrate(sinh(c*x^2+b*x+a)^2/x,x, algorithm="maxima")`

output `1/4*integrate(e^(2*c*x^2 + 2*b*x + 2*a)/x, x) + 1/4*integrate(e^(-2*c*x^2 - 2*b*x - 2*a)/x, x) - 1/2*log(x)`

Giac [N/A]

Not integrable

Time = 0.14 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.12

$$\int \frac{\sinh^2(a + bx + cx^2)}{x} dx = \int \frac{\sinh(cx^2 + bx + a)^2}{x} dx$$

input `integrate(sinh(c*x^2+b*x+a)^2/x,x, algorithm="giac")`

output `integrate(sinh(c*x^2 + b*x + a)^2/x, x)`

Mupad [N/A]

Not integrable

Time = 1.36 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.12

$$\int \frac{\sinh^2(a + bx + cx^2)}{x} dx = \int \frac{\sinh(cx^2 + bx + a)^2}{x} dx$$

input `int(sinh(a + b*x + c*x^2)^2/x,x)`

output `int(sinh(a + b*x + c*x^2)^2/x, x)`

Reduce [N/A]

Not integrable

Time = 0.16 (sec) , antiderivative size = 65, normalized size of antiderivative = 3.82

$$\int \frac{\sinh^2(a + bx + cx^2)}{x} dx = \frac{e^{4a} \left(\int \frac{e^{2cx^2+2bx}}{x} dx \right) - 2e^{2a} \log(x) + \int \frac{1}{e^{2cx^2+2bx}} dx}{4e^{2a}}$$

input `int(sinh(c*x^2+b*x+a)^2/x,x)`output `(e**(4*a)*int(e**(2*b*x + 2*c*x**2)/x,x) - 2*e**(2*a)*log(x) + int(1/(e**(2*b*x + 2*c*x**2)*x),x))/(4*e**(2*a))`

3.20 $\int x^2 \sinh^2(a + bx - cx^2) dx$

Optimal result	159
Mathematica [A] (verified)	160
Rubi [A] (verified)	160
Maple [A] (verified)	161
Fricas [B] (verification not implemented)	162
Sympy [F]	163
Maxima [A] (verification not implemented)	164
Giac [A] (verification not implemented)	164
Mupad [F(-1)]	165
Reduce [F]	165

Optimal result

Integrand size = 18, antiderivative size = 268

$$\int x^2 \sinh^2(a + bx - cx^2) dx = -\frac{x^3}{6} - \frac{b^2 e^{2a + \frac{b^2}{2c}} \sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\frac{b-2cx}{\sqrt{2}\sqrt{c}}\right)}{32c^{5/2}} - \frac{e^{2a + \frac{b^2}{2c}} \sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\frac{b-2cx}{\sqrt{2}\sqrt{c}}\right)}{32c^{3/2}}$$

$$- \frac{b^2 e^{-2a - \frac{b^2}{2c}} \sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\frac{b-2cx}{\sqrt{2}\sqrt{c}}\right)}{32c^{5/2}} + \frac{e^{-2a - \frac{b^2}{2c}} \sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\frac{b-2cx}{\sqrt{2}\sqrt{c}}\right)}{32c^{3/2}}$$

$$- \frac{b \sinh(2a + 2bx - 2cx^2)}{16c^2} - \frac{x \sinh(2a + 2bx - 2cx^2)}{8c}$$

output

```
-1/6*x^3-1/64*b^2*exp(2*a+1/2*b^2/c)*2^(1/2)*Pi^(1/2)*erf(1/2*(-2*c*x+b)*2
^(1/2)/c^(1/2))/c^(5/2)-1/64*exp(2*a+1/2*b^2/c)*2^(1/2)*Pi^(1/2)*erf(1/2*(
-2*c*x+b)*2^(1/2)/c^(1/2))/c^(3/2)-1/64*b^2*exp(-2*a-1/2*b^2/c)*2^(1/2)*Pi
^(1/2)*erfi(1/2*(-2*c*x+b)*2^(1/2)/c^(1/2))/c^(5/2)+1/64*exp(-2*a-1/2*b^2/
c)*2^(1/2)*Pi^(1/2)*erfi(1/2*(-2*c*x+b)*2^(1/2)/c^(1/2))/c^(3/2)-1/16*b*si
nh(-2*c*x^2+2*b*x+2*a)/c^2-1/8*x*sinh(-2*c*x^2+2*b*x+2*a)/c
```


Mathematica [A] (verified)

Time = 0.49 (sec) , antiderivative size = 181, normalized size of antiderivative = 0.68

$$\int x^2 \sinh^2(a + bx - cx^2) dx$$

$$= \frac{3(b^2 - c) \sqrt{2\pi} \operatorname{erfi}\left(\frac{-b+2cx}{\sqrt{2}\sqrt{c}}\right) \left(\cosh\left(2a + \frac{b^2}{2c}\right) - \sinh\left(2a + \frac{b^2}{2c}\right)\right) + 3(b^2 + c) \sqrt{2\pi} \operatorname{erf}\left(\frac{-b+2cx}{\sqrt{2}\sqrt{c}}\right) \left(\cosh\left(2a - \frac{b^2}{2c}\right) - \sinh\left(2a - \frac{b^2}{2c}\right)\right)}{192c^{5/2}}$$

input

```
Integrate[x^2*Sinh[a + b*x - c*x^2]^2,x]
```

output

```
(3*(b^2 - c)*Sqrt[2*Pi]*Erfi[(-b + 2*c*x)/(Sqrt[2]*Sqrt[c])]*(Cosh[2*a + b^2/(2*c)] - Sinh[2*a + b^2/(2*c)]) + 3*(b^2 + c)*Sqrt[2*Pi]*Erf[(-b + 2*c*x)/(Sqrt[2]*Sqrt[c])]*(Cosh[2*a + b^2/(2*c)] + Sinh[2*a + b^2/(2*c)]) - 4*Sqrt[c]*(8*c^2*x^3 + 3*(b + 2*c*x)*Sinh[2*(a + x*(b - c*x))]))/(192*c^(5/2))
```

Rubi [A] (verified)

Time = 0.48 (sec) , antiderivative size = 268, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {5917, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^2 \sinh^2(a + bx - cx^2) dx$$

$$\downarrow \text{5917}$$

$$\int \left(\frac{1}{2} x^2 \cosh(2a + 2bx - 2cx^2) - \frac{x^2}{2} \right) dx$$

$$\downarrow \text{2009}$$

$$\begin{aligned}
& -\frac{\sqrt{\frac{\pi}{2}}e^{2a+\frac{b^2}{2c}}\operatorname{erf}\left(\frac{b-2cx}{\sqrt{2}\sqrt{c}}\right)}{32c^{3/2}} - \frac{\sqrt{\frac{\pi}{2}}b^2e^{2a+\frac{b^2}{2c}}\operatorname{erf}\left(\frac{b-2cx}{\sqrt{2}\sqrt{c}}\right)}{32c^{5/2}} + \frac{\sqrt{\frac{\pi}{2}}e^{-2a-\frac{b^2}{2c}}\operatorname{erfi}\left(\frac{b-2cx}{\sqrt{2}\sqrt{c}}\right)}{32c^{3/2}} - \\
& \frac{\sqrt{\frac{\pi}{2}}b^2e^{-2a-\frac{b^2}{2c}}\operatorname{erfi}\left(\frac{b-2cx}{\sqrt{2}\sqrt{c}}\right)}{32c^{5/2}} - \frac{b\sinh(2a+2bx-2cx^2)}{16c^2} - \frac{x\sinh(2a+2bx-2cx^2)}{8c} - \frac{x^3}{6}
\end{aligned}$$

input `Int[x^2*Sinh[a + b*x - c*x^2]^2,x]`

output `-1/6*x^3 - (b^2*E^(2*a + b^2/(2*c))*Sqrt[Pi/2]*Erf[(b - 2*c*x)/(Sqrt[2]*Sqrt[c]])/(32*c^(5/2)) - (E^(2*a + b^2/(2*c))*Sqrt[Pi/2]*Erf[(b - 2*c*x)/(Sqrt[2]*Sqrt[c]])/(32*c^(3/2)) - (b^2*E^(-2*a - b^2/(2*c))*Sqrt[Pi/2]*Erfi[(b - 2*c*x)/(Sqrt[2]*Sqrt[c]])/(32*c^(5/2)) + (E^(-2*a - b^2/(2*c))*Sqrt[Pi/2]*Erfi[(b - 2*c*x)/(Sqrt[2]*Sqrt[c]])/(32*c^(3/2)) - (b*Sinh[2*a + 2*b*x - 2*c*x^2])/(16*c^2) - (x*Sinh[2*a + 2*b*x - 2*c*x^2])/(8*c)`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 5917 `Int[((d._) + (e._)*(x._))^(m._)*Sinh[(a._) + (b._)*(x._) + (c._)*(x._)^2]^(n_) , x_Symbol] := Int[ExpandTrigReduce[(d + e*x)^m, Sinh[a + b*x + c*x^2]^n, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 1]`

Maple [A] (verified)

Time = 0.54 (sec) , antiderivative size = 273, normalized size of antiderivative = 1.02

method	result
risch	$-\frac{x^3}{6} + \frac{x e^{2c x^2 - 2bx - 2a}}{16c} + \frac{b e^{2c x^2 - 2bx - 2a}}{32c^2} + \frac{b^2 \sqrt{\pi} e^{-\frac{4ac+b^2}{2c}} \operatorname{erf}\left(\sqrt{-2c}x + \frac{b}{\sqrt{-2c}}\right)}{32c^2 \sqrt{-2c}} - \frac{\sqrt{\pi} e^{-\frac{4ac+b^2}{2c}} \operatorname{erf}\left(\sqrt{-2c}x + \frac{b}{\sqrt{-2c}}\right)}{32c \sqrt{-2c}}$

input `int(x^2*sinh(-c*x^2+b*x+a)^2,x,method=_RETURNVERBOSE)`

output

```
-1/6*x^3+1/16/c*x*exp(2*c*x^2-2*b*x-2*a)+1/32*b/c^2*exp(2*c*x^2-2*b*x-2*a)
+1/32*b^2/c^2*Pi^(1/2)*exp(-1/2*(4*a*c+b^2)/c)/(-2*c)^(1/2)*erf((-2*c)^(1/2)
*x+b/(-2*c)^(1/2))-1/32/c*Pi^(1/2)*exp(-1/2*(4*a*c+b^2)/c)/(-2*c)^(1/2)*
erf((-2*c)^(1/2)*x+b/(-2*c)^(1/2))-1/16/c*x*exp(-2*c*x^2+2*b*x+2*a)-1/32*b
/c^2*exp(-2*c*x^2+2*b*x+2*a)-1/64*b^2/c^(5/2)*Pi^(1/2)*exp(1/2*(4*a*c+b^2)
/c)*2^(1/2)*erf(-2^(1/2)*c^(1/2)*x+1/2*b*2^(1/2)/c^(1/2))-1/64/c^(3/2)*Pi^(
1/2)*exp(1/2*(4*a*c+b^2)/c)*2^(1/2)*erf(-2^(1/2)*c^(1/2)*x+1/2*b*2^(1/2)/
c^(1/2))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 843 vs. $2(218) = 436$.

Time = 0.13 (sec) , antiderivative size = 843, normalized size of antiderivative = 3.15

$$\int x^2 \sinh^2(a + bx - cx^2) dx = \text{Too large to display}$$

input

```
integrate(x^2*sinh(-c*x^2+b*x+a)^2,x, algorithm="fricas")
```

output

```
-1/192*(32*c^3*x^3*cosh(c*x^2 - b*x - a)^2 - 6*(2*c^2*x + b*c)*cosh(c*x^2 - b*x - a)^4 - 24*(2*c^2*x + b*c)*cosh(c*x^2 - b*x - a)*sinh(c*x^2 - b*x - a)^3 - 6*(2*c^2*x + b*c)*sinh(c*x^2 - b*x - a)^4 + 3*sqrt(2)*sqrt(pi)*((b^2 - c)*cosh(c*x^2 - b*x - a)^2*cosh(1/2*(b^2 + 4*a*c)/c) - (b^2 - c)*cosh(c*x^2 - b*x - a)^2*sinh(1/2*(b^2 + 4*a*c)/c) + ((b^2 - c)*cosh(1/2*(b^2 + 4*a*c)/c) - (b^2 - c)*sinh(1/2*(b^2 + 4*a*c)/c))*sinh(c*x^2 - b*x - a)^2 + 2*((b^2 - c)*cosh(c*x^2 - b*x - a)*cosh(1/2*(b^2 + 4*a*c)/c) - (b^2 - c)*cosh(c*x^2 - b*x - a)*sinh(1/2*(b^2 + 4*a*c)/c))*sinh(c*x^2 - b*x - a))*sqrt(-c)*erf(1/2*sqrt(2)*(2*c*x - b)*sqrt(-c)/c) - 3*sqrt(2)*sqrt(pi)*((b^2 + c)*cosh(c*x^2 - b*x - a)^2*cosh(1/2*(b^2 + 4*a*c)/c) + (b^2 + c)*cosh(c*x^2 - b*x - a)^2*sinh(1/2*(b^2 + 4*a*c)/c) + ((b^2 + c)*cosh(1/2*(b^2 + 4*a*c)/c) + (b^2 + c)*sinh(1/2*(b^2 + 4*a*c)/c))*sinh(c*x^2 - b*x - a)^2 + 2*((b^2 + c)*cosh(c*x^2 - b*x - a)*cosh(1/2*(b^2 + 4*a*c)/c) + (b^2 + c)*cosh(c*x^2 - b*x - a)*sinh(1/2*(b^2 + 4*a*c)/c))*sinh(c*x^2 - b*x - a))*sqrt(c)*erf(1/2*sqrt(2)*(2*c*x - b)/sqrt(c)) + 12*c^2*x + 4*(8*c^3*x^3 - 9*(2*c^2*x + b*c)*cosh(c*x^2 - b*x - a)^2)*sinh(c*x^2 - b*x - a)^2 + 6*b*c + 8*(8*c^3*x^3*cosh(c*x^2 - b*x - a) - 3*(2*c^2*x + b*c)*cosh(c*x^2 - b*x - a)^3)*sinh(c*x^2 - b*x - a))/(c^3*cosh(c*x^2 - b*x - a)^2 + 2*c^3*cosh(c*x^2 - b*x - a)*sinh(c*x^2 - b*x - a) + c^3*sinh(c*x^2 - b*x - a)^2)
```

Sympy [F]

$$\int x^2 \sinh^2(a + bx - cx^2) dx = \int x^2 \sinh^2(a + bx - cx^2) dx$$

input

```
integrate(x**2*sinh(-c*x**2+b*x+a)**2,x)
```

output

```
Integral(x**2*sinh(a + b*x - c*x**2)**2, x)
```

Maxima [A] (verification not implemented)

Time = 0.19 (sec) , antiderivative size = 322, normalized size of antiderivative = 1.20

$$\int x^2 \sinh^2(a + bx - cx^2) dx = -\frac{1}{6} x^3$$

$$\frac{\sqrt{2} \left(\frac{\sqrt{\pi}(2cx-b)b^2 \left(\operatorname{erf}\left(\sqrt{\frac{1}{2}} \sqrt{\frac{(2cx-b)^2}{c}}\right) - 1\right)}{\sqrt{\frac{(2cx-b)^2}{c}} (-c)^{\frac{5}{2}}} - \frac{2\sqrt{2}bce^{-\frac{(2cx-b)^2}{2c}}}{(-c)^{\frac{5}{2}}} - \frac{2(2cx-b)^3 \Gamma\left(\frac{3}{2}, \frac{(2cx-b)^2}{2c}\right)}{\left(\frac{(2cx-b)^2}{c}\right)^{\frac{3}{2}} (-c)^{\frac{5}{2}}} \right) e^{2a + \frac{b^2}{2c}}}{64\sqrt{-c}}$$

$$+ \frac{\sqrt{2} \left(\frac{\sqrt{\pi}(2cx-b)b^2 \left(\operatorname{erf}\left(\sqrt{\frac{1}{2}} \sqrt{-\frac{(2cx-b)^2}{c}}\right) - 1\right)}{\sqrt{-\frac{(2cx-b)^2}{c}} c^{\frac{5}{2}}} + \frac{2\sqrt{2}be^{\frac{(2cx-b)^2}{2c}}}{c^{\frac{3}{2}}} - \frac{2(2cx-b)^3 \Gamma\left(\frac{3}{2}, -\frac{(2cx-b)^2}{2c}\right)}{\left(-\frac{(2cx-b)^2}{c}\right)^{\frac{3}{2}} c^{\frac{5}{2}}} \right) e^{-2a - \frac{b^2}{2c}}}{64\sqrt{c}}$$

input `integrate(x^2*sinh(-c*x^2+b*x+a)^2,x, algorithm="maxima")`output

```

-1/6*x^3 - 1/64*sqrt(2)*(sqrt(pi)*(2*c*x - b)*b^2*(erf(sqrt(1/2)*sqrt((2*c*x - b)^2/c)) - 1)/(sqrt((2*c*x - b)^2/c)*(-c)^(5/2)) - 2*sqrt(2)*b*c*e^(-1/2*(2*c*x - b)^2/c)/(-c)^(5/2) - 2*(2*c*x - b)^3*gamma(3/2, 1/2*(2*c*x - b)^2/c)/(((2*c*x - b)^2/c)^(3/2)*(-c)^(5/2)))*e^(2*a + 1/2*b^2/c)/sqrt(-c)
+ 1/64*sqrt(2)*(sqrt(pi)*(2*c*x - b)*b^2*(erf(sqrt(1/2)*sqrt(-(2*c*x - b)^2/c)) - 1)/(sqrt(-(2*c*x - b)^2/c)*c^(5/2)) + 2*sqrt(2)*b*c*e^(1/2*(2*c*x - b)^2/c)/c^(3/2) - 2*(2*c*x - b)^3*gamma(3/2, -1/2*(2*c*x - b)^2/c)/((-2*c*x - b)^2/c)^(3/2)*c^(5/2)))*e^(-2*a - 1/2*b^2/c)/sqrt(c)

```

Giac [A] (verification not implemented)

Time = 0.13 (sec) , antiderivative size = 186, normalized size of antiderivative = 0.69

$$\int x^2 \sinh^2(a + bx - cx^2) dx$$

$$= -\frac{1}{6} x^3 - \frac{\frac{\sqrt{2}\sqrt{\pi}(b^2+c) \operatorname{erf}\left(-\frac{1}{2}\sqrt{2}\sqrt{c}\left(2x-\frac{b}{c}\right)\right) e^{\left(\frac{b^2+4ac}{2c}\right)}}{\sqrt{c}} + 2\left(c\left(2x-\frac{b}{c}\right) + 2b\right) e^{(-2cx^2+2bx+2a)}}{64c^2}$$

$$- \frac{\frac{\sqrt{2}\sqrt{\pi}(b^2-c) \operatorname{erf}\left(-\frac{1}{2}\sqrt{2}\sqrt{-c}\left(2x-\frac{b}{c}\right)\right) e^{\left(-\frac{b^2+4ac}{2c}\right)}}{\sqrt{-c}} - 2\left(c\left(2x-\frac{b}{c}\right) + 2b\right) e^{(2cx^2-2bx-2a)}}{64c^2}$$

input `integrate(x^2*sinh(-c*x^2+b*x+a)^2,x, algorithm="giac")`

output
$$-1/6*x^3 - 1/64*(\sqrt{2}*\sqrt{\pi}*(b^2 + c)*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{c}*(2*x - b/c))*e^{(1/2*(b^2 + 4*a*c)/c)/\sqrt{c}} + 2*(c*(2*x - b/c) + 2*b)*e^{(-2*c*x^2 + 2*b*x + 2*a)/c^2} - 1/64*(\sqrt{2}*\sqrt{\pi}*(b^2 - c)*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{-c}*(2*x - b/c))*e^{(-1/2*(b^2 + 4*a*c)/c)/\sqrt{-c}} - 2*(c*(2*x - b/c) + 2*b)*e^{(2*c*x^2 - 2*b*x - 2*a)/c^2}$$

Mupad [F(-1)]

Timed out.

$$\int x^2 \sinh^2(a + bx - cx^2) dx = \int x^2 \sinh(-cx^2 + bx + a)^2 dx$$

input `int(x^2*sinh(a + b*x - c*x^2)^2,x)`

output `int(x^2*sinh(a + b*x - c*x^2)^2, x)`

Reduce [F]

$$\int x^2 \sinh^2(a + bx - cx^2) dx = \frac{3\sqrt{\pi} e^{\frac{4c^2x^2+4bcx+8ac+b^2}{2c}} \operatorname{erf}\left(\frac{2cx-b}{\sqrt{c}\sqrt{2}}\right) b^2 + 3\sqrt{\pi} e^{\frac{4c^2x^2+4bcx+8ac+b^2}{2c}} \operatorname{erf}\left(\frac{2cx-b}{\sqrt{c}\sqrt{2}}\right) c - 3e^{4bx+4a} \sqrt{c} \sqrt{2} b - 6e^{4bx+4a} \sqrt{c}}{}$$

input `int(x^2*sinh(-c*x^2+b*x+a)^2,x)`

output

```
(3*sqrt(pi)*e**((8*a*c + b**2 + 4*b*c*x + 4*c**2*x**2)/(2*c))*erf((- b +
2*c*x)/(sqrt(c)*sqrt(2)))*b**2 + 3*sqrt(pi)*e**((8*a*c + b**2 + 4*b*c*x +
4*c**2*x**2)/(2*c))*erf((- b + 2*c*x)/(sqrt(c)*sqrt(2)))*c - 3*e**(4*a +
4*b*x)*sqrt(c)*sqrt(2)*b - 6*e**(4*a + 4*b*x)*sqrt(c)*sqrt(2)*c*x - 16*e**
(2*a + 2*b*x + 2*c*x**2)*sqrt(c)*sqrt(2)*c**2*x**3 + 6*e**(2*b*x + 2*c*x**
2)*sqrt(c)*sqrt(2)*int(e**(2*c*x**2)/e**(2*b*x),x)*b**2 - 6*e**(2*b*x + 2*
c*x**2)*sqrt(c)*sqrt(2)*int(e**(2*c*x**2)/e**(2*b*x),x)*c + 3*e**(4*c*x**2
)*sqrt(c)*sqrt(2)*b + 6*e**(4*c*x**2)*sqrt(c)*sqrt(2)*c*x/(96*e**(2*a + 2
*b*x + 2*c*x**2)*sqrt(c)*sqrt(2)*c**2)
```

3.21 $\int x \sinh^2(a + bx - cx^2) dx$

Optimal result	167
Mathematica [A] (verified)	167
Rubi [A] (verified)	168
Maple [A] (verified)	169
Fricas [B] (verification not implemented)	169
Sympy [F]	170
Maxima [A] (verification not implemented)	171
Giac [A] (verification not implemented)	171
Mupad [F(-1)]	172
Reduce [F]	172

Optimal result

Integrand size = 16, antiderivative size = 136

$$\int x \sinh^2(a + bx - cx^2) dx = -\frac{x^2}{4} - \frac{be^{2a+\frac{b^2}{2c}} \sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\frac{b-2cx}{\sqrt{2}\sqrt{c}}\right)}{16c^{3/2}} - \frac{be^{-2a-\frac{b^2}{2c}} \sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\frac{b-2cx}{\sqrt{2}\sqrt{c}}\right)}{16c^{3/2}} - \frac{\sinh(2a + 2bx - 2cx^2)}{8c}$$

output

```
-1/4*x^2-1/32*b*exp(2*a+1/2*b^2/c)*2^(1/2)*Pi^(1/2)*erf(1/2*(-2*c*x+b)*2^(1/2)/c^(1/2))/c^(3/2)-1/32*b*exp(-2*a-1/2*b^2/c)*2^(1/2)*Pi^(1/2)*erfi(1/2*(-2*c*x+b)*2^(1/2)/c^(1/2))/c^(3/2)-1/8*sinh(-2*c*x^2+2*b*x+2*a)/c
```

Mathematica [A] (verified)

Time = 0.27 (sec) , antiderivative size = 159, normalized size of antiderivative = 1.17

$$\int x \sinh^2(a + bx - cx^2) dx = \frac{b\sqrt{2\pi}\operatorname{erfi}\left(\frac{-b+2cx}{\sqrt{2}\sqrt{c}}\right) \left(\cosh\left(2a + \frac{b^2}{2c}\right) - \sinh\left(2a + \frac{b^2}{2c}\right)\right) + b\sqrt{2\pi}\operatorname{erf}\left(\frac{-b+2cx}{\sqrt{2}\sqrt{c}}\right) \left(\cosh\left(2a + \frac{b^2}{2c}\right) + \sinh\left(2a + \frac{b^2}{2c}\right)\right)}{32c^{3/2}}$$

input

```
Integrate[x*Sinh[a + b*x - c*x^2]^2,x]
```


output

$$\frac{(b\sqrt{2\pi}\operatorname{Erfi}[(-b + 2cx)/(\sqrt{2}\sqrt{c})]*(\cosh[2a + b^2/(2c)] - \sinh[2a + b^2/(2c)]) + b\sqrt{2\pi}\operatorname{Erf}[(-b + 2cx)/(\sqrt{2}\sqrt{c})]*(\cosh[2a + b^2/(2c)] + \sinh[2a + b^2/(2c)]) - 4\sqrt{c}*(2cx^2 + \sinh[2(a + x(b - cx))]))}{(32c^{3/2})}$$
Rubi [A] (verified)

Time = 0.30 (sec) , antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {5917, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x \sinh^2(a + bx - cx^2) dx$$

$$\downarrow 5917$$

$$\int \left(\frac{1}{2}x \cosh(2a + 2bx - 2cx^2) - \frac{x}{2} \right) dx$$

$$\downarrow 2009$$

$$-\frac{\sqrt{\frac{\pi}{2}}be^{2a+\frac{b^2}{2c}}\operatorname{erf}\left(\frac{b-2cx}{\sqrt{2}\sqrt{c}}\right)}{16c^{3/2}} - \frac{\sqrt{\frac{\pi}{2}}be^{-2a-\frac{b^2}{2c}}\operatorname{erfi}\left(\frac{b-2cx}{\sqrt{2}\sqrt{c}}\right)}{16c^{3/2}} - \frac{\sinh(2a + 2bx - 2cx^2)}{8c} - \frac{x^2}{4}$$

input

$$\operatorname{Int}[x*\operatorname{Sinh}[a + b*x - c*x^2]^2,x]$$

output

$$-1/4*x^2 - (b*E^{(2*a + b^2/(2*c))}*\sqrt{\pi/2}*\operatorname{Erf}[(b - 2*c*x)/(\sqrt{2}*\sqrt{c})])/(16*c^{(3/2)}) - (b*E^{(-2*a - b^2/(2*c))}*\sqrt{\pi/2}*\operatorname{Erfi}[(b - 2*c*x)/(\sqrt{2}*\sqrt{c})])/(16*c^{(3/2)}) - \operatorname{Sinh}[2*a + 2*b*x - 2*c*x^2]/(8*c)$$

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 5917 `Int[((d_.) + (e_.)*(x_))^(m_.)*Sinh[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]^(n_) , x_Symbol] := Int[ExpandTrigReduce[(d + e*x)^m, Sinh[a + b*x + c*x^2]^n, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 1]`

Maple [A] (verified)

Time = 0.49 (sec) , antiderivative size = 137, normalized size of antiderivative = 1.01

method	result
risch	$-\frac{x^2}{4} + \frac{e^{2c}x^2 - 2bx - 2a}{16c} + \frac{b\sqrt{\pi}e^{-\frac{4ac+b^2}{2c}}\operatorname{erf}\left(\sqrt{-2c}x + \frac{b}{\sqrt{-2c}}\right)}{16c\sqrt{-2c}} - \frac{e^{-2c}x^2 + 2bx + 2a}{16c} - \frac{b\sqrt{\pi}e^{\frac{4ac+b^2}{2c}}\sqrt{2}\operatorname{erf}\left(-\sqrt{2}\sqrt{c}x + \frac{b\sqrt{2}}{2\sqrt{c}}\right)}{32c^{\frac{3}{2}}}$

input `int(x*sinh(-c*x^2+b*x+a)^2,x,method=_RETURNVERBOSE)`

output `-1/4*x^2+1/16/c*exp(2*c*x^2-2*b*x-2*a)+1/16*b/c*Pi^(1/2)*exp(-1/2*(4*a*c+b^2)/c)/(-2*c)^(1/2)*erf((-2*c)^(1/2)*x+b/(-2*c)^(1/2))-1/16/c*exp(-2*c*x^2+2*b*x+2*a)-1/32*b/c^(3/2)*Pi^(1/2)*exp(1/2*(4*a*c+b^2)/c)*2^(1/2)*erf(-2^(1/2)*c^(1/2)*x+1/2*b*2^(1/2)/c^(1/2))`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 730 vs. $2(110) = 220$.

Time = 0.08 (sec) , antiderivative size = 730, normalized size of antiderivative = 5.37

$$\int x \sinh^2(a + bx - cx^2) dx = \text{Too large to display}$$

input `integrate(x*sinh(-c*x^2+b*x+a)^2,x, algorithm="fricas")`

output

```
-1/32*(8*c^2*x^2*cosh(c*x^2 - b*x - a)^2 - 2*c*cosh(c*x^2 - b*x - a)^4 - 8
*c*cosh(c*x^2 - b*x - a)*sinh(c*x^2 - b*x - a)^3 - 2*c*sinh(c*x^2 - b*x -
a)^4 + sqrt(2)*sqrt(pi)*(b*cosh(c*x^2 - b*x - a)^2*cosh(1/2*(b^2 + 4*a*c)/
c) - b*cosh(c*x^2 - b*x - a)^2*sinh(1/2*(b^2 + 4*a*c)/c) + (b*cosh(1/2*(b^
2 + 4*a*c)/c) - b*sinh(1/2*(b^2 + 4*a*c)/c))*sinh(c*x^2 - b*x - a)^2 + 2*(
b*cosh(c*x^2 - b*x - a)*cosh(1/2*(b^2 + 4*a*c)/c) - b*cosh(c*x^2 - b*x - a
)*sinh(1/2*(b^2 + 4*a*c)/c))*sinh(c*x^2 - b*x - a)*sqrt(-c)*erf(1/2*sqrt(
2)*(2*c*x - b)*sqrt(-c)/c) - sqrt(2)*sqrt(pi)*(b*cosh(c*x^2 - b*x - a)^2*c
osh(1/2*(b^2 + 4*a*c)/c) + b*cosh(c*x^2 - b*x - a)^2*sinh(1/2*(b^2 + 4*a*c
)/c) + (b*cosh(1/2*(b^2 + 4*a*c)/c) + b*sinh(1/2*(b^2 + 4*a*c)/c))*sinh(c*
x^2 - b*x - a)^2 + 2*(b*cosh(c*x^2 - b*x - a)*cosh(1/2*(b^2 + 4*a*c)/c) +
b*cosh(c*x^2 - b*x - a)*sinh(1/2*(b^2 + 4*a*c)/c))*sinh(c*x^2 - b*x - a))*
sqrt(c)*erf(1/2*sqrt(2)*(2*c*x - b)/sqrt(c)) + 4*(2*c^2*x^2 - 3*c*cosh(c*x
^2 - b*x - a)^2)*sinh(c*x^2 - b*x - a)^2 + 8*(2*c^2*x^2*cosh(c*x^2 - b*x -
a) - c*cosh(c*x^2 - b*x - a)^3)*sinh(c*x^2 - b*x - a) + 2*c)/(c^2*cosh(c*
x^2 - b*x - a)^2 + 2*c^2*cosh(c*x^2 - b*x - a)*sinh(c*x^2 - b*x - a) + c^2
*sinh(c*x^2 - b*x - a)^2)
```

Sympy [F]

$$\int x \sinh^2(a + bx - cx^2) dx = \int x \sinh^2(a + bx - cx^2) dx$$

input

```
integrate(x*sinh(-c*x**2+b*x+a)**2,x)
```

output

```
Integral(x*sinh(a + b*x - c*x**2)**2, x)
```

Maxima [A] (verification not implemented)

Time = 0.17 (sec) , antiderivative size = 216, normalized size of antiderivative = 1.59

$$\int x \sinh^2(a + bx - cx^2) dx$$

$$= -\frac{1}{4}x^2 + \frac{\sqrt{2} \left(\frac{\sqrt{\pi}(2cx-b)b \left(\operatorname{erf}\left(\sqrt{\frac{1}{2}}\sqrt{\frac{(2cx-b)^2}{c}}\right) - 1\right)}{\sqrt{\frac{(2cx-b)^2}{c}}(-c)^{\frac{3}{2}}} - \frac{\sqrt{2}ce^{-\frac{(2cx-b)^2}{2c}}}{(-c)^{\frac{3}{2}}} \right) e^{2a + \frac{b^2}{2c}}}{32\sqrt{-c}}$$

$$+ \frac{\sqrt{2} \left(\frac{\sqrt{\pi}(2cx-b)b \left(\operatorname{erf}\left(\sqrt{\frac{1}{2}}\sqrt{-\frac{(2cx-b)^2}{c}}\right) - 1\right)}{\sqrt{-\frac{(2cx-b)^2}{c}}c^{\frac{3}{2}}} + \frac{\sqrt{2}e^{\frac{(2cx-b)^2}{2c}}}{\sqrt{c}} \right) e^{-2a - \frac{b^2}{2c}}}{32\sqrt{c}}$$

input `integrate(x*sinh(-c*x^2+b*x+a)^2,x, algorithm="maxima")`output `-1/4*x^2 + 1/32*sqrt(2)*(sqrt(pi)*(2*c*x - b)*b*(erf(sqrt(1/2)*sqrt((2*c*x - b)^2/c)) - 1)/(sqrt((2*c*x - b)^2/c)*(-c)^(3/2)) - sqrt(2)*c*e^(-1/2*(2*c*x - b)^2/c)/(-c)^(3/2))*e^(2*a + 1/2*b^2/c)/sqrt(-c) + 1/32*sqrt(2)*(sqrt(pi)*(2*c*x - b)*b*(erf(sqrt(1/2)*sqrt(-(2*c*x - b)^2/c)) - 1)/(sqrt(-(2*c*x - b)^2/c)*c^(3/2)) + sqrt(2)*e^(1/2*(2*c*x - b)^2/c)/sqrt(c))*e^(-2*a - 1/2*b^2/c)/sqrt(c)`**Giac [A] (verification not implemented)**

Time = 0.13 (sec) , antiderivative size = 144, normalized size of antiderivative = 1.06

$$\int x \sinh^2(a + bx - cx^2) dx = -\frac{1}{4}x^2$$

$$- \frac{\sqrt{2}\sqrt{\pi}b \operatorname{erf}\left(-\frac{1}{2}\sqrt{2}\sqrt{c}\left(2x - \frac{b}{c}\right)\right) e^{\frac{b^2+4ac}{2c}}}{\sqrt{c}} + 2e^{-2cx^2+2bx+2a}$$

$$- \frac{\sqrt{2}\sqrt{\pi}b \operatorname{erf}\left(-\frac{1}{2}\sqrt{2}\sqrt{-c}\left(2x - \frac{b}{c}\right)\right) e^{-\frac{b^2+4ac}{2c}}}{\sqrt{-c}} - 2e^{(2cx^2-2bx-2a)}$$

$$- \frac{32c}{32c}$$

input `integrate(x*sinh(-c*x^2+b*x+a)^2,x, algorithm="giac")`

output

```
-1/4*x^2 - 1/32*(sqrt(2)*sqrt(pi)*b*erf(-1/2*sqrt(2)*sqrt(c)*(2*x - b/c))*
e^(1/2*(b^2 + 4*a*c)/c)/sqrt(c) + 2*e^(-2*c*x^2 + 2*b*x + 2*a))/c - 1/32*(
sqrt(2)*sqrt(pi)*b*erf(-1/2*sqrt(2)*sqrt(-c)*(2*x - b/c))*e^(-1/2*(b^2 + 4
*a*c)/c)/sqrt(-c) - 2*e^(2*c*x^2 - 2*b*x - 2*a))/c
```

Mupad [F(-1)]

Timed out.

$$\int x \sinh^2(a + bx - cx^2) dx = \int x \sinh(-cx^2 + bx + a)^2 dx$$

input

```
int(x*sinh(a + b*x - c*x^2)^2,x)
```

output

```
int(x*sinh(a + b*x - c*x^2)^2, x)
```

Reduce [F]

$$\int x \sinh^2(a + bx - cx^2) dx$$

$$= \frac{\sqrt{\pi} e^{\frac{4c^2x^2+4bcx+8ac+b^2}{2c}} \operatorname{erf}\left(\frac{2cx-b}{\sqrt{c}\sqrt{2}}\right) b - e^{4bx+4a} \sqrt{c} \sqrt{2} - 4e^{2cx^2+2bx+2a} \sqrt{c} \sqrt{2} cx^2 + 2e^{2cx^2+2bx} \sqrt{c} \sqrt{2} \left(\int \frac{e^{2cx^2}}{e^{2bx}} dx \right)}{16e^{2cx^2+2bx+2a} \sqrt{c} \sqrt{2} c}$$

input

```
int(x*sinh(-c*x^2+b*x+a)^2,x)
```

output

```
(sqrt(pi)*e**((8*a*c + b**2 + 4*b*c*x + 4*c**2*x**2)/(2*c))*erf((- b + 2*
c*x)/(sqrt(c)*sqrt(2)))*b - e**(4*a + 4*b*x)*sqrt(c)*sqrt(2) - 4*e**(2*a +
2*b*x + 2*c*x**2)*sqrt(c)*sqrt(2)*c*x**2 + 2*e**(2*b*x + 2*c*x**2)*sqrt(c
)*sqrt(2)*int(e**(2*c*x**2)/e**(2*b*x),x)*b + e**(4*c*x**2)*sqrt(c)*sqrt(2
))/ (16*e**(2*a + 2*b*x + 2*c*x**2)*sqrt(c)*sqrt(2)*c)
```

3.22 $\int \sinh^2(a + bx - cx^2) dx$

Optimal result	173
Mathematica [A] (verified)	173
Rubi [A] (verified)	174
Maple [A] (verified)	175
Fricas [A] (verification not implemented)	175
Sympy [F]	176
Maxima [A] (verification not implemented)	176
Giac [A] (verification not implemented)	177
Mupad [F(-1)]	177
Reduce [F]	177

Optimal result

Integrand size = 14, antiderivative size = 110

$$\int \sinh^2(a + bx - cx^2) dx = -\frac{x}{2} - \frac{e^{2a+\frac{b^2}{2c}} \sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\frac{b-2cx}{\sqrt{2}\sqrt{c}}\right)}{8\sqrt{c}} - \frac{e^{-2a-\frac{b^2}{2c}} \sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\frac{b-2cx}{\sqrt{2}\sqrt{c}}\right)}{8\sqrt{c}}$$

output

```
-1/2*x-1/16*exp(2*a+1/2*b^2/c)*2^(1/2)*Pi^(1/2)*erf(1/2*(-2*c*x+b)*2^(1/2)/c^(1/2))/c^(1/2)-1/16*exp(-2*a-1/2*b^2/c)*2^(1/2)*Pi^(1/2)*erfi(1/2*(-2*c*x+b)*2^(1/2)/c^(1/2))/c^(1/2)
```

Mathematica [A] (verified)

Time = 0.10 (sec) , antiderivative size = 144, normalized size of antiderivative = 1.31

$$\int \sinh^2(a + bx - cx^2) dx = \frac{-4\sqrt{2}\sqrt{cx} + \sqrt{\pi} \operatorname{erfi}\left(\frac{-b+2cx}{\sqrt{2}\sqrt{c}}\right) \left(\cosh\left(2a + \frac{b^2}{2c}\right) - \sinh\left(2a + \frac{b^2}{2c}\right)\right) + \sqrt{\pi} \operatorname{erf}\left(\frac{-b+2cx}{\sqrt{2}\sqrt{c}}\right) \left(\cosh\left(2a + \frac{b^2}{2c}\right) + \sinh\left(2a + \frac{b^2}{2c}\right)\right)}{8\sqrt{2}\sqrt{c}}$$

input

```
Integrate[Sinh[a + b*x - c*x^2]^2,x]
```

output

```
(-4*Sqrt[2]*Sqrt[c]*x + Sqrt[Pi]*Erfi[(-b + 2*c*x)/(Sqrt[2]*Sqrt[c])]*(Cosh[2*a + b^2/(2*c)] - Sinh[2*a + b^2/(2*c)]) + Sqrt[Pi]*Erf[(-b + 2*c*x)/(Sqrt[2]*Sqrt[c])]*(Cosh[2*a + b^2/(2*c)] + Sinh[2*a + b^2/(2*c)]))/(8*Sqrt[2]*Sqrt[c])
```

Rubi [A] (verified)

Time = 0.26 (sec) , antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {5899, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sinh^2(a + bx - cx^2) dx$$

$$\downarrow \text{5899}$$

$$\int \left(\frac{1}{2} \cosh(2a + 2bx - 2cx^2) - \frac{1}{2} \right) dx$$

$$\downarrow \text{2009}$$

$$-\frac{\sqrt{\frac{\pi}{2}} e^{2a + \frac{b^2}{2c}} \operatorname{erf}\left(\frac{b-2cx}{\sqrt{2}\sqrt{c}}\right)}{8\sqrt{c}} - \frac{\sqrt{\frac{\pi}{2}} e^{-2a - \frac{b^2}{2c}} \operatorname{erfi}\left(\frac{b-2cx}{\sqrt{2}\sqrt{c}}\right)}{8\sqrt{c}} - \frac{x}{2}$$

input

```
Int[Sinh[a + b*x - c*x^2]^2,x]
```

output

```
-1/2*x - (E^(2*a + b^2/(2*c))*Sqrt[Pi/2]*Erf[(b - 2*c*x)/(Sqrt[2]*Sqrt[c])])/(8*Sqrt[c]) - (E^(-2*a - b^2/(2*c))*Sqrt[Pi/2]*Erfi[(b - 2*c*x)/(Sqrt[2]*Sqrt[c])])/(8*Sqrt[c])
```

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 5899 `Int[Sinh[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]^(n_), x_Symbol] := Int[ExpandTrigReduce[Sinh[a + b*x + c*x^2]^n, x], x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 1]`

Maple [A] (verified)

Time = 0.44 (sec) , antiderivative size = 90, normalized size of antiderivative = 0.82

method	result	size
risch	$-\frac{x}{2} + \frac{\sqrt{\pi} e^{-\frac{4ac+b^2}{2c}} \operatorname{erf}\left(\sqrt{-2c}x + \frac{b}{\sqrt{-2c}}\right)}{8\sqrt{-2c}} - \frac{\sqrt{\pi} e^{\frac{4ac+b^2}{2c}} \sqrt{2} \operatorname{erf}\left(-\sqrt{2}\sqrt{c}x + \frac{b\sqrt{2}}{2\sqrt{c}}\right)}{16\sqrt{c}}$	90

input `int(sinh(-c*x^2+b*x+a)^2,x,method=_RETURNVERBOSE)`

output
$$-1/2*x+1/8*\Pi^{(1/2)}*\exp(-1/2*(4*a*c+b^2)/c)/(-2*c)^{(1/2)}*\operatorname{erf}((-2*c)^{(1/2)}*x+b/(-2*c)^{(1/2)})-1/16*\Pi^{(1/2)}*\exp(1/2*(4*a*c+b^2)/c)*2^{(1/2)}/c^{(1/2)}*\operatorname{erf}((-2^{(1/2)}*c^{(1/2)}*x+1/2*b*2^{(1/2)}/c^{(1/2)})$$

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 132, normalized size of antiderivative = 1.20

$$\int \sinh^2(a + bx - cx^2) dx = \frac{\sqrt{2}\sqrt{\pi}\sqrt{-c}\left(\cosh\left(\frac{b^2+4ac}{2c}\right) - \sinh\left(\frac{b^2+4ac}{2c}\right)\right)\operatorname{erf}\left(\frac{\sqrt{2}(2cx-b)\sqrt{-c}}{2c}\right) - \sqrt{2}\sqrt{\pi}\sqrt{c}\left(\cosh\left(\frac{b^2+4ac}{2c}\right) + \sinh\left(\frac{b^2+4ac}{2c}\right)\right)}{16c}$$

input `integrate(sinh(-c*x^2+b*x+a)^2,x, algorithm="fricas")`

output

```
-1/16*(sqrt(2)*sqrt(pi)*sqrt(-c)*(cosh(1/2*(b^2 + 4*a*c)/c) - sinh(1/2*(b^2 + 4*a*c)/c))*erf(1/2*sqrt(2)*(2*c*x - b)*sqrt(-c)/c) - sqrt(2)*sqrt(pi)*sqrt(c)*(cosh(1/2*(b^2 + 4*a*c)/c) + sinh(1/2*(b^2 + 4*a*c)/c))*erf(1/2*sqrt(2)*(2*c*x - b)/sqrt(c)) + 8*c*x)/c
```

Sympy [F]

$$\int \sinh^2(a + bx - cx^2) dx = \int \sinh^2(a + bx - cx^2) dx$$

input

```
integrate(sinh(-c*x**2+b*x+a)**2,x)
```

output

```
Integral(sinh(a + b*x - c*x**2)**2, x)
```

Maxima [A] (verification not implemented)

Time = 0.13 (sec) , antiderivative size = 96, normalized size of antiderivative = 0.87

$$\int \sinh^2(a + bx - cx^2) dx = \frac{\sqrt{2}\sqrt{\pi} \operatorname{erf}\left(\sqrt{2}\sqrt{cx} - \frac{\sqrt{2}b}{2\sqrt{c}}\right) e^{(2a + \frac{b^2}{2c})}}{16\sqrt{c}} + \frac{\sqrt{2}\sqrt{\pi} \operatorname{erf}\left(\sqrt{2}\sqrt{-cx} + \frac{\sqrt{2}b}{2\sqrt{-c}}\right) e^{(-2a - \frac{b^2}{2c})}}{16\sqrt{-c}} - \frac{1}{2}x$$

input

```
integrate(sinh(-c*x^2+b*x+a)^2,x, algorithm="maxima")
```

output

```
1/16*sqrt(2)*sqrt(pi)*erf(sqrt(2)*sqrt(c)*x - 1/2*sqrt(2)*b/sqrt(c))*e^(2*a + 1/2*b^2/c)/sqrt(c) + 1/16*sqrt(2)*sqrt(pi)*erf(sqrt(2)*sqrt(-c)*x + 1/2*sqrt(2)*b/sqrt(-c))*e^(-2*a - 1/2*b^2/c)/sqrt(-c) - 1/2*x
```

Giac [A] (verification not implemented)

Time = 0.13 (sec) , antiderivative size = 96, normalized size of antiderivative = 0.87

$$\int \sinh^2(a + bx - cx^2) dx = -\frac{\sqrt{2}\sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2}\sqrt{2}\sqrt{c}\left(2x - \frac{b}{c}\right)\right) e^{\left(\frac{b^2+4ac}{2c}\right)}}{16\sqrt{c}} - \frac{\sqrt{2}\sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2}\sqrt{2}\sqrt{-c}\left(2x - \frac{b}{c}\right)\right) e^{\left(-\frac{b^2+4ac}{2c}\right)}}{16\sqrt{-c}} - \frac{1}{2}x$$

input `integrate(sinh(-c*x^2+b*x+a)^2,x, algorithm="giac")`

output `-1/16*sqrt(2)*sqrt(pi)*erf(-1/2*sqrt(2)*sqrt(c)*(2*x - b/c))*e^(1/2*(b^2 + 4*a*c)/c)/sqrt(c) - 1/16*sqrt(2)*sqrt(pi)*erf(-1/2*sqrt(2)*sqrt(-c)*(2*x - b/c))*e^(-1/2*(b^2 + 4*a*c)/c)/sqrt(-c) - 1/2*x`

Mupad [F(-1)]

Timed out.

$$\int \sinh^2(a + bx - cx^2) dx = \int \sinh(-cx^2 + bx + a)^2 dx$$

input `int(sinh(a + b*x - c*x^2)^2,x)`

output `int(sinh(a + b*x - c*x^2)^2, x)`

Reduce [F]

$$\int \sinh^2(a + bx - cx^2) dx = \int \sinh(-cx^2 + bx + a)^2 dx$$

input `int(sinh(-c*x^2+b*x+a)^2,x)`

output `int(sinh(a + b*x - c*x**2)**2,x)`

3.23 $\int \frac{\sinh^2(a+bx-cx^2)}{x} dx$

Optimal result	178
Mathematica [N/A]	178
Rubi [N/A]	179
Maple [N/A]	179
Fricas [N/A]	180
Sympy [N/A]	180
Maxima [N/A]	180
Giac [N/A]	181
Mupad [N/A]	181
Reduce [N/A]	182

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{\sinh^2(a+bx-cx^2)}{x} dx = -\frac{\log(x)}{2} + \frac{1}{2} \text{Int}\left(\frac{\cosh(2a+2bx-2cx^2)}{x}, x\right)$$

output `-1/2*ln(x)+1/2*Defer(Int)(cosh(-2*c*x^2+2*b*x+2*a)/x,x)`

Mathematica [N/A]

Not integrable

Time = 13.01 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{\sinh^2(a+bx-cx^2)}{x} dx = \int \frac{\sinh^2(a+bx-cx^2)}{x} dx$$

input `Integrate[Sinh[a + b*x - c*x^2]^2/x,x]`

output `Integrate[Sinh[a + b*x - c*x^2]^2/x, x]`

Rubi [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\sinh^2(a + bx - cx^2)}{x} dx$$

$$\downarrow \text{5917}$$

$$\int \left(\frac{\cosh(2a + 2bx - 2cx^2)}{2x} - \frac{1}{2x} \right) dx$$

$$\downarrow \text{2009}$$

$$\frac{1}{2} \int \frac{\cosh(-2cx^2 + 2bx + 2a)}{x} dx - \frac{\log(x)}{2}$$

input `Int[Sinh[a + b*x - c*x^2]^2/x,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.11 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{\sinh(-cx^2 + bx + a)^2}{x} dx$$

input `int(sinh(-c*x^2+b*x+a)^2/x,x)`

output `int(sinh(-c*x^2+b*x+a)^2/x,x)`

Fricas [N/A]

Not integrable

Time = 0.10 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{\sinh^2(a + bx - cx^2)}{x} dx = \int \frac{\sinh(-cx^2 + bx + a)^2}{x} dx$$

input `integrate(sinh(-c*x^2+b*x+a)^2/x,x, algorithm="fricas")`

output `integral(sinh(c*x^2 - b*x - a)^2/x, x)`

Sympy [N/A]

Not integrable

Time = 0.87 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.83

$$\int \frac{\sinh^2(a + bx - cx^2)}{x} dx = \int \frac{\sinh^2(a + bx - cx^2)}{x} dx$$

input `integrate(sinh(-c*x**2+b*x+a)**2/x,x)`

output `Integral(sinh(a + b*x - c*x**2)**2/x, x)`

Maxima [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 51, normalized size of antiderivative = 2.83

$$\int \frac{\sinh^2(a + bx - cx^2)}{x} dx = \int \frac{\sinh(-cx^2 + bx + a)^2}{x} dx$$

input `integrate(sinh(-c*x^2+b*x+a)^2/x,x, algorithm="maxima")`

output `1/4*integrate(e^(2*c*x^2 - 2*b*x - 2*a)/x, x) + 1/4*integrate(e^(-2*c*x^2 + 2*b*x + 2*a)/x, x) - 1/2*log(x)`

Giac [N/A]

Not integrable

Time = 0.14 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{\sinh^2(a + bx - cx^2)}{x} dx = \int \frac{\sinh(-cx^2 + bx + a)^2}{x} dx$$

input `integrate(sinh(-c*x^2+b*x+a)^2/x,x, algorithm="giac")`

output `integrate(sinh(-c*x^2 + b*x + a)^2/x, x)`

Mupad [N/A]

Not integrable

Time = 1.35 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{\sinh^2(a + bx - cx^2)}{x} dx = \int \frac{\sinh(-cx^2 + bx + a)^2}{x} dx$$

input `int(sinh(a + b*x - c*x^2)^2/x,x)`

output `int(sinh(a + b*x - c*x^2)^2/x, x)`

Reduce [N/A]

Not integrable

Time = 0.16 (sec) , antiderivative size = 69, normalized size of antiderivative = 3.83

$$\int \frac{\sinh^2(a + bx - cx^2)}{x} dx = \frac{e^{4a} \left(\int \frac{e^{2bx}}{e^{2c x^2} x} dx \right) - 2e^{2a} \log(x) + \int \frac{e^{2c x^2}}{e^{2bx} x} dx}{4e^{2a}}$$

input `int(sinh(-c*x^2+b*x+a)^2/x,x)`output `(e**(4*a)*int(e**(2*b*x)/(e**(2*c*x**2)*x),x) - 2*e**(2*a)*log(x) + int(e**
*(2*c*x**2)/(e**(2*b*x)*x),x))/(4*e**(2*a))`

3.24 $\int x^2 \sinh^2 \left(\frac{1}{4} + x + x^2 \right) dx$

Optimal result	183
Mathematica [A] (verified)	183
Rubi [A] (verified)	184
Maple [A] (verified)	185
Fricas [B] (verification not implemented)	185
Sympy [F]	186
Maxima [C] (verification not implemented)	186
Giac [A] (verification not implemented)	187
Mupad [F(-1)]	187
Reduce [F]	188

Optimal result

Integrand size = 15, antiderivative size = 68

$$\int x^2 \sinh^2 \left(\frac{1}{4} + x + x^2 \right) dx = -\frac{x^3}{6} + \frac{1}{16} \sqrt{\frac{\pi}{2}} \operatorname{erf} \left(\frac{1+2x}{\sqrt{2}} \right) - \frac{1}{16} \sinh \left(\frac{1}{2} + 2x + 2x^2 \right) + \frac{1}{8} x \sinh \left(\frac{1}{2} + 2x + 2x^2 \right)$$

output

```
-1/6*x^3+1/32*2^(1/2)*Pi^(1/2)*erf(1/2*2^(1/2)*(1+2*x))-1/16*sinh(1/2+2*x+2*x^2)+1/8*x*sinh(1/2+2*x+2*x^2)
```

Mathematica [A] (verified)

Time = 0.14 (sec) , antiderivative size = 99, normalized size of antiderivative = 1.46

$$\int x^2 \sinh^2 \left(\frac{1}{4} + x + x^2 \right) dx = \frac{-16\sqrt{e}x^3 + 3(-1 + e)(-1 + 2x) \cosh(2x(1 + x)) + 3\sqrt{2e\pi} \operatorname{erf} \left(\frac{1+2x}{\sqrt{2}} \right) - 3 \sinh(2x(1 + x)) - 3e \sinh(2x(1 + x))}{96\sqrt{e}}$$

input

```
Integrate[x^2*Sinh[1/4 + x + x^2]^2,x]
```


output

$$\frac{(-16\sqrt{E}x^3 + 3(-1 + E)(-1 + 2x)\cosh[2x(1 + x)] + 3\sqrt{2E\pi} \operatorname{Erf}[(1 + 2x)/\sqrt{2}] - 3\sinh[2x(1 + x)] - 3E\sinh[2x(1 + x)] + 6x\sinh[2x(1 + x)] + 6E x \sinh[2x(1 + x)])}{(96\sqrt{E})}$$
Rubi [A] (verified)

Time = 0.29 (sec) , antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {5917, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^2 \sinh^2 \left(x^2 + x + \frac{1}{4} \right) dx$$

$$\downarrow \text{5917}$$

$$\int \left(\frac{1}{2} x^2 \cosh \left(2x^2 + 2x + \frac{1}{2} \right) - \frac{x^2}{2} \right) dx$$

$$\downarrow \text{2009}$$

$$\frac{1}{16} \sqrt{\frac{\pi}{2}} \operatorname{erf} \left(\frac{2x + 1}{\sqrt{2}} \right) - \frac{x^3}{6} + \frac{1}{8} x \sinh \left(2x^2 + 2x + \frac{1}{2} \right) - \frac{1}{16} \sinh \left(2x^2 + 2x + \frac{1}{2} \right)$$

input

$$\text{Int}[x^2 \sinh[1/4 + x + x^2]^2, x]$$

output

$$-1/6 x^3 + (\sqrt{\pi/2} \operatorname{Erf}[(1 + 2x)/\sqrt{2}])/16 - \sinh[1/2 + 2x + 2x^2]/16 + (x \sinh[1/2 + 2x + 2x^2])/8$$

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 5917 `Int[((d_.) + (e_.)*(x_))^(m_.)*Sinh[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]^(n_) , x_Symbol] := Int[ExpandTrigReduce[(d + e*x)^m, Sinh[a + b*x + c*x^2]^n, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 1]`

Maple [A] (verified)

Time = 0.62 (sec) , antiderivative size = 77, normalized size of antiderivative = 1.13

method	result	size
risch	$-\frac{x^3}{6} - \frac{x e^{-\frac{(1+2x)^2}{2}}}{16} + \frac{e^{-\frac{(1+2x)^2}{2}}}{32} + \frac{\sqrt{\pi} \sqrt{2} \operatorname{erf}\left(\sqrt{2}x + \frac{\sqrt{2}}{2}\right)}{32} + \frac{x e^{\frac{(1+2x)^2}{2}}}{16} - \frac{e^{\frac{(1+2x)^2}{2}}}{32}$	77

input `int(x^2*sinh(1/4+x+x^2)^2,x,method=_RETURNVERBOSE)`

output `-1/6*x^3-1/16*x*exp(-1/2*(1+2*x)^2)+1/32*exp(-1/2*(1+2*x)^2)+1/32*Pi^(1/2)*2^(1/2)*erf(2^(1/2)*x+1/2*2^(1/2))+1/16*x*exp(1/2*(1+2*x)^2)-1/32*exp(1/2*(1+2*x)^2)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 268 vs. 2(52) = 104.

Time = 0.12 (sec) , antiderivative size = 268, normalized size of antiderivative = 3.94

$$\int x^2 \sinh^2\left(\frac{1}{4} + x + x^2\right) dx =$$

$$\frac{16x^3 \cosh\left(x^2 + x + \frac{1}{4}\right)^2 - 3(2x - 1) \cosh\left(x^2 + x + \frac{1}{4}\right)^4 - 12(2x - 1) \cosh\left(x^2 + x + \frac{1}{4}\right) \sinh\left(x^2 + x + \frac{1}{4}\right)}{\dots}$$

input `integrate(x^2*sinh(1/4+x+x^2)^2,x, algorithm="fricas")`

output

```
-1/96*(16*x^3*cosh(x^2 + x + 1/4)^2 - 3*(2*x - 1)*cosh(x^2 + x + 1/4)^4 -
12*(2*x - 1)*cosh(x^2 + x + 1/4)*sinh(x^2 + x + 1/4)^3 - 3*(2*x - 1)*sinh(
x^2 + x + 1/4)^4 + 2*(8*x^3 - 9*(2*x - 1)*cosh(x^2 + x + 1/4)^2)*sinh(x^2
+ x + 1/4)^2 + 4*(8*x^3*cosh(x^2 + x + 1/4) - 3*(2*x - 1)*cosh(x^2 + x + 1
/4)^3)*sinh(x^2 + x + 1/4) - 3*sqrt(pi)*(sqrt(2)*cosh(x^2 + x + 1/4)^2*erf
(1/2*sqrt(2)*(2*x + 1)) + 2*sqrt(2)*cosh(x^2 + x + 1/4)*erf(1/2*sqrt(2)*(2
*x + 1))*sinh(x^2 + x + 1/4) + sqrt(2)*erf(1/2*sqrt(2)*(2*x + 1))*sinh(x^2
+ x + 1/4)^2) + 6*x - 3)/(cosh(x^2 + x + 1/4)^2 + 2*cosh(x^2 + x + 1/4)*s
inh(x^2 + x + 1/4) + sinh(x^2 + x + 1/4)^2)
```

Sympy [F]

$$\int x^2 \sinh^2 \left(\frac{1}{4} + x + x^2 \right) dx = \int x^2 \sinh^2 \left(x^2 + x + \frac{1}{4} \right) dx$$

input

```
integrate(x**2*sinh(1/4+x+x**2)**2,x)
```

output

```
Integral(x**2*sinh(x**2 + x + 1/4)**2, x)
```

Maxima [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.16 (sec) , antiderivative size = 113, normalized size of antiderivative = 1.66

$$\int x^2 \sinh^2 \left(\frac{1}{4} + x + x^2 \right) dx = -\frac{1}{6} x^3 + \frac{1}{32} \left(2x e^{\frac{1}{2}} - e^{\frac{1}{2}} \right) e^{(2x^2+2x)}$$

$$-\frac{1}{64} i \sqrt{2} \left(-\frac{2i (2x+1)^3 \Gamma\left(\frac{3}{2}, \frac{1}{2} (2x+1)^2\right)}{\left((2x+1)^2\right)^{\frac{3}{2}}} + \frac{i \sqrt{\pi} (2x+1) \left(\operatorname{erf} \left(\sqrt{\frac{1}{2}} \sqrt{(2x+1)^2} \right) - 1 \right)}{\sqrt{(2x+1)^2}} + 2i \sqrt{2} e^{(-\frac{1}{2})} \right)$$

input

```
integrate(x^2*sinh(1/4+x+x^2)^2,x, algorithm="maxima")
```

output

```
-1/6*x^3 + 1/32*(2*x*e^(1/2) - e^(1/2))*e^(2*x^2 + 2*x) - 1/64*I*sqrt(2)*(-2*I*(2*x + 1)^3*gamma(3/2, 1/2*(2*x + 1)^2)/((2*x + 1)^2)^(3/2) + I*sqrt(pi)*(2*x + 1)*(erf(sqrt(1/2)*sqrt((2*x + 1)^2)) - 1)/sqrt((2*x + 1)^2) + 2*I*sqrt(2)*e^(-1/2*(2*x + 1)^2))
```

Giac [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 61, normalized size of antiderivative = 0.90

$$\int x^2 \sinh^2\left(\frac{1}{4} + x + x^2\right) dx = -\frac{1}{6}x^3 + \frac{1}{32}\sqrt{2}\sqrt{\pi} \operatorname{erf}\left(\frac{1}{2}\sqrt{2}(2x+1)\right) + \frac{1}{32}(2x-1)e^{(2x^2+2x+\frac{1}{2})} - \frac{1}{32}(2x-1)e^{(-2x^2-2x-\frac{1}{2})}$$

input

```
integrate(x^2*sinh(1/4+x+x^2)^2,x, algorithm="giac")
```

output

```
-1/6*x^3 + 1/32*sqrt(2)*sqrt(pi)*erf(1/2*sqrt(2)*(2*x + 1)) + 1/32*(2*x - 1)*e^(2*x^2 + 2*x + 1/2) - 1/32*(2*x - 1)*e^(-2*x^2 - 2*x - 1/2)
```

Mupad [F(-1)]

Timed out.

$$\int x^2 \sinh^2\left(\frac{1}{4} + x + x^2\right) dx = \int x^2 \sinh\left(x^2 + x + \frac{1}{4}\right)^2 dx$$

input

```
int(x^2*sinh(x + x^2 + 1/4)^2,x)
```

output

```
int(x^2*sinh(x + x^2 + 1/4)^2, x)
```

Reduce [F]

$$\int x^2 \sinh^2 \left(\frac{1}{4} + x + x^2 \right) dx$$

$$= \frac{6e^{4x^2+4x+\frac{1}{2}}ex - 3e^{4x^2+4x+\frac{1}{2}}e + 12e^{2x^2+2x+\frac{1}{2}} \left(\int \frac{1}{e^{2x^2+2x}} dx \right) - 16e^{2x^2+2x}e x^3 - 6\sqrt{e}x + 3\sqrt{e}}{96e^{2x^2+2x}e}$$

input `int(x^2*sinh(1/4+x+x^2)^2,x)`

output `(6*e**((8*x**2 + 8*x + 1)/2)*e*x - 3*e**((8*x**2 + 8*x + 1)/2)*e + 12*e**((4*x**2 + 4*x + 1)/2)*int(1/e**(2*x**2 + 2*x),x) - 16*e**((2*x**2 + 2*x)*e*x**3 - 6*sqrt(e)*x + 3*sqrt(e))/(96*e**((2*x**2 + 2*x)*e))`

3.25 $\int x \sinh^2 \left(\frac{1}{4} + x + x^2 \right) dx$

Optimal result	189
Mathematica [A] (verified)	189
Rubi [A] (verified)	190
Maple [C] (verified)	191
Fricas [B] (verification not implemented)	191
Sympy [F]	192
Maxima [C] (verification not implemented)	193
Giac [C] (verification not implemented)	193
Mupad [F(-1)]	194
Reduce [F]	194

Optimal result

Integrand size = 13, antiderivative size = 75

$$\int x \sinh^2 \left(\frac{1}{4} + x + x^2 \right) dx = -\frac{x^2}{4} - \frac{1}{16} \sqrt{\frac{\pi}{2}} \operatorname{erf} \left(\frac{1+2x}{\sqrt{2}} \right) - \frac{1}{16} \sqrt{\frac{\pi}{2}} \operatorname{erfi} \left(\frac{1+2x}{\sqrt{2}} \right) + \frac{1}{8} \sinh \left(\frac{1}{2} + 2x + 2x^2 \right)$$

output

```
-1/4*x^2-1/32*2^(1/2)*Pi^(1/2)*erf(1/2*2^(1/2)*(1+2*x))-1/32*2^(1/2)*Pi^(1/2)*erfi(1/2*2^(1/2)*(1+2*x))+1/8*sinh(1/2+2*x+2*x^2)
```

Mathematica [A] (verified)

Time = 0.15 (sec) , antiderivative size = 88, normalized size of antiderivative = 1.17

$$\int x \sinh^2 \left(\frac{1}{4} + x + x^2 \right) dx = \frac{-8\sqrt{e}x^2 + 2(-1 + e) \cosh(2x(1 + x)) - \sqrt{2e\pi} \operatorname{erf} \left(\frac{1+2x}{\sqrt{2}} \right) - \sqrt{2e\pi} \operatorname{erfi} \left(\frac{1+2x}{\sqrt{2}} \right) + 2(1 + e) \sinh(2x(1 + x))}{32\sqrt{e}}$$

input

```
Integrate[x*Sinh[1/4 + x + x^2]^2,x]
```

output

```
(-8*Sqrt[E]*x^2 + 2*(-1 + E)*Cosh[2*x*(1 + x)] - Sqrt[2*E*Pi]*Erf[(1 + 2*x)/Sqrt[2]] - Sqrt[2*E*Pi]*Erfi[(1 + 2*x)/Sqrt[2]] + 2*(1 + E)*Sinh[2*x*(1 + x)])/(32*Sqrt[E])
```

Rubi [A] (verified)

Time = 0.26 (sec) , antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {5917, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x \sinh^2 \left(x^2 + x + \frac{1}{4} \right) dx$$

$$\downarrow 5917$$

$$\int \left(\frac{1}{2} x \cosh \left(2x^2 + 2x + \frac{1}{2} \right) - \frac{x}{2} \right) dx$$

$$\downarrow 2009$$

$$-\frac{1}{16} \sqrt{\frac{\pi}{2}} \operatorname{erf} \left(\frac{2x+1}{\sqrt{2}} \right) - \frac{1}{16} \sqrt{\frac{\pi}{2}} \operatorname{erfi} \left(\frac{2x+1}{\sqrt{2}} \right) - \frac{x^2}{4} + \frac{1}{8} \sinh \left(2x^2 + 2x + \frac{1}{2} \right)$$

input

```
Int[x*Sinh[1/4 + x + x^2]^2,x]
```

output

```
-1/4*x^2 - (Sqrt[Pi/2]*Erf[(1 + 2*x)/Sqrt[2]])/16 - (Sqrt[Pi/2]*Erfi[(1 + 2*x)/Sqrt[2]])/16 + Sinh[1/2 + 2*x + 2*x^2]/8
```

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 5917 `Int[((d_.) + (e_.)*(x_)^(m_.)*Sinh[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]^(n_) , x_Symbol] := Int[ExpandTrigReduce[(d + e*x)^m, Sinh[a + b*x + c*x^2]^n, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 1]`

Maple [C] (verified)

Result contains complex when optimal does not.

Time = 0.54 (sec) , antiderivative size = 75, normalized size of antiderivative = 1.00

method	result	size
risch	$-\frac{x^2}{4} - \frac{e^{-\frac{(1+2x)^2}{2}}}{16} - \frac{\sqrt{\pi}\sqrt{2}\operatorname{erf}\left(\sqrt{2}x + \frac{\sqrt{2}}{2}\right)}{32} + \frac{e^{\frac{(1+2x)^2}{2}}}{16} + \frac{i\sqrt{\pi}\sqrt{2}\operatorname{erf}\left(i\sqrt{2}x + \frac{i\sqrt{2}}{2}\right)}{32}$	75

input `int(x*sinh(1/4+x+x^2)^2,x,method=_RETURNVERBOSE)`

output $-1/4*x^2-1/16*\exp(-1/2*(1+2*x)^2)-1/32*Pi^{(1/2)}*2^{(1/2)}*\operatorname{erf}(2^{(1/2)}*x+1/2*2^{(1/2)})+1/16*\exp(1/2*(1+2*x)^2)+1/32*I*Pi^{(1/2)}*2^{(1/2)}*\operatorname{erf}(I*2^{(1/2)}*x+1/2*I*2^{(1/2)})$

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 307 vs. $2(57) = 114$.

Time = 0.10 (sec) , antiderivative size = 307, normalized size of antiderivative = 4.09

$$\int x \sinh^2 \left(\frac{1}{4} + x + x^2 \right) dx =$$

$$\frac{8x^2 \cosh \left(x^2 + x + \frac{1}{4} \right)^2 - 2 \cosh \left(x^2 + x + \frac{1}{4} \right)^4 - 8 \cosh \left(x^2 + x + \frac{1}{4} \right) \sinh \left(x^2 + x + \frac{1}{4} \right)^3 - 2 \sinh \left(x^2 + x + \frac{1}{4} \right)^5}{5}$$

input `integrate(x*sinh(1/4+x*x^2)^2,x, algorithm="fricas")`

output `-1/32*(8*x^2*cosh(x^2 + x + 1/4)^2 - 2*cosh(x^2 + x + 1/4)^4 - 8*cosh(x^2 + x + 1/4)*sinh(x^2 + x + 1/4)^3 - 2*sinh(x^2 + x + 1/4)^4 + 4*(2*x^2 - 3*cosh(x^2 + x + 1/4)^2)*sinh(x^2 + x + 1/4)^2 + 8*(2*x^2*cosh(x^2 + x + 1/4) - cosh(x^2 + x + 1/4)^3)*sinh(x^2 + x + 1/4) + sqrt(pi)*(sqrt(2)*cosh(x^2 + x + 1/4)^2*erf(1/2*sqrt(2)*(2*x + 1)) - sqrt(-2)*cosh(x^2 + x + 1/4)^2*erf(1/2*sqrt(-2)*(2*x + 1)) + (sqrt(2)*erf(1/2*sqrt(2)*(2*x + 1)) - sqrt(-2)*erf(1/2*sqrt(-2)*(2*x + 1)))*sinh(x^2 + x + 1/4)^2 + 2*(sqrt(2)*cosh(x^2 + x + 1/4)*erf(1/2*sqrt(2)*(2*x + 1)) - sqrt(-2)*cosh(x^2 + x + 1/4)*erf(1/2*sqrt(-2)*(2*x + 1)))*sinh(x^2 + x + 1/4) + 2)/(cosh(x^2 + x + 1/4)^2 + 2*cosh(x^2 + x + 1/4)*sinh(x^2 + x + 1/4) + sinh(x^2 + x + 1/4)^2)`

Sympy [F]

$$\int x \sinh^2 \left(\frac{1}{4} + x + x^2 \right) dx = \int x \sinh^2 \left(x^2 + x + \frac{1}{4} \right) dx$$

input `integrate(x*sinh(1/4+x*x**2)**2,x)`

output `Integral(x*sinh(x**2 + x + 1/4)**2, x)`

Maxima [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.18 (sec) , antiderivative size = 121, normalized size of antiderivative = 1.61

$$\int x \sinh^2 \left(\frac{1}{4} + x + x^2 \right) dx$$

$$= -\frac{1}{4}x^2 - \frac{1}{32}\sqrt{2} \left(\frac{\sqrt{\pi}(2x+1) \left(\operatorname{erf} \left(\sqrt{\frac{1}{2}} \sqrt{-(2x+1)^2} \right) - 1 \right)}{\sqrt{-(2x+1)^2}} - \sqrt{2}e^{\left(\frac{1}{2}(2x+1)^2\right)} \right)$$

$$- \frac{1}{32}i\sqrt{2} \left(-\frac{i\sqrt{\pi}(2x+1) \left(\operatorname{erf} \left(\sqrt{\frac{1}{2}} \sqrt{(2x+1)^2} \right) - 1 \right)}{\sqrt{(2x+1)^2}} - i\sqrt{2}e^{\left(-\frac{1}{2}(2x+1)^2\right)} \right)$$

input `integrate(x*sinh(1/4+x+x^2)^2,x, algorithm="maxima")`

output `-1/4*x^2 - 1/32*sqrt(2)*(sqrt(pi)*(2*x + 1)*(erf(sqrt(1/2)*sqrt(-(2*x + 1)^2)) - 1)/sqrt(-(2*x + 1)^2) - sqrt(2)*e^(1/2*(2*x + 1)^2)) - 1/32*I*sqrt(2)*(-I*sqrt(pi)*(2*x + 1)*(erf(sqrt(1/2)*sqrt((2*x + 1)^2)) - 1)/sqrt((2*x + 1)^2) - I*sqrt(2)*e^(-1/2*(2*x + 1)^2))`

Giac [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.13 (sec) , antiderivative size = 70, normalized size of antiderivative = 0.93

$$\int x \sinh^2 \left(\frac{1}{4} + x + x^2 \right) dx = -\frac{1}{4}x^2 - \frac{1}{32}\sqrt{2}\sqrt{\pi} \operatorname{erf} \left(\frac{1}{2}\sqrt{2}(2x+1) \right)$$

$$- \frac{1}{32}i\sqrt{2}\sqrt{\pi} \operatorname{erf} \left(-\frac{1}{2}i\sqrt{2}(2x+1) \right)$$

$$+ \frac{1}{16}e^{(2x^2+2x+\frac{1}{2})} - \frac{1}{16}e^{(-2x^2-2x-\frac{1}{2})}$$

input `integrate(x*sinh(1/4+x+x^2)^2,x, algorithm="giac")`

output

```
-1/4*x^2 - 1/32*sqrt(2)*sqrt(pi)*erf(1/2*sqrt(2)*(2*x + 1)) - 1/32*I*sqrt(
2)*sqrt(pi)*erf(-1/2*I*sqrt(2)*(2*x + 1)) + 1/16*e^(2*x^2 + 2*x + 1/2) - 1
/16*e^(-2*x^2 - 2*x - 1/2)
```

Mupad [F(-1)]

Timed out.

$$\int x \sinh^2 \left(\frac{1}{4} + x + x^2 \right) dx = \int x \sinh \left(x^2 + x + \frac{1}{4} \right)^2 dx$$

input

```
int(x*sinh(x + x^2 + 1/4)^2,x)
```

output

```
int(x*sinh(x + x^2 + 1/4)^2, x)
```

Reduce [F]

$$\int x \sinh^2 \left(\frac{1}{4} + x + x^2 \right) dx$$

$$= \frac{\sqrt{\pi} e^{2x^2+2x} \operatorname{erf} \left(\frac{2ix+i}{\sqrt{2}} \right) ei + e^{4x^2+4x+\frac{1}{2}} \sqrt{2} e - 2e^{2x^2+2x+\frac{1}{2}} \sqrt{2} \left(\int \frac{1}{e^{2x^2+2x}} dx \right) - 4e^{2x^2+2x} \sqrt{2} e x^2 - \sqrt{e} \sqrt{2}}{16e^{2x^2+2x} \sqrt{2} e}$$

input

```
int(x*sinh(1/4+x+x^2)^2,x)
```

output

```
(sqrt(pi)*e**(2*x**2 + 2*x)*erf((2*i*x + i)/sqrt(2))*e*i + e**((8*x**2 + 8
*x + 1)/2)*sqrt(2)*e - 2*e**((4*x**2 + 4*x + 1)/2)*sqrt(2)*int(1/e**(2*x**
2 + 2*x),x) - 4*e**((2*x**2 + 2*x)*sqrt(2)*e*x**2 - sqrt(e)*sqrt(2))/(16*e*
*(2*x**2 + 2*x)*sqrt(2)*e)
```

3.26 $\int \sinh^2\left(\frac{1}{4} + x + x^2\right) dx$

Optimal result	195
Mathematica [A] (verified)	195
Rubi [A] (verified)	196
Maple [C] (verified)	197
Fricas [A] (verification not implemented)	197
Sympy [F]	198
Maxima [C] (verification not implemented)	198
Giac [C] (verification not implemented)	198
Mupad [F(-1)]	199
Reduce [F]	199

Optimal result

Integrand size = 11, antiderivative size = 56

$$\int \sinh^2\left(\frac{1}{4} + x + x^2\right) dx = -\frac{x}{2} + \frac{1}{8}\sqrt{\frac{\pi}{2}}\operatorname{erf}\left(\frac{1+2x}{\sqrt{2}}\right) + \frac{1}{8}\sqrt{\frac{\pi}{2}}\operatorname{erfi}\left(\frac{1+2x}{\sqrt{2}}\right)$$

output

```
-1/2*x+1/16*2^(1/2)*Pi^(1/2)*erf(1/2*2^(1/2)*(1+2*x))+1/16*2^(1/2)*Pi^(1/2)
)*erfi(1/2*2^(1/2)*(1+2*x))
```

Mathematica [A] (verified)

Time = 0.05 (sec) , antiderivative size = 48, normalized size of antiderivative = 0.86

$$\int \sinh^2\left(\frac{1}{4} + x + x^2\right) dx = \frac{1}{16}\left(-8x + \sqrt{2\pi}\operatorname{erf}\left(\frac{1+2x}{\sqrt{2}}\right) + \sqrt{2\pi}\operatorname{erfi}\left(\frac{1+2x}{\sqrt{2}}\right)\right)$$

input

```
Integrate[Sinh[1/4 + x + x^2]^2,x]
```

output

```
(-8*x + Sqrt[2*Pi]*Erf[(1 + 2*x)/Sqrt[2]] + Sqrt[2*Pi]*Erfi[(1 + 2*x)/Sqrt
[2]])/16
```

Rubi [A] (verified)

Time = 0.23 (sec) , antiderivative size = 56, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {5899, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sinh^2 \left(x^2 + x + \frac{1}{4} \right) dx$$

$$\downarrow \text{5899}$$

$$\int \left(\frac{1}{2} \cosh \left(2x^2 + 2x + \frac{1}{2} \right) - \frac{1}{2} \right) dx$$

$$\downarrow \text{2009}$$

$$\frac{1}{8} \sqrt{\frac{\pi}{2}} \operatorname{erf} \left(\frac{2x+1}{\sqrt{2}} \right) + \frac{1}{8} \sqrt{\frac{\pi}{2}} \operatorname{erfi} \left(\frac{2x+1}{\sqrt{2}} \right) - \frac{x}{2}$$

input `Int[Sinh[1/4 + x + x^2]^2,x]`

output `-1/2*x + (Sqrt[Pi/2]*Erf[(1 + 2*x)/Sqrt[2]])/8 + (Sqrt[Pi/2]*Erfi[(1 + 2*x)/Sqrt[2]])/8`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]`

rule 5899 `Int[Sinh[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]^(n_), x_Symbol] :> Int[ExpandTrigReduce[Sinh[a + b*x + c*x^2]^n, x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 1]`

Maple [C] (verified)

Result contains complex when optimal does not.

Time = 0.48 (sec) , antiderivative size = 49, normalized size of antiderivative = 0.88

method	result	size
risch	$-\frac{x}{2} + \frac{\sqrt{\pi}\sqrt{2}\operatorname{erf}\left(\sqrt{2}x + \frac{\sqrt{2}}{2}\right)}{16} - \frac{i\sqrt{\pi}\sqrt{2}\operatorname{erf}\left(i\sqrt{2}x + \frac{i\sqrt{2}}{2}\right)}{16}$	49

input `int(sinh(1/4+x+x^2)^2,x,method=_RETURNVERBOSE)`

output `-1/2*x+1/16*Pi^(1/2)*2^(1/2)*erf(2^(1/2)*x+1/2*2^(1/2))-1/16*I*Pi^(1/2)*2^(1/2)*erf(I*2^(1/2)*x+1/2*I*2^(1/2))`

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 41, normalized size of antiderivative = 0.73

$$\int \sinh^2\left(\frac{1}{4} + x + x^2\right) dx$$

$$= \frac{1}{16} \sqrt{\pi} \left(\sqrt{2} \operatorname{erf}\left(\frac{1}{2} \sqrt{2}(2x + 1)\right) - \sqrt{-2} \operatorname{erf}\left(\frac{1}{2} \sqrt{-2}(2x + 1)\right) \right) - \frac{1}{2} x$$

input `integrate(sinh(1/4+x+x^2)^2,x, algorithm="fricas")`

output `1/16*sqrt(pi)*(sqrt(2)*erf(1/2*sqrt(2)*(2*x + 1)) - sqrt(-2)*erf(1/2*sqrt(-2)*(2*x + 1))) - 1/2*x`

Sympy [F]

$$\int \sinh^2\left(\frac{1}{4} + x + x^2\right) dx = \int \sinh^2\left(x^2 + x + \frac{1}{4}\right) dx$$

input `integrate(sinh(1/4+x+x**2)**2,x)`

output `Integral(sinh(x**2 + x + 1/4)**2, x)`

Maxima [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.12 (sec) , antiderivative size = 45, normalized size of antiderivative = 0.80

$$\int \sinh^2\left(\frac{1}{4} + x + x^2\right) dx = \frac{1}{16} \sqrt{2}\sqrt{\pi} \operatorname{erf}\left(\sqrt{2}x + \frac{1}{2}\sqrt{2}\right) - \frac{1}{16}i\sqrt{2}\sqrt{\pi} \operatorname{erf}\left(i\sqrt{2}x + \frac{1}{2}i\sqrt{2}\right) - \frac{1}{2}x$$

input `integrate(sinh(1/4+x+x^2)^2,x, algorithm="maxima")`

output `1/16*sqrt(2)*sqrt(pi)*erf(sqrt(2)*x + 1/2*sqrt(2)) - 1/16*I*sqrt(2)*sqrt(pi)*erf(I*sqrt(2)*x + 1/2*I*sqrt(2)) - 1/2*x`

Giac [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.13 (sec) , antiderivative size = 42, normalized size of antiderivative = 0.75

$$\int \sinh^2\left(\frac{1}{4} + x + x^2\right) dx = \frac{1}{16} \sqrt{2}\sqrt{\pi} \operatorname{erf}\left(\frac{1}{2}\sqrt{2}(2x+1)\right) + \frac{1}{16}i\sqrt{2}\sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2}i\sqrt{2}(2x+1)\right) - \frac{1}{2}x$$

input `integrate(sinh(1/4+x+x^2)^2,x, algorithm="giac")`

output `1/16*sqrt(2)*sqrt(pi)*erf(1/2*sqrt(2)*(2*x + 1)) + 1/16*I*sqrt(2)*sqrt(pi)*erf(-1/2*I*sqrt(2)*(2*x + 1)) - 1/2*x`

Mupad [F(-1)]

Timed out.

$$\int \sinh^2\left(\frac{1}{4} + x + x^2\right) dx = \int \sinh\left(x^2 + x + \frac{1}{4}\right)^2 dx$$

input `int(sinh(x + x^2 + 1/4)^2,x)`

output `int(sinh(x + x^2 + 1/4)^2, x)`

Reduce [F]

$$\int \sinh^2\left(\frac{1}{4} + x + x^2\right) dx = \int \sinh\left(x^2 + x + \frac{1}{4}\right)^2 dx$$

input `int(sinh(1/4+x+x^2)^2,x)`

output `int(sinh((4*x**2 + 4*x + 1)/4)**2,x)`

$$3.27 \quad \int \frac{\sinh^2\left(\frac{1}{4}+x+x^2\right)}{x} dx$$

Optimal result	200
Mathematica [N/A]	200
Rubi [N/A]	201
Maple [N/A]	201
Fricas [N/A]	202
Sympy [N/A]	202
Maxima [N/A]	203
Giac [N/A]	203
Mupad [N/A]	203
Reduce [N/A]	204

Optimal result

Integrand size = 15, antiderivative size = 15

$$\int \frac{\sinh^2\left(\frac{1}{4}+x+x^2\right)}{x} dx = -\frac{\log(x)}{2} + \frac{1}{2} \text{Int}\left(\frac{\cosh\left(\frac{1}{2}+2x+2x^2\right)}{x}, x\right)$$

output `-1/2*ln(x)+1/2*Defer(Int)(cosh(1/2+2*x+2*x^2)/x,x)`

Mathematica [N/A]

Not integrable

Time = 12.82 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\sinh^2\left(\frac{1}{4}+x+x^2\right)}{x} dx = \int \frac{\sinh^2\left(\frac{1}{4}+x+x^2\right)}{x} dx$$

input `Integrate[Sinh[1/4 + x + x^2]^2/x,x]`

output `Integrate[Sinh[1/4 + x + x^2]^2/x, x]`

Rubi [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\sinh^2(x^2 + x + \frac{1}{4})}{x} dx$$

$$\downarrow 5917$$

$$\int \left(\frac{\cosh(2x^2 + 2x + \frac{1}{2})}{2x} - \frac{1}{2x} \right) dx$$

$$\downarrow 2009$$

$$\frac{1}{2} \int \frac{\cosh(2x^2 + 2x + \frac{1}{2})}{x} dx - \frac{\log(x)}{2}$$

input `Int[Sinh[1/4 + x + x^2]^2/x,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.15 (sec) , antiderivative size = 13, normalized size of antiderivative = 0.87

$$\int \frac{\sinh\left(\frac{1}{4} + x + x^2\right)^2}{x} dx$$

input `int(sinh(1/4+x+x^2)^2/x,x)`

output `int(sinh(1/4+x+x^2)^2/x,x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.00

$$\int \frac{\sinh^2\left(\frac{1}{4} + x + x^2\right)}{x} dx = \int \frac{\sinh\left(x^2 + x + \frac{1}{4}\right)^2}{x} dx$$

input `integrate(sinh(1/4+x+x^2)^2/x,x, algorithm="fricas")`

output `integral(sinh(x^2 + x + 1/4)^2/x, x)`

Sympy [N/A]

Not integrable

Time = 0.72 (sec) , antiderivative size = 14, normalized size of antiderivative = 0.93

$$\int \frac{\sinh^2\left(\frac{1}{4} + x + x^2\right)}{x} dx = \int \frac{\sinh^2\left(x^2 + x + \frac{1}{4}\right)}{x} dx$$

input `integrate(sinh(1/4+x+x**2)**2/x,x)`

output `Integral(sinh(x**2 + x + 1/4)**2/x, x)`

Maxima [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 43, normalized size of antiderivative = 2.87

$$\int \frac{\sinh^2\left(\frac{1}{4} + x + x^2\right)}{x} dx = \int \frac{\sinh\left(x^2 + x + \frac{1}{4}\right)^2}{x} dx$$

input `integrate(sinh(1/4+x+x^2)^2/x,x, algorithm="maxima")`

output `1/4*integrate(e^(2*x^2 + 2*x + 1/2)/x, x) + 1/4*integrate(e^(-2*x^2 - 2*x - 1/2)/x, x) - 1/2*log(x)`

Giac [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.00

$$\int \frac{\sinh^2\left(\frac{1}{4} + x + x^2\right)}{x} dx = \int \frac{\sinh\left(x^2 + x + \frac{1}{4}\right)^2}{x} dx$$

input `integrate(sinh(1/4+x+x^2)^2/x,x, algorithm="giac")`

output `integrate(sinh(x^2 + x + 1/4)^2/x, x)`

Mupad [N/A]

Not integrable

Time = 1.34 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.00

$$\int \frac{\sinh^2\left(\frac{1}{4} + x + x^2\right)}{x} dx = \int \frac{\sinh\left(x^2 + x + \frac{1}{4}\right)^2}{x} dx$$

input `int(sinh(x + x^2 + 1/4)^2/x,x)`

output `int(sinh(x + x^2 + 1/4)^2/x, x)`

Reduce [N/A]

Not integrable

Time = 0.16 (sec) , antiderivative size = 54, normalized size of antiderivative = 3.60

$$\int \frac{\sinh^2\left(\frac{1}{4} + x + x^2\right)}{x} dx = \frac{\sqrt{e} \left(\int \frac{e^{2x^2+2x}}{x} dx \right) e + \sqrt{e} \left(\int \frac{1}{e^{2x^2+2x} x} dx \right) - 2 \log(x) e}{4e}$$

input `int(sinh(1/4+x+x^2)^2/x,x)`

output `(sqrt(e)*int(e**(2*x**2 + 2*x)/x,x)*e + sqrt(e)*int(1/(e**(2*x**2 + 2*x)*x),x) - 2*log(x)*e)/(4*e)`

3.28 $\int (d + ex)^2 \sinh (a + bx + cx^2) dx$

Optimal result	205
Mathematica [A] (verified)	206
Rubi [A] (verified)	206
Maple [B] (verified)	210
Fricas [B] (verification not implemented)	211
Sympy [F]	211
Maxima [B] (verification not implemented)	212
Giac [A] (verification not implemented)	212
Mupad [F(-1)]	213
Reduce [F]	213

Optimal result

Integrand size = 19, antiderivative size = 261

$$\int (d + ex)^2 \sinh (a + bx + cx^2) dx = \frac{e(2cd - be) \cosh (a + bx + cx^2)}{4c^2} + \frac{e(d + ex) \cosh (a + bx + cx^2)}{2c} - \frac{e^2 e^{-a + \frac{b^2}{4c}} \sqrt{\pi} \operatorname{erf}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{8c^{3/2}} - \frac{(2cd - be)^2 e^{-a + \frac{b^2}{4c}} \sqrt{\pi} \operatorname{erf}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{16c^{5/2}} - \frac{e^2 e^{a - \frac{b^2}{4c}} \sqrt{\pi} \operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{8c^{3/2}} + \frac{(2cd - be)^2 e^{a - \frac{b^2}{4c}} \sqrt{\pi} \operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{16c^{5/2}}$$

output

```
1/4*e*(-b*e+2*c*d)*cosh(c*x^2+b*x+a)/c^2+1/2*e*(e*x+d)*cosh(c*x^2+b*x+a)/c
-1/8*e^2*exp(-a+1/4*b^2/c)*Pi^(1/2)*erf(1/2*(2*c*x+b)/c^(1/2))/c^(3/2)-1/1
6*(-b*e+2*c*d)^2*exp(-a+1/4*b^2/c)*Pi^(1/2)*erf(1/2*(2*c*x+b)/c^(1/2))/c^(
5/2)-1/8*e^2*exp(a-1/4*b^2/c)*Pi^(1/2)*erfi(1/2*(2*c*x+b)/c^(1/2))/c^(3/2)
+1/16*(-b*e+2*c*d)^2*exp(a-1/4*b^2/c)*Pi^(1/2)*erfi(1/2*(2*c*x+b)/c^(1/2))
/c^(5/2)
```

Mathematica [A] (verified)

Time = 0.38 (sec) , antiderivative size = 194, normalized size of antiderivative = 0.74

$$\int (d + ex)^2 \sinh(a + bx + cx^2) dx$$

$$= \frac{4\sqrt{ce}(4cd - be + 2cex) \cosh(a + x(b + cx)) + (4c^2d^2 + b^2e^2 + 2ce(-2bd + e)) \sqrt{\pi} \operatorname{erf}\left(\frac{b+2cx}{2\sqrt{c}}\right) \left(-\cosh\left(a + \frac{b+2cx}{2\sqrt{c}}\right)\right)}{16c^{5/2}}$$

input

```
Integrate[(d + e*x)^2*Sinh[a + b*x + c*x^2],x]
```

output

```
(4*Sqrt[c]*e*(4*c*d - b*e + 2*c*e*x)*Cosh[a + x*(b + c*x)] + (4*c^2*d^2 + b^2*e^2 + 2*c*e*(-2*b*d + e))*Sqrt[Pi]*Erf[(b + 2*c*x)/(2*Sqrt[c])]*(-Cosh[a - b^2/(4*c)] + Sinh[a - b^2/(4*c)]) + (4*c^2*d^2 + b^2*e^2 - 2*c*e*(2*b*d + e))*Sqrt[Pi]*Erfi[(b + 2*c*x)/(2*Sqrt[c])]*(Cosh[a - b^2/(4*c)] + Sinh[a - b^2/(4*c)]))/(16*c^(5/2))
```

Rubi [A] (verified)

Time = 0.90 (sec) , antiderivative size = 269, normalized size of antiderivative = 1.03, number of steps used = 10, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.526$, Rules used = {5909, 5898, 2664, 2633, 2634, 5905, 5897, 2664, 2633, 2634}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (d + ex)^2 \sinh(a + bx + cx^2) dx$$

$$\downarrow \text{5909}$$

$$\frac{(2cd - be) \int (d + ex) \sinh(cx^2 + bx + a) dx}{2c} - \frac{e^2 \int \cosh(cx^2 + bx + a) dx}{2c} + \frac{e(d + ex) \cosh(a + bx + cx^2)}{2c}$$

$$\downarrow \text{5898}$$

$$\begin{aligned}
& \frac{(2cd - be) \int (d + ex) \sinh (cx^2 + bx + a) dx}{2c} - \frac{e^2 \left(\frac{1}{2} \int e^{-cx^2 - bx - a} dx + \frac{1}{2} \int e^{cx^2 + bx + a} dx \right)}{2c} + \\
& \quad \frac{e(d + ex) \cosh (a + bx + cx^2)}{2c} \\
& \quad \downarrow \text{2664} \\
& \frac{e^2 \left(\frac{1}{2} e^{\frac{b^2}{4c} - a} \int e^{-\frac{(b+2cx)^2}{4c}} dx + \frac{1}{2} e^{a - \frac{b^2}{4c}} \int e^{\frac{(b+2cx)^2}{4c}} dx \right)}{2c} + \\
& \frac{(2cd - be) \int (d + ex) \sinh (cx^2 + bx + a) dx}{2c} + \frac{e(d + ex) \cosh (a + bx + cx^2)}{2c} \\
& \quad \downarrow \text{2633} \\
& \frac{e^2 \left(\frac{1}{2} e^{\frac{b^2}{4c} - a} \int e^{-\frac{(b+2cx)^2}{4c}} dx + \frac{\sqrt{\pi} e^{a - \frac{b^2}{4c}} \operatorname{erfi} \left(\frac{b+2cx}{2\sqrt{c}} \right)}{4\sqrt{c}} \right)}{2c} + \\
& \frac{(2cd - be) \int (d + ex) \sinh (cx^2 + bx + a) dx}{2c} + \frac{e(d + ex) \cosh (a + bx + cx^2)}{2c} \\
& \quad \downarrow \text{2634} \\
& \frac{(2cd - be) \int (d + ex) \sinh (cx^2 + bx + a) dx}{2c} - \frac{e^2 \left(\frac{\sqrt{\pi} e^{\frac{b^2}{4c} - a} \operatorname{erf} \left(\frac{b+2cx}{2\sqrt{c}} \right)}{4\sqrt{c}} + \frac{\sqrt{\pi} e^{a - \frac{b^2}{4c}} \operatorname{erfi} \left(\frac{b+2cx}{2\sqrt{c}} \right)}{4\sqrt{c}} \right)}{2c} + \\
& \quad \frac{e(d + ex) \cosh (a + bx + cx^2)}{2c} \\
& \quad \downarrow \text{5905} \\
& \frac{(2cd - be) \left(\frac{(2cd - be) \int \sinh (cx^2 + bx + a) dx}{2c} + \frac{e \cosh (a + bx + cx^2)}{2c} \right)}{2c} - \\
& \frac{e^2 \left(\frac{\sqrt{\pi} e^{\frac{b^2}{4c} - a} \operatorname{erf} \left(\frac{b+2cx}{2\sqrt{c}} \right)}{4\sqrt{c}} + \frac{\sqrt{\pi} e^{a - \frac{b^2}{4c}} \operatorname{erfi} \left(\frac{b+2cx}{2\sqrt{c}} \right)}{4\sqrt{c}} \right)}{2c} + \frac{e(d + ex) \cosh (a + bx + cx^2)}{2c} \\
& \quad \downarrow \text{5897} \\
& \frac{(2cd - be) \left(\frac{(2cd - be) \left(\frac{1}{2} \int e^{cx^2 + bx + a} dx - \frac{1}{2} \int e^{-cx^2 - bx - a} dx \right)}{2c} + \frac{e \cosh (a + bx + cx^2)}{2c} \right)}{2c} - \\
& \frac{e^2 \left(\frac{\sqrt{\pi} e^{\frac{b^2}{4c} - a} \operatorname{erf} \left(\frac{b+2cx}{2\sqrt{c}} \right)}{4\sqrt{c}} + \frac{\sqrt{\pi} e^{a - \frac{b^2}{4c}} \operatorname{erfi} \left(\frac{b+2cx}{2\sqrt{c}} \right)}{4\sqrt{c}} \right)}{2c} + \frac{e(d + ex) \cosh (a + bx + cx^2)}{2c}
\end{aligned}$$

$$\begin{array}{c}
 \downarrow 2664 \\
 (2cd - be) \left(\frac{(2cd - be) \left(\frac{1}{2} e^{a - \frac{b^2}{4c}} \int e^{\frac{(b+2cx)^2}{4c}} dx - \frac{1}{2} e^{\frac{b^2}{4c} - a} \int e^{-\frac{(b+2cx)^2}{4c}} dx \right)}{2c} + \frac{e \cosh(a + bx + cx^2)}{2c} \right) \\
 \hline
 e^2 \left(\frac{\sqrt{\pi} e^{\frac{b^2}{4c} - a} \operatorname{erf}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} + \frac{\sqrt{\pi} e^{a - \frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} \right) \\
 \hline
 \frac{2c}{2c} + \frac{e(d + ex) \cosh(a + bx + cx^2)}{2c} \\
 \downarrow 2633 \\
 (2cd - be) \left(\frac{(2cd - be) \left(\frac{\sqrt{\pi} e^{a - \frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} - \frac{1}{2} e^{\frac{b^2}{4c} - a} \int e^{-\frac{(b+2cx)^2}{4c}} dx \right)}{2c} + \frac{e \cosh(a + bx + cx^2)}{2c} \right) \\
 \hline
 e^2 \left(\frac{\sqrt{\pi} e^{\frac{b^2}{4c} - a} \operatorname{erf}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} + \frac{\sqrt{\pi} e^{a - \frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} \right) \\
 \hline
 \frac{2c}{2c} + \frac{e(d + ex) \cosh(a + bx + cx^2)}{2c} \\
 \downarrow 2634 \\
 (2cd - be) \left(\frac{(2cd - be) \left(\frac{\sqrt{\pi} e^{a - \frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} - \frac{\sqrt{\pi} e^{\frac{b^2}{4c} - a} \operatorname{erf}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} \right)}{2c} + \frac{e \cosh(a + bx + cx^2)}{2c} \right) \\
 \hline
 e^2 \left(\frac{\sqrt{\pi} e^{\frac{b^2}{4c} - a} \operatorname{erf}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} + \frac{\sqrt{\pi} e^{a - \frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} \right) \\
 \hline
 \frac{2c}{2c} + \frac{e(d + ex) \cosh(a + bx + cx^2)}{2c}
 \end{array}$$

input `Int[(d + e*x)^2*Sinh[a + b*x + c*x^2], x]`

output

```
(e*(d + e*x)*Cosh[a + b*x + c*x^2])/(2*c) - (e^2*((E^(-a + b^2/(4*c))*Sqrt
[Pi]*Erf[(b + 2*c*x)/(2*Sqrt[c])])/(4*Sqrt[c]) + (E^(a - b^2/(4*c))*Sqrt[P
i]*Erfi[(b + 2*c*x)/(2*Sqrt[c])])/(4*Sqrt[c])))/(2*c) + ((2*c*d - b*e)*(e
*Cosh[a + b*x + c*x^2])/(2*c) + ((2*c*d - b*e)*(-1/4*(E^(-a + b^2/(4*c))*S
qrt[Pi]*Erf[(b + 2*c*x)/(2*Sqrt[c])])/(4*Sqrt[c]) + (E^(a - b^2/(4*c))*Sqrt[Pi
]*Erfi[(b + 2*c*x)/(2*Sqrt[c])])/(4*Sqrt[c])))/(2*c)))/(2*c)
```

Defintions of rubi rules used

rule 2633

```
Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)) ^2), x_Symbol] := Simp[F^a*Sqrt
[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{
F, a, b, c, d}, x] && PosQ[b]
```

rule 2634

```
Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)) ^2), x_Symbol] := Simp[F^a*Sqrt
[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; Fr
eeQ[{F, a, b, c, d}, x] && NegQ[b]
```

rule 2664

```
Int[(F_)^((a_.) + (b_.)*(x_) + (c_.)*(x_) ^2), x_Symbol] := Simp[F^(a - b^2/
(4*c)) Int[F^((b + 2*c*x)^2/(4*c)), x], x] /; FreeQ[{F, a, b, c}, x]
```

rule 5897

```
Int[Sinh[(a_.) + (b_.)*(x_) + (c_.)*(x_) ^2], x_Symbol] := Simp[1/2 Int[E^
(a + b*x + c*x^2), x], x] - Simp[1/2 Int[E^(-a - b*x - c*x^2), x], x] /;
FreeQ[{a, b, c}, x]
```

rule 5898

```
Int[Cosh[(a_.) + (b_.)*(x_) + (c_.)*(x_) ^2], x_Symbol] := Simp[1/2 Int[E^
(a + b*x + c*x^2), x], x] + Simp[1/2 Int[E^(-a - b*x - c*x^2), x], x] /;
FreeQ[{a, b, c}, x]
```

rule 5905

```
Int[((d_.) + (e_.)*(x_))*Sinh[(a_.) + (b_.)*(x_) + (c_.)*(x_) ^2], x_Symbol]
:= Simp[e*(Cosh[a + b*x + c*x^2]/(2*c)), x] - Simp[(b*e - 2*c*d)/(2*c) I
nt[Sinh[a + b*x + c*x^2], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b*e -
2*c*d, 0]
```

rule 5909

```
Int[((d_.) + (e_.)*(x_)^(m_)*Sinh[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2], x_Sy
mbol] := Simp[e*(d + e*x)^(m - 1)*(Cosh[a + b*x + c*x^2]/(2*c)), x] + (-Sim
p[(b*e - 2*c*d)/(2*c) Int[(d + e*x)^(m - 1)*Sinh[a + b*x + c*x^2], x], x]
- Simp[e^2*((m - 1)/(2*c)) Int[(d + e*x)^(m - 2)*Cosh[a + b*x + c*x^2],
x], x]) /; FreeQ[{a, b, c, d, e}, x] && GtQ[m, 1] && NeQ[b*e - 2*c*d, 0]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 459 vs. $2(205) = 410$.

Time = 0.28 (sec) , antiderivative size = 460, normalized size of antiderivative = 1.76

method	result
risch	$-\frac{\operatorname{erf}\left(\sqrt{c}x + \frac{b}{2\sqrt{c}}\right)\sqrt{\pi}d^2e^{-\frac{4ac-b^2}{4c}}}{4\sqrt{c}} + \frac{e^{-a}e^2xe^{-x(cx+b)}}{4c} - \frac{e^{-a}e^2be^{-x(cx+b)}}{8c^2} - \frac{e^{-a}e^2b^2\sqrt{\pi}e^{\frac{b^2}{4c}}\operatorname{erf}\left(\sqrt{c}x + \frac{b}{2\sqrt{c}}\right)}{16c^{\frac{5}{2}}} - \frac{e^{-a}e^2}{\sqrt{c}}$

input

```
int((e*x+d)^2*sinh(c*x^2+b*x+a),x,method=_RETURNVERBOSE)
```

output

```
-1/4*erf(c^(1/2)*x+1/2*b/c^(1/2))/c^(1/2)*Pi^(1/2)*d^2*exp(-1/4*(4*a*c-b^2
)/c)+1/4*exp(-a)*e^2/c*x*exp(-x*(c*x+b))-1/8*exp(-a)*e^2/c^2*b*exp(-x*(c*x
+b))-1/16*exp(-a)*e^2/c^(5/2)*b^2*Pi^(1/2)*exp(1/4*b^2/c)*erf(c^(1/2)*x+1/
2*b/c^(1/2))-1/8*exp(-a)*e^2/c^(3/2)*Pi^(1/2)*exp(1/4*b^2/c)*erf(c^(1/2)*x
+1/2*b/c^(1/2))+1/2*exp(-a)*d*e/c*exp(-x*(c*x+b))+1/4*exp(-a)*d*e*b/c^(3/2
)*Pi^(1/2)*exp(1/4*b^2/c)*erf(c^(1/2)*x+1/2*b/c^(1/2))-1/4*erf(-(-c)^(1/2)
*x+1/2*b/(-c)^(1/2))/(-c)^(1/2)*Pi^(1/2)*d^2*exp(1/4*(4*a*c-b^2)/c)+1/4*ex
p(a)*e^2/c*x*exp(x*(c*x+b))-1/8*exp(a)*e^2/c^2*b*exp(x*(c*x+b))-1/16*exp(a
)*e^2/c^2*b^2*Pi^(1/2)*exp(-1/4*b^2/c)/(-c)^(1/2)*erf(-(-c)^(1/2)*x+1/2*b/
(-c)^(1/2))+1/8*exp(a)*e^2/c*Pi^(1/2)*exp(-1/4*b^2/c)/(-c)^(1/2)*erf(-(-c)
^(1/2)*x+1/2*b/(-c)^(1/2))+1/2*exp(a)*d*e/c*exp(x*(c*x+b))+1/4*exp(a)*d*e*
b/c*Pi^(1/2)*exp(-1/4*b^2/c)/(-c)^(1/2)*erf(-(-c)^(1/2)*x+1/2*b/(-c)^(1/2)
)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 634 vs. $2(205) = 410$.

Time = 0.11 (sec) , antiderivative size = 634, normalized size of antiderivative = 2.43

$$\int (d + ex)^2 \sinh(a + bx + cx^2) dx = \text{Too large to display}$$

input `integrate((e*x+d)^2*sinh(c*x^2+b*x+a),x, algorithm="fricas")`

output

```
1/16*(4*c^2*e^2*x + 8*c^2*d*e - 2*b*c*e^2 + 2*(2*c^2*e^2*x + 4*c^2*d*e - b
*c*e^2)*cosh(c*x^2 + b*x + a)^2 - sqrt(pi)*((4*c^2*d^2 - 4*b*c*d*e + (b^2
- 2*c)*e^2)*cosh(c*x^2 + b*x + a)*cosh(-1/4*(b^2 - 4*a*c)/c) + (4*c^2*d^2
- 4*b*c*d*e + (b^2 - 2*c)*e^2)*cosh(c*x^2 + b*x + a)*sinh(-1/4*(b^2 - 4*a*
c)/c) + ((4*c^2*d^2 - 4*b*c*d*e + (b^2 - 2*c)*e^2)*cosh(-1/4*(b^2 - 4*a*c)
/c) + (4*c^2*d^2 - 4*b*c*d*e + (b^2 - 2*c)*e^2)*sinh(-1/4*(b^2 - 4*a*c)/c)
)*sinh(c*x^2 + b*x + a))*sqrt(-c)*erf(1/2*(2*c*x + b)*sqrt(-c)/c) - sqrt(p
i)*((4*c^2*d^2 - 4*b*c*d*e + (b^2 + 2*c)*e^2)*cosh(c*x^2 + b*x + a)*cosh(-
1/4*(b^2 - 4*a*c)/c) - (4*c^2*d^2 - 4*b*c*d*e + (b^2 + 2*c)*e^2)*cosh(c*x^
2 + b*x + a)*sinh(-1/4*(b^2 - 4*a*c)/c) + ((4*c^2*d^2 - 4*b*c*d*e + (b^2 +
2*c)*e^2)*cosh(-1/4*(b^2 - 4*a*c)/c) - (4*c^2*d^2 - 4*b*c*d*e + (b^2 + 2*
c)*e^2)*sinh(-1/4*(b^2 - 4*a*c)/c))*sinh(c*x^2 + b*x + a))*sqrt(c)*erf(1/2
*(2*c*x + b)/sqrt(c)) + 4*(2*c^2*e^2*x + 4*c^2*d*e - b*c*e^2)*cosh(c*x^2 +
b*x + a)*sinh(c*x^2 + b*x + a) + 2*(2*c^2*e^2*x + 4*c^2*d*e - b*c*e^2)*si
nh(c*x^2 + b*x + a)^2)/(c^3*cosh(c*x^2 + b*x + a) + c^3*sinh(c*x^2 + b*x +
a))
```

Sympy [F]

$$\int (d + ex)^2 \sinh(a + bx + cx^2) dx = \int (d + ex)^2 \sinh(a + bx + cx^2) dx$$

input `integrate((e*x+d)**2*sinh(c*x**2+b*x+a),x)`

output `Integral((d + e*x)**2*sinh(a + b*x + c*x**2), x)`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 536 vs. $2(205) = 410$.

Time = 0.26 (sec) , antiderivative size = 536, normalized size of antiderivative = 2.05

$$\int (d + ex)^2 \sinh(a + bx + cx^2) dx = \text{Too large to display}$$

input `integrate((e*x+d)^2*sinh(c*x^2+b*x+a),x, algorithm="maxima")`

output

$$\begin{aligned} & 1/4*\sqrt{\pi}*d^2*\operatorname{erf}(\sqrt{-c}*x - 1/2*b/\sqrt{-c})*e^{(a - 1/4*b^2/c)/\sqrt{-c}} \\ & - 1/4*\sqrt{\pi}*d^2*\operatorname{erf}(\sqrt{c}*x + 1/2*b/\sqrt{c})*e^{(-a + 1/4*b^2/c)/\sqrt{c}} \\ & - 1/4*(\sqrt{\pi}*(2*c*x + b)*b*(\operatorname{erf}(1/2*\sqrt{-c}*(2*c*x + b)^2/c) - 1)/ \\ & (\sqrt{-c}*(2*c*x + b)^{3/2}) - 2*e^{(1/4*(2*c*x + b)^2/c)/\sqrt{c}}*d*e^{(a - 1/4*b^2/c)/\sqrt{c}} \\ & + 1/16*(\sqrt{\pi}*(2*c*x + b)*b^2*(\operatorname{erf}(1/2*\sqrt{-c}*(2*c*x + b)^2/c) - 1)/ \\ & (\sqrt{-c}*(2*c*x + b)^{5/2}) - 4*b*e^{(1/4*(2*c*x + b)^2/c)/\sqrt{c}}/((2*c*x + b)^{3/2}) \\ & - 4*(2*c*x + b)^3*\gamma(3/2, -1/4*(2*c*x + b)^2/c)/((2*c*x + b)^{3/2}) \\ & *e^{(1/4*(2*c*x + b)^2/c)/\sqrt{c}} + 1/4*(\sqrt{\pi}*(2*c*x + b)*b*(\operatorname{erf}(1/2*\sqrt{c}*(2*c*x + b)^2/c) - 1)/ \\ & (\sqrt{c}*(2*c*x + b)^{3/2}) + 2*c*e^{(-1/4*(2*c*x + b)^2/c)/\sqrt{c}}*d*e^{(-a + 1/4*b^2/c)/\sqrt{-c}} \\ & + 1/16*(\sqrt{\pi}*(2*c*x + b)*b^2*(\operatorname{erf}(1/2*\sqrt{c}*(2*c*x + b)^2/c) - 1)/ \\ & (\sqrt{c}*(2*c*x + b)^{5/2}) + 4*b*c*e^{(-1/4*(2*c*x + b)^2/c)/\sqrt{c}}/((2*c*x + b)^{3/2}) \\ & - 4*(2*c*x + b)^3*\gamma(3/2, 1/4*(2*c*x + b)^2/c)/((2*c*x + b)^{3/2}) \\ & *e^{(-1/4*(2*c*x + b)^2/c)/\sqrt{c}} \end{aligned}$$
Giac [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 227, normalized size of antiderivative = 0.87

$$\begin{aligned} & \int (d + ex)^2 \sinh(a + bx + cx^2) dx \\ & = \frac{\sqrt{\pi}(4c^2d^2 - 4bcde + b^2e^2 + 2ce^2) \operatorname{erf}\left(-\frac{1}{2}\sqrt{c}\left(2x + \frac{b}{c}\right)\right) e^{\left(\frac{b^2 - 4ac}{4c}\right)} + 2\left(ce^2\left(2x + \frac{b}{c}\right) + 4cde - 2be^2\right) e^{(-cx^2 - bx - a)}}{\sqrt{c}} \\ & \quad - \frac{\sqrt{\pi}(4c^2d^2 - 4bcde + b^2e^2 - 2ce^2) \operatorname{erf}\left(-\frac{1}{2}\sqrt{-c}\left(2x + \frac{b}{c}\right)\right) e^{\left(-\frac{b^2 - 4ac}{4c}\right)}}{\sqrt{-c}} - 2\left(ce^2\left(2x + \frac{b}{c}\right) + 4cde - 2be^2\right) e^{(cx^2 + bx + a)}}{16c^2} \end{aligned}$$

input `integrate((e*x+d)^2*sinh(c*x^2+b*x+a),x, algorithm="giac")`

output `1/16*(sqrt(pi)*(4*c^2*d^2 - 4*b*c*d*e + b^2*e^2 + 2*c*e^2)*erf(-1/2*sqrt(c)*(2*x + b/c))*e^(1/4*(b^2 - 4*a*c)/c)/sqrt(c) + 2*(c*e^2*(2*x + b/c) + 4*c*d*e - 2*b*e^2)*e^(-c*x^2 - b*x - a))/c^2 - 1/16*(sqrt(pi)*(4*c^2*d^2 - 4*b*c*d*e + b^2*e^2 - 2*c*e^2)*erf(-1/2*sqrt(-c)*(2*x + b/c))*e^(-1/4*(b^2 - 4*a*c)/c)/sqrt(-c) - 2*(c*e^2*(2*x + b/c) + 4*c*d*e - 2*b*e^2)*e^(c*x^2 + b*x + a))/c^2`

Mupad [F(-1)]

Timed out.

$$\int (d + ex)^2 \sinh(a + bx + cx^2) dx = \int \sinh(cx^2 + bx + a) (d + ex)^2 dx$$

input `int(sinh(a + b*x + c*x^2)*(d + e*x)^2,x)`

output `int(sinh(a + b*x + c*x^2)*(d + e*x)^2, x)`

Reduce [F]

$$\int (d + ex)^2 \sinh(a + bx + cx^2) dx$$

$$= \frac{-\sqrt{\pi} e^{cx^2+bx+2a} \operatorname{erf}\left(\frac{2cix+bi}{2\sqrt{c}}\right) b^2 e^{2i} + 4\sqrt{\pi} e^{cx^2+bx+2a} \operatorname{erf}\left(\frac{2cix+bi}{2\sqrt{c}}\right) bcdei - 4\sqrt{\pi} e^{cx^2+bx+2a} \operatorname{erf}\left(\frac{2cix+bi}{2\sqrt{c}}\right) c^2 d^2}{}$$

input `int((e*x+d)^2*sinh(c*x^2+b*x+a),x)`

output

```
( - sqrt(pi)*e**(2*a + b*x + c*x**2)*erf((b*i + 2*c*i*x)/(2*sqrt(c)))*b**2
*e**2*i + 4*sqrt(pi)*e**(2*a + b*x + c*x**2)*erf((b*i + 2*c*i*x)/(2*sqrt(c)
))*b*c*d*e*i - 4*sqrt(pi)*e**(2*a + b*x + c*x**2)*erf((b*i + 2*c*i*x)/(2*
sqrt(c)))*c**2*d**2*i + 2*sqrt(pi)*e**(2*a + b*x + c*x**2)*erf((b*i + 2*c*
i*x)/(2*sqrt(c)))*c*e**2*i - 2*e**((8*a*c + b**2 + 8*b*c*x + 8*c**2*x**2)/
(4*c))*sqrt(c)*b*e**2 + 8*e**((8*a*c + b**2 + 8*b*c*x + 8*c**2*x**2)/(4*c)
)*sqrt(c)*c*d*e + 4*e**((8*a*c + b**2 + 8*b*c*x + 8*c**2*x**2)/(4*c))*sqrt
(c)*c*e**2*x - 2*e**((b**2 + 4*b*c*x + 4*c**2*x**2)/(4*c))*sqrt(c)*int(1/e
**(b*x + c*x**2),x)*b**2*e**2 + 8*e**((b**2 + 4*b*c*x + 4*c**2*x**2)/(4*c)
)*sqrt(c)*int(1/e**(b*x + c*x**2),x)*b*c*d*e - 8*e**((b**2 + 4*b*c*x + 4*c
**2*x**2)/(4*c))*sqrt(c)*int(1/e**(b*x + c*x**2),x)*c**2*d**2 - 4*e**((b**
2 + 4*b*c*x + 4*c**2*x**2)/(4*c))*sqrt(c)*int(1/e**(b*x + c*x**2),x)*c*e**
2 - 2*e**((b**2)/(4*c))*sqrt(c)*b*e**2 + 8*e**((b**2)/(4*c))*sqrt(c)*c*d*e + 4
*e**((b**2)/(4*c))*sqrt(c)*c*e**2*x)/(16*e**((4*a*c + b**2 + 4*b*c*x + 4*c**
2*x**2)/(4*c))*sqrt(c)*c**2)
```

3.29 $\int (d + ex) \sinh (a + bx + cx^2) dx$

Optimal result	215
Mathematica [A] (verified)	215
Rubi [A] (verified)	216
Maple [A] (verified)	218
Fricas [B] (verification not implemented)	218
Sympy [F]	219
Maxima [B] (verification not implemented)	220
Giac [A] (verification not implemented)	221
Mupad [F(-1)]	221
Reduce [F]	222

Optimal result

Integrand size = 17, antiderivative size = 128

$$\int (d + ex) \sinh (a + bx + cx^2) dx = \frac{e \cosh (a + bx + cx^2)}{2c} - \frac{(2cd - be)e^{-a+\frac{b^2}{4c}}\sqrt{\pi}\operatorname{erf}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{8c^{3/2}} + \frac{(2cd - be)e^{a-\frac{b^2}{4c}}\sqrt{\pi}\operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{8c^{3/2}}$$

output

```
1/2*e*cosh(c*x^2+b*x+a)/c-1/8*(-b*e+2*c*d)*exp(-a+1/4*b^2/c)*Pi^(1/2)*erf(
1/2*(2*c*x+b)/c^(1/2))/c^(3/2)+1/8*(-b*e+2*c*d)*exp(a-1/4*b^2/c)*Pi^(1/2)*
erfi(1/2*(2*c*x+b)/c^(1/2))/c^(3/2)
```

Mathematica [A] (verified)

Time = 0.17 (sec) , antiderivative size = 146, normalized size of antiderivative = 1.14

$$\int (d + ex) \sinh (a + bx + cx^2) dx = \frac{4\sqrt{c}e \cosh(a + x(b + cx)) + (2cd - be)\sqrt{\pi}\operatorname{erf}\left(\frac{b+2cx}{2\sqrt{c}}\right) \left(-\cosh\left(a - \frac{b^2}{4c}\right) + \sinh\left(a - \frac{b^2}{4c}\right)\right) + (2cd - be)\sqrt{\pi}\operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{8c^{3/2}}$$

input `Integrate[(d + e*x)*Sinh[a + b*x + c*x^2],x]`

output `(4*Sqrt[c]*e*Cosh[a + x*(b + c*x)] + (2*c*d - b*e)*Sqrt[Pi]*Erf[(b + 2*c*x)/(2*Sqrt[c]])*(-Cosh[a - b^2/(4*c)] + Sinh[a - b^2/(4*c)]) + (2*c*d - b*e)*Sqrt[Pi]*Erfi[(b + 2*c*x)/(2*Sqrt[c]])*(Cosh[a - b^2/(4*c)] + Sinh[a - b^2/(4*c)]))/(8*c^(3/2))`

Rubi [A] (verified)

Time = 0.40 (sec) , antiderivative size = 127, normalized size of antiderivative = 0.99, number of steps used = 5, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {5905, 5897, 2664, 2633, 2634}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (d + ex) \sinh(a + bx + cx^2) dx \\
 & \quad \downarrow 5905 \\
 & \frac{(2cd - be) \int \sinh(cx^2 + bx + a) dx}{2c} + \frac{e \cosh(a + bx + cx^2)}{2c} \\
 & \quad \downarrow 5897 \\
 & \frac{(2cd - be) \left(\frac{1}{2} \int e^{cx^2 + bx + a} dx - \frac{1}{2} \int e^{-cx^2 - bx - a} dx \right)}{2c} + \frac{e \cosh(a + bx + cx^2)}{2c} \\
 & \quad \downarrow 2664 \\
 & \frac{(2cd - be) \left(\frac{1}{2} e^{a - \frac{b^2}{4c}} \int e^{\frac{(b+2cx)^2}{4c}} dx - \frac{1}{2} e^{\frac{b^2}{4c} - a} \int e^{-\frac{(b+2cx)^2}{4c}} dx \right)}{2c} + \frac{e \cosh(a + bx + cx^2)}{2c} \\
 & \quad \downarrow 2633 \\
 & \frac{(2cd - be) \left(\frac{\sqrt{\pi} e^{a - \frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} - \frac{1}{2} e^{\frac{b^2}{4c} - a} \int e^{-\frac{(b+2cx)^2}{4c}} dx \right)}{2c} + \frac{e \cosh(a + bx + cx^2)}{2c} \\
 & \quad \downarrow 2634
 \end{aligned}$$

$$\frac{(2cd - be) \left(\frac{\sqrt{\pi} e^{a - \frac{b^2}{4c}} \operatorname{erfi}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} - \frac{\sqrt{\pi} e^{\frac{b^2}{4c} - a} \operatorname{erf}\left(\frac{b+2cx}{2\sqrt{c}}\right)}{4\sqrt{c}} \right)}{2c} + \frac{e \cosh(a + bx + cx^2)}{2c}$$

input `Int[(d + e*x)*Sinh[a + b*x + c*x^2], x]`

output `(e*Cosh[a + b*x + c*x^2])/(2*c) + ((2*c*d - b*e)*(-1/4*(E^(-a + b^2/(4*c)))*Sqrt[Pi]*Erf[(b + 2*c*x)/(2*Sqrt[c]])/Sqrt[c] + (E^(a - b^2/(4*c))*Sqrt[Pi]*Erfi[(b + 2*c*x)/(2*Sqrt[c]])/(4*Sqrt[c])))/(2*c)`

Defintions of rubi rules used

rule 2633 `Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]`

rule 2634 `Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]`

rule 2664 `Int[(F_)^((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[F^(a - b^2/(4*c)) Int[F^((b + 2*c*x)^2/(4*c)), x], x] /; FreeQ[{F, a, b, c}, x]`

rule 5897 `Int[Sinh[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] := Simp[1/2 Int[E^(a + b*x + c*x^2), x], x] - Simp[1/2 Int[E^(-a - b*x - c*x^2), x], x] /; FreeQ[{a, b, c}, x]`

rule 5905 `Int[((d_.) + (e_.)*(x_*Sinh[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] := Simp[e*(Cosh[a + b*x + c*x^2]/(2*c)), x] - Simp[(b*e - 2*c*d)/(2*c) Int[Sinh[a + b*x + c*x^2], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b*e - 2*c*d, 0]`

Maple [A] (verified)

Time = 0.21 (sec) , antiderivative size = 200, normalized size of antiderivative = 1.56

method	result
risch	$-\frac{\operatorname{erf}\left(\sqrt{c}x+\frac{b}{2\sqrt{c}}\right)\sqrt{\pi}de^{-\frac{4ac-b^2}{4c}}}{4\sqrt{c}} + \frac{e^{-a}e^{-x(cx+b)}}{4c} + \frac{e^{-a}eb\sqrt{\pi}e^{\frac{b^2}{4c}}\operatorname{erf}\left(\sqrt{c}x+\frac{b}{2\sqrt{c}}\right)}{8c^{\frac{3}{2}}} - \frac{\operatorname{erf}\left(-\sqrt{-c}x+\frac{b}{2\sqrt{-c}}\right)\sqrt{\pi}de^{\frac{4ac-b^2}{4c}}}{4\sqrt{-c}}$

input

```
int((e*x+d)*sinh(c*x^2+b*x+a),x,method=_RETURNVERBOSE)
```

output

```
-1/4*erf(c^(1/2)*x+1/2*b/c^(1/2))/c^(1/2)*Pi^(1/2)*d*exp(-1/4*(4*a*c-b^2)/c)+1/4*exp(-a)*e/c*exp(-x*(c*x+b))+1/8*exp(-a)*e*b/c^(3/2)*Pi^(1/2)*exp(1/4*b^2/c)*erf(c^(1/2)*x+1/2*b/c^(1/2))-1/4*erf(-(-c)^(1/2)*x+1/2*b/(-c)^(1/2))/(-c)^(1/2)*Pi^(1/2)*d*exp(1/4*(4*a*c-b^2)/c)+1/4*exp(a)*e/c*exp(x*(c*x+b))+1/8*exp(a)*e*b/c*Pi^(1/2)*exp(-1/4*b^2/c)/(-c)^(1/2)*erf(-(-c)^(1/2)*x+1/2*b/(-c)^(1/2))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 413 vs. 2(100) = 200.

Time = 0.09 (sec) , antiderivative size = 413, normalized size of antiderivative = 3.23

$$\int (d + ex) \sinh(a + bx + cx^2) dx$$

$$= \frac{2ce \cosh(cx^2 + bx + a)^2 + 4ce \cosh(cx^2 + bx + a) \sinh(cx^2 + bx + a) + 2ce \sinh(cx^2 + bx + a)^2 - \sqrt{\pi}}{\dots}$$

input

```
integrate((e*x+d)*sinh(c*x^2+b*x+a),x, algorithm="fricas")
```

output

```

1/8*(2*c*e*cosh(c*x^2 + b*x + a)^2 + 4*c*e*cosh(c*x^2 + b*x + a)*sinh(c*x^
2 + b*x + a) + 2*c*e*sinh(c*x^2 + b*x + a)^2 - sqrt(pi)*((2*c*d - b*e)*cos
h(c*x^2 + b*x + a)*cosh(-1/4*(b^2 - 4*a*c)/c) + (2*c*d - b*e)*cosh(c*x^2 +
b*x + a)*sinh(-1/4*(b^2 - 4*a*c)/c) + ((2*c*d - b*e)*cosh(-1/4*(b^2 - 4*a
*c)/c) + (2*c*d - b*e)*sinh(-1/4*(b^2 - 4*a*c)/c))*sinh(c*x^2 + b*x + a))*
sqrt(-c)*erf(1/2*(2*c*x + b)*sqrt(-c)/c) - sqrt(pi)*((2*c*d - b*e)*cosh(c*
x^2 + b*x + a)*cosh(-1/4*(b^2 - 4*a*c)/c) - (2*c*d - b*e)*cosh(c*x^2 + b*x
+ a)*sinh(-1/4*(b^2 - 4*a*c)/c) + ((2*c*d - b*e)*cosh(-1/4*(b^2 - 4*a*c)/
c) - (2*c*d - b*e)*sinh(-1/4*(b^2 - 4*a*c)/c))*sinh(c*x^2 + b*x + a))*sqrt
(c)*erf(1/2*(2*c*x + b)/sqrt(c)) + 2*c*e)/(c^2*cosh(c*x^2 + b*x + a) + c^2
*sinh(c*x^2 + b*x + a))

```

Sympy [F]

$$\int (d + ex) \sinh(a + bx + cx^2) dx = \int (d + ex) \sinh(a + bx + cx^2) dx$$

input

```
integrate((e*x+d)*sinh(c*x**2+b*x+a),x)
```

output

```
Integral((d + e*x)*sinh(a + b*x + c*x**2), x)
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 254 vs. $2(100) = 200$.

Time = 0.15 (sec) , antiderivative size = 254, normalized size of antiderivative = 1.98

$$\int (d + ex) \sinh(a + bx + cx^2) dx$$

$$= \frac{\sqrt{\pi}d \operatorname{erf}\left(\sqrt{-c}x - \frac{b}{2\sqrt{-c}}\right) e^{\left(a - \frac{b^2}{4c}\right)}}{4\sqrt{-c}} - \frac{\sqrt{\pi}d \operatorname{erf}\left(\sqrt{c}x + \frac{b}{2\sqrt{c}}\right) e^{\left(-a + \frac{b^2}{4c}\right)}}{4\sqrt{c}}$$

$$- \frac{\left(\frac{\sqrt{\pi}(2cx+b)b\left(\operatorname{erf}\left(\frac{1}{2}\sqrt{\frac{(2cx+b)^2}{c}}\right) - 1\right)}{\sqrt{-\frac{(2cx+b)^2}{c}}c^{\frac{3}{2}}}} - \frac{2e^{\left(\frac{(2cx+b)^2}{4c}\right)}}{\sqrt{c}}\right) ee^{\left(a - \frac{b^2}{4c}\right)}}{8\sqrt{c}}$$

$$+ \frac{\left(\frac{\sqrt{\pi}(2cx+b)b\left(\operatorname{erf}\left(\frac{1}{2}\sqrt{\frac{(2cx+b)^2}{c}}\right) - 1\right)}{\sqrt{\frac{(2cx+b)^2}{c}}(-c)^{\frac{3}{2}}} + \frac{2ce^{\left(-\frac{(2cx+b)^2}{4c}\right)}}{(-c)^{\frac{3}{2}}}\right) ee^{\left(-a + \frac{b^2}{4c}\right)}}{8\sqrt{-c}}$$

input `integrate((e*x+d)*sinh(c*x^2+b*x+a),x, algorithm="maxima")`

output `1/4*sqrt(pi)*d*erf(sqrt(-c)*x - 1/2*b/sqrt(-c))*e^(a - 1/4*b^2/c)/sqrt(-c) - 1/4*sqrt(pi)*d*erf(sqrt(c)*x + 1/2*b/sqrt(c))*e^(-a + 1/4*b^2/c)/sqrt(c) - 1/8*(sqrt(pi)*(2*c*x + b)*b*(erf(1/2*sqrt(-(2*c*x + b)^2/c)) - 1)/(sqrt(-(2*c*x + b)^2/c)*c^(3/2)) - 2*e^(1/4*(2*c*x + b)^2/c)/sqrt(c))*e*e^(a - 1/4*b^2/c)/sqrt(c) + 1/8*(sqrt(pi)*(2*c*x + b)*b*(erf(1/2*sqrt((2*c*x + b)^2/c)) - 1)/(sqrt((2*c*x + b)^2/c)*(-c)^(3/2)) + 2*c*e^(-1/4*(2*c*x + b)^2/c)/(-c)^(3/2))*e*e^(-a + 1/4*b^2/c)/sqrt(-c)`

Giac [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 139, normalized size of antiderivative = 1.09

$$\int (d + ex) \sinh(a + bx + cx^2) dx$$

$$= \frac{\frac{\sqrt{\pi}(2cd-be) \operatorname{erf}\left(-\frac{1}{2}\sqrt{c}\left(2x+\frac{b}{c}\right)\right) e^{\left(\frac{b^2-4ac}{4c}\right)}}{\sqrt{c}} + 2ee^{(-cx^2-bx-a)}}{8c} - \frac{\frac{\sqrt{\pi}(2cd-be) \operatorname{erf}\left(-\frac{1}{2}\sqrt{-c}\left(2x+\frac{b}{c}\right)\right) e^{\left(-\frac{b^2-4ac}{4c}\right)}}{\sqrt{-c}} - 2ee^{(cx^2+bx+a)}}{8c}$$

input `integrate((e*x+d)*sinh(c*x^2+b*x+a),x, algorithm="giac")`

output `1/8*(sqrt(pi)*(2*c*d - b*e)*erf(-1/2*sqrt(c)*(2*x + b/c))*e^(1/4*(b^2 - 4*a*c)/c)/sqrt(c) + 2*e*e^(-c*x^2 - b*x - a))/c - 1/8*(sqrt(pi)*(2*c*d - b*e)*erf(-1/2*sqrt(-c)*(2*x + b/c))*e^(-1/4*(b^2 - 4*a*c)/c)/sqrt(-c) - 2*e*e^(c*x^2 + b*x + a))/c`

Mupad [F(-1)]

Timed out.

$$\int (d + ex) \sinh(a + bx + cx^2) dx = \int \sinh(cx^2 + bx + a) (d + ex) dx$$

input `int(sinh(a + b*x + c*x^2)*(d + e*x),x)`

output `int(sinh(a + b*x + c*x^2)*(d + e*x), x)`

Reduce [F]

$$\int (d + ex) \sinh(a + bx + cx^2) dx$$

$$= \frac{\cosh(cx^2 + bx + a)e - (\int \sinh(cx^2 + bx + a) dx) be + 2(\int \sinh(cx^2 + bx + a) dx) cd}{2c}$$

input `int((e*x+d)*sinh(c*x^2+b*x+a),x)`

output `(cosh(a + b*x + c*x**2)*e - int(sinh(a + b*x + c*x**2),x)*b*e + 2*int(sinh(a + b*x + c*x**2),x)*c*d)/(2*c)`

3.30 $\int \frac{\sinh(a+bx+cx^2)}{d+ex} dx$

Optimal result	223
Mathematica [N/A]	223
Rubi [N/A]	224
Maple [N/A]	224
Fricas [N/A]	225
Sympy [N/A]	225
Maxima [N/A]	225
Giac [N/A]	226
Mupad [N/A]	226
Reduce [N/A]	227

Optimal result

Integrand size = 19, antiderivative size = 19

$$\int \frac{\sinh(a+bx+cx^2)}{d+ex} dx = \text{Int}\left(\frac{\sinh(a+bx+cx^2)}{d+ex}, x\right)$$

output `Defer(Int)(sinh(c*x^2+b*x+a)/(e*x+d), x)`

Mathematica [N/A]

Not integrable

Time = 2.85 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\sinh(a+bx+cx^2)}{d+ex} dx = \int \frac{\sinh(a+bx+cx^2)}{d+ex} dx$$

input `Integrate[Sinh[a + b*x + c*x^2]/(d + e*x), x]`

output `Integrate[Sinh[a + b*x + c*x^2]/(d + e*x), x]`

Rubi [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\sinh(a + bx + cx^2)}{d + ex} dx$$

↓ 5915

$$\int \frac{\sinh(a + bx + cx^2)}{d + ex} dx$$

input `Int[Sinh[a + b*x + c*x^2]/(d + e*x),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.06 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00

$$\int \frac{\sinh(cx^2 + bx + a)}{ex + d} dx$$

input `int(sinh(c*x^2+b*x+a)/(e*x+d),x)`

output `int(sinh(c*x^2+b*x+a)/(e*x+d),x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\sinh(a + bx + cx^2)}{d + ex} dx = \int \frac{\sinh(cx^2 + bx + a)}{ex + d} dx$$

input `integrate(sinh(c*x^2+b*x+a)/(e*x+d),x, algorithm="fricas")`

output `integral(sinh(c*x^2 + b*x + a)/(e*x + d), x)`

Sympy [N/A]

Not integrable

Time = 0.58 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.89

$$\int \frac{\sinh(a + bx + cx^2)}{d + ex} dx = \int \frac{\sinh(a + bx + cx^2)}{d + ex} dx$$

input `integrate(sinh(c*x**2+b*x+a)/(e*x+d),x)`

output `Integral(sinh(a + b*x + c*x**2)/(d + e*x), x)`

Maxima [N/A]

Not integrable

Time = 0.62 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\sinh(a + bx + cx^2)}{d + ex} dx = \int \frac{\sinh(cx^2 + bx + a)}{ex + d} dx$$

input `integrate(sinh(c*x^2+b*x+a)/(e*x+d),x, algorithm="maxima")`

output `integrate(sinh(c*x^2 + b*x + a)/(e*x + d), x)`

Giac [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\sinh(a + bx + cx^2)}{d + ex} dx = \int \frac{\sinh(cx^2 + bx + a)}{ex + d} dx$$

input `integrate(sinh(c*x^2+b*x+a)/(e*x+d),x, algorithm="giac")`

output `integrate(sinh(c*x^2 + b*x + a)/(e*x + d), x)`

Mupad [N/A]

Not integrable

Time = 1.33 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\sinh(a + bx + cx^2)}{d + ex} dx = \int \frac{\sinh(cx^2 + bx + a)}{d + ex} dx$$

input `int(sinh(a + b*x + c*x^2)/(d + e*x),x)`

output `int(sinh(a + b*x + c*x^2)/(d + e*x), x)`

Reduce [N/A]

Not integrable

Time = 0.18 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\sinh(a + bx + cx^2)}{d + ex} dx = \int \frac{\sinh(cx^2 + bx + a)}{ex + d} dx$$

input `int(sinh(c*x^2+b*x+a)/(e*x+d),x)`output `int(sinh(a + b*x + c*x**2)/(d + e*x),x)`

3.31 $\int (d + ex)^2 \sinh^2 (a + bx + cx^2) dx$

Optimal result	228
Mathematica [A] (verified)	229
Rubi [A] (verified)	229
Maple [B] (verified)	230
Fricas [B] (verification not implemented)	231
Sympy [F]	232
Maxima [B] (verification not implemented)	233
Giac [A] (verification not implemented)	233
Mupad [F(-1)]	234
Reduce [F]	234

Optimal result

Integrand size = 21, antiderivative size = 311

$$\int (d + ex)^2 \sinh^2 (a + bx + cx^2) dx = -\frac{(d + ex)^3}{6e} + \frac{e^2 e^{-2a + \frac{b^2}{2c}} \sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right)}{32c^{3/2}}$$

$$+ \frac{(2cd - be)^2 e^{-2a + \frac{b^2}{2c}} \sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right)}{32c^{5/2}}$$

$$- \frac{e^2 e^{2a - \frac{b^2}{2c}} \sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right)}{32c^{3/2}}$$

$$+ \frac{(2cd - be)^2 e^{2a - \frac{b^2}{2c}} \sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right)}{32c^{5/2}}$$

$$+ \frac{e(2cd - be) \sinh(2a + 2bx + 2cx^2)}{16c^2}$$

$$+ \frac{e(d + ex) \sinh(2a + 2bx + 2cx^2)}{8c}$$

output

```
-1/6*(e*x+d)^3/e+1/64*e^2*exp(-2*a+1/2*b^2/c)*2^(1/2)*Pi^(1/2)*erf(1/2*(2*c*x+b)*2^(1/2)/c^(1/2))/c^(3/2)+1/64*(-b*e+2*c*d)^2*exp(-2*a+1/2*b^2/c)*2^(1/2)*Pi^(1/2)*erf(1/2*(2*c*x+b)*2^(1/2)/c^(1/2))/c^(5/2)-1/64*e^2*exp(2*a-1/2*b^2/c)*2^(1/2)*Pi^(1/2)*erfi(1/2*(2*c*x+b)*2^(1/2)/c^(1/2))/c^(3/2)+1/64*(-b*e+2*c*d)^2*exp(2*a-1/2*b^2/c)*2^(1/2)*Pi^(1/2)*erfi(1/2*(2*c*x+b)*2^(1/2)/c^(1/2))/c^(5/2)+1/16*e*(-b*e+2*c*d)*sinh(2*c*x^2+2*b*x+2*a)/c^2+1/8*e*(e*x+d)*sinh(2*c*x^2+2*b*x+2*a)/c
```

Mathematica [A] (verified)

Time = 0.89 (sec) , antiderivative size = 240, normalized size of antiderivative = 0.77

$$\int (d + ex)^2 \sinh^2(a + bx + cx^2) dx$$

$$= \frac{3(4c^2d^2 + b^2e^2 + ce(-4bd + e))\sqrt{2\pi}\operatorname{erf}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right)\left(\cosh\left(2a - \frac{b^2}{2c}\right) - \sinh\left(2a - \frac{b^2}{2c}\right)\right) + 3(4c^2d^2 + b^2e^2 -$$

input

```
Integrate[(d + e*x)^2*Sinh[a + b*x + c*x^2]^2,x]
```

output

```
(3*(4*c^2*d^2 + b^2*e^2 + c*e*(-4*b*d + e))*Sqrt[2*Pi]*Erf[(b + 2*c*x)/(Sqrt[2]*Sqrt[c]])*(Cosh[2*a - b^2/(2*c)] - Sinh[2*a - b^2/(2*c)]) + 3*(4*c^2*d^2 + b^2*e^2 - c*e*(4*b*d + e))*Sqrt[2*Pi]*Erfi[(b + 2*c*x)/(Sqrt[2]*Sqrt[c]])*(Cosh[2*a - b^2/(2*c)] + Sinh[2*a - b^2/(2*c)]) - 4*Sqrt[c]*(8*c^2*x*(3*d^2 + 3*d*e*x + e^2*x^2) - 3*e*(4*c*d - b*e + 2*c*e*x)*Sinh[2*(a + x*(b + c*x))]))/(192*c^(5/2))
```

Rubi [A] (verified)

Time = 0.62 (sec) , antiderivative size = 311, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {5917, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (d + ex)^2 \sinh^2(a + bx + cx^2) dx$$

$$\downarrow 5917$$

$$\int \left(\frac{1}{2}(d + ex)^2 \cosh(2a + 2bx + 2cx^2) - \frac{1}{2}(d + ex)^2 \right) dx$$

$$\downarrow 2009$$

$$\frac{\sqrt{\frac{\pi}{2}} e^{\frac{b^2}{2c} - 2a} (2cd - be)^2 \operatorname{erf}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right)}{32c^{5/2}} + \frac{\sqrt{\frac{\pi}{2}} e^{2a - \frac{b^2}{2c}} (2cd - be)^2 \operatorname{erfi}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right)}{32c^{5/2}} +$$

$$\frac{\sqrt{\frac{\pi}{2}} e^2 e^{\frac{b^2}{2c} - 2a} \operatorname{erf}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right)}{32c^{3/2}} - \frac{\sqrt{\frac{\pi}{2}} e^2 e^{2a - \frac{b^2}{2c}} \operatorname{erfi}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right)}{32c^{3/2}} + \frac{e(2cd - be) \sinh(2a + 2bx + 2cx^2)}{16c^2} +$$

$$\frac{e(d + ex) \sinh(2a + 2bx + 2cx^2)}{8c} - \frac{(d + ex)^3}{6e}$$

input `Int[(d + e*x)^2*Sinh[a + b*x + c*x^2]^2,x]`

output `-1/6*(d + e*x)^3/e + (e^2*E^(-2*a + b^2/(2*c))*Sqrt[Pi/2]*Erf[(b + 2*c*x)/(Sqrt[2]*Sqrt[c])])/(32*c^(3/2)) + ((2*c*d - b*e)^2*E^(-2*a + b^2/(2*c))*Sqrt[Pi/2]*Erf[(b + 2*c*x)/(Sqrt[2]*Sqrt[c])])/(32*c^(5/2)) - (e^2*E^(2*a - b^2/(2*c))*Sqrt[Pi/2]*Erfi[(b + 2*c*x)/(Sqrt[2]*Sqrt[c])])/(32*c^(3/2)) + ((2*c*d - b*e)^2*E^(2*a - b^2/(2*c))*Sqrt[Pi/2]*Erfi[(b + 2*c*x)/(Sqrt[2]*Sqrt[c])])/(32*c^(5/2)) + (e*(2*c*d - b*e)*Sinh[2*a + 2*b*x + 2*c*x^2])/(16*c^2) + (e*(d + e*x)*Sinh[2*a + 2*b*x + 2*c*x^2])/(8*c)`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 5917 `Int[((d_.) + (e_.)*(x_))^(m_.)*Sinh[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]^n_, x_Symbol] := Int[ExpandTrigReduce[(d + e*x)^m, Sinh[a + b*x + c*x^2]^n, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 1]`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 527 vs. 2(253) = 506.

Time = 0.88 (sec) , antiderivative size = 528, normalized size of antiderivative = 1.70

method	result
risch	$-\frac{d^2x}{2} - \frac{e^2x^3}{6} + \frac{\operatorname{erf}\left(\sqrt{2}\sqrt{cx + \frac{b\sqrt{2}}{2\sqrt{c}}}\right)\sqrt{2}\sqrt{\pi}d^2e^{-\frac{4ac-b^2}{2c}}}{16\sqrt{c}} - \frac{e^{-2a}e^2xe^{-2x(cx+b)}}{16c} + \frac{e^{-2a}e^2be^{-2x(cx+b)}}{32c^2} + \frac{e^{-2a}e^2b^2\sqrt{\pi}e^{\frac{b^2}{2c}}}{16c^2}$

input `int((e*x+d)^2*sinh(c*x^2+b*x+a)^2,x,method=_RETURNVERBOSE)`

output

$$\begin{aligned}
 & -1/2*d^2*x-1/6*e^2*x^3+1/16*erf(2^{(1/2)}*c^{(1/2)}*x+1/2*b*2^{(1/2)}/c^{(1/2)})/c \\
 & ^{(1/2)}*2^{(1/2)}*Pi^{(1/2)}*d^2*exp(-1/2*(4*a*c-b^2)/c)-1/16*exp(-2*a)*e^2/c*x \\
 & *exp(-2*x*(c*x+b))+1/32*exp(-2*a)*e^2/c^2*b*exp(-2*x*(c*x+b))+1/64*exp(-2* \\
 & a)*e^2/c^{(5/2)}*b^2*Pi^{(1/2)}*exp(1/2*b^2/c)*2^{(1/2)}*erf(2^{(1/2)}*c^{(1/2)}*x+1 \\
 & /2*b*2^{(1/2)}/c^{(1/2)})+1/64*exp(-2*a)*e^2/c^{(3/2)}*Pi^{(1/2)}*exp(1/2*b^2/c)*2 \\
 & ^{(1/2)}*erf(2^{(1/2)}*c^{(1/2)}*x+1/2*b*2^{(1/2)}/c^{(1/2)})-1/8*exp(-2*a)*d*e/c*ex \\
 & p(-2*x*(c*x+b))-1/16*exp(-2*a)*d*e*b/c^{(3/2)}*Pi^{(1/2)}*exp(1/2*b^2/c)*2^{(1/ \\
 & 2)}*erf(2^{(1/2)}*c^{(1/2)}*x+1/2*b*2^{(1/2)}/c^{(1/2)})-1/8*erf(-(-2*c)^{(1/2)}*x+b/ \\
 & (-2*c)^{(1/2)})/(-2*c)^{(1/2)}*Pi^{(1/2)}*d^2*exp(1/2*(4*a*c-b^2)/c)+1/16*exp(2* \\
 & a)*e^2/c*x*exp(2*x*(c*x+b))-1/32*exp(2*a)*e^2/c^2*b*exp(2*x*(c*x+b))-1/32* \\
 & exp(2*a)*e^2/c^2*b^2*Pi^{(1/2)}*exp(-1/2*b^2/c)/(-2*c)^{(1/2)}*erf(-(-2*c)^{(1/ \\
 & 2)}*x+b/(-2*c)^{(1/2)})+1/32*exp(2*a)*e^2/c*Pi^{(1/2)}*exp(-1/2*b^2/c)/(-2*c)^{(\\
 & 1/2)}*erf(-(-2*c)^{(1/2)}*x+b/(-2*c)^{(1/2)})+1/8*exp(2*a)*d*e/c*exp(2*x*(c*x+b \\
 &))+1/8*exp(2*a)*d*e*b/c*Pi^{(1/2)}*exp(-1/2*b^2/c)/(-2*c)^{(1/2)}*erf(-(-2*c)^ \\
 & (1/2)*x+b/(-2*c)^{(1/2)})-1/2*d*e*x^2
 \end{aligned}$$

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1142 vs. $2(253) = 506$.

Time = 0.10 (sec) , antiderivative size = 1142, normalized size of antiderivative = 3.67

$$\int (d + ex)^2 \sinh^2(a + bx + cx^2) dx = \text{Too large to display}$$

input `integrate((e*x+d)^2*sinh(c*x^2+b*x+a)^2,x, algorithm="fricas")`

output

```

-1/192*(12*c^2*e^2*x - 6*(2*c^2*e^2*x + 4*c^2*d*e - b*c*e^2)*cosh(c*x^2 +
b*x + a)^4 - 24*(2*c^2*e^2*x + 4*c^2*d*e - b*c*e^2)*cosh(c*x^2 + b*x + a)*
sinh(c*x^2 + b*x + a)^3 - 6*(2*c^2*e^2*x + 4*c^2*d*e - b*c*e^2)*sinh(c*x^2
+ b*x + a)^4 + 24*c^2*d*e - 6*b*c*e^2 + 3*sqrt(2)*sqrt(pi)*((4*c^2*d^2 -
4*b*c*d*e + (b^2 - c)*e^2)*cosh(c*x^2 + b*x + a)^2*cosh(-1/2*(b^2 - 4*a*c)
/c) + (4*c^2*d^2 - 4*b*c*d*e + (b^2 - c)*e^2)*cosh(c*x^2 + b*x + a)^2*sinh
(-1/2*(b^2 - 4*a*c)/c) + ((4*c^2*d^2 - 4*b*c*d*e + (b^2 - c)*e^2)*cosh(-1/
2*(b^2 - 4*a*c)/c) + (4*c^2*d^2 - 4*b*c*d*e + (b^2 - c)*e^2)*sinh(-1/2*(b^
2 - 4*a*c)/c))*sinh(c*x^2 + b*x + a)^2 + 2*((4*c^2*d^2 - 4*b*c*d*e + (b^2
- c)*e^2)*cosh(c*x^2 + b*x + a)*cosh(-1/2*(b^2 - 4*a*c)/c) + (4*c^2*d^2 -
4*b*c*d*e + (b^2 - c)*e^2)*cosh(c*x^2 + b*x + a)*sinh(-1/2*(b^2 - 4*a*c)/c
))*sinh(c*x^2 + b*x + a))*sqrt(-c)*erf(1/2*sqrt(2)*(2*c*x + b)*sqrt(-c)/c)
- 3*sqrt(2)*sqrt(pi)*((4*c^2*d^2 - 4*b*c*d*e + (b^2 + c)*e^2)*cosh(c*x^2
+ b*x + a)^2*cosh(-1/2*(b^2 - 4*a*c)/c) - (4*c^2*d^2 - 4*b*c*d*e + (b^2 +
c)*e^2)*cosh(c*x^2 + b*x + a)^2*sinh(-1/2*(b^2 - 4*a*c)/c) + ((4*c^2*d^2 -
4*b*c*d*e + (b^2 + c)*e^2)*cosh(-1/2*(b^2 - 4*a*c)/c) - (4*c^2*d^2 - 4*b*
c*d*e + (b^2 + c)*e^2)*sinh(-1/2*(b^2 - 4*a*c)/c))*sinh(c*x^2 + b*x + a)^2
+ 2*((4*c^2*d^2 - 4*b*c*d*e + (b^2 + c)*e^2)*cosh(c*x^2 + b*x + a)*cosh(-
1/2*(b^2 - 4*a*c)/c) - (4*c^2*d^2 - 4*b*c*d*e + (b^2 + c)*e^2)*cosh(c*x^2
+ b*x + a)*sinh(-1/2*(b^2 - 4*a*c)/c))*sinh(c*x^2 + b*x + a))*sqrt(c)*e...

```

Sympy [F]

$$\int (d + ex)^2 \sinh^2(a + bx + cx^2) dx = \int (d + ex)^2 \sinh^2(a + bx + cx^2) dx$$

input

```
integrate((e*x+d)**2*sinh(c*x**2+b*x+a)**2,x)
```

output

```
Integral((d + e*x)**2*sinh(a + b*x + c*x**2)**2, x)
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 601 vs. $2(253) = 506$.

Time = 0.32 (sec) , antiderivative size = 601, normalized size of antiderivative = 1.93

$$\int (d + ex)^2 \sinh^2(a + bx + cx^2) dx = \text{Too large to display}$$

input `integrate((e*x+d)^2*sinh(c*x^2+b*x+a)^2,x, algorithm="maxima")`

output

```
1/16*(sqrt(2)*sqrt(pi)*erf(sqrt(2)*sqrt(-c)*x - 1/2*sqrt(2)*b/sqrt(-c))*e^
(2*a - 1/2*b^2/c)/sqrt(-c) + sqrt(2)*sqrt(pi)*erf(sqrt(2)*sqrt(c)*x + 1/2*
sqrt(2)*b/sqrt(c))*e^(-2*a + 1/2*b^2/c)/sqrt(c) - 8*x*d^2 - 1/16*(8*x^2 +
sqrt(2)*(sqrt(pi)*(2*c*x + b)*b*(erf(sqrt(1/2)*sqrt(-(2*c*x + b)^2/c)) -
1)/(sqrt(-(2*c*x + b)^2/c)*c^(3/2)) - sqrt(2)*e^(1/2*(2*c*x + b)^2/c)/sqrt
(c))*e^(2*a - 1/2*b^2/c)/sqrt(c) + sqrt(2)*(sqrt(pi)*(2*c*x + b)*b*(erf(sq
rt(1/2)*sqrt((2*c*x + b)^2/c)) - 1)/(sqrt((2*c*x + b)^2/c)*(-c)^(3/2)) + s
qrt(2)*c*e^(-1/2*(2*c*x + b)^2/c)/(-c)^(3/2))*e^(-2*a + 1/2*b^2/c)/sqrt(-c
))*d*e - 1/192*(32*x^3 - 3*sqrt(2)*(sqrt(pi)*(2*c*x + b)*b^2*(erf(sqrt(1/2
)*sqrt(-(2*c*x + b)^2/c)) - 1)/(sqrt(-(2*c*x + b)^2/c)*c^(5/2)) - 2*sqrt(2
)*b*e^(1/2*(2*c*x + b)^2/c)/c^(3/2) - 2*(2*c*x + b)^3*gamma(3/2, -1/2*(2*c
*x + b)^2/c)/((-2*c*x + b)^2/c)^(3/2)*c^(5/2))*e^(2*a - 1/2*b^2/c)/sqrt(c)
+ 3*sqrt(2)*(sqrt(pi)*(2*c*x + b)*b^2*(erf(sqrt(1/2)*sqrt((2*c*x + b)^2
/c)) - 1)/(sqrt((2*c*x + b)^2/c)*(-c)^(5/2)) + 2*sqrt(2)*b*c*e^(-1/2*(2*c*
x + b)^2/c)/(-c)^(5/2) - 2*(2*c*x + b)^3*gamma(3/2, 1/2*(2*c*x + b)^2/c)/
((2*c*x + b)^2/c)^(3/2)*(-c)^(5/2))*e^(-2*a + 1/2*b^2/c)/sqrt(-c))*e^2
```

Giac [A] (verification not implemented)

Time = 0.14 (sec) , antiderivative size = 263, normalized size of antiderivative = 0.85

$$\int (d + ex)^2 \sinh^2(a + bx + cx^2) dx = -\frac{1}{6} e^2 x^3 - \frac{1}{2} dex^2 - \frac{1}{2} d^2 x$$

$$+ \frac{\sqrt{2}\sqrt{\pi}(4c^2d^2 - 4bcde + b^2e^2 + ce^2) \operatorname{erf}\left(-\frac{1}{2}\sqrt{2}\sqrt{c}\left(2x + \frac{b}{c}\right)\right) e^{\left(\frac{b^2 - 4ac}{2c}\right)}}{\sqrt{c}} + 2\left(ce^2\left(2x + \frac{b}{c}\right) + 4cde - 2be^2\right) e^{(-2cx^2 - 2bx - 2a)}$$

$$- \frac{\sqrt{2}\sqrt{\pi}(4c^2d^2 - 4bcde + b^2e^2 - ce^2) \operatorname{erf}\left(-\frac{1}{2}\sqrt{2}\sqrt{-c}\left(2x + \frac{b}{c}\right)\right) e^{\left(-\frac{b^2 - 4ac}{2c}\right)}}{\sqrt{-c}} - \frac{64c^2}{64c^2} \left(ce^2\left(2x + \frac{b}{c}\right) + 4cde - 2be^2\right) e^{(2cx^2 + 2bx + 2a)}$$

input `integrate((e*x+d)^2*sinh(c*x^2+b*x+a)^2,x, algorithm="giac")`

output
$$\begin{aligned} & -1/6*e^2*x^3 - 1/2*d*e*x^2 - 1/2*d^2*x - 1/64*(\sqrt{2}*\sqrt{\pi}*(4*c^2*d^2 \\ & - 4*b*c*d*e + b^2*e^2 + c*e^2)*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{c}*(2*x + b/c))*e^{(1 \\ & /2*(b^2 - 4*a*c)/c)/\sqrt{c}} + 2*(c*e^2*(2*x + b/c) + 4*c*d*e - 2*b*e^2)*e^{ \\ & (-2*c*x^2 - 2*b*x - 2*a))/c^2 - 1/64*(\sqrt{2}*\sqrt{\pi}*(4*c^2*d^2 - 4*b*c* \\ & d*e + b^2*e^2 - c*e^2)*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{-c}*(2*x + b/c))*e^{(-1/2*(b^2 \\ & - 4*a*c)/c)/\sqrt{-c}} - 2*(c*e^2*(2*x + b/c) + 4*c*d*e - 2*b*e^2)*e^{(2*c*x \\ & ^2 + 2*b*x + 2*a))/c^2 \end{aligned}$$

Mupad [F(-1)]

Timed out.

$$\int (d + ex)^2 \sinh^2(a + bx + cx^2) dx = \int \sinh(cx^2 + bx + a)^2 (d + ex)^2 dx$$

input `int(sinh(a + b*x + c*x^2)^2*(d + e*x)^2,x)`

output `int(sinh(a + b*x + c*x^2)^2*(d + e*x)^2, x)`

Reduce [F]

$$\begin{aligned} & \int (d + ex)^2 \sinh^2(a + bx + cx^2) dx \\ & = \frac{-3\sqrt{\pi} e^{2cx^2+2bx+4a} \operatorname{erf}\left(\frac{2cix+bi}{\sqrt{c}\sqrt{2}}\right) b^2 e^{2i} + 12\sqrt{\pi} e^{2cx^2+2bx+4a} \operatorname{erf}\left(\frac{2cix+bi}{\sqrt{c}\sqrt{2}}\right) bcdei - 12\sqrt{\pi} e^{2cx^2+2bx+4a} \operatorname{erf}\left(\frac{2cix}{\sqrt{c}}\right)}{\dots} \end{aligned}$$

input `int((e*x+d)^2*sinh(c*x^2+b*x+a)^2,x)`

output

```
( - 3*sqrt(pi)*e**(4*a + 2*b*x + 2*c*x**2)*erf((b*i + 2*c*i*x)/(sqrt(c)*sqrt(2)))*b**2*e**2*i + 12*sqrt(pi)*e**(4*a + 2*b*x + 2*c*x**2)*erf((b*i + 2*c*i*x)/(sqrt(c)*sqrt(2)))*b*c*d*e*i - 12*sqrt(pi)*e**(4*a + 2*b*x + 2*c*x**2)*erf((b*i + 2*c*i*x)/(sqrt(c)*sqrt(2)))*c**2*d**2*i + 3*sqrt(pi)*e**(4*a + 2*b*x + 2*c*x**2)*erf((b*i + 2*c*i*x)/(sqrt(c)*sqrt(2)))*c*e**2*i - 3*e**((8*a*c + b**2 + 8*b*c*x + 8*c**2*x**2)/(2*c))*sqrt(c)*sqrt(2)*b*e**2 + 12*e**((8*a*c + b**2 + 8*b*c*x + 8*c**2*x**2)/(2*c))*sqrt(c)*sqrt(2)*c*d*e + 6*e**((8*a*c + b**2 + 8*b*c*x + 8*c**2*x**2)/(2*c))*sqrt(c)*sqrt(2)*c*e**2*x - 48*e**((4*a*c + b**2 + 4*b*c*x + 4*c**2*x**2)/(2*c))*sqrt(c)*sqrt(2)*c**2*d**2*x - 48*e**((4*a*c + b**2 + 4*b*c*x + 4*c**2*x**2)/(2*c))*sqrt(c)*sqrt(2)*c**2*d*e*x**2 - 16*e**((4*a*c + b**2 + 4*b*c*x + 4*c**2*x**2)/(2*c))*sqrt(c)*sqrt(2)*c**2*e**2*x**3 + 6*e**((b**2 + 4*b*c*x + 4*c**2*x**2)/(2*c))*sqrt(c)*sqrt(2)*int(1/e**(2*b*x + 2*c*x**2),x)*b**2*e**2 - 24*e**((b**2 + 4*b*c*x + 4*c**2*x**2)/(2*c))*sqrt(c)*sqrt(2)*int(1/e**(2*b*x + 2*c*x**2),x)*b*c*d*e + 24*e**((b**2 + 4*b*c*x + 4*c**2*x**2)/(2*c))*sqrt(c)*sqrt(2)*int(1/e**(2*b*x + 2*c*x**2),x)*c**2*d**2 + 6*e**((b**2 + 4*b*c*x + 4*c**2*x**2)/(2*c))*sqrt(c)*sqrt(2)*int(1/e**(2*b*x + 2*c*x**2),x)*c*e**2 + 3*e**((b**2)/(2*c))*sqrt(c)*sqrt(2)*b*e**2 - 12*e**((b**2)/(2*c))*sqrt(c)*sqrt(2)*c*d*e - 6*e**((b**2)/(2*c))*sqrt(c)*sqrt(2)*c*e**2*x)/(96*e**((4*a*c + b**2 + 4*b*c*x + 4*c**2*x**2)/(2*c))*sqrt(c)*sqrt(2)*c**2)
```

3.32 $\int (d + ex) \sinh^2 (a + bx + cx^2) dx$

Optimal result	236
Mathematica [A] (verified)	237
Rubi [A] (verified)	237
Maple [A] (verified)	238
Fricas [B] (verification not implemented)	239
Sympy [F]	240
Maxima [B] (verification not implemented)	240
Giac [A] (verification not implemented)	241
Mupad [F(-1)]	242
Reduce [F]	242

Optimal result

Integrand size = 19, antiderivative size = 160

$$\int (d + ex) \sinh^2 (a + bx + cx^2) dx = -\frac{(d + ex)^2}{4e} + \frac{(2cd - be)e^{-2a + \frac{b^2}{2c}} \sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right)}{16c^{3/2}} + \frac{(2cd - be)e^{2a - \frac{b^2}{2c}} \sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right)}{16c^{3/2}} + \frac{e \sinh(2a + 2bx + 2cx^2)}{8c}$$

output

```
-1/4*(e*x+d)^2/e+1/32*(-b*e+2*c*d)*exp(-2*a+1/2*b^2/c)*2^(1/2)*Pi^(1/2)*erf(1/2*(2*c*x+b)*2^(1/2)/c^(1/2))/c^(3/2)+1/32*(-b*e+2*c*d)*exp(2*a-1/2*b^2/c)*2^(1/2)*Pi^(1/2)*erfi(1/2*(2*c*x+b)*2^(1/2)/c^(1/2))/c^(3/2)+1/8*e*sinh(2*c*x^2+2*b*x+2*a)/c
```

Mathematica [A] (verified)

Time = 0.44 (sec) , antiderivative size = 177, normalized size of antiderivative = 1.11

$$\int (d + ex) \sinh^2(a + bx + cx^2) dx$$

$$= \frac{(2cd - be)\sqrt{2\pi}\operatorname{erf}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right) \left(\cosh\left(2a - \frac{b^2}{2c}\right) - \sinh\left(2a - \frac{b^2}{2c}\right)\right) + (2cd - be)\sqrt{2\pi}\operatorname{erfi}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right) \left(\cosh\left(2a - \frac{b^2}{2c}\right) + \sinh\left(2a - \frac{b^2}{2c}\right)\right) + 4\sqrt{c}(-2cx(2d + ex) + e\sinh(2(a + x(b + cx))))}{32c^{3/2}}$$

input

```
Integrate[(d + e*x)*Sinh[a + b*x + c*x^2]^2,x]
```

output

```
((2*c*d - b*e)*Sqrt[2*Pi]*Erf[(b + 2*c*x)/(Sqrt[2]*Sqrt[c])]*(Cosh[2*a - b^2/(2*c)] - Sinh[2*a - b^2/(2*c)]) + (2*c*d - b*e)*Sqrt[2*Pi]*Erfi[(b + 2*c*x)/(Sqrt[2]*Sqrt[c])]*(Cosh[2*a - b^2/(2*c)] + Sinh[2*a - b^2/(2*c)]) + 4*Sqrt[c]*(-2*c*x*(2*d + e*x) + e*Sinh[2*(a + x*(b + c*x))]))/(32*c^(3/2))
```

Rubi [A] (verified)

Time = 0.35 (sec) , antiderivative size = 160, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {5917, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (d + ex) \sinh^2(a + bx + cx^2) dx$$

$$\downarrow \text{5917}$$

$$\int \left(\frac{1}{2}(d + ex) \cosh(2a + 2bx + 2cx^2) + \frac{1}{2}(-d - ex) \right) dx$$

$$\downarrow \text{2009}$$

$$\frac{\sqrt{\frac{\pi}{2}} e^{\frac{b^2}{2c} - 2a} (2cd - be) \operatorname{erf}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right)}{16c^{3/2}} + \frac{\sqrt{\frac{\pi}{2}} e^{2a - \frac{b^2}{2c}} (2cd - be) \operatorname{erfi}\left(\frac{b+2cx}{\sqrt{2}\sqrt{c}}\right)}{16c^{3/2}} + \frac{e \sinh(2a + 2bx + 2cx^2)}{8c} - \frac{(d + ex)^2}{4e}$$

input `Int[(d + e*x)*Sinh[a + b*x + c*x^2]^2,x]`

output
$$-1/4*(d + e*x)^2/e + ((2*c*d - b*e)*E^{(-2*a + b^2/(2*c))*Sqrt[Pi/2]*Erf[(b + 2*c*x)/(Sqrt[2]*Sqrt[c])])/(16*c^{(3/2)}) + ((2*c*d - b*e)*E^{(2*a - b^2/(2*c))*Sqrt[Pi/2]*Erfi[(b + 2*c*x)/(Sqrt[2]*Sqrt[c])])/(16*c^{(3/2)}) + (e*Sinh[2*a + 2*b*x + 2*c*x^2])/(8*c)$$

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 5917 `Int[((d_.) + (e_.)*(x_.))^(m_.)*Sinh[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]^(n_) , x_Symbol] := Int[ExpandTrigReduce[(d + e*x)^m, Sinh[a + b*x + c*x^2]^n, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 1]`

Maple [A] (verified)

Time = 0.67 (sec) , antiderivative size = 231, normalized size of antiderivative = 1.44

method	result
risch	$-\frac{e x^2}{4} - \frac{d x}{2} + \frac{\operatorname{erf}\left(\sqrt{2}\sqrt{c}x + \frac{b\sqrt{2}}{2\sqrt{c}}\right)\sqrt{2}\sqrt{\pi} d e^{-\frac{4ac-b^2}{2c}}}{16\sqrt{c}} - \frac{e^{-2a} e^{-2x(cx+b)}}{16c} - \frac{e^{-2a} e b \sqrt{\pi} e^{\frac{b^2}{2c}} \sqrt{2} \operatorname{erf}\left(\sqrt{2}\sqrt{c}x + \frac{b\sqrt{2}}{2\sqrt{c}}\right)}{32c^{\frac{3}{2}}}$

input `int((e*x+d)*sinh(c*x^2+b*x+a)^2,x,method=_RETURNVERBOSE)`

output
$$-1/4*e*x^2-1/2*d*x+1/16*\operatorname{erf}\left(2^{(1/2)}*c^{(1/2)}*x+1/2*b*2^{(1/2)}/c^{(1/2)}\right)/c^{(1/2)}*2^{(1/2)}*Pi^{(1/2)}*d*\exp(-1/2*(4*a*c-b^2)/c)-1/16*\exp(-2*a)*e/c*\exp(-2*x*(c*x+b))-1/32*\exp(-2*a)*e*b/c^{(3/2)}*Pi^{(1/2)}*\exp(1/2*b^2/c)*2^{(1/2)}*\operatorname{erf}\left(2^{(1/2)}*c^{(1/2)}*x+1/2*b*2^{(1/2)}/c^{(1/2)}\right)-1/8*\operatorname{erf}\left(-(-2*c)^{(1/2)}*x+b/(-2*c)^{(1/2)}\right)/(-2*c)^{(1/2)}*Pi^{(1/2)}*d*\exp(1/2*(4*a*c-b^2)/c)+1/16*\exp(2*a)*e/c*\exp(2*x*(c*x+b))+1/16*\exp(2*a)*e*b/c*Pi^{(1/2)}*\exp(-1/2*b^2/c)/(-2*c)^{(1/2)}*\operatorname{erf}\left(-(-2*c)^{(1/2)}*x+b/(-2*c)^{(1/2)}\right)$$

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 777 vs. $2(130) = 260$.

Time = 0.11 (sec) , antiderivative size = 777, normalized size of antiderivative = 4.86

$$\int (d + ex) \sinh^2(a + bx + cx^2) dx = \text{Too large to display}$$

input `integrate((e*x+d)*sinh(c*x^2+b*x+a)^2,x, algorithm="fricas")`

output

```
1/32*(2*c*e*cosh(c*x^2 + b*x + a)^4 + 8*c*e*cosh(c*x^2 + b*x + a)*sinh(c*x
^2 + b*x + a)^3 + 2*c*e*sinh(c*x^2 + b*x + a)^4 - sqrt(2)*sqrt(pi)*((2*c*d
- b*e)*cosh(c*x^2 + b*x + a)^2*cosh(-1/2*(b^2 - 4*a*c)/c) + (2*c*d - b*e)
*cosh(c*x^2 + b*x + a)^2*sinh(-1/2*(b^2 - 4*a*c)/c) + ((2*c*d - b*e)*cosh(
-1/2*(b^2 - 4*a*c)/c) + (2*c*d - b*e)*sinh(-1/2*(b^2 - 4*a*c)/c))*sinh(c*x
^2 + b*x + a)^2 + 2*((2*c*d - b*e)*cosh(c*x^2 + b*x + a)*cosh(-1/2*(b^2 -
4*a*c)/c) + (2*c*d - b*e)*cosh(c*x^2 + b*x + a)*sinh(-1/2*(b^2 - 4*a*c)/c)
)*sinh(c*x^2 + b*x + a))*sqrt(-c)*erf(1/2*sqrt(2)*(2*c*x + b)*sqrt(-c)/c)
+ sqrt(2)*sqrt(pi)*((2*c*d - b*e)*cosh(c*x^2 + b*x + a)^2*cosh(-1/2*(b^2 -
4*a*c)/c) - (2*c*d - b*e)*cosh(c*x^2 + b*x + a)^2*sinh(-1/2*(b^2 - 4*a*c)
/c) + ((2*c*d - b*e)*cosh(-1/2*(b^2 - 4*a*c)/c) - (2*c*d - b*e)*sinh(-1/2*
(b^2 - 4*a*c)/c))*sinh(c*x^2 + b*x + a)^2 + 2*((2*c*d - b*e)*cosh(c*x^2 +
b*x + a)*cosh(-1/2*(b^2 - 4*a*c)/c) - (2*c*d - b*e)*cosh(c*x^2 + b*x + a)*
sinh(-1/2*(b^2 - 4*a*c)/c))*sinh(c*x^2 + b*x + a))*sqrt(c)*erf(1/2*sqrt(2)
*(2*c*x + b)/sqrt(c)) - 8*(c^2*e*x^2 + 2*c^2*d*x)*cosh(c*x^2 + b*x + a)^2
- 4*(2*c^2*e*x^2 + 4*c^2*d*x - 3*c*e*cosh(c*x^2 + b*x + a)^2)*sinh(c*x^2 +
b*x + a)^2 - 2*c*e + 8*(c*e*cosh(c*x^2 + b*x + a)^3 - 2*(c^2*e*x^2 + 2*c^
2*d*x)*cosh(c*x^2 + b*x + a))*sinh(c*x^2 + b*x + a))/(c^2*cosh(c*x^2 + b*x
+ a)^2 + 2*c^2*cosh(c*x^2 + b*x + a)*sinh(c*x^2 + b*x + a) + c^2*sinh(c*x
^2 + b*x + a)^2)
```


Sympy [F]

$$\int (d + ex) \sinh^2 (a + bx + cx^2) dx = \int (d + ex) \sinh^2 (a + bx + cx^2) dx$$

input `integrate((e*x+d)*sinh(c*x**2+b*x+a)**2,x)`

output `Integral((d + e*x)*sinh(a + b*x + c*x**2)**2, x)`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 299 vs. $2(130) = 260$.

Time = 0.27 (sec) , antiderivative size = 299, normalized size of antiderivative = 1.87

$$\int (d + ex) \sinh^2 (a + bx + cx^2) dx$$

$$= \frac{1}{16} \left(\frac{\sqrt{2}\sqrt{\pi} \operatorname{erf} \left(\sqrt{2}\sqrt{-cx} - \frac{\sqrt{2}b}{2\sqrt{-c}} \right) e^{(2a - \frac{b^2}{2c})}}{\sqrt{-c}} + \frac{\sqrt{2}\sqrt{\pi} \operatorname{erf} \left(\sqrt{2}\sqrt{cx} + \frac{\sqrt{2}b}{2\sqrt{c}} \right) e^{(-2a + \frac{b^2}{2c})}}{\sqrt{c}} - 8x \right) d$$

$$- \frac{1}{32} \left(8x^2 + \frac{\sqrt{2} \left(\frac{\sqrt{\pi}(2cx+b)b \left(\operatorname{erf} \left(\sqrt{\frac{1}{2}} \sqrt{-\frac{(2cx+b)^2}{c}} \right) - 1 \right)}{\sqrt{-\frac{(2cx+b)^2}{c}} c^{\frac{3}{2}}} - \sqrt{2} e^{\left(\frac{(2cx+b)^2}{2c} \right)} \right) e^{(2a - \frac{b^2}{2c})}}{\sqrt{c}} + \frac{\sqrt{2} \left(\frac{\sqrt{\pi}(2cx+b)b \left(\operatorname{erf} \left(\sqrt{\frac{1}{2}} \sqrt{\frac{(2cx+b)^2}{c}} \right) - 1 \right)}{\sqrt{\frac{(2cx+b)^2}{c}}} - \sqrt{2} e^{\left(\frac{(2cx+b)^2}{2c} \right)} \right) e^{(-2a + \frac{b^2}{2c})}}{\sqrt{c}} \right)$$

input `integrate((e*x+d)*sinh(c*x^2+b*x+a)^2,x, algorithm="maxima")`

output

```

1/16*(sqrt(2)*sqrt(pi)*erf(sqrt(2)*sqrt(-c)*x - 1/2*sqrt(2)*b/sqrt(-c))*e^
(2*a - 1/2*b^2/c)/sqrt(-c) + sqrt(2)*sqrt(pi)*erf(sqrt(2)*sqrt(c)*x + 1/2*
sqrt(2)*b/sqrt(c))*e^(-2*a + 1/2*b^2/c)/sqrt(c) - 8*x*d - 1/32*(8*x^2 + s
qrt(2)*(sqrt(pi)*(2*c*x + b)*b*(erf(sqrt(1/2)*sqrt(-(2*c*x + b)^2/c)) - 1)
/(sqrt(-(2*c*x + b)^2/c)*c^(3/2)) - sqrt(2)*e^(1/2*(2*c*x + b)^2/c)/sqrt(c)
))*e^(2*a - 1/2*b^2/c)/sqrt(c) + sqrt(2)*(sqrt(pi)*(2*c*x + b)*b*(erf(sqrt
(1/2)*sqrt((2*c*x + b)^2/c)) - 1)/(sqrt((2*c*x + b)^2/c)*(-c)^(3/2)) + sqr
t(2)*c*e^(-1/2*(2*c*x + b)^2/c)/(-c)^(3/2))*e^(-2*a + 1/2*b^2/c)/sqrt(-c)
*e

```

Giac [A] (verification not implemented)

Time = 0.13 (sec) , antiderivative size = 165, normalized size of antiderivative = 1.03

$$\int (d + ex) \sinh^2(a + bx + cx^2) dx$$

$$= -\frac{1}{4} ex^2 - \frac{1}{2} dx - \frac{\frac{\sqrt{2}\sqrt{\pi}(2cd-be) \operatorname{erf}\left(-\frac{1}{2}\sqrt{2}\sqrt{c}\left(2x+\frac{b}{c}\right)\right) e^{\left(\frac{b^2-4ac}{2c}\right)}}{\sqrt{c}}}{32c} + 2ee^{(-2cx^2-2bx-2a)}$$

$$- \frac{\frac{\sqrt{2}\sqrt{\pi}(2cd-be) \operatorname{erf}\left(-\frac{1}{2}\sqrt{2}\sqrt{-c}\left(2x+\frac{b}{c}\right)\right) e^{\left(-\frac{b^2-4ac}{2c}\right)}}{\sqrt{-c}}}{32c} - 2ee^{(2cx^2+2bx+2a)}$$

input

```
integrate((e*x+d)*sinh(c*x^2+b*x+a)^2,x, algorithm="giac")
```

output

```

-1/4*e*x^2 - 1/2*d*x - 1/32*(sqrt(2)*sqrt(pi)*(2*c*d - b*e)*erf(-1/2*sqrt(
2)*sqrt(c)*(2*x + b/c))*e^(1/2*(b^2 - 4*a*c)/c)/sqrt(c) + 2*e*e^(-2*c*x^2
- 2*b*x - 2*a))/c - 1/32*(sqrt(2)*sqrt(pi)*(2*c*d - b*e)*erf(-1/2*sqrt(2)*
sqrt(-c)*(2*x + b/c))*e^(-1/2*(b^2 - 4*a*c)/c)/sqrt(-c) - 2*e*e^(2*c*x^2 +
2*b*x + 2*a))/c

```

Mupad [F(-1)]

Timed out.

$$\int (d + ex) \sinh^2(a + bx + cx^2) dx = \int \sinh(cx^2 + bx + a)^2 (d + ex) dx$$

input `int(sinh(a + b*x + c*x^2)^2*(d + e*x), x)`output `int(sinh(a + b*x + c*x^2)^2*(d + e*x), x)`**Reduce [F]**

$$\int (d + ex) \sinh^2(a + bx + cx^2) dx$$

$$= \frac{\sqrt{\pi} e^{2cx^2+2bx+4a} \operatorname{erf}\left(\frac{2cix+bi}{\sqrt{c}\sqrt{2}}\right) bei - 2\sqrt{\pi} e^{2cx^2+2bx+4a} \operatorname{erf}\left(\frac{2cix+bi}{\sqrt{c}\sqrt{2}}\right) cdi + e^{\frac{8c^2x^2+8bcx+8ac+b^2}{2c}} \sqrt{c}\sqrt{2}e - 8e^{\frac{4c^2x^2+2bx+4a}{2c}}}{1}$$

input `int((e*x+d)*sinh(c*x^2+b*x+a)^2,x)`output `(sqrt(pi)*e**(4*a + 2*b*x + 2*c*x**2)*erf((b*i + 2*c*i*x)/(sqrt(c)*sqrt(2)))*b*e*i - 2*sqrt(pi)*e**(4*a + 2*b*x + 2*c*x**2)*erf((b*i + 2*c*i*x)/(sqrt(c)*sqrt(2)))*c*d*i + e**((8*a*c + b**2 + 8*b*c*x + 8*c**2*x**2)/(2*c))*sqrt(c)*sqrt(2)*e - 8*e**((4*a*c + b**2 + 4*b*c*x + 4*c**2*x**2)/(2*c))*sqrt(c)*sqrt(2)*c*d*x - 4*e**((4*a*c + b**2 + 4*b*c*x + 4*c**2*x**2)/(2*c))*sqrt(c)*sqrt(2)*c*e*x**2 - 2*e**((b**2 + 4*b*c*x + 4*c**2*x**2)/(2*c))*sqrt(c)*sqrt(2)*int(1/e**(2*b*x + 2*c*x**2),x)*b*e + 4*e**((b**2 + 4*b*c*x + 4*c**2*x**2)/(2*c))*sqrt(c)*sqrt(2)*int(1/e**(2*b*x + 2*c*x**2),x)*c*d - e**((b**2/(2*c))*sqrt(c)*sqrt(2)*e)/(16*e**((4*a*c + b**2 + 4*b*c*x + 4*c**2*x**2)/(2*c))*sqrt(c)*sqrt(2)*c)`

3.33 $\int \frac{\sinh^2(a+bx+cx^2)}{d+ex} dx$

Optimal result	243
Mathematica [N/A]	243
Rubi [N/A]	244
Maple [N/A]	244
Fricas [N/A]	245
Sympy [N/A]	245
Maxima [N/A]	245
Giac [N/A]	246
Mupad [N/A]	246
Reduce [N/A]	247

Optimal result

Integrand size = 21, antiderivative size = 21

$$\int \frac{\sinh^2(a+bx+cx^2)}{d+ex} dx = -\frac{\log(d+ex)}{2e} + \frac{1}{2} \text{Int}\left(\frac{\cosh(2a+2bx+2cx^2)}{d+ex}, x\right)$$

output `-1/2*ln(e*x+d)/e+1/2*Defer(Int)(cosh(2*c*x^2+2*b*x+2*a)/(e*x+d), x)`

Mathematica [N/A]

Not integrable

Time = 5.98 (sec) , antiderivative size = 23, normalized size of antiderivative = 1.10

$$\int \frac{\sinh^2(a+bx+cx^2)}{d+ex} dx = \int \frac{\sinh^2(a+bx+cx^2)}{d+ex} dx$$

input `Integrate[Sinh[a + b*x + c*x^2]^2/(d + e*x), x]`

output `Integrate[Sinh[a + b*x + c*x^2]^2/(d + e*x), x]`

Rubi [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\sinh^2(a + bx + cx^2)}{d + ex} dx$$

$$\downarrow 5917$$

$$\int \left(\frac{\cosh(2a + 2bx + 2cx^2)}{2(d + ex)} - \frac{1}{2(d + ex)} \right) dx$$

$$\downarrow 2009$$

$$\frac{1}{2} \int \frac{\cosh(2cx^2 + 2bx + 2a)}{d + ex} dx - \frac{\log(d + ex)}{2e}$$

input `Int[Sinh[a + b*x + c*x^2]^2/(d + e*x), x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.10 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.00

$$\int \frac{\sinh(cx^2 + bx + a)^2}{ex + d} dx$$

input `int(sinh(c*x^2+b*x+a)^2/(e*x+d), x)`

output `int(sinh(c*x^2+b*x+a)^2/(e*x+d), x)`

Fricas [N/A]

Not integrable

Time = 0.10 (sec) , antiderivative size = 23, normalized size of antiderivative = 1.10

$$\int \frac{\sinh^2(a + bx + cx^2)}{d + ex} dx = \int \frac{\sinh(cx^2 + bx + a)^2}{ex + d} dx$$

input `integrate(sinh(c*x^2+b*x+a)^2/(e*x+d),x, algorithm="fricas")`

output `integral(sinh(c*x^2 + b*x + a)^2/(e*x + d), x)`

Sympy [N/A]

Not integrable

Time = 4.96 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.90

$$\int \frac{\sinh^2(a + bx + cx^2)}{d + ex} dx = \int \frac{\sinh^2(a + bx + cx^2)}{d + ex} dx$$

input `integrate(sinh(c*x**2+b*x+a)**2/(e*x+d),x)`

output `Integral(sinh(a + b*x + c*x**2)**2/(d + e*x), x)`

Maxima [N/A]

Not integrable

Time = 0.26 (sec) , antiderivative size = 72, normalized size of antiderivative = 3.43

$$\int \frac{\sinh^2(a + bx + cx^2)}{d + ex} dx = \int \frac{\sinh(cx^2 + bx + a)^2}{ex + d} dx$$

input `integrate(sinh(c*x^2+b*x+a)^2/(e*x+d),x, algorithm="maxima")`

output `-1/2*log(e*x + d)/e + 1/4*integrate(e^(2*c*x^2 + 2*b*x + 2*a)/(e*x + d), x) + 1/4*integrate(e^(-2*c*x^2 - 2*b*x)/(e*x*e^(2*a) + d*e^(2*a)), x)`

Giac [N/A]

Not integrable

Time = 0.15 (sec) , antiderivative size = 23, normalized size of antiderivative = 1.10

$$\int \frac{\sinh^2(a + bx + cx^2)}{d + ex} dx = \int \frac{\sinh(cx^2 + bx + a)^2}{ex + d} dx$$

input `integrate(sinh(c*x^2+b*x+a)^2/(e*x+d),x, algorithm="giac")`

output `integrate(sinh(c*x^2 + b*x + a)^2/(e*x + d), x)`

Mupad [N/A]

Not integrable

Time = 1.38 (sec) , antiderivative size = 23, normalized size of antiderivative = 1.10

$$\int \frac{\sinh^2(a + bx + cx^2)}{d + ex} dx = \int \frac{\sinh(cx^2 + bx + a)^2}{d + ex} dx$$

input `int(sinh(a + b*x + c*x^2)^2/(d + e*x),x)`

output `int(sinh(a + b*x + c*x^2)^2/(d + e*x), x)`

Reduce [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 23, normalized size of antiderivative = 1.10

$$\int \frac{\sinh^2(a + bx + cx^2)}{d + ex} dx = \int \frac{\sinh(cx^2 + bx + a)^2}{ex + d} dx$$

input `int(sinh(c*x^2+b*x+a)^2/(e*x+d),x)`output `int(sinh(a + b*x + c*x**2)**2/(d + e*x),x)`

CHAPTER 4

APPENDIX

4.1	Listing of Grading functions	248
4.2	Links to plain text integration problems used in this report for each CAS .	266

4.1 Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* Nasser: April 7,2022. add second output which gives reason for the grade *)
(*                               Small rewrite of logic in main function to make it*)
(*                               match Maple's logic. No change in functionality otherwise*)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)
```

```

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] := Module[{expnResult,expnOptimal,leafCountResult,leafCountOptimal},
  expnResult = ExpnType[result];
  expnOptimal = ExpnType[optimal];
  leafCountResult = LeafCount[result];
  leafCountOptimal = LeafCount[optimal];

  (*Print["expnResult=",expnResult," expnOptimal=",expnOptimal];*)
  If[expnResult<=expnOptimal,
    If[Not[FreeQ[result,Complex]], (*result contains complex*)
      If[Not[FreeQ[optimal,Complex]], (*optimal contains complex*)
        If[leafCountResult<=2*leafCountOptimal,
          finalresult={"A",""}
          ,(*ELSE*)
          finalresult={"B","Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal."}
        ]
      ,(*ELSE*)
        finalresult={"C","Result contains complex when optimal does not."}
      ]
    ,(*ELSE*)(*result does not contains complex*)
      If[leafCountResult<=2*leafCountOptimal,
        finalresult={"A",""}
        ,(*ELSE*)
        finalresult={"B","Leaf count is larger than twice the leaf count of optimal."}
      ]
    ]
  ,(*ELSE*)(*expnResult>expnOptimal*)
    If[FreeQ[result,Integrate] && FreeQ[result,Int],
      finalresult={"C","Result contains higher order function than in optimal. Order of result is higher than in optimal."}
    ]
  ]

```

```

        finalresult={"F","Contains unresolved integral."}
    ]
];

finalresult
]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
  If[ListQ[expn],
    Max[Map[ExpnType,expn]],
  If[Head[expn]==Power,
    If[IntegerQ[expn[[2]]],
      ExpnType[expn[[1]]],
    If[Head[expn[[2]]]==Rational,
      If[IntegerQ[expn[[1]]] || Head[expn[[1]]]==Rational,
        1,
        Max[ExpnType[expn[[1]],2]],
      Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
    If[Head[expn]==Plus || Head[expn]==Times,
      Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
    If[ElementaryFunctionQ[Head[expn]],
      Max[3,ExpnType[expn[[1]]]],
    If[SpecialFunctionQ[Head[expn]],
      Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
    If[HypergeometricFunctionQ[Head[expn]],

```

```

Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 5]],
If[AppellFunctionQ[Head[expn]],
Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 6]],
If[Head[expn]===RootSum,
Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 7]],
If[Head[expn]===Integrate || Head[expn]===Int,
Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 8]],
9]]]]]]]]]]]]

```

```

ElementaryFunctionQ[func_] :=
MemberQ[{
Exp, Log,
Sin, Cos, Tan, Cot, Sec, Csc,
ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,
Sinh, Cosh, Tanh, Coth, Sech, Csch,
ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
}, func]

```

```

SpecialFunctionQ[func_] :=
MemberQ[{
Erf, Erfc, Erfi,
FresnelS, FresnelC,
ExpIntegralE, ExpIntegralEi, LogIntegral,
SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
Gamma, LogGamma, PolyGamma,
Zeta, PolyLog, ProductLog,
EllipticF, EllipticE, EllipticPi
}, func]

```

```

HypergeometricFunctionQ[func_] :=
MemberQ[{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]

```

```

AppellFunctionQ[func_] :=
MemberQ[{AppellF1}, func]

```

Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
#                   if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
#
#                   see problem 156, file Apostol_Problems
#Nasser 4/07/2022  add second output which gives reason for the grade

GradeAntiderivative := proc(result,optimal)
local leaf_count_result,
      leaf_count_optimal,
      ExpnType_result,
      ExpnType_optimal,
      debug:=false;

      leaf_count_result:=leafcount(result);
      #do NOT call ExpnType() if leaf size is too large. Recursion problem
      if leaf_count_result > 500000 then
          return "B","result has leaf size over 500,000. Avoiding possible recursion issue";
      fi;

      leaf_count_optimal := leafcount(optimal);
      ExpnType_result    := ExpnType(result);
      ExpnType_optimal   := ExpnType(optimal);

      if debug then
          print("ExpnType_result",ExpnType_result," ExpnType_optimal=",ExpnType_optimal);
      fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
#     is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal

```

```

#   antiderivative
#   "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F","Result contains unresolved integral";
fi;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;
    if is_contains_complex(result) then
        if is_contains_complex(optimal) then
            if debug then
                print("both result and optimal complex");
            fi;
            if leaf_count_result<=2*leaf_count_optimal then
                return "A"," ";
            else
                return "B",cat("Both result and optimal contain complex but leaf count of
                                convert(leaf_count_result,string)," vs. $2 (" ,
                                convert(leaf_count_optimal,string)," ) = ",convert(2*leaf

        end if
    else #result contains complex but optimal is not
        if debug then
            print("result contains complex but optimal is not");
        fi;
        return "C","Result contains complex when optimal does not.";
    fi;
else # result do not contain complex
    # this assumes optimal do not as well. No check is needed here.
    if debug then
        print("result do not contain complex, this assumes optimal do not as well
    fi;

```

```

        if leaf_count_result<=2*leaf_count_optimal then
            if debug then
                print("leaf_count_result<=2*leaf_count_optimal");
            fi;
            return "A"," ";
        else
            if debug then
                print("leaf_count_result>2*leaf_count_optimal");
            fi;
            return "B",cat("Leaf count of result is larger than twice the leaf count of
                            convert(leaf_count_result,string)," $ vs. $2(",
                            convert(leaf_count_optimal,string),")=",convert(2*leaf_co
            fi;
        fi;
    else #ExpnType(result) > ExpnType(optimal)
        if debug then
            print("ExpnType(result) > ExpnType(optimal)");
        fi;
        return "C",cat("Result contains higher order function than in optimal. Order ",
                        convert(ExpnType_result,string)," vs. order ",
                        convert(ExpnType_optimal,string),".");
    fi;
end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false
#
#Nasser 032417
is_contains_complex:= proc(expression)
    return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function

```

```

# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'+'') or type(expn,'*') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  elif HypergeometricFunctionQ(op(0,expn)) then
    max(5,apply(max,map(ExpnType,[op(expn)])))
  elif AppellFunctionQ(op(0,expn)) then
    max(6,apply(max,map(ExpnType,[op(expn)])))
  elif op(0,expn)='int' then
    max(8,apply(max,map(ExpnType,[op(expn)]))) else
  9
end proc

```



```

    end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func, [
    exp, log, ln,
    sin, cos, tan, cot, sec, csc,
    arcsin, arccos, arctan, arccot, arcsec, arccsc,
    sinh, cosh, tanh, coth, sech, csch,
    arcsinh, arccosh, arctanh, arccoth, arcsech, arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func, [
    erf, erfc, erfi,
    FresnelS, FresnelC,
    Ei, Ei, Li, Si, Ci, Shi, Chi,
    GAMMA, lnGAMMA, Psi, Zeta, polylog, dilog, LambertW,
    EllipticF, EllipticE, EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func, [Hypergeometric1F1, hypergeom, HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func, [AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u), op(2..nops(u),u))
  end if
end proc:

#leafcount(u) returns the number of nodes in u.

```

```
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc;
```

Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
#      Port of original Maple grading function by
#      Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#      added 'exp_polar'
from sympy import *

def leaf_count(expr):
  #sympy do not have leaf count function. This is approximation
  return round(1.7*count_ops(expr))

def is_sqrt(expr):
  if isinstance(expr,Pow):
    if expr.args[1] == Rational(1,2):
      return True
    else:
      return False
  else:
    return False

def is_elementary_function(func):
  return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
    asinh,acosh,atanh,acoth,asech,acsch
  ]

def is_special_function(func):
  return func in [ erf,erfc,erfi,
    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
    gamma,loggamma,digamma,zeta,polylog,LambertW,
    elliptic_f,elliptic_e,elliptic_pi,exp_polar
  ]
```

```

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
        else:
            return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+') or type(expn,'*')

```

```

    m1 = expnType(expn.args[0])
    m2 = expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
    return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif is_appell_function(expn.func):
    m1 = max(map(expnType, list(expn.args)))
    return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif isinstance(expn,RootSum):
    m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
    return max(7,m1)
elif str(expn).find("Integral") != -1:
    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    #print("Enter grade_antiderivative for sagemath")
    #print("Enter grade_antiderivative, result=",result," optimal=",optimal)

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    #print("leaf_count_result=",leaf_count_result)
    #print("leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        grade = "F"
        grade_annotation = ""

```

```

else:
    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    grade = "A"
                    grade_annotation = ""
                else:
                    grade = "B"
                    grade_annotation = "Both result and optimal contain complex but leaf count of result is lar
            else: #result contains complex but optimal is not
                grade = "C"
                grade_annotation = "Result contains complex when optimal does not."
        else: # result do not contain complex, this assumes optimal do not as well
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = ""
            else:
                grade = "B"
                grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(
        else:
            grade = "C"
            grade_annotation = "Result contains higher order function than in optimal. Order "+str(ExpnType

#print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```

SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#       Albert Rich to use with Sagemath. This is used to
#       grade Fricas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#       'arctan2', 'floor', 'abs', 'log_integral'
#June 4, 2022 Made default grade_annotation "none" instead of "" due
#       issue later when reading the file.
#July 14, 2022. Added ellipticF. This is until they fix sagemath, then remove it.

```

```

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    #print("Enter tree_size, expr is ",expr)

    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    #debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arcoth','arcsech','arcsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:

```

```

    if m:
        print ("func ", func , " is elementary_function")
    else:
        print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    #debug=False
    if debug:
        print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','sinh_integral',
        'Chi','cosh_integral','gamma','log_gamma','psi','zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e','ellipticF',
        'elliptic_pi','exp_integral_e','log_integral',
        'weierstrassPInverse','weierstrass','weierstrassP','weierstrassZeta',
        'weierstrassPPrime','weierstrassSigma']

    if debug:
        print ("m=",m)
    if m:
        print ("func ", func , " is special_function")
    else:
        print ("func ", func , " is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U']

def is_appell_function(func):
    return func.name() in ['hypergeometric'] #[appellf1] can't find this in sagemath

def is_atom(expn):

    #debug=False

```

```

if debug:
    print ("Enter is_atom, expn=",expn)

if not hasattr(expn, 'parent'):
    return False

#thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic
try:
    if expn.parent() is SR:
        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().gens()

    return False

except AttributeError as error:
    print ("Exception,AttributeError in is_atom")
    print ("caught exception" , type(error).__name__ )
    return False

def expnType(expn):

    if debug:
        print (">>>>>Enter expnType, expn=", expn)
        print (">>>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #instance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
    elif expn.operator() == operator.pow: #instance(expn,Pow)
        if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer)

```



```

    return expnType(expn.operands()[0]) #expnType(expn.args[0])
elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],Rational)
    if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],Rational)
        return 1
    else:
        return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
else:
    return max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1])) #max(3,expnType(expn
elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #isinstance(expn,Add) or isins
    m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
    m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
    #is checked before calling the grading function that is passed.
    #but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

if debug:
    print ("Enter grade_antiderivative for sagemath")
    print ("Enter grade_antiderivative, result=",result)
    print ("Enter grade_antiderivative, optimal=",optimal)
    print ("type(anti)=", type(result))
    print ("type(optimal)=", type(optimal))

```

```

leaf_count_result = tree_size(result) #leaf_count(result)
leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

#if debug: print ("leaf_count_result=", leaf_count_result, "leaf_count_optimal=",leaf_count_optimal)

expnType_result = expnType(result)
expnType_optimal = expnType(optimal)

if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",expnType_optimal)

if expnType_result <= expnType_optimal:
    if result.has(I):
        if optimal.has(I): #both result and optimal complex
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = "none"
            else:
                grade = "B"
                grade_annotation = "Both result and optimal contain complex but leaf count of result is larger"
        else: #result contains complex but optimal is not
            grade = "C"
            grade_annotation = "Result contains complex when optimal does not."
    else: # result do not contain complex, this assumes optimal do not as well
        if leaf_count_result <= 2*leaf_count_optimal:
            grade = "A"
            grade_annotation = "none"
        else:
            grade = "B"
            grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(leaf_count_result - 2*leaf_count_optimal)
    else:
        grade = "C"
        grade_annotation = "Result contains higher order function than in optimal. Order "+str(expnType_result - expnType_optimal)

print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```

4.2 Links to plain text integration problems used in this report for each CAS

1. Mathematica integration problems as .m file
2. Maple integration problems as .txt file
3. Sagemath integration problems as .sage file
4. Reduce integration problems as .txt file
5. Mupad integration problems as .txt file
6. Sympy integration problems as .py file