

Computer Algebra Independent Integration Tests

Summer 2024

6-Hyperbolic-functions/6.4-Hyperbolic-cotangent/311-6.4.7

Nasser M. Abbasi

May 18, 2024

Compiled on May 18, 2024 at 9:46am

Contents

1	Introduction	4
1.1	Listing of CAS systems tested	5
1.2	Results	6
1.3	Time and leaf size Performance	10
1.4	Performance based on number of rules Rubi used	12
1.5	Performance based on number of steps Rubi used	13
1.6	Solved integrals histogram based on leaf size of result	14
1.7	Solved integrals histogram based on CPU time used	15
1.8	Leaf size vs. CPU time used	16
1.9	list of integrals with no known antiderivative	17
1.10	List of integrals solved by CAS but has no known antiderivative	17
1.11	list of integrals solved by CAS but failed verification	17
1.12	Timing	18
1.13	Verification	18
1.14	Important notes about some of the results	19
1.15	Current tree layout of integration tests	22
1.16	Design of the test system	23
2	detailed summary tables of results	24
2.1	List of integrals sorted by grade for each CAS	25
2.2	Detailed conclusion table per each integral for all CAS systems	29
2.3	Detailed conclusion table specific for Rubi results	43
3	Listing of integrals	45
3.1	$\int (a + b \coth^2(c + dx))^5 dx$	48
3.2	$\int (a + b \coth^2(c + dx))^4 dx$	57
3.3	$\int (a + b \coth^2(c + dx))^3 dx$	65
3.4	$\int (a + b \coth^2(c + dx))^2 dx$	72
3.5	$\int \frac{1}{a+b \coth^2(c+dx)} dx$	78
3.6	$\int \frac{1}{(a+b \coth^2(c+dx))^2} dx$	85

3.7	$\int \frac{1}{(a+b \coth^2(c+dx))^3} dx$	93
3.8	$\int \frac{1}{(a+b \coth^2(c+dx))^4} dx$	102
3.9	$\int \frac{1}{1-2 \coth^2(x)} dx$	113
3.10	$\int \sqrt{1 - \coth^2(x)} dx$	119
3.11	$\int \sqrt{-1 + \coth^2(x)} dx$	124
3.12	$\int (1 - \coth^2(x))^{3/2} dx$	130
3.13	$\int (-1 + \coth^2(x))^{3/2} dx$	136
3.14	$\int \frac{1}{\sqrt{1-\coth^2(x)}} dx$	143
3.15	$\int \frac{1}{\sqrt{-1+\coth^2(x)}} dx$	149
3.16	$\int \coth^3(x) \sqrt{a + b \coth^2(x)} dx$	154
3.17	$\int \coth^2(x) \sqrt{a + b \coth^2(x)} dx$	162
3.18	$\int \coth(x) \sqrt{a + b \coth^2(x)} dx$	170
3.19	$\int \sqrt{a + b \coth^2(x)} dx$	177
3.20	$\int \sqrt{a + b \coth^2(x)} \tanh(x) dx$	184
3.21	$\int \sqrt{a + b \coth^2(x)} \tanh^2(x) dx$	191
3.22	$\int \coth^3(x) (a + b \coth^2(x))^{3/2} dx$	198
3.23	$\int \coth^2(x) (a + b \coth^2(x))^{3/2} dx$	206
3.24	$\int \coth(x) (a + b \coth^2(x))^{3/2} dx$	215
3.25	$\int (a + b \coth^2(x))^{3/2} dx$	223
3.26	$\int (a + b \coth^2(x))^{3/2} \tanh(x) dx$	231
3.27	$\int (a + b \coth^2(x))^{3/2} \tanh^2(x) dx$	239
3.28	$\int \sqrt{1 + \coth^2(x)} dx$	247
3.29	$\int \sqrt{-1 - \coth^2(x)} dx$	254
3.30	$\int (1 + \coth^2(x))^{3/2} dx$	261
3.31	$\int (-1 - \coth^2(x))^{3/2} dx$	269
3.32	$\int \frac{\coth^3(x)}{\sqrt{a+b \coth^2(x)}} dx$	277
3.33	$\int \frac{\coth^2(x)}{\sqrt{a+b \coth^2(x)}} dx$	285
3.34	$\int \frac{\coth(x)}{\sqrt{a+b \coth^2(x)}} dx$	292
3.35	$\int \frac{1}{\sqrt{a+b \coth^2(x)}} dx$	299

3.36 $\int \frac{\tanh(x)}{\sqrt{a+b \coth^2(x)}} dx \dots\dots\dots 306$

3.37 $\int \frac{\tanh^2(x)}{\sqrt{a+b \coth^2(x)}} dx \dots\dots\dots 312$

3.38 $\int \frac{\coth^3(x)}{(a+b \coth^2(x))^{3/2}} dx \dots\dots\dots 319$

3.39 $\int \frac{\coth^2(x)}{(a+b \coth^2(x))^{3/2}} dx \dots\dots\dots 328$

3.40 $\int \frac{\coth(x)}{(a+b \coth^2(x))^{3/2}} dx \dots\dots\dots 336$

3.41 $\int \frac{\tanh(x)}{(a+b \coth^2(x))^{3/2}} dx \dots\dots\dots 344$

3.42 $\int \frac{\tanh^2(x)}{(a+b \coth^2(x))^{3/2}} dx \dots\dots\dots 351$

3.43 $\int \frac{\coth^3(x)}{(a+b \coth^2(x))^{5/2}} dx \dots\dots\dots 359$

3.44 $\int \frac{\coth^2(x)}{(a+b \coth^2(x))^{5/2}} dx \dots\dots\dots 368$

3.45 $\int \frac{\coth(x)}{(a+b \coth^2(x))^{5/2}} dx \dots\dots\dots 377$

3.46 $\int \frac{\tanh(x)}{(a+b \coth^2(x))^{5/2}} dx \dots\dots\dots 385$

3.47 $\int \frac{\tanh^2(x)}{(a+b \coth^2(x))^{5/2}} dx \dots\dots\dots 393$

3.48 $\int \frac{1}{\sqrt{1+\coth^2(x)}} dx \dots\dots\dots 403$

3.49 $\int \frac{1}{\sqrt{-1-\coth^2(x)}} dx \dots\dots\dots 409$

3.50 $\int \frac{1}{1+\coth^3(x)} dx \dots\dots\dots 415$

3.51 $\int \coth(x) \sqrt{a + b \coth^4(x)} dx \dots\dots\dots 421$

3.52 $\int \frac{\coth(x)}{\sqrt{a+b \coth^4(x)}} dx \dots\dots\dots 429$

3.53 $\int \frac{\coth(x)}{(a+b \coth^4(x))^{3/2}} dx \dots\dots\dots 436$

4 Appendix 444

4.1 Listing of Grading functions 444

4.2 Links to plain text integration problems used in this report for each CAS462

CHAPTER 1

INTRODUCTION

1.1	Listing of CAS systems tested	5
1.2	Results	6
1.3	Time and leaf size Performance	10
1.4	Performance based on number of rules Rubi used	12
1.5	Performance based on number of steps Rubi used	13
1.6	Solved integrals histogram based on leaf size of result	14
1.7	Solved integrals histogram based on CPU time used	15
1.8	Leaf size vs. CPU time used	16
1.9	list of integrals with no known antiderivative	17
1.10	List of integrals solved by CAS but has no known antiderivative	17
1.11	list of integrals solved by CAS but failed verification	17
1.12	Timing	18
1.13	Verification	18
1.14	Important notes about some of the results	19
1.15	Current tree layout of integration tests	22
1.16	Design of the test system	23

This report gives the result of running the computer algebra independent integration test. The download section in on the main webpage contains links to download the problems in plain text format used for all CAS systems. The number of integrals in this report is [53]. This is test number [311].

1.1 Listing of CAS systems tested

The following are the CAS systems tested:

1. Mathematica 14 (January 9, 2024) on windows 10 pro.
2. Rubi 4.17.3 (Sept 25, 2023) on Mathematica 14 on windows 10m pro.
3. Maple 2024 (March 1, 2024) on windows 10 pro.
4. Maxima 5.47 (June 1, 2023) using Lisp SBCL 2.4.0 on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
5. FriCAS 1.3.10 built with sbcl 2.3.11 (January 10, 2024) on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
6. Giac/Xcas 1.9.0-99 on Linux via sagemath 10.3.
7. Sympy 1.12 using Python 3.11.6 (Nov 14 2023, 09:36:21) [GCC 13.2.1 20230801] on Linux Manjaro 23.1.2 KDE.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 on windows 10.
9. Reduce CSL rev 6687 (January 9, 2024) on Linux Manjaro 23.1.2 KDE.

Maxima and Fricas and Giac are called using Sagemath. This was done using Sagemath `integrate` command by changing the name of the algorithm to use the different CAS systems.

Sympy was run directly in Python not via sagemath.

Reduce was called directly.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed. If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	% solved	% Failed
Rubi	100.00 (53)	0.00 (0)
Mathematica	100.00 (53)	0.00 (0)
Fricas	100.00 (53)	0.00 (0)
Maple	81.13 (43)	18.87 (10)
Giac	67.92 (36)	32.08 (17)
Mupad	60.38 (32)	39.62 (21)
Maxima	30.19 (16)	69.81 (37)
Reduce	18.87 (10)	81.13 (43)
Sympy	13.21 (7)	86.79 (46)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	100.000	0.000	0.000	0.000
Mathematica	66.038	15.094	18.868	0.000
Maple	33.962	45.283	1.887	18.868
Giac	7.547	49.057	11.321	32.075
Maxima	7.547	16.981	5.660	69.811
Fricas	3.774	92.453	3.774	0.000
Sympy	1.887	11.321	0.000	86.792
Mupad	0.000	60.377	0.000	39.623
Reduce	0.000	18.868	0.000	81.132

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the grades of the CAS systems.



The following table shows the distribution of the different types of failures for each CAS. There are 3 types failures. The first is when CAS returns the input within the time limit, which means it could not solve it. This is the typical failure and given as **F**.

The second failure is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned. This is assigned **F(-1)**.

The third is due to an exception generated, indicated as **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in the CAS itself. This type of error requires more investigation to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00	0.00	0.00
Mathematica	0	0.00	0.00	0.00
Fricas	0	0.00	0.00	0.00
Maple	10	100.00	0.00	0.00
Giac	17	17.65	0.00	82.35
Mupad	21	0.00	100.00	0.00
Maxima	37	100.00	0.00	0.00
Reduce	43	100.00	0.00	0.00
Sympy	46	91.30	8.70	0.00

Table 1.4: Failure statistics for each CAS

1.3 Time and leaf size Performance

The table below summarizes the performance of each CAS system in terms of time used and leaf size of results.

Mean size is the average leaf size produced by the CAS (before any normalization). The Normalized mean is relative to the mean size of the optimal anti-derivative given in the input files.

For example, if CAS has **Normalized mean** of 3, then the mean size of its leaf size is 3 times as large as the mean size of the optimal leaf size.

Median size is value of leaf size where half the values are larger than this and half are smaller (before any normalization). i.e. The Middle value.

Similarly the **Normalized median** is relative to the median leaf size of the optimal.

For example, if a CAS has Normalized median of 1.2, then its median is 1.2 as large as the median leaf size of the optimal.

System	Mean time (sec)
Maxima	0.13
Maple	0.14
Reduce	0.20
Fricas	0.25
Rubi	0.36
Giac	0.40
Mathematica	0.62
Mupad	2.87
Sympy	3.86

Table 1.5: Time performance for each CAS

System	Mean size	Normalized mean	Median size	Normalized median
Rubi	69.38	1.07	60.00	1.07
Mathematica	108.81	1.61	65.00	1.05
Maple	186.91	3.01	137.00	2.74
Maxima	209.25	2.63	64.50	2.18
Mupad	249.41	2.21	44.00	1.00
Reduce	262.00	2.26	144.50	1.62
Sympy	265.29	3.64	253.00	3.86
Giac	321.17	4.84	250.00	4.16
Fricas	3286.60	40.60	2111.00	37.49

Table 1.6: Leaf size performance for each CAS

1.4 Performance based on number of rules Rubi used

This section shows how each CAS performed based on the number of rules Rubi needed to solve the same integral. One diagram is given for each CAS.

On the y axis is the percentage solved which Rubi itself needed the number of rules given the x axis. These plots show that as more rules are needed then most CAS system percentage of solving decreases which indicates the integral is becoming more complicated to solve.




Figure 1.1: Solving statistics per number of Rubi rules used

1.5 Performance based on number of steps Rubi used

This section shows how each CAS performed based on the number of steps Rubi needed to solve the same integral. Note that the number of steps Rubi needed can be much higher than the number of rules, as the same rule could be used more than once.




Figure 1.2: Solving statistics per number of Rubi steps used

The above diagram show that the percentage of solved intergals decreases for most CAS systems as the number of steps increases. As expected, for integrals that required less steps by Rubi, CAS systems had more success which indicates the integral was not as hard to solve. As Rubi needed more steps to solve the integral, the solved percentage decreased for most CAS systems which indicates the integral is becoming harder to solve.

1.6 Solved integrals histogram based on leaf size of result

The following shows the distribution of solved integrals for each CAS system based on leaf size of the antiderivatives produced by each CAS. It shows that most integrals solved produced leaf size less than about 100 to 150. The bin size used is 40.




Figure 1.3: Solved integrals based on leaf size distribution

1.7 Solved integrals histogram based on CPU time used

The following shows the distribution of solved integrals for each CAS system based on CPU time used in seconds. The bin size used is 0.1 second.




Figure 1.4: Solved integrals histogram based on CPU time used

1.8 Leaf size vs. CPU time used

The following shows the relation between the CPU time used to solve an integral and the leaf size of the antiderivative.

The result for Fracas, Maxima and Giac is shifted more to the right than the other CAS system due to the use of sagemath to call them, which causes an initial slight delay in the timing to start the integration due to overhead of starting a new process each time. This should also be taken into account when looking at the timing of these three CAS systems. Direct calls not using sagemath would result in faster timings, but current implementation uses sagemath as this makes testing much easier to do.




Figure 1.5: Leaf size vs. CPU time. Full range

1.9 list of integrals with no known antiderivative

{}

1.10 List of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Reduce {}

Mupad {}

1.11 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not necessarily mean that the anti-derivative is wrong as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it possible to do further investigation to determine why the result could not be verified.

Rubi {}

Mathematica {23, 37, 42, 44, 47, 49}

Maple {1, 2, 3, 4}

Maxima Verification phase not currently implemented.

Fricas Verification phase not currently implemented.

Sympy Verification phase not currently implemented.

Giac Verification phase not currently implemented.

Reduce Verification phase not currently implemented.

Mupad Verification phase not currently implemented.

1.12 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of_int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 CPU minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out was not counted in the final statistics.

1.13 Verification

A verification phase was applied on the result of integration for **Rubi** and **Mathematica**.

Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative was correct.

Verification phase also had 3 minutes time out. An integral whose result was not verified could still be correct, but further investigation is needed on those integrals. These integrals were marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.14 Important notes about some of the results

Important note about Maxima results

Since tests were run in a batch mode, and using an automated script, then any integral where Maxima needed an interactive response from the user to answer a question during the evaluation of the integral will fail.

The exception raised is `ValueError`. Therefore Maxima results is lower than what would result if Maxima was run directly and each question was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the `Timofeev` test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate the cause of error.

Maxima `integrate` was run using SageMath with the following settings set by default

```
'besselexpand : true'  
'display2d : false'  
'domain : complex'  
'keepfloat : true'  
'load(to_poly_solve)'  
'load(simplify_sum)'  
'load(abs_integrate)' 'load(diag)'
```

SageMath automatic loading of Maxima `abs_integrate` was found to cause some problems. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib  
maxima_lib.set('extra_definite_integration_methods', '[]')  
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

Important note about FriCAS result

There were few integrals which failed due to SageMath interface and not because FriCAS system could not do the integration.

These will fail With error `Exception raised: NotImplementedError`.

The number of such cases seems to be very small. About 1 or 2 percent of all integrals. These can be identified by looking at the exception message given in the result.

Important note about finding leaf size of antiderivative

For Mathematica, Rubi, and Maple, the builtin system function `LeafSize` was used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy antiderivative was determined using the following function, thanks to user `slelievre` at https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which was called directly from Python, the following code was used to obtain the leafsize of its result

```
try:  
    # 1.7 is a fudge factor since it is low side from actual leaf count  
    leafCount = round(1.7*count_ops(anti))  
  
except Exception as ee:  
    leafCount = 1
```

Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative. Maple was used to determine the leaf size of Mupad output by post processing Mupad result.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.

The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')  
the_variable = evalin(symengine, 'x')  
anti = int(integrand,the_variable)
```

Which gives $\sin(x)^2/2$

1.15 Current tree layout of integration tests





Figure 1.6: CAS integration tests tree

1.16 Design of the test system

The following diagram gives a high level view of the current test build system.



High level overview of the CAS independent integration test build system

One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer, the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "E"
13. String. Small string description of why the grade was given.
14. integer. 1 if result was verified or 0 if not verified. (For mma, rubi and maple only)

The following fields are present only in Rubi Table file

15. integer. Number of steps used.
16. integer. Number of rules used.
17. integer. Integrand leaf size.
18. real number. Ratio. Field 16 over field 17
19. String of form "{n,n,...}" which is list of the rules used by Rubi
20. String. The optimal antiderivative in Mathematica syntax

Nasser M. Abbasi
January 13, 2024
Design note

CHAPTER 2

DETAILED SUMMARY TABLES OF RESULTS

2.1	List of integrals sorted by grade for each CAS	25
2.2	Detailed conclusion table per each integral for all CAS systems	29
2.3	Detailed conclusion table specific for Rubi results	43

2.1 List of integrals sorted by grade for each CAS

Rubi	25
Mma	25
Maple	26
Fricas	26
Maxima	26
Giac	27
Mupad	27
Sympy	27
Reduce	28

Rubi

A grade { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53 }

B grade { }

C grade { }

F normal fail { }

F(-1) timedout fail { }

F(-2) exception fail { }

Mma

A grade { 1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 13, 14, 15, 16, 18, 19, 20, 22, 23, 24, 25, 26, 28, 29, 31, 32, 34, 36, 38, 48, 49, 50, 51, 52, 53 }

B grade { 10, 12, 17, 27, 30, 33, 35, 39 }

C grade { 21, 37, 40, 41, 42, 43, 44, 45, 46, 47 }

F normal fail { }

F(-1) timedout fail { }

F(-2) exception fail { }

Maple

A grade { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 50, 51, 52 }

B grade { 16, 17, 18, 19, 22, 23, 24, 25, 28, 29, 30, 31, 32, 33, 34, 35, 38, 39, 40, 43, 44, 45, 48, 49 }

C grade { 53 }

F normal fail { 20, 21, 26, 27, 36, 37, 41, 42, 46, 47 }

F(-1) timedout fail { }

F(-2) exception fail { }

Fricas

A grade { 11, 15 }

B grade { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 13, 14, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53 }

C grade { 29, 31 }

F normal fail { }

F(-1) timedout fail { }

F(-2) exception fail { }

Maxima

A grade { 5, 11, 13, 15 }

B grade { 1, 2, 3, 4, 6, 7, 8, 9, 50 }

C grade { 10, 12, 14 }

F normal fail { 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 51, 52, 53 }

F(-1) timedout fail { }

F(-2) exception fail { }

Giac

A grade { 5, 11, 15, 50 }

B grade { 1, 2, 3, 4, 6, 7, 8, 9, 13, 19, 20, 26, 27, 28, 30, 34, 35, 38, 39, 40, 42, 43, 44, 45, 47, 48 }

C grade { 10, 12, 14, 29, 31, 49 }

F normal fail { 51, 52, 53 }

F(-1) timedout fail { }

F(-2) exception fail { 16, 17, 18, 21, 22, 23, 24, 25, 32, 33, 36, 37, 41, 46 }

Mupad

A grade { }

B grade { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 18, 22, 24, 28, 29, 30, 32, 34, 35, 38, 40, 43, 45, 48, 49, 50 }

C grade { }

F normal fail { }

F(-1) timedout fail { 17, 19, 20, 21, 23, 25, 26, 27, 31, 33, 36, 37, 39, 41, 42, 44, 46, 47, 51, 52, 53 }

F(-2) exception fail { }

Sympy

A grade { 9 }

B grade { 1, 2, 3, 4, 5, 50 }

C grade { }

F normal fail { 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 51, 52, 53 }

F(-1) timedout fail { 6, 7, 8, 27 }

F(-2) exception fail { }

Reduce

A grade { }

B grade { 1, 2, 3, 4, 5, 6, 7, 8, 9, 50 }

C grade { }

F normal fail { 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 51, 52, 53 }

F(-1) timedout fail { }

F(-2) exception fail { }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by the table below. The elapsed time is in seconds. For failed result it is given as **F(-1)** if the failure was due to timeout. It is given as **F(-2)** if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given as **F**.

In this table, the column **N.S.** means **normalized size** and is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$. To make the table fit the page, the name **Mathematica** was abbreviated to **MMA**.

Problem 1	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	B	B	B	B	B
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	160	155	231	153	624	2111	576	721	261	158
N.S.	1	0.97	1.44	0.96	3.90	13.19	3.60	4.51	1.63	0.99
time (sec)	N/A	0.339	2.087	0.386	0.053	0.111	14.338	0.178	0.209	2.849

Problem 2	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	B	B	B	B	B
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	110	108	127	112	410	1164	425	447	178	111
N.S.	1	0.98	1.15	1.02	3.73	10.58	3.86	4.06	1.62	1.01
time (sec)	N/A	0.298	1.466	0.233	0.053	0.109	5.670	0.165	0.194	2.754

Problem 3	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	B	B	B	B	B
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	74	75	100	75	239	557	289	241	111	72
N.S.	1	1.01	1.35	1.01	3.23	7.53	3.91	3.26	1.50	0.97
time (sec)	N/A	0.265	0.998	0.155	0.044	0.094	2.380	0.156	0.180	2.819

Problem 4	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	B	B	B	B	B
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	43	47	65	46	114	197	178	103	60	41
N.S.	1	1.09	1.51	1.07	2.65	4.58	4.14	2.40	1.40	0.95
time (sec)	N/A	0.249	0.335	0.095	0.038	0.090	1.072	0.135	0.182	0.130

Problem 5	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	B	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	46	45	47	71	56	488	253	65	39	37
N.S.	1	0.98	1.02	1.54	1.22	10.61	5.50	1.41	0.85	0.80
time (sec)	N/A	0.363	0.054	0.105	0.127	0.125	2.744	0.137	0.218	0.123

Problem 6	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	B	F(-1)	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	106	97	103	207	1952	0	198	226	110
N.S.	1	1.19	1.09	1.16	2.33	21.93	0.00	2.22	2.54	1.24
time (sec)	N/A	0.431	0.411	0.175	0.163	0.140	0.000	0.144	0.205	3.033

Problem 7	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	B	F(-1)	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	142	170	147	156	509	7508	0	409	575	2719
N.S.	1	1.20	1.04	1.10	3.58	52.87	0.00	2.88	4.05	19.15
time (sec)	N/A	0.519	0.229	0.280	0.238	0.205	0.000	0.165	0.205	3.207

Problem 8	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	B	F(-1)	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	201	239	203	219	925	20031	0	750	1058	3685
N.S.	1	1.19	1.01	1.09	4.60	99.66	0.00	3.73	5.26	18.33
time (sec)	N/A	0.804	0.398	0.435	0.354	0.374	0.000	0.213	0.230	3.229

Problem 9	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	B	A	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	19	19	19	27	38	70	34	38	30	15
N.S.	1	1.00	1.00	1.42	2.00	3.68	1.79	2.00	1.58	0.79
time (sec)	N/A	0.494	0.077	0.059	0.119	0.101	0.374	0.127	0.202	0.113

Problem 10	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	A	C	B	F	C	F	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	3	3	17	4	19	51	0	26	11	3
N.S.	1	1.00	5.67	1.33	6.33	17.00	0.00	8.67	3.67	1.00
time (sec)	N/A	0.375	0.008	0.068	0.119	0.102	0.000	0.118	0.222	2.358

Problem 11	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	F	A	F	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	14	16	15	15	17	17	0	23	9	14
N.S.	1	1.14	1.07	1.07	1.21	1.21	0.00	1.64	0.64	1.00
time (sec)	N/A	0.265	0.006	0.057	0.113	0.086	0.000	0.126	0.207	2.594

Problem 12	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	A	C	B	F	C	F	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	24	26	51	21	49	285	0	60	30	20
N.S.	1	1.08	2.12	0.88	2.04	11.88	0.00	2.50	1.25	0.83
time (sec)	N/A	0.263	0.068	0.059	0.110	0.097	0.000	0.132	0.256	2.548

Problem 13	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	B	F	B	F	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	31	35	49	28	46	211	0	52	26	27
N.S.	1	1.13	1.58	0.90	1.48	6.81	0.00	1.68	0.84	0.87
time (sec)	N/A	0.254	0.056	0.056	0.137	0.098	0.000	0.126	0.202	2.481

Problem 14	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	C	B	F	C	F	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	13	15	13	14	11	40	0	24	22	18
N.S.	1	1.15	1.00	1.08	0.85	3.08	0.00	1.85	1.69	1.38
time (sec)	N/A	0.244	0.026	0.047	0.114	0.093	0.000	0.128	0.220	2.545

Problem 15	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	F	A	F	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	11	13	11	12	11	2	0	18	18	15
N.S.	1	1.18	1.00	1.09	1.00	0.18	0.00	1.64	1.64	1.36
time (sec)	N/A	0.236	0.026	0.033	0.110	0.086	0.000	0.136	0.258	2.344

Problem 16	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	B	F	F(-2)	F	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	63	68	60	253	0	2296	0	0	95	66
N.S.	1	1.08	0.95	4.02	0.00	36.44	0.00	0.00	1.51	1.05
time (sec)	N/A	0.307	0.134	0.194	0.000	0.195	0.000	0.000	0.255	4.368

Problem 17	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	F	B	F	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	85	89	191	276	0	4721	0	0	16	0
N.S.	1	1.05	2.25	3.25	0.00	55.54	0.00	0.00	0.19	0.00
time (sec)	N/A	0.337	0.553	0.097	0.000	0.267	0.000	0.000	0.236	0.000

Problem 18	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	B	F	F(-2)	F	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	49	44	238	0	1480	0	0	75	51
N.S.	1	1.11	1.00	5.41	0.00	33.64	0.00	0.00	1.70	1.16
time (sec)	N/A	0.265	0.024	0.078	0.000	0.166	0.000	0.000	0.223	2.779

Problem 19	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	B	F	B	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	82	238	0	3299	0	262	11	0
N.S.	1	1.00	1.37	3.97	0.00	54.98	0.00	4.37	0.18	0.00
time (sec)	N/A	0.249	0.211	0.072	0.000	0.228	0.000	0.335	0.198	0.000

Problem 20	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	B	F	B	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	56	61	56	0	0	3337	0	259	14	0
N.S.	1	1.09	1.00	0.00	0.00	59.59	0.00	4.62	0.25	0.00
time (sec)	N/A	0.307	0.025	0.000	0.000	0.230	0.000	0.297	0.207	0.000

Problem 21	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	F	F	B	F	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	48	48	42	0	0	1539	0	0	16	0
N.S.	1	1.00	0.88	0.00	0.00	32.06	0.00	0.00	0.33	0.00
time (sec)	N/A	0.298	0.086	0.000	0.000	0.140	0.000	0.000	0.193	0.000

Problem 22	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	B	F	F(-2)	F	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	82	89	86	488	0	4940	0	0	181	112
N.S.	1	1.09	1.05	5.95	0.00	60.24	0.00	0.00	2.21	1.37
time (sec)	N/A	0.355	0.287	0.073	0.000	0.342	0.000	0.000	0.226	10.746

Problem 23	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	B	F	F(-2)	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	123	132	219	529	0	10130	0	0	37	0
N.S.	1	1.07	1.78	4.30	0.00	82.36	0.00	0.00	0.30	0.00
time (sec)	N/A	0.750	0.594	0.079	0.000	0.435	0.000	0.000	0.209	0.000

Problem 24	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	B	F	F(-2)	F	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	63	70	59	473	0	2362	0	0	146	64
N.S.	1	1.11	0.94	7.51	0.00	37.49	0.00	0.00	2.32	1.02
time (sec)	N/A	0.474	0.126	0.069	0.000	0.216	0.000	0.000	0.230	5.020

Problem 25	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	B	F	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	88	92	111	473	0	4881	0	0	32	0
N.S.	1	1.05	1.26	5.38	0.00	55.47	0.00	0.00	0.36	0.00
time (sec)	N/A	0.496	0.442	0.052	0.000	0.296	0.000	0.000	0.205	0.000

Problem 26	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	B	F	B	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	71	76	71	0	0	3949	0	470	37	0
N.S.	1	1.07	1.00	0.00	0.00	55.62	0.00	6.62	0.52	0.00
time (sec)	N/A	0.562	0.055	0.000	0.000	0.312	0.000	3.512	0.261	0.000

Problem 27	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	B	F(-1)	B	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	77	77	180	0	0	3869	0	473	41	0
N.S.	1	1.00	2.34	0.00	0.00	50.25	0.00	6.14	0.53	0.00
time (sec)	N/A	0.348	0.361	0.000	0.000	0.268	0.000	3.283	0.238	0.000

Problem 28	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	B	F	B	F	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	31	31	60	97	0	683	0	119	9	68
N.S.	1	1.00	1.94	3.13	0.00	22.03	0.00	3.84	0.29	2.19
time (sec)	N/A	0.210	0.080	0.114	0.000	0.109	0.000	0.148	0.206	2.427

Problem 29	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	C	F	C	F	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	45	45	62	142	0	226	0	124	11	43
N.S.	1	1.00	1.38	3.16	0.00	5.02	0.00	2.76	0.24	0.96
time (sec)	N/A	0.236	0.054	0.089	0.000	0.099	0.000	0.175	0.277	2.435

Problem 30	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	F	B	F	B	F	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	50	53	116	158	0	1043	0	265	24	78
N.S.	1	1.06	2.32	3.16	0.00	20.86	0.00	5.30	0.48	1.56
time (sec)	N/A	0.233	0.269	0.058	0.000	0.136	0.000	0.153	0.210	2.472

Problem 31	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	C	F	C	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	67	70	118	211	0	361	0	285	27	0
N.S.	1	1.04	1.76	3.15	0.00	5.39	0.00	4.25	0.40	0.00
time (sec)	N/A	0.247	0.172	0.055	0.000	0.094	0.000	0.189	0.223	0.000

Problem 32	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	B	F	F(-2)	F	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	47	52	47	129	0	1576	0	0	26	39
N.S.	1	1.11	1.00	2.74	0.00	33.53	0.00	0.00	0.55	0.83
time (sec)	N/A	0.295	0.065	0.096	0.000	0.153	0.000	0.000	0.233	2.857

Problem 33	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	F	B	F	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	134	137	0	3357	0	0	26	0
N.S.	1	1.00	2.23	2.28	0.00	55.95	0.00	0.00	0.43	0.00
time (sec)	N/A	0.300	0.153	0.082	0.000	0.215	0.000	0.000	0.243	0.000

Problem 34	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	B	F	B	F	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	29	29	29	114	0	1298	0	196	24	23
N.S.	1	1.00	1.00	3.93	0.00	44.76	0.00	6.76	0.83	0.79
time (sec)	N/A	0.251	0.015	0.112	0.000	0.132	0.000	0.230	0.248	2.687

Problem 35	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	F	B	F	B	F	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	31	31	77	114	0	1357	0	196	22	25
N.S.	1	1.00	2.48	3.68	0.00	43.77	0.00	6.32	0.71	0.81
time (sec)	N/A	0.206	0.088	0.060	0.000	0.137	0.000	0.215	0.209	2.635

Problem 36	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	B	F	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	56	61	56	0	0	3397	0	0	24	0
N.S.	1	1.09	1.00	0.00	0.00	60.66	0.00	0.00	0.43	0.00
time (sec)	N/A	0.301	0.029	0.000	0.000	0.219	0.000	0.000	0.265	0.000

Problem 37	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	F	F	B	F	F(-2)	F	F(-1)
verified	N/A	Yes	No	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	51	51	127	0	0	1621	0	0	26	0
N.S.	1	1.00	2.49	0.00	0.00	31.78	0.00	0.00	0.51	0.00
time (sec)	N/A	0.289	0.519	0.000	0.000	0.195	0.000	0.000	0.228	0.000

Problem 38	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	B	F	B	F	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	52	58	52	287	0	2470	0	359	107	45
N.S.	1	1.12	1.00	5.52	0.00	47.50	0.00	6.90	2.06	0.87
time (sec)	N/A	0.441	0.098	0.068	0.000	0.207	0.000	0.312	0.228	3.083

Problem 39	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	F	B	F	B	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	53	53	109	289	0	2279	0	363	107	0
N.S.	1	1.00	2.06	5.45	0.00	43.00	0.00	6.85	2.02	0.00
time (sec)	N/A	0.516	0.714	0.059	0.000	0.229	0.000	0.311	0.248	0.000

Problem 40	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	F	B	F	B	F	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	49	54	41	273	0	2228	0	364	36	41
N.S.	1	1.10	0.84	5.57	0.00	45.47	0.00	7.43	0.73	0.84
time (sec)	N/A	0.459	0.034	0.050	0.000	0.173	0.000	0.296	0.262	3.005

Problem 41	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	F	F	B	F	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	78	98	70	0	0	6849	0	0	36	0
N.S.	1	1.26	0.90	0.00	0.00	87.81	0.00	0.00	0.46	0.00
time (sec)	N/A	0.509	0.045	0.000	0.000	0.381	0.000	0.000	0.223	0.000

Problem 42	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	F	F	B	F	B	F	F(-1)
verified	N/A	Yes	No	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	85	91	244	0	0	3931	0	540	38	0
N.S.	1	1.07	2.87	0.00	0.00	46.25	0.00	6.35	0.45	0.00
time (sec)	N/A	0.620	6.325	0.000	0.000	0.344	0.000	0.463	0.274	0.000

Problem 43	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	F	B	F	B	F	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	74	86	63	435	0	6560	0	951	206	82
N.S.	1	1.16	0.85	5.88	0.00	88.65	0.00	12.85	2.78	1.11
time (sec)	N/A	0.376	0.077	0.074	0.000	0.516	0.000	0.409	0.249	4.578

Problem 44	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	F	B	F	B	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	88	97	190	454	0	6591	0	952	50	0
N.S.	1	1.10	2.16	5.16	0.00	74.90	0.00	10.82	0.57	0.00
time (sec)	N/A	0.377	6.636	0.058	0.000	0.552	0.000	0.420	0.222	0.000

Problem 45	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	F	B	F	B	F	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	70	82	43	420	0	5736	0	909	48	76
N.S.	1	1.17	0.61	6.00	0.00	81.94	0.00	12.99	0.69	1.09
time (sec)	N/A	0.295	0.037	0.053	0.000	0.526	0.000	0.401	0.251	4.637

Problem 46	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	F	F	B	F	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	108	142	73	0	0	19199	0	0	48	0
N.S.	1	1.31	0.68	0.00	0.00	177.77	0.00	0.00	0.44	0.00
time (sec)	N/A	0.393	0.049	0.000	0.000	1.157	0.000	0.000	0.236	0.000

Problem 47	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	F	F	B	F	B	F	F(-1)
verified	N/A	Yes	No	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	131	148	1350	0	0	10729	0	1133	50	0
N.S.	1	1.13	10.31	0.00	0.00	81.90	0.00	8.65	0.38	0.00
time (sec)	N/A	0.464	7.636	0.000	0.000	1.248	0.000	0.618	0.215	0.000

Problem 48	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	B	F	B	F	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	25	25	25	62	0	547	0	69	18	63
N.S.	1	1.00	1.00	2.48	0.00	21.88	0.00	2.76	0.72	2.52
time (sec)	N/A	0.198	0.051	0.103	0.000	0.094	0.000	0.126	0.232	2.497

Problem 49	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	B	F	C	F	B
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	27	27	49	66	0	170	0	73	21	22
N.S.	1	1.00	1.81	2.44	0.00	6.30	0.00	2.70	0.78	0.81
time (sec)	N/A	0.201	0.052	0.096	0.000	0.077	0.000	0.129	0.235	2.337

Problem 50	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	B	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	38	40	40	41	73	95	102	25	82	38
N.S.	1	1.05	1.05	1.08	1.92	2.50	2.68	0.66	2.16	1.00
time (sec)	N/A	0.356	0.058	0.090	0.117	0.105	0.475	0.125	0.222	0.102

Problem 51	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	90	86	116	0	5172	0	0	14	0
N.S.	1	1.01	0.97	1.30	0.00	58.11	0.00	0.00	0.16	0.00
time (sec)	N/A	0.347	0.114	0.870	0.000	0.241	0.000	0.000	0.210	0.000

Problem 52	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	40	43	40	37	0	1290	0	0	24	0
N.S.	1	1.08	1.00	0.92	0.00	32.25	0.00	0.00	0.60	0.00
time (sec)	N/A	0.273	0.014	0.455	0.000	0.235	0.000	0.000	0.223	0.000

Problem 53	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	F	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	74	77	73	431	0	3938	0	0	36	0
N.S.	1	1.04	0.99	5.82	0.00	53.22	0.00	0.00	0.49	0.00
time (sec)	N/A	0.496	0.348	0.617	0.000	0.454	0.000	0.000	0.238	0.000

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi only. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is also given. The larger this ratio is, the harder the integral is to solve. In this test file, problem number [30] had the largest ratio of [.800000000000000044]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	5	4	0.97	14	0.286
2	A	5	4	0.98	14	0.286
3	A	5	4	1.01	14	0.286
4	A	5	4	1.09	14	0.286
5	A	8	7	0.98	14	0.500
6	A	7	6	1.19	14	0.429
7	A	8	7	1.20	14	0.500
8	A	11	10	1.19	14	0.714
9	A	8	7	1.00	10	0.700
10	A	6	5	1.00	12	0.417
11	A	7	6	1.14	10	0.600
12	A	7	6	1.08	12	0.500
13	A	8	7	1.13	10	0.700
14	A	6	5	1.15	12	0.417
15	A	6	5	1.18	10	0.500
16	A	10	9	1.08	17	0.529
17	A	11	10	1.05	17	0.588
18	A	9	8	1.11	15	0.533
19	A	8	7	1.00	12	0.583
20	A	9	8	1.09	15	0.533
21	A	9	8	1.00	17	0.471

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
22	A	11	10	1.09	17	0.588
23	A	14	13	1.07	17	0.765
24	A	10	9	1.11	15	0.600
25	A	10	9	1.05	12	0.750
26	A	11	10	1.07	15	0.667
27	A	11	10	1.00	17	0.588
28	A	7	6	1.00	10	0.600
29	A	8	7	1.00	12	0.583
30	A	9	8	1.06	10	0.800
31	A	10	9	1.04	12	0.750
32	A	9	8	1.11	17	0.471
33	A	10	9	1.00	17	0.529
34	A	8	7	1.00	15	0.467
35	A	5	4	1.00	12	0.333
36	A	9	8	1.09	15	0.533
37	A	9	8	1.00	17	0.471
38	A	9	8	1.12	17	0.471
39	A	8	7	1.00	17	0.412
40	A	9	8	1.10	15	0.533
41	A	11	10	1.26	15	0.667
42	A	12	11	1.07	17	0.647
43	A	10	9	1.16	17	0.529
44	A	10	9	1.10	17	0.529
45	A	10	9	1.17	15	0.600
46	A	13	12	1.31	15	0.800
47	A	13	12	1.13	17	0.706
48	A	5	4	1.00	10	0.400
49	A	5	4	1.00	12	0.333
50	A	5	4	1.05	8	0.500
51	A	13	12	1.01	15	0.800
52	A	8	7	1.08	15	0.467
53	A	11	10	1.04	15	0.667

CHAPTER 3

LISTING OF INTEGRALS

3.1	$\int (a + b \coth^2(c + dx))^5 dx$	48
3.2	$\int (a + b \coth^2(c + dx))^4 dx$	57
3.3	$\int (a + b \coth^2(c + dx))^3 dx$	65
3.4	$\int (a + b \coth^2(c + dx))^2 dx$	72
3.5	$\int \frac{1}{a + b \coth^2(c + dx)} dx$	78
3.6	$\int \frac{1}{(a + b \coth^2(c + dx))^2} dx$	85
3.7	$\int \frac{1}{(a + b \coth^2(c + dx))^3} dx$	93
3.8	$\int \frac{1}{(a + b \coth^2(c + dx))^4} dx$	102
3.9	$\int \frac{1}{1 - 2 \coth^2(x)} dx$	113
3.10	$\int \sqrt{1 - \coth^2(x)} dx$	119
3.11	$\int \sqrt{-1 + \coth^2(x)} dx$	124
3.12	$\int (1 - \coth^2(x))^{3/2} dx$	130
3.13	$\int (-1 + \coth^2(x))^{3/2} dx$	136
3.14	$\int \frac{1}{\sqrt{1 - \coth^2(x)}} dx$	143
3.15	$\int \frac{1}{\sqrt{-1 + \coth^2(x)}} dx$	149
3.16	$\int \coth^3(x) \sqrt{a + b \coth^2(x)} dx$	154
3.17	$\int \coth^2(x) \sqrt{a + b \coth^2(x)} dx$	162
3.18	$\int \coth(x) \sqrt{a + b \coth^2(x)} dx$	170
3.19	$\int \sqrt{a + b \coth^2(x)} dx$	177
3.20	$\int \sqrt{a + b \coth^2(x)} \tanh(x) dx$	184
3.21	$\int \sqrt{a + b \coth^2(x)} \tanh^2(x) dx$	191

3.22	$\int \coth^3(x) (a + b \coth^2(x))^{3/2} dx$	198
3.23	$\int \coth^2(x) (a + b \coth^2(x))^{3/2} dx$	206
3.24	$\int \coth(x) (a + b \coth^2(x))^{3/2} dx$	215
3.25	$\int (a + b \coth^2(x))^{3/2} dx$	223
3.26	$\int (a + b \coth^2(x))^{3/2} \tanh(x) dx$	231
3.27	$\int (a + b \coth^2(x))^{3/2} \tanh^2(x) dx$	239
3.28	$\int \sqrt{1 + \coth^2(x)} dx$	247
3.29	$\int \sqrt{-1 - \coth^2(x)} dx$	254
3.30	$\int (1 + \coth^2(x))^{3/2} dx$	261
3.31	$\int (-1 - \coth^2(x))^{3/2} dx$	269
3.32	$\int \frac{\coth^3(x)}{\sqrt{a+b \coth^2(x)}} dx$	277
3.33	$\int \frac{\coth^2(x)}{\sqrt{a+b \coth^2(x)}} dx$	285
3.34	$\int \frac{\coth(x)}{\sqrt{a+b \coth^2(x)}} dx$	292
3.35	$\int \frac{1}{\sqrt{a+b \coth^2(x)}} dx$	299
3.36	$\int \frac{\tanh(x)}{\sqrt{a+b \coth^2(x)}} dx$	306
3.37	$\int \frac{\tanh^2(x)}{\sqrt{a+b \coth^2(x)}} dx$	312
3.38	$\int \frac{\coth^3(x)}{(a+b \coth^2(x))^{3/2}} dx$	319
3.39	$\int \frac{\coth^2(x)}{(a+b \coth^2(x))^{3/2}} dx$	328
3.40	$\int \frac{\coth(x)}{(a+b \coth^2(x))^{3/2}} dx$	336
3.41	$\int \frac{\tanh(x)}{(a+b \coth^2(x))^{3/2}} dx$	344
3.42	$\int \frac{\tanh^2(x)}{(a+b \coth^2(x))^{3/2}} dx$	351
3.43	$\int \frac{\coth^3(x)}{(a+b \coth^2(x))^{5/2}} dx$	359
3.44	$\int \frac{\coth^2(x)}{(a+b \coth^2(x))^{5/2}} dx$	368
3.45	$\int \frac{\coth(x)}{(a+b \coth^2(x))^{5/2}} dx$	377
3.46	$\int \frac{\tanh(x)}{(a+b \coth^2(x))^{5/2}} dx$	385
3.47	$\int \frac{\tanh^2(x)}{(a+b \coth^2(x))^{5/2}} dx$	393
3.48	$\int \frac{1}{\sqrt{1+\coth^2(x)}} dx$	403
3.49	$\int \frac{1}{\sqrt{-1-\coth^2(x)}} dx$	409

3.50	$\int \frac{1}{1+\coth^3(x)} dx$	415
3.51	$\int \coth(x) \sqrt{a + b \coth^4(x)} dx$	421
3.52	$\int \frac{\coth(x)}{\sqrt{a+b \coth^4(x)}} dx$	429
3.53	$\int \frac{\coth(x)}{(a+b \coth^4(x))^{3/2}} dx$	436

3.1 $\int (a + b \operatorname{coth}^2(c + dx))^5 dx$

Optimal result	48
Mathematica [A] (verified)	49
Rubi [A] (verified)	49
Maple [A] (warning: unable to verify)	51
Fricas [B] (verification not implemented)	51
Sympy [B] (verification not implemented)	52
Maxima [B] (verification not implemented)	53
Giac [B] (verification not implemented)	54
Mupad [B] (verification not implemented)	55
Reduce [B] (verification not implemented)	56

Optimal result

Integrand size = 14, antiderivative size = 160

$$\int (a + b \operatorname{coth}^2(c + dx))^5 dx = (a + b)^5 x - \frac{b(5a^4 + 10a^3b + 10a^2b^2 + 5ab^3 + b^4) \operatorname{coth}(c + dx)}{d} - \frac{b^2(10a^3 + 10a^2b + 5ab^2 + b^3) \operatorname{coth}^3(c + dx)}{3d} - \frac{b^3(10a^2 + 5ab + b^2) \operatorname{coth}^5(c + dx)}{5d} - \frac{b^4(5a + b) \operatorname{coth}^7(c + dx)}{7d} - \frac{b^5 \operatorname{coth}^9(c + dx)}{9d}$$

output

```
(a+b)^5*x-b*(5*a^4+10*a^3*b+10*a^2*b^2+5*a*b^3+b^4)*coth(d*x+c)/d-1/3*b^2*(10*a^3+10*a^2*b+5*a*b^2+b^3)*coth(d*x+c)^3/d-1/5*b^3*(10*a^2+5*a*b+b^2)*coth(d*x+c)^5/d-1/7*b^4*(5*a+b)*coth(d*x+c)^7/d-1/9*b^5*coth(d*x+c)^9/d
```

Mathematica [A] (verified)

Time = 2.09 (sec) , antiderivative size = 231, normalized size of antiderivative = 1.44

$$\int (a + b \coth^2(c + dx))^5 dx =$$

$$\frac{b^5 \coth^9(c + dx) \left(35 + 45 \tanh^2(c + dx) + 63 \tanh^4(c + dx) + 105 \tanh^6(c + dx) + 315 \tanh^8(c + dx) \right)}{d}$$

input `Integrate[(a + b*Coth[c + d*x]^2)^5,x]`

output `-1/315*(b^5*Coth[c + d*x]^9*(35 + 45*Tanh[c + d*x]^2 + 63*Tanh[c + d*x]^4 + 105*Tanh[c + d*x]^6 + 315*Tanh[c + d*x]^8 + (1575*a^4*Tanh[c + d*x]^8)/b^4 - (315*(a + b)^5*ArcTanh[Sqrt[Tanh[c + d*x]^2]]*Tanh[c + d*x]^10)/(b^5*Sqrt[Tanh[c + d*x]^2]) + (1050*a^3*Tanh[c + d*x]^6*(1 + 3*Tanh[c + d*x]^2))/b^3 + (210*a^2*Tanh[c + d*x]^4*(3 + 5*Tanh[c + d*x]^2 + 15*Tanh[c + d*x]^4))/b^2 + (15*a*Tanh[c + d*x]^2*(15 + 21*Tanh[c + d*x]^2 + 35*Tanh[c + d*x]^4 + 105*Tanh[c + d*x]^6))/b)/d`

Rubi [A] (verified)

Time = 0.34 (sec) , antiderivative size = 155, normalized size of antiderivative = 0.97, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3042, 4144, 300, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (a + b \coth^2(c + dx))^5 dx$$

$$\downarrow 3042$$

$$\int \left(a - b \tan \left(ic + idx + \frac{\pi}{2} \right)^2 \right)^5 dx$$

$$\downarrow 4144$$

$$\frac{\int \frac{(b \coth^2(c+dx)+a)^5}{1-\coth^2(c+dx)} d \coth(c+dx)}{d}$$

↓ 300

$$\frac{\int \left(-b^5 \coth^8(c+dx) - b^4(5a+b) \coth^6(c+dx) - b^3(10a^2+5ba+b^2) \coth^4(c+dx) - b^2(10a^3+10ba^2+5b^2a) \coth^2(c+dx) \right) dx}{d}$$

↓ 2009

$$\frac{-\frac{1}{5}b^3(10a^2+5ab+b^2) \coth^5(c+dx) - \frac{1}{3}b^2(10a^3+10a^2b+5ab^2+b^3) \coth^3(c+dx) - b(5a^4+10a^3b+10a^2b^2+5ab^3) \coth(c+dx) - b^5}{d}$$

input `Int[(a + b*Coth[c + d*x]^2)^5,x]`

output `((a + b)^5*ArcTanh[Coth[c + d*x]] - b*(5*a^4 + 10*a^3*b + 10*a^2*b^2 + 5*a*b^3 + b^4)*Coth[c + d*x] - (b^2*(10*a^3 + 10*a^2*b + 5*a*b^2 + b^3)*Coth[c + d*x]^3)/3 - (b^3*(10*a^2 + 5*a*b + b^2)*Coth[c + d*x]^5)/5 - (b^4*(5*a + b)*Coth[c + d*x]^7)/7 - (b^5*Coth[c + d*x]^9)/9)/d`

Defintions of rubi rules used

rule 300 `Int[((a_) + (b_.)*(x_)^2)^(p_)*((c_) + (d_.)*(x_)^2)^(q_), x_Symbol] := Int[PolynomialDivide[(a + b*x^2)^p, (c + d*x^2)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4144

```
Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :>
With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[c*(ff/f) Subst[Int[(a + b*
(ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x]] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] ||
EqQ[n^2, 16])
```

Maple [A] (warning: unable to verify)

Time = 0.39 (sec) , antiderivative size = 153, normalized size of antiderivative = 0.96

method	result
parallelrisch	$\frac{-35b^5 \coth(dx+c)^9 + (-225b^4a - 45b^5) \coth(dx+c)^7 + (-630a^2b^3 - 315b^4a - 63b^5) \coth(dx+c)^5 + (-1050a^3b^2 - 1050a^2b^3 - 525a^3b^4 - 1050a^4b^5) \coth(dx+c)^3 + (a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5b^4a + b^5) \ln(\coth(dx+c)+1) - 10a^3b^5}{315d}$
derivativedivides	$\frac{-b^5 \coth(dx+c)^9}{9} - \frac{10a^2b^3 \coth(dx+c)^3}{3} - \frac{5ab^4 \coth(dx+c)^3}{3} + \frac{(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5b^4a + b^5) \ln(\coth(dx+c)+1)}{2} - 10a^3b^5$
default	$\frac{-b^5 \coth(dx+c)^9}{9} - \frac{10a^2b^3 \coth(dx+c)^3}{3} - \frac{5ab^4 \coth(dx+c)^3}{3} + \frac{(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5b^4a + b^5) \ln(\coth(dx+c)+1)}{2} - 10a^3b^5$
parts	$a^5x + \frac{b^5 \left(-\frac{\coth(dx+c)^9}{9} - \frac{\coth(dx+c)^7}{7} - \frac{\coth(dx+c)^5}{5} - \frac{\coth(dx+c)^3}{3} - \coth(dx+c) - \frac{\ln(\coth(dx+c)-1)}{2} + \frac{\ln(\coth(dx+c)+1)}{2} \right)}{d}$
risch	$a^5x + 5ba^4x + 10a^3b^2x + 10b^3a^2x + 5ab^4x + b^5x - \frac{2b(4200a^3b + 4830a^2b^2 + 107100a^3be^{4dx+4c} + \dots)}{d}$

input

```
int((a+b*coth(d*x+c)^2)^5,x,method=_RETURNVERBOSE)
```

output

```
1/315*(-35*b^5*coth(d*x+c)^9+(-225*a*b^4-45*b^5)*coth(d*x+c)^7+(-630*a^2*b^3-315*a*b^4-63*b^5)*coth(d*x+c)^5+(-1050*a^3*b^2-1050*a^2*b^3-525*a*b^4-105*b^5)*coth(d*x+c)^3-1575*b*(a^4+2*a^3*b+2*a^2*b^2+a*b^3+1/5*b^4)*coth(d*x+c)+315*d*x*(a+b)^5)/d
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2111 vs. 2(152) = 304.

Time = 0.11 (sec) , antiderivative size = 2111, normalized size of antiderivative = 13.19

$$\int (a + b \coth^2(c + dx))^5 dx = \text{Too large to display}$$

input `integrate((a+b*coth(d*x+c)^2)^5,x, algorithm="fricas")`

output

```
-1/315*((1575*a^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5)*
cosh(d*x + c)^9 + 9*(1575*a^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4
+ 563*b^5)*cosh(d*x + c)*sinh(d*x + c)^8 - (1575*a^4*b + 4200*a^3*b^2 + 4
830*a^2*b^3 + 2640*a*b^4 + 563*b^5 + 315*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*
a^2*b^3 + 5*a*b^4 + b^5)*d*x)*sinh(d*x + c)^9 - 9*(1225*a^4*b + 2800*a^3*b
^2 + 2730*a^2*b^3 + 1240*a*b^4 + 213*b^5)*cosh(d*x + c)^7 + 9*(1575*a^4*b
+ 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5 + 315*(a^5 + 5*a^4*b
+ 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x - 4*(1575*a^4*b + 4200*a^3*
b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5 + 315*(a^5 + 5*a^4*b + 10*a^3*b^
2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^7 + 21
*(4*(1575*a^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5)*cosh
(d*x + c)^3 - 3*(1225*a^4*b + 2800*a^3*b^2 + 2730*a^2*b^3 + 1240*a*b^4 + 2
13*b^5)*cosh(d*x + c))*sinh(d*x + c)^6 + 36*(875*a^4*b + 1750*a^3*b^2 + 16
80*a^2*b^3 + 890*a*b^4 + 213*b^5)*cosh(d*x + c)^5 - 9*(6300*a^4*b + 16800*
a^3*b^2 + 19320*a^2*b^3 + 10560*a*b^4 + 2252*b^5 + 14*(1575*a^4*b + 4200*a
^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5 + 315*(a^5 + 5*a^4*b + 10*a^3
*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x)*cosh(d*x + c)^4 + 1260*(a^5 + 5*a^
4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x - 21*(1575*a^4*b + 4200
*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5 + 315*(a^5 + 5*a^4*b + 10*a
^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c...
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 576 vs. $2(148) = 296$.

Time = 14.34 (sec) , antiderivative size = 576, normalized size of antiderivative = 3.60

$$\int (a + b \coth^2(c + dx))^5 dx$$

$$= \begin{cases} x(a + b \coth^2(c))^5 \\ a^5 x + 5a^4 b x \coth^2(dx + \log(-e^{-dx})) + 10a^3 b^2 x \coth^4(dx + \log(-e^{-dx})) + 10a^2 b^3 x \coth^6(dx + \log(-e^{-dx})) \\ a^5 x + 5a^4 b x \coth^2(dx + \log(e^{-dx})) + 10a^3 b^2 x \coth^4(dx + \log(e^{-dx})) + 10a^2 b^3 x \coth^6(dx + \log(e^{-dx})) \\ a^5 x + 5a^4 b x - \frac{5a^4 b}{d \tanh(c+dx)} + 10a^3 b^2 x - \frac{10a^3 b^2}{d \tanh(c+dx)} - \frac{10a^3 b^2}{3d \tanh^3(c+dx)} + 10a^2 b^3 x - \frac{10a^2 b^3}{d \tanh(c+dx)} - \frac{10a^2 b^3}{3d \tanh^3(c+dx)} \end{cases}$$

input `integrate((a+b*coth(d*x+c)**2)**5,x)`

output `Piecewise((x*(a + b*coth(c)**2)**5, Eq(d, 0)), (a**5*x + 5*a**4*b*x*coth(d*x + log(-exp(-d*x)))**2 + 10*a**3*b**2*x*coth(d*x + log(-exp(-d*x)))**4 + 10*a**2*b**3*x*coth(d*x + log(-exp(-d*x)))**6 + 5*a*b**4*x*coth(d*x + log(-exp(-d*x)))**8 + b**5*x*coth(d*x + log(-exp(-d*x)))**10, Eq(c, log(-exp(-d*x)))), (a**5*x + 5*a**4*b*x*coth(d*x + log(exp(-d*x)))**2 + 10*a**3*b**2*x*coth(d*x + log(exp(-d*x)))**4 + 10*a**2*b**3*x*coth(d*x + log(exp(-d*x)))**6 + 5*a*b**4*x*coth(d*x + log(exp(-d*x)))**8 + b**5*x*coth(d*x + log(exp(-d*x)))**10, Eq(c, log(exp(-d*x)))), (a**5*x + 5*a**4*b*x - 5*a**4*b/(d*tanh(c + d*x)) + 10*a**3*b**2*x - 10*a**3*b**2/(d*tanh(c + d*x)) - 10*a**3*b**2/(3*d*tanh(c + d*x)**3) + 10*a**2*b**3*x - 10*a**2*b**3/(d*tanh(c + d*x)) - 10*a**2*b**3/(3*d*tanh(c + d*x)**3) - 2*a**2*b**3/(d*tanh(c + d*x))**5) + 5*a*b**4*x - 5*a*b**4/(d*tanh(c + d*x)) - 5*a*b**4/(3*d*tanh(c + d*x)**3) - a*b**4/(d*tanh(c + d*x)**5) - 5*a*b**4/(7*d*tanh(c + d*x)**7) + b**5*x - b**5/(d*tanh(c + d*x)) - b**5/(3*d*tanh(c + d*x)**3) - b**5/(5*d*tanh(c + d*x)**5) - b**5/(7*d*tanh(c + d*x)**7) - b**5/(9*d*tanh(c + d*x)**9), True))`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 624 vs. $2(152) = 304$.

Time = 0.05 (sec) , antiderivative size = 624, normalized size of antiderivative = 3.90

$$\int (a + b \coth^2(c + dx))^5 dx = \text{Too large to display}$$

input `integrate((a+b*coth(d*x+c)^2)^5,x, algorithm="maxima")`

output

```

1/315*b^5*(315*x + 315*c/d - 2*(3492*e^(-2*d*x - 2*c) - 13968*e^(-4*d*x -
4*c) + 26292*e^(-6*d*x - 6*c) - 39438*e^(-8*d*x - 8*c) + 31500*e^(-10*d*x
- 10*c) - 21000*e^(-12*d*x - 12*c) + 6300*e^(-14*d*x - 14*c) - 1575*e^(-16
*d*x - 16*c) - 563)/(d*(9*e^(-2*d*x - 2*c) - 36*e^(-4*d*x - 4*c) + 84*e^(-
6*d*x - 6*c) - 126*e^(-8*d*x - 8*c) + 126*e^(-10*d*x - 10*c) - 84*e^(-12*d
*x - 12*c) + 36*e^(-14*d*x - 14*c) - 9*e^(-16*d*x - 16*c) + e^(-18*d*x - 1
8*c) - 1))) + 1/21*a*b^4*(105*x + 105*c/d - 8*(203*e^(-2*d*x - 2*c) - 609*
e^(-4*d*x - 4*c) + 770*e^(-6*d*x - 6*c) - 770*e^(-8*d*x - 8*c) + 315*e^(-1
0*d*x - 10*c) - 105*e^(-12*d*x - 12*c) - 44)/(d*(7*e^(-2*d*x - 2*c) - 21*e
^(-4*d*x - 4*c) + 35*e^(-6*d*x - 6*c) - 35*e^(-8*d*x - 8*c) + 21*e^(-10*d*
x - 10*c) - 7*e^(-12*d*x - 12*c) + e^(-14*d*x - 14*c) - 1))) + 2/3*a^2*b^3
*(15*x + 15*c/d - 2*(70*e^(-2*d*x - 2*c) - 140*e^(-4*d*x - 4*c) + 90*e^(-6
*d*x - 6*c) - 45*e^(-8*d*x - 8*c) - 23)/(d*(5*e^(-2*d*x - 2*c) - 10*e^(-4*
d*x - 4*c) + 10*e^(-6*d*x - 6*c) - 5*e^(-8*d*x - 8*c) + e^(-10*d*x - 10*c)
- 1))) + 10/3*a^3*b^2*(3*x + 3*c/d - 4*(3*e^(-2*d*x - 2*c) - 3*e^(-4*d*x
- 4*c) - 2)/(d*(3*e^(-2*d*x - 2*c) - 3*e^(-4*d*x - 4*c) + e^(-6*d*x - 6*c)
- 1))) + 5*a^4*b*(x + c/d + 2/(d*(e^(-2*d*x - 2*c) - 1))) + a^5*x

```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 721 vs. $2(152) = 304$.

Time = 0.18 (sec) , antiderivative size = 721, normalized size of antiderivative = 4.51

$$\int (a + b \coth^2(c + dx))^5 dx = \text{Too large to display}$$

input

```
integrate((a+b*coth(d*x+c)^2)^5,x, algorithm="giac")
```

output

```

1/315*(315*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*(d*x
+ c) - 2*(1575*a^4*b*e^(16*d*x + 16*c) + 6300*a^3*b^2*e^(16*d*x + 16*c) +
9450*a^2*b^3*e^(16*d*x + 16*c) + 6300*a*b^4*e^(16*d*x + 16*c) + 1575*b^5*e
^(16*d*x + 16*c) - 12600*a^4*b*e^(14*d*x + 14*c) - 44100*a^3*b^2*e^(14*d*x
+ 14*c) - 56700*a^2*b^3*e^(14*d*x + 14*c) - 31500*a*b^4*e^(14*d*x + 14*c)
- 6300*b^5*e^(14*d*x + 14*c) + 44100*a^4*b*e^(12*d*x + 12*c) + 136500*a^3
*b^2*e^(12*d*x + 12*c) + 161700*a^2*b^3*e^(12*d*x + 12*c) + 90300*a*b^4*e
^(12*d*x + 12*c) + 21000*b^5*e^(12*d*x + 12*c) - 88200*a^4*b*e^(10*d*x + 10
*c) - 245700*a^3*b^2*e^(10*d*x + 10*c) - 283500*a^2*b^3*e^(10*d*x + 10*c)
- 157500*a*b^4*e^(10*d*x + 10*c) - 31500*b^5*e^(10*d*x + 10*c) + 110250*a
^4*b*e^(8*d*x + 8*c) + 283500*a^3*b^2*e^(8*d*x + 8*c) + 325080*a^2*b^3*e^(8
*d*x + 8*c) + 175140*a*b^4*e^(8*d*x + 8*c) + 39438*b^5*e^(8*d*x + 8*c) - 8
8200*a^4*b*e^(6*d*x + 6*c) - 216300*a^3*b^2*e^(6*d*x + 6*c) - 244020*a^2*b
^3*e^(6*d*x + 6*c) - 131460*a*b^4*e^(6*d*x + 6*c) - 26292*b^5*e^(6*d*x + 6
*c) + 44100*a^4*b*e^(4*d*x + 4*c) + 107100*a^3*b^2*e^(4*d*x + 4*c) + 11718
0*a^2*b^3*e^(4*d*x + 4*c) + 63540*a*b^4*e^(4*d*x + 4*c) + 13968*b^5*e^(4*d
*x + 4*c) - 12600*a^4*b*e^(2*d*x + 2*c) - 31500*a^3*b^2*e^(2*d*x + 2*c) -
34020*a^2*b^3*e^(2*d*x + 2*c) - 17460*a*b^4*e^(2*d*x + 2*c) - 3492*b^5*e
^(2*d*x + 2*c) + 1575*a^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563
*b^5)/(e^(2*d*x + 2*c) - 1)^9)/d

```

Mupad [B] (verification not implemented)

Time = 2.85 (sec) , antiderivative size = 158, normalized size of antiderivative = 0.99

$$\int (a + b \coth^2(c + dx))^5 dx = x(a + b)^5$$

$$\begin{aligned}
 & - \frac{\coth(c + dx)^3 (10 a^3 b^2 + 10 a^2 b^3 + 5 a b^4 + b^5)}{3 d} \\
 & - \frac{\coth(c + dx)^5 (10 a^2 b^3 + 5 a b^4 + b^5)}{5 d} \\
 & - \frac{\coth(c + dx)^7 (b^5 + 5 a b^4)}{7 d} - \frac{b^5 \coth(c + dx)^9}{9 d} \\
 & - \frac{b \coth(c + dx) (5 a^4 + 10 a^3 b + 10 a^2 b^2 + 5 a b^3 + b^4)}{d}
 \end{aligned}$$

input

```
int((a + b*coth(c + d*x)^2)^5,x)
```


output

```
x*(a + b)^5 - (coth(c + d*x)^3*(5*a*b^4 + b^5 + 10*a^2*b^3 + 10*a^3*b^2))/
(3*d) - (coth(c + d*x)^5*(5*a*b^4 + b^5 + 10*a^2*b^3))/(5*d) - (coth(c + d
*x)^7*(5*a*b^4 + b^5))/(7*d) - (b^5*coth(c + d*x)^9)/(9*d) - (b*coth(c + d
*x)*(5*a*b^3 + 10*a^3*b + 5*a^4 + b^4 + 10*a^2*b^2))/d
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 261, normalized size of antiderivative = 1.63

$$\int (a + b \coth^2(c + dx))^5 dx$$

$$= \frac{-35 \coth(dx + c)^9 b^5 - 225 \coth(dx + c)^7 a b^4 - 45 \coth(dx + c)^7 b^5 - 630 \coth(dx + c)^5 a^2 b^3 - 315 \coth(dx + c)^5 a b^4 - 63 \coth(dx + c)^5 b^5 - 1050 \coth(dx + c)^3 a^3 b^2 - 1050 \coth(dx + c)^3 a^2 b^3 - 525 \coth(dx + c)^3 a b^4 - 105 \coth(dx + c)^3 b^5 - 1575 \coth(dx + c) a^4 b - 3150 \coth(dx + c) a^3 b^2 - 3150 \coth(dx + c) a^2 b^3 - 1575 \coth(dx + c) a b^4 - 315 \coth(dx + c) b^5 + 315 a^5 d x + 1575 a^4 b d x + 3150 a^3 b^2 d x + 3150 a^2 b^3 d x + 1575 a b^4 d x + 315 b^5 d x}{(315 d)}$$

input

```
int((a+b*coth(d*x+c)^2)^5,x)
```

output

```
( - 35*coth(c + d*x)**9*b**5 - 225*coth(c + d*x)**7*a*b**4 - 45*coth(c + d
*x)**7*b**5 - 630*coth(c + d*x)**5*a**2*b**3 - 315*coth(c + d*x)**5*a*b**4
- 63*coth(c + d*x)**5*b**5 - 1050*coth(c + d*x)**3*a**3*b**2 - 1050*coth(
c + d*x)**3*a**2*b**3 - 525*coth(c + d*x)**3*a*b**4 - 105*coth(c + d*x)**3
*b**5 - 1575*coth(c + d*x)*a**4*b - 3150*coth(c + d*x)*a**3*b**2 - 3150*co
th(c + d*x)*a**2*b**3 - 1575*coth(c + d*x)*a*b**4 - 315*coth(c + d*x)*b**5
+ 315*a**5*d*x + 1575*a**4*b*d*x + 3150*a**3*b**2*d*x + 3150*a**2*b**3*d*
x + 1575*a*b**4*d*x + 315*b**5*d*x)/(315*d)
```

3.2 $\int (a + b \coth^2(c + dx))^4 dx$

Optimal result	57
Mathematica [A] (verified)	57
Rubi [A] (verified)	58
Maple [A] (warning: unable to verify)	60
Fricas [B] (verification not implemented)	60
Sympy [B] (verification not implemented)	61
Maxima [B] (verification not implemented)	62
Giac [B] (verification not implemented)	63
Mupad [B] (verification not implemented)	64
Reduce [B] (verification not implemented)	64

Optimal result

Integrand size = 14, antiderivative size = 110

$$\int (a + b \coth^2(c + dx))^4 dx = (a + b)^4 x - \frac{b(2a + b)(2a^2 + 2ab + b^2) \coth(c + dx)}{d} - \frac{b^2(6a^2 + 4ab + b^2) \coth^3(c + dx)}{3d} - \frac{b^3(4a + b) \coth^5(c + dx)}{5d} - \frac{b^4 \coth^7(c + dx)}{7d}$$

output

```
(a+b)^4*x-b*(2*a+b)*(2*a^2+2*a*b+b^2)*coth(d*x+c)/d-1/3*b^2*(6*a^2+4*a*b+b^2)*coth(d*x+c)^3/d-1/5*b^3*(4*a+b)*coth(d*x+c)^5/d-1/7*b^4*coth(d*x+c)^7/d
```

Mathematica [A] (verified)

Time = 1.47 (sec) , antiderivative size = 127, normalized size of antiderivative = 1.15

$$\int (a + b \coth^2(c + dx))^4 dx = \frac{\coth(c + dx) \left(b(105(4a^3 + 6a^2b + 4ab^2 + b^3) + 35b(6a^2 + 4ab + b^2) \coth^2(c + dx) + 21b^2(4a + b) \coth^4(c + dx) + 7b^3 \coth^6(c + dx) + b^4 \coth^8(c + dx)) \right)}{105d}$$

input `Integrate[(a + b*Coth[c + d*x]^2)^4, x]`

output `-1/105*(Coth[c + d*x]*(b*(105*(4*a^3 + 6*a^2*b + 4*a*b^2 + b^3) + 35*b*(6*a^2 + 4*a*b + b^2)*Coth[c + d*x]^2 + 21*b^2*(4*a + b)*Coth[c + d*x]^4 + 15*b^3*Coth[c + d*x]^6) - 105*(a + b)^4*ArcTanh[Sqrt[Tanh[c + d*x]^2]]*Sqrt[Tanh[c + d*x]^2]))/d`

Rubi [A] (verified)

Time = 0.30 (sec) , antiderivative size = 108, normalized size of antiderivative = 0.98, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3042, 4144, 300, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (a + b \coth^2(c + dx))^4 dx \\
 & \quad \downarrow 3042 \\
 & \int \left(a - b \tan \left(ic + idx + \frac{\pi}{2} \right)^2 \right)^4 dx \\
 & \quad \downarrow 4144 \\
 & \frac{\int \frac{(b \coth^2(c+dx)+a)^4}{1-\coth^2(c+dx)} d \coth(c + dx)}{d} \\
 & \quad \downarrow 300 \\
 & \frac{\int \left(-b^4 \coth^6(c + dx) - b^3(4a + b) \coth^4(c + dx) - b^2(6a^2 + 4ba + b^2) \coth^2(c + dx) - b(2a + b) (2a^2 + 2ba + b^2) \right) dx}{d} \\
 & \quad \downarrow 2009 \\
 & \frac{-\frac{1}{3}b^2(6a^2 + 4ab + b^2) \coth^3(c + dx) - b(2a + b) (2a^2 + 2ab + b^2) \coth(c + dx) + (a + b)^4 \operatorname{arctanh}(\coth(c + dx))}{d}
 \end{aligned}$$

input `Int[(a + b*Coth[c + d*x]^2)^4,x]`

output `((a + b)^4*ArcTanh[Coth[c + d*x]] - b*(2*a + b)*(2*a^2 + 2*a*b + b^2)*Coth[c + d*x] - (b^2*(6*a^2 + 4*a*b + b^2)*Coth[c + d*x]^3)/3 - (b^3*(4*a + b)*Coth[c + d*x]^5)/5 - (b^4*Coth[c + d*x]^7)/7)/d`

Defintions of rubi rules used

rule 300 `Int[((a_) + (b_.)*(x_)^2)^(p_)*((c_) + (d_.)*(x_)^2)^(q_), x_Symbol] := Int[PolynomialDivide[(a + b*x^2)^p, (c + d*x^2)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4144 `Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[c*(ff/f) Subst[Int[(a + b*(ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])`

Maple [A] (warning: unable to verify)

Time = 0.23 (sec) , antiderivative size = 112, normalized size of antiderivative = 1.02

method	result
parallelrisch	$\frac{-15b^4 \coth(dx+c)^7 + (-84ab^3 - 21b^4) \coth(dx+c)^5 + (-210a^2b^2 - 140ab^3 - 35b^4) \coth(dx+c)^3 + (-420a^3b - 630a^2b^2 - 420ab^3 - 105b^4) \coth(dx+c) + 105d}{105d}$
derivativedivides	$-\frac{(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) \ln(\coth(dx+c) - 1)}{2} - \frac{4ab^3 \coth(dx+c)^3}{3} - 2a^2b^2 \coth(dx+c)^3 - \frac{4ab^3 \coth(dx+c)^5}{5} - b^4 \coth(dx+c)$
default	$-\frac{(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) \ln(\coth(dx+c) - 1)}{2} - \frac{4ab^3 \coth(dx+c)^3}{3} - 2a^2b^2 \coth(dx+c)^3 - \frac{4ab^3 \coth(dx+c)^5}{5} - b^4 \coth(dx+c)$
parts	$a^4x + \frac{b^4 \left(-\frac{\coth(dx+c)^7}{7} - \frac{\coth(dx+c)^5}{5} - \frac{\coth(dx+c)^3}{3} - \coth(dx+c) - \frac{\ln(\coth(dx+c) - 1)}{2} + \frac{\ln(\coth(dx+c) + 1)}{2} \right)}{d} + \frac{4a^3b}{d}$
risch	$a^4x + 4ba^3x + 6a^2b^2x + 4b^3ax + b^4x - \frac{8b(210a^2b + 161ab^2 + 105a^3 - 203b^3e^{2dx+2c} - 630a^3e^{2dx+2c} + 630a^3e^{2dx+2c})}{105d}$

input `int((a+b*coth(d*x+c)^2)^4,x,method=_RETURNVERBOSE)`output
$$\frac{1}{105} * (-15 * b^4 * \coth(d * x + c)^7 + (-84 * a * b^3 - 21 * b^4) * \coth(d * x + c)^5 + (-210 * a^2 * b^2 - 140 * a * b^3 - 35 * b^4) * \coth(d * x + c)^3 + (-420 * a^3 * b - 630 * a^2 * b^2 - 420 * a * b^3 - 105 * b^4) * \coth(d * x + c) + 105 * d * x * (a + b)^4) / d$$
Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1164 vs. 2(104) = 208.

Time = 0.11 (sec) , antiderivative size = 1164, normalized size of antiderivative = 10.58

$$\int (a + b \coth^2(c + dx))^4 dx = \text{Too large to display}$$

input `integrate((a+b*coth(d*x+c)^2)^4,x, algorithm="fricas")`

output

```

-1/105*(4*(105*a^3*b + 210*a^2*b^2 + 161*a*b^3 + 44*b^4)*cosh(d*x + c)^7 +
28*(105*a^3*b + 210*a^2*b^2 + 161*a*b^3 + 44*b^4)*cosh(d*x + c)*sinh(d*x
+ c)^6 - (420*a^3*b + 840*a^2*b^2 + 644*a*b^3 + 176*b^4 + 105*(a^4 + 4*a^3
*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*x)*sinh(d*x + c)^7 - 28*(75*a^3*b + 120*
a^2*b^2 + 71*a*b^3 + 14*b^4)*cosh(d*x + c)^5 + 7*(420*a^3*b + 840*a^2*b^2
+ 644*a*b^3 + 176*b^4 + 105*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*
x - 3*(420*a^3*b + 840*a^2*b^2 + 644*a*b^3 + 176*b^4 + 105*(a^4 + 4*a^3*b
+ 6*a^2*b^2 + 4*a*b^3 + b^4)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^5 + 140*(
(105*a^3*b + 210*a^2*b^2 + 161*a*b^3 + 44*b^4)*cosh(d*x + c)^3 - (75*a^3*b
+ 120*a^2*b^2 + 71*a*b^3 + 14*b^4)*cosh(d*x + c))*sinh(d*x + c)^4 + 84*(4
5*a^3*b + 60*a^2*b^2 + 41*a*b^3 + 14*b^4)*cosh(d*x + c)^3 - 7*(5*(420*a^3*
b + 840*a^2*b^2 + 644*a*b^3 + 176*b^4 + 105*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4
*a*b^3 + b^4)*d*x)*cosh(d*x + c)^4 + 1260*a^3*b + 2520*a^2*b^2 + 1932*a*b^
3 + 528*b^4 + 315*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*x - 10*(42
0*a^3*b + 840*a^2*b^2 + 644*a*b^3 + 176*b^4 + 105*(a^4 + 4*a^3*b + 6*a^2*b
^2 + 4*a*b^3 + b^4)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^3 + 28*(3*(105*a^3
*b + 210*a^2*b^2 + 161*a*b^3 + 44*b^4)*cosh(d*x + c)^5 - 10*(75*a^3*b + 12
0*a^2*b^2 + 71*a*b^3 + 14*b^4)*cosh(d*x + c)^3 + 9*(45*a^3*b + 60*a^2*b^2
+ 41*a*b^3 + 14*b^4)*cosh(d*x + c))*sinh(d*x + c)^2 - 420*(5*a^3*b + 6*a^2
*b^2 + 5*a*b^3)*cosh(d*x + c) - 7*((420*a^3*b + 840*a^2*b^2 + 644*a*b^3...

```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 425 vs. $2(99) = 198$.

Time = 5.67 (sec) , antiderivative size = 425, normalized size of antiderivative = 3.86

$$\int (a + b \coth^2(c + dx))^4 dx$$

$$= \begin{cases} x(a + b \coth^2(c))^4 \\ a^4x + 4a^3bx \coth^2(dx + \log(-e^{-dx})) + 6a^2b^2x \coth^4(dx + \log(-e^{-dx})) + 4ab^3x \coth^6(dx + \log(-e^{-dx})) \\ a^4x + 4a^3bx \coth^2(dx + \log(e^{-dx})) + 6a^2b^2x \coth^4(dx + \log(e^{-dx})) + 4ab^3x \coth^6(dx + \log(e^{-dx})) \\ a^4x + 4a^3bx - \frac{4a^3b}{d \tanh(c+dx)} + 6a^2b^2x - \frac{6a^2b^2}{d \tanh(c+dx)} - \frac{2a^2b^2}{d \tanh^3(c+dx)} + 4ab^3x - \frac{4ab^3}{d \tanh(c+dx)} - \frac{4ab^3}{3d \tanh^3(c+dx)} \end{cases}$$

input

```
integrate((a+b*coth(d*x+c)**2)**4,x)
```

output

```
Piecewise((x*(a + b*coth(c)**2)**4, Eq(d, 0)), (a**4*x + 4*a**3*b*x*coth(d*x + log(-exp(-d*x)))**2 + 6*a**2*b**2*x*coth(d*x + log(-exp(-d*x)))**4 + 4*a*b**3*x*coth(d*x + log(-exp(-d*x)))**6 + b**4*x*coth(d*x + log(-exp(-d*x)))**8, Eq(c, log(-exp(-d*x)))), (a**4*x + 4*a**3*b*x*coth(d*x + log(exp(-d*x)))**2 + 6*a**2*b**2*x*coth(d*x + log(exp(-d*x)))**4 + 4*a*b**3*x*coth(d*x + log(exp(-d*x)))**6 + b**4*x*coth(d*x + log(exp(-d*x)))**8, Eq(c, log(exp(-d*x)))), (a**4*x + 4*a**3*b*x - 4*a**3*b/(d*tanh(c + d*x)) + 6*a**2*b**2*x - 6*a**2*b**2/(d*tanh(c + d*x)) - 2*a**2*b**2/(d*tanh(c + d*x)**3) + 4*a*b**3*x - 4*a*b**3/(d*tanh(c + d*x)) - 4*a*b**3/(3*d*tanh(c + d*x)**3) - 4*a*b**3/(5*d*tanh(c + d*x)**5) + b**4*x - b**4/(d*tanh(c + d*x)) - b**4/(3*d*tanh(c + d*x)**3) - b**4/(5*d*tanh(c + d*x)**5) - b**4/(7*d*tanh(c + d*x)**7), True))
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 410 vs. $2(104) = 208$.

Time = 0.05 (sec) , antiderivative size = 410, normalized size of antiderivative = 3.73

$$\int (a + b \coth^2(c + dx))^4 dx$$

$$= \frac{1}{105} b^4 \left(105x + \frac{105c}{d} - \frac{8(203e^{(-2dx-2c)} - 609e^{(-4dx-4c)} + 770e^{(-6dx-6c)} - 770e^{(-8dx-8c)} + 315e^{(-10dx-10c)})}{d(7e^{(-2dx-2c)} - 21e^{(-4dx-4c)} + 35e^{(-6dx-6c)} - 35e^{(-8dx-8c)} + 21e^{(-10dx-10c)})} \right.$$

$$+ \frac{4}{15} ab^3 \left(15x + \frac{15c}{d} - \frac{2(70e^{(-2dx-2c)} - 140e^{(-4dx-4c)} + 90e^{(-6dx-6c)} - 45e^{(-8dx-8c)} - 23)}{d(5e^{(-2dx-2c)} - 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} - 5e^{(-8dx-8c)} + e^{(-10dx-10c)})} - 1 \right)$$

$$+ 2a^2b^2 \left(3x + \frac{3c}{d} - \frac{4(3e^{(-2dx-2c)} - 3e^{(-4dx-4c)} - 2)}{d(3e^{(-2dx-2c)} - 3e^{(-4dx-4c)} + e^{(-6dx-6c)} - 1)} \right)$$

$$+ 4a^3b \left(x + \frac{c}{d} + \frac{2}{d(e^{(-2dx-2c)} - 1)} \right) + a^4x$$

input

```
integrate((a+b*coth(d*x+c)^2)^4,x, algorithm="maxima")
```

output

```

1/105*b^4*(105*x + 105*c/d - 8*(203*e^(-2*d*x - 2*c) - 609*e^(-4*d*x - 4*c)
) + 770*e^(-6*d*x - 6*c) - 770*e^(-8*d*x - 8*c) + 315*e^(-10*d*x - 10*c) -
105*e^(-12*d*x - 12*c) - 44)/(d*(7*e^(-2*d*x - 2*c) - 21*e^(-4*d*x - 4*c)
+ 35*e^(-6*d*x - 6*c) - 35*e^(-8*d*x - 8*c) + 21*e^(-10*d*x - 10*c) - 7*e
^(-12*d*x - 12*c) + e^(-14*d*x - 14*c) - 1))) + 4/15*a*b^3*(15*x + 15*c/d
- 2*(70*e^(-2*d*x - 2*c) - 140*e^(-4*d*x - 4*c) + 90*e^(-6*d*x - 6*c) - 45
*e^(-8*d*x - 8*c) - 23)/(d*(5*e^(-2*d*x - 2*c) - 10*e^(-4*d*x - 4*c) + 10*
e^(-6*d*x - 6*c) - 5*e^(-8*d*x - 8*c) + e^(-10*d*x - 10*c) - 1))) + 2*a^2*
b^2*(3*x + 3*c/d - 4*(3*e^(-2*d*x - 2*c) - 3*e^(-4*d*x - 4*c) - 2)/(d*(3*e
^(-2*d*x - 2*c) - 3*e^(-4*d*x - 4*c) + e^(-6*d*x - 6*c) - 1))) + 4*a^3*b*(
x + c/d + 2/(d*(e^(-2*d*x - 2*c) - 1))) + a^4*x

```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 447 vs. $2(104) = 208$.

Time = 0.17 (sec) , antiderivative size = 447, normalized size of antiderivative = 4.06

$$\int (a + b \coth^2(c + dx))^4 dx$$

$$= \frac{105(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4)(dx + c) - \frac{8(105a^3be^{(12dx+12c)} + 315a^2b^2e^{(12dx+12c)} + 315ab^3e^{(12dx+12c)} + 105b^4e^{(12dx+12c)})}{(e^{(2dx+2c)} - 1)^7}}{d}$$

input

```
integrate((a+b*coth(d*x+c)^2)^4,x, algorithm="giac")
```

output

```

1/105*(105*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*(d*x + c) - 8*(105*
a^3*b*e^(12*d*x + 12*c) + 315*a^2*b^2*e^(12*d*x + 12*c) + 315*a*b^3*e^(12*
d*x + 12*c) + 105*b^4*e^(12*d*x + 12*c) - 630*a^3*b*e^(10*d*x + 10*c) - 15
75*a^2*b^2*e^(10*d*x + 10*c) - 1260*a*b^3*e^(10*d*x + 10*c) - 315*b^4*e^(1
0*d*x + 10*c) + 1575*a^3*b*e^(8*d*x + 8*c) + 3360*a^2*b^2*e^(8*d*x + 8*c)
+ 2555*a*b^3*e^(8*d*x + 8*c) + 770*b^4*e^(8*d*x + 8*c) - 2100*a^3*b*e^(6*d
*x + 6*c) - 3990*a^2*b^2*e^(6*d*x + 6*c) - 3080*a*b^3*e^(6*d*x + 6*c) - 77
0*b^4*e^(6*d*x + 6*c) + 1575*a^3*b*e^(4*d*x + 4*c) + 2835*a^2*b^2*e^(4*d*x
+ 4*c) + 2121*a*b^3*e^(4*d*x + 4*c) + 609*b^4*e^(4*d*x + 4*c) - 630*a^3*b
*e^(2*d*x + 2*c) - 1155*a^2*b^2*e^(2*d*x + 2*c) - 812*a*b^3*e^(2*d*x + 2*c
) - 203*b^4*e^(2*d*x + 2*c) + 105*a^3*b + 210*a^2*b^2 + 161*a*b^3 + 44*b^4
)/(e^(2*d*x + 2*c) - 1)^7)/d

```


Mupad [B] (verification not implemented)

Time = 2.75 (sec) , antiderivative size = 111, normalized size of antiderivative = 1.01

$$\int (a + b \coth^2(c + dx))^4 dx = x(a + b)^4 - \frac{\coth(c + dx)^3 (6a^2 b^2 + 4ab^3 + b^4)}{3d} - \frac{\coth(c + dx)^5 (b^4 + 4ab^3)}{5d} - \frac{b^4 \coth(c + dx)^7}{7d} - \frac{b \coth(c + dx) (4a^3 + 6a^2 b + 4ab^2 + b^3)}{d}$$

input `int((a + b*coth(c + d*x)^2)^4,x)`output `x*(a + b)^4 - (coth(c + d*x)^3*(4*a*b^3 + b^4 + 6*a^2*b^2))/(3*d) - (coth(c + d*x)^5*(4*a*b^3 + b^4))/(5*d) - (b^4*coth(c + d*x)^7)/(7*d) - (b*coth(c + d*x)*(4*a*b^2 + 6*a^2*b + 4*a^3 + b^3))/d`**Reduce [B] (verification not implemented)**

Time = 0.19 (sec) , antiderivative size = 178, normalized size of antiderivative = 1.62

$$\int (a + b \coth^2(c + dx))^4 dx = \frac{-15 \coth(dx + c)^7 b^4 - 84 \coth(dx + c)^5 a b^3 - 21 \coth(dx + c)^5 b^4 - 210 \coth(dx + c)^3 a^2 b^2 - 140 \coth(dx + c)^3 a b^3 - 35 \coth(dx + c)^3 b^4 - 420 \coth(dx + c) a^3 b - 630 \coth(dx + c) a^2 b^2 - 420 \coth(dx + c) a b^3 - 105 \coth(dx + c) b^4 + 105 a^4 d x + 420 a^3 b d x + 630 a^2 b^2 d x + 420 a b^3 d x + 105 b^4 d x}{105 d}$$

input `int((a+b*coth(d*x+c)^2)^4,x)`output `(- 15*coth(c + d*x)**7*b**4 - 84*coth(c + d*x)**5*a*b**3 - 21*coth(c + d*x)**5*b**4 - 210*coth(c + d*x)**3*a**2*b**2 - 140*coth(c + d*x)**3*a*b**3 - 35*coth(c + d*x)**3*b**4 - 420*coth(c + d*x)*a**3*b - 630*coth(c + d*x)*a**2*b**2 - 420*coth(c + d*x)*a*b**3 - 105*coth(c + d*x)*b**4 + 105*a**4*d*x + 420*a**3*b*d*x + 630*a**2*b**2*d*x + 420*a*b**3*d*x + 105*b**4*d*x)/(105*d)`

3.3 $\int (a + b \coth^2(c + dx))^3 dx$

Optimal result	65
Mathematica [A] (verified)	65
Rubi [A] (verified)	66
Maple [A] (warning: unable to verify)	67
Fricas [B] (verification not implemented)	68
Sympy [B] (verification not implemented)	69
Maxima [B] (verification not implemented)	69
Giac [B] (verification not implemented)	70
Mupad [B] (verification not implemented)	71
Reduce [B] (verification not implemented)	71

Optimal result

Integrand size = 14, antiderivative size = 74

$$\int (a + b \coth^2(c + dx))^3 dx = (a + b)^3 x - \frac{b(3a^2 + 3ab + b^2) \coth(c + dx)}{d} - \frac{b^2(3a + b) \coth^3(c + dx)}{3d} - \frac{b^3 \coth^5(c + dx)}{5d}$$

output

```
(a+b)^3*x-b*(3*a^2+3*a*b+b^2)*coth(d*x+c)/d-1/3*b^2*(3*a+b)*coth(d*x+c)^3/d-1/5*b^3*coth(d*x+c)^5/d
```

Mathematica [A] (verified)

Time = 1.00 (sec) , antiderivative size = 100, normalized size of antiderivative = 1.35

$$\int (a + b \coth^2(c + dx))^3 dx = \frac{b \coth(c + dx) (15(3a^2 + 3ab + b^2) + 5b(3a + b) \coth^2(c + dx) + 3b^2 \coth^4(c + dx))}{15d} + \frac{(a + b)^3 \operatorname{arctanh}\left(\sqrt{\tanh^2(c + dx)}\right) \tanh(c + dx)}{d\sqrt{\tanh^2(c + dx)}}$$

input `Integrate[(a + b*Coth[c + d*x]^2)^3,x]`

output `-1/15*(b*Coth[c + d*x]*(15*(3*a^2 + 3*a*b + b^2) + 5*b*(3*a + b)*Coth[c + d*x]^2 + 3*b^2*Coth[c + d*x]^4))/d + ((a + b)^3*ArcTanh[Sqrt[Tanh[c + d*x]^2]]*Tanh[c + d*x])/(d*Sqrt[Tanh[c + d*x]^2])`

Rubi [A] (verified)

Time = 0.27 (sec) , antiderivative size = 75, normalized size of antiderivative = 1.01, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3042, 4144, 300, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (a + b \coth^2(c + dx))^3 dx \\
 & \quad \downarrow \text{3042} \\
 & \int \left(a - b \tan \left(ic + idx + \frac{\pi}{2} \right)^2 \right)^3 dx \\
 & \quad \downarrow \text{4144} \\
 & \frac{\int \frac{(b \coth^2(c+dx)+a)^3}{1-\coth^2(c+dx)} d \coth(c + dx)}{d} \\
 & \quad \downarrow \text{300} \\
 & \frac{\int \left(-b^3 \coth^4(c + dx) - b^2(3a + b) \coth^2(c + dx) - b(3a^2 + 3ba + b^2) + \frac{(a+b)^3}{1-\coth^2(c+dx)} \right) d \coth(c + dx)}{d} \\
 & \quad \downarrow \text{2009} \\
 & \frac{-b(3a^2 + 3ab + b^2) \coth(c + dx) + (a + b)^3 \operatorname{arctanh}(\coth(c + dx)) - \frac{1}{3}b^2(3a + b) \coth^3(c + dx) - \frac{1}{5}b^3 \coth^5(c + dx)}{d}
 \end{aligned}$$

input `Int[(a + b*Coth[c + d*x]^2)^3,x]`

output $((a + b)^3 \text{ArcTanh}[\text{Coth}[c + d*x]] - b*(3*a^2 + 3*a*b + b^2)*\text{Coth}[c + d*x] - (b^2*(3*a + b)*\text{Coth}[c + d*x]^3)/3 - (b^3*\text{Coth}[c + d*x]^5)/5)/d$

Defintions of rubi rules used

rule 300 $\text{Int}[(a + b*x^2)^p*(c + d*x^2)^{-q}, x_Symbol] \rightarrow \text{Int}[\text{PolynomialDivide}[(a + b*x^2)^p, (c + d*x^2)^{-q}, x], x] /;$ $\text{FreeQ}\{a, b, c, d\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ \text{ILtQ}[q, 0] \ \&\& \ \text{GeQ}[p, -q]$

rule 2009 $\text{Int}[u, x_Symbol] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] /;$ $\text{SumQ}[u]$

rule 3042 $\text{Int}[u, x_Symbol] \rightarrow \text{Int}[\text{DeactivateTrig}[u, x], x] /;$ $\text{FunctionOfTrigOfLinearQ}[u, x]$

rule 4144 $\text{Int}[(a + b*(c + f*x)*\tan[e + f*x])^n]^p, x_Symbol] \rightarrow \text{With}\{\{ff = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Simp}[c*(ff/f) \text{Subst}[\text{Int}[(a + b*(ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(\text{Tan}[e + f*x]/ff)], x] /;$ $\text{FreeQ}\{a, b, c, e, f, n, p\}, x \ \&\& \ (\text{IntegersQ}[n, p] \ || \ \text{IGtQ}[p, 0] \ || \ \text{EqQ}[n^2, 4] \ || \ \text{EqQ}[n^2, 16])$

Maple [A] (warning: unable to verify)

Time = 0.16 (sec) , antiderivative size = 75, normalized size of antiderivative = 1.01

method	result
paralelrisch	$\frac{-3b^3 \coth(dx+c)^5 + (-15a b^2 - 5b^3) \coth(dx+c)^3 + (-45a^2 b - 45a b^2 - 15b^3) \coth(dx+c) + 15dx(a+b)^3}{15d}$
derivativedivides	$\frac{-3a b^2 \coth(dx+c) - \frac{\coth(dx+c)^3 b^3}{3} - b^3 \coth(dx+c) - \frac{(a^3 + 3a^2 b + 3a b^2 + b^3) \ln(\coth(dx+c)-1)}{2} - a b^2 \coth(dx+c)^3 - 3 \coth(dx+c)}{d}$
default	$\frac{-3a b^2 \coth(dx+c) - \frac{\coth(dx+c)^3 b^3}{3} - b^3 \coth(dx+c) - \frac{(a^3 + 3a^2 b + 3a b^2 + b^3) \ln(\coth(dx+c)-1)}{2} - a b^2 \coth(dx+c)^3 - 3 \coth(dx+c)}{d}$
parts	$a^3 x + \frac{b^3 \left(-\frac{\coth(dx+c)^5}{5} - \frac{\coth(dx+c)^3}{3} - \coth(dx+c) - \frac{\ln(\coth(dx+c)-1)}{2} + \frac{\ln(\coth(dx+c)+1)}{2} \right)}{d} + \frac{3a^2 b (-\coth(dx+c))}{d}$
risch	$a^3 x + 3b a^2 x + 3a b^2 x + b^3 x - \frac{2b(45a^2 e^{8dx+8c} + 90ab e^{8dx+8c} + 45b^2 e^{8dx+8c} - 180a^2 e^{6dx+6c} - 270ab e^{6dx+6c} - 180a^2 e^{4dx+4c} - 270ab e^{4dx+4c} - 180a^2 e^{2dx+2c} - 270ab e^{2dx+2c} - 180a^2 - 270ab - 180b^2)}{d}$

input `int((a+b*coth(d*x+c)^2)^3,x,method=_RETURNVERBOSE)`

output `1/15*(-3*b^3*coth(d*x+c)^5+(-15*a*b^2-5*b^3)*coth(d*x+c)^3+(-45*a^2*b-45*a*b^2-15*b^3)*coth(d*x+c)+15*d*x*(a+b)^3)/d`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 557 vs. $2(70) = 140$.

Time = 0.09 (sec) , antiderivative size = 557, normalized size of antiderivative = 7.53

$$\int (a + b \coth^2(c + dx))^3 dx = \frac{(45 a^2 b + 60 a b^2 + 23 b^3) \cosh(dx + c)^5 + 5(45 a^2 b + 60 a b^2 + 23 b^3) \cosh(dx + c) \sinh(dx + c)^4 - (45 a^2 b + 60 a b^2 + 23 b^3) \cosh(dx + c)^3 \sinh(dx + c)^3 + 5(45 a^2 b + 60 a b^2 + 23 b^3) \cosh(dx + c) \sinh(dx + c)^2 - 5(27 a^2 b + 24 a b^2 + 5 b^3) \cosh(dx + c)^2 \sinh(dx + c) + 10(9 a^2 b + 6 a b^2 + 5 b^3) \cosh(dx + c) \sinh(dx + c) - 5((45 a^2 b + 60 a b^2 + 23 b^3 + 15(a^3 + 3 a^2 b + 3 a b^2 + b^3) d x) \cosh(dx + c)^4 + 90 a^2 b + 120 a b^2 + 46 b^3 + 30(a^3 + 3 a^2 b + 3 a b^2 + b^3) d x - 3(45 a^2 b + 60 a b^2 + 23 b^3 + 15(a^3 + 3 a^2 b + 3 a b^2 + b^3) d x) \cosh(dx + c)^2 \sinh(dx + c))}{(d \sinh(dx + c)^5 + 5(2 d \cosh(dx + c)^2 - d) \sinh(dx + c)^3 + 5(d \cosh(dx + c)^4 - 3 d \cosh(dx + c)^2 + 2 d) \sinh(dx + c))}$$

input `integrate((a+b*coth(d*x+c)^2)^3,x, algorithm="fricas")`

output `-1/15*((45*a^2*b + 60*a*b^2 + 23*b^3)*cosh(d*x + c)^5 + 5*(45*a^2*b + 60*a*b^2 + 23*b^3)*cosh(d*x + c)*sinh(d*x + c)^4 - (45*a^2*b + 60*a*b^2 + 23*b^3 + 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*sinh(d*x + c)^3 - 5*(27*a^2*b + 24*a*b^2 + 5*b^3)*cosh(d*x + c)^3 + 5*(45*a^2*b + 60*a*b^2 + 23*b^3 + 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x - 2*(45*a^2*b + 60*a*b^2 + 23*b^3 + 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^3 + 5*(2*(45*a^2*b + 60*a*b^2 + 23*b^3)*cosh(d*x + c)^3 - 3*(27*a^2*b + 24*a*b^2 + 5*b^3)*cosh(d*x + c))*sinh(d*x + c)^2 + 10*(9*a^2*b + 6*a*b^2 + 5*b^3)*cosh(d*x + c) - 5*((45*a^2*b + 60*a*b^2 + 23*b^3 + 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^4 + 90*a^2*b + 120*a*b^2 + 46*b^3 + 30*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x - 3*(45*a^2*b + 60*a*b^2 + 23*b^3 + 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c))/(d*sinh(d*x + c)^5 + 5*(2*d*cosh(d*x + c)^2 - d)*sinh(d*x + c)^3 + 5*(d*cosh(d*x + c)^4 - 3*d*cosh(d*x + c)^2 + 2*d)*sinh(d*x + c))`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 289 vs. $2(65) = 130$.

Time = 2.38 (sec) , antiderivative size = 289, normalized size of antiderivative = 3.91

$$\int (a + b \coth^2(c + dx))^3 dx$$

$$= \begin{cases} x(a + b \coth^2(c))^3 \\ a^3x + 3a^2bx \coth^2(dx + \log(-e^{-dx})) + 3ab^2x \coth^4(dx + \log(-e^{-dx})) + b^3x \coth^6(dx + \log(-e^{-dx})) \\ a^3x + 3a^2bx \coth^2(dx + \log(e^{-dx})) + 3ab^2x \coth^4(dx + \log(e^{-dx})) + b^3x \coth^6(dx + \log(e^{-dx})) \\ a^3x + 3a^2bx - \frac{3a^2b}{d \tanh(c+dx)} + 3ab^2x - \frac{3ab^2}{d \tanh(c+dx)} - \frac{ab^2}{d \tanh^3(c+dx)} + b^3x - \frac{b^3}{d \tanh(c+dx)} - \frac{b^3}{3d \tanh^3(c+dx)} - \frac{b^3}{5d \tanh^5(c+dx)} \end{cases}$$

input `integrate((a+b*coth(d*x+c)**2)**3,x)`

output `Piecewise((x*(a + b*coth(c)**2)**3, Eq(d, 0)), (a**3*x + 3*a**2*b*x*coth(d*x + log(-exp(-d*x)))**2 + 3*a*b**2*x*coth(d*x + log(-exp(-d*x)))**4 + b**3*x*coth(d*x + log(-exp(-d*x)))**6, Eq(c, log(-exp(-d*x)))), (a**3*x + 3*a**2*b*x*coth(d*x + log(exp(-d*x)))**2 + 3*a*b**2*x*coth(d*x + log(exp(-d*x)))**4 + b**3*x*coth(d*x + log(exp(-d*x)))**6, Eq(c, log(exp(-d*x)))), (a**3*x + 3*a**2*b*x - 3*a**2*b/(d*tanh(c + d*x)) + 3*a*b**2*x - 3*a*b**2/(d*tanh(c + d*x)) - a*b**2/(d*tanh(c + d*x)**3) + b**3*x - b**3/(d*tanh(c + d*x)) - b**3/(3*d*tanh(c + d*x)**3) - b**3/(5*d*tanh(c + d*x)**5), True))`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 239 vs. $2(70) = 140$.

Time = 0.04 (sec) , antiderivative size = 239, normalized size of antiderivative = 3.23

$$\int (a + b \coth^2(c + dx))^3 dx$$

$$= \frac{1}{15} b^3 \left(15x + \frac{15c}{d} - \frac{2(70e^{(-2dx-2c)} - 140e^{(-4dx-4c)} + 90e^{(-6dx-6c)} - 45e^{(-8dx-8c)} - 23)}{d(5e^{(-2dx-2c)} - 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} - 5e^{(-8dx-8c)} + e^{(-10dx-10c)} - 1)} \right)$$

$$+ ab^2 \left(3x + \frac{3c}{d} - \frac{4(3e^{(-2dx-2c)} - 3e^{(-4dx-4c)} - 2)}{d(3e^{(-2dx-2c)} - 3e^{(-4dx-4c)} + e^{(-6dx-6c)} - 1)} \right)$$

$$+ 3a^2b \left(x + \frac{c}{d} + \frac{2}{d(e^{(-2dx-2c)} - 1)} \right) + a^3x$$

input `integrate((a+b*coth(d*x+c)^2)^3,x, algorithm="maxima")`

output
$$\frac{1}{15}b^3(15x + 15c/d - 2(70e^{-2dx-2c} - 140e^{-4dx-4c} + 90e^{-6dx-6c} - 45e^{-8dx-8c} - 23)/(d(5e^{-2dx-2c} - 10e^{-4dx-4c} + 10e^{-6dx-6c} - 5e^{-8dx-8c} + e^{-10dx-10c} - 1))) + a^2b^2(3x + 3c/d - 4(3e^{-2dx-2c} - 3e^{-4dx-4c} - 2)/(d(3e^{-2dx-2c} - 3e^{-4dx-4c} + e^{-6dx-6c} - 1))) + 3a^2b(x + c/d + 2/(d(e^{-2dx-2c} - 1))) + a^3x$$

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 241 vs. $2(70) = 140$.

Time = 0.16 (sec) , antiderivative size = 241, normalized size of antiderivative = 3.26

$$\int (a + b \coth^2(c + dx))^3 dx$$

$$= \frac{15(a^3 + 3a^2b + 3ab^2 + b^3)(dx + c) - \frac{2(45a^2be^{(8dx+8c)} + 90ab^2e^{(8dx+8c)} + 45b^3e^{(8dx+8c)} - 180a^2be^{(6dx+6c)} - 270ab^2e^{(6dx+6c)} - 180a^2be^{(4dx+4c)} - 270ab^2e^{(4dx+4c)} - 180a^2be^{(2dx+2c)} - 270ab^2e^{(2dx+2c)} - 70b^3e^{(2dx+2c)} + 70b^3e^{(2dx+2c)} + 45a^2b + 60a^2b^2 + 23b^3)}{(e^{(2dx+2c)} - 1)^5}}{d}$$

input `integrate((a+b*coth(d*x+c)^2)^3,x, algorithm="giac")`

output
$$\frac{1}{15}(15(a^3 + 3a^2b + 3ab^2 + b^3)(dx + c) - 2(45a^2b^2e^{(8dx+8c)} + 90a^2b^2e^{(8dx+8c)} + 45b^3e^{(8dx+8c)} - 180a^2b^2e^{(6dx+6c)} - 270a^2b^2e^{(6dx+6c)} - 90b^3e^{(6dx+6c)} + 270a^2b^2e^{(4dx+4c)} + 330a^2b^2e^{(4dx+4c)} + 140b^3e^{(4dx+4c)} - 180a^2b^2e^{(2dx+2c)} - 210a^2b^2e^{(2dx+2c)} - 70b^3e^{(2dx+2c)} + 70b^3e^{(2dx+2c)} + 45a^2b + 60a^2b^2 + 23b^3)/(e^{(2dx+2c)} - 1)^5)/d$$

Mupad [B] (verification not implemented)

Time = 2.82 (sec) , antiderivative size = 72, normalized size of antiderivative = 0.97

$$\int (a + b \coth^2(c + dx))^3 dx = x(a + b)^3 - \frac{\coth(c + dx)^3 (b^3 + 3ab^2)}{3d} - \frac{b^3 \coth(c + dx)^5}{5d} - \frac{b \coth(c + dx) (3a^2 + 3ab + b^2)}{d}$$

input `int((a + b*coth(c + d*x)^2)^3,x)`output `x*(a + b)^3 - (coth(c + d*x)^3*(3*a*b^2 + b^3))/(3*d) - (b^3*coth(c + d*x)^5)/(5*d) - (b*coth(c + d*x)*(3*a*b + 3*a^2 + b^2))/d`**Reduce [B] (verification not implemented)**

Time = 0.18 (sec) , antiderivative size = 111, normalized size of antiderivative = 1.50

$$\int (a + b \coth^2(c + dx))^3 dx = \frac{-3 \coth(dx + c)^5 b^3 - 15 \coth(dx + c)^3 a b^2 - 5 \coth(dx + c)^3 b^3 - 45 \coth(dx + c) a^2 b - 45 \coth(dx + c) a b^2 + 15 a^3 d x + 45 a^2 b d x + 45 a b^2 d x + 15 b^3 d x}{15d}$$

input `int((a+b*coth(d*x+c)^2)^3,x)`output `(- 3*coth(c + d*x)**5*b**3 - 15*coth(c + d*x)**3*a*b**2 - 5*coth(c + d*x)**3*b**3 - 45*coth(c + d*x)*a**2*b - 45*coth(c + d*x)*a*b**2 - 15*coth(c + d*x)*b**3 + 15*a**3*d*x + 45*a**2*b*d*x + 45*a*b**2*d*x + 15*b**3*d*x)/(15*d)`

3.4 $\int (a + b \coth^2(c + dx))^2 dx$

Optimal result	72
Mathematica [A] (verified)	72
Rubi [A] (verified)	73
Maple [A] (warning: unable to verify)	74
Fricas [B] (verification not implemented)	75
Sympy [B] (verification not implemented)	75
Maxima [B] (verification not implemented)	76
Giac [B] (verification not implemented)	76
Mupad [B] (verification not implemented)	77
Reduce [B] (verification not implemented)	77

Optimal result

Integrand size = 14, antiderivative size = 43

$$\int (a + b \coth^2(c + dx))^2 dx = (a + b)^2 x - \frac{b(2a + b) \coth(c + dx)}{d} - \frac{b^2 \coth^3(c + dx)}{3d}$$

output

```
(a+b)^2*x-b*(2*a+b)*coth(d*x+c)/d-1/3*b^2*coth(d*x+c)^3/d
```

Mathematica [A] (verified)

Time = 0.33 (sec) , antiderivative size = 65, normalized size of antiderivative = 1.51

$$\int (a + b \coth^2(c + dx))^2 dx = \frac{\coth(c + dx) \left(b(6a + 3b + b \coth^2(c + dx)) - 3(a + b)^2 \operatorname{arctanh} \left(\sqrt{\tanh^2(c + dx)} \right) \sqrt{\tanh^2(c + dx)} \right)}{3d}$$

input

```
Integrate[(a + b*Coth[c + d*x]^2)^2,x]
```

output

```
-1/3*(Coth[c + d*x]*(b*(6*a + 3*b + b*Coth[c + d*x]^2) - 3*(a + b)^2*ArcTanh[Sqrt[Tanh[c + d*x]^2]]*Sqrt[Tanh[c + d*x]^2]))/d
```

Rubi [A] (verified)

Time = 0.25 (sec) , antiderivative size = 47, normalized size of antiderivative = 1.09, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3042, 4144, 300, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (a + b \coth^2(c + dx))^2 dx \\
 & \quad \downarrow \text{3042} \\
 & \int \left(a - b \tan \left(ic + idx + \frac{\pi}{2} \right)^2 \right)^2 dx \\
 & \quad \downarrow \text{4144} \\
 & \int \frac{(b \coth^2(c+dx)+a)^2}{1-\coth^2(c+dx)} d \coth(c + dx) \\
 & \quad \downarrow \text{300} \\
 & \int \left(\frac{(a+b)^2}{1-\coth^2(c+dx)} - b^2 \coth^2(c + dx) - b(2a + b) \right) d \coth(c + dx) \\
 & \quad \downarrow \text{2009} \\
 & \frac{(a + b)^2 \operatorname{arctanh}(\coth(c + dx)) - b(2a + b) \coth(c + dx) - \frac{1}{3} b^2 \coth^3(c + dx)}{d}
 \end{aligned}$$

input `Int[(a + b*Coth[c + d*x]^2)^2,x]`

output `((a + b)^2*ArcTanh[Coth[c + d*x]] - b*(2*a + b)*Coth[c + d*x] - (b^2*Coth[c + d*x]^3)/3)/d`

Defintions of rubi rules used

rule 300 `Int[((a_) + (b_.)*(x_)^2)^(p_)*((c_) + (d_.)*(x_)^2)^(q_), x_Symbol] := Int [PolynomialDivide[(a + b*x^2)^p, (c + d*x^2)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4144 `Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[c*(ff/f) Subst[Int[(a + b*(ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])`

Maple [A] (warning: unable to verify)

Time = 0.10 (sec) , antiderivative size = 46, normalized size of antiderivative = 1.07

method	result
parallelrisch	$\frac{-b^2 \coth(dx+c)^3 + (-6ab-3b^2) \coth(dx+c) + 3dx(a+b)^2}{3d}$
derivativedivides	$\frac{-\frac{b^2 \coth(dx+c)^3}{3} - 2 \coth(dx+c)ab - b^2 \coth(dx+c) - \frac{(a^2+2ab+b^2) \ln(\coth(dx+c)-1)}{2} + \frac{(a^2+2ab+b^2) \ln(\coth(dx+c)+1)}{2}}{d}$
default	$\frac{-\frac{b^2 \coth(dx+c)^3}{3} - 2 \coth(dx+c)ab - b^2 \coth(dx+c) - \frac{(a^2+2ab+b^2) \ln(\coth(dx+c)-1)}{2} + \frac{(a^2+2ab+b^2) \ln(\coth(dx+c)+1)}{2}}{d}$
risch	$a^2x + 2abx + b^2x - \frac{4b(3e^{4dx+4c}a + 3e^{4dx+4c}b - 6ae^{2dx+2c} - 3be^{2dx+2c} + 3a + 2b)}{3d(e^{2dx+2c}-1)^3}$
parts	$a^2x + \frac{b^2 \left(-\frac{\coth(dx+c)^3}{3} - \coth(dx+c) - \frac{\ln(\coth(dx+c)-1)}{2} + \frac{\ln(\coth(dx+c)+1)}{2} \right)}{d} + \frac{2ab \left(-\coth(dx+c) - \frac{\ln(\coth(dx+c)}{2} \right)}{d}$

input `int((a+b*coth(d*x+c)^2)^2,x,method=_RETURNVERBOSE)`

output $1/3*(-b^2*\coth(d*x+c)^3+(-6*a*b-3*b^2)*\coth(d*x+c)+3*d*x*(a+b)^2)/d$

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 197 vs. $2(41) = 82$.

Time = 0.09 (sec) , antiderivative size = 197, normalized size of antiderivative = 4.58

$$\int (a + b \coth^2(c + dx))^2 dx = \frac{2(3ab + 2b^2) \cosh(dx + c)^3 + 6(3ab + 2b^2) \cosh(dx + c) \sinh(dx + c)^2 - (3(a^2 + 2ab + b^2)dx + 6b^2) \sinh(dx + c)^3}{3(d \sinh(dx + c))^3 + 3(d \cosh(dx + c))^2 - d \sinh(dx + c)}$$

input `integrate((a+b*coth(d*x+c)^2)^2,x, algorithm="fricas")`

output $-1/3*(2*(3*a*b + 2*b^2)*\cosh(d*x + c)^3 + 6*(3*a*b + 2*b^2)*\cosh(d*x + c)*\sinh(d*x + c)^2 - (3*(a^2 + 2*a*b + b^2)*d*x + 6*a*b + 4*b^2)*\sinh(d*x + c)^3 - 6*a*b*\cosh(d*x + c) + 3*(3*(a^2 + 2*a*b + b^2)*d*x - (3*(a^2 + 2*a*b + b^2)*d*x + 6*a*b + 4*b^2)*\cosh(d*x + c)^2 + 6*a*b + 4*b^2)*\sinh(d*x + c))/((d*\sinh(d*x + c))^3 + 3*(d*\cosh(d*x + c))^2 - d*\sinh(d*x + c))$

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 178 vs. $2(36) = 72$.

Time = 1.07 (sec) , antiderivative size = 178, normalized size of antiderivative = 4.14

$$\int (a + b \coth^2(c + dx))^2 dx = \begin{cases} x(a + b \coth^2(c))^2 & \text{for } d = 0 \\ a^2x + 2abx \coth^2(dx + \log(-e^{-dx})) + b^2x \coth^4(dx + \log(-e^{-dx})) & \text{for } c = \log(-e^{-dx}) \\ a^2x + 2abx \coth^2(dx + \log(e^{-dx})) + b^2x \coth^4(dx + \log(e^{-dx})) & \text{for } c = \log(e^{-dx}) \\ a^2x + 2abx - \frac{2ab}{d \tanh(c+dx)} + b^2x - \frac{b^2}{d \tanh(c+dx)} - \frac{b^2}{3d \tanh^3(c+dx)} & \text{otherwise} \end{cases}$$

input `integrate((a+b*coth(d*x+c)**2)**2,x)`

output

```
Piecewise((x*(a + b*coth(c)**2)**2, Eq(d, 0)), (a**2*x + 2*a*b*x*coth(d*x + log(-exp(-d*x)))**2 + b**2*x*coth(d*x + log(-exp(-d*x)))**4, Eq(c, log(-exp(-d*x)))), (a**2*x + 2*a*b*x*coth(d*x + log(exp(-d*x)))**2 + b**2*x*coth(d*x + log(exp(-d*x)))**4, Eq(c, log(exp(-d*x)))), (a**2*x + 2*a*b*x - 2*a*b/(d*tanh(c + d*x)) + b**2*x - b**2/(d*tanh(c + d*x)) - b**2/(3*d*tanh(c + d*x)**3), True))
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 114 vs. $2(41) = 82$.

Time = 0.04 (sec) , antiderivative size = 114, normalized size of antiderivative = 2.65

$$\int (a + b \coth^2(c + dx))^2 dx$$

$$= \frac{1}{3} b^2 \left(3x + \frac{3c}{d} - \frac{4(3e^{(-2dx-2c)} - 3e^{(-4dx-4c)} - 2)}{d(3e^{(-2dx-2c)} - 3e^{(-4dx-4c)} + e^{(-6dx-6c)} - 1)} \right)$$

$$+ 2ab \left(x + \frac{c}{d} + \frac{2}{d(e^{(-2dx-2c)} - 1)} \right) + a^2 x$$

input

```
integrate((a+b*coth(d*x+c)^2)^2,x, algorithm="maxima")
```

output

```
1/3*b^2*(3*x + 3*c/d - 4*(3*e^(-2*d*x - 2*c) - 3*e^(-4*d*x - 4*c) - 2)/(d*(3*e^(-2*d*x - 2*c) - 3*e^(-4*d*x - 4*c) + e^(-6*d*x - 6*c) - 1))) + 2*a*b*(x + c/d + 2/(d*(e^(-2*d*x - 2*c) - 1))) + a^2*x
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 103 vs. $2(41) = 82$.

Time = 0.14 (sec) , antiderivative size = 103, normalized size of antiderivative = 2.40

$$\int (a + b \coth^2(c + dx))^2 dx$$

$$= \frac{3(a^2 + 2ab + b^2)(dx + c) - \frac{4(3abe^{(4dx+4c)} + 3b^2e^{(4dx+4c)} - 6abe^{(2dx+2c)} - 3b^2e^{(2dx+2c)} + 3ab + 2b^2)}{(e^{(2dx+2c)} - 1)^3}}{3d}$$

input `integrate((a+b*coth(d*x+c))^2,x, algorithm="giac")`

output $\frac{1}{3}(3(a^2 + 2ab + b^2)(dx + c) - 4(3ab e^{4dx+4c} + 3b^2 e^{4dx+4c} - 6ab e^{2dx+2c} - 3b^2 e^{2dx+2c} + 3ab + 2b^2)/(e^{2dx+2c} - 1)^3)/d$

Mupad [B] (verification not implemented)

Time = 0.13 (sec) , antiderivative size = 41, normalized size of antiderivative = 0.95

$$\int (a + b \coth^2(c + dx))^2 dx = x(a + b)^2 - \frac{b^2 \coth(c + dx)^3}{3d} - \frac{b \coth(c + dx)(2a + b)}{d}$$

input `int((a + b*coth(c + d*x))^2,x)`

output $x(a + b)^2 - (b^2 \coth(c + d*x)^3)/(3*d) - (b \coth(c + d*x)*(2*a + b))/d$

Reduce [B] (verification not implemented)

Time = 0.18 (sec) , antiderivative size = 60, normalized size of antiderivative = 1.40

$$\int (a + b \coth^2(c + dx))^2 dx = \frac{-\coth(dx + c)^3 b^2 - 6 \coth(dx + c) ab - 3 \coth(dx + c) b^2 + 3a^2 dx + 6abdx + 3b^2 dx}{3d}$$

input `int((a+b*coth(d*x+c))^2,x)`

output $(-\coth(c + d*x)**3*b**2 - 6*\coth(c + d*x)*a*b - 3*\coth(c + d*x)*b**2 + 3*a**2*d*x + 6*a*b*d*x + 3*b**2*d*x)/(3*d)$

3.5 $\int \frac{1}{a+b \coth^2(c+dx)} dx$

Optimal result	78
Mathematica [A] (verified)	78
Rubi [A] (verified)	79
Maple [A] (verified)	81
Fricas [B] (verification not implemented)	81
Sympy [B] (verification not implemented)	82
Maxima [A] (verification not implemented)	83
Giac [A] (verification not implemented)	83
Mupad [B] (verification not implemented)	84
Reduce [B] (verification not implemented)	84

Optimal result

Integrand size = 14, antiderivative size = 46

$$\int \frac{1}{a + b \coth^2(c + dx)} dx = \frac{x}{a + b} - \frac{\sqrt{b} \arctan\left(\frac{\sqrt{a} \tanh(c+dx)}{\sqrt{b}}\right)}{\sqrt{a}(a + b)d}$$

output

```
x/(a+b)-b^(1/2)*arctan(a^(1/2)*tanh(d*x+c)/b^(1/2))/a^(1/2)/(a+b)/d
```

Mathematica [A] (verified)

Time = 0.05 (sec) , antiderivative size = 47, normalized size of antiderivative = 1.02

$$\int \frac{1}{a + b \coth^2(c + dx)} dx = \frac{-\frac{\sqrt{b} \arctan\left(\frac{\sqrt{a} \tanh(c+dx)}{\sqrt{b}}\right)}{\sqrt{a}} + \operatorname{arctanh}(\tanh(c + dx))}{(a + b)d}$$

input

```
Integrate[(a + b*Coth[c + d*x]^2)^(-1), x]
```

output

```
(-((Sqrt[b]*ArcTan[(Sqrt[a]*Tanh[c + d*x])/Sqrt[b]])/Sqrt[a]) + ArcTanh[Tanh[c + d*x]])/((a + b)*d)
```

Rubi [A] (verified)

Time = 0.36 (sec) , antiderivative size = 45, normalized size of antiderivative = 0.98, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {3042, 4143, 25, 3042, 25, 4158, 221}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{1}{a + b \coth^2(c + dx)} dx \\
 & \quad \downarrow \text{3042} \\
 & \int \frac{1}{a - b \tan\left(ic + idx + \frac{\pi}{2}\right)^2} dx \\
 & \quad \downarrow \text{4143} \\
 & \frac{b \int -\frac{\operatorname{csch}^2(c+dx)}{b \coth^2(c+dx)+a} dx}{a+b} + \frac{x}{a+b} \\
 & \quad \downarrow \text{25} \\
 & \frac{x}{a+b} - \frac{b \int \frac{\operatorname{csch}^2(c+dx)}{b \coth^2(c+dx)+a} dx}{a+b} \\
 & \quad \downarrow \text{3042} \\
 & \frac{x}{a+b} - \frac{b \int -\frac{\sec\left(ic+idx+\frac{\pi}{2}\right)^2}{a-b \tan\left(ic+idx+\frac{\pi}{2}\right)^2} dx}{a+b} \\
 & \quad \downarrow \text{25} \\
 & \frac{x}{a+b} + \frac{b \int \frac{\sec\left(\frac{1}{2}(2ic+\pi)+idx\right)^2}{a-b \tan\left(\frac{1}{2}(2ic+\pi)+idx\right)^2} dx}{a+b} \\
 & \quad \downarrow \text{4158} \\
 & \frac{x}{a+b} - \frac{ib \int \frac{1}{b \coth^2(c+dx)+a} d(i \coth(c + dx))}{d(a+b)} \\
 & \quad \downarrow \text{221}
 \end{aligned}$$

$$\frac{\sqrt{b} \arctan\left(\frac{\sqrt{b} \coth(c+dx)}{\sqrt{a}}\right)}{\sqrt{ad}(a+b)} + \frac{x}{a+b}$$

input `Int[(a + b*Coth[c + d*x]^2)^(-1),x]`

output `x/(a + b) + (Sqrt[b]*ArcTan[(Sqrt[b]*Coth[c + d*x])/Sqrt[a]])/(Sqrt[a]*(a + b)*d)`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 221 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4143 `Int[((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^2)^(-1), x_Symbol] := Simp[x/(a - b), x] - Simp[b/(a - b) Int[Sec[e + f*x]^2/(a + b*Tan[e + f*x]^2), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a, b]`

rule 4158 `Int[sec[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(-n_)^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[ff/(c^(m - 1)*f) Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p, x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])`

Maple [A] (verified)

Time = 0.10 (sec) , antiderivative size = 71, normalized size of antiderivative = 1.54

method	result	size
derivativedivides	$\frac{\frac{\ln(\coth(dx+c)+1)}{2a+2b} + \frac{b \arctan\left(\frac{\coth(dx+c)b}{\sqrt{ab}}\right)}{(a+b)\sqrt{ab}} - \frac{\ln(\coth(dx+c)-1)}{2a+2b}}{d}$	71
default	$\frac{\frac{\ln(\coth(dx+c)+1)}{2a+2b} + \frac{b \arctan\left(\frac{\coth(dx+c)b}{\sqrt{ab}}\right)}{(a+b)\sqrt{ab}} - \frac{\ln(\coth(dx+c)-1)}{2a+2b}}{d}$	71
risch	$\frac{x}{a+b} + \frac{\sqrt{-ab} \ln\left(e^{2dx+2c} - \frac{a+2\sqrt{-ab}-b}{a+b}\right)}{2a(a+b)d} - \frac{\sqrt{-ab} \ln\left(e^{2dx+2c} + \frac{-a+2\sqrt{-ab}+b}{a+b}\right)}{2a(a+b)d}$	108

input `int(1/(a+b*coth(d*x+c)^2),x,method=_RETURNVERBOSE)`

output
$$\frac{1}{d} \left(\frac{1}{2a+2b} \ln(\coth(dx+c)+1) + \frac{b}{(a+b)\sqrt{ab}} \arctan\left(\frac{\coth(dx+c)b}{\sqrt{ab}}\right) - \frac{1}{2a+2b} \ln(\coth(dx+c)-1) \right)$$

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 81 vs. 2(38) = 76.

Time = 0.13 (sec) , antiderivative size = 488, normalized size of antiderivative = 10.61

$$\int \frac{1}{a + b \coth^2(c + dx)} dx$$

$$= \left[2 dx + \sqrt{-\frac{b}{a}} \log \left(\frac{(a^2 + 2 ab + b^2) \cosh(dx+c)^4 + 4 (a^2 + 2 ab + b^2) \cosh(dx+c) \sinh(dx+c)^3 + (a^2 + 2 ab + b^2) \sinh(dx+c)^4 - 2 (a^2 - b^2) \cosh(dx+c) \sinh(dx+c)^2}{(a+b) \cosh(dx+c)^4 + 4 (a+b) \cosh(dx+c) \sinh(dx+c)^2 + (a-b) \sinh(dx+c)^4} \right) \right]$$

input `integrate(1/(a+b*coth(d*x+c)^2),x, algorithm="fricas")`

output

```
[1/2*(2*d*x + sqrt(-b/a)*log(((a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)^4 - 2*(a^2 - b^2)*cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 - a^2 + b^2)*sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 - (a^2 - b^2)*cosh(d*x + c)*sinh(d*x + c) - 4*((a^2 + a*b)*cosh(d*x + c)^2 + 2*(a^2 + a*b)*cosh(d*x + c)*sinh(d*x + c) + (a^2 + a*b)*sinh(d*x + c)^2 - a^2 + a*b)*sqrt(-b/a))/((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 - 2*(a - b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 - a + b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 - (a - b)*cosh(d*x + c))*sinh(d*x + c) + a + b))/((a + b)*d), (d*x - sqrt(b/a)*arctan(1/2*((a + b)*cosh(d*x + c)^2 + 2*(a + b)*cosh(d*x + c)*sinh(d*x + c) + (a + b)*sinh(d*x + c)^2 - a + b)*sqrt(b/a/b)))/((a + b)*d)]
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 253 vs. $2(37) = 74$.

Time = 2.74 (sec) , antiderivative size = 253, normalized size of antiderivative = 5.50

$$\int \frac{1}{a + b \coth^2(c + dx)} dx$$

$$= \begin{cases} \frac{\coth x}{\coth^2(c)} & \text{for } a = 0 \wedge b = 0 \wedge d = 0 \\ \frac{x - \frac{\tanh(c+dx)}{d}}{b} & \text{for } a = 0 \\ -\frac{dx \tanh^2(c+dx)}{2bd \tanh^2(c+dx) - 2bd} + \frac{dx}{2bd \tanh^2(c+dx) - 2bd} - \frac{\tanh(c+dx)}{2bd \tanh^2(c+dx) - 2bd} & \text{for } a = -b \\ \frac{x}{a} & \text{for } b = 0 \\ \frac{x}{a + b \coth^2(c)} & \text{for } d = 0 \\ \frac{2adx\sqrt{-\frac{b}{a}}}{2a^2d\sqrt{-\frac{b}{a}} + 2abd\sqrt{-\frac{b}{a}}} - \frac{b \log\left(-\sqrt{-\frac{b}{a}} + \tanh(c+dx)\right)}{2a^2d\sqrt{-\frac{b}{a}} + 2abd\sqrt{-\frac{b}{a}}} + \frac{b \log\left(\sqrt{-\frac{b}{a}} + \tanh(c+dx)\right)}{2a^2d\sqrt{-\frac{b}{a}} + 2abd\sqrt{-\frac{b}{a}}} & \text{otherwise} \end{cases}$$

input

```
integrate(1/(a+b*coth(d*x+c)**2), x)
```

output

```
Piecewise((zoo*x/coth(c)**2, Eq(a, 0) & Eq(b, 0) & Eq(d, 0)), ((x - tanh(c
+ d*x)/d)/b, Eq(a, 0)), (-d*x*tanh(c + d*x)**2/(2*b*d*tanh(c + d*x)**2 -
2*b*d) + d*x/(2*b*d*tanh(c + d*x)**2 - 2*b*d) - tanh(c + d*x)/(2*b*d*tanh(
c + d*x)**2 - 2*b*d), Eq(a, -b)), (x/a, Eq(b, 0)), (x/(a + b*coth(c)**2),
Eq(d, 0)), (2*a*d*x*sqrt(-b/a)/(2*a**2*d*sqrt(-b/a) + 2*a*b*d*sqrt(-b/a))
- b*log(-sqrt(-b/a) + tanh(c + d*x))/(2*a**2*d*sqrt(-b/a) + 2*a*b*d*sqrt(-
b/a)) + b*log(sqrt(-b/a) + tanh(c + d*x))/(2*a**2*d*sqrt(-b/a) + 2*a*b*d*s
qrt(-b/a)), True))
```

Maxima [A] (verification not implemented)

Time = 0.13 (sec) , antiderivative size = 56, normalized size of antiderivative = 1.22

$$\int \frac{1}{a + b \coth^2(c + dx)} dx = \frac{b \arctan\left(\frac{(a+b)e^{(-2dx-2c)} - a + b}{2\sqrt{ab}}\right)}{\sqrt{ab}(a+b)d} + \frac{dx + c}{(a+b)d}$$

input

```
integrate(1/(a+b*coth(d*x+c)^2),x, algorithm="maxima")
```

output

```
b*arctan(1/2*((a + b)*e^(-2*d*x - 2*c) - a + b)/sqrt(a*b))/(sqrt(a*b)*(a +
b)*d) + (d*x + c)/((a + b)*d)
```

Giac [A] (verification not implemented)

Time = 0.14 (sec) , antiderivative size = 65, normalized size of antiderivative = 1.41

$$\int \frac{1}{a + b \coth^2(c + dx)} dx = -\frac{b \arctan\left(\frac{ae^{(2dx+2c)} + be^{(2dx+2c)} - a + b}{2\sqrt{ab}}\right)}{\sqrt{ab}(a+b)d} - \frac{dx+c}{a+b}$$

input

```
integrate(1/(a+b*coth(d*x+c)^2),x, algorithm="giac")
```

output

```
-(b*arctan(1/2*(a*e^(2*d*x + 2*c) + b*e^(2*d*x + 2*c) - a + b)/sqrt(a*b))/
(sqrt(a*b)*(a + b)) - (d*x + c)/(a + b))/d
```

Mupad [B] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 37, normalized size of antiderivative = 0.80

$$\int \frac{1}{a + b \coth^2(c + dx)} dx = \frac{x}{a + b} + \frac{b \operatorname{atan}\left(\frac{b \coth(c + dx)}{\sqrt{ab}}\right)}{d \sqrt{ab} (a + b)}$$

input `int(1/(a + b*coth(c + d*x)^2),x)`

output `x/(a + b) + (b*atan((b*coth(c + d*x))/(a*b)^(1/2)))/(d*(a*b)^(1/2)*(a + b))`

Reduce [B] (verification not implemented)

Time = 0.22 (sec) , antiderivative size = 39, normalized size of antiderivative = 0.85

$$\int \frac{1}{a + b \coth^2(c + dx)} dx = \frac{\sqrt{b} \sqrt{a} \operatorname{atan}\left(\frac{\coth(dx+c)b}{\sqrt{b}\sqrt{a}}\right) + adx}{ad(a + b)}$$

input `int(1/(a+b*coth(d*x+c)^2),x)`

output `(sqrt(b)*sqrt(a)*atan((coth(c + d*x)*b)/(sqrt(b)*sqrt(a))) + a*d*x)/(a*d*(a + b))`

3.6 $\int \frac{1}{(a+b \coth^2(c+dx))^2} dx$

Optimal result	85
Mathematica [A] (verified)	85
Rubi [A] (verified)	86
Maple [A] (verified)	88
Fricas [B] (verification not implemented)	89
Sympy [F(-1)]	90
Maxima [B] (verification not implemented)	90
Giac [B] (verification not implemented)	91
Mupad [B] (verification not implemented)	91
Reduce [B] (verification not implemented)	92

Optimal result

Integrand size = 14, antiderivative size = 89

$$\int \frac{1}{(a+b \coth^2(c+dx))^2} dx = \frac{x}{(a+b)^2} - \frac{\sqrt{b}(3a+b) \arctan\left(\frac{\sqrt{a} \tanh(c+dx)}{\sqrt{b}}\right)}{2a^{3/2}(a+b)^2 d} + \frac{b \coth(c+dx)}{2a(a+b)d(a+b \coth^2(c+dx))}$$

output

```
x/(a+b)^2-1/2*b^(1/2)*(3*a+b)*arctan(a^(1/2)*tanh(d*x+c)/b^(1/2))/a^(3/2)/(a+b)^2/d+1/2*b*coth(d*x+c)/a/(a+b)/d/(a+b*coth(d*x+c)^2)
```

Mathematica [A] (verified)

Time = 0.41 (sec) , antiderivative size = 97, normalized size of antiderivative = 1.09

$$\int \frac{1}{(a+b \coth^2(c+dx))^2} dx = \frac{\sqrt{b}(3a+b) \arctan\left(\frac{\sqrt{b} \coth(c+dx)}{\sqrt{a}}\right)}{a^{3/2}} + \frac{b(a+b) \coth(c+dx)}{a(a+b \coth^2(c+dx))} - \frac{\log(1 - \coth(c+dx)) + \log(1 + \coth(c+dx))}{2(a+b)^2 d}$$

input

```
Integrate[(a + b*Coth[c + d*x]^2)^(-2), x]
```

output

```
((Sqrt[b]*(3*a + b)*ArcTan[(Sqrt[b]*Coth[c + d*x])/Sqrt[a]])/a^(3/2) + (b*(a + b)*Coth[c + d*x])/(a*(a + b*Coth[c + d*x]^2)) - Log[1 - Coth[c + d*x]] + Log[1 + Coth[c + d*x]])/(2*(a + b)^2*d)
```

Rubi [A] (verified)

Time = 0.43 (sec) , antiderivative size = 106, normalized size of antiderivative = 1.19, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {3042, 4144, 316, 397, 218, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{1}{(a + b \coth^2(c + dx))^2} dx \\
 & \quad \downarrow \text{3042} \\
 & \int \frac{1}{\left(a - b \tan\left(ic + idx + \frac{\pi}{2}\right)\right)^2} dx \\
 & \quad \downarrow \text{4144} \\
 & \frac{\int \frac{1}{(1 - \coth^2(c + dx))(b \coth^2(c + dx) + a)^2} d \coth(c + dx)}{d} \\
 & \quad \downarrow \text{316} \\
 & \frac{\frac{b \coth(c + dx)}{2a(a + b)(a + b \coth^2(c + dx))} - \int \frac{b \coth^2(c + dx) + b - 2(a + b)}{(1 - \coth^2(c + dx))(b \coth^2(c + dx) + a)} d \coth(c + dx)}{2a(a + b)} \\
 & \quad \downarrow \text{397} \\
 & \frac{\frac{b \coth(c + dx)}{2a(a + b)(a + b \coth^2(c + dx))} - \frac{2a \int \frac{1}{1 - \coth^2(c + dx)} d \coth(c + dx)}{a + b} - \frac{b(3a + b) \int \frac{1}{b \coth^2(c + dx) + a} d \coth(c + dx)}{a + b}}{2a(a + b)} \\
 & \quad \downarrow \text{218} \\
 & \frac{\frac{b \coth(c + dx)}{2a(a + b)(a + b \coth^2(c + dx))} - \frac{2a \int \frac{1}{1 - \coth^2(c + dx)} d \coth(c + dx)}{a + b} - \frac{\sqrt{b(3a + b)} \arctan\left(\frac{\sqrt{b} \coth(c + dx)}{\sqrt{a}}\right)}{\sqrt{a(a + b)}}}{2a(a + b)} \\
 & \quad \downarrow d
 \end{aligned}$$

$$\frac{\frac{b \coth(c+dx)}{2a(a+b)(a+b \coth^2(c+dx))} - \frac{\frac{\sqrt{b}(3a+b) \arctan\left(\frac{\sqrt{b} \coth(c+dx)}{\sqrt{a}}\right)}{\sqrt{a}(a+b)} - \frac{2a \operatorname{arctanh}(\coth(c+dx))}{a+b}}{2a(a+b)}}{d}$$

input `Int[(a + b*Coth[c + d*x]^2)^(-2),x]`

output `(-1/2*(-((Sqrt[b]*(3*a + b)*ArcTan[(Sqrt[b]*Coth[c + d*x])/Sqrt[a]])/(Sqrt[a]*(a + b))) - (2*a*ArcTanh[Coth[c + d*x]]/(a + b))/(a*(a + b)) + (b*Cot h[c + d*x])/(2*a*(a + b)*(a + b*Coth[c + d*x]^2)))/d`

Defintions of rubi rules used

rule 218 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]/a)*ArcTan[x/Rt[a/b, 2]], x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

rule 219 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt Q[a, 0] || LtQ[b, 0])`

rule 316 `Int[((a_) + (b_.)*(x_)^2)^(p_)*((c_) + (d_.)*(x_)^2)^(q_), x_Symbol] := Simp[(-b)*x*(a + b*x^2)^(p + 1)*((c + d*x^2)^(q + 1)/(2*a*(p + 1)*(b*c - a*d)), x] + Simp[1/(2*a*(p + 1)*(b*c - a*d)) Int[(a + b*x^2)^(p + 1)*(c + d*x^2)^q*Simp[b*c + 2*(p + 1)*(b*c - a*d) + d*b*(2*(p + q + 2) + 1)*x^2, x], x] /; FreeQ[{a, b, c, d, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && !(IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c, d, 2, p, q, x]`

rule 397 `Int[((e_) + (f_.)*(x_)^2)/(((a_) + (b_.)*(x_)^2)*((c_) + (d_.)*(x_)^2)), x_Symbol] := Simp[(b*e - a*f)/(b*c - a*d) Int[1/(a + b*x^2), x], x] - Simp[(d*e - c*f)/(b*c - a*d) Int[1/(c + d*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4144 `Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[c*(ff/f) Subst[Int[(a + b*(ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])`

Maple [A] (verified)

Time = 0.18 (sec) , antiderivative size = 103, normalized size of antiderivative = 1.16

method	result
derivativedivides	$\frac{\frac{\ln(\coth(dx+c)+1)}{2(a+b)^2} + \frac{b \left(\frac{(a+b) \coth(dx+c)}{2a(a+b \coth(dx+c)^2)} + \frac{(3a+b) \arctan\left(\frac{\coth(dx+c)b}{\sqrt{ab}}\right)}{2a\sqrt{ab}} \right)}{(a+b)^2}}{d} - \frac{\ln(\coth(dx+c)-1)}{2(a+b)^2}$
default	$\frac{\frac{\ln(\coth(dx+c)+1)}{2(a+b)^2} + \frac{b \left(\frac{(a+b) \coth(dx+c)}{2a(a+b \coth(dx+c)^2)} + \frac{(3a+b) \arctan\left(\frac{\coth(dx+c)b}{\sqrt{ab}}\right)}{2a\sqrt{ab}} \right)}{(a+b)^2}}{d} - \frac{\ln(\coth(dx+c)-1)}{2(a+b)^2}$
risch	$\frac{x}{a^2+2ab+b^2} + \frac{b(a e^{2dx+2c} - b e^{2dx+2c} - a - b)}{da(a+b)^2 (e^{4dx+4c} a + e^{4dx+4c} b - 2a e^{2dx+2c} + 2b e^{2dx+2c} + a + b)} + \frac{3\sqrt{-ab} \ln\left(e^{2dx+2c} - \frac{a+2\sqrt{-ab}-b}{a+b}\right)}{4a(a+b)^2 d}$

input `int(1/(a+b*coth(d*x+c)^2)^2,x,method=_RETURNVERBOSE)`

output `1/d*(1/2/(a+b)^2*ln(coth(d*x+c)+1)+1/(a+b)^2*b*(1/2*(a+b)/a*coth(d*x+c)/(a+b*coth(d*x+c)^2)+1/2*(3*a+b)/a/(a*b)^(1/2)*arctan(coth(d*x+c)*b/(a*b)^(1/2)))-1/2/(a+b)^2*ln(coth(d*x+c)-1)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 814 vs. $2(77) = 154$.

Time = 0.14 (sec) , antiderivative size = 1952, normalized size of antiderivative = 21.93

$$\int \frac{1}{(a + b \coth^2(c + dx))^2} dx = \text{Too large to display}$$

input `integrate(1/(a+b*coth(d*x+c)^2)^2,x, algorithm="fricas")`

output

```
[1/4*(4*(a^2 + a*b)*d*x*cosh(d*x + c)^4 + 16*(a^2 + a*b)*d*x*cosh(d*x + c)
*sinh(d*x + c)^3 + 4*(a^2 + a*b)*d*x*sinh(d*x + c)^4 + 4*(a^2 + a*b)*d*x -
4*(2*(a^2 - a*b)*d*x - a*b + b^2)*cosh(d*x + c)^2 + 4*(6*(a^2 + a*b)*d*x*
cosh(d*x + c)^2 - 2*(a^2 - a*b)*d*x + a*b - b^2)*sinh(d*x + c)^2 + ((3*a^2
+ 4*a*b + b^2)*cosh(d*x + c)^4 + 4*(3*a^2 + 4*a*b + b^2)*cosh(d*x + c)*si
nh(d*x + c)^3 + (3*a^2 + 4*a*b + b^2)*sinh(d*x + c)^4 - 2*(3*a^2 - 2*a*b -
b^2)*cosh(d*x + c)^2 + 2*(3*(3*a^2 + 4*a*b + b^2)*cosh(d*x + c)^2 - 3*a^2
+ 2*a*b + b^2)*sinh(d*x + c)^2 + 3*a^2 + 4*a*b + b^2 + 4*((3*a^2 + 4*a*b
+ b^2)*cosh(d*x + c)^3 - (3*a^2 - 2*a*b - b^2)*cosh(d*x + c))*sinh(d*x + c
))*sqrt(-b/a)*log(((a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 4*(a^2 + 2*a*b +
b^2)*cosh(d*x + c)*sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)^4 -
2*(a^2 - b^2)*cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2
- a^2 + b^2)*sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*
cosh(d*x + c)^3 - (a^2 - b^2)*cosh(d*x + c))*sinh(d*x + c) - 4*((a^2 + a*b
)*cosh(d*x + c)^2 + 2*(a^2 + a*b)*cosh(d*x + c)*sinh(d*x + c) + (a^2 + a*b
)*sinh(d*x + c)^2 - a^2 + a*b)*sqrt(-b/a))/((a + b)*cosh(d*x + c)^4 + 4*(a
+ b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 - 2*(a - b)*
cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 - a + b)*sinh(d*x + c)^2 +
4*((a + b)*cosh(d*x + c)^3 - (a - b)*cosh(d*x + c))*sinh(d*x + c) + a + b)
) - 4*a*b - 4*b^2 + 8*(2*(a^2 + a*b)*d*x*cosh(d*x + c)^3 - (2*(a^2 - a...
```

Sympy [F(-1)]

Timed out.

$$\int \frac{1}{(a + b \coth^2(c + dx))^2} dx = \text{Timed out}$$

input `integrate(1/(a+b*coth(d*x+c)**2)**2,x)`output `Timed out`**Maxima [B] (verification not implemented)**

Leaf count of result is larger than twice the leaf count of optimal. 207 vs. 2(77) = 154.

Time = 0.16 (sec) , antiderivative size = 207, normalized size of antiderivative = 2.33

$$\int \frac{1}{(a + b \coth^2(c + dx))^2} dx = \frac{(3ab + b^2) \arctan\left(\frac{(a+b)e^{(-2dx-2c)} - a + b}{2\sqrt{ab}}\right)}{2(a^3 + 2a^2b + ab^2)\sqrt{abd}} + \frac{ab + b^2 - (ab - b^2)e^{(-2dx-2c)}}{(a^4 + 3a^3b + 3a^2b^2 + ab^3 - 2(a^4 + a^3b - a^2b^2 - ab^3))e^{(-2dx-2c)} + (a^4 + 3a^3b + 3a^2b^2 + ab^3)e^{(-4dx-4c)}} + \frac{dx + c}{(a^2 + 2ab + b^2)d}$$

input `integrate(1/(a+b*coth(d*x+c)^2)^2,x, algorithm="maxima")`output `1/2*(3*a*b + b^2)*arctan(1/2*((a + b)*e^(-2*d*x - 2*c) - a + b)/sqrt(a*b)) /((a^3 + 2*a^2*b + a*b^2)*sqrt(a*b)*d) + (a*b + b^2 - (a*b - b^2)*e^(-2*d*x - 2*c))/((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3 - 2*(a^4 + a^3*b - a^2*b^2 - a*b^3))*e^(-2*d*x - 2*c) + (a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*e^(-4*d*x - 4*c))*d) + (d*x + c)/((a^2 + 2*a*b + b^2)*d)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 198 vs. $2(77) = 154$.

Time = 0.14 (sec) , antiderivative size = 198, normalized size of antiderivative = 2.22

$$\int \frac{1}{(a + b \coth^2(c + dx))^2} dx = \frac{(3ab+b^2) \arctan\left(\frac{ae^{(2dx+2c)} + be^{(2dx+2c)} - a + b}{2\sqrt{ab}}\right)}{(a^3+2a^2b+ab^2)\sqrt{ab}} - \frac{2(dx+c)}{a^2+2ab+b^2} - \frac{2(ab e^{(2dx+2c)} - b^2 e^{(2dx+2c)} - ab - b^2)}{(a^3+2a^2b+ab^2)(ae^{(4dx+4c)} + be^{(4dx+4c)} - 2ae^{(2dx+2c)} + 2be^{(2dx+2c)})}$$

input `integrate(1/(a+b*coth(d*x+c)^2)^2,x, algorithm="giac")`

output

```
-1/2*((3*a*b + b^2)*arctan(1/2*(a*e^(2*d*x + 2*c) + b*e^(2*d*x + 2*c) - a + b)/sqrt(a*b))/((a^3 + 2*a^2*b + a*b^2)*sqrt(a*b)) - 2*(d*x + c)/(a^2 + 2*a*b + b^2) - 2*(a*b*e^(2*d*x + 2*c) - b^2*e^(2*d*x + 2*c) - a*b - b^2)/((a^3 + 2*a^2*b + a*b^2)*(a*e^(4*d*x + 4*c) + b*e^(4*d*x + 4*c) - 2*a*e^(2*d*x + 2*c) + 2*b*e^(2*d*x + 2*c) + a + b))/d
```

Mupad [B] (verification not implemented)

Time = 3.03 (sec) , antiderivative size = 110, normalized size of antiderivative = 1.24

$$\int \frac{1}{(a + b \coth^2(c + dx))^2} dx = \frac{\frac{ax}{(a+b)^2} + \frac{bx \coth(c+dx)^2}{(a+b)^2} + \frac{b \coth(c+dx)}{2ad(a+b)}}{b \coth(c + dx)^2 + a} + \frac{\operatorname{atan}\left(\frac{b \coth(c+dx)}{\sqrt{ab}}\right) (b^2 + 3ab)}{\sqrt{ab} (2a^3d + ab(4ad + 2bd))}$$

input `int(1/(a + b*coth(c + d*x)^2)^2,x)`

output

```
((a*x)/(a + b)^2 + (b*x*coth(c + d*x)^2)/(a + b)^2 + (b*coth(c + d*x))/(2*a*d*(a + b)))/(a + b*coth(c + d*x)^2) + (atan((b*coth(c + d*x))/(a*b)^(1/2)))*(3*a*b + b^2))/((a*b)^(1/2)*(2*a^3*d + a*b*(4*a*d + 2*b*d)))
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 226, normalized size of antiderivative = 2.54

$$\int \frac{1}{(a + b \coth^2(c + dx))^2} dx$$

$$= \frac{3\sqrt{b}\sqrt{a} \operatorname{atan}\left(\frac{\coth(dx+c)b}{\sqrt{b}\sqrt{a}}\right) \coth(dx+c)^2 ab + \sqrt{b}\sqrt{a} \operatorname{atan}\left(\frac{\coth(dx+c)b}{\sqrt{b}\sqrt{a}}\right) \coth(dx+c)^2 b^2 + 3\sqrt{b}\sqrt{a} \operatorname{atan}\left(\frac{\coth(dx+c)b}{\sqrt{b}\sqrt{a}}\right) \coth(dx+c)^2 a^2 b + 2 \coth(dx+c)^2 a^2 b}{2a^2 d (\coth(dx+c)^2 a^2 b + 2 \coth(dx+c)^2 a^2 b + 2 \coth(dx+c)^2 a^2 b + 2 \coth(dx+c)^2 a^2 b)}$$

input `int(1/(a+b*coth(d*x+c)^2)^2,x)`output `(3*sqrt(b)*sqrt(a)*atan((coth(c + d*x)*b)/(sqrt(b)*sqrt(a)))*coth(c + d*x)**2*a*b + sqrt(b)*sqrt(a)*atan((coth(c + d*x)*b)/(sqrt(b)*sqrt(a)))*coth(c + d*x)**2*b**2 + 3*sqrt(b)*sqrt(a)*atan((coth(c + d*x)*b)/(sqrt(b)*sqrt(a)))*a**2 + sqrt(b)*sqrt(a)*atan((coth(c + d*x)*b)/(sqrt(b)*sqrt(a)))*a*b + 2*coth(c + d*x)**2*a**2*b*d*x + coth(c + d*x)*a**2*b + coth(c + d*x)*a*b**2 + 2*a**3*d*x)/(2*a**2*d*(coth(c + d*x)**2*a**2*b + 2*coth(c + d*x)**2*a*b**2 + coth(c + d*x)**2*b**3 + a**3 + 2*a**2*b + a*b**2))`

3.7 $\int \frac{1}{(a+b \coth^2(c+dx))^3} dx$

Optimal result	93
Mathematica [A] (verified)	94
Rubi [A] (verified)	94
Maple [A] (verified)	97
Fricas [B] (verification not implemented)	97
Sympy [F(-1)]	98
Maxima [B] (verification not implemented)	98
Giac [B] (verification not implemented)	99
Mupad [B] (verification not implemented)	100
Reduce [B] (verification not implemented)	100

Optimal result

Integrand size = 14, antiderivative size = 142

$$\int \frac{1}{(a+b \coth^2(c+dx))^3} dx = \frac{x}{(a+b)^3} - \frac{\sqrt{b}(15a^2+10ab+3b^2) \arctan\left(\frac{\sqrt{a} \tanh(c+dx)}{\sqrt{b}}\right)}{8a^{5/2}(a+b)^3d}$$

$$+ \frac{b \coth(c+dx)}{4a(a+b)d(a+b \coth^2(c+dx))^2}$$

$$+ \frac{b(7a+3b) \coth(c+dx)}{8a^2(a+b)^2d(a+b \coth^2(c+dx))}$$

output

```
x/(a+b)^3-1/8*b^(1/2)*(15*a^2+10*a*b+3*b^2)*arctan(a^(1/2)*tanh(d*x+c)/b^(1/2))/a^(5/2)/(a+b)^3/d+1/4*b*coth(d*x+c)/a/(a+b)/d/(a+b*coth(d*x+c)^2)^2+1/8*b*(7*a+3*b)*coth(d*x+c)/a^2/(a+b)^2/d/(a+b*coth(d*x+c)^2)
```

Mathematica [A] (verified)

Time = 0.23 (sec) , antiderivative size = 147, normalized size of antiderivative = 1.04

$$\int \frac{1}{(a + b \coth^2(c + dx))^3} dx$$

$$= \frac{\frac{\sqrt{b}(15a^2 + 10ab + 3b^2) \arctan\left(\frac{\sqrt{b} \coth(c + dx)}{\sqrt{a}}\right)}{a^{5/2}} + \frac{2b(a+b)^2 \coth(c + dx)}{a(a+b \coth^2(c + dx))^2} + \frac{b(a+b)(7a+3b) \coth(c + dx)}{a^2(a+b \coth^2(c + dx))} - 4 \log(1 - \coth(c + dx))}{8(a+b)^3 d}$$

input

```
Integrate[(a + b*Coth[c + d*x]^2)^(-3), x]
```

output

```
((Sqrt[b]*(15*a^2 + 10*a*b + 3*b^2)*ArcTan[(Sqrt[b]*Coth[c + d*x])/Sqrt[a]])/a^(5/2) + (2*b*(a + b)^2*Coth[c + d*x])/(a*(a + b*Coth[c + d*x]^2)^2) + (b*(a + b)*(7*a + 3*b)*Coth[c + d*x])/(a^2*(a + b*Coth[c + d*x]^2)) - 4*Log[1 - Coth[c + d*x]] + 4*Log[1 + Coth[c + d*x]])/(8*(a + b)^3*d)
```

Rubi [A] (verified)

Time = 0.52 (sec) , antiderivative size = 170, normalized size of antiderivative = 1.20, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {3042, 4144, 316, 402, 397, 218, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{(a + b \coth^2(c + dx))^3} dx$$

$$\downarrow \text{3042}$$

$$\int \frac{1}{\left(a - b \tan\left(ic + idx + \frac{\pi}{2}\right)\right)^3} dx$$

$$\downarrow \text{4144}$$

$$\frac{\int \frac{1}{(1 - \coth^2(c + dx))(b \coth^2(c + dx) + a)^3} d \coth(c + dx)}{d}$$

$$\begin{aligned}
 & \downarrow 316 \\
 & \frac{\frac{b \operatorname{coth}(c+dx)}{4a(a+b)(a+b \operatorname{coth}^2(c+dx))^2} - \int \frac{3b \operatorname{coth}^2(c+dx)+b-4(a+b)}{(1-\operatorname{coth}^2(c+dx))(b \operatorname{coth}^2(c+dx)+a)^2} d \operatorname{coth}(c+dx)}{d} \\
 & \downarrow 402 \\
 & \frac{\frac{b \operatorname{coth}(c+dx)}{4a(a+b)(a+b \operatorname{coth}^2(c+dx))^2} - \int \frac{8a^2+7ba+3b^2-b(7a+3b) \operatorname{coth}^2(c+dx)}{(1-\operatorname{coth}^2(c+dx))(b \operatorname{coth}^2(c+dx)+a)} d \operatorname{coth}(c+dx)}{d} - \frac{b(7a+3b) \operatorname{coth}(c+dx)}{2a(a+b)(a+b \operatorname{coth}^2(c+dx))}}{4a(a+b)} \\
 & \downarrow 397 \\
 & \frac{\frac{b \operatorname{coth}(c+dx)}{4a(a+b)(a+b \operatorname{coth}^2(c+dx))^2} - \frac{b(15a^2+10ab+3b^2) \int \frac{1}{b \operatorname{coth}^2(c+dx)+a} d \operatorname{coth}(c+dx)}{a+b} + \frac{8a^2 \int \frac{1}{1-\operatorname{coth}^2(c+dx)} d \operatorname{coth}(c+dx)}{a+b}}{d} - \frac{b(7a+3b) \operatorname{coth}(c+dx)}{2a(a+b)(a+b \operatorname{coth}^2(c+dx))}}{4a(a+b)} \\
 & \downarrow 218 \\
 & \frac{\frac{b \operatorname{coth}(c+dx)}{4a(a+b)(a+b \operatorname{coth}^2(c+dx))^2} - \frac{8a^2 \int \frac{1}{1-\operatorname{coth}^2(c+dx)} d \operatorname{coth}(c+dx)}{a+b} + \frac{\sqrt{b}(15a^2+10ab+3b^2) \arctan\left(\frac{\sqrt{b} \operatorname{coth}(c+dx)}{\sqrt{a}}\right)}{\sqrt{a}(a+b)}}{2a(a+b)}}{d} - \frac{b(7a+3b) \operatorname{coth}(c+dx)}{2a(a+b)(a+b \operatorname{coth}^2(c+dx))}}{4a(a+b)} \\
 & \downarrow 219 \\
 & \frac{\frac{b \operatorname{coth}(c+dx)}{4a(a+b)(a+b \operatorname{coth}^2(c+dx))^2} - \frac{\sqrt{b}(15a^2+10ab+3b^2) \arctan\left(\frac{\sqrt{b} \operatorname{coth}(c+dx)}{\sqrt{a}}\right) + 8a^2 \operatorname{arctanh}(\operatorname{coth}(c+dx))}{\sqrt{a}(a+b)}}{2a(a+b)}}{d} - \frac{b(7a+3b) \operatorname{coth}(c+dx)}{2a(a+b)(a+b \operatorname{coth}^2(c+dx))}}{4a(a+b)}
 \end{aligned}$$

input `Int[(a + b*Coth[c + d*x]^2)^(-3),x]`

output `((b*Coth[c + d*x])/(4*a*(a + b)*(a + b*Coth[c + d*x]^2)^2) - (-1/2*((Sqrt[b]*(15*a^2 + 10*a*b + 3*b^2)*ArcTan[(Sqrt[b]*Coth[c + d*x])/Sqrt[a]])/(Sqrt[a]*(a + b)) + (8*a^2*ArcTanh[Coth[c + d*x]])/(a + b))/(a*(a + b)) - (b*(7*a + 3*b)*Coth[c + d*x])/(2*a*(a + b)*(a + b*Coth[c + d*x]^2)))/(4*a*(a + b))/d`

Definitions of rubi rules used

rule 218 $\text{Int}[(a_ + (b_ \cdot x^2)^{-1}), x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]/a) \cdot \text{ArcTan}[x/\text{Rt}[a/b, 2]], x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b]$

rule 219 $\text{Int}[(a_ + (b_ \cdot x^2)^{-1}), x_Symbol] \rightarrow \text{Simp}[(1/(\text{Rt}[a, 2] \cdot \text{Rt}[-b, 2])) \cdot \text{ArcTanh}[\text{Rt}[-b, 2] \cdot (x/\text{Rt}[a, 2])], x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

rule 316 $\text{Int}[(a_ + (b_ \cdot x^2)^{p_}) \cdot ((c_ + (d_ \cdot x^2)^{q_}), x_Symbol] \rightarrow \text{Simp}[(-b) \cdot x \cdot (a + b \cdot x^2)^{p+1} \cdot ((c + d \cdot x^2)^{q+1}) / (2 \cdot a \cdot (p+1) \cdot (b \cdot c - a \cdot d))], x] + \text{Simp}[1 / (2 \cdot a \cdot (p+1) \cdot (b \cdot c - a \cdot d)) \ \text{Int}[(a + b \cdot x^2)^{p+1} \cdot (c + d \cdot x^2)^q \cdot \text{Simp}[b \cdot c + 2 \cdot (p+1) \cdot (b \cdot c - a \cdot d) + d \cdot b \cdot (2 \cdot (p+q+2) + 1) \cdot x^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, q\}, x \ \&\& \ \text{NeQ}[b \cdot c - a \cdot d, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ (! \ \text{IntegerQ}[p] \ \&\& \ \text{IntegerQ}[q] \ \&\& \ \text{LtQ}[q, -1]) \ \&\& \ \text{IntBinomialQ}[a, b, c, d, 2, p, q, x]$

rule 397 $\text{Int}[(e_ + (f_ \cdot x^2)) / ((a_ + (b_ \cdot x^2)) \cdot ((c_ + (d_ \cdot x^2))), x_Symbol] \rightarrow \text{Simp}[(b \cdot e - a \cdot f) / (b \cdot c - a \cdot d) \ \text{Int}[1 / (a + b \cdot x^2), x], x] - \text{Simp}[(d \cdot e - c \cdot f) / (b \cdot c - a \cdot d) \ \text{Int}[1 / (c + d \cdot x^2), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x]$

rule 402 $\text{Int}[(a_ + (b_ \cdot x^2)^{p_}) \cdot ((c_ + (d_ \cdot x^2)^{q_}) \cdot ((e_ + (f_ \cdot x^2)^2), x_Symbol] \rightarrow \text{Simp}[(-b \cdot e - a \cdot f) \cdot x \cdot (a + b \cdot x^2)^{p+1} \cdot ((c + d \cdot x^2)^{q+1}) / (a^2 \cdot (b \cdot c - a \cdot d) \cdot (p+1)), x] + \text{Simp}[1 / (a^2 \cdot (b \cdot c - a \cdot d) \cdot (p+1)) \ \text{Int}[(a + b \cdot x^2)^{p+1} \cdot (c + d \cdot x^2)^q \cdot \text{Simp}[c \cdot (b \cdot e - a \cdot f) + e^2 \cdot (b \cdot c - a \cdot d) \cdot (p+1) + d \cdot (b \cdot e - a \cdot f) \cdot (2 \cdot (p+q+2) + 1) \cdot x^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, q\}, x \ \&\& \ \text{LtQ}[p, -1]$

rule 3042 $\text{Int}[u_, x_Symbol] \rightarrow \text{Int}[\text{DeactivateTrig}[u, x], x] /; \text{FunctionOfTrigOfLinearQ}[u, x]$

rule 4144

```
Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :>
With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[c*(ff/f) Subst[Int[(a + b*
(ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] ||
EqQ[n^2, 16])
```

Maple [A] (verified)

Time = 0.28 (sec) , antiderivative size = 156, normalized size of antiderivative = 1.10

method	result
derivativedivides	$\frac{\frac{\ln(\coth(dx+c)+1)}{2(a+b)^3} + \frac{b \left(\frac{b(7a^2+10ab+3b^2) \coth(dx+c)^3}{8a^2} + \frac{(9a^2+14ab+5b^2) \coth(dx+c)}{8a} + \frac{(15a^2+10ab+3b^2) \arctan\left(\frac{\coth(dx+c)}{\sqrt{ab}}\right)}{8a^2\sqrt{ab}} \right)}{(a+b \coth(dx+c))^2}}{(a+b)^3} + \frac{1}{d}$
default	$\frac{\frac{\ln(\coth(dx+c)+1)}{2(a+b)^3} + \frac{b \left(\frac{b(7a^2+10ab+3b^2) \coth(dx+c)^3}{8a^2} + \frac{(9a^2+14ab+5b^2) \coth(dx+c)}{8a} + \frac{(15a^2+10ab+3b^2) \arctan\left(\frac{\coth(dx+c)}{\sqrt{ab}}\right)}{8a^2\sqrt{ab}} \right)}{(a+b \coth(dx+c))^2}}{(a+b)^3} + \frac{1}{d}$
risch	$\frac{x}{a^3+3a^2b+3ab^2+b^3} + \frac{(9a^3e^{6dx+6c}-a^2be^{6dx+6c}-13ab^2e^{6dx+6c}-3b^3e^{6dx+6c}-27a^3e^{4dx+4c}+9a^2be^{4dx+4c}-21ab^2e^{4dx+4c}-4e^{4dx+4c}a+e^{4dx+4c}b-2)}{4(e^{4dx+4c}a+e^{4dx+4c}b-2)}$

input

```
int(1/(a+b*coth(d*x+c)^2)^3,x,method=_RETURNVERBOSE)
```

output

```
1/d*(1/2/(a+b)^3*ln(coth(d*x+c)+1)+1/(a+b)^3*b*((1/8*b*(7*a^2+10*a*b+3*b^2)
)/a^2*coth(d*x+c)^3+1/8*(9*a^2+14*a*b+5*b^2)/a*coth(d*x+c))/(a+b*coth(d*x+
c)^2)^2+1/8*(15*a^2+10*a*b+3*b^2)/a^2/(a*b)^(1/2)*arctan(coth(d*x+c)*b/(a*
b)^(1/2))-1/2/(a+b)^3*ln(coth(d*x+c)-1))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 3592 vs. 2(128) = 256.

Time = 0.21 (sec) , antiderivative size = 7508, normalized size of antiderivative = 52.87

$$\int \frac{1}{(a + b \coth^2(c + dx))^3} dx = \text{Too large to display}$$

input `integrate(1/(a+b*coth(d*x+c)^2)^3,x, algorithm="fricas")`

output Too large to include

Sympy [F(-1)]

Timed out.

$$\int \frac{1}{(a + b \coth^2(c + dx))^3} dx = \text{Timed out}$$

input `integrate(1/(a+b*coth(d*x+c)**2)**3,x)`

output Timed out

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 509 vs. $2(128) = 256$.

Time = 0.24 (sec) , antiderivative size = 509, normalized size of antiderivative = 3.58

$$\int \frac{1}{(a + b \coth^2(c + dx))^3} dx = \frac{(15 a^2 b + 10 a b^2 + 3 b^3) \arctan\left(\frac{(a+b)e^{(-2 dx - 2 c)} - a + b}{2 \sqrt{ab}}\right)}{8 (a^5 + 3 a^4 b + 3 a^3 b^2 + a^2 b^3) \sqrt{abd}}$$

$$+ \frac{9 a^3 b + 21 a^2 b^2 + 15 a b^3 + 3 b^4 - (27 a^7 + 5 a^6 b + 10 a^5 b^2 + 10 a^4 b^3 + 5 a^3 b^4 + a^2 b^5 - 4 (a^7 + 3 a^6 b + 2 a^5 b^2 - 2 a^4 b^3 - 3 a^3 b^4 - a^2 b^5) e^{(-2 dx - 2 c)}}{4 (a^7 + 5 a^6 b + 10 a^5 b^2 + 10 a^4 b^3 + 5 a^3 b^4 + a^2 b^5 - 4 (a^7 + 3 a^6 b + 2 a^5 b^2 - 2 a^4 b^3 - 3 a^3 b^4 - a^2 b^5) e^{(-2 dx - 2 c)})}$$

$$+ \frac{dx + c}{(a^3 + 3 a^2 b + 3 a b^2 + b^3) d}$$

input `integrate(1/(a+b*coth(d*x+c)^2)^3,x, algorithm="maxima")`

output

```
1/8*(15*a^2*b + 10*a*b^2 + 3*b^3)*arctan(1/2*((a + b)*e^(-2*d*x - 2*c) - a
+ b)/sqrt(a*b))/((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*sqrt(a*b)*d) + 1/4
*(9*a^3*b + 21*a^2*b^2 + 15*a*b^3 + 3*b^4 - (27*a^3*b + 13*a^2*b^2 - 23*a*
b^3 - 9*b^4)*e^(-2*d*x - 2*c) + 3*(9*a^3*b - 3*a^2*b^2 + 7*a*b^3 + 3*b^4)*
e^(-4*d*x - 4*c) - (9*a^3*b - a^2*b^2 - 13*a*b^3 - 3*b^4)*e^(-6*d*x - 6*c)
)/((a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5 - 4*(a^7
+ 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*e^(-2*d*x - 2*c)
+ 2*(3*a^7 + 7*a^6*b + 6*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b^4 + 3*a^2*b^5)*e^(
-4*d*x - 4*c) - 4*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2
*b^5)*e^(-6*d*x - 6*c) + (a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*
b^4 + a^2*b^5)*e^(-8*d*x - 8*c))*d) + (d*x + c)/((a^3 + 3*a^2*b + 3*a*b^2
+ b^3)*d)
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 409 vs. $2(128) = 256$.

Time = 0.16 (sec) , antiderivative size = 409, normalized size of antiderivative = 2.88

$$\int \frac{1}{(a + b \coth^2(c + dx))^3} dx =$$

$$\frac{(15a^2b + 10ab^2 + 3b^3) \arctan\left(\frac{ae^{2dx+2c} + be^{2dx+2c} - a + b}{2\sqrt{ab}}\right)}{(a^5 + 3a^4b + 3a^3b^2 + a^2b^3)\sqrt{ab}} - \frac{8(dx+c)}{a^3 + 3a^2b + 3ab^2 + b^3} - \frac{2(9a^3be^{6dx+6c} - a^2b^2e^{6dx+6c} - 13ab^3e^{6dx+6c})}{(a^5 + 3a^4b + 3a^3b^2 + a^2b^3)\sqrt{ab}}$$

input

```
integrate(1/(a+b*coth(d*x+c)^2)^3,x, algorithm="giac")
```

output

```
-1/8*((15*a^2*b + 10*a*b^2 + 3*b^3)*arctan(1/2*(a*e^(2*d*x + 2*c) + b*e^(2
*d*x + 2*c) - a + b)/sqrt(a*b))/((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*sq
rt(a*b)) - 8*(d*x + c)/(a^3 + 3*a^2*b + 3*a*b^2 + b^3) - 2*(9*a^3*b*e^(6*d*
x + 6*c) - a^2*b^2*e^(6*d*x + 6*c) - 13*a*b^3*e^(6*d*x + 6*c) - 3*b^4*e^(6
*d*x + 6*c) - 27*a^3*b*e^(4*d*x + 4*c) + 9*a^2*b^2*e^(4*d*x + 4*c) - 21*a*
b^3*e^(4*d*x + 4*c) - 9*b^4*e^(4*d*x + 4*c) + 27*a^3*b*e^(2*d*x + 2*c) + 1
3*a^2*b^2*e^(2*d*x + 2*c) - 23*a*b^3*e^(2*d*x + 2*c) - 9*b^4*e^(2*d*x + 2*
c) - 9*a^3*b - 21*a^2*b^2 - 15*a*b^3 - 3*b^4)/((a^5 + 3*a^4*b + 3*a^3*b^2
+ a^2*b^3)*(a*e^(4*d*x + 4*c) + b*e^(4*d*x + 4*c) - 2*a*e^(2*d*x + 2*c) +
2*b*e^(2*d*x + 2*c) + a + b)^2))/d
```

Mupad [B] (verification not implemented)

Time = 3.21 (sec) , antiderivative size = 2719, normalized size of antiderivative = 19.15

$$\int \frac{1}{(a + b \coth^2(c + dx))^3} dx = \text{Too large to display}$$

input `int(1/(a + b*coth(c + d*x)^2)^3,x)`

output

```
log(coth(c + d*x) + 1)/(2*a^3*d + 2*b^3*d + 6*a*b^2*d + 6*a^2*b*d) + ((cot
h(c + d*x)*(9*a*b + 5*b^2))/(8*a*(2*a*b + a^2 + b^2)) + (b*coth(c + d*x)^3
*(7*a*b + 3*b^2))/(8*a*(a*b^2 + 2*a^2*b + a^3)))/(a^2*d + b^2*d*coth(c + d
*x)^4 + 2*a*b*d*coth(c + d*x)^2) - log(coth(c + d*x) - 1)/(2*d*(a + b)^3)
- (atan((((-a^5*b)^(1/2))*((coth(c + d*x)*(60*a*b^6 + 9*b^7 + 190*a^2*b^5 +
300*a^3*b^4 + 289*a^4*b^3))/(32*(a^8*d^2 + 4*a^7*b*d^2 + a^4*b^4*d^2 + 4*
a^5*b^3*d^2 + 6*a^6*b^2*d^2))) + (((96*a^2*b^10*d^2 + 800*a^3*b^9*d^2 + 304
0*a^4*b^8*d^2 + 6816*a^5*b^7*d^2 + 9760*a^6*b^6*d^2 + 9056*a^7*b^5*d^2 + 5
280*a^8*b^4*d^2 + 1760*a^9*b^3*d^2 + 256*a^10*b^2*d^2)/(64*(a^10*d^3 + 6*a
^9*b*d^3 + a^4*b^6*d^3 + 6*a^5*b^5*d^3 + 15*a^6*b^4*d^3 + 20*a^7*b^3*d^3 +
15*a^8*b^2*d^3)) - (coth(c + d*x)*(-a^5*b)^(1/2)*(10*a*b + 15*a^2 + 3*b^2
)*(256*a^4*b^9*d^2 + 1280*a^5*b^8*d^2 + 2304*a^6*b^7*d^2 + 1280*a^7*b^6*d^
2 - 1280*a^8*b^5*d^2 - 2304*a^9*b^4*d^2 - 1280*a^10*b^3*d^2 - 256*a^11*b^2
*d^2)))/(512*(a^8*d + a^5*b^3*d + 3*a^6*b^2*d + 3*a^7*b*d)*(a^8*d^2 + 4*a^7
*b*d^2 + a^4*b^4*d^2 + 4*a^5*b^3*d^2 + 6*a^6*b^2*d^2)))*(-a^5*b)^(1/2)*(10
*a*b + 15*a^2 + 3*b^2))/(16*(a^8*d + a^5*b^3*d + 3*a^6*b^2*d + 3*a^7*b*d))
)*(10*a*b + 15*a^2 + 3*b^2)*1i)/(16*(a^8*d + a^5*b^3*d + 3*a^6*b^2*d + 3*a
^7*b*d)) + (((-a^5*b)^(1/2))*((coth(c + d*x)*(60*a*b^6 + 9*b^7 + 190*a^2*b^5
+ 300*a^3*b^4 + 289*a^4*b^3))/(32*(a^8*d^2 + 4*a^7*b*d^2 + a^4*b^4*d^2 +
4*a^5*b^3*d^2 + 6*a^6*b^2*d^2))) - (((96*a^2*b^10*d^2 + 800*a^3*b^9*d^2 ...
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 575, normalized size of antiderivative = 4.05

$$\int \frac{1}{(a + b \coth^2(c + dx))^3} dx = \text{Too large to display}$$

input `int(1/(a+b*coth(d*x+c)^2)^3,x)`

output

```
(15*sqrt(b)*sqrt(a)*atan((coth(c + d*x)*b)/(sqrt(b)*sqrt(a)))*coth(c + d*x)
)**4*a**2*b**2 + 10*sqrt(b)*sqrt(a)*atan((coth(c + d*x)*b)/(sqrt(b)*sqrt(a)
)))*coth(c + d*x)**4*a*b**3 + 3*sqrt(b)*sqrt(a)*atan((coth(c + d*x)*b)/(sq
rt(b)*sqrt(a)))*coth(c + d*x)**4*b**4 + 30*sqrt(b)*sqrt(a)*atan((coth(c +
d*x)*b)/(sqrt(b)*sqrt(a)))*coth(c + d*x)**2*a**3*b + 20*sqrt(b)*sqrt(a)*at
an((coth(c + d*x)*b)/(sqrt(b)*sqrt(a)))*coth(c + d*x)**2*a**2*b**2 + 6*sq
rt(b)*sqrt(a)*atan((coth(c + d*x)*b)/(sqrt(b)*sqrt(a)))*coth(c + d*x)**2*a*
b**3 + 15*sqrt(b)*sqrt(a)*atan((coth(c + d*x)*b)/(sqrt(b)*sqrt(a)))*a**4 +
 10*sqrt(b)*sqrt(a)*atan((coth(c + d*x)*b)/(sqrt(b)*sqrt(a)))*a**3*b + 3*s
qrt(b)*sqrt(a)*atan((coth(c + d*x)*b)/(sqrt(b)*sqrt(a)))*a**2*b**2 + 8*cot
h(c + d*x)**4*a**3*b**2*d*x + 7*coth(c + d*x)**3*a**3*b**2 + 10*coth(c + d
*x)**3*a**2*b**3 + 3*coth(c + d*x)**3*a*b**4 + 16*coth(c + d*x)**2*a**4*b*
d*x + 9*coth(c + d*x)*a**4*b + 14*coth(c + d*x)*a**3*b**2 + 5*coth(c + d*x
)*a**2*b**3 + 8*a**5*d*x)/(8*a**3*d*(coth(c + d*x)**4*a**3*b**2 + 3*coth(c
+ d*x)**4*a**2*b**3 + 3*coth(c + d*x)**4*a*b**4 + coth(c + d*x)**4*b**5 +
2*coth(c + d*x)**2*a**4*b + 6*coth(c + d*x)**2*a**3*b**2 + 6*coth(c + d*x
)**2*a**2*b**3 + 2*coth(c + d*x)**2*a*b**4 + a**5 + 3*a**4*b + 3*a**3*b**2
+ a**2*b**3))
```

3.8 $\int \frac{1}{(a+b \coth^2(c+dx))^4} dx$

Optimal result	102
Mathematica [A] (verified)	103
Rubi [A] (verified)	103
Maple [A] (verified)	107
Fricas [B] (verification not implemented)	108
Sympy [F(-1)]	108
Maxima [B] (verification not implemented)	108
Giac [B] (verification not implemented)	109
Mupad [B] (verification not implemented)	110
Reduce [B] (verification not implemented)	111

Optimal result

Integrand size = 14, antiderivative size = 201

$$\int \frac{1}{(a+b \coth^2(c+dx))^4} dx = \frac{x}{(a+b)^4} - \frac{\sqrt{b}(35a^3 + 35a^2b + 21ab^2 + 5b^3) \arctan\left(\frac{\sqrt{a} \tanh(c+dx)}{\sqrt{b}}\right)}{16a^{7/2}(a+b)^4d} + \frac{b \coth(c+dx)}{6a(a+b)d(a+b \coth^2(c+dx))^3} + \frac{b(11a+5b) \coth(c+dx)}{24a^2(a+b)^2d(a+b \coth^2(c+dx))^2} + \frac{b(19a^2+16ab+5b^2) \coth(c+dx)}{16a^3(a+b)^3d(a+b \coth^2(c+dx))}$$

output

```
x/(a+b)^4-1/16*b^(1/2)*(35*a^3+35*a^2*b+21*a*b^2+5*b^3)*arctan(a^(1/2)*tanh(d*x+c)/b^(1/2))/a^(7/2)/(a+b)^4/d+1/6*b*coth(d*x+c)/a/(a+b)/d/(a+b*coth(d*x+c)^2)^3+1/24*b*(11*a+5*b)*coth(d*x+c)/a^2/(a+b)^2/d/(a+b*coth(d*x+c)^2)^2+1/16*b*(19*a^2+16*a*b+5*b^2)*coth(d*x+c)/a^3/(a+b)^3/d/(a+b*coth(d*x+c)^2)
```

Mathematica [A] (verified)

Time = 0.40 (sec) , antiderivative size = 203, normalized size of antiderivative = 1.01

$$\int \frac{1}{(a + b \coth^2(c + dx))^4} dx$$

$$= \frac{3\sqrt{b}(35a^3 + 35a^2b + 21ab^2 + 5b^3) \arctan\left(\frac{\sqrt{b} \coth(c+dx)}{\sqrt{a}}\right)}{a^{7/2}} + \frac{8b(a+b)^3 \coth(c+dx)}{a(a+b \coth^2(c+dx))^3} + \frac{2b(a+b)^2(11a+5b) \coth(c+dx)}{a^2(a+b \coth^2(c+dx))^2} + \frac{3b(a+b)(19a^2+16ab)}{a^3(a+b \coth^2(c+dx))} + \frac{48(a+b)^4 d}{48(a+b)^4 d}$$

input `Integrate[(a + b*Coth[c + d*x]^2)^(-4), x]`output `((3*sqrt[b]*(35*a^3 + 35*a^2*b + 21*a*b^2 + 5*b^3)*ArcTan[(sqrt[b]*Coth[c + d*x])/sqrt[a]])/a^(7/2) + (8*b*(a + b)^3*Coth[c + d*x])/(a*(a + b*Coth[c + d*x]^2)^3) + (2*b*(a + b)^2*(11*a + 5*b)*Coth[c + d*x])/(a^2*(a + b*Coth[c + d*x]^2)^2) + (3*b*(a + b)*(19*a^2 + 16*a*b + 5*b^2)*Coth[c + d*x])/(a^3*(a + b*Coth[c + d*x]^2)) - 24*Log[1 - Coth[c + d*x]] + 24*Log[1 + Coth[c + d*x]])/(48*(a + b)^4*d)`**Rubi [A] (verified)**Time = 0.80 (sec) , antiderivative size = 239, normalized size of antiderivative = 1.19, number of steps used = 11, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.714$, Rules used = {3042, 4144, 316, 402, 27, 402, 25, 397, 218, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{(a + b \coth^2(c + dx))^4} dx$$

$$\downarrow 3042$$

$$\int \frac{1}{\left(a - b \tan\left(ic + idx + \frac{\pi}{2}\right)\right)^4} dx$$

$$\downarrow 4144$$

$$\begin{aligned}
 & \int \frac{1}{(1-\coth^2(c+dx))(b\coth^2(c+dx)+a)^4} d\coth(c+dx) \\
 & \quad \downarrow \mathbf{316} \\
 & \frac{b\coth(c+dx)}{6a(a+b)(a+b\coth^2(c+dx))^3} - \frac{\int \frac{5b\coth^2(c+dx)+b-6(a+b)}{(1-\coth^2(c+dx))(b\coth^2(c+dx)+a)^3} d\coth(c+dx)}{6a(a+b)} \\
 & \quad \downarrow \mathbf{402} \\
 & \frac{b\coth(c+dx)}{6a(a+b)(a+b\coth^2(c+dx))^3} - \frac{\int \frac{3(8a^2+11ba+5b^2-b(11a+5b)\coth^2(c+dx))}{(1-\coth^2(c+dx))(b\coth^2(c+dx)+a)^2} d\coth(c+dx)}{4a(a+b)} - \frac{b(11a+5b)\coth(c+dx)}{4a(a+b)(a+b\coth^2(c+dx))^2} \\
 & \quad \downarrow \mathbf{27} \\
 & \frac{b\coth(c+dx)}{6a(a+b)(a+b\coth^2(c+dx))^3} - \frac{3\int \frac{8a^2+11ba+5b^2-b(11a+5b)\coth^2(c+dx)}{(1-\coth^2(c+dx))(b\coth^2(c+dx)+a)^2} d\coth(c+dx)}{4a(a+b)} - \frac{b(11a+5b)\coth(c+dx)}{4a(a+b)(a+b\coth^2(c+dx))^2} \\
 & \quad \downarrow \mathbf{402} \\
 & \frac{b\coth(c+dx)}{6a(a+b)(a+b\coth^2(c+dx))^3} - \frac{3\left(\frac{b(19a^2+16ab+5b^2)\coth(c+dx)}{2a(a+b)(a+b\coth^2(c+dx))} - \frac{\int \frac{16a^3+19ba^2+16b^2a+5b^3-b(19a^2+16ba+5b^2)\coth^2(c+dx)}{(1-\coth^2(c+dx))(b\coth^2(c+dx)+a)} d\coth(c+dx)}{2a(a+b)}\right)}{4a(a+b)} \\
 & \quad \downarrow \mathbf{25} \\
 & \frac{b\coth(c+dx)}{6a(a+b)(a+b\coth^2(c+dx))^3} - \frac{3\left(\frac{\int \frac{16a^3+19ba^2+16b^2a+5b^3-b(19a^2+16ba+5b^2)\coth^2(c+dx)}{(1-\coth^2(c+dx))(b\coth^2(c+dx)+a)} d\coth(c+dx)}{2a(a+b)} + \frac{b(19a^2+16ab+5b^2)\coth(c+dx)}{2a(a+b)(a+b\coth^2(c+dx))}\right)}{4a(a+b)} \\
 & \quad \downarrow \mathbf{397}
 \end{aligned}$$

$$\frac{\frac{b \coth(c+dx)}{6a(a+b)(a+b \coth^2(c+dx))^3} - \frac{\frac{16a^3 \int \frac{1}{1-\coth^2(c+dx)} d \coth(c+dx)}{a+b} + \frac{b(35a^3+35a^2b+21ab^2+5b^3) \int \frac{1}{b \coth^2(c+dx)+a} d \coth(c+dx)}{2a(a+b)} + \frac{b(19a^2+16ab+5b^2)}{2a(a+b)(a+b \coth^2(c+dx))}}{4a(a+b)}}{6a(a+b)}$$

218

$$\frac{\frac{b \coth(c+dx)}{6a(a+b)(a+b \coth^2(c+dx))^3} - \frac{\frac{16a^3 \int \frac{1}{1-\coth^2(c+dx)} d \coth(c+dx)}{a+b} + \frac{\sqrt{b}(35a^3+35a^2b+21ab^2+5b^3) \arctan\left(\frac{\sqrt{b} \coth(c+dx)}{\sqrt{a}}\right)}{2a(a+b)} + \frac{b(19a^2+16ab+5b^2)}{2a(a+b)(a+b \coth^2(c+dx))}}{4a(a+b)}}{6a(a+b)}$$

219

$$\frac{\frac{b \coth(c+dx)}{6a(a+b)(a+b \coth^2(c+dx))^3} - \frac{\frac{b(19a^2+16ab+5b^2) \coth(c+dx)}{2a(a+b)(a+b \coth^2(c+dx))} + \frac{16a^3 \operatorname{arctanh}(\coth(c+dx))}{a+b} + \frac{\sqrt{b}(35a^3+35a^2b+21ab^2+5b^3) \arctan\left(\frac{\sqrt{b} \coth(c+dx)}{\sqrt{a}}\right)}{2a(a+b)}}{4a(a+b)}}{6a(a+b)}$$

input `Int[(a + b*Coth[c + d*x]^2)^(-4), x]`

output `((b*Coth[c + d*x])/(6*a*(a + b)*(a + b*Coth[c + d*x]^2)^3) - (-1/4*(b*(11*a + 5*b)*Coth[c + d*x])/(a*(a + b)*(a + b*Coth[c + d*x]^2)^2) - (3*(((Sqrt[b]*(35*a^3 + 35*a^2*b + 21*a*b^2 + 5*b^3)*ArcTan[(Sqrt[b]*Coth[c + d*x])/Sqrt[a]])/(Sqrt[a]*(a + b)) + (16*a^3*ArcTanh[Coth[c + d*x]])/(a + b))/(2*a*(a + b)) + (b*(19*a^2 + 16*a*b + 5*b^2)*Coth[c + d*x])/(2*a*(a + b)*(a + b*Coth[c + d*x]^2))))/(4*a*(a + b)))/(6*a*(a + b)))/d`

Definitions of rubi rules used

- rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`
- rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`
- rule 218 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]/a)*ArcTan[x/Rt[a/b, 2]], x] /; FreeQ[{a, b}, x] && PosQ[a/b]`
- rule 219 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`
- rule 316 `Int[((a_) + (b_.)*(x_)^2)^(p_)*((c_) + (d_.)*(x_)^2)^(q_), x_Symbol] := Simp[(-b)*x*(a + b*x^2)^(p + 1)*((c + d*x^2)^(q + 1)/(2*a*(p + 1)*(b*c - a*d)), x] + Simp[1/(2*a*(p + 1)*(b*c - a*d)) Int[(a + b*x^2)^(p + 1)*(c + d*x^2)^q*Simp[b*c + 2*(p + 1)*(b*c - a*d) + d*b*(2*(p + q + 2) + 1)*x^2, x], x], x] /; FreeQ[{a, b, c, d, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && (!IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c, d, 2, p, q, x]`
- rule 397 `Int[((e_) + (f_.)*(x_)^2)/(((a_) + (b_.)*(x_)^2)*((c_) + (d_.)*(x_)^2)), x_Symbol] := Simp[(b*e - a*f)/(b*c - a*d) Int[1/(a + b*x^2), x], x] - Simp[(d*e - c*f)/(b*c - a*d) Int[1/(c + d*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x]`
- rule 402 `Int[((a_) + (b_.)*(x_)^2)^(p_)*((c_) + (d_.)*(x_)^2)^(q_.)*((e_) + (f_.)*(x_)^2), x_Symbol] := Simp[(-b*e - a*f)*x*(a + b*x^2)^(p + 1)*((c + d*x^2)^(q + 1)/(a^2*(b*c - a*d)*(p + 1))), x] + Simp[1/(a^2*(b*c - a*d)*(p + 1)) Int[(a + b*x^2)^(p + 1)*(c + d*x^2)^q*Simp[c*(b*e - a*f) + e^2*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(2*(p + q + 2) + 1)*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, q}, x] && LtQ[p, -1]`

```
rule 3042 Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinear
Q[u, x]
```

```
rule 4144 Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :=
With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[c*(ff/f) Subst[Int[(a + b*
(ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] ||
EqQ[n^2, 16])
```

Maple [A] (verified)

Time = 0.44 (sec) , antiderivative size = 219, normalized size of antiderivative = 1.09

method	result
derivativedivides	$\frac{\ln(\coth(dx+c)+1)}{2(a+b)^4} + \frac{b \left(\frac{b^2(19a^3+35a^2b+21ab^2+5b^3) \coth(dx+c)^5}{16a^3} + \frac{b(17a^3+33a^2b+21ab^2+5b^3) \coth(dx+c)^3}{6a^2} + \frac{(29a^3+61a^2b+43ab^2+11b^3)}{(a+b \coth(dx+c))^2} \right)}{(a+b)^4 d}$
default	$\frac{\ln(\coth(dx+c)+1)}{2(a+b)^4} + \frac{b \left(\frac{b^2(19a^3+35a^2b+21ab^2+5b^3) \coth(dx+c)^5}{16a^3} + \frac{b(17a^3+33a^2b+21ab^2+5b^3) \coth(dx+c)^3}{6a^2} + \frac{(29a^3+61a^2b+43ab^2+11b^3)}{(a+b \coth(dx+c))^2} \right)}{(a+b)^4 d}$
risch	Expression too large to display

```
input int(1/(a+b*coth(d*x+c)^2)^4,x,method=_RETURNVERBOSE)
```

```
output 1/d*(1/2/(a+b)^4*ln(coth(d*x+c)+1)+1/(a+b)^4*b*((1/16*b^2*(19*a^3+35*a^2*b
+21*a*b^2+5*b^3)/a^3*coth(d*x+c)^5+1/6*b*(17*a^3+33*a^2*b+21*a*b^2+5*b^3)/
a^2*coth(d*x+c)^3+1/16*(29*a^3+61*a^2*b+43*a*b^2+11*b^3)/a*coth(d*x+c))/(a
+b*coth(d*x+c)^2)^3+1/16*(35*a^3+35*a^2*b+21*a*b^2+5*b^3)/a^3/(a*b)^(1/2)*
arctan(coth(d*x+c)*b/(a*b)^(1/2)))-1/2/(a+b)^4*ln(coth(d*x+c)-1))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 9853 vs. $2(185) = 370$.

Time = 0.37 (sec) , antiderivative size = 20031, normalized size of antiderivative = 99.66

$$\int \frac{1}{(a + b \coth^2(c + dx))^4} dx = \text{Too large to display}$$

input `integrate(1/(a+b*coth(d*x+c)^2)^4,x, algorithm="fricas")`

output Too large to include

Sympy [F(-1)]

Timed out.

$$\int \frac{1}{(a + b \coth^2(c + dx))^4} dx = \text{Timed out}$$

input `integrate(1/(a+b*coth(d*x+c)**2)**4,x)`

output Timed out

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 925 vs. $2(185) = 370$.

Time = 0.35 (sec) , antiderivative size = 925, normalized size of antiderivative = 4.60

$$\int \frac{1}{(a + b \coth^2(c + dx))^4} dx = \text{Too large to display}$$

input `integrate(1/(a+b*coth(d*x+c)^2)^4,x, algorithm="maxima")`

output

```

1/16*(35*a^3*b + 35*a^2*b^2 + 21*a*b^3 + 5*b^4)*arctan(1/2*((a + b)*e^(-2*
d*x - 2*c) - a + b)/sqrt(a*b))/((a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a
^3*b^4)*sqrt(a*b)*d) + 1/24*(87*a^5*b + 319*a^4*b^2 + 450*a^3*b^3 + 306*a^
2*b^4 + 103*a*b^5 + 15*b^6 - 3*(145*a^5*b + 267*a^4*b^2 + 34*a^3*b^3 - 178
*a^2*b^4 - 115*a*b^5 - 25*b^6))*e^(-2*d*x - 2*c) + 6*(145*a^5*b + 93*a^4*b^
2 - 6*a^3*b^3 + 106*a^2*b^4 + 85*a*b^5 + 25*b^6))*e^(-4*d*x - 4*c) - 2*(435
*a^5*b + 29*a^4*b^2 + 162*a^3*b^3 - 306*a^2*b^4 - 245*a*b^5 - 75*b^6))*e^(-
6*d*x - 6*c) + 3*(145*a^5*b + 17*a^4*b^2 - 58*a^3*b^3 + 150*a^2*b^4 + 105*
a*b^5 + 25*b^6))*e^(-8*d*x - 8*c) - 3*(29*a^5*b + 23*a^4*b^2 - 62*a^3*b^3 -
82*a^2*b^4 - 31*a*b^5 - 5*b^6))*e^(-10*d*x - 10*c))/((a^10 + 7*a^9*b + 21*
a^8*b^2 + 35*a^7*b^3 + 35*a^6*b^4 + 21*a^5*b^5 + 7*a^4*b^6 + a^3*b^7 - 6*(
a^10 + 5*a^9*b + 9*a^8*b^2 + 5*a^7*b^3 - 5*a^6*b^4 - 9*a^5*b^5 - 5*a^4*b^6
- a^3*b^7))*e^(-2*d*x - 2*c) + 3*(5*a^10 + 19*a^9*b + 25*a^8*b^2 + 15*a^7*
b^3 + 15*a^6*b^4 + 25*a^5*b^5 + 19*a^4*b^6 + 5*a^3*b^7))*e^(-4*d*x - 4*c) -
4*(5*a^10 + 17*a^9*b + 21*a^8*b^2 + 9*a^7*b^3 - 9*a^6*b^4 - 21*a^5*b^5 -
17*a^4*b^6 - 5*a^3*b^7))*e^(-6*d*x - 6*c) + 3*(5*a^10 + 19*a^9*b + 25*a^8*
b^2 + 15*a^7*b^3 + 15*a^6*b^4 + 25*a^5*b^5 + 19*a^4*b^6 + 5*a^3*b^7))*e^(-8*
d*x - 8*c) - 6*(a^10 + 5*a^9*b + 9*a^8*b^2 + 5*a^7*b^3 - 5*a^6*b^4 - 9*a^5
*b^5 - 5*a^4*b^6 - a^3*b^7))*e^(-10*d*x - 10*c) + (a^10 + 7*a^9*b + 21*a^8*
b^2 + 35*a^7*b^3 + 35*a^6*b^4 + 21*a^5*b^5 + 7*a^4*b^6 + a^3*b^7))*e^(-1...

```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 750 vs. $2(185) = 370$.

Time = 0.21 (sec) , antiderivative size = 750, normalized size of antiderivative = 3.73

$$\int \frac{1}{(a + b \coth^2(c + dx))^4} dx = \text{Too large to display}$$

input

```
integrate(1/(a+b*coth(d*x+c)^2)^4,x, algorithm="giac")
```

output

```

-1/48*(3*(35*a^3*b + 35*a^2*b^2 + 21*a*b^3 + 5*b^4)*arctan(1/2*(a*e^(2*d*x
+ 2*c) + b*e^(2*d*x + 2*c) - a + b)/sqrt(a*b))/((a^7 + 4*a^6*b + 6*a^5*b^
2 + 4*a^4*b^3 + a^3*b^4)*sqrt(a*b)) - 48*(d*x + c)/(a^4 + 4*a^3*b + 6*a^2*
b^2 + 4*a*b^3 + b^4) - 2*(87*a^5*b*e^(10*d*x + 10*c) + 69*a^4*b^2*e^(10*d*
x + 10*c) - 186*a^3*b^3*e^(10*d*x + 10*c) - 246*a^2*b^4*e^(10*d*x + 10*c)
- 93*a*b^5*e^(10*d*x + 10*c) - 15*b^6*e^(10*d*x + 10*c) - 435*a^5*b*e^(8*d
*x + 8*c) - 51*a^4*b^2*e^(8*d*x + 8*c) + 174*a^3*b^3*e^(8*d*x + 8*c) - 450
*a^2*b^4*e^(8*d*x + 8*c) - 315*a*b^5*e^(8*d*x + 8*c) - 75*b^6*e^(8*d*x + 8
*c) + 870*a^5*b*e^(6*d*x + 6*c) + 58*a^4*b^2*e^(6*d*x + 6*c) + 324*a^3*b^3
*e^(6*d*x + 6*c) - 612*a^2*b^4*e^(6*d*x + 6*c) - 490*a*b^5*e^(6*d*x + 6*c)
- 150*b^6*e^(6*d*x + 6*c) - 870*a^5*b*e^(4*d*x + 4*c) - 558*a^4*b^2*e^(4*
d*x + 4*c) + 36*a^3*b^3*e^(4*d*x + 4*c) - 636*a^2*b^4*e^(4*d*x + 4*c) - 51
0*a*b^5*e^(4*d*x + 4*c) - 150*b^6*e^(4*d*x + 4*c) + 435*a^5*b*e^(2*d*x + 2
*c) + 801*a^4*b^2*e^(2*d*x + 2*c) + 102*a^3*b^3*e^(2*d*x + 2*c) - 534*a^2*
b^4*e^(2*d*x + 2*c) - 345*a*b^5*e^(2*d*x + 2*c) - 75*b^6*e^(2*d*x + 2*c) -
87*a^5*b - 319*a^4*b^2 - 450*a^3*b^3 - 306*a^2*b^4 - 103*a*b^5 - 15*b^6)/
((a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*(a*e^(4*d*x + 4*c) + b*
e^(4*d*x + 4*c) - 2*a*e^(2*d*x + 2*c) + 2*b*e^(2*d*x + 2*c) + a + b)^3))/d

```

Mupad [B] (verification not implemented)

Time = 3.23 (sec) , antiderivative size = 3685, normalized size of antiderivative = 18.33

$$\int \frac{1}{(a + b \coth^2(c + dx))^4} dx = \text{Too large to display}$$

input

```
int(1/(a + b*coth(c + d*x)^2)^4,x)
```

output

```

log(coth(c + d*x) + 1)/(2*a^4*d + 2*b^4*d + 12*a^2*b^2*d + 8*a*b^3*d + 8*a
^3*b*d) + ((coth(c + d*x)^3*(16*a*b^3 + 5*b^4 + 17*a^2*b^2))/(6*a^2*(3*a*b
^2 + 3*a^2*b + a^3 + b^3)) + (coth(c + d*x)*(32*a*b^2 + 29*a^2*b + 11*b^3)
)/(16*a*(3*a*b^2 + 3*a^2*b + a^3 + b^3)) + (b^2*coth(c + d*x)^5*(16*a*b^2
+ 19*a^2*b + 5*b^3))/(16*a^2*(a*b^3 + 3*a^3*b + a^4 + 3*a^2*b^2)))/(a^3*d
+ b^3*d*coth(c + d*x)^6 + 3*a^2*b*d*coth(c + d*x)^2 + 3*a*b^2*d*coth(c + d
*x)^4) - log(coth(c + d*x) - 1)/(2*d*(a + b)^4) - (atan((((-a^7*b)^(1/2))*
(coth(c + d*x)*(210*a*b^8 + 25*b^9 + 791*a^2*b^7 + 1820*a^3*b^6 + 2695*a^4
*b^5 + 2450*a^5*b^4 + 1481*a^6*b^3))/(128*(a^12*d^2 + 6*a^11*b*d^2 + a^6*b
^6*d^2 + 6*a^7*b^5*d^2 + 15*a^8*b^4*d^2 + 20*a^9*b^3*d^2 + 15*a^10*b^2*d^2
))) + (((5*a^3*b^13*d^2)/4 + 14*a^4*b^12*d^2 + (287*a^5*b^11*d^2)/4 + 224*
a^6*b^10*d^2 + (953*a^7*b^9*d^2)/2 + 728*a^8*b^8*d^2 + (1631*a^9*b^7*d^2)/
2 + 668*a^10*b^6*d^2 + (1561*a^11*b^5*d^2)/4 + 154*a^12*b^4*d^2 + (147*a^1
3*b^3*d^2)/4 + 4*a^14*b^2*d^2)/(a^15*d^3 + 9*a^14*b*d^3 + a^6*b^9*d^3 + 9*
a^7*b^8*d^3 + 36*a^8*b^7*d^3 + 84*a^9*b^6*d^3 + 126*a^10*b^5*d^3 + 126*a^1
1*b^4*d^3 + 84*a^12*b^3*d^3 + 36*a^13*b^2*d^3) - (coth(c + d*x)*(-a^7*b)^(
1/2)*(21*a*b^2 + 35*a^2*b + 35*a^3 + 5*b^3)*(1024*a^6*b^11*d^2 + 7168*a^7*
b^10*d^2 + 20480*a^8*b^9*d^2 + 28672*a^9*b^8*d^2 + 14336*a^10*b^7*d^2 - 14
336*a^11*b^6*d^2 - 28672*a^12*b^5*d^2 - 20480*a^13*b^4*d^2 - 7168*a^14*b^3
*d^2 - 1024*a^15*b^2*d^2))/(4096*(a^11*d + a^7*b^4*d + 4*a^8*b^3*d + 6*...

```

Reduce [B] (verification not implemented)

Time = 0.23 (sec) , antiderivative size = 1058, normalized size of antiderivative = 5.26

$$\int \frac{1}{(a + b \coth^2(c + dx))^4} dx = \text{Too large to display}$$

input

```
int(1/(a+b*coth(d*x+c)^2)^4,x)
```


output

```
(105*sqrt(b)*sqrt(a)*atan((coth(c + d*x)*b)/(sqrt(b)*sqrt(a)))*coth(c + d*
x)**6*a**3*b**3 + 105*sqrt(b)*sqrt(a)*atan((coth(c + d*x)*b)/(sqrt(b)*sqrt
(a)))*coth(c + d*x)**6*a**2*b**4 + 63*sqrt(b)*sqrt(a)*atan((coth(c + d*x)*
b)/(sqrt(b)*sqrt(a)))*coth(c + d*x)**6*a*b**5 + 15*sqrt(b)*sqrt(a)*atan((c
oth(c + d*x)*b)/(sqrt(b)*sqrt(a)))*coth(c + d*x)**6*b**6 + 315*sqrt(b)*sqr
t(a)*atan((coth(c + d*x)*b)/(sqrt(b)*sqrt(a)))*coth(c + d*x)**4*a**4*b**2
+ 315*sqrt(b)*sqrt(a)*atan((coth(c + d*x)*b)/(sqrt(b)*sqrt(a)))*coth(c + d
*x)**4*a**3*b**3 + 189*sqrt(b)*sqrt(a)*atan((coth(c + d*x)*b)/(sqrt(b)*sqr
t(a)))*coth(c + d*x)**4*a**2*b**4 + 45*sqrt(b)*sqrt(a)*atan((coth(c + d*x)
*b)/(sqrt(b)*sqrt(a)))*coth(c + d*x)**4*a*b**5 + 315*sqrt(b)*sqrt(a)*atan(
(coth(c + d*x)*b)/(sqrt(b)*sqrt(a)))*coth(c + d*x)**2*a**5*b + 315*sqrt(b)
*sqrt(a)*atan((coth(c + d*x)*b)/(sqrt(b)*sqrt(a)))*coth(c + d*x)**2*a**4*b
**2 + 189*sqrt(b)*sqrt(a)*atan((coth(c + d*x)*b)/(sqrt(b)*sqrt(a)))*coth(c
+ d*x)**2*a**3*b**3 + 45*sqrt(b)*sqrt(a)*atan((coth(c + d*x)*b)/(sqrt(b)*
sqrt(a)))*coth(c + d*x)**2*a**2*b**4 + 105*sqrt(b)*sqrt(a)*atan((coth(c +
d*x)*b)/(sqrt(b)*sqrt(a)))*a**6 + 105*sqrt(b)*sqrt(a)*atan((coth(c + d*x)*
b)/(sqrt(b)*sqrt(a)))*a**5*b + 63*sqrt(b)*sqrt(a)*atan((coth(c + d*x)*b)/(
sqrt(b)*sqrt(a)))*a**4*b**2 + 15*sqrt(b)*sqrt(a)*atan((coth(c + d*x)*b)/(s
qrt(b)*sqrt(a)))*a**3*b**3 + 48*coth(c + d*x)**6*a**4*b**3*d*x + 57*coth(c
+ d*x)**5*a**4*b**3 + 105*coth(c + d*x)**5*a**3*b**4 + 63*coth(c + d*x...
```

3.9 $\int \frac{1}{1-2\coth^2(x)} dx$

Optimal result	113
Mathematica [A] (verified)	113
Rubi [A] (verified)	114
Maple [A] (verified)	116
Fricas [B] (verification not implemented)	116
Sympy [A] (verification not implemented)	117
Maxima [B] (verification not implemented)	117
Giac [B] (verification not implemented)	117
Mupad [B] (verification not implemented)	118
Reduce [B] (verification not implemented)	118

Optimal result

Integrand size = 10, antiderivative size = 19

$$\int \frac{1}{1-2\coth^2(x)} dx = -x + \sqrt{2}\operatorname{arctanh}\left(\frac{\tanh(x)}{\sqrt{2}}\right)$$

output `-x+2^(1/2)*arctanh(1/2*2^(1/2)*tanh(x))`

Mathematica [A] (verified)

Time = 0.08 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00

$$\int \frac{1}{1-2\coth^2(x)} dx = -x + \sqrt{2}\operatorname{arctanh}\left(\frac{\tanh(x)}{\sqrt{2}}\right)$$

input `Integrate[(1 - 2*Coth[x]^2)^(-1), x]`

output `-x + Sqrt[2]*ArcTanh[Tanh[x]/Sqrt[2]]`

Rubi [A] (verified)

Time = 0.49 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$, Rules used = {3042, 4143, 25, 3042, 25, 4158, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{1}{1 - 2 \coth^2(x)} dx \\
 & \quad \downarrow \text{3042} \\
 & \int \frac{1}{1 + 2 \tan\left(\frac{\pi}{2} + ix\right)^2} dx \\
 & \quad \downarrow \text{4143} \\
 & 2 \int -\frac{\operatorname{csch}^2(x)}{1 - 2 \coth^2(x)} dx - x \\
 & \quad \downarrow \text{25} \\
 & -2 \int \frac{\operatorname{csch}^2(x)}{1 - 2 \coth^2(x)} dx - x \\
 & \quad \downarrow \text{3042} \\
 & -x - 2 \int -\frac{\sec\left(ix + \frac{\pi}{2}\right)^2}{2 \tan\left(ix + \frac{\pi}{2}\right)^2 + 1} dx \\
 & \quad \downarrow \text{25} \\
 & -x + 2 \int \frac{\sec\left(ix + \frac{\pi}{2}\right)^2}{2 \tan\left(ix + \frac{\pi}{2}\right)^2 + 1} dx \\
 & \quad \downarrow \text{4158} \\
 & 2 \int \frac{1}{1 - 2 \coth^2(x)} d \coth(x) - x \\
 & \quad \downarrow \text{219} \\
 & \sqrt{2} \operatorname{arctanh}\left(\sqrt{2} \coth(x)\right) - x
 \end{aligned}$$

input `Int[(1 - 2*Coth[x]^2)^(-1),x]`

output `-x + Sqrt[2]*ArcTanh[Sqrt[2]*Coth[x]]`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 219 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4143 `Int[((a_) + (b_.)*tan[(e_) + (f_.)*(x_)]^2)^(-1), x_Symbol] := Simp[x/(a - b), x] - Simp[b/(a - b) Int[Sec[e + f*x]^2/(a + b*Tan[e + f*x]^2), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a, b]`

rule 4158 `Int[sec[(e_) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_) + (f_.)*(x_)]^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[ff/(c^(m - 1)*f) Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p, x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])`

Maple [A] (verified)

Time = 0.06 (sec) , antiderivative size = 27, normalized size of antiderivative = 1.42

method	result	size
derivativedivides	$\frac{\ln(\coth(x)-1)}{2} - \frac{\ln(1+\coth(x))}{2} + \sqrt{2} \operatorname{arctanh}(\coth(x)\sqrt{2})$	27
default	$\frac{\ln(\coth(x)-1)}{2} - \frac{\ln(1+\coth(x))}{2} + \sqrt{2} \operatorname{arctanh}(\coth(x)\sqrt{2})$	27
risch	$-x + \frac{\sqrt{2} \ln(e^{2x}+3-2\sqrt{2})}{2} - \frac{\sqrt{2} \ln(e^{2x}+3+2\sqrt{2})}{2}$	39

input `int(1/(1-2*coth(x)^2),x,method=_RETURNVERBOSE)`

output `1/2*ln(coth(x)-1)-1/2*ln(1+coth(x))+2^(1/2)*arctanh(coth(x)*2^(1/2))`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 70 vs. 2(16) = 32.

Time = 0.10 (sec) , antiderivative size = 70, normalized size of antiderivative = 3.68

$$\int \frac{1}{1-2\coth^2(x)} dx$$

$$= \frac{1}{2} \sqrt{2} \log \left(-\frac{3(2\sqrt{2}-3)\cosh(x)^2 - 4(3\sqrt{2}-4)\cosh(x)\sinh(x) + 3(2\sqrt{2}-3)\sinh(x)^2 + 2\sqrt{2}-3}{\cosh(x)^2 + \sinh(x)^2 + 3} \right) - x$$

input `integrate(1/(1-2*coth(x)^2),x, algorithm="fricas")`

output `1/2*sqrt(2)*log(-(3*(2*sqrt(2) - 3)*cosh(x)^2 - 4*(3*sqrt(2) - 4)*cosh(x)*sinh(x) + 3*(2*sqrt(2) - 3)*sinh(x)^2 + 2*sqrt(2) - 3)/(cosh(x)^2 + sinh(x)^2 + 3)) - x`

Sympy [A] (verification not implemented)

Time = 0.37 (sec) , antiderivative size = 34, normalized size of antiderivative = 1.79

$$\int \frac{1}{1 - 2 \coth^2(x)} dx = -x - \frac{\sqrt{2} \log(\tanh(x) - \sqrt{2})}{2} + \frac{\sqrt{2} \log(\tanh(x) + \sqrt{2})}{2}$$

input `integrate(1/(1-2*coth(x)**2),x)`

output `-x - sqrt(2)*log(tanh(x) - sqrt(2))/2 + sqrt(2)*log(tanh(x) + sqrt(2))/2`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 38 vs. 2(16) = 32.

Time = 0.12 (sec) , antiderivative size = 38, normalized size of antiderivative = 2.00

$$\int \frac{1}{1 - 2 \coth^2(x)} dx = -\frac{1}{2} \sqrt{2} \log \left(-\frac{2\sqrt{2} - e^{(-2x)} - 3}{2\sqrt{2} + e^{(-2x)} + 3} \right) - x$$

input `integrate(1/(1-2*coth(x)^2),x, algorithm="maxima")`

output `-1/2*sqrt(2)*log(-(2*sqrt(2) - e^(-2*x) - 3)/(2*sqrt(2) + e^(-2*x) + 3)) - x`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 38 vs. 2(16) = 32.

Time = 0.13 (sec) , antiderivative size = 38, normalized size of antiderivative = 2.00

$$\int \frac{1}{1 - 2 \coth^2(x)} dx = \frac{1}{2} \sqrt{2} \log \left(-\frac{2\sqrt{2} - e^{(2x)} - 3}{2\sqrt{2} + e^{(2x)} + 3} \right) - x$$

input `integrate(1/(1-2*coth(x)^2),x, algorithm="giac")`

output $1/2*\sqrt{2}*\log(-(2*\sqrt{2}) - e^{(2*x)} - 3)/(2*\sqrt{2} + e^{(2*x)} + 3)) - x$

Mupad [B] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.79

$$\int \frac{1}{1 - 2 \coth^2(x)} dx = \sqrt{2} \operatorname{atanh}(\sqrt{2} \coth(x)) - x$$

input $\text{int}(-1/(2*\coth(x)^2 - 1), x)$

output $2^{(1/2)}*\operatorname{atanh}(2^{(1/2)}*\coth(x)) - x$

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 30, normalized size of antiderivative = 1.58

$$\int \frac{1}{1 - 2 \coth^2(x)} dx = -\frac{\sqrt{2} \log(2 \coth(x) - \sqrt{2})}{2} + \frac{\sqrt{2} \log(2 \coth(x) + \sqrt{2})}{2} - x$$

input $\text{int}(1/(1-2*\coth(x)^2), x)$

output $(-\sqrt{2}*\log(2*\coth(x) - \sqrt{2}) + \sqrt{2}*\log(2*\coth(x) + \sqrt{2})) - 2*x)/2$

3.10 $\int \sqrt{1 - \coth^2(x)} dx$

Optimal result	119
Mathematica [B] (verified)	119
Rubi [A] (verified)	120
Maple [A] (verified)	121
Fricas [B] (verification not implemented)	122
Sympy [F]	122
Maxima [C] (verification not implemented)	122
Giac [C] (verification not implemented)	123
Mupad [B] (verification not implemented)	123
Reduce [F]	123

Optimal result

Integrand size = 12, antiderivative size = 3

$$\int \sqrt{1 - \coth^2(x)} dx = \arcsin(\coth(x))$$

output `arcsin(coth(x))`

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 17 vs. $2(3) = 6$.

Time = 0.01 (sec) , antiderivative size = 17, normalized size of antiderivative = 5.67

$$\int \sqrt{1 - \coth^2(x)} dx = -\operatorname{arctanh}(\cosh(x))\sqrt{-\operatorname{csch}^2(x)}\sinh(x)$$

input `Integrate[Sqrt[1 - Coth[x]^2],x]`

output `-(ArcTanh[Cosh[x]]*Sqrt[-Csch[x]^2]*Sinh[x])`

Rubi [A] (verified)

Time = 0.37 (sec) , antiderivative size = 3, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {3042, 4140, 3042, 4610, 223}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \sqrt{1 - \coth^2(x)} dx \\
 & \quad \downarrow \text{3042} \\
 & \int \sqrt{1 + \tan\left(\frac{\pi}{2} + ix\right)^2} dx \\
 & \quad \downarrow \text{4140} \\
 & \int \sqrt{-\operatorname{csch}^2(x)} dx \\
 & \quad \downarrow \text{3042} \\
 & \int \sqrt{\sec\left(\frac{\pi}{2} + ix\right)^2} dx \\
 & \quad \downarrow \text{4610} \\
 & \int \frac{1}{\sqrt{1 - \coth^2(x)}} d\coth(x) \\
 & \quad \downarrow \text{223} \\
 & \arcsin(\coth(x))
 \end{aligned}$$

input `Int[Sqrt[1 - Coth[x]^2], x]`

output `ArcSin[Coth[x]]`

Definitions of rubi rules used

rule 223 `Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4140 `Int[(u_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^2)^(p_), x_Symbol] := Int[ActivateTrig[u*(a*sec[e + f*x]^2)^p], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a, b]`

rule 4610 `Int[((b_.)*sec[(e_.) + (f_.)*(x_)]^2)^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[b*(ff/f) Subst[Int[(b + b*ff^2*x^2)^(p - 1), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{b, e, f, p}, x] && !IntegerQ[p]`

Maple [A] (verified)

Time = 0.07 (sec) , antiderivative size = 4, normalized size of antiderivative = 1.33

method	result	size
derivativeldivides	$\arcsin(\coth(x))$	4
default	$\arcsin(\coth(x))$	4
risch	$-\sqrt{-\frac{e^{2x}}{(e^{2x}-1)^2}} e^{-x}(e^{2x}-1) \ln(1+e^x) + \sqrt{-\frac{e^{2x}}{(e^{2x}-1)^2}} e^{-x}(e^{2x}-1) \ln(e^x-1)$	67

input `int((1-coth(x)^2)^(1/2),x,method=_RETURNVERBOSE)`

output `arcsin(coth(x))`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 51 vs. $2(3) = 6$.

Time = 0.10 (sec) , antiderivative size = 51, normalized size of antiderivative = 17.00

$$\int \sqrt{1 - \coth^2(x)} dx = -2 \arctan \left((\cosh(x) e^{2x} + (e^{2x} - 1) \sinh(x) - \cosh(x)) \sqrt{-\frac{e^{2x}}{e^{4x} - 2e^{2x} + 1}} e^{-x} \right)$$

input `integrate((1-coth(x)^2)^(1/2),x, algorithm="fricas")`

output `-2*arctan((cosh(x)*e^(2*x) + (e^(2*x) - 1)*sinh(x) - cosh(x))*sqrt(-e^(2*x)/(e^(4*x) - 2*e^(2*x) + 1))*e^(-x))`

Sympy [F]

$$\int \sqrt{1 - \coth^2(x)} dx = \int \sqrt{1 - \coth^2(x)} dx$$

input `integrate((1-coth(x)**2)**(1/2),x)`

output `Integral(sqrt(1 - coth(x)**2), x)`

Maxima [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.12 (sec) , antiderivative size = 19, normalized size of antiderivative = 6.33

$$\int \sqrt{1 - \coth^2(x)} dx = i \log(e^{-x} + 1) - i \log(e^{-x} - 1)$$

input `integrate((1-coth(x)^2)^(1/2),x, algorithm="maxima")`

output `I*log(e^(-x) + 1) - I*log(e^(-x) - 1)`

Giac [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.12 (sec) , antiderivative size = 26, normalized size of antiderivative = 8.67

$$\int \sqrt{1 - \coth^2(x)} dx = (i \log(e^x + 1) - i \log(|e^x - 1|)) \operatorname{sgn}(-e^{(2x)} + 1)$$

input `integrate((1-coth(x)^2)^(1/2),x, algorithm="giac")`

output `(I*log(e^x + 1) - I*log(abs(e^x - 1)))*sgn(-e^(2*x) + 1)`

Mupad [B] (verification not implemented)

Time = 2.36 (sec) , antiderivative size = 3, normalized size of antiderivative = 1.00

$$\int \sqrt{1 - \coth^2(x)} dx = \operatorname{asin}(\coth(x))$$

input `int((1 - coth(x)^2)^(1/2),x)`

output `asin(coth(x))`

Reduce [F]

$$\int \sqrt{1 - \coth^2(x)} dx = \int \sqrt{-\coth(x)^2 + 1} dx$$

input `int((1-coth(x)^2)^(1/2),x)`

output `int(sqrt(-coth(x)**2 + 1),x)`

3.11 $\int \sqrt{-1 + \coth^2(x)} dx$

Optimal result	124
Mathematica [A] (verified)	124
Rubi [A] (verified)	125
Maple [A] (verified)	126
Fricas [A] (verification not implemented)	127
Sympy [F]	127
Maxima [A] (verification not implemented)	128
Giac [A] (verification not implemented)	128
Mupad [B] (verification not implemented)	128
Reduce [F]	129

Optimal result

Integrand size = 10, antiderivative size = 14

$$\int \sqrt{-1 + \coth^2(x)} dx = -\operatorname{arctanh}\left(\frac{\coth(x)}{\sqrt{\operatorname{csch}^2(x)}}\right)$$

output `-arctanh(coth(x)/(csch(x)^2)^(1/2))`

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.07

$$\int \sqrt{-1 + \coth^2(x)} dx = -\operatorname{arctanh}(\cosh(x))\sqrt{\operatorname{csch}^2(x)}\sinh(x)$$

input `Integrate[Sqrt[-1 + Coth[x]^2], x]`

output `-(ArcTanh[Cosh[x]]*Sqrt[Csch[x]^2]*Sinh[x])`

Rubi [A] (verified)

Time = 0.27 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.14, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {3042, 4140, 3042, 4610, 224, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \sqrt{\coth^2(x) - 1} dx \\
 & \quad \downarrow \text{3042} \\
 & \int \sqrt{-1 - \tan\left(\frac{\pi}{2} + ix\right)^2} dx \\
 & \quad \downarrow \text{4140} \\
 & \int \sqrt{\operatorname{csch}^2(x)} dx \\
 & \quad \downarrow \text{3042} \\
 & \int \sqrt{-\sec\left(\frac{\pi}{2} + ix\right)^2} dx \\
 & \quad \downarrow \text{4610} \\
 & - \int \frac{1}{\sqrt{\coth^2(x) - 1}} d \coth(x) \\
 & \quad \downarrow \text{224} \\
 & - \int \frac{1}{1 - \frac{\coth^2(x)}{\coth^2(x) - 1}} d \frac{\coth(x)}{\sqrt{\coth^2(x) - 1}} \\
 & \quad \downarrow \text{219} \\
 & -\operatorname{arctanh}\left(\frac{\coth(x)}{\sqrt{\coth^2(x) - 1}}\right)
 \end{aligned}$$

input `Int[Sqrt[-1 + Coth[x]^2],x]`

output `-ArcTanh[Coth[x]/Sqrt[-1 + Coth[x]^2]]`

Defintions of rubi rules used

rule 219 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

rule 224 `Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4140 `Int[(u_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^2)^(p_), x_Symbol] := Int[ActivateTrig[u*(a*sec[e + f*x]^2)^p], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a, b]`

rule 4610 `Int[((b_.)*sec[(e_.) + (f_.)*(x_)]^2)^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[b*(ff/f) Subst[Int[(b + b*ff^2*x^2)^(p - 1), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{b, e, f, p}, x] && !IntegerQ[p]`

Maple [A] (verified)

Time = 0.06 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.07

method	result	size
derivativedivides	$-\ln\left(\coth(x) + \sqrt{-1 + \coth(x)^2}\right)$	15
default	$-\ln\left(\coth(x) + \sqrt{-1 + \coth(x)^2}\right)$	15
risch	$\sqrt{\frac{e^{2x}}{(e^{2x}-1)^2}} e^{-x}(e^{2x}-1) \ln(e^x-1) - \sqrt{\frac{e^{2x}}{(e^{2x}-1)^2}} e^{-x}(e^{2x}-1) \ln(1+e^x)$	65

input `int((-1+coth(x)^2)^(1/2),x,method=_RETURNVERBOSE)`

output `-ln(coth(x)+(-1+coth(x)^2)^(1/2))`

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.21

$$\int \sqrt{-1 + \coth^2(x)} dx = -\log(\cosh(x) + \sinh(x) + 1) + \log(\cosh(x) + \sinh(x) - 1)$$

input `integrate((-1+coth(x)^2)^(1/2),x, algorithm="fricas")`

output `-log(cosh(x) + sinh(x) + 1) + log(cosh(x) + sinh(x) - 1)`

Sympy [F]

$$\int \sqrt{-1 + \coth^2(x)} dx = \int \sqrt{\coth^2(x) - 1} dx$$

input `integrate((-1+coth(x)**2)**(1/2),x)`

output `Integral(sqrt(coth(x)**2 - 1), x)`

Maxima [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.21

$$\int \sqrt{-1 + \coth^2(x)} dx = \log(e^{-x} + 1) - \log(e^{-x} - 1)$$

input `integrate((-1+coth(x)^2)^(1/2),x, algorithm="maxima")`output `log(e^(-x) + 1) - log(e^(-x) - 1)`**Giac [A] (verification not implemented)**

Time = 0.13 (sec) , antiderivative size = 23, normalized size of antiderivative = 1.64

$$\int \sqrt{-1 + \coth^2(x)} dx = -(\log(e^x + 1) - \log(|e^x - 1|))\operatorname{sgn}(e^{2x} - 1)$$

input `integrate((-1+coth(x)^2)^(1/2),x, algorithm="giac")`output `-(log(e^x + 1) - log(abs(e^x - 1)))*sgn(e^(2*x) - 1)`**Mupad [B] (verification not implemented)**

Time = 2.59 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.00

$$\int \sqrt{-1 + \coth^2(x)} dx = -\ln\left(\coth(x) + \sqrt{\coth(x)^2 - 1}\right)$$

input `int((coth(x)^2 - 1)^(1/2),x)`output `-log(coth(x) + (coth(x)^2 - 1)^(1/2))`

Reduce [F]

$$\int \sqrt{-1 + \coth^2(x)} dx = \int \sqrt{\coth(x)^2 - 1} dx$$

input `int((-1+coth(x)^2)^(1/2),x)`

output `int(sqrt(coth(x)**2 - 1),x)`

3.12 $\int (1 - \coth^2(x))^{3/2} dx$

Optimal result	130
Mathematica [B] (verified)	130
Rubi [A] (verified)	131
Maple [A] (verified)	132
Fricas [B] (verification not implemented)	133
Sympy [F]	133
Maxima [C] (verification not implemented)	134
Giac [C] (verification not implemented)	134
Mupad [B] (verification not implemented)	135
Reduce [F]	135

Optimal result

Integrand size = 12, antiderivative size = 24

$$\int (1 - \coth^2(x))^{3/2} dx = \frac{1}{2} \arcsin(\coth(x)) + \frac{1}{2} \coth(x) \sqrt{-\operatorname{csch}^2(x)}$$

output

```
1/2*arcsin(coth(x))+1/2*coth(x)*(-csch(x)^2)^(1/2)
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 51 vs. $2(24) = 48$.

Time = 0.07 (sec) , antiderivative size = 51, normalized size of antiderivative = 2.12

$$\int (1 - \coth^2(x))^{3/2} dx = \frac{1}{8} \sqrt{-\operatorname{csch}^2(x)} \left(\operatorname{csch}^2\left(\frac{x}{2}\right) - 4 \log\left(\cosh\left(\frac{x}{2}\right)\right) + 4 \log\left(\sinh\left(\frac{x}{2}\right)\right) + \operatorname{sech}^2\left(\frac{x}{2}\right) \right) \sinh(x)$$

input

```
Integrate[(1 - Coth[x]^2)^(3/2), x]
```

output

```
(Sqrt[-Csch[x]^2]*(Csch[x/2]^2 - 4*Log[Cosh[x/2]] + 4*Log[Sinh[x/2]] + Sec
h[x/2]^2)*Sinh[x])/8
```

Rubi [A] (verified)

Time = 0.26 (sec) , antiderivative size = 26, normalized size of antiderivative = 1.08, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {3042, 4140, 3042, 4610, 211, 223}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (1 - \coth^2(x))^{3/2} dx \\
 & \quad \downarrow \text{3042} \\
 & \int \left(1 + \tan\left(\frac{\pi}{2} + ix\right)^2\right)^{3/2} dx \\
 & \quad \downarrow \text{4140} \\
 & \int (-\operatorname{csch}^2(x))^{3/2} dx \\
 & \quad \downarrow \text{3042} \\
 & \int \left(\sec\left(\frac{\pi}{2} + ix\right)^2\right)^{3/2} dx \\
 & \quad \downarrow \text{4610} \\
 & \int \sqrt{1 - \coth^2(x)} d \coth(x) \\
 & \quad \downarrow \text{211} \\
 & \frac{1}{2} \int \frac{1}{\sqrt{1 - \coth^2(x)}} d \coth(x) + \frac{1}{2} \sqrt{1 - \coth^2(x)} \coth(x) \\
 & \quad \downarrow \text{223} \\
 & \frac{1}{2} \arcsin(\coth(x)) + \frac{1}{2} \coth(x) \sqrt{1 - \coth^2(x)}
 \end{aligned}$$

input

```
Int[(1 - Coth[x]^2)^(3/2), x]
```

output

```
ArcSin[Coth[x]]/2 + (Coth[x]*Sqrt[1 - Coth[x]^2])/2
```

Defintions of rubi rules used

rule 211 `Int[((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := Simp[x*((a + b*x^2)^p/(2*p + 1)), x] + Simp[2*a*(p/(2*p + 1)) Int[(a + b*x^2)^(p - 1), x], x] /; FreeQ[{a, b}, x] && GtQ[p, 0] && (IntegerQ[4*p] || IntegerQ[6*p])`

rule 223 `Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4140 `Int[(u_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^2)^(p_), x_Symbol] := Int[ActivateTrig[u*(a*sec[e + f*x]^2)^p], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a, b]`

rule 4610 `Int[((b_.)*sec[(e_.) + (f_.)*(x_)]^2)^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[b*(ff/f) Subst[Int[(b + b*ff^2*x^2)^(p - 1), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{b, e, f, p}, x] && !IntegerQ[p]`

Maple [A] (verified)

Time = 0.06 (sec) , antiderivative size = 21, normalized size of antiderivative = 0.88

method	result	size
derivativedivides	$\frac{\coth(x)\sqrt{1-\coth(x)^2}}{2} + \frac{\arcsin(\coth(x))}{2}$	21
default	$\frac{\coth(x)\sqrt{1-\coth(x)^2}}{2} + \frac{\arcsin(\coth(x))}{2}$	21
risch	$\frac{\sqrt{-\frac{e^{2x}}{(e^{2x}-1)^2}}(e^{2x}+1)}{e^{2x}-1} + \frac{\sqrt{-\frac{e^{2x}}{(e^{2x}-1)^2}}e^{-x}(e^{2x}-1)\ln(e^x-1)}{2} - \frac{\sqrt{-\frac{e^{2x}}{(e^{2x}-1)^2}}e^{-x}(e^{2x}-1)\ln(1+e^x)}{2}$	99

input `int((1-coth(x)^2)^(3/2),x,method=_RETURNVERBOSE)`

output `1/2*coth(x)*(1-coth(x)^2)^(1/2)+1/2*arcsin(coth(x))`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 285 vs. 2(18) = 36.

Time = 0.10 (sec) , antiderivative size = 285, normalized size of antiderivative = 11.88

$$\int (1 - \coth^2(x))^{3/2} dx = \frac{(4 \cosh(x) e^x \sinh(x)^3 + e^x \sinh(x)^4 + 2(3 \cosh(x)^2 - 1)e^x \sinh(x)^2 + 4(\cosh(x)^3 - \cosh(x))e^x \sinh(x))}{\dots}$$

input `integrate((1-coth(x)^2)^(3/2),x, algorithm="fricas")`

output `-((4*cosh(x)*e^x*sinh(x)^3 + e^x*sinh(x)^4 + 2*(3*cosh(x)^2 - 1)*e^x*sinh(x)^2 + 4*(cosh(x)^3 - cosh(x))*e^x*sinh(x) + (cosh(x)^4 - 2*cosh(x)^2 + 1)*e^x)*arctan((cosh(x)*e^(2*x) + (e^(2*x) - 1)*sinh(x) - cosh(x))*sqrt(-e^(2*x)/(e^(4*x) - 2*e^(2*x) + 1))*e^(-x)) - ((e^(2*x) - 1)*sinh(x)^3 - cosh(x)^3 + 3*(cosh(x)*e^(2*x) - cosh(x))*sinh(x)^2 + (cosh(x)^3 + cosh(x))*e^(2*x) - (3*cosh(x)^2 - (3*cosh(x)^2 + 1)*e^(2*x) + 1)*sinh(x) - cosh(x))*sqrt(-e^(2*x)/(e^(4*x) - 2*e^(2*x) + 1)))/(4*cosh(x)*e^x*sinh(x)^3 + e^x*sinh(x)^4 + 2*(3*cosh(x)^2 - 1)*e^x*sinh(x)^2 + 4*(cosh(x)^3 - cosh(x))*e^x*sinh(x) + (cosh(x)^4 - 2*cosh(x)^2 + 1)*e^x)`

Sympy [F]

$$\int (1 - \coth^2(x))^{3/2} dx = \int (1 - \coth^2(x))^{\frac{3}{2}} dx$$

input `integrate((1-coth(x)**2)**(3/2),x)`

output `Integral((1 - coth(x)**2)**(3/2), x)`

Maxima [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.11 (sec) , antiderivative size = 49, normalized size of antiderivative = 2.04

$$\int (1 - \coth^2(x))^{3/2} dx = \frac{i e^{(-x)} + i e^{(-3x)}}{2 e^{(-2x)} - e^{(-4x)} - 1} + \frac{1}{2} i \log(e^{(-x)} + 1) - \frac{1}{2} i \log(e^{(-x)} - 1)$$

input `integrate((1-coth(x)^2)^(3/2),x, algorithm="maxima")`

output `(I*e^(-x) + I*e^(-3*x))/(2*e^(-2*x) - e^(-4*x) - 1) + 1/2*I*log(e^(-x) + 1) - 1/2*I*log(e^(-x) - 1)`

Giac [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.13 (sec) , antiderivative size = 60, normalized size of antiderivative = 2.50

$$\int (1 - \coth^2(x))^{3/2} dx = -\frac{1}{4} \left(\frac{4(i e^{(-x)} + i e^x)}{(e^{(-x)} + e^x)^2 - 4} - i \log(e^{(-x)} + e^x + 2) + i \log(e^{(-x)} + e^x - 2) \right) \operatorname{sgn}(-e^{(2x)} + 1)$$

input `integrate((1-coth(x)^2)^(3/2),x, algorithm="giac")`

output `-1/4*(4*(I*e^(-x) + I*e^x)/((e^(-x) + e^x)^2 - 4) - I*log(e^(-x) + e^x + 2) + I*log(e^(-x) + e^x - 2))*sgn(-e^(2*x) + 1)`

Mupad [B] (verification not implemented)

Time = 2.55 (sec) , antiderivative size = 20, normalized size of antiderivative = 0.83

$$\int (1 - \operatorname{coth}^2(x))^{3/2} dx = \frac{\operatorname{asin}(\operatorname{coth}(x))}{2} + \frac{\operatorname{coth}(x) \sqrt{1 - \operatorname{coth}(x)^2}}{2}$$

input `int((1 - coth(x)^2)^(3/2),x)`output `asin(coth(x))/2 + (coth(x)*(1 - coth(x)^2)^(1/2))/2`**Reduce [F]**

$$\int (1 - \operatorname{coth}^2(x))^{3/2} dx = \int \sqrt{-\operatorname{coth}(x)^2 + 1} dx - \left(\int \sqrt{-\operatorname{coth}(x)^2 + 1} \operatorname{coth}(x)^2 dx \right)$$

input `int((1-coth(x)^2)^(3/2),x)`output `int(sqrt(-coth(x)**2 + 1),x) - int(sqrt(-coth(x)**2 + 1)*coth(x)**2,x)`

3.13 $\int (-1 + \coth^2(x))^{3/2} dx$

Optimal result	136
Mathematica [A] (verified)	136
Rubi [A] (verified)	137
Maple [A] (verified)	139
Fricas [B] (verification not implemented)	139
Sympy [F]	140
Maxima [A] (verification not implemented)	140
Giac [B] (verification not implemented)	141
Mupad [B] (verification not implemented)	141
Reduce [F]	142

Optimal result

Integrand size = 10, antiderivative size = 31

$$\int (-1 + \coth^2(x))^{3/2} dx = \frac{1}{2} \operatorname{arctanh}\left(\frac{\coth(x)}{\sqrt{\operatorname{csch}^2(x)}}\right) - \frac{1}{2} \coth(x) \sqrt{\operatorname{csch}^2(x)}$$

output `1/2*arctanh(coth(x)/(csch(x)^2)^(1/2))-1/2*coth(x)*(csch(x)^2)^(1/2)`

Mathematica [A] (verified)

Time = 0.06 (sec) , antiderivative size = 49, normalized size of antiderivative = 1.58

$$\int (-1 + \coth^2(x))^{3/2} dx = -\frac{1}{8} \sqrt{\operatorname{csch}^2(x)} \left(\operatorname{csch}^2\left(\frac{x}{2}\right) - 4 \log\left(\cosh\left(\frac{x}{2}\right)\right) + 4 \log\left(\sinh\left(\frac{x}{2}\right)\right) + \operatorname{sech}^2\left(\frac{x}{2}\right) \right) \sinh(x)$$

input `Integrate[(-1 + Coth[x]^2)^(3/2), x]`

output `-1/8*(Sqrt[Csch[x]^2]*(Csch[x/2]^2 - 4*Log[Cosh[x/2]] + 4*Log[Sinh[x/2]] + Sech[x/2]^2)*Sinh[x])`

Rubi [A] (verified)

Time = 0.25 (sec) , antiderivative size = 35, normalized size of antiderivative = 1.13, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$, Rules used = {3042, 4140, 3042, 4610, 211, 224, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (\coth^2(x) - 1)^{3/2} dx \\
 & \quad \downarrow \text{3042} \\
 & \int \left(-1 - \tan\left(\frac{\pi}{2} + ix\right)^2 \right)^{3/2} dx \\
 & \quad \downarrow \text{4140} \\
 & \int \operatorname{csch}^2(x)^{3/2} dx \\
 & \quad \downarrow \text{3042} \\
 & \int \left(-\sec\left(\frac{\pi}{2} + ix\right)^2 \right)^{3/2} dx \\
 & \quad \downarrow \text{4610} \\
 & - \int \sqrt{\coth^2(x) - 1} d \coth(x) \\
 & \quad \downarrow \text{211} \\
 & \frac{1}{2} \int \frac{1}{\sqrt{\coth^2(x) - 1}} d \coth(x) - \frac{1}{2} \coth(x) \sqrt{\coth^2(x) - 1} \\
 & \quad \downarrow \text{224} \\
 & \frac{1}{2} \int \frac{1}{1 - \frac{\coth^2(x)}{\coth^2(x) - 1}} d \frac{\coth(x)}{\sqrt{\coth^2(x) - 1}} - \frac{1}{2} \coth(x) \sqrt{\coth^2(x) - 1} \\
 & \quad \downarrow \text{219} \\
 & \frac{1}{2} \operatorname{arctanh} \left(\frac{\coth(x)}{\sqrt{\coth^2(x) - 1}} \right) - \frac{1}{2} \coth(x) \sqrt{\coth^2(x) - 1}
 \end{aligned}$$

input `Int[(-1 + Coth[x]^2)^(3/2), x]`

output `ArcTanh[Coth[x]/Sqrt[-1 + Coth[x]^2]]/2 - (Coth[x]*Sqrt[-1 + Coth[x]^2])/2`

Defintions of rubi rules used

rule 211 `Int[((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := Simp[x*((a + b*x^2)^p/(2*p + 1)), x] + Simp[2*a*(p/(2*p + 1)) Int[(a + b*x^2)^(p - 1), x], x] /; FreeQ[{a, b}, x] && GtQ[p, 0] && (IntegerQ[4*p] || IntegerQ[6*p])`

rule 219 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

rule 224 `Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4140 `Int[(u_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^2)^(p_), x_Symbol] := Int[ActivateTrig[u*(a*sec[e + f*x]^2)^p], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a, b]`

rule 4610 `Int[((b_.)*sec[(e_.) + (f_.)*(x_)]^2)^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[b*(ff/f) Subst[Int[(b + b*ff^2*x^2)^(p - 1), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{b, e, f, p}, x] && !IntegerQ[p]`

Maple [A] (verified)

Time = 0.06 (sec) , antiderivative size = 28, normalized size of antiderivative = 0.90

method	result	size
derivativedivides	$-\frac{\coth(x)\sqrt{-1+\coth(x)^2}}{2} + \frac{\ln\left(\coth(x)+\sqrt{-1+\coth(x)^2}\right)}{2}$	28
default	$-\frac{\coth(x)\sqrt{-1+\coth(x)^2}}{2} + \frac{\ln\left(\coth(x)+\sqrt{-1+\coth(x)^2}\right)}{2}$	28
risch	$-\frac{\sqrt{\frac{e^{2x}}{(e^{2x}-1)^2}}(e^{2x}+1)}{e^{2x}-1} - \frac{\sqrt{\frac{e^{2x}}{(e^{2x}-1)^2}}e^{-x}(e^{2x}-1)\ln(e^x-1)}{2} + \frac{\sqrt{\frac{e^{2x}}{(e^{2x}-1)^2}}e^{-x}(e^{2x}-1)\ln(1+e^x)}{2}$	97

input `int((-1+coth(x)^2)^(3/2),x,method=_RETURNVERBOSE)`

output `-1/2*coth(x)*(-1+coth(x)^2)^(1/2)+1/2*ln(coth(x)+(-1+coth(x)^2)^(1/2))`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 211 vs. 2(23) = 46.

Time = 0.10 (sec) , antiderivative size = 211, normalized size of antiderivative = 6.81

$$\int (-1 + \coth^2(x))^{3/2} dx =$$

$$\frac{2 \cosh(x)^3 + 6 \cosh(x) \sinh(x)^2 + 2 \sinh(x)^3 - (\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4) + 2(3 \cosh(x) \sinh(x)^2 + 2 \sinh(x)^3)}{2 \cosh(x)^3 + 6 \cosh(x) \sinh(x)^2 + 2 \sinh(x)^3 - (\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4) + 2(3 \cosh(x) \sinh(x)^2 + 2 \sinh(x)^3)}$$

input `integrate((-1+coth(x)^2)^(3/2),x, algorithm="fricas")`

output

```
-1/2*(2*cosh(x)^3 + 6*cosh(x)*sinh(x)^2 + 2*sinh(x)^3 - (cosh(x)^4 + 4*cosh(x)*sinh(x)^3 + sinh(x)^4 + 2*(3*cosh(x)^2 - 1)*sinh(x)^2 - 2*cosh(x)^2 + 4*(cosh(x)^3 - cosh(x))*sinh(x) + 1)*log(cosh(x) + sinh(x) + 1) + (cosh(x)^4 + 4*cosh(x)*sinh(x)^3 + sinh(x)^4 + 2*(3*cosh(x)^2 - 1)*sinh(x)^2 - 2*cosh(x)^2 + 4*(cosh(x)^3 - cosh(x))*sinh(x) + 1)*log(cosh(x) + sinh(x) - 1) + 2*(3*cosh(x)^2 + 1)*sinh(x) + 2*cosh(x))/(cosh(x)^4 + 4*cosh(x)*sinh(x)^3 + sinh(x)^4 + 2*(3*cosh(x)^2 - 1)*sinh(x)^2 - 2*cosh(x)^2 + 4*(cosh(x)^3 - cosh(x))*sinh(x) + 1)
```

Sympy [F]

$$\int (-1 + \coth^2(x))^{3/2} dx = \int (\coth^2(x) - 1)^{\frac{3}{2}} dx$$

input

```
integrate((-1+coth(x)**2)**(3/2),x)
```

output

```
Integral((coth(x)**2 - 1)**(3/2), x)
```

Maxima [A] (verification not implemented)

Time = 0.14 (sec) , antiderivative size = 46, normalized size of antiderivative = 1.48

$$\int (-1 + \coth^2(x))^{3/2} dx = -\frac{e^{-x} + e^{-3x}}{2e^{-2x} - e^{-4x} - 1} - \frac{1}{2} \log(e^{-x} + 1) + \frac{1}{2} \log(e^{-x} - 1)$$

input

```
integrate((-1+coth(x)^2)^(3/2),x, algorithm="maxima")
```

output

```
-(e^(-x) + e^(-3*x))/(2*e^(-2*x) - e^(-4*x) - 1) - 1/2*log(e^(-x) + 1) + 1/2*log(e^(-x) - 1)
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 52 vs. $2(23) = 46$.

Time = 0.13 (sec) , antiderivative size = 52, normalized size of antiderivative = 1.68

$$\int (-1 + \coth^2(x))^{3/2} dx = -\frac{1}{4} \left(\frac{4(e^{-x} + e^x)}{(e^{-x} + e^x)^2 - 4} - \log(e^{-x} + e^x + 2) + \log(e^{-x} + e^x - 2) \right) \operatorname{sgn}(e^{2x} - 1)$$

input `integrate((-1+coth(x)^2)^(3/2),x, algorithm="giac")`

output `-1/4*(4*(e^(-x) + e^x)/((e^(-x) + e^x)^2 - 4) - log(e^(-x) + e^x + 2) + log(e^(-x) + e^x - 2))*sgn(e^(2*x) - 1)`

Mupad [B] (verification not implemented)

Time = 2.48 (sec) , antiderivative size = 27, normalized size of antiderivative = 0.87

$$\int (-1 + \coth^2(x))^{3/2} dx = \frac{\ln\left(\coth(x) + \sqrt{\coth(x)^2 - 1}\right)}{2} - \frac{\coth(x) \sqrt{\coth(x)^2 - 1}}{2}$$

input `int((coth(x)^2 - 1)^(3/2),x)`

output `log(coth(x) + (coth(x)^2 - 1)^(1/2))/2 - (coth(x)*(coth(x)^2 - 1)^(1/2))/2`

Reduce [F]

$$\int (-1 + \coth^2(x))^{3/2} dx = -\left(\int \sqrt{\coth(x)^2 - 1} dx\right) + \int \sqrt{\coth(x)^2 - 1} \coth(x)^2 dx$$

input `int((-1+coth(x)^2)^(3/2),x)`

output `- int(sqrt(coth(x)**2 - 1),x) + int(sqrt(coth(x)**2 - 1)*coth(x)**2,x)`

$$3.14 \quad \int \frac{1}{\sqrt{1-\coth^2(x)}} dx$$

Optimal result	143
Mathematica [A] (verified)	143
Rubi [A] (verified)	144
Maple [A] (verified)	145
Fricas [B] (verification not implemented)	146
Sympy [F]	146
Maxima [C] (verification not implemented)	146
Giac [C] (verification not implemented)	147
Mupad [B] (verification not implemented)	147
Reduce [F]	148

Optimal result

Integrand size = 12, antiderivative size = 13

$$\int \frac{1}{\sqrt{1-\coth^2(x)}} dx = \frac{\coth(x)}{\sqrt{-\operatorname{csch}^2(x)}}$$

output

```
coth(x)/(-csch(x)^2)^(1/2)
```

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00

$$\int \frac{1}{\sqrt{1-\coth^2(x)}} dx = \frac{\coth(x)}{\sqrt{-\operatorname{csch}^2(x)}}$$

input

```
Integrate[1/Sqrt[1 - Coth[x]^2], x]
```

output

```
Coth[x]/Sqrt[-Csch[x]^2]
```


Rubi [A] (verified)

Time = 0.24 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {3042, 4140, 3042, 4610, 208}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{1}{\sqrt{1 - \coth^2(x)}} dx \\
 & \quad \downarrow \text{3042} \\
 & \int \frac{1}{\sqrt{1 + \tan\left(\frac{\pi}{2} + ix\right)^2}} dx \\
 & \quad \downarrow \text{4140} \\
 & \int \frac{1}{\sqrt{-\operatorname{csch}^2(x)}} dx \\
 & \quad \downarrow \text{3042} \\
 & \int \frac{1}{\sqrt{\sec\left(\frac{\pi}{2} + ix\right)^2}} dx \\
 & \quad \downarrow \text{4610} \\
 & \int \frac{1}{(1 - \coth^2(x))^{3/2}} d\coth(x) \\
 & \quad \downarrow \text{208} \\
 & \frac{\coth(x)}{\sqrt{1 - \coth^2(x)}}
 \end{aligned}$$

input `Int[1/Sqrt[1 - Coth[x]^2], x]`

output `Coth[x]/Sqrt[1 - Coth[x]^2]`

Definitions of rubi rules used

rule 208 `Int[((a_) + (b_.)*(x_)^2)^(-3/2), x_Symbol] := Simp[x/(a*Sqrt[a + b*x^2]), x] /; FreeQ[{a, b}, x]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4140 `Int[(u_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^2)^(p_), x_Symbol] := Int[ActivateTrig[u*(a*sec[e + f*x]^2)^p], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a, b]`

rule 4610 `Int[((b_.)*sec[(e_.) + (f_.)*(x_)]^2)^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[b*(ff/f) Subst[Int[(b + b*ff^2*x^2)^(p - 1), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{b, e, f, p}, x] && !IntegerQ[p]`

Maple [A] (verified)

Time = 0.05 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.08

method	result	size
derivativedivides	$\frac{\coth(x)}{\sqrt{1-\coth(x)^2}}$	14
default	$\frac{\coth(x)}{\sqrt{1-\coth(x)^2}}$	14
risch	$\frac{e^{2x}}{2\sqrt{-\frac{e^{2x}}{(e^{2x}-1)^2}}(e^{2x}-1)} + \frac{1}{2(e^{2x}-1)\sqrt{-\frac{e^{2x}}{(e^{2x}-1)^2}}}$	58

input `int(1/(1-coth(x)^2)^(1/2),x,method=_RETURNVERBOSE)`

output `1/(1-coth(x)^2)^(1/2)*coth(x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 40 vs. $2(11) = 22$.

Time = 0.09 (sec) , antiderivative size = 40, normalized size of antiderivative = 3.08

$$\int \frac{1}{\sqrt{1 - \coth^2(x)}} dx = -(\cosh(x) e^{2x} - \cosh(x)) \sqrt{-\frac{e^{2x}}{e^{4x} - 2e^{2x} + 1}} e^{-x}$$

input `integrate(1/(1-coth(x)^2)^(1/2),x, algorithm="fricas")`

output `-(cosh(x)*e^(2*x) - cosh(x))*sqrt(-e^(2*x)/(e^(4*x) - 2*e^(2*x) + 1))*e^(-x)`

Sympy [F]

$$\int \frac{1}{\sqrt{1 - \coth^2(x)}} dx = \int \frac{1}{\sqrt{1 - \coth^2(x)}} dx$$

input `integrate(1/(1-coth(x)**2)**(1/2),x)`

output `Integral(1/sqrt(1 - coth(x)**2), x)`

Maxima [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.11 (sec) , antiderivative size = 11, normalized size of antiderivative = 0.85

$$\int \frac{1}{\sqrt{1 - \coth^2(x)}} dx = \frac{1}{2} i e^{-x} + \frac{1}{2} i e^x$$

input `integrate(1/(1-coth(x)^2)^(1/2),x, algorithm="maxima")`

output $1/2*I*e^{-x} + 1/2*I*e^x$

Giac [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.13 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.85

$$\int \frac{1}{\sqrt{1 - \coth^2(x)}} dx = -\frac{-i e^{(-x)} - i e^x}{2 \operatorname{sgn}(-e^{(2x)} + 1)}$$

input `integrate(1/(1-coth(x)^2)^(1/2),x, algorithm="giac")`

output $-1/2*(-I*e^{-x} - I*e^x)/\operatorname{sgn}(-e^{(2x)} + 1)$

Mupad [B] (verification not implemented)

Time = 2.54 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.38

$$\int \frac{1}{\sqrt{1 - \coth^2(x)}} dx = -\cosh(x) \sinh(x) \sqrt{-\frac{1}{\cosh(x)^2 - 1}}$$

input `int(1/(1 - coth(x)^2)^(1/2),x)`

output $-\cosh(x)*\sinh(x)*(-1/(\cosh(x)^2 - 1))^(1/2)$

Reduce [F]

$$\int \frac{1}{\sqrt{1 - \coth^2(x)}} dx = - \left(\int \frac{\sqrt{-\coth(x)^2 + 1}}{\coth(x)^2 - 1} dx \right)$$

input `int(1/(1-coth(x)^2)^(1/2),x)`

output `- int(sqrt(-coth(x)**2 + 1)/(coth(x)**2 - 1),x)`

$$3.15 \quad \int \frac{1}{\sqrt{-1 + \coth^2(x)}} dx$$

Optimal result	149
Mathematica [A] (verified)	149
Rubi [A] (verified)	150
Maple [A] (verified)	151
Fricas [A] (verification not implemented)	152
Sympy [F]	152
Maxima [A] (verification not implemented)	152
Giac [A] (verification not implemented)	153
Mupad [B] (verification not implemented)	153
Reduce [F]	153

Optimal result

Integrand size = 10, antiderivative size = 11

$$\int \frac{1}{\sqrt{-1 + \coth^2(x)}} dx = \frac{\coth(x)}{\sqrt{\operatorname{csch}^2(x)}}$$

output

```
coth(x)/(csch(x)^2)^(1/2)
```

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 11, normalized size of antiderivative = 1.00

$$\int \frac{1}{\sqrt{-1 + \coth^2(x)}} dx = \frac{\coth(x)}{\sqrt{\operatorname{csch}^2(x)}}$$

input

```
Integrate[1/Sqrt[-1 + Coth[x]^2], x]
```

output

```
Coth[x]/Sqrt[Csch[x]^2]
```

Rubi [A] (verified)

Time = 0.24 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.18, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {3042, 4140, 3042, 4610, 208}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{1}{\sqrt{\coth^2(x) - 1}} dx \\
 & \quad \downarrow \text{3042} \\
 & \int \frac{1}{\sqrt{-1 - \tan\left(\frac{\pi}{2} + ix\right)^2}} dx \\
 & \quad \downarrow \text{4140} \\
 & \int \frac{1}{\sqrt{\operatorname{csch}^2(x)}} dx \\
 & \quad \downarrow \text{3042} \\
 & \int \frac{1}{\sqrt{-\sec\left(\frac{\pi}{2} + ix\right)^2}} dx \\
 & \quad \downarrow \text{4610} \\
 & - \int \frac{1}{(\coth^2(x) - 1)^{3/2}} d\coth(x) \\
 & \quad \downarrow \text{208} \\
 & \frac{\coth(x)}{\sqrt{\coth^2(x) - 1}}
 \end{aligned}$$

input `Int[1/Sqrt[-1 + Coth[x]^2],x]`

output `Coth[x]/Sqrt[-1 + Coth[x]^2]`

Definitions of rubi rules used

rule 208 `Int[((a_) + (b_.)*(x_)^2)^(-3/2), x_Symbol] := Simp[x/(a*Sqrt[a + b*x^2]), x] /; FreeQ[{a, b}, x]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4140 `Int[(u_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^2)^(p_), x_Symbol] := Int[ActivateTrig[u*(a*sec[e + f*x]^2)^p], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a, b]`

rule 4610 `Int[((b_.)*sec[(e_.) + (f_.)*(x_)]^2)^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[b*(ff/f) Subst[Int[(b + b*ff^2*x^2)^(p - 1), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{b, e, f, p}, x] && !IntegerQ[p]`

Maple [A] (verified)

Time = 0.03 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.09

method	result	size
derivativedivides	$\frac{\coth(x)}{\sqrt{-1+\coth(x)^2}}$	12
default	$\frac{\coth(x)}{\sqrt{-1+\coth(x)^2}}$	12
risch	$\frac{e^{2x}}{2\sqrt{\frac{e^{2x}}{(e^{2x}-1)^2}}(e^{2x}-1)} + \frac{1}{2(e^{2x}-1)\sqrt{\frac{e^{2x}}{(e^{2x}-1)^2}}}$	56

input `int(1/(-1+coth(x)^2)^(1/2),x,method=_RETURNVERBOSE)`

output `coth(x)/(-1+coth(x)^2)^(1/2)`

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 2, normalized size of antiderivative = 0.18

$$\int \frac{1}{\sqrt{-1 + \coth^2(x)}} dx = \cosh(x)$$

input `integrate(1/(-1+coth(x)^2)^(1/2),x, algorithm="fricas")`output `cosh(x)`**Sympy [F]**

$$\int \frac{1}{\sqrt{-1 + \coth^2(x)}} dx = \int \frac{1}{\sqrt{\coth^2(x) - 1}} dx$$

input `integrate(1/(-1+coth(x)**2)**(1/2),x)`output `Integral(1/sqrt(coth(x)**2 - 1), x)`**Maxima [A] (verification not implemented)**

Time = 0.11 (sec) , antiderivative size = 11, normalized size of antiderivative = 1.00

$$\int \frac{1}{\sqrt{-1 + \coth^2(x)}} dx = -\frac{1}{2} e^{(-x)} - \frac{1}{2} e^x$$

input `integrate(1/(-1+coth(x)^2)^(1/2),x, algorithm="maxima")`output `-1/2*e^(-x) - 1/2*e^x`

Giac [A] (verification not implemented)

Time = 0.14 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.64

$$\int \frac{1}{\sqrt{-1 + \coth^2(x)}} dx = \frac{e^{(-x)} + e^x}{2 \operatorname{sgn}(e^{(2x)} - 1)}$$

input `integrate(1/(-1+coth(x)^2)^(1/2),x, algorithm="giac")`

output `1/2*(e^(-x) + e^x)/sgn(e^(2*x) - 1)`

Mupad [B] (verification not implemented)

Time = 2.34 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.36

$$\int \frac{1}{\sqrt{-1 + \coth^2(x)}} dx = \cosh(x) \sinh(x) \sqrt{\frac{1}{\cosh(x)^2 - 1}}$$

input `int(1/(coth(x)^2 - 1)^(1/2),x)`

output `cosh(x)*sinh(x)*(1/(cosh(x)^2 - 1))^(1/2)`

Reduce [F]

$$\int \frac{1}{\sqrt{-1 + \coth^2(x)}} dx = \int \frac{\sqrt{\coth(x)^2 - 1}}{\coth(x)^2 - 1} dx$$

input `int(1/(-1+coth(x)^2)^(1/2),x)`

output `int(sqrt(coth(x)**2 - 1)/(coth(x)**2 - 1),x)`

3.16 $\int \coth^3(x) \sqrt{a + b \coth^2(x)} dx$

Optimal result	154
Mathematica [A] (verified)	154
Rubi [A] (verified)	155
Maple [B] (verified)	158
Fricas [B] (verification not implemented)	159
Sympy [F]	160
Maxima [F]	160
Giac [F(-2)]	160
Mupad [B] (verification not implemented)	161
Reduce [F]	161

Optimal result

Integrand size = 17, antiderivative size = 63

$$\int \coth^3(x) \sqrt{a + b \coth^2(x)} dx = \sqrt{a+b} \operatorname{arctanh} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a+b}} \right) - \sqrt{a + b \coth^2(x)} - \frac{(a + b \coth^2(x))^{3/2}}{3b}$$

output

$(a+b)^{(1/2)} * \operatorname{arctanh}((a+b * \coth(x)^2)^{(1/2)} / (a+b)^{(1/2)}) - (a+b * \coth(x)^2)^{(1/2)} - 1/3 * (a+b * \coth(x)^2)^{(3/2)} / b$

Mathematica [A] (verified)

Time = 0.13 (sec) , antiderivative size = 60, normalized size of antiderivative = 0.95

$$\int \coth^3(x) \sqrt{a + b \coth^2(x)} dx = \sqrt{a+b} \operatorname{arctanh} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a+b}} \right) - \frac{\sqrt{a + b \coth^2(x)} (a + 3b + b \coth^2(x))}{3b}$$

input `Integrate[Coth[x]^3*Sqrt[a + b*Coth[x]^2],x]`

output `Sqrt[a + b]*ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]] - (Sqrt[a + b*Coth[x]^2]*(a + 3*b + b*Coth[x]^2))/(3*b)`

Rubi [A] (verified)

Time = 0.31 (sec) , antiderivative size = 68, normalized size of antiderivative = 1.08, number of steps used = 10, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.529$, Rules used = {3042, 26, 4153, 26, 354, 90, 60, 73, 221}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \coth^3(x) \sqrt{a + b \coth^2(x)} dx \\
 & \quad \downarrow \text{3042} \\
 & \int i \tan\left(\frac{\pi}{2} + ix\right)^3 \sqrt{a - b \tan\left(\frac{\pi}{2} + ix\right)^2} dx \\
 & \quad \downarrow \text{26} \\
 & i \int \tan\left(ix + \frac{\pi}{2}\right)^3 \sqrt{a - b \tan\left(ix + \frac{\pi}{2}\right)^2} dx \\
 & \quad \downarrow \text{4153} \\
 & i \int -\frac{i \coth^3(x) \sqrt{b \coth^2(x) + a}}{1 - \coth^2(x)} d \coth(x) \\
 & \quad \downarrow \text{26} \\
 & \int \frac{\coth^3(x) \sqrt{a + b \coth^2(x)}}{1 - \coth^2(x)} d \coth(x) \\
 & \quad \downarrow \text{354} \\
 & \frac{1}{2} \int \frac{\coth^2(x) \sqrt{b \coth^2(x) + a}}{1 - \coth^2(x)} d \coth^2(x)
 \end{aligned}$$

↓ 90

$$\frac{1}{2} \left(\int \frac{\sqrt{b \coth^2(x) + a}}{1 - \coth^2(x)} d \coth^2(x) - \frac{2(a + b \coth^2(x))^{3/2}}{3b} \right)$$

↓ 60

$$\frac{1}{2} \left((a + b) \int \frac{1}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth^2(x) - \frac{2(a + b \coth^2(x))^{3/2}}{3b} - 2\sqrt{a + b \coth^2(x)} \right)$$

↓ 73

$$\frac{1}{2} \left(\frac{2(a + b) \int \frac{1}{\frac{a+b}{b} - \frac{\coth^4(x)}{b}} d \sqrt{b \coth^2(x) + a}}{b} - \frac{2(a + b \coth^2(x))^{3/2}}{3b} - 2\sqrt{a + b \coth^2(x)} \right)$$

↓ 221

$$\frac{1}{2} \left(2\sqrt{a + b} \operatorname{arctanh} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}} \right) - \frac{2(a + b \coth^2(x))^{3/2}}{3b} - 2\sqrt{a + b \coth^2(x)} \right)$$

input `Int [Coth [x]^3*Sqrt [a + b*Coth [x]^2] ,x]`

output `(2*Sqrt [a + b]*ArcTanh [Sqrt [a + b*Coth [x]^2]/Sqrt [a + b]] - 2*Sqrt [a + b*Coth [x]^2] - (2*(a + b*Coth [x]^2)^(3/2))/(3*b))/2`

Defintions of rubi rules used

- rule 26 $\text{Int}[(\text{Complex}[0, a])*(Fx_), x_Symbol] \rightarrow \text{Simp}[(\text{Complex}[\text{Identity}[0], a]) \text{Int}[Fx, x], x] /; \text{FreeQ}[a, x] \ \&\& \ \text{EqQ}[a^2, 1]$
- rule 60 $\text{Int}[(a_ + b_*(x_))^m*((c_ + d_*(x_))^n), x_Symbol] \rightarrow \text{Simp}[(a + b*x)^{m+1}*(c + d*x)^n/(b*(m+n+1)), x] + \text{Simp}[n*(b*c - a*d)/(b*(m+n+1)) \text{Int}[(a + b*x)^m*(c + d*x)^{n-1}, x], x] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{NeQ}[m+n+1, 0] \ \&\& \ !(\text{IGtQ}[m, 0] \ \&\& \ (!\text{IntegerQ}[n] \ || \ (\text{GtQ}[m, 0] \ \&\& \ \text{LtQ}[m-n, 0]))) \ \&\& \ !\text{ILtQ}[m+n+2, 0] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$
- rule 73 $\text{Int}[(a_ + b_*(x_))^m*((c_ + d_*(x_))^n), x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Simp}[p/b \ \text{Subst}[\text{Int}[x^{p*(m+1)-1}*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^{1/p}], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$
- rule 90 $\text{Int}[(a_ + b_*(x_))*((c_ + d_*(x_))^n*((e_ + f_*(x_))^p), x] \rightarrow \text{Simp}[b*(c + d*x)^{n+1}*(e + f*x)^{p+1}/(d*f*(n+p+2)), x] + \text{Simp}[(a*d*f*(n+p+2) - b*(d*e*(n+1) + c*f*(p+1))]/(d*f*(n+p+2)) \text{Int}[(c + d*x)^n*(e + f*x)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, n, p\}, x] \ \&\& \ \text{NeQ}[n+p+2, 0]$
- rule 221 $\text{Int}[(a_ + b_*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-a/b, 2]/a)*\text{ArcTanh}[x/\text{Rt}[-a/b, 2]], x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$
- rule 354 $\text{Int}[(x_)^m*((a_ + b_*(x_)^2)^p*((c_ + d_*(x_)^2)^q), x_Symbol] \rightarrow \text{Simp}[1/2 \ \text{Subst}[\text{Int}[x^{(m-1)/2}*(a + b*x)^p*(c + d*x)^q, x], x, x^2], x] /; \text{FreeQ}[\{a, b, c, d, p, q\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{IntegerQ}[(m-1)/2]$
- rule 3042 $\text{Int}[u_, x_Symbol] \rightarrow \text{Int}[\text{DeactivateTrig}[u, x], x] /; \text{FunctionOfTrigOfLinearQ}[u, x]$

rule 4153

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) +
(f_.)*(x_)]^(n_))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x],
x]}, Simp[c*(ff/f) Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + f
f^2*x^2)), x], x, c*(Tan[e + f*x]/ff)], x]] /; FreeQ[{a, b, c, d, e, f, m,
n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ratio
nalQ[n]))
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 252 vs. 2(51) = 102.

Time = 0.19 (sec) , antiderivative size = 253, normalized size of antiderivative = 4.02

method	result
derivativedivides	$-\frac{(a+b \operatorname{coth}(x)^2)^{\frac{3}{2}}}{3b} - \frac{\sqrt{b(\operatorname{coth}(x)-1)^2+2b(\operatorname{coth}(x)-1)+a+b}}{2} - \frac{\sqrt{b} \ln\left(\frac{b(\operatorname{coth}(x)-1)+b}{\sqrt{b}} + \sqrt{b(\operatorname{coth}(x)-1)^2+2b(\operatorname{coth}(x)-1)+a+b}\right)}{2}$
default	$-\frac{(a+b \operatorname{coth}(x)^2)^{\frac{3}{2}}}{3b} - \frac{\sqrt{b(\operatorname{coth}(x)-1)^2+2b(\operatorname{coth}(x)-1)+a+b}}{2} - \frac{\sqrt{b} \ln\left(\frac{b(\operatorname{coth}(x)-1)+b}{\sqrt{b}} + \sqrt{b(\operatorname{coth}(x)-1)^2+2b(\operatorname{coth}(x)-1)+a+b}\right)}{2}$

input

```
int(coth(x)^3*(a+b*coth(x)^2)^(1/2),x,method=_RETURNVERBOSE)
```

output

```
-1/3*(a+b*coth(x)^2)^(3/2)/b-1/2*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2)
-1/2*b^(1/2)*ln((b*(coth(x)-1)+b)/b^(1/2)+(b*(coth(x)-1)^2+2*b*(coth(x)-
1)+a+b)^(1/2))+1/2*(a+b)^(1/2)*ln((2*a+2*b+2*b*(coth(x)-1)+2*(a+b)^(1/2)*
(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2))/(coth(x)-1))-1/2*(b*(1+coth(x)
)^2-2*b*(1+coth(x))+a+b)^(1/2)+1/2*b^(1/2)*ln((b*(1+coth(x))-b)/b^(1/2)+(b
*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2))+1/2*(a+b)^(1/2)*ln((2*a+2*b-2*b
*(1+coth(x))+2*(a+b)^(1/2)*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2))/(1
+coth(x)))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 832 vs. $2(51) = 102$.

Time = 0.19 (sec) , antiderivative size = 2296, normalized size of antiderivative = 36.44

$$\int \coth^3(x) \sqrt{a + b \coth^2(x)} dx = \text{Too large to display}$$

input `integrate(coth(x)^3*(a+b*coth(x)^2)^(1/2),x, algorithm="fricas")`

output

```
[1/12*(3*(b*cosh(x)^6 + 6*b*cosh(x)*sinh(x)^5 + b*sinh(x)^6 - 3*b*cosh(x)^4 + 3*(5*b*cosh(x)^2 - b)*sinh(x)^4 + 4*(5*b*cosh(x)^3 - 3*b*cosh(x))*sinh(x)^3 + 3*b*cosh(x)^2 + 3*(5*b*cosh(x)^4 - 6*b*cosh(x)^2 + b)*sinh(x)^2 + 6*(b*cosh(x)^5 - 2*b*cosh(x)^3 + b*cosh(x))*sinh(x) - b)*sqrt(a + b)*log(-((a^3 + a^2*b)*cosh(x)^8 + 8*(a^3 + a^2*b)*cosh(x)*sinh(x)^7 + (a^3 + a^2*b)*sinh(x)^8 - 2*(2*a^3 + a^2*b)*cosh(x)^6 - 2*(2*a^3 + a^2*b - 14*(a^3 + a^2*b)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a^3 + a^2*b)*cosh(x)^3 - 3*(2*a^3 + a^2*b)*cosh(x))*sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^4 + (70*(a^3 + a^2*b)*cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 - 30*(2*a^3 + a^2*b)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a^3 + a^2*b)*cosh(x)^5 - 10*(2*a^3 + a^2*b)*cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 2*(2*a^3 + 3*a^2*b - b^3)*cosh(x)^2 + 2*(14*(a^3 + a^2*b)*cosh(x)^6 - 15*(2*a^3 + a^2*b)*cosh(x)^4 - 2*a^3 - 3*a^2*b + b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(a^2*cosh(x)^6 + 6*a^2*cosh(x)*sinh(x)^5 + a^2*sinh(x)^6 - 3*a^2*cosh(x)^4 + 3*(5*a^2*cosh(x)^2 - a^2)*sinh(x)^4 + 4*(5*a^2*cosh(x)^3 - 3*a^2*cosh(x))*sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x)^2 + (15*a^2*cosh(x)^4 - 18*a^2*cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*a^2*cosh(x)^5 - 6*a^2*cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x))*sinh(x))*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - ...
```


Sympy [F]

$$\int \coth^3(x) \sqrt{a + b \coth^2(x)} dx = \int \sqrt{a + b \coth^2(x)} \coth^3(x) dx$$

input `integrate(coth(x)**3*(a+b*coth(x)**2)**(1/2),x)`

output `Integral(sqrt(a + b*coth(x)**2)*coth(x)**3, x)`

Maxima [F]

$$\int \coth^3(x) \sqrt{a + b \coth^2(x)} dx = \int \sqrt{b \coth^2(x) + a} \coth^3(x) dx$$

input `integrate(coth(x)^3*(a+b*coth(x)^2)^(1/2),x, algorithm="maxima")`

output `integrate(sqrt(b*coth(x)^2 + a)*coth(x)^3, x)`

Giac [F(-2)]

Exception generated.

$$\int \coth^3(x) \sqrt{a + b \coth^2(x)} dx = \text{Exception raised: TypeError}$$

input `integrate(coth(x)^3*(a+b*coth(x)^2)^(1/2),x, algorithm="giac")`

output `Exception raised: TypeError >> an error occurred running a Giac command:IN
PUT:sage2:=int(sage0,sageVARx):;OUTPUT:Error: Bad Argument Type`

Mupad [B] (verification not implemented)

Time = 4.37 (sec) , antiderivative size = 66, normalized size of antiderivative = 1.05

$$\int \coth^3(x) \sqrt{a + b \coth^2(x)} dx = -\sqrt{b \coth^2(x) + a} - \frac{(b \coth^2(x) + a)^{3/2}}{3b} - 2 \operatorname{atan} \left(\frac{2 \sqrt{b \coth^2(x) + a} \sqrt{-\frac{a}{4} - \frac{b}{4}}}{a + b} \right) \sqrt{-\frac{a}{4} - \frac{b}{4}}$$

input `int(coth(x)^3*(a + b*coth(x)^2)^(1/2),x)`output `- (a + b*coth(x)^2)^(1/2) - (a + b*coth(x)^2)^(3/2)/(3*b) - 2*atan((2*(a + b*coth(x)^2)^(1/2)*(- a/4 - b/4)^(1/2))/(a + b))*(- a/4 - b/4)^(1/2)`**Reduce [F]**

$$\int \coth^3(x) \sqrt{a + b \coth^2(x)} dx = \frac{-\sqrt{\coth^2(x)b + a} \coth^2(x)b + 2\sqrt{\coth^2(x)b + a}a + 3 \left(\int \frac{\sqrt{\coth^2(x)b + a} \coth^3(x)}{\coth^2(x)b + a} dx \right) ab + 3 \left(\int \frac{\sqrt{\coth^2(x)b + a}}{\coth(x)} dx \right)}{3b}$$

input `int(coth(x)^3*(a+b*coth(x)^2)^(1/2),x)`output `(- sqrt(coth(x)**2*b + a)*coth(x)**2*b + 2*sqrt(coth(x)**2*b + a)*a + 3*int((sqrt(coth(x)**2*b + a)*coth(x)**3)/(coth(x)**2*b + a),x)*a*b + 3*int((sqrt(coth(x)**2*b + a)*coth(x)**3)/(coth(x)**2*b + a),x)*b**2)/(3*b)`

3.17 $\int \coth^2(x) \sqrt{a + b \coth^2(x)} dx$

Optimal result	162
Mathematica [B] (verified)	163
Rubi [A] (verified)	163
Maple [B] (verified)	166
Fricas [B] (verification not implemented)	167
Sympy [F]	168
Maxima [F]	168
Giac [F(-2)]	168
Mupad [F(-1)]	169
Reduce [F]	169

Optimal result

Integrand size = 17, antiderivative size = 85

$$\int \coth^2(x) \sqrt{a + b \coth^2(x)} dx = -\frac{(a + 2b) \operatorname{arctanh}\left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}}\right)}{2\sqrt{b}} + \sqrt{a + b} \operatorname{arctanh}\left(\frac{\sqrt{a + b} \coth(x)}{\sqrt{a + b \coth^2(x)}}\right) - \frac{1}{2} \coth(x) \sqrt{a + b \coth^2(x)}$$

output

```
-1/2*(a+2*b)*arctanh(b^(1/2)*coth(x)/(a+b*coth(x)^2)^(1/2))/b^(1/2)+(a+b)^(1/2)*arctanh((a+b)^(1/2)*coth(x)/(a+b*coth(x)^2)^(1/2))-1/2*coth(x)*(a+b*coth(x)^2)^(1/2)
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 191 vs. $2(85) = 170$.

Time = 0.55 (sec) , antiderivative size = 191, normalized size of antiderivative = 2.25

$$\int \coth^2(x) \sqrt{a + b \coth^2(x)} dx = \frac{\sqrt{(-a + b + (a + b) \cosh(2x)) \operatorname{csch}^2(x)} \left(\sqrt{2} \sqrt{a + b} (a + 2b) \operatorname{arctanh} \left(\frac{\sqrt{2} \sqrt{b} \cosh(x)}{\sqrt{-a + b + (a + b) \cosh(2x)}} \right) + \sqrt{b} (-2\sqrt{a + b}) \right)}{2\sqrt{2} \sqrt{b} \sqrt{a + b} \sqrt{-a + b}}$$

input `Integrate[Coth[x]^2*Sqrt[a + b*Coth[x]^2], x]`

output `-1/2*(Sqrt[(-a + b + (a + b)*Cosh[2*x])*Csch[x]^2]*(Sqrt[2]*Sqrt[a + b]*(a + 2*b)*ArcTanh[(Sqrt[2]*Sqrt[b]*Cosh[x])/Sqrt[-a + b + (a + b)*Cosh[2*x]]] + Sqrt[b]*(-2*Sqrt[2]*(a + b)*ArcTanh[(Sqrt[2]*Sqrt[a + b]*Cosh[x])/Sqrt[-a + b + (a + b)*Cosh[2*x]]]) + Sqrt[a + b]*Sqrt[-a + b + (a + b)*Cosh[2*x]]*Coth[x]*Csch[x]))*Sinh[x])/(Sqrt[2]*Sqrt[b]*Sqrt[a + b]*Sqrt[-a + b + (a + b)*Cosh[2*x]])`

Rubi [A] (verified)

Time = 0.34 (sec) , antiderivative size = 89, normalized size of antiderivative = 1.05, number of steps used = 11, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.588$, Rules used = {3042, 25, 4153, 25, 380, 398, 224, 219, 291, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \coth^2(x) \sqrt{a + b \coth^2(x)} dx$$

$$\downarrow \text{3042}$$

$$\int -\tan\left(\frac{\pi}{2} + ix\right)^2 \sqrt{a - b \tan\left(\frac{\pi}{2} + ix\right)^2} dx$$

$$\downarrow \text{25}$$

$$- \int \tan \left(ix + \frac{\pi}{2} \right)^2 \sqrt{a - b \tan \left(ix + \frac{\pi}{2} \right)^2} dx$$

↓ 4153

$$- \int - \frac{\coth^2(x) \sqrt{b \coth^2(x) + a}}{1 - \coth^2(x)} d \coth(x)$$

↓ 25

$$\int \frac{\coth^2(x) \sqrt{a + b \coth^2(x)}}{1 - \coth^2(x)} d \coth(x)$$

↓ 380

$$\frac{1}{2} \int \frac{(a + 2b) \coth^2(x) + a}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) - \frac{1}{2} \coth(x) \sqrt{a + b \coth^2(x)}$$

↓ 398

$$\frac{1}{2} \left(2(a + b) \int \frac{1}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) - (a + 2b) \int \frac{1}{\sqrt{b \coth^2(x) + a}} d \coth(x) \right) - \frac{1}{2} \coth(x) \sqrt{a + b \coth^2(x)}$$

↓ 224

$$\frac{1}{2} \left(2(a + b) \int \frac{1}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) - (a + 2b) \int \frac{1}{1 - \frac{b \coth^2(x)}{b \coth^2(x) + a}} d \frac{\coth(x)}{\sqrt{b \coth^2(x) + a}} \right) - \frac{1}{2} \coth(x) \sqrt{a + b \coth^2(x)}$$

↓ 219

$$\frac{1}{2} \left(2(a + b) \int \frac{1}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) - \frac{(a + 2b) \operatorname{arctanh} \left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right)}{\sqrt{b}} \right) - \frac{1}{2} \coth(x) \sqrt{a + b \coth^2(x)}$$

↓ 291

$$\frac{1}{2} \left(2(a+b) \int \frac{1}{1 - \frac{(a+b)\coth^2(x)}{b\coth^2(x)+a}} d \frac{\coth(x)}{\sqrt{b\coth^2(x)+a}} - \frac{(a+2b)\operatorname{arctanh}\left(\frac{\sqrt{b}\coth(x)}{\sqrt{a+b\coth^2(x)}}\right)}{\sqrt{b}} \right) - \frac{1}{2} \coth(x) \sqrt{a+b\coth^2(x)}$$

↓ 219

$$\frac{1}{2} \left(2\sqrt{a+b}\operatorname{arctanh}\left(\frac{\sqrt{a+b}\coth(x)}{\sqrt{a+b\coth^2(x)}}\right) - \frac{(a+2b)\operatorname{arctanh}\left(\frac{\sqrt{b}\coth(x)}{\sqrt{a+b\coth^2(x)}}\right)}{\sqrt{b}} \right) - \frac{1}{2} \coth(x) \sqrt{a+b\coth^2(x)}$$

input `Int[Coth[x]^2*Sqrt[a + b*Coth[x]^2], x]`

output `(-(((a + 2*b)*ArcTanh[(Sqrt[b]*Coth[x])/Sqrt[a + b*Coth[x]^2]])/Sqrt[b]) + 2*Sqrt[a + b]*ArcTanh[(Sqrt[a + b]*Coth[x])/Sqrt[a + b*Coth[x]^2]])/2 - (Coth[x]*Sqrt[a + b*Coth[x]^2])/2`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 219 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

rule 224 `Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]`

rule 291 `Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*((c_) + (d_)*(x_)^2)), x_Symbol] := Subst
[Int[1/(c - (b*c - a*d)*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b, c,
d}, x] && NeQ[b*c - a*d, 0]`

rule 380 `Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_)*((c_) + (d_)*(x_)^2)^(q_
) , x_Symbol] := Simp[e*(e*x)^(m - 1)*(a + b*x^2)^(p + 1)*((c + d*x^2)^q/(b*
m + 2*(p + q) + 1)), x] - Simp[e^2/(b*(m + 2*(p + q) + 1)) Int[(e*x)^(m
- 2)*(a + b*x^2)^p*(c + d*x^2)^(q - 1)*Simp[a*c*(m - 1) + (a*d*(m - 1) - 2
q(b*c - a*d))*x^2, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c
- a*d, 0] && GtQ[q, 0] && GtQ[m, 1] && IntBinomialQ[a, b, c, d, e, m, 2, p,
q, x]`

rule 398 `Int[((e_) + (f_)*(x_)^2)/(((a_) + (b_)*(x_)^2)*Sqrt[(c_) + (d_)*(x_)^2])
, x_Symbol] := Simp[f/b Int[1/Sqrt[c + d*x^2], x], x] + Simp[(b*e - a*f)/
b Int[1/((a + b*x^2)*Sqrt[c + d*x^2]), x], x] /; FreeQ[{a, b, c, d, e, f}
, x]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinear
Q[u, x]`

rule 4153 `Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) +
(f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Simp[c*(ff/f) Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + f
f^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m,
n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ratio
nalQ[n]))`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 275 vs. $2(67) = 134$.

Time = 0.10 (sec) , antiderivative size = 276, normalized size of antiderivative = 3.25

method	result
derivativedivides	$-\frac{\coth(x)\sqrt{a+b\coth(x)^2}}{2} - \frac{a \ln\left(\sqrt{b}\coth(x)+\sqrt{a+b\coth(x)^2}\right)}{2\sqrt{b}} - \frac{\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}}{2} - \dots$
default	$-\frac{\coth(x)\sqrt{a+b\coth(x)^2}}{2} - \frac{a \ln\left(\sqrt{b}\coth(x)+\sqrt{a+b\coth(x)^2}\right)}{2\sqrt{b}} - \frac{\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}}{2} - \dots$

input `int(coth(x)^2*(a+b*coth(x)^2)^(1/2),x,method=_RETURNVERBOSE)`

output `-1/2*coth(x)*(a+b*coth(x)^2)^(1/2)-1/2*a/b^(1/2)*ln(b^(1/2)*coth(x)+(a+b*coth(x)^2)^(1/2))-1/2*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2)-1/2*b^(1/2)*ln((b*(coth(x)-1)+b)/b^(1/2)+(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2)))+1/2*(a+b)^(1/2)*ln((2*a+2*b+2*b*(coth(x)-1)+2*(a+b)^(1/2)*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2)))/(coth(x)-1))+1/2*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)-1/2*b^(1/2)*ln((b*(1+coth(x))-b)/b^(1/2)+(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2))-1/2*(a+b)^(1/2)*ln((2*a+2*b-2*b*(1+coth(x))+2*(a+b)^(1/2)*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)))/(1+coth(x)))`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 829 vs. 2(67) = 134.

Time = 0.27 (sec) , antiderivative size = 4721, normalized size of antiderivative = 55.54

$$\int \coth^2(x)\sqrt{a+b\coth^2(x)} dx = \text{Too large to display}$$

input `integrate(coth(x)^2*(a+b*coth(x)^2)^(1/2),x, algorithm="fricas")`

output `Too large to include`

Sympy [F]

$$\int \coth^2(x) \sqrt{a + b \coth^2(x)} dx = \int \sqrt{a + b \coth^2(x)} \coth^2(x) dx$$

input `integrate(coth(x)**2*(a+b*coth(x)**2)**(1/2),x)`

output `Integral(sqrt(a + b*coth(x)**2)*coth(x)**2, x)`

Maxima [F]

$$\int \coth^2(x) \sqrt{a + b \coth^2(x)} dx = \int \sqrt{b \coth^2(x)^2 + a} \coth(x)^2 dx$$

input `integrate(coth(x)^2*(a+b*coth(x)^2)^(1/2),x, algorithm="maxima")`

output `integrate(sqrt(b*coth(x)^2 + a)*coth(x)^2, x)`

Giac [F(-2)]

Exception generated.

$$\int \coth^2(x) \sqrt{a + b \coth^2(x)} dx = \text{Exception raised: TypeError}$$

input `integrate(coth(x)^2*(a+b*coth(x)^2)^(1/2),x, algorithm="giac")`

output `Exception raised: TypeError >> an error occurred running a Giac command:IN
PUT:sage2:=int(sage0,sageVARx):;OUTPUT:Error: Bad Argument Type`

Mupad [F(-1)]

Timed out.

$$\int \coth^2(x) \sqrt{a + b \coth^2(x)} dx = \int \coth(x)^2 \sqrt{b \coth(x)^2 + a} dx$$

input `int(coth(x)^2*(a + b*coth(x)^2)^(1/2), x)`output `int(coth(x)^2*(a + b*coth(x)^2)^(1/2), x)`**Reduce [F]**

$$\int \coth^2(x) \sqrt{a + b \coth^2(x)} dx = \int \sqrt{\coth(x)^2 b + a} \coth(x)^2 dx$$

input `int(coth(x)^2*(a+b*coth(x)^2)^(1/2), x)`output `int(sqrt(coth(x)**2*b + a)*coth(x)**2, x)`

3.18 $\int \coth(x) \sqrt{a + b \coth^2(x)} dx$

Optimal result	170
Mathematica [A] (verified)	170
Rubi [A] (verified)	171
Maple [B] (verified)	173
Fricas [B] (verification not implemented)	174
Sympy [F]	175
Maxima [F]	175
Giac [F(-2)]	175
Mupad [B] (verification not implemented)	176
Reduce [F]	176

Optimal result

Integrand size = 15, antiderivative size = 44

$$\int \coth(x) \sqrt{a + b \coth^2(x)} dx = \sqrt{a + b} \operatorname{arctanh} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}} \right) - \sqrt{a + b \coth^2(x)}$$

output

```
(a+b)^(1/2)*arctanh((a+b*coth(x)^2)^(1/2)/(a+b)^(1/2))- (a+b*coth(x)^2)^(1/2)
```

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 44, normalized size of antiderivative = 1.00

$$\int \coth(x) \sqrt{a + b \coth^2(x)} dx = \sqrt{a + b} \operatorname{arctanh} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}} \right) - \sqrt{a + b \coth^2(x)}$$

input

```
Integrate[Coth[x]*Sqrt[a + b*Coth[x]^2],x]
```

output

```
Sqrt[a + b]*ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]] - Sqrt[a + b*Coth[x]^2]
```

Rubi [A] (verified)

Time = 0.26 (sec) , antiderivative size = 49, normalized size of antiderivative = 1.11, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.533$, Rules used = {3042, 26, 4153, 26, 353, 60, 73, 221}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \coth(x) \sqrt{a + b \coth^2(x)} dx \\
 & \quad \downarrow \text{3042} \\
 & \int -i \tan\left(\frac{\pi}{2} + ix\right) \sqrt{a - b \tan\left(\frac{\pi}{2} + ix\right)^2} dx \\
 & \quad \downarrow \text{26} \\
 & -i \int \tan\left(ix + \frac{\pi}{2}\right) \sqrt{a - b \tan\left(ix + \frac{\pi}{2}\right)^2} dx \\
 & \quad \downarrow \text{4153} \\
 & -i \int \frac{i \coth(x) \sqrt{b \coth^2(x) + a}}{1 - \coth^2(x)} d \coth(x) \\
 & \quad \downarrow \text{26} \\
 & \int \frac{\coth(x) \sqrt{a + b \coth^2(x)}}{1 - \coth^2(x)} d \coth(x) \\
 & \quad \downarrow \text{353} \\
 & \frac{1}{2} \int \frac{\sqrt{b \coth^2(x) + a}}{1 - \coth^2(x)} d \coth^2(x) \\
 & \quad \downarrow \text{60} \\
 & \frac{1}{2} \left((a + b) \int \frac{1}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth^2(x) - 2 \sqrt{a + b \coth^2(x)} \right) \\
 & \quad \downarrow \text{73}
 \end{aligned}$$

$$\frac{1}{2} \left(\frac{2(a+b) \int \frac{1}{\frac{a+b}{b} - \frac{\coth^4(x)}{b}} d\sqrt{b \coth^2(x) + a}}{b} - 2\sqrt{a+b \coth^2(x)} \right)$$

↓ 221

$$\frac{1}{2} \left(2\sqrt{a+b} \operatorname{arctanh} \left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}} \right) - 2\sqrt{a+b \coth^2(x)} \right)$$

input `Int[Coth[x]*Sqrt[a + b*Coth[x]^2],x]`

output `(2*Sqrt[a + b]*ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]] - 2*Sqrt[a + b*Coth[x]^2])/2`

Defintions of rubi rules used

rule 26 `Int[(Complex[0, a_]*(F_x_), x_Symbol] := Simp[(Complex[Identity[0], a]) Int[F_x, x], x] /; FreeQ[a, x] && EqQ[a^2, 1]`

rule 60 `Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[(a + b*x)^(m + 1)*((c + d*x)^n/(b*(m + n + 1))), x] + Simp[n*(b*c - a*d)/(b*(m + n + 1)) Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]`

rule 73 `Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Simp[p/b Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

rule 221 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

rule 353 `Int[(x_)*((a_) + (b_)*(x_)^2)^(p_)*((c_) + (d_)*(x_)^2)^(q_), x_Symbol]
-> Simp[1/2 Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^2], x] /; FreeQ[
{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0]`

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinear
Q[u, x]`

rule 4153 `Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) +
(f_)*(x_)])^(n_))^(p_), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x],
x]}, Simp[c*(ff/f) Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + f
f^2*x^2)), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m,
n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ratio
nalQ[n]))`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 237 vs. $2(36) = 72$.

Time = 0.08 (sec) , antiderivative size = 238, normalized size of antiderivative = 5.41

method	result
derivativedivides	$-\frac{\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}}{2} - \frac{\sqrt{b} \ln\left(\frac{b(\coth(x)-1)+b}{\sqrt{b}} + \sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}\right)}{2} +$
default	$-\frac{\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}}{2} - \frac{\sqrt{b} \ln\left(\frac{b(\coth(x)-1)+b}{\sqrt{b}} + \sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}\right)}{2} +$

input `int(coth(x)*(a+b*coth(x)^2)^(1/2),x,method=_RETURNVERBOSE)`

output
$$-1/2*(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^{(1/2)}-1/2*b^{(1/2)}*\ln((b*(\coth(x)-1)+b)/b^{(1/2)}+(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^{(1/2)})+1/2*(a+b)^{(1/2)}*\ln((2*a+2*b+2*b*(\coth(x)-1)+2*(a+b)^{(1/2)}*(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^{(1/2)})/(\coth(x)-1))-1/2*(b*(1+\coth(x))^2-2*b*(1+\coth(x))+a+b)^{(1/2)}+1/2*b^{(1/2)}*\ln((b*(1+\coth(x))-b)/b^{(1/2)}+(b*(1+\coth(x))^2-2*b*(1+\coth(x))+a+b)^{(1/2)})+1/2*(a+b)^{(1/2)}*\ln((2*a+2*b-2*b*(1+\coth(x))+2*(a+b)^{(1/2)}*(b*(1+\coth(x))^2-2*b*(1+\coth(x))+a+b)^{(1/2)})/(1+\coth(x)))$$

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 424 vs. $2(36) = 72$.

Time = 0.17 (sec) , antiderivative size = 1480, normalized size of antiderivative = 33.64

$$\int \coth(x) \sqrt{a + b \coth^2(x)} dx = \text{Too large to display}$$

input `integrate(coth(x)*(a+b*coth(x)^2)^(1/2),x, algorithm="fricas")`

output

```
[1/4*((cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(a + b)*log(-(a
^3 + a^2*b)*cosh(x)^8 + 8*(a^3 + a^2*b)*cosh(x)*sinh(x)^7 + (a^3 + a^2*b)*
sinh(x)^8 - 2*(2*a^3 + a^2*b)*cosh(x)^6 - 2*(2*a^3 + a^2*b - 14*(a^3 + a^2
*b)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a^3 + a^2*b)*cosh(x)^3 - 3*(2*a^3 + a^2*
b)*cosh(x))*sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^4 + (70*(a
^3 + a^2*b)*cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 - 30*(2*a^3 + a^2*b)
*cosh(x)^2)*sinh(x)^4 + 4*(14*(a^3 + a^2*b)*cosh(x)^5 - 10*(2*a^3 + a^2*b)
*cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*
a^2*b + 3*a*b^2 + b^3 - 2*(2*a^3 + 3*a^2*b - b^3)*cosh(x)^2 + 2*(14*(a^3 +
a^2*b)*cosh(x)^6 - 15*(2*a^3 + a^2*b)*cosh(x)^4 - 2*a^3 - 3*a^2*b + b^3 +
3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(a^2*cos
h(x)^6 + 6*a^2*cosh(x)*sinh(x)^5 + a^2*sinh(x)^6 - 3*a^2*cosh(x)^4 + 3*(5*
a^2*cosh(x)^2 - a^2)*sinh(x)^4 + 4*(5*a^2*cosh(x)^3 - 3*a^2*cosh(x))*sinh(
x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x)^2 + (15*a^2*cosh(x)^4 - 18*a^2*cosh(x)
)^2 + 3*a^2 + 2*a*b - b^2)*sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*a^2*cosh(x)
)^5 - 6*a^2*cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x))*sinh(x))*sqrt(a + b
)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh
(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a^3 + a^2*b)*cosh(x)^7 - 3*(2*a^3 + a^2*
b)*cosh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^3 - (2*a^3 + 3*a^2*
b - b^3)*cosh(x))*sinh(x))/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cosh(x)...
```

Sympy [F]

$$\int \coth(x) \sqrt{a + b \coth^2(x)} dx = \int \sqrt{a + b \coth^2(x)} \coth(x) dx$$

input `integrate(coth(x)*(a+b*coth(x)**2)**(1/2), x)`

output `Integral(sqrt(a + b*coth(x)**2)*coth(x), x)`

Maxima [F]

$$\int \coth(x) \sqrt{a + b \coth^2(x)} dx = \int \sqrt{b \coth^2(x) + a} \coth(x) dx$$

input `integrate(coth(x)*(a+b*coth(x)^2)^(1/2), x, algorithm="maxima")`

output `integrate(sqrt(b*coth(x)^2 + a)*coth(x), x)`

Giac [F(-2)]

Exception generated.

$$\int \coth(x) \sqrt{a + b \coth^2(x)} dx = \text{Exception raised: TypeError}$$

input `integrate(coth(x)*(a+b*coth(x)^2)^(1/2), x, algorithm="giac")`

output `Exception raised: TypeError >> an error occurred running a Giac command:IN
PUT:sage2:=int(sage0,sageVARx):;OUTPUT:Error: Bad Argument Type`

Mupad [B] (verification not implemented)

Time = 2.78 (sec) , antiderivative size = 51, normalized size of antiderivative = 1.16

$$\int \coth(x) \sqrt{a + b \coth^2(x)} dx = -\sqrt{b \coth(x)^2 + a} - 2 \operatorname{atan} \left(\frac{2 \sqrt{b \coth(x)^2 + a} \sqrt{-\frac{a}{4} - \frac{b}{4}}}{a + b} \right) \sqrt{-\frac{a}{4} - \frac{b}{4}}$$

input `int(coth(x)*(a + b*coth(x)^2)^(1/2),x)`output `-(a + b*coth(x)^2)^(1/2) - 2*atan((2*(a + b*coth(x)^2)^(1/2)*(- a/4 - b/4)^(1/2))/(a + b))*(- a/4 - b/4)^(1/2)`**Reduce [F]**

$$\int \coth(x) \sqrt{a + b \coth^2(x)} dx = \frac{\sqrt{\coth(x)^2 b + a} a + \left(\int \frac{\sqrt{\coth(x)^2 b + a} \coth(x)^3}{\coth(x)^2 b + a} dx \right) a b + \left(\int \frac{\sqrt{\coth(x)^2 b + a} \coth(x)^3}{\coth(x)^2 b + a} dx \right) b^2}{b}$$

input `int(coth(x)*(a+b*coth(x)^2)^(1/2),x)`output `(sqrt(coth(x)**2*b + a)*a + int((sqrt(coth(x)**2*b + a)*coth(x)**3)/(coth(x)**2*b + a),x)*a*b + int((sqrt(coth(x)**2*b + a)*coth(x)**3)/(coth(x)**2*b + a),x)*b**2)/b`

3.19 $\int \sqrt{a + b \coth^2(x)} dx$

Optimal result	177
Mathematica [A] (verified)	177
Rubi [A] (verified)	178
Maple [B] (verified)	180
Fricas [B] (verification not implemented)	181
Sympy [F]	181
Maxima [F]	181
Giac [B] (verification not implemented)	182
Mupad [F(-1)]	182
Reduce [F]	183

Optimal result

Integrand size = 12, antiderivative size = 60

$$\int \sqrt{a + b \coth^2(x)} dx = -\sqrt{b} \operatorname{arctanh} \left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right) + \sqrt{a + b} \operatorname{arctanh} \left(\frac{\sqrt{a + b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right)$$

output

$-b^{(1/2)} \operatorname{arctanh}(b^{(1/2)} \coth(x) / (a + b \coth(x)^2)^{(1/2)}) + (a + b)^{(1/2)} \operatorname{arctanh}((a + b)^{(1/2)} \coth(x) / (a + b \coth(x)^2)^{(1/2)})$

Mathematica [A] (verified)

Time = 0.21 (sec) , antiderivative size = 82, normalized size of antiderivative = 1.37

$$\int \sqrt{a + b \coth^2(x)} dx = \sqrt{-a - b} \operatorname{arctan} \left(\frac{\coth(x) \sqrt{a + b \coth^2(x)} - \sqrt{b} \operatorname{csch}^2(x)}{\sqrt{-a - b}} \right) + \sqrt{b} \log \left(-\sqrt{b} \coth(x) + \sqrt{a + b \coth^2(x)} \right)$$

input `Integrate[Sqrt[a + b*Coth[x]^2],x]`

output `Sqrt[-a - b]*ArcTan[(Coth[x]*Sqrt[a + b*Coth[x]^2] - Sqrt[b]*Csch[x]^2)/Sqrt[-a - b]] + Sqrt[b]*Log[-(Sqrt[b]*Coth[x]) + Sqrt[a + b*Coth[x]^2]]`

Rubi [A] (verified)

Time = 0.25 (sec) , antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$, Rules used = {3042, 4144, 301, 224, 219, 291, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \sqrt{a + b \coth^2(x)} dx \\
 & \quad \downarrow \text{3042} \\
 & \int \sqrt{a - b \tan\left(\frac{\pi}{2} + ix\right)^2} dx \\
 & \quad \downarrow \text{4144} \\
 & \int \frac{\sqrt{a + b \coth^2(x)}}{1 - \coth^2(x)} d \coth(x) \\
 & \quad \downarrow \text{301} \\
 & (a + b) \int \frac{1}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) - b \int \frac{1}{\sqrt{b \coth^2(x) + a}} d \coth(x) \\
 & \quad \downarrow \text{224} \\
 & (a + b) \int \frac{1}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) - b \int \frac{1}{1 - \frac{b \coth^2(x)}{b \coth^2(x) + a}} d \frac{\coth(x)}{\sqrt{b \coth^2(x) + a}} \\
 & \quad \downarrow \text{219} \\
 & (a + b) \int \frac{1}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) - \sqrt{b} \operatorname{arctanh}\left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}}\right)
 \end{aligned}$$

$$\begin{aligned}
 & \downarrow 291 \\
 (a+b) \int \frac{1}{1 - \frac{(a+b)\coth^2(x)}{b\coth^2(x)+a}} d \frac{\coth(x)}{\sqrt{b\coth^2(x)+a}} - \sqrt{b} \operatorname{arctanh} \left(\frac{\sqrt{b}\coth(x)}{\sqrt{a+b\coth^2(x)}} \right) \\
 & \downarrow 219 \\
 \sqrt{a+b} \operatorname{arctanh} \left(\frac{\sqrt{a+b}\coth(x)}{\sqrt{a+b\coth^2(x)}} \right) - \sqrt{b} \operatorname{arctanh} \left(\frac{\sqrt{b}\coth(x)}{\sqrt{a+b\coth^2(x)}} \right)
 \end{aligned}$$

input `Int[Sqrt[a + b*Coth[x]^2], x]`

output `-(Sqrt[b]*ArcTanh[(Sqrt[b]*Coth[x])/Sqrt[a + b*Coth[x]^2]]) + Sqrt[a + b]*ArcTanh[(Sqrt[a + b]*Coth[x])/Sqrt[a + b*Coth[x]^2]]`

Defintions of rubi rules used

rule 219 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

rule 224 `Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]`

rule 291 `Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*((c_) + (d_.)*(x_)^2)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]`

rule 301 `Int[((a_) + (b_.)*(x_)^2)^(p_.)/((c_) + (d_.)*(x_)^2), x_Symbol] := Simp[b/d Int[(a + b*x^2)^(p - 1), x], x] - Simp[(b*c - a*d)/d Int[(a + b*x^2)^(p - 1)/(c + d*x^2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[p, 0] && (EqQ[p, 1/2] || EqQ[Denominator[p], 4] || (EqQ[p, 2/3] && EqQ[b*c + 3*a*d, 0]))`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4144 `Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[c*(ff/f) Subst[Int[(a + b*(ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 237 vs. 2(48) = 96.

Time = 0.07 (sec) , antiderivative size = 238, normalized size of antiderivative = 3.97

method	result
derivativedivides	$-\frac{\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}}{2} - \frac{\sqrt{b} \ln\left(\frac{b(\coth(x)-1)+b}{\sqrt{b}} + \sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}\right)}{2} +$
default	$-\frac{\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}}{2} - \frac{\sqrt{b} \ln\left(\frac{b(\coth(x)-1)+b}{\sqrt{b}} + \sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}\right)}{2} +$

input `int((a+b*coth(x)^2)^(1/2),x,method=_RETURNVERBOSE)`

output
$$\begin{aligned} & -1/2*(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^{(1/2)}-1/2*b^{(1/2)}*\ln((b*(\coth(x)-1)+b)/b^{(1/2)}+(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^{(1/2)})+1/2*(a+b)^{(1/2)} \\ & * \ln((2*a+2*b+2*b*(\coth(x)-1)+2*(a+b)^{(1/2)}*(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^{(1/2)})/(\coth(x)-1))+1/2*(b*(1+\coth(x))^2-2*b*(1+\coth(x))+a+b)^{(1/2)} \\ & -1/2*b^{(1/2)}*\ln((b*(1+\coth(x))-b)/b^{(1/2)}+(b*(1+\coth(x))^2-2*b*(1+\coth(x))+a+b)^{(1/2)})-1/2*(a+b)^{(1/2)} \\ & * \ln((2*a+2*b-2*b*(1+\coth(x))+2*(a+b)^{(1/2)}*(b*(1+\coth(x))^2-2*b*(1+\coth(x))+a+b)^{(1/2)})/(1+\coth(x))) \end{aligned}$$

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 474 vs. $2(48) = 96$.

Time = 0.23 (sec) , antiderivative size = 3299, normalized size of antiderivative = 54.98

$$\int \sqrt{a + b \coth^2(x)} dx = \text{Too large to display}$$

input `integrate((a+b*coth(x)^2)^(1/2),x, algorithm="fricas")`

output Too large to include

Sympy [F]

$$\int \sqrt{a + b \coth^2(x)} dx = \int \sqrt{a + b \coth^2(x)} dx$$

input `integrate((a+b*coth(x)**2)**(1/2),x)`

output `Integral(sqrt(a + b*coth(x)**2), x)`

Maxima [F]

$$\int \sqrt{a + b \coth^2(x)} dx = \int \sqrt{b \coth(x)^2 + a} dx$$

input `integrate((a+b*coth(x)^2)^(1/2),x, algorithm="maxima")`

output `integrate(sqrt(b*coth(x)^2 + a), x)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 262 vs. $2(48) = 96$.

Time = 0.33 (sec) , antiderivative size = 262, normalized size of antiderivative = 4.37

$$\int \sqrt{a + b \coth^2(x)} dx$$

$$= \frac{1}{2} \left(\frac{4b \arctan \left(-\frac{\sqrt{a+be^{2x}} - \sqrt{ae^{4x} + be^{4x}} - 2ae^{2x} + 2be^{2x} + a + b - \sqrt{a+b}}{2\sqrt{-b}} \right)}{\sqrt{-b}} - \sqrt{a+b} \log \left(\left| \left(\sqrt{a+be^{2x}} - \sqrt{ae^{4x} + be^{4x}} - 2ae^{2x} + 2be^{2x} + a + b - \sqrt{a+b} \right) \right| \right) \right) - 1$$

input `integrate((a+b*coth(x)^2)^(1/2),x, algorithm="giac")`

output

```
1/2*(4*b*arctan(-1/2*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) - sqrt(a + b))/sqrt(-b))/sqrt(-b) - sqrt(a + b)*log(abs((sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b))*(a + b) - sqrt(a + b)*(a - b))) + sqrt(a + b)*log(abs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) + sqrt(a + b))) - sqrt(a + b)*log(abs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) - sqrt(a + b))))*sgn(e^(2*x) - 1)
```

Mupad [F(-1)]

Timed out.

$$\int \sqrt{a + b \coth^2(x)} dx = \int \sqrt{b \coth^2(x) + a} dx$$

input `int((a + b*coth(x)^2)^(1/2),x)`

output

```
int((a + b*coth(x)^2)^(1/2), x)
```

Reduce [F]

$$\int \sqrt{a + b \coth^2(x)} dx = \int \sqrt{\coth(x)^2 b + a} dx$$

input `int((a+b*coth(x)^2)^(1/2),x)`

output `int(sqrt(coth(x)**2*b + a),x)`

3.20 $\int \sqrt{a + b \coth^2(x)} \tanh(x) dx$

Optimal result	184
Mathematica [A] (verified)	184
Rubi [A] (verified)	185
Maple [F]	187
Fricas [B] (verification not implemented)	188
Sympy [F]	188
Maxima [F]	188
Giac [B] (verification not implemented)	189
Mupad [F(-1)]	189
Reduce [F]	190

Optimal result

Integrand size = 15, antiderivative size = 56

$$\int \sqrt{a + b \coth^2(x)} \tanh(x) dx = -\sqrt{a} \operatorname{arctanh} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a}} \right) + \sqrt{a + b} \operatorname{arctanh} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}} \right)$$

output

```
-a^(1/2)*arctanh((a+b*coth(x)^2)^(1/2)/a^(1/2))+(a+b)^(1/2)*arctanh((a+b*coth(x)^2)^(1/2)/(a+b)^(1/2))
```

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 56, normalized size of antiderivative = 1.00

$$\int \sqrt{a + b \coth^2(x)} \tanh(x) dx = -\sqrt{a} \operatorname{arctanh} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a}} \right) + \sqrt{a + b} \operatorname{arctanh} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}} \right)$$

input `Integrate[Sqrt[a + b*Coth[x]^2]*Tanh[x], x]`

output `-(Sqrt[a]*ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a]]) + Sqrt[a + b]*ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]]`

Rubi [A] (verified)

Time = 0.31 (sec) , antiderivative size = 61, normalized size of antiderivative = 1.09, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.533$, Rules used = {3042, 26, 4153, 26, 354, 94, 73, 221}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \tanh(x) \sqrt{a + b \coth^2(x)} dx \\
 & \quad \downarrow \text{3042} \\
 & \int \frac{i \sqrt{a - b \tan\left(\frac{\pi}{2} + ix\right)^2}}{\tan\left(\frac{\pi}{2} + ix\right)} dx \\
 & \quad \downarrow \text{26} \\
 & i \int \frac{\sqrt{a - b \tan\left(ix + \frac{\pi}{2}\right)^2}}{\tan\left(ix + \frac{\pi}{2}\right)} dx \\
 & \quad \downarrow \text{4153} \\
 & i \int -\frac{i \sqrt{b \coth^2(x) + a \tanh(x)}}{1 - \coth^2(x)} d \coth(x) \\
 & \quad \downarrow \text{26} \\
 & \int \frac{\tanh(x) \sqrt{a + b \coth^2(x)}}{1 - \coth^2(x)} d \coth(x) \\
 & \quad \downarrow \text{354} \\
 & \frac{1}{2} \int \frac{\sqrt{b \coth^2(x) + a \tanh(x)}}{1 - \coth^2(x)} d \coth^2(x)
 \end{aligned}$$

$$\begin{aligned}
 & \downarrow 94 \\
 & \frac{1}{2} \left((a+b) \int \frac{1}{(1-\coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth^2(x) + a \int \frac{\tanh(x)}{\sqrt{b \coth^2(x) + a}} d \coth^2(x) \right) \\
 & \downarrow 73 \\
 & \frac{1}{2} \left(\frac{2(a+b) \int \frac{1}{\frac{a+b-\coth^4(x)}{b}} d \sqrt{b \coth^2(x) + a}}{b} + \frac{2a \int \frac{1}{\frac{\coth^4(x)-a}{b}} d \sqrt{b \coth^2(x) + a}}{b} \right) \\
 & \downarrow 221 \\
 & \frac{1}{2} \left(2\sqrt{a+b} \operatorname{arctanh} \left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}} \right) - 2\sqrt{a} \operatorname{arctanh} \left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a}} \right) \right)
 \end{aligned}$$

input `Int[Sqrt[a + b*Coth[x]^2]*Tanh[x], x]`

output `(-2*Sqrt[a]*ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a]] + 2*Sqrt[a + b]*ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]])/2`

Defintions of rubi rules used

rule 26 `Int[(Complex[0, a_])*(Fx_), x_Symbol] := Simp[(Complex[Identity[0], a]) Int[Fx, x], x] /; FreeQ[a, x] && EqQ[a^2, 1]`

rule 73 `Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Simp[p/b Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^(n), x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

rule 94 `Int[((e_.) + (f_.)*(x_))^(p_)/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_] := Simp[(b*e - a*f)/(b*c - a*d) Int[(e + f*x)^(p - 1)/(a + b*x), x], x] - Simp[(d*e - c*f)/(b*c - a*d) Int[(e + f*x)^(p - 1)/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && LtQ[0, p, 1]`

rule 221 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

rule 354 `Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^2)^(p_.)*((c_) + (d_.)*(x_)^2)^(q_.), x_Symbol] := Simp[1/2 Subst[Int[x^((m - 1)/2)*(a + b*x)^p*(c + d*x)^q, x], x, x^2], x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[(m - 1)/2]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4153 `Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_.))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[c*(ff/f) Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + f^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))`

Maple [F]

$$\int \sqrt{a + b \coth(x)^2} \tanh(x) dx$$

input `int((a+b*coth(x)^2)^(1/2)*tanh(x),x)`

output `int((a+b*coth(x)^2)^(1/2)*tanh(x),x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 486 vs. $2(44) = 88$.

Time = 0.23 (sec) , antiderivative size = 3337, normalized size of antiderivative = 59.59

$$\int \sqrt{a + b \coth^2(x)} \tanh(x) dx = \text{Too large to display}$$

input `integrate((a+b*coth(x)^2)^(1/2)*tanh(x),x, algorithm="fricas")`

output Too large to include

Sympy [F]

$$\int \sqrt{a + b \coth^2(x)} \tanh(x) dx = \int \sqrt{a + b \coth^2(x)} \tanh(x) dx$$

input `integrate((a+b*coth(x)**2)**(1/2)*tanh(x),x)`

output `Integral(sqrt(a + b*coth(x)**2)*tanh(x), x)`

Maxima [F]

$$\int \sqrt{a + b \coth^2(x)} \tanh(x) dx = \int \sqrt{b \coth(x)^2 + a} \tanh(x) dx$$

input `integrate((a+b*coth(x)^2)^(1/2)*tanh(x),x, algorithm="maxima")`

output `integrate(sqrt(b*coth(x)^2 + a)*tanh(x), x)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 259 vs. $2(44) = 88$.

Time = 0.30 (sec) , antiderivative size = 259, normalized size of antiderivative = 4.62

$$\int \sqrt{a + b \coth^2(x)} \tanh(x) dx =$$

$$-\frac{1}{2} \left(\frac{4a \arctan \left(-\frac{\sqrt{a+be^{2x}} - \sqrt{ae^{4x} + be^{4x}} - 2ae^{2x} + 2be^{2x} + a + b + \sqrt{a+b}}{2\sqrt{-a}} \right)}{\sqrt{-a}} \right) + \sqrt{a+b} \log \left(\left| \sqrt{a+be^{2x}} - \sqrt{a+b} \right| \right) - 1$$

input `integrate((a+b*coth(x)^2)^(1/2)*tanh(x),x, algorithm="giac")`

output `-1/2*(4*a*arctan(-1/2*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) + sqrt(a + b))/sqrt(-a))/sqrt(-a) + sqrt(a + b)*log(abs((sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b))*(a + b) - sqrt(a + b)*(a - b))) + sqrt(a + b)*log(abs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) + sqrt(a + b))) - sqrt(a + b)*log(abs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) - sqrt(a + b))))*sgn(e^(2*x) - 1)`

Mupad [F(-1)]

Timed out.

$$\int \sqrt{a + b \coth^2(x)} \tanh(x) dx = \int \tanh(x) \sqrt{b \coth^2(x) + a} dx$$

input `int(tanh(x)*(a + b*coth(x)^2)^(1/2),x)`

output `int(tanh(x)*(a + b*coth(x)^2)^(1/2), x)`

Reduce [F]

$$\int \sqrt{a + b \coth^2(x)} \tanh(x) dx = \int \sqrt{\coth(x)^2 b + a} \tanh(x) dx$$

input `int((a+b*coth(x)^2)^(1/2)*tanh(x),x)`

output `int(sqrt(coth(x)**2*b + a)*tanh(x),x)`

3.21 $\int \sqrt{a + b \coth^2(x)} \tanh^2(x) dx$

Optimal result	191
Mathematica [C] (verified)	191
Rubi [A] (verified)	192
Maple [F]	194
Fricas [B] (verification not implemented)	194
Sympy [F]	195
Maxima [F]	196
Giac [F(-2)]	196
Mupad [F(-1)]	196
Reduce [F]	197

Optimal result

Integrand size = 17, antiderivative size = 48

$$\int \sqrt{a + b \coth^2(x)} \tanh^2(x) dx = \sqrt{a + b} \operatorname{arctanh} \left(\frac{\sqrt{a + b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right) - \sqrt{a + b \coth^2(x)} \tanh(x)$$

output

```
(a+b)^(1/2)*arctanh((a+b)^(1/2)*coth(x)/(a+b*coth(x)^2)^(1/2))-(a+b*coth(x)^2)^(1/2)*tanh(x)
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 5 vs. order 3 in optimal.

Time = 0.09 (sec) , antiderivative size = 42, normalized size of antiderivative = 0.88

$$\int \sqrt{a + b \coth^2(x)} \tanh^2(x) dx = -\sqrt{a + b \coth^2(x)} \operatorname{Hypergeometric2F1} \left(-\frac{1}{2}, 1, \frac{1}{2}, \frac{(a + b) \coth^2(x)}{a + b \coth^2(x)} \right) \tanh(x)$$

input

```
Integrate[Sqrt[a + b*Coth[x]^2]*Tanh[x]^2,x]
```


output

```
-(Sqrt[a + b*Coth[x]^2]*Hypergeometric2F1[-1/2, 1, 1/2, ((a + b)*Coth[x]^2
)/(a + b*Coth[x]^2)]*Tanh[x])
```

Rubi [A] (verified)

Time = 0.30 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$, Rules used = {3042, 25, 4153, 25, 377, 27, 291, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \tanh^2(x) \sqrt{a + b \coth^2(x)} dx \\
 & \quad \downarrow \text{3042} \\
 & \int -\frac{\sqrt{a - b \tan^2\left(\frac{\pi}{2} + ix\right)}}{\tan^2\left(\frac{\pi}{2} + ix\right)} dx \\
 & \quad \downarrow \text{25} \\
 & -\int \frac{\sqrt{a - b \tan^2\left(ix + \frac{\pi}{2}\right)}}{\tan^2\left(ix + \frac{\pi}{2}\right)} dx \\
 & \quad \downarrow \text{4153} \\
 & -\int -\frac{\sqrt{b \coth^2(x) + a \tanh^2(x)}}{1 - \coth^2(x)} d \coth(x) \\
 & \quad \downarrow \text{25} \\
 & \int \frac{\tanh^2(x) \sqrt{a + b \coth^2(x)}}{1 - \coth^2(x)} d \coth(x) \\
 & \quad \downarrow \text{377} \\
 & \int \frac{a + b}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) - \tanh(x) \sqrt{a + b \coth^2(x)} \\
 & \quad \downarrow \text{27}
 \end{aligned}$$

$$\begin{aligned}
 & (a+b) \int \frac{1}{(1-\coth^2(x)) \sqrt{b \coth^2(x)+a}} d \coth(x) - \tanh(x) \sqrt{a+b \coth^2(x)} \\
 & \quad \downarrow \text{291} \\
 & (a+b) \int \frac{1}{1-\frac{(a+b)\coth^2(x)}{b \coth^2(x)+a}} d \frac{\coth(x)}{\sqrt{b \coth^2(x)+a}} - \tanh(x) \sqrt{a+b \coth^2(x)} \\
 & \quad \downarrow \text{219} \\
 & \sqrt{a+b} \operatorname{arctanh} \left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a+b \coth^2(x)}} \right) - \tanh(x) \sqrt{a+b \coth^2(x)}
 \end{aligned}$$

input `Int[Sqrt[a + b*Coth[x]^2]*Tanh[x]^2,x]`

output `Sqrt[a + b]*ArcTanh[(Sqrt[a + b]*Coth[x])/Sqrt[a + b*Coth[x]^2]] - Sqrt[a + b*Coth[x]^2]*Tanh[x]`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`

rule 219 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

rule 291 `Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*((c_) + (d_.)*(x_)^2)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]`

rule 377 `Int[((e_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_)*((c_) + (d_.)*(x_)^2)^(q_) , x_Symbol] := Simp[(e*x)^(m + 1)*(a + b*x^2)^(p + 1)*((c + d*x^2)^q/(a*e*(m + 1))), x] - Simp[1/(a*e^2*(m + 1)) Int[(e*x)^(m + 2)*(a + b*x^2)^p*(c + d*x^2)^(q - 1)*Simp[b*c*(m + 1) + 2*(b*c*(p + 1) + a*d*q) + d*(b*(m + 1) + 2*b*(p + q + 1))*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && LtQ[0, q, 1] && LtQ[m, -1] && IntBinomialQ[a, b, c, d, e, m, 2, p, q, x]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4153 `Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_.))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[c*(ff/f) Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + f^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))`

Maple [F]

$$\int \sqrt{a + b \coth(x)^2} \tanh(x)^2 dx$$

input `int((a+b*coth(x)^2)^(1/2)*tanh(x)^2,x)`

output `int((a+b*coth(x)^2)^(1/2)*tanh(x)^2,x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 490 vs. $2(40) = 80$.

Time = 0.14 (sec) , antiderivative size = 1539, normalized size of antiderivative = 32.06

$$\int \sqrt{a + b \coth^2(x)} \tanh^2(x) dx = \text{Too large to display}$$

input `integrate((a+b*coth(x)^2)^(1/2)*tanh(x)^2,x, algorithm="fricas")`

output `[1/4*((cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)*sqrt(a + b)*log(((a*b^2 + b^3)*cosh(x)^8 + 8*(a*b^2 + b^3)*cosh(x)*sinh(x)^7 + (a*b^2 + b^3)*sinh(x)^8 + 2*(a*b^2 + 2*b^3)*cosh(x)^6 + 2*(a*b^2 + 2*b^3 + 14*(a*b^2 + b^3)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a*b^2 + b^3)*cosh(x)^3 + 3*(a*b^2 + 2*b^3)*cosh(x))*sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^4 + (70*(a*b^2 + b^3)*cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 + 30*(a*b^2 + 2*b^3)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a*b^2 + b^3)*cosh(x)^5 + 10*(a*b^2 + 2*b^3)*cosh(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 2*(a^3 - 3*a*b^2 - 2*b^3)*cosh(x)^2 + 2*(14*(a*b^2 + b^3)*cosh(x)^6 + 15*(a*b^2 + 2*b^3)*cosh(x)^4 - a^3 + 3*a*b^2 + 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(b^2*cosh(x)^6 + 6*b^2*cosh(x)*sinh(x)^5 + b^2*sinh(x)^6 + 3*b^2*cosh(x)^4 + 3*(5*b^2*cosh(x)^2 + b^2)*sinh(x)^4 + 4*(5*b^2*cosh(x)^3 + 3*b^2*cosh(x))*sinh(x)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(x)^2 + (15*b^2*cosh(x)^4 + 18*b^2*cosh(x)^2 - a^2 + 2*a*b + 3*b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*b^2*cosh(x)^5 + 6*b^2*cosh(x)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(x))*sinh(x))*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a*b^2 + b^3)*cosh(x)^7 + 3*(a*b^2 + 2*b^3)*cosh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^3 - (a^3 - 3*a*b^2 - 2*b^3)*cosh(x))*sinh(x))/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cosh(x)...`

Sympy [F]

$$\int \sqrt{a + b \coth^2(x)} \tanh^2(x) dx = \int \sqrt{a + b \coth^2(x)} \tanh^2(x) dx$$

input `integrate((a+b*coth(x)**2)**(1/2)*tanh(x)**2,x)`

output `Integral(sqrt(a + b*coth(x)**2)*tanh(x)**2, x)`

Maxima [F]

$$\int \sqrt{a + b \coth^2(x)} \tanh^2(x) dx = \int \sqrt{b \coth(x)^2 + a} \tanh(x)^2 dx$$

input `integrate((a+b*coth(x)^2)^(1/2)*tanh(x)^2,x, algorithm="maxima")`

output `integrate(sqrt(b*coth(x)^2 + a)*tanh(x)^2, x)`

Giac [F(-2)]

Exception generated.

$$\int \sqrt{a + b \coth^2(x)} \tanh^2(x) dx = \text{Exception raised: TypeError}$$

input `integrate((a+b*coth(x)^2)^(1/2)*tanh(x)^2,x, algorithm="giac")`

output `Exception raised: TypeError >> an error occurred running a Giac command:IN
PUT:sage2:=int(sage0,sageVARx):;OUTPUT:Error: Bad Argument Type`

Mupad [F(-1)]

Timed out.

$$\int \sqrt{a + b \coth^2(x)} \tanh^2(x) dx = \int \tanh(x)^2 \sqrt{b \coth(x)^2 + a} dx$$

input `int(tanh(x)^2*(a + b*coth(x)^2)^(1/2),x)`

output `int(tanh(x)^2*(a + b*coth(x)^2)^(1/2), x)`

Reduce [F]

$$\int \sqrt{a + b \coth^2(x)} \tanh^2(x) dx = \int \sqrt{\coth(x)^2 b + a} \tanh(x)^2 dx$$

input `int((a+b*coth(x)^2)^(1/2)*tanh(x)^2,x)`

output `int(sqrt(coth(x)**2*b + a)*tanh(x)**2,x)`

3.22 $\int \coth^3(x) (a + b \coth^2(x))^{3/2} dx$

Optimal result	198
Mathematica [A] (verified)	198
Rubi [A] (verified)	199
Maple [B] (verified)	202
Fricas [B] (verification not implemented)	203
Sympy [F]	203
Maxima [F]	203
Giac [F(-2)]	204
Mupad [B] (verification not implemented)	204
Reduce [F]	205

Optimal result

Integrand size = 17, antiderivative size = 82

$$\int \coth^3(x) (a + b \coth^2(x))^{3/2} dx = (a + b)^{3/2} \operatorname{arctanh} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}} \right) - (a + b) \sqrt{a + b \coth^2(x)} - \frac{1}{3} (a + b \coth^2(x))^{3/2} - \frac{(a + b \coth^2(x))^{5/2}}{5b}$$

output

$$(a+b)^{(3/2)}*\operatorname{arctanh}((a+b*\coth(x)^2)^{(1/2)}/(a+b)^{(1/2)})-(a+b)*(a+b*\coth(x)^2)^{(1/2)}-1/3*(a+b*\coth(x)^2)^{(3/2)}-1/5*(a+b*\coth(x)^2)^{(5/2)}/b$$

Mathematica [A] (verified)

Time = 0.29 (sec) , antiderivative size = 86, normalized size of antiderivative = 1.05

$$\int \coth^3(x) (a + b \coth^2(x))^{3/2} dx = (a + b)^{3/2} \operatorname{arctanh} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}} \right) - \frac{\sqrt{a + b \coth^2(x)}(3a^2 + 20ab + 15b^2 + b(6a + 5b) \coth^2(x) + 3b^2 \coth^4(x))}{15b}$$

input `Integrate[Coth[x]^3*(a + b*Coth[x]^2)^(3/2), x]`

output $(a + b)^{3/2} \operatorname{ArcTanh}[\operatorname{Sqrt}[a + b \operatorname{Coth}[x]^2] / \operatorname{Sqrt}[a + b]] - (\operatorname{Sqrt}[a + b \operatorname{Coth}[x]^2] * (3*a^2 + 20*a*b + 15*b^2 + b*(6*a + 5*b)*\operatorname{Coth}[x]^2 + 3*b^2*\operatorname{Coth}[x]^4)) / (15*b)$

Rubi [A] (verified)

Time = 0.36 (sec) , antiderivative size = 89, normalized size of antiderivative = 1.09, number of steps used = 11, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.588$, Rules used = {3042, 26, 4153, 26, 354, 90, 60, 60, 73, 221}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \operatorname{coth}^3(x) (a + b \operatorname{coth}^2(x))^{3/2} dx \\
 & \quad \downarrow \text{3042} \\
 & \int i \tan\left(\frac{\pi}{2} + ix\right)^3 \left(a - b \tan\left(\frac{\pi}{2} + ix\right)^2\right)^{3/2} dx \\
 & \quad \downarrow \text{26} \\
 & i \int \tan\left(ix + \frac{\pi}{2}\right)^3 \left(a - b \tan\left(ix + \frac{\pi}{2}\right)^2\right)^{3/2} dx \\
 & \quad \downarrow \text{4153} \\
 & i \int -\frac{i \operatorname{coth}^3(x) (b \operatorname{coth}^2(x) + a)^{3/2}}{1 - \operatorname{coth}^2(x)} d \operatorname{coth}(x) \\
 & \quad \downarrow \text{26} \\
 & \int \frac{\operatorname{coth}^3(x) (a + b \operatorname{coth}^2(x))^{3/2}}{1 - \operatorname{coth}^2(x)} d \operatorname{coth}(x) \\
 & \quad \downarrow \text{354} \\
 & \frac{1}{2} \int \frac{\operatorname{coth}^2(x) (b \operatorname{coth}^2(x) + a)^{3/2}}{1 - \operatorname{coth}^2(x)} d \operatorname{coth}^2(x)
 \end{aligned}$$

$$\begin{aligned}
& \downarrow 90 \\
& \frac{1}{2} \left(\int \frac{(b \coth^2(x) + a)^{3/2}}{1 - \coth^2(x)} d \coth^2(x) - \frac{2(a + b \coth^2(x))^{5/2}}{5b} \right) \\
& \downarrow 60 \\
& \frac{1}{2} \left((a + b) \int \frac{\sqrt{b \coth^2(x) + a}}{1 - \coth^2(x)} d \coth^2(x) - \frac{2(a + b \coth^2(x))^{5/2}}{5b} - \frac{2}{3} (a + b \coth^2(x))^{3/2} \right) \\
& \downarrow 60 \\
& \frac{1}{2} \left((a + b) \left((a + b) \int \frac{1}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth^2(x) - 2\sqrt{a + b \coth^2(x)} \right) - \frac{2(a + b \coth^2(x))^{5/2}}{5b} \right) \\
& \downarrow 73 \\
& \frac{1}{2} \left((a + b) \left(\frac{2(a + b) \int \frac{1}{\frac{a+b}{b} - \frac{\coth^4(x)}{b}} d \sqrt{b \coth^2(x) + a}}{b} - 2\sqrt{a + b \coth^2(x)} \right) - \frac{2(a + b \coth^2(x))^{5/2}}{5b} - \frac{2}{3} (a + b \coth^2(x))^{3/2} \right) \\
& \downarrow 221 \\
& \frac{1}{2} \left((a + b) \left(2\sqrt{a + b} \operatorname{arctanh} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}} \right) - 2\sqrt{a + b \coth^2(x)} \right) - \frac{2(a + b \coth^2(x))^{5/2}}{5b} - \frac{2}{3} (a + b \coth^2(x))^{3/2} \right)
\end{aligned}$$

input `Int [Coth[x]^3*(a + b*Coth[x]^2)^(3/2), x]`

output `((-2*(a + b*Coth[x]^2)^(3/2))/3 - (2*(a + b*Coth[x]^2)^(5/2))/(5*b) + (a + b)*(2*Sqrt[a + b]*ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]] - 2*Sqrt[a + b*Coth[x]^2]))/2`

Defintions of rubi rules used

- rule 26 $\text{Int}[(\text{Complex}[0, a])*(Fx_), x_Symbol] \rightarrow \text{Simp}[(\text{Complex}[\text{Identity}[0], a]) \text{Int}[Fx, x], x] /; \text{FreeQ}[a, x] \ \&\& \ \text{EqQ}[a^2, 1]$
- rule 60 $\text{Int}[(a_ + b_*(x_))^m*((c_ + d_*(x_))^n), x_Symbol] \rightarrow \text{Simp}[(a + b*x)^{m+1}*(c + d*x)^n/(b*(m+n+1)), x] + \text{Simp}[n*(b*c - a*d)/(b*(m+n+1)) \text{Int}[(a + b*x)^m*(c + d*x)^{n-1}, x], x] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{NeQ}[m+n+1, 0] \ \&\& \ !(\text{IGtQ}[m, 0] \ \&\& \ (!\text{IntegerQ}[n] \ || \ (\text{GtQ}[m, 0] \ \&\& \ \text{LtQ}[m-n, 0]))) \ \&\& \ !\text{ILtQ}[m+n+2, 0] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$
- rule 73 $\text{Int}[(a_ + b_*(x_))^m*((c_ + d_*(x_))^n), x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Simp}[p/b \ \text{Subst}[\text{Int}[x^{p*(m+1)-1}*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^{1/p}], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$
- rule 90 $\text{Int}[(a_ + b_*(x_))*((c_ + d_*(x_))^n*((e_ + f_*(x_))^p), x] \rightarrow \text{Simp}[b*(c + d*x)^{n+1}*(e + f*x)^{p+1}/(d*f*(n+p+2)), x] + \text{Simp}[(a*d*f*(n+p+2) - b*(d*e*(n+1) + c*f*(p+1))]/(d*f*(n+p+2)) \text{Int}[(c + d*x)^n*(e + f*x)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, n, p\}, x] \ \&\& \ \text{NeQ}[n+p+2, 0]$
- rule 221 $\text{Int}[(a_ + b_*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-a/b, 2]/a)*\text{ArcTanh}[x/\text{Rt}[-a/b, 2]], x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$
- rule 354 $\text{Int}[(x_)^m*((a_ + b_*(x_)^2)^p*((c_ + d_*(x_)^2)^q), x_Symbol] \rightarrow \text{Simp}[1/2 \ \text{Subst}[\text{Int}[x^{(m-1)/2}*(a + b*x)^p*(c + d*x)^q, x], x, x^2], x] /; \text{FreeQ}[\{a, b, c, d, p, q\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{IntegerQ}[(m-1)/2]$
- rule 3042 $\text{Int}[u_, x_Symbol] \rightarrow \text{Int}[\text{DeactivateTrig}[u, x], x] /; \text{FunctionOfTrigOfLinearQ}[u, x]$

rule 4153

```
Int[((d_)*tan[(e_) + (f_)*(x_)]^(m_))*((a_) + (b_)*((c_)*tan[(e_) +
(f_)*(x_)]^(n_))^(p_), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x],
x]}, Simp[c*(ff/f) Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + f
f^2*x^2)), x], x, c*(Tan[e + f*x]/ff)], x]] /; FreeQ[{a, b, c, d, e, f, m,
n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ratio
nalQ[n]))
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 487 vs. 2(66) = 132.

Time = 0.07 (sec) , antiderivative size = 488, normalized size of antiderivative = 5.95

method	result
derivativedivides	$-\frac{(a+b \operatorname{coth}(x)^2)^{\frac{5}{2}}}{5b} - \frac{(b(\operatorname{coth}(x)-1)^2+2b(\operatorname{coth}(x)-1)+a+b)^{\frac{3}{2}}}{6} - \frac{b \left(\frac{(2b(\operatorname{coth}(x)-1)+2b)\sqrt{b(\operatorname{coth}(x)-1)^2+2b(\operatorname{coth}(x)-1)+a+b}}{4b}} \right)}{1}$
default	$-\frac{(a+b \operatorname{coth}(x)^2)^{\frac{5}{2}}}{5b} - \frac{(b(\operatorname{coth}(x)-1)^2+2b(\operatorname{coth}(x)-1)+a+b)^{\frac{3}{2}}}{6} - \frac{b \left(\frac{(2b(\operatorname{coth}(x)-1)+2b)\sqrt{b(\operatorname{coth}(x)-1)^2+2b(\operatorname{coth}(x)-1)+a+b}}{4b}} \right)}{1}$

input

```
int(coth(x)^3*(a+b*coth(x)^2)^(3/2),x,method=_RETURNVERBOSE)
```

output

```
-1/5*(a+b*coth(x)^2)^(5/2)/b-1/6*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(3/2)-1/2*b*(1/4*(2*b*(coth(x)-1)+2*b)/b*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2)+1/8*(4*b*(a+b)-4*b^2)/b^(3/2)*ln((b*(coth(x)-1)+b)/b^(1/2)+(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2)))-1/2*(a+b)*((b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2)+b^(1/2)*ln((b*(coth(x)-1)+b)/b^(1/2)+(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2)))-(a+b)^(1/2)*ln((2*a+2*b+2*b*(coth(x)-1)+2*(a+b)^(1/2)*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2))/(coth(x)-1)))-1/6*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(3/2)+1/2*b*(1/4*(2*b*(1+coth(x))-2*b)/b*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)+1/8*(4*b*(a+b)-4*b^2)/b^(3/2)*ln((b*(1+coth(x))-b)/b^(1/2)+(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)))-1/2*(a+b)*((b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)-b^(1/2)*ln((b*(1+coth(x))-b)/b^(1/2)+(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)))-(a+b)^(1/2)*ln((2*a+2*b-2*b*(1+coth(x))+2*(a+b)^(1/2)*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2))/(1+coth(x))))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2154 vs. $2(66) = 132$.

Time = 0.34 (sec) , antiderivative size = 4940, normalized size of antiderivative = 60.24

$$\int \coth^3(x) (a + b \coth^2(x))^{3/2} dx = \text{Too large to display}$$

input `integrate(coth(x)^3*(a+b*coth(x)^2)^(3/2),x, algorithm="fricas")`

output Too large to include

Sympy [F]

$$\int \coth^3(x) (a + b \coth^2(x))^{3/2} dx = \int (a + b \coth^2(x))^{\frac{3}{2}} \coth^3(x) dx$$

input `integrate(coth(x)**3*(a+b*coth(x)**2)**(3/2),x)`

output `Integral((a + b*coth(x)**2)**(3/2)*coth(x)**3, x)`

Maxima [F]

$$\int \coth^3(x) (a + b \coth^2(x))^{3/2} dx = \int (b \coth(x)^2 + a)^{\frac{3}{2}} \coth(x)^3 dx$$

input `integrate(coth(x)^3*(a+b*coth(x)^2)^(3/2),x, algorithm="maxima")`

output `integrate((b*coth(x)^2 + a)^(3/2)*coth(x)^3, x)`

Giac [F(-2)]

Exception generated.

$$\int \coth^3(x) (a + b \coth^2(x))^{3/2} dx = \text{Exception raised: TypeError}$$

input `integrate(coth(x)^3*(a+b*coth(x)^2)^(3/2),x, algorithm="giac")`

output `Exception raised: TypeError >> an error occurred running a Giac command:IN
PUT:sage2:=int(sage0,sageVARx):;OUTPUT:Error: Bad Argument Type`

Mupad [B] (verification not implemented)

Time = 10.75 (sec) , antiderivative size = 112, normalized size of antiderivative = 1.37

$$\begin{aligned} \int \coth^3(x) (a + b \coth^2(x))^{3/2} dx &= -\frac{(b \coth(x)^2 + a)^{5/2}}{5b} \\ &- \left(\frac{a+b}{3b} - \frac{a}{3b} \right) (b \coth(x)^2 + a)^{3/2} \\ &- (a+b) \left(\frac{a+b}{b} - \frac{a}{b} \right) \sqrt{b \coth(x)^2 + a} - \operatorname{atan} \left(\frac{(a+b)^{3/2} \sqrt{b \coth(x)^2 + a} \operatorname{li}}{a^2 + 2ab + b^2} \right) (a+b)^{3/2} \operatorname{li} \end{aligned}$$

input `int(coth(x)^3*(a + b*coth(x)^2)^(3/2),x)`

output `- (a + b*coth(x)^2)^(5/2)/(5*b) - ((a + b)/(3*b) - a/(3*b))*(a + b*coth(x)
^2)^(3/2) - atan(((a + b)^(3/2)*(a + b*coth(x)^2)^(1/2)*1i)/(2*a*b + a^2 +
b^2))*(a + b)^(3/2)*1i - (a + b)*((a + b)/b - a/b)*(a + b*coth(x)^2)^(1/2
)`

Reduce [F]

$$\int \coth^3(x) (a + b \coth^2(x))^{3/2} dx = \frac{-3\sqrt{\coth(x)^2 b + a} \coth(x)^4 b^2 - 6\sqrt{\coth(x)^2 b + a} \coth(x)^2 ab - 5\sqrt{\coth(x)^2 b + a} \coth(x)^2 a^2}{15b}$$

input `int(coth(x)^3*(a+b*coth(x)^2)^(3/2),x)`

output `(- 3*sqrt(coth(x)**2*b + a)*coth(x)**4*b**2 - 6*sqrt(coth(x)**2*b + a)*coth(x)**2*a*b - 5*sqrt(coth(x)**2*b + a)*coth(x)**2*b**2 + 12*sqrt(coth(x)**2*b + a)*a**2 + 10*sqrt(coth(x)**2*b + a)*a*b + 15*int((sqrt(coth(x)**2*b + a)*coth(x)**3)/(coth(x)**2*b + a),x)*a**2*b + 30*int((sqrt(coth(x)**2*b + a)*coth(x)**3)/(coth(x)**2*b + a),x)*a*b**2 + 15*int((sqrt(coth(x)**2*b + a)*coth(x)**3)/(coth(x)**2*b + a),x)*b**3)/(15*b)`

3.23 $\int \coth^2(x) (a + b \coth^2(x))^{3/2} dx$

Optimal result	206
Mathematica [A] (warning: unable to verify)	207
Rubi [A] (verified)	207
Maple [B] (verified)	211
Fricas [B] (verification not implemented)	212
Sympy [F]	213
Maxima [F]	213
Giac [F(-2)]	213
Mupad [F(-1)]	214
Reduce [F]	214

Optimal result

Integrand size = 17, antiderivative size = 123

$$\int \coth^2(x) (a + b \coth^2(x))^{3/2} dx = -\frac{(3a^2 + 12ab + 8b^2) \operatorname{arctanh}\left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}}\right)}{8\sqrt{b}} + (a + b)^{3/2} \operatorname{arctanh}\left(\frac{\sqrt{a + b} \coth(x)}{\sqrt{a + b \coth^2(x)}}\right) - \frac{1}{8}(5a + 4b) \coth(x) \sqrt{a + b \coth^2(x)} - \frac{1}{4} b \coth^3(x) \sqrt{a + b \coth^2(x)}$$

output

```
-1/8*(3*a^2+12*a*b+8*b^2)*arctanh(b^(1/2)*coth(x)/(a+b*coth(x)^2)^(1/2))/b
^(1/2)+(a+b)^(3/2)*arctanh((a+b)^(1/2)*coth(x)/(a+b*coth(x)^2)^(1/2))-1/8*
(5*a+4*b)*coth(x)*(a+b*coth(x)^2)^(1/2)-1/4*b*coth(x)^3*(a+b*coth(x)^2)^(1
/2)
```

Mathematica [A] (warning: unable to verify)

Time = 0.59 (sec) , antiderivative size = 219, normalized size of antiderivative = 1.78

$$\int \coth^2(x) (a + b \coth^2(x))^{3/2} dx = \frac{\sqrt{(-a + b + (a + b) \cosh(2x)) \operatorname{csch}^2(x)} \left(-\sqrt{2} \sqrt{a + b} (3a^2 + 12ab + 8b^2) \operatorname{arctanh} \left(\frac{\sqrt{-a + b + (a + b) \cosh(2x)}}{\sqrt{-a + b + (a + b) \cosh(2x)}} \right) \right)}{\sqrt{-a + b + (a + b) \cosh(2x)}} + \frac{\sqrt{b} (8 \sqrt{2} (a + b)^2 \operatorname{ArcTanh} \left(\frac{\sqrt{2} \sqrt{a + b} \cosh(x)}{\sqrt{-a + b + (a + b) \cosh(2x)}} \right) + \sqrt{a + b} \sqrt{-a + b + (a + b) \cosh(2x)} \operatorname{Coth}[x] \operatorname{Csch}[x] (5a + 6b + 2b \operatorname{Csch}[x]^2)) \operatorname{Sinh}[x]}{8 \sqrt{2} \sqrt{b} \sqrt{a + b} \sqrt{-a + b + (a + b) \cosh(2x)}}$$

input

```
Integrate[Coth[x]^2*(a + b*Coth[x]^2)^(3/2),x]
```

output

```
(Sqrt[(-a + b + (a + b)*Cosh[2*x])*Csch[x]^2]*(-Sqrt[2]*Sqrt[a + b]*(3*a^2 + 12*a*b + 8*b^2)*ArcTanh[(Sqrt[2]*Sqrt[b]*Cosh[x])/Sqrt[-a + b + (a + b)*Cosh[2*x]]]) + Sqrt[b]*(8*Sqrt[2]*(a + b)^2*ArcTanh[(Sqrt[2]*Sqrt[a + b]*Cosh[x])/Sqrt[-a + b + (a + b)*Cosh[2*x]]] - Sqrt[a + b]*Sqrt[-a + b + (a + b)*Cosh[2*x])*Coth[x]*Csch[x]*(5*a + 6*b + 2*b*Csch[x]^2))*Sinh[x])/(8*Sqrt[2]*Sqrt[b]*Sqrt[a + b]*Sqrt[-a + b + (a + b)*Cosh[2*x]])
```

Rubi [A] (verified)Time = 0.75 (sec) , antiderivative size = 132, normalized size of antiderivative = 1.07, number of steps used = 14, number of rules used = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.765$, Rules used = {3042, 25, 4153, 25, 379, 25, 444, 27, 398, 224, 219, 291, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \coth^2(x) (a + b \coth^2(x))^{3/2} dx \\ & \quad \downarrow \text{3042} \\ & \int -\tan\left(\frac{\pi}{2} + ix\right)^2 \left(a - b \tan\left(\frac{\pi}{2} + ix\right)^2\right)^{3/2} dx \\ & \quad \downarrow \text{25} \\ & - \int \tan\left(ix + \frac{\pi}{2}\right)^2 \left(a - b \tan\left(ix + \frac{\pi}{2}\right)^2\right)^{3/2} dx \end{aligned}$$

$$\begin{aligned}
& \downarrow 4153 \\
& - \int - \frac{\coth^2(x) (b \coth^2(x) + a)^{3/2}}{1 - \coth^2(x)} d \coth(x) \\
& \downarrow 25 \\
& \int \frac{\coth^2(x) (a + b \coth^2(x))^{3/2}}{1 - \coth^2(x)} d \coth(x) \\
& \downarrow 379 \\
& - \frac{1}{4} \int - \frac{\coth^2(x) (b(5a + 4b) \coth^2(x) + a(4a + 3b))}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) - \frac{1}{4} b \coth^3(x) \sqrt{a + b \coth^2(x)} \\
& \downarrow 25 \\
& \frac{1}{4} \int \frac{\coth^2(x) (b(5a + 4b) \coth^2(x) + a(4a + 3b))}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) - \frac{1}{4} b \coth^3(x) \sqrt{a + b \coth^2(x)} \\
& \downarrow 444 \\
& \frac{1}{4} \left(\frac{\int \frac{b((3a^2 + 12ba + 8b^2) \coth^2(x) + a(5a + 4b))}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x)}{2b} - \frac{1}{2} (5a + 4b) \coth(x) \sqrt{a + b \coth^2(x)} \right) - \\
& \qquad \qquad \qquad \frac{1}{4} b \coth^3(x) \sqrt{a + b \coth^2(x)} \\
& \downarrow 27 \\
& \frac{1}{4} \left(\frac{1}{2} \int \frac{(3a^2 + 12ba + 8b^2) \coth^2(x) + a(5a + 4b)}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) - \frac{1}{2} (5a + 4b) \coth(x) \sqrt{a + b \coth^2(x)} \right) - \\
& \qquad \qquad \qquad \frac{1}{4} b \coth^3(x) \sqrt{a + b \coth^2(x)} \\
& \downarrow 398 \\
& \frac{1}{4} \left(\frac{1}{2} \left(8(a + b)^2 \int \frac{1}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) - (3a^2 + 12ab + 8b^2) \int \frac{1}{\sqrt{b \coth^2(x) + a}} d \coth(x) \right) - \right. \\
& \qquad \qquad \qquad \left. \frac{1}{4} b \coth^3(x) \sqrt{a + b \coth^2(x)} \right) \\
& \downarrow 224
\end{aligned}$$

$$\frac{1}{4} \left(\frac{1}{2} \left(8(a+b)^2 \int \frac{1}{(1-\coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) - (3a^2 + 12ab + 8b^2) \int \frac{1}{1 - \frac{b \coth^2(x)}{b \coth^2(x) + a}} d \frac{\coth(x)}{\sqrt{b \coth^2(x) + a}} - \frac{1}{4} b \coth^3(x) \sqrt{a + b \coth^2(x)} \right) \right)$$

↓ 219

$$\frac{1}{4} \left(\frac{1}{2} \left(8(a+b)^2 \int \frac{1}{(1-\coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) - \frac{(3a^2 + 12ab + 8b^2) \operatorname{arctanh} \left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right)}{\sqrt{b}} - \frac{1}{4} b \coth^3(x) \sqrt{a + b \coth^2(x)} \right) \right)$$

↓ 291

$$\frac{1}{4} \left(\frac{1}{2} \left(8(a+b)^2 \int \frac{1}{1 - \frac{(a+b) \coth^2(x)}{b \coth^2(x) + a}} d \frac{\coth(x)}{\sqrt{b \coth^2(x) + a}} - \frac{(3a^2 + 12ab + 8b^2) \operatorname{arctanh} \left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right)}{\sqrt{b}} - \frac{1}{4} b \coth^3(x) \sqrt{a + b \coth^2(x)} \right) \right) - \frac{1}{2} (5a + 4b) \coth(x)$$

↓ 219

$$\frac{1}{4} \left(\frac{1}{2} \left(8(a+b)^{3/2} \operatorname{arctanh} \left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right) - \frac{(3a^2 + 12ab + 8b^2) \operatorname{arctanh} \left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right)}{\sqrt{b}} - \frac{1}{4} b \coth^3(x) \sqrt{a + b \coth^2(x)} \right) \right) - \frac{1}{2} (5a + 4b) \coth(x)$$

input Int [Coth[x]^2*(a + b*Coth[x]^2)^(3/2), x]

output

$$-1/4*(b*\text{Coth}[x]^3*\text{Sqrt}[a + b*\text{Coth}[x]^2]) + ((-(((3*a^2 + 12*a*b + 8*b^2)*\text{ArcTanh}[(\text{Sqrt}[b]*\text{Coth}[x])/\text{Sqrt}[a + b*\text{Coth}[x]^2]])/\text{Sqrt}[b]) + 8*(a + b)^{(3/2)}*\text{ArcTanh}[(\text{Sqrt}[a + b]*\text{Coth}[x])/\text{Sqrt}[a + b*\text{Coth}[x]^2]])/2 - ((5*a + 4*b)*\text{Coth}[x]*\text{Sqrt}[a + b*\text{Coth}[x]^2])/2)/4$$

Defintions of rubi rules used

rule 25

$$\text{Int}[-(\text{Fx}_), \text{x_Symbol}] \rightarrow \text{Simp}[\text{Identity}[-1] \quad \text{Int}[\text{Fx}, \text{x}], \text{x}]$$

rule 27

$$\text{Int}[(a_)*(\text{Fx}_), \text{x_Symbol}] \rightarrow \text{Simp}[a \quad \text{Int}[\text{Fx}, \text{x}], \text{x}] \text{ ; FreeQ}[a, \text{x}] \ \&\& \ !\text{MatchQ}[\text{Fx}, (b_)*(\text{Gx}_) \text{ ; FreeQ}[b, \text{x}]$$

rule 219

$$\text{Int}[(a_) + (b_)*(x_)^2)^{-1}, \text{x_Symbol}] \rightarrow \text{Simp}[(1/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]))*\text{ArcTanh}[\text{Rt}[-b, 2]*(x/\text{Rt}[a, 2])], \text{x}] \text{ ; FreeQ}[\{a, b\}, \text{x}] \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$$

rule 224

$$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], \text{x_Symbol}] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), \text{x}], \text{x}, \text{x}/\text{Sqrt}[a + b*x^2]] \text{ ; FreeQ}[\{a, b\}, \text{x}] \ \&\& \ !\text{GtQ}[a, 0]$$

rule 291

$$\text{Int}[1/(\text{Sqrt}[(a_) + (b_)*(x_)^2]*((c_) + (d_)*(x_)^2)), \text{x_Symbol}] \rightarrow \text{Subst}[\text{Int}[1/(c - (b*c - a*d)*x^2), \text{x}], \text{x}, \text{x}/\text{Sqrt}[a + b*x^2]] \text{ ; FreeQ}[\{a, b, c, d\}, \text{x}] \ \&\& \ \text{NeQ}[b*c - a*d, 0]$$

rule 379

$$\text{Int}[(e_)*(x_)^{(m_)*((a_) + (b_)*(x_)^2)^{(p_)*((c_) + (d_)*(x_)^2)^{(q_)}}, \text{x_Symbol}] \rightarrow \text{Simp}[d*(e*x)^{(m+1)}*(a + b*x^2)^{(p+1)}*((c + d*x^2)^{(q-1)}/(b*e*(m + 2*(p + q) + 1))), \text{x}] + \text{Simp}[1/(b*(m + 2*(p + q) + 1)) \quad \text{Int}[(e*x)^m*(a + b*x^2)^p*(c + d*x^2)^{(q-2)}*\text{Simp}[c*((b*c - a*d)*(m + 1) + b*c*2*(p + q)) + (d*(b*c - a*d)*(m + 1) + d*2*(q - 1)*(b*c - a*d) + b*c*d*2*(p + q))*x^2, \text{x}], \text{x}] \text{ ; FreeQ}[\{a, b, c, d, e, m, p\}, \text{x}] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{GtQ}[q, 1] \ \&\& \ \text{IntBinomialQ}[a, b, c, d, e, m, 2, p, q, \text{x}]$$

rule 398 `Int[((e_) + (f_)*(x_)^2)/((a_) + (b_)*(x_)^2)*Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] := Simp[f/b Int[1/Sqrt[c + d*x^2], x], x] + Simp[(b*e - a*f)/b Int[1/((a + b*x^2)*Sqrt[c + d*x^2]), x], x] /; FreeQ[{a, b, c, d, e, f}, x]`

rule 444 `Int[((g_)*(x_)^(m_))*((a_) + (b_)*(x_)^2)^(p_)*((c_) + (d_)*(x_)^2)^(q_)*((e_) + (f_)*(x_)^2), x_Symbol] := Simp[f*g*(g*x)^(m - 1)*(a + b*x^2)^(p + 1)*((c + d*x^2)^(q + 1)/(b*d*(m + 2*(p + q + 1) + 1))), x] - Simp[g^2/(b*d*(m + 2*(p + q + 1) + 1)) Int[(g*x)^(m - 2)*(a + b*x^2)^p*(c + d*x^2)^q*Simp[a*f*c*(m - 1) + (a*f*d*(m + 2*q + 1) + b*(f*c*(m + 2*p + 1) - e*d*(m + 2*(p + q + 1) + 1)))*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && GtQ[m, 1]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4153 `Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[c*(ff/f) Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + f^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 528 vs. 2(101) = 202.

Time = 0.08 (sec) , antiderivative size = 529, normalized size of antiderivative = 4.30

method	result
derivativedivides	$-\frac{\coth(x)(a+b\coth(x)^2)^{\frac{3}{2}}}{4} - \frac{3a\left(\frac{\coth(x)\sqrt{a+b\coth(x)^2}}{2} + \frac{a\ln\left(\sqrt{b}\coth(x)+\sqrt{a+b\coth(x)^2}\right)}{2\sqrt{b}}\right)}{4} - \frac{(b(\coth(x)-1)^2+2)}{4}$
default	$-\frac{\coth(x)(a+b\coth(x)^2)^{\frac{3}{2}}}{4} - \frac{3a\left(\frac{\coth(x)\sqrt{a+b\coth(x)^2}}{2} + \frac{a\ln\left(\sqrt{b}\coth(x)+\sqrt{a+b\coth(x)^2}\right)}{2\sqrt{b}}\right)}{4} - \frac{(b(\coth(x)-1)^2+2)}{4}$

input `int(coth(x)^2*(a+b*coth(x)^2)^(3/2),x,method=_RETURNVERBOSE)`

output

$$\begin{aligned}
 & -1/4*\coth(x)*(a+b*\coth(x)^2)^(3/2)-3/4*a*(1/2*\coth(x)*(a+b*\coth(x)^2)^(1/2) \\
 &)+1/2*a/b^(1/2)*\ln(b^(1/2)*\coth(x)+(a+b*\coth(x)^2)^(1/2))-1/6*(b*(\coth(x) \\
 & -1)^2+2*b*(\coth(x)-1)+a+b)^(3/2)-1/2*b*(1/4*(2*b*(\coth(x)-1)+2*b)/b*(b*(\co \\
 & th(x)-1)^2+2*b*(\coth(x)-1)+a+b)^(1/2)+1/8*(4*b*(a+b)-4*b^2)/b^(3/2)*\ln((b* \\
 & (\coth(x)-1)+b)/b^(1/2)+(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^(1/2))-1/2*(\\
 & a+b)*((b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^(1/2)+b^(1/2)*\ln((b*(\coth(x)-1 \\
 &)+b)/b^(1/2)+(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^(1/2))-(a+b)^(1/2)*\ln((\\
 & 2*a+2*b+2*b*(\coth(x)-1)+2*(a+b)^(1/2)*(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b \\
 &)^(1/2))/(coth(x)-1)))+1/6*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(3/2)-1/2 \\
 & *b*(1/4*(2*b*(1+coth(x))-2*b)/b*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2) \\
 &)+1/8*(4*b*(a+b)-4*b^2)/b^(3/2)*\ln((b*(1+coth(x))-b)/b^(1/2)+(b*(1+coth(x) \\
 &)^2-2*b*(1+coth(x))+a+b)^(1/2))+1/2*(a+b)*((b*(1+coth(x))^2-2*b*(1+coth(x) \\
 &))+a+b)^(1/2)-b^(1/2)*\ln((b*(1+coth(x))-b)/b^(1/2)+(b*(1+coth(x))^2-2*b*(1 \\
 & +coth(x))+a+b)^(1/2))-(a+b)^(1/2)*\ln((2*a+2*b-2*b*(1+coth(x))+2*(a+b)^(1/2) \\
 &)*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2))/(1+coth(x))))
 \end{aligned}$$

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2182 vs. $2(101) = 202$.

Time = 0.44 (sec) , antiderivative size = 10130, normalized size of antiderivative = 82.36

$$\int \coth^2(x) (a + b \coth^2(x))^{3/2} dx = \text{Too large to display}$$

input `integrate(coth(x)^2*(a+b*coth(x)^2)^(3/2),x, algorithm="fricas")`

output Too large to include

Sympy [F]

$$\int \coth^2(x) (a + b \coth^2(x))^{3/2} dx = \int (a + b \coth^2(x))^{\frac{3}{2}} \coth^2(x) dx$$

input `integrate(coth(x)**2*(a+b*coth(x)**2)**(3/2),x)`

output `Integral((a + b*coth(x)**2)**(3/2)*coth(x)**2, x)`

Maxima [F]

$$\int \coth^2(x) (a + b \coth^2(x))^{3/2} dx = \int (b \coth(x)^2 + a)^{\frac{3}{2}} \coth(x)^2 dx$$

input `integrate(coth(x)^2*(a+b*coth(x)^2)^(3/2),x, algorithm="maxima")`

output `integrate((b*coth(x)^2 + a)^(3/2)*coth(x)^2, x)`

Giac [F(-2)]

Exception generated.

$$\int \coth^2(x) (a + b \coth^2(x))^{3/2} dx = \text{Exception raised: TypeError}$$

input `integrate(coth(x)^2*(a+b*coth(x)^2)^(3/2),x, algorithm="giac")`

output `Exception raised: TypeError >> an error occurred running a Giac command:IN
PUT:sage2:=int(sage0,sageVARx):;OUTPUT:Error: Bad Argument Type`

Mupad [F(-1)]

Timed out.

$$\int \coth^2(x) (a + b \coth^2(x))^{3/2} dx = \int \coth(x)^2 (b \coth(x)^2 + a)^{3/2} dx$$

input `int(coth(x)^2*(a + b*coth(x)^2)^(3/2), x)`output `int(coth(x)^2*(a + b*coth(x)^2)^(3/2), x)`**Reduce [F]**

$$\int \coth^2(x) (a + b \coth^2(x))^{3/2} dx = \left(\int \sqrt{\coth(x)^2 b + a} \coth(x)^4 dx \right) b$$

$$+ \left(\int \sqrt{\coth(x)^2 b + a} \coth(x)^2 dx \right) a$$

input `int(coth(x)^2*(a+b*coth(x)^2)^(3/2), x)`output `int(sqrt(coth(x)**2*b + a)*coth(x)**4,x)*b + int(sqrt(coth(x)**2*b + a)*coth(x)**2,x)*a`

3.24 $\int \coth(x) (a + b \coth^2(x))^{3/2} dx$

Optimal result	215
Mathematica [A] (verified)	215
Rubi [A] (verified)	216
Maple [B] (verified)	218
Fricas [B] (verification not implemented)	219
Sympy [F]	220
Maxima [F]	221
Giac [F(-2)]	221
Mupad [B] (verification not implemented)	221
Reduce [F]	222

Optimal result

Integrand size = 15, antiderivative size = 63

$$\int \coth(x) (a + b \coth^2(x))^{3/2} dx = (a + b)^{3/2} \operatorname{arctanh} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}} \right) - (a + b) \sqrt{a + b \coth^2(x)} - \frac{1}{3} (a + b \coth^2(x))^{3/2}$$

output

```
(a+b)^(3/2)*arctanh((a+b*coth(x)^2)^(1/2)/(a+b)^(1/2))-(a+b)*(a+b*coth(x)^2)^(1/2)-1/3*(a+b*coth(x)^2)^(3/2)
```

Mathematica [A] (verified)

Time = 0.13 (sec) , antiderivative size = 59, normalized size of antiderivative = 0.94

$$\int \coth(x) (a + b \coth^2(x))^{3/2} dx = (a + b)^{3/2} \operatorname{arctanh} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}} \right) - \frac{1}{3} \sqrt{a + b \coth^2(x)} (4a + 3b + b \coth^2(x))$$

input

```
Integrate[Coth[x]*(a + b*Coth[x]^2)^(3/2),x]
```


output

```
(a + b)^(3/2)*ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]] - (Sqrt[a + b*Coth[x]^2]*(4*a + 3*b + b*Coth[x]^2))/3
```

Rubi [A] (verified)

Time = 0.47 (sec) , antiderivative size = 70, normalized size of antiderivative = 1.11, number of steps used = 10, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {3042, 26, 4153, 26, 353, 60, 60, 73, 221}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \coth(x) (a + b \coth^2(x))^{3/2} dx \\
 & \quad \downarrow \text{3042} \\
 & \int -i \tan\left(\frac{\pi}{2} + ix\right) \left(a - b \tan\left(\frac{\pi}{2} + ix\right)^2\right)^{3/2} dx \\
 & \quad \downarrow \text{26} \\
 & -i \int \tan\left(ix + \frac{\pi}{2}\right) \left(a - b \tan\left(ix + \frac{\pi}{2}\right)^2\right)^{3/2} dx \\
 & \quad \downarrow \text{4153} \\
 & -i \int \frac{i \coth(x) (b \coth^2(x) + a)^{3/2}}{1 - \coth^2(x)} d \coth(x) \\
 & \quad \downarrow \text{26} \\
 & \int \frac{\coth(x) (a + b \coth^2(x))^{3/2}}{1 - \coth^2(x)} d \coth(x) \\
 & \quad \downarrow \text{353} \\
 & \frac{1}{2} \int \frac{(b \coth^2(x) + a)^{3/2}}{1 - \coth^2(x)} d \coth^2(x) \\
 & \quad \downarrow \text{60} \\
 & \frac{1}{2} \left((a + b) \int \frac{\sqrt{b \coth^2(x) + a}}{1 - \coth^2(x)} d \coth^2(x) - \frac{2}{3} (a + b \coth^2(x))^{3/2} \right)
 \end{aligned}$$

↓ 60

$$\frac{1}{2} \left((a+b) \left((a+b) \int \frac{1}{(1-\coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth^2(x) - 2\sqrt{a+b \coth^2(x)} \right) - \frac{2}{3} (a+b \coth^2(x))^{3/2} \right)$$

↓ 73

$$\frac{1}{2} \left((a+b) \left(\frac{2(a+b) \int \frac{1}{\frac{a+b}{b} - \frac{\coth^4(x)}{b}} d \sqrt{b \coth^2(x) + a}}{b} - 2\sqrt{a+b \coth^2(x)} \right) - \frac{2}{3} (a+b \coth^2(x))^{3/2} \right)$$

↓ 221

$$\frac{1}{2} \left((a+b) \left(2\sqrt{a+b} \operatorname{arctanh} \left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}} \right) - 2\sqrt{a+b \coth^2(x)} \right) - \frac{2}{3} (a+b \coth^2(x))^{3/2} \right)$$

input `Int[Coth[x]*(a + b*Coth[x]^2)^(3/2), x]`

output `((-2*(a + b*Coth[x]^2)^(3/2))/3 + (a + b)*(2*Sqrt[a + b]*ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]] - 2*Sqrt[a + b*Coth[x]^2]))/2`

Defintions of rubi rules used

rule 26 `Int[(Complex[0, a_])*(Fx_), x_Symbol] := Simp[(Complex[Identity[0], a]) Int[Fx, x], x] /; FreeQ[a, x] && EqQ[a^2, 1]`

rule 60 `Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[(a + b*x)^(m + 1)*((c + d*x)^n/(b*(m + n + 1))), x] + Simp[n*(b*c - a*d)/(b*(m + n + 1)) Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]`

- rule 73 `Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
 {p = Denominator[m]}, Simp[p/b Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) +
 d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && Lt
 Q[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntL
 inearQ[a, b, c, d, m, n, x]`
- rule 221 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x
 /Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]`
- rule 353 `Int[(x_)*((a_) + (b_.)*(x_)^2)^(p_.)*((c_) + (d_.)*(x_)^2)^(q_.), x_Symbol]
 := Simp[1/2 Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^2], x] /; FreeQ[
 {a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0]`
- rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinear
 Q[u, x]`
- rule 4153 `Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) +
 (f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
 x]}, Simp[c*(ff/f) Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + f
 f^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m,
 n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ratio
 nalQ[n]))`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 472 vs. 2(51) = 102.

Time = 0.07 (sec) , antiderivative size = 473, normalized size of antiderivative = 7.51

method	result
derivativedivides	$-\frac{(b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b)^{\frac{3}{2}}}{6} - \frac{b \left(\frac{(2b(\coth(x)-1)+2b)\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}}{4b} + \frac{(4b(a+b)-}{2} \right)}{2}$
default	$-\frac{(b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b)^{\frac{3}{2}}}{6} - \frac{b \left(\frac{(2b(\coth(x)-1)+2b)\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}}{4b} + \frac{(4b(a+b)-}{2} \right)}{2}$

input `int(coth(x)*(a+b*coth(x)^2)^(3/2),x,method=_RETURNVERBOSE)`

output

$$\begin{aligned}
 & -1/6*(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^{3/2}-1/2*b*(1/4*(2*b*(\coth(x)-1)+2*b)/b*(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^{1/2}+1/8*(4*b*(a+b)-4*b^2)/b^{3/2}*\ln((b*(\coth(x)-1)+b)/b^{1/2}+(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^{1/2}))-1/2*(a+b)*((b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^{1/2}+b^{1/2})*\ln((b*(\coth(x)-1)+b)/b^{1/2}+(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^{1/2}))- \\
 & (a+b)^{1/2}*\ln((2*a+2*b+2*b*(\coth(x)-1)+2*(a+b)^{1/2}*(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^{1/2}))/(\coth(x)-1))-1/6*(b*(1+\coth(x))^2-2*b*(1+\coth(x))+a+b)^{3/2}+1/2*b*(1/4*(2*b*(1+\coth(x))-2*b)/b*(b*(1+\coth(x))^2-2*b*(1+\coth(x))+a+b)^{1/2}+1/8*(4*b*(a+b)-4*b^2)/b^{3/2}*\ln((b*(1+\coth(x))-b)/b^{1/2}+(b*(1+\coth(x))^2-2*b*(1+\coth(x))+a+b)^{1/2}))-1/2*(a+b)*((b*(1+\coth(x))^2-2*b*(1+\coth(x))+a+b)^{1/2}-b^{1/2})*\ln((b*(1+\coth(x))-b)/b^{1/2}+(b*(1+\coth(x))^2-2*b*(1+\coth(x))+a+b)^{1/2}))- \\
 & (a+b)^{1/2}*\ln((2*a+2*b-2*b*(1+\coth(x))+2*(a+b)^{1/2}*(b*(1+\coth(x))^2-2*b*(1+\coth(x))+a+b)^{1/2}))/((1+\coth(x)))
 \end{aligned}$$

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 865 vs. $2(51) = 102$.

Time = 0.22 (sec) , antiderivative size = 2362, normalized size of antiderivative = 37.49

$$\int \coth(x) (a + b \coth^2(x))^{3/2} dx = \text{Too large to display}$$

input `integrate(coth(x)*(a+b*coth(x)^2)^(3/2),x, algorithm="fricas")`

output

```
[1/12*(3*((a + b)*cosh(x)^6 + 6*(a + b)*cosh(x)*sinh(x)^5 + (a + b)*sinh(x)^6 - 3*(a + b)*cosh(x)^4 + 3*(5*(a + b)*cosh(x)^2 - a - b)*sinh(x)^4 + 4*(5*(a + b)*cosh(x)^3 - 3*(a + b)*cosh(x))*sinh(x)^3 + 3*(a + b)*cosh(x)^2 + 3*(5*(a + b)*cosh(x)^4 - 6*(a + b)*cosh(x)^2 + a + b)*sinh(x)^2 + 6*((a + b)*cosh(x)^5 - 2*(a + b)*cosh(x)^3 + (a + b)*cosh(x))*sinh(x) - a - b)*sqrt(a + b)*log(-((a^3 + a^2*b)*cosh(x)^8 + 8*(a^3 + a^2*b)*cosh(x)*sinh(x)^7 + (a^3 + a^2*b)*sinh(x)^8 - 2*(2*a^3 + a^2*b)*cosh(x)^6 - 2*(2*a^3 + a^2*b - 14*(a^3 + a^2*b)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a^3 + a^2*b)*cosh(x)^3 - 3*(2*a^3 + a^2*b)*cosh(x))*sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^4 + (70*(a^3 + a^2*b)*cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 - 30*(2*a^3 + a^2*b)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a^3 + a^2*b)*cosh(x)^5 - 10*(2*a^3 + a^2*b)*cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 2*(2*a^3 + 3*a^2*b - b^3)*cosh(x)^2 + 2*(14*(a^3 + a^2*b)*cosh(x)^6 - 15*(2*a^3 + a^2*b)*cosh(x)^4 - 2*a^3 - 3*a^2*b + b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(a^2*cosh(x)^6 + 6*a^2*cosh(x)*sinh(x)^5 + a^2*sinh(x)^6 - 3*a^2*cosh(x)^4 + 3*(5*a^2*cosh(x)^2 - a^2)*sinh(x)^4 + 4*(5*a^2*cosh(x)^3 - 3*a^2*cosh(x))*sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x)^2 + (15*a^2*cosh(x)^4 - 18*a^2*cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*a^2*cosh(x)^5 - 6*a^2*cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x)...
```

Sympy [F]

$$\int \coth(x) (a + b \coth^2(x))^{3/2} dx = \int (a + b \coth^2(x))^{3/2} \coth(x) dx$$

input

```
integrate(coth(x)*(a+b*coth(x)**2)**(3/2), x)
```

output

```
Integral((a + b*coth(x)**2)**(3/2)*coth(x), x)
```

Maxima [F]

$$\int \coth(x) (a + b \coth^2(x))^{3/2} dx = \int (b \coth(x)^2 + a)^{\frac{3}{2}} \coth(x) dx$$

input `integrate(coth(x)*(a+b*coth(x)^2)^(3/2),x, algorithm="maxima")`

output `integrate((b*coth(x)^2 + a)^(3/2)*coth(x), x)`

Giac [F(-2)]

Exception generated.

$$\int \coth(x) (a + b \coth^2(x))^{3/2} dx = \text{Exception raised: TypeError}$$

input `integrate(coth(x)*(a+b*coth(x)^2)^(3/2),x, algorithm="giac")`

output `Exception raised: TypeError >> an error occurred running a Giac command:IN
PUT:sage2:=int(sage0,sageVARx):;OUTPUT:Error: Bad Argument Type`

Mupad [B] (verification not implemented)

Time = 5.02 (sec) , antiderivative size = 64, normalized size of antiderivative = 1.02

$$\int \coth(x) (a + b \coth^2(x))^{3/2} dx = \operatorname{atanh}\left(\frac{(a+b)^{3/2} \sqrt{b \coth(x)^2 + a}}{a^2 + 2ab + b^2}\right) (a+b)^{3/2} \\ - (a+b) \sqrt{b \coth(x)^2 + a} - \frac{(b \coth(x)^2 + a)^{3/2}}{3}$$

input `int(coth(x)*(a + b*coth(x)^2)^(3/2),x)`

output

```
atanh(((a + b)^(3/2)*(a + b*coth(x)^2)^(1/2))/(2*a*b + a^2 + b^2))*(a + b)
^(3/2) - (a + b)*(a + b*coth(x)^2)^(1/2) - (a + b*coth(x)^2)^(3/2)/3
```

Reduce [F]

$$\int \coth(x) (a + b \coth^2(x))^{3/2} dx = \frac{-\sqrt{\coth(x)^2 b + a} \coth(x)^2 b^2 + 3\sqrt{\coth(x)^2 b + a} a^2 + 2\sqrt{\coth(x)^2 b + a} ab + 3 \left(\dots \right)}{\dots}$$

input

```
int(coth(x)*(a+b*coth(x)^2)^(3/2),x)
```

output

```
( - sqrt(coth(x)**2*b + a)*coth(x)**2*b**2 + 3*sqrt(coth(x)**2*b + a)*a**2
+ 2*sqrt(coth(x)**2*b + a)*a*b + 3*int((sqrt(coth(x)**2*b + a)*coth(x)**3
)/(coth(x)**2*b + a),x)*a**2*b + 6*int((sqrt(coth(x)**2*b + a)*coth(x)**3
)/(coth(x)**2*b + a),x)*a*b**2 + 3*int((sqrt(coth(x)**2*b + a)*coth(x)**3)/
(coth(x)**2*b + a),x)*b**3)/(3*b)
```

3.25 $\int (a + b \operatorname{coth}^2(x))^{3/2} dx$

Optimal result	223
Mathematica [A] (verified)	223
Rubi [A] (verified)	224
Maple [B] (verified)	227
Fricas [B] (verification not implemented)	228
Sympy [F]	228
Maxima [F]	229
Giac [F(-2)]	229
Mupad [F(-1)]	229
Reduce [F]	230

Optimal result

Integrand size = 12, antiderivative size = 88

$$\int (a + b \operatorname{coth}^2(x))^{3/2} dx = -\frac{1}{2}\sqrt{b}(3a + 2b)\operatorname{arctanh}\left(\frac{\sqrt{b}\operatorname{coth}(x)}{\sqrt{a + b \operatorname{coth}^2(x)}}\right) + (a + b)^{3/2}\operatorname{arctanh}\left(\frac{\sqrt{a + b}\operatorname{coth}(x)}{\sqrt{a + b \operatorname{coth}^2(x)}}\right) - \frac{1}{2}b \operatorname{coth}(x)\sqrt{a + b \operatorname{coth}^2(x)}$$

output

```
-1/2*b^(1/2)*(3*a+2*b)*arctanh(b^(1/2)*coth(x)/(a+b*coth(x)^2)^(1/2))+(a+b)^(3/2)*arctanh((a+b)^(1/2)*coth(x)/(a+b*coth(x)^2)^(1/2))-1/2*b*coth(x)*(a+b*coth(x)^2)^(1/2)
```

Mathematica [A] (verified)

Time = 0.44 (sec) , antiderivative size = 111, normalized size of antiderivative = 1.26

$$\int (a + b \operatorname{coth}^2(x))^{3/2} dx = \frac{1}{2} \left(-2(-a-b)^{3/2} \arctan\left(\frac{\operatorname{coth}(x)\sqrt{a + b \operatorname{coth}^2(x)} - \sqrt{b}\operatorname{csch}^2(x)}{\sqrt{-a-b}}\right) - b \operatorname{coth}(x)\sqrt{a + b \operatorname{coth}^2(x)} \right)$$

input `Integrate[(a + b*Coth[x]^2)^(3/2), x]`

output `(-2*(-a - b)^(3/2)*ArcTan[(Coth[x]*Sqrt[a + b*Coth[x]^2] - Sqrt[b]*Csch[x]^2)/Sqrt[-a - b]] - b*Coth[x]*Sqrt[a + b*Coth[x]^2] + Sqrt[b]*(3*a + 2*b)*Log[-(Sqrt[b]*Coth[x]) + Sqrt[a + b*Coth[x]^2]])/2`

Rubi [A] (verified)

Time = 0.50 (sec) , antiderivative size = 92, normalized size of antiderivative = 1.05, number of steps used = 10, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.750$, Rules used = {3042, 4144, 318, 25, 398, 224, 219, 291, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (a + b \coth^2(x))^{3/2} dx \\
 & \quad \downarrow \text{3042} \\
 & \int \left(a - b \tan\left(\frac{\pi}{2} + ix\right)^2 \right)^{3/2} dx \\
 & \quad \downarrow \text{4144} \\
 & \int \frac{(a + b \coth^2(x))^{3/2}}{1 - \coth^2(x)} d \coth(x) \\
 & \quad \downarrow \text{318} \\
 & -\frac{1}{2} \int -\frac{b(3a + 2b) \coth^2(x) + a(2a + b)}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) - \frac{1}{2} b \coth(x) \sqrt{a + b \coth^2(x)} \\
 & \quad \downarrow \text{25} \\
 & \frac{1}{2} \int \frac{b(3a + 2b) \coth^2(x) + a(2a + b)}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) - \frac{1}{2} b \coth(x) \sqrt{a + b \coth^2(x)} \\
 & \quad \downarrow \text{398}
 \end{aligned}$$

$$\frac{1}{2} \left(2(a+b)^2 \int \frac{1}{(1-\coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) - b(3a+2b) \int \frac{1}{\sqrt{b \coth^2(x) + a}} d \coth(x) \right) - \frac{1}{2} b \coth(x) \sqrt{a + b \coth^2(x)}$$

↓ 224

$$\frac{1}{2} \left(2(a+b)^2 \int \frac{1}{(1-\coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) - b(3a+2b) \int \frac{1}{1 - \frac{b \coth^2(x)}{b \coth^2(x) + a}} d \frac{\coth(x)}{\sqrt{b \coth^2(x) + a}} \right) - \frac{1}{2} b \coth(x) \sqrt{a + b \coth^2(x)}$$

↓ 219

$$\frac{1}{2} \left(2(a+b)^2 \int \frac{1}{(1-\coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) - \sqrt{b}(3a+2b) \operatorname{arctanh} \left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right) \right) - \frac{1}{2} b \coth(x) \sqrt{a + b \coth^2(x)}$$

↓ 291

$$\frac{1}{2} \left(2(a+b)^2 \int \frac{1}{1 - \frac{(a+b) \coth^2(x)}{b \coth^2(x) + a}} d \frac{\coth(x)}{\sqrt{b \coth^2(x) + a}} - \sqrt{b}(3a+2b) \operatorname{arctanh} \left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right) \right) - \frac{1}{2} b \coth(x) \sqrt{a + b \coth^2(x)}$$

↓ 219

$$\frac{1}{2} \left(2(a+b)^{3/2} \operatorname{arctanh} \left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right) - \sqrt{b}(3a+2b) \operatorname{arctanh} \left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right) \right) - \frac{1}{2} b \coth(x) \sqrt{a + b \coth^2(x)}$$

input `Int[(a + b*Coth[x]^2)^(3/2), x]`

output
$$\frac{-(\sqrt{b}(3a + 2b)\operatorname{ArcTanh}[\frac{\sqrt{b}\operatorname{Coth}[x]}{\sqrt{a + b\operatorname{Coth}[x]^2}}]) + 2(a + b)^{3/2}\operatorname{ArcTanh}[\frac{\sqrt{a + b}\operatorname{Coth}[x]}{\sqrt{a + b\operatorname{Coth}[x]^2}}])/2 - (b\operatorname{Coth}[x]\sqrt{a + b\operatorname{Coth}[x]^2})/2}{1}$$

Definitions of rubi rules used

rule 25
$$\operatorname{Int}[-(F_x), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{Identity}[-1] \operatorname{Int}[F_x, x], x]$$

rule 219
$$\operatorname{Int}[(a + (b \cdot x)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1/(\operatorname{Rt}[a, 2] \cdot \operatorname{Rt}[-b, 2])) \cdot \operatorname{ArcTanh}[\operatorname{Rt}[-b, 2] \cdot (x/\operatorname{Rt}[a, 2])], x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \ \operatorname{NegQ}[a/b] \ \&\& \ (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$$

rule 224
$$\operatorname{Int}[1/\sqrt{(a + (b \cdot x)^2)}, x_Symbol] \rightarrow \operatorname{Subst}[\operatorname{Int}[1/(1 - b \cdot x^2), x], x, x/\sqrt{a + b \cdot x^2}] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \ !\operatorname{GtQ}[a, 0]$$

rule 291
$$\operatorname{Int}[1/(\sqrt{(a + (b \cdot x)^2}) \cdot ((c + (d \cdot x)^2))), x_Symbol] \rightarrow \operatorname{Subst}[\operatorname{Int}[1/(c - (b \cdot c - a \cdot d) \cdot x^2), x], x, x/\sqrt{a + b \cdot x^2}] /; \operatorname{FreeQ}\{a, b, c, d\}, x \ \&\& \ \operatorname{NeQ}[b \cdot c - a \cdot d, 0]$$

rule 318
$$\operatorname{Int}[(a + (b \cdot x)^2)^p \cdot ((c + (d \cdot x)^2)^q), x_Symbol] \rightarrow \operatorname{Simp}[d \cdot x \cdot (a + b \cdot x^2)^{p+1} \cdot ((c + d \cdot x^2)^{q-1} / (b \cdot (2 \cdot (p+q) + 1))), x] + \operatorname{Simp}[1/(b \cdot (2 \cdot (p+q) + 1)) \operatorname{Int}[(a + b \cdot x^2)^p \cdot (c + d \cdot x^2)^{q-2} \cdot \operatorname{Simp}[c \cdot (b \cdot c \cdot (2 \cdot (p+q) + 1) - a \cdot d) + d \cdot (b \cdot c \cdot (2 \cdot (p+2 \cdot q - 1) + 1) - a \cdot d \cdot (2 \cdot (q-1) + 1)) \cdot x^2, x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, p\}, x \ \&\& \ \operatorname{NeQ}[b \cdot c - a \cdot d, 0] \ \&\& \ \operatorname{GtQ}[q, 1] \ \&\& \ \operatorname{NeQ}[2 \cdot (p+q) + 1, 0] \ \&\& \ !\operatorname{IGtQ}[p, 1] \ \&\& \ \operatorname{IntBinomialQ}[a, b, c, d, 2, p, q, x]$$

rule 398
$$\operatorname{Int}[(e + (f \cdot x)^2) / ((a + (b \cdot x)^2) \cdot \sqrt{(c + (d \cdot x)^2)}), x_Symbol] \rightarrow \operatorname{Simp}[f/b \operatorname{Int}[1/\sqrt{c + d \cdot x^2}, x], x] + \operatorname{Simp}[(b \cdot e - a \cdot f) / b \operatorname{Int}[1/((a + b \cdot x^2) \cdot \sqrt{c + d \cdot x^2}), x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x]$$

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4144 `Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[c*(ff/f) Subst[Int[(a + b*(ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 472 vs. 2(70) = 140.

Time = 0.05 (sec) , antiderivative size = 473, normalized size of antiderivative = 5.38

method	result
derivativedivides	$-\frac{(b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b)^{\frac{3}{2}}}{6} - b \left(\frac{(2b(\coth(x)-1)+2b)\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}}{4b} + \frac{(4b(a+b)-}{2} \right)$
default	$-\frac{(b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b)^{\frac{3}{2}}}{6} - b \left(\frac{(2b(\coth(x)-1)+2b)\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}}{4b} + \frac{(4b(a+b)-}{2} \right)$

input `int((a+b*coth(x)^2)^(3/2),x,method=_RETURNVERBOSE)`

output

```
-1/6*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(3/2)-1/2*b*(1/4*(2*b*(coth(x)-1)+2*b)/b*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2)+1/8*(4*b*(a+b)-4*b^2)/b^(3/2)*ln((b*(coth(x)-1)+b)/b^(1/2)+(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2)))-1/2*(a+b)*((b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2)+b^(1/2)*ln((b*(coth(x)-1)+b)/b^(1/2)+(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2)))-(a+b)^(1/2)*ln((2*a+2*b+2*b*(coth(x)-1)+2*(a+b)^(1/2)*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2))/(coth(x)-1)))+1/6*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(3/2)-1/2*b*(1/4*(2*b*(1+coth(x))-2*b)/b*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)+1/8*(4*b*(a+b)-4*b^2)/b^(3/2)*ln((b*(1+coth(x))-b)/b^(1/2)+(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)))+1/2*(a+b)*((b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)-b^(1/2)*ln((b*(1+coth(x))-b)/b^(1/2)+(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)))-(a+b)^(1/2)*ln((2*a+2*b-2*b*(1+coth(x))+2*(a+b)^(1/2)*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2))/(1+coth(x))))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 869 vs. $2(70) = 140$.

Time = 0.30 (sec) , antiderivative size = 4881, normalized size of antiderivative = 55.47

$$\int (a + b \coth^2(x))^{3/2} dx = \text{Too large to display}$$

input

```
integrate((a+b*coth(x)^2)^(3/2),x, algorithm="fricas")
```

output

```
Too large to include
```

Sympy [F]

$$\int (a + b \coth^2(x))^{3/2} dx = \int (a + b \coth^2(x))^{\frac{3}{2}} dx$$

input

```
integrate((a+b*coth(x)**2)**(3/2),x)
```

output `Integral((a + b*coth(x)**2)**(3/2), x)`

Maxima [F]

$$\int (a + b \coth^2(x))^{3/2} dx = \int (b \coth(x)^2 + a)^{3/2} dx$$

input `integrate((a+b*coth(x)^2)^(3/2),x, algorithm="maxima")`

output `integrate((b*coth(x)^2 + a)^(3/2), x)`

Giac [F(-2)]

Exception generated.

$$\int (a + b \coth^2(x))^{3/2} dx = \text{Exception raised: TypeError}$$

input `integrate((a+b*coth(x)^2)^(3/2),x, algorithm="giac")`

output `Exception raised: TypeError >> an error occurred running a Giac command:IN
PUT:sage2:=int(sage0,sageVARx):;OUTPUT:Error: Bad Argument Type`

Mupad [F(-1)]

Timed out.

$$\int (a + b \coth^2(x))^{3/2} dx = \int (b \coth(x)^2 + a)^{3/2} dx$$

input `int((a + b*coth(x)^2)^(3/2),x)`

output `int((a + b*coth(x)^2)^(3/2), x)`

Reduce [F]

$$\int (a + b \operatorname{coth}^2(x))^{3/2} dx = \left(\int \sqrt{\operatorname{coth}(x)^2 b + a} dx \right) a \\ + \left(\int \sqrt{\operatorname{coth}(x)^2 b + a} \operatorname{coth}(x)^2 dx \right) b$$

input `int((a+b*coth(x)^2)^(3/2),x)`

output `int(sqrt(coth(x)**2*b + a),x)*a + int(sqrt(coth(x)**2*b + a)*coth(x)**2,x)
*b`

3.26 $\int (a + b \coth^2(x))^{3/2} \tanh(x) dx$

Optimal result	231
Mathematica [A] (verified)	231
Rubi [A] (verified)	232
Maple [F]	235
Fricas [B] (verification not implemented)	235
Sympy [F]	236
Maxima [F]	236
Giac [B] (verification not implemented)	236
Mupad [F(-1)]	237
Reduce [F]	237

Optimal result

Integrand size = 15, antiderivative size = 71

$$\int (a + b \coth^2(x))^{3/2} \tanh(x) dx = -a^{3/2} \operatorname{arctanh}\left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a}}\right) + (a + b)^{3/2} \operatorname{arctanh}\left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}}\right) - b\sqrt{a + b \coth^2(x)}$$

output

```
-a^(3/2)*arctanh((a+b*coth(x)^2)^(1/2)/a^(1/2))+(a+b)^(3/2)*arctanh((a+b*coth(x)^2)^(1/2)/(a+b)^(1/2))-b*(a+b*coth(x)^2)^(1/2)
```

Mathematica [A] (verified)

Time = 0.06 (sec) , antiderivative size = 71, normalized size of antiderivative = 1.00

$$\int (a + b \coth^2(x))^{3/2} \tanh(x) dx = -a^{3/2} \operatorname{arctanh}\left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a}}\right) + (a + b)^{3/2} \operatorname{arctanh}\left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}}\right) - b\sqrt{a + b \coth^2(x)}$$

input `Integrate[(a + b*Coth[x]^2)^(3/2)*Tanh[x], x]`

output `-(a^(3/2)*ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a]]) + (a + b)^(3/2)*ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]] - b*Sqrt[a + b*Coth[x]^2]`

Rubi [A] (verified)

Time = 0.56 (sec) , antiderivative size = 76, normalized size of antiderivative = 1.07, number of steps used = 11, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {3042, 26, 4153, 26, 354, 95, 25, 174, 73, 221}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \tanh(x) (a + b \coth^2(x))^{3/2} dx \\
 & \quad \downarrow \text{3042} \\
 & \int \frac{i (a - b \tan(\frac{\pi}{2} + ix))^2}{\tan(\frac{\pi}{2} + ix)} dx \\
 & \quad \downarrow \text{26} \\
 & i \int \frac{(a - b \tan(ix + \frac{\pi}{2}))^2}{\tan(ix + \frac{\pi}{2})} dx \\
 & \quad \downarrow \text{4153} \\
 & i \int -\frac{i (b \coth^2(x) + a)^{3/2} \tanh(x)}{1 - \coth^2(x)} d \coth(x) \\
 & \quad \downarrow \text{26} \\
 & \int \frac{\tanh(x) (a + b \coth^2(x))^{3/2}}{1 - \coth^2(x)} d \coth(x) \\
 & \quad \downarrow \text{354} \\
 & \frac{1}{2} \int \frac{(b \coth^2(x) + a)^{3/2} \tanh(x)}{1 - \coth^2(x)} d \coth^2(x)
 \end{aligned}$$

↓ 95

$$\frac{1}{2} \left(- \int - \frac{(a^2 + b(2a + b) \coth^2(x)) \tanh(x)}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth^2(x) - 2b \sqrt{a + b \coth^2(x)} \right)$$

↓ 25

$$\frac{1}{2} \left(\int \frac{(a^2 + b(2a + b) \coth^2(x)) \tanh(x)}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth^2(x) - 2b \sqrt{a + b \coth^2(x)} \right)$$

↓ 174

$$\frac{1}{2} \left(a^2 \int \frac{\tanh(x)}{\sqrt{b \coth^2(x) + a}} d \coth^2(x) + (a + b)^2 \int \frac{1}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth^2(x) - 2b \sqrt{a + b \coth^2(x)} \right)$$

↓ 73

$$\frac{1}{2} \left(\frac{2a^2 \int \frac{1}{\frac{\coth^4(x) - a}{b}} d \sqrt{b \coth^2(x) + a}}{b} + \frac{2(a + b)^2 \int \frac{1}{\frac{a+b - \coth^4(x)}{b}} d \sqrt{b \coth^2(x) + a}}{b} - 2b \sqrt{a + b \coth^2(x)} \right)$$

↓ 221

$$\frac{1}{2} \left(-2a^{3/2} \operatorname{arctanh} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a}} \right) + 2(a + b)^{3/2} \operatorname{arctanh} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}} \right) - 2b \sqrt{a + b \coth^2(x)} \right)$$

input `Int[(a + b*Coth[x]^2)^(3/2)*Tanh[x],x]`

output `(-2*a^(3/2)*ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a]] + 2*(a + b)^(3/2)*ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]] - 2*b*Sqrt[a + b*Coth[x]^2])/2`

Definitions of rubi rules used

- rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`
- rule 26 `Int[(Complex[0, a_])*(Fx_), x_Symbol] := Simp[(Complex[Identity[0], a]) Int[Fx, x], x] /; FreeQ[a, x] && EqQ[a^2, 1]`
- rule 73 `Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Simp[p/b Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`
- rule 95 `Int[((e_.) + (f_.)*(x_)^(p_))/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_] := Simp[f*((e + f*x)^(p - 1)/(b*d*(p - 1))), x] + Simp[1/(b*d) Int[(b*d*e^2 - a*c*f^2 + f*(2*b*d*e - b*c*f - a*d*f)*x]*((e + f*x)^(p - 2)/((a + b*x)*(c + d*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 1]`
- rule 174 `Int[(((e_.) + (f_.)*(x_)^(p_))*((g_.) + (h_.)*(x_)))/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_] := Simp[(b*g - a*h)/(b*c - a*d) Int[(e + f*x)^p/(a + b*x), x], x] - Simp[(d*g - c*h)/(b*c - a*d) Int[(e + f*x)^p/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]`
- rule 221 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]`
- rule 354 `Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^2)^(p_.)*((c_) + (d_.)*(x_)^2)^(q_.), x_Symbol] := Simp[1/2 Subst[Int[x^((m - 1)/2)*(a + b*x)^p*(c + d*x)^q, x], x, x^2], x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[(m - 1)/2]`
- rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4153

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) +
(f_.)*(x_)]^(n_))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x],
x]}, Simp[c*(ff/f) Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + f
f^2*x^2)), x], x, c*(Tan[e + f*x]/ff)], x]] /; FreeQ[{a, b, c, d, e, f, m,
n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ratio
nalQ[n]))
```

Maple [F]

$$\int (a + b \coth(x)^2)^{\frac{3}{2}} \tanh(x) dx$$

input

```
int((a+b*coth(x)^2)^(3/2)*tanh(x),x)
```

output

```
int((a+b*coth(x)^2)^(3/2)*tanh(x),x)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 641 vs. 2(57) = 114.

Time = 0.31 (sec) , antiderivative size = 3949, normalized size of antiderivative = 55.62

$$\int (a + b \coth^2(x))^{\frac{3}{2}} \tanh(x) dx = \text{Too large to display}$$

input

```
integrate((a+b*coth(x)^2)^(3/2)*tanh(x),x, algorithm="fricas")
```

output

```
Too large to include
```

Sympy [F]

$$\int (a + b \operatorname{coth}^2(x))^{3/2} \tanh(x) dx = \int (a + b \operatorname{coth}^2(x))^{\frac{3}{2}} \tanh(x) dx$$

input `integrate((a+b*coth(x)**2)**(3/2)*tanh(x), x)`

output `Integral((a + b*coth(x)**2)**(3/2)*tanh(x), x)`

Maxima [F]

$$\int (a + b \operatorname{coth}^2(x))^{3/2} \tanh(x) dx = \int (b \operatorname{coth}(x)^2 + a)^{\frac{3}{2}} \tanh(x) dx$$

input `integrate((a+b*coth(x)^2)^(3/2)*tanh(x), x, algorithm="maxima")`

output `integrate((b*coth(x)^2 + a)^(3/2)*tanh(x), x)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 470 vs. $2(57) = 114$.

Time = 3.51 (sec) , antiderivative size = 470, normalized size of antiderivative = 6.62

$$\int (a + b \operatorname{coth}^2(x))^{3/2} \tanh(x) dx = \text{Too large to display}$$

input `integrate((a+b*coth(x)^2)^(3/2)*tanh(x), x, algorithm="giac")`

output

```

-2*a^2*arctan(-1/2*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a
*e^(2*x) + 2*b*e^(2*x) + a + b) + sqrt(a + b))/sqrt(-a))*sgn(e^(2*x) - 1)/
sqrt(-a) + 1/2*(a + b)^(3/2)*log(abs(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x)
+ b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) + sqrt(a + b)))*sgn(e^(2*
x) - 1) - 1/2*(a + b)^(3/2)*log(abs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x)
+ b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) + sqrt(a + b)))*sgn(e^(2*
x) - 1) - 1/2*(a^2 + 2*a*b + b^2)*log(abs(-(sqrt(a + b)*e^(2*x) - sqrt(a*e
^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b))*(a + b) + sqrt(a
+ b)*(a - b)))*sgn(e^(2*x) - 1)/sqrt(a + b) + 4*((sqrt(a + b)*e^(2*x) - sq
rt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b))*b^2*sgn(e^(
2*x) - 1) + sqrt(a + b)*b^2*sgn(e^(2*x) - 1))/((sqrt(a + b)*e^(2*x) - sqrt
(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b))^2 - 2*(sqrt(a
+ b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a
+ b))*sqrt(a + b) + a - 3*b)

```

Mupad [F(-1)]

Timed out.

$$\int (a + b \coth^2(x))^{3/2} \tanh(x) dx = \int \tanh(x) (b \coth(x)^2 + a)^{3/2} dx$$

input

```
int(tanh(x)*(a + b*coth(x)^2)^(3/2), x)
```

output

```
int(tanh(x)*(a + b*coth(x)^2)^(3/2), x)
```

Reduce [F]

$$\int (a + b \coth^2(x))^{3/2} \tanh(x) dx = \left(\int \sqrt{\coth(x)^2 b + a} \coth(x)^2 \tanh(x) dx \right) b + \left(\int \sqrt{\coth(x)^2 b + a} \tanh(x) dx \right) a$$

input

```
int((a+b*coth(x)^2)^(3/2)*tanh(x), x)
```

output `int(sqrt(coth(x)**2*b + a)*coth(x)**2*tanh(x),x)*b + int(sqrt(coth(x)**2*b + a)*tanh(x),x)*a`

3.27 $\int (a + b \operatorname{coth}^2(x))^{3/2} \tanh^2(x) dx$

Optimal result	239
Mathematica [B] (verified)	239
Rubi [A] (verified)	240
Maple [F]	243
Fricas [B] (verification not implemented)	243
Sympy [F(-1)]	244
Maxima [F]	244
Giac [B] (verification not implemented)	244
Mupad [F(-1)]	245
Reduce [F]	245

Optimal result

Integrand size = 17, antiderivative size = 77

$$\int (a + b \operatorname{coth}^2(x))^{3/2} \tanh^2(x) dx = -b^{3/2} \operatorname{arctanh}\left(\frac{\sqrt{b} \operatorname{coth}(x)}{\sqrt{a + b \operatorname{coth}^2(x)}}\right) + (a + b)^{3/2} \operatorname{arctanh}\left(\frac{\sqrt{a + b} \operatorname{coth}(x)}{\sqrt{a + b \operatorname{coth}^2(x)}}\right) - a \sqrt{a + b \operatorname{coth}^2(x)} \tanh(x)$$

output

```
-b^(3/2)*arctanh(b^(1/2)*coth(x)/(a+b*coth(x)^2)^(1/2))+(a+b)^(3/2)*arctanh((a+b)^(1/2)*coth(x)/(a+b*coth(x)^2)^(1/2))-a*(a+b*coth(x)^2)^(1/2)*tanh(x)
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 180 vs. 2(77) = 154.

Time = 0.36 (sec) , antiderivative size = 180, normalized size of antiderivative = 2.34

$$\int (a + b \operatorname{coth}^2(x))^{3/2} \tanh^2(x) dx = \frac{\left(-\sqrt{2}b^{3/2}\sqrt{a+b}\operatorname{arctanh}\left(\frac{\sqrt{2}\sqrt{b}\cosh(x)}{\sqrt{-a+b+(a+b)\cosh(2x)}}\right)\cosh(x) + \sqrt{2}(a+b)^2\operatorname{arctanh}\left(\frac{\sqrt{2}\sqrt{b}\cosh(x)}{\sqrt{-a+b+(a+b)\cosh(2x)}}\right)\right)}{\sqrt{2}}$$

input `Integrate[(a + b*Coth[x]^2)^(3/2)*Tanh[x]^2,x]`

output `((-(Sqrt[2]*b^(3/2)*Sqrt[a + b]*ArcTanh[(Sqrt[2]*Sqrt[b]*Cosh[x])/Sqrt[-a + b + (a + b)*Cosh[2*x]])*Cosh[x]) + Sqrt[2]*(a + b)^2*ArcTanh[(Sqrt[2]*Sqrt[a + b]*Cosh[x])/Sqrt[-a + b + (a + b)*Cosh[2*x]])*Cosh[x] - a*Sqrt[a + b]*Sqrt[-a + b + (a + b)*Cosh[2*x]])*Sqrt[(-a + b + (a + b)*Cosh[2*x])*Cosh[x]^2]*Tanh[x])/(Sqrt[2]*Sqrt[a + b]*Sqrt[-a + b + (a + b)*Cosh[2*x]])`

Rubi [A] (verified)

Time = 0.35 (sec) , antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.588$, Rules used = {3042, 25, 4153, 25, 376, 398, 224, 219, 291, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \tanh^2(x) (a + b \coth^2(x))^{3/2} dx \\
 & \quad \downarrow \text{3042} \\
 & \int -\frac{\left(a - b \tan\left(\frac{\pi}{2} + ix\right)^2\right)^{3/2}}{\tan\left(\frac{\pi}{2} + ix\right)^2} dx \\
 & \quad \downarrow \text{25} \\
 & -\int \frac{\left(a - b \tan\left(ix + \frac{\pi}{2}\right)^2\right)^{3/2}}{\tan\left(ix + \frac{\pi}{2}\right)^2} dx \\
 & \quad \downarrow \text{4153} \\
 & -\int -\frac{(b \coth^2(x) + a)^{3/2} \tanh^2(x)}{1 - \coth^2(x)} d \coth(x) \\
 & \quad \downarrow \text{25} \\
 & \int \frac{\tanh^2(x) (a + b \coth^2(x))^{3/2}}{1 - \coth^2(x)} d \coth(x)
 \end{aligned}$$

↓ 376

$$\int \frac{b^2 \coth^2(x) + a(a + 2b)}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) - a \tanh(x) \sqrt{a + b \coth^2(x)}$$

↓ 398

$$b^2 \left(- \int \frac{1}{\sqrt{b \coth^2(x) + a}} d \coth(x) \right) + (a + b)^2 \int \frac{1}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) - a \tanh(x) \sqrt{a + b \coth^2(x)}$$

↓ 224

$$b^2 \left(- \int \frac{1}{1 - \frac{b \coth^2(x)}{b \coth^2(x) + a}} d \frac{\coth(x)}{\sqrt{b \coth^2(x) + a}} \right) + (a + b)^2 \int \frac{1}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) - a \tanh(x) \sqrt{a + b \coth^2(x)}$$

↓ 219

$$(a + b)^2 \int \frac{1}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) - b^{3/2} \operatorname{arctanh} \left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right) - a \tanh(x) \sqrt{a + b \coth^2(x)}$$

↓ 291

$$(a + b)^2 \int \frac{1}{1 - \frac{(a+b) \coth^2(x)}{b \coth^2(x) + a}} d \frac{\coth(x)}{\sqrt{b \coth^2(x) + a}} - b^{3/2} \operatorname{arctanh} \left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right) - a \tanh(x) \sqrt{a + b \coth^2(x)}$$

↓ 219

$$b^{3/2} \left(- \operatorname{arctanh} \left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right) \right) + (a + b)^{3/2} \operatorname{arctanh} \left(\frac{\sqrt{a + b} \coth(x)}{\sqrt{a + b \coth^2(x)}} \right) - a \tanh(x) \sqrt{a + b \coth^2(x)}$$

input `Int[(a + b*Coth[x]^2)^(3/2)*Tanh[x]^2,x]`

output
$$-(b^{(3/2)} \operatorname{ArcTanh}[\operatorname{Sqrt}[b] \operatorname{Coth}[x]] / \operatorname{Sqrt}[a + b \operatorname{Coth}[x]^2]) + (a + b)^{(3/2)} \operatorname{ArcTanh}[\operatorname{Sqrt}[a + b] \operatorname{Coth}[x]] / \operatorname{Sqrt}[a + b \operatorname{Coth}[x]^2] - a \operatorname{Sqrt}[a + b \operatorname{Coth}[x]^2] \operatorname{Tanh}[x]$$

Defintions of rubi rules used

rule 25
$$\operatorname{Int}[-(F x), x_{\text{Symbol}}] \rightarrow \operatorname{Simp}[\operatorname{Identity}[-1] \operatorname{Int}[F x, x], x]$$

rule 219
$$\operatorname{Int}[(a + (b \cdot x)^2)^{-1}, x_{\text{Symbol}}] \rightarrow \operatorname{Simp}[(1 / (\operatorname{Rt}[a, 2] \operatorname{Rt}[-b, 2])) \operatorname{ArcTanh}[\operatorname{Rt}[-b, 2] \cdot (x / \operatorname{Rt}[a, 2])], x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$$

rule 224
$$\operatorname{Int}[1 / \operatorname{Sqrt}[(a + (b \cdot x)^2)], x_{\text{Symbol}}] \rightarrow \operatorname{Subst}[\operatorname{Int}[1 / (1 - b \cdot x^2), x], x, x / \operatorname{Sqrt}[a + b \cdot x^2]] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \ !\operatorname{GtQ}[a, 0]$$

rule 291
$$\operatorname{Int}[1 / (\operatorname{Sqrt}[(a + (b \cdot x)^2] \cdot ((c + (d \cdot x)^2))), x_{\text{Symbol}}] \rightarrow \operatorname{Subst}[\operatorname{Int}[1 / (c - (b \cdot c - a \cdot d) \cdot x^2), x], x, x / \operatorname{Sqrt}[a + b \cdot x^2]] /; \operatorname{FreeQ}\{a, b, c, d\}, x \ \&\& \operatorname{NeQ}[b \cdot c - a \cdot d, 0]$$

rule 376
$$\operatorname{Int}[(e \cdot x)^m \cdot (a + (b \cdot x)^2)^p \cdot ((c + (d \cdot x)^2)^q), x_{\text{Symbol}}] \rightarrow \operatorname{Simp}[c \cdot (e \cdot x)^{m+1} \cdot (a + b \cdot x^2)^{p+1} \cdot ((c + d \cdot x^2)^{q-1}) / (a \cdot e^{m+1}), x] - \operatorname{Simp}[1 / (a \cdot e^{2 \cdot (m+1)}) \operatorname{Int}[(e \cdot x)^{m+2} \cdot (a + b \cdot x^2)^p \cdot (c + d \cdot x^2)^{q-2} \cdot \operatorname{Simp}[c \cdot (b \cdot c - a \cdot d) \cdot (m+1) + 2 \cdot c \cdot (b \cdot c \cdot (p+1) + a \cdot d \cdot (q-1)) + d \cdot ((b \cdot c - a \cdot d) \cdot (m+1) + 2 \cdot b \cdot c \cdot (p+q)) \cdot x^2, x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, p\}, x \ \&\& \operatorname{NeQ}[b \cdot c - a \cdot d, 0] \ \&\& \operatorname{GtQ}[q, 1] \ \&\& \operatorname{LtQ}[m, -1] \ \& \ \operatorname{IntBinomialQ}[a, b, c, d, e, m, 2, p, q, x]$$

rule 398
$$\operatorname{Int}[(e + (f \cdot x)^2) / ((a + (b \cdot x)^2) \cdot \operatorname{Sqrt}[(c + (d \cdot x)^2])], x_{\text{Symbol}}] \rightarrow \operatorname{Simp}[f/b \operatorname{Int}[1 / \operatorname{Sqrt}[c + d \cdot x^2], x], x] + \operatorname{Simp}[(b \cdot e - a \cdot f) / b \operatorname{Int}[1 / ((a + b \cdot x^2) \cdot \operatorname{Sqrt}[c + d \cdot x^2]), x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x]$$

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4153 `Int[((d_)*tan[(e_) + (f_)*(x_)]^(m_))*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)]^(n_))^(p_)), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[c*(ff/f) Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + f^2*x^2)), x], x, c*(Tan[e + f*x]/ff)], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))`

Maple [F]

$$\int (a + b \coth(x)^2)^{\frac{3}{2}} \tanh(x)^2 dx$$

input `int((a+b*coth(x)^2)^(3/2)*tanh(x)^2,x)`

output `int((a+b*coth(x)^2)^(3/2)*tanh(x)^2,x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 617 vs. 2(63) = 126.

Time = 0.27 (sec) , antiderivative size = 3869, normalized size of antiderivative = 50.25

$$\int (a + b \coth^2(x))^{3/2} \tanh^2(x) dx = \text{Too large to display}$$

input `integrate((a+b*coth(x)^2)^(3/2)*tanh(x)^2,x, algorithm="fricas")`

output `Too large to include`

Sympy [F(-1)]

Timed out.

$$\int (a + b \coth^2(x))^{3/2} \tanh^2(x) dx = \text{Timed out}$$

input `integrate((a+b*coth(x)**2)**(3/2)*tanh(x)**2,x)`output `Timed out`**Maxima [F]**

$$\int (a + b \coth^2(x))^{3/2} \tanh^2(x) dx = \int (b \coth(x)^2 + a)^{3/2} \tanh(x)^2 dx$$

input `integrate((a+b*coth(x)^2)^(3/2)*tanh(x)^2,x, algorithm="maxima")`output `integrate((b*coth(x)^2 + a)^(3/2)*tanh(x)^2, x)`**Giac [B] (verification not implemented)**

Leaf count of result is larger than twice the leaf count of optimal. 473 vs. 2(63) = 126.

Time = 3.28 (sec) , antiderivative size = 473, normalized size of antiderivative = 6.14

$$\int (a + b \coth^2(x))^{3/2} \tanh^2(x) dx = \text{Too large to display}$$

input `integrate((a+b*coth(x)^2)^(3/2)*tanh(x)^2,x, algorithm="giac")`

output

```

2*b^2*arctan(-1/2*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*
e^(2*x) + 2*b*e^(2*x) + a + b) - sqrt(a + b))/sqrt(-b))*sgn(e^(2*x) - 1)/s
qrt(-b) - 1/2*(a + b)^(3/2)*log(abs(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) +
b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) + sqrt(a + b)))*sgn(e^(2*x
) - 1) + 1/2*(a + b)^(3/2)*log(abs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) +
b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) + sqrt(a + b)))*sgn(e^(2*x
) - 1) - 1/2*(a^2 + 2*a*b + b^2)*log(abs(-(sqrt(a + b)*e^(2*x) - sqrt(a*e^
(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b))*(a + b) + sqrt(a +
b)*(a - b)))*sgn(e^(2*x) - 1)/sqrt(a + b) - 4*((sqrt(a + b)*e^(2*x) - sqr
t(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b))*a^2*sgn(e^(2
*x) - 1) - sqrt(a + b)*a^2*sgn(e^(2*x) - 1))/((sqrt(a + b)*e^(2*x) - sqrt(
a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b))^2 + 2*(sqrt(a
+ b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a
+ b))*sqrt(a + b) - 3*a + b)

```

Mupad [F(-1)]

Timed out.

$$\int (a + b \coth^2(x))^{3/2} \tanh^2(x) dx = \int \tanh(x)^2 (b \coth(x)^2 + a)^{3/2} dx$$

input

```
int(tanh(x)^2*(a + b*coth(x)^2)^(3/2), x)
```

output

```
int(tanh(x)^2*(a + b*coth(x)^2)^(3/2), x)
```

Reduce [F]

$$\int (a + b \coth^2(x))^{3/2} \tanh^2(x) dx = \left(\int \sqrt{\coth(x)^2 b + a} \coth(x)^2 \tanh(x)^2 dx \right) b + \left(\int \sqrt{\coth(x)^2 b + a} \tanh(x)^2 dx \right) a$$

input

```
int((a+b*coth(x)^2)^(3/2)*tanh(x)^2, x)
```

output `int(sqrt(coth(x)**2*b + a)*coth(x)**2*tanh(x)**2,x)*b + int(sqrt(coth(x)**2*b + a)*tanh(x)**2,x)*a`

3.28 $\int \sqrt{1 + \coth^2(x)} dx$

Optimal result	247
Mathematica [A] (verified)	247
Rubi [A] (verified)	248
Maple [B] (verified)	250
Fricas [B] (verification not implemented)	250
Sympy [F]	251
Maxima [F]	252
Giac [B] (verification not implemented)	252
Mupad [B] (verification not implemented)	253
Reduce [F]	253

Optimal result

Integrand size = 10, antiderivative size = 31

$$\int \sqrt{1 + \coth^2(x)} dx = -\operatorname{arcsinh}(\coth(x)) + \sqrt{2} \operatorname{arctanh}\left(\frac{\sqrt{2} \coth(x)}{\sqrt{1 + \coth^2(x)}}\right)$$

output

```
-arcsinh(coth(x))+2^(1/2)*arctanh(2^(1/2)*coth(x)/(1+coth(x)^2)^(1/2))
```

Mathematica [A] (verified)

Time = 0.08 (sec) , antiderivative size = 60, normalized size of antiderivative = 1.94

$$\int \sqrt{1 + \coth^2(x)} dx = \frac{\sqrt{1 + \coth^2(x)} \left(-\operatorname{arctanh}\left(\frac{\cosh(x)}{\sqrt{\cosh(2x)}}\right) + \sqrt{2} \log\left(\sqrt{2} \cosh(x) + \sqrt{\cosh(2x)}\right) \right) \sinh(x)}{\sqrt{\cosh(2x)}}$$

input

```
Integrate[Sqrt[1 + Coth[x]^2], x]
```


output

```
(Sqrt[1 + Coth[x]^2]*(-ArcTanh[Cosh[x]/Sqrt[Cosh[2*x]]) + Sqrt[2]*Log[Sqrt[2]*Cosh[x] + Sqrt[Cosh[2*x]])*Sinh[x])/Sqrt[Cosh[2*x]]
```

Rubi [A] (verified)

Time = 0.21 (sec) , antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {3042, 4144, 301, 222, 291, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sqrt{\coth^2(x) + 1} dx$$

$$\downarrow 3042$$

$$\int \sqrt{1 - \tan\left(\frac{\pi}{2} + ix\right)^2} dx$$

$$\downarrow 4144$$

$$\int \frac{\sqrt{\coth^2(x) + 1}}{1 - \coth^2(x)} d\coth(x)$$

$$\downarrow 301$$

$$2 \int \frac{1}{(1 - \coth^2(x)) \sqrt{\coth^2(x) + 1}} d\coth(x) - \int \frac{1}{\sqrt{\coth^2(x) + 1}} d\coth(x)$$

$$\downarrow 222$$

$$2 \int \frac{1}{(1 - \coth^2(x)) \sqrt{\coth^2(x) + 1}} d\coth(x) - \operatorname{arcsinh}(\coth(x))$$

$$\downarrow 291$$

$$2 \int \frac{1}{1 - \frac{2\coth^2(x)}{\coth^2(x)+1}} d\frac{\coth(x)}{\sqrt{\coth^2(x) + 1}} - \operatorname{arcsinh}(\coth(x))$$

$$\downarrow 219$$

$$\sqrt{2}\operatorname{arctanh}\left(\frac{\sqrt{2}\coth(x)}{\sqrt{\coth^2(x)+1}}\right) - \operatorname{arcsinh}(\coth(x))$$

input `Int[Sqrt[1 + Coth[x]^2], x]`

output `-ArcSinh[Coth[x]] + Sqrt[2]*ArcTanh[(Sqrt[2]*Coth[x])/Sqrt[1 + Coth[x]^2]]`

Defintions of rubi rules used

rule 219 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

rule 222 `Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[Rt[b, 2]*(x/Sqrt[a])]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]`

rule 291 `Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*((c_) + (d_.)*(x_)^2)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]`

rule 301 `Int[((a_) + (b_.)*(x_)^2)^(p_.)/((c_) + (d_.)*(x_)^2), x_Symbol] := Simp[b/d Int[(a + b*x^2)^(p - 1), x], x] - Simp[(b*c - a*d)/d Int[(a + b*x^2)^(p - 1)/(c + d*x^2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[p, 0] && (EqQ[p, 1/2] || EqQ[Denominator[p], 4] || (EqQ[p, 2/3] && EqQ[b*c + 3*a*d, 0]))`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4144

```
Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :=
With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[c*(ff/f) Subst[Int[(a + b*
(ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] ||
EqQ[n^2, 16])
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 96 vs. $2(25) = 50$.

Time = 0.11 (sec) , antiderivative size = 97, normalized size of antiderivative = 3.13

method	result
derivativedivides	$-\frac{\sqrt{(\coth(x)-1)^2+2\coth(x)}}{2} - \operatorname{arcsinh}(\coth(x)) + \frac{\sqrt{2} \operatorname{arctanh}\left(\frac{(2+2\coth(x))\sqrt{2}}{4\sqrt{(\coth(x)-1)^2+2\coth(x)}}\right)}{2} + \sqrt{1+\coth(x)}$
default	$-\frac{\sqrt{(\coth(x)-1)^2+2\coth(x)}}{2} - \operatorname{arcsinh}(\coth(x)) + \frac{\sqrt{2} \operatorname{arctanh}\left(\frac{(2+2\coth(x))\sqrt{2}}{4\sqrt{(\coth(x)-1)^2+2\coth(x)}}\right)}{2} + \sqrt{1+\coth(x)}$

input

```
int((1+coth(x)^2)^(1/2),x,method=_RETURNVERBOSE)
```

output

```
-1/2*((coth(x)-1)^2+2*coth(x))^(1/2)-arcsinh(coth(x))+1/2*2^(1/2)*arctanh(
1/4*(2+2*coth(x))*2^(1/2)/((coth(x)-1)^2+2*coth(x))^(1/2))+1/2*((1+coth(x)
)^2-2*coth(x))^(1/2)-1/2*2^(1/2)*arctanh(1/4*(2-2*coth(x))*2^(1/2)/((1+cot
h(x))^2-2*coth(x))^(1/2))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 683 vs. $2(25) = 50$.

Time = 0.11 (sec) , antiderivative size = 683, normalized size of antiderivative = 22.03

$$\int \sqrt{1 + \coth^2(x)} dx = \text{Too large to display}$$

input

```
integrate((1+coth(x)^2)^(1/2),x, algorithm="fricas")
```

output

```

1/4*sqrt(2)*log(2*(cosh(x)^8 + 8*cosh(x)*sinh(x)^7 + sinh(x)^8 + (28*cosh(
x)^2 + 3)*sinh(x)^6 + 3*cosh(x)^6 + 2*(28*cosh(x)^3 + 9*cosh(x))*sinh(x)^5
+ 5*(14*cosh(x)^4 + 9*cosh(x)^2 + 1)*sinh(x)^4 + 5*cosh(x)^4 + 4*(14*cosh
(x)^5 + 15*cosh(x)^3 + 5*cosh(x))*sinh(x)^3 + (28*cosh(x)^6 + 45*cosh(x)^4
+ 30*cosh(x)^2 + 4)*sinh(x)^2 + 4*cosh(x)^2 + 2*(4*cosh(x)^7 + 9*cosh(x)^
5 + 10*cosh(x)^3 + 4*cosh(x))*sinh(x) + (sqrt(2)*cosh(x)^6 + 6*sqrt(2)*cos
h(x)*sinh(x)^5 + sqrt(2)*sinh(x)^6 + 3*(5*sqrt(2)*cosh(x)^2 + sqrt(2))*sin
h(x)^4 + 3*sqrt(2)*cosh(x)^4 + 4*(5*sqrt(2)*cosh(x)^3 + 3*sqrt(2)*cosh(x))
*sinh(x)^3 + (15*sqrt(2)*cosh(x)^4 + 18*sqrt(2)*cosh(x)^2 + 4*sqrt(2))*sin
h(x)^2 + 4*sqrt(2)*cosh(x)^2 + 2*(3*sqrt(2)*cosh(x)^5 + 6*sqrt(2)*cosh(x)^
3 + 4*sqrt(2)*cosh(x))*sinh(x) + 4*sqrt(2))*sqrt((cosh(x)^2 + sinh(x)^2)/(
cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4)/(cosh(x)^6 + 6*cosh(x)^5*
sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*cosh(x)^2*s
inh(x)^4 + 6*cosh(x)*sinh(x)^5 + sinh(x)^6)) + 1/4*sqrt(2)*log(-2*(cosh(x)
^4 + 4*cosh(x)*sinh(x)^3 + sinh(x)^4 + (6*cosh(x)^2 - 1)*sinh(x)^2 - cosh(
x)^2 + 2*(2*cosh(x)^3 - cosh(x))*sinh(x) + (sqrt(2)*cosh(x)^2 + 2*sqrt(2)*
cosh(x)*sinh(x) + sqrt(2)*sinh(x)^2 - sqrt(2))*sqrt((cosh(x)^2 + sinh(x)^2
)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 1)/(cosh(x)^2 + 2*cosh(x)
*sinh(x) + sinh(x)^2)) - 1/2*log((cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^
2 + 2*sqrt((cosh(x)^2 + sinh(x)^2)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sin...

```

Sympy [F]

$$\int \sqrt{1 + \coth^2(x)} dx = \int \sqrt{\coth^2(x) + 1} dx$$

input

```
integrate((1+coth(x)**2)**(1/2),x)
```

output

```
Integral(sqrt(coth(x)**2 + 1), x)
```

Maxima [F]

$$\int \sqrt{1 + \coth^2(x)} dx = \int \sqrt{\coth(x)^2 + 1} dx$$

input `integrate((1+coth(x)^2)^(1/2),x, algorithm="maxima")`

output `integrate(sqrt(coth(x)^2 + 1), x)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 119 vs. $2(25) = 50$.

Time = 0.15 (sec) , antiderivative size = 119, normalized size of antiderivative = 3.84

$$\int \sqrt{1 + \coth^2(x)} dx$$

$$= \frac{1}{2} \sqrt{2} \left(\sqrt{2} \log \left(\frac{|-2\sqrt{2} + 2\sqrt{e^{4x} + 1} - 2e^{2x} + 2|}{2(\sqrt{2} + \sqrt{e^{4x} + 1} - e^{2x} + 1)} \right) + \log(\sqrt{e^{4x} + 1} - e^{2x} + 1) - \log(\sqrt{e^{4x} + 1} - 1) \right)$$

input `integrate((1+coth(x)^2)^(1/2),x, algorithm="giac")`

output `1/2*sqrt(2)*(sqrt(2)*log(1/2*abs(-2*sqrt(2) + 2*sqrt(e^(4*x) + 1) - 2*e^(2*x) + 2)/(sqrt(2) + sqrt(e^(4*x) + 1) - e^(2*x) + 1)) + log(sqrt(e^(4*x) + 1) - e^(2*x) + 1) - log(sqrt(e^(4*x) + 1) - e^(2*x)) - log(-sqrt(e^(4*x) + 1) + e^(2*x) + 1))*sgn(e^(2*x) - 1)`

Mupad [B] (verification not implemented)

Time = 2.43 (sec) , antiderivative size = 68, normalized size of antiderivative = 2.19

$$\int \sqrt{1 + \coth^2(x)} dx$$

$$= \frac{\sqrt{2} \left(\ln \left(\coth(x) + \sqrt{2} \sqrt{\coth(x)^2 + 1} + 1 \right) - \ln(\coth(x) - 1) \right)}{2} - \operatorname{asinh}(\coth(x))$$

$$+ \frac{\sqrt{2} \left(\ln(\coth(x) + 1) - \ln \left(\sqrt{2} \sqrt{\coth(x)^2 + 1} - \coth(x) + 1 \right) \right)}{2}$$

input `int((coth(x)^2 + 1)^(1/2),x)`output `(2^(1/2)*(log(coth(x) + 2^(1/2)*(coth(x)^2 + 1)^(1/2) + 1) - log(coth(x) - 1)))/2 - asinh(coth(x)) + (2^(1/2)*(log(coth(x) + 1) - log(2^(1/2)*(coth(x)^2 + 1)^(1/2) - coth(x) + 1)))/2`**Reduce [F]**

$$\int \sqrt{1 + \coth^2(x)} dx = \int \sqrt{\coth(x)^2 + 1} dx$$

input `int((1+coth(x)^2)^(1/2),x)`output `int(sqrt(coth(x)**2 + 1),x)`

3.29 $\int \sqrt{-1 - \coth^2(x)} dx$

Optimal result	254
Mathematica [A] (verified)	254
Rubi [A] (verified)	255
Maple [B] (verified)	257
Fricas [C] (verification not implemented)	258
Sympy [F]	258
Maxima [F]	259
Giac [C] (verification not implemented)	259
Mupad [B] (verification not implemented)	260
Reduce [F]	260

Optimal result

Integrand size = 12, antiderivative size = 45

$$\int \sqrt{-1 - \coth^2(x)} dx = \arctan\left(\frac{\coth(x)}{\sqrt{-1 - \coth^2(x)}}\right) - \sqrt{2} \arctan\left(\frac{\sqrt{2} \coth(x)}{\sqrt{-1 - \coth^2(x)}}\right)$$

output

```
arctan(coth(x)/(-1-coth(x)^2)^(1/2))-2^(1/2)*arctan(2^(1/2)*coth(x)/(-coth(x)^2)^(1/2))
```

Mathematica [A] (verified)

Time = 0.05 (sec) , antiderivative size = 62, normalized size of antiderivative = 1.38

$$\int \sqrt{-1 - \coth^2(x)} dx = \frac{\sqrt{-1 - \coth^2(x)} \left(-\operatorname{arctanh}\left(\frac{\cosh(x)}{\sqrt{\cosh(2x)}}\right) + \sqrt{2} \log\left(\sqrt{2} \cosh(x) + \sqrt{\cosh(2x)}\right) \right) \sinh(x)}{\sqrt{\cosh(2x)}}$$

input

```
Integrate[Sqrt[-1 - Coth[x]^2], x]
```

output

```
(Sqrt[-1 - Coth[x]^2]*(-ArcTanh[Cosh[x]/Sqrt[Cosh[2*x]]) + Sqrt[2]*Log[Sqrt[2]*Cosh[x] + Sqrt[Cosh[2*x]])*Sinh[x])/Sqrt[Cosh[2*x]]
```

Rubi [A] (verified)

Time = 0.24 (sec) , antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$, Rules used = {3042, 4144, 301, 224, 216, 291, 216}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \sqrt{-\coth^2(x) - 1} \, dx \\
 & \quad \downarrow \text{3042} \\
 & \int \sqrt{-1 + \tan\left(\frac{\pi}{2} + ix\right)^2} \, dx \\
 & \quad \downarrow \text{4144} \\
 & \int \frac{\sqrt{-\coth^2(x) - 1}}{1 - \coth^2(x)} d\coth(x) \\
 & \quad \downarrow \text{301} \\
 & \int \frac{1}{\sqrt{-\coth^2(x) - 1}} d\coth(x) - 2 \int \frac{1}{\sqrt{-\coth^2(x) - 1} (1 - \coth^2(x))} d\coth(x) \\
 & \quad \downarrow \text{224} \\
 & \int \frac{1}{\frac{\coth^2(x)}{-\coth^2(x)-1} + 1} d\frac{\coth(x)}{\sqrt{-\coth^2(x) - 1}} - 2 \int \frac{1}{\sqrt{-\coth^2(x) - 1} (1 - \coth^2(x))} d\coth(x) \\
 & \quad \downarrow \text{216} \\
 & \arctan\left(\frac{\coth(x)}{\sqrt{-\coth^2(x) - 1}}\right) - 2 \int \frac{1}{\sqrt{-\coth^2(x) - 1} (1 - \coth^2(x))} d\coth(x) \\
 & \quad \downarrow \text{291}
 \end{aligned}$$

$$\arctan\left(\frac{\coth(x)}{\sqrt{-\coth^2(x)-1}}\right) - 2 \int \frac{1}{\frac{2\coth^2(x)}{-\coth^2(x)-1} + 1} d\frac{\coth(x)}{\sqrt{-\coth^2(x)-1}}$$

↓ 216

$$\arctan\left(\frac{\coth(x)}{\sqrt{-\coth^2(x)-1}}\right) - \sqrt{2} \arctan\left(\frac{\sqrt{2}\coth(x)}{\sqrt{-\coth^2(x)-1}}\right)$$

input `Int[Sqrt[-1 - Coth[x]^2], x]`

output `ArcTan[Coth[x]/Sqrt[-1 - Coth[x]^2]] - Sqrt[2]*ArcTan[(Sqrt[2]*Coth[x])/Sqrt[-1 - Coth[x]^2]]`

Defintions of rubi rules used

rule 216 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[b, 2]))*ArcTan[Rt[b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])`

rule 224 `Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]`

rule 291 `Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*((c_) + (d_.)*(x_)^2)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]`

rule 301 `Int[((a_) + (b_.)*(x_)^2)^(p_.)/((c_) + (d_.)*(x_)^2), x_Symbol] := Simp[b/d Int[(a + b*x^2)^(p - 1), x], x] - Simp[(b*c - a*d)/d Int[(a + b*x^2)^(p - 1)/(c + d*x^2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[p, 0] && (EqQ[p, 1/2] || EqQ[Denominator[p], 4] || (EqQ[p, 2/3] && EqQ[b*c + 3*a*d, 0]))`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4144 `Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[c*(ff/f) Subst[Int[(a + b*(ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 141 vs. $2(37) = 74$.

Time = 0.09 (sec) , antiderivative size = 142, normalized size of antiderivative = 3.16

method	result
derivativedivides	$-\frac{\sqrt{-(\coth(x)-1)^2-2\coth(x)}}{2} + \frac{\arctan\left(\frac{\coth(x)}{\sqrt{-(\coth(x)-1)^2-2\coth(x)}}\right)}{2} + \frac{\sqrt{2} \arctan\left(\frac{(-2-2\coth(x))\sqrt{2}}{4\sqrt{-(\coth(x)-1)^2-2\coth(x)}}\right)}{2}$
default	$-\frac{\sqrt{-(\coth(x)-1)^2-2\coth(x)}}{2} + \frac{\arctan\left(\frac{\coth(x)}{\sqrt{-(\coth(x)-1)^2-2\coth(x)}}\right)}{2} + \frac{\sqrt{2} \arctan\left(\frac{(-2-2\coth(x))\sqrt{2}}{4\sqrt{-(\coth(x)-1)^2-2\coth(x)}}\right)}{2}$

input `int((-1-coth(x)^2)^(1/2),x,method=_RETURNVERBOSE)`

output `-1/2*(-(coth(x)-1)^2-2*coth(x))^(1/2)+1/2*arctan(coth(x)/(-(coth(x)-1)^2-2*coth(x))^(1/2))+1/2*2^(1/2)*arctan(1/4*(-2-2*coth(x))*2^(1/2)/(-(coth(x)-1)^2-2*coth(x))^(1/2))+1/2*(-(1+coth(x))^2+2*coth(x))^(1/2)+1/2*arctan(coth(x)/(-(1+coth(x))^2+2*coth(x))^(1/2))-1/2*2^(1/2)*arctan(1/4*(-2+2*coth(x))*2^(1/2)/(-(1+coth(x))^2+2*coth(x))^(1/2))`

Fricas [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.10 (sec) , antiderivative size = 226, normalized size of antiderivative = 5.02

$$\begin{aligned} \int \sqrt{-1 - \coth^2(x)} dx = & -\frac{1}{4} \sqrt{-2} \log \left(-\left(\sqrt{-2} \sqrt{-2 e^{4x} - 2} + 2 e^{2x} - 2 \right) e^{-2x} \right) \\ & + \frac{1}{4} \sqrt{-2} \log \left(\left(\sqrt{-2} \sqrt{-2 e^{4x} - 2} - 2 e^{2x} + 2 \right) e^{-2x} \right) \\ & + \frac{1}{4} \sqrt{-2} \log \left(-2 \left(\sqrt{-2 e^{4x} - 2} (e^{2x} + 2) + \sqrt{-2} e^{4x} + \sqrt{-2} e^{2x} + 2 \sqrt{-2} \right) e^{-4x} \right) \\ & - \frac{1}{4} \sqrt{-2} \log \left(-2 \left(\sqrt{-2 e^{4x} - 2} (e^{2x} + 2) - \sqrt{-2} e^{4x} - \sqrt{-2} e^{2x} - 2 \sqrt{-2} \right) e^{-4x} \right) \\ & + \frac{1}{2} i \log \left(-4 \left(i \sqrt{-2 e^{4x} - 2} + e^{2x} + 1 \right) e^{-2x} \right) \\ & - \frac{1}{2} i \log \left(-4 \left(-i \sqrt{-2 e^{4x} - 2} + e^{2x} + 1 \right) e^{-2x} \right) \end{aligned}$$

input `integrate((-1-coth(x)^2)^(1/2),x, algorithm="fricas")`

output `-1/4*sqrt(-2)*log(-(sqrt(-2)*sqrt(-2*e^(4*x) - 2) + 2*e^(2*x) - 2)*e^(-2*x)) + 1/4*sqrt(-2)*log((sqrt(-2)*sqrt(-2*e^(4*x) - 2) - 2*e^(2*x) + 2)*e^(-2*x)) + 1/4*sqrt(-2)*log(-2*(sqrt(-2*e^(4*x) - 2)*(e^(2*x) + 2) + sqrt(-2)*e^(4*x) + sqrt(-2)*e^(2*x) + 2*sqrt(-2))*e^(-4*x)) - 1/4*sqrt(-2)*log(-2*(sqrt(-2*e^(4*x) - 2)*(e^(2*x) + 2) - sqrt(-2)*e^(4*x) - sqrt(-2)*e^(2*x) - 2*sqrt(-2))*e^(-4*x)) + 1/2*I*log(-4*(I*sqrt(-2*e^(4*x) - 2) + e^(2*x) + 1)*e^(-2*x)) - 1/2*I*log(-4*(-I*sqrt(-2*e^(4*x) - 2) + e^(2*x) + 1)*e^(-2*x))`

Sympy [F]

$$\int \sqrt{-1 - \coth^2(x)} dx = \int \sqrt{-\coth^2(x) - 1} dx$$

input `integrate((-1-coth(x)**2)**(1/2),x)`

output `Integral(sqrt(-coth(x)**2 - 1), x)`

Maxima [F]

$$\int \sqrt{-1 - \coth^2(x)} dx = \int \sqrt{-\coth(x)^2 - 1} dx$$

input `integrate((-1-coth(x)^2)^(1/2),x, algorithm="maxima")`

output `integrate(sqrt(-coth(x)^2 - 1), x)`

Giac [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.17 (sec) , antiderivative size = 124, normalized size of antiderivative = 2.76

$$\int \sqrt{-1 - \coth^2(x)} dx = -\frac{1}{2} \sqrt{2} \left(i \sqrt{2} \log \left(\frac{|-2\sqrt{2} + 2\sqrt{e^{4x} + 1} - 2e^{2x} + 2|}{2(\sqrt{2} + \sqrt{e^{4x} + 1} - e^{2x} + 1)} \right) + i \log(\sqrt{e^{4x} + 1} - e^{2x} + 1) - i \log(\sqrt{e^{4x} + 1} + 1) \right)$$

input `integrate((-1-coth(x)^2)^(1/2),x, algorithm="giac")`

output `-1/2*sqrt(2)*(I*sqrt(2)*log(1/2*abs(-2*sqrt(2) + 2*sqrt(e^(4*x) + 1) - 2*e^(2*x) + 2)/(sqrt(2) + sqrt(e^(4*x) + 1) - e^(2*x) + 1)) + I*log(sqrt(e^(4*x) + 1) - e^(2*x) + 1) - I*log(sqrt(e^(4*x) + 1) - e^(2*x)) - I*log(-sqrt(e^(4*x) + 1) + e^(2*x) + 1))*sgn(-e^(2*x) + 1)`

Mupad [B] (verification not implemented)

Time = 2.44 (sec) , antiderivative size = 43, normalized size of antiderivative = 0.96

$$\int \sqrt{-1 - \coth^2(x)} dx = -\sqrt{2} \operatorname{atan} \left(\frac{\sqrt{2} \coth(x)}{\sqrt{-\coth(x)^2 - 1}} \right) - \ln \left(\coth(x) - \sqrt{-\coth(x)^2 - 1} \right) \operatorname{li} 1i$$

input `int((- coth(x)^2 - 1)^(1/2),x)`output `- log(coth(x) - (- coth(x)^2 - 1)^(1/2)*1i)*1i - 2^(1/2)*atan((2^(1/2)*coth(x))/(- coth(x)^2 - 1)^(1/2))`**Reduce [F]**

$$\int \sqrt{-1 - \coth^2(x)} dx = \left(\int \sqrt{\coth(x)^2 + 1} dx \right) i$$

input `int((-1-coth(x)^2)^(1/2),x)`output `int(sqrt(coth(x)**2 + 1),x)*i`

3.30 $\int (1 + \coth^2(x))^{3/2} dx$

Optimal result	261
Mathematica [B] (verified)	261
Rubi [A] (verified)	262
Maple [B] (verified)	265
Fricas [B] (verification not implemented)	265
Sympy [F]	266
Maxima [F]	267
Giac [B] (verification not implemented)	267
Mupad [B] (verification not implemented)	268
Reduce [F]	268

Optimal result

Integrand size = 10, antiderivative size = 50

$$\int (1 + \coth^2(x))^{3/2} dx = -\frac{5}{2} \operatorname{arcsinh}(\coth(x)) + 2\sqrt{2} \operatorname{arctanh}\left(\frac{\sqrt{2} \coth(x)}{\sqrt{1 + \coth^2(x)}}\right) - \frac{1}{2} \coth(x) \sqrt{1 + \coth^2(x)}$$

output

```
-5/2*arcsinh(coth(x))+2*2^(1/2)*arctanh(2^(1/2)*coth(x)/(1+coth(x)^2)^(1/2))-1/2*coth(x)*(1+coth(x)^2)^(1/2)
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 116 vs. 2(50) = 100.

Time = 0.27 (sec) , antiderivative size = 116, normalized size of antiderivative = 2.32

$$\int (1 + \coth^2(x))^{3/2} dx = -\frac{1}{8} (1 + \coth^2(x))^{3/2} \operatorname{sech}^2(2x) \left(16 \operatorname{arctanh}\left(\frac{\cosh(x)}{\sqrt{\cosh(2x)}}\right) \sqrt{\cosh(2x)} \sinh^3(x) + 4 \left(\arctan\left(\frac{\cosh(x)}{\sqrt{-\cosh(2x)}}\right) \sqrt{-\cosh(2x)} \right) \right)$$

input `Integrate[(1 + Coth[x]^2)^(3/2), x]`

output `-1/8*((1 + Coth[x]^2)^(3/2)*Sech[2*x]^2*(16*ArcTanh[Cosh[x]/Sqrt[Cosh[2*x]]]*Sqrt[Cosh[2*x]]*Sinh[x]^3 + 4*(ArcTan[Cosh[x]/Sqrt[-Cosh[2*x]])*Sqrt[-Cosh[2*x]] - 4*Sqrt[2]*Sqrt[Cosh[2*x]]*Log[Sqrt[2]*Cosh[x] + Sqrt[Cosh[2*x]])]*Sinh[x]^3 + Sinh[4*x]))`

Rubi [A] (verified)

Time = 0.23 (sec) , antiderivative size = 53, normalized size of antiderivative = 1.06, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.800$, Rules used = {3042, 4144, 318, 25, 398, 222, 291, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (\coth^2(x) + 1)^{3/2} dx \\
 & \quad \downarrow \text{3042} \\
 & \int \left(1 - \tan\left(\frac{\pi}{2} + ix\right)^2\right)^{3/2} dx \\
 & \quad \downarrow \text{4144} \\
 & \int \frac{(\coth^2(x) + 1)^{3/2}}{1 - \coth^2(x)} d\coth(x) \\
 & \quad \downarrow \text{318} \\
 & -\frac{1}{2} \int -\frac{5\coth^2(x) + 3}{(1 - \coth^2(x))\sqrt{\coth^2(x) + 1}} d\coth(x) - \frac{1}{2} \sqrt{\coth^2(x) + 1} \coth(x) \\
 & \quad \downarrow \text{25} \\
 & \frac{1}{2} \int \frac{5\coth^2(x) + 3}{(1 - \coth^2(x))\sqrt{\coth^2(x) + 1}} d\coth(x) - \frac{1}{2} \coth(x) \sqrt{\coth^2(x) + 1} \\
 & \quad \downarrow \text{398}
 \end{aligned}$$

$$\begin{aligned}
& \frac{1}{2} \left(8 \int \frac{1}{(1 - \coth^2(x)) \sqrt{\coth^2(x) + 1}} d \coth(x) - 5 \int \frac{1}{\sqrt{\coth^2(x) + 1}} d \coth(x) \right) - \\
& \qquad \qquad \qquad \frac{1}{2} \coth(x) \sqrt{\coth^2(x) + 1} \\
& \qquad \qquad \qquad \downarrow \text{222} \\
& \frac{1}{2} \left(8 \int \frac{1}{(1 - \coth^2(x)) \sqrt{\coth^2(x) + 1}} d \coth(x) - 5 \operatorname{arcsinh}(\coth(x)) \right) - \\
& \qquad \qquad \qquad \frac{1}{2} \coth(x) \sqrt{\coth^2(x) + 1} \\
& \qquad \qquad \qquad \downarrow \text{291} \\
& \frac{1}{2} \left(8 \int \frac{1}{1 - \frac{2 \coth^2(x)}{\coth^2(x) + 1}} d \frac{\coth(x)}{\sqrt{\coth^2(x) + 1}} - 5 \operatorname{arcsinh}(\coth(x)) \right) - \frac{1}{2} \coth(x) \sqrt{\coth^2(x) + 1} \\
& \qquad \qquad \qquad \downarrow \text{219} \\
& \frac{1}{2} \left(4 \sqrt{2} \operatorname{arctanh} \left(\frac{\sqrt{2} \coth(x)}{\sqrt{\coth^2(x) + 1}} \right) - 5 \operatorname{arcsinh}(\coth(x)) \right) - \frac{1}{2} \coth(x) \sqrt{\coth^2(x) + 1}
\end{aligned}$$

input `Int[(1 + Coth[x]^2)^(3/2), x]`

output `(-5*ArcSinh[Coth[x]] + 4*Sqrt[2]*ArcTanh[(Sqrt[2]*Coth[x])/Sqrt[1 + Coth[x]^2]])/2 - (Coth[x]*Sqrt[1 + Coth[x]^2])/2`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 219 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

rule 222 `Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[Rt[b, 2]*(x/Sqrt[a])]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]`

rule 291 `Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*((c_) + (d_.)*(x_)^2)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]`

rule 318 `Int[((a_) + (b_.)*(x_)^2)^(p_)*((c_) + (d_.)*(x_)^2)^(q_), x_Symbol] := Simp[d*x*(a + b*x^2)^(p + 1)*((c + d*x^2)^(q - 1)/(b*(2*(p + q) + 1))), x] + Simp[1/(b*(2*(p + q) + 1)) Int[(a + b*x^2)^p*(c + d*x^2)^(q - 2)*Simp[c*(b*c*(2*(p + q) + 1) - a*d) + d*(b*c*(2*(p + 2*q - 1) + 1) - a*d*(2*(q - 1) + 1))*x^2, x], x], x] /; FreeQ[{a, b, c, d, p}, x] && NeQ[b*c - a*d, 0] && GtQ[q, 1] && NeQ[2*(p + q) + 1, 0] && !IGtQ[p, 1] && IntBinomialQ[a, b, c, d, 2, p, q, x]`

rule 398 `Int[((e_) + (f_.)*(x_)^2)/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[f/b Int[1/Sqrt[c + d*x^2], x], x] + Simp[(b*e - a*f)/b Int[1/((a + b*x^2)*Sqrt[c + d*x^2]), x], x] /; FreeQ[{a, b, c, d, e, f}, x]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4144 `Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[c*(ff/f) Subst[Int[(a + b*(ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 157 vs. $2(38) = 76$.

Time = 0.06 (sec) , antiderivative size = 158, normalized size of antiderivative = 3.16

method	result
derivativedivides	$-\frac{((\coth(x)-1)^2+2\coth(x))^{\frac{3}{2}}}{6} - \frac{\coth(x)\sqrt{(\coth(x)-1)^2+2\coth(x)}}{4} - \frac{5\operatorname{arcsinh}(\coth(x))}{2} - \sqrt{(\coth(x)-1)^2+2\coth(x)}$
default	$-\frac{((\coth(x)-1)^2+2\coth(x))^{\frac{3}{2}}}{6} - \frac{\coth(x)\sqrt{(\coth(x)-1)^2+2\coth(x)}}{4} - \frac{5\operatorname{arcsinh}(\coth(x))}{2} - \sqrt{(\coth(x)-1)^2+2\coth(x)}$

input `int((1+coth(x)^2)^(3/2),x,method=_RETURNVERBOSE)`

output
$$-1/6*((\coth(x)-1)^2+2*\coth(x))^(3/2)-1/4*\coth(x)*((\coth(x)-1)^2+2*\coth(x))^(1/2)-5/2*\operatorname{arcsinh}(\coth(x))-((\coth(x)-1)^2+2*\coth(x))^(1/2)+2^(1/2)*\operatorname{arctanh}(1/4*(2+2*\coth(x))*2^(1/2)/((\coth(x)-1)^2+2*\coth(x))^(1/2))+1/6*((1+\coth(x))^2-2*\coth(x))^(3/2)-1/4*\coth(x)*((1+\coth(x))^2-2*\coth(x))^(1/2)+((1+\coth(x))^2-2*\coth(x))^(1/2)-2^(1/2)*\operatorname{arctanh}(1/4*(2-2*\coth(x))*2^(1/2)/((1+\coth(x))^2-2*\coth(x))^(1/2))$$

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1043 vs. $2(38) = 76$.

Time = 0.14 (sec) , antiderivative size = 1043, normalized size of antiderivative = 20.86

$$\int (1 + \coth^2(x))^{3/2} dx = \text{Too large to display}$$

input `integrate((1+coth(x)^2)^(3/2),x, algorithm="fricas")`

output

```

1/4*(2*(sqrt(2)*cosh(x)^4 + 4*sqrt(2)*cosh(x)*sinh(x)^3 + sqrt(2)*sinh(x)^
4 + 2*(3*sqrt(2)*cosh(x)^2 - sqrt(2))*sinh(x)^2 - 2*sqrt(2)*cosh(x)^2 + 4*
(sqrt(2)*cosh(x)^3 - sqrt(2)*cosh(x))*sinh(x) + sqrt(2))*log(2*(cosh(x)^8
+ 8*cosh(x)*sinh(x)^7 + sinh(x)^8 + (28*cosh(x)^2 + 3)*sinh(x)^6 + 3*cosh(
x)^6 + 2*(28*cosh(x)^3 + 9*cosh(x))*sinh(x)^5 + 5*(14*cosh(x)^4 + 9*cosh(x)
)^2 + 1)*sinh(x)^4 + 5*cosh(x)^4 + 4*(14*cosh(x)^5 + 15*cosh(x)^3 + 5*cosh
(x))*sinh(x)^3 + (28*cosh(x)^6 + 45*cosh(x)^4 + 30*cosh(x)^2 + 4)*sinh(x)^
2 + 4*cosh(x)^2 + 2*(4*cosh(x)^7 + 9*cosh(x)^5 + 10*cosh(x)^3 + 4*cosh(x))
*sinh(x) + (sqrt(2)*cosh(x)^6 + 6*sqrt(2)*cosh(x)*sinh(x)^5 + sqrt(2)*sinh
(x)^6 + 3*(5*sqrt(2)*cosh(x)^2 + sqrt(2))*sinh(x)^4 + 3*sqrt(2)*cosh(x)^4
+ 4*(5*sqrt(2)*cosh(x)^3 + 3*sqrt(2)*cosh(x))*sinh(x)^3 + (15*sqrt(2)*cosh
(x)^4 + 18*sqrt(2)*cosh(x)^2 + 4*sqrt(2))*sinh(x)^2 + 4*sqrt(2)*cosh(x)^2
+ 2*(3*sqrt(2)*cosh(x)^5 + 6*sqrt(2)*cosh(x)^3 + 4*sqrt(2)*cosh(x))*sinh(x)
) + 4*sqrt(2))*sqrt((cosh(x)^2 + sinh(x)^2)/(cosh(x)^2 - 2*cosh(x)*sinh(x)
+ sinh(x)^2)) + 4)/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cosh(x)^4*sinh(x)
)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*cosh(x)*sinh(x)^
5 + sinh(x)^6)) + 2*(sqrt(2)*cosh(x)^4 + 4*sqrt(2)*cosh(x)*sinh(x)^3 + sqr
t(2)*sinh(x)^4 + 2*(3*sqrt(2)*cosh(x)^2 - sqrt(2))*sinh(x)^2 - 2*sqrt(2)*c
osh(x)^2 + 4*(sqrt(2)*cosh(x)^3 - sqrt(2)*cosh(x))*sinh(x) + sqrt(2))*log(
-2*(cosh(x)^4 + 4*cosh(x)*sinh(x)^3 + sinh(x)^4 + (6*cosh(x)^2 - 1)*sin...

```

Sympy [F]

$$\int (1 + \coth^2(x))^{3/2} dx = \int (\coth^2(x) + 1)^{\frac{3}{2}} dx$$

input

```
integrate((1+coth(x)**2)**(3/2),x)
```

output

```
Integral((coth(x)**2 + 1)**(3/2), x)
```

Maxima [F]

$$\int (1 + \coth^2(x))^{3/2} dx = \int (\coth(x)^2 + 1)^{\frac{3}{2}} dx$$

input `integrate((1+coth(x)^2)^(3/2),x, algorithm="maxima")`

output `integrate((coth(x)^2 + 1)^(3/2), x)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 265 vs. $2(38) = 76$.

Time = 0.15 (sec) , antiderivative size = 265, normalized size of antiderivative = 5.30

$$\int (1 + \coth^2(x))^{3/2} dx = \frac{1}{4} \sqrt{2} \left(5 \sqrt{2} \log \left(\frac{|-2\sqrt{2} + 2\sqrt{e^{4x} + 1} - 2e^{2x} + 2|}{2(\sqrt{2} + \sqrt{e^{4x} + 1} - e^{2x} + 1)} \right) \operatorname{sgn}(e^{2x} - 1) + 4 \log(\sqrt{e^{4x} + 1} - e^{2x} + 1) \right)$$

input `integrate((1+coth(x)^2)^(3/2),x, algorithm="giac")`

output `1/4*sqrt(2)*(5*sqrt(2)*log(1/2*abs(-2*sqrt(2) + 2*sqrt(e^(4*x) + 1) - 2*e^(2*x) + 2)/(sqrt(2) + sqrt(e^(4*x) + 1) - e^(2*x) + 1))*sgn(e^(2*x) - 1) + 4*log(sqrt(e^(4*x) + 1) - e^(2*x) + 1)*sgn(e^(2*x) - 1) - 4*log(sqrt(e^(4*x) + 1) - e^(2*x))*sgn(e^(2*x) - 1) - 4*log(-sqrt(e^(4*x) + 1) + e^(2*x) + 1)*sgn(e^(2*x) - 1) - 4*(3*(sqrt(e^(4*x) + 1) - e^(2*x))^3*sgn(e^(2*x) - 1) + (sqrt(e^(4*x) + 1) - e^(2*x))^2*sgn(e^(2*x) - 1) - (sqrt(e^(4*x) + 1) - e^(2*x))*sgn(e^(2*x) - 1) + sgn(e^(2*x) - 1))/((sqrt(e^(4*x) + 1) - e^(2*x))^2 + 2*sqrt(e^(4*x) + 1) - 2*e^(2*x) - 1)^2)`

Mupad [B] (verification not implemented)

Time = 2.47 (sec) , antiderivative size = 78, normalized size of antiderivative = 1.56

$$\int (1 + \coth^2(x))^{3/2} dx = \sqrt{2} \left(\ln \left(\coth(x) + \sqrt{2} \sqrt{\coth(x)^2 + 1} + 1 \right) - \ln(\coth(x) - 1) \right) - \frac{\coth(x) \sqrt{\coth(x)^2 + 1}}{2} - \frac{5 \operatorname{asinh}(\coth(x))}{2} + \sqrt{2} \left(\ln(\coth(x) + 1) - \ln \left(\sqrt{2} \sqrt{\coth(x)^2 + 1} - \coth(x) + 1 \right) \right)$$

input `int((coth(x)^2 + 1)^(3/2),x)`output `2^(1/2)*(log(coth(x) + 2^(1/2)*(coth(x)^2 + 1)^(1/2) + 1) - log(coth(x) - 1)) - (coth(x)*(coth(x)^2 + 1)^(1/2))/2 - (5*asinh(coth(x)))/2 + 2^(1/2)*(log(coth(x) + 1) - log(2^(1/2)*(coth(x)^2 + 1)^(1/2) - coth(x) + 1))`**Reduce [F]**

$$\int (1 + \coth^2(x))^{3/2} dx = \int \sqrt{\coth(x)^2 + 1} dx + \int \sqrt{\coth(x)^2 + 1} \coth(x)^2 dx$$

input `int((1+coth(x)^2)^(3/2),x)`output `int(sqrt(coth(x)**2 + 1),x) + int(sqrt(coth(x)**2 + 1)*coth(x)**2,x)`

3.31 $\int (-1 - \coth^2(x))^{3/2} dx$

Optimal result	269
Mathematica [A] (verified)	269
Rubi [A] (verified)	270
Maple [B] (verified)	273
Fricas [C] (verification not implemented)	274
Sympy [F]	274
Maxima [F]	275
Giac [C] (verification not implemented)	275
Mupad [F(-1)]	276
Reduce [F]	276

Optimal result

Integrand size = 12, antiderivative size = 67

$$\int (-1 - \coth^2(x))^{3/2} dx = -\frac{5}{2} \arctan\left(\frac{\coth(x)}{\sqrt{-1 - \coth^2(x)}}\right) + 2\sqrt{2} \arctan\left(\frac{\sqrt{2} \coth(x)}{\sqrt{-1 - \coth^2(x)}}\right) + \frac{1}{2} \coth(x) \sqrt{-1 - \coth^2(x)}$$

output

```
-5/2*arctan(coth(x)/(-1-coth(x)^2)^(1/2))+2*2^(1/2)*arctan(2^(1/2)*coth(x)/(-1-coth(x)^2)^(1/2))+1/2*coth(x)*(-1-coth(x)^2)^(1/2)
```

Mathematica [A] (verified)

Time = 0.17 (sec) , antiderivative size = 118, normalized size of antiderivative = 1.76

$$\int (-1 - \coth^2(x))^{3/2} dx = -\frac{1}{8}(-1 - \coth^2(x))^{3/2} \operatorname{sech}^2(2x) \left(16 \operatorname{arctanh}\left(\frac{\cosh(x)}{\sqrt{\cosh(2x)}}\right) \sqrt{\cosh(2x)} \sinh^3(x) + 4 \left(\arctan\left(\frac{\cosh(x)}{\sqrt{-\cosh(2x)}}\right) \sqrt{-\cosh(2x)} \right) \right)$$

input `Integrate[(-1 - Coth[x]^2)^(3/2), x]`

output `-1/8*((-1 - Coth[x]^2)^(3/2)*Sech[2*x]^2*(16*ArcTanh[Cosh[x]/Sqrt[Cosh[2*x]]]*Sqrt[Cosh[2*x]]*Sinh[x]^3 + 4*(ArcTan[Cosh[x]/Sqrt[-Cosh[2*x]]]*Sqrt[-Cosh[2*x]] - 4*Sqrt[2]*Sqrt[Cosh[2*x]]*Log[Sqrt[2]*Cosh[x] + Sqrt[Cosh[2*x]]])*Sinh[x]^3 + Sinh[4*x])`

Rubi [A] (verified)

Time = 0.25 (sec) , antiderivative size = 70, normalized size of antiderivative = 1.04, number of steps used = 10, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.750$, Rules used = {3042, 4144, 318, 25, 398, 224, 216, 291, 216}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (-\coth^2(x) - 1)^{3/2} dx \\
 & \quad \downarrow \text{3042} \\
 & \int \left(-1 + \tan\left(\frac{\pi}{2} + ix\right)\right)^{3/2} dx \\
 & \quad \downarrow \text{4144} \\
 & \int \frac{(-\coth^2(x) - 1)^{3/2}}{1 - \coth^2(x)} d\coth(x) \\
 & \quad \downarrow \text{318} \\
 & \frac{1}{2} \coth(x) \sqrt{-\coth^2(x) - 1} - \frac{1}{2} \int -\frac{5\coth^2(x) + 3}{\sqrt{-\coth^2(x) - 1} (1 - \coth^2(x))} d\coth(x) \\
 & \quad \downarrow \text{25} \\
 & \frac{1}{2} \int \frac{5\coth^2(x) + 3}{\sqrt{-\coth^2(x) - 1} (1 - \coth^2(x))} d\coth(x) + \frac{1}{2} \sqrt{-\coth^2(x) - 1} \coth(x) \\
 & \quad \downarrow \text{398}
 \end{aligned}$$

$$\frac{1}{2} \left(8 \int \frac{1}{\sqrt{-\coth^2(x) - 1} (1 - \coth^2(x))} d\coth(x) - 5 \int \frac{1}{\sqrt{-\coth^2(x) - 1}} d\coth(x) \right) + \frac{1}{2} \sqrt{-\coth^2(x) - 1} \coth(x)$$

↓ 224

$$\frac{1}{2} \left(8 \int \frac{1}{\sqrt{-\coth^2(x) - 1} (1 - \coth^2(x))} d\coth(x) - 5 \int \frac{1}{\frac{\coth^2(x)}{-\coth^2(x) - 1} + 1} d \frac{\coth(x)}{\sqrt{-\coth^2(x) - 1}} \right) + \frac{1}{2} \sqrt{-\coth^2(x) - 1} \coth(x)$$

↓ 216

$$\frac{1}{2} \left(8 \int \frac{1}{\sqrt{-\coth^2(x) - 1} (1 - \coth^2(x))} d\coth(x) - 5 \arctan \left(\frac{\coth(x)}{\sqrt{-\coth^2(x) - 1}} \right) \right) + \frac{1}{2} \sqrt{-\coth^2(x) - 1} \coth(x)$$

↓ 291

$$\frac{1}{2} \left(8 \int \frac{1}{\frac{2\coth^2(x)}{-\coth^2(x) - 1} + 1} d \frac{\coth(x)}{\sqrt{-\coth^2(x) - 1}} - 5 \arctan \left(\frac{\coth(x)}{\sqrt{-\coth^2(x) - 1}} \right) \right) + \frac{1}{2} \sqrt{-\coth^2(x) - 1} \coth(x)$$

↓ 216

$$\frac{1}{2} \left(4\sqrt{2} \arctan \left(\frac{\sqrt{2} \coth(x)}{\sqrt{-\coth^2(x) - 1}} \right) - 5 \arctan \left(\frac{\coth(x)}{\sqrt{-\coth^2(x) - 1}} \right) \right) + \frac{1}{2} \coth(x) \sqrt{-\coth^2(x) - 1}$$

input

```
Int[(-1 - Coth[x]^2)^(3/2), x]
```

output

```
(-5*ArcTan[Coth[x]/Sqrt[-1 - Coth[x]^2]] + 4*Sqrt[2]*ArcTan[(Sqrt[2]*Coth[x])/Sqrt[-1 - Coth[x]^2]])/2 + (Coth[x]*Sqrt[-1 - Coth[x]^2])/2
```


Definitions of rubi rules used

- rule 25 $\text{Int}[-(Fx_), x_Symbol] \rightarrow \text{Simp}[\text{Identity}[-1] \quad \text{Int}[Fx, x], x]$
- rule 216 $\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1/(\text{Rt}[a, 2]*\text{Rt}[b, 2]))*ArcTan[\text{Rt}[b, 2]*(x/\text{Rt}[a, 2])], x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{GtQ}[b, 0])]$
- rule 224 $\text{Int}[1/\text{Sqrt}[(a_ + (b_)*(x_)^2), x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] /; \text{FreeQ}\{a, b\}, x \ \&\& \ !\text{GtQ}[a, 0]$
- rule 291 $\text{Int}[1/(\text{Sqrt}[(a_ + (b_)*(x_)^2]*((c_ + (d_)*(x_)^2))), x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(c - (b*c - a*d)*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] /; \text{FreeQ}\{a, b, c, d\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0]$
- rule 318 $\text{Int}[(a_ + (b_)*(x_)^2)^{p_}*((c_ + (d_)*(x_)^2)^{q_}), x_Symbol] \rightarrow \text{Simp}[d*x*(a + b*x^2)^{p+1}*((c + d*x^2)^{q-1}/(b*(2*(p+q) + 1))), x] + \text{Simp}[1/(b*(2*(p+q) + 1)) \quad \text{Int}[(a + b*x^2)^p*(c + d*x^2)^{q-2}*\text{Simp}[c*(b*c*(2*(p+q) + 1) - a*d) + d*(b*c*(2*(p+2*q-1) + 1) - a*d*(2*(q-1) + 1))*x^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, p\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{GtQ}[q, 1] \ \&\& \ \text{NeQ}[2*(p+q) + 1, 0] \ \&\& \ !\text{IGtQ}[p, 1] \ \&\& \ \text{IntBinomialQ}[a, b, c, d, 2, p, q, x]$
- rule 398 $\text{Int}[(e_ + (f_)*(x_)^2)/((a_ + (b_)*(x_)^2)*\text{Sqrt}[(c_ + (d_)*(x_)^2)], x_Symbol] \rightarrow \text{Simp}[f/b \quad \text{Int}[1/\text{Sqrt}[c + d*x^2], x], x] + \text{Simp}[(b*e - a*f)/b \quad \text{Int}[1/((a + b*x^2)*\text{Sqrt}[c + d*x^2]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x]$
- rule 3042 $\text{Int}[u_, x_Symbol] \rightarrow \text{Int}[\text{DeactivateTrig}[u, x], x] /; \text{FunctionOfTrigOfLinearQ}[u, x]$

rule 4144

```
Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :=
With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[c*(ff/f) Subst[Int[(a + b*
(ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] ||
EqQ[n^2, 16])
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 210 vs. 2(53) = 106.

Time = 0.06 (sec) , antiderivative size = 211, normalized size of antiderivative = 3.15

method	result
derivativedivides	$-\frac{(-\operatorname{coth}(x)-1)^2-2\operatorname{coth}(x)}{6}^{\frac{3}{2}} + \frac{\operatorname{coth}(x)\sqrt{-(\operatorname{coth}(x)-1)^2-2\operatorname{coth}(x)}}{4} - \frac{5\arctan\left(\frac{\operatorname{coth}(x)}{\sqrt{-(\operatorname{coth}(x)-1)^2-2\operatorname{coth}(x)}}\right)}{4}$
default	$-\frac{(-\operatorname{coth}(x)-1)^2-2\operatorname{coth}(x)}{6}^{\frac{3}{2}} + \frac{\operatorname{coth}(x)\sqrt{-(\operatorname{coth}(x)-1)^2-2\operatorname{coth}(x)}}{4} - \frac{5\arctan\left(\frac{\operatorname{coth}(x)}{\sqrt{-(\operatorname{coth}(x)-1)^2-2\operatorname{coth}(x)}}\right)}{4}$

input

```
int((-1-coth(x)^2)^(3/2), x, method=_RETURNVERBOSE)
```

output

```
-1/6*(-(coth(x)-1)^2-2*coth(x))^(3/2)+1/4*coth(x)*(-(coth(x)-1)^2-2*coth(x))
)^(1/2)-5/4*arctan(coth(x)/(-(coth(x)-1)^2-2*coth(x))^(1/2))+(-(coth(x)-1)
)^2-2*coth(x))^(1/2)-2^(1/2)*arctan(1/4*(-2-2*coth(x))*2^(1/2)/(-(coth(x)-
1)^2-2*coth(x))^(1/2))+1/6*(-(1+coth(x))^2+2*coth(x))^(3/2)+1/4*coth(x)*(-
(1+coth(x))^2+2*coth(x))^(1/2)-5/4*arctan(coth(x)/(-(1+coth(x))^2+2*coth(x)
))^(1/2))-(-(1+coth(x))^2+2*coth(x))^(1/2)+2^(1/2)*arctan(1/4*(-2+2*coth(x)
))*2^(1/2)/(-(1+coth(x))^2+2*coth(x))^(1/2))
```

Fricas [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.09 (sec) , antiderivative size = 361, normalized size of antiderivative = 5.39

$$\int (-1 - \coth^2(x))^{3/2} dx = \frac{2(\sqrt{-2}e^{4x} - 2\sqrt{-2}e^{2x} + \sqrt{-2}) \log\left(2\left(\sqrt{-2}\sqrt{-2}e^{4x} - 2 + 2e^{2x} - 2\right)e^{(-2x)}\right)}{}$$

input `integrate((-1-coth(x)^2)^(3/2),x, algorithm="fricas")`

output

```
1/4*(2*(sqrt(-2)*e^(4*x) - 2*sqrt(-2)*e^(2*x) + sqrt(-2))*log(2*(sqrt(-2)*
sqrt(-2)*e^(4*x) - 2) + 2*e^(2*x) - 2)*e^(-2*x)) - 2*(sqrt(-2)*e^(4*x) - 2*
sqrt(-2)*e^(2*x) + sqrt(-2))*log(-2*(sqrt(-2)*sqrt(-2)*e^(4*x) - 2) - 2*e^(
2*x) + 2)*e^(-2*x)) - 5*(I*e^(4*x) - 2*I*e^(2*x) + I)*log(-4*(I*sqrt(-2)*e^(
4*x) - 2) + e^(2*x) + 1)*e^(-2*x)) - 5*(-I*e^(4*x) + 2*I*e^(2*x) - I)*log
(-4*(-I*sqrt(-2)*e^(4*x) - 2) + e^(2*x) + 1)*e^(-2*x)) - 2*(sqrt(-2)*e^(4*x)
) - 2*sqrt(-2)*e^(2*x) + sqrt(-2))*log(4*(sqrt(-2)*e^(4*x) - 2)*(e^(2*x) +
2) + sqrt(-2)*e^(4*x) + sqrt(-2)*e^(2*x) + 2*sqrt(-2))*e^(-4*x)) + 2*(sqrt
(-2)*e^(4*x) - 2*sqrt(-2)*e^(2*x) + sqrt(-2))*log(4*(sqrt(-2)*e^(4*x) - 2)*
(e^(2*x) + 2) - sqrt(-2)*e^(4*x) - sqrt(-2)*e^(2*x) - 2*sqrt(-2))*e^(-4*x)
) + 2*sqrt(-2)*e^(4*x) - 2)*e^(2*x) + 1)/(e^(4*x) - 2*e^(2*x) + 1)
```

Sympy [F]

$$\int (-1 - \coth^2(x))^{3/2} dx = \int (-\coth^2(x) - 1)^{\frac{3}{2}} dx$$

input `integrate((-1-coth(x)**2)**(3/2),x)`

output

```
Integral((-coth(x)**2 - 1)**(3/2), x)
```

Maxima [F]

$$\int (-1 - \coth^2(x))^{3/2} dx = \int (-\coth(x)^2 - 1)^{\frac{3}{2}} dx$$

input `integrate((-1-coth(x)^2)^(3/2),x, algorithm="maxima")`

output `integrate((-coth(x)^2 - 1)^(3/2), x)`

Giac [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.19 (sec) , antiderivative size = 285, normalized size of antiderivative = 4.25

$$\int (-1 - \coth^2(x))^{3/2} dx =$$

$$-\frac{1}{4}\sqrt{2} \left(-5i\sqrt{2} \log \left(\frac{|-2\sqrt{2} + 2\sqrt{e^{4x}} + 1 - 2e^{2x}} + 2|}{2(\sqrt{2} + \sqrt{e^{4x}} + 1 - e^{2x}} + 1)} \right) \operatorname{sgn}(-e^{2x} + 1) - 4i \log(\sqrt{e^{4x}} + 1 - e^{2x}) \right)$$

input `integrate((-1-coth(x)^2)^(3/2),x, algorithm="giac")`

output `-1/4*sqrt(2)*(-5*I*sqrt(2)*log(1/2*abs(-2*sqrt(2) + 2*sqrt(e^(4*x)) + 1) - 2*e^(2*x) + 2)/(sqrt(2) + sqrt(e^(4*x)) + 1) - e^(2*x) + 1))*sgn(-e^(2*x) + 1) - 4*I*log(sqrt(e^(4*x)) + 1) - e^(2*x) + 1)*sgn(-e^(2*x) + 1) + 4*I*log(sqrt(e^(4*x)) + 1) - e^(2*x))*sgn(-e^(2*x) + 1) + 4*I*log(-sqrt(e^(4*x)) + 1) + e^(2*x) + 1)*sgn(-e^(2*x) + 1) + 4*(3*I*(sqrt(e^(4*x)) + 1) - e^(2*x))^3*sgn(-e^(2*x) + 1) + I*(sqrt(e^(4*x)) + 1) - e^(2*x))^2*sgn(-e^(2*x) + 1) + (-I*sqrt(e^(4*x)) + 1) + I*e^(2*x))*sgn(-e^(2*x) + 1) + I*sgn(-e^(2*x) + 1))/((sqrt(e^(4*x)) + 1) - e^(2*x))^2 + 2*sqrt(e^(4*x)) + 1) - 2*e^(2*x) - 1)^2)`

Mupad [F(-1)]

Timed out.

$$\int (-1 - \operatorname{coth}^2(x))^{3/2} dx = \int (-\operatorname{coth}(x)^2 - 1)^{3/2} dx$$

input `int((- coth(x)^2 - 1)^(3/2),x)`output `int((- coth(x)^2 - 1)^(3/2), x)`**Reduce [F]**

$$\int (-1 - \operatorname{coth}^2(x))^{3/2} dx = -i \left(\int \sqrt{\operatorname{coth}(x)^2 + 1} dx + \int \sqrt{\operatorname{coth}(x)^2 + 1} \operatorname{coth}(x)^2 dx \right)$$

input `int((-1-coth(x)^2)^(3/2),x)`output `- i*(int(sqrt(coth(x)**2 + 1),x) + int(sqrt(coth(x)**2 + 1)*coth(x)**2,x))`

3.32
$$\int \frac{\coth^3(x)}{\sqrt{a+b \coth^2(x)}} dx$$

Optimal result	277
Mathematica [A] (verified)	277
Rubi [A] (verified)	278
Maple [B] (verified)	280
Fricas [B] (verification not implemented)	281
Sympy [F]	282
Maxima [F]	283
Giac [F(-2)]	283
Mupad [B] (verification not implemented)	283
Reduce [F]	284

Optimal result

Integrand size = 17, antiderivative size = 47

$$\int \frac{\coth^3(x)}{\sqrt{a+b \coth^2(x)}} dx = \frac{\operatorname{arctanh}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}} - \frac{\sqrt{a+b \coth^2(x)}}{b}$$

output `arctanh((a+b*coth(x)^2)^(1/2)/(a+b)^(1/2))/(a+b)^(1/2)-(a+b*coth(x)^2)^(1/2)/b`

Mathematica [A] (verified)

Time = 0.06 (sec) , antiderivative size = 47, normalized size of antiderivative = 1.00

$$\int \frac{\coth^3(x)}{\sqrt{a+b \coth^2(x)}} dx = \frac{\operatorname{arctanh}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}} - \frac{\sqrt{a+b \coth^2(x)}}{b}$$

input `Integrate[Coth[x]^3/Sqrt[a + b*Coth[x]^2], x]`

output

```
ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]]/Sqrt[a + b] - Sqrt[a + b*Coth[x]^2]/b
```

Rubi [A] (verified)

Time = 0.29 (sec) , antiderivative size = 52, normalized size of antiderivative = 1.11, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$, Rules used = {3042, 26, 4153, 26, 354, 90, 73, 221}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\coth^3(x)}{\sqrt{a + b \coth^2(x)}} dx$$

$$\downarrow 3042$$

$$\int \frac{i \tan\left(\frac{\pi}{2} + ix\right)^3}{\sqrt{a - b \tan\left(\frac{\pi}{2} + ix\right)^2}} dx$$

$$\downarrow 26$$

$$i \int \frac{\tan\left(ix + \frac{\pi}{2}\right)^3}{\sqrt{a - b \tan\left(ix + \frac{\pi}{2}\right)^2}} dx$$

$$\downarrow 4153$$

$$i \int -\frac{i \coth^3(x)}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x)$$

$$\downarrow 26$$

$$\int \frac{\coth^3(x)}{(1 - \coth^2(x)) \sqrt{a + b \coth^2(x)}} d \coth(x)$$

$$\downarrow 354$$

$$\frac{1}{2} \int \frac{\coth^2(x)}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth^2(x)$$

$$\downarrow 90$$

$$\frac{1}{2} \left(\int \frac{1}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth^2(x) - \frac{2\sqrt{a + b \coth^2(x)}}{b} \right)$$

↓ 73

$$\frac{1}{2} \left(\frac{2 \int \frac{1}{\frac{a+b}{b} - \frac{\coth^4(x)}{b}} d \sqrt{b \coth^2(x) + a}}{b} - \frac{2\sqrt{a + b \coth^2(x)}}{b} \right)$$

↓ 221

$$\frac{1}{2} \left(\frac{2 \operatorname{arctanh} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a+b}} \right)}{\sqrt{a+b}} - \frac{2\sqrt{a + b \coth^2(x)}}{b} \right)$$

input `Int [Coth [x]^3/Sqrt [a + b*Coth [x]^2], x]`

output `((2*ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]])/Sqrt[a + b] - (2*Sqrt[a + b*Coth[x]^2])/b)/2`

Defintions of rubi rules used

rule 26 `Int[(Complex[0, a_])*(Fx_), x_Symbol] := Simp[(Complex[Identity[0], a]) Int[Fx, x], x] /; FreeQ[a, x] && EqQ[a^2, 1]`

rule 73 `Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Simp[p/b Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

- rule 90 `Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_)^(n_.))*((e_.) + (f_.)*(x_)^(p_.), x_] := Simp[b*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*(n + p + 2))), x] + Simp[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(n + p + 2)) Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]`
- rule 221 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]`
- rule 354 `Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^2)^(p_.)*((c_) + (d_.)*(x_)^2)^(q_.), x_Symbol] := Simp[1/2 Subst[Int[x^((m - 1)/2)*(a + b*x)^p*(c + d*x)^q, x, x^2], x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[(m - 1)/2]`
- rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`
- rule 4153 `Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_.))^p, x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[c*(ff/f) Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + f^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 128 vs. $2(39) = 78$.

Time = 0.10 (sec) , antiderivative size = 129, normalized size of antiderivative = 2.74

method	result
derivativedivides	$-\frac{\sqrt{a+b \coth(x)^2}}{b} + \frac{\ln\left(\frac{2a+2b+2b(\coth(x)-1)+2\sqrt{a+b}\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}}{\coth(x)-1}\right)}{2\sqrt{a+b}} + \frac{\ln\left(\frac{2a+2b-2b(1+\coth(x))}{1+\coth(x)}\right)}{2\sqrt{a+b}}$
default	$-\frac{\sqrt{a+b \coth(x)^2}}{b} + \frac{\ln\left(\frac{2a+2b+2b(\coth(x)-1)+2\sqrt{a+b}\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}}{\coth(x)-1}\right)}{2\sqrt{a+b}} + \frac{\ln\left(\frac{2a+2b-2b(1+\coth(x))}{1+\coth(x)}\right)}{2\sqrt{a+b}}$

```
input int(coth(x)^3/(a+b*coth(x)^2)^(1/2),x,method=_RETURNVERBOSE)
```

```
output -(a+b*coth(x)^2)^(1/2)/b+1/2/(a+b)^(1/2)*ln((2*a+2*b+2*b*(coth(x)-1)+2*(a+b)^(1/2)*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2))/(coth(x)-1))+1/2/(a+b)^(1/2)*ln((2*a+2*b-2*b*(1+coth(x))+2*(a+b)^(1/2)*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2))/(1+coth(x)))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 472 vs. 2(39) = 78.

Time = 0.15 (sec) , antiderivative size = 1576, normalized size of antiderivative = 33.53

$$\int \frac{\coth^3(x)}{\sqrt{a + b \coth^2(x)}} dx = \text{Too large to display}$$

```
input integrate(coth(x)^3/(a+b*coth(x)^2)^(1/2),x, algorithm="fricas")
```

output

```
[1/4*((b*cosh(x)^2 + 2*b*cosh(x)*sinh(x) + b*sinh(x)^2 - b)*sqrt(a + b)*log(-((a^3 + a^2*b)*cosh(x)^8 + 8*(a^3 + a^2*b)*cosh(x)*sinh(x)^7 + (a^3 + a^2*b)*sinh(x)^8 - 2*(2*a^3 + a^2*b)*cosh(x)^6 - 2*(2*a^3 + a^2*b - 14*(a^3 + a^2*b)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a^3 + a^2*b)*cosh(x)^3 - 3*(2*a^3 + a^2*b)*cosh(x))*sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^4 + (70*(a^3 + a^2*b)*cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 - 30*(2*a^3 + a^2*b)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a^3 + a^2*b)*cosh(x)^5 - 10*(2*a^3 + a^2*b)*cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 2*(2*a^3 + 3*a^2*b - b^3)*cosh(x)^2 + 2*(14*(a^3 + a^2*b)*cosh(x)^6 - 15*(2*a^3 + a^2*b)*cosh(x)^4 - 2*a^3 - 3*a^2*b + b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(a^2*cosh(x)^6 + 6*a^2*cosh(x)*sinh(x)^5 + a^2*sinh(x)^6 - 3*a^2*cosh(x)^4 + 3*(5*a^2*cosh(x)^2 - a^2)*sinh(x)^4 + 4*(5*a^2*cosh(x)^3 - 3*a^2*cosh(x))*sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x)^2 + (15*a^2*cosh(x)^4 - 18*a^2*cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*a^2*cosh(x)^5 - 6*a^2*cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x))*sinh(x))*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a^3 + a^2*b)*cosh(x)^7 - 3*(2*a^3 + a^2*b)*cosh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^3 - (2*a^3 + 3*a^2*b - b^3)*cosh(x))*sinh(x))/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*...
```

Sympy [F]

$$\int \frac{\coth^3(x)}{\sqrt{a + b \coth^2(x)}} dx = \int \frac{\coth^3(x)}{\sqrt{a + b \coth^2(x)}} dx$$

input

```
integrate(coth(x)**3/(a+b*coth(x)**2)**(1/2), x)
```

output

```
Integral(coth(x)**3/sqrt(a + b*coth(x)**2), x)
```

Maxima [F]

$$\int \frac{\coth^3(x)}{\sqrt{a + b \coth^2(x)}} dx = \int \frac{\coth(x)^3}{\sqrt{b \coth(x)^2 + a}} dx$$

input `integrate(coth(x)^3/(a+b*coth(x)^2)^(1/2),x, algorithm="maxima")`

output `integrate(coth(x)^3/sqrt(b*coth(x)^2 + a), x)`

Giac [F(-2)]

Exception generated.

$$\int \frac{\coth^3(x)}{\sqrt{a + b \coth^2(x)}} dx = \text{Exception raised: TypeError}$$

input `integrate(coth(x)^3/(a+b*coth(x)^2)^(1/2),x, algorithm="giac")`

output `Exception raised: TypeError >> an error occurred running a Giac command:IN
PUT:sage2:=int(sage0,sageVARx):;OUTPUT:Error: Bad Argument Type`

Mupad [B] (verification not implemented)

Time = 2.86 (sec) , antiderivative size = 39, normalized size of antiderivative = 0.83

$$\int \frac{\coth^3(x)}{\sqrt{a + b \coth^2(x)}} dx = \frac{\operatorname{atanh}\left(\frac{\sqrt{b \coth(x)^2 + a}}{\sqrt{a+b}}\right)}{\sqrt{a+b}} - \frac{\sqrt{b \coth(x)^2 + a}}{b}$$

input `int(coth(x)^3/(a + b*coth(x)^2)^(1/2),x)`

output

```
atanh((a + b*coth(x)^2)^(1/2)/(a + b)^(1/2))/(a + b)^(1/2) - (a + b*coth(x)
)^2)^(1/2)/b
```

Reduce [F]

$$\int \frac{\coth^3(x)}{\sqrt{a + b \coth^2(x)}} dx = \int \frac{\sqrt{\coth(x)^2 b + a} \coth(x)^3}{\coth(x)^2 b + a} dx$$

input

```
int(coth(x)^3/(a+b*coth(x)^2)^(1/2),x)
```

output

```
int((sqrt(coth(x)**2*b + a)*coth(x)**3)/(coth(x)**2*b + a),x)
```

3.33
$$\int \frac{\coth^2(x)}{\sqrt{a+b \coth^2(x)}} dx$$

Optimal result	285
Mathematica [B] (verified)	285
Rubi [A] (verified)	286
Maple [B] (verified)	289
Fricas [B] (verification not implemented)	289
Sympy [F]	290
Maxima [F]	290
Giac [F(-2)]	290
Mupad [F(-1)]	291
Reduce [F]	291

Optimal result

Integrand size = 17, antiderivative size = 60

$$\int \frac{\coth^2(x)}{\sqrt{a+b \coth^2(x)}} dx = -\frac{\operatorname{arctanh}\left(\frac{\sqrt{b} \coth(x)}{\sqrt{a+b \coth^2(x)}}\right)}{\sqrt{b}} + \frac{\operatorname{arctanh}\left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a+b \coth^2(x)}}\right)}{\sqrt{a+b}}$$

output

```
-arctanh(b^(1/2)*coth(x)/(a+b*coth(x)^2)^(1/2))/b^(1/2)+arctanh((a+b)^(1/2)*coth(x)/(a+b*coth(x)^2)^(1/2))/(a+b)^(1/2)
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 134 vs. 2(60) = 120.

Time = 0.15 (sec) , antiderivative size = 134, normalized size of antiderivative = 2.23

$$\int \frac{\coth^2(x)}{\sqrt{a+b \coth^2(x)}} dx = \frac{\left(-\sqrt{a+b} \operatorname{arctanh}\left(\frac{\sqrt{2}\sqrt{b} \cosh(x)}{\sqrt{-a+b+(a+b) \cosh(2x)}}\right) + \sqrt{b} \operatorname{arctanh}\left(\frac{\sqrt{2}\sqrt{a+b} \cosh(x)}{\sqrt{-a+b+(a+b) \cosh(2x)}}\right)\right) \sqrt{(-a+b+(a+b) \cosh(2x))}}{\sqrt{b}\sqrt{a+b}\sqrt{-a+b+(a+b) \cosh(2x)}}$$

input `Integrate[Coth[x]^2/Sqrt[a + b*Coth[x]^2], x]`

output `((-(Sqrt[a + b]*ArcTanh[(Sqrt[2]*Sqrt[b]*Cosh[x])/Sqrt[-a + b + (a + b)*Cosh[2*x]]]) + Sqrt[b]*ArcTanh[(Sqrt[2]*Sqrt[a + b]*Cosh[x])/Sqrt[-a + b + (a + b)*Cosh[2*x]]])*Sqrt[(-a + b + (a + b)*Cosh[2*x])*Csch[x]^2]*Sinh[x)]/(Sqrt[b]*Sqrt[a + b]*Sqrt[-a + b + (a + b)*Cosh[2*x]])`

Rubi [A] (verified)

Time = 0.30 (sec) , antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.529$, Rules used = {3042, 25, 4153, 25, 385, 224, 219, 291, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\coth^2(x)}{\sqrt{a + b \coth^2(x)}} dx \\
 & \quad \downarrow \text{3042} \\
 & \int -\frac{\tan\left(\frac{\pi}{2} + ix\right)^2}{\sqrt{a - b \tan\left(\frac{\pi}{2} + ix\right)^2}} dx \\
 & \quad \downarrow \text{25} \\
 & -\int \frac{\tan\left(ix + \frac{\pi}{2}\right)^2}{\sqrt{a - b \tan\left(ix + \frac{\pi}{2}\right)^2}} dx \\
 & \quad \downarrow \text{4153} \\
 & -\int -\frac{\coth^2(x)}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) \\
 & \quad \downarrow \text{25} \\
 & \int \frac{\coth^2(x)}{(1 - \coth^2(x)) \sqrt{a + b \coth^2(x)}} d \coth(x)
 \end{aligned}$$

$$\begin{aligned}
& \int \frac{1}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) - \int \frac{1}{\sqrt{b \coth^2(x) + a}} d \coth(x) \\
& \quad \downarrow \text{385} \\
& \int \frac{1}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) - \int \frac{1}{1 - \frac{b \coth^2(x)}{b \coth^2(x) + a}} d \frac{\coth(x)}{\sqrt{b \coth^2(x) + a}} \\
& \quad \downarrow \text{224} \\
& \int \frac{1}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) - \frac{\operatorname{arctanh}\left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}}\right)}{\sqrt{b}} \\
& \quad \downarrow \text{219} \\
& \int \frac{1}{1 - \frac{(a+b) \coth^2(x)}{b \coth^2(x) + a}} d \frac{\coth(x)}{\sqrt{b \coth^2(x) + a}} - \frac{\operatorname{arctanh}\left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}}\right)}{\sqrt{b}} \\
& \quad \downarrow \text{291} \\
& \frac{\operatorname{arctanh}\left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a + b \coth^2(x)}}\right)}{\sqrt{a + b}} - \frac{\operatorname{arctanh}\left(\frac{\sqrt{b} \coth(x)}{\sqrt{a + b \coth^2(x)}}\right)}{\sqrt{b}} \\
& \quad \downarrow \text{219}
\end{aligned}$$

input `Int [Coth [x]^2/Sqrt [a + b*Coth [x]^2], x]`

output `-(ArcTanh [(Sqrt [b]*Coth [x])/Sqrt [a + b*Coth [x]^2]]/Sqrt [b]) + ArcTanh [(Sqrt [a + b]*Coth [x])/Sqrt [a + b*Coth [x]^2]]/Sqrt [a + b]`

Definitions of rubi rules used

- rule 25 $\text{Int}[-(\text{Fx}_), \text{x_Symbol}] \rightarrow \text{Simp}[\text{Identity}[-1] \quad \text{Int}[\text{Fx}, \text{x}], \text{x}]$
- rule 219 $\text{Int}[(\text{a}_) + (\text{b}_) * (\text{x}_)^2)^{-1}, \text{x_Symbol}] \rightarrow \text{Simp}[(1/(\text{Rt}[\text{a}, 2] * \text{Rt}[-\text{b}, 2])) * \text{ArcTanh}[\text{Rt}[-\text{b}, 2] * (\text{x}/\text{Rt}[\text{a}, 2])], \text{x}] /; \text{FreeQ}[\{\text{a}, \text{b}\}, \text{x}] \&\& \text{NegQ}[\text{a}/\text{b}] \&\& (\text{GtQ}[\text{a}, 0] \parallel \text{LtQ}[\text{b}, 0])$
- rule 224 $\text{Int}[1/\text{Sqrt}[(\text{a}_) + (\text{b}_) * (\text{x}_)^2], \text{x_Symbol}] \rightarrow \text{Subst}[\text{Int}[1/(1 - \text{b} * \text{x}^2), \text{x}], \text{x}, \text{x}/\text{Sqrt}[\text{a} + \text{b} * \text{x}^2]] /; \text{FreeQ}[\{\text{a}, \text{b}\}, \text{x}] \&\& !\text{GtQ}[\text{a}, 0]$
- rule 291 $\text{Int}[1/(\text{Sqrt}[(\text{a}_) + (\text{b}_) * (\text{x}_)^2] * ((\text{c}_) + (\text{d}_) * (\text{x}_)^2)), \text{x_Symbol}] \rightarrow \text{Subst}[\text{Int}[1/(\text{c} - (\text{b} * \text{c} - \text{a} * \text{d}) * \text{x}^2), \text{x}], \text{x}, \text{x}/\text{Sqrt}[\text{a} + \text{b} * \text{x}^2]] /; \text{FreeQ}[\{\text{a}, \text{b}, \text{c}, \text{d}\}, \text{x}] \&\& \text{NeQ}[\text{b} * \text{c} - \text{a} * \text{d}, 0]$
- rule 385 $\text{Int}[(((\text{e}_) * (\text{x}_))^{(\text{m}_)} * ((\text{c}_) + (\text{d}_) * (\text{x}_)^2)^{(\text{q}_)})) / ((\text{a}_) + (\text{b}_) * (\text{x}_)^2), \text{x_Symbol}] \rightarrow \text{Simp}[\text{e}^2/\text{b} \quad \text{Int}[(\text{e} * \text{x})^{(\text{m} - 2)} * (\text{c} + \text{d} * \text{x}^2)^{\text{q}}, \text{x}], \text{x}] - \text{Simp}[\text{a} * (\text{e}^2/\text{b}) \quad \text{Int}[(\text{e} * \text{x})^{(\text{m} - 2)} * ((\text{c} + \text{d} * \text{x}^2)^{\text{q}} / (\text{a} + \text{b} * \text{x}^2)), \text{x}], \text{x}] /; \text{FreeQ}[\{\text{a}, \text{b}, \text{c}, \text{d}, \text{e}, \text{m}, \text{q}\}, \text{x}] \&\& \text{NeQ}[\text{b} * \text{c} - \text{a} * \text{d}, 0] \&\& \text{LeQ}[2, \text{m}, 3] \&\& \text{IntBinomialQ}[\text{a}, \text{b}, \text{c}, \text{d}, \text{e}, \text{m}, 2, -1, \text{q}, \text{x}]$
- rule 3042 $\text{Int}[\text{u}_, \text{x_Symbol}] \rightarrow \text{Int}[\text{DeactivateTrig}[\text{u}, \text{x}], \text{x}] /; \text{FunctionOfTrigOfLinearQ}[\text{u}, \text{x}]$
- rule 4153 $\text{Int}[(\text{d}_) * \tan[(\text{e}_) + (\text{f}_) * (\text{x}_)]^{(\text{m}_)} * ((\text{a}_) + (\text{b}_) * ((\text{c}_) * \tan[(\text{e}_) + (\text{f}_) * (\text{x}_)]^{(\text{n}_)})^{(\text{p}_)}), \text{x_Symbol}] \rightarrow \text{With}[\{\text{ff} = \text{FreeFactors}[\text{Tan}[\text{e} + \text{f} * \text{x}], \text{x}]\}, \text{Simp}[\text{c} * (\text{ff}/\text{f}) \quad \text{Subst}[\text{Int}[(\text{d} * \text{ff} * (\text{x}/\text{c}))^{\text{m}} * ((\text{a} + \text{b} * (\text{ff} * \text{x})^{\text{n}})^{\text{p}} / (\text{c}^2 + \text{f}^2 * \text{x}^2)), \text{x}], \text{x}, \text{c} * (\text{Tan}[\text{e} + \text{f} * \text{x}]/\text{ff}), \text{x}]] /; \text{FreeQ}[\{\text{a}, \text{b}, \text{c}, \text{d}, \text{e}, \text{f}, \text{m}, \text{n}, \text{p}\}, \text{x}] \&\& (\text{IGtQ}[\text{p}, 0] \parallel \text{EqQ}[\text{n}, 2] \parallel \text{EqQ}[\text{n}, 4] \parallel (\text{IntegerQ}[\text{p}] \&\& \text{RationalQ}[\text{n}]))$

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 136 vs. $2(48) = 96$.

Time = 0.08 (sec) , antiderivative size = 137, normalized size of antiderivative = 2.28

method	result
derivativedivides	$-\frac{\ln\left(\sqrt{b} \coth(x) + \sqrt{a+b \coth(x)^2}\right)}{\sqrt{b}} + \frac{\ln\left(\frac{2a+2b+2b(\coth(x)-1)+2\sqrt{a+b} \sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}}{\coth(x)-1}\right)}{2\sqrt{a+b}}$
default	$-\frac{\ln\left(\sqrt{b} \coth(x) + \sqrt{a+b \coth(x)^2}\right)}{\sqrt{b}} + \frac{\ln\left(\frac{2a+2b+2b(\coth(x)-1)+2\sqrt{a+b} \sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}}{\coth(x)-1}\right)}{2\sqrt{a+b}}$

input `int(coth(x)^2/(a+b*coth(x)^2)^(1/2),x,method=_RETURNVERBOSE)`

output `-ln(b^(1/2)*coth(x)+(a+b*coth(x)^2)^(1/2))/b^(1/2)+1/2/(a+b)^(1/2)*ln((2*a+2*b+2*b*(coth(x)-1)+2*(a+b)^(1/2)*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2))/(coth(x)-1))-1/2/(a+b)^(1/2)*ln((2*a+2*b-2*b*(1+coth(x))+2*(a+b)^(1/2)*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2))/(1+coth(x)))`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 489 vs. $2(48) = 96$.

Time = 0.22 (sec) , antiderivative size = 3357, normalized size of antiderivative = 55.95

$$\int \frac{\coth^2(x)}{\sqrt{a + b \coth^2(x)}} dx = \text{Too large to display}$$

input `integrate(coth(x)^2/(a+b*coth(x)^2)^(1/2),x, algorithm="fricas")`

output `Too large to include`

Sympy [F]

$$\int \frac{\coth^2(x)}{\sqrt{a + b \coth^2(x)}} dx = \int \frac{\coth^2(x)}{\sqrt{a + b \coth^2(x)}} dx$$

input `integrate(coth(x)**2/(a+b*coth(x)**2)**(1/2),x)`

output `Integral(coth(x)**2/sqrt(a + b*coth(x)**2), x)`

Maxima [F]

$$\int \frac{\coth^2(x)}{\sqrt{a + b \coth^2(x)}} dx = \int \frac{\coth(x)^2}{\sqrt{b \coth(x)^2 + a}} dx$$

input `integrate(coth(x)^2/(a+b*coth(x)^2)^(1/2),x, algorithm="maxima")`

output `integrate(coth(x)^2/sqrt(b*coth(x)^2 + a), x)`

Giac [F(-2)]

Exception generated.

$$\int \frac{\coth^2(x)}{\sqrt{a + b \coth^2(x)}} dx = \text{Exception raised: TypeError}$$

input `integrate(coth(x)^2/(a+b*coth(x)^2)^(1/2),x, algorithm="giac")`

output `Exception raised: TypeError >> an error occurred running a Giac command:IN
PUT:sage2:=int(sage0,sageVARx)::OUTPUT:Error: Bad Argument Type`

Mupad [F(-1)]

Timed out.

$$\int \frac{\coth^2(x)}{\sqrt{a + b \coth^2(x)}} dx = \int \frac{\coth(x)^2}{\sqrt{b \coth(x)^2 + a}} dx$$

input `int(coth(x)^2/(a + b*coth(x)^2)^(1/2), x)`output `int(coth(x)^2/(a + b*coth(x)^2)^(1/2), x)`**Reduce [F]**

$$\int \frac{\coth^2(x)}{\sqrt{a + b \coth^2(x)}} dx = \int \frac{\sqrt{\coth(x)^2 b + a} \coth(x)^2}{\coth(x)^2 b + a} dx$$

input `int(coth(x)^2/(a+b*coth(x)^2)^(1/2), x)`output `int((sqrt(coth(x)**2*b + a)*coth(x)**2)/(coth(x)**2*b + a), x)`

$$3.34 \quad \int \frac{\coth(x)}{\sqrt{a+b \coth^2(x)}} dx$$

Optimal result	292
Mathematica [A] (verified)	292
Rubi [A] (verified)	293
Maple [B] (verified)	295
Fricas [B] (verification not implemented)	295
Sympy [F]	296
Maxima [F]	297
Giac [B] (verification not implemented)	297
Mupad [B] (verification not implemented)	298
Reduce [F]	298

Optimal result

Integrand size = 15, antiderivative size = 29

$$\int \frac{\coth(x)}{\sqrt{a+b \coth^2(x)}} dx = \frac{\operatorname{arctanh}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}}$$

output `arctanh((a+b*coth(x)^2)^(1/2)/(a+b)^(1/2))/(a+b)^(1/2)`

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 29, normalized size of antiderivative = 1.00

$$\int \frac{\coth(x)}{\sqrt{a+b \coth^2(x)}} dx = \frac{\operatorname{arctanh}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}}$$

input `Integrate[Coth[x]/Sqrt[a + b*Coth[x]^2], x]`

output `ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]]/Sqrt[a + b]`

Rubi [A] (verified)

Time = 0.25 (sec) , antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {3042, 26, 4153, 26, 353, 73, 221}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\coth(x)}{\sqrt{a + b \coth^2(x)}} dx \\
 & \quad \downarrow \text{3042} \\
 & \int -\frac{i \tan\left(\frac{\pi}{2} + ix\right)}{\sqrt{a - b \tan\left(\frac{\pi}{2} + ix\right)^2}} dx \\
 & \quad \downarrow \text{26} \\
 & -i \int \frac{\tan\left(ix + \frac{\pi}{2}\right)}{\sqrt{a - b \tan\left(ix + \frac{\pi}{2}\right)^2}} dx \\
 & \quad \downarrow \text{4153} \\
 & -i \int \frac{i \coth(x)}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) \\
 & \quad \downarrow \text{26} \\
 & \int \frac{\coth(x)}{(1 - \coth^2(x)) \sqrt{a + b \coth^2(x)}} d \coth(x) \\
 & \quad \downarrow \text{353} \\
 & \frac{1}{2} \int \frac{1}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth^2(x) \\
 & \quad \downarrow \text{73} \\
 & \frac{\int \frac{1}{\frac{a+b}{b} - \frac{\coth^4(x)}{b}} d \sqrt{b \coth^2(x) + a}}{b} \\
 & \quad \downarrow \text{221}
 \end{aligned}$$

$$\frac{\operatorname{arctanh}\left(\frac{\sqrt{a+b\coth^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}}$$

input `Int[Coth[x]/Sqrt[a + b*Coth[x]^2], x]`

output `ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]]/Sqrt[a + b]`

Defintions of rubi rules used

rule 26 `Int[(Complex[0, a_])*(Fx_), x_Symbol] := Simp[(Complex[Identity[0], a]) Int[Fx, x], x] /; FreeQ[a, x] && EqQ[a^2, 1]`

rule 73 `Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Simp[p/b Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

rule 221 `Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

rule 353 `Int[(x_)*((a_) + (b_)*(x_)^2)^(p_)*((c_) + (d_)*(x_)^2)^(q_), x_Symbol] := Simp[1/2 Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^2], x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4153

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_.)]^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) +
(f_.)*(x_.)]^(n_.))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x],
x]}, Simp[c*(ff/f) Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + f
f^2*x^2)), x], x, c*(Tan[e + f*x]/ff)], x]] /; FreeQ[{a, b, c, d, e, f, m,
n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ratio
nalQ[n]))
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 113 vs. 2(23) = 46.

Time = 0.11 (sec) , antiderivative size = 114, normalized size of antiderivative = 3.93

method	result
derivativedivides	$\frac{\ln\left(\frac{2a+2b+2b(\coth(x)-1)+2\sqrt{a+b}\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}}{\coth(x)-1}\right)}{2\sqrt{a+b}} + \frac{\ln\left(\frac{2a+2b-2b(1+\coth(x))+2\sqrt{a+b}\sqrt{b(1+\coth(x))}}{1+\coth(x)}\right)}{2\sqrt{a+b}}$
default	$\frac{\ln\left(\frac{2a+2b+2b(\coth(x)-1)+2\sqrt{a+b}\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}}{\coth(x)-1}\right)}{2\sqrt{a+b}} + \frac{\ln\left(\frac{2a+2b-2b(1+\coth(x))+2\sqrt{a+b}\sqrt{b(1+\coth(x))}}{1+\coth(x)}\right)}{2\sqrt{a+b}}$

input

```
int(coth(x)/(a+b*coth(x)^2)^(1/2),x,method=_RETURNVERBOSE)
```

output

```
1/2/(a+b)^(1/2)*ln((2*a+2*b+2*b*(coth(x)-1)+2*(a+b)^(1/2)*(b*(coth(x)-1)^2
+2*b*(coth(x)-1)+a+b)^(1/2))/(coth(x)-1))+1/2/(a+b)^(1/2)*ln((2*a+2*b-2*b*
(1+coth(x))+2*(a+b)^(1/2)*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2))/(1+
coth(x)))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 333 vs. 2(23) = 46.

Time = 0.13 (sec) , antiderivative size = 1298, normalized size of antiderivative = 44.76

$$\int \frac{\coth(x)}{\sqrt{a + b \coth^2(x)}} dx = \text{Too large to display}$$

input `integrate(coth(x)/(a+b*coth(x)^2)^(1/2),x, algorithm="fricas")`

output `[1/4*(sqrt(a + b)*log(-((a^3 + a^2*b)*cosh(x)^8 + 8*(a^3 + a^2*b)*cosh(x)*sinh(x)^7 + (a^3 + a^2*b)*sinh(x)^8 - 2*(2*a^3 + a^2*b)*cosh(x)^6 - 2*(2*a^3 + a^2*b - 14*(a^3 + a^2*b)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a^3 + a^2*b)*cosh(x)^3 - 3*(2*a^3 + a^2*b)*cosh(x))*sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^4 + (70*(a^3 + a^2*b)*cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 - 30*(2*a^3 + a^2*b)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a^3 + a^2*b)*cosh(x)^5 - 10*(2*a^3 + a^2*b)*cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 2*(2*a^3 + 3*a^2*b - b^3)*cosh(x)^2 + 2*(14*(a^3 + a^2*b)*cosh(x)^6 - 15*(2*a^3 + a^2*b)*cosh(x)^4 - 2*a^3 - 3*a^2*b + b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(a^2*cosh(x)^6 + 6*a^2*cosh(x)*sinh(x)^5 + a^2*sinh(x)^6 - 3*a^2*cosh(x)^4 + 3*(5*a^2*cosh(x)^2 - a^2)*sinh(x)^4 + 4*(5*a^2*cosh(x)^3 - 3*a^2*cosh(x))*sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x)^2 + (15*a^2*cosh(x)^4 - 18*a^2*cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*a^2*cosh(x)^5 - 6*a^2*cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x))*sinh(x))*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a^3 + a^2*b)*cosh(x)^7 - 3*(2*a^3 + a^2*b)*cosh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^3 - (2*a^3 + 3*a^2*b - b^3)*cosh(x))*sinh(x))/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*cosh...`

Sympy [F]

$$\int \frac{\coth(x)}{\sqrt{a + b \coth^2(x)}} dx = \int \frac{\coth(x)}{\sqrt{a + b \coth^2(x)}} dx$$

input `integrate(coth(x)/(a+b*coth(x)**2)**(1/2),x)`

output `Integral(coth(x)/sqrt(a + b*coth(x)**2), x)`

Maxima [F]

$$\int \frac{\coth(x)}{\sqrt{a + b \coth^2(x)}} dx = \int \frac{\coth(x)}{\sqrt{b \coth^2(x) + a}} dx$$

input `integrate(coth(x)/(a+b*coth(x)^2)^(1/2),x, algorithm="maxima")`

output `integrate(coth(x)/sqrt(b*coth(x)^2 + a), x)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 196 vs. $2(23) = 46$.

Time = 0.23 (sec) , antiderivative size = 196, normalized size of antiderivative = 6.76

$$\int \frac{\coth(x)}{\sqrt{a + b \coth^2(x)}} dx = \frac{\log\left(\left|-\left(\sqrt{a+be^{2x}}-\sqrt{ae^{4x}+be^{4x}-2ae^{2x}+2be^{2x}+a+b}\right)(a+b)+\sqrt{a+b}(a-b)\right|\right)}{\sqrt{a+b}} + \frac{\log\left(\left|-\sqrt{a+be^{2x}}+\sqrt{ae^{4x}+be^{4x}-2ae^{2x}+2be^{2x}+a+b}\right|\right)}{\sqrt{a+b}}$$

$2 \operatorname{sgn}(e^{2x} - 1)$

input `integrate(coth(x)/(a+b*coth(x)^2)^(1/2),x, algorithm="giac")`

output `-1/2*(log(abs(-sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b))*(a + b) + sqrt(a + b)*(a - b)))/sqrt(a + b) + log(abs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) + sqrt(a + b)))/sqrt(a + b) - log(abs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) - sqrt(a + b)))/sqrt(a + b))/sgn(e^(2*x) - 1)`

Mupad [B] (verification not implemented)

Time = 2.69 (sec) , antiderivative size = 23, normalized size of antiderivative = 0.79

$$\int \frac{\coth(x)}{\sqrt{a + b \coth^2(x)}} dx = \frac{\operatorname{atanh}\left(\frac{\sqrt{b \coth(x)^2 + a}}{\sqrt{a+b}}\right)}{\sqrt{a+b}}$$

input `int(coth(x)/(a + b*coth(x)^2)^(1/2), x)`output `atanh((a + b*coth(x)^2)^(1/2)/(a + b)^(1/2))/(a + b)^(1/2)`**Reduce [F]**

$$\int \frac{\coth(x)}{\sqrt{a + b \coth^2(x)}} dx = \int \frac{\sqrt{\coth(x)^2 b + a} \coth(x)}{\coth(x)^2 b + a} dx$$

input `int(coth(x)/(a+b*coth(x)^2)^(1/2), x)`output `int((sqrt(coth(x)**2*b + a)*coth(x))/(coth(x)**2*b + a), x)`

3.35 $\int \frac{1}{\sqrt{a+b \coth^2(x)}} dx$

Optimal result	299
Mathematica [B] (verified)	299
Rubi [A] (verified)	300
Maple [B] (verified)	301
Fricas [B] (verification not implemented)	302
Sympy [F]	303
Maxima [F]	304
Giac [B] (verification not implemented)	304
Mupad [B] (verification not implemented)	305
Reduce [F]	305

Optimal result

Integrand size = 12, antiderivative size = 31

$$\int \frac{1}{\sqrt{a+b \coth^2(x)}} dx = \frac{\operatorname{arctanh}\left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a+b \coth^2(x)}}\right)}{\sqrt{a+b}}$$

output `arctanh((a+b)^(1/2)*coth(x)/(a+b*coth(x)^2)^(1/2))/(a+b)^(1/2)`

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 77 vs. 2(31) = 62.

Time = 0.09 (sec) , antiderivative size = 77, normalized size of antiderivative = 2.48

$$\int \frac{1}{\sqrt{a+b \coth^2(x)}} dx = \frac{\operatorname{arctanh}\left(\frac{\sqrt{\frac{(a+b) \coth^2(x)}{a}}}{\sqrt{1+\frac{b \coth^2(x)}{a}}}\right) \coth(x) \sqrt{1+\frac{b \coth^2(x)}{a}}}{\sqrt{\frac{(a+b) \coth^2(x)}{a}} \sqrt{a+b \coth^2(x)}}$$

input `Integrate[1/Sqrt[a + b*Coth[x]^2],x]`

output

```
(ArcTanh[Sqrt[((a + b)*Coth[x]^2)/a]/Sqrt[1 + (b*Coth[x]^2)/a]]*Coth[x]*Sqrt[1 + (b*Coth[x]^2)/a])/(Sqrt[((a + b)*Coth[x]^2)/a]*Sqrt[a + b*Coth[x]^2])
```

Rubi [A] (verified)

Time = 0.21 (sec) , antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3042, 4144, 291, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{1}{\sqrt{a + b \coth^2(x)}} dx \\
 & \quad \downarrow \text{3042} \\
 & \int \frac{1}{\sqrt{a - b \tan\left(\frac{\pi}{2} + ix\right)^2}} dx \\
 & \quad \downarrow \text{4144} \\
 & \int \frac{1}{(1 - \coth^2(x)) \sqrt{a + b \coth^2(x)}} d \coth(x) \\
 & \quad \downarrow \text{291} \\
 & \int \frac{1}{1 - \frac{(a+b) \coth^2(x)}{a+b \coth^2(x)}} d \frac{\coth(x)}{\sqrt{a + b \coth^2(x)}} \\
 & \quad \downarrow \text{219} \\
 & \frac{\operatorname{arctanh}\left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a+b \coth^2(x)}}\right)}{\sqrt{a+b}}
 \end{aligned}$$

input

```
Int[1/Sqrt[a + b*Coth[x]^2], x]
```

output $\text{ArcTanh}[(\text{Sqrt}[a + b] * \text{Coth}[x]) / \text{Sqrt}[a + b * \text{Coth}[x]^2]] / \text{Sqrt}[a + b]$

Defintions of rubi rules used

rule 219 $\text{Int}[(a + (b \cdot x)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1 / (\text{Rt}[a, 2] * \text{Rt}[-b, 2])) * \text{ArcTanh}[\text{Rt}[-b, 2] * (x / \text{Rt}[a, 2])], x] /;$ $\text{FreeQ}\{a, b, x\} \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

rule 291 $\text{Int}[1 / (\text{Sqrt}[(a + (b \cdot x)^2] * ((c + (d \cdot x)^2))), x_Symbol] \rightarrow \text{Subst}[\text{Int}[1 / (c - (b * c - a * d) * x^2), x], x, x / \text{Sqrt}[a + b * x^2]] /;$ $\text{FreeQ}\{a, b, c, d\}, x\} \ \&\& \ \text{NeQ}[b * c - a * d, 0]$

rule 3042 $\text{Int}[u, x_Symbol] \rightarrow \text{Int}[\text{DeactivateTrig}[u, x], x] /;$ $\text{FunctionOfTrigOfLinearQ}[u, x]$

rule 4144 $\text{Int}[(a + (b \cdot x) * ((c \cdot \tan[e + f * x] + (f \cdot x))^n))^p, x_Symbol] \rightarrow \text{With}\{\{ff = \text{FreeFactors}[\text{Tan}[e + f * x], x]\}, \text{Simp}[c * (ff / f) \ \text{Subst}[\text{Int}[(a + b * (ff * x)^n)^p / (c^2 + ff^2 * x^2), x], x, c * (\text{Tan}[e + f * x] / ff)], x] /;$ $\text{FreeQ}\{a, b, c, e, f, n, p\}, x\} \ \&\& \ (\text{IntegersQ}[n, p] \ || \ \text{IGtQ}[p, 0] \ || \ \text{EqQ}[n^2, 4] \ || \ \text{EqQ}[n^2, 16])$

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 113 vs. 2(25) = 50.

Time = 0.06 (sec) , antiderivative size = 114, normalized size of antiderivative = 3.68

method	result
derivativedivides	$\frac{\ln\left(\frac{2a+2b+2b(\coth(x)-1)+2\sqrt{a+b}\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}}{\coth(x)-1}\right)}{2\sqrt{a+b}} - \frac{\ln\left(\frac{2a+2b-2b(1+\coth(x))+2\sqrt{a+b}\sqrt{b(1+\coth(x))}}{1+\coth(x)}\right)}{2\sqrt{a+b}}$
default	$\frac{\ln\left(\frac{2a+2b+2b(\coth(x)-1)+2\sqrt{a+b}\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}}{\coth(x)-1}\right)}{2\sqrt{a+b}} - \frac{\ln\left(\frac{2a+2b-2b(1+\coth(x))+2\sqrt{a+b}\sqrt{b(1+\coth(x))}}{1+\coth(x)}\right)}{2\sqrt{a+b}}$

input `int(1/(a+b*coth(x)^2)^(1/2),x,method=_RETURNVERBOSE)`

output `1/2/(a+b)^(1/2)*ln((2*a+2*b+2*b*(coth(x)-1)+2*(a+b)^(1/2)*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2))/(coth(x)-1))-1/2/(a+b)^(1/2)*ln((2*a+2*b-2*b*(1+coth(x))+2*(a+b)^(1/2)*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2))/(1+coth(x)))`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 399 vs. $2(25) = 50$.

Time = 0.14 (sec) , antiderivative size = 1357, normalized size of antiderivative = 43.77

$$\int \frac{1}{\sqrt{a + b \coth^2(x)}} dx = \text{Too large to display}$$

input `integrate(1/(a+b*coth(x)^2)^(1/2),x, algorithm="fricas")`

output

```
[1/4*(sqrt(a + b)*log(((a*b^2 + b^3)*cosh(x)^8 + 8*(a*b^2 + b^3)*cosh(x)*sinh(x)^7 + (a*b^2 + b^3)*sinh(x)^8 + 2*(a*b^2 + 2*b^3)*cosh(x)^6 + 2*(a*b^2 + 2*b^3 + 14*(a*b^2 + b^3)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a*b^2 + b^3)*cosh(x)^3 + 3*(a*b^2 + 2*b^3)*cosh(x))*sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^4 + (70*(a*b^2 + b^3)*cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 + 30*(a*b^2 + 2*b^3)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a*b^2 + b^3)*cosh(x)^5 + 10*(a*b^2 + 2*b^3)*cosh(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 2*(a^3 - 3*a*b^2 - 2*b^3)*cosh(x)^2 + 2*(14*(a*b^2 + b^3)*cosh(x)^6 + 15*(a*b^2 + 2*b^3)*cosh(x)^4 - a^3 + 3*a*b^2 + 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(b^2*cosh(x)^6 + 6*b^2*cosh(x)*sinh(x)^5 + b^2*sinh(x)^6 + 3*b^2*cosh(x)^4 + 3*(5*b^2*cosh(x)^2 + b^2)*sinh(x)^4 + 4*(5*b^2*cosh(x)^3 + 3*b^2*cosh(x))*sinh(x)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(x)^2 + (15*b^2*cosh(x)^4 + 18*b^2*cosh(x)^2 - a^2 + 2*a*b + 3*b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*b^2*cosh(x)^5 + 6*b^2*cosh(x)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(x))*sinh(x))*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a*b^2 + b^3)*cosh(x)^7 + 3*(a*b^2 + 2*b^3)*cosh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^3 - (a^3 - 3*a*b^2 - 2*b^3)*cosh(x))*sinh(x))/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*cosh(...
```

Sympy [F]

$$\int \frac{1}{\sqrt{a + b \coth^2(x)}} dx = \int \frac{1}{\sqrt{a + b \coth^2(x)}} dx$$

input

```
integrate(1/(a+b*coth(x)**2)**(1/2), x)
```

output

```
Integral(1/sqrt(a + b*coth(x)**2), x)
```


Maxima [F]

$$\int \frac{1}{\sqrt{a + b \coth^2(x)}} dx = \int \frac{1}{\sqrt{b \coth(x)^2 + a}} dx$$

input `integrate(1/(a+b*coth(x)^2)^(1/2),x, algorithm="maxima")`

output `integrate(1/sqrt(b*coth(x)^2 + a), x)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 196 vs. $2(25) = 50$.

Time = 0.22 (sec) , antiderivative size = 196, normalized size of antiderivative = 6.32

$$\int \frac{1}{\sqrt{a + b \coth^2(x)}} dx = \frac{\log\left(\left|-\left(\sqrt{a+be^{2x}}-\sqrt{ae^{4x}+be^{4x}-2ae^{2x}+2be^{2x}+a+b}\right)(a+b)+\sqrt{a+b}(a-b)\right|\right)}{\sqrt{a+b}} - \frac{\log\left(\left|-\sqrt{a+be^{2x}}+\sqrt{ae^{4x}+be^{4x}-2ae^{2x}+2be^{2x}+a+b}\right|\right)}{2 \operatorname{sgn}(e^{2x}-1)}$$

input `integrate(1/(a+b*coth(x)^2)^(1/2),x, algorithm="giac")`

output `-1/2*(log(abs(-sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b))*(a + b) + sqrt(a + b)*(a - b)))/sqrt(a + b) - log(abs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) + sqrt(a + b)))/sqrt(a + b) + log(abs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) - sqrt(a + b)))/sqrt(a + b))/sgn(e^(2*x) - 1)`

Mupad [B] (verification not implemented)

Time = 2.64 (sec) , antiderivative size = 25, normalized size of antiderivative = 0.81

$$\int \frac{1}{\sqrt{a + b \coth^2(x)}} dx = \frac{\operatorname{atanh}\left(\frac{\coth(x)\sqrt{a+b}}{\sqrt{b \coth(x)^2 + a}}\right)}{\sqrt{a+b}}$$

input `int(1/(a + b*coth(x)^2)^(1/2),x)`output `atanh((coth(x)*(a + b)^(1/2))/(a + b*coth(x)^2)^(1/2))/(a + b)^(1/2)`**Reduce [F]**

$$\int \frac{1}{\sqrt{a + b \coth^2(x)}} dx = \int \frac{\sqrt{\coth(x)^2 b + a}}{\coth(x)^2 b + a} dx$$

input `int(1/(a+b*coth(x)^2)^(1/2),x)`output `int(sqrt(coth(x)**2*b + a)/(coth(x)**2*b + a),x)`

3.36
$$\int \frac{\tanh(x)}{\sqrt{a+b \coth^2(x)}} dx$$

Optimal result	306
Mathematica [A] (verified)	306
Rubi [A] (verified)	307
Maple [F]	309
Fricas [B] (verification not implemented)	310
Sympy [F]	310
Maxima [F]	310
Giac [F(-2)]	311
Mupad [F(-1)]	311
Reduce [F]	311

Optimal result

Integrand size = 15, antiderivative size = 56

$$\int \frac{\tanh(x)}{\sqrt{a+b \coth^2(x)}} dx = -\frac{\operatorname{arctanh}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a}}\right)}{\sqrt{a}} + \frac{\operatorname{arctanh}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}}$$

output `-arctanh((a+b*coth(x)^2)^(1/2)/a^(1/2))/a^(1/2)+arctanh((a+b*coth(x)^2)^(1/2)/(a+b)^(1/2))/(a+b)^(1/2)`

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 56, normalized size of antiderivative = 1.00

$$\int \frac{\tanh(x)}{\sqrt{a+b \coth^2(x)}} dx = -\frac{\operatorname{arctanh}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a}}\right)}{\sqrt{a}} + \frac{\operatorname{arctanh}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}}$$

input `Integrate[Tanh[x]/Sqrt[a + b*Coth[x]^2], x]`

output

$$-(\text{ArcTanh}[\text{Sqrt}[a + b*\text{Coth}[x]^2]/\text{Sqrt}[a]]/\text{Sqrt}[a]) + \text{ArcTanh}[\text{Sqrt}[a + b*\text{Coth}[x]^2]/\text{Sqrt}[a + b]]/\text{Sqrt}[a + b]$$
Rubi [A] (verified)

Time = 0.30 (sec) , antiderivative size = 61, normalized size of antiderivative = 1.09, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.533$, Rules used = {3042, 26, 4153, 26, 354, 97, 73, 221}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{\tanh(x)}{\sqrt{a + b \coth^2(x)}} dx \\ & \quad \downarrow \text{3042} \\ & \int \frac{i}{\tan\left(\frac{\pi}{2} + ix\right) \sqrt{a - b \tan\left(\frac{\pi}{2} + ix\right)^2}} dx \\ & \quad \downarrow \text{26} \\ & i \int \frac{1}{\tan\left(ix + \frac{\pi}{2}\right) \sqrt{a - b \tan\left(ix + \frac{\pi}{2}\right)^2}} dx \\ & \quad \downarrow \text{4153} \\ & i \int -\frac{i \tanh(x)}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) \\ & \quad \downarrow \text{26} \\ & \int \frac{\tanh(x)}{(1 - \coth^2(x)) \sqrt{a + b \coth^2(x)}} d \coth(x) \\ & \quad \downarrow \text{354} \\ & \frac{1}{2} \int \frac{\tanh(x)}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth^2(x) \\ & \quad \downarrow \text{97} \end{aligned}$$

$$\begin{aligned}
& \frac{1}{2} \left(\int \frac{1}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth^2(x) + \int \frac{\tanh(x)}{\sqrt{b \coth^2(x) + a}} d \coth^2(x) \right) \\
& \quad \downarrow 73 \\
& \frac{1}{2} \left(\frac{2 \int \frac{1}{\frac{a+b}{b} - \frac{\coth^4(x)}{b}} d \sqrt{b \coth^2(x) + a}}{b} + \frac{2 \int \frac{1}{\frac{\coth^4(x)}{b} - \frac{a}{b}} d \sqrt{b \coth^2(x) + a}}{b} \right) \\
& \quad \downarrow 221 \\
& \frac{1}{2} \left(\frac{2 \operatorname{arctanh} \left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}} \right)}{\sqrt{a+b}} - \frac{2 \operatorname{arctanh} \left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a}} \right)}{\sqrt{a}} \right)
\end{aligned}$$

input `Int [Tanh [x] / Sqrt [a + b * Coth [x] ^ 2], x]`

output `((-2 * ArcTanh [Sqrt [a + b * Coth [x] ^ 2] / Sqrt [a]]) / Sqrt [a] + (2 * ArcTanh [Sqrt [a + b * Coth [x] ^ 2] / Sqrt [a + b]]) / Sqrt [a + b]) / 2`

Defintions of rubi rules used

rule 26 `Int [(Complex [0, a_]) * (Fx_), x_Symbol] := Simp [(Complex [Identity [0], a]) Int [Fx, x], x] /; FreeQ [a, x] && EqQ [a^2, 1]`

rule 73 `Int [(a_.) + (b_.) * (x_) ^ (m_) * ((c_.) + (d_.) * (x_) ^ (n_)), x_Symbol] := With [{p = Denominator [m]}, Simp [p/b Subst [Int [x ^ (p * (m + 1) - 1) * (c - a * (d/b) + d * (x^p/b)) ^ n, x], x, (a + b * x) ^ (1/p)], x] /; FreeQ [{a, b, c, d}, x] && LtQ [-1, m, 0] && LeQ [-1, n, 0] && LeQ [Denominator [n], Denominator [m]] && IntLinearQ [a, b, c, d, m, n, x]`

rule 97 `Int[((e_.) + (f_.)*(x_))^(p_)/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_] := Simp[b/(b*c - a*d) Int[(e + f*x)^p/(a + b*x), x], x] - Simp[d/(b*c - a*d) Int[(e + f*x)^p/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && !IntegerQ[p]`

rule 221 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

rule 354 `Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^2)^(p_.)*((c_) + (d_.)*(x_)^2)^(q_.), x_Symbol] := Simp[1/2 Subst[Int[x^((m - 1)/2)*(a + b*x)^p*(c + d*x)^q, x], x, x^2], x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[(m - 1)/2]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4153 `Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_.))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[c*(ff/f) Subst[Int[((d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + f*f^2*x^2)), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))`

Maple [F]

$$\int \frac{\tanh(x)}{\sqrt{a + b \coth(x)^2}} dx$$

input `int(tanh(x)/(a+b*coth(x)^2)^(1/2),x)`

output `int(tanh(x)/(a+b*coth(x)^2)^(1/2),x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 503 vs. $2(44) = 88$.

Time = 0.22 (sec) , antiderivative size = 3397, normalized size of antiderivative = 60.66

$$\int \frac{\tanh(x)}{\sqrt{a + b \coth^2(x)}} dx = \text{Too large to display}$$

input `integrate(tanh(x)/(a+b*coth(x)^2)^(1/2),x, algorithm="fricas")`

output Too large to include

Sympy [F]

$$\int \frac{\tanh(x)}{\sqrt{a + b \coth^2(x)}} dx = \int \frac{\tanh(x)}{\sqrt{a + b \coth^2(x)}} dx$$

input `integrate(tanh(x)/(a+b*coth(x)**2)**(1/2),x)`

output `Integral(tanh(x)/sqrt(a + b*coth(x)**2), x)`

Maxima [F]

$$\int \frac{\tanh(x)}{\sqrt{a + b \coth^2(x)}} dx = \int \frac{\tanh(x)}{\sqrt{b \coth(x)^2 + a}} dx$$

input `integrate(tanh(x)/(a+b*coth(x)^2)^(1/2),x, algorithm="maxima")`

output `integrate(tanh(x)/sqrt(b*coth(x)^2 + a), x)`

Giac [F(-2)]

Exception generated.

$$\int \frac{\tanh(x)}{\sqrt{a + b \coth^2(x)}} dx = \text{Exception raised: TypeError}$$

input `integrate(tanh(x)/(a+b*coth(x)^2)^(1/2),x, algorithm="giac")`

output `Exception raised: TypeError >> an error occurred running a Giac command:INPUT:sage2:=int(sage0,sageVARx):;OUTPUT:Error: Bad Argument Type`

Mupad [F(-1)]

Timed out.

$$\int \frac{\tanh(x)}{\sqrt{a + b \coth^2(x)}} dx = \int \frac{\tanh(x)}{\sqrt{b \coth(x)^2 + a}} dx$$

input `int(tanh(x)/(a + b*coth(x)^2)^(1/2),x)`

output `int(tanh(x)/(a + b*coth(x)^2)^(1/2), x)`

Reduce [F]

$$\int \frac{\tanh(x)}{\sqrt{a + b \coth^2(x)}} dx = \int \frac{\sqrt{\coth(x)^2 b + a} \tanh(x)}{\coth(x)^2 b + a} dx$$

input `int(tanh(x)/(a+b*coth(x)^2)^(1/2),x)`

output `int((sqrt(coth(x)**2*b + a)*tanh(x))/(coth(x)**2*b + a),x)`

3.37 $\int \frac{\tanh^2(x)}{\sqrt{a+b \coth^2(x)}} dx$

Optimal result	312
Mathematica [C] (warning: unable to verify)	312
Rubi [A] (verified)	313
Maple [F]	315
Fricas [B] (verification not implemented)	316
Sympy [F]	317
Maxima [F]	317
Giac [F(-2)]	317
Mupad [F(-1)]	318
Reduce [F]	318

Optimal result

Integrand size = 17, antiderivative size = 51

$$\int \frac{\tanh^2(x)}{\sqrt{a+b \coth^2(x)}} dx = \frac{\operatorname{arctanh}\left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a+b \coth^2(x)}}\right)}{\sqrt{a+b}} - \frac{\sqrt{a+b \coth^2(x)} \tanh(x)}{a}$$

output

```
arctanh((a+b)^(1/2)*coth(x)/(a+b*coth(x)^2)^(1/2))/(a+b)^(1/2)-(a+b*coth(x)^2)^(1/2)*tanh(x)/a
```

Mathematica [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 5 vs. order 3 in optimal.

Time = 0.52 (sec) , antiderivative size = 127, normalized size of antiderivative = 2.49

$$\int \frac{\tanh^2(x)}{\sqrt{a+b \coth^2(x)}} dx = \frac{\left(1 + \frac{b \coth^2(x)}{a}\right) \sinh^2(x) \left(\frac{4(a+b) \cosh^2(x)(a+b \coth^2(x)) \operatorname{Hypergeometric2F1}\left(2, 2, \frac{5}{2}, \frac{(a+b) \cosh^2(x)}{a}\right)}{3a^2} + \frac{\arcsin\left(\sqrt{\frac{(a+b) \cosh^2(x)}{a}}\right)}{a \sqrt{-\frac{(a+b) \cosh^2(x)(a+b \coth^2(x))}{a^2}}}\right)}{\sqrt{a+b \coth^2(x)}}$$

input `Integrate[Tanh[x]^2/Sqrt[a + b*Coth[x]^2],x]`

output `((1 + (b*Coth[x]^2)/a)*Sinh[x]^2*((4*(a + b)*Cosh[x]^2*(a + b*Coth[x]^2)*Hypergeometric2F1[2, 2, 5/2, ((a + b)*Cosh[x]^2)/a])/(3*a^2) + (ArcSin[Sqrt[((a + b)*Cosh[x]^2)/a]]*(a + 2*b*Coth[x]^2))/(a*Sqrt[-((a + b)*Cosh[x]^2*(a + b*Coth[x]^2)*Sinh[x]^2)/a^2]))*Tanh[x])/Sqrt[a + b*Coth[x]^2]`

Rubi [A] (verified)

Time = 0.29 (sec) , antiderivative size = 51, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$, Rules used = {3042, 25, 4153, 25, 382, 27, 291, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\tanh^2(x)}{\sqrt{a + b \coth^2(x)}} dx \\
 & \quad \downarrow \text{3042} \\
 & \int -\frac{1}{\tan\left(\frac{\pi}{2} + ix\right)^2 \sqrt{a - b \tan\left(\frac{\pi}{2} + ix\right)^2}} dx \\
 & \quad \downarrow \text{25} \\
 & -\int \frac{1}{\tan\left(ix + \frac{\pi}{2}\right)^2 \sqrt{a - b \tan\left(ix + \frac{\pi}{2}\right)^2}} dx \\
 & \quad \downarrow \text{4153} \\
 & -\int -\frac{\tanh^2(x)}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x) \\
 & \quad \downarrow \text{25} \\
 & \int \frac{\tanh^2(x)}{(1 - \coth^2(x)) \sqrt{a + b \coth^2(x)}} d \coth(x) \\
 & \quad \downarrow \text{382}
 \end{aligned}$$

$$\frac{\int \frac{a}{(1-\coth^2(x))\sqrt{b\coth^2(x)+a}} d\coth(x) - \frac{\tanh(x)\sqrt{a+b\coth^2(x)}}{a}}{a} \quad \downarrow \quad 27$$

$$\int \frac{1}{(1-\coth^2(x))\sqrt{b\coth^2(x)+a}} d\coth(x) - \frac{\tanh(x)\sqrt{a+b\coth^2(x)}}{a}$$

$$\quad \downarrow \quad 291$$

$$\int \frac{1}{1-\frac{(a+b)\coth^2(x)}{b\coth^2(x)+a}} d\frac{\coth(x)}{\sqrt{b\coth^2(x)+a}} - \frac{\tanh(x)\sqrt{a+b\coth^2(x)}}{a}$$

$$\quad \downarrow \quad 219$$

$$\frac{\operatorname{arctanh}\left(\frac{\sqrt{a+b}\coth(x)}{\sqrt{a+b\coth^2(x)}}\right)}{\sqrt{a+b}} - \frac{\tanh(x)\sqrt{a+b\coth^2(x)}}{a}$$

input `Int[Tanh[x]^2/Sqrt[a + b*Coth[x]^2], x]`

output `ArcTanh[(Sqrt[a + b]*Coth[x])/Sqrt[a + b*Coth[x]^2]]/Sqrt[a + b] - (Sqrt[a + b*Coth[x]^2]*Tanh[x])/a`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]`

rule 219 `Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

rule 291 `Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*((c_) + (d_)*(x_)^2)), x_Symbol] := Subst
[Int[1/(c - (b*c - a*d)*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b, c,
d}, x] && NeQ[b*c - a*d, 0]`

rule 382 `Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_)*((c_) + (d_)*(x_)^2)^(q_)
, x_Symbol] := Simp[(e*x)^(m + 1)*(a + b*x^2)^(p + 1)*((c + d*x^2)^(q + 1)/
(a*c*e*(m + 1))), x] - Simp[1/(a*c*e^2*(m + 1)) Int[(e*x)^(m + 2)*(a + b*
x^2)^p*(c + d*x^2)^q*Simp[(b*c + a*d)*(m + 3) + 2*(b*c*p + a*d*q) + b*d*(m
+ 2*p + 2*q + 5)*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && NeQ[
b*c - a*d, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, d, e, m, 2, p, q, x]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinear
Q[u, x]`

rule 4153 `Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) +
(f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Simp[c*(ff/f) Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + f
f^2*x^2)), x], x, c*(Tan[e + f*x]/ff)], x]] /; FreeQ[{a, b, c, d, e, f, m,
n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ratio
nalQ[n]))`

Maple [F]

$$\int \frac{\tanh(x)^2}{\sqrt{a + b \coth(x)^2}} dx$$

input `int(tanh(x)^2/(a+b*coth(x)^2)^(1/2), x)`

output `int(tanh(x)^2/(a+b*coth(x)^2)^(1/2), x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 531 vs. $2(43) = 86$.

Time = 0.20 (sec) , antiderivative size = 1621, normalized size of antiderivative = 31.78

$$\int \frac{\tanh^2(x)}{\sqrt{a + b \coth^2(x)}} dx = \text{Too large to display}$$

input `integrate(tanh(x)^2/(a+b*coth(x)^2)^(1/2),x, algorithm="fricas")`

output

```
[1/4*((a*cosh(x)^2 + 2*a*cosh(x)*sinh(x) + a*sinh(x)^2 + a)*sqrt(a + b)*log(((a*b^2 + b^3)*cosh(x)^8 + 8*(a*b^2 + b^3)*cosh(x)*sinh(x)^7 + (a*b^2 + b^3)*sinh(x)^8 + 2*(a*b^2 + 2*b^3)*cosh(x)^6 + 2*(a*b^2 + 2*b^3 + 14*(a*b^2 + b^3)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a*b^2 + b^3)*cosh(x)^3 + 3*(a*b^2 + 2*b^3)*cosh(x))*sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^4 + (70*(a*b^2 + b^3)*cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 + 30*(a*b^2 + 2*b^3)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a*b^2 + b^3)*cosh(x)^5 + 10*(a*b^2 + 2*b^3)*cosh(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 2*(a^3 - 3*a*b^2 - 2*b^3)*cosh(x)^2 + 2*(14*(a*b^2 + b^3)*cosh(x)^6 + 15*(a*b^2 + 2*b^3)*cosh(x)^4 - a^3 + 3*a*b^2 + 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(b^2*cosh(x)^6 + 6*b^2*cosh(x)*sinh(x)^5 + b^2*sinh(x)^6 + 3*b^2*cosh(x)^4 + 3*(5*b^2*cosh(x)^2 + b^2)*sinh(x)^4 + 4*(5*b^2*cosh(x)^3 + 3*b^2*cosh(x))*sinh(x)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(x)^2 + (15*b^2*cosh(x)^4 + 18*b^2*cosh(x)^2 - a^2 + 2*a*b + 3*b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*b^2*cosh(x)^5 + 6*b^2*cosh(x)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(x))*sinh(x))*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a*b^2 + b^3)*cosh(x)^7 + 3*(a*b^2 + 2*b^3)*cosh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^3 - (a^3 - 3*a*b^2 - 2*b^3)*cosh(x))*sinh(x))/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*c...
```

Sympy [F]

$$\int \frac{\tanh^2(x)}{\sqrt{a + b \coth^2(x)}} dx = \int \frac{\tanh^2(x)}{\sqrt{a + b \coth^2(x)}} dx$$

input `integrate(tanh(x)**2/(a+b*coth(x)**2)**(1/2), x)`

output `Integral(tanh(x)**2/sqrt(a + b*coth(x)**2), x)`

Maxima [F]

$$\int \frac{\tanh^2(x)}{\sqrt{a + b \coth^2(x)}} dx = \int \frac{\tanh(x)^2}{\sqrt{b \coth(x)^2 + a}} dx$$

input `integrate(tanh(x)^2/(a+b*coth(x)^2)^(1/2), x, algorithm="maxima")`

output `integrate(tanh(x)^2/sqrt(b*coth(x)^2 + a), x)`

Giac [F(-2)]

Exception generated.

$$\int \frac{\tanh^2(x)}{\sqrt{a + b \coth^2(x)}} dx = \text{Exception raised: TypeError}$$

input `integrate(tanh(x)^2/(a+b*coth(x)^2)^(1/2), x, algorithm="giac")`

output `Exception raised: TypeError >> an error occurred running a Giac command:IN
PUT:sage2:=int(sage0,sageVARx)::OUTPUT:Error: Bad Argument Type`

Mupad [F(-1)]

Timed out.

$$\int \frac{\tanh^2(x)}{\sqrt{a + b \coth^2(x)}} dx = \int \frac{\tanh(x)^2}{\sqrt{b \coth(x)^2 + a}} dx$$

input `int(tanh(x)^2/(a + b*coth(x)^2)^(1/2), x)`output `int(tanh(x)^2/(a + b*coth(x)^2)^(1/2), x)`**Reduce [F]**

$$\int \frac{\tanh^2(x)}{\sqrt{a + b \coth^2(x)}} dx = \int \frac{\sqrt{\coth(x)^2 b + a} \tanh(x)^2}{\coth(x)^2 b + a} dx$$

input `int(tanh(x)^2/(a+b*coth(x)^2)^(1/2), x)`output `int((sqrt(coth(x)**2*b + a)*tanh(x)**2)/(coth(x)**2*b + a), x)`

3.38 $\int \frac{\coth^3(x)}{(a+b \coth^2(x))^{3/2}} dx$

Optimal result	319
Mathematica [A] (verified)	319
Rubi [A] (verified)	320
Maple [B] (verified)	323
Fricas [B] (verification not implemented)	323
Sympy [F]	324
Maxima [F]	325
Giac [B] (verification not implemented)	325
Mupad [B] (verification not implemented)	326
Reduce [F]	326

Optimal result

Integrand size = 17, antiderivative size = 52

$$\int \frac{\coth^3(x)}{(a+b \coth^2(x))^{3/2}} dx = \frac{\operatorname{arctanh}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}} + \frac{a}{b(a+b)\sqrt{a+b \coth^2(x)}}$$

output

```
arctanh((a+b*coth(x)^2)^(1/2)/(a+b)^(1/2))/(a+b)^(3/2)+a/b/(a+b)/(a+b*coth(x)^2)^(1/2)
```

Mathematica [A] (verified)

Time = 0.10 (sec) , antiderivative size = 52, normalized size of antiderivative = 1.00

$$\int \frac{\coth^3(x)}{(a+b \coth^2(x))^{3/2}} dx = \frac{\operatorname{arctanh}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}} + \frac{a}{b(a+b)\sqrt{a+b \coth^2(x)}}$$

input

```
Integrate[Coth[x]^3/(a + b*Coth[x]^2)^(3/2), x]
```


output

```
ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]]/(a + b)^(3/2) + a/(b*(a + b)*Sqrt[a + b*Coth[x]^2])
```

Rubi [A] (verified)

Time = 0.44 (sec) , antiderivative size = 58, normalized size of antiderivative = 1.12, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$, Rules used = {3042, 26, 4153, 26, 354, 87, 73, 221}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\coth^3(x)}{(a + b \coth^2(x))^{3/2}} dx$$

$$\downarrow 3042$$

$$\int \frac{i \tan\left(\frac{\pi}{2} + ix\right)^3}{\left(a - b \tan\left(\frac{\pi}{2} + ix\right)^2\right)^{3/2}} dx$$

$$\downarrow 26$$

$$i \int \frac{\tan\left(ix + \frac{\pi}{2}\right)^3}{\left(a - b \tan\left(ix + \frac{\pi}{2}\right)^2\right)^{3/2}} dx$$

$$\downarrow 4153$$

$$i \int -\frac{i \coth^3(x)}{(1 - \coth^2(x)) (b \coth^2(x) + a)^{3/2}} d \coth(x)$$

$$\downarrow 26$$

$$\int \frac{\coth^3(x)}{(1 - \coth^2(x)) (a + b \coth^2(x))^{3/2}} d \coth(x)$$

$$\downarrow 354$$

$$\frac{1}{2} \int \frac{\coth^2(x)}{(1 - \coth^2(x)) (b \coth^2(x) + a)^{3/2}} d \coth^2(x)$$

$$\downarrow 87$$

$$\frac{1}{2} \left(\frac{\int \frac{1}{(1-\coth^2(x))\sqrt{b\coth^2(x)+a}} d\coth^2(x)}{a+b} + \frac{2a}{b(a+b)\sqrt{a+b\coth^2(x)}} \right)$$

↓ 73

$$\frac{1}{2} \left(\frac{2 \int \frac{1}{\frac{a+b}{b} - \frac{\coth^4(x)}{b}} d\sqrt{b\coth^2(x)+a}}{b(a+b)} + \frac{2a}{b(a+b)\sqrt{a+b\coth^2(x)}} \right)$$

↓ 221

$$\frac{1}{2} \left(\frac{2\operatorname{arctanh}\left(\frac{\sqrt{a+b\coth^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}} + \frac{2a}{b(a+b)\sqrt{a+b\coth^2(x)}} \right)$$

input `Int[Coth[x]^3/(a + b*Coth[x]^2)^(3/2), x]`

output `((2*ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]])/(a + b)^(3/2) + (2*a)/(b*(a + b)*Sqrt[a + b*Coth[x]^2]))/2`

Defintions of rubi rules used

rule 26 `Int[(Complex[0, a_])*(Fx_), x_Symbol] := Simp[(Complex[Identity[0], a]) Int[Fx, x], x] /; FreeQ[a, x] && EqQ[a^2, 1]`

rule 73 `Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Simp[p/b Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

rule 87 `Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_)^(n_.))*((e_.) + (f_.)*(x_)^(p_.), x_] := Simp[(-(b*e - a*f))*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(f*(p + 1)*(c*f - d*e))), x] - Simp[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)) Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))`

rule 221 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

rule 354 `Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^2)^(p_.)*((c_) + (d_.)*(x_)^2)^(q_.), x_Symbol] := Simp[1/2 Subst[Int[x^((m - 1)/2)*(a + b*x)^p*(c + d*x)^q, x], x, x^2], x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[(m - 1)/2]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4153 `Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_.))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[c*(ff/f) Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + f^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 286 vs. $2(44) = 88$.

Time = 0.07 (sec) , antiderivative size = 287, normalized size of antiderivative = 5.52

method	result
derivativedivides	$\frac{1}{b\sqrt{a+b\coth(x)^2}} - \frac{1}{2(a+b)\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}} + \frac{b(2b(\coth(x)-1)+2b)}{(a+b)(4b(a+b)-4b^2)\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}}$
default	$\frac{1}{b\sqrt{a+b\coth(x)^2}} - \frac{1}{2(a+b)\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}} + \frac{b(2b(\coth(x)-1)+2b)}{(a+b)(4b(a+b)-4b^2)\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}}$

input `int(coth(x)^3/(a+b*coth(x)^2)^(3/2),x,method=_RETURNVERBOSE)`

output
$$\frac{1}{b\sqrt{a+b\coth(x)^2}} - \frac{1}{2(a+b)\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}} + \frac{b(2b(\coth(x)-1)+2b)}{(a+b)(4b(a+b)-4b^2)\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}} - \frac{1}{b\sqrt{a+b\coth(x)^2}} - \frac{1}{2(a+b)\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}} + \frac{b(2b(\coth(x)-1)+2b)}{(a+b)(4b(a+b)-4b^2)\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}}$$

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 919 vs. $2(44) = 88$.

Time = 0.21 (sec) , antiderivative size = 2470, normalized size of antiderivative = 47.50

$$\int \frac{\coth^3(x)}{(a+b\coth^2(x))^{3/2}} dx = \text{Too large to display}$$

input `integrate(coth(x)^3/(a+b*coth(x)^2)^(3/2),x, algorithm="fricas")`

output

```
[1/4*((a*b + b^2)*cosh(x)^4 + 4*(a*b + b^2)*cosh(x)*sinh(x)^3 + (a*b + b^
2)*sinh(x)^4 - 2*(a*b - b^2)*cosh(x)^2 + 2*(3*(a*b + b^2)*cosh(x)^2 - a*b
+ b^2)*sinh(x)^2 + a*b + b^2 + 4*((a*b + b^2)*cosh(x)^3 - (a*b - b^2)*cosh
(x))*sinh(x))*sqrt(a + b)*log(-((a^3 + a^2*b)*cosh(x)^8 + 8*(a^3 + a^2*b)*
cosh(x)*sinh(x)^7 + (a^3 + a^2*b)*sinh(x)^8 - 2*(2*a^3 + a^2*b)*cosh(x)^6
- 2*(2*a^3 + a^2*b - 14*(a^3 + a^2*b)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a^3 +
a^2*b)*cosh(x)^3 - 3*(2*a^3 + a^2*b)*cosh(x))*sinh(x)^5 + (6*a^3 + 4*a^2*b
- a*b^2 + b^3)*cosh(x)^4 + (70*(a^3 + a^2*b)*cosh(x)^4 + 6*a^3 + 4*a^2*b
- a*b^2 + b^3 - 30*(2*a^3 + a^2*b)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a^3 + a^2
*b)*cosh(x)^5 - 10*(2*a^3 + a^2*b)*cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 +
b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 2*(2*a^3 + 3*a^2
*b - b^3)*cosh(x)^2 + 2*(14*(a^3 + a^2*b)*cosh(x)^6 - 15*(2*a^3 + a^2*b)*c
osh(x)^4 - 2*a^3 - 3*a^2*b + b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(
x)^2)*sinh(x)^2 + sqrt(2)*(a^2*cosh(x)^6 + 6*a^2*cosh(x)*sinh(x)^5 + a^2*s
inh(x)^6 - 3*a^2*cosh(x)^4 + 3*(5*a^2*cosh(x)^2 - a^2)*sinh(x)^4 + 4*(5*a^
2*cosh(x)^3 - 3*a^2*cosh(x))*sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x)^2 +
(15*a^2*cosh(x)^4 - 18*a^2*cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*sinh(x)^2 - a
^2 - 2*a*b - b^2 + 2*(3*a^2*cosh(x)^5 - 6*a^2*cosh(x)^3 + (3*a^2 + 2*a*b -
b^2)*cosh(x))*sinh(x))*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh
(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a^3...
```

Sympy [F]

$$\int \frac{\coth^3(x)}{(a + b \coth^2(x))^{3/2}} dx = \int \frac{\coth^3(x)}{(a + b \coth^2(x))^{3/2}} dx$$

input

```
integrate(coth(x)**3/(a+b*coth(x)**2)**(3/2),x)
```

output

```
Integral(coth(x)**3/(a + b*coth(x)**2)**(3/2), x)
```

Maxima [F]

$$\int \frac{\coth^3(x)}{(a + b \coth^2(x))^{3/2}} dx = \int \frac{\coth(x)^3}{(b \coth(x)^2 + a)^{3/2}} dx$$

input `integrate(coth(x)^3/(a+b*coth(x)^2)^(3/2),x, algorithm="maxima")`

output `integrate(coth(x)^3/(b*coth(x)^2 + a)^(3/2), x)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 359 vs. $2(44) = 88$.

Time = 0.31 (sec) , antiderivative size = 359, normalized size of antiderivative = 6.90

$$\int \frac{\coth^3(x)}{(a + b \coth^2(x))^{3/2}} dx = \frac{(a^3 + a^2b)e^{(2x)}}{a^3b \operatorname{sgn}(e^{(2x)} - 1) + 2a^2b^2 \operatorname{sgn}(e^{(2x)} - 1) + ab^3 \operatorname{sgn}(e^{(2x)} - 1)} - \frac{a^3 + a^2b}{a^3b \operatorname{sgn}(e^{(2x)} - 1) + 2a^2b^2 \operatorname{sgn}(e^{(2x)} - 1) + ab^3 \operatorname{sgn}(e^{(2x)} - 1)} \frac{1}{\sqrt{ae^{(4x)} + be^{(4x)} - 2ae^{(2x)} + 2be^{(2x)} + a + b}}$$

$$- \frac{\log\left(\left|\left(\sqrt{a + be^{(2x)}} - \sqrt{ae^{(4x)} + be^{(4x)} - 2ae^{(2x)} + 2be^{(2x)} + a + b}\right)\sqrt{a + b} - a + b\right|\right)}{2(a + b)^{\frac{3}{2}} \operatorname{sgn}(e^{(2x)} - 1)}$$

$$- \frac{\log\left(\left|\left(\sqrt{a + be^{(2x)}} - \sqrt{ae^{(4x)} + be^{(4x)} - 2ae^{(2x)} + 2be^{(2x)} + a + b}\right)\sqrt{a + b} - a - b\right|\right)}{2(a + b)^{\frac{3}{2}} \operatorname{sgn}(e^{(2x)} - 1)}$$

$$+ \frac{\log\left(\left|-\sqrt{a + be^{(2x)}} + \sqrt{ae^{(4x)} + be^{(4x)} - 2ae^{(2x)} + 2be^{(2x)} + a + b} - \sqrt{a + b}\right|\right)}{2(a + b)^{\frac{3}{2}} \operatorname{sgn}(e^{(2x)} - 1)}$$

input `integrate(coth(x)^3/(a+b*coth(x)^2)^(3/2),x, algorithm="giac")`

output

```
((a^3 + a^2*b)*e^(2*x)/(a^3*b*sgn(e^(2*x) - 1) + 2*a^2*b^2*sgn(e^(2*x) - 1) + a*b^3*sgn(e^(2*x) - 1)) - (a^3 + a^2*b)/(a^3*b*sgn(e^(2*x) - 1) + 2*a^2*b^2*sgn(e^(2*x) - 1) + a*b^3*sgn(e^(2*x) - 1)))/sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) - 1/2*log(abs((sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b))*sqrt(a + b) - a + b))/((a + b)^(3/2)*sgn(e^(2*x) - 1)) - 1/2*log(abs((sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b))*sqrt(a + b) - a - b))/((a + b)^(3/2)*sgn(e^(2*x) - 1)) + 1/2*log(abs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) - sqrt(a + b)))/((a + b)^(3/2)*sgn(e^(2*x) - 1))
```

Mupad [B] (verification not implemented)

Time = 3.08 (sec) , antiderivative size = 45, normalized size of antiderivative = 0.87

$$\int \frac{\coth^3(x)}{(a + b \coth^2(x))^{3/2}} dx = \frac{\operatorname{atanh}\left(\frac{\sqrt{b \coth(x)^2 + a}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}} + \frac{a}{(b^2 + ab) \sqrt{b \coth(x)^2 + a}}$$

input

```
int(coth(x)^3/(a + b*coth(x)^2)^(3/2), x)
```

output

```
atanh((a + b*coth(x)^2)^(1/2)/(a + b)^(1/2))/(a + b)^(3/2) + a/((a*b + b^2)*(a + b*coth(x)^2)^(1/2))
```

Reduce [F]

$$\int \frac{\coth^3(x)}{(a + b \coth^2(x))^{3/2}} dx = \frac{\coth(x)^2 \left(\int \frac{\sqrt{\coth(x)^2 b + a} \coth(x)}{\coth(x)^4 b^2 + 2 \coth(x)^2 ab + a^2} dx \right) b^2 + \sqrt{\coth(x)^2 b + a} + \left(\int \frac{\sqrt{\coth(x)^2 b + a}}{\coth(x)^4 b^2 + 2 \coth(x)^2 ab + a^2} dx \right) b}{b (\coth(x)^2 b + a)}$$

input

```
int(coth(x)^3/(a+b*coth(x)^2)^(3/2), x)
```

output

```
(coth(x)**2*int((sqrt(coth(x)**2*b + a)*coth(x))/(coth(x)**4*b**2 + 2*coth(x)**2*a*b + a**2),x)*b**2 + sqrt(coth(x)**2*b + a) + int((sqrt(coth(x)**2*b + a)*coth(x))/(coth(x)**4*b**2 + 2*coth(x)**2*a*b + a**2),x)*a*b)/(b*(coth(x)**2*b + a))
```


3.39
$$\int \frac{\coth^2(x)}{(a+b \coth^2(x))^{3/2}} dx$$

Optimal result	328
Mathematica [B] (verified)	328
Rubi [A] (verified)	329
Maple [B] (verified)	331
Fricas [B] (verification not implemented)	332
Sympy [F]	333
Maxima [F]	334
Giac [B] (verification not implemented)	334
Mupad [F(-1)]	335
Reduce [F]	335

Optimal result

Integrand size = 17, antiderivative size = 53

$$\int \frac{\coth^2(x)}{(a+b \coth^2(x))^{3/2}} dx = \frac{\operatorname{arctanh}\left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a+b \coth^2(x)}}\right)}{(a+b)^{3/2}} - \frac{\coth(x)}{(a+b)\sqrt{a+b \coth^2(x)}}$$

output

```
arctanh((a+b)^(1/2)*coth(x)/(a+b*coth(x)^2)^(1/2))/(a+b)^(3/2)-coth(x)/(a+b)/(a+b*coth(x)^2)^(1/2)
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 109 vs. 2(53) = 106.

Time = 0.71 (sec) , antiderivative size = 109, normalized size of antiderivative = 2.06

$$\int \frac{\coth^2(x)}{(a+b \coth^2(x))^{3/2}} dx = \frac{-2(a+b) \coth(x) + \frac{\operatorname{arctanh}\left(\frac{\sqrt{\frac{(a+b) \coth^2(x)}{a}}}{\sqrt{1+\frac{b \coth^2(x)}{a}}}\right) (-a+b+(a+b) \cosh(2x)) \sqrt{\frac{(a+b) \coth^2(x)}{a}} \operatorname{csch}(2x)}}{2(a+b)^2 \sqrt{a+b \coth^2(x)}}$$

input `Integrate[Coth[x]^2/(a + b*Coth[x]^2)^(3/2), x]`

output `(-2*(a + b)*Coth[x] + (ArcTanh[Sqrt[((a + b)*Coth[x]^2)/a]/Sqrt[1 + (b*Coth[x]^2)/a]]*(-a + b + (a + b)*Cosh[2*x])*Sqrt[((a + b)*Coth[x]^2)/a]*Csch[x]*Sech[x])/Sqrt[1 + (b*Coth[x]^2)/a]/(2*(a + b)^2*Sqrt[a + b*Coth[x]^2])`

Rubi [A] (verified)

Time = 0.52 (sec) , antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$, Rules used = {3042, 25, 4153, 25, 373, 291, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\coth^2(x)}{(a + b \coth^2(x))^{3/2}} dx \\
 & \quad \downarrow \text{3042} \\
 & \int -\frac{\tan\left(\frac{\pi}{2} + ix\right)^2}{\left(a - b \tan\left(\frac{\pi}{2} + ix\right)^2\right)^{3/2}} dx \\
 & \quad \downarrow \text{25} \\
 & -\int \frac{\tan\left(ix + \frac{\pi}{2}\right)^2}{\left(a - b \tan\left(ix + \frac{\pi}{2}\right)^2\right)^{3/2}} dx \\
 & \quad \downarrow \text{4153} \\
 & -\int -\frac{\coth^2(x)}{(1 - \coth^2(x))(b \coth^2(x) + a)^{3/2}} d \coth(x) \\
 & \quad \downarrow \text{25} \\
 & \int \frac{\coth^2(x)}{(1 - \coth^2(x))(a + b \coth^2(x))^{3/2}} d \coth(x) \\
 & \quad \downarrow \text{373}
 \end{aligned}$$

$$\frac{\int \frac{1}{(1-\coth^2(x))\sqrt{b\coth^2(x)+a}} d\coth(x)}{a+b} - \frac{\coth(x)}{(a+b)\sqrt{a+b\coth^2(x)}}$$

↓ 291

$$\frac{\int \frac{1}{1-\frac{(a+b)\coth^2(x)}{b\coth^2(x)+a}} d\frac{\coth(x)}{\sqrt{b\coth^2(x)+a}}}{a+b} - \frac{\coth(x)}{(a+b)\sqrt{a+b\coth^2(x)}}$$

↓ 219

$$\frac{\operatorname{arctanh}\left(\frac{\sqrt{a+b}\coth(x)}{\sqrt{a+b\coth^2(x)}}\right)}{(a+b)^{3/2}} - \frac{\coth(x)}{(a+b)\sqrt{a+b\coth^2(x)}}$$

input `Int [Coth[x]^2/(a + b*Coth[x]^2)^(3/2), x]`

output `ArcTanh[(Sqrt[a + b]*Coth[x])/Sqrt[a + b*Coth[x]^2]]/(a + b)^(3/2) - Coth[x]/((a + b)*Sqrt[a + b*Coth[x]^2])`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 219 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

rule 291 `Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*((c_) + (d_.)*(x_)^2)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]`

rule 373

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2)^(p_)*((c_) + (d_.)*(x_)^2)^(q_
), x_Symbol] := Simp[e*(e*x)^(m - 1)*(a + b*x^2)^(p + 1)*((c + d*x^2)^(q +
1)/(2*(b*c - a*d)*(p + 1))), x] - Simp[e^2/(2*(b*c - a*d)*(p + 1)) Int[(e
*x)^(m - 2)*(a + b*x^2)^(p + 1)*(c + d*x^2)^q*Simp[c*(m - 1) + d*(m + 2*p +
2*q + 3)*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b*c - a*d,
0] && LtQ[p, -1] && GtQ[m, 1] && LeQ[m, 3] && IntBinomialQ[a, b, c, d, e,
m, 2, p, q, x]
```

rule 3042

```
Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinear
Q[u, x]
```

rule 4153

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) +
(f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Simp[c*(ff/f) Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + f
f^2*x^2)), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m,
n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ratio
nalQ[n]))
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 288 vs. $2(45) = 90$.

Time = 0.06 (sec) , antiderivative size = 289, normalized size of antiderivative = 5.45

method	result
derivativedivides	$-\frac{\coth(x)}{a\sqrt{a+b\coth(x)^2}} - \frac{1}{2(a+b)\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}} + \frac{b(2b(\coth(x)-1)+2b)}{(a+b)(4b(a+b)-4b^2)\sqrt{b(\coth(x)-1)^2+2b}}$
default	$-\frac{\coth(x)}{a\sqrt{a+b\coth(x)^2}} - \frac{1}{2(a+b)\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}} + \frac{b(2b(\coth(x)-1)+2b)}{(a+b)(4b(a+b)-4b^2)\sqrt{b(\coth(x)-1)^2+2b}}$

input

```
int(coth(x)^2/(a+b*coth(x)^2)^(3/2), x, method=_RETURNVERBOSE)
```

output

```

-coth(x)/a/(a+b*coth(x)^2)^(1/2)-1/2/(a+b)/(b*(coth(x)-1)^2+2*b*(coth(x)-1)
+a+b)^(1/2)+b/(a+b)*(2*b*(coth(x)-1)+2*b)/(4*b*(a+b)-4*b^2)/(b*(coth(x)-1)
)^2+2*b*(coth(x)-1)+a+b)^(1/2)+1/2/(a+b)^(3/2)*ln((2*a+2*b+2*b*(coth(x)-1)
+2*(a+b)^(1/2)*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2))/(coth(x)-1))+1
/2/(a+b)/(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)+b/(a+b)*(2*b*(1+coth(
x))-2*b)/(4*b*(a+b)-4*b^2)/(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)-1/2
/(a+b)^(3/2)*ln((2*a+2*b-2*b*(1+coth(x))+2*(a+b)^(1/2)*(b*(1+coth(x))^2-2*
b*(1+coth(x))+a+b)^(1/2))/(1+coth(x)))

```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 860 vs. $2(45) = 90$.

Time = 0.23 (sec) , antiderivative size = 2279, normalized size of antiderivative = 43.00

$$\int \frac{\coth^2(x)}{(a + b \coth^2(x))^{3/2}} dx = \text{Too large to display}$$

input

```
integrate(coth(x)^2/(a+b*coth(x)^2)^(3/2),x, algorithm="fricas")
```

output

```
[1/4*((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4
- 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 - a + b)*sinh(x)^2 + 4*((a
+ b)*cosh(x)^3 - (a - b)*cosh(x))*sinh(x) + a + b)*sqrt(a + b)*log(((a*b^
2 + b^3)*cosh(x)^8 + 8*(a*b^2 + b^3)*cosh(x)*sinh(x)^7 + (a*b^2 + b^3)*sin
h(x)^8 + 2*(a*b^2 + 2*b^3)*cosh(x)^6 + 2*(a*b^2 + 2*b^3 + 14*(a*b^2 + b^3)
*cosh(x)^2)*sinh(x)^6 + 4*(14*(a*b^2 + b^3)*cosh(x)^3 + 3*(a*b^2 + 2*b^3)*
cosh(x))*sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^4 + (70*(a*b^
2 + b^3)*cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 + 30*(a*b^2 + 2*b^3)*co
sh(x)^2)*sinh(x)^4 + 4*(14*(a*b^2 + b^3)*cosh(x)^5 + 10*(a*b^2 + 2*b^3)*co
sh(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2
*b + 3*a*b^2 + b^3 - 2*(a^3 - 3*a*b^2 - 2*b^3)*cosh(x)^2 + 2*(14*(a*b^2 +
b^3)*cosh(x)^6 + 15*(a*b^2 + 2*b^3)*cosh(x)^4 - a^3 + 3*a*b^2 + 2*b^3 + 3*
(a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(b^2*cosh(x)
)^6 + 6*b^2*cosh(x)*sinh(x)^5 + b^2*sinh(x)^6 + 3*b^2*cosh(x)^4 + 3*(5*b^2
*cosh(x)^2 + b^2)*sinh(x)^4 + 4*(5*b^2*cosh(x)^3 + 3*b^2*cosh(x))*sinh(x)^
3 - (a^2 - 2*a*b - 3*b^2)*cosh(x)^2 + (15*b^2*cosh(x)^4 + 18*b^2*cosh(x)^2
- a^2 + 2*a*b + 3*b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*b^2*cosh(x)^5
+ 6*b^2*cosh(x)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(x))*sinh(x))*sqrt(a + b)*s
qrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)
*sinh(x) + sinh(x)^2)) + 4*(2*(a*b^2 + b^3)*cosh(x)^7 + 3*(a*b^2 + 2*b^...
```

Sympy [F]

$$\int \frac{\coth^2(x)}{(a + b \coth^2(x))^{3/2}} dx = \int \frac{\coth^2(x)}{(a + b \coth^2(x))^{\frac{3}{2}}} dx$$

input

```
integrate(coth(x)**2/(a+b*coth(x)**2)**(3/2),x)
```

output

```
Integral(coth(x)**2/(a + b*coth(x)**2)**(3/2), x)
```

Maxima [F]

$$\int \frac{\coth^2(x)}{(a + b \coth^2(x))^{3/2}} dx = \int \frac{\coth(x)^2}{(b \coth(x)^2 + a)^{3/2}} dx$$

input `integrate(coth(x)^2/(a+b*coth(x)^2)^(3/2),x, algorithm="maxima")`

output `integrate(coth(x)^2/(b*coth(x)^2 + a)^(3/2), x)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 363 vs. 2(45) = 90.

Time = 0.31 (sec) , antiderivative size = 363, normalized size of antiderivative = 6.85

$$\int \frac{\coth^2(x)}{(a + b \coth^2(x))^{3/2}} dx =$$

$$\frac{\frac{(a^2b+ab^2)e^{(2x)}}{a^3b\operatorname{sgn}(e^{(2x)}-1)+2a^2b^2\operatorname{sgn}(e^{(2x)}-1)+ab^3\operatorname{sgn}(e^{(2x)}-1)} + \frac{a^2b+ab^2}{a^3b\operatorname{sgn}(e^{(2x)}-1)+2a^2b^2\operatorname{sgn}(e^{(2x)}-1)+ab^3\operatorname{sgn}(e^{(2x)}-1)}}{\sqrt{ae^{(4x)} + be^{(4x)} - 2ae^{(2x)} + 2be^{(2x)} + a + b}}$$

$$\frac{\log\left(\left|\left(\sqrt{a + be^{(2x)}} - \sqrt{ae^{(4x)} + be^{(4x)} - 2ae^{(2x)} + 2be^{(2x)} + a + b}\right)\sqrt{a + b} - a + b\right|\right)}{2(a + b)^{\frac{3}{2}}\operatorname{sgn}(e^{(2x)} - 1)}$$

$$+ \frac{\log\left(\left|\left(\sqrt{a + be^{(2x)}} - \sqrt{ae^{(4x)} + be^{(4x)} - 2ae^{(2x)} + 2be^{(2x)} + a + b}\right)\sqrt{a + b} - a - b\right|\right)}{2(a + b)^{\frac{3}{2}}\operatorname{sgn}(e^{(2x)} - 1)}$$

$$- \frac{\log\left(\left|-\sqrt{a + be^{(2x)}} + \sqrt{ae^{(4x)} + be^{(4x)} - 2ae^{(2x)} + 2be^{(2x)} + a + b} - \sqrt{a + b}\right|\right)}{2(a + b)^{\frac{3}{2}}\operatorname{sgn}(e^{(2x)} - 1)}$$

input `integrate(coth(x)^2/(a+b*coth(x)^2)^(3/2),x, algorithm="giac")`

output

```

-((a^2*b + a*b^2)*e^(2*x)/(a^3*b*sgn(e^(2*x) - 1) + 2*a^2*b^2*sgn(e^(2*x)
- 1) + a*b^3*sgn(e^(2*x) - 1)) + (a^2*b + a*b^2)/(a^3*b*sgn(e^(2*x) - 1) +
2*a^2*b^2*sgn(e^(2*x) - 1) + a*b^3*sgn(e^(2*x) - 1)))/sqrt(a*e^(4*x) + b*
e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) - 1/2*log(abs((sqrt(a + b)*e^
(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b))*s
qrt(a + b) - a + b))/((a + b)^(3/2)*sgn(e^(2*x) - 1)) + 1/2*log(abs((sqrt(
a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) +
a + b))*sqrt(a + b) - a - b))/((a + b)^(3/2)*sgn(e^(2*x) - 1)) - 1/2*log(a
bs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e
^(2*x) + a + b) - sqrt(a + b)))/((a + b)^(3/2)*sgn(e^(2*x) - 1))

```

Mupad [F(-1)]

Timed out.

$$\int \frac{\coth^2(x)}{(a + b \coth^2(x))^{3/2}} dx = \int \frac{\coth(x)^2}{(b \coth(x)^2 + a)^{3/2}} dx$$

input

```
int(coth(x)^2/(a + b*coth(x)^2)^(3/2), x)
```

output

```
int(coth(x)^2/(a + b*coth(x)^2)^(3/2), x)
```

Reduce [F]

$$\int \frac{\coth^2(x)}{(a + b \coth^2(x))^{3/2}} dx = \frac{\coth(x)^2 \left(\int \frac{\sqrt{\coth(x)^2 b + a}}{\coth(x)^4 b^2 + 2 \coth(x)^2 ab + a^2} dx \right) ab - \sqrt{\coth(x)^2 b + a} \coth(x) + \left(\int \right)}{a (\coth(x)^2 b + a)}$$

input

```
int(coth(x)^2/(a+b*coth(x)^2)^(3/2), x)
```

output

```

(coth(x)**2*int(sqrt(coth(x)**2*b + a)/(coth(x)**4*b**2 + 2*coth(x)**2*a*b
+ a**2), x)*a*b - sqrt(coth(x)**2*b + a)*coth(x) + int(sqrt(coth(x)**2*b +
a)/(coth(x)**4*b**2 + 2*coth(x)**2*a*b + a**2), x)*a**2)/(a*(coth(x)**2*b
+ a))

```


3.40 $\int \frac{\coth(x)}{(a+b \coth^2(x))^{3/2}} dx$

Optimal result	336
Mathematica [C] (verified)	336
Rubi [A] (verified)	337
Maple [B] (verified)	339
Fricas [B] (verification not implemented)	340
Sympy [F]	341
Maxima [F]	342
Giac [B] (verification not implemented)	342
Mupad [B] (verification not implemented)	343
Reduce [F]	343

Optimal result

Integrand size = 15, antiderivative size = 49

$$\int \frac{\coth(x)}{(a+b \coth^2(x))^{3/2}} dx = \frac{\operatorname{arctanh}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}} - \frac{1}{(a+b)\sqrt{a+b \coth^2(x)}}$$

output

```
arctanh((a+b*coth(x)^2)^(1/2)/(a+b)^(1/2))/(a+b)^(3/2)-1/(a+b)/(a+b*coth(x)^2)^(1/2)
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 5 vs. order 3 in optimal.

Time = 0.03 (sec) , antiderivative size = 41, normalized size of antiderivative = 0.84

$$\int \frac{\coth(x)}{(a+b \coth^2(x))^{3/2}} dx = -\frac{\operatorname{Hypergeometric2F1}\left(-\frac{1}{2}, 1, \frac{1}{2}, \frac{a+b \coth^2(x)}{a+b}\right)}{(a+b)\sqrt{a+b \coth^2(x)}}$$

input

```
Integrate[Coth[x]/(a + b*Coth[x]^2)^(3/2), x]
```

output

```
-(Hypergeometric2F1[-1/2, 1, 1/2, (a + b*Coth[x]^2)/(a + b)]/((a + b)*Sqrt
[a + b*Coth[x]^2]))
```

Rubi [A] (verified)

Time = 0.46 (sec) , antiderivative size = 54, normalized size of antiderivative = 1.10, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.533$, Rules used = {3042, 26, 4153, 26, 353, 61, 73, 221}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\coth(x)}{(a + b \coth^2(x))^{3/2}} dx \\
 & \quad \downarrow \text{3042} \\
 & \int -\frac{i \tan\left(\frac{\pi}{2} + ix\right)}{\left(a - b \tan\left(\frac{\pi}{2} + ix\right)^2\right)^{3/2}} dx \\
 & \quad \downarrow \text{26} \\
 & -i \int \frac{\tan\left(ix + \frac{\pi}{2}\right)}{\left(a - b \tan\left(ix + \frac{\pi}{2}\right)^2\right)^{3/2}} dx \\
 & \quad \downarrow \text{4153} \\
 & -i \int \frac{i \coth(x)}{(1 - \coth^2(x)) (b \coth^2(x) + a)^{3/2}} d \coth(x) \\
 & \quad \downarrow \text{26} \\
 & \int \frac{\coth(x)}{(1 - \coth^2(x)) (a + b \coth^2(x))^{3/2}} d \coth(x) \\
 & \quad \downarrow \text{353} \\
 & \frac{1}{2} \int \frac{1}{(1 - \coth^2(x)) (b \coth^2(x) + a)^{3/2}} d \coth^2(x) \\
 & \quad \downarrow \text{61}
 \end{aligned}$$

$$\frac{1}{2} \left(\frac{\int \frac{1}{(1-\coth^2(x))\sqrt{b\coth^2(x)+a}} d\coth^2(x)}{a+b} - \frac{2}{(a+b)\sqrt{a+b\coth^2(x)}} \right)$$

↓ 73

$$\frac{1}{2} \left(\frac{2 \int \frac{1}{\frac{a+b}{b} - \frac{\coth^4(x)}{b}} d\sqrt{b\coth^2(x)+a}}{b(a+b)} - \frac{2}{(a+b)\sqrt{a+b\coth^2(x)}} \right)$$

↓ 221

$$\frac{1}{2} \left(\frac{2 \operatorname{arctanh} \left(\frac{\sqrt{a+b\coth^2(x)}}{\sqrt{a+b}} \right)}{(a+b)^{3/2}} - \frac{2}{(a+b)\sqrt{a+b\coth^2(x)}} \right)$$

input `Int[Coth[x]/(a + b*Coth[x]^2)^(3/2), x]`

output `((2*ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]])/(a + b)^(3/2) - 2/((a + b)*Sqrt[a + b*Coth[x]^2]))/2`

Defintions of rubi rules used

rule 26 `Int[(Complex[0, a_])*(Fx_), x_Symbol] := Simp[(Complex[Identity[0], a]) Int[Fx, x], x] /; FreeQ[a, x] && EqQ[a^2, 1]`

rule 61 `Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[(a + b*x)^(m + 1)*((c + d*x)^(n + 1)/((b*c - a*d)*(m + 1))), x] - Simp[d*((m + n + 2)/((b*c - a*d)*(m + 1)) Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && LtQ[m, -1] && !(LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && IntLinearQ[a, b, c, d, m, n, x]`

rule 73 `Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
 {p = Denominator[m]}, Simp[p/b Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) +
 d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && Lt
 Q[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntL
 inearQ[a, b, c, d, m, n, x]`

rule 221 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x
 /Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

rule 353 `Int[(x_)*((a_) + (b_.)*(x_)^2)^(p_.)*((c_) + (d_.)*(x_)^2)^(q_.), x_Symbol]
 := Simp[1/2 Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^2], x] /; FreeQ[
 {a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinear
 Q[u, x]`

rule 4153 `Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) +
 (f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
 x]}, Simp[c*(ff/f) Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + f
 f^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m,
 n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ratio
 nalQ[n]))`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 272 vs. 2(41) = 82.

Time = 0.05 (sec) , antiderivative size = 273, normalized size of antiderivative = 5.57

method	result
derivativedivides	$-\frac{1}{2(a+b)\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}} + \frac{b(2b(\coth(x)-1)+2b)}{(a+b)(4b(a+b)-4b^2)\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}} +$
default	$-\frac{1}{2(a+b)\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}} + \frac{b(2b(\coth(x)-1)+2b)}{(a+b)(4b(a+b)-4b^2)\sqrt{b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b}} +$

input `int(coth(x)/(a+b*coth(x)^2)^(3/2),x,method=_RETURNVERBOSE)`

output
$$\begin{aligned} & -1/2/(a+b)/(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^{(1/2)}+b/(a+b)*(2*b*(\coth(x)-1)+2*b)/(4*b*(a+b)-4*b^2)/(b*(\coth(x)-1)^2+2*b*(\coth(x)-1)+a+b)^{(1/2)}+ \\ & 1/2/(a+b)^{(3/2)}*\ln((2*a+2*b+2*b*(\coth(x)-1)+2*(a+b)^{(1/2)}*(b*(\coth(x)-1)^2+ \\ & 2*b*(\coth(x)-1)+a+b)^{(1/2)))/(\coth(x)-1))-1/2/(a+b)/(b*(1+\coth(x))^2-2*b*(1 \\ & +\coth(x))+a+b)^{(1/2)}-b/(a+b)*(2*b*(1+\coth(x))-2*b)/(4*b*(a+b)-4*b^2)/(b*(1 \\ & +\coth(x))^2-2*b*(1+\coth(x))+a+b)^{(1/2)}+1/2/(a+b)^{(3/2)}*\ln((2*a+2*b-2*b*(1+ \\ & \coth(x))+2*(a+b)^{(1/2)}*(b*(1+\coth(x))^2-2*b*(1+\coth(x))+a+b)^{(1/2)))/(1+\cot \\ & h(x))) \end{aligned}$$

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 798 vs. $2(41) = 82$.

Time = 0.17 (sec) , antiderivative size = 2228, normalized size of antiderivative = 45.47

$$\int \frac{\coth(x)}{(a + b \coth^2(x))^{3/2}} dx = \text{Too large to display}$$

input `integrate(coth(x)/(a+b*coth(x)^2)^(3/2),x, algorithm="fricas")`

output

```
[1/4*((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4
- 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 - a + b)*sinh(x)^2 + 4*((a
+ b)*cosh(x)^3 - (a - b)*cosh(x))*sinh(x) + a + b)*sqrt(a + b)*log(-((a^3
+ a^2*b)*cosh(x)^8 + 8*(a^3 + a^2*b)*cosh(x)*sinh(x)^7 + (a^3 + a^2*b)*si
nh(x)^8 - 2*(2*a^3 + a^2*b)*cosh(x)^6 - 2*(2*a^3 + a^2*b - 14*(a^3 + a^2*b
)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a^3 + a^2*b)*cosh(x)^3 - 3*(2*a^3 + a^2*b)
*cosh(x))*sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^4 + (70*(a^3
+ a^2*b)*cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 - 30*(2*a^3 + a^2*b)*c
osh(x)^2)*sinh(x)^4 + 4*(14*(a^3 + a^2*b)*cosh(x)^5 - 10*(2*a^3 + a^2*b)*c
osh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^
2*b + 3*a*b^2 + b^3 - 2*(2*a^3 + 3*a^2*b - b^3)*cosh(x)^2 + 2*(14*(a^3 + a
^2*b)*cosh(x)^6 - 15*(2*a^3 + a^2*b)*cosh(x)^4 - 2*a^3 - 3*a^2*b + b^3 + 3
*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(a^2*cosh(
x)^6 + 6*a^2*cosh(x)*sinh(x)^5 + a^2*sinh(x)^6 - 3*a^2*cosh(x)^4 + 3*(5*a^
2*cosh(x)^2 - a^2)*sinh(x)^4 + 4*(5*a^2*cosh(x)^3 - 3*a^2*cosh(x))*sinh(x)
^3 + (3*a^2 + 2*a*b - b^2)*cosh(x)^2 + (15*a^2*cosh(x)^4 - 18*a^2*cosh(x)^
2 + 3*a^2 + 2*a*b - b^2)*sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*a^2*cosh(x)^
5 - 6*a^2*cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x))*sinh(x))*sqrt(a + b)*
sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 - a + b)/(cosh(x)^2 - 2*cosh(x)
)*sinh(x) + sinh(x)^2)) + 4*(2*(a^3 + a^2*b)*cosh(x)^7 - 3*(2*a^3 + a^2...
```

Sympy [F]

$$\int \frac{\coth(x)}{(a + b \coth^2(x))^{3/2}} dx = \int \frac{\coth(x)}{(a + b \coth^2(x))^{3/2}} dx$$

input

```
integrate(coth(x)/(a+b*coth(x)**2)**(3/2), x)
```

output

```
Integral(coth(x)/(a + b*coth(x)**2)**(3/2), x)
```

Maxima [F]

$$\int \frac{\coth(x)}{(a + b \coth^2(x))^{3/2}} dx = \int \frac{\coth(x)}{(b \coth^2(x) + a)^{3/2}} dx$$

input `integrate(coth(x)/(a+b*coth(x)^2)^(3/2),x, algorithm="maxima")`

output `integrate(coth(x)/(b*coth(x)^2 + a)^(3/2), x)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 364 vs. $2(41) = 82$.

Time = 0.30 (sec) , antiderivative size = 364, normalized size of antiderivative = 7.43

$$\int \frac{\coth(x)}{(a + b \coth^2(x))^{3/2}} dx =$$

$$\frac{\frac{(a^2b+ab^2)e^{(2x)}}{a^3b\operatorname{sgn}(e^{(2x)}-1)+2a^2b^2\operatorname{sgn}(e^{(2x)}-1)+ab^3\operatorname{sgn}(e^{(2x)}-1)} - \frac{a^2b+ab^2}{a^3b\operatorname{sgn}(e^{(2x)}-1)+2a^2b^2\operatorname{sgn}(e^{(2x)}-1)+ab^3\operatorname{sgn}(e^{(2x)}-1)}}{\sqrt{ae^{(4x)} + be^{(4x)} - 2ae^{(2x)} + 2be^{(2x)} + a + b}}$$

$$\frac{\log\left(\left|\left(\sqrt{a + be^{(2x)}} - \sqrt{ae^{(4x)} + be^{(4x)} - 2ae^{(2x)} + 2be^{(2x)} + a + b}\right)\sqrt{a + b} - a + b\right|\right)}{2(a + b)^{\frac{3}{2}}\operatorname{sgn}(e^{(2x)} - 1)}$$

$$\frac{\log\left(\left|\left(\sqrt{a + be^{(2x)}} - \sqrt{ae^{(4x)} + be^{(4x)} - 2ae^{(2x)} + 2be^{(2x)} + a + b}\right)\sqrt{a + b} - a - b\right|\right)}{2(a + b)^{\frac{3}{2}}\operatorname{sgn}(e^{(2x)} - 1)}$$

$$+ \frac{\log\left(\left|-\sqrt{a + be^{(2x)}} + \sqrt{ae^{(4x)} + be^{(4x)} - 2ae^{(2x)} + 2be^{(2x)} + a + b} - \sqrt{a + b}\right|\right)}{2(a + b)^{\frac{3}{2}}\operatorname{sgn}(e^{(2x)} - 1)}$$

input `integrate(coth(x)/(a+b*coth(x)^2)^(3/2),x, algorithm="giac")`

output

```

-((a^2*b + a*b^2)*e^(2*x)/(a^3*b*sgn(e^(2*x) - 1) + 2*a^2*b^2*sgn(e^(2*x)
- 1) + a*b^3*sgn(e^(2*x) - 1)) - (a^2*b + a*b^2)/(a^3*b*sgn(e^(2*x) - 1) +
2*a^2*b^2*sgn(e^(2*x) - 1) + a*b^3*sgn(e^(2*x) - 1)))/sqrt(a*e^(4*x) + b*
e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) - 1/2*log(abs((sqrt(a + b)*e^
(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b))*s
qrt(a + b) - a + b))/((a + b)^(3/2)*sgn(e^(2*x) - 1)) - 1/2*log(abs((sqrt(
a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) +
a + b))*sqrt(a + b) - a - b))/((a + b)^(3/2)*sgn(e^(2*x) - 1)) + 1/2*log(a
bs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e
^(2*x) + a + b) - sqrt(a + b)))/((a + b)^(3/2)*sgn(e^(2*x) - 1))

```

Mupad [B] (verification not implemented)

Time = 3.01 (sec) , antiderivative size = 41, normalized size of antiderivative = 0.84

$$\int \frac{\coth(x)}{(a + b \coth^2(x))^{3/2}} dx = \frac{\operatorname{atanh}\left(\frac{\sqrt{b \coth(x)^2 + a}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}} - \frac{1}{(a+b) \sqrt{b \coth(x)^2 + a}}$$

input

```
int(coth(x)/(a + b*coth(x)^2)^(3/2), x)
```

output

```
atanh((a + b*coth(x)^2)^(1/2)/(a + b)^(1/2))/(a + b)^(3/2) - 1/((a + b)*(a
+ b*coth(x)^2)^(1/2))
```

Reduce [F]

$$\int \frac{\coth(x)}{(a + b \coth^2(x))^{3/2}} dx = \int \frac{\sqrt{\coth(x)^2 b + a} \coth(x)}{\coth(x)^4 b^2 + 2 \coth(x)^2 ab + a^2} dx$$

input

```
int(coth(x)/(a+b*coth(x)^2)^(3/2), x)
```

output

```
int((sqrt(coth(x)**2*b + a)*coth(x))/(coth(x)**4*b**2 + 2*coth(x)**2*a*b +
a**2), x)
```


$$3.41 \quad \int \frac{\tanh(x)}{(a+b \coth^2(x))^{3/2}} dx$$

Optimal result	344
Mathematica [C] (verified)	344
Rubi [A] (verified)	345
Maple [F]	348
Fricas [B] (verification not implemented)	348
Sympy [F]	349
Maxima [F]	349
Giac [F(-2)]	349
Mupad [F(-1)]	350
Reduce [F]	350

Optimal result

Integrand size = 15, antiderivative size = 78

$$\int \frac{\tanh(x)}{(a+b \coth^2(x))^{3/2}} dx = -\frac{\operatorname{arctanh}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a}}\right)}{a^{3/2}} + \frac{\operatorname{arctanh}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}} + \frac{b}{a(a+b)\sqrt{a+b \coth^2(x)}}$$

output

```
-arctanh((a+b*coth(x)^2)^(1/2)/a^(1/2))/a^(3/2)+arctanh((a+b*coth(x)^2)^(1/2)/(a+b)^(1/2))/(a+b)^(3/2)+b/a/(a+b)/(a+b*coth(x)^2)^(1/2)
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 5 vs. order 3 in optimal.

Time = 0.05 (sec) , antiderivative size = 70, normalized size of antiderivative = 0.90

$$\int \frac{\tanh(x)}{(a+b \coth^2(x))^{3/2}} dx = \frac{-a \operatorname{Hypergeometric2F1}\left(-\frac{1}{2}, 1, \frac{1}{2}, \frac{a+b \coth^2(x)}{a+b}\right) + (a+b) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, 1, \frac{3}{2}, \frac{a+b \coth^2(x)}{a+b}\right)}{a(a+b)\sqrt{a+b \coth^2(x)}}$$

input `Integrate[Tanh[x]/(a + b*Coth[x]^2)^(3/2), x]`

output `(-(a*Hypergeometric2F1[-1/2, 1, 1/2, (a + b*Coth[x]^2)/(a + b)]) + (a + b)*Hypergeometric2F1[-1/2, 1, 1/2, 1 + (b*Coth[x]^2)/a])/(a*(a + b)*Sqrt[a + b*Coth[x]^2])`

Rubi [A] (verified)

Time = 0.51 (sec) , antiderivative size = 98, normalized size of antiderivative = 1.26, number of steps used = 11, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {3042, 26, 4153, 26, 354, 96, 25, 174, 73, 221}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\tanh(x)}{(a + b \coth^2(x))^{3/2}} dx \\
 & \quad \downarrow \text{3042} \\
 & \int \frac{i}{\tan\left(\frac{\pi}{2} + ix\right) \left(a - b \tan\left(\frac{\pi}{2} + ix\right)^2\right)^{3/2}} dx \\
 & \quad \downarrow \text{26} \\
 & i \int \frac{1}{\tan\left(ix + \frac{\pi}{2}\right) \left(a - b \tan\left(ix + \frac{\pi}{2}\right)^2\right)^{3/2}} dx \\
 & \quad \downarrow \text{4153} \\
 & i \int -\frac{i \tanh(x)}{(1 - \coth^2(x)) (b \coth^2(x) + a)^{3/2}} d \coth(x) \\
 & \quad \downarrow \text{26} \\
 & \int \frac{\tanh(x)}{(1 - \coth^2(x)) (a + b \coth^2(x))^{3/2}} d \coth(x) \\
 & \quad \downarrow \text{354}
 \end{aligned}$$

$$\begin{aligned}
& \frac{1}{2} \int \frac{\tanh(x)}{(1 - \coth^2(x)) (b \coth^2(x) + a)^{3/2}} d \coth^2(x) \\
& \quad \downarrow 96 \\
& \frac{1}{2} \left(\frac{2b}{a(a+b)\sqrt{a+b\coth^2(x)}} - \frac{\int -\frac{(-b\coth^2(x)+a+b)\tanh(x)}{(1-\coth^2(x))\sqrt{b\coth^2(x)+a}} d\coth^2(x)}{a(a+b)} \right) \\
& \quad \downarrow 25 \\
& \frac{1}{2} \left(\frac{\int \frac{(-b\coth^2(x)+a+b)\tanh(x)}{(1-\coth^2(x))\sqrt{b\coth^2(x)+a}} d\coth^2(x)}{a(a+b)} + \frac{2b}{a(a+b)\sqrt{a+b\coth^2(x)}} \right) \\
& \quad \downarrow 174 \\
& \frac{1}{2} \left(\frac{a \int \frac{1}{(1-\coth^2(x))\sqrt{b\coth^2(x)+a}} d\coth^2(x) + (a+b) \int \frac{\tanh(x)}{\sqrt{b\coth^2(x)+a}} d\coth^2(x)}{a(a+b)} + \frac{2b}{a(a+b)\sqrt{a+b\coth^2(x)}} \right) \\
& \quad \downarrow 73 \\
& \frac{1}{2} \left(\frac{2a \int \frac{1}{\frac{a+b}{b} - \frac{\coth^4(x)}{b}} d\sqrt{b\coth^2(x)+a}}{a(a+b)} + \frac{2(a+b) \int \frac{1}{\frac{\coth^4(x)}{b} - \frac{a}{b}} d\sqrt{b\coth^2(x)+a}}{a(a+b)} + \frac{2b}{a(a+b)\sqrt{a+b\coth^2(x)}} \right) \\
& \quad \downarrow 221 \\
& \frac{1}{2} \left(\frac{2a \operatorname{arctanh}\left(\frac{\sqrt{a+b\coth^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}} - \frac{2(a+b) \operatorname{arctanh}\left(\frac{\sqrt{a+b\coth^2(x)}}{\sqrt{a}}\right)}{\sqrt{a}} + \frac{2b}{a(a+b)\sqrt{a+b\coth^2(x)}} \right)
\end{aligned}$$

input `Int [Tanh[x]/(a + b*Coth[x]^2)^(3/2), x]`

output
$$\frac{\left(\frac{-2(a+b)\operatorname{ArcTanh}\left[\frac{\sqrt{a+b\coth[x]^2}}{\sqrt{a}}\right]}{\sqrt{a}} + \frac{2a\operatorname{ArcTanh}\left[\frac{\sqrt{a+b\coth[x]^2}}{\sqrt{a+b}}\right]}{\sqrt{a+b}}\right)}{a(a+b)} + \frac{2b}{a(a+b)\sqrt{a+b\coth[x]^2}}\right)/2$$

Defintions of rubi rules used

rule 25
$$\operatorname{Int}[-(F_x), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{Identity}[-1] \operatorname{Int}[F_x, x], x]$$

rule 26
$$\operatorname{Int}[(\operatorname{Complex}[0, a])*(F_x), x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Complex}[\operatorname{Identity}[0], a]) \operatorname{Int}[F_x, x], x] /; \operatorname{FreeQ}[a, x] \ \&\& \ \operatorname{EqQ}[a^2, 1]$$

rule 73
$$\operatorname{Int}[(a_. + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Simp}[p/b \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - a*(d/b) + d*(x^p/b))^{(n)}, x], x, (a + b*x)^{(1/p)}], x]] /; \operatorname{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \operatorname{LtQ}[-1, m, 0] \ \&\& \ \operatorname{LeQ}[-1, n, 0] \ \&\& \ \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \ \&\& \ \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$$

rule 96
$$\operatorname{Int}[(e_. + (f_.)*(x_.))^{(p_.)} / ((a_. + (b_.)*(x_.)) * ((c_.) + (d_.)*(x_.))), x_] \rightarrow \operatorname{Simp}[f*((e + f*x)^{(p+1)} / ((p+1)*(b*e - a*f)*(d*e - c*f))), x] + \operatorname{Simp}[1 / ((b*e - a*f)*(d*e - c*f)) \operatorname{Int}[(b*d*e - b*c*f - a*d*f - b*d*f*x) * ((e + f*x)^{(p+1)} / ((a + b*x)*(c + d*x))), x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \ \operatorname{LtQ}[p, -1]$$

rule 174
$$\operatorname{Int}[(e_. + (f_.)*(x_.))^{(p_.)} * ((g_.) + (h_.)*(x_.)) / ((a_. + (b_.)*(x_.)) * ((c_.) + (d_.)*(x_.))), x_] \rightarrow \operatorname{Simp}[(b*g - a*h) / (b*c - a*d) \operatorname{Int}[(e + f*x)^p / (a + b*x), x], x] - \operatorname{Simp}[(d*g - c*h) / (b*c - a*d) \operatorname{Int}[(e + f*x)^p / (c + d*x), x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, g, h\}, x]$$

rule 221
$$\operatorname{Int}[(a_. + (b_.)*(x_.)^2)^{(-1)}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-a/b, 2]/a) * \operatorname{ArcTanh}[x / \operatorname{Rt}[-a/b, 2]], x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \ \operatorname{NegQ}[a/b]$$

rule 354 `Int[(x_)^(m_)*((a_) + (b_)*(x_)^2)^(p_)*((c_) + (d_)*(x_)^2)^(q_), x_Symbol] := Simp[1/2 Subst[Int[x^((m - 1)/2)*(a + b*x)^p*(c + d*x)^q, x], x, x^2], x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[(m - 1)/2]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4153 `Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[c*(ff/f) Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + f^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))`

Maple [F]

$$\int \frac{\tanh(x)}{(a + b \coth(x)^2)^{3/2}} dx$$

input `int(tanh(x)/(a+b*coth(x)^2)^(3/2),x)`

output `int(tanh(x)/(a+b*coth(x)^2)^(3/2),x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1366 vs. 2(64) = 128.

Time = 0.38 (sec) , antiderivative size = 6849, normalized size of antiderivative = 87.81

$$\int \frac{\tanh(x)}{(a + b \coth^2(x))^{3/2}} dx = \text{Too large to display}$$

input `integrate(tanh(x)/(a+b*coth(x)^2)^(3/2),x, algorithm="fricas")`

output Too large to include

Sympy [F]

$$\int \frac{\tanh(x)}{(a + b \coth^2(x))^{3/2}} dx = \int \frac{\tanh(x)}{(a + b \coth^2(x))^{\frac{3}{2}}} dx$$

input `integrate(tanh(x)/(a+b*coth(x)**2)**(3/2), x)`

output `Integral(tanh(x)/(a + b*coth(x)**2)**(3/2), x)`

Maxima [F]

$$\int \frac{\tanh(x)}{(a + b \coth^2(x))^{3/2}} dx = \int \frac{\tanh(x)}{(b \coth(x)^2 + a)^{\frac{3}{2}}} dx$$

input `integrate(tanh(x)/(a+b*coth(x)^2)^(3/2), x, algorithm="maxima")`

output `integrate(tanh(x)/(b*coth(x)^2 + a)^(3/2), x)`

Giac [F(-2)]

Exception generated.

$$\int \frac{\tanh(x)}{(a + b \coth^2(x))^{3/2}} dx = \text{Exception raised: TypeError}$$

input `integrate(tanh(x)/(a+b*coth(x)^2)^(3/2), x, algorithm="giac")`

output `Exception raised: TypeError >> an error occurred running a Giac command:IN
PUT:sage2:=int(sage0,sageVARx)::OUTPUT:Error: Bad Argument Type`

Mupad [F(-1)]

Timed out.

$$\int \frac{\tanh(x)}{(a + b \coth^2(x))^{3/2}} dx = \int \frac{\tanh(x)}{(b \coth(x)^2 + a)^{3/2}} dx$$

input `int(tanh(x)/(a + b*coth(x)^2)^(3/2), x)`output `int(tanh(x)/(a + b*coth(x)^2)^(3/2), x)`**Reduce [F]**

$$\int \frac{\tanh(x)}{(a + b \coth^2(x))^{3/2}} dx = \int \frac{\sqrt{\coth(x)^2 b + a} \tanh(x)}{\coth(x)^4 b^2 + 2 \coth(x)^2 ab + a^2} dx$$

input `int(tanh(x)/(a+b*coth(x)^2)^(3/2), x)`output `int((sqrt(coth(x)**2*b + a)*tanh(x))/(coth(x)**4*b**2 + 2*coth(x)**2*a*b + a**2), x)`

3.42
$$\int \frac{\tanh^2(x)}{(a+b \coth^2(x))^{3/2}} dx$$

Optimal result	351
Mathematica [C] (warning: unable to verify)	352
Rubi [A] (verified)	352
Maple [F]	356
Fricas [B] (verification not implemented)	356
Sympy [F]	356
Maxima [F]	357
Giac [B] (verification not implemented)	357
Mupad [F(-1)]	358
Reduce [F]	358

Optimal result

Integrand size = 17, antiderivative size = 85

$$\int \frac{\tanh^2(x)}{(a+b \coth^2(x))^{3/2}} dx = \frac{\operatorname{arctanh}\left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a+b \coth^2(x)}}\right)}{(a+b)^{3/2}} + \frac{b \tanh(x)}{a(a+b)\sqrt{a+b \coth^2(x)}} - \frac{(a+2b)\sqrt{a+b \coth^2(x)} \tanh(x)}{a^2(a+b)}$$

output

```
arctanh((a+b)^(1/2)*coth(x)/(a+b*coth(x)^2)^(1/2))/(a+b)^(3/2)+b*tanh(x)/a
/(a+b)/(a+b*coth(x)^2)^(1/2)-(a+2*b)*(a+b*coth(x)^2)^(1/2)*tanh(x)/a^2/(a+
b)
```


Mathematica [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 5 vs. order 3 in optimal.

Time = 6.32 (sec) , antiderivative size = 244, normalized size of antiderivative = 2.87

$$\int \frac{\tanh^2(x)}{(a + b \coth^2(x))^{3/2}} dx = \frac{\sinh^2(x) \tanh(x) \left(8(a + b)^2 \cosh^2(x) (2a^2 + 5ab \coth^2(x) + 3b^2 \coth^4(x)) \operatorname{Hypergeometric2F1}\left[2, 2, \frac{7}{2}, \frac{(a + b) \cosh^2(x)}{a}\right] + 8(a + b)^2 \cosh^2(x) (a + b \coth^2(x))^2 \operatorname{HypergeometricPFQ}\left[\{2, 2, 2\}, \{1, 7/2\}, \frac{(a + b) \cosh^2(x)}{a}\right] - (15a(3a^2 + 12ab \coth^2(x) + 8b^2 \coth^4(x)) * (-\operatorname{ArcSin}\left[\sqrt{\frac{(a + b) \cosh^2(x)}{a}}\right] * (a + b \coth^2(x)) - a \operatorname{Csch}[x]^2 \operatorname{Sqrt}\left[-\frac{(a + b) \cosh^2(x) (a + b \coth^2(x)) \sinh^2(x)}{a^2}\right] * \tanh^2(x) / \operatorname{Sqrt}\left[-\frac{(a + b) \cosh^2(x) (a + b \coth^2(x)) \sinh^2(x)}{a^2}\right]\right)}{15a^4(a + b) \operatorname{Sqrt}[a + b \coth^2(x)]}\right)}{(a + b \coth^2(x))^{3/2}}$$

input

```
Integrate[Tanh[x]^2/(a + b*Coth[x]^2)^(3/2), x]
```

output

```
(Sinh[x]^2*Tanh[x]*(8*(a + b)^2*Cosh[x]^2*(2*a^2 + 5*a*b*Coth[x]^2 + 3*b^2*Coth[x]^4)*Hypergeometric2F1[2, 2, 7/2, ((a + b)*Cosh[x]^2)/a] + 8*(a + b)^2*Cosh[x]^2*(a + b*Coth[x]^2)^2*HypergeometricPFQ[{2, 2, 2}, {1, 7/2}, ((a + b)*Cosh[x]^2)/a] - (15*a*(3*a^2 + 12*a*b*Coth[x]^2 + 8*b^2*Coth[x]^4))*(-ArcSin[Sqrt[((a + b)*Cosh[x]^2)/a]]*(a + b*Coth[x]^2)) - a*Csch[x]^2*Sqrt[-(((a + b)*Cosh[x]^2*(a + b*Coth[x]^2)*Sinh[x]^2)/a^2)])*Tanh[x]^2/Sqrt[-(((a + b)*Cosh[x]^2*(a + b*Coth[x]^2)*Sinh[x]^2)/a^2)]))/(15*a^4*(a + b)*Sqrt[a + b*Coth[x]^2])
```

Rubi [A] (verified)

Time = 0.62 (sec) , antiderivative size = 91, normalized size of antiderivative = 1.07, number of steps used = 12, number of rules used = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.647$, Rules used = {3042, 25, 4153, 25, 374, 25, 445, 25, 27, 291, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\tanh^2(x)}{(a + b \coth^2(x))^{3/2}} dx$$

↓ 3042

$$\begin{aligned}
 & \int -\frac{1}{\tan\left(\frac{\pi}{2} + ix\right)^2 \left(a - b \tan\left(\frac{\pi}{2} + ix\right)^2\right)^{3/2}} dx \\
 & \quad \downarrow \text{25} \\
 & - \int \frac{1}{\tan\left(ix + \frac{\pi}{2}\right)^2 \left(a - b \tan\left(ix + \frac{\pi}{2}\right)^2\right)^{3/2}} dx \\
 & \quad \downarrow \text{4153} \\
 & - \int -\frac{\tanh^2(x)}{(1 - \coth^2(x)) (b \coth^2(x) + a)^{3/2}} d \coth(x) \\
 & \quad \downarrow \text{25} \\
 & \int \frac{\tanh^2(x)}{(1 - \coth^2(x)) (a + b \coth^2(x))^{3/2}} d \coth(x) \\
 & \quad \downarrow \text{374} \\
 & \frac{b \tanh(x)}{a(a+b)\sqrt{a+b \coth^2(x)}} - \frac{\int -\frac{(-2b \coth^2(x) + a + 2b) \tanh^2(x)}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x)}{a(a+b)} \\
 & \quad \downarrow \text{25} \\
 & \frac{\int \frac{(-2b \coth^2(x) + a + 2b) \tanh^2(x)}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x)}{a(a+b)} + \frac{b \tanh(x)}{a(a+b)\sqrt{a+b \coth^2(x)}} \\
 & \quad \downarrow \text{445} \\
 & -\frac{\int -\frac{a^2}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x)}{a(a+b)} - \frac{(a+2b) \tanh(x) \sqrt{a+b \coth^2(x)}}{a} + \frac{b \tanh(x)}{a(a+b)\sqrt{a+b \coth^2(x)}} \\
 & \quad \downarrow \text{25} \\
 & \frac{\int \frac{a^2}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth(x)}{a(a+b)} - \frac{(a+2b) \tanh(x) \sqrt{a+b \coth^2(x)}}{a} + \frac{b \tanh(x)}{a(a+b)\sqrt{a+b \coth^2(x)}} \\
 & \quad \downarrow \text{27}
 \end{aligned}$$

$$\begin{aligned}
 & \frac{a \int \frac{1}{(1-\coth^2(x))\sqrt{b\coth^2(x)+a}} d\coth(x) - \frac{(a+2b)\tanh(x)\sqrt{a+b\coth^2(x)}}{a}}{a(a+b)} + \frac{b\tanh(x)}{a(a+b)\sqrt{a+b\coth^2(x)}} \\
 & \quad \downarrow 291 \\
 & \frac{a \int \frac{1}{1-\frac{(a+b)\coth^2(x)}{b\coth^2(x)+a}} d\frac{\coth(x)}{\sqrt{b\coth^2(x)+a}} - \frac{(a+2b)\tanh(x)\sqrt{a+b\coth^2(x)}}{a}}{a(a+b)} + \frac{b\tanh(x)}{a(a+b)\sqrt{a+b\coth^2(x)}} \\
 & \quad \downarrow 219 \\
 & \frac{a\operatorname{arctanh}\left(\frac{\sqrt{a+b}\coth(x)}{\sqrt{a+b\coth^2(x)}}\right) - \frac{(a+2b)\tanh(x)\sqrt{a+b\coth^2(x)}}{a}}{a(a+b)} + \frac{b\tanh(x)}{a(a+b)\sqrt{a+b\coth^2(x)}}
 \end{aligned}$$

input `Int [Tanh[x]^2/(a + b*Coth[x]^2)^(3/2), x]`

output `(b*Tanh[x])/(a*(a + b)*Sqrt[a + b*Coth[x]^2]) + ((a*ArcTanh[(Sqrt[a + b]*Coth[x])/Sqrt[a + b*Coth[x]^2]])/Sqrt[a + b] - ((a + 2*b)*Sqrt[a + b*Coth[x]^2]*Tanh[x])/a)/(a*(a + b))`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`

rule 219 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

rule 291 `Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*((c_) + (d_)*(x_)^2)), x_Symbol] := Subst
[Int[1/(c - (b*c - a*d)*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b, c,
d}, x] && NeQ[b*c - a*d, 0]`

rule 374 `Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_)*((c_) + (d_)*(x_)^2)^(q_
) , x_Symbol] := Simp[(-b)*(e*x)^(m + 1)*(a + b*x^2)^(p + 1)*((c + d*x^2)^(q
+ 1)/(a*e^2*(b*c - a*d)*(p + 1)), x] + Simp[1/(a^2*(b*c - a*d)*(p + 1))
Int[(e*x)^m*(a + b*x^2)^(p + 1)*(c + d*x^2)^q*Simp[b*c*(m + 1) + 2*(b*c -
a*d)*(p + 1) + d*b*(m + 2*(p + q + 2) + 1)*x^2, x], x] /; FreeQ[{a, b,
c, d, e, m, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && IntBinomialQ[a, b,
c, d, e, m, 2, p, q, x]`

rule 445 `Int[((g_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_)*((c_) + (d_)*(x_)^2)^(q_
) * ((e_) + (f_)*(x_)^2), x_Symbol] := Simp[e*(g*x)^(m + 1)*(a + b*x^2)^(p
+ 1)*((c + d*x^2)^(q + 1)/(a*c*g*(m + 1))), x] + Simp[1/(a*c*g^2*(m + 1))
Int[(g*x)^(m + 2)*(a + b*x^2)^p*(c + d*x^2)^q*Simp[a*f*c*(m + 1) - e*(b*c
+ a*d)*(m + 2 + 1) - e^2*(b*c*p + a*d*q) - b*e*d*(m + 2*(p + q + 2) + 1)*x^
2, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && LtQ[m, -1]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinear
Q[u, x]`

rule 4153 `Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) +
(f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Simp[c*(ff/f) Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + f
f^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m,
n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ratio
nalQ[n]))`

Maple [F]

$$\int \frac{\tanh(x)^2}{(a + b \coth(x)^2)^{\frac{3}{2}}} dx$$

input `int(tanh(x)^2/(a+b*coth(x)^2)^(3/2),x)`

output `int(tanh(x)^2/(a+b*coth(x)^2)^(3/2),x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1686 vs. $2(75) = 150$.

Time = 0.34 (sec) , antiderivative size = 3931, normalized size of antiderivative = 46.25

$$\int \frac{\tanh^2(x)}{(a + b \coth^2(x))^{3/2}} dx = \text{Too large to display}$$

input `integrate(tanh(x)^2/(a+b*coth(x)^2)^(3/2),x, algorithm="fricas")`

output `Too large to include`

Sympy [F]

$$\int \frac{\tanh^2(x)}{(a + b \coth^2(x))^{3/2}} dx = \int \frac{\tanh^2(x)}{(a + b \coth^2(x))^{\frac{3}{2}}} dx$$

input `integrate(tanh(x)**2/(a+b*coth(x)**2)**(3/2),x)`

output `Integral(tanh(x)**2/(a + b*coth(x)**2)**(3/2), x)`

Maxima [F]

$$\int \frac{\tanh^2(x)}{(a + b \coth^2(x))^{3/2}} dx = \int \frac{\tanh(x)^2}{(b \coth(x)^2 + a)^{3/2}} dx$$

input `integrate(tanh(x)^2/(a+b*coth(x)^2)^(3/2),x, algorithm="maxima")`

output `integrate(tanh(x)^2/(b*coth(x)^2 + a)^(3/2), x)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 540 vs. $2(75) = 150$.

Time = 0.46 (sec) , antiderivative size = 540, normalized size of antiderivative = 6.35

$$\int \frac{\tanh^2(x)}{(a + b \coth^2(x))^{3/2}} dx = \text{Too large to display}$$

input `integrate(tanh(x)^2/(a+b*coth(x)^2)^(3/2),x, algorithm="giac")`

output `-((a^2*b^3 + a*b^4)*e^(2*x)/(a^5*b*sgn(e^(2*x) - 1) + 2*a^4*b^2*sgn(e^(2*x) - 1) + a^3*b^3*sgn(e^(2*x) - 1)) + (a^2*b^3 + a*b^4)/(a^5*b*sgn(e^(2*x) - 1) + 2*a^4*b^2*sgn(e^(2*x) - 1) + a^3*b^3*sgn(e^(2*x) - 1)))/sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) - 1/2*log(abs((sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b))*sqrt(a + b) - a + b))/((a + b)^(3/2)*sgn(e^(2*x) - 1)) + 1/2*log(abs((sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b))*sqrt(a + b) - a - b))/((a + b)^(3/2)*sgn(e^(2*x) - 1)) - 1/2*log(abs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) - sqrt(a + b)))/((a + b)^(3/2)*sgn(e^(2*x) - 1)) - 4*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b) - sqrt(a + b))/(((sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b))^2 + 2*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b))*sqrt(a + b) - 3*a + b)*a*sgn(e^(2*x) - 1))`

Mupad [F(-1)]

Timed out.

$$\int \frac{\tanh^2(x)}{(a + b \coth^2(x))^{3/2}} dx = \int \frac{\tanh(x)^2}{(b \coth(x)^2 + a)^{3/2}} dx$$

input `int(tanh(x)^2/(a + b*coth(x)^2)^(3/2),x)`output `int(tanh(x)^2/(a + b*coth(x)^2)^(3/2), x)`**Reduce [F]**

$$\int \frac{\tanh^2(x)}{(a + b \coth^2(x))^{3/2}} dx = \int \frac{\sqrt{\coth(x)^2 b + a} \tanh(x)^2}{\coth(x)^4 b^2 + 2 \coth(x)^2 ab + a^2} dx$$

input `int(tanh(x)^2/(a+b*coth(x)^2)^(3/2),x)`output `int((sqrt(coth(x)**2*b + a)*tanh(x)**2)/(coth(x)**4*b**2 + 2*coth(x)**2*a*b + a**2),x)`

3.43
$$\int \frac{\coth^3(x)}{(a+b \coth^2(x))^{5/2}} dx$$

Optimal result	359
Mathematica [C] (verified)	359
Rubi [A] (verified)	360
Maple [B] (verified)	363
Fricas [B] (verification not implemented)	364
Sympy [F]	364
Maxima [F]	365
Giac [B] (verification not implemented)	365
Mupad [B] (verification not implemented)	366
Reduce [F]	367

Optimal result

Integrand size = 17, antiderivative size = 74

$$\int \frac{\coth^3(x)}{(a+b \coth^2(x))^{5/2}} dx = \frac{\operatorname{arctanh}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{5/2}} + \frac{a}{3b(a+b)(a+b \coth^2(x))^{3/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \coth^2(x)}}$$

output

$$\operatorname{arctanh}\left(\frac{(a+b \coth(x)^2)^{1/2}}{(a+b)^{1/2}}\right) / (a+b)^{5/2} + 1/3 * a/b / (a+b) / (a+b \coth(x)^2)^{3/2} - 1 / (a+b)^2 / (a+b \coth(x)^2)^{1/2}$$

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 5 vs. order 3 in optimal.

Time = 0.08 (sec) , antiderivative size = 63, normalized size of antiderivative = 0.85

$$\int \frac{\coth^3(x)}{(a+b \coth^2(x))^{5/2}} dx = \frac{a(a+b) - 3b(a+b \coth^2(x)) \operatorname{Hypergeometric2F1}\left(-\frac{1}{2}, 1, \frac{1}{2}, \frac{a+b \coth^2(x)}{a+b}\right)}{3b(a+b)^2 (a+b \coth^2(x))^{3/2}}$$

input `Integrate[Coth[x]^3/(a + b*Coth[x]^2)^(5/2), x]`

output `(a*(a + b) - 3*b*(a + b*Coth[x]^2)*Hypergeometric2F1[-1/2, 1, 1/2, (a + b*Coth[x]^2)/(a + b)])/(3*b*(a + b)^2*(a + b*Coth[x]^2)^(3/2))`

Rubi [A] (verified)

Time = 0.38 (sec) , antiderivative size = 86, normalized size of antiderivative = 1.16, number of steps used = 10, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.529$, Rules used = {3042, 26, 4153, 26, 354, 87, 61, 73, 221}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\coth^3(x)}{(a + b \coth^2(x))^{5/2}} dx \\
 & \quad \downarrow \text{3042} \\
 & \int \frac{i \tan\left(\frac{\pi}{2} + ix\right)^3}{\left(a - b \tan\left(\frac{\pi}{2} + ix\right)^2\right)^{5/2}} dx \\
 & \quad \downarrow \text{26} \\
 & i \int \frac{\tan\left(ix + \frac{\pi}{2}\right)^3}{\left(a - b \tan\left(ix + \frac{\pi}{2}\right)^2\right)^{5/2}} dx \\
 & \quad \downarrow \text{4153} \\
 & i \int -\frac{i \coth^3(x)}{(1 - \coth^2(x)) (b \coth^2(x) + a)^{5/2}} d \coth(x) \\
 & \quad \downarrow \text{26} \\
 & \int \frac{\coth^3(x)}{(1 - \coth^2(x)) (a + b \coth^2(x))^{5/2}} d \coth(x) \\
 & \quad \downarrow \text{354}
 \end{aligned}$$

$$\begin{aligned}
& \frac{1}{2} \int \frac{\coth^2(x)}{(1 - \coth^2(x)) (b \coth^2(x) + a)^{5/2}} d \coth^2(x) \\
& \quad \downarrow 87 \\
& \frac{1}{2} \left(\frac{\int \frac{1}{(1 - \coth^2(x)) (b \coth^2(x) + a)^{3/2}} d \coth^2(x)}{a + b} + \frac{2a}{3b(a + b) (a + b \coth^2(x))^{3/2}} \right) \\
& \quad \downarrow 61 \\
& \frac{1}{2} \left(\frac{\int \frac{1}{(1 - \coth^2(x)) \sqrt{b \coth^2(x) + a}} d \coth^2(x)}{a + b} - \frac{2}{(a + b) \sqrt{a + b \coth^2(x)}} + \frac{2a}{3b(a + b) (a + b \coth^2(x))^{3/2}} \right) \\
& \quad \downarrow 73 \\
& \frac{1}{2} \left(\frac{2 \int \frac{\frac{1}{\frac{a+b}{b} - \coth^4(x)}}{b(a+b)} d \sqrt{b \coth^2(x) + a}}{a + b} - \frac{2}{(a + b) \sqrt{a + b \coth^2(x)}} + \frac{2a}{3b(a + b) (a + b \coth^2(x))^{3/2}} \right) \\
& \quad \downarrow 221 \\
& \frac{1}{2} \left(\frac{2 \operatorname{arctanh} \left(\frac{\sqrt{a + b \coth^2(x)}}{\sqrt{a + b}} \right)}{(a + b)^{3/2}} - \frac{2}{(a + b) \sqrt{a + b \coth^2(x)}} + \frac{2a}{3b(a + b) (a + b \coth^2(x))^{3/2}} \right)
\end{aligned}$$

input `Int [Coth[x]^3/(a + b*Coth[x]^2)^(5/2), x]`

output `((2*a)/(3*b*(a + b)*(a + b*Coth[x]^2)^(3/2)) + ((2*ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]])/(a + b)^(3/2) - 2/((a + b)*Sqrt[a + b*Coth[x]^2]))/(a + b))/2`

Definitions of rubi rules used

- rule 26 $\text{Int}[(\text{Complex}[0, a_])*(F_{x_}), x_Symbol] \rightarrow \text{Simp}[(\text{Complex}[\text{Identity}[0], a]) \text{Int}[F_x, x], x] /; \text{FreeQ}[a, x] \ \&\& \ \text{EqQ}[a^2, 1]$
- rule 61 $\text{Int}[(a_ + b_*(x_))^{(m_)}*((c_ + d_*(x_))^{(n_)}), x_Symbol] \rightarrow \text{Simp}[(a + b*x)^{(m + 1)}*((c + d*x)^{(n + 1)}/((b*c - a*d)*(m + 1))), x] - \text{Simp}[d*((m + n + 2)/((b*c - a*d)*(m + 1))) \text{Int}[(a + b*x)^{(m + 1)}*(c + d*x)^n, x], x] /; \text{FreeQ}[\{a, b, c, d, n\}, x] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ !(\text{LtQ}[n, -1] \ \&\& \ (\text{EqQ}[a, 0] \ || \ (\text{NeQ}[c, 0] \ \&\& \ \text{LtQ}[m - n, 0] \ \&\& \ \text{IntegerQ}[n]))) \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$
- rule 73 $\text{Int}[(a_ + b_*(x_))^{(m_)}*((c_ + d_*(x_))^{(n_)}), x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Simp}[p/b \ \text{Subst}[\text{Int}[x^{(p*(m + 1) - 1)}*(c - a*(d/b) + d*(x^{p/b})^n, x], x, (a + b*x)^{(1/p)}, x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$
- rule 87 $\text{Int}[(a_ + b_*(x_))*((c_ + d_*(x_))^{(n_)}*((e_ + f_*(x_))^{(p_)}), x_] \rightarrow \text{Simp}[(-b*e - a*f)*(c + d*x)^{(n + 1)}*((e + f*x)^{(p + 1)}/(f*(p + 1)*(c*f - d*e))), x] - \text{Simp}[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1))]/(f*(p + 1)*(c*f - d*e)) \ \text{Int}[(c + d*x)^n*(e + f*x)^{(p + 1)}, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, n\}, x] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ (\ !\text{LtQ}[n, -1] \ || \ \text{IntegerQ}[p] \ || \ !(\text{IntegerQ}[n] \ || \ !(\text{EqQ}[e, 0] \ || \ !(\text{EqQ}[c, 0] \ || \ \text{LtQ}[p, n])))$
- rule 221 $\text{Int}[(a_ + b_*(x_)^2)^{(-1)}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-a/b, 2]/a)*\text{ArcTanh}[x/\text{Rt}[-a/b, 2]], x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$
- rule 354 $\text{Int}[(x_)^{(m_)}*((a_ + b_*(x_)^2)^{(p_)}*((c_ + d_*(x_)^2)^{(q_)}), x_Symbol] \rightarrow \text{Simp}[1/2 \ \text{Subst}[\text{Int}[x^{((m - 1)/2)}*(a + b*x)^p*(c + d*x)^q, x], x, x^2], x] /; \text{FreeQ}[\{a, b, c, d, p, q\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{IntegerQ}[(m - 1)/2]$

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4153 `Int[((d_)*tan[(e_) + (f_)*(x_)]^(m_))*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)]^(n_))^(p_)), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[c*(ff/f) Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + f^2*x^2)), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 434 vs. $2(62) = 124$.

Time = 0.07 (sec) , antiderivative size = 435, normalized size of antiderivative = 5.88

method	result
derivativedivides	$\frac{1}{3b(a+b \coth(x)^2)^{\frac{3}{2}}} - \frac{1}{6(a+b)(b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b)^{\frac{3}{2}}} + \frac{b \coth(x)}{6(a+b)a(b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b)^{\frac{3}{2}}}$
default	$\frac{1}{3b(a+b \coth(x)^2)^{\frac{3}{2}}} - \frac{1}{6(a+b)(b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b)^{\frac{3}{2}}} + \frac{b \coth(x)}{6(a+b)a(b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b)^{\frac{3}{2}}}$

input `int(coth(x)^3/(a+b*coth(x)^2)^(5/2),x,method=_RETURNVERBOSE)`

output

```
1/3/b/(a+b*coth(x)^2)^(3/2)-1/6/(a+b)/(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(3/2)+1/6*b/(a+b)/a/(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(3/2)*coth(x)+1/3*b/(a+b)/a^2/(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2)*coth(x)-1/2/(a+b)^2/(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2)+1/2/(a+b)^2/a/(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2)*b*coth(x)+1/2/(a+b)^(5/2)*ln((2*a+2*b+2*b*(coth(x)-1)+2*(a+b)^(1/2)*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2))/(coth(x)-1))-1/6/(a+b)/(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(3/2)-1/6*b/(a+b)/a/(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(3/2)*coth(x)-1/3*b/(a+b)/a^2/(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)*coth(x)-1/2/(a+b)^2/(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)-1/2/(a+b)^2/a/(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)*b*coth(x)+1/2/(a+b)^(5/2)*ln((2*a+2*b-2*b*(1+coth(x))+2*(a+b)^(1/2)*(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2))/(1+coth(x)))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2964 vs. $2(62) = 124$.

Time = 0.52 (sec) , antiderivative size = 6560, normalized size of antiderivative = 88.65

$$\int \frac{\coth^3(x)}{(a + b \coth^2(x))^{5/2}} dx = \text{Too large to display}$$

input

```
integrate(coth(x)^3/(a+b*coth(x)^2)^(5/2),x, algorithm="fricas")
```

output

```
Too large to include
```

Sympy [F]

$$\int \frac{\coth^3(x)}{(a + b \coth^2(x))^{5/2}} dx = \int \frac{\coth^3(x)}{(a + b \coth^2(x))^{\frac{5}{2}}} dx$$

input

```
integrate(coth(x)**3/(a+b*coth(x)**2)**(5/2),x)
```

output

```
Integral(coth(x)**3/(a + b*coth(x)**2)**(5/2), x)
```

Maxima [F]

$$\int \frac{\coth^3(x)}{(a + b \coth^2(x))^{5/2}} dx = \int \frac{\coth(x)^3}{(b \coth(x)^2 + a)^{5/2}} dx$$

input `integrate(coth(x)^3/(a+b*coth(x)^2)^(5/2),x, algorithm="maxima")`

output `integrate(coth(x)^3/(b*coth(x)^2 + a)^(5/2), x)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 951 vs. $2(62) = 124$.

Time = 0.41 (sec) , antiderivative size = 951, normalized size of antiderivative = 12.85

$$\int \frac{\coth^3(x)}{(a + b \coth^2(x))^{5/2}} dx = \text{Too large to display}$$

input `integrate(coth(x)^3/(a+b*coth(x)^2)^(5/2),x, algorithm="giac")`

output

```

1/3*(((a^8*b*sgn(e^(2*x)) - 1) + 2*a^7*b^2*sgn(e^(2*x)) - 1) - 5*a^6*b^3*sgn(e^(2*x)) - 1) - 20*a^5*b^4*sgn(e^(2*x)) - 1) - 25*a^4*b^5*sgn(e^(2*x)) - 1) - 14*a^3*b^6*sgn(e^(2*x)) - 1) - 3*a^2*b^7*sgn(e^(2*x)) - 1))*e^(2*x)/(a^8*b^2 + 6*a^7*b^3 + 15*a^6*b^4 + 20*a^5*b^5 + 15*a^4*b^6 + 6*a^3*b^7 + a^2*b^8) - 3*(a^8*b*sgn(e^(2*x)) - 1) + 2*a^7*b^2*sgn(e^(2*x)) - 1) - a^6*b^3*sgn(e^(2*x)) - 1) - 4*a^5*b^4*sgn(e^(2*x)) - 1) - a^4*b^5*sgn(e^(2*x)) - 1) + 2*a^3*b^6*sgn(e^(2*x)) - 1) + a^2*b^7*sgn(e^(2*x)) - 1))/(a^8*b^2 + 6*a^7*b^3 + 15*a^6*b^4 + 20*a^5*b^5 + 15*a^4*b^6 + 6*a^3*b^7 + a^2*b^8))*e^(2*x) + 3*(a^8*b*sgn(e^(2*x)) - 1) + 2*a^7*b^2*sgn(e^(2*x)) - 1) - a^6*b^3*sgn(e^(2*x)) - 1) - 4*a^5*b^4*sgn(e^(2*x)) - 1) - a^4*b^5*sgn(e^(2*x)) - 1) + 2*a^3*b^6*sgn(e^(2*x)) - 1) + a^2*b^7*sgn(e^(2*x)) - 1))/(a^8*b^2 + 6*a^7*b^3 + 15*a^6*b^4 + 20*a^5*b^5 + 15*a^4*b^6 + 6*a^3*b^7 + a^2*b^8))*e^(2*x) - (a^8*b*sgn(e^(2*x)) - 1) + 2*a^7*b^2*sgn(e^(2*x)) - 1) - 5*a^6*b^3*sgn(e^(2*x)) - 1) - 20*a^5*b^4*sgn(e^(2*x)) - 1) - 25*a^4*b^5*sgn(e^(2*x)) - 1) - 14*a^3*b^6*sgn(e^(2*x)) - 1) - 3*a^2*b^7*sgn(e^(2*x)) - 1))/(a^8*b^2 + 6*a^7*b^3 + 15*a^6*b^4 + 20*a^5*b^5 + 15*a^4*b^6 + 6*a^3*b^7 + a^2*b^8))/(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b)^(3/2) - 1/2*log(abs((sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b))*sqrt(a + b) - a + b))/((a^2 + 2*a*b + b^2)*sqrt(a + b)*sgn(e^(2*x)) - 1)) - 1/2*log(abs((sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*...

```

Mupad [B] (verification not implemented)

Time = 4.58 (sec) , antiderivative size = 82, normalized size of antiderivative = 1.11

$$\int \frac{\coth^3(x)}{(a + b \coth^2(x))^{5/2}} dx = \frac{\operatorname{atanh}\left(\frac{\sqrt{b \coth(x)^2 + a(2a^2 + 4ab + 2b^2)}}{2(a+b)^{5/2}}\right)}{(a+b)^{5/2}} + \frac{\frac{a}{3(a+b)} - \frac{b(b \coth(x)^2 + a)}{(a+b)^2}}{b(b \coth(x)^2 + a)^{3/2}}$$

input

```
int(coth(x)^3/(a + b*coth(x)^2)^(5/2), x)
```

output

```

atanh(((a + b*coth(x)^2)^(1/2)*(4*a*b + 2*a^2 + 2*b^2))/(2*(a + b)^(5/2)))/(a + b)^(5/2) + (a/(3*(a + b)) - (b*(a + b*coth(x)^2))/(a + b)^2)/(b*(a + b*coth(x)^2)^(3/2))

```

Reduce [F]

$$\int \frac{\coth^3(x)}{(a + b \coth^2(x))^{5/2}} dx = \frac{3 \coth(x)^4 \left(\int \frac{\sqrt{\coth(x)^2 b + a} \coth(x)}{\coth(x)^6 b^3 + 3 \coth(x)^4 a b^2 + 3 \coth(x)^2 a^2 b + a^3} dx \right) b^3 + 6 \coth(x)^2 \left(\int \frac{\coth(x)}{\coth(x)^6 b^3 + 3 \coth(x)^4 a b^2 + 3 \coth(x)^2 a^2 b + a^3} dx \right)}{3b^3 + 6ab^2 + 3a^2b + a^3}$$

input `int(coth(x)^3/(a+b*coth(x)^2)^(5/2),x)`

output `(3*coth(x)**4*int((sqrt(coth(x)**2*b + a)*coth(x))/(coth(x)**6*b**3 + 3*coth(x)**4*a*b**2 + 3*coth(x)**2*a**2*b + a**3),x)*b**3 + 6*coth(x)**2*int((sqrt(coth(x)**2*b + a)*coth(x))/(coth(x)**6*b**3 + 3*coth(x)**4*a*b**2 + 3*coth(x)**2*a**2*b + a**3),x)*a*b**2 + sqrt(coth(x)**2*b + a) + 3*int((sqrt(coth(x)**2*b + a)*coth(x))/(coth(x)**6*b**3 + 3*coth(x)**4*a*b**2 + 3*coth(x)**2*a**2*b + a**3),x)*a**2*b)/(3*b*(coth(x)**4*b**2 + 2*coth(x)**2*a*b + a**2)))`

3.44
$$\int \frac{\coth^2(x)}{(a+b \coth^2(x))^{5/2}} dx$$

Optimal result	368
Mathematica [C] (warning: unable to verify)	368
Rubi [A] (verified)	369
Maple [B] (verified)	372
Fricas [B] (verification not implemented)	373
Sympy [F]	373
Maxima [F]	374
Giac [B] (verification not implemented)	374
Mupad [F(-1)]	375
Reduce [F]	376

Optimal result

Integrand size = 17, antiderivative size = 88

$$\int \frac{\coth^2(x)}{(a + b \coth^2(x))^{5/2}} dx = \frac{\operatorname{arctanh}\left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a+b \coth^2(x)}}\right)}{(a + b)^{5/2}} - \frac{\coth(x)}{3(a + b) (a + b \coth^2(x))^{3/2}} - \frac{(2a - b) \coth(x)}{3a(a + b)^2 \sqrt{a + b \coth^2(x)}}$$

output `arctanh((a+b)^(1/2)*coth(x)/(a+b*coth(x)^2)^(1/2))/(a+b)^(5/2)-1/3*coth(x)/(a+b)/(a+b*coth(x)^2)^(3/2)-1/3*(2*a-b)*coth(x)/a/(a+b)^2/(a+b*coth(x)^2)^(1/2)`

Mathematica [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 5 vs. order 3 in optimal.

Time = 6.64 (sec) , antiderivative size = 190, normalized size of antiderivative = 2.16

$$\int \frac{\coth^2(x)}{(a + b \coth^2(x))^{5/2}} dx = \frac{\left(-12(a + b)^3 \cosh^4(x) \coth^2(x) (a + b \coth^2(x)) \operatorname{Hypergeometric2F1} \left(2, 2, \frac{9}{2}, \frac{(a + b) \cosh^2(x)}{a} \right) \right)}{\dots}$$

input `Integrate[Coth[x]^2/(a + b*Coth[x]^2)^(5/2), x]`

output `((-12*(a + b)^3*Cosh[x]^4*Coth[x]^2*(a + b*Coth[x]^2)*Hypergeometric2F1[2, 2, 9/2, ((a + b)*Cosh[x]^2)/a] + (35*a*(-5*a - 2*b*Coth[x]^2)*Sinh[x]^2*(3*ArcSin[Sqrt[((a + b)*Cosh[x]^2)/a]]*(a + b*Coth[x]^2)^2 + a*(3*a + (a + 4*b)*Coth[x]^2)*Csch[x]^2*Sqrt[-(((a + b)*Cosh[x]^2*(a + b*Coth[x]^2)*Sinh[x]^2)/a^2)]))/Sqrt[-(((a + b)*Cosh[x]^2*(a + b*Coth[x]^2)*Sinh[x]^2)/a^2)])*Tanh[x])/(315*a^3*(a + b)^2*(a + b*Coth[x]^2)^(3/2))`

Rubi [A] (verified)

Time = 0.38 (sec) , antiderivative size = 97, normalized size of antiderivative = 1.10, number of steps used = 10, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.529$, Rules used = {3042, 25, 4153, 25, 373, 402, 27, 291, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{\coth^2(x)}{(a + b \coth^2(x))^{5/2}} dx \\ & \quad \downarrow \text{3042} \\ & \int -\frac{\tan\left(\frac{\pi}{2} + ix\right)^2}{\left(a - b \tan\left(\frac{\pi}{2} + ix\right)^2\right)^{5/2}} dx \\ & \quad \downarrow \text{25} \\ & -\int \frac{\tan\left(ix + \frac{\pi}{2}\right)^2}{\left(a - b \tan\left(ix + \frac{\pi}{2}\right)^2\right)^{5/2}} dx \end{aligned}$$

$$\begin{aligned}
& \int -\frac{\coth^2(x)}{(1-\coth^2(x))(b\coth^2(x)+a)^{5/2}} d\coth(x) \\
& \quad \downarrow \text{4153} \\
& \int \frac{\coth^2(x)}{(1-\coth^2(x))(a+b\coth^2(x))^{5/2}} d\coth(x) \\
& \quad \downarrow \text{25} \\
& \int \frac{2\coth^2(x)+1}{(1-\coth^2(x))(b\coth^2(x)+a)^{3/2}} d\coth(x) - \frac{\coth(x)}{3(a+b)(a+b\coth^2(x))^{3/2}} \\
& \quad \downarrow \text{373} \\
& \frac{\int -\frac{3a}{(1-\coth^2(x))\sqrt{b\coth^2(x)+a}} d\coth(x)}{3(a+b)} - \frac{(2a-b)\coth(x)}{a(a+b)\sqrt{a+b\coth^2(x)}} - \frac{\coth(x)}{3(a+b)(a+b\coth^2(x))^{3/2}} \\
& \quad \downarrow \text{402} \\
& \frac{3\int \frac{1}{(1-\coth^2(x))\sqrt{b\coth^2(x)+a}} d\coth(x)}{3(a+b)} - \frac{(2a-b)\coth(x)}{a(a+b)\sqrt{a+b\coth^2(x)}} - \frac{\coth(x)}{3(a+b)(a+b\coth^2(x))^{3/2}} \\
& \quad \downarrow \text{27} \\
& \frac{3\int \frac{1}{1-\frac{(a+b)\coth^2(x)}{b\coth^2(x)+a}} d\frac{\coth(x)}{\sqrt{b\coth^2(x)+a}}}{3(a+b)} - \frac{(2a-b)\coth(x)}{a(a+b)\sqrt{a+b\coth^2(x)}} - \frac{\coth(x)}{3(a+b)(a+b\coth^2(x))^{3/2}} \\
& \quad \downarrow \text{291} \\
& \frac{3\operatorname{arctanh}\left(\frac{\sqrt{a+b}\coth(x)}{\sqrt{a+b\coth^2(x)}}\right)}{(a+b)^{3/2}} - \frac{(2a-b)\coth(x)}{a(a+b)\sqrt{a+b\coth^2(x)}} - \frac{\coth(x)}{3(a+b)(a+b\coth^2(x))^{3/2}} \\
& \quad \downarrow \text{219} \\
& \frac{3\operatorname{arctanh}\left(\frac{\sqrt{a+b}\coth(x)}{\sqrt{a+b\coth^2(x)}}\right)}{(a+b)^{3/2}} - \frac{(2a-b)\coth(x)}{a(a+b)\sqrt{a+b\coth^2(x)}} - \frac{\coth(x)}{3(a+b)(a+b\coth^2(x))^{3/2}}
\end{aligned}$$

input

```
Int [Coth[x]^2/(a + b*Coth[x]^2)^(5/2), x]
```

output

$$-1/3 \operatorname{Coth}[x] / ((a + b)(a + b \operatorname{Coth}[x]^2)^{3/2}) + ((3 \operatorname{ArcTanh}[\sqrt{a + b} \operatorname{Coth}[x] / \sqrt{a + b \operatorname{Coth}[x]^2}]) / (a + b)^{3/2} - ((2a - b) \operatorname{Coth}[x]) / (a(a + b) \sqrt{a + b \operatorname{Coth}[x]^2})) / (3(a + b))$$
Defintions of rubi rules used

rule 25

$$\operatorname{Int}[-(F_x), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{Identity}[-1] \operatorname{Int}[F_x, x], x]$$

rule 27

$$\operatorname{Int}[(a_)(F_x), x_Symbol] \rightarrow \operatorname{Simp}[a \operatorname{Int}[F_x, x], x] /; \operatorname{FreeQ}[a, x] \&\& !\operatorname{MatchQ}[F_x, (b_)(G_x)] /; \operatorname{FreeQ}[b, x]$$

rule 219

$$\operatorname{Int}[(a_ + (b_)(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1 / (\operatorname{Rt}[a, 2] \operatorname{Rt}[-b, 2])) \operatorname{ArcTanh}[\operatorname{Rt}[-b, 2] (x / \operatorname{Rt}[a, 2])], x] /; \operatorname{FreeQ}\{a, b\}, x \&\& \operatorname{NegQ}[a/b] \&\& (\operatorname{GtQ}[a, 0] \parallel \operatorname{LtQ}[b, 0])$$

rule 291

$$\operatorname{Int}[1 / (\sqrt{(a_ + (b_)(x_)^2}) ((c_ + (d_)(x_)^2))), x_Symbol] \rightarrow \operatorname{Subst}[\operatorname{Int}[1 / (c - (b*c - a*d)x^2), x], x, x / \sqrt{a + b*x^2}] /; \operatorname{FreeQ}\{a, b, c, d\}, x \&\& \operatorname{NeQ}[b*c - a*d, 0]$$

rule 373

$$\operatorname{Int}[(e_)(x_)^m ((a_ + (b_)(x_)^2)^p ((c_ + (d_)(x_)^2)^q), x_Symbol] \rightarrow \operatorname{Simp}[e*(e*x)^{m-1} (a + b*x^2)^{p+1} ((c + d*x^2)^{q+1} / (2*(b*c - a*d)*(p+1))), x] - \operatorname{Simp}[e^2 / (2*(b*c - a*d)*(p+1)) \operatorname{Int}[(e*x)^{m-2} (a + b*x^2)^{p+1} (c + d*x^2)^q \operatorname{Simp}[c*(m-1) + d*(m+2*p+2*q+3)x^2, x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, q\}, x \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[p, -1] \&\& \operatorname{GtQ}[m, 1] \&\& \operatorname{LeQ}[m, 3] \&\& \operatorname{IntBinomialQ}[a, b, c, d, e, m, 2, p, q, x]$$

rule 402

$$\operatorname{Int}[(a_ + (b_)(x_)^2)^p ((c_ + (d_)(x_)^2)^q ((e_ + (f_)(x_)^2), x_Symbol] \rightarrow \operatorname{Simp}[(-b*e - a*f)*x*(a + b*x^2)^{p+1} ((c + d*x^2)^{q+1} / (a^2*(b*c - a*d)*(p+1))), x] + \operatorname{Simp}[1 / (a^2*(b*c - a*d)*(p+1)) \operatorname{Int}[(a + b*x^2)^{p+1} (c + d*x^2)^q \operatorname{Simp}[c*(b*e - a*f) + e^2*(b*c - a*d)*(p+1) + d*(b*e - a*f)*(2*(p+q+2)+1)x^2, x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, q\}, x \&\& \operatorname{LtQ}[p, -1]$$

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4153 `Int[((d_)*tan[(e_) + (f_)*(x_)]^(m_))*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)]^(n_))^(p_)), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[c*(ff/f) Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + f^2*x^2)), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 453 vs. $2(74) = 148$.

Time = 0.06 (sec) , antiderivative size = 454, normalized size of antiderivative = 5.16

method	result
derivativedivides	$-\frac{\coth(x)}{3a(a+b\coth(x)^2)^{\frac{3}{2}}} - \frac{2\coth(x)}{3a^2\sqrt{a+b\coth(x)^2}} - \frac{1}{6(a+b)(b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b)^{\frac{3}{2}}} + \frac{1}{6(a+b)a(b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b)^{\frac{3}{2}}}$
default	$-\frac{\coth(x)}{3a(a+b\coth(x)^2)^{\frac{3}{2}}} - \frac{2\coth(x)}{3a^2\sqrt{a+b\coth(x)^2}} - \frac{1}{6(a+b)(b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b)^{\frac{3}{2}}} + \frac{1}{6(a+b)a(b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b)^{\frac{3}{2}}}$

input `int(coth(x)^2/(a+b*coth(x)^2)^(5/2),x,method=_RETURNVERBOSE)`

output

```
-1/3*coth(x)/a/(a+b*coth(x)^2)^(3/2)-2/3/a^2*coth(x)/(a+b*coth(x)^2)^(1/2)
-1/6/(a+b)/(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(3/2)+1/6*b/(a+b)/a/(b*(c
oth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(3/2)*coth(x)+1/3*b/(a+b)/a^2/(b*(coth(x)
-1)^2+2*b*(coth(x)-1)+a+b)^(1/2)*coth(x)-1/2/(a+b)^2/(b*(coth(x)-1)^2+2*b*
(coth(x)-1)+a+b)^(1/2)+1/2/(a+b)^2/a/(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)
^(1/2)*b*coth(x)+1/2/(a+b)^(5/2)*ln((2*a+2*b+2*b*(coth(x)-1)+2*(a+b)^(1/2)
*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2))/(coth(x)-1))+1/6/(a+b)/(b*(1
+coth(x))^2-2*b*(1+coth(x))+a+b)^(3/2)+1/6*b/(a+b)/a/(b*(1+coth(x))^2-2*b*
(1+coth(x))+a+b)^(3/2)*coth(x)+1/3*b/(a+b)/a^2/(b*(1+coth(x))^2-2*b*(1+cot
h(x))+a+b)^(1/2)*coth(x)+1/2/(a+b)^2/(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)
^(1/2)+1/2/(a+b)^2/a/(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)*b*coth(x)
-1/2/(a+b)^(5/2)*ln((2*a+2*b-2*b*(1+coth(x))+2*(a+b)^(1/2)*(b*(1+coth(x))^
2-2*b*(1+coth(x))+a+b)^(1/2))/(1+coth(x)))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 3016 vs. $2(74) = 148$.

Time = 0.55 (sec) , antiderivative size = 6591, normalized size of antiderivative = 74.90

$$\int \frac{\coth^2(x)}{(a + b \coth^2(x))^{5/2}} dx = \text{Too large to display}$$

input

```
integrate(coth(x)^2/(a+b*coth(x)^2)^(5/2),x, algorithm="fricas")
```

output

```
Too large to include
```

Sympy [F]

$$\int \frac{\coth^2(x)}{(a + b \coth^2(x))^{5/2}} dx = \int \frac{\coth^2(x)}{(a + b \coth^2(x))^{\frac{5}{2}}} dx$$

input

```
integrate(coth(x)**2/(a+b*coth(x)**2)**(5/2),x)
```

output `Integral(coth(x)**2/(a + b*coth(x)**2)**(5/2), x)`

Maxima [F]

$$\int \frac{\coth^2(x)}{(a + b \coth^2(x))^{5/2}} dx = \int \frac{\coth(x)^2}{(b \coth(x)^2 + a)^{5/2}} dx$$

input `integrate(coth(x)^2/(a+b*coth(x)^2)^(5/2),x, algorithm="maxima")`

output `integrate(coth(x)^2/(b*coth(x)^2 + a)^(5/2), x)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 952 vs. $2(74) = 148$.

Time = 0.42 (sec) , antiderivative size = 952, normalized size of antiderivative = 10.82

$$\int \frac{\coth^2(x)}{(a + b \coth^2(x))^{5/2}} dx = \text{Too large to display}$$

input `integrate(coth(x)^2/(a+b*coth(x)^2)^(5/2),x, algorithm="giac")`

output

```

-1/3*(((3*a^7*b^2*sgn(e^(2*x) - 1) + 14*a^6*b^3*sgn(e^(2*x) - 1) + 25*a^5
*b^4*sgn(e^(2*x) - 1) + 20*a^4*b^5*sgn(e^(2*x) - 1) + 5*a^3*b^6*sgn(e^(2*x)
) - 1) - 2*a^2*b^7*sgn(e^(2*x) - 1) - a*b^8*sgn(e^(2*x) - 1))*e^(2*x)/(a^8
*b^2 + 6*a^7*b^3 + 15*a^6*b^4 + 20*a^5*b^5 + 15*a^4*b^6 + 6*a^3*b^7 + a^2*
b^8) - 3*(a^7*b^2*sgn(e^(2*x) - 1) + 2*a^6*b^3*sgn(e^(2*x) - 1) - a^5*b^4*
sgn(e^(2*x) - 1) - 4*a^4*b^5*sgn(e^(2*x) - 1) - a^3*b^6*sgn(e^(2*x) - 1) +
2*a^2*b^7*sgn(e^(2*x) - 1) + a*b^8*sgn(e^(2*x) - 1))/(a^8*b^2 + 6*a^7*b^3
+ 15*a^6*b^4 + 20*a^5*b^5 + 15*a^4*b^6 + 6*a^3*b^7 + a^2*b^8))*e^(2*x) -
3*(a^7*b^2*sgn(e^(2*x) - 1) + 2*a^6*b^3*sgn(e^(2*x) - 1) - a^5*b^4*sgn(e^(
2*x) - 1) - 4*a^4*b^5*sgn(e^(2*x) - 1) - a^3*b^6*sgn(e^(2*x) - 1) + 2*a^2*
b^7*sgn(e^(2*x) - 1) + a*b^8*sgn(e^(2*x) - 1))/(a^8*b^2 + 6*a^7*b^3 + 15*a
^6*b^4 + 20*a^5*b^5 + 15*a^4*b^6 + 6*a^3*b^7 + a^2*b^8))*e^(2*x) + (3*a^7*
b^2*sgn(e^(2*x) - 1) + 14*a^6*b^3*sgn(e^(2*x) - 1) + 25*a^5*b^4*sgn(e^(2*x)
) - 1) + 20*a^4*b^5*sgn(e^(2*x) - 1) + 5*a^3*b^6*sgn(e^(2*x) - 1) - 2*a^2*
b^7*sgn(e^(2*x) - 1) - a*b^8*sgn(e^(2*x) - 1))/(a^8*b^2 + 6*a^7*b^3 + 15*a
^6*b^4 + 20*a^5*b^5 + 15*a^4*b^6 + 6*a^3*b^7 + a^2*b^8))/(a*e^(4*x) + b*e^(
4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b)^(3/2) - 1/2*log(abs((sqrt(a + b)
)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b)
))*sqrt(a + b) - a + b))/((a^2 + 2*a*b + b^2)*sqrt(a + b)*sgn(e^(2*x) - 1)
) + 1/2*log(abs((sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a...

```

Mupad [F(-1)]

Timed out.

$$\int \frac{\coth^2(x)}{(a + b \coth^2(x))^{5/2}} dx = \int \frac{\coth(x)^2}{(b \coth(x)^2 + a)^{5/2}} dx$$

input

```
int(coth(x)^2/(a + b*coth(x)^2)^(5/2), x)
```

output

```
int(coth(x)^2/(a + b*coth(x)^2)^(5/2), x)
```


Reduce [F]

$$\int \frac{\coth^2(x)}{(a + b \coth^2(x))^{5/2}} dx = \int \frac{\sqrt{\coth(x)^2 b + a} \coth(x)^2}{\coth(x)^6 b^3 + 3 \coth(x)^4 a b^2 + 3 \coth(x)^2 a^2 b + a^3} dx$$

input `int(coth(x)^2/(a+b*coth(x)^2)^(5/2),x)`

output `int((sqrt(coth(x)**2*b + a)*coth(x)**2)/(coth(x)**6*b**3 + 3*coth(x)**4*a*b**2 + 3*coth(x)**2*a**2*b + a**3),x)`

3.45
$$\int \frac{\coth(x)}{(a+b \coth^2(x))^{5/2}} dx$$

Optimal result	377
Mathematica [C] (verified)	377
Rubi [A] (verified)	378
Maple [B] (verified)	381
Fricas [B] (verification not implemented)	381
Sympy [F]	382
Maxima [F]	382
Giac [B] (verification not implemented)	383
Mupad [B] (verification not implemented)	384
Reduce [F]	384

Optimal result

Integrand size = 15, antiderivative size = 70

$$\int \frac{\coth(x)}{(a+b \coth^2(x))^{5/2}} dx = \frac{\operatorname{arctanh}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{5/2}} - \frac{1}{3(a+b)(a+b \coth^2(x))^{3/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \coth^2(x)}}$$

output

```
arctanh((a+b*coth(x)^2)^(1/2)/(a+b)^(1/2))/(a+b)^(5/2)-1/3/(a+b)/(a+b*coth(x)^2)^(3/2)-1/(a+b)^2/(a+b*coth(x)^2)^(1/2)
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 5 vs. order 3 in optimal.

Time = 0.04 (sec) , antiderivative size = 43, normalized size of antiderivative = 0.61

$$\int \frac{\coth(x)}{(a+b \coth^2(x))^{5/2}} dx = -\frac{\operatorname{Hypergeometric2F1}\left(-\frac{3}{2}, 1, -\frac{1}{2}, \frac{a+b \coth^2(x)}{a+b}\right)}{3(a+b)(a+b \coth^2(x))^{3/2}}$$

input `Integrate[Coth[x]/(a + b*Coth[x]^2)^(5/2), x]`

output `-1/3*Hypergeometric2F1[-3/2, 1, -1/2, (a + b*Coth[x]^2)/(a + b)]/((a + b)*(a + b*Coth[x]^2)^(3/2))`

Rubi [A] (verified)

Time = 0.30 (sec) , antiderivative size = 82, normalized size of antiderivative = 1.17, number of steps used = 10, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {3042, 26, 4153, 26, 353, 61, 61, 73, 221}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\coth(x)}{(a + b \coth^2(x))^{5/2}} dx \\
 & \quad \downarrow \text{3042} \\
 & \int -\frac{i \tan\left(\frac{\pi}{2} + ix\right)}{\left(a - b \tan\left(\frac{\pi}{2} + ix\right)^2\right)^{5/2}} dx \\
 & \quad \downarrow \text{26} \\
 & -i \int \frac{\tan\left(ix + \frac{\pi}{2}\right)}{\left(a - b \tan\left(ix + \frac{\pi}{2}\right)^2\right)^{5/2}} dx \\
 & \quad \downarrow \text{4153} \\
 & -i \int \frac{i \coth(x)}{(1 - \coth^2(x)) (b \coth^2(x) + a)^{5/2}} d \coth(x) \\
 & \quad \downarrow \text{26} \\
 & \int \frac{\coth(x)}{(1 - \coth^2(x)) (a + b \coth^2(x))^{5/2}} d \coth(x) \\
 & \quad \downarrow \text{353} \\
 & \frac{1}{2} \int \frac{1}{(1 - \coth^2(x)) (b \coth^2(x) + a)^{5/2}} d \coth^2(x)
 \end{aligned}$$

$$\begin{aligned}
& \downarrow 61 \\
& \frac{1}{2} \left(\frac{\int \frac{1}{(1-\coth^2(x))(b\coth^2(x)+a)^{3/2}} d\coth^2(x)}{a+b} - \frac{2}{3(a+b)(a+b\coth^2(x))^{3/2}} \right) \\
& \downarrow 61 \\
& \frac{1}{2} \left(\frac{\int \frac{1}{(1-\coth^2(x))\sqrt{b\coth^2(x)+a}} d\coth^2(x)}{a+b} - \frac{2}{(a+b)\sqrt{a+b\coth^2(x)}} - \frac{2}{3(a+b)(a+b\coth^2(x))^{3/2}} \right) \\
& \downarrow 73 \\
& \frac{1}{2} \left(\frac{2 \int \frac{\frac{a+b}{b} - \frac{\coth^4(x)}{b}}{b(a+b)} d\sqrt{b\coth^2(x)+a}}{a+b} - \frac{2}{(a+b)\sqrt{a+b\coth^2(x)}} - \frac{2}{3(a+b)(a+b\coth^2(x))^{3/2}} \right) \\
& \downarrow 221 \\
& \frac{1}{2} \left(\frac{2 \operatorname{arctanh}\left(\frac{\sqrt{a+b\coth^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}} - \frac{2}{(a+b)\sqrt{a+b\coth^2(x)}} - \frac{2}{3(a+b)(a+b\coth^2(x))^{3/2}} \right)
\end{aligned}$$

input `Int[Coth[x]/(a + b*Coth[x]^2)^(5/2), x]`

output `(-2/(3*(a + b)*(a + b*Coth[x]^2)^(3/2)) + ((2*ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]])/(a + b)^(3/2) - 2/((a + b)*Sqrt[a + b*Coth[x]^2]))/(a + b)/2`

Definitions of rubi rules used

- rule 26 $\text{Int}[(\text{Complex}[0, a])*(F_x), x_Symbol] \rightarrow \text{Simp}[(\text{Complex}[\text{Identity}[0], a]) \text{Int}[F_x, x], x] /; \text{FreeQ}[a, x] \ \&\& \ \text{EqQ}[a^2, 1]$
- rule 61 $\text{Int}[(a + b*x)^m * (c + d*x)^n, x_Symbol] \rightarrow \text{Simp}[(a + b*x)^{m+1} * (c + d*x)^{n+1} / ((b*c - a*d)*(m+1)), x] - \text{Simp}[d * ((m + n + 2) / ((b*c - a*d)*(m+1))) \text{Int}[(a + b*x)^{m+1} * (c + d*x)^n, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ !(\text{LtQ}[n, -1] \ \&\& \ (\text{EqQ}[a, 0] \ || \ (\text{NeQ}[c, 0] \ \&\& \ \text{LtQ}[m - n, 0] \ \&\& \ \text{IntegerQ}[n]))) \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$
- rule 73 $\text{Int}[(a + b*x)^m * (c + d*x)^n, x_Symbol] \rightarrow \text{With}[p = \text{Denominator}[m], \text{Simp}[p/b \ \text{Subst}[\text{Int}[x^{p*(m+1)-1} * (c - a*(d/b) + d*(x^{p/b})^n, x], x, (a + b*x)^{1/p}], x]] /; \text{FreeQ}\{a, b, c, d\}, x \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$
- rule 221 $\text{Int}[(a + b*x^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-a/b, 2]/a) * \text{ArcTanh}[x/\text{Rt}[-a/b, 2]], x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{NegQ}[a/b]$
- rule 353 $\text{Int}[x * (a + b*x^2)^p * (c + d*x^2)^q, x_Symbol] \rightarrow \text{Simp}[1/2 \ \text{Subst}[\text{Int}[(a + b*x)^p * (c + d*x)^q, x], x, x^2], x] /; \text{FreeQ}\{a, b, c, d, p, q\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0]$
- rule 3042 $\text{Int}[u, x_Symbol] \rightarrow \text{Int}[\text{DeactivateTrig}[u, x], x] /; \text{FunctionOfTrigOfLinearQ}[u, x]$
- rule 4153 $\text{Int}[(d * \tan[e + f*x] + (f * x))^m * (a + b * (c * \tan[e + f*x] + (f * x))^n)^p, x_Symbol] \rightarrow \text{With}\{ff = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Simp}[c * (ff/f) \ \text{Subst}[\text{Int}[(d * ff * (x/c))^m * (a + b * (ff * x)^n)^p / (c^2 + f^2 * x^2), x], x, c * (\text{Tan}[e + f*x]/ff)], x]] /; \text{FreeQ}\{a, b, c, d, e, f, m, n, p\}, x \ \&\& \ (\text{IGtQ}[p, 0] \ || \ \text{EqQ}[n, 2] \ || \ \text{EqQ}[n, 4] \ || \ (\text{IntegerQ}[p] \ \&\& \ \text{RationalQ}[n]))$

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 419 vs. $2(58) = 116$.

Time = 0.05 (sec) , antiderivative size = 420, normalized size of antiderivative = 6.00

method	result
derivativedivides	$-\frac{1}{6(a+b)\left(b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b\right)^{3/2}} + \frac{b \coth(x)}{6(a+b)a\left(b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b\right)^{3/2}} + \frac{1}{3(a+b)}$
default	$-\frac{1}{6(a+b)\left(b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b\right)^{3/2}} + \frac{b \coth(x)}{6(a+b)a\left(b(\coth(x)-1)^2+2b(\coth(x)-1)+a+b\right)^{3/2}} + \frac{1}{3(a+b)}$

input `int(coth(x)/(a+b*coth(x)^2)^(5/2),x,method=_RETURNVERBOSE)`

output

```
-1/6/(a+b)/(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(3/2)+1/6*b/(a+b)/a/(b*(c
oth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(3/2)*coth(x)+1/3*b/(a+b)/a^2/(b*(coth(x)
-1)^2+2*b*(coth(x)-1)+a+b)^(1/2)*coth(x)-1/2/(a+b)^2/(b*(coth(x)-1)^2+2*b*
(coth(x)-1)+a+b)^(1/2)+1/2/(a+b)^2/a/(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)
^(1/2)*b*coth(x)+1/2/(a+b)^(5/2)*ln((2*a+2*b+2*b*(coth(x)-1)+2*(a+b)^(1/2)
*(b*(coth(x)-1)^2+2*b*(coth(x)-1)+a+b)^(1/2))/(coth(x)-1))-1/6/(a+b)/(b*(1
+coth(x))^2-2*b*(1+coth(x))+a+b)^(3/2)-1/6*b/(a+b)/a/(b*(1+coth(x))^2-2*b*
(1+coth(x))+a+b)^(3/2)*coth(x)-1/3*b/(a+b)/a^2/(b*(1+coth(x))^2-2*b*(1+cot
h(x))+a+b)^(1/2)*coth(x)-1/2/(a+b)^2/(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)
^(1/2)-1/2/(a+b)^2/a/(b*(1+coth(x))^2-2*b*(1+coth(x))+a+b)^(1/2)*b*coth(x)
+1/2/(a+b)^(5/2)*ln((2*a+2*b-2*b*(1+coth(x))+2*(a+b)^(1/2)*(b*(1+coth(x))^
2-2*b*(1+coth(x))+a+b)^(1/2))/(1+coth(x)))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2552 vs. $2(58) = 116$.

Time = 0.53 (sec) , antiderivative size = 5736, normalized size of antiderivative = 81.94

$$\int \frac{\coth(x)}{(a+b \coth^2(x))^{5/2}} dx = \text{Too large to display}$$

input `integrate(coth(x)/(a+b*coth(x)^2)^(5/2),x, algorithm="fricas")`

output Too large to include

Sympy [F]

$$\int \frac{\coth(x)}{(a + b \coth^2(x))^{5/2}} dx = \int \frac{\coth(x)}{(a + b \coth^2(x))^{\frac{5}{2}}} dx$$

input `integrate(coth(x)/(a+b*coth(x)**2)**(5/2),x)`

output `Integral(coth(x)/(a + b*coth(x)**2)**(5/2), x)`

Maxima [F]

$$\int \frac{\coth(x)}{(a + b \coth^2(x))^{5/2}} dx = \int \frac{\coth(x)}{(b \coth(x)^2 + a)^{\frac{5}{2}}} dx$$

input `integrate(coth(x)/(a+b*coth(x)^2)^(5/2),x, algorithm="maxima")`

output `integrate(coth(x)/(b*coth(x)^2 + a)^(5/2), x)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 909 vs. $2(58) = 116$.

Time = 0.40 (sec) , antiderivative size = 909, normalized size of antiderivative = 12.99

$$\int \frac{\coth(x)}{(a + b \coth^2(x))^{5/2}} dx = \text{Too large to display}$$

input `integrate(coth(x)/(a+b*coth(x)^2)^(5/2),x, algorithm="giac")`

output

```
-4/3*(((a^7*b^2 + 5*a^6*b^3 + 10*a^5*b^4 + 10*a^4*b^5 + 5*a^3*b^6 + a^2*b^7)*e^(2*x)/(a^8*b^2*sgn(e^(2*x) - 1) + 6*a^7*b^3*sgn(e^(2*x) - 1) + 15*a^6*b^4*sgn(e^(2*x) - 1) + 20*a^5*b^5*sgn(e^(2*x) - 1) + 15*a^4*b^6*sgn(e^(2*x) - 1) + 6*a^3*b^7*sgn(e^(2*x) - 1) + a^2*b^8*sgn(e^(2*x) - 1)) - 3*(a^7*b^2 + 4*a^6*b^3 + 6*a^5*b^4 + 4*a^4*b^5 + a^3*b^6)/(a^8*b^2*sgn(e^(2*x) - 1) + 6*a^7*b^3*sgn(e^(2*x) - 1) + 15*a^6*b^4*sgn(e^(2*x) - 1) + 20*a^5*b^5*sgn(e^(2*x) - 1) + 15*a^4*b^6*sgn(e^(2*x) - 1) + 6*a^3*b^7*sgn(e^(2*x) - 1) + a^2*b^8*sgn(e^(2*x) - 1))) * e^(2*x) + 3*(a^7*b^2 + 4*a^6*b^3 + 6*a^5*b^4 + 4*a^4*b^5 + a^3*b^6)/(a^8*b^2*sgn(e^(2*x) - 1) + 6*a^7*b^3*sgn(e^(2*x) - 1) + 15*a^6*b^4*sgn(e^(2*x) - 1) + 20*a^5*b^5*sgn(e^(2*x) - 1) + 15*a^4*b^6*sgn(e^(2*x) - 1) + 6*a^3*b^7*sgn(e^(2*x) - 1) + a^2*b^8*sgn(e^(2*x) - 1))) * e^(2*x) - (a^7*b^2 + 5*a^6*b^3 + 10*a^5*b^4 + 10*a^4*b^5 + 5*a^3*b^6 + a^2*b^7)/(a^8*b^2*sgn(e^(2*x) - 1) + 6*a^7*b^3*sgn(e^(2*x) - 1) + 15*a^6*b^4*sgn(e^(2*x) - 1) + 20*a^5*b^5*sgn(e^(2*x) - 1) + 15*a^4*b^6*sgn(e^(2*x) - 1) + 6*a^3*b^7*sgn(e^(2*x) - 1) + a^2*b^8*sgn(e^(2*x) - 1)))/(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b)^(3/2) - 1/2*log(abs((sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b))*sqrt(a + b) - a + b))/((a^2 + 2*a*b + b^2)*sqrt(a + b)*sgn(e^(2*x) - 1)) - 1/2*log(abs((sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b))*sqrt(a + b) - a - b))/((a^2 + ...
```


Mupad [B] (verification not implemented)

Time = 4.64 (sec) , antiderivative size = 76, normalized size of antiderivative = 1.09

$$\int \frac{\coth(x)}{(a + b \coth^2(x))^{5/2}} dx = \frac{\operatorname{atanh}\left(\frac{\sqrt{b \coth(x)^2 + a(2a^2 + 4ab + 2b^2)}}{2(a+b)^{5/2}}\right)}{(a+b)^{5/2}} - \frac{\frac{1}{3(a+b)} + \frac{b \coth(x)^2 + a}{(a+b)^2}}{(b \coth(x)^2 + a)^{3/2}}$$

input `int(coth(x)/(a + b*coth(x)^2)^(5/2),x)`output `atanh(((a + b*coth(x)^2)^(1/2)*(4*a*b + 2*a^2 + 2*b^2))/(2*(a + b)^(5/2)))/(a + b)^(5/2) - (1/(3*(a + b)) + (a + b*coth(x)^2)/(a + b)^2)/(a + b*coth(x)^2)^(3/2)`**Reduce [F]**

$$\int \frac{\coth(x)}{(a + b \coth^2(x))^{5/2}} dx = \int \frac{\sqrt{\coth(x)^2 b + a} \coth(x)}{\coth(x)^6 b^3 + 3 \coth(x)^4 a b^2 + 3 \coth(x)^2 a^2 b + a^3} dx$$

input `int(coth(x)/(a+b*coth(x)^2)^(5/2),x)`output `int((sqrt(coth(x)**2*b + a)*coth(x))/(coth(x)**6*b**3 + 3*coth(x)**4*a*b**2 + 3*coth(x)**2*a**2*b + a**3),x)`

3.46 $\int \frac{\tanh(x)}{(a+b \coth^2(x))^{5/2}} dx$

Optimal result	385
Mathematica [C] (verified)	385
Rubi [A] (verified)	386
Maple [F]	390
Fricas [B] (verification not implemented)	390
Sympy [F]	391
Maxima [F]	391
Giac [F(-2)]	391
Mupad [F(-1)]	392
Reduce [F]	392

Optimal result

Integrand size = 15, antiderivative size = 108

$$\int \frac{\tanh(x)}{(a+b \coth^2(x))^{5/2}} dx = -\frac{\operatorname{arctanh}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a}}\right)}{a^{5/2}} + \frac{\operatorname{arctanh}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{5/2}} + \frac{b}{3a(a+b)(a+b \coth^2(x))^{3/2}} + \frac{b(2a+b)}{a^2(a+b)^2\sqrt{a+b \coth^2(x)}}$$

output

```
-arctanh((a+b*coth(x)^2)^(1/2)/a^(1/2))/a^(5/2)+arctanh((a+b*coth(x)^2)^(1/2)/(a+b)^(1/2))/(a+b)^(5/2)+1/3*b/a/(a+b)/(a+b*coth(x)^2)^(3/2)+b*(2*a+b)/a^2/(a+b)^2/(a+b*coth(x)^2)^(1/2)
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 5 vs. order 3 in optimal.

Time = 0.05 (sec) , antiderivative size = 73, normalized size of antiderivative = 0.68

$$\int \frac{\tanh(x)}{(a+b \coth^2(x))^{5/2}} dx = \frac{-a \operatorname{Hypergeometric2F1}\left(-\frac{3}{2}, 1, -\frac{1}{2}, \frac{a+b \coth^2(x)}{a+b}\right) + (a+b) \operatorname{Hypergeometric2F1}\left(-\frac{3}{2}, 1, -\frac{1}{2}, \frac{a+b \coth^2(x)}{a+b}\right)}{3a(a+b)(a+b \coth^2(x))^{3/2}}$$

input `Integrate[Tanh[x]/(a + b*Coth[x]^2)^(5/2), x]`

output `(-(a*Hypergeometric2F1[-3/2, 1, -1/2, (a + b*Coth[x]^2)/(a + b)]) + (a + b)*Hypergeometric2F1[-3/2, 1, -1/2, 1 + (b*Coth[x]^2)/a])/(3*a*(a + b)*(a + b*Coth[x]^2)^(3/2))`

Rubi [A] (verified)

Time = 0.39 (sec) , antiderivative size = 142, normalized size of antiderivative = 1.31, number of steps used = 13, number of rules used = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.800$, Rules used = {3042, 26, 4153, 26, 354, 96, 25, 169, 27, 174, 73, 221}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\tanh(x)}{(a + b \coth^2(x))^{5/2}} dx \\
 & \quad \downarrow \text{3042} \\
 & \int \frac{i}{\tan\left(\frac{\pi}{2} + ix\right) \left(a - b \tan\left(\frac{\pi}{2} + ix\right)^2\right)^{5/2}} dx \\
 & \quad \downarrow \text{26} \\
 & i \int \frac{1}{\tan\left(ix + \frac{\pi}{2}\right) \left(a - b \tan\left(ix + \frac{\pi}{2}\right)^2\right)^{5/2}} dx \\
 & \quad \downarrow \text{4153} \\
 & i \int -\frac{i \tanh(x)}{(1 - \coth^2(x)) (b \coth^2(x) + a)^{5/2}} d \coth(x) \\
 & \quad \downarrow \text{26} \\
 & \int \frac{\tanh(x)}{(1 - \coth^2(x)) (a + b \coth^2(x))^{5/2}} d \coth(x) \\
 & \quad \downarrow \text{354}
 \end{aligned}$$

$$\begin{aligned}
& \frac{1}{2} \int \frac{\tanh(x)}{(1 - \coth^2(x)) (b \coth^2(x) + a)^{5/2}} d \coth^2(x) \\
& \quad \downarrow 96 \\
& \frac{1}{2} \left(\frac{2b}{3a(a+b) (a+b \coth^2(x))^{3/2}} - \frac{\int \frac{(-b \coth^2(x)+a+b) \tanh(x)}{(1-\coth^2(x)) (b \coth^2(x)+a)^{3/2}} d \coth^2(x)}{a(a+b)} \right) \\
& \quad \downarrow 25 \\
& \frac{1}{2} \left(\frac{\int \frac{(-b \coth^2(x)+a+b) \tanh(x)}{(1-\coth^2(x)) (b \coth^2(x)+a)^{3/2}} d \coth^2(x)}{a(a+b)} + \frac{2b}{3a(a+b) (a+b \coth^2(x))^{3/2}} \right) \\
& \quad \downarrow 169 \\
& \frac{1}{2} \left(\frac{2 \int \frac{((a+b)^2 - b(2a+b) \coth^2(x)) \tanh(x)}{2(1-\coth^2(x)) \sqrt{b \coth^2(x)+a}} d \coth^2(x)}{a(a+b)} + \frac{2b(2a+b)}{a(a+b) \sqrt{a+b \coth^2(x)}} + \frac{2b}{3a(a+b) (a+b \coth^2(x))^{3/2}} \right) \\
& \quad \downarrow 27 \\
& \frac{1}{2} \left(\frac{\int \frac{((a+b)^2 - b(2a+b) \coth^2(x)) \tanh(x)}{(1-\coth^2(x)) \sqrt{b \coth^2(x)+a}} d \coth^2(x)}{a(a+b)} + \frac{2b(2a+b)}{a(a+b) \sqrt{a+b \coth^2(x)}} + \frac{2b}{3a(a+b) (a+b \coth^2(x))^{3/2}} \right) \\
& \quad \downarrow 174 \\
& \frac{1}{2} \left(\frac{a^2 \int \frac{1}{(1-\coth^2(x)) \sqrt{b \coth^2(x)+a}} d \coth^2(x) + (a+b)^2 \int \frac{\tanh(x)}{\sqrt{b \coth^2(x)+a}} d \coth^2(x)}{a(a+b)} + \frac{2b(2a+b)}{a(a+b) \sqrt{a+b \coth^2(x)}} + \frac{2b}{3a(a+b) (a+b \coth^2(x))^{3/2}} \right) \\
& \quad \downarrow 73
\end{aligned}$$

$$\frac{1}{2} \left(\frac{2a^2 \int \frac{1}{\frac{a+b}{b} - \frac{\coth^4(x)}{b}} d\sqrt{b \coth^2(x)+a} + 2(a+b)^2 \int \frac{1}{\frac{\coth^4(x)}{b} - \frac{a}{b}} d\sqrt{b \coth^2(x)+a}}{a(a+b)} + \frac{2b(2a+b)}{a(a+b)\sqrt{a+b \coth^2(x)}} + \frac{2b}{3a(a+b)(a+b \coth^2(x))} \right)$$

↓ 221

$$\frac{1}{2} \left(\frac{2a^2 \operatorname{arctanh}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a+b}}\right) - 2(a+b)^2 \operatorname{arctanh}\left(\frac{\sqrt{a+b \coth^2(x)}}{\sqrt{a}}\right)}{a(a+b)} + \frac{2b(2a+b)}{a(a+b)\sqrt{a+b \coth^2(x)}} + \frac{2b}{3a(a+b)(a+b \coth^2(x))^{3/2}} \right)$$

input `Int[Tanh[x]/(a + b*Coth[x]^2)^(5/2), x]`

output `((2*b)/(3*a*(a + b)*(a + b*Coth[x]^2)^(3/2)) + (((-2*(a + b)^2*ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a]])/Sqrt[a] + (2*a^2*ArcTanh[Sqrt[a + b*Coth[x]^2]/Sqrt[a + b]])/Sqrt[a + b])/(a*(a + b)) + (2*b*(2*a + b))/(a*(a + b)*Sqrt[a + b*Coth[x]^2]))/(a*(a + b)))/2`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 26 `Int[(Complex[0, a_])*(Fx_), x_Symbol] := Simp[(Complex[Identity[0], a]) Int[Fx, x], x] /; FreeQ[a, x] && EqQ[a^2, 1]`

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`

- rule 73 `Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
 {p = Denominator[m]}, Simp[p/b Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) +
 d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && Lt
 Q[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntL
 inearQ[a, b, c, d, m, n, x]`
- rule 96 `Int[((e_.) + (f_.)*(x_)^(p_))/((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_)),
 x_] := Simp[f*((e + f*x)^(p + 1)/((p + 1)*(b*e - a*f)*(d*e - c*f))), x] + S
 imp[1/((b*e - a*f)*(d*e - c*f)) Int[(b*d*e - b*c*f - a*d*f - b*d*f*x)*((e
 + f*x)^(p + 1)/((a + b*x)*(c + d*x))), x], x] /; FreeQ[{a, b, c, d, e, f},
 x] && LtQ[p, -1]`
- rule 169 `Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_))*((e_.) + (f_.)*(x_)
)^(p_)*((g_.) + (h_.)*(x_)), x_] := Simp[(b*g - a*h)*(a + b*x)^(m + 1)*(c +
 d*x)^(n + 1)*((e + f*x)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f))), x] + S
 imp[1/((m + 1)*(b*c - a*d)*(b*e - a*f)) Int[(a + b*x)^(m + 1)*(c + d*x)^n
 *(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h)*(m + 1) - (b*g - a*
 h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x],
 x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegersQ[
 2*m, 2*n, 2*p]`
- rule 174 `Int[((e_.) + (f_.)*(x_)^(p_))*((g_.) + (h_.)*(x_)))/((a_.) + (b_.)*(x_))*
 ((c_.) + (d_.)*(x_)), x_] := Simp[(b*g - a*h)/(b*c - a*d) Int[(e + f*x)^
 p/(a + b*x), x], x] - Simp[(d*g - c*h)/(b*c - a*d) Int[(e + f*x)^p/(c + d
 *x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]`
- rule 221 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x
 /Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]`
- rule 354 `Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^2)^(p_.)*((c_) + (d_.)*(x_)^2)^(q_.), x_S
 ymbol] := Simp[1/2 Subst[Int[x^((m - 1)/2)*(a + b*x)^p*(c + d*x)^q, x], x
 , x^2], x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ
 [(m - 1)/2]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4153 `Int[((d_)*tan[(e_) + (f_)*(x_)]^(m_))*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)]^(n_))^(p_)), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[c*(ff/f) Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + f^2*x^2)), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))`

Maple [F]

$$\int \frac{\tanh(x)}{(a + b \coth(x)^2)^{5/2}} dx$$

input `int(tanh(x)/(a+b*coth(x)^2)^(5/2), x)`

output `int(tanh(x)/(a+b*coth(x)^2)^(5/2), x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 4452 vs. 2(90) = 180.

Time = 1.16 (sec) , antiderivative size = 19199, normalized size of antiderivative = 177.77

$$\int \frac{\tanh(x)}{(a + b \coth^2(x))^{5/2}} dx = \text{Too large to display}$$

input `integrate(tanh(x)/(a+b*coth(x)^2)^(5/2), x, algorithm="fricas")`

output `Too large to include`

Sympy [F]

$$\int \frac{\tanh(x)}{(a + b \coth^2(x))^{5/2}} dx = \int \frac{\tanh(x)}{(a + b \coth^2(x))^{\frac{5}{2}}} dx$$

input `integrate(tanh(x)/(a+b*coth(x)**2)**(5/2), x)`

output `Integral(tanh(x)/(a + b*coth(x)**2)**(5/2), x)`

Maxima [F]

$$\int \frac{\tanh(x)}{(a + b \coth^2(x))^{5/2}} dx = \int \frac{\tanh(x)}{(b \coth(x)^2 + a)^{\frac{5}{2}}} dx$$

input `integrate(tanh(x)/(a+b*coth(x)^2)^(5/2), x, algorithm="maxima")`

output `integrate(tanh(x)/(b*coth(x)^2 + a)^(5/2), x)`

Giac [F(-2)]

Exception generated.

$$\int \frac{\tanh(x)}{(a + b \coth^2(x))^{5/2}} dx = \text{Exception raised: TypeError}$$

input `integrate(tanh(x)/(a+b*coth(x)^2)^(5/2), x, algorithm="giac")`

output `Exception raised: TypeError >> an error occurred running a Giac command:IN
PUT:sage2:=int(sage0,sageVARx):;OUTPUT:Error: Bad Argument Type`

Mupad [F(-1)]

Timed out.

$$\int \frac{\tanh(x)}{(a + b \coth^2(x))^{5/2}} dx = \int \frac{\tanh(x)}{(b \coth(x)^2 + a)^{5/2}} dx$$

input `int(tanh(x)/(a + b*coth(x)^2)^(5/2),x)`output `int(tanh(x)/(a + b*coth(x)^2)^(5/2), x)`**Reduce [F]**

$$\int \frac{\tanh(x)}{(a + b \coth^2(x))^{5/2}} dx = \int \frac{\sqrt{\coth(x)^2 b + a} \tanh(x)}{\coth(x)^6 b^3 + 3 \coth(x)^4 a b^2 + 3 \coth(x)^2 a^2 b + a^3} dx$$

input `int(tanh(x)/(a+b*coth(x)^2)^(5/2),x)`output `int((sqrt(coth(x)**2*b + a)*tanh(x))/(coth(x)**6*b**3 + 3*coth(x)**4*a*b**2 + 3*coth(x)**2*a**2*b + a**3),x)`

3.47
$$\int \frac{\tanh^2(x)}{(a+b \coth^2(x))^{5/2}} dx$$

Optimal result	393
Mathematica [C] (warning: unable to verify)	394
Rubi [A] (verified)	395
Maple [F]	399
Fricas [B] (verification not implemented)	399
Sympy [F]	399
Maxima [F]	400
Giac [B] (verification not implemented)	400
Mupad [F(-1)]	401
Reduce [F]	402

Optimal result

Integrand size = 17, antiderivative size = 131

$$\int \frac{\tanh^2(x)}{(a+b \coth^2(x))^{5/2}} dx = \frac{\operatorname{arctanh}\left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a+b \coth^2(x)}}\right)}{(a+b)^{5/2}} + \frac{b \tanh(x)}{3a(a+b)(a+b \coth^2(x))^{3/2}}$$

$$+ \frac{b(7a+4b) \tanh(x)}{3a^2(a+b)^2 \sqrt{a+b \coth^2(x)}} - \frac{(3a+2b)(a+4b) \sqrt{a+b \coth^2(x)} \tanh(x)}{3a^3(a+b)^2}$$

output

```
arctanh((a+b)^(1/2)*coth(x)/(a+b*coth(x)^2)^(1/2))/(a+b)^(5/2)+1/3*b*tanh(x)/a/(a+b)/(a+b*coth(x)^2)^(3/2)+1/3*b*(7*a+4*b)*tanh(x)/a^2/(a+b)^2/(a+b*coth(x)^2)^(1/2)-1/3*(3*a+2*b)*(a+4*b)*(a+b*coth(x)^2)^(1/2)*tanh(x)/a^3/(a+b)^2
```

Mathematica [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 5 vs. order 3 in optimal.

Time = 7.64 (sec) , antiderivative size = 1350, normalized size of antiderivative = 10.31

$$\int \frac{\tanh^2(x)}{(a + b \coth^2(x))^{5/2}} dx = \text{Too large to display}$$

input

```
Integrate[Tanh[x]^2/(a + b*Coth[x]^2)^(5/2),x]
```

output

```
(Sinh[x]^2*((16*b^3*((-I)*Coth[x] + I*Coth[x]^3)^2)/(a*(a + b)^2) + (40*b*
Csch[x]^2)/(a + b) + (160*b^2*Coth[x]^2*Csch[x]^2)/(3*a*(a + b)) + (64*b^3
*Coth[x]^4*Csch[x]^2)/(3*a^2*(a + b)) - (40*b^2*Csch[x]^4)/(a + b)^2 + (92
*(a + b)*Cosh[x]^2*Hypergeometric2F1[2, 2, 9/2, ((a + b)*Cosh[x]^2)/a])/(1
05*a) + (124*b*(a + b)*Cosh[x]^2*Coth[x]^2*Hypergeometric2F1[2, 2, 9/2, ((
a + b)*Cosh[x]^2)/a])/(35*a^2) + (152*b^2*(a + b)*Cosh[x]^2*Coth[x]^4*Hype
rgeometric2F1[2, 2, 9/2, ((a + b)*Cosh[x]^2)/a])/(35*a^3) + (176*b^3*(a +
b)*Cosh[x]^2*Coth[x]^6*Hypergeometric2F1[2, 2, 9/2, ((a + b)*Cosh[x]^2)/a
])/(105*a^4) + (24*(a + b)*Cosh[x]^2*HypergeometricPFQ[{2, 2, 2}, {1, 9/2},
((a + b)*Cosh[x]^2)/a])/(35*a) + (16*b*(a + b)*Cosh[x]^2*Coth[x]^2*Hyperg
eometricPFQ[{2, 2, 2}, {1, 9/2}, ((a + b)*Cosh[x]^2)/a])/(7*a^2) + (88*b^2
*(a + b)*Cosh[x]^2*Coth[x]^4*HypergeometricPFQ[{2, 2, 2}, {1, 9/2}, ((a +
b)*Cosh[x]^2)/a])/(35*a^3) + (32*b^3*(a + b)*Cosh[x]^2*Coth[x]^6*Hypergeom
etricPFQ[{2, 2, 2}, {1, 9/2}, ((a + b)*Cosh[x]^2)/a])/(35*a^4) + (16*(a +
b)*Cosh[x]^2*HypergeometricPFQ[{2, 2, 2, 2}, {1, 1, 9/2}, ((a + b)*Cosh[x]
^2)/a])/(105*a) + (16*b*(a + b)*Cosh[x]^2*Coth[x]^2*HypergeometricPFQ[{2,
2, 2, 2}, {1, 1, 9/2}, ((a + b)*Cosh[x]^2)/a])/(35*a^2) + (16*b^2*(a + b)*
Cosh[x]^2*Coth[x]^4*HypergeometricPFQ[{2, 2, 2, 2}, {1, 1, 9/2}, ((a + b)*
Cosh[x]^2)/a])/(35*a^3) + (16*b^3*(a + b)*Cosh[x]^2*Coth[x]^6*Hypergeometr
icPFQ[{2, 2, 2, 2}, {1, 1, 9/2}, ((a + b)*Cosh[x]^2)/a])/(105*a^4) + (2...
```

Rubi [A] (verified)

Time = 0.46 (sec) , antiderivative size = 148, normalized size of antiderivative = 1.13, number of steps used = 13, number of rules used = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.706$, Rules used = {3042, 25, 4153, 25, 374, 25, 441, 25, 445, 27, 291, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\tanh^2(x)}{(a + b \coth^2(x))^{5/2}} dx \\
 & \quad \downarrow \text{3042} \\
 & \int -\frac{1}{\tan\left(\frac{\pi}{2} + ix\right)^2 \left(a - b \tan\left(\frac{\pi}{2} + ix\right)^2\right)^{5/2}} dx \\
 & \quad \downarrow \text{25} \\
 & -\int \frac{1}{\tan\left(ix + \frac{\pi}{2}\right)^2 \left(a - b \tan\left(ix + \frac{\pi}{2}\right)^2\right)^{5/2}} dx \\
 & \quad \downarrow \text{4153} \\
 & -\int -\frac{\tanh^2(x)}{(1 - \coth^2(x)) (b \coth^2(x) + a)^{5/2}} d \coth(x) \\
 & \quad \downarrow \text{25} \\
 & \int \frac{\tanh^2(x)}{(1 - \coth^2(x)) (a + b \coth^2(x))^{5/2}} d \coth(x) \\
 & \quad \downarrow \text{374} \\
 & \frac{b \tanh(x)}{3a(a + b) (a + b \coth^2(x))^{3/2}} - \frac{\int -\frac{(-4b \coth^2(x) + 3a + 4b) \tanh^2(x)}{(1 - \coth^2(x)) (b \coth^2(x) + a)^{3/2}} d \coth(x)}{3a(a + b)} \\
 & \quad \downarrow \text{25} \\
 & \frac{\int \frac{(-4b \coth^2(x) + 3a + 4b) \tanh^2(x)}{(1 - \coth^2(x)) (b \coth^2(x) + a)^{3/2}} d \coth(x)}{3a(a + b)} + \frac{b \tanh(x)}{3a(a + b) (a + b \coth^2(x))^{3/2}} \\
 & \quad \downarrow \text{441}
 \end{aligned}$$

$$\begin{aligned}
 & \frac{\frac{b(7a+4b) \tanh(x)}{a(a+b)\sqrt{a+b \coth^2(x)}} - \frac{\int - \frac{((3a+2b)(a+4b) - 2b(7a+4b) \coth^2(x)) \tanh^2(x)}{(1-\coth^2(x))\sqrt{b \coth^2(x)+a}} d \coth(x)}{a(a+b)}}{\frac{3a(a+b)}{b \tanh(x)}} + \\
 & \frac{3a(a+b)}{3a(a+b)(a+b \coth^2(x))^{3/2}} \\
 & \quad \downarrow 25 \\
 & \frac{\frac{\int \frac{((3a+2b)(a+4b) - 2b(7a+4b) \coth^2(x)) \tanh^2(x)}{(1-\coth^2(x))\sqrt{b \coth^2(x)+a}} d \coth(x)}{a(a+b)} + \frac{b(7a+4b) \tanh(x)}{a(a+b)\sqrt{a+b \coth^2(x)}}}{\frac{3a(a+b)}{b \tanh(x)}} + \\
 & \frac{3a(a+b)}{3a(a+b)(a+b \coth^2(x))^{3/2}} \\
 & \quad \downarrow 445 \\
 & \frac{-\frac{\int - \frac{3a^3}{(1-\coth^2(x))\sqrt{b \coth^2(x)+a}} d \coth(x)}{a} - \frac{(3a+2b)(a+4b) \tanh(x)\sqrt{a+b \coth^2(x)}}{a}}{a(a+b)} + \frac{b(7a+4b) \tanh(x)}{a(a+b)\sqrt{a+b \coth^2(x)}}}{\frac{3a(a+b)}{b \tanh(x)}} + \\
 & \frac{3a(a+b)}{3a(a+b)(a+b \coth^2(x))^{3/2}} \\
 & \quad \downarrow 27 \\
 & \frac{3a^2 \int \frac{1}{(1-\coth^2(x))\sqrt{b \coth^2(x)+a}} d \coth(x) - \frac{(3a+2b)(a+4b) \tanh(x)\sqrt{a+b \coth^2(x)}}{a}}{a(a+b)} + \frac{b(7a+4b) \tanh(x)}{a(a+b)\sqrt{a+b \coth^2(x)}}}{\frac{3a(a+b)}{b \tanh(x)}} + \\
 & \frac{3a(a+b)}{3a(a+b)(a+b \coth^2(x))^{3/2}} \\
 & \quad \downarrow 291 \\
 & \frac{3a^2 \int \frac{1}{1 - \frac{(a+b) \coth^2(x)}{b \coth^2(x)+a}} d \frac{\coth(x)}{\sqrt{b \coth^2(x)+a}} - \frac{(3a+2b)(a+4b) \tanh(x)\sqrt{a+b \coth^2(x)}}{a}}{a(a+b)} + \frac{b(7a+4b) \tanh(x)}{a(a+b)\sqrt{a+b \coth^2(x)}}}{\frac{3a(a+b)}{b \tanh(x)}} + \\
 & \frac{3a(a+b)}{3a(a+b)(a+b \coth^2(x))^{3/2}} \\
 & \quad \downarrow 219
 \end{aligned}$$

$$\frac{\frac{3a^2 \operatorname{arctanh}\left(\frac{\sqrt{a+b} \coth(x)}{\sqrt{a+b \coth^2(x)}}\right)}{\sqrt{a+b}} - \frac{(3a+2b)(a+4b) \tanh(x) \sqrt{a+b \coth^2(x)}}{a}}{a(a+b)} + \frac{b(7a+4b) \tanh(x)}{a(a+b)\sqrt{a+b \coth^2(x)}}}{\frac{3a(a+b)}{b \tanh(x)}} + \frac{3a(a+b)}{3a(a+b)(a+b \coth^2(x))^{3/2}}$$

input `Int [Tanh [x]^2/(a + b*Coth [x]^2)^(5/2), x]`

output `(b*Tanh [x])/(3*a*(a + b)*(a + b*Coth [x]^2)^(3/2)) + ((b*(7*a + 4*b)*Tanh [x])/ (a*(a + b)*Sqrt [a + b*Coth [x]^2]) + ((3*a^2*ArcTanh [(Sqrt [a + b]*Coth [x])/Sqrt [a + b*Coth [x]^2]])/Sqrt [a + b] - ((3*a + 2*b)*(a + 4*b)*Sqrt [a + b*Coth [x]^2]*Tanh [x])/a)/(a*(a + b)))/(3*a*(a + b))`

Defintions of rubi rules used

rule 25 `Int [-(Fx_), x_Symbol] := Simp [Identity [-1] Int [Fx, x], x]`

rule 27 `Int [(a_)*(Fx_), x_Symbol] := Simp [a Int [Fx, x], x] /; FreeQ [a, x] && !MatchQ [Fx, (b_)*(Gx_)] /; FreeQ [b, x]`

rule 219 `Int [((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp [(1/(Rt [a, 2]*Rt [-b, 2]))*ArcTanh [Rt [-b, 2]*(x/Rt [a, 2])], x] /; FreeQ [{a, b}, x] && NegQ [a/b] && (GtQ [a, 0] || LtQ [b, 0])`

rule 291 `Int [1/(Sqrt [(a_) + (b_.)*(x_)^2]*((c_) + (d_.)*(x_)^2)), x_Symbol] := Subst [Int [1/(c - (b*c - a*d)*x^2), x], x, x/Sqrt [a + b*x^2]] /; FreeQ [{a, b, c, d}, x] && NeQ [b*c - a*d, 0]`

rule 374

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_)*((c_) + (d_)*(x_)^2)^(q_
), x_Symbol] := Simp[(-b)*(e*x)^(m + 1)*(a + b*x^2)^(p + 1)*((c + d*x^2)^(q
+ 1)/(a*e*2*(b*c - a*d)*(p + 1))], x] + Simp[1/(a*2*(b*c - a*d)*(p + 1))
Int[(e*x)^m*(a + b*x^2)^(p + 1)*(c + d*x^2)^q*Simp[b*c*(m + 1) + 2*(b*c -
a*d)*(p + 1) + d*b*(m + 2*(p + q + 2) + 1)*x^2, x], x] /; FreeQ[{a, b,
c, d, e, m, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && IntBinomialQ[a, b,
c, d, e, m, 2, p, q, x]
```

rule 441

```
Int[((g_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_)*((c_) + (d_)*(x_)^2)^(q_
)*((e_) + (f_)*(x_)^2), x_Symbol] := Simp[(-b*e - a*f)*(g*x)^(m + 1)*(a
+ b*x^2)^(p + 1)*((c + d*x^2)^(q + 1)/(a*g*2*(b*c - a*d)*(p + 1))], x] + Si
mp[1/(a*2*(b*c - a*d)*(p + 1)) Int[(g*x)^m*(a + b*x^2)^(p + 1)*(c + d*x^2
)^q*Simp[c*(b*e - a*f)*(m + 1) + e*2*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(m
+ 2*(p + q + 2) + 1)*x^2, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, q},
x] && LtQ[p, -1]
```

rule 445

```
Int[((g_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_)*((c_) + (d_)*(x_)^2)^(q_
)*((e_) + (f_)*(x_)^2), x_Symbol] := Simp[e*(g*x)^(m + 1)*(a + b*x^2)^(p
+ 1)*((c + d*x^2)^(q + 1)/(a*c*g*2*(m + 1))], x] + Simp[1/(a*c*g^2*(m + 1))
Int[(g*x)^(m + 2)*(a + b*x^2)^p*(c + d*x^2)^q*Simp[a*f*c*(m + 1) - e*(b*c
+ a*d)*(m + 2 + 1) - e*2*(b*c*p + a*d*q) - b*e*d*(m + 2*(p + q + 2) + 1)*x^
2, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && LtQ[m, -1]
```

rule 3042

```
Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinear
Q[u, x]
```

rule 4153

```
Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) +
(f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Simp[c*(ff/f) Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + f
f^2*x^2)], x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, d, e, f, m,
n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ratio
nalQ[n]))
```

Maple [F]

$$\int \frac{\tanh(x)^2}{(a + b \coth(x)^2)^{5/2}} dx$$

input `int(tanh(x)^2/(a+b*coth(x)^2)^(5/2),x)`

output `int(tanh(x)^2/(a+b*coth(x)^2)^(5/2),x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 5085 vs. $2(113) = 226$.

Time = 1.25 (sec) , antiderivative size = 10729, normalized size of antiderivative = 81.90

$$\int \frac{\tanh^2(x)}{(a + b \coth^2(x))^{5/2}} dx = \text{Too large to display}$$

input `integrate(tanh(x)^2/(a+b*coth(x)^2)^(5/2),x, algorithm="fricas")`

output `Too large to include`

Sympy [F]

$$\int \frac{\tanh^2(x)}{(a + b \coth^2(x))^{5/2}} dx = \int \frac{\tanh^2(x)}{(a + b \coth^2(x))^{\frac{5}{2}}} dx$$

input `integrate(tanh(x)**2/(a+b*coth(x)**2)**(5/2),x)`

output `Integral(tanh(x)**2/(a + b*coth(x)**2)**(5/2), x)`

Maxima [F]

$$\int \frac{\tanh^2(x)}{(a + b \coth^2(x))^{5/2}} dx = \int \frac{\tanh(x)^2}{(b \coth(x)^2 + a)^{5/2}} dx$$

input `integrate(tanh(x)^2/(a+b*coth(x)^2)^(5/2),x, algorithm="maxima")`

output `integrate(tanh(x)^2/(b*coth(x)^2 + a)^(5/2), x)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1133 vs. $2(113) = 226$.

Time = 0.62 (sec) , antiderivative size = 1133, normalized size of antiderivative = 8.65

$$\int \frac{\tanh^2(x)}{(a + b \coth^2(x))^{5/2}} dx = \text{Too large to display}$$

input `integrate(tanh(x)^2/(a+b*coth(x)^2)^(5/2),x, algorithm="giac")`

output

```

-1/3*(((9*a^13*b^4 + 50*a^12*b^5 + 115*a^11*b^6 + 140*a^10*b^7 + 95*a^9*b^8 + 34*a^8*b^9 + 5*a^7*b^10)*e^(2*x)/(a^16*b^2*sgn(e^(2*x) - 1) + 6*a^15*b^3*sgn(e^(2*x) - 1) + 15*a^14*b^4*sgn(e^(2*x) - 1) + 20*a^13*b^5*sgn(e^(2*x) - 1) + 15*a^12*b^6*sgn(e^(2*x) - 1) + 6*a^11*b^7*sgn(e^(2*x) - 1) + a^10*b^8*sgn(e^(2*x) - 1)) - 3*(3*a^13*b^4 + 6*a^12*b^5 - 11*a^11*b^6 - 44*a^10*b^7 - 51*a^9*b^8 - 26*a^8*b^9 - 5*a^7*b^10)/(a^16*b^2*sgn(e^(2*x) - 1) + 6*a^15*b^3*sgn(e^(2*x) - 1) + 15*a^14*b^4*sgn(e^(2*x) - 1) + 20*a^13*b^5*sgn(e^(2*x) - 1) + 15*a^12*b^6*sgn(e^(2*x) - 1) + 6*a^11*b^7*sgn(e^(2*x) - 1) + a^10*b^8*sgn(e^(2*x) - 1)))e^(2*x) - 3*(3*a^13*b^4 + 6*a^12*b^5 - 11*a^11*b^6 - 44*a^10*b^7 - 51*a^9*b^8 - 26*a^8*b^9 - 5*a^7*b^10)/(a^16*b^2*sgn(e^(2*x) - 1) + 6*a^15*b^3*sgn(e^(2*x) - 1) + 15*a^14*b^4*sgn(e^(2*x) - 1) + 20*a^13*b^5*sgn(e^(2*x) - 1) + 15*a^12*b^6*sgn(e^(2*x) - 1) + 6*a^11*b^7*sgn(e^(2*x) - 1) + a^10*b^8*sgn(e^(2*x) - 1)))e^(2*x) + (9*a^13*b^4 + 50*a^12*b^5 + 115*a^11*b^6 + 140*a^10*b^7 + 95*a^9*b^8 + 34*a^8*b^9 + 5*a^7*b^10)/(a^16*b^2*sgn(e^(2*x) - 1) + 6*a^15*b^3*sgn(e^(2*x) - 1) + 15*a^14*b^4*sgn(e^(2*x) - 1) + 20*a^13*b^5*sgn(e^(2*x) - 1) + 15*a^12*b^6*sgn(e^(2*x) - 1) + 6*a^11*b^7*sgn(e^(2*x) - 1) + a^10*b^8*sgn(e^(2*x) - 1)))
/(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b)^(3/2) - 1/2*log(abs((sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) - 2*a*e^(2*x) + 2*b*e^(2*x) + a + b))*sqrt(a + b) - a + b))/((a^2 + 2*a*b + b^2)*sqrt(a ...

```

Mupad [F(-1)]

Timed out.

$$\int \frac{\tanh^2(x)}{(a + b \coth^2(x))^{5/2}} dx = \int \frac{\tanh(x)^2}{(b \coth(x)^2 + a)^{5/2}} dx$$

input

```
int(tanh(x)^2/(a + b*coth(x)^2)^(5/2), x)
```

output

```
int(tanh(x)^2/(a + b*coth(x)^2)^(5/2), x)
```

Reduce [F]

$$\int \frac{\tanh^2(x)}{(a + b \coth^2(x))^{5/2}} dx = \int \frac{\sqrt{\coth(x)^2 b + a} \tanh(x)^2}{\coth(x)^6 b^3 + 3 \coth(x)^4 a b^2 + 3 \coth(x)^2 a^2 b + a^3} dx$$

input `int(tanh(x)^2/(a+b*coth(x)^2)^(5/2),x)`

output `int((sqrt(coth(x)**2*b + a)*tanh(x)**2)/(coth(x)**6*b**3 + 3*coth(x)**4*a*b**2 + 3*coth(x)**2*a**2*b + a**3),x)`

$$3.48 \quad \int \frac{1}{\sqrt{1+\coth^2(x)}} dx$$

Optimal result	403
Mathematica [A] (verified)	403
Rubi [A] (verified)	404
Maple [B] (verified)	405
Fricas [B] (verification not implemented)	406
Sympy [F]	407
Maxima [F]	407
Giac [B] (verification not implemented)	407
Mupad [B] (verification not implemented)	408
Reduce [F]	408

Optimal result

Integrand size = 10, antiderivative size = 25

$$\int \frac{1}{\sqrt{1+\coth^2(x)}} dx = \frac{\operatorname{arctanh}\left(\frac{\sqrt{2}\coth(x)}{\sqrt{1+\coth^2(x)}}\right)}{\sqrt{2}}$$

output `1/2*2^(1/2)*arctanh(2^(1/2)*coth(x)/(1+coth(x)^2)^(1/2))`

Mathematica [A] (verified)

Time = 0.05 (sec) , antiderivative size = 25, normalized size of antiderivative = 1.00

$$\int \frac{1}{\sqrt{1+\coth^2(x)}} dx = \frac{\operatorname{arctanh}\left(\frac{\sqrt{2}\coth(x)}{\sqrt{1+\coth^2(x)}}\right)}{\sqrt{2}}$$

input `Integrate[1/Sqrt[1 + Coth[x]^2],x]`

output `ArcTanh[(Sqrt[2]*Coth[x])/Sqrt[1 + Coth[x]^2]]/Sqrt[2]`

Rubi [A] (verified)

Time = 0.20 (sec) , antiderivative size = 25, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {3042, 4144, 291, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{1}{\sqrt{\coth^2(x) + 1}} dx \\
 & \quad \downarrow \text{3042} \\
 & \int \frac{1}{\sqrt{1 - \tan\left(\frac{\pi}{2} + ix\right)^2}} dx \\
 & \quad \downarrow \text{4144} \\
 & \int \frac{1}{(1 - \coth^2(x)) \sqrt{\coth^2(x) + 1}} d\coth(x) \\
 & \quad \downarrow \text{291} \\
 & \int \frac{1}{1 - \frac{2\coth^2(x)}{\coth^2(x)+1}} d \frac{\coth(x)}{\sqrt{\coth^2(x) + 1}} \\
 & \quad \downarrow \text{219} \\
 & \frac{\operatorname{arctanh}\left(\frac{\sqrt{2}\coth(x)}{\sqrt{\coth^2(x)+1}}\right)}{\sqrt{2}}
 \end{aligned}$$

input `Int[1/Sqrt[1 + Coth[x]^2],x]`

output `ArcTanh[(Sqrt[2]*Coth[x])/Sqrt[1 + Coth[x]^2]]/Sqrt[2]`

Defintions of rubi rules used

```
rule 219 Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*
ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

```
rule 291 Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*((c_) + (d_.)*(x_)^2)), x_Symbol] := Subst
[Int[1/(c - (b*c - a*d)*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b, c,
d}, x] && NeQ[b*c - a*d, 0]
```

```
rule 3042 Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinear
Q[u, x]
```

```
rule 4144 Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :=
With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[c*(ff/f) Subst[Int[(a + b*
(ff*x)^n)^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] ||
EqQ[n^2, 16])
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 61 vs. 2(20) = 40.

Time = 0.10 (sec) , antiderivative size = 62, normalized size of antiderivative = 2.48

method	result	size
derivativedivides	$\frac{\sqrt{2} \operatorname{arctanh}\left(\frac{(2+2 \operatorname{coth}(x))\sqrt{2}}{4\sqrt{(\operatorname{coth}(x)-1)^2+2 \operatorname{coth}(x)}}\right)}{4} - \frac{\sqrt{2} \operatorname{arctanh}\left(\frac{(2-2 \operatorname{coth}(x))\sqrt{2}}{4\sqrt{(1+\operatorname{coth}(x))^2-2 \operatorname{coth}(x)}}\right)}{4}$	62
default	$\frac{\sqrt{2} \operatorname{arctanh}\left(\frac{(2+2 \operatorname{coth}(x))\sqrt{2}}{4\sqrt{(\operatorname{coth}(x)-1)^2+2 \operatorname{coth}(x)}}\right)}{4} - \frac{\sqrt{2} \operatorname{arctanh}\left(\frac{(2-2 \operatorname{coth}(x))\sqrt{2}}{4\sqrt{(1+\operatorname{coth}(x))^2-2 \operatorname{coth}(x)}}\right)}{4}$	62

```
input int(1/(1+coth(x)^2)^(1/2),x,method=_RETURNVERBOSE)
```

output

```
1/4*2^(1/2)*arctanh(1/4*(2+2*coth(x))*2^(1/2)/((coth(x)-1)^2+2*coth(x))^(1/2))-1/4*2^(1/2)*arctanh(1/4*(2-2*coth(x))*2^(1/2)/((1+coth(x))^2-2*coth(x))^(1/2))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 547 vs. $2(20) = 40$.

Time = 0.09 (sec) , antiderivative size = 547, normalized size of antiderivative = 21.88

$$\int \frac{1}{\sqrt{1 + \coth^2(x)}} dx = \text{Too large to display}$$

input

```
integrate(1/(1+coth(x)^2)^(1/2),x, algorithm="fricas")
```

output

```
1/8*sqrt(2)*log(2*(cosh(x)^8 + 8*cosh(x)*sinh(x)^7 + sinh(x)^8 + (28*cosh(x)^2 + 3)*sinh(x)^6 + 3*cosh(x)^6 + 2*(28*cosh(x)^3 + 9*cosh(x))*sinh(x)^5 + 5*(14*cosh(x)^4 + 9*cosh(x)^2 + 1)*sinh(x)^4 + 5*cosh(x)^4 + 4*(14*cosh(x)^5 + 15*cosh(x)^3 + 5*cosh(x))*sinh(x)^3 + (28*cosh(x)^6 + 45*cosh(x)^4 + 30*cosh(x)^2 + 4)*sinh(x)^2 + 4*cosh(x)^2 + 2*(4*cosh(x)^7 + 9*cosh(x)^5 + 10*cosh(x)^3 + 4*cosh(x))*sinh(x) + (sqrt(2)*cosh(x)^6 + 6*sqrt(2)*cosh(x)*sinh(x)^5 + sqrt(2)*sinh(x)^6 + 3*(5*sqrt(2)*cosh(x)^2 + sqrt(2))*sinh(x)^4 + 3*sqrt(2)*cosh(x)^4 + 4*(5*sqrt(2)*cosh(x)^3 + 3*sqrt(2)*cosh(x))*sinh(x)^3 + (15*sqrt(2)*cosh(x)^4 + 18*sqrt(2)*cosh(x)^2 + 4*sqrt(2))*sinh(x)^2 + 4*sqrt(2)*cosh(x)^2 + 2*(3*sqrt(2)*cosh(x)^5 + 6*sqrt(2)*cosh(x)^3 + 4*sqrt(2)*cosh(x))*sinh(x) + 4*sqrt(2))*sqrt((cosh(x)^2 + sinh(x)^2)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4)/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*cosh(x)*sinh(x)^5 + sinh(x)^6)) + 1/8*sqrt(2)*log(-2*(cosh(x)^4 + 4*cosh(x)*sinh(x)^3 + sinh(x)^4 + (6*cosh(x)^2 - 1)*sinh(x)^2 - cosh(x)^2 + 2*(2*cosh(x)^3 - cosh(x))*sinh(x) + (sqrt(2)*cosh(x)^2 + 2*sqrt(2)*cosh(x)*sinh(x) + sqrt(2)*sinh(x)^2 - sqrt(2))*sqrt((cosh(x)^2 + sinh(x)^2)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 1)/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2))
```

Sympy [F]

$$\int \frac{1}{\sqrt{1 + \coth^2(x)}} dx = \int \frac{1}{\sqrt{\coth^2(x) + 1}} dx$$

input `integrate(1/(1+coth(x)**2)**(1/2),x)`

output `Integral(1/sqrt(coth(x)**2 + 1), x)`

Maxima [F]

$$\int \frac{1}{\sqrt{1 + \coth^2(x)}} dx = \int \frac{1}{\sqrt{\coth(x)^2 + 1}} dx$$

input `integrate(1/(1+coth(x)^2)^(1/2),x, algorithm="maxima")`

output `integrate(1/sqrt(coth(x)^2 + 1), x)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 69 vs. $2(20) = 40$.

Time = 0.13 (sec) , antiderivative size = 69, normalized size of antiderivative = 2.76

$$\int \frac{1}{\sqrt{1 + \coth^2(x)}} dx$$

$$= \frac{\sqrt{2} \left(\log \left(\sqrt{e^{(4x)} + 1} - e^{(2x)} + 1 \right) - \log \left(\sqrt{e^{(4x)} + 1} - e^{(2x)} \right) - \log \left(-\sqrt{e^{(4x)} + 1} + e^{(2x)} + 1 \right) \right)}{4 \operatorname{sgn}(e^{(2x)} - 1)}$$

input `integrate(1/(1+coth(x)^2)^(1/2),x, algorithm="giac")`

output $\frac{1}{4}\sqrt{2}(\log(\sqrt{e^{4x} + 1} - e^{2x} + 1) - \log(\sqrt{e^{4x} + 1} - e^{2x})) - \log(-\sqrt{e^{4x} + 1} + e^{2x} + 1))/\operatorname{sgn}(e^{2x} - 1)$

Mupad [B] (verification not implemented)

Time = 2.50 (sec) , antiderivative size = 63, normalized size of antiderivative = 2.52

$$\int \frac{1}{\sqrt{1 + \coth^2(x)}} dx$$

$$= \frac{\sqrt{2} \left(\ln \left(\coth(x) + \sqrt{2} \sqrt{\coth(x)^2 + 1} + 1 \right) - \ln(\coth(x) - 1) \right)}{4} + \frac{\sqrt{2} \left(\ln(\coth(x) + 1) - \ln \left(\sqrt{2} \sqrt{\coth(x)^2 + 1} - \coth(x) + 1 \right) \right)}{4}$$

input `int(1/(coth(x)^2 + 1)^(1/2), x)`

output $(2^{1/2}(\log(\coth(x) + 2^{1/2}(\coth(x)^2 + 1)^{1/2} + 1) - \log(\coth(x) - 1)))/4 + (2^{1/2}(\log(\coth(x) + 1) - \log(2^{1/2}(\coth(x)^2 + 1)^{1/2} - \coth(x) + 1)))/4$

Reduce [F]

$$\int \frac{1}{\sqrt{1 + \coth^2(x)}} dx = \int \frac{\sqrt{\coth(x)^2 + 1}}{\coth(x)^2 + 1} dx$$

input `int(1/(1+coth(x)^2)^(1/2), x)`

output `int(sqrt(coth(x)**2 + 1)/(coth(x)**2 + 1), x)`

3.49 $\int \frac{1}{\sqrt{-1-\coth^2(x)}} dx$

Optimal result	409
Mathematica [A] (warning: unable to verify)	409
Rubi [A] (verified)	410
Maple [B] (verified)	411
Fricas [B] (verification not implemented)	412
Sympy [F]	413
Maxima [F]	413
Giac [C] (verification not implemented)	413
Mupad [B] (verification not implemented)	414
Reduce [F]	414

Optimal result

Integrand size = 12, antiderivative size = 27

$$\int \frac{1}{\sqrt{-1-\coth^2(x)}} dx = \frac{\arctan\left(\frac{\sqrt{2}\coth(x)}{\sqrt{-1-\coth^2(x)}}\right)}{\sqrt{2}}$$

output `1/2*2^(1/2)*arctan(2^(1/2)*coth(x)/(-1-coth(x)^2)^(1/2))`

Mathematica [A] (warning: unable to verify)

Time = 0.05 (sec) , antiderivative size = 49, normalized size of antiderivative = 1.81

$$\int \frac{1}{\sqrt{-1-\coth^2(x)}} dx = \frac{\operatorname{arcsinh}\left(\frac{\sqrt{2}\coth(x)}{\sqrt{1-\coth^2(x)}}\right) \sqrt{1+\coth^2(x)}}{\sqrt{2}\sqrt{-1-\coth^2(x)}}$$

input `Integrate[1/Sqrt[-1 - Coth[x]^2], x]`

output

```
(ArcSinh[(Sqrt[2]*Coth[x])/Sqrt[1 - Coth[x]^2]]*Sqrt[1 + Coth[x]^2])/(Sqrt[2]*Sqrt[-1 - Coth[x]^2])
```

Rubi [A] (verified)

Time = 0.20 (sec) , antiderivative size = 27, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3042, 4144, 291, 216}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{\sqrt{-\coth^2(x) - 1}} dx$$

↓ 3042

$$\int \frac{1}{\sqrt{-1 + \tan\left(\frac{\pi}{2} + ix\right)^2}} dx$$

↓ 4144

$$\int \frac{1}{\sqrt{-\coth^2(x) - 1} (1 - \coth^2(x))} d\coth(x)$$

↓ 291

$$\int \frac{1}{\frac{2\coth^2(x)}{-\coth^2(x)-1} + 1} d\frac{\coth(x)}{\sqrt{-\coth^2(x) - 1}}$$

↓ 216

$$\frac{\arctan\left(\frac{\sqrt{2}\coth(x)}{\sqrt{-\coth^2(x)-1}}\right)}{\sqrt{2}}$$

input

```
Int[1/Sqrt[-1 - Coth[x]^2],x]
```

output

```
ArcTan[(Sqrt[2]*Coth[x])/Sqrt[-1 - Coth[x]^2]]/Sqrt[2]
```

Definitions of rubi rules used

rule 216 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[b, 2]))*ArcTan[Rt[b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])`

rule 291 `Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*((c_) + (d_.)*(x_)^2)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4144 `Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[c*(ff/f) Subst[Int[(a + b*(ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 65 vs. $2(22) = 44$.

Time = 0.10 (sec) , antiderivative size = 66, normalized size of antiderivative = 2.44

method	result	size
derivativedivides	$-\frac{\sqrt{2} \arctan\left(\frac{(-2-2 \coth(x))\sqrt{2}}{4\sqrt{-(\coth(x)-1)^2-2 \coth(x)}}\right)}{4} + \frac{\sqrt{2} \arctan\left(\frac{(-2+2 \coth(x))\sqrt{2}}{4\sqrt{-(1+\coth(x))^2+2 \coth(x)}}\right)}{4}$	66
default	$-\frac{\sqrt{2} \arctan\left(\frac{(-2-2 \coth(x))\sqrt{2}}{4\sqrt{-(\coth(x)-1)^2-2 \coth(x)}}\right)}{4} + \frac{\sqrt{2} \arctan\left(\frac{(-2+2 \coth(x))\sqrt{2}}{4\sqrt{-(1+\coth(x))^2+2 \coth(x)}}\right)}{4}$	66

input `int(1/(-1-coth(x)^2)^(1/2),x,method=_RETURNVERBOSE)`

output

```
-1/4*2^(1/2)*arctan(1/4*(-2-2*coth(x))*2^(1/2)/(-(coth(x)-1)^2-2*coth(x))^(1/2))+1/4*2^(1/2)*arctan(1/4*(-2+2*coth(x))*2^(1/2)/(-(1+coth(x))^2+2*coth(x))^(1/2))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 170 vs. $2(22) = 44$.

Time = 0.08 (sec) , antiderivative size = 170, normalized size of antiderivative = 6.30

$$\int \frac{1}{\sqrt{-1 - \coth^2(x)}} dx = \frac{1}{4} \sqrt{-\frac{1}{2}} \log \left(\left(\sqrt{-\frac{1}{2}} \sqrt{-2e^{4x} - 2} + e^{2x} - 1 \right) e^{(-2x)} \right) - \frac{1}{4} \sqrt{-\frac{1}{2}} \log \left(- \left(\sqrt{-\frac{1}{2}} \sqrt{-2e^{4x} - 2} - e^{2x} + 1 \right) e^{(-2x)} \right) - \frac{1}{4} \sqrt{-\frac{1}{2}} \log \left(\left(\sqrt{-2e^{4x} - 2} (e^{2x} + 2) + 2 \sqrt{-\frac{1}{2}} e^{4x} + 2 \sqrt{-\frac{1}{2}} e^{2x} + 4 \sqrt{-\frac{1}{2}} \right) e^{(-4x)} \right) + \frac{1}{4} \sqrt{-\frac{1}{2}} \log \left(\left(\sqrt{-2e^{4x} - 2} (e^{2x} + 2) - 2 \sqrt{-\frac{1}{2}} e^{4x} - 2 \sqrt{-\frac{1}{2}} e^{2x} - 4 \sqrt{-\frac{1}{2}} \right) e^{(-4x)} \right)$$

input

```
integrate(1/(-1-coth(x)^2)^(1/2),x, algorithm="fricas")
```

output

```
1/4*sqrt(-1/2)*log((sqrt(-1/2)*sqrt(-2*e^(4*x) - 2) + e^(2*x) - 1)*e^(-2*x)) - 1/4*sqrt(-1/2)*log(-(sqrt(-1/2)*sqrt(-2*e^(4*x) - 2) - e^(2*x) + 1)*e^(-2*x)) - 1/4*sqrt(-1/2)*log((sqrt(-2*e^(4*x) - 2)*(e^(2*x) + 2) + 2*sqrt(-1/2)*e^(4*x) + 2*sqrt(-1/2)*e^(2*x) + 4*sqrt(-1/2))*e^(-4*x)) + 1/4*sqrt(-1/2)*log((sqrt(-2*e^(4*x) - 2)*(e^(2*x) + 2) - 2*sqrt(-1/2)*e^(4*x) - 2*sqrt(-1/2)*e^(2*x) - 4*sqrt(-1/2))*e^(-4*x))
```

Sympy [F]

$$\int \frac{1}{\sqrt{-1 - \coth^2(x)}} dx = \int \frac{1}{\sqrt{-\coth^2(x) - 1}} dx$$

input `integrate(1/(-1-coth(x)**2)**(1/2), x)`

output `Integral(1/sqrt(-coth(x)**2 - 1), x)`

Maxima [F]

$$\int \frac{1}{\sqrt{-1 - \coth^2(x)}} dx = \int \frac{1}{\sqrt{-\coth(x)^2 - 1}} dx$$

input `integrate(1/(-1-coth(x)^2)^(1/2), x, algorithm="maxima")`

output `integrate(1/sqrt(-coth(x)^2 - 1), x)`

Giac [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.13 (sec) , antiderivative size = 73, normalized size of antiderivative = 2.70

$$\int \frac{1}{\sqrt{-1 - \coth^2(x)}} dx = \frac{\sqrt{2} \left(-i \log \left(\sqrt{e^{(4x)} + 1} - e^{(2x)} + 1 \right) + i \log \left(\sqrt{e^{(4x)} + 1} - e^{(2x)} \right) + i \log \left(-\sqrt{e^{(4x)} + 1} + e^{(2x)} + 1 \right) \right)}{4 \operatorname{sgn}(-e^{(2x)} + 1)}$$

input `integrate(1/(-1-coth(x)^2)^(1/2), x, algorithm="giac")`

output

```
-1/4*sqrt(2)*(-I*log(sqrt(e^(4*x) + 1) - e^(2*x) + 1) + I*log(sqrt(e^(4*x)
+ 1) - e^(2*x))) + I*log(-sqrt(e^(4*x) + 1) + e^(2*x) + 1))/sgn(-e^(2*x) +
1)
```

Mupad [B] (verification not implemented)

Time = 2.34 (sec) , antiderivative size = 22, normalized size of antiderivative = 0.81

$$\int \frac{1}{\sqrt{-1 - \coth^2(x)}} dx = \frac{\sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2} \coth(x)}{\sqrt{-\coth(x)^2 - 1}}\right)}{2}$$

input

```
int(1/(- coth(x)^2 - 1)^(1/2),x)
```

output

```
(2^(1/2)*atan((2^(1/2)*coth(x))/(- coth(x)^2 - 1)^(1/2)))/2
```

Reduce [F]

$$\int \frac{1}{\sqrt{-1 - \coth^2(x)}} dx = - \left(\int \frac{\sqrt{\coth(x)^2 + 1}}{\coth(x)^2 + 1} dx \right) i$$

input

```
int(1/(-1-coth(x)^2)^(1/2),x)
```

output

```
- int(sqrt(coth(x)**2 + 1)/(coth(x)**2 + 1),x)*i
```

3.50 $\int \frac{1}{1+\coth^3(x)} dx$

Optimal result	415
Mathematica [A] (verified)	415
Rubi [A] (verified)	416
Maple [A] (verified)	417
Fricas [B] (verification not implemented)	418
Sympy [B] (verification not implemented)	418
Maxima [B] (verification not implemented)	419
Giac [A] (verification not implemented)	419
Mupad [B] (verification not implemented)	420
Reduce [B] (verification not implemented)	420

Optimal result

Integrand size = 8, antiderivative size = 38

$$\int \frac{1}{1 + \coth^3(x)} dx = \frac{x}{2} - \frac{2 \arctan\left(\frac{1-2\coth(x)}{\sqrt{3}}\right)}{3\sqrt{3}} - \frac{1}{6(1 + \coth(x))}$$

output

```
1/2*x-2/9*arctan(1/3*(1-2*coth(x))*3^(1/2))*3^(1/2)-1/(6+6*coth(x))
```

Mathematica [A] (verified)

Time = 0.06 (sec) , antiderivative size = 40, normalized size of antiderivative = 1.05

$$\int \frac{1}{1 + \coth^3(x)} dx = \frac{2 \arctan\left(\frac{1-2\tanh(x)}{\sqrt{3}}\right)}{3\sqrt{3}} + \frac{1}{2} \operatorname{arctanh}(\tanh(x)) + \frac{1}{6(1 + \tanh(x))}$$

input

```
Integrate[(1 + Coth[x]^3)^(-1),x]
```

output

```
(2*ArcTan[(1 - 2*Tanh[x])/Sqrt[3]])/(3*Sqrt[3]) + ArcTanh[Tanh[x]]/2 + 1/(6*(1 + Tanh[x]))
```


Rubi [A] (verified)

Time = 0.36 (sec) , antiderivative size = 40, normalized size of antiderivative = 1.05, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {3042, 4144, 7276, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{1}{\coth^3(x) + 1} dx \\
 & \quad \downarrow \text{3042} \\
 & \int \frac{1}{1 + i \tan\left(\frac{\pi}{2} + ix\right)^3} dx \\
 & \quad \downarrow \text{4144} \\
 & \int \frac{1}{(1 - \coth^2(x)) (\coth^3(x) + 1)} d \coth(x) \\
 & \quad \downarrow \text{7276} \\
 & \int \left(\frac{1}{3(\coth^2(x) - \coth(x) + 1)} - \frac{1}{2(\coth^2(x) - 1)} + \frac{1}{6(\coth(x) + 1)^2} \right) d \coth(x) \\
 & \quad \downarrow \text{2009} \\
 & -\frac{2 \arctan\left(\frac{1-2\coth(x)}{\sqrt{3}}\right)}{3\sqrt{3}} + \frac{1}{2} \operatorname{arctanh}(\coth(x)) - \frac{1}{6(\coth(x) + 1)}
 \end{aligned}$$

input `Int[(1 + Coth[x]^3)^(-1),x]`

output `(-2*ArcTan[(1 - 2*Coth[x])/Sqrt[3]])/(3*Sqrt[3]) + ArcTanh[Coth[x]]/2 - 1/(6*(1 + Coth[x]))`

Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4144 `Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Simp[c*(ff/f) Subst[Int[(a + b*(ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, c*(Tan[e + f*x]/ff)], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])`

rule 7276 `Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ[n, 0]`

Maple [A] (verified)

Time = 0.09 (sec) , antiderivative size = 41, normalized size of antiderivative = 1.08

method	result	size
derivativedivides	$-\frac{\ln(\coth(x)-1)}{4} - \frac{1}{6(1+\coth(x))} + \frac{\ln(1+\coth(x))}{4} + \frac{2\sqrt{3} \arctan\left(\frac{(2\coth(x)-1)\sqrt{3}}{3}\right)}{9}$	41
default	$-\frac{\ln(\coth(x)-1)}{4} - \frac{1}{6(1+\coth(x))} + \frac{\ln(1+\coth(x))}{4} + \frac{2\sqrt{3} \arctan\left(\frac{(2\coth(x)-1)\sqrt{3}}{3}\right)}{9}$	41
risch	$\frac{x}{2} + \frac{e^{-2x}}{12} + \frac{i\sqrt{3} \ln(e^{2x}-i\sqrt{3})}{9} - \frac{i\sqrt{3} \ln(e^{2x}+i\sqrt{3})}{9}$	47

input `int(1/(1+coth(x)^3), x, method=_RETURNVERBOSE)`

output `-1/4*ln(coth(x)-1)-1/6/(1+coth(x))+1/4*ln(1+coth(x))+2/9*3^(1/2)*arctan(1/3*(2*coth(x)-1)*3^(1/2))`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 95 vs. $2(29) = 58$.

Time = 0.11 (sec) , antiderivative size = 95, normalized size of antiderivative = 2.50

$$\int \frac{1}{1 + \coth^3(x)} dx = \frac{18x \cosh(x)^2 + 36x \cosh(x) \sinh(x) + 18x \sinh(x)^2 + 8(\sqrt{3} \cosh(x)^2 + 2\sqrt{3} \cosh(x) \sinh(x) + \sqrt{3} \sinh(x)^2)}{36(\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2)}$$

input `integrate(1/(1+coth(x)^3),x, algorithm="fricas")`

output `1/36*(18*x*cosh(x)^2 + 36*x*cosh(x)*sinh(x) + 18*x*sinh(x)^2 + 8*(sqrt(3)*cosh(x)^2 + 2*sqrt(3)*cosh(x)*sinh(x) + sqrt(3)*sinh(x)^2)*arctan(-1/3*(sqrt(3)*cosh(x) + sqrt(3)*sinh(x))/(cosh(x) - sinh(x))) + 3)/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2)`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 102 vs. $2(36) = 72$.

Time = 0.48 (sec) , antiderivative size = 102, normalized size of antiderivative = 2.68

$$\int \frac{1}{1 + \coth^3(x)} dx = \frac{9x \tanh(x)}{18 \tanh(x) + 18} + \frac{9x}{18 \tanh(x) + 18} - \frac{4\sqrt{3} \tanh(x) \operatorname{atan}\left(\frac{2\sqrt{3} \tanh(x)}{3} - \frac{\sqrt{3}}{3}\right)}{18 \tanh(x) + 18} - \frac{4\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3} \tanh(x)}{3} - \frac{\sqrt{3}}{3}\right)}{18 \tanh(x) + 18} + \frac{3}{18 \tanh(x) + 18}$$

input `integrate(1/(1+coth(x)**3),x)`

output `9*x*tanh(x)/(18*tanh(x) + 18) + 9*x/(18*tanh(x) + 18) - 4*sqrt(3)*tanh(x)*atan(2*sqrt(3)*tanh(x)/3 - sqrt(3)/3)/(18*tanh(x) + 18) - 4*sqrt(3)*atan(2*sqrt(3)*tanh(x)/3 - sqrt(3)/3)/(18*tanh(x) + 18) + 3/(18*tanh(x) + 18)`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 73 vs. $2(29) = 58$.

Time = 0.12 (sec) , antiderivative size = 73, normalized size of antiderivative = 1.92

$$\int \frac{1}{1 + \coth^3(x)} dx = -\frac{2}{9} \sqrt{3} \arctan \left(\frac{1}{6} \cdot 3^{\frac{3}{4}} \sqrt{2} \left(2 \sqrt{3} e^{-x} + 3^{\frac{1}{4}} \sqrt{2} \right) \right) \\ + \frac{2}{9} \sqrt{3} \arctan \left(\frac{1}{6} \cdot 3^{\frac{3}{4}} \sqrt{2} \left(2 \sqrt{3} e^{-x} - 3^{\frac{1}{4}} \sqrt{2} \right) \right) + \frac{1}{2} x + \frac{1}{12} e^{(-2x)}$$

input `integrate(1/(1+coth(x)^3),x, algorithm="maxima")`

output `-2/9*sqrt(3)*arctan(1/6*3^(3/4)*sqrt(2)*(2*sqrt(3)*e^(-x) + 3^(1/4)*sqrt(2))) + 2/9*sqrt(3)*arctan(1/6*3^(3/4)*sqrt(2)*(2*sqrt(3)*e^(-x) - 3^(1/4)*sqrt(2))) + 1/2*x + 1/12*e^(-2*x)`

Giac [A] (verification not implemented)

Time = 0.13 (sec) , antiderivative size = 25, normalized size of antiderivative = 0.66

$$\int \frac{1}{1 + \coth^3(x)} dx = -\frac{2}{9} \sqrt{3} \arctan \left(\frac{1}{3} \sqrt{3} e^{(2x)} \right) + \frac{1}{2} x + \frac{1}{12} e^{(-2x)}$$

input `integrate(1/(1+coth(x)^3),x, algorithm="giac")`

output `-2/9*sqrt(3)*arctan(1/3*sqrt(3)*e^(2*x)) + 1/2*x + 1/12*e^(-2*x)`

Mupad [B] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 38, normalized size of antiderivative = 1.00

$$\int \frac{1}{1 + \coth^3(x)} dx = \frac{\frac{x}{2} + \frac{\coth(x)}{6} + \frac{x \coth(x)}{2}}{\coth(x) + 1} + \frac{2\sqrt{3} \operatorname{atan}\left(\frac{\sqrt{3}(2\coth(x)-1)}{3}\right)}{9}$$

input `int(1/(coth(x)^3 + 1), x)`output `(x/2 + coth(x)/6 + (x*coth(x))/2)/(coth(x) + 1) + (2*3^(1/2)*atan((3^(1/2)*
*(2*coth(x) - 1))/3))/9`**Reduce [B] (verification not implemented)**

Time = 0.22 (sec) , antiderivative size = 82, normalized size of antiderivative = 2.16

$$\int \frac{1}{1 + \coth^3(x)} dx = \frac{-8e^{2x}\sqrt{3} \operatorname{atan}\left(\frac{(2e^x - \sqrt{2}3^{\frac{1}{4}})3^{\frac{3}{4}}}{3\sqrt{2}}\right) + 8e^{2x}\sqrt{3} \operatorname{atan}\left(\frac{(2e^x + \sqrt{2}3^{\frac{1}{4}})3^{\frac{3}{4}}}{3\sqrt{2}}\right) + 18e^{2x}x + 3}{36e^{2x}}$$

input `int(1/(1+coth(x)^3), x)`output `(- 8*e**(2*x)*sqrt(3)*atan((2*e**x - sqrt(2)*3**(1/4))/(sqrt(2)*3**(1/4))
) + 8*e**(2*x)*sqrt(3)*atan((2*e**x + sqrt(2)*3**(1/4))/(sqrt(2)*3**(1/4))
) + 18*e**(2*x)*x + 3)/(36*e**(2*x))`

3.51 $\int \coth(x) \sqrt{a + b \coth^4(x)} dx$

Optimal result	421
Mathematica [A] (verified)	422
Rubi [A] (verified)	422
Maple [A] (verified)	426
Fricas [B] (verification not implemented)	426
Sympy [F]	427
Maxima [F]	427
Giac [F]	427
Mupad [F(-1)]	428
Reduce [F]	428

Optimal result

Integrand size = 15, antiderivative size = 89

$$\int \coth(x) \sqrt{a + b \coth^4(x)} dx = -\frac{1}{2} \sqrt{b} \operatorname{arctanh} \left(\frac{\sqrt{b} \coth^2(x)}{\sqrt{a + b \coth^4(x)}} \right) + \frac{1}{2} \sqrt{a + b} \operatorname{arctanh} \left(\frac{a + b \coth^2(x)}{\sqrt{a + b} \sqrt{a + b \coth^4(x)}} \right) - \frac{1}{2} \sqrt{a + b \coth^4(x)}$$

output

```
-1/2*b^(1/2)*arctanh(b^(1/2)*coth(x)^2/(a+b*coth(x)^4)^(1/2))+1/2*(a+b)^(1/2)*arctanh((a+b*coth(x)^2)/(a+b)^(1/2)/(a+b*coth(x)^4)^(1/2))-1/2*(a+b*coth(x)^4)^(1/2)
```

Mathematica [A] (verified)

Time = 0.11 (sec) , antiderivative size = 86, normalized size of antiderivative = 0.97

$$\int \coth(x) \sqrt{a + b \coth^4(x)} dx = \frac{1}{2} \left(-\sqrt{b} \operatorname{arctanh} \left(\frac{\sqrt{b} \coth^2(x)}{\sqrt{a + b \coth^4(x)}} \right) + \sqrt{a + b} \operatorname{arctanh} \left(\frac{a + b \coth^2(x)}{\sqrt{a + b} \sqrt{a + b \coth^4(x)}} \right) - \sqrt{a + b \coth^4(x)} \right)$$

input

```
Integrate[Coth[x]*Sqrt[a + b*Coth[x]^4],x]
```

output

```
(-(Sqrt[b]*ArcTanh[(Sqrt[b]*Coth[x]^2)/Sqrt[a + b*Coth[x]^4]]) + Sqrt[a + b]*ArcTanh[(a + b*Coth[x]^2)/(Sqrt[a + b]*Sqrt[a + b*Coth[x]^4]]) - Sqrt[a + b*Coth[x]^4])/2
```

Rubi [A] (verified)

Time = 0.35 (sec) , antiderivative size = 90, normalized size of antiderivative = 1.01, number of steps used = 13, number of rules used = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.800$, Rules used = {3042, 26, 4153, 26, 1577, 493, 25, 719, 224, 219, 488, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \coth(x) \sqrt{a + b \coth^4(x)} dx$$

$$\downarrow \text{3042}$$

$$\int -i \tan \left(\frac{\pi}{2} + ix \right) \sqrt{a + b \tan \left(\frac{\pi}{2} + ix \right)^4} dx$$

$$\downarrow \text{26}$$

$$-i \int \tan\left(ix + \frac{\pi}{2}\right) \sqrt{b \tan\left(ix + \frac{\pi}{2}\right)^4 + a} dx$$

↓ 4153

$$-i \int \frac{i \coth(x) \sqrt{b \coth^4(x) + a}}{1 - \coth^2(x)} d \coth(x)$$

↓ 26

$$\int \frac{\coth(x) \sqrt{a + b \coth^4(x)}}{1 - \coth^2(x)} d \coth(x)$$

↓ 1577

$$\frac{1}{2} \int \frac{\sqrt{b \coth^4(x) + a}}{1 - \coth^2(x)} d \coth^2(x)$$

↓ 493

$$\frac{1}{2} \left(- \int - \frac{b \coth^2(x) + a}{(1 - \coth^2(x)) \sqrt{b \coth^4(x) + a}} d \coth^2(x) - \sqrt{a + b \coth^4(x)} \right)$$

↓ 25

$$\frac{1}{2} \left(\int \frac{b \coth^2(x) + a}{(1 - \coth^2(x)) \sqrt{b \coth^4(x) + a}} d \coth^2(x) - \sqrt{a + b \coth^4(x)} \right)$$

↓ 719

$$\frac{1}{2} \left(-b \int \frac{1}{\sqrt{b \coth^4(x) + a}} d \coth^2(x) + (a + b) \int \frac{1}{(1 - \coth^2(x)) \sqrt{b \coth^4(x) + a}} d \coth^2(x) - \sqrt{a + b \coth^4(x)} \right)$$

↓ 224

$$\frac{1}{2} \left(-b \int \frac{1}{1 - b \coth^4(x)} d \frac{\coth^2(x)}{\sqrt{b \coth^4(x) + a}} + (a + b) \int \frac{1}{(1 - \coth^2(x)) \sqrt{b \coth^4(x) + a}} d \coth^2(x) - \sqrt{a + b \coth^4(x)} \right)$$

↓ 219

$$\frac{1}{2} \left((a+b) \int \frac{1}{(1-\coth^2(x)) \sqrt{b \coth^4(x) + a}} d \coth^2(x) - \sqrt{b} \operatorname{arctanh} \left(\frac{\sqrt{b} \coth^2(x)}{\sqrt{a + b \coth^4(x)}} \right) - \sqrt{a + b \coth^4(x)} \right)$$

↓ 488

$$\frac{1}{2} \left(-(a+b) \int \frac{1}{-\coth^4(x) + a + b} d \frac{-b \coth^2(x) - a}{\sqrt{b \coth^4(x) + a}} - \sqrt{b} \operatorname{arctanh} \left(\frac{\sqrt{b} \coth^2(x)}{\sqrt{a + b \coth^4(x)}} \right) - \sqrt{a + b \coth^4(x)} \right)$$

↓ 219

$$\frac{1}{2} \left(-\sqrt{b} \operatorname{arctanh} \left(\frac{\sqrt{b} \coth^2(x)}{\sqrt{a + b \coth^4(x)}} \right) - \sqrt{a + b} \operatorname{arctanh} \left(\frac{-a - b \coth^2(x)}{\sqrt{a + b} \sqrt{a + b \coth^4(x)}} \right) - \sqrt{a + b \coth^4(x)} \right)$$

input `Int[Coth[x]*Sqrt[a + b*Coth[x]^4],x]`

output `(-(Sqrt[b]*ArcTanh[(Sqrt[b]*Coth[x]^2)/Sqrt[a + b*Coth[x]^4]]) - Sqrt[a + b]*ArcTanh[(-a - b*Coth[x]^2)/(Sqrt[a + b]*Sqrt[a + b*Coth[x]^4]]) - Sqrt[a + b*Coth[x]^4])/2`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 26 `Int[(Complex[0, a_]*(Fx_), x_Symbol] := Simp[(Complex[Identity[0], a]) Int[Fx, x], x] /; FreeQ[a, x] && EqQ[a^2, 1]`

rule 219 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

rule 224 $\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] \text{ /; FreeQ}\{a, b\}, x] \&\& \text{!GtQ}[a, 0]$

rule 488 $\text{Int}[1/(((c_) + (d_)*(x_))*\text{Sqrt}[(a_) + (b_)*(x_)^2]), x_Symbol] \rightarrow -\text{Subst}[\text{Int}[1/(b*c^2 + a*d^2 - x^2), x], x, (a*d - b*c*x)/\text{Sqrt}[a + b*x^2]] \text{ /; FreeQ}\{a, b, c, d\}, x]$

rule 493 $\text{Int}(((c_) + (d_)*(x_))^{(n_)}*((a_) + (b_)*(x_)^2)^{(p_)}, x_Symbol] \rightarrow \text{Simp}[(c + d*x)^{(n + 1)}*((a + b*x^2)^p/(d*(n + 2*p + 1))), x] + \text{Simp}[2*(p/(d*(n + 2*p + 1))) \text{ Int}[(c + d*x)^n*(a + b*x^2)^{(p - 1)}*(a*d - b*c*x), x], x] \text{ /; FreeQ}\{a, b, c, d, n\}, x] \&\& \text{GtQ}[p, 0] \&\& \text{NeQ}[n + 2*p + 1, 0] \&\& (\text{!RationalQ}[n] \text{ || LtQ}[n, 1]) \&\& \text{!ILtQ}[n + 2*p, 0] \&\& \text{IntQuadraticQ}[a, 0, b, c, d, n, p, x]$

rule 719 $\text{Int}(((d_) + (e_)*(x_))^{(m_)}*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^{(p_)}, x_Symbol] \rightarrow \text{Simp}[g/e \text{ Int}[(d + e*x)^{(m + 1)}*(a + c*x^2)^p, x], x] + \text{Simp}[(e*f - d*g)/e \text{ Int}[(d + e*x)^m*(a + c*x^2)^p, x], x] \text{ /; FreeQ}\{a, c, d, e, f, g, m, p\}, x] \&\& \text{!IGtQ}[m, 0]$

rule 1577 $\text{Int}[(x_)*((d_) + (e_)*(x_)^2)^{(q_)}*((a_) + (c_)*(x_)^4)^{(p_)}, x_Symbol] \rightarrow \text{Simp}[1/2 \text{ Subst}[\text{Int}[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] \text{ /; FreeQ}\{a, c, d, e, p, q\}, x]$

rule 3042 $\text{Int}[u_, x_Symbol] \rightarrow \text{Int}[\text{DeactivateTrig}[u, x], x] \text{ /; FunctionOfTrigOfLinearQ}[u, x]$

rule 4153 $\text{Int}(((d_)*\tan[(e_) + (f_)*(x_)])^{(m_)}*((a_) + (b_)*((c_)*\tan[(e_) + (f_)*(x_)])^{(n_))}^{(p_)}, x_Symbol] \rightarrow \text{With}\{ff = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Simp}[c*(ff/f) \text{ Subst}[\text{Int}[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + f*f^2*x^2), x], x, c*(\text{Tan}[e + f*x]/ff)], x]] \text{ /; FreeQ}\{a, b, c, d, e, f, m, n, p\}, x] \&\& (\text{IGtQ}[p, 0] \text{ || EqQ}[n, 2] \text{ || EqQ}[n, 4] \text{ || (IntegerQ}[p] \&\& \text{RationalQ}[n]))]$

Maple [A] (verified)

Time = 0.87 (sec) , antiderivative size = 116, normalized size of antiderivative = 1.30

method	result
derivativedivides	$-\frac{\sqrt{a+b \coth(x)^4}}{2} - \frac{\sqrt{b} \ln\left(2\sqrt{b} \coth(x)^2 + 2\sqrt{a+b \coth(x)^4}\right)}{2} + \frac{a \operatorname{arctanh}\left(\frac{2b \coth(x)^2 + 2a}{2\sqrt{a+b} \sqrt{a+b \coth(x)^4}}\right)}{2\sqrt{a+b}} + \frac{b \operatorname{arctanh}\left(\frac{2b \coth(x)^2 + 2a}{2\sqrt{a+b} \sqrt{a+b \coth(x)^4}}\right)}{2\sqrt{a+b}}$
default	$-\frac{\sqrt{a+b \coth(x)^4}}{2} - \frac{\sqrt{b} \ln\left(2\sqrt{b} \coth(x)^2 + 2\sqrt{a+b \coth(x)^4}\right)}{2} + \frac{a \operatorname{arctanh}\left(\frac{2b \coth(x)^2 + 2a}{2\sqrt{a+b} \sqrt{a+b \coth(x)^4}}\right)}{2\sqrt{a+b}} + \frac{b \operatorname{arctanh}\left(\frac{2b \coth(x)^2 + 2a}{2\sqrt{a+b} \sqrt{a+b \coth(x)^4}}\right)}{2\sqrt{a+b}}$

input `int(coth(x)*(a+b*coth(x)^4)^(1/2),x,method=_RETURNVERBOSE)`

output `-1/2*(a+b*coth(x)^4)^(1/2)-1/2*b^(1/2)*ln(2*b^(1/2)*coth(x)^2+2*(a+b*coth(x)^4)^(1/2))+1/2*a/(a+b)^(1/2)*arctanh(1/2*(2*b*coth(x)^2+2*a)/(a+b)^(1/2))/(a+b*coth(x)^4)^(1/2))+1/2*b/(a+b)^(1/2)*arctanh(1/2*(2*b*coth(x)^2+2*a)/(a+b)^(1/2))/(a+b*coth(x)^4)^(1/2))`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1053 vs. 2(69) = 138.

Time = 0.24 (sec) , antiderivative size = 5172, normalized size of antiderivative = 58.11

$$\int \coth(x) \sqrt{a + b \coth^4(x)} dx = \text{Too large to display}$$

input `integrate(coth(x)*(a+b*coth(x)^4)^(1/2),x, algorithm="fricas")`

output `Too large to include`

Sympy [F]

$$\int \coth(x) \sqrt{a + b \coth^4(x)} dx = \int \sqrt{a + b \coth^4(x)} \coth(x) dx$$

input `integrate(coth(x)*(a+b*coth(x)**4)**(1/2), x)`

output `Integral(sqrt(a + b*coth(x)**4)*coth(x), x)`

Maxima [F]

$$\int \coth(x) \sqrt{a + b \coth^4(x)} dx = \int \sqrt{b \coth^4(x) + a} \coth(x) dx$$

input `integrate(coth(x)*(a+b*coth(x)^4)^(1/2), x, algorithm="maxima")`

output `integrate(sqrt(b*coth(x)^4 + a)*coth(x), x)`

Giac [F]

$$\int \coth(x) \sqrt{a + b \coth^4(x)} dx = \int \sqrt{b \coth^4(x) + a} \coth(x) dx$$

input `integrate(coth(x)*(a+b*coth(x)^4)^(1/2), x, algorithm="giac")`

output `integrate(sqrt(b*coth(x)^4 + a)*coth(x), x)`

Mupad [F(-1)]

Timed out.

$$\int \coth(x) \sqrt{a + b \coth^4(x)} dx = \int \coth(x) \sqrt{b \coth^4(x) + a} dx$$

input `int(coth(x)*(a + b*coth(x)^4)^(1/2), x)`

output `int(coth(x)*(a + b*coth(x)^4)^(1/2), x)`

Reduce [F]

$$\int \coth(x) \sqrt{a + b \coth^4(x)} dx = \int \sqrt{\coth^4(x) b + a} \coth(x) dx$$

input `int(coth(x)*(a+b*coth(x)^4)^(1/2), x)`

output `int(sqrt(coth(x)**4*b + a)*coth(x), x)`

3.52 $\int \frac{\coth(x)}{\sqrt{a+b \coth^4(x)}} dx$

Optimal result	429
Mathematica [A] (verified)	429
Rubi [A] (verified)	430
Maple [A] (verified)	432
Fricas [B] (verification not implemented)	432
Sympy [F]	433
Maxima [F]	434
Giac [F]	434
Mupad [F(-1)]	434
Reduce [F]	435

Optimal result

Integrand size = 15, antiderivative size = 40

$$\int \frac{\coth(x)}{\sqrt{a+b \coth^4(x)}} dx = \frac{\operatorname{arctanh}\left(\frac{a+b \coth^2(x)}{\sqrt{a+b} \sqrt{a+b \coth^4(x)}}\right)}{2\sqrt{a+b}}$$

output `1/2*arctanh((a+b*coth(x)^2)/(a+b)^(1/2)/(a+b*coth(x)^4)^(1/2))/(a+b)^(1/2)`

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 40, normalized size of antiderivative = 1.00

$$\int \frac{\coth(x)}{\sqrt{a+b \coth^4(x)}} dx = \frac{\operatorname{arctanh}\left(\frac{a+b \coth^2(x)}{\sqrt{a+b} \sqrt{a+b \coth^4(x)}}\right)}{2\sqrt{a+b}}$$

input `Integrate[Coth[x]/Sqrt[a + b*Coth[x]^4], x]`

output

```
ArcTanh[(a + b*Coth[x]^2)/(Sqrt[a + b]*Sqrt[a + b*Coth[x]^4])]/(2*Sqrt[a + b])
```

Rubi [A] (verified)

Time = 0.27 (sec) , antiderivative size = 43, normalized size of antiderivative = 1.08, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {3042, 26, 4153, 26, 1577, 488, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\coth(x)}{\sqrt{a + b \coth^4(x)}} dx \\
 & \quad \downarrow \text{3042} \\
 & \int -\frac{i \tan\left(\frac{\pi}{2} + ix\right)}{\sqrt{a + b \tan\left(\frac{\pi}{2} + ix\right)^4}} dx \\
 & \quad \downarrow \text{26} \\
 & -i \int \frac{\tan\left(ix + \frac{\pi}{2}\right)}{\sqrt{b \tan\left(ix + \frac{\pi}{2}\right)^4 + a}} dx \\
 & \quad \downarrow \text{4153} \\
 & -i \int \frac{i \coth(x)}{(1 - \coth^2(x)) \sqrt{b \coth^4(x) + a}} d \coth(x) \\
 & \quad \downarrow \text{26} \\
 & \int \frac{\coth(x)}{(1 - \coth^2(x)) \sqrt{a + b \coth^4(x)}} d \coth(x) \\
 & \quad \downarrow \text{1577} \\
 & \frac{1}{2} \int \frac{1}{(1 - \coth^2(x)) \sqrt{b \coth^4(x) + a}} d \coth^2(x) \\
 & \quad \downarrow \text{488}
 \end{aligned}$$

$$-\frac{1}{2} \int \frac{1}{-\coth^4(x) + a + b} d \frac{-b \coth^2(x) - a}{\sqrt{b \coth^4(x) + a}}$$

$$\downarrow \text{219}$$

$$\frac{\operatorname{arctanh}\left(\frac{-a - b \coth^2(x)}{\sqrt{a+b}\sqrt{a+b \coth^4(x)}}\right)}{2\sqrt{a+b}}$$

input `Int[Coth[x]/Sqrt[a + b*Coth[x]^4],x]`

output `-1/2*ArcTanh[(-a - b*Coth[x]^2)/(Sqrt[a + b]*Sqrt[a + b*Coth[x]^4])/Sqrt[a + b]`

Defintions of rubi rules used

rule 26 `Int[(Complex[0, a_])*(Fx_), x_Symbol] := Simp[(Complex[Identity[0], a]) Int[Fx, x], x] /; FreeQ[a, x] && EqQ[a^2, 1]`

rule 219 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

rule 488 `Int[1/(((c_) + (d_.)*(x_))*Sqrt[(a_) + (b_.)*(x_)^2]), x_Symbol] := -Subst[Int[1/(b*c^2 + a*d^2 - x^2), x], x, (a*d - b*c*x)/Sqrt[a + b*x^2]] /; FreeQ[{a, b, c, d}, x]`

rule 1577 `Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[1/2 Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4153

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) +
(f_.)*(x_)]^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Simp[c*(ff/f) Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + f
f^2*x^2)), x], x, c*(Tan[e + f*x]/ff)], x]] /; FreeQ[{a, b, c, d, e, f, m,
n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ratio
nalQ[n]))
```

Maple [A] (verified)

Time = 0.46 (sec) , antiderivative size = 37, normalized size of antiderivative = 0.92

method	result	size
derivativedivides	$\frac{\operatorname{arctanh}\left(\frac{2b \operatorname{coth}(x)^2 + 2a}{2\sqrt{a+b}\sqrt{a+b \operatorname{coth}(x)^4}}\right)}{2\sqrt{a+b}}$	37
default	$\frac{\operatorname{arctanh}\left(\frac{2b \operatorname{coth}(x)^2 + 2a}{2\sqrt{a+b}\sqrt{a+b \operatorname{coth}(x)^4}}\right)}{2\sqrt{a+b}}$	37

input

```
int(coth(x)/(a+b*coth(x)^4)^(1/2),x,method=_RETURNVERBOSE)
```

output

```
1/2/(a+b)^(1/2)*arctanh(1/2*(2*b*coth(x)^2+2*a)/(a+b)^(1/2)/(a+b*coth(x)^4
)^(1/2))
```

Fricas [B] (verification not implemented)Leaf count of result is larger than twice the leaf count of optimal. 626 vs. $2(32) = 64$.

Time = 0.24 (sec) , antiderivative size = 1290, normalized size of antiderivative = 32.25

$$\int \frac{\operatorname{coth}(x)}{\sqrt{a + b \operatorname{coth}^4(x)}} dx = \text{Too large to display}$$

input

```
integrate(coth(x)/(a+b*coth(x)^4)^(1/2),x, algorithm="fricas")
```

output

```
[1/4*log(((a^2 + 2*a*b + b^2)*cosh(x)^8 + 8*(a^2 + 2*a*b + b^2)*cosh(x)*sinh(x)^7 + (a^2 + 2*a*b + b^2)*sinh(x)^8 - 4*(a^2 - b^2)*cosh(x)^6 + 4*(7*(a^2 + 2*a*b + b^2)*cosh(x)^2 - a^2 + b^2)*sinh(x)^6 + 8*(7*(a^2 + 2*a*b + b^2)*cosh(x)^3 - 3*(a^2 - b^2)*cosh(x))*sinh(x)^5 + 2*(3*a^2 + 2*a*b + 3*b^2)*cosh(x)^4 + 2*(35*(a^2 + 2*a*b + b^2)*cosh(x)^4 - 30*(a^2 - b^2)*cosh(x)^2 + 3*a^2 + 2*a*b + 3*b^2)*sinh(x)^4 + 8*(7*(a^2 + 2*a*b + b^2)*cosh(x)^5 - 10*(a^2 - b^2)*cosh(x)^3 + (3*a^2 + 2*a*b + 3*b^2)*cosh(x))*sinh(x)^3 - 4*(a^2 - b^2)*cosh(x)^2 + 4*(7*(a^2 + 2*a*b + b^2)*cosh(x)^6 - 15*(a^2 - b^2)*cosh(x)^4 + 3*(3*a^2 + 2*a*b + 3*b^2)*cosh(x)^2 - a^2 + b^2)*sinh(x)^2 + sqrt(2)*((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 - 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 - a + b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 - (a - b)*cosh(x))*sinh(x) + a + b)*sqrt(a + b)*sqrt(((a + b)*cosh(x)^4 + (a + b)*sinh(x)^4 - 4*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 - 2*a + 2*b)*sinh(x)^2 + 3*a + 3*b)/(cosh(x)^4 - 4*cosh(x)^3*sinh(x) + 6*cosh(x)^2*sinh(x)^2 - 4*cosh(x)*sinh(x)^3 + sinh(x)^4)) + a^2 + 2*a*b + b^2 + 8*((a^2 + 2*a*b + b^2)*cosh(x)^7 - 3*(a^2 - b^2)*cosh(x)^5 + (3*a^2 + 2*a*b + 3*b^2)*cosh(x)^3 - (a^2 - b^2)*cosh(x))*sinh(x))/(cosh(x)^4 + 4*cosh(x)^3*sinh(x) + 6*cosh(x)^2*sinh(x)^2 + 4*cosh(x)*sinh(x)^3 + sinh(x)^4))/sqrt(a + b), -1/2*sqrt(-a - b)*arctan(sqrt(2)*((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 - 2*(a - b)*co...
```

Sympy [F]

$$\int \frac{\coth(x)}{\sqrt{a + b \coth^4(x)}} dx = \int \frac{\coth(x)}{\sqrt{a + b \coth^4(x)}} dx$$

input

```
integrate(coth(x)/(a+b*coth(x)**4)**(1/2), x)
```

output

```
Integral(coth(x)/sqrt(a + b*coth(x)**4), x)
```

Maxima [F]

$$\int \frac{\coth(x)}{\sqrt{a + b \coth^4(x)}} dx = \int \frac{\coth(x)}{\sqrt{b \coth^4(x) + a}} dx$$

input `integrate(coth(x)/(a+b*coth(x)^4)^(1/2),x, algorithm="maxima")`

output `integrate(coth(x)/sqrt(b*coth(x)^4 + a), x)`

Giac [F]

$$\int \frac{\coth(x)}{\sqrt{a + b \coth^4(x)}} dx = \int \frac{\coth(x)}{\sqrt{b \coth^4(x) + a}} dx$$

input `integrate(coth(x)/(a+b*coth(x)^4)^(1/2),x, algorithm="giac")`

output `integrate(coth(x)/sqrt(b*coth(x)^4 + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\coth(x)}{\sqrt{a + b \coth^4(x)}} dx = \int \frac{\coth(x)}{\sqrt{b \coth^4(x) + a}} dx$$

input `int(coth(x)/(a + b*coth(x)^4)^(1/2), x)`

output `int(coth(x)/(a + b*coth(x)^4)^(1/2), x)`

Reduce [F]

$$\int \frac{\coth(x)}{\sqrt{a + b \coth^4(x)}} dx = \int \frac{\sqrt{\coth(x)^4 b + a} \coth(x)}{\coth(x)^4 b + a} dx$$

input `int(coth(x)/(a+b*coth(x)^4)^(1/2),x)`

output `int((sqrt(coth(x)**4*b + a)*coth(x))/(coth(x)**4*b + a),x)`

3.53
$$\int \frac{\coth(x)}{(a+b \coth^4(x))^{3/2}} dx$$

Optimal result	436
Mathematica [A] (verified)	436
Rubi [A] (verified)	437
Maple [C] (verified)	440
Fricas [B] (verification not implemented)	441
Sympy [F]	441
Maxima [F]	442
Giac [F]	442
Mupad [F(-1)]	442
Reduce [F]	443

Optimal result

Integrand size = 15, antiderivative size = 74

$$\int \frac{\coth(x)}{(a+b \coth^4(x))^{3/2}} dx = \frac{\operatorname{arctanh}\left(\frac{a+b \coth^2(x)}{\sqrt{a+b} \sqrt{a+b \coth^4(x)}}\right)}{2(a+b)^{3/2}} - \frac{a-b \coth^2(x)}{2a(a+b)\sqrt{a+b \coth^4(x)}}$$

output `1/2*arctanh((a+b*coth(x)^2)/(a+b)^(1/2)/(a+b*coth(x)^4)^(1/2))/(a+b)^(3/2)
-1/2*(a-b*coth(x)^2)/a/(a+b)/(a+b*coth(x)^4)^(1/2)`

Mathematica [A] (verified)

Time = 0.35 (sec) , antiderivative size = 73, normalized size of antiderivative = 0.99

$$\int \frac{\coth(x)}{(a+b \coth^4(x))^{3/2}} dx = \frac{1}{2} \left(\frac{\operatorname{arctanh}\left(\frac{a+b \coth^2(x)}{\sqrt{a+b} \sqrt{a+b \coth^4(x)}}\right)}{(a+b)^{3/2}} - \frac{a-b \coth^2(x)}{a(a+b)\sqrt{a+b \coth^4(x)}} \right)$$

input `Integrate[Coth[x]/(a + b*Coth[x]^4)^(3/2), x]`

output

$$\frac{(\text{ArcTanh}[(a + b \cdot \text{Coth}[x]^2)/(\text{Sqrt}[a + b] \cdot \text{Sqrt}[a + b \cdot \text{Coth}[x]^4])]/(a + b)^{3/2}) - (a - b \cdot \text{Coth}[x]^2)/(a \cdot (a + b) \cdot \text{Sqrt}[a + b \cdot \text{Coth}[x]^4])}{2}$$
Rubi [A] (verified)

Time = 0.50 (sec) , antiderivative size = 77, normalized size of antiderivative = 1.04, number of steps used = 11, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {3042, 26, 4153, 26, 1577, 496, 25, 27, 488, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{\coth(x)}{(a + b \coth^4(x))^{3/2}} dx \\ & \quad \downarrow \text{3042} \\ & \int -\frac{i \tan\left(\frac{\pi}{2} + ix\right)}{\left(a + b \tan\left(\frac{\pi}{2} + ix\right)^4\right)^{3/2}} dx \\ & \quad \downarrow \text{26} \\ & -i \int \frac{\tan\left(ix + \frac{\pi}{2}\right)}{\left(b \tan\left(ix + \frac{\pi}{2}\right)^4 + a\right)^{3/2}} dx \\ & \quad \downarrow \text{4153} \\ & -i \int \frac{i \coth(x)}{(1 - \coth^2(x)) (b \coth^4(x) + a)^{3/2}} d \coth(x) \\ & \quad \downarrow \text{26} \\ & \int \frac{\coth(x)}{(1 - \coth^2(x)) (a + b \coth^4(x))^{3/2}} d \coth(x) \\ & \quad \downarrow \text{1577} \\ & \frac{1}{2} \int \frac{1}{(1 - \coth^2(x)) (b \coth^4(x) + a)^{3/2}} d \coth^2(x) \\ & \quad \downarrow \text{496} \end{aligned}$$

$$\begin{aligned}
& \frac{1}{2} \left(\frac{\int -\frac{a}{(1-\coth^2(x))\sqrt{b\coth^4(x)+a}} d\coth^2(x)}{a(a+b)} - \frac{a-b\coth^2(x)}{a(a+b)\sqrt{a+b\coth^4(x)}} \right) \\
& \quad \downarrow 25 \\
& \frac{1}{2} \left(\frac{\int \frac{a}{(1-\coth^2(x))\sqrt{b\coth^4(x)+a}} d\coth^2(x)}{a(a+b)} - \frac{a-b\coth^2(x)}{a(a+b)\sqrt{a+b\coth^4(x)}} \right) \\
& \quad \downarrow 27 \\
& \frac{1}{2} \left(\frac{\int \frac{1}{(1-\coth^2(x))\sqrt{b\coth^4(x)+a}} d\coth^2(x)}{a+b} - \frac{a-b\coth^2(x)}{a(a+b)\sqrt{a+b\coth^4(x)}} \right) \\
& \quad \downarrow 488 \\
& \frac{1}{2} \left(\frac{\int \frac{1}{-\coth^4(x)+a+b} d\frac{-b\coth^2(x)-a}{\sqrt{b\coth^4(x)+a}}}{a+b} - \frac{a-b\coth^2(x)}{a(a+b)\sqrt{a+b\coth^4(x)}} \right) \\
& \quad \downarrow 219 \\
& \frac{1}{2} \left(\frac{\operatorname{arctanh}\left(\frac{-a-b\coth^2(x)}{\sqrt{a+b}\sqrt{a+b\coth^4(x)}}\right)}{(a+b)^{3/2}} - \frac{a-b\coth^2(x)}{a(a+b)\sqrt{a+b\coth^4(x)}} \right)
\end{aligned}$$

input `Int [Coth[x]/(a + b*Coth[x]^4)^(3/2), x]`

output `(-(ArcTanh[(-a - b*Coth[x]^2)/(Sqrt[a + b]*Sqrt[a + b*Coth[x]^4]])/(a + b)^(3/2)) - (a - b*Coth[x]^2)/(a*(a + b)*Sqrt[a + b*Coth[x]^4]))/2`

Definitions of rubi rules used

- rule 25 $\text{Int}[-(\text{Fx}_), \text{x_Symbol}] \rightarrow \text{Simp}[\text{Identity}[-1] \quad \text{Int}[\text{Fx}, \text{x}], \text{x}]$
- rule 26 $\text{Int}[(\text{Complex}[0, \text{a}_])*(\text{Fx}_), \text{x_Symbol}] \rightarrow \text{Simp}[(\text{Complex}[\text{Identity}[0], \text{a}]) \quad \text{Int}[\text{Fx}, \text{x}], \text{x}] \text{ ; FreeQ}[\text{a}, \text{x}] \ \&\& \ \text{EqQ}[\text{a}^2, 1]$
- rule 27 $\text{Int}[(\text{a}_)*(\text{Fx}_), \text{x_Symbol}] \rightarrow \text{Simp}[\text{a} \quad \text{Int}[\text{Fx}, \text{x}], \text{x}] \text{ ; FreeQ}[\text{a}, \text{x}] \ \&\& \ \text{!MatchQ}[\text{Fx}, (\text{b}_)*(\text{Gx}_)] \text{ ; FreeQ}[\text{b}, \text{x}]$
- rule 219 $\text{Int}[(\text{a}_) + (\text{b}_)*(x_)^2)^{-1}, \text{x_Symbol}] \rightarrow \text{Simp}[(1/(\text{Rt}[\text{a}, 2]*\text{Rt}[-\text{b}, 2]))* \text{ArcTanh}[\text{Rt}[-\text{b}, 2]*(x/\text{Rt}[\text{a}, 2])], \text{x}] \text{ ; FreeQ}[\{\text{a}, \text{b}\}, \text{x}] \ \&\& \ \text{NegQ}[\text{a}/\text{b}] \ \&\& \ (\text{GtQ}[\text{a}, 0] \ || \ \text{LtQ}[\text{b}, 0])$
- rule 488 $\text{Int}[1/(((\text{c}_) + (\text{d}_)*(x_))*\text{Sqrt}[(\text{a}_) + (\text{b}_)*(x_)^2]), \text{x_Symbol}] \rightarrow -\text{Subst}[\text{Int}[1/(\text{b}*c^2 + \text{a}*d^2 - x^2), \text{x}], \text{x}, (\text{a}*d - \text{b}*c*x)/\text{Sqrt}[\text{a} + \text{b}*x^2]] \text{ ; FreeQ}[\{\text{a}, \text{b}, \text{c}, \text{d}\}, \text{x}]$
- rule 496 $\text{Int}[(\text{c}_) + (\text{d}_)*(x_)^n)*((\text{a}_) + (\text{b}_)*(x_)^2)^p, \text{x_Symbol}] \rightarrow \text{Simp}[(\text{a}*d + \text{b}*c*x)*(c + d*x)^{n+1}*((\text{a} + \text{b}*x^2)^{p+1}/(2*\text{a}*(p+1)*(b*c^2 + \text{a}*d^2))), \text{x}] + \text{Simp}[1/(2*\text{a}*(p+1)*(b*c^2 + \text{a}*d^2)) \quad \text{Int}[(c + d*x)^n*(\text{a} + \text{b}*x^2)^{p+1}*\text{Simp}[\text{b}*c^2*(2*p+3) + \text{a}*d^2*(n+2*p+3) + \text{b}*c*d*(n+2*p+4)*x, \text{x}], \text{x}], \text{x}] \text{ ; FreeQ}[\{\text{a}, \text{b}, \text{c}, \text{d}, \text{n}\}, \text{x}] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{IntQuadraticQ}[\text{a}, 0, \text{b}, \text{c}, \text{d}, \text{n}, p, \text{x}]$
- rule 1577 $\text{Int}[(x_)*((\text{d}_) + (\text{e}_)*(x_)^2)^q*((\text{a}_) + (\text{c}_)*(x_)^4)^p, \text{x_Symbol}] \rightarrow \text{Simp}[1/2 \quad \text{Subst}[\text{Int}[(\text{d} + \text{e}*x)^q*(\text{a} + \text{c}*x^2)^p, \text{x}], \text{x}, x^2], \text{x}] \text{ ; FreeQ}[\{\text{a}, \text{c}, \text{d}, \text{e}, \text{p}, \text{q}\}, \text{x}]$
- rule 3042 $\text{Int}[\text{u}_, \text{x_Symbol}] \rightarrow \text{Int}[\text{DeactivateTrig}[\text{u}, \text{x}], \text{x}] \text{ ; FunctionOfTrigOfLinearQ}[\text{u}, \text{x}]$

rule 4153

```
Int[((d_)*tan[(e_) + (f_)*(x_)]^(m_))*((a_) + (b_)*((c_)*tan[(e_) +
(f_)*(x_)]^(n_))^(p_)), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x],
x]}, Simp[c*(ff/f) Subst[Int[(d*ff*(x/c))^m*((a + b*(ff*x)^n)^p/(c^2 + f
f^2*x^2)), x], x, c*(Tan[e + f*x]/ff)], x]] /; FreeQ[{a, b, c, d, e, f, m,
n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ratio
nalQ[n]))
```

Maple [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3.

Time = 0.62 (sec) , antiderivative size = 431, normalized size of antiderivative = 5.82

method	result
derivativedivides	$\frac{b\left(\frac{\operatorname{coth}(x)^3}{4a(a+b)} + \frac{\operatorname{coth}(x)^2}{4a(a+b)} + \frac{\operatorname{coth}(x)}{4a(a+b)} - \frac{1}{4(a+b)b}\right)}{\sqrt{\left(\operatorname{coth}(x)^4 + \frac{a}{b}\right)b}} - \frac{\operatorname{arctanh}\left(\frac{2b\operatorname{coth}(x)^2+2a}{2\sqrt{a+b}\sqrt{a+b\operatorname{coth}(x)^4}}\right)}{2\sqrt{a+b}} - \frac{\sqrt{1-\frac{i\sqrt{b}\operatorname{coth}(x)^2}{\sqrt{a}}}\sqrt{1+\frac{i\sqrt{b}\operatorname{coth}(x)^2}{\sqrt{a}}}}{2(a+b)\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}}$
default	$\frac{b\left(\frac{\operatorname{coth}(x)^3}{4a(a+b)} + \frac{\operatorname{coth}(x)^2}{4a(a+b)} + \frac{\operatorname{coth}(x)}{4a(a+b)} - \frac{1}{4(a+b)b}\right)}{\sqrt{\left(\operatorname{coth}(x)^4 + \frac{a}{b}\right)b}} - \frac{\operatorname{arctanh}\left(\frac{2b\operatorname{coth}(x)^2+2a}{2\sqrt{a+b}\sqrt{a+b\operatorname{coth}(x)^4}}\right)}{2\sqrt{a+b}} - \frac{\sqrt{1-\frac{i\sqrt{b}\operatorname{coth}(x)^2}{\sqrt{a}}}\sqrt{1+\frac{i\sqrt{b}\operatorname{coth}(x)^2}{\sqrt{a}}}}{2(a+b)\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}}$

input

```
int(coth(x)/(a+b*coth(x)^4)^(3/2),x,method=_RETURNVERBOSE)
```

output

```

b*(1/4/a/(a+b)*coth(x)^3+1/4/a/(a+b)*coth(x)^2+1/4/a/(a+b)*coth(x)-1/4/(a+
b)/b)/((coth(x)^4+a/b)*b)^(1/2)-1/2/(a+b)*(-1/2/(a+b)^(1/2)*arctanh(1/2*(2
*b*coth(x)^2+2*a)/(a+b)^(1/2)/(a+b*coth(x)^4)^(1/2))-1/(I/a^(1/2)*b^(1/2))
^(1/2)*(1-I/a^(1/2)*b^(1/2)*coth(x)^2)^(1/2)*(1+I/a^(1/2)*b^(1/2)*coth(x)^
2)^(1/2)/(a+b*coth(x)^4)^(1/2)*EllipticPi(coth(x)*(I/a^(1/2)*b^(1/2))^(1/2
),-I*a^(1/2)/b^(1/2),(-I/a^(1/2)*b^(1/2))^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2))
)+b*(-1/4/a/(a+b)*coth(x)^3+1/4/a/(a+b)*coth(x)^2-1/4/a/(a+b)*coth(x)-1/4/
(a+b)/b)/((coth(x)^4+a/b)*b)^(1/2)-1/2/(a+b)*(-1/2/(a+b)^(1/2)*arctanh(1/2
*(2*b*coth(x)^2+2*a)/(a+b)^(1/2)/(a+b*coth(x)^4)^(1/2))+1/(I/a^(1/2)*b^(1/
2))^(1/2)*(1-I/a^(1/2)*b^(1/2)*coth(x)^2)^(1/2)*(1+I/a^(1/2)*b^(1/2)*coth(
x)^2)^(1/2)/(a+b*coth(x)^4)^(1/2)*EllipticPi(coth(x)*(I/a^(1/2)*b^(1/2))^(
1/2),-I*a^(1/2)/b^(1/2),(-I/a^(1/2)*b^(1/2))^(1/2)/(I/a^(1/2)*b^(1/2))^(1/
2)))

```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1947 vs. $2(63) = 126$.

Time = 0.45 (sec) , antiderivative size = 3938, normalized size of antiderivative = 53.22

$$\int \frac{\coth(x)}{(a + b \coth^4(x))^{3/2}} dx = \text{Too large to display}$$

input

```
integrate(coth(x)/(a+b*coth(x)^4)^(3/2),x, algorithm="fricas")
```

output

Too large to include

Sympy [F]

$$\int \frac{\coth(x)}{(a + b \coth^4(x))^{3/2}} dx = \int \frac{\coth(x)}{(a + b \coth^4(x))^{\frac{3}{2}}} dx$$

input

```
integrate(coth(x)/(a+b*coth(x)**4)**(3/2),x)
```

output

```
Integral(coth(x)/(a + b*coth(x)**4)**(3/2), x)
```

Maxima [F]

$$\int \frac{\coth(x)}{(a + b \coth^4(x))^{3/2}} dx = \int \frac{\coth(x)}{(b \coth(x)^4 + a)^{3/2}} dx$$

input `integrate(coth(x)/(a+b*coth(x)^4)^(3/2),x, algorithm="maxima")`

output `integrate(coth(x)/(b*coth(x)^4 + a)^(3/2), x)`

Giac [F]

$$\int \frac{\coth(x)}{(a + b \coth^4(x))^{3/2}} dx = \int \frac{\coth(x)}{(b \coth(x)^4 + a)^{3/2}} dx$$

input `integrate(coth(x)/(a+b*coth(x)^4)^(3/2),x, algorithm="giac")`

output `integrate(coth(x)/(b*coth(x)^4 + a)^(3/2), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\coth(x)}{(a + b \coth^4(x))^{3/2}} dx = \int \frac{\coth(x)}{(b \coth(x)^4 + a)^{3/2}} dx$$

input `int(coth(x)/(a + b*coth(x)^4)^(3/2),x)`

output `int(coth(x)/(a + b*coth(x)^4)^(3/2), x)`

Reduce [F]

$$\int \frac{\coth(x)}{(a + b \coth^4(x))^{3/2}} dx = \int \frac{\sqrt{\coth(x)^4 b + a} \coth(x)}{\coth(x)^8 b^2 + 2 \coth(x)^4 ab + a^2} dx$$

input `int(coth(x)/(a+b*coth(x)^4)^(3/2),x)`

output `int((sqrt(coth(x)**4*b + a)*coth(x))/(coth(x)**8*b**2 + 2*coth(x)**4*a*b + a**2),x)`

CHAPTER 4

APPENDIX

4.1	Listing of Grading functions	444
4.2	Links to plain text integration problems used in this report for each CAS .	462

4.1 Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* Nasser: April 7, 2022. add second output which gives reason for the grade *)
(*                               Small rewrite of logic in main function to make it*)
(*                               match Maple's logic. No change in functionality otherwise*)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)
```

```

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] := Module[{expnResult,expnOptimal,leafCountResult,leafCountOptimal},
  expnResult = ExpnType[result];
  expnOptimal = ExpnType[optimal];
  leafCountResult = LeafCount[result];
  leafCountOptimal = LeafCount[optimal];

  (*Print["expnResult=",expnResult," expnOptimal=",expnOptimal];*)
  If[expnResult<=expnOptimal,
    If[Not[FreeQ[result,Complex]], (*result contains complex*)
      If[Not[FreeQ[optimal,Complex]], (*optimal contains complex*)
        If[leafCountResult<=2*leafCountOptimal,
          finalresult={"A",""}
          ,(*ELSE*)
          finalresult={"B","Both result and optimal contain complex but leaf count
          ]
        ,(*ELSE*)
          finalresult={"C","Result contains complex when optimal does not."}
        ]
      ,(*ELSE*)(*result does not contains complex*)
        If[leafCountResult<=2*leafCountOptimal,
          finalresult={"A",""}
          ,(*ELSE*)
          finalresult={"B","Leaf count is larger than twice the leaf count of optimal.
          ]
        ]
      ,(*ELSE*)(*expnResult>expnOptimal*)
        If[FreeQ[result,Integrate] && FreeQ[result,Int],
          finalresult={"C","Result contains higher order function than in optimal. Order "
          ,

```

```

        finalresult={"F","Contains unresolved integral."}
    ]
];

finalresult
]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
  If[ListQ[expn],
    Max[Map[ExpnType,expn]],
  If[Head[expn]==Power,
    If[IntegerQ[expn[[2]]],
      ExpnType[expn[[1]]],
    If[Head[expn[[2]]]==Rational,
      If[IntegerQ[expn[[1]]] || Head[expn[[1]]]==Rational,
        1,
        Max[ExpnType[expn[[1]],2]],
      Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
    If[Head[expn]==Plus || Head[expn]==Times,
      Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
    If[ElementaryFunctionQ[Head[expn]],
      Max[3,ExpnType[expn[[1]]]],
    If[SpecialFunctionQ[Head[expn]],
      Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
    If[HypergeometricFunctionQ[Head[expn]],

```

```

    Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 5]],
    If[AppellFunctionQ[Head[expn]],
      Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 6]],
      If[Head[expn]===RootSum,
        Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 7]],
        If[Head[expn]===Integrate || Head[expn]===Int,
          Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 8]],
          9]]]]]]]]]]

```

```

ElementaryFunctionQ[func_] :=
  MemberQ[{
    Exp, Log,
    Sin, Cos, Tan, Cot, Sec, Csc,
    ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,
    Sinh, Cosh, Tanh, Coth, Sech, Csch,
    ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
  }, func]

```

```

SpecialFunctionQ[func_] :=
  MemberQ[{
    Erf, Erfc, Erfi,
    FresnelS, FresnelC,
    ExpIntegralE, ExpIntegralEi, LogIntegral,
    SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
    Gamma, LogGamma, PolyGamma,
    Zeta, PolyLog, ProductLog,
    EllipticF, EllipticE, EllipticPi
  }, func]

```

```

HypergeometricFunctionQ[func_] :=
  MemberQ[{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]

```

```

AppellFunctionQ[func_] :=
  MemberQ[{AppellF1}, func]

```


Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
#                   if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
#
#                   see problem 156, file Apostol_Problems
#Nasser 4/07/2022  add second output which gives reason for the grade

GradeAntiderivative := proc(result,optimal)
local leaf_count_result,
      leaf_count_optimal,
      ExpnType_result,
      ExpnType_optimal,
      debug:=false;

      leaf_count_result:=leafcount(result);
      #do NOT call ExpnType() if leaf size is too large. Recursion problem
      if leaf_count_result > 500000 then
          return "B","result has leaf size over 500,000. Avoiding possible recursion issue";
      fi;

      leaf_count_optimal := leafcount(optimal);
      ExpnType_result    := ExpnType(result);
      ExpnType_optimal   := ExpnType(optimal);

      if debug then
          print("ExpnType_result",ExpnType_result," ExpnType_optimal=",ExpnType_optimal);
      fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
#     is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal

```

```

#   antiderivative
#   "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F","Result contains unresolved integral";
fi;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;
    if is_contains_complex(result) then
        if is_contains_complex(optimal) then
            if debug then
                print("both result and optimal complex");
            fi;
            if leaf_count_result<=2*leaf_count_optimal then
                return "A"," ";
            else
                return "B",cat("Both result and optimal contain complex but leaf count of
                                convert(leaf_count_result,string)," vs. $2 (" ,
                                convert(leaf_count_optimal,string)," ) = ",convert(2*leaf

            end if
        else #result contains complex but optimal is not
            if debug then
                print("result contains complex but optimal is not");
            fi;
            return "C","Result contains complex when optimal does not.";
        fi;
    else # result do not contain complex
        # this assumes optimal do not as well. No check is needed here.
        if debug then
            print("result do not contain complex, this assumes optimal do not as well
        fi;

```

```

        if leaf_count_result<=2*leaf_count_optimal then
            if debug then
                print("leaf_count_result<=2*leaf_count_optimal");
            fi;
            return "A"," ";
        else
            if debug then
                print("leaf_count_result>2*leaf_count_optimal");
            fi;
            return "B",cat("Leaf count of result is larger than twice the leaf count of
                convert(leaf_count_result,string)," $ vs. $2(",
                convert(leaf_count_optimal,string)," )=",convert(2*leaf_co
            fi;
        fi;
    else #ExpnType(result) > ExpnType(optimal)
        if debug then
            print("ExpnType(result) > ExpnType(optimal)");
        fi;
        return "C",cat("Result contains higher order function than in optimal. Order ",
            convert(ExpnType_result,string)," vs. order ",
            convert(ExpnType_optimal,string),".");
    fi;
end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false
#
#Nasser 032417
is_contains_complex:= proc(expression)
    return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function

```

```

# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'+'') or type(expn,'*') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  elif HypergeometricFunctionQ(op(0,expn)) then
    max(5,apply(max,map(ExpnType,[op(expn)])))
  elif AppellFunctionQ(op(0,expn)) then
    max(6,apply(max,map(ExpnType,[op(expn)])))
  elif op(0,expn)='int' then
    max(8,apply(max,map(ExpnType,[op(expn)]))) else
    9

```

```

    end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func, [
    exp, log, ln,
    sin, cos, tan, cot, sec, csc,
    arcsin, arccos, arctan, arccot, arcsec, arccsc,
    sinh, cosh, tanh, coth, sech, csch,
    arcsinh, arccosh, arctanh, arccoth, arcsech, arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func, [
    erf, erfc, erfi,
    FresnelS, FresnelC,
    Ei, Ei, Li, Si, Ci, Shi, Chi,
    GAMMA, lnGAMMA, Psi, Zeta, polylog, dilog, LambertW,
    EllipticF, EllipticE, EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func, [Hypergeometric1F1, hypergeom, HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func, [AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u), op(2..nops(u),u))
  end if
end proc:

#leafcount(u) returns the number of nodes in u.

```

```
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc:
```

Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
#      Port of original Maple grading function by
#      Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#      added 'exp_polar'
from sympy import *

def leaf_count(expr):
  #sympy do not have leaf count function. This is approximation
  return round(1.7*count_ops(expr))

def is_sqrt(expr):
  if isinstance(expr,Pow):
    if expr.args[1] == Rational(1,2):
      return True
    else:
      return False
  else:
    return False

def is_elementary_function(func):
  return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
    asinh,acosh,atanh,acoth,asech,acsch
  ]

def is_special_function(func):
  return func in [ erf,erfc,erfi,
    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
    gamma,loggamma,digamma,zeta,polylog,LambertW,
    elliptic_f,elliptic_e,elliptic_pi,exp_polar
  ]
```

```

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
        else:
            return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+') or type(expn,'*')

```

```

    m1 = expnType(expn.args[0])
    m2 = expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
    return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif is_appell_function(expn.func):
    m1 = max(map(expnType, list(expn.args)))
    return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif isinstance(expn,RootSum):
    m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
    return max(7,m1)
elif str(expn).find("Integral") != -1:
    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    #print("Enter grade_antiderivative for sagemath")
    #print("Enter grade_antiderivative, result=",result," optimal=",optimal)

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    #print("leaf_count_result=",leaf_count_result)
    #print("leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        grade = "F"
        grade_annotation = ""

```



```

else:
    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    grade = "A"
                    grade_annotation = ""
                else:
                    grade = "B"
                    grade_annotation = "Both result and optimal contain complex but leaf count of result is lar
            else: #result contains complex but optimal is not
                grade = "C"
                grade_annotation = "Result contains complex when optimal does not."
        else: # result do not contain complex, this assumes optimal do not as well
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = ""
            else:
                grade = "B"
                grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(
        else:
            grade = "C"
            grade_annotation = "Result contains higher order function than in optimal. Order "+str(ExpnType

#print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```

SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#       Albert Rich to use with Sagemath. This is used to
#       grade Fricas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#       'arctan2', 'floor', 'abs', 'log_integral'
#June 4, 2022 Made default grade_annotation "none" instead of "" due
#       issue later when reading the file.
#July 14, 2022. Added ellipticF. This is until they fix sagemath, then remove it.

```

```

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    #print("Enter tree_size, expr is ",expr)

    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    #debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arcoth','arcsech','arcsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:

```

```

    if m:
        print ("func ", func , " is elementary_function")
    else:
        print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    #debug=False
    if debug:
        print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','sinh_integral',
        'Chi','cosh_integral','gamma','log_gamma','psi','zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e','ellipticF',
        'elliptic_pi','exp_integral_e','log_integral',
        'weierstrassPInverse','weierstrass','weierstrassP','weierstrassZeta',
        'weierstrassPPrime','weierstrassSigma']

    if debug:
        print ("m=",m)
    if m:
        print ("func ", func , " is special_function")
    else:
        print ("func ", func , " is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U']

def is_appell_function(func):
    return func.name() in ['hypergeometric'] #[appellf1] can't find this in sagemath

def is_atom(expn):

    #debug=False

```

```

if debug:
    print ("Enter is_atom, expn=",expn)

if not hasattr(expn, 'parent'):
    return False

#thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic
try:
    if expn.parent() is SR:
        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().gens()

    return False

except AttributeError as error:
    print ("Exception,AttributeError in is_atom")
    print ("caught exception" , type(error).__name__ )
    return False

def expnType(expn):

    if debug:
        print (">>>>>Enter expnType, expn=", expn)
        print (">>>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #instance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
    elif expn.operator() == operator.pow: #instance(expn,Pow)
        if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer)

```

```

    return expnType(expn.operands()[0]) #expnType(expn.args[0])
elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],Rational)
    if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],Rational)
        return 1
    else:
        return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
else:
    return max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1])) #max(3,expnType(expn
elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #isinstance(expn,Add) or isins
    m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
    m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
    #is checked before calling the grading function that is passed.
    #but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

if debug:
    print ("Enter grade_antiderivative for sagemath")
    print ("Enter grade_antiderivative, result=",result)
    print ("Enter grade_antiderivative, optimal=",optimal)
    print ("type(anti)=", type(result))
    print ("type(optimal)=", type(optimal))

```

```

leaf_count_result = tree_size(result) #leaf_count(result)
leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

#if debug: print ("leaf_count_result=", leaf_count_result, "leaf_count_optimal=",leaf_count_optimal)

expnType_result = expnType(result)
expnType_optimal = expnType(optimal)

if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",expnType_optimal)

if expnType_result <= expnType_optimal:
    if result.has(I):
        if optimal.has(I): #both result and optimal complex
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = "none"
            else:
                grade = "B"
                grade_annotation = "Both result and optimal contain complex but leaf count of result is larger"
        else: #result contains complex but optimal is not
            grade = "C"
            grade_annotation = "Result contains complex when optimal does not."
    else: # result do not contain complex, this assumes optimal do not as well
        if leaf_count_result <= 2*leaf_count_optimal:
            grade = "A"
            grade_annotation = "none"
        else:
            grade = "B"
            grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(leaf_count_result - 2*leaf_count_optimal)
    else:
        grade = "C"
        grade_annotation = "Result contains higher order function than in optimal. Order "+str(expnType_result - expnType_optimal)

print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```

4.2 Links to plain text integration problems used in this report for each CAS

1. Mathematica integration problems as .m file
2. Maple integration problems as .txt file
3. Sagemath integration problems as .sage file
4. Reduce integration problems as .txt file
5. Mupad integration problems as .txt file
6. Sympy integration problems as .py file