

Computer Algebra Independent Integration Tests

Summer 2024

6-Hyperbolic-functions/6.5-Hyperbolic-secant/313-6.5.2

Nasser M. Abbasi

May 18, 2024

Compiled on May 18, 2024 at 10:00am

Contents

1	Introduction	6
1.1	Listing of CAS systems tested	7
1.2	Results	8
1.3	Time and leaf size Performance	12
1.4	Performance based on number of rules Rubi used	14
1.5	Performance based on number of steps Rubi used	15
1.6	Solved integrals histogram based on leaf size of result	16
1.7	Solved integrals histogram based on CPU time used	17
1.8	Leaf size vs. CPU time used	18
1.9	list of integrals with no known antiderivative	19
1.10	List of integrals solved by CAS but has no known antiderivative	19
1.11	list of integrals solved by CAS but failed verification	19
1.12	Timing	20
1.13	Verification	20
1.14	Important notes about some of the results	21
1.15	Current tree layout of integration tests	24
1.16	Design of the test system	25
2	detailed summary tables of results	26
2.1	List of integrals sorted by grade for each CAS	27
2.2	Detailed conclusion table per each integral for all CAS systems	31
2.3	Detailed conclusion table specific for Rubi results	54
3	Listing of integrals	58
3.1	$\int x^5(a + b\operatorname{sech}(c + dx^2)) dx$	62
3.2	$\int x^3(a + b\operatorname{sech}(c + dx^2)) dx$	67
3.3	$\int x(a + b\operatorname{sech}(c + dx^2)) dx$	72
3.4	$\int \frac{a+b\operatorname{sech}(c+dx^2)}{x} dx$	77
3.5	$\int \frac{a+b\operatorname{sech}(c+dx^2)}{x^3} dx$	82
3.6	$\int x^4(a + b\operatorname{sech}(c + dx^2)) dx$	87

3.7	$\int x^2(a + b\operatorname{sech}(c + dx^2)) dx$	92
3.8	$\int \frac{a+b\operatorname{sech}(c+dx^2)}{x^2} dx$	97
3.9	$\int \frac{a+b\operatorname{sech}(c+dx^2)}{x^4} dx$	102
3.10	$\int x^5(a + b\operatorname{sech}(c + dx^2))^2 dx$	107
3.11	$\int x^3(a + b\operatorname{sech}(c + dx^2))^2 dx$	114
3.12	$\int x(a + b\operatorname{sech}(c + dx^2))^2 dx$	121
3.13	$\int \frac{(a+b\operatorname{sech}(c+dx^2))^2}{x} dx$	128
3.14	$\int \frac{(a+b\operatorname{sech}(c+dx^2))^2}{x^3} dx$	133
3.15	$\int x^4(a + b\operatorname{sech}(c + dx^2))^2 dx$	138
3.16	$\int x^2(a + b\operatorname{sech}(c + dx^2))^2 dx$	143
3.17	$\int \frac{(a+b\operatorname{sech}(c+dx^2))^2}{x^2} dx$	148
3.18	$\int \frac{(a+b\operatorname{sech}(c+dx^2))^2}{x^4} dx$	153
3.19	$\int x\operatorname{sech}^7(a + bx^2) dx$	158
3.20	$\int \frac{x^5}{a+b\operatorname{sech}(c+dx^2)} dx$	166
3.21	$\int \frac{x^3}{a+b\operatorname{sech}(c+dx^2)} dx$	173
3.22	$\int \frac{x}{a+b\operatorname{sech}(c+dx^2)} dx$	179
3.23	$\int \frac{1}{x(a+b\operatorname{sech}(c+dx^2))} dx$	186
3.24	$\int \frac{1}{x^3(a+b\operatorname{sech}(c+dx^2))} dx$	191
3.25	$\int \frac{x^4}{a+b\operatorname{sech}(c+dx^2)} dx$	196
3.26	$\int \frac{x^2}{a+b\operatorname{sech}(c+dx^2)} dx$	201
3.27	$\int \frac{1}{x^2(a+b\operatorname{sech}(c+dx^2))} dx$	206
3.28	$\int \frac{1}{x^4(a+b\operatorname{sech}(c+dx^2))} dx$	211
3.29	$\int \frac{x^5}{(a+b\operatorname{sech}(c+dx^2))^2} dx$	216
3.30	$\int \frac{x^3}{(a+b\operatorname{sech}(c+dx^2))^2} dx$	223
3.31	$\int \frac{x}{(a+b\operatorname{sech}(c+dx^2))^2} dx$	231
3.32	$\int \frac{1}{x(a+b\operatorname{sech}(c+dx^2))^2} dx$	240
3.33	$\int \frac{1}{x^3(a+b\operatorname{sech}(c+dx^2))^2} dx$	245
3.34	$\int \frac{x^4}{(a+b\operatorname{sech}(c+dx^2))^2} dx$	250
3.35	$\int \frac{x^2}{(a+b\operatorname{sech}(c+dx^2))^2} dx$	255

3.36	$\int \frac{1}{x^2(a+b\operatorname{sech}(c+dx^2))^2} dx \dots\dots\dots$	260
3.37	$\int \frac{1}{x^4(a+b\operatorname{sech}(c+dx^2))^2} dx \dots\dots\dots$	265
3.38	$\int \frac{\operatorname{sech}^2(\frac{1}{x})}{x^2} dx \dots\dots\dots$	270
3.39	$\int x^3(a+b\operatorname{sech}(c+d\sqrt{x})) dx \dots\dots\dots$	275
3.40	$\int x^2(a+b\operatorname{sech}(c+d\sqrt{x})) dx \dots\dots\dots$	282
3.41	$\int x(a+b\operatorname{sech}(c+d\sqrt{x})) dx \dots\dots\dots$	288
3.42	$\int \frac{a+b\operatorname{sech}(c+d\sqrt{x})}{x} dx \dots\dots\dots$	293
3.43	$\int \frac{a+b\operatorname{sech}(c+d\sqrt{x})}{x^2} dx \dots\dots\dots$	298
3.44	$\int x^3(a+b\operatorname{sech}(c+d\sqrt{x}))^2 dx \dots\dots\dots$	303
3.45	$\int x^2(a+b\operatorname{sech}(c+d\sqrt{x}))^2 dx \dots\dots\dots$	312
3.46	$\int x(a+b\operatorname{sech}(c+d\sqrt{x}))^2 dx \dots\dots\dots$	320
3.47	$\int \frac{(a+b\operatorname{sech}(c+d\sqrt{x}))^2}{x} dx \dots\dots\dots$	328
3.48	$\int \frac{(a+b\operatorname{sech}(c+d\sqrt{x}))^2}{x^3x^2} dx \dots\dots\dots$	333
3.49	$\int \frac{x^3}{a+b\operatorname{sech}(c+d\sqrt{x})} dx \dots\dots\dots$	338
3.50	$\int \frac{x^2}{a+b\operatorname{sech}(c+d\sqrt{x})} dx \dots\dots\dots$	346
3.51	$\int \frac{x}{a+b\operatorname{sech}(c+d\sqrt{x})} dx \dots\dots\dots$	354
3.52	$\int \frac{1}{x(a+b\operatorname{sech}(c+d\sqrt{x}))} dx \dots\dots\dots$	361
3.53	$\int \frac{1}{x^2(a+b\operatorname{sech}(c+d\sqrt{x}))} dx \dots\dots\dots$	366
3.54	$\int \frac{x^3}{(a+b\operatorname{sech}(c+d\sqrt{x}))^2} dx \dots\dots\dots$	371
3.55	$\int \frac{x^2}{(a+b\operatorname{sech}(c+d\sqrt{x}))^2} dx \dots\dots\dots$	379
3.56	$\int \frac{x}{(a+b\operatorname{sech}(c+d\sqrt{x}))^2} dx \dots\dots\dots$	387
3.57	$\int \frac{1}{x(a+b\operatorname{sech}(c+d\sqrt{x}))^2} dx \dots\dots\dots$	395
3.58	$\int \frac{1}{x^2(a+b\operatorname{sech}(c+d\sqrt{x}))^2} dx \dots\dots\dots$	400
3.59	$\int x^{3/2}(a+b\operatorname{sech}(c+d\sqrt{x})) dx \dots\dots\dots$	405
3.60	$\int \sqrt{x}(a+b\operatorname{sech}(c+d\sqrt{x})) dx \dots\dots\dots$	411
3.61	$\int \frac{a+b\operatorname{sech}(c+d\sqrt{x})}{\sqrt{x}} dx \dots\dots\dots$	416
3.62	$\int \frac{a+b\operatorname{sech}(c+d\sqrt{x})}{x^{3/2}} dx \dots\dots\dots$	421
3.63	$\int \frac{a+b\operatorname{sech}(c+d\sqrt{x})}{x^{5/2}} dx \dots\dots\dots$	426
3.64	$\int x^{3/2}(a+b\operatorname{sech}(c+d\sqrt{x}))^2 dx \dots\dots\dots$	431
3.65	$\int \sqrt{x}(a+b\operatorname{sech}(c+d\sqrt{x}))^2 dx \dots\dots\dots$	438

3.66	$\int \frac{(a+b\operatorname{sech}(c+d\sqrt{x}))^2}{\sqrt{x}} dx$	444
3.67	$\int \frac{(a+b\operatorname{sech}(c+d\sqrt{x}))^2}{x^{3/2}} dx$	450
3.68	$\int \frac{(a+b\operatorname{sech}(c+d\sqrt{x}))^2}{x^{5/2}} dx$	455
3.69	$\int \frac{x^{3/2}}{a+b\operatorname{sech}(c+d\sqrt{x})} dx$	460
3.70	$\int \frac{\sqrt{x}}{a+b\operatorname{sech}(c+d\sqrt{x})} dx$	467
3.71	$\int \frac{1}{\sqrt{x}(a+b\operatorname{sech}(c+d\sqrt{x}))} dx$	473
3.72	$\int \frac{1}{x^{3/2}(a+b\operatorname{sech}(c+d\sqrt{x}))} dx$	480
3.73	$\int \frac{1}{x^{5/2}(a+b\operatorname{sech}(c+d\sqrt{x}))} dx$	485
3.74	$\int \frac{x^{3/2}}{(a+b\operatorname{sech}(c+d\sqrt{x}))^2} dx$	490
3.75	$\int \frac{\sqrt{x}}{(a+b\operatorname{sech}(c+d\sqrt{x}))^2} dx$	498
3.76	$\int \frac{1}{\sqrt{x}(a+b\operatorname{sech}(c+d\sqrt{x}))^2} dx$	506
3.77	$\int \frac{1}{x^{3/2}(a+b\operatorname{sech}(c+d\sqrt{x}))^2} dx$	516
3.78	$\int \frac{1}{x^{5/2}(a+b\operatorname{sech}(c+d\sqrt{x}))^2} dx$	521
3.79	$\int (ex)^m (a + b\operatorname{sech}(c + dx^n))^p dx$	526
3.80	$\int (ex)^{-1+n} (a + b\operatorname{sech}(c + dx^n)) dx$	531
3.81	$\int (ex)^{-1+2n} (a + b\operatorname{sech}(c + dx^n)) dx$	536
3.82	$\int (ex)^{-1+3n} (a + b\operatorname{sech}(c + dx^n)) dx$	542
3.83	$\int (ex)^{-1+n} (a + b\operatorname{sech}(c + dx^n))^2 dx$	548
3.84	$\int (ex)^{-1+2n} (a + b\operatorname{sech}(c + dx^n))^2 dx$	555
3.85	$\int (ex)^{-1+3n} (a + b\operatorname{sech}(c + dx^n))^2 dx$	562
3.86	$\int \frac{(ex)^{-1+n}}{a+b\operatorname{sech}(c+dx^n)} dx$	568
3.87	$\int \frac{(ex)^{-1+2n}}{a+b\operatorname{sech}(c+dx^n)} dx$	575
3.88	$\int \frac{(ex)^{-1+3n}}{a+b\operatorname{sech}(c+dx^n)} dx$	583
3.89	$\int \frac{(ex)^{-1+n}}{(a+b\operatorname{sech}(c+dx^n))^2} dx$	590
3.90	$\int \frac{(ex)^{-1+2n}}{(a+b\operatorname{sech}(c+dx^n))^2} dx$	599
3.91	$\int \frac{(ex)^{-1+3n}}{(a+b\operatorname{sech}(c+dx^n))^2} dx$	608

4	Appendix	616
4.1	Listing of Grading functions	616

4.2 Links to plain text integration problems used in this report for each CAS634

CHAPTER 1

INTRODUCTION

1.1	Listing of CAS systems tested	7
1.2	Results	8
1.3	Time and leaf size Performance	12
1.4	Performance based on number of rules Rubi used	14
1.5	Performance based on number of steps Rubi used	15
1.6	Solved integrals histogram based on leaf size of result	16
1.7	Solved integrals histogram based on CPU time used	17
1.8	Leaf size vs. CPU time used	18
1.9	list of integrals with no known antiderivative	19
1.10	List of integrals solved by CAS but has no known antiderivative	19
1.11	list of integrals solved by CAS but failed verification	19
1.12	Timing	20
1.13	Verification	20
1.14	Important notes about some of the results	21
1.15	Current tree layout of integration tests	24
1.16	Design of the test system	25

This report gives the result of running the computer algebra independent integration test. The download section in on the main webpage contains links to download the problems in plain text format used for all CAS systems. The number of integrals in this report is [91]. This is test number [313].

1.1 Listing of CAS systems tested

The following are the CAS systems tested:

1. Mathematica 14 (January 9, 2024) on windows 10 pro.
2. Rubi 4.17.3 (Sept 25, 2023) on Mathematica 14 on windows 10m pro.
3. Maple 2024 (March 1, 2024) on windows 10 pro.
4. Maxima 5.47 (June 1, 2023) using Lisp SBCL 2.4.0 on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
5. FriCAS 1.3.10 built with sbcl 2.3.11 (January 10, 2024) on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
6. Giac/Xcas 1.9.0-99 on Linux via sagemath 10.3.
7. Sympy 1.12 using Python 3.11.6 (Nov 14 2023, 09:36:21) [GCC 13.2.1 20230801] on Linux Manjaro 23.1.2 KDE.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 on windows 10.
9. Reduce CSL rev 6687 (January 9, 2024) on Linux Manjaro 23.1.2 KDE.

Maxima and Fricas and Giac are called using Sagemath. This was done using Sagemath `integrate` command by changing the name of the algorithm to use the different CAS systems.

Sympy was run directly in Python not via sagemath.

Reduce was called directly.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed. If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	% solved	% Failed
Rubi	100.00 (91)	0.00 (0)
Mathematica	95.60 (87)	4.40 (4)
Fricas	78.02 (71)	21.98 (20)
Maple	62.64 (57)	37.36 (34)
Mupad	59.34 (54)	40.66 (37)
Reduce	59.34 (54)	40.66 (37)
Giac	56.04 (51)	43.96 (40)
Maxima	50.55 (46)	49.45 (45)
Sympy	47.25 (43)	52.75 (48)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	54.945	0.000	0.000	45.055
Mathematica	47.253	2.198	1.099	49.451
Maple	10.989	0.000	6.593	82.418
Giac	10.989	0.000	0.000	89.011
Maxima	5.495	1.099	0.000	93.407
Fricas	3.297	29.670	0.000	67.033
Sympy	2.198	0.000	0.000	97.802
Mupad	0.000	14.286	0.000	85.714
Reduce	0.000	14.286	0.000	85.714

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the grades of the CAS systems.



The following table shows the distribution of the different types of failures for each CAS. There are 3 types failures. The first is when CAS returns the input within the time limit, which means it could not solve it. This is the typical failure and given as **F**.

The second failure is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned. This is assigned **F(-1)**.

The third is due to an exception generated, indicated as **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in the CAS itself. This type of error requires more investigation to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00	0.00	0.00
Mathematica	4	100.00	0.00	0.00
Fricas	20	100.00	0.00	0.00
Maple	34	100.00	0.00	0.00
Mupad	37	0.00	100.00	0.00
Reduce	37	100.00	0.00	0.00
Giac	40	100.00	0.00	0.00
Maxima	45	57.78	2.22	40.00
Sympy	48	100.00	0.00	0.00

Table 1.4: Failure statistics for each CAS

1.3 Time and leaf size Performance

The table below summarizes the performance of each CAS system in terms of time used and leaf size of results.

Mean size is the average leaf size produced by the CAS (before any normalization). The Normalized mean is relative to the mean size of the optimal anti-derivative given in the input files.

For example, if CAS has **Normalized mean** of 3, then the mean size of its leaf size is 3 times as large as the mean size of the optimal leaf size.

Median size is value of leaf size where half the values are larger than this and half are smaller (before any normalization). i.e. The Middle value.

Similarly the **Normalized median** is relative to the median leaf size of the optimal.

For example, if a CAS has Normalized median of 1.2, then its median is 1.2 as large as the median leaf size of the optimal.

System	Mean time (sec)
Fricas	0.11
Reduce	0.24
Maxima	0.30
Giac	0.34
Maple	0.66
Rubi	0.77
Mupad	2.43
Sympy	3.97
Mathematica	8.64

Table 1.5: Time performance for each CAS

System	Mean size	Normalized mean	Median size	Normalized median
Sympy	18.44	0.96	17.00	0.94
Giac	29.29	1.04	20.00	1.11
Mupad	59.13	1.48	22.00	1.22
Maple	63.84	1.19	18.00	1.00
Maxima	113.22	5.78	66.00	3.29
Rubi	254.00	0.99	44.00	1.00
Mathematica	269.33	1.16	26.00	1.11
Reduce	511.00	23.65	81.00	3.14
Fricas	852.10	3.88	42.00	2.11

Table 1.6: Leaf size performance for each CAS

1.4 Performance based on number of rules Rubi used

This section shows how each CAS performed based on the number of rules Rubi needed to solve the same integral. One diagram is given for each CAS.

On the y axis is the percentage solved which Rubi itself needed the number of rules given the x axis. These plots show that as more rules are needed then most CAS system percentage of solving decreases which indicates the integral is becoming more complicated to solve.




Figure 1.1: Solving statistics per number of Rubi rules used

1.5 Performance based on number of steps Rubi used

This section shows how each CAS performed based on the number of steps Rubi needed to solve the same integral. Note that the number of steps Rubi needed can be much higher than the number of rules, as the same rule could be used more than once.




Figure 1.2: Solving statistics per number of Rubi steps used

The above diagram shows that the percentage of solved integrals decreases for most CAS systems as the number of steps increases. As expected, for integrals that required less steps by Rubi, CAS systems had more success which indicates the integral was not as hard to solve. As Rubi needed more steps to solve the integral, the solved percentage decreased for most CAS systems which indicates the integral is becoming harder to solve.

1.6 Solved integrals histogram based on leaf size of result

The following shows the distribution of solved integrals for each CAS system based on leaf size of the antiderivatives produced by each CAS. It shows that most integrals solved produced leaf size less than about 100 to 150. The bin size used is 40.




Figure 1.3: Solved integrals based on leaf size distribution

1.7 Solved integrals histogram based on CPU time used

The following shows the distribution of solved integrals for each CAS system based on CPU time used in seconds. The bin size used is 0.1 second.




Figure 1.4: Solved integrals histogram based on CPU time used

1.8 Leaf size vs. CPU time used

The following shows the relation between the CPU time used to solve an integral and the leaf size of the antiderivative.

The result for Fricas, Maxima and Giac is shifted more to the right than the other CAS system due to the use of sagemath to call them, which causes an initial slight delay in the timing to start the integration due to overhead of starting a new process each time. This should also be taken into account when looking at the timing of these three CAS systems. Direct calls not using sagemath would result in faster timings, but current implementation uses sagemath as this makes testing much easier to do.




Figure 1.5: Leaf size vs. CPU time. Full range

1.9 list of integrals with no known antiderivative

{4, 5, 6, 7, 8, 9, 13, 14, 15, 16, 17, 18, 23, 24, 25, 26, 27, 28, 32, 33, 34, 35, 36, 37, 42, 43, 47, 48, 52, 53, 57, 58, 62, 63, 67, 68, 72, 73, 77, 78, 79}

1.10 List of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Reduce {}

Mupad {}

1.11 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not necessarily mean that the anti-derivative is wrong as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it possible to do further investigation to determine why the result could not be verified.

Rubi {}

Mathematica {30, 46, 84, 87, 90}

Maple {80, 81, 83, 86, 87, 89}

Maxima Verification phase not currently implemented.

Fricas Verification phase not currently implemented.

Sympy Verification phase not currently implemented.

Giac Verification phase not currently implemented.

Reduce Verification phase not currently implemented.

Mupad Verification phase not currently implemented.

1.12 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of_int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 CPU minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out was not counted in the final statistics.

1.13 Verification

A verification phase was applied on the result of integration for **Rubi** and **Mathematica**.

Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative was correct.

Verification phase also had 3 minutes time out. An integral whose result was not verified could still be correct, but further investigation is needed on those integrals. These integrals were marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.14 Important notes about some of the results

Important note about Maxima results

Since tests were run in a batch mode, and using an automated script, then any integral where Maxima needed an interactive response from the user to answer a question during the evaluation of the integral will fail.

The exception raised is `ValueError`. Therefore Maxima results is lower than what would result if Maxima was run directly and each question was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the `Timofeev` test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate the cause of error.

Maxima `integrate` was run using SageMath with the following settings set by default

```
'besselexpand : true'  
'display2d : false'  
'domain : complex'  
'keepfloat : true'  
'load(to_poly_solve)'  
'load(simplify_sum)'  
'load(abs_integrate)' 'load(diag)'
```

SageMath automatic loading of Maxima `abs_integrate` was found to cause some problems. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib  
maxima_lib.set('extra_definite_integration_methods', '[]')  
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

Important note about FriCAS result

There were few integrals which failed due to SageMath interface and not because FriCAS system could not do the integration.

These will fail With error `Exception raised: NotImplementedError`.

The number of such cases seems to be very small. About 1 or 2 percent of all integrals. These can be identified by looking at the exception message given in the result.

Important note about finding leaf size of antiderivative

For Mathematica, Rubi, and Maple, the builtin system function `LeafSize` was used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy antiderivative was determined using the following function, thanks to user `slelievre` at https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which was called directly from Python, the following code was used to obtain the leafsize of its result

```
try:  
    # 1.7 is a fudge factor since it is low side from actual leaf count  
    leafCount = round(1.7*count_ops(anti))  
  
except Exception as ee:  
    leafCount = 1
```

Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative. Maple was used to determine the leaf size of Mupad output by post processing Mupad result.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.

The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')  
the_variable = evalin(symengine, 'x')  
anti = int(integrand,the_variable)
```

Which gives $\sin(x)^2/2$

1.15 Current tree layout of integration tests





Figure 1.6: CAS integration tests tree

1.16 Design of the test system

The following diagram gives a high level view of the current test build system.



High level overview of the CAS independent integration test build system

One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer. the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "E"
13. String. Small string description of why the grade was given.
14. integer. 1 if result was verified or 0 if not verified. (For mma, rubi and maple only)

The following fields are present only in Rubi Table file

15. integer. Number of steps used.
16. integer. Number of rules used.
17. integer. Integrand leaf size.
18. real number. Ratio. Field 16 over field 17
19. String of form "{n,n,...}" which is list of the rules used by Rubi
20. String. The optimal antiderivative in Mathematica syntax

Nasser M. Abbasi
January 13, 2024
Design note

CHAPTER 2

DETAILED SUMMARY TABLES OF RESULTS

2.1	List of integrals sorted by grade for each CAS	27
2.2	Detailed conclusion table per each integral for all CAS systems	31
2.3	Detailed conclusion table specific for Rubi results	54

2.1 List of integrals sorted by grade for each CAS

Rubi	27
Mma	27
Maple	28
Fricas	28
Maxima	28
Giac	29
Mupad	29
Sympy	29
Reduce	30

Rubi

A grade { 1, 2, 3, 10, 11, 12, 19, 20, 21, 22, 29, 30, 31, 38, 39, 40, 41, 44, 45, 46, 49, 50, 51, 54, 55, 56, 59, 60, 61, 64, 65, 66, 69, 70, 71, 74, 75, 76, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91 }

B grade { }

C grade { }

F normal fail { }

F(-1) timedout fail { }

F(-2) exception fail { }

Mma

A grade { 1, 2, 3, 10, 12, 19, 20, 21, 22, 29, 30, 31, 38, 39, 40, 41, 44, 45, 46, 49, 50, 51, 54, 55, 56, 59, 60, 61, 64, 65, 66, 69, 70, 71, 74, 75, 76, 80, 81, 83, 86, 89, 90 }

B grade { 11, 84 }

C grade { 87 }

F normal fail { 82, 85, 88, 91 }

F(-1) timedout fail { }

F(-2) exception fail { }

Maple

A grade { 3, 12, 19, 22, 31, 38, 61, 66, 71, 76 }

B grade { }

C grade { 80, 81, 83, 86, 87, 89 }

F normal fail { 1, 2, 10, 11, 20, 21, 29, 30, 39, 40, 41, 44, 45, 46, 49, 50, 51, 54, 55, 56, 59, 60, 64, 65, 69, 70, 74, 75, 82, 84, 85, 88, 90, 91 }

F(-1) timedout fail { }

F(-2) exception fail { }

Fricas

A grade { 3, 22, 61 }

B grade { 1, 2, 10, 11, 12, 19, 20, 21, 29, 30, 31, 38, 66, 71, 76, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91 }

C grade { }

F normal fail { 39, 40, 41, 44, 45, 46, 49, 50, 51, 54, 55, 56, 59, 60, 64, 65, 69, 70, 74, 75 }

F(-1) timedout fail { }

F(-2) exception fail { }

Maxima

A grade { 3, 12, 38, 61, 66 }

B grade { 19 }

C grade { }

F normal fail { 1, 2, 10, 11, 39, 40, 41, 44, 45, 46, 59, 60, 64, 65, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91 }

F(-1) timedout fail { 68 }

F(-2) exception fail { 20, 21, 22, 29, 30, 31, 49, 50, 51, 54, 55, 56, 69, 70, 71, 74, 75, 76 }

Giac

A grade { 3, 12, 19, 22, 31, 38, 61, 66, 71, 76 }

B grade { }

C grade { }

F normal fail { 1, 2, 10, 11, 20, 21, 29, 30, 39, 40, 41, 44, 45, 46, 49, 50, 51, 54, 55, 56, 59, 60, 64, 65, 69, 70, 74, 75, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91 }

F(-1) timedout fail { }

F(-2) exception fail { }

Mupad

A grade { }

B grade { 3, 12, 19, 22, 31, 38, 61, 66, 71, 76, 80, 83, 86 }

C grade { }

F normal fail { }

F(-1) timedout fail { 1, 2, 10, 11, 20, 21, 29, 30, 39, 40, 41, 44, 45, 46, 49, 50, 51, 54, 55, 56, 59, 60, 64, 65, 69, 70, 74, 75, 81, 82, 84, 85, 87, 88, 89, 90, 91 }

F(-2) exception fail { }

Sympy

A grade { 3, 61 }

B grade { }

C grade { }

F normal fail { 1, 2, 10, 11, 12, 19, 20, 21, 22, 29, 30, 31, 38, 39, 40, 41, 44, 45, 46, 49, 50, 51, 54, 55, 56, 59, 60, 64, 65, 66, 69, 70, 71, 74, 75, 76, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91 }

F(-1) timedout fail { }

F(-2) exception fail { }

Reduce

A grade { }

B grade { 3, 12, 19, 22, 38, 61, 66, 71, 76, 80, 83, 86, 89 }

C grade { }

F normal fail { 1, 2, 10, 11, 20, 21, 29, 30, 31, 39, 40, 41, 44, 45, 46, 49, 50, 51, 54, 55, 56, 59, 60, 64, 65, 69, 70, 74, 75, 81, 82, 84, 85, 87, 88, 90, 91 }

F(-1) timedout fail { }

F(-2) exception fail { }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by the table below. The elapsed time is in seconds. For failed result it is given as **F(-1)** if the failure was due to timeout. It is given as **F(-2)** if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given as **F**.

In this table, the column **N.S.** means **normalized size** and is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$. To make the table fit the page, the name **Mathematica** was abbreviated to **MMA**.

Problem 1	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	125	125	143	0	0	256	0	0	23	0
N.S.	1	1.00	1.14	0.00	0.00	2.05	0.00	0.00	0.18	0.00
time (sec)	N/A	0.403	0.181	0.000	0.000	0.105	0.000	0.000	0.246	0.000

Problem 2	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	77	77	92	0	0	184	0	0	23	0
N.S.	1	1.00	1.19	0.00	0.00	2.39	0.00	0.00	0.30	0.00
time (sec)	N/A	0.267	0.127	0.000	0.000	0.132	0.000	0.000	0.207	0.000

Problem 3	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	26	26	26	23	22	33	39	28	25	42
N.S.	1	1.00	1.00	0.88	0.85	1.27	1.50	1.08	0.96	1.62
time (sec)	N/A	0.201	0.014	0.184	0.031	0.094	0.610	0.120	0.198	2.158

Problem 4	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	16	16	18	16	36	18	14	18	21	20
N.S.	1	1.00	1.12	1.00	2.25	1.12	0.88	1.12	1.31	1.25
time (sec)	N/A	0.188	2.878	0.026	0.134	0.093	1.605	0.127	0.202	2.416

Problem 5	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	16	16	18	16	38	18	15	18	29	20
N.S.	1	1.00	1.12	1.00	2.38	1.12	0.94	1.12	1.81	1.25
time (sec)	N/A	0.193	3.567	0.028	0.149	0.092	0.744	0.144	0.228	2.563

Problem 6	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	16	16	18	16	38	21	15	18	23	20
N.S.	1	1.00	1.12	1.00	2.38	1.31	0.94	1.12	1.44	1.25
time (sec)	N/A	0.189	3.477	0.024	0.133	0.105	1.072	0.168	0.205	2.342

Problem 7	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	16	16	18	16	38	21	15	18	23	20
N.S.	1	1.00	1.12	1.00	2.38	1.31	0.94	1.12	1.44	1.25
time (sec)	N/A	0.188	3.052	0.026	0.137	0.093	0.696	0.131	0.218	2.340

Problem 8	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	16	16	18	16	38	18	15	18	25	20
N.S.	1	1.00	1.12	1.00	2.38	1.12	0.94	1.12	1.56	1.25
time (sec)	N/A	0.188	2.965	0.024	0.138	0.071	0.627	0.182	0.271	2.449

Problem 9	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	16	16	18	16	38	18	15	18	29	20
N.S.	1	1.00	1.12	1.00	2.38	1.12	0.94	1.12	1.81	1.25
time (sec)	N/A	0.189	3.236	0.028	0.144	0.071	1.055	0.238	0.194	2.469

Problem 10	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	217	213	320	0	0	1198	0	0	544	0
N.S.	1	0.98	1.47	0.00	0.00	5.52	0.00	0.00	2.51	0.00
time (sec)	N/A	0.850	1.752	0.000	0.000	0.125	0.000	0.000	0.213	0.000

Problem 11	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	119	118	324	0	0	782	0	0	299	0
N.S.	1	0.99	2.72	0.00	0.00	6.57	0.00	0.00	2.51	0.00
time (sec)	N/A	0.633	1.234	0.000	0.000	0.105	0.000	0.000	0.218	0.000

Problem 12	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	B	F	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	43	43	41	46	194	0	55	107	77
N.S.	1	0.98	0.98	0.93	1.05	4.41	0.00	1.25	2.43	1.75
time (sec)	N/A	0.597	0.086	0.306	0.035	0.086	0.000	0.123	0.208	0.116

Problem 13	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	86	36	15	20	45	22
N.S.	1	1.00	1.11	1.00	4.78	2.00	0.83	1.11	2.50	1.22
time (sec)	N/A	0.331	20.949	0.083	0.282	0.085	6.971	0.167	0.208	2.553

Problem 14	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	87	36	17	20	195	22
N.S.	1	1.00	1.11	1.00	4.83	2.00	0.94	1.11	10.83	1.22
time (sec)	N/A	0.308	7.507	0.079	0.244	0.071	1.019	0.205	0.204	2.649

Problem 15	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	79	42	17	20	829	22
N.S.	1	1.00	1.11	1.00	4.39	2.33	0.94	1.11	46.06	1.22
time (sec)	N/A	0.260	7.312	0.079	0.249	0.088	1.510	0.662	0.226	2.426

Problem 16	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	72	42	17	20	586	22
N.S.	1	1.00	1.11	1.00	4.00	2.33	0.94	1.11	32.56	1.22
time (sec)	N/A	0.266	6.242	0.075	0.250	0.074	0.954	0.563	0.245	2.320

Problem 17	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	87	36	17	20	50	22
N.S.	1	1.00	1.11	1.00	4.83	2.00	0.94	1.11	2.78	1.22
time (sec)	N/A	0.206	7.061	0.075	0.245	0.085	0.872	0.687	0.211	2.578

Problem 18	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	87	36	17	20	56	22
N.S.	1	1.00	1.11	1.00	4.83	2.00	0.94	1.11	3.11	1.22
time (sec)	N/A	0.227	7.062	0.076	0.297	0.079	1.457	0.950	0.220	2.543

Problem 19	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	B	F	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	90	104	90	62	182	1918	0	146	329	395
N.S.	1	1.16	1.00	0.69	2.02	21.31	0.00	1.62	3.66	4.39
time (sec)	N/A	0.507	0.067	1.036	0.132	0.083	0.000	0.134	0.201	0.106

Problem 20	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F(-2)	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	349	350	272	0	0	731	0	0	87	0
N.S.	1	1.00	0.78	0.00	0.00	2.09	0.00	0.00	0.25	0.00
time (sec)	N/A	1.145	0.499	0.000	0.000	0.104	0.000	0.000	0.253	0.000

Problem 21	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F(-2)	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	241	235	187	0	0	536	0	0	87	0
N.S.	1	0.98	0.78	0.00	0.00	2.22	0.00	0.00	0.36	0.00
time (sec)	N/A	0.768	0.254	0.000	0.000	0.114	0.000	0.000	0.223	0.000

Problem 22	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F(-2)	A	F	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	66	67	67	90	0	304	0	61	77	171
N.S.	1	1.02	1.02	1.36	0.00	4.61	0.00	0.92	1.17	2.59
time (sec)	N/A	0.370	0.167	0.139	0.000	0.113	0.000	0.121	0.218	0.202

Problem 23	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	58	19	15	20	57	22
N.S.	1	1.00	1.11	1.00	3.22	1.06	0.83	1.11	3.17	1.22
time (sec)	N/A	0.203	1.896	0.049	0.120	0.080	1.091	0.184	0.206	2.327

Problem 24	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	66	23	17	20	100	22
N.S.	1	1.00	1.11	1.00	3.67	1.28	0.94	1.11	5.56	1.22
time (sec)	N/A	0.239	2.633	0.051	0.124	0.077	0.923	0.235	0.231	2.454

Problem 25	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	59	20	15	20	58	22
N.S.	1	1.00	1.11	1.00	3.28	1.11	0.83	1.11	3.22	1.22
time (sec)	N/A	0.319	2.475	0.046	0.132	0.082	0.547	0.137	0.244	2.327

Problem 26	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	59	20	15	20	58	22
N.S.	1	1.00	1.11	1.00	3.28	1.11	0.83	1.11	3.22	1.22
time (sec)	N/A	0.342	2.135	0.046	0.137	0.074	0.447	0.134	0.228	2.395

Problem 27	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	66	23	17	20	100	22
N.S.	1	1.00	1.11	1.00	3.67	1.28	0.94	1.11	5.56	1.22
time (sec)	N/A	0.339	2.116	0.046	0.147	0.078	0.828	0.134	0.240	2.349

Problem 28	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	66	23	17	20	100	22
N.S.	1	1.00	1.11	1.00	3.67	1.28	0.94	1.11	5.56	1.22
time (sec)	N/A	0.338	2.101	0.048	0.133	0.073	1.068	0.134	0.233	2.478

Problem 29	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F(-2)	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	994	990	1565	0	0	3918	0	0	38	0
N.S.	1	1.00	1.57	0.00	0.00	3.94	0.00	0.00	0.04	0.00
time (sec)	N/A	3.064	4.191	0.000	0.000	0.160	0.000	0.000	0.217	0.000

Problem 30	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F(-2)	B	F	F	F	F(-1)
verified	N/A	Yes	No	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	555	546	654	0	0	2473	0	0	38	0
N.S.	1	0.98	1.18	0.00	0.00	4.46	0.00	0.00	0.07	0.00
time (sec)	N/A	1.362	3.331	0.000	0.000	0.137	0.000	0.000	0.217	0.000

Problem 31	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F(-2)	B	F	A	F	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	123	146	220	177	0	1314	0	148	0	316
N.S.	1	1.19	1.79	1.44	0.00	10.68	0.00	1.20	0.00	2.57
time (sec)	N/A	0.774	0.556	0.204	0.000	0.117	0.000	0.133	0.229	2.970

Problem 32	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	249	38	17	20	341	22
N.S.	1	1.00	1.11	1.00	13.83	2.11	0.94	1.11	18.94	1.22
time (sec)	N/A	0.279	35.474	0.062	0.282	0.075	1.843	0.852	0.261	2.977

Problem 33	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	319	44	19	3	2679	22
N.S.	1	1.00	1.11	1.00	17.72	2.44	1.06	0.17	148.83	1.22
time (sec)	N/A	0.285	17.706	0.058	0.281	0.081	1.543	1.289	0.327	3.076

Problem 34	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	312	38	17	20	38	22
N.S.	1	1.00	1.11	1.00	17.33	2.11	0.94	1.11	2.11	1.22
time (sec)	N/A	0.291	14.258	0.057	0.282	0.096	1.002	0.217	0.248	2.658

Problem 35	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	300	38	17	20	38	22
N.S.	1	1.00	1.11	1.00	16.67	2.11	0.94	1.11	2.11	1.22
time (sec)	N/A	0.301	12.923	0.055	0.290	0.087	0.740	0.246	0.223	2.584

Problem 36	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	318	44	19	20	290	22
N.S.	1	1.00	1.11	1.00	17.67	2.44	1.06	1.11	16.11	1.22
time (sec)	N/A	0.329	16.680	0.056	0.283	0.085	1.646	0.228	0.255	2.788

Problem 37	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	320	44	19	20	321	22
N.S.	1	1.00	1.11	1.00	17.78	2.44	1.06	1.11	17.83	1.22
time (sec)	N/A	0.335	16.630	0.058	0.285	0.081	2.048	0.239	0.275	2.846

Problem 38	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	B	F	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	6	6	6	7	12	28	0	12	20	12
N.S.	1	1.00	1.00	1.17	2.00	4.67	0.00	2.00	3.33	2.00
time (sec)	N/A	0.390	0.016	0.082	0.036	0.068	0.000	0.129	0.234	2.261

Problem 39	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	426	426	415	0	0	0	0	0	22	0
N.S.	1	1.00	0.97	0.00	0.00	0.00	0.00	0.00	0.05	0.00
time (sec)	N/A	0.955	0.407	0.000	0.000	0.000	0.000	0.000	0.259	0.000

Problem 40	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	310	310	311	0	0	0	0	0	22	0
N.S.	1	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.07	0.00
time (sec)	N/A	0.565	0.318	0.000	0.000	0.000	0.000	0.000	0.232	0.000

Problem 41	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	194	194	207	0	0	0	0	0	20	0
N.S.	1	1.00	1.07	0.00	0.00	0.00	0.00	0.00	0.10	0.00
time (sec)	N/A	0.402	0.270	0.000	0.000	0.000	0.000	0.000	0.219	0.000

Problem 42	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	16	36	18	15	18	20	20
N.S.	1	1.00	1.11	0.89	2.00	1.00	0.83	1.00	1.11	1.11
time (sec)	N/A	0.185	7.118	0.069	0.321	0.085	2.423	0.130	0.212	2.409

Problem 43	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	16	42	18	17	18	24	20
N.S.	1	1.00	1.11	0.89	2.33	1.00	0.94	1.00	1.33	1.11
time (sec)	N/A	0.189	6.677	0.068	0.293	0.081	1.565	0.148	0.237	2.486

Problem 44	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	677	683	748	0	0	0	0	0	0	0
N.S.	1	1.01	1.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	1.133	5.298	0.000	0.000	0.000	0.000	0.000	0.258	0.000

Problem 45	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	497	499	582	0	0	0	0	0	1182	0
N.S.	1	1.00	1.17	0.00	0.00	0.00	0.00	0.00	2.38	0.00
time (sec)	N/A	0.993	4.477	0.000	0.000	0.000	0.000	0.000	0.256	0.000

Problem 46	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	No	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	319	321	466	0	0	0	0	0	718	0
N.S.	1	1.01	1.46	0.00	0.00	0.00	0.00	0.00	2.25	0.00
time (sec)	N/A	1.076	3.614	0.000	0.000	0.000	0.000	0.000	0.250	0.000

Problem 47	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	18	86	36	17	20	43	22
N.S.	1	1.00	1.10	0.90	4.30	1.80	0.85	1.00	2.15	1.10
time (sec)	N/A	0.293	58.725	0.205	0.396	0.082	11.923	0.196	0.202	2.749

Problem 48	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	18	110	36	19	20	179	22
N.S.	1	1.00	1.10	0.90	5.50	1.80	0.95	1.00	8.95	1.10
time (sec)	N/A	0.285	22.994	0.200	0.433	0.079	2.512	0.299	0.217	2.707

Problem 49	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F(-2)	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	961	962	721	0	0	0	0	0	82	0
N.S.	1	1.00	0.75	0.00	0.00	0.00	0.00	0.00	0.09	0.00
time (sec)	N/A	2.163	0.727	0.000	0.000	0.000	0.000	0.000	0.229	0.000

Problem 50	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F(-2)	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	721	722	547	0	0	0	0	0	82	0
N.S.	1	1.00	0.76	0.00	0.00	0.00	0.00	0.00	0.11	0.00
time (sec)	N/A	1.422	0.513	0.000	0.000	0.000	0.000	0.000	0.239	0.000

Problem 51	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F(-2)	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	481	482	373	0	0	0	0	0	78	0
N.S.	1	1.00	0.78	0.00	0.00	0.00	0.00	0.00	0.16	0.00
time (sec)	N/A	1.161	0.419	0.000	0.000	0.000	0.000	0.000	0.241	0.000

Problem 52	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	18	58	19	17	20	56	22
N.S.	1	1.00	1.10	0.90	2.90	0.95	0.85	1.00	2.80	1.10
time (sec)	N/A	0.228	3.484	0.128	0.326	0.081	2.535	0.165	0.239	2.413

Problem 53	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	18	66	23	19	20	95	22
N.S.	1	1.00	1.10	0.90	3.30	1.15	0.95	1.00	4.75	1.10
time (sec)	N/A	0.259	5.764	0.129	0.404	0.082	2.785	0.255	0.231	2.383

Problem 54	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F(-2)	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	2851	2850	2961	0	0	0	0	0	0	0
N.S.	1	1.00	1.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	5.522	8.553	0.000	0.000	0.000	0.000	0.000	0.561	0.000

Problem 55	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F(-2)	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	2123	2122	2173	0	0	0	0	0	0	0
N.S.	1	1.00	1.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	4.326	6.221	0.000	0.000	0.000	0.000	0.000	0.417	0.000

Problem 56	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F(-2)	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	1395	1394	1393	0	0	0	0	0	0	0
N.S.	1	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	2.904	8.295	0.000	0.000	0.000	0.000	0.000	0.355	0.000

Problem 57	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	18	253	38	19	20	325	22
N.S.	1	1.00	1.10	0.90	12.65	1.90	0.95	1.00	16.25	1.10
time (sec)	N/A	0.201	115.054	0.151	0.890	0.112	4.571	1.097	0.246	2.720

Problem 58	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	18	324	44	20	3	6527	22
N.S.	1	1.00	1.10	0.90	16.20	2.20	1.00	0.15	326.35	1.10
time (sec)	N/A	0.205	57.917	0.150	1.050	0.095	8.071	1.383	0.484	2.839

Problem 59	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	254	254	288	0	0	0	0	0	24	0
N.S.	1	1.00	1.13	0.00	0.00	0.00	0.00	0.00	0.09	0.00
time (sec)	N/A	0.496	0.359	0.000	0.000	0.000	0.000	0.000	0.235	0.000

Problem 60	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	140	140	172	0	0	0	0	0	21	0
N.S.	1	1.00	1.23	0.00	0.00	0.00	0.00	0.00	0.15	0.00
time (sec)	N/A	0.333	0.560	0.000	0.000	0.000	0.000	0.000	0.208	0.000

Problem 61	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	26	26	26	23	22	33	37	29	23	43
N.S.	1	1.00	1.00	0.88	0.85	1.27	1.42	1.12	0.88	1.65
time (sec)	N/A	0.252	0.033	0.122	0.028	0.098	0.479	0.113	0.238	2.424

Problem 62	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	16	42	25	19	18	30	20
N.S.	1	1.00	1.10	0.80	2.10	1.25	0.95	0.90	1.50	1.00
time (sec)	N/A	0.277	8.489	0.068	0.309	0.081	1.076	0.126	0.218	2.683

Problem 63	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	16	42	25	19	18	36	20
N.S.	1	1.00	1.10	0.80	2.10	1.25	0.95	0.90	1.80	1.00
time (sec)	N/A	0.246	9.491	0.066	0.318	0.081	5.579	0.144	0.245	2.600

Problem 64	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	407	407	496	0	0	0	0	0	950	0
N.S.	1	1.00	1.22	0.00	0.00	0.00	0.00	0.00	2.33	0.00
time (sec)	N/A	1.336	3.739	0.000	0.000	0.000	0.000	0.000	0.287	0.000

Problem 65	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	229	229	344	0	0	0	0	0	492	0
N.S.	1	1.00	1.50	0.00	0.00	0.00	0.00	0.00	2.15	0.00
time (sec)	N/A	0.965	2.084	0.000	0.000	0.000	0.000	0.000	0.222	0.000

Problem 66	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	B	F	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	47	47	47	42	48	194	0	55	99	77
N.S.	1	1.00	1.00	0.89	1.02	4.13	0.00	1.17	2.11	1.64
time (sec)	N/A	0.389	0.131	0.197	0.035	0.122	0.000	0.117	0.211	2.444

Problem 67	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	22	22	24	18	106	46	20	20	187	22
N.S.	1	1.00	1.09	0.82	4.82	2.09	0.91	0.91	8.50	1.00
time (sec)	N/A	0.201	22.342	0.232	0.442	0.090	2.139	0.194	0.239	2.736

Problem 68	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	22	22	24	18	0	46	20	20	211	22
N.S.	1	1.00	1.09	0.82	0.00	2.09	0.91	0.91	9.59	1.00
time (sec)	N/A	0.204	21.123	0.224	0.000	0.092	5.696	0.279	0.252	2.704

Problem 69	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F(-2)	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	601	602	460	0	0	0	0	0	82	0
N.S.	1	1.00	0.77	0.00	0.00	0.00	0.00	0.00	0.14	0.00
time (sec)	N/A	1.322	0.714	0.000	0.000	0.000	0.000	0.000	0.237	0.000

Problem 70	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F(-2)	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	361	362	286	0	0	0	0	0	80	0
N.S.	1	1.00	0.79	0.00	0.00	0.00	0.00	0.00	0.22	0.00
time (sec)	N/A	1.087	0.468	0.000	0.000	0.000	0.000	0.000	0.272	0.000

Problem 71	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F(-2)	B	F	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	68	69	69	90	0	254	0	61	74	155
N.S.	1	1.01	1.01	1.32	0.00	3.74	0.00	0.90	1.09	2.28
time (sec)	N/A	0.373	0.120	0.184	0.000	0.105	0.000	0.109	0.222	2.881

Problem 72	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	22	22	24	18	66	27	20	20	95	22
N.S.	1	1.00	1.09	0.82	3.00	1.23	0.91	0.91	4.32	1.00
time (sec)	N/A	0.283	5.848	0.136	0.375	0.103	2.263	0.172	0.224	2.422

Problem 73	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	22	22	24	18	66	27	20	20	104	22
N.S.	1	1.00	1.09	0.82	3.00	1.23	0.91	0.91	4.73	1.00
time (sec)	N/A	0.337	5.990	0.131	0.439	0.080	5.834	0.273	0.234	2.503

Problem 74	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F(-2)	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	1755	1754	1769	0	0	0	0	0	0	0
N.S.	1	1.00	1.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	3.990	5.087	0.000	0.000	0.000	0.000	0.000	0.414	0.000

Problem 75	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F(-2)	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	1027	1026	986	0	0	0	0	0	0	0
N.S.	1	1.00	0.96	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	2.180	3.214	0.000	0.000	0.000	0.000	0.000	0.283	0.000

Problem 76	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F(-2)	B	F	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	127	152	232	177	0	1387	0	148	597	344
N.S.	1	1.20	1.83	1.39	0.00	10.92	0.00	1.17	4.70	2.71
time (sec)	N/A	1.036	0.348	0.204	0.000	0.128	0.000	0.124	0.226	2.814

Problem 77	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	22	22	24	18	317	48	22	20	1870	22
N.S.	1	1.00	1.09	0.82	14.41	2.18	1.00	0.91	85.00	1.00
time (sec)	N/A	0.322	51.936	0.164	0.992	0.109	5.204	1.145	0.331	2.853

Problem 78	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	22	22	24	18	324	48	22	3	9455	22
N.S.	1	1.00	1.09	0.82	14.73	2.18	1.00	0.14	429.77	1.00
time (sec)	N/A	0.331	51.441	0.157	1.545	0.107	25.126	1.384	0.593	2.748

Problem 79	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	22	22	19	22	24	24
N.S.	1	1.00	1.10	1.00	1.10	1.10	0.95	1.10	1.20	1.20
time (sec)	N/A	0.465	14.240	0.088	0.204	0.095	48.062	0.541	0.220	2.372

Problem 80	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	F	B	F	F	B	B
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	42	155	0	122	0	0	33	110
N.S.	1	1.00	0.95	3.52	0.00	2.77	0.00	0.00	0.75	2.50
time (sec)	N/A	0.388	0.223	1.563	0.000	0.107	0.000	0.000	0.193	2.248

Problem 81	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	F	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	135	135	260	368	0	664	0	0	44	0
N.S.	1	1.00	1.93	2.73	0.00	4.92	0.00	0.00	0.33	0.00
time (sec)	N/A	0.446	0.398	1.511	0.000	0.128	0.000	0.000	0.221	0.000

Problem 82	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	F	F	F	B	F	F	F	F(-1)
verified	N/A	Yes	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	217	217	0	0	0	1082	0	0	44	0
N.S.	1	1.00	0.00	0.00	0.00	4.99	0.00	0.00	0.20	0.00
time (sec)	N/A	0.463	0.000	0.000	0.000	0.131	0.000	0.000	0.232	0.000

Problem 83	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	F	B	F	F	B	B
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	79	56	57	271	0	646	0	0	115	158
N.S.	1	0.71	0.72	3.43	0.00	8.18	0.00	0.00	1.46	2.00
time (sec)	N/A	0.496	0.654	18.230	0.000	0.096	0.000	0.000	0.208	2.294

Problem 84	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	B	F	F	F	F(-1)
verified	N/A	Yes	No	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	208	135	501	0	0	2972	0	0	326	0
N.S.	1	0.65	2.41	0.00	0.00	14.29	0.00	0.00	1.57	0.00
time (sec)	N/A	0.523	3.499	0.000	0.000	0.181	0.000	0.000	0.244	0.000

Problem 85	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	F	F	F	B	F	F	F	F(-1)
verified	N/A	Yes	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	363	236	0	0	0	5453	0	0	599	0
N.S.	1	0.65	0.00	0.00	0.00	15.02	0.00	0.00	1.65	0.00
time (sec)	N/A	0.711	0.000	0.000	0.000	0.199	0.000	0.000	0.211	0.000

Problem 86	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	F	B	F	F	B	B
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	87	80	80	317	0	511	0	0	85	409
N.S.	1	0.92	0.92	3.64	0.00	5.87	0.00	0.00	0.98	4.70
time (sec)	N/A	0.482	0.429	0.697	0.000	0.118	0.000	0.000	0.209	2.931

Problem 87	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	C	F	B	F	F	F	F(-1)
verified	N/A	Yes	No	No	TBD	TBD	TBD	TBD	TBD	TBD
size	307	252	859	585	0	1286	0	0	108	0
N.S.	1	0.82	2.80	1.91	0.00	4.19	0.00	0.00	0.35	0.00
time (sec)	N/A	0.910	2.429	0.684	0.000	0.116	0.000	0.000	0.229	0.000

Problem 88	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	F	F	F	B	F	F	F	F(-1)
verified	N/A	Yes	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	452	371	0	0	0	2005	0	0	108	0
N.S.	1	0.82	0.00	0.00	0.00	4.44	0.00	0.00	0.24	0.00
time (sec)	N/A	1.776	0.000	0.000	0.000	0.134	0.000	0.000	0.278	0.000

Problem 89	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	F	B	F	F	B	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	157	159	233	491	0	3547	0	0	638	0
N.S.	1	1.01	1.48	3.13	0.00	22.59	0.00	0.00	4.06	0.00
time (sec)	N/A	1.409	0.803	8.799	0.000	0.157	0.000	0.000	0.217	0.000

Problem 90	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	B	F	F	F	F(-1)
verified	N/A	Yes	No	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	717	563	469	0	0	9020	0	0	0	0
N.S.	1	0.79	0.65	0.00	0.00	12.58	0.00	0.00	0.00	0.00
time (sec)	N/A	1.538	4.164	0.000	0.000	0.260	0.000	0.000	0.246	0.000

Problem 91	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	F	F	F	B	F	F	F	F(-1)
verified	N/A	Yes	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	1284	1019	0	0	0	16192	0	0	0	0
N.S.	1	0.79	0.00	0.00	0.00	12.61	0.00	0.00	0.00	0.00
time (sec)	N/A	2.587	0.000	0.000	0.000	0.422	0.000	0.000	0.296	0.000

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi only. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is also given. The larger this ratio is, the harder the integral is to solve. In this test file, problem number [19] had the largest ratio of [.7500000000000000000]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	2	2	1.00	16	0.125
2	A	2	2	1.00	16	0.125
3	A	2	2	1.00	14	0.143
4	N/A	2	0	1.00	16	0.000
5	N/A	2	0	1.00	16	0.000
6	N/A	2	0	1.00	16	0.000
7	N/A	2	0	1.00	16	0.000
8	N/A	2	0	1.00	16	0.000
9	N/A	2	0	1.00	16	0.000
10	A	5	4	0.98	18	0.222
11	A	5	4	0.99	18	0.222
12	A	8	7	0.98	16	0.438
13	N/A	1	0	1.00	18	0.000
14	N/A	1	0	1.00	18	0.000
15	N/A	1	0	1.00	18	0.000
16	N/A	1	0	1.00	18	0.000
17	N/A	1	0	1.00	18	0.000
18	N/A	1	0	1.00	18	0.000
19	A	10	9	1.16	12	0.750
20	A	5	4	1.00	18	0.222

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
21	A	5	4	0.98	18	0.222
22	A	7	6	1.02	16	0.375
23	N/A	1	0	1.00	18	0.000
24	N/A	1	0	1.00	18	0.000
25	N/A	1	0	1.00	18	0.000
26	N/A	1	0	1.00	18	0.000
27	N/A	1	0	1.00	18	0.000
28	N/A	1	0	1.00	18	0.000
29	A	5	4	1.00	18	0.222
30	A	5	4	0.98	18	0.222
31	A	12	11	1.19	16	0.688
32	N/A	1	0	1.00	18	0.000
33	N/A	1	0	1.00	18	0.000
34	N/A	1	0	1.00	18	0.000
35	N/A	1	0	1.00	18	0.000
36	N/A	1	0	1.00	18	0.000
37	N/A	1	0	1.00	18	0.000
38	A	5	4	1.00	10	0.400
39	A	2	2	1.00	18	0.111
40	A	2	2	1.00	18	0.111
41	A	2	2	1.00	16	0.125
42	N/A	2	0	1.00	18	0.000
43	N/A	2	0	1.00	18	0.000
44	A	5	4	1.01	20	0.200
45	A	5	4	1.00	20	0.200
46	A	5	4	1.01	18	0.222
47	N/A	1	0	1.00	20	0.000
48	N/A	1	0	1.00	20	0.000
49	A	5	4	1.00	20	0.200
50	A	5	4	1.00	20	0.200

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
51	A	5	4	1.00	18	0.222
52	N/A	1	0	1.00	20	0.000
53	N/A	1	0	1.00	20	0.000
54	A	5	4	1.00	20	0.200
55	A	5	4	1.00	20	0.200
56	A	5	4	1.00	18	0.222
57	N/A	1	0	1.00	20	0.000
58	N/A	1	0	1.00	20	0.000
59	A	2	2	1.00	20	0.100
60	A	2	2	1.00	20	0.100
61	A	2	2	1.00	20	0.100
62	N/A	2	0	1.00	20	0.000
63	N/A	2	0	1.00	20	0.000
64	A	5	4	1.00	22	0.182
65	A	5	4	1.00	22	0.182
66	A	8	7	1.00	22	0.318
67	N/A	1	0	1.00	22	0.000
68	N/A	1	0	1.00	22	0.000
69	A	5	4	1.00	22	0.182
70	A	5	4	1.00	22	0.182
71	A	7	6	1.01	22	0.273
72	N/A	1	0	1.00	22	0.000
73	N/A	1	0	1.00	22	0.000
74	A	5	4	1.00	22	0.182
75	A	5	4	1.00	22	0.182
76	A	12	11	1.20	22	0.500
77	N/A	1	0	1.00	22	0.000
78	N/A	1	0	1.00	22	0.000
79	N/A	2	0	1.00	20	0.000
80	A	2	2	1.00	20	0.100
81	A	2	2	1.00	22	0.091

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
82	A	2	2	1.00	22	0.091
83	A	9	8	0.71	22	0.364
84	A	6	5	0.65	24	0.208
85	A	6	5	0.65	24	0.208
86	A	8	7	0.92	22	0.318
87	A	6	5	0.82	24	0.208
88	A	6	5	0.82	24	0.208
89	A	13	12	1.01	22	0.545
90	A	6	5	0.79	24	0.208
91	A	6	5	0.79	24	0.208

CHAPTER 3

LISTING OF INTEGRALS

3.1	$\int x^5(a + b\operatorname{sech}(c + dx^2)) dx$	62
3.2	$\int x^3(a + b\operatorname{sech}(c + dx^2)) dx$	67
3.3	$\int x(a + b\operatorname{sech}(c + dx^2)) dx$	72
3.4	$\int \frac{a+b\operatorname{sech}(c+dx^2)}{x} dx$	77
3.5	$\int \frac{a+b\operatorname{sech}(c+dx^2)}{x^3} dx$	82
3.6	$\int x^4(a + b\operatorname{sech}(c + dx^2)) dx$	87
3.7	$\int x^2(a + b\operatorname{sech}(c + dx^2)) dx$	92
3.8	$\int \frac{a+b\operatorname{sech}(c+dx^2)}{x^2} dx$	97
3.9	$\int \frac{a+b\operatorname{sech}(c+dx^2)}{x^4} dx$	102
3.10	$\int x^5(a + b\operatorname{sech}(c + dx^2))^2 dx$	107
3.11	$\int x^3(a + b\operatorname{sech}(c + dx^2))^2 dx$	114
3.12	$\int x(a + b\operatorname{sech}(c + dx^2))^2 dx$	121
3.13	$\int \frac{(a+b\operatorname{sech}(c+dx^2))^2}{x} dx$	128
3.14	$\int \frac{(a+b\operatorname{sech}(c+dx^2))^2}{x^3} dx$	133
3.15	$\int x^4(a + b\operatorname{sech}(c + dx^2))^2 dx$	138
3.16	$\int x^2(a + b\operatorname{sech}(c + dx^2))^2 dx$	143
3.17	$\int \frac{(a+b\operatorname{sech}(c+dx^2))^2}{x^2} dx$	148
3.18	$\int \frac{(a+b\operatorname{sech}(c+dx^2))^2}{x^4} dx$	153
3.19	$\int x\operatorname{sech}^7(a + bx^2) dx$	158
3.20	$\int \frac{x^5}{a+b\operatorname{sech}(c+dx^2)} dx$	166
3.21	$\int \frac{x^3}{a+b\operatorname{sech}(c+dx^2)} dx$	173
3.22	$\int \frac{x}{a+b\operatorname{sech}(c+dx^2)} dx$	179
3.23	$\int \frac{1}{x(a+b\operatorname{sech}(c+dx^2))} dx$	186

3.24	$\int \frac{1}{x^3(a+b\operatorname{sech}(c+dx^2))} dx$	191
3.25	$\int \frac{x^4}{a+b\operatorname{sech}(c+dx^2)} dx$	196
3.26	$\int \frac{x^2}{a+b\operatorname{sech}(c+dx^2)} dx$	201
3.27	$\int \frac{1}{x^2(a+b\operatorname{sech}(c+dx^2))} dx$	206
3.28	$\int \frac{1}{x^4(a+b\operatorname{sech}(c+dx^2))} dx$	211
3.29	$\int \frac{x^5}{(a+b\operatorname{sech}(c+dx^2))^2} dx$	216
3.30	$\int \frac{x^3}{(a+b\operatorname{sech}(c+dx^2))^2} dx$	223
3.31	$\int \frac{x}{(a+b\operatorname{sech}(c+dx^2))^2} dx$	231
3.32	$\int \frac{1}{x(a+b\operatorname{sech}(c+dx^2))^2} dx$	240
3.33	$\int \frac{1}{x^3(a+b\operatorname{sech}(c+dx^2))^2} dx$	245
3.34	$\int \frac{x^4}{(a+b\operatorname{sech}(c+dx^2))^2} dx$	250
3.35	$\int \frac{x^2}{(a+b\operatorname{sech}(c+dx^2))^2} dx$	255
3.36	$\int \frac{1}{x^2(a+b\operatorname{sech}(c+dx^2))^2} dx$	260
3.37	$\int \frac{1}{x^4(a+b\operatorname{sech}(c+dx^2))^2} dx$	265
3.38	$\int \frac{\operatorname{sech}^2(\frac{1}{x})}{x^2} dx$	270
3.39	$\int x^3(a+b\operatorname{sech}(c+d\sqrt{x})) dx$	275
3.40	$\int x^2(a+b\operatorname{sech}(c+d\sqrt{x})) dx$	282
3.41	$\int x(a+b\operatorname{sech}(c+d\sqrt{x})) dx$	288
3.42	$\int \frac{a+b\operatorname{sech}(c+d\sqrt{x})}{x} dx$	293
3.43	$\int \frac{a+b\operatorname{sech}(c+d\sqrt{x})}{x^2} dx$	298
3.44	$\int x^3(a+b\operatorname{sech}(c+d\sqrt{x}))^2 dx$	303
3.45	$\int x^2(a+b\operatorname{sech}(c+d\sqrt{x}))^2 dx$	312
3.46	$\int x(a+b\operatorname{sech}(c+d\sqrt{x}))^2 dx$	320
3.47	$\int \frac{(a+b\operatorname{sech}(c+d\sqrt{x}))^2}{x} dx$	328
3.48	$\int \frac{(a+b\operatorname{sech}(c+d\sqrt{x}))^2}{x^3} dx$	333
3.49	$\int \frac{x^3}{a+b\operatorname{sech}(c+d\sqrt{x})} dx$	338
3.50	$\int \frac{x^2}{a+b\operatorname{sech}(c+d\sqrt{x})} dx$	346
3.51	$\int \frac{x}{a+b\operatorname{sech}(c+d\sqrt{x})} dx$	354

3.52	$\int \frac{1}{x(a+b\operatorname{sech}(c+d\sqrt{x}))} dx$	361
3.53	$\int \frac{1}{x^2(a+b\operatorname{sech}(c+d\sqrt{x}))} dx$	366
3.54	$\int \frac{x^3}{(a+b\operatorname{sech}(c+d\sqrt{x}))^2} dx$	371
3.55	$\int \frac{x^2}{(a+b\operatorname{sech}(c+d\sqrt{x}))^2} dx$	379
3.56	$\int \frac{x}{(a+b\operatorname{sech}(c+d\sqrt{x}))^2} dx$	387
3.57	$\int \frac{1}{x(a+b\operatorname{sech}(c+d\sqrt{x}))^2} dx$	395
3.58	$\int \frac{1}{x^2(a+b\operatorname{sech}(c+d\sqrt{x}))^2} dx$	400
3.59	$\int x^{3/2}(a+b\operatorname{sech}(c+d\sqrt{x})) dx$	405
3.60	$\int \sqrt{x}(a+b\operatorname{sech}(c+d\sqrt{x})) dx$	411
3.61	$\int \frac{a+b\operatorname{sech}(c+d\sqrt{x})}{\sqrt{x}} dx$	416
3.62	$\int \frac{a+b\operatorname{sech}(c+d\sqrt{x})}{x^{3/2}} dx$	421
3.63	$\int \frac{a+b\operatorname{sech}(c+d\sqrt{x})}{x^{5/2}} dx$	426
3.64	$\int x^{3/2}(a+b\operatorname{sech}(c+d\sqrt{x}))^2 dx$	431
3.65	$\int \sqrt{x}(a+b\operatorname{sech}(c+d\sqrt{x}))^2 dx$	438
3.66	$\int \frac{(a+b\operatorname{sech}(c+d\sqrt{x}))^2}{\sqrt{x}} dx$	444
3.67	$\int \frac{(a+b\operatorname{sech}(c+d\sqrt{x}))^2}{x^{3/2}} dx$	450
3.68	$\int \frac{(a+b\operatorname{sech}(c+d\sqrt{x}))^2}{x^{5/2}} dx$	455
3.69	$\int \frac{x^{3/2}}{a+b\operatorname{sech}(c+d\sqrt{x})} dx$	460
3.70	$\int \frac{\sqrt{x}}{a+b\operatorname{sech}(c+d\sqrt{x})} dx$	467
3.71	$\int \frac{1}{\sqrt{x}(a+b\operatorname{sech}(c+d\sqrt{x}))} dx$	473
3.72	$\int \frac{1}{x^{3/2}(a+b\operatorname{sech}(c+d\sqrt{x}))} dx$	480
3.73	$\int \frac{1}{x^{5/2}(a+b\operatorname{sech}(c+d\sqrt{x}))} dx$	485
3.74	$\int \frac{x^{3/2}}{(a+b\operatorname{sech}(c+d\sqrt{x}))^2} dx$	490
3.75	$\int \frac{\sqrt{x}}{(a+b\operatorname{sech}(c+d\sqrt{x}))^2} dx$	498
3.76	$\int \frac{1}{\sqrt{x}(a+b\operatorname{sech}(c+d\sqrt{x}))^2} dx$	506
3.77	$\int \frac{1}{x^{3/2}(a+b\operatorname{sech}(c+d\sqrt{x}))^2} dx$	516
3.78	$\int \frac{1}{x^{5/2}(a+b\operatorname{sech}(c+d\sqrt{x}))^2} dx$	521

3.79	$\int (ex)^m (a + b\operatorname{sech}(c + dx^n))^p dx \dots$	526
3.80	$\int (ex)^{-1+n} (a + b\operatorname{sech}(c + dx^n)) dx \dots$	531
3.81	$\int (ex)^{-1+2n} (a + b\operatorname{sech}(c + dx^n)) dx \dots$	536
3.82	$\int (ex)^{-1+3n} (a + b\operatorname{sech}(c + dx^n)) dx \dots$	542
3.83	$\int (ex)^{-1+n} (a + b\operatorname{sech}(c + dx^n))^2 dx \dots$	548
3.84	$\int (ex)^{-1+2n} (a + b\operatorname{sech}(c + dx^n))^2 dx \dots$	555
3.85	$\int (ex)^{-1+3n} (a + b\operatorname{sech}(c + dx^n))^2 dx \dots$	562
3.86	$\int \frac{(ex)^{-1+n}}{a+b\operatorname{sech}(c+dx^n)} dx \dots$	568
3.87	$\int \frac{(ex)^{-1+2n}}{a+b\operatorname{sech}(c+dx^n)} dx \dots$	575
3.88	$\int \frac{(ex)^{-1+3n}}{a+b\operatorname{sech}(c+dx^n)} dx \dots$	583
3.89	$\int \frac{(ex)^{-1+n}}{(a+b\operatorname{sech}(c+dx^n))^2} dx \dots$	590
3.90	$\int \frac{(ex)^{-1+2n}}{(a+b\operatorname{sech}(c+dx^n))^2} dx \dots$	599
3.91	$\int \frac{(ex)^{-1+3n}}{(a+b\operatorname{sech}(c+dx^n))^2} dx \dots$	608

3.1 $\int x^5(a + b\operatorname{sech}(c + dx^2)) dx$

Optimal result	62
Mathematica [A] (verified)	63
Rubi [A] (verified)	63
Maple [F]	64
Fricas [B] (verification not implemented)	64
Sympy [F]	65
Maxima [F]	65
Giac [F]	66
Mupad [F(-1)]	66
Reduce [F]	66

Optimal result

Integrand size = 16, antiderivative size = 125

$$\int x^5(a + b\operatorname{sech}(c + dx^2)) dx = \frac{ax^6}{6} + \frac{bx^4 \arctan(e^{c+dx^2})}{d} - \frac{ibx^2 \operatorname{PolyLog}(2, -ie^{c+dx^2})}{d^2} + \frac{ibx^2 \operatorname{PolyLog}(2, ie^{c+dx^2})}{d^2} + \frac{ib \operatorname{PolyLog}(3, -ie^{c+dx^2})}{d^3} - \frac{ib \operatorname{PolyLog}(3, ie^{c+dx^2})}{d^3}$$

output `1/6*a*x^6+b*x^4*arctan(exp(d*x^2+c))/d-I*b*x^2*polylog(2,-I*exp(d*x^2+c))/d^2+I*b*x^2*polylog(2,I*exp(d*x^2+c))/d^2+I*b*polylog(3,-I*exp(d*x^2+c))/d^3-I*b*polylog(3,I*exp(d*x^2+c))/d^3`

Mathematica [A] (verified)

Time = 0.18 (sec) , antiderivative size = 143, normalized size of antiderivative = 1.14

$$\int x^5 (a + b \operatorname{sech}(c + dx^2)) dx = \frac{ax^6}{6} + \frac{ib(d^2x^4 \log(1 - ie^{c+dx^2}) - d^2x^4 \log(1 + ie^{c+dx^2}) - 2dx^2 \operatorname{PolyLog}(2, -ie^{c+dx^2}) + 2dx^2 \operatorname{PolyLog}(2, ie^{c+dx^2}))}{2d^3}$$

input

```
Integrate[x^5*(a + b*Sech[c + d*x^2]),x]
```

output

```
(a*x^6)/6 + ((I/2)*b*(d^2*x^4*Log[1 - I*E^(c + d*x^2)] - d^2*x^4*Log[1 + I*E^(c + d*x^2)] - 2*d*x^2*PolyLog[2, (-I)*E^(c + d*x^2)] + 2*d*x^2*PolyLog[2, I*E^(c + d*x^2)] + 2*PolyLog[3, (-I)*E^(c + d*x^2)] - 2*PolyLog[3, I*E^(c + d*x^2)]))/d^3
```

Rubi [A] (verified)

Time = 0.40 (sec) , antiderivative size = 125, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int x^5 (a + b \operatorname{sech}(c + dx^2)) dx \\ & \quad \downarrow \text{2010} \\ & \int (ax^5 + bx^5 \operatorname{sech}(c + dx^2)) dx \\ & \quad \downarrow \text{2009} \\ & \frac{ax^6}{6} + \frac{bx^4 \arctan(e^{c+dx^2})}{d} + \frac{ib \operatorname{PolyLog}(3, -ie^{dx^2+c})}{d^3} - \frac{ib \operatorname{PolyLog}(3, ie^{dx^2+c})}{d^3} - \\ & \quad \frac{ibx^2 \operatorname{PolyLog}(2, -ie^{dx^2+c})}{d^2} + \frac{ibx^2 \operatorname{PolyLog}(2, ie^{dx^2+c})}{d^2} \end{aligned}$$

input `Int[x^5*(a + b*Sech[c + d*x^2]),x]`

output `(a*x^6)/6 + (b*x^4*ArcTan[E^(c + d*x^2)])/d - (I*b*x^2*PolyLog[2, (-I)*E^(c + d*x^2)])/d^2 + (I*b*x^2*PolyLog[2, I*E^(c + d*x^2)])/d^2 + (I*b*PolyLog[3, (-I)*E^(c + d*x^2)])/d^3 - (I*b*PolyLog[3, I*E^(c + d*x^2)])/d^3`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2010 `Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]`

Maple [F]

$$\int x^5 (a + b \operatorname{sech}(dx^2 + c)) dx$$

input `int(x^5*(a+b*sech(d*x^2+c)),x)`

output `int(x^5*(a+b*sech(d*x^2+c)),x)`

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 256 vs. $2(100) = 200$.

Time = 0.11 (sec) , antiderivative size = 256, normalized size of antiderivative = 2.05

$$\int x^5 (a + b \operatorname{sech}(c + dx^2)) dx$$

$$= \frac{ad^3 x^6 + 6i bdx^2 \operatorname{Li}_2(i \cosh(dx^2 + c) + i \sinh(dx^2 + c)) - 6i bdx^2 \operatorname{Li}_2(-i \cosh(dx^2 + c) - i \sinh(dx^2 + c))}{1}$$

input `integrate(x^5*(a+b*sech(d*x^2+c)),x, algorithm="fricas")`

output `1/6*(a*d^3*x^6 + 6*I*b*d*x^2*dilog(I*cosh(d*x^2 + c) + I*sinh(d*x^2 + c)) - 6*I*b*d*x^2*dilog(-I*cosh(d*x^2 + c) - I*sinh(d*x^2 + c)) + 3*I*b*c^2*log(cosh(d*x^2 + c) + sinh(d*x^2 + c) + I) - 3*I*b*c^2*log(cosh(d*x^2 + c) + sinh(d*x^2 + c) - I) - 3*(I*b*d^2*x^4 - I*b*c^2)*log(I*cosh(d*x^2 + c) + I*sinh(d*x^2 + c) + 1) - 3*(-I*b*d^2*x^4 + I*b*c^2)*log(-I*cosh(d*x^2 + c) - I*sinh(d*x^2 + c) + 1) - 6*I*b*polylog(3, I*cosh(d*x^2 + c) + I*sinh(d*x^2 + c)) + 6*I*b*polylog(3, -I*cosh(d*x^2 + c) - I*sinh(d*x^2 + c)))/d^3`

Sympy [F]

$$\int x^5(a + b\operatorname{sech}(c + dx^2)) dx = \int x^5(a + b\operatorname{sech}(c + dx^2)) dx$$

input `integrate(x**5*(a+b*sech(d*x**2+c)),x)`

output `Integral(x**5*(a + b*sech(c + d*x**2)), x)`

Maxima [F]

$$\int x^5(a + b\operatorname{sech}(c + dx^2)) dx = \int (b\operatorname{sech}(dx^2 + c) + a)x^5 dx$$

input `integrate(x^5*(a+b*sech(d*x^2+c)),x, algorithm="maxima")`

output `1/6*a*x^6 + 2*b*integrate(x^5/(e^(d*x^2 + c) + e^(-d*x^2 - c)), x)`

Giac [F]

$$\int x^5(a + b\operatorname{sech}(c + dx^2)) dx = \int (b\operatorname{sech}(dx^2 + c) + a)x^5 dx$$

input `integrate(x^5*(a+b*sech(d*x^2+c)),x, algorithm="giac")`

output `integrate((b*sech(d*x^2 + c) + a)*x^5, x)`

Mupad [F(-1)]

Timed out.

$$\int x^5(a + b\operatorname{sech}(c + dx^2)) dx = \int x^5 \left(a + \frac{b}{\cosh(dx^2 + c)} \right) dx$$

input `int(x^5*(a + b/cosh(c + d*x^2)),x)`

output `int(x^5*(a + b/cosh(c + d*x^2)), x)`

Reduce [F]

$$\int x^5(a + b\operatorname{sech}(c + dx^2)) dx = \left(\int \operatorname{sech}(dx^2 + c) x^5 dx \right) b + \frac{ax^6}{6}$$

input `int(x^5*(a+b*sech(d*x^2+c)),x)`

output `(6*int(sech(c + d*x**2)*x**5,x)*b + a*x**6)/6`

3.2 $\int x^3(a + b\operatorname{sech}(c + dx^2)) dx$

Optimal result	67
Mathematica [A] (verified)	67
Rubi [A] (verified)	68
Maple [F]	69
Fricas [B] (verification not implemented)	69
Sympy [F]	70
Maxima [F]	70
Giac [F]	71
Mupad [F(-1)]	71
Reduce [F]	71

Optimal result

Integrand size = 16, antiderivative size = 77

$$\int x^3(a + b\operatorname{sech}(c + dx^2)) dx = \frac{ax^4}{4} + \frac{bx^2 \arctan(e^{c+dx^2})}{d} - \frac{ib \operatorname{PolyLog}(2, -ie^{c+dx^2})}{2d^2} + \frac{ib \operatorname{PolyLog}(2, ie^{c+dx^2})}{2d^2}$$

output

```
1/4*a*x^4+b*x^2*arctan(exp(d*x^2+c))/d-1/2*I*b*polylog(2,-I*exp(d*x^2+c))/d^2+1/2*I*b*polylog(2,I*exp(d*x^2+c))/d^2
```

Mathematica [A] (verified)

Time = 0.13 (sec) , antiderivative size = 92, normalized size of antiderivative = 1.19

$$\int x^3(a + b\operatorname{sech}(c + dx^2)) dx = \frac{ax^4}{4} + \frac{ib(dx^2(\log(1 - ie^{c+dx^2}) - \log(1 + ie^{c+dx^2}))) - \operatorname{PolyLog}(2, -ie^{c+dx^2}) + \operatorname{PolyLog}(2, ie^{c+dx^2})}{2d^2}$$

input

```
Integrate[x^3*(a + b*Sech[c + d*x^2]),x]
```

output

$$\frac{(a*x^4)/4 + ((I/2)*b*(d*x^2*(\text{Log}[1 - I*E^{(c + d*x^2)}] - \text{Log}[1 + I*E^{(c + d*x^2)}]) - \text{PolyLog}[2, (-I)*E^{(c + d*x^2)}] + \text{PolyLog}[2, I*E^{(c + d*x^2)}]))/d^2$$

Rubi [A] (verified)

Time = 0.27 (sec) , antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^3 (a + b \operatorname{sech}(c + dx^2)) dx$$

↓ 2010

$$\int (ax^3 + bx^3 \operatorname{sech}(c + dx^2)) dx$$

↓ 2009

$$\frac{ax^4}{4} + \frac{bx^2 \arctan(e^{c+dx^2})}{d} - \frac{ib \operatorname{PolyLog}(2, -ie^{dx^2+c})}{2d^2} + \frac{ib \operatorname{PolyLog}(2, ie^{dx^2+c})}{2d^2}$$

input

$$\text{Int}[x^3*(a + b*\text{Sech}[c + d*x^2]),x]$$

output

$$\frac{(a*x^4)/4 + (b*x^2*\text{ArcTan}[E^{(c + d*x^2)}])/d - ((I/2)*b*\text{PolyLog}[2, (-I)*E^{(c + d*x^2)}])/d^2 + ((I/2)*b*\text{PolyLog}[2, I*E^{(c + d*x^2)}])/d^2$$

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2010 `Int[(u_)*((c_)*(x_)^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]`

Maple [F]

$$\int x^3 (a + b \operatorname{sech}(dx^2 + c)) dx$$

input `int(x^3*(a+b*sech(d*x^2+c)),x)`

output `int(x^3*(a+b*sech(d*x^2+c)),x)`

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 184 vs. $2(58) = 116$.

Time = 0.13 (sec) , antiderivative size = 184, normalized size of antiderivative = 2.39

$$\int x^3 (a + b \operatorname{sech}(c + dx^2)) dx$$

$$= \frac{ad^2 x^4 - 2i bc \log(\cosh(dx^2 + c) + \sinh(dx^2 + c) + i) + 2i bc \log(\cosh(dx^2 + c) + \sinh(dx^2 + c) - i) + \dots}{\dots}$$

input `integrate(x^3*(a+b*sech(d*x^2+c)),x, algorithm="fricas")`

output

```
1/4*(a*d^2*x^4 - 2*I*b*c*log(cosh(d*x^2 + c) + sinh(d*x^2 + c) + I) + 2*I*
b*c*log(cosh(d*x^2 + c) + sinh(d*x^2 + c) - I) + 2*I*b*dilog(I*cosh(d*x^2
+ c) + I*sinh(d*x^2 + c)) - 2*I*b*dilog(-I*cosh(d*x^2 + c) - I*sinh(d*x^2
+ c)) - 2*(I*b*d*x^2 + I*b*c)*log(I*cosh(d*x^2 + c) + I*sinh(d*x^2 + c) +
1) - 2*(-I*b*d*x^2 - I*b*c)*log(-I*cosh(d*x^2 + c) - I*sinh(d*x^2 + c) + 1
))/d^2
```

Sympy [F]

$$\int x^3(a + b\operatorname{sech}(c + dx^2)) dx = \int x^3(a + b\operatorname{sech}(c + dx^2)) dx$$

input

```
integrate(x**3*(a+b*sech(d*x**2+c)),x)
```

output

```
Integral(x**3*(a + b*sech(c + d*x**2)), x)
```

Maxima [F]

$$\int x^3(a + b\operatorname{sech}(c + dx^2)) dx = \int (b\operatorname{sech}(dx^2 + c) + a)x^3 dx$$

input

```
integrate(x^3*(a+b*sech(d*x^2+c)),x, algorithm="maxima")
```

output

```
1/4*a*x^4 + 2*b*integrate(x^3/(e^(d*x^2 + c) + e^(-d*x^2 - c)), x)
```

Giac [F]

$$\int x^3(a + b\operatorname{sech}(c + dx^2)) dx = \int (b\operatorname{sech}(dx^2 + c) + a)x^3 dx$$

input `integrate(x^3*(a+b*sech(d*x^2+c)),x, algorithm="giac")`

output `integrate((b*sech(d*x^2 + c) + a)*x^3, x)`

Mupad [F(-1)]

Timed out.

$$\int x^3(a + b\operatorname{sech}(c + dx^2)) dx = \int x^3 \left(a + \frac{b}{\cosh(dx^2 + c)} \right) dx$$

input `int(x^3*(a + b/cosh(c + d*x^2)),x)`

output `int(x^3*(a + b/cosh(c + d*x^2)), x)`

Reduce [F]

$$\int x^3(a + b\operatorname{sech}(c + dx^2)) dx = \left(\int \operatorname{sech}(dx^2 + c) x^3 dx \right) b + \frac{ax^4}{4}$$

input `int(x^3*(a+b*sech(d*x^2+c)),x)`

output `(4*int(sech(c + d*x**2)*x**3,x)*b + a*x**4)/4`

3.3 $\int x(a + b\operatorname{sech}(c + dx^2)) dx$

Optimal result	72
Mathematica [A] (verified)	72
Rubi [A] (verified)	73
Maple [A] (verified)	74
Fricas [A] (verification not implemented)	74
Sympy [A] (verification not implemented)	75
Maxima [A] (verification not implemented)	75
Giac [A] (verification not implemented)	75
Mupad [B] (verification not implemented)	76
Reduce [B] (verification not implemented)	76

Optimal result

Integrand size = 14, antiderivative size = 26

$$\int x(a + b\operatorname{sech}(c + dx^2)) dx = \frac{ax^2}{2} + \frac{b \arctan(\sinh(c + dx^2))}{2d}$$

output `1/2*a*x^2+1/2*b*arctan(sinh(d*x^2+c))/d`

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 26, normalized size of antiderivative = 1.00

$$\int x(a + b\operatorname{sech}(c + dx^2)) dx = \frac{ax^2}{2} - \frac{b \cot^{-1}(\sinh(c + dx^2))}{2d}$$

input `Integrate[x*(a + b*Sech[c + d*x^2]),x]`

output `(a*x^2)/2 - (b*ArcCot[Sinh[c + d*x^2]])/(2*d)`

Rubi [A] (verified)

Time = 0.20 (sec) , antiderivative size = 26, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x(a + b \operatorname{sech}(c + dx^2)) dx$$

$$\downarrow \text{2010}$$

$$\int (ax + bx \operatorname{sech}(c + dx^2)) dx$$

$$\downarrow \text{2009}$$

$$\frac{ax^2}{2} + \frac{b \arctan(\sinh(c + dx^2))}{2d}$$

input

```
Int[x*(a + b*Sech[c + d*x^2]),x]
```

output

```
(a*x^2)/2 + (b*ArcTan[Sinh[c + d*x^2]])/(2*d)
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2010

```
Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Maple [A] (verified)

Time = 0.18 (sec) , antiderivative size = 23, normalized size of antiderivative = 0.88

method	result	size
parts	$\frac{ax^2}{2} + \frac{b \arctan(\sinh(dx^2+c))}{2d}$	23
derivativdivides	$\frac{(dx^2+c)a+b \arctan(\sinh(dx^2+c))}{2d}$	27
default	$\frac{(dx^2+c)a+b \arctan(\sinh(dx^2+c))}{2d}$	27
risch	$\frac{ax^2}{2} + \frac{ib \ln(e^{dx^2+c+i})}{2d} - \frac{ib \ln(e^{dx^2+c-i})}{2d}$	46
parallelrisch	$\frac{adx^2+ib(-\ln(\tanh(\frac{dx^2}{2}+\frac{c}{2})-i)+\ln(\tanh(\frac{dx^2}{2}+\frac{c}{2})+i))}{2d}$	50

input `int(x*(a+b*sech(d*x^2+c)),x,method=_RETURNVERBOSE)`

output `1/2*a*x^2+1/2*b*arctan(sinh(d*x^2+c))/d`

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 33, normalized size of antiderivative = 1.27

$$\int x(a + b \operatorname{sech}(c + dx^2)) dx = \frac{adx^2 + 2b \arctan(\cosh(dx^2 + c) + \sinh(dx^2 + c))}{2d}$$

input `integrate(x*(a+b*sech(d*x^2+c)),x, algorithm="fricas")`

output `1/2*(a*d*x^2 + 2*b*arctan(cosh(d*x^2 + c) + sinh(d*x^2 + c)))/d`

Sympy [A] (verification not implemented)

Time = 0.61 (sec) , antiderivative size = 39, normalized size of antiderivative = 1.50

$$\int x(a + b \operatorname{sech}(c + dx^2)) dx = \begin{cases} \frac{a(c+dx^2)+2b \operatorname{atan}\left(\tanh\left(\frac{c}{2} + \frac{dx^2}{2}\right)\right)}{2d} & \text{for } d \neq 0 \\ \frac{x^2(a+b \operatorname{sech}(c))}{2} & \text{otherwise} \end{cases}$$

input `integrate(x*(a+b*sech(d*x**2+c)),x)`output `Piecewise(((a*(c + d*x**2) + 2*b*atan(tanh(c/2 + d*x**2/2)))/(2*d), Ne(d, 0)), (x**2*(a + b*sech(c))/2, True))`**Maxima [A] (verification not implemented)**

Time = 0.03 (sec) , antiderivative size = 22, normalized size of antiderivative = 0.85

$$\int x(a + b \operatorname{sech}(c + dx^2)) dx = \frac{1}{2} ax^2 + \frac{b \arctan(\sinh(dx^2 + c))}{2d}$$

input `integrate(x*(a+b*sech(d*x^2+c)),x, algorithm="maxima")`output `1/2*a*x^2 + 1/2*b*arctan(sinh(d*x^2 + c))/d`**Giac [A] (verification not implemented)**

Time = 0.12 (sec) , antiderivative size = 28, normalized size of antiderivative = 1.08

$$\int x(a + b \operatorname{sech}(c + dx^2)) dx = \frac{(dx^2 + c)a}{2d} + \frac{b \arctan\left(e^{(dx^2+c)}\right)}{d}$$

input `integrate(x*(a+b*sech(d*x^2+c)),x, algorithm="giac")`output `1/2*(d*x^2 + c)*a/d + b*arctan(e^(d*x^2 + c))/d`

Mupad [B] (verification not implemented)

Time = 2.16 (sec) , antiderivative size = 42, normalized size of antiderivative = 1.62

$$\int x(a + b \operatorname{sech}(c + dx^2)) dx = \frac{ax^2}{2} + \frac{\operatorname{atan}\left(\frac{be^{dx^2} e^c \sqrt{d^2}}{d\sqrt{b^2}}\right) \sqrt{b^2}}{\sqrt{d^2}}$$

input `int(x*(a + b/cosh(c + d*x^2)),x)`

output `(a*x^2)/2 + (atan((b*exp(d*x^2)*exp(c)*(d^2)^(1/2))/(d*(b^2)^(1/2)))*(b^2)^(1/2))/(d^2)^(1/2)`

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 25, normalized size of antiderivative = 0.96

$$\int x(a + b \operatorname{sech}(c + dx^2)) dx = \frac{2 \operatorname{atan}(e^{dx^2+c}) b + adx^2}{2d}$$

input `int(x*(a+b*sech(d*x^2+c)),x)`

output `(2*atan(e**(c + d*x**2))*b + a*d*x**2)/(2*d)`

3.4 $\int \frac{a+b\operatorname{sech}(c+dx^2)}{x} dx$

Optimal result	77
Mathematica [N/A]	77
Rubi [N/A]	78
Maple [N/A]	78
Fricas [N/A]	79
Sympy [N/A]	79
Maxima [N/A]	79
Giac [N/A]	80
Mupad [N/A]	80
Reduce [N/A]	81

Optimal result

Integrand size = 16, antiderivative size = 16

$$\int \frac{a + b\operatorname{sech}(c + dx^2)}{x} dx = \operatorname{Int}\left(\frac{a + b\operatorname{sech}(c + dx^2)}{x}, x\right)$$

output `Defer(Int)((a+b*sech(d*x^2+c))/x,x)`

Mathematica [N/A]

Not integrable

Time = 2.88 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{a + b\operatorname{sech}(c + dx^2)}{x} dx = \int \frac{a + b\operatorname{sech}(c + dx^2)}{x} dx$$

input `Integrate[(a + b*Sech[c + d*x^2])/x,x]`

output `Integrate[(a + b*Sech[c + d*x^2])/x, x]`

Rubi [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{a + b \operatorname{sech}(c + dx^2)}{x} dx$$

$$\downarrow \text{2010}$$

$$\int \left(\frac{a}{x} + \frac{b \operatorname{sech}(c + dx^2)}{x} \right) dx$$

$$\downarrow \text{2009}$$

$$b \int \frac{\operatorname{sech}(dx^2 + c)}{x} dx + a \log(x)$$

input `Int[(a + b*Sech[c + d*x^2])/x,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.03 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int \frac{a + b \operatorname{sech}(dx^2 + c)}{x} dx$$

input `int((a+b*sech(d*x^2+c))/x,x)`

output `int((a+b*sech(d*x^2+c))/x,x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{a + b \operatorname{sech}(c + dx^2)}{x} dx = \int \frac{b \operatorname{sech}(dx^2 + c) + a}{x} dx$$

input `integrate((a+b*sech(d*x^2+c))/x,x, algorithm="fricas")`output `integral((b*sech(d*x^2 + c) + a)/x, x)`**Sympy [N/A]**

Not integrable

Time = 1.60 (sec) , antiderivative size = 14, normalized size of antiderivative = 0.88

$$\int \frac{a + b \operatorname{sech}(c + dx^2)}{x} dx = \int \frac{a + b \operatorname{sech}(c + dx^2)}{x} dx$$

input `integrate((a+b*sech(d*x**2+c))/x,x)`output `Integral((a + b*sech(c + d*x**2))/x, x)`**Maxima [N/A]**

Not integrable

Time = 0.13 (sec) , antiderivative size = 36, normalized size of antiderivative = 2.25

$$\int \frac{a + b \operatorname{sech}(c + dx^2)}{x} dx = \int \frac{b \operatorname{sech}(dx^2 + c) + a}{x} dx$$

input `integrate((a+b*sech(d*x^2+c))/x,x, algorithm="maxima")`

output `2*b*integrate(1/(x*(e^(d*x^2 + c) + e^(-d*x^2 - c))), x) + a*log(x)`

Giac [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{a + b \operatorname{sech}(c + dx^2)}{x} dx = \int \frac{b \operatorname{sech}(dx^2 + c) + a}{x} dx$$

input `integrate((a+b*sech(d*x^2+c))/x,x, algorithm="giac")`

output `integrate((b*sech(d*x^2 + c) + a)/x, x)`

Mupad [N/A]

Not integrable

Time = 2.42 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.25

$$\int \frac{a + b \operatorname{sech}(c + dx^2)}{x} dx = \int \frac{a + \frac{b}{\cosh(dx^2+c)}}{x} dx$$

input `int((a + b/cosh(c + d*x^2))/x,x)`

output `int((a + b/cosh(c + d*x^2))/x, x)`

Reduce [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.31

$$\int \frac{a + b \operatorname{sech}(c + dx^2)}{x} dx = \left(\int \frac{\operatorname{sech}(dx^2 + c)}{x} dx \right) b + \log(x) a$$

input `int((a+b*sech(d*x^2+c))/x,x)`output `int(sech(c + d*x**2)/x,x)*b + log(x)*a`

3.5 $\int \frac{a+b\operatorname{sech}(c+dx^2)}{x^3} dx$

Optimal result	82
Mathematica [N/A]	82
Rubi [N/A]	83
Maple [N/A]	83
Fricas [N/A]	84
Sympy [N/A]	84
Maxima [N/A]	84
Giac [N/A]	85
Mupad [N/A]	85
Reduce [N/A]	86

Optimal result

Integrand size = 16, antiderivative size = 16

$$\int \frac{a + b\operatorname{sech}(c + dx^2)}{x^3} dx = \operatorname{Int}\left(\frac{a + b\operatorname{sech}(c + dx^2)}{x^3}, x\right)$$

output `Defer(Int)((a+b*sech(d*x^2+c))/x^3,x)`

Mathematica [N/A]

Not integrable

Time = 3.57 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{a + b\operatorname{sech}(c + dx^2)}{x^3} dx = \int \frac{a + b\operatorname{sech}(c + dx^2)}{x^3} dx$$

input `Integrate[(a + b*Sech[c + d*x^2])/x^3,x]`

output `Integrate[(a + b*Sech[c + d*x^2])/x^3, x]`

Rubi [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{a + b \operatorname{sech}(c + dx^2)}{x^3} dx$$

↓ 2010

$$\int \left(\frac{a}{x^3} + \frac{b \operatorname{sech}(c + dx^2)}{x^3} \right) dx$$

↓ 2009

$$b \int \frac{\operatorname{sech}(dx^2 + c)}{x^3} dx - \frac{a}{2x^2}$$

input `Int[(a + b*Sech[c + d*x^2])/x^3,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.03 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int \frac{a + b \operatorname{sech}(dx^2 + c)}{x^3} dx$$

input `int((a+b*sech(d*x^2+c))/x^3,x)`

output `int((a+b*sech(d*x^2+c))/x^3,x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{a + b \operatorname{sech}(c + dx^2)}{x^3} dx = \int \frac{b \operatorname{sech}(dx^2 + c) + a}{x^3} dx$$

input `integrate((a+b*sech(d*x^2+c))/x^3,x, algorithm="fricas")`

output `integral((b*sech(d*x^2 + c) + a)/x^3, x)`

Sympy [N/A]

Not integrable

Time = 0.74 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.94

$$\int \frac{a + b \operatorname{sech}(c + dx^2)}{x^3} dx = \int \frac{a + b \operatorname{sech}(c + dx^2)}{x^3} dx$$

input `integrate((a+b*sech(d*x**2+c))/x**3,x)`

output `Integral((a + b*sech(c + d*x**2))/x**3, x)`

Maxima [N/A]

Not integrable

Time = 0.15 (sec) , antiderivative size = 38, normalized size of antiderivative = 2.38

$$\int \frac{a + b \operatorname{sech}(c + dx^2)}{x^3} dx = \int \frac{b \operatorname{sech}(dx^2 + c) + a}{x^3} dx$$

input `integrate((a+b*sech(d*x^2+c))/x^3,x, algorithm="maxima")`

output `2*b*integrate(1/(x^3*(e^(d*x^2 + c) + e^(-d*x^2 - c))), x) - 1/2*a/x^2`

Giac [N/A]

Not integrable

Time = 0.14 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{a + b \operatorname{sech}(c + dx^2)}{x^3} dx = \int \frac{b \operatorname{sech}(dx^2 + c) + a}{x^3} dx$$

input `integrate((a+b*sech(d*x^2+c))/x^3,x, algorithm="giac")`

output `integrate((b*sech(d*x^2 + c) + a)/x^3, x)`

Mupad [N/A]

Not integrable

Time = 2.56 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.25

$$\int \frac{a + b \operatorname{sech}(c + dx^2)}{x^3} dx = \int \frac{a + \frac{b}{\cosh(dx^2+c)}}{x^3} dx$$

input `int((a + b/cosh(c + d*x^2))/x^3,x)`

output `int((a + b/cosh(c + d*x^2))/x^3, x)`

Reduce [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 29, normalized size of antiderivative = 1.81

$$\int \frac{a + b \operatorname{sech}(c + dx^2)}{x^3} dx = \frac{2 \left(\int \frac{\operatorname{sech}(dx^2+c)}{x^3} dx \right) b x^2 - a}{2x^2}$$

input `int((a+b*sech(d*x^2+c))/x^3,x)`output `(2*int(sech(c + d*x**2)/x**3,x)*b*x**2 - a)/(2*x**2)`

3.6 $\int x^4(a + b\operatorname{sech}(c + dx^2)) dx$

Optimal result	87
Mathematica [N/A]	87
Rubi [N/A]	88
Maple [N/A]	88
Fricas [N/A]	89
Sympy [N/A]	89
Maxima [N/A]	89
Giac [N/A]	90
Mupad [N/A]	90
Reduce [N/A]	91

Optimal result

Integrand size = 16, antiderivative size = 16

$$\int x^4(a + b\operatorname{sech}(c + dx^2)) dx = \operatorname{Int}(x^4(a + b\operatorname{sech}(c + dx^2)), x)$$

output `Defer(Int)(x^4*(a+b*sech(d*x^2+c)),x)`

Mathematica [N/A]

Not integrable

Time = 3.48 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int x^4(a + b\operatorname{sech}(c + dx^2)) dx = \int x^4(a + b\operatorname{sech}(c + dx^2)) dx$$

input `Integrate[x^4*(a + b*Sech[c + d*x^2]),x]`

output `Integrate[x^4*(a + b*Sech[c + d*x^2]), x]`

Rubi [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^4(a + b\operatorname{sech}(c + dx^2)) dx$$

$$\downarrow \text{2010}$$

$$\int (ax^4 + bx^4\operatorname{sech}(c + dx^2)) dx$$

$$\downarrow \text{2009}$$

$$b \int x^4\operatorname{sech}(dx^2 + c) dx + \frac{ax^5}{5}$$

input `Int[x^4*(a + b*Sech[c + d*x^2]),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.02 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int x^4(a + b \operatorname{sech}(dx^2 + c)) dx$$

input `int(x^4*(a+b*sech(d*x^2+c)),x)`

output `int(x^4*(a+b*sech(d*x^2+c)),x)`

Fricas [N/A]

Not integrable

Time = 0.11 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.31

$$\int x^4(a + b\operatorname{sech}(c + dx^2)) dx = \int (b\operatorname{sech}(dx^2 + c) + a)x^4 dx$$

input `integrate(x^4*(a+b*sech(d*x^2+c)),x, algorithm="fricas")`

output `integral(b*x^4*sech(d*x^2 + c) + a*x^4, x)`

Sympy [N/A]

Not integrable

Time = 1.07 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.94

$$\int x^4(a + b\operatorname{sech}(c + dx^2)) dx = \int x^4(a + b\operatorname{sech}(c + dx^2)) dx$$

input `integrate(x**4*(a+b*sech(d*x**2+c)),x)`

output `Integral(x**4*(a + b*sech(c + d*x**2)), x)`

Maxima [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 38, normalized size of antiderivative = 2.38

$$\int x^4(a + b\operatorname{sech}(c + dx^2)) dx = \int (b\operatorname{sech}(dx^2 + c) + a)x^4 dx$$

input `integrate(x^4*(a+b*sech(d*x^2+c)),x, algorithm="maxima")`

output `1/5*a*x^5 + 2*b*integrate(x^4/(e^(d*x^2 + c) + e^(-d*x^2 - c)), x)`

Giac [N/A]

Not integrable

Time = 0.17 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int x^4(a + b\operatorname{sech}(c + dx^2)) dx = \int (b\operatorname{sech}(dx^2 + c) + a)x^4 dx$$

input `integrate(x^4*(a+b*sech(d*x^2+c)),x, algorithm="giac")`

output `integrate((b*sech(d*x^2 + c) + a)*x^4, x)`

Mupad [N/A]

Not integrable

Time = 2.34 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.25

$$\int x^4(a + b\operatorname{sech}(c + dx^2)) dx = \int x^4 \left(a + \frac{b}{\cosh(dx^2 + c)} \right) dx$$

input `int(x^4*(a + b/cosh(c + d*x^2)),x)`

output `int(x^4*(a + b/cosh(c + d*x^2)), x)`

Reduce [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 23, normalized size of antiderivative = 1.44

$$\int x^4(a + b\operatorname{sech}(c + dx^2)) dx = \left(\int \operatorname{sech}(dx^2 + c) x^4 dx \right) b + \frac{ax^5}{5}$$

input `int(x^4*(a+b*sech(d*x^2+c)),x)`output `(5*int(sech(c + d*x**2)*x**4,x)*b + a*x**5)/5`

3.7 $\int x^2(a + b\operatorname{sech}(c + dx^2)) dx$

Optimal result	92
Mathematica [N/A]	92
Rubi [N/A]	93
Maple [N/A]	93
Fricas [N/A]	94
Sympy [N/A]	94
Maxima [N/A]	94
Giac [N/A]	95
Mupad [N/A]	95
Reduce [N/A]	96

Optimal result

Integrand size = 16, antiderivative size = 16

$$\int x^2(a + b\operatorname{sech}(c + dx^2)) dx = \operatorname{Int}(x^2(a + b\operatorname{sech}(c + dx^2)), x)$$

output `Defer(Int)(x^2*(a+b*sech(d*x^2+c)),x)`

Mathematica [N/A]

Not integrable

Time = 3.05 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int x^2(a + b\operatorname{sech}(c + dx^2)) dx = \int x^2(a + b\operatorname{sech}(c + dx^2)) dx$$

input `Integrate[x^2*(a + b*Sech[c + d*x^2]),x]`

output `Integrate[x^2*(a + b*Sech[c + d*x^2]), x]`

Rubi [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^2(a + b\operatorname{sech}(c + dx^2)) dx$$

$$\downarrow \text{2010}$$

$$\int (ax^2 + bx^2\operatorname{sech}(c + dx^2)) dx$$

$$\downarrow \text{2009}$$

$$b \int x^2\operatorname{sech}(dx^2 + c) dx + \frac{ax^3}{3}$$

input `Int[x^2*(a + b*Sech[c + d*x^2]),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.03 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int x^2(a + b \operatorname{sech}(dx^2 + c)) dx$$

input `int(x^2*(a+b*sech(d*x^2+c)),x)`

output `int(x^2*(a+b*sech(d*x^2+c)),x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.31

$$\int x^2(a + b\operatorname{sech}(c + dx^2)) dx = \int (b\operatorname{sech}(dx^2 + c) + a)x^2 dx$$

input `integrate(x^2*(a+b*sech(d*x^2+c)),x, algorithm="fricas")`

output `integral(b*x^2*sech(d*x^2 + c) + a*x^2, x)`

Sympy [N/A]

Not integrable

Time = 0.70 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.94

$$\int x^2(a + b\operatorname{sech}(c + dx^2)) dx = \int x^2(a + b\operatorname{sech}(c + dx^2)) dx$$

input `integrate(x**2*(a+b*sech(d*x**2+c)),x)`

output `Integral(x**2*(a + b*sech(c + d*x**2)), x)`

Maxima [N/A]

Not integrable

Time = 0.14 (sec) , antiderivative size = 38, normalized size of antiderivative = 2.38

$$\int x^2(a + b\operatorname{sech}(c + dx^2)) dx = \int (b\operatorname{sech}(dx^2 + c) + a)x^2 dx$$

input `integrate(x^2*(a+b*sech(d*x^2+c)),x, algorithm="maxima")`

output `1/3*a*x^3 + 2*b*integrate(x^2/(e^(d*x^2 + c) + e^(-d*x^2 - c)), x)`

Giac [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int x^2(a + b\operatorname{sech}(c + dx^2)) dx = \int (b\operatorname{sech}(dx^2 + c) + a)x^2 dx$$

input `integrate(x^2*(a+b*sech(d*x^2+c)),x, algorithm="giac")`

output `integrate((b*sech(d*x^2 + c) + a)*x^2, x)`

Mupad [N/A]

Not integrable

Time = 2.34 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.25

$$\int x^2(a + b\operatorname{sech}(c + dx^2)) dx = \int x^2 \left(a + \frac{b}{\cosh(dx^2 + c)} \right) dx$$

input `int(x^2*(a + b/cosh(c + d*x^2)),x)`

output `int(x^2*(a + b/cosh(c + d*x^2)), x)`

Reduce [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 23, normalized size of antiderivative = 1.44

$$\int x^2(a + b\operatorname{sech}(c + dx^2)) dx = \left(\int \operatorname{sech}(dx^2 + c) x^2 dx \right) b + \frac{ax^3}{3}$$

input `int(x^2*(a+b*sech(d*x^2+c)),x)`output `(3*int(sech(c + d*x**2)*x**2,x)*b + a*x**3)/3`

3.8 $\int \frac{a+b\operatorname{sech}(c+dx^2)}{x^2} dx$

Optimal result	97
Mathematica [N/A]	97
Rubi [N/A]	98
Maple [N/A]	98
Fricas [N/A]	99
Sympy [N/A]	99
Maxima [N/A]	99
Giac [N/A]	100
Mupad [N/A]	100
Reduce [N/A]	101

Optimal result

Integrand size = 16, antiderivative size = 16

$$\int \frac{a + b\operatorname{sech}(c + dx^2)}{x^2} dx = \operatorname{Int}\left(\frac{a + b\operatorname{sech}(c + dx^2)}{x^2}, x\right)$$

output `Defer(Int)((a+b*sech(d*x^2+c))/x^2,x)`

Mathematica [N/A]

Not integrable

Time = 2.97 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{a + b\operatorname{sech}(c + dx^2)}{x^2} dx = \int \frac{a + b\operatorname{sech}(c + dx^2)}{x^2} dx$$

input `Integrate[(a + b*Sech[c + d*x^2])/x^2,x]`

output `Integrate[(a + b*Sech[c + d*x^2])/x^2, x]`

Rubi [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{a + b \operatorname{sech}(c + dx^2)}{x^2} dx$$

↓ 2010

$$\int \left(\frac{a}{x^2} + \frac{b \operatorname{sech}(c + dx^2)}{x^2} \right) dx$$

↓ 2009

$$b \int \frac{\operatorname{sech}(dx^2 + c)}{x^2} dx - \frac{a}{x}$$

input `Int[(a + b*Sech[c + d*x^2])/x^2,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.02 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int \frac{a + b \operatorname{sech}(dx^2 + c)}{x^2} dx$$

input `int((a+b*sech(d*x^2+c))/x^2,x)`

output `int((a+b*sech(d*x^2+c))/x^2,x)`

Fricas [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{a + b \operatorname{sech}(c + dx^2)}{x^2} dx = \int \frac{b \operatorname{sech}(dx^2 + c) + a}{x^2} dx$$

input `integrate((a+b*sech(d*x^2+c))/x^2,x, algorithm="fricas")`

output `integral((b*sech(d*x^2 + c) + a)/x^2, x)`

Sympy [N/A]

Not integrable

Time = 0.63 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.94

$$\int \frac{a + b \operatorname{sech}(c + dx^2)}{x^2} dx = \int \frac{a + b \operatorname{sech}(c + dx^2)}{x^2} dx$$

input `integrate((a+b*sech(d*x**2+c))/x**2,x)`

output `Integral((a + b*sech(c + d*x**2))/x**2, x)`

Maxima [N/A]

Not integrable

Time = 0.14 (sec) , antiderivative size = 38, normalized size of antiderivative = 2.38

$$\int \frac{a + b \operatorname{sech}(c + dx^2)}{x^2} dx = \int \frac{b \operatorname{sech}(dx^2 + c) + a}{x^2} dx$$

input `integrate((a+b*sech(d*x^2+c))/x^2,x, algorithm="maxima")`

output `2*b*integrate(1/(x^2*(e^(d*x^2 + c) + e^(-d*x^2 - c))), x) - a/x`

Giac [N/A]

Not integrable

Time = 0.18 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{a + b \operatorname{sech}(c + dx^2)}{x^2} dx = \int \frac{b \operatorname{sech}(dx^2 + c) + a}{x^2} dx$$

input `integrate((a+b*sech(d*x^2+c))/x^2,x, algorithm="giac")`

output `integrate((b*sech(d*x^2 + c) + a)/x^2, x)`

Mupad [N/A]

Not integrable

Time = 2.45 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.25

$$\int \frac{a + b \operatorname{sech}(c + dx^2)}{x^2} dx = \int \frac{a + \frac{b}{\cosh(dx^2+c)}}{x^2} dx$$

input `int((a + b/cosh(c + d*x^2))/x^2,x)`

output `int((a + b/cosh(c + d*x^2))/x^2, x)`

Reduce [N/A]

Not integrable

Time = 0.27 (sec) , antiderivative size = 25, normalized size of antiderivative = 1.56

$$\int \frac{a + b \operatorname{sech}(c + dx^2)}{x^2} dx = \frac{\left(\int \frac{\operatorname{sech}(dx^2+c)}{x^2} dx \right) bx - a}{x}$$

input `int((a+b*sech(d*x^2+c))/x^2,x)`output `(int(sech(c + d*x**2)/x**2,x)*b*x - a)/x`

3.9 $\int \frac{a+b\operatorname{sech}(c+dx^2)}{x^4} dx$

Optimal result	102
Mathematica [N/A]	102
Rubi [N/A]	103
Maple [N/A]	103
Fricas [N/A]	104
Sympy [N/A]	104
Maxima [N/A]	104
Giac [N/A]	105
Mupad [N/A]	105
Reduce [N/A]	106

Optimal result

Integrand size = 16, antiderivative size = 16

$$\int \frac{a + b\operatorname{sech}(c + dx^2)}{x^4} dx = \operatorname{Int}\left(\frac{a + b\operatorname{sech}(c + dx^2)}{x^4}, x\right)$$

output `Defer(Int)((a+b*sech(d*x^2+c))/x^4,x)`

Mathematica [N/A]

Not integrable

Time = 3.24 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{a + b\operatorname{sech}(c + dx^2)}{x^4} dx = \int \frac{a + b\operatorname{sech}(c + dx^2)}{x^4} dx$$

input `Integrate[(a + b*Sech[c + d*x^2])/x^4,x]`

output `Integrate[(a + b*Sech[c + d*x^2])/x^4, x]`

Rubi [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{a + b \operatorname{sech}(c + dx^2)}{x^4} dx$$

↓ 2010

$$\int \left(\frac{a}{x^4} + \frac{b \operatorname{sech}(c + dx^2)}{x^4} \right) dx$$

↓ 2009

$$b \int \frac{\operatorname{sech}(dx^2 + c)}{x^4} dx - \frac{a}{3x^3}$$

input `Int[(a + b*Sech[c + d*x^2])/x^4,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.03 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int \frac{a + b \operatorname{sech}(dx^2 + c)}{x^4} dx$$

input `int((a+b*sech(d*x^2+c))/x^4,x)`

output `int((a+b*sech(d*x^2+c))/x^4,x)`

Fricas [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{a + b \operatorname{sech}(c + dx^2)}{x^4} dx = \int \frac{b \operatorname{sech}(dx^2 + c) + a}{x^4} dx$$

input `integrate((a+b*sech(d*x^2+c))/x^4,x, algorithm="fricas")`

output `integral((b*sech(d*x^2 + c) + a)/x^4, x)`

Sympy [N/A]

Not integrable

Time = 1.05 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.94

$$\int \frac{a + b \operatorname{sech}(c + dx^2)}{x^4} dx = \int \frac{a + b \operatorname{sech}(c + dx^2)}{x^4} dx$$

input `integrate((a+b*sech(d*x**2+c))/x**4,x)`

output `Integral((a + b*sech(c + d*x**2))/x**4, x)`

Maxima [N/A]

Not integrable

Time = 0.14 (sec) , antiderivative size = 38, normalized size of antiderivative = 2.38

$$\int \frac{a + b \operatorname{sech}(c + dx^2)}{x^4} dx = \int \frac{b \operatorname{sech}(dx^2 + c) + a}{x^4} dx$$

input `integrate((a+b*sech(d*x^2+c))/x^4,x, algorithm="maxima")`

output `2*b*integrate(1/(x^4*(e^(d*x^2 + c) + e^(-d*x^2 - c))), x) - 1/3*a/x^3`

Giac [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{a + b \operatorname{sech}(c + dx^2)}{x^4} dx = \int \frac{b \operatorname{sech}(dx^2 + c) + a}{x^4} dx$$

input `integrate((a+b*sech(d*x^2+c))/x^4,x, algorithm="giac")`

output `integrate((b*sech(d*x^2 + c) + a)/x^4, x)`

Mupad [N/A]

Not integrable

Time = 2.47 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.25

$$\int \frac{a + b \operatorname{sech}(c + dx^2)}{x^4} dx = \int \frac{a + \frac{b}{\cosh(dx^2+c)}}{x^4} dx$$

input `int((a + b/cosh(c + d*x^2))/x^4,x)`

output `int((a + b/cosh(c + d*x^2))/x^4, x)`

Reduce [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 29, normalized size of antiderivative = 1.81

$$\int \frac{a + b \operatorname{sech}(c + dx^2)}{x^4} dx = \frac{3 \left(\int \frac{\operatorname{sech}(dx^2+c)}{x^4} dx \right) b x^3 - a}{3x^3}$$

input `int((a+b*sech(d*x^2+c))/x^4,x)`output `(3*int(sech(c + d*x**2)/x**4,x)*b*x**3 - a)/(3*x**3)`

3.10 $\int x^5(a + b\operatorname{sech}(c + dx^2))^2 dx$

Optimal result	107
Mathematica [A] (verified)	108
Rubi [A] (verified)	108
Maple [F]	110
Fricas [B] (verification not implemented)	110
Sympy [F]	111
Maxima [F]	112
Giac [F]	112
Mupad [F(-1)]	112
Reduce [F]	113

Optimal result

Integrand size = 18, antiderivative size = 217

$$\int x^5(a + b\operatorname{sech}(c + dx^2))^2 dx = \frac{b^2x^4}{2d} + \frac{a^2x^6}{6} + \frac{2abx^4 \arctan(e^{c+dx^2})}{d} - \frac{b^2x^2 \log(1 + e^{2(c+dx^2)})}{d^2} - \frac{2iabx^2 \operatorname{PolyLog}(2, -ie^{c+dx^2})}{d^2} + \frac{2iabx^2 \operatorname{PolyLog}(2, ie^{c+dx^2})}{d^2} - \frac{b^2 \operatorname{PolyLog}(2, -e^{2(c+dx^2)})}{2d^3} + \frac{2iab \operatorname{PolyLog}(3, -ie^{c+dx^2})}{d^3} - \frac{2iab \operatorname{PolyLog}(3, ie^{c+dx^2})}{d^3} + \frac{b^2x^4 \tanh(c + dx^2)}{2d}$$

output

$$\frac{1}{2}b^2x^4/d + 1/6a^2x^6 + 2abx^4 \arctan(\exp(dx^2+c))/d - b^2x^2 \ln(1 + \exp(2dx^2+2c))/d^2 - 2Iabx^2 \operatorname{polylog}(2, -I\exp(dx^2+c))/d^2 + 2Iabx^2 \operatorname{polylog}(2, I\exp(dx^2+c))/d^2 - 1/2b^2 \operatorname{polylog}(2, -\exp(2dx^2+2c))/d^3 + 2Iab \operatorname{polylog}(3, -I\exp(dx^2+c))/d^3 - 2Iab \operatorname{polylog}(3, I\exp(dx^2+c))/d^3 + 1/2b^2x^4 \tanh(dx^2+c)/d$$
Mathematica [A] (verified)

Time = 1.75 (sec) , antiderivative size = 320, normalized size of antiderivative = 1.47

$$\int x^5 (a + b \operatorname{sech}(c + dx^2))^2 dx$$

$$= \frac{\cosh(c + dx^2) (a + b \operatorname{sech}(c + dx^2))^2 \left(a^2 x^6 \cosh(c + dx^2) + \frac{3b \cosh(c + dx^2) (2bd^2 e^{2c} x^4 - 2bd^2 (1 + e^{2c}) x^4 + b(1 + e^{2c}))}{2} \right)}{1}$$

input

`Integrate[x^5*(a + b*Sech[c + d*x^2])^2,x]`

output

$$\frac{(\operatorname{Cosh}[c + dx^2] * (a + b \operatorname{Sech}[c + dx^2])^2 * (a^2 x^6 \operatorname{Cosh}[c + dx^2] + (3b * \operatorname{Cosh}[c + dx^2] * (2 * b * d^2 * E^{(2 * c)} * x^4 - 2 * b * d^2 * (1 + E^{(2 * c)})) * x^4 + b * (1 + E^{(2 * c)})) * (2 * d * x^2 * (d * x^2 - \operatorname{Log}[1 + E^{(2 * (c + d * x^2))})) - \operatorname{PolyLog}[2, -E^{(2 * (c + d * x^2))})] + (2 * I) * a * (1 + E^{(2 * c)}) * (d^2 * x^4 * \operatorname{Log}[1 - I * E^{(c + d * x^2)}] - d^2 * x^4 * \operatorname{Log}[1 + I * E^{(c + d * x^2)}] - 2 * d * x^2 * \operatorname{PolyLog}[2, (-I) * E^{(c + d * x^2)}] + 2 * d * x^2 * \operatorname{PolyLog}[2, I * E^{(c + d * x^2)}] + 2 * \operatorname{PolyLog}[3, (-I) * E^{(c + d * x^2)}] - 2 * \operatorname{PolyLog}[3, I * E^{(c + d * x^2)}])) / (d^3 * (1 + E^{(2 * c)})) + (3 * b^2 * x^4 * \operatorname{Sech}[c] * \operatorname{Sinh}[d * x^2]) / d) / (6 * (b + a * \operatorname{Cosh}[c + d * x^2])^2)$$
Rubi [A] (verified)Time = 0.85 (sec) , antiderivative size = 213, normalized size of antiderivative = 0.98, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {5959, 3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
& \int x^5 (a + b \operatorname{sech}(c + dx^2))^2 dx \\
& \quad \downarrow 5959 \\
& \frac{1}{2} \int x^4 (a + b \operatorname{sech}(dx^2 + c))^2 dx^2 \\
& \quad \downarrow 3042 \\
& \frac{1}{2} \int x^4 \left(a + b \operatorname{csc} \left(idx^2 + ic + \frac{\pi}{2} \right) \right)^2 dx^2 \\
& \quad \downarrow 4678 \\
& \frac{1}{2} \int (a^2 x^4 + b^2 \operatorname{sech}^2(dx^2 + c) x^4 + 2ab \operatorname{sech}(dx^2 + c) x^4) dx^2 \\
& \quad \downarrow 2009 \\
& \frac{1}{2} \left(\frac{a^2 x^6}{3} + \frac{4abx^4 \arctan(e^{c+dx^2})}{d} + \frac{4iab \operatorname{PolyLog}(3, -ie^{dx^2+c})}{d^3} - \frac{4iab \operatorname{PolyLog}(3, ie^{dx^2+c})}{d^3} - \frac{4iabx^2 \operatorname{PolyLog}(3, -ie^{dx^2+c})}{d^3} + \frac{4iabx^2 \operatorname{PolyLog}(3, ie^{dx^2+c})}{d^3} \right)
\end{aligned}$$

input

```
Int[x^5*(a + b*Sech[c + d*x^2])^2,x]
```

output

```
((b^2*x^4)/d + (a^2*x^6)/3 + (4*a*b*x^4*ArcTan[E^(c + d*x^2)])/d - (2*b^2*x^2*Log[1 + E^(2*(c + d*x^2))])/d^2 - ((4*I)*a*b*x^2*PolyLog[2, (-I)*E^(c + d*x^2)])/d^2 + ((4*I)*a*b*x^2*PolyLog[2, I*E^(c + d*x^2)])/d^2 - (b^2*PolyLog[2, -E^(2*(c + d*x^2))])/d^3 + ((4*I)*a*b*PolyLog[3, (-I)*E^(c + d*x^2)])/d^3 - ((4*I)*a*b*PolyLog[3, I*E^(c + d*x^2)])/d^3 + (b^2*x^4*Tanh[c + d*x^2])/d)/2
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 3042

```
Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]
```

rule 4678 `Int[(csc[e_.] + (f_.)*(x_)]*(b_.) + (a_)^(n_.)*((c_.) + (d_.)*(x_)^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]`

rule 5959 `Int[(x_)^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [F]

$$\int x^5 (a + b \operatorname{sech}(dx^2 + c))^2 dx$$

input `int(x^5*(a+b*sech(d*x^2+c))^2,x)`

output `int(x^5*(a+b*sech(d*x^2+c))^2,x)`

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1198 vs. $2(185) = 370$.

Time = 0.12 (sec) , antiderivative size = 1198, normalized size of antiderivative = 5.52

$$\int x^5 (a + b \operatorname{sech}(c + dx^2))^2 dx = \text{Too large to display}$$

input `integrate(x^5*(a+b*sech(d*x^2+c))^2,x, algorithm="fricas")`

output

```

1/6*(a^2*d^3*x^6 - 6*b^2*c^2 + (a^2*d^3*x^6 + 6*b^2*d^2*x^4 - 6*b^2*c^2)*c
osh(d*x^2 + c)^2 + 2*(a^2*d^3*x^6 + 6*b^2*d^2*x^4 - 6*b^2*c^2)*cosh(d*x^2
+ c)*sinh(d*x^2 + c) + (a^2*d^3*x^6 + 6*b^2*d^2*x^4 - 6*b^2*c^2)*sinh(d*x^
2 + c)^2 - 6*(-2*I*a*b*d*x^2 + (-2*I*a*b*d*x^2 + b^2)*cosh(d*x^2 + c)^2 +
2*(-2*I*a*b*d*x^2 + b^2)*cosh(d*x^2 + c)*sinh(d*x^2 + c) + (-2*I*a*b*d*x^2
+ b^2)*sinh(d*x^2 + c)^2 + b^2)*dilog(I*cosh(d*x^2 + c) + I*sinh(d*x^2 +
c)) - 6*(2*I*a*b*d*x^2 + (2*I*a*b*d*x^2 + b^2)*cosh(d*x^2 + c)^2 + 2*(2*I*
a*b*d*x^2 + b^2)*cosh(d*x^2 + c)*sinh(d*x^2 + c) + (2*I*a*b*d*x^2 + b^2)*s
inh(d*x^2 + c)^2 + b^2)*dilog(-I*cosh(d*x^2 + c) - I*sinh(d*x^2 + c)) - 6*
(-I*a*b*c^2 - b^2*c + (-I*a*b*c^2 - b^2*c)*cosh(d*x^2 + c)^2 + 2*(-I*a*b*c
^2 - b^2*c)*cosh(d*x^2 + c)*sinh(d*x^2 + c) + (-I*a*b*c^2 - b^2*c)*sinh(d*
x^2 + c)^2)*log(cosh(d*x^2 + c) + sinh(d*x^2 + c) + I) - 6*(I*a*b*c^2 - b^
2*c + (I*a*b*c^2 - b^2*c)*cosh(d*x^2 + c)^2 + 2*(I*a*b*c^2 - b^2*c)*cosh(d
*x^2 + c)*sinh(d*x^2 + c) + (I*a*b*c^2 - b^2*c)*sinh(d*x^2 + c)^2)*log(cos
h(d*x^2 + c) + sinh(d*x^2 + c) - I) - 6*(I*a*b*d^2*x^4 + b^2*d*x^2 - I*a*b
*c^2 + b^2*c + (I*a*b*d^2*x^4 + b^2*d*x^2 - I*a*b*c^2 + b^2*c)*cosh(d*x^2
+ c)^2 + 2*(I*a*b*d^2*x^4 + b^2*d*x^2 - I*a*b*c^2 + b^2*c)*cosh(d*x^2 + c)
*sinh(d*x^2 + c) + (I*a*b*d^2*x^4 + b^2*d*x^2 - I*a*b*c^2 + b^2*c)*sinh(d*
x^2 + c)^2)*log(I*cosh(d*x^2 + c) + I*sinh(d*x^2 + c) + 1) - 6*(-I*a*b*d^2
*x^4 + b^2*d*x^2 + I*a*b*c^2 + b^2*c + (-I*a*b*d^2*x^4 + b^2*d*x^2 + I*...

```

Sympy [F]

$$\int x^5 (a + b \operatorname{sech}(c + dx^2))^2 dx = \int x^5 (a + b \operatorname{sech}(c + dx^2))^2 dx$$

input

```
integrate(x**5*(a+b*sech(d*x**2+c))**2,x)
```

output

```
Integral(x**5*(a + b*sech(c + d*x**2))**2, x)
```


Maxima [F]

$$\int x^5 (a + b \operatorname{sech}(c + dx^2))^2 dx = \int (b \operatorname{sech}(dx^2 + c) + a)^2 x^5 dx$$

input `integrate(x^5*(a+b*sech(d*x^2+c))^2,x, algorithm="maxima")`

output `1/6*a^2*x^6 - b^2*x^4/(d*e^(2*d*x^2 + 2*c) + d) + integrate(4*(a*b*d*x^5*e^(d*x^2 + c) + b^2*x^3)/(d*e^(2*d*x^2 + 2*c) + d), x)`

Giac [F]

$$\int x^5 (a + b \operatorname{sech}(c + dx^2))^2 dx = \int (b \operatorname{sech}(dx^2 + c) + a)^2 x^5 dx$$

input `integrate(x^5*(a+b*sech(d*x^2+c))^2,x, algorithm="giac")`

output `integrate((b*sech(d*x^2 + c) + a)^2*x^5, x)`

Mupad [F(-1)]

Timed out.

$$\int x^5 (a + b \operatorname{sech}(c + dx^2))^2 dx = \int x^5 \left(a + \frac{b}{\cosh(dx^2 + c)} \right)^2 dx$$

input `int(x^5*(a + b/cosh(c + d*x^2))^2,x)`

output `int(x^5*(a + b/cosh(c + d*x^2))^2, x)`

Reduce [F]

$$\int x^5 (a + b \operatorname{sech}(c + dx^2))^2 dx$$

$$= \frac{24e^{2dx^2+2c} \operatorname{atan}(e^{dx^2+c}) ab + 24 \operatorname{atan}(e^{dx^2+c}) ab + 48e^{2dx^2+3c} \left(\int \frac{e^{dx^2} x^5}{e^{4dx^2+4c} + 2e^{2dx^2+2c} + 1} dx \right) ab d^3 + 96e^{2dx^2-}}$$

input `int(x^5*(a+b*sech(d*x^2+c))^2,x)`

output

```
(24*e**(2*c + 2*d*x**2)*atan(e**(c + d*x**2))*a*b + 24*atan(e**(c + d*x**2))
)*a*b + 48*e**(3*c + 2*d*x**2)*int((e**(d*x**2)*x**5)/(e**(4*c + 4*d*x**2)
) + 2*e**(2*c + 2*d*x**2) + 1),x)*a*b*d**3 + 96*e**(3*c + 2*d*x**2)*int((e
**(d*x**2)*x**3)/(e**(4*c + 4*d*x**2) + 2*e**(2*c + 2*d*x**2) + 1),x)*a*b*
d**2 + 24*e**(2*c + 2*d*x**2)*int(x**3/(e**(4*c + 4*d*x**2) + 2*e**(2*c +
2*d*x**2) + 1),x)*b**2*d**2 - 3*e**(2*c + 2*d*x**2)*log(e**(2*c + 2*d*x**2)
) + 1)*b**2 + e**(2*c + 2*d*x**2)*a**2*d**3*x**6 + 6*e**(2*c + 2*d*x**2)*b
**2*d*x**2 - 12*e**(c + d*x**2)*a*b*d**2*x**4 - 24*e**(c + d*x**2)*a*b*d*x
**2 + 48*e**c*int((e**(d*x**2)*x**5)/(e**(4*c + 4*d*x**2) + 2*e**(2*c + 2*
d*x**2) + 1),x)*a*b*d**3 + 96*e**c*int((e**(d*x**2)*x**3)/(e**(4*c + 4*d*x
**2) + 2*e**(2*c + 2*d*x**2) + 1),x)*a*b*d**2 + 24*int(x**3/(e**(4*c + 4*d
*x**2) + 2*e**(2*c + 2*d*x**2) + 1),x)*b**2*d**2 - 3*log(e**(2*c + 2*d*x**
2) + 1)*b**2 + a**2*d**3*x**6 - 6*b**2*d**2*x**4)/(6*d**3*(e**(2*c + 2*d*x
**2) + 1))
```

3.11 $\int x^3(a + b\operatorname{sech}(c + dx^2))^2 dx$

Optimal result	114
Mathematica [B] (verified)	115
Rubi [A] (verified)	115
Maple [F]	117
Fricas [B] (verification not implemented)	117
Sympy [F]	118
Maxima [F]	119
Giac [F]	119
Mupad [F(-1)]	119
Reduce [F]	120

Optimal result

Integrand size = 18, antiderivative size = 119

$$\int x^3(a + b\operatorname{sech}(c + dx^2))^2 dx = \frac{a^2x^4}{4} + \frac{2abx^2 \arctan(e^{c+dx^2})}{d} - \frac{b^2 \log(\cosh(c + dx^2))}{2d^2} - \frac{iab \operatorname{PolyLog}(2, -ie^{c+dx^2})}{d^2} + \frac{iab \operatorname{PolyLog}(2, ie^{c+dx^2})}{d^2} + \frac{b^2x^2 \tanh(c + dx^2)}{2d}$$

output

```
1/4*a^2*x^4+2*a*b*x^2*arctan(exp(d*x^2+c))/d-1/2*b^2*ln(cosh(d*x^2+c))/d^2
-I*a*b*polylog(2,-I*exp(d*x^2+c))/d^2+I*a*b*polylog(2,I*exp(d*x^2+c))/d^2+
1/2*b^2*x^2*tanh(d*x^2+c)/d
```

Mathematica [B] (verified)

Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 324 vs. $2(119) = 238$.

Time = 1.23 (sec) , antiderivative size = 324, normalized size of antiderivative = 2.72

$$\int x^3 (a + b \operatorname{sech}(c + dx^2))^2 dx$$

$$= \frac{4b^2 d e^{2c} x^2 + a^2 d^2 x^4 + a^2 d^2 e^{2c} x^4 + 4iabdx^2 \log(1 - ie^{c+dx^2}) + 4iabde^{2c} x^2 \log(1 - ie^{c+dx^2}) - 4iabdx^2 \log(1 + ie^{c+dx^2}) - 4iabde^{2c} x^2 \log(1 + ie^{c+dx^2})}{4d^2(1 + E^{2c})}$$

input `Integrate[x^3*(a + b*Sech[c + d*x^2])^2,x]`

output

```
(4*b^2*d*E^(2*c)*x^2 + a^2*d^2*x^4 + a^2*d^2*E^(2*c)*x^4 + (4*I)*a*b*d*x^2*Log[1 - I*E^(c + d*x^2)] + (4*I)*a*b*d*E^(2*c)*x^2*Log[1 - I*E^(c + d*x^2)] - (4*I)*a*b*d*x^2*Log[1 + I*E^(c + d*x^2)] - (4*I)*a*b*d*E^(2*c)*x^2*Log[1 + I*E^(c + d*x^2)] - 2*b^2*Log[1 + E^(2*(c + d*x^2))] - 2*b^2*E^(2*c)*Log[1 + E^(2*(c + d*x^2))] - (4*I)*a*b*(1 + E^(2*c))*PolyLog[2, (-I)*E^(c + d*x^2)] + (4*I)*a*b*(1 + E^(2*c))*PolyLog[2, I*E^(c + d*x^2)] + 2*b^2*d*x^2*Sech[c]*Sech[c + d*x^2]*Sinh[d*x^2] + 2*b^2*d*E^(2*c)*x^2*Sech[c]*Sech[c + d*x^2]*Sinh[d*x^2])/(4*d^2*(1 + E^(2*c)))
```

Rubi [A] (verified)

Time = 0.63 (sec) , antiderivative size = 118, normalized size of antiderivative = 0.99, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {5959, 3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^3 (a + b \operatorname{sech}(c + dx^2))^2 dx$$

$$\downarrow 5959$$

$$\frac{1}{2} \int x^2 (a + b \operatorname{sech}(dx^2 + c))^2 dx^2$$

$$\begin{array}{c}
 \downarrow 3042 \\
 \frac{1}{2} \int x^2 \left(a + b \csc \left(dx^2 + ic + \frac{\pi}{2} \right) \right)^2 dx^2 \\
 \downarrow 4678 \\
 \frac{1}{2} \int (a^2 x^2 + b^2 \operatorname{sech}^2(dx^2 + c) x^2 + 2ab \operatorname{sech}(dx^2 + c) x^2) dx^2 \\
 \downarrow 2009 \\
 \frac{1}{2} \left(\frac{a^2 x^4}{2} + \frac{4abx^2 \arctan(e^{c+dx^2})}{d} - \frac{2iab \operatorname{PolyLog}(2, -ie^{dx^2+c})}{d^2} + \frac{2iab \operatorname{PolyLog}(2, ie^{dx^2+c})}{d^2} - \frac{b^2 \log(\cosh(c+dx^2))}{d^2} \right)
 \end{array}$$

input `Int[x^3*(a + b*Sech[c + d*x^2])^2,x]`

output `((a^2*x^4)/2 + (4*a*b*x^2*ArcTan[E^(c + d*x^2)])/d - (b^2*Log[Cosh[c + d*x^2]])/d^2 - ((2*I)*a*b*PolyLog[2, (-I)*E^(c + d*x^2)])/d^2 + ((2*I)*a*b*PolyLog[2, I*E^(c + d*x^2)])/d^2 + (b^2*x^2*Tanh[c + d*x^2])/d)/2`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4678 `Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]`

rule 5959

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol]
  := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x]
  /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]
```

Maple [F]

$$\int x^3 (a + b \operatorname{sech}(dx^2 + c))^2 dx$$

input

```
int(x^3*(a+b*sech(d*x^2+c))^2,x)
```

output

```
int(x^3*(a+b*sech(d*x^2+c))^2,x)
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 782 vs. $2(100) = 200$.

Time = 0.10 (sec) , antiderivative size = 782, normalized size of antiderivative = 6.57

$$\int x^3 (a + b \operatorname{sech}(c + dx^2))^2 dx = \text{Too large to display}$$

input

```
integrate(x^3*(a+b*sech(d*x^2+c))^2,x, algorithm="fricas")
```

output

```

1/4*(a^2*d^2*x^4 + 4*b^2*c + (a^2*d^2*x^4 + 4*b^2*d*x^2 + 4*b^2*c)*cosh(d*
x^2 + c)^2 + 2*(a^2*d^2*x^4 + 4*b^2*d*x^2 + 4*b^2*c)*cosh(d*x^2 + c)*sinh(
d*x^2 + c) + (a^2*d^2*x^4 + 4*b^2*d*x^2 + 4*b^2*c)*sinh(d*x^2 + c)^2 - 4*(
-I*a*b*cosh(d*x^2 + c)^2 - 2*I*a*b*cosh(d*x^2 + c)*sinh(d*x^2 + c) - I*a*b
*sinh(d*x^2 + c)^2 - I*a*b)*dilog(I*cosh(d*x^2 + c) + I*sinh(d*x^2 + c)) -
4*(I*a*b*cosh(d*x^2 + c)^2 + 2*I*a*b*cosh(d*x^2 + c)*sinh(d*x^2 + c) + I*
a*b*sinh(d*x^2 + c)^2 + I*a*b)*dilog(-I*cosh(d*x^2 + c) - I*sinh(d*x^2 + c
)) - 2*(2*I*a*b*c + (2*I*a*b*c + b^2)*cosh(d*x^2 + c)^2 + 2*(2*I*a*b*c + b
^2)*cosh(d*x^2 + c)*sinh(d*x^2 + c) + (2*I*a*b*c + b^2)*sinh(d*x^2 + c)^2
+ b^2)*log(cosh(d*x^2 + c) + sinh(d*x^2 + c) + I) - 2*(-2*I*a*b*c + (-2*I*
a*b*c + b^2)*cosh(d*x^2 + c)^2 + 2*(-2*I*a*b*c + b^2)*cosh(d*x^2 + c)*sinh
(d*x^2 + c) + (-2*I*a*b*c + b^2)*sinh(d*x^2 + c)^2 + b^2)*log(cosh(d*x^2 +
c) + sinh(d*x^2 + c) - I) - 4*(I*a*b*d*x^2 + I*a*b*c + (I*a*b*d*x^2 + I*a
*b*c)*cosh(d*x^2 + c)^2 + 2*(I*a*b*d*x^2 + I*a*b*c)*cosh(d*x^2 + c)*sinh(
d*x^2 + c) + (I*a*b*d*x^2 + I*a*b*c)*sinh(d*x^2 + c)^2)*log(I*cosh(d*x^2 +
c) + I*sinh(d*x^2 + c) + 1) - 4*(-I*a*b*d*x^2 - I*a*b*c + (-I*a*b*d*x^2 -
I*a*b*c)*cosh(d*x^2 + c)^2 + 2*(-I*a*b*d*x^2 - I*a*b*c)*cosh(d*x^2 + c)*si
nh(d*x^2 + c) + (-I*a*b*d*x^2 - I*a*b*c)*sinh(d*x^2 + c)^2)*log(-I*cosh(d*
x^2 + c) - I*sinh(d*x^2 + c) + 1))/(d^2*cosh(d*x^2 + c)^2 + 2*d^2*cosh(d*x
^2 + c)*sinh(d*x^2 + c) + d^2*sinh(d*x^2 + c)^2 + d^2)

```

Sympy [F]

$$\int x^3 (a + b \operatorname{sech}(c + dx^2))^2 dx = \int x^3 (a + b \operatorname{sech}(c + dx^2))^2 dx$$

input

```
integrate(x**3*(a+b*sech(d*x**2+c))**2,x)
```

output

```
Integral(x**3*(a + b*sech(c + d*x**2))**2, x)
```

Maxima [F]

$$\int x^3 (a + b \operatorname{sech}(c + dx^2))^2 dx = \int (b \operatorname{sech}(dx^2 + c) + a)^2 x^3 dx$$

input `integrate(x^3*(a+b*sech(d*x^2+c))^2,x, algorithm="maxima")`

output `1/4*a^2*x^4 + 1/2*(2*x^2*e^(2*d*x^2 + 2*c)/(d*e^(2*d*x^2 + 2*c) + d) - log((e^(2*d*x^2 + 2*c) + 1)*e^(-2*c))/d^2)*b^2 + 4*a*b*integrate(x^3*e^(d*x^2 + c)/(e^(2*d*x^2 + 2*c) + 1), x)`

Giac [F]

$$\int x^3 (a + b \operatorname{sech}(c + dx^2))^2 dx = \int (b \operatorname{sech}(dx^2 + c) + a)^2 x^3 dx$$

input `integrate(x^3*(a+b*sech(d*x^2+c))^2,x, algorithm="giac")`

output `integrate((b*sech(d*x^2 + c) + a)^2*x^3, x)`

Mupad [F(-1)]

Timed out.

$$\int x^3 (a + b \operatorname{sech}(c + dx^2))^2 dx = \int x^3 \left(a + \frac{b}{\cosh(dx^2 + c)} \right)^2 dx$$

input `int(x^3*(a + b/cosh(c + d*x^2))^2,x)`

output `int(x^3*(a + b/cosh(c + d*x^2))^2, x)`

Reduce [F]

$$\int x^3 (a + b \operatorname{sech}(c + dx^2))^2 dx$$

$$= \frac{8e^{2dx^2+2c} \operatorname{atan}(e^{dx^2+c}) ab + 8 \operatorname{atan}(e^{dx^2+c}) ab + 32e^{2dx^2+3c} \left(\int \frac{e^{dx^2} x^3}{e^{4dx^2+4c} + 2e^{2dx^2+2c} + 1} dx \right) ab d^2 - 2e^{2dx^2+2c} ab d^2}{1}$$

input `int(x^3*(a+b*sech(d*x^2+c))^2,x)`

output

```
(8*e**(2*c + 2*d*x**2)*atan(e**(c + d*x**2))*a*b + 8*atan(e**(c + d*x**2))
*a*b + 32*e**(3*c + 2*d*x**2)*int((e**(d*x**2)*x**3)/(e**(4*c + 4*d*x**2)
+ 2*e**(2*c + 2*d*x**2) + 1),x)*a*b*d**2 - 2*e**(2*c + 2*d*x**2)*log(e**(2
*c + 2*d*x**2) + 1)*b**2 + e**(2*c + 2*d*x**2)*a**2*d**2*x**4 + 4*e**(2*c
+ 2*d*x**2)*b**2*d*x**2 - 8*e**(c + d*x**2)*a*b*d*x**2 + 32*e**c*int((e**(
d*x**2)*x**3)/(e**(4*c + 4*d*x**2) + 2*e**(2*c + 2*d*x**2) + 1),x)*a*b*d**
2 - 2*log(e**(2*c + 2*d*x**2) + 1)*b**2 + a**2*d**2*x**4)/(4*d**2*(e**(2*c
+ 2*d*x**2) + 1))
```

3.12 $\int x(a + b\operatorname{sech}(c + dx^2))^2 dx$

Optimal result	121
Mathematica [A] (verified)	121
Rubi [A] (verified)	122
Maple [A] (verified)	124
Fricas [B] (verification not implemented)	124
Sympy [F]	125
Maxima [A] (verification not implemented)	125
Giac [A] (verification not implemented)	126
Mupad [B] (verification not implemented)	126
Reduce [B] (verification not implemented)	126

Optimal result

Integrand size = 16, antiderivative size = 44

$$\int x(a + b\operatorname{sech}(c + dx^2))^2 dx = \frac{a^2 x^2}{2} + \frac{ab \arctan(\sinh(c + dx^2))}{d} + \frac{b^2 \tanh(c + dx^2)}{2d}$$

output

```
1/2*a^2*x^2+a*b*arctan(sinh(d*x^2+c))/d+1/2*b^2*tanh(d*x^2+c)/d
```

Mathematica [A] (verified)

Time = 0.09 (sec) , antiderivative size = 43, normalized size of antiderivative = 0.98

$$\int x(a + b\operatorname{sech}(c + dx^2))^2 dx = \frac{1}{2} \left(a^2 x^2 - \frac{2ab \cot^{-1}(\sinh(c + dx^2))}{d} + \frac{b^2 \tanh(c + dx^2)}{d} \right)$$

input

```
Integrate[x*(a + b*Sech[c + d*x^2])^2,x]
```

output

```
(a^2*x^2 - (2*a*b*ArcCot[Sinh[c + d*x^2]])/d + (b^2*Tanh[c + d*x^2])/d)/2
```

Rubi [A] (verified)

Time = 0.60 (sec) , antiderivative size = 43, normalized size of antiderivative = 0.98, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$, Rules used = {5959, 3042, 4260, 3042, 4254, 24, 4257}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x(a + b \operatorname{sech}(c + dx^2))^2 dx \\
 & \quad \downarrow \text{5959} \\
 & \frac{1}{2} \int (a + b \operatorname{sech}(dx^2 + c))^2 dx^2 \\
 & \quad \downarrow \text{3042} \\
 & \frac{1}{2} \int \left(a + b \operatorname{csc}\left(idx^2 + ic + \frac{\pi}{2}\right)\right)^2 dx^2 \\
 & \quad \downarrow \text{4260} \\
 & \frac{1}{2} \left(2ab \int \operatorname{sech}(dx^2 + c) dx^2 + b^2 \int \operatorname{sech}^2(dx^2 + c) dx^2 + a^2 x^2\right) \\
 & \quad \downarrow \text{3042} \\
 & \frac{1}{2} \left(2ab \int \operatorname{csc}\left(idx^2 + ic + \frac{\pi}{2}\right) dx^2 + b^2 \int \operatorname{csc}\left(idx^2 + ic + \frac{\pi}{2}\right)^2 dx^2 + a^2 x^2\right) \\
 & \quad \downarrow \text{4254} \\
 & \frac{1}{2} \left(2ab \int \operatorname{csc}\left(idx^2 + ic + \frac{\pi}{2}\right) dx^2 + \frac{ib^2 \int 1d(-i \tanh(dx^2 + c))}{d} + a^2 x^2\right) \\
 & \quad \downarrow \text{24} \\
 & \frac{1}{2} \left(2ab \int \operatorname{csc}\left(idx^2 + ic + \frac{\pi}{2}\right) dx^2 + a^2 x^2 + \frac{b^2 \tanh(c + dx^2)}{d}\right) \\
 & \quad \downarrow \text{4257} \\
 & \frac{1}{2} \left(a^2 x^2 + \frac{2ab \arctan(\sinh(c + dx^2))}{d} + \frac{b^2 \tanh(c + dx^2)}{d}\right)
 \end{aligned}$$

input `Int[x*(a + b*Sech[c + d*x^2])^2,x]`

output `(a^2*x^2 + (2*a*b*ArcTan[Sinh[c + d*x^2]])/d + (b^2*Tanh[c + d*x^2])/d)/2`

Defintions of rubi rules used

rule 24 `Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4254 `Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := Simp[-d^(-1) Subst[Int[Exp andIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]`

rule 4257 `Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := Simp[-ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

rule 4260 `Int[(csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_))^(2), x_Symbol] := Simp[a^2*x, x] + (Simp[2*a*b Int[Csc[c + d*x], x], x] + Simp[b^2 Int[Csc[c + d*x]^2, x], x]) /; FreeQ[{a, b, c, d}, x]`

rule 5959 `Int[(x_)^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [A] (verified)

Time = 0.31 (sec) , antiderivative size = 41, normalized size of antiderivative = 0.93

method	result
parts	$\frac{a^2 x^2}{2} + \frac{ab \arctan(\sinh(dx^2+c))}{d} + \frac{b^2 \tanh(dx^2+c)}{2d}$
derivativedivides	$\frac{a^2(dx^2+c)+4ab \arctan(e^{dx^2+c})+b^2 \tanh(dx^2+c)}{2d}$
default	$\frac{a^2(dx^2+c)+4ab \arctan(e^{dx^2+c})+b^2 \tanh(dx^2+c)}{2d}$
risch	$\frac{a^2 x^2}{2} - \frac{b^2}{d(1+e^{2dx^2+2c})} + \frac{iba \ln(e^{dx^2+c+i})}{d} - \frac{iba \ln(e^{dx^2+c-i})}{d}$
parallelrisch	$\frac{-2i \cosh(dx^2+c)ba \ln(\tanh(\frac{dx^2}{2} + \frac{c}{2}) - i) + 2i \cosh(dx^2+c)ba \ln(\tanh(\frac{dx^2}{2} + \frac{c}{2}) + i) + a^2 dx^2 \cosh(dx^2+c) + b^2 \sinh(dx^2+c)}{2 \cosh(dx^2+c)d}$

input `int(x*(a+b*sech(d*x^2+c))^2,x,method=_RETURNVERBOSE)`

output `1/2*a^2*x^2+a*b*arctan(sinh(d*x^2+c))/d+1/2*b^2*tanh(d*x^2+c)/d`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 194 vs. 2(40) = 80.

Time = 0.09 (sec) , antiderivative size = 194, normalized size of antiderivative = 4.41

$$\int x(a + b \operatorname{sech}(c + dx^2))^2 dx$$

$$= \frac{a^2 dx^2 \cosh(dx^2 + c)^2 + 2 a^2 dx^2 \cosh(dx^2 + c) \sinh(dx^2 + c) + a^2 dx^2 \sinh(dx^2 + c)^2 + a^2 dx^2 - 2 b^2 + 4 a b \operatorname{arctan}(\sinh(dx^2 + c)) + b^2 \tanh(dx^2 + c)}{2 (d \cosh(dx^2 + c))^2 + 2 d \cosh(dx^2 + c)}$$

input `integrate(x*(a+b*sech(d*x^2+c))^2,x, algorithm="fricas")`

output

```
1/2*(a^2*d*x^2*cosh(d*x^2 + c)^2 + 2*a^2*d*x^2*cosh(d*x^2 + c)*sinh(d*x^2
+ c) + a^2*d*x^2*sinh(d*x^2 + c)^2 + a^2*d*x^2 - 2*b^2 + 4*(a*b*cosh(d*x^2
+ c)^2 + 2*a*b*cosh(d*x^2 + c)*sinh(d*x^2 + c) + a*b*sinh(d*x^2 + c)^2 +
a*b)*arctan(cosh(d*x^2 + c) + sinh(d*x^2 + c)))/(d*cosh(d*x^2 + c)^2 + 2*d
*cosh(d*x^2 + c)*sinh(d*x^2 + c) + d*sinh(d*x^2 + c)^2 + d)
```

Sympy [F]

$$\int x(a + b \operatorname{sech}(c + dx^2))^2 dx = \int x(a + b \operatorname{sech}(c + dx^2))^2 dx$$

input

```
integrate(x*(a+b*sech(d*x**2+c))**2,x)
```

output

```
Integral(x*(a + b*sech(c + d*x**2))**2, x)
```

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 46, normalized size of antiderivative = 1.05

$$\int x(a + b \operatorname{sech}(c + dx^2))^2 dx = \frac{1}{2} a^2 x^2 + \frac{ab \arctan(\sinh(dx^2 + c))}{d} + \frac{b^2}{d(e^{(-2dx^2 - 2c)} + 1)}$$

input

```
integrate(x*(a+b*sech(d*x^2+c))^2,x, algorithm="maxima")
```

output

```
1/2*a^2*x^2 + a*b*arctan(sinh(d*x^2 + c))/d + b^2/(d*(e^(-2*d*x^2 - 2*c) +
1))
```

Giac [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 55, normalized size of antiderivative = 1.25

$$\int x(a + b \operatorname{sech}(c + dx^2))^2 dx = \frac{(dx^2 + c)a^2}{2d} + \frac{2ab \arctan\left(e^{(dx^2+c)}\right)}{d} - \frac{b^2}{d(e^{2dx^2+2c} + 1)}$$

input `integrate(x*(a+b*sech(d*x^2+c))^2,x, algorithm="giac")`output `1/2*(d*x^2 + c)*a^2/d + 2*a*b*arctan(e^(d*x^2 + c))/d - b^2/(d*(e^(2*d*x^2 + 2*c) + 1))`**Mupad [B] (verification not implemented)**

Time = 0.12 (sec) , antiderivative size = 77, normalized size of antiderivative = 1.75

$$\int x(a + b \operatorname{sech}(c + dx^2))^2 dx = \frac{a^2 x^2}{2} + \frac{2 \operatorname{atan}\left(\frac{a b e^{dx^2} e^c \sqrt{d^2}}{d \sqrt{a^2 b^2}}\right) \sqrt{a^2 b^2}}{\sqrt{d^2}} - \frac{b^2}{d(e^{2dx^2+2c} + 1)}$$

input `int(x*(a + b/cosh(c + d*x^2))^2,x)`output `(a^2*x^2)/2 + (2*atan((a*b*exp(d*x^2)*exp(c)*(d^2)^(1/2))/(d*(a^2*b^2)^(1/2)))*(a^2*b^2)^(1/2))/(d^2)^(1/2) - b^2/(d*(exp(2*c + 2*d*x^2) + 1))`**Reduce [B] (verification not implemented)**

Time = 0.21 (sec) , antiderivative size = 107, normalized size of antiderivative = 2.43

$$\int x(a + b \operatorname{sech}(c + dx^2))^2 dx = \frac{4e^{2dx^2+2c} \operatorname{atan}\left(e^{dx^2+c}\right) ab + 4 \operatorname{atan}\left(e^{dx^2+c}\right) ab + e^{2dx^2+2c} a^2 d x^2 + 2e^{2dx^2+2c} b^2 + a^2 d x^2}{2d(e^{2dx^2+2c} + 1)}$$

input `int(x*(a+b*sech(d*x^2+c))^2,x)`

output

```
(4*e**(2*c + 2*d*x**2)*atan(e**(c + d*x**2))*a*b + 4*atan(e**(c + d*x**2))
*a*b + e**(2*c + 2*d*x**2)*a**2*d*x**2 + 2*e**(2*c + 2*d*x**2)*b**2 + a**2
*d*x**2)/(2*d*(e**(2*c + 2*d*x**2) + 1))
```


$$3.13 \quad \int \frac{(a+b\operatorname{sech}(c+dx^2))^2}{x} dx$$

Optimal result	128
Mathematica [N/A]	128
Rubi [N/A]	129
Maple [N/A]	129
Fricas [N/A]	130
Sympy [N/A]	130
Maxima [N/A]	130
Giac [N/A]	131
Mupad [N/A]	131
Reduce [N/A]	132

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{(a + b\operatorname{sech}(c + dx^2))^2}{x} dx = \operatorname{Int}\left(\frac{(a + b\operatorname{sech}(c + dx^2))^2}{x}, x\right)$$

output `Defer(Int)((a+b*sech(d*x^2+c))^2/x,x)`

Mathematica [N/A]

Not integrable

Time = 20.95 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{(a + b\operatorname{sech}(c + dx^2))^2}{x} dx = \int \frac{(a + b\operatorname{sech}(c + dx^2))^2}{x} dx$$

input `Integrate[(a + b*Sech[c + d*x^2])^2/x,x]`

output `Integrate[(a + b*Sech[c + d*x^2])^2/x, x]`

Rubi [N/A]

Not integrable

Time = 0.33 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x} dx$$

↓ 5961

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x} dx$$

input `Int[(a + b*Sech[c + d*x^2])^2/x,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{(a + b \operatorname{sech}(dx^2 + c))^2}{x} dx$$

input `int((a+b*sech(d*x^2+c))^2/x,x)`

output `int((a+b*sech(d*x^2+c))^2/x,x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 36, normalized size of antiderivative = 2.00

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x} dx = \int \frac{(b \operatorname{sech}(dx^2 + c) + a)^2}{x} dx$$

input `integrate((a+b*sech(d*x^2+c))^2/x,x, algorithm="fricas")`

output `integral((b^2*sech(d*x^2 + c)^2 + 2*a*b*sech(d*x^2 + c) + a^2)/x, x)`

Sympy [N/A]

Not integrable

Time = 6.97 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.83

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x} dx = \int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x} dx$$

input `integrate((a+b*sech(d*x**2+c))**2/x,x)`

output `Integral((a + b*sech(c + d*x**2))**2/x, x)`

Maxima [N/A]

Not integrable

Time = 0.28 (sec) , antiderivative size = 86, normalized size of antiderivative = 4.78

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x} dx = \int \frac{(b \operatorname{sech}(dx^2 + c) + a)^2}{x} dx$$

input `integrate((a+b*sech(d*x^2+c))^2/x,x, algorithm="maxima")`

output

```
a^2*log(x) - b^2/(d*x^2*e^(2*d*x^2 + 2*c) + d*x^2) + integrate(2*(2*a*b*d*
x^2*e^(d*x^2 + c) - b^2)/(d*x^3*e^(2*d*x^2 + 2*c) + d*x^3), x)
```

Giac [N/A]

Not integrable

Time = 0.17 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x} dx = \int \frac{(b \operatorname{sech}(dx^2 + c) + a)^2}{x} dx$$

input

```
integrate((a+b*sech(d*x^2+c))^2/x,x, algorithm="giac")
```

output

```
integrate((b*sech(d*x^2 + c) + a)^2/x, x)
```

Mupad [N/A]

Not integrable

Time = 2.55 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x} dx = \int \frac{\left(a + \frac{b}{\cosh(dx^2+c)}\right)^2}{x} dx$$

input

```
int((a + b/cosh(c + d*x^2))^2/x,x)
```

output

```
int((a + b/cosh(c + d*x^2))^2/x, x)
```

Reduce [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 45, normalized size of antiderivative = 2.50

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x} dx = \left(\int \frac{\operatorname{sech}(dx^2 + c)^2}{x} dx \right) b^2 + 2 \left(\int \frac{\operatorname{sech}(dx^2 + c)}{x} dx \right) ab + \log(x) a^2$$

input `int((a+b*sech(d*x^2+c))^2/x,x)`output `int(sech(c + d*x**2)**2/x,x)*b**2 + 2*int(sech(c + d*x**2)/x,x)*a*b + log(x)*a**2`

$$3.14 \quad \int \frac{(a+b\operatorname{sech}(c+dx^2))^2}{x^3} dx$$

Optimal result	133
Mathematica [N/A]	133
Rubi [N/A]	134
Maple [N/A]	134
Fricas [N/A]	135
Sympy [N/A]	135
Maxima [N/A]	135
Giac [N/A]	136
Mupad [N/A]	136
Reduce [N/A]	137

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{(a + b\operatorname{sech}(c + dx^2))^2}{x^3} dx = \operatorname{Int}\left(\frac{(a + b\operatorname{sech}(c + dx^2))^2}{x^3}, x\right)$$

output `Defer(Int)((a+b*sech(d*x^2+c))^2/x^3,x)`

Mathematica [N/A]

Not integrable

Time = 7.51 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{(a + b\operatorname{sech}(c + dx^2))^2}{x^3} dx = \int \frac{(a + b\operatorname{sech}(c + dx^2))^2}{x^3} dx$$

input `Integrate[(a + b*Sech[c + d*x^2])^2/x^3,x]`

output `Integrate[(a + b*Sech[c + d*x^2])^2/x^3, x]`

Rubi [N/A]

Not integrable

Time = 0.31 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x^3} dx$$

↓ 5961

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x^3} dx$$

input `Int[(a + b*Sech[c + d*x^2])^2/x^3,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{(a + b \operatorname{sech}(dx^2 + c))^2}{x^3} dx$$

input `int((a+b*sech(d*x^2+c))^2/x^3,x)`

output `int((a+b*sech(d*x^2+c))^2/x^3,x)`

Fricas [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 36, normalized size of antiderivative = 2.00

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x^3} dx = \int \frac{(b \operatorname{sech}(dx^2 + c) + a)^2}{x^3} dx$$

input `integrate((a+b*sech(d*x^2+c))^2/x^3,x, algorithm="fricas")`

output `integral((b^2*sech(d*x^2 + c)^2 + 2*a*b*sech(d*x^2 + c) + a^2)/x^3, x)`

Sympy [N/A]

Not integrable

Time = 1.02 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.94

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x^3} dx = \int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x^3} dx$$

input `integrate((a+b*sech(d*x**2+c))**2/x**3,x)`

output `Integral((a + b*sech(c + d*x**2))**2/x**3, x)`

Maxima [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 87, normalized size of antiderivative = 4.83

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x^3} dx = \int \frac{(b \operatorname{sech}(dx^2 + c) + a)^2}{x^3} dx$$

input `integrate((a+b*sech(d*x^2+c))^2/x^3,x, algorithm="maxima")`

output

```
-b^2/(d*x^4*e^(2*d*x^2 + 2*c) + d*x^4) - 1/2*a^2/x^2 + integrate(4*(a*b*d*
x^2*e^(d*x^2 + c) - b^2)/(d*x^5*e^(2*d*x^2 + 2*c) + d*x^5), x)
```

Giac [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x^3} dx = \int \frac{(b \operatorname{sech}(dx^2 + c) + a)^2}{x^3} dx$$

input

```
integrate((a+b*sech(d*x^2+c))^2/x^3,x, algorithm="giac")
```

output

```
integrate((b*sech(d*x^2 + c) + a)^2/x^3, x)
```

Mupad [N/A]

Not integrable

Time = 2.65 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x^3} dx = \int \frac{\left(a + \frac{b}{\cosh(dx^2+c)}\right)^2}{x^3} dx$$

input

```
int((a + b/cosh(c + d*x^2))^2/x^3,x)
```

output

```
int((a + b/cosh(c + d*x^2))^2/x^3, x)
```

Reduce [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 195, normalized size of antiderivative = 10.83

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x^3} dx$$

$$= \frac{8e^{3c} \left(\int \frac{e^{3dx^2}}{e^{4dx^2+4cx^3+2e^{2dx^2+2cx^3+x^3}}} dx \right) abx^2 + 8e^{2c} \left(\int \frac{e^{2dx^2}}{e^{4dx^2+4cx^3+2e^{2dx^2+2cx^3+x^3}}} dx \right) b^2x^2 + 8e^c \left(\int \frac{e^{dx^2}}{e^{4dx^2+4cx^3+2e^{2dx^2+2cx^3+x^3}}} dx \right) a^2x^2}{2x^2}$$

input `int((a+b*sech(d*x^2+c))^2/x^3,x)`

output

```
(8***3*c)*int(e**(3*d*x**2)/(e**(4*c + 4*d*x**2)*x**3 + 2*e**(2*c + 2*d*x**2)*x**3 + x**3),x)*a*b*x**2 + 8*e**(2*c)*int(e**(2*d*x**2)/(e**(4*c + 4*d*x**2)*x**3 + 2*e**(2*c + 2*d*x**2)*x**3 + x**3),x)*b**2*x**2 + 8*e**c*int(e**(d*x**2)/(e**(4*c + 4*d*x**2)*x**3 + 2*e**(2*c + 2*d*x**2)*x**3 + x**3),x)*a*b*x**2 - a**2/(2*x**2)
```

3.15 $\int x^4(a + b\operatorname{sech}(c + dx^2))^2 dx$

Optimal result	138
Mathematica [N/A]	138
Rubi [N/A]	139
Maple [N/A]	139
Fricas [N/A]	140
Sympy [N/A]	140
Maxima [N/A]	140
Giac [N/A]	141
Mupad [N/A]	141
Reduce [N/A]	142

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int x^4(a + b\operatorname{sech}(c + dx^2))^2 dx = \operatorname{Int}\left(x^4(a + b\operatorname{sech}(c + dx^2))^2, x\right)$$

output `Defer(Int)(x^4*(a+b*sech(d*x^2+c))^2,x)`

Mathematica [N/A]

Not integrable

Time = 7.31 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int x^4(a + b\operatorname{sech}(c + dx^2))^2 dx = \int x^4(a + b\operatorname{sech}(c + dx^2))^2 dx$$

input `Integrate[x^4*(a + b*Sech[c + d*x^2])^2,x]`

output `Integrate[x^4*(a + b*Sech[c + d*x^2])^2, x]`

Rubi [N/A]

Not integrable

Time = 0.26 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^4 (a + b \operatorname{sech}(c + dx^2))^2 dx$$

↓ 5961

$$\int x^4 (a + b \operatorname{sech}(c + dx^2))^2 dx$$

input `Int[x^4*(a + b*Sech[c + d*x^2])^2,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int x^4 (a + b \operatorname{sech}(dx^2 + c))^2 dx$$

input `int(x^4*(a+b*sech(d*x^2+c))^2,x)`

output `int(x^4*(a+b*sech(d*x^2+c))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 42, normalized size of antiderivative = 2.33

$$\int x^4 (a + b \operatorname{sech}(c + dx^2))^2 dx = \int (b \operatorname{sech}(dx^2 + c) + a)^2 x^4 dx$$

input `integrate(x^4*(a+b*sech(d*x^2+c))^2,x, algorithm="fricas")`

output `integral(b^2*x^4*sech(d*x^2 + c)^2 + 2*a*b*x^4*sech(d*x^2 + c) + a^2*x^4, x)`

Sympy [N/A]

Not integrable

Time = 1.51 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.94

$$\int x^4 (a + b \operatorname{sech}(c + dx^2))^2 dx = \int x^4 (a + b \operatorname{sech}(c + dx^2))^2 dx$$

input `integrate(x**4*(a+b*sech(d*x**2+c))**2,x)`

output `Integral(x**4*(a + b*sech(c + d*x**2))**2, x)`

Maxima [N/A]

Not integrable

Time = 0.25 (sec) , antiderivative size = 79, normalized size of antiderivative = 4.39

$$\int x^4 (a + b \operatorname{sech}(c + dx^2))^2 dx = \int (b \operatorname{sech}(dx^2 + c) + a)^2 x^4 dx$$

input `integrate(x^4*(a+b*sech(d*x^2+c))^2,x, algorithm="maxima")`

output $1/5*a^2*x^5 - b^2*x^3/(d*e^{(2*d*x^2 + 2*c)} + d) + \text{integrate}((4*a*b*d*x^4*e^{(d*x^2 + c)} + 3*b^2*x^2)/(d*e^{(2*d*x^2 + 2*c)} + d), x)$

Giac [N/A]

Not integrable

Time = 0.66 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int x^4 (a + b \operatorname{sech}(c + dx^2))^2 dx = \int (b \operatorname{sech}(dx^2 + c) + a)^2 x^4 dx$$

input $\text{integrate}(x^4*(a+b*\operatorname{sech}(d*x^2+c))^2,x, \text{algorithm}="giac")$

output $\text{integrate}((b*\operatorname{sech}(d*x^2 + c) + a)^2*x^4, x)$

Mupad [N/A]

Not integrable

Time = 2.43 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int x^4 (a + b \operatorname{sech}(c + dx^2))^2 dx = \int x^4 \left(a + \frac{b}{\cosh(dx^2 + c)} \right)^2 dx$$

input $\text{int}(x^4*(a + b/\cosh(c + d*x^2))^2,x)$

output $\text{int}(x^4*(a + b/\cosh(c + d*x^2))^2, x)$

Reduce [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 829, normalized size of antiderivative = 46.06

$$\int x^4 (a + b \operatorname{sech}(c + dx^2))^2 dx$$

$$= \frac{60e^{2dx^2+5c} \left(\int \frac{e^{3dx^2}}{e^{4dx^2+4c} + 2e^{2dx^2+2c} + 1} dx \right) ab + 15e^{2dx^2+4c} \left(\int \frac{e^{2dx^2}}{e^{4dx^2+4c} + 2e^{2dx^2+2c} + 1} dx \right) b^2 + 60e^{2dx^2+3c} \left(\int \frac{e^{dx^2}}{e^{4dx^2+4c} + 2e^{2dx^2+2c} + 1} dx \right) ab + 160e^{3c+2dx^2} \int \frac{(e^{dx^2})^4}{e^{4c+4dx^2} + 2e^{2c+2dx^2} + 1} dx + 240e^{3c+2dx^2} \int \frac{(e^{dx^2})^2}{e^{4c+4dx^2} + 2e^{2c+2dx^2} + 1} dx + 60 \int \frac{x^2}{e^{4c+4dx^2} + 2e^{2c+2dx^2} + 1} dx + 15 \int \frac{1}{e^{4c+4dx^2} + 2e^{2c+2dx^2} + 1} dx + 4 \int \frac{x^5}{e^{4c+4dx^2} + 2e^{2c+2dx^2} + 1} dx - 40 \int \frac{c + dx^2}{e^{4c+4dx^2} + 2e^{2c+2dx^2} + 1} dx + 60 \int \frac{3c}{e^{4c+4dx^2} + 2e^{2c+2dx^2} + 1} dx + 15 \int \frac{2c}{e^{4c+4dx^2} + 2e^{2c+2dx^2} + 1} dx + 60 \int \frac{c}{e^{4c+4dx^2} + 2e^{2c+2dx^2} + 1} dx + 160 \int \frac{(e^{dx^2})^4}{e^{4c+4dx^2} + 2e^{2c+2dx^2} + 1} dx + 240 \int \frac{(e^{dx^2})^2}{e^{4c+4dx^2} + 2e^{2c+2dx^2} + 1} dx + 60 \int \frac{x^2}{e^{4c+4dx^2} + 2e^{2c+2dx^2} + 1} dx + 15 \int \frac{1}{e^{4c+4dx^2} + 2e^{2c+2dx^2} + 1} dx + 4 \int \frac{x^5}{e^{4c+4dx^2} + 2e^{2c+2dx^2} + 1} dx - 20 \int \frac{b^2 dx^3}{e^{4c+4dx^2} + 2e^{2c+2dx^2} + 1} dx - 15 \int \frac{b^2 dx}{e^{4c+4dx^2} + 2e^{2c+2dx^2} + 1} dx}{(20d^2(e^{2c+2dx^2} + 1))}$$

input

```
int(x^4*(a+b*sech(d*x^2+c))^2,x)
```

output

```
(60***5*c + 2*d*x**2)*int(e**(3*d*x**2)/(e**(4*c + 4*d*x**2) + 2*e**(2*c + 2*d*x**2) + 1),x)*a*b + 15*e**(4*c + 2*d*x**2)*int(e**(2*d*x**2)/(e**(4*c + 4*d*x**2) + 2*e**(2*c + 2*d*x**2) + 1),x)*b**2 + 60*e**(3*c + 2*d*x**2)*int(e**(d*x**2)/(e**(4*c + 4*d*x**2) + 2*e**(2*c + 2*d*x**2) + 1),x)*a*b + 160*e**(3*c + 2*d*x**2)*int((e**(d*x**2)*x**4)/(e**(4*c + 4*d*x**2) + 2*e**(2*c + 2*d*x**2) + 1),x)*a*b*d**2 + 240*e**(3*c + 2*d*x**2)*int((e**(d*x**2)*x**2)/(e**(4*c + 4*d*x**2) + 2*e**(2*c + 2*d*x**2) + 1),x)*a*b*d + 60*e**(2*c + 2*d*x**2)*int(x**2/(e**(4*c + 4*d*x**2) + 2*e**(2*c + 2*d*x**2) + 1),x)*b**2*d + 15*e**(2*c + 2*d*x**2)*int(1/(e**(4*c + 4*d*x**2) + 2*e**(2*c + 2*d*x**2) + 1),x)*b**2 + 4*e**(2*c + 2*d*x**2)*a**2*d**2*x**5 - 40*e**(c + d*x**2)*a*b*d*x**3 - 60*e**(c + d*x**2)*a*b*x + 60*e**(3*c)*int(e**(3*d*x**2)/(e**(4*c + 4*d*x**2) + 2*e**(2*c + 2*d*x**2) + 1),x)*a*b + 15*e**(2*c)*int(e**(2*d*x**2)/(e**(4*c + 4*d*x**2) + 2*e**(2*c + 2*d*x**2) + 1),x)*b**2 + 60*e**c*int(e**(d*x**2)/(e**(4*c + 4*d*x**2) + 2*e**(2*c + 2*d*x**2) + 1),x)*a*b + 160*e**c*int((e**(d*x**2)*x**4)/(e**(4*c + 4*d*x**2) + 2*e**(2*c + 2*d*x**2) + 1),x)*a*b*d**2 + 240*e**c*int((e**(d*x**2)*x**2)/(e**(4*c + 4*d*x**2) + 2*e**(2*c + 2*d*x**2) + 1),x)*a*b*d + 60*int(x**2/(e**(4*c + 4*d*x**2) + 2*e**(2*c + 2*d*x**2) + 1),x)*b**2*d + 15*int(1/(e**(4*c + 4*d*x**2) + 2*e**(2*c + 2*d*x**2) + 1),x)*b**2 + 4*a**2*d**2*x**5 - 20*b**2*d*x**3 - 15*b**2*x)/(20*d**2*(e**(2*c + 2*d*x**2) + 1))
```

3.16 $\int x^2(a + b\operatorname{sech}(c + dx^2))^2 dx$

Optimal result	143
Mathematica [N/A]	143
Rubi [N/A]	144
Maple [N/A]	144
Fricas [N/A]	145
Sympy [N/A]	145
Maxima [N/A]	145
Giac [N/A]	146
Mupad [N/A]	146
Reduce [N/A]	147

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int x^2(a + b\operatorname{sech}(c + dx^2))^2 dx = \operatorname{Int}\left(x^2(a + b\operatorname{sech}(c + dx^2))^2, x\right)$$

output `Defer(Int)(x^2*(a+b*sech(d*x^2+c))^2,x)`

Mathematica [N/A]

Not integrable

Time = 6.24 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int x^2(a + b\operatorname{sech}(c + dx^2))^2 dx = \int x^2(a + b\operatorname{sech}(c + dx^2))^2 dx$$

input `Integrate[x^2*(a + b*Sech[c + d*x^2])^2,x]`

output `Integrate[x^2*(a + b*Sech[c + d*x^2])^2, x]`

Rubi [N/A]

Not integrable

Time = 0.27 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^2(a + b \operatorname{sech}(c + dx^2))^2 dx$$

↓ 5961

$$\int x^2(a + b \operatorname{sech}(c + dx^2))^2 dx$$

input `Int[x^2*(a + b*Sech[c + d*x^2])^2,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int x^2(a + b \operatorname{sech}(dx^2 + c))^2 dx$$

input `int(x^2*(a+b*sech(d*x^2+c))^2,x)`

output `int(x^2*(a+b*sech(d*x^2+c))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 42, normalized size of antiderivative = 2.33

$$\int x^2 (a + b \operatorname{sech}(c + dx^2))^2 dx = \int (b \operatorname{sech}(dx^2 + c) + a)^2 x^2 dx$$

input `integrate(x^2*(a+b*sech(d*x^2+c))^2,x, algorithm="fricas")`

output `integral(b^2*x^2*sech(d*x^2 + c)^2 + 2*a*b*x^2*sech(d*x^2 + c) + a^2*x^2, x)`

Sympy [N/A]

Not integrable

Time = 0.95 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.94

$$\int x^2 (a + b \operatorname{sech}(c + dx^2))^2 dx = \int x^2 (a + b \operatorname{sech}(c + dx^2))^2 dx$$

input `integrate(x**2*(a+b*sech(d*x**2+c))**2,x)`

output `Integral(x**2*(a + b*sech(c + d*x**2))**2, x)`

Maxima [N/A]

Not integrable

Time = 0.25 (sec) , antiderivative size = 72, normalized size of antiderivative = 4.00

$$\int x^2 (a + b \operatorname{sech}(c + dx^2))^2 dx = \int (b \operatorname{sech}(dx^2 + c) + a)^2 x^2 dx$$

input `integrate(x^2*(a+b*sech(d*x^2+c))^2,x, algorithm="maxima")`

output $\frac{1}{3}a^2x^3 - b^2x/(d e^{(2dx^2 + 2c)} + d) + \text{integrate}((4abdx^2e^{(dx^2 + c)} + b^2)/(d e^{(2dx^2 + 2c)} + d), x)$

Giac [N/A]

Not integrable

Time = 0.56 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int x^2 (a + b \operatorname{sech}(c + dx^2))^2 dx = \int (b \operatorname{sech}(dx^2 + c) + a)^2 x^2 dx$$

input `integrate(x^2*(a+b*sech(d*x^2+c))^2,x, algorithm="giac")`

output `integrate((b*sech(d*x^2 + c) + a)^2*x^2, x)`

Mupad [N/A]

Not integrable

Time = 2.32 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int x^2 (a + b \operatorname{sech}(c + dx^2))^2 dx = \int x^2 \left(a + \frac{b}{\cosh(dx^2 + c)} \right)^2 dx$$

input `int(x^2*(a + b/cosh(c + d*x^2))^2,x)`

output `int(x^2*(a + b/cosh(c + d*x^2))^2, x)`

Reduce [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 586, normalized size of antiderivative = 32.56

$$\int x^2 (a + b \operatorname{sech}(c + dx^2))^2 dx$$

$$= \frac{6e^{2dx^2+5c} \left(\int \frac{e^{3dx^2}}{e^{4dx^2+4c} + 2e^{2dx^2+2c} + 1} dx \right) ab + 3e^{2dx^2+4c} \left(\int \frac{e^{2dx^2}}{e^{4dx^2+4c} + 2e^{2dx^2+2c} + 1} dx \right) b^2 + 6e^{2dx^2+3c} \left(\int \frac{e^{dx^2}}{e^{4dx^2+4c} + 2e^{2dx^2+2c} + 1} dx \right) a^2}{1}$$

input

```
int(x^2*(a+b*sech(d*x^2+c))^2,x)
```

output

```
(6***e**(5*c + 2*d*x**2)*int(e**(3*d*x**2)/(e**(4*c + 4*d*x**2) + 2*e**(2*c + 2*d*x**2) + 1),x)*a*b + 3*e**(4*c + 2*d*x**2)*int(e**(2*d*x**2)/(e**(4*c + 4*d*x**2) + 2*e**(2*c + 2*d*x**2) + 1),x)*b**2 + 6*e**(3*c + 2*d*x**2)*int(e**(d*x**2)/(e**(4*c + 4*d*x**2) + 2*e**(2*c + 2*d*x**2) + 1),x)*a*b + 24*e**(3*c + 2*d*x**2)*int((e**(d*x**2)*x**2)/(e**(4*c + 4*d*x**2) + 2*e**(2*c + 2*d*x**2) + 1),x)*a*b*d + 3*e**(2*c + 2*d*x**2)*int(1/(e**(4*c + 4*d*x**2) + 2*e**(2*c + 2*d*x**2) + 1),x)*b**2 + e**(2*c + 2*d*x**2)*a**2*d*x**3 - 6*e**(c + d*x**2)*a*b*x + 6*e**(3*c)*int(e**(3*d*x**2)/(e**(4*c + 4*d*x**2) + 2*e**(2*c + 2*d*x**2) + 1),x)*a*b + 3*e**(2*c)*int(e**(2*d*x**2)/(e**(4*c + 4*d*x**2) + 2*e**(2*c + 2*d*x**2) + 1),x)*b**2 + 6*e**c*int(e**(d*x**2)/(e**(4*c + 4*d*x**2) + 2*e**(2*c + 2*d*x**2) + 1),x)*a*b + 24*e**c*int((e**(d*x**2)*x**2)/(e**(4*c + 4*d*x**2) + 2*e**(2*c + 2*d*x**2) + 1),x)*a*b*d + 3*int(1/(e**(4*c + 4*d*x**2) + 2*e**(2*c + 2*d*x**2) + 1),x)*b**2 + a**2*d*x**3 - 3*b**2*x)/(3*d*(e**(2*c + 2*d*x**2) + 1))
```

$$3.17 \quad \int \frac{(a+b\operatorname{sech}(c+dx^2))^2}{x^2} dx$$

Optimal result	148
Mathematica [N/A]	148
Rubi [N/A]	149
Maple [N/A]	149
Fricas [N/A]	150
Sympy [N/A]	150
Maxima [N/A]	150
Giac [N/A]	151
Mupad [N/A]	151
Reduce [N/A]	152

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{(a + b\operatorname{sech}(c + dx^2))^2}{x^2} dx = \operatorname{Int}\left(\frac{(a + b\operatorname{sech}(c + dx^2))^2}{x^2}, x\right)$$

output `Defer(Int)((a+b*sech(d*x^2+c))^2/x^2,x)`

Mathematica [N/A]

Not integrable

Time = 7.06 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{(a + b\operatorname{sech}(c + dx^2))^2}{x^2} dx = \int \frac{(a + b\operatorname{sech}(c + dx^2))^2}{x^2} dx$$

input `Integrate[(a + b*Sech[c + d*x^2])^2/x^2,x]`

output `Integrate[(a + b*Sech[c + d*x^2])^2/x^2, x]`

Rubi [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x^2} dx$$

↓ 5961

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x^2} dx$$

input `Int[(a + b*Sech[c + d*x^2])^2/x^2,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{(a + b \operatorname{sech}(dx^2 + c))^2}{x^2} dx$$

input `int((a+b*sech(d*x^2+c))^2/x^2,x)`

output `int((a+b*sech(d*x^2+c))^2/x^2,x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 36, normalized size of antiderivative = 2.00

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x^2} dx = \int \frac{(b \operatorname{sech}(dx^2 + c) + a)^2}{x^2} dx$$

input `integrate((a+b*sech(d*x^2+c))^2/x^2,x, algorithm="fricas")`

output `integral((b^2*sech(d*x^2 + c)^2 + 2*a*b*sech(d*x^2 + c) + a^2)/x^2, x)`

Sympy [N/A]

Not integrable

Time = 0.87 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.94

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x^2} dx = \int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x^2} dx$$

input `integrate((a+b*sech(d*x**2+c))**2/x**2,x)`

output `Integral((a + b*sech(c + d*x**2))**2/x**2, x)`

Maxima [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 87, normalized size of antiderivative = 4.83

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x^2} dx = \int \frac{(b \operatorname{sech}(dx^2 + c) + a)^2}{x^2} dx$$

input `integrate((a+b*sech(d*x^2+c))^2/x^2,x, algorithm="maxima")`

output

```
-b^2/(d*x^3*e^(2*d*x^2 + 2*c) + d*x^3) - a^2/x + integrate((4*a*b*d*x^2*e^(d*x^2 + c) - 3*b^2)/(d*x^4*e^(2*d*x^2 + 2*c) + d*x^4), x)
```

Giac [N/A]

Not integrable

Time = 0.69 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x^2} dx = \int \frac{(b \operatorname{sech}(dx^2 + c) + a)^2}{x^2} dx$$

input

```
integrate((a+b*sech(d*x^2+c))^2/x^2,x, algorithm="giac")
```

output

```
integrate((b*sech(d*x^2 + c) + a)^2/x^2, x)
```

Mupad [N/A]

Not integrable

Time = 2.58 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x^2} dx = \int \frac{\left(a + \frac{b}{\cosh(dx^2+c)}\right)^2}{x^2} dx$$

input

```
int((a + b/cosh(c + d*x^2))^2/x^2,x)
```

output

```
int((a + b/cosh(c + d*x^2))^2/x^2, x)
```


Reduce [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 50, normalized size of antiderivative = 2.78

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x^2} dx = \frac{\left(\int \frac{\operatorname{sech}(dx^2+c)^2}{x^2} dx \right) b^2 x + 2 \left(\int \frac{\operatorname{sech}(dx^2+c)}{x^2} dx \right) abx - a^2}{x}$$

input `int((a+b*sech(d*x^2+c))^2/x^2,x)`output `(int(sech(c + d*x**2)**2/x**2,x)*b**2*x + 2*int(sech(c + d*x**2)/x**2,x)*a*b*x - a**2)/x`

$$3.18 \quad \int \frac{(a+b\operatorname{sech}(c+dx^2))^2}{x^4} dx$$

Optimal result	153
Mathematica [N/A]	153
Rubi [N/A]	154
Maple [N/A]	154
Fricas [N/A]	155
Sympy [N/A]	155
Maxima [N/A]	155
Giac [N/A]	156
Mupad [N/A]	156
Reduce [N/A]	157

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{(a + b\operatorname{sech}(c + dx^2))^2}{x^4} dx = \operatorname{Int}\left(\frac{(a + b\operatorname{sech}(c + dx^2))^2}{x^4}, x\right)$$

output `Defer(Int)((a+b*sech(d*x^2+c))^2/x^4,x)`

Mathematica [N/A]

Not integrable

Time = 7.06 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{(a + b\operatorname{sech}(c + dx^2))^2}{x^4} dx = \int \frac{(a + b\operatorname{sech}(c + dx^2))^2}{x^4} dx$$

input `Integrate[(a + b*Sech[c + d*x^2])^2/x^4,x]`

output `Integrate[(a + b*Sech[c + d*x^2])^2/x^4, x]`

Rubi [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x^4} dx$$

↓ 5961

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x^4} dx$$

input `Int[(a + b*Sech[c + d*x^2])^2/x^4,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{(a + b \operatorname{sech}(dx^2 + c))^2}{x^4} dx$$

input `int((a+b*sech(d*x^2+c))^2/x^4,x)`

output `int((a+b*sech(d*x^2+c))^2/x^4,x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 36, normalized size of antiderivative = 2.00

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x^4} dx = \int \frac{(b \operatorname{sech}(dx^2 + c) + a)^2}{x^4} dx$$

input `integrate((a+b*sech(d*x^2+c))^2/x^4,x, algorithm="fricas")`

output `integral((b^2*sech(d*x^2 + c)^2 + 2*a*b*sech(d*x^2 + c) + a^2)/x^4, x)`

Sympy [N/A]

Not integrable

Time = 1.46 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.94

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x^4} dx = \int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x^4} dx$$

input `integrate((a+b*sech(d*x**2+c))**2/x**4,x)`

output `Integral((a + b*sech(c + d*x**2))**2/x**4, x)`

Maxima [N/A]

Not integrable

Time = 0.30 (sec) , antiderivative size = 87, normalized size of antiderivative = 4.83

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x^4} dx = \int \frac{(b \operatorname{sech}(dx^2 + c) + a)^2}{x^4} dx$$

input `integrate((a+b*sech(d*x^2+c))^2/x^4,x, algorithm="maxima")`

output

```
-b^2/(d*x^5*e^(2*d*x^2 + 2*c) + d*x^5) - 1/3*a^2/x^3 + integrate((4*a*b*d*
x^2*e^(d*x^2 + c) - 5*b^2)/(d*x^6*e^(2*d*x^2 + 2*c) + d*x^6), x)
```

Giac [N/A]

Not integrable

Time = 0.95 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x^4} dx = \int \frac{(b \operatorname{sech}(dx^2 + c) + a)^2}{x^4} dx$$

input

```
integrate((a+b*sech(d*x^2+c))^2/x^4,x, algorithm="giac")
```

output

```
integrate((b*sech(d*x^2 + c) + a)^2/x^4, x)
```

Mupad [N/A]

Not integrable

Time = 2.54 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x^4} dx = \int \frac{\left(a + \frac{b}{\cosh(dx^2+c)}\right)^2}{x^4} dx$$

input

```
int((a + b/cosh(c + d*x^2))^2/x^4,x)
```

output

```
int((a + b/cosh(c + d*x^2))^2/x^4, x)
```

Reduce [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 56, normalized size of antiderivative = 3.11

$$\int \frac{(a + b \operatorname{sech}(c + dx^2))^2}{x^4} dx = \frac{3 \left(\int \frac{\operatorname{sech}(dx^2+c)^2}{x^4} dx \right) b^2 x^3 + 6 \left(\int \frac{\operatorname{sech}(dx^2+c)}{x^4} dx \right) ab x^3 - a^2}{3x^3}$$

input `int((a+b*sech(d*x^2+c))^2/x^4,x)`output `(3*int(sech(c + d*x**2)**2/x**4,x)*b**2*x**3 + 6*int(sech(c + d*x**2)/x**4,x)*a*b*x**3 - a**2)/(3*x**3)`

3.19 $\int x \operatorname{sech}^7(a + bx^2) dx$

Optimal result	158
Mathematica [A] (verified)	158
Rubi [A] (verified)	159
Maple [A] (verified)	161
Fricas [B] (verification not implemented)	162
Sympy [F]	163
Maxima [B] (verification not implemented)	163
Giac [A] (verification not implemented)	164
Mupad [B] (verification not implemented)	164
Reduce [B] (verification not implemented)	165

Optimal result

Integrand size = 12, antiderivative size = 90

$$\int x \operatorname{sech}^7(a + bx^2) dx = \frac{5 \arctan(\sinh(a + bx^2))}{32b} + \frac{5 \operatorname{sech}(a + bx^2) \tanh(a + bx^2)}{32b} + \frac{5 \operatorname{sech}^3(a + bx^2) \tanh(a + bx^2)}{48b} + \frac{\operatorname{sech}^5(a + bx^2) \tanh(a + bx^2)}{12b}$$

output

```
5/32*arctan(sinh(b*x^2+a))/b+5/32*sech(b*x^2+a)*tanh(b*x^2+a)/b+5/48*sech(b*x^2+a)^3*tanh(b*x^2+a)/b+1/12*sech(b*x^2+a)^5*tanh(b*x^2+a)/b
```

Mathematica [A] (verified)

Time = 0.07 (sec) , antiderivative size = 90, normalized size of antiderivative = 1.00

$$\int x \operatorname{sech}^7(a + bx^2) dx = \frac{5 \arctan(\sinh(a + bx^2))}{32b} + \frac{5 \operatorname{sech}(a + bx^2) \tanh(a + bx^2)}{32b} + \frac{5 \operatorname{sech}^3(a + bx^2) \tanh(a + bx^2)}{48b} + \frac{\operatorname{sech}^5(a + bx^2) \tanh(a + bx^2)}{12b}$$

input `Integrate[x*Sech[a + b*x^2]^7,x]`

output $(5*\text{ArcTan}[\text{Sinh}[a + b*x^2]])/(32*b) + (5*\text{Sech}[a + b*x^2]*\text{Tanh}[a + b*x^2])/(32*b) + (5*\text{Sech}[a + b*x^2]^3*\text{Tanh}[a + b*x^2])/(48*b) + (\text{Sech}[a + b*x^2]^5*\text{Tanh}[a + b*x^2])/(12*b)$

Rubi [A] (verified)

Time = 0.51 (sec) , antiderivative size = 104, normalized size of antiderivative = 1.16, number of steps used = 10, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.750$, Rules used = {5959, 3042, 4255, 3042, 4255, 3042, 4255, 3042, 4257}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x \operatorname{sech}^7(a + bx^2) dx \\
 & \quad \downarrow 5959 \\
 & \frac{1}{2} \int \operatorname{sech}^7(bx^2 + a) dx^2 \\
 & \quad \downarrow 3042 \\
 & \frac{1}{2} \int \csc\left(ibx^2 + ia + \frac{\pi}{2}\right)^7 dx^2 \\
 & \quad \downarrow 4255 \\
 & \frac{1}{2} \left(\frac{5}{6} \int \operatorname{sech}^5(bx^2 + a) dx^2 + \frac{\tanh(a + bx^2) \operatorname{sech}^5(a + bx^2)}{6b} \right) \\
 & \quad \downarrow 3042 \\
 & \frac{1}{2} \left(\frac{\tanh(a + bx^2) \operatorname{sech}^5(a + bx^2)}{6b} + \frac{5}{6} \int \csc\left(ibx^2 + ia + \frac{\pi}{2}\right)^5 dx^2 \right) \\
 & \quad \downarrow 4255 \\
 & \frac{1}{2} \left(\frac{5}{6} \left(\frac{3}{4} \int \operatorname{sech}^3(bx^2 + a) dx^2 + \frac{\tanh(a + bx^2) \operatorname{sech}^3(a + bx^2)}{4b} \right) + \frac{\tanh(a + bx^2) \operatorname{sech}^5(a + bx^2)}{6b} \right)
 \end{aligned}$$

↓ 3042

$$\frac{1}{2} \left(\frac{\tanh(a + bx^2) \operatorname{sech}^5(a + bx^2)}{6b} + \frac{5}{6} \left(\frac{\tanh(a + bx^2) \operatorname{sech}^3(a + bx^2)}{4b} + \frac{3}{4} \int \csc\left(ibx^2 + ia + \frac{\pi}{2} \right)^3 dx^2 \right) \right)$$

↓ 4255

$$\frac{1}{2} \left(\frac{5}{6} \left(\frac{3}{4} \left(\frac{1}{2} \int \operatorname{sech}(bx^2 + a) dx^2 + \frac{\tanh(a + bx^2) \operatorname{sech}(a + bx^2)}{2b} \right) + \frac{\tanh(a + bx^2) \operatorname{sech}^3(a + bx^2)}{4b} \right) + \frac{\tanh(a + bx^2) \operatorname{sech}^3(a + bx^2)}{4b} + \frac{\tanh(a + bx^2) \operatorname{sech}^5(a + bx^2)}{6b} \right)$$

↓ 3042

$$\frac{1}{2} \left(\frac{\tanh(a + bx^2) \operatorname{sech}^5(a + bx^2)}{6b} + \frac{5}{6} \left(\frac{\tanh(a + bx^2) \operatorname{sech}^3(a + bx^2)}{4b} + \frac{3}{4} \left(\frac{\tanh(a + bx^2) \operatorname{sech}(a + bx^2)}{2b} + \frac{1}{2} \int \operatorname{sech}(bx^2 + a) dx^2 \right) \right) \right)$$

↓ 4257

$$\frac{1}{2} \left(\frac{5}{6} \left(\frac{3}{4} \left(\frac{\arctan(\sinh(a + bx^2))}{2b} + \frac{\tanh(a + bx^2) \operatorname{sech}(a + bx^2)}{2b} \right) + \frac{\tanh(a + bx^2) \operatorname{sech}^3(a + bx^2)}{4b} \right) + \frac{\tanh(a + bx^2) \operatorname{sech}^5(a + bx^2)}{6b} \right)$$

input `Int[x*Sech[a + b*x^2]^7,x]`

output `((Sech[a + b*x^2]^5*Tanh[a + b*x^2])/(6*b) + (5*((Sech[a + b*x^2]^3*Tanh[a + b*x^2])/(4*b) + (3*(ArcTan[Sinh[a + b*x^2]]/(2*b) + (Sech[a + b*x^2]*Tanh[a + b*x^2])/(2*b)))/4))/6)/2`

Defintions of rubi rules used

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4255 `Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n_, x_Symbol] := Simp[(-b)*Cos[c + d*x]*((b*Csc[c + d*x])^(n - 1)/(d*(n - 1))), x] + Simp[b^2*((n - 2)/(n - 1)) Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

rule 4257 `Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := Simp[-ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

rule 5959 `Int[(x_)^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [A] (verified)

Time = 1.04 (sec) , antiderivative size = 62, normalized size of antiderivative = 0.69

method	result
derivativdivides	$\frac{\left(\frac{\operatorname{sech}(bx^2+a)^5}{6} + \frac{5\operatorname{sech}(bx^2+a)^3}{24} + \frac{5\operatorname{sech}(bx^2+a)}{16}\right)\tanh(bx^2+a) + \frac{5\arctan\left(\frac{e^{bx^2+a}}{8}\right)}{8}}{2b}$
default	$\frac{\left(\frac{\operatorname{sech}(bx^2+a)^5}{6} + \frac{5\operatorname{sech}(bx^2+a)^3}{24} + \frac{5\operatorname{sech}(bx^2+a)}{16}\right)\tanh(bx^2+a) + \frac{5\arctan\left(\frac{e^{bx^2+a}}{8}\right)}{8}}{2b}$
risch	$\frac{e^{bx^2+a}\left(15e^{10bx^2+10a}+85e^{8bx^2+8a}+198e^{6bx^2+6a}-198e^{4bx^2+4a}-85e^{2bx^2+2a}-15\right)}{48b\left(e^{2bx^2+2a}+1\right)^6} + \frac{5i\ln\left(e^{bx^2+a}+i\right)}{32b} - \frac{5i}{32b}$
parallelrisc	$\frac{15i\left(-10-\cosh(6bx^2+6a)-6\cosh(4bx^2+4a)-15\cosh(2bx^2+2a)\right)\ln\left(\tanh\left(\frac{bx^2}{2}+\frac{a}{2}\right)-i\right)+15i\left(10+\cosh(6bx^2+6a)+6\cosh(4bx^2+4a)+15\cosh(2bx^2+2a)\right)}{96b\left(10+\cosh(6bx^2+6a)+6\cosh(4bx^2+4a)+15\cosh(2bx^2+2a)\right)}$

input `int(x*sech(b*x^2+a)^7,x,method=_RETURNVERBOSE)`

output `1/2/b*((1/6*sech(b*x^2+a)^5+5/24*sech(b*x^2+a)^3+5/16*sech(b*x^2+a))*tanh(b*x^2+a)+5/8*arctan(exp(b*x^2+a)))`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1918 vs. $2(82) = 164$.

Time = 0.08 (sec) , antiderivative size = 1918, normalized size of antiderivative = 21.31

$$\int x \operatorname{sech}^7(a + bx^2) dx = \text{Too large to display}$$

input `integrate(x*sech(b*x^2+a)^7,x, algorithm="fricas")`

output

```
1/48*(15*cosh(b*x^2 + a)^11 + 165*cosh(b*x^2 + a)*sinh(b*x^2 + a)^10 + 15*
sinh(b*x^2 + a)^11 + 5*(165*cosh(b*x^2 + a)^2 + 17)*sinh(b*x^2 + a)^9 + 85
*cosh(b*x^2 + a)^9 + 45*(55*cosh(b*x^2 + a)^3 + 17*cosh(b*x^2 + a))*sinh(b
*x^2 + a)^8 + 18*(275*cosh(b*x^2 + a)^4 + 170*cosh(b*x^2 + a)^2 + 11)*sinh
(b*x^2 + a)^7 + 198*cosh(b*x^2 + a)^7 + 42*(165*cosh(b*x^2 + a)^5 + 170*co
sh(b*x^2 + a)^3 + 33*cosh(b*x^2 + a))*sinh(b*x^2 + a)^6 + 18*(385*cosh(b*x
^2 + a)^6 + 595*cosh(b*x^2 + a)^4 + 231*cosh(b*x^2 + a)^2 - 11)*sinh(b*x^2
+ a)^5 - 198*cosh(b*x^2 + a)^5 + 90*(55*cosh(b*x^2 + a)^7 + 119*cosh(b*x^
2 + a)^5 + 77*cosh(b*x^2 + a)^3 - 11*cosh(b*x^2 + a))*sinh(b*x^2 + a)^4 +
5*(495*cosh(b*x^2 + a)^8 + 1428*cosh(b*x^2 + a)^6 + 1386*cosh(b*x^2 + a)^4
- 396*cosh(b*x^2 + a)^2 - 17)*sinh(b*x^2 + a)^3 - 85*cosh(b*x^2 + a)^3 +
3*(275*cosh(b*x^2 + a)^9 + 1020*cosh(b*x^2 + a)^7 + 1386*cosh(b*x^2 + a)^5
- 660*cosh(b*x^2 + a)^3 - 85*cosh(b*x^2 + a))*sinh(b*x^2 + a)^2 + 15*(cos
h(b*x^2 + a)^12 + 12*cosh(b*x^2 + a)*sinh(b*x^2 + a)^11 + sinh(b*x^2 + a)^
12 + 6*(11*cosh(b*x^2 + a)^2 + 1)*sinh(b*x^2 + a)^10 + 6*cosh(b*x^2 + a)^1
0 + 20*(11*cosh(b*x^2 + a)^3 + 3*cosh(b*x^2 + a))*sinh(b*x^2 + a)^9 + 15*(
33*cosh(b*x^2 + a)^4 + 18*cosh(b*x^2 + a)^2 + 1)*sinh(b*x^2 + a)^8 + 15*co
sh(b*x^2 + a)^8 + 24*(33*cosh(b*x^2 + a)^5 + 30*cosh(b*x^2 + a)^3 + 5*cosh
(b*x^2 + a))*sinh(b*x^2 + a)^7 + 4*(231*cosh(b*x^2 + a)^6 + 315*cosh(b*x^2
+ a)^4 + 105*cosh(b*x^2 + a)^2 + 5)*sinh(b*x^2 + a)^6 + 20*cosh(b*x^2 ...
```

Sympy [F]

$$\int x \operatorname{sech}^7(a + bx^2) dx = \int x \operatorname{sech}^7(a + bx^2) dx$$

input `integrate(x*sech(b*x**2+a)**7,x)`

output `Integral(x*sech(a + b*x**2)**7, x)`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 182 vs. $2(82) = 164$.

Time = 0.13 (sec) , antiderivative size = 182, normalized size of antiderivative = 2.02

$$\int x \operatorname{sech}^7(a + bx^2) dx = -\frac{5 \arctan(e^{(-bx^2-a)})}{16b} + \frac{15e^{(-bx^2-a)} + 85e^{(-3bx^2-3a)} + 198e^{(-5bx^2-5a)} - 198e^{(-7bx^2-7a)} - 85e^{(-9bx^2-9a)} - 15e^{(-11bx^2-11a)}}{48b(6e^{(-2bx^2-2a)} + 15e^{(-4bx^2-4a)} + 20e^{(-6bx^2-6a)} + 15e^{(-8bx^2-8a)} + 6e^{(-10bx^2-10a)} + e^{(-12bx^2-12a)} + 1)}$$

input `integrate(x*sech(b*x^2+a)^7,x, algorithm="maxima")`

output `-5/16*arctan(e^(-b*x^2 - a))/b + 1/48*(15*e^(-b*x^2 - a) + 85*e^(-3*b*x^2 - 3*a) + 198*e^(-5*b*x^2 - 5*a) - 198*e^(-7*b*x^2 - 7*a) - 85*e^(-9*b*x^2 - 9*a) - 15*e^(-11*b*x^2 - 11*a))/(b*(6*e^(-2*b*x^2 - 2*a) + 15*e^(-4*b*x^2 - 4*a) + 20*e^(-6*b*x^2 - 6*a) + 15*e^(-8*b*x^2 - 8*a) + 6*e^(-10*b*x^2 - 10*a) + e^(-12*b*x^2 - 12*a) + 1))`

Giac [A] (verification not implemented)

Time = 0.13 (sec) , antiderivative size = 146, normalized size of antiderivative = 1.62

$$\int x \operatorname{sech}^7(a + bx^2) dx = \frac{5 \left(\pi + 2 \arctan \left(\frac{1}{2} \left(e^{(2bx^2+2a)} - 1 \right) e^{(-bx^2-a)} \right) \right)}{64b} + \frac{15 \left(e^{(bx^2+a)} - e^{(-bx^2-a)} \right)^5 + 160 \left(e^{(bx^2+a)} - e^{(-bx^2-a)} \right)^3 + 528 e^{(bx^2+a)} - 528 e^{(-bx^2-a)}}{48 \left(\left(e^{(bx^2+a)} - e^{(-bx^2-a)} \right)^2 + 4 \right)^3 b}$$

input `integrate(x*sech(b*x^2+a)^7,x, algorithm="giac")`output `5/64*(pi + 2*arctan(1/2*(e^(2*b*x^2 + 2*a) - 1)*e^(-b*x^2 - a)))/b + 1/48*(15*(e^(b*x^2 + a) - e^(-b*x^2 - a))^5 + 160*(e^(b*x^2 + a) - e^(-b*x^2 - a))^3 + 528*e^(b*x^2 + a) - 528*e^(-b*x^2 - a))/(((e^(b*x^2 + a) - e^(-b*x^2 - a))^2 + 4)^3*b)`**Mupad [B] (verification not implemented)**

Time = 0.11 (sec) , antiderivative size = 395, normalized size of antiderivative = 4.39

$$\int x \operatorname{sech}^7(a + bx^2) dx = \frac{5 \operatorname{atan} \left(\frac{e^a e^{bx^2} \sqrt{b^2}}{b} \right)}{16 \sqrt{b^2}} - \frac{8 e^{3bx^2+3a}}{3b \left(5 e^{2bx^2+2a} + 10 e^{4bx^2+4a} + 10 e^{6bx^2+6a} + 5 e^{8bx^2+8a} + e^{10bx^2+10a} + 1 \right) e^{bx^2+a}} - \frac{b \left(4 e^{2bx^2+2a} + 6 e^{4bx^2+4a} + 4 e^{6bx^2+6a} + e^{8bx^2+8a} + 1 \right)}{5 e^{bx^2+a}} + \frac{24b \left(2 e^{2bx^2+2a} + e^{4bx^2+4a} + 1 \right)}{16 e^{5bx^2+5a}} - \frac{3b \left(6 e^{2bx^2+2a} + 15 e^{4bx^2+4a} + 20 e^{6bx^2+6a} + 15 e^{8bx^2+8a} + 6 e^{10bx^2+10a} + e^{12bx^2+12a} + 1 \right)}{e^{bx^2+a}} + \frac{6b \left(3 e^{2bx^2+2a} + 3 e^{4bx^2+4a} + e^{6bx^2+6a} + 1 \right)}{16b \left(e^{2bx^2+2a} + 1 \right)} + \frac{5 e^{bx^2+a}}{16b \left(e^{2bx^2+2a} + 1 \right)}$$

input `int(x/cosh(a + b*x^2)^7,x)`

output

```
(5*atan((exp(a)*exp(b*x^2)*(b^2)^(1/2))/b))/(16*(b^2)^(1/2)) - (8*exp(3*a
+ 3*b*x^2))/(3*b*(5*exp(2*a + 2*b*x^2) + 10*exp(4*a + 4*b*x^2) + 10*exp(6*
a + 6*b*x^2) + 5*exp(8*a + 8*b*x^2) + exp(10*a + 10*b*x^2) + 1)) - exp(a +
b*x^2)/(b*(4*exp(2*a + 2*b*x^2) + 6*exp(4*a + 4*b*x^2) + 4*exp(6*a + 6*b*
x^2) + exp(8*a + 8*b*x^2) + 1)) + (5*exp(a + b*x^2))/(24*b*(2*exp(2*a + 2*
b*x^2) + exp(4*a + 4*b*x^2) + 1)) - (16*exp(5*a + 5*b*x^2))/(3*b*(6*exp(2*
a + 2*b*x^2) + 15*exp(4*a + 4*b*x^2) + 20*exp(6*a + 6*b*x^2) + 15*exp(8*a
+ 8*b*x^2) + 6*exp(10*a + 10*b*x^2) + exp(12*a + 12*b*x^2) + 1)) + exp(a +
b*x^2)/(6*b*(3*exp(2*a + 2*b*x^2) + 3*exp(4*a + 4*b*x^2) + exp(6*a + 6*b*
x^2) + 1)) + (5*exp(a + b*x^2))/(16*b*(exp(2*a + 2*b*x^2) + 1))
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 329, normalized size of antiderivative = 3.66

$$\int x \operatorname{sech}^7(a + bx^2) dx$$

$$= \frac{15e^{12bx^2+12a} \operatorname{atan}\left(e^{bx^2+a}\right) + 90e^{10bx^2+10a} \operatorname{atan}\left(e^{bx^2+a}\right) + 225e^{8bx^2+8a} \operatorname{atan}\left(e^{bx^2+a}\right) + 300e^{6bx^2+6a} \operatorname{atan}\left(e^{bx^2+a}\right)}{48b\left(e^{12bx^2+12a} + 10e^{10bx^2+10a} + 15e^{8bx^2+8a} + 6e^{6bx^2+6a} + 1\right)}$$

input

```
int(x*sech(b*x^2+a)^7,x)
```

output

```
(15***((12*a + 12*b*x**2)*atan(e**(a + b*x**2)) + 90***((10*a + 10*b*x**2)
*atan(e**(a + b*x**2)) + 225***((8*a + 8*b*x**2)*atan(e**(a + b*x**2)) + 3
00***((6*a + 6*b*x**2)*atan(e**(a + b*x**2)) + 225***((4*a + 4*b*x**2)*ata
n(e**(a + b*x**2)) + 90***((2*a + 2*b*x**2)*atan(e**(a + b*x**2)) + 15*ata
n(e**(a + b*x**2)) + 15***((11*a + 11*b*x**2) + 85***((9*a + 9*b*x**2) + 1
98***((7*a + 7*b*x**2) - 198***((5*a + 5*b*x**2) - 85***((3*a + 3*b*x**2)
- 15***((a + b*x**2)))/(48*b*(e**(12*a + 12*b*x**2) + 6***((10*a + 10*b*x**
2) + 15***((8*a + 8*b*x**2) + 20***((6*a + 6*b*x**2) + 15***((4*a + 4*b*x*
*2) + 6***((2*a + 2*b*x**2) + 1)))
```

3.20 $\int \frac{x^5}{a+b\operatorname{sech}(c+dx^2)} dx$

Optimal result	166
Mathematica [A] (verified)	167
Rubi [A] (verified)	167
Maple [F]	169
Fricas [B] (verification not implemented)	169
Sympy [F]	170
Maxima [F(-2)]	170
Giac [F]	171
Mupad [F(-1)]	171
Reduce [F]	172

Optimal result

Integrand size = 18, antiderivative size = 349

$$\int \frac{x^5}{a + b\operatorname{sech}(c + dx^2)} dx = \frac{x^6}{6a} - \frac{bx^4 \log\left(1 + \frac{ae^{c+dx^2}}{b-\sqrt{-a^2+b^2}}\right)}{2a\sqrt{-a^2+b^2}d} + \frac{bx^4 \log\left(1 + \frac{ae^{c+dx^2}}{b+\sqrt{-a^2+b^2}}\right)}{2a\sqrt{-a^2+b^2}d}$$

$$- \frac{bx^2 \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^2}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^2}$$

$$+ \frac{bx^2 \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^2}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^2}$$

$$+ \frac{b \operatorname{PolyLog}\left(3, -\frac{ae^{c+dx^2}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^3} - \frac{b \operatorname{PolyLog}\left(3, -\frac{ae^{c+dx^2}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^3}$$

output

```
1/6*x^6/a-1/2*b*x^4*ln(1+a*exp(d*x^2+c)/(b-(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d+1/2*b*x^4*ln(1+a*exp(d*x^2+c)/(b+(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d-b*x^2*polylog(2,-a*exp(d*x^2+c)/(b-(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^2+b*x^2*polylog(2,-a*exp(d*x^2+c)/(b+(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^2+b*polylog(3,-a*exp(d*x^2+c)/(b-(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^3-b*polylog(3,-a*exp(d*x^2+c)/(b+(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^3
```

Mathematica [A] (verified)

Time = 0.50 (sec) , antiderivative size = 272, normalized size of antiderivative = 0.78

$$\int \frac{x^5}{a + b \operatorname{sech}(c + dx^2)} dx$$

$$= \frac{\sqrt{-a^2 + b^2} d^3 x^6 - 3bd^2 x^4 \log\left(1 + \frac{ae^{c+dx^2}}{b - \sqrt{-a^2 + b^2}}\right) + 3bd^2 x^4 \log\left(1 + \frac{ae^{c+dx^2}}{b + \sqrt{-a^2 + b^2}}\right) - 6bdx^2 \operatorname{PolyLog}\left(2, \frac{ae^{c+dx^2}}{-b + \sqrt{-a^2 + b^2}}\right) + 6bdx^2 \operatorname{PolyLog}\left(2, \frac{ae^{c+dx^2}}{-b - \sqrt{-a^2 + b^2}}\right) + 6b \operatorname{PolyLog}\left(3, \frac{ae^{c+dx^2}}{-b + \sqrt{-a^2 + b^2}}\right) - 6b \operatorname{PolyLog}\left(3, \frac{ae^{c+dx^2}}{-b - \sqrt{-a^2 + b^2}}\right)}{6a\sqrt{-a^2 + b^2}}$$

input `Integrate[x^5/(a + b*Sech[c + d*x^2]),x]`output `(Sqrt[-a^2 + b^2]*d^3*x^6 - 3*b*d^2*x^4*Log[1 + (a*E^(c + d*x^2))/(b - Sqrt[-a^2 + b^2])] + 3*b*d^2*x^4*Log[1 + (a*E^(c + d*x^2))/(b + Sqrt[-a^2 + b^2])] - 6*b*d*x^2*PolyLog[2, (a*E^(c + d*x^2))/(-b + Sqrt[-a^2 + b^2])] + 6*b*d*x^2*PolyLog[2, -(a*E^(c + d*x^2))/(b + Sqrt[-a^2 + b^2])] + 6*b*PolyLog[3, (a*E^(c + d*x^2))/(-b + Sqrt[-a^2 + b^2])] - 6*b*PolyLog[3, -(a*E^(c + d*x^2))/(b + Sqrt[-a^2 + b^2])])/(6*a*Sqrt[-a^2 + b^2]*d^3)`**Rubi [A] (verified)**Time = 1.14 (sec) , antiderivative size = 350, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {5959, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^5}{a + b \operatorname{sech}(c + dx^2)} dx$$

$$\downarrow \text{5959}$$

$$\frac{1}{2} \int \frac{x^4}{a + b \operatorname{sech}(dx^2 + c)} dx^2$$

$$\downarrow \text{3042}$$

$$\frac{1}{2} \int \frac{x^4}{a + b \csc(idx^2 + ic + \frac{\pi}{2})} dx^2$$

$$\frac{1}{2} \int \left(\frac{x^4}{a} - \frac{bx^4}{a(b + a \cosh(dx^2 + c))} \right) dx^2$$

$$\frac{1}{2} \left(\frac{2b \operatorname{PolyLog}\left(3, -\frac{ae^{dx^2+c}}{b-\sqrt{b^2-a^2}}\right)}{ad^3\sqrt{b^2-a^2}} - \frac{2b \operatorname{PolyLog}\left(3, -\frac{ae^{dx^2+c}}{b+\sqrt{b^2-a^2}}\right)}{ad^3\sqrt{b^2-a^2}} - \frac{2bx^2 \operatorname{PolyLog}\left(2, -\frac{ae^{dx^2+c}}{b-\sqrt{b^2-a^2}}\right)}{ad^2\sqrt{b^2-a^2}} + \frac{2bx^2 \operatorname{PolyLog}\left(2, -\frac{ae^{dx^2+c}}{b+\sqrt{b^2-a^2}}\right)}{ad^2\sqrt{b^2-a^2}} \right)$$

input `Int[x^5/(a + b*Sech[c + d*x^2]),x]`

output `(x^6/(3*a) - (b*x^4*Log[1 + (a*E^(c + d*x^2))/(b - Sqrt[-a^2 + b^2]])/(a*Sqrt[-a^2 + b^2]*d) + (b*x^4*Log[1 + (a*E^(c + d*x^2))/(b + Sqrt[-a^2 + b^2]])/(a*Sqrt[-a^2 + b^2]*d) - (2*b*x^2*PolyLog[2, -((a*E^(c + d*x^2))/(b - Sqrt[-a^2 + b^2]]))/(a*Sqrt[-a^2 + b^2]*d^2) + (2*b*x^2*PolyLog[2, -((a*E^(c + d*x^2))/(b + Sqrt[-a^2 + b^2]]))/(a*Sqrt[-a^2 + b^2]*d^2) + (2*b*PolyLog[3, -((a*E^(c + d*x^2))/(b - Sqrt[-a^2 + b^2]]))/(a*Sqrt[-a^2 + b^2]*d^3) - (2*b*PolyLog[3, -((a*E^(c + d*x^2))/(b + Sqrt[-a^2 + b^2]]))/(a*Sqrt[-a^2 + b^2]*d^3))/2`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4679 `Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Sin[e + f*x]^n)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]`

rule 5959

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol]
:= Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x]
/; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]
```

Maple [F]

$$\int \frac{x^5}{a + b \operatorname{sech}(dx^2 + c)} dx$$

input

```
int(x^5/(a+b*sech(d*x^2+c)),x)
```

output

```
int(x^5/(a+b*sech(d*x^2+c)),x)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 731 vs. $2(311) = 622$.

Time = 0.10 (sec) , antiderivative size = 731, normalized size of antiderivative = 2.09

$$\int \frac{x^5}{a + b \operatorname{sech}(c + dx^2)} dx = \text{Too large to display}$$

input

```
integrate(x^5/(a+b*sech(d*x^2+c)),x, algorithm="fricas")
```

output

```

1/6*((a^2 - b^2)*d^3*x^6 + 6*a*b*d*x^2*sqrt(-(a^2 - b^2)/a^2)*dilog(-(b*cosh(d*x^2 + c) + b*sinh(d*x^2 + c) + (a*cosh(d*x^2 + c) + a*sinh(d*x^2 + c))*sqrt(-(a^2 - b^2)/a^2) + a)/a + 1) - 6*a*b*d*x^2*sqrt(-(a^2 - b^2)/a^2)*dilog(-(b*cosh(d*x^2 + c) + b*sinh(d*x^2 + c) - (a*cosh(d*x^2 + c) + a*sinh(d*x^2 + c))*sqrt(-(a^2 - b^2)/a^2) + a)/a + 1) - 3*a*b*c^2*sqrt(-(a^2 - b^2)/a^2)*log(2*a*cosh(d*x^2 + c) + 2*a*sinh(d*x^2 + c) + 2*a*sqrt(-(a^2 - b^2)/a^2) + 2*b) + 3*a*b*c^2*sqrt(-(a^2 - b^2)/a^2)*log(2*a*cosh(d*x^2 + c) + 2*a*sinh(d*x^2 + c) - 2*a*sqrt(-(a^2 - b^2)/a^2) + 2*b) - 6*a*b*sqrt(-(a^2 - b^2)/a^2)*polylog(3, -(b*cosh(d*x^2 + c) + b*sinh(d*x^2 + c) + (a*cosh(d*x^2 + c) + a*sinh(d*x^2 + c))*sqrt(-(a^2 - b^2)/a^2))/a) + 6*a*b*sqrt(-(a^2 - b^2)/a^2)*polylog(3, -(b*cosh(d*x^2 + c) + b*sinh(d*x^2 + c) - (a*cosh(d*x^2 + c) + a*sinh(d*x^2 + c))*sqrt(-(a^2 - b^2)/a^2))/a) + 3*(a*b*d^2*x^4 - a*b*c^2)*sqrt(-(a^2 - b^2)/a^2)*log((b*cosh(d*x^2 + c) + b*sinh(d*x^2 + c) + (a*cosh(d*x^2 + c) + a*sinh(d*x^2 + c))*sqrt(-(a^2 - b^2)/a^2) + a)/a) - 3*(a*b*d^2*x^4 - a*b*c^2)*sqrt(-(a^2 - b^2)/a^2)*log((b*cosh(d*x^2 + c) + b*sinh(d*x^2 + c) - (a*cosh(d*x^2 + c) + a*sinh(d*x^2 + c))*sqrt(-(a^2 - b^2)/a^2) + a)/a))/((a^3 - a*b^2)*d^3)

```

Sympy [F]

$$\int \frac{x^5}{a + b \operatorname{sech}(c + dx^2)} dx = \int \frac{x^5}{a + b \operatorname{sech}(c + dx^2)} dx$$

input

```
integrate(x**5/(a+b*sech(d*x**2+c)),x)
```

output

```
Integral(x**5/(a + b*sech(c + d*x**2)), x)
```

Maxima [F(-2)]

Exception generated.

$$\int \frac{x^5}{a + b \operatorname{sech}(c + dx^2)} dx = \text{Exception raised: ValueError}$$

input

```
integrate(x^5/(a+b*sech(d*x^2+c)),x, algorithm="maxima")
```

output

```
Exception raised: ValueError >> Computation failed since Maxima requested
additional constraints; using the 'assume' command before evaluation *may*
help (example of legal syntax is 'assume(a-b>0)', see `assume?` for more
details)Is
```

Giac [F]

$$\int \frac{x^5}{a + b \operatorname{sech}(c + dx^2)} dx = \int \frac{x^5}{b \operatorname{sech}(dx^2 + c) + a} dx$$

input

```
integrate(x^5/(a+b*sech(d*x^2+c)),x, algorithm="giac")
```

output

```
integrate(x^5/(b*sech(d*x^2 + c) + a), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{x^5}{a + b \operatorname{sech}(c + dx^2)} dx = \int \frac{x^5}{a + \frac{b}{\cosh(dx^2+c)}} dx$$

input

```
int(x^5/(a + b/cosh(c + d*x^2)),x)
```

output

```
int(x^5/(a + b/cosh(c + d*x^2)), x)
```

Reduce [F]

$$\int \frac{x^5}{a + b \operatorname{sech}(c + dx^2)} dx = e^{2c} \left(\int \frac{e^{2dx^2} x^5}{e^{2dx^2+2c} a + 2e^{dx^2+c} b + a} dx \right) + \int \frac{x^5}{e^{2dx^2+2c} a + 2e^{dx^2+c} b + a} dx$$

input `int(x^5/(a+b*sech(d*x^2+c)),x)`

output `e**(2*c)*int((e**(2*d*x**2)*x**5)/(e**(2*c + 2*d*x**2)*a + 2*e**(c + d*x**2)*b + a),x) + int(x**5/(e**(2*c + 2*d*x**2)*a + 2*e**(c + d*x**2)*b + a),x)`

3.21 $\int \frac{x^3}{a+b\operatorname{sech}(c+dx^2)} dx$

Optimal result	173
Mathematica [A] (verified)	174
Rubi [A] (verified)	174
Maple [F]	176
Fricas [B] (verification not implemented)	176
Sympy [F]	177
Maxima [F(-2)]	177
Giac [F]	177
Mupad [F(-1)]	178
Reduce [F]	178

Optimal result

Integrand size = 18, antiderivative size = 241

$$\int \frac{x^3}{a + b\operatorname{sech}(c + dx^2)} dx = \frac{x^4}{4a} - \frac{bx^2 \log\left(1 + \frac{ae^{c+dx^2}}{b-\sqrt{-a^2+b^2}}\right)}{2a\sqrt{-a^2+b^2}d} + \frac{bx^2 \log\left(1 + \frac{ae^{c+dx^2}}{b+\sqrt{-a^2+b^2}}\right)}{2a\sqrt{-a^2+b^2}d} - \frac{b \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^2}}{b-\sqrt{-a^2+b^2}}\right)}{2a\sqrt{-a^2+b^2}d^2} + \frac{b \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^2}}{b+\sqrt{-a^2+b^2}}\right)}{2a\sqrt{-a^2+b^2}d^2}$$

output

```
1/4*x^4/a-1/2*b*x^2*ln(1+a*exp(d*x^2+c)/(b-(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d+1/2*b*x^2*ln(1+a*exp(d*x^2+c)/(b+(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d-1/2*b*polylog(2,-a*exp(d*x^2+c)/(b-(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^2+1/2*b*polylog(2,-a*exp(d*x^2+c)/(b+(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^2
```

Mathematica [A] (verified)

Time = 0.25 (sec) , antiderivative size = 187, normalized size of antiderivative = 0.78

$$\int \frac{x^3}{a + b \operatorname{sech}(c + dx^2)} dx$$

$$= \frac{dx^2 \left(\sqrt{-a^2 + b^2} dx^2 - 2b \log \left(1 + \frac{ae^{c+dx^2}}{b - \sqrt{-a^2 + b^2}} \right) + 2b \log \left(1 + \frac{ae^{c+dx^2}}{b + \sqrt{-a^2 + b^2}} \right) \right) - 2b \operatorname{PolyLog} \left(2, \frac{ae^{c+dx^2}}{-b + \sqrt{-a^2 + b^2}} \right)}{4a\sqrt{-a^2 + b^2}d^2}$$

input `Integrate[x^3/(a + b*Sech[c + d*x^2]),x]`

output $(dx^2*(\operatorname{Sqrt}[-a^2 + b^2]*dx^2 - 2*b*\operatorname{Log}[1 + (a*E^{(c + d*x^2)})/(b - \operatorname{Sqrt}[-a^2 + b^2])]) + 2*b*\operatorname{Log}[1 + (a*E^{(c + d*x^2)})/(b + \operatorname{Sqrt}[-a^2 + b^2])]) - 2*b*\operatorname{PolyLog}[2, (a*E^{(c + d*x^2)})/(-b + \operatorname{Sqrt}[-a^2 + b^2])] + 2*b*\operatorname{PolyLog}[2, -((a*E^{(c + d*x^2)})/(b + \operatorname{Sqrt}[-a^2 + b^2]))]/(4*a*\operatorname{Sqrt}[-a^2 + b^2]*d^2)$

Rubi [A] (verified)

Time = 0.77 (sec) , antiderivative size = 235, normalized size of antiderivative = 0.98, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {5959, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^3}{a + b \operatorname{sech}(c + dx^2)} dx$$

$$\downarrow \text{5959}$$

$$\frac{1}{2} \int \frac{x^2}{a + b \operatorname{sech}(dx^2 + c)} dx^2$$

$$\downarrow \text{3042}$$

$$\frac{1}{2} \int \frac{x^2}{a + b \operatorname{csc}(idx^2 + ic + \frac{\pi}{2})} dx^2$$

$$\downarrow \text{4679}$$

$$\frac{1}{2} \int \left(\frac{x^2}{a} - \frac{bx^2}{a(b + a \cosh(dx^2 + c))} \right) dx^2$$

↓ 2009

$$\frac{1}{2} \left(-\frac{b \operatorname{PolyLog}\left(2, -\frac{ae^{dx^2+c}}{b-\sqrt{b^2-a^2}}\right)}{ad^2\sqrt{b^2-a^2}} + \frac{b \operatorname{PolyLog}\left(2, -\frac{ae^{dx^2+c}}{b+\sqrt{b^2-a^2}}\right)}{ad^2\sqrt{b^2-a^2}} - \frac{bx^2 \log\left(\frac{ae^{c+dx^2}}{b-\sqrt{b^2-a^2}} + 1\right)}{ad\sqrt{b^2-a^2}} + \frac{bx^2 \log\left(\frac{ae^{c+dx^2}}{\sqrt{b^2-a^2}+b} + 1\right)}{ad\sqrt{b^2-a^2}} \right)$$

input `Int[x^3/(a + b*Sech[c + d*x^2]),x]`

output `(x^4/(2*a) - (b*x^2*Log[1 + (a*E^(c + d*x^2))/(b - Sqrt[-a^2 + b^2]]))/(a*Sqrt[-a^2 + b^2]*d) + (b*x^2*Log[1 + (a*E^(c + d*x^2))/(b + Sqrt[-a^2 + b^2]]))/(a*Sqrt[-a^2 + b^2]*d) - (b*PolyLog[2, -((a*E^(c + d*x^2))/(b - Sqrt[-a^2 + b^2]))]/(a*Sqrt[-a^2 + b^2]*d^2) + (b*PolyLog[2, -((a*E^(c + d*x^2))/(b + Sqrt[-a^2 + b^2]))]/(a*Sqrt[-a^2 + b^2]*d^2)))/2`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4679 `Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Sin[e + f*x]^n)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]`

rule 5959 `Int[(x_)^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [F]

$$\int \frac{x^3}{a + b \operatorname{sech}(dx^2 + c)} dx$$

input `int(x^3/(a+b*sech(d*x^2+c)),x)`

output `int(x^3/(a+b*sech(d*x^2+c)),x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 536 vs. $2(209) = 418$.

Time = 0.11 (sec) , antiderivative size = 536, normalized size of antiderivative = 2.22

$$\int \frac{x^3}{a + b \operatorname{sech}(c + dx^2)} dx$$

$$= \frac{(a^2 - b^2)d^2 x^4 + 2abc\sqrt{-\frac{a^2-b^2}{a^2}} \log\left(2a \cosh(dx^2 + c) + 2a \sinh(dx^2 + c) + 2a\sqrt{-\frac{a^2-b^2}{a^2}} + 2b\right) - 2abc}{(a^2 - b^2)d^2 x^4 + 2abc\sqrt{-\frac{a^2-b^2}{a^2}} \log\left(2a \cosh(dx^2 + c) + 2a \sinh(dx^2 + c) + 2a\sqrt{-\frac{a^2-b^2}{a^2}} + 2b\right) - 2abc}$$

input `integrate(x^3/(a+b*sech(d*x^2+c)),x, algorithm="fricas")`

output `1/4*((a^2 - b^2)*d^2*x^4 + 2*a*b*c*sqrt(-(a^2 - b^2)/a^2)*log(2*a*cosh(d*x^2 + c) + 2*a*sinh(d*x^2 + c) + 2*a*sqrt(-(a^2 - b^2)/a^2) + 2*b) - 2*a*b*c*sqrt(-(a^2 - b^2)/a^2)*log(2*a*cosh(d*x^2 + c) + 2*a*sinh(d*x^2 + c) - 2*a*sqrt(-(a^2 - b^2)/a^2) + 2*b) + 2*a*b*sqrt(-(a^2 - b^2)/a^2)*dilog(-(b*cosh(d*x^2 + c) + b*sinh(d*x^2 + c) + (a*cosh(d*x^2 + c) + a*sinh(d*x^2 + c))*sqrt(-(a^2 - b^2)/a^2) + a)/a + 1) - 2*a*b*sqrt(-(a^2 - b^2)/a^2)*dilog(-(b*cosh(d*x^2 + c) + b*sinh(d*x^2 + c) - (a*cosh(d*x^2 + c) + a*sinh(d*x^2 + c))*sqrt(-(a^2 - b^2)/a^2) + a)/a + 1) + 2*(a*b*d*x^2 + a*b*c)*sqrt(-(a^2 - b^2)/a^2)*log((b*cosh(d*x^2 + c) + b*sinh(d*x^2 + c) + (a*cosh(d*x^2 + c) + a*sinh(d*x^2 + c))*sqrt(-(a^2 - b^2)/a^2) + a)/a) - 2*(a*b*d*x^2 + a*b*c)*sqrt(-(a^2 - b^2)/a^2)*log((b*cosh(d*x^2 + c) + b*sinh(d*x^2 + c) - (a*cosh(d*x^2 + c) + a*sinh(d*x^2 + c))*sqrt(-(a^2 - b^2)/a^2) + a)/a) /((a^3 - a*b^2)*d^2)`

Sympy [F]

$$\int \frac{x^3}{a + b \operatorname{sech}(c + dx^2)} dx = \int \frac{x^3}{a + b \operatorname{sech}(c + dx^2)} dx$$

input `integrate(x**3/(a+b*sech(d*x**2+c)),x)`

output `Integral(x**3/(a + b*sech(c + d*x**2)), x)`

Maxima [F(-2)]

Exception generated.

$$\int \frac{x^3}{a + b \operatorname{sech}(c + dx^2)} dx = \text{Exception raised: ValueError}$$

input `integrate(x^3/(a+b*sech(d*x^2+c)),x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(a-b>0)', see `assume?` for more details)Is`

Giac [F]

$$\int \frac{x^3}{a + b \operatorname{sech}(c + dx^2)} dx = \int \frac{x^3}{b \operatorname{sech}(dx^2 + c) + a} dx$$

input `integrate(x^3/(a+b*sech(d*x^2+c)),x, algorithm="giac")`

output `integrate(x^3/(b*sech(d*x^2 + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x^3}{a + b \operatorname{sech}(c + dx^2)} dx = \int \frac{x^3}{a + \frac{b}{\cosh(dx^2+c)}} dx$$

input `int(x^3/(a + b/cosh(c + d*x^2)),x)`output `int(x^3/(a + b/cosh(c + d*x^2)), x)`**Reduce [F]**

$$\int \frac{x^3}{a + b \operatorname{sech}(c + dx^2)} dx = e^{2c} \left(\int \frac{e^{2dx^2} x^3}{e^{2dx^2+2c} a + 2e^{dx^2+c} b + a} dx \right) + \int \frac{x^3}{e^{2dx^2+2c} a + 2e^{dx^2+c} b + a} dx$$

input `int(x^3/(a+b*sech(d*x^2+c)),x)`output `e**(2*c)*int((e**(2*d*x**2)*x**3)/(e**(2*c + 2*d*x**2)*a + 2*e**(c + d*x**2)*b + a),x) + int(x**3/(e**(2*c + 2*d*x**2)*a + 2*e**(c + d*x**2)*b + a),x)`

3.22 $\int \frac{x}{a+b\operatorname{sech}(c+dx^2)} dx$

Optimal result	179
Mathematica [A] (verified)	179
Rubi [A] (verified)	180
Maple [A] (verified)	182
Fricas [A] (verification not implemented)	182
Sympy [F]	183
Maxima [F(-2)]	183
Giac [A] (verification not implemented)	184
Mupad [B] (verification not implemented)	184
Reduce [B] (verification not implemented)	185

Optimal result

Integrand size = 16, antiderivative size = 66

$$\int \frac{x}{a+b\operatorname{sech}(c+dx^2)} dx = \frac{x^2}{2a} - \frac{b \arctan\left(\frac{\sqrt{a-b} \tanh\left(\frac{1}{2}(c+dx^2)\right)}{\sqrt{a+b}}\right)}{a\sqrt{a-b}\sqrt{a+bd}}$$

output $1/2*x^2/a-b*\arctan((a-b)^{(1/2)}*\tanh(1/2*d*x^2+1/2*c)/(a+b)^{(1/2)})/a/(a-b)^{(1/2)}/(a+b)^{(1/2)}/d$

Mathematica [A] (verified)

Time = 0.17 (sec) , antiderivative size = 67, normalized size of antiderivative = 1.02

$$\int \frac{x}{a+b\operatorname{sech}(c+dx^2)} dx = \frac{\frac{c}{d} + x^2 + \frac{2b \arctan\left(\frac{(-a+b) \tanh\left(\frac{1}{2}(c+dx^2)\right)}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}d}}{2a}$$

input `Integrate[x/(a + b*Sech[c + d*x^2]),x]`

output $(c/d + x^2 + (2*b*\operatorname{ArcTan}[((-a + b)*\operatorname{Tanh}[(c + d*x^2)/2])/ \operatorname{Sqrt}[a^2 - b^2]])/(\operatorname{Sqrt}[a^2 - b^2]*d)/(2*a)$

Rubi [A] (verified)

Time = 0.37 (sec) , antiderivative size = 67, normalized size of antiderivative = 1.02, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {5959, 3042, 4270, 3042, 3138, 221}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{x}{a + b \operatorname{sech}(c + dx^2)} dx \\
 & \quad \downarrow \text{5959} \\
 & \frac{1}{2} \int \frac{1}{a + b \operatorname{sech}(dx^2 + c)} dx^2 \\
 & \quad \downarrow \text{3042} \\
 & \frac{1}{2} \int \frac{1}{a + b \csc\left(idx^2 + ic + \frac{\pi}{2}\right)} dx^2 \\
 & \quad \downarrow \text{4270} \\
 & \frac{1}{2} \left(\frac{x^2}{a} - \frac{\int \frac{1}{\frac{a \cosh\left(\frac{dx^2+c}{b}\right) + 1} dx^2}}{a} \right) \\
 & \quad \downarrow \text{3042} \\
 & \frac{1}{2} \left(\frac{x^2}{a} - \frac{\int \frac{1}{\frac{a \sin\left(idx^2+ic+\frac{\pi}{2}\right)}{b} + 1} dx^2}}{a} \right) \\
 & \quad \downarrow \text{3138} \\
 & \frac{1}{2} \left(\frac{x^2}{a} + \frac{2i \int \frac{1}{\left(1-\frac{a}{b}\right)x^4 + \frac{a+b}{b}} d\left(i \tanh\left(\frac{1}{2}(dx^2 + c)\right)\right)}{ad} \right) \\
 & \quad \downarrow \text{221} \\
 & \frac{1}{2} \left(\frac{x^2}{a} - \frac{2b \arctan\left(\frac{\sqrt{a-b} \tanh\left(\frac{1}{2}(c+dx^2)\right)}{\sqrt{a+b}}\right)}{ad\sqrt{a-b}\sqrt{a+b}} \right)
 \end{aligned}$$

input `Int[x/(a + b*Sech[c + d*x^2]),x]`

output `(x^2/a - (2*b*ArcTan[(Sqrt[a - b]*Tanh[(c + d*x^2)/2])/Sqrt[a + b]])/(a*Sqrt[a - b]*Sqrt[a + b]*d))/2`

Defintions of rubi rules used

rule 221 `Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 3138 `Int[((a_) + (b_)*sin[Pi/2 + (c_) + (d_)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Simp[2*(e/d) Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]`

rule 4270 `Int[(csc[(c_) + (d_)*(x_)]*(b_) + (a_))(-1), x_Symbol] := Simp[x/a, x] - Simp[1/a Int[1/(1 + (a/b)*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]`

rule 5959 `Int[(x_)^(m_)*((a_) + (b_)*Sech[(c_) + (d_)*(x_)^(n_)])^(p_), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [A] (verified)

Time = 0.14 (sec) , antiderivative size = 90, normalized size of antiderivative = 1.36

method	result	size
derivativedivides	$\frac{2b \arctan\left(\frac{(a-b) \tanh\left(\frac{dx^2}{2} + \frac{c}{2}\right)}{\sqrt{(a-b)(a+b)}}\right)}{a\sqrt{(a-b)(a+b)}} - \frac{\ln\left(\tanh\left(\frac{dx^2}{2} + \frac{c}{2}\right) - 1\right)}{a} + \frac{\ln\left(1 + \tanh\left(\frac{dx^2}{2} + \frac{c}{2}\right)\right)}{a}$	90
default	$\frac{2b \arctan\left(\frac{(a-b) \tanh\left(\frac{dx^2}{2} + \frac{c}{2}\right)}{\sqrt{(a-b)(a+b)}}\right)}{a\sqrt{(a-b)(a+b)}} - \frac{\ln\left(\tanh\left(\frac{dx^2}{2} + \frac{c}{2}\right) - 1\right)}{a} + \frac{\ln\left(1 + \tanh\left(\frac{dx^2}{2} + \frac{c}{2}\right)\right)}{a}$	90
risch	$\frac{x^2}{2a} - \frac{b \ln\left(e^{dx^2+c} + \frac{b\sqrt{-a^2+b^2+a^2-b^2}}{\sqrt{-a^2+b^2}a}\right)}{2\sqrt{-a^2+b^2}da} + \frac{b \ln\left(e^{dx^2+c} + \frac{b\sqrt{-a^2+b^2-a^2+b^2}}{\sqrt{-a^2+b^2}a}\right)}{2\sqrt{-a^2+b^2}da}$	144

```
input int(x/(a+b*sech(d*x^2+c)),x,method=_RETURNVERBOSE)
```

```
output 1/2/d*(-2*b/a/((a-b)*(a+b))^(1/2)*arctan((a-b)*tanh(1/2*d*x^2+1/2*c)/((a-b)*(a+b))^(1/2))-1/a*ln(tanh(1/2*d*x^2+1/2*c)-1)+1/a*ln(1+tanh(1/2*d*x^2+1/2*c)))
```

Fricas [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 304, normalized size of antiderivative = 4.61

$$\int \frac{x}{a + b \operatorname{sech}(c + dx^2)} dx = \frac{(a^2 - b^2)dx^2 - \sqrt{-a^2 + b^2}b \log\left(\frac{a^2 \cosh(dx^2+c)^2 + a^2 \sinh(dx^2+c)^2 + 2ab \cosh(dx^2+c) - a^2 + 2b^2 + 2(a^2 \cosh(dx^2+c) + ab) \sinh(dx^2+c)}{a \cosh(dx^2+c)^2 + a \sinh(dx^2+c)^2 + 2b \cosh(dx^2+c) + 2(a \cosh(dx^2+c) + b \sinh(dx^2+c))}\right)}{2(a^3 - ab^2)d}$$

```
input integrate(x/(a+b*sech(d*x^2+c)),x, algorithm="fricas")
```

output

```
[1/2*((a^2 - b^2)*d*x^2 - sqrt(-a^2 + b^2)*b*log((a^2*cosh(d*x^2 + c)^2 +
a^2*sinh(d*x^2 + c)^2 + 2*a*b*cosh(d*x^2 + c) - a^2 + 2*b^2 + 2*(a^2*cosh(
d*x^2 + c) + a*b)*sinh(d*x^2 + c) + 2*sqrt(-a^2 + b^2)*(a*cosh(d*x^2 + c)
+ a*sinh(d*x^2 + c) + b))/(a*cosh(d*x^2 + c)^2 + a*sinh(d*x^2 + c)^2 + 2*b
*cosh(d*x^2 + c) + 2*(a*cosh(d*x^2 + c) + b)*sinh(d*x^2 + c) + a)))/((a^3
- a*b^2)*d), 1/2*((a^2 - b^2)*d*x^2 + 2*sqrt(a^2 - b^2)*b*arctan(-(a*cosh(
d*x^2 + c) + a*sinh(d*x^2 + c) + b)/sqrt(a^2 - b^2)))/((a^3 - a*b^2)*d)]
```

Sympy [F]

$$\int \frac{x}{a + b \operatorname{sech}(c + dx^2)} dx = \int \frac{x}{a + b \operatorname{sech}(c + dx^2)} dx$$

input

```
integrate(x/(a+b*sech(d*x**2+c)),x)
```

output

```
Integral(x/(a + b*sech(c + d*x**2)), x)
```

Maxima [F(-2)]

Exception generated.

$$\int \frac{x}{a + b \operatorname{sech}(c + dx^2)} dx = \text{Exception raised: ValueError}$$

input

```
integrate(x/(a+b*sech(d*x^2+c)),x, algorithm="maxima")
```

output

```
Exception raised: ValueError >> Computation failed since Maxima requested
additional constraints; using the 'assume' command before evaluation *may*
help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` f
or more de
```


Giac [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 61, normalized size of antiderivative = 0.92

$$\int \frac{x}{a + b \operatorname{sech}(c + dx^2)} dx = -\frac{b \arctan\left(\frac{ae^{(dx^2+c)}+b}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}ad} + \frac{dx^2+c}{2ad}$$

input `integrate(x/(a+b*sech(d*x^2+c)),x, algorithm="giac")`output `-b*arctan((a*e^(d*x^2 + c) + b)/sqrt(a^2 - b^2))/(sqrt(a^2 - b^2)*a*d) + 1/2*(d*x^2 + c)/(a*d)`**Mupad [B] (verification not implemented)**

Time = 0.20 (sec) , antiderivative size = 171, normalized size of antiderivative = 2.59

$$\int \frac{x}{a + b \operatorname{sech}(c + dx^2)} dx = \frac{x^2}{2a} - \frac{\operatorname{atan}\left(\frac{ad\sqrt{b^2}}{\sqrt{a^4d^2-a^2b^2d^2}} + \frac{be^{dx^2}e^c\sqrt{a^4d^2-a^2b^2d^2}}{a^2d\sqrt{b^2}} + \frac{a^2bde^{dx^2}e^c\sqrt{b^2}\sqrt{a^4d^2-a^2b^2d^2}}{a^6d^2-a^4b^2d^2}\right)\sqrt{b^2}}{\sqrt{a^4d^2-a^2b^2d^2}}$$

input `int(x/(a + b/cosh(c + d*x^2)),x)`output `x^2/(2*a) - (atan((a*d*(b^2)^(1/2))/(a^4*d^2 - a^2*b^2*d^2)^(1/2) + (b*exp(d*x^2)*exp(c)*(a^4*d^2 - a^2*b^2*d^2)^(1/2))/(a^2*d*(b^2)^(1/2)) + (a^2*b*d*exp(d*x^2)*exp(c)*(b^2)^(1/2)*(a^4*d^2 - a^2*b^2*d^2)^(1/2))/(a^6*d^2 - a^4*b^2*d^2))*(b^2)^(1/2))/(a^4*d^2 - a^2*b^2*d^2)^(1/2)`

Reduce [B] (verification not implemented)

Time = 0.22 (sec) , antiderivative size = 77, normalized size of antiderivative = 1.17

$$\int \frac{x}{a + b \operatorname{sech}(c + dx^2)} dx = \frac{-2\sqrt{a^2 - b^2} \operatorname{atan}\left(\frac{e^{dx^2+c}a+b}{\sqrt{a^2-b^2}}\right) b + a^2 d x^2 - b^2 d x^2}{2ad(a^2 - b^2)}$$

input `int(x/(a+b*sech(d*x^2+c)),x)`output `(- 2*sqrt(a**2 - b**2)*atan((e**(c + d*x**2)*a + b)/sqrt(a**2 - b**2))*b + a**2*d*x**2 - b**2*d*x**2)/(2*a*d*(a**2 - b**2))`

$$3.23 \quad \int \frac{1}{x(a+b\operatorname{sech}(c+dx^2))} dx$$

Optimal result	186
Mathematica [N/A]	186
Rubi [N/A]	187
Maple [N/A]	187
Fricas [N/A]	188
Sympy [N/A]	188
Maxima [N/A]	188
Giac [N/A]	189
Mupad [N/A]	189
Reduce [N/A]	190

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{1}{x(a+b\operatorname{sech}(c+dx^2))} dx = \operatorname{Int}\left(\frac{1}{x(a+b\operatorname{sech}(c+dx^2))}, x\right)$$

output `Defer(Int)(1/x/(a+b*sech(d*x^2+c)), x)`

Mathematica [N/A]

Not integrable

Time = 1.90 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{1}{x(a+b\operatorname{sech}(c+dx^2))} dx = \int \frac{1}{x(a+b\operatorname{sech}(c+dx^2))} dx$$

input `Integrate[1/(x*(a + b*Sech[c + d*x^2])), x]`

output `Integrate[1/(x*(a + b*Sech[c + d*x^2])), x]`

Rubi [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x (a + b \operatorname{sech} (c + dx^2))} dx$$

↓ 5961

$$\int \frac{1}{x (a + b \operatorname{sech} (c + dx^2))} dx$$

input `Int[1/(x*(a + b*Sech[c + d*x^2])),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.05 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{1}{x (a + b \operatorname{sech} (dx^2 + c))} dx$$

input `int(1/x/(a+b*sech(d*x^2+c)),x)`

output `int(1/x/(a+b*sech(d*x^2+c)),x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.06

$$\int \frac{1}{x(a + b \operatorname{sech}(c + dx^2))} dx = \int \frac{1}{(b \operatorname{sech}(dx^2 + c) + a)x} dx$$

input `integrate(1/x/(a+b*sech(d*x^2+c)),x, algorithm="fricas")`

output `integral(1/(b*x*sech(d*x^2 + c) + a*x), x)`

Sympy [N/A]

Not integrable

Time = 1.09 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.83

$$\int \frac{1}{x(a + b \operatorname{sech}(c + dx^2))} dx = \int \frac{1}{x(a + b \operatorname{sech}(c + dx^2))} dx$$

input `integrate(1/x/(a+b*sech(d*x**2+c)),x)`

output `Integral(1/(x*(a + b*sech(c + d*x**2))), x)`

Maxima [N/A]

Not integrable

Time = 0.12 (sec) , antiderivative size = 58, normalized size of antiderivative = 3.22

$$\int \frac{1}{x(a + b \operatorname{sech}(c + dx^2))} dx = \int \frac{1}{(b \operatorname{sech}(dx^2 + c) + a)x} dx$$

input `integrate(1/x/(a+b*sech(d*x^2+c)),x, algorithm="maxima")`

output

```
-2*b*integrate(e^(d*x^2 + c)/(a^2*x*e^(2*d*x^2 + 2*c) + 2*a*b*x*e^(d*x^2 + c) + a^2*x), x) + log(x)/a
```

Giac [N/A]

Not integrable

Time = 0.18 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{1}{x(a + b \operatorname{sech}(c + dx^2))} dx = \int \frac{1}{(b \operatorname{sech}(dx^2 + c) + a)x} dx$$

input

```
integrate(1/x/(a+b*sech(d*x^2+c)),x, algorithm="giac")
```

output

```
integrate(1/((b*sech(d*x^2 + c) + a)*x), x)
```

Mupad [N/A]

Not integrable

Time = 2.33 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{1}{x(a + b \operatorname{sech}(c + dx^2))} dx = \int \frac{1}{x \left(a + \frac{b}{\cosh(dx^2+c)} \right)} dx$$

input

```
int(1/(x*(a + b/cosh(c + d*x^2))),x)
```

output

```
int(1/(x*(a + b/cosh(c + d*x^2))), x)
```

Reduce [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 57, normalized size of antiderivative = 3.17

$$\int \frac{1}{x(a + b \operatorname{sech}(c + dx^2))} dx = \frac{-2e^c \left(\int \frac{e^{dx^2}}{e^{2dx^2+2c}ax + 2e^{dx^2+c}bx + ax} dx \right) b + \log(x)}{a}$$

input `int(1/x/(a+b*sech(d*x^2+c)),x)`output `(- 2*e**c*int(e**(d*x**2)/(e**(2*c + 2*d*x**2)*a*x + 2*e**(c + d*x**2)*b*x + a*x),x)*b + log(x))/a`

$$3.24 \quad \int \frac{1}{x^3 (a + b \operatorname{sech}(c + dx^2))} dx$$

Optimal result	191
Mathematica [N/A]	191
Rubi [N/A]	192
Maple [N/A]	192
Fricas [N/A]	193
Sympy [N/A]	193
Maxima [N/A]	193
Giac [N/A]	194
Mupad [N/A]	194
Reduce [N/A]	195

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{1}{x^3 (a + b \operatorname{sech}(c + dx^2))} dx = \operatorname{Int} \left(\frac{1}{x^3 (a + b \operatorname{sech}(c + dx^2))}, x \right)$$

output `Defer(Int)(1/x^3/(a+b*sech(d*x^2+c)),x)`

Mathematica [N/A]

Not integrable

Time = 2.63 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{1}{x^3 (a + b \operatorname{sech}(c + dx^2))} dx = \int \frac{1}{x^3 (a + b \operatorname{sech}(c + dx^2))} dx$$

input `Integrate[1/(x^3*(a + b*Sech[c + d*x^2])),x]`

output `Integrate[1/(x^3*(a + b*Sech[c + d*x^2])), x]`

Rubi [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x^3 (a + b \operatorname{sech}(c + dx^2))} dx$$

↓ 5961

$$\int \frac{1}{x^3 (a + b \operatorname{sech}(c + dx^2))} dx$$

input `Int[1/(x^3*(a + b*Sech[c + d*x^2])),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.05 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^3 (a + b \operatorname{sech}(dx^2 + c))} dx$$

input `int(1/x^3/(a+b*sech(d*x^2+c)),x)`

output `int(1/x^3/(a+b*sech(d*x^2+c)),x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 23, normalized size of antiderivative = 1.28

$$\int \frac{1}{x^3 (a + b \operatorname{sech}(c + dx^2))} dx = \int \frac{1}{(b \operatorname{sech}(dx^2 + c) + a)x^3} dx$$

input `integrate(1/x^3/(a+b*sech(d*x^2+c)),x, algorithm="fricas")`

output `integral(1/(b*x^3*sech(d*x^2 + c) + a*x^3), x)`

Sympy [N/A]

Not integrable

Time = 0.92 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.94

$$\int \frac{1}{x^3 (a + b \operatorname{sech}(c + dx^2))} dx = \int \frac{1}{x^3 (a + b \operatorname{sech}(c + dx^2))} dx$$

input `integrate(1/x**3/(a+b*sech(d*x**2+c)),x)`

output `Integral(1/(x**3*(a + b*sech(c + d*x**2))), x)`

Maxima [N/A]

Not integrable

Time = 0.12 (sec) , antiderivative size = 66, normalized size of antiderivative = 3.67

$$\int \frac{1}{x^3 (a + b \operatorname{sech}(c + dx^2))} dx = \int \frac{1}{(b \operatorname{sech}(dx^2 + c) + a)x^3} dx$$

input `integrate(1/x^3/(a+b*sech(d*x^2+c)),x, algorithm="maxima")`

output `-2*b*integrate(e^(d*x^2 + c)/(a^2*x^3*e^(2*d*x^2 + 2*c) + 2*a*b*x^3*e^(d*x^2 + c) + a^2*x^3), x) - 1/2/(a*x^2)`

Giac [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{1}{x^3 (a + b \operatorname{sech}(c + dx^2))} dx = \int \frac{1}{(b \operatorname{sech}(dx^2 + c) + a)x^3} dx$$

input `integrate(1/x^3/(a+b*sech(d*x^2+c)),x, algorithm="giac")`

output `integrate(1/((b*sech(d*x^2 + c) + a)*x^3), x)`

Mupad [N/A]

Not integrable

Time = 2.45 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{1}{x^3 (a + b \operatorname{sech}(c + dx^2))} dx = \int \frac{1}{x^3 \left(a + \frac{b}{\cosh(dx^2 + c)} \right)} dx$$

input `int(1/(x^3*(a + b/cosh(c + d*x^2))),x)`

output `int(1/(x^3*(a + b/cosh(c + d*x^2))), x)`

Reduce [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 100, normalized size of antiderivative = 5.56

$$\int \frac{1}{x^3 (a + b \operatorname{sech}(c + dx^2))} dx = e^{2c} \left(\int \frac{e^{2dx^2}}{e^{2dx^2+2c} a x^3 + 2e^{dx^2+c} b x^3 + a x^3} dx \right) + \int \frac{1}{e^{2dx^2+2c} a x^3 + 2e^{dx^2+c} b x^3 + a x^3} dx$$

input `int(1/x^3/(a+b*sech(d*x^2+c)),x)`output `e**(2*c)*int(e**(2*d*x**2)/(e**(2*c + 2*d*x**2)*a*x**3 + 2*e**(c + d*x**2)*b*x**3 + a*x**3),x) + int(1/(e**(2*c + 2*d*x**2)*a*x**3 + 2*e**(c + d*x**2)*b*x**3 + a*x**3),x)`

3.25 $\int \frac{x^4}{a+b\operatorname{sech}(c+dx^2)} dx$

Optimal result	196
Mathematica [N/A]	196
Rubi [N/A]	197
Maple [N/A]	197
Fricas [N/A]	198
Sympy [N/A]	198
Maxima [N/A]	198
Giac [N/A]	199
Mupad [N/A]	199
Reduce [N/A]	200

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{x^4}{a + b\operatorname{sech}(c + dx^2)} dx = \operatorname{Int}\left(\frac{x^4}{a + b\operatorname{sech}(c + dx^2)}, x\right)$$

output `Defer(Int)(x^4/(a+b*sech(d*x^2+c)), x)`

Mathematica [N/A]

Not integrable

Time = 2.47 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{x^4}{a + b\operatorname{sech}(c + dx^2)} dx = \int \frac{x^4}{a + b\operatorname{sech}(c + dx^2)} dx$$

input `Integrate[x^4/(a + b*Sech[c + d*x^2]), x]`

output `Integrate[x^4/(a + b*Sech[c + d*x^2]), x]`

Rubi [N/A]

Not integrable

Time = 0.32 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^4}{a + b \operatorname{sech}(c + dx^2)} dx$$

↓ 5961

$$\int \frac{x^4}{a + b \operatorname{sech}(c + dx^2)} dx$$

input `Int[x^4/(a + b*Sech[c + d*x^2]),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.05 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{x^4}{a + b \operatorname{sech}(dx^2 + c)} dx$$

input `int(x^4/(a+b*sech(d*x^2+c)),x)`

output `int(x^4/(a+b*sech(d*x^2+c)),x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{x^4}{a + b \operatorname{sech}(c + dx^2)} dx = \int \frac{x^4}{b \operatorname{sech}(dx^2 + c) + a} dx$$

input `integrate(x^4/(a+b*sech(d*x^2+c)),x, algorithm="fricas")`

output `integral(x^4/(b*sech(d*x^2 + c) + a), x)`

Sympy [N/A]

Not integrable

Time = 0.55 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.83

$$\int \frac{x^4}{a + b \operatorname{sech}(c + dx^2)} dx = \int \frac{x^4}{a + b \operatorname{sech}(c + dx^2)} dx$$

input `integrate(x**4/(a+b*sech(d*x**2+c)),x)`

output `Integral(x**4/(a + b*sech(c + d*x**2)), x)`

Maxima [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 59, normalized size of antiderivative = 3.28

$$\int \frac{x^4}{a + b \operatorname{sech}(c + dx^2)} dx = \int \frac{x^4}{b \operatorname{sech}(dx^2 + c) + a} dx$$

input `integrate(x^4/(a+b*sech(d*x^2+c)),x, algorithm="maxima")`

output `1/5*x^5/a - 2*b*integrate(x^4*e^(d*x^2 + c)/(a^2*e^(2*d*x^2 + 2*c) + 2*a*b*e^(d*x^2 + c) + a^2), x)`

Giac [N/A]

Not integrable

Time = 0.14 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{x^4}{a + b \operatorname{sech}(c + dx^2)} dx = \int \frac{x^4}{b \operatorname{sech}(dx^2 + c) + a} dx$$

input `integrate(x^4/(a+b*sech(d*x^2+c)),x, algorithm="giac")`

output `integrate(x^4/(b*sech(d*x^2 + c) + a), x)`

Mupad [N/A]

Not integrable

Time = 2.33 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{x^4}{a + b \operatorname{sech}(c + dx^2)} dx = \int \frac{x^4}{a + \frac{b}{\cosh(dx^2+c)}} dx$$

input `int(x^4/(a + b/cosh(c + d*x^2)),x)`

output `int(x^4/(a + b/cosh(c + d*x^2)), x)`

Reduce [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 58, normalized size of antiderivative = 3.22

$$\int \frac{x^4}{a + b \operatorname{sech}(c + dx^2)} dx = \frac{-10e^c \left(\int \frac{e^{dx^2} x^4}{e^{2dx^2+2c} a + 2e^{dx^2+c} b + a} dx \right) b + x^5}{5a}$$

input `int(x^4/(a+b*sech(d*x^2+c)),x)`output `(- 10*e**c*int((e**(d*x**2)*x**4)/(e**(2*c + 2*d*x**2)*a + 2*e**(c + d*x**2)*b + a),x)*b + x**5)/(5*a)`

3.26 $\int \frac{x^2}{a+b\operatorname{sech}(c+dx^2)} dx$

Optimal result	201
Mathematica [N/A]	201
Rubi [N/A]	202
Maple [N/A]	202
Fricas [N/A]	203
Sympy [N/A]	203
Maxima [N/A]	203
Giac [N/A]	204
Mupad [N/A]	204
Reduce [N/A]	205

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{x^2}{a + b\operatorname{sech}(c + dx^2)} dx = \operatorname{Int}\left(\frac{x^2}{a + b\operatorname{sech}(c + dx^2)}, x\right)$$

output `Defer(Int)(x^2/(a+b*sech(d*x^2+c)), x)`

Mathematica [N/A]

Not integrable

Time = 2.13 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{x^2}{a + b\operatorname{sech}(c + dx^2)} dx = \int \frac{x^2}{a + b\operatorname{sech}(c + dx^2)} dx$$

input `Integrate[x^2/(a + b*Sech[c + d*x^2]), x]`

output `Integrate[x^2/(a + b*Sech[c + d*x^2]), x]`

Rubi [N/A]

Not integrable

Time = 0.34 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^2}{a + b \operatorname{sech}(c + dx^2)} dx$$

↓ 5961

$$\int \frac{x^2}{a + b \operatorname{sech}(c + dx^2)} dx$$

input `Int[x^2/(a + b*Sech[c + d*x^2]),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.05 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{x^2}{a + b \operatorname{sech}(dx^2 + c)} dx$$

input `int(x^2/(a+b*sech(d*x^2+c)),x)`

output `int(x^2/(a+b*sech(d*x^2+c)),x)`

Fricas [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{x^2}{a + b \operatorname{sech}(c + dx^2)} dx = \int \frac{x^2}{b \operatorname{sech}(dx^2 + c) + a} dx$$

input `integrate(x^2/(a+b*sech(d*x^2+c)),x, algorithm="fricas")`

output `integral(x^2/(b*sech(d*x^2 + c) + a), x)`

Sympy [N/A]

Not integrable

Time = 0.45 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.83

$$\int \frac{x^2}{a + b \operatorname{sech}(c + dx^2)} dx = \int \frac{x^2}{a + b \operatorname{sech}(c + dx^2)} dx$$

input `integrate(x**2/(a+b*sech(d*x**2+c)),x)`

output `Integral(x**2/(a + b*sech(c + d*x**2)), x)`

Maxima [N/A]

Not integrable

Time = 0.14 (sec) , antiderivative size = 59, normalized size of antiderivative = 3.28

$$\int \frac{x^2}{a + b \operatorname{sech}(c + dx^2)} dx = \int \frac{x^2}{b \operatorname{sech}(dx^2 + c) + a} dx$$

input `integrate(x^2/(a+b*sech(d*x^2+c)),x, algorithm="maxima")`

output `1/3*x^3/a - 2*b*integrate(x^2*e^(d*x^2 + c)/(a^2*e^(2*d*x^2 + 2*c) + 2*a*b*e^(d*x^2 + c) + a^2), x)`

Giac [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{x^2}{a + b \operatorname{sech}(c + dx^2)} dx = \int \frac{x^2}{b \operatorname{sech}(dx^2 + c) + a} dx$$

input `integrate(x^2/(a+b*sech(d*x^2+c)),x, algorithm="giac")`

output `integrate(x^2/(b*sech(d*x^2 + c) + a), x)`

Mupad [N/A]

Not integrable

Time = 2.40 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{x^2}{a + b \operatorname{sech}(c + dx^2)} dx = \int \frac{x^2}{a + \frac{b}{\cosh(dx^2+c)}} dx$$

input `int(x^2/(a + b/cosh(c + d*x^2)),x)`

output `int(x^2/(a + b/cosh(c + d*x^2)), x)`

Reduce [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 58, normalized size of antiderivative = 3.22

$$\int \frac{x^2}{a + b \operatorname{sech}(c + dx^2)} dx = \frac{-6e^c \left(\int \frac{e^{dx^2} x^2}{e^{2dx^2+2c} a + 2e^{dx^2+c} b + a} dx \right) b + x^3}{3a}$$

input `int(x^2/(a+b*sech(d*x^2+c)),x)`output `(- 6***c*int((e**(d*x**2)*x**2)/(e**(2*c + 2*d*x**2)*a + 2*e**(c + d*x**2)*b + a),x)*b + x**3)/(3*a)`

$$3.27 \quad \int \frac{1}{x^2 (a + b \operatorname{sech}(c + dx^2))} dx$$

Optimal result	206
Mathematica [N/A]	206
Rubi [N/A]	207
Maple [N/A]	207
Fricas [N/A]	208
Sympy [N/A]	208
Maxima [N/A]	208
Giac [N/A]	209
Mupad [N/A]	209
Reduce [N/A]	210

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + dx^2))} dx = \operatorname{Int}\left(\frac{1}{x^2 (a + b \operatorname{sech}(c + dx^2))}, x\right)$$

output `Defer(Int)(1/x^2/(a+b*sech(d*x^2+c)),x)`

Mathematica [N/A]

Not integrable

Time = 2.12 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + dx^2))} dx = \int \frac{1}{x^2 (a + b \operatorname{sech}(c + dx^2))} dx$$

input `Integrate[1/(x^2*(a + b*Sech[c + d*x^2])),x]`

output `Integrate[1/(x^2*(a + b*Sech[c + d*x^2])), x]`

Rubi [N/A]

Not integrable

Time = 0.34 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + dx^2))} dx$$

↓ 5961

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + dx^2))} dx$$

input `Int[1/(x^2*(a + b*Sech[c + d*x^2])),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.05 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(dx^2 + c))} dx$$

input `int(1/x^2/(a+b*sech(d*x^2+c)),x)`

output `int(1/x^2/(a+b*sech(d*x^2+c)),x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 23, normalized size of antiderivative = 1.28

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + dx^2))} dx = \int \frac{1}{(b \operatorname{sech}(dx^2 + c) + a)x^2} dx$$

input `integrate(1/x^2/(a+b*sech(d*x^2+c)),x, algorithm="fricas")`

output `integral(1/(b*x^2*sech(d*x^2 + c) + a*x^2), x)`

Sympy [N/A]

Not integrable

Time = 0.83 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.94

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + dx^2))} dx = \int \frac{1}{x^2 (a + b \operatorname{sech}(c + dx^2))} dx$$

input `integrate(1/x**2/(a+b*sech(d*x**2+c)),x)`

output `Integral(1/(x**2*(a + b*sech(c + d*x**2))), x)`

Maxima [N/A]

Not integrable

Time = 0.15 (sec) , antiderivative size = 66, normalized size of antiderivative = 3.67

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + dx^2))} dx = \int \frac{1}{(b \operatorname{sech}(dx^2 + c) + a)x^2} dx$$

input `integrate(1/x^2/(a+b*sech(d*x^2+c)),x, algorithm="maxima")`

output

```
-2*b*integrate(e^(d*x^2 + c)/(a^2*x^2*e^(2*d*x^2 + 2*c) + 2*a*b*x^2*e^(d*x^2 + c) + a^2*x^2), x) - 1/(a*x)
```

Giac [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + dx^2))} dx = \int \frac{1}{(b \operatorname{sech}(dx^2 + c) + a)x^2} dx$$

input

```
integrate(1/x^2/(a+b*sech(d*x^2+c)),x, algorithm="giac")
```

output

```
integrate(1/((b*sech(d*x^2 + c) + a)*x^2), x)
```

Mupad [N/A]

Not integrable

Time = 2.35 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + dx^2))} dx = \int \frac{1}{x^2 \left(a + \frac{b}{\cosh(dx^2+c)} \right)} dx$$

input

```
int(1/(x^2*(a + b/cosh(c + d*x^2))),x)
```

output

```
int(1/(x^2*(a + b/cosh(c + d*x^2))), x)
```

Reduce [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 100, normalized size of antiderivative = 5.56

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + dx^2))} dx = e^{2c} \left(\int \frac{e^{2dx^2}}{e^{2dx^2+2c} a x^2 + 2e^{dx^2+c} b x^2 + a x^2} dx \right) + \int \frac{1}{e^{2dx^2+2c} a x^2 + 2e^{dx^2+c} b x^2 + a x^2} dx$$

input `int(1/x^2/(a+b*sech(d*x^2+c)),x)`output `e**(2*c)*int(e**(2*d*x**2)/(e**(2*c + 2*d*x**2)*a*x**2 + 2*e**(c + d*x**2)*b*x**2 + a*x**2),x) + int(1/(e**(2*c + 2*d*x**2)*a*x**2 + 2*e**(c + d*x**2)*b*x**2 + a*x**2),x)`

$$3.28 \quad \int \frac{1}{x^4 (a + b \operatorname{sech}(c + dx^2))} dx$$

Optimal result	211
Mathematica [N/A]	211
Rubi [N/A]	212
Maple [N/A]	212
Fricas [N/A]	213
Sympy [N/A]	213
Maxima [N/A]	213
Giac [N/A]	214
Mupad [N/A]	214
Reduce [N/A]	215

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{1}{x^4 (a + b \operatorname{sech}(c + dx^2))} dx = \operatorname{Int}\left(\frac{1}{x^4 (a + b \operatorname{sech}(c + dx^2))}, x\right)$$

output `Defer(Int)(1/x^4/(a+b*sech(d*x^2+c)),x)`

Mathematica [N/A]

Not integrable

Time = 2.10 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{1}{x^4 (a + b \operatorname{sech}(c + dx^2))} dx = \int \frac{1}{x^4 (a + b \operatorname{sech}(c + dx^2))} dx$$

input `Integrate[1/(x^4*(a + b*Sech[c + d*x^2])),x]`

output `Integrate[1/(x^4*(a + b*Sech[c + d*x^2])), x]`

Rubi [N/A]

Not integrable

Time = 0.34 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x^4 (a + b \operatorname{sech}(c + dx^2))} dx$$

↓ 5961

$$\int \frac{1}{x^4 (a + b \operatorname{sech}(c + dx^2))} dx$$

input `Int[1/(x^4*(a + b*Sech[c + d*x^2])),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.05 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^4 (a + b \operatorname{sech}(dx^2 + c))} dx$$

input `int(1/x^4/(a+b*sech(d*x^2+c)),x)`

output `int(1/x^4/(a+b*sech(d*x^2+c)),x)`

Fricas [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 23, normalized size of antiderivative = 1.28

$$\int \frac{1}{x^4 (a + b \operatorname{sech}(c + dx^2))} dx = \int \frac{1}{(b \operatorname{sech}(dx^2 + c) + a)x^4} dx$$

input `integrate(1/x^4/(a+b*sech(d*x^2+c)),x, algorithm="fricas")`

output `integral(1/(b*x^4*sech(d*x^2 + c) + a*x^4), x)`

Sympy [N/A]

Not integrable

Time = 1.07 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.94

$$\int \frac{1}{x^4 (a + b \operatorname{sech}(c + dx^2))} dx = \int \frac{1}{x^4 (a + b \operatorname{sech}(c + dx^2))} dx$$

input `integrate(1/x**4/(a+b*sech(d*x**2+c)),x)`

output `Integral(1/(x**4*(a + b*sech(c + d*x**2))), x)`

Maxima [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 66, normalized size of antiderivative = 3.67

$$\int \frac{1}{x^4 (a + b \operatorname{sech}(c + dx^2))} dx = \int \frac{1}{(b \operatorname{sech}(dx^2 + c) + a)x^4} dx$$

input `integrate(1/x^4/(a+b*sech(d*x^2+c)),x, algorithm="maxima")`

output `-2*b*integrate(e^(d*x^2 + c)/(a^2*x^4*e^(2*d*x^2 + 2*c) + 2*a*b*x^4*e^(d*x^2 + c) + a^2*x^4), x) - 1/3/(a*x^3)`

Giac [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{1}{x^4 (a + b \operatorname{sech}(c + dx^2))} dx = \int \frac{1}{(b \operatorname{sech}(dx^2 + c) + a)x^4} dx$$

input `integrate(1/x^4/(a+b*sech(d*x^2+c)),x, algorithm="giac")`

output `integrate(1/((b*sech(d*x^2 + c) + a)*x^4), x)`

Mupad [N/A]

Not integrable

Time = 2.48 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{1}{x^4 (a + b \operatorname{sech}(c + dx^2))} dx = \int \frac{1}{x^4 \left(a + \frac{b}{\cosh(dx^2 + c)} \right)} dx$$

input `int(1/(x^4*(a + b/cosh(c + d*x^2))),x)`

output `int(1/(x^4*(a + b/cosh(c + d*x^2))), x)`

Reduce [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 100, normalized size of antiderivative = 5.56

$$\int \frac{1}{x^4 (a + b \operatorname{sech}(c + dx^2))} dx = e^{2c} \left(\int \frac{e^{2dx^2}}{e^{2dx^2+2c} a x^4 + 2e^{dx^2+c} b x^4 + a x^4} dx \right) + \int \frac{1}{e^{2dx^2+2c} a x^4 + 2e^{dx^2+c} b x^4 + a x^4} dx$$

input `int(1/x^4/(a+b*sech(d*x^2+c)),x)`output `e**(2*c)*int(e**(2*d*x**2)/(e**(2*c + 2*d*x**2)*a*x**4 + 2*e**(c + d*x**2)*b*x**4 + a*x**4),x) + int(1/(e**(2*c + 2*d*x**2)*a*x**4 + 2*e**(c + d*x**2)*b*x**4 + a*x**4),x)`

$$3.29 \quad \int \frac{x^5}{(a+b\operatorname{sech}(c+dx^2))^2} dx$$

Optimal result	216
Mathematica [A] (verified)	217
Rubi [A] (verified)	218
Maple [F]	220
Fricas [B] (verification not implemented)	221
Sympy [F]	221
Maxima [F(-2)]	221
Giac [F]	222
Mupad [F(-1)]	222
Reduce [F]	222

Optimal result

Integrand size = 18, antiderivative size = 994

$$\int \frac{x^5}{(a + b\operatorname{sech}(c + dx^2))^2} dx = \text{Too large to display}$$

output

```

1/2*b^2*x^4/a^2/(a^2-b^2)/d+1/6*x^6/a^2-b^2*x^2*ln(1+a*exp(d*x^2+c)/(b-(-a
^2+b^2)^(1/2)))/a^2/(a^2-b^2)/d^2+1/2*b^3*x^4*ln(1+a*exp(d*x^2+c)/(b-(-a^2
+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d-b*x^4*ln(1+a*exp(d*x^2+c)/(b-(-a^2+b
^2)^(1/2)))/a^2/(-a^2+b^2)^(1/2)/d-b^2*x^2*ln(1+a*exp(d*x^2+c)/(b+(-a^2+b^2
)^(1/2)))/a^2/(a^2-b^2)/d^2-1/2*b^3*x^4*ln(1+a*exp(d*x^2+c)/(b+(-a^2+b^2)
^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d+b*x^4*ln(1+a*exp(d*x^2+c)/(b+(-a^2+b^2)^(1/
2)))/a^2/(-a^2+b^2)^(1/2)/d-b^2*polylog(2,-a*exp(d*x^2+c)/(b-(-a^2+b^2)^(1
/2)))/a^2/(a^2-b^2)/d^3+b^3*x^2*polylog(2,-a*exp(d*x^2+c)/(b-(-a^2+b^2)^(1
/2)))/a^2/(-a^2+b^2)^(3/2)/d^2-2*b*x^2*polylog(2,-a*exp(d*x^2+c)/(b-(-a^2+
b^2)^(1/2)))/a^2/(-a^2+b^2)^(1/2)/d^2-b^2*polylog(2,-a*exp(d*x^2+c)/(b+(-a
^2+b^2)^(1/2)))/a^2/(a^2-b^2)/d^3-b^3*x^2*polylog(2,-a*exp(d*x^2+c)/(b+(-a
^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d^2+2*b*x^2*polylog(2,-a*exp(d*x^2+c)
/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(1/2)/d^2-b^3*polylog(3,-a*exp(d*x^2
+c)/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d^3+2*b*polylog(3,-a*exp(d
*x^2+c)/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(1/2)/d^3+b^3*polylog(3,-a*exp
(d*x^2+c)/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d^3-2*b*polylog(3,-a*
exp(d*x^2+c)/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(1/2)/d^3+1/2*b^2*x^4*si
nh(d*x^2+c)/a/(a^2-b^2)/d/(b+a*cosh(d*x^2+c))

```

Mathematica [A] (verified)

Time = 4.19 (sec) , antiderivative size = 1565, normalized size of antiderivative = 1.57

$$\int \frac{x^5}{(a + b \operatorname{sech}(c + dx^2))^2} dx = \text{Too large to display}$$

input

```
Integrate[x^5/(a + b*Sech[c + d*x^2])^2,x]
```

output

```

((b + a*Cosh[c + d*x^2])*Sech[c + d*x^2]^2*(x^6*(b + a*Cosh[c + d*x^2]) -
(3*b*E^(2*c))*(b + a*Cosh[c + d*x^2])*(2*b*d^2*E^(2*c))*Sqrt[(-a^2 + b^2)*E^
(2*c)]*x^4 - 2*b*d*Sqrt[(-a^2 + b^2)*E^(2*c)]*x^2*Log[1 + (a*E^(2*c + d*x^
2))/(b*E^c - Sqrt[(-a^2 + b^2)*E^(2*c)])] - 2*b*d*E^(2*c)*Sqrt[(-a^2 + b^2
)*E^(2*c)]*x^2*Log[1 + (a*E^(2*c + d*x^2))/(b*E^c - Sqrt[(-a^2 + b^2)*E^(2
*c)])] - 2*a^2*d^2*E^c*x^4*Log[1 + (a*E^(2*c + d*x^2))/(b*E^c - Sqrt[(-a^2
+ b^2)*E^(2*c)])] + b^2*d^2*E^c*x^4*Log[1 + (a*E^(2*c + d*x^2))/(b*E^c -
Sqrt[(-a^2 + b^2)*E^(2*c)])] - 2*a^2*d^2*E^(3*c)*x^4*Log[1 + (a*E^(2*c + d
*x^2))/(b*E^c - Sqrt[(-a^2 + b^2)*E^(2*c)])] + b^2*d^2*E^(3*c)*x^4*Log[1 +
(a*E^(2*c + d*x^2))/(b*E^c - Sqrt[(-a^2 + b^2)*E^(2*c)])] - 2*b*d*Sqrt[(-
a^2 + b^2)*E^(2*c)]*x^2*Log[1 + (a*E^(2*c + d*x^2))/(b*E^c + Sqrt[(-a^2 +
b^2)*E^(2*c)])] - 2*b*d*E^(2*c)*Sqrt[(-a^2 + b^2)*E^(2*c)]*x^2*Log[1 + (a*
E^(2*c + d*x^2))/(b*E^c + Sqrt[(-a^2 + b^2)*E^(2*c)])] + 2*a^2*d^2*E^c*x^4
*Log[1 + (a*E^(2*c + d*x^2))/(b*E^c + Sqrt[(-a^2 + b^2)*E^(2*c)])] - b^2*d
^2*E^c*x^4*Log[1 + (a*E^(2*c + d*x^2))/(b*E^c + Sqrt[(-a^2 + b^2)*E^(2*c)]
)] + 2*a^2*d^2*E^(3*c)*x^4*Log[1 + (a*E^(2*c + d*x^2))/(b*E^c + Sqrt[(-a^2
+ b^2)*E^(2*c)])] - b^2*d^2*E^(3*c)*x^4*Log[1 + (a*E^(2*c + d*x^2))/(b*E^
c + Sqrt[(-a^2 + b^2)*E^(2*c)])] + 2*(1 + E^(2*c))*(-(b*Sqrt[(-a^2 + b^2)*
E^(2*c)]) - 2*a^2*d*E^c*x^2 + b^2*d*E^c*x^2)*PolyLog[2, -(a*E^(2*c + d*x^
2))/(b*E^c - Sqrt[(-a^2 + b^2)*E^(2*c)])] - 2*(1 + E^(2*c))*(b*Sqrt[(-...

```

Rubi [A] (verified)

Time = 3.06 (sec) , antiderivative size = 990, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {5959, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^5}{(a + b \operatorname{sech}(c + dx^2))^2} dx$$

$$\downarrow \text{5959}$$

$$\frac{1}{2} \int \frac{x^4}{(a + b \operatorname{sech}(dx^2 + c))^2} dx^2$$

$$\downarrow \text{3042}$$

$$\frac{1}{2} \int \frac{x^4}{\left(a + b \csc\left(dx^2 + ic + \frac{\pi}{2}\right)\right)^2} dx^2$$

↓ 4679

$$\frac{1}{2} \int \left(-\frac{2bx^4}{a^2(b + a \cosh(dx^2 + c))} + \frac{x^4}{a^2} + \frac{b^2x^4}{a^2(b + a \cosh(dx^2 + c))^2} \right) dx^2$$

↓ 2009

$$\frac{1}{2} \left(\frac{x^6}{3a^2} - \frac{2b \log\left(\frac{e^{dx^2+c}a}{b-\sqrt{b^2-a^2}} + 1\right) x^4}{a^2\sqrt{b^2-a^2}d} + \frac{b^3 \log\left(\frac{e^{dx^2+c}a}{b-\sqrt{b^2-a^2}} + 1\right) x^4}{a^2(b^2-a^2)^{3/2}d} + \frac{2b \log\left(\frac{e^{dx^2+c}a}{b+\sqrt{b^2-a^2}} + 1\right) x^4}{a^2\sqrt{b^2-a^2}d} - \frac{b^3 \log\left(\frac{e^{dx^2+c}a}{b+\sqrt{b^2-a^2}} + 1\right) x^4}{a^2(b^2-a^2)^{3/2}d} \right)$$

input `Int[x^5/(a + b*Sech[c + d*x^2])^2,x]`

output

```
((b^2*x^4)/(a^2*(a^2 - b^2)*d) + x^6/(3*a^2) - (2*b^2*x^2*Log[1 + (a*E^(c + d*x^2))/(b - Sqrt[-a^2 + b^2]])/(a^2*(a^2 - b^2)*d^2) + (b^3*x^4*Log[1 + (a*E^(c + d*x^2))/(b - Sqrt[-a^2 + b^2]])/(a^2*(-a^2 + b^2)^(3/2)*d) - (2*b*x^4*Log[1 + (a*E^(c + d*x^2))/(b - Sqrt[-a^2 + b^2]])/(a^2*Sqrt[-a^2 + b^2]*d) - (2*b^2*x^2*Log[1 + (a*E^(c + d*x^2))/(b + Sqrt[-a^2 + b^2]])/(a^2*(a^2 - b^2)*d^2) - (b^3*x^4*Log[1 + (a*E^(c + d*x^2))/(b + Sqrt[-a^2 + b^2]])/(a^2*(-a^2 + b^2)^(3/2)*d) + (2*b*x^4*Log[1 + (a*E^(c + d*x^2))/(b + Sqrt[-a^2 + b^2]])/(a^2*Sqrt[-a^2 + b^2]*d) - (2*b^2*PolyLog[2, -((a*E^(c + d*x^2))/(b - Sqrt[-a^2 + b^2]])/(a^2*(a^2 - b^2)*d^3) + (2*b^3*x^2*PolyLog[2, -((a*E^(c + d*x^2))/(b - Sqrt[-a^2 + b^2]])/(a^2*(-a^2 + b^2)^(3/2)*d^2) - (4*b*x^2*PolyLog[2, -((a*E^(c + d*x^2))/(b - Sqrt[-a^2 + b^2]])/(a^2*Sqrt[-a^2 + b^2]*d^2) - (2*b^2*PolyLog[2, -((a*E^(c + d*x^2))/(b + Sqrt[-a^2 + b^2]])/(a^2*(a^2 - b^2)*d^3) - (2*b^3*x^2*PolyLog[2, -((a*E^(c + d*x^2))/(b + Sqrt[-a^2 + b^2]])/(a^2*(-a^2 + b^2)^(3/2)*d^2) + (4*b*x^2*PolyLog[2, -((a*E^(c + d*x^2))/(b + Sqrt[-a^2 + b^2]])/(a^2*Sqrt[-a^2 + b^2]*d^2) - (2*b^3*PolyLog[3, -((a*E^(c + d*x^2))/(b - Sqrt[-a^2 + b^2]])/(a^2*(-a^2 + b^2)^(3/2)*d^3) + (4*b*PolyLog[3, -((a*E^(c + d*x^2))/(b - Sqrt[-a^2 + b^2]])/(a^2*Sqrt[-a^2 + b^2]*d^3) + (2*b^3*PolyLog[3, -((a*E^(c + d*x^2))/(b + Sqrt[-a^2 + b^2]])/(a^2*(-a^2 + b^2)^(3/2)*d^3) - (4*b*PolyLog[3, -((a*E^(c + d*x^2))/(b + Sqrt[-a^2 + b^2]])/...
```

Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4679 `Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Sin[e + f*x])^n), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]`

rule 5959 `Int[(x_)^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [F]

$$\int \frac{x^5}{(a + b \operatorname{sech}(dx^2 + c))^2} dx$$

input `int(x^5/(a+b*sech(d*x^2+c))^2,x)`

output `int(x^5/(a+b*sech(d*x^2+c))^2,x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 3918 vs. 2(906) = 1812.

Time = 0.16 (sec) , antiderivative size = 3918, normalized size of antiderivative = 3.94

$$\int \frac{x^5}{(a + b \operatorname{sech}(c + dx^2))^2} dx = \text{Too large to display}$$

input `integrate(x^5/(a+b*sech(d*x^2+c))^2,x, algorithm="fricas")`

output `Too large to include`

Sympy [F]

$$\int \frac{x^5}{(a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{x^5}{(a + b \operatorname{sech}(c + dx^2))^2} dx$$

input `integrate(x**5/(a+b*sech(d*x**2+c))**2,x)`

output `Integral(x**5/(a + b*sech(c + d*x**2))**2, x)`

Maxima [F(-2)]

Exception generated.

$$\int \frac{x^5}{(a + b \operatorname{sech}(c + dx^2))^2} dx = \text{Exception raised: ValueError}$$

input `integrate(x^5/(a+b*sech(d*x^2+c))^2,x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(a-b>0)', see `assume?` for more details)Is`

Giac [F]

$$\int \frac{x^5}{(a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{x^5}{(b \operatorname{sech}(dx^2 + c) + a)^2} dx$$

input `integrate(x^5/(a+b*sech(d*x^2+c))^2,x, algorithm="giac")`

output `integrate(x^5/(b*sech(d*x^2 + c) + a)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x^5}{(a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{x^5}{\left(a + \frac{b}{\cosh(dx^2+c)}\right)^2} dx$$

input `int(x^5/(a + b/cosh(c + d*x^2))^2,x)`

output `int(x^5/(a + b/cosh(c + d*x^2))^2, x)`

Reduce [F]

$$\int \frac{x^5}{(a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{x^5}{\operatorname{sech}(dx^2 + c)^2 b^2 + 2 \operatorname{sech}(dx^2 + c) ab + a^2} dx$$

input `int(x^5/(a+b*sech(d*x^2+c))^2,x)`

output `int(x**5/(sech(c + d*x**2)**2*b**2 + 2*sech(c + d*x**2)*a*b + a**2),x)`

3.30
$$\int \frac{x^3}{(a+b\operatorname{sech}(c+dx^2))^2} dx$$

Optimal result	223
Mathematica [A] (warning: unable to verify)	224
Rubi [A] (verified)	225
Maple [F]	227
Fricas [B] (verification not implemented)	227
Sympy [F]	228
Maxima [F(-2)]	229
Giac [F]	229
Mupad [F(-1)]	229
Reduce [F]	230

Optimal result

Integrand size = 18, antiderivative size = 555

$$\begin{aligned} \int \frac{x^3}{(a+b\operatorname{sech}(c+dx^2))^2} dx = & \frac{x^4}{4a^2} + \frac{b^3 x^2 \log\left(1 + \frac{ae^{c+dx^2}}{b-\sqrt{-a^2+b^2}}\right)}{2a^2(-a^2+b^2)^{3/2}d} \\ & - \frac{bx^2 \log\left(1 + \frac{ae^{c+dx^2}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}d} - \frac{b^3 x^2 \log\left(1 + \frac{ae^{c+dx^2}}{b+\sqrt{-a^2+b^2}}\right)}{2a^2(-a^2+b^2)^{3/2}d} \\ & + \frac{bx^2 \log\left(1 + \frac{ae^{c+dx^2}}{b+\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}d} - \frac{b^2 \log(b+a \cosh(c+dx^2))}{2a^2(a^2-b^2)d^2} \\ & + \frac{b^3 \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^2}}{b-\sqrt{-a^2+b^2}}\right)}{2a^2(-a^2+b^2)^{3/2}d^2} \\ & - \frac{b \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^2}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}d^2} \\ & - \frac{b^3 \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^2}}{b+\sqrt{-a^2+b^2}}\right)}{2a^2(-a^2+b^2)^{3/2}d^2} \\ & + \frac{b \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^2}}{b+\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}d^2} \\ & + \frac{b^2 x^2 \sinh(c+dx^2)}{2a(a^2-b^2)d(b+a \cosh(c+dx^2))} \end{aligned}$$

output

$$\frac{1}{4}x^4/a^2+1/2*b^3*x^2*\ln(1+a*\exp(d*x^2+c)/(b-(-a^2+b^2)^{(1/2)}))/a^2/(-a^2+b^2)^{(3/2)}/d-b*x^2*\ln(1+a*\exp(d*x^2+c)/(b-(-a^2+b^2)^{(1/2)}))/a^2/(-a^2+b^2)^{(1/2)}/d-1/2*b^3*x^2*\ln(1+a*\exp(d*x^2+c)/(b+(-a^2+b^2)^{(1/2)}))/a^2/(-a^2+b^2)^{(3/2)}/d+b*x^2*\ln(1+a*\exp(d*x^2+c)/(b+(-a^2+b^2)^{(1/2)}))/a^2/(-a^2+b^2)^{(1/2)}/d-1/2*b^2*\ln(b+a*\cosh(d*x^2+c))/a^2/(a^2-b^2)/d^2+1/2*b^3*\text{polylog}(2,-a*\exp(d*x^2+c)/(b-(-a^2+b^2)^{(1/2)}))/a^2/(-a^2+b^2)^{(3/2)}/d^2-b*\text{polylog}(2,-a*\exp(d*x^2+c)/(b-(-a^2+b^2)^{(1/2)}))/a^2/(-a^2+b^2)^{(1/2)}/d^2-1/2*b^3*\text{polylog}(2,-a*\exp(d*x^2+c)/(b+(-a^2+b^2)^{(1/2)}))/a^2/(-a^2+b^2)^{(3/2)}/d^2+b*\text{polylog}(2,-a*\exp(d*x^2+c)/(b+(-a^2+b^2)^{(1/2)}))/a^2/(-a^2+b^2)^{(1/2)}/d^2+1/2*b^2*x^2*\sinh(d*x^2+c)/a/(a^2-b^2)/d/(b+a*\cosh(d*x^2+c))$$
Mathematica [A] (warning: unable to verify)

Time = 3.33 (sec) , antiderivative size = 654, normalized size of antiderivative = 1.18

$$\int \frac{x^3}{(a + b \operatorname{sech}(c + dx^2))^2} dx$$

$$= \frac{(b + a \cosh(c + dx^2)) \operatorname{sech}^2(c + dx^2) \left((-c + dx^2)(c + dx^2)(b + a \cosh(c + dx^2)) - \frac{2b(a^2 - b^2)(b + a \cosh(c + dx^2))}{(b + a \cosh(c + dx^2))^2} \right)}{(b + a \cosh(c + dx^2))^2}$$

input

Integrate[x^3/(a + b*Sech[c + d*x^2])^2,x]

output

$$\begin{aligned} & ((b + a*\cosh[c + d*x^2])*Sech[c + d*x^2]^2*((-c + d*x^2)*(c + d*x^2)*(b + a*\cosh[c + d*x^2]) - (2*b*(a^2 - b^2)*(b + a*\cosh[c + d*x^2])*(b*\sqrt{-(a^2 - b^2)^2}*(c + d*x^2) + 4*a^2*\sqrt{-a^2 + b^2}*c*\text{ArcTan}[(b + a*E^(c + d*x^2))/\sqrt{a^2 - b^2}] - 2*b^2*\sqrt{-a^2 + b^2}*c*\text{ArcTan}[(b + a*E^(c + d*x^2))/\sqrt{a^2 - b^2}] - 2*a^2*\sqrt{a^2 - b^2}*(c + d*x^2)*\text{Log}[1 + (a*E^(c + d*x^2))/(b - \sqrt{-a^2 + b^2}]) + b^2*\sqrt{a^2 - b^2}*(c + d*x^2)*\text{Log}[1 + (a*E^(c + d*x^2))/(b - \sqrt{-a^2 + b^2}]) + 2*a^2*\sqrt{a^2 - b^2}*(c + d*x^2)*\text{Log}[1 + (a*E^(c + d*x^2))/(b + \sqrt{-a^2 + b^2}]) - b^2*\sqrt{a^2 - b^2}*(c + d*x^2)*\text{Log}[1 + (a*E^(c + d*x^2))/(b + \sqrt{-a^2 + b^2}]) - b*\sqrt{-(a^2 - b^2)^2}*\text{Log}[a + 2*b*E^(c + d*x^2) + a*E^(2*(c + d*x^2))] + \sqrt{a^2 - b^2}*(-2*a^2 + b^2)*\text{PolyLog}[2, (a*E^(c + d*x^2))/(-b + \sqrt{-a^2 + b^2}]) + \sqrt{a^2 - b^2}*(2*a^2 - b^2)*\text{PolyLog}[2, -((a*E^(c + d*x^2))/(b + \sqrt{-a^2 + b^2}))]))/(-a^2 - b^2)^{(3/2)} + (2*a*b^2*d*x^2*\sinh[c + d*x^2])/((a - b)*(a + b)))/(4*a^2*d^2*(a + b*Sech[c + d*x^2])^2) \end{aligned}$$

Rubi [A] (verified)

Time = 1.36 (sec) , antiderivative size = 546, normalized size of antiderivative = 0.98, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {5959, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{x^3}{(a + b \operatorname{sech}(c + dx^2))^2} dx \\
 & \quad \downarrow \text{5959} \\
 & \frac{1}{2} \int \frac{x^2}{(a + b \operatorname{sech}(dx^2 + c))^2} dx^2 \\
 & \quad \downarrow \text{3042} \\
 & \frac{1}{2} \int \frac{x^2}{(a + b \csc(idx^2 + ic + \frac{\pi}{2}))^2} dx^2 \\
 & \quad \downarrow \text{4679} \\
 & \frac{1}{2} \int \left(-\frac{2bx^2}{a^2(b + a \cosh(dx^2 + c))} + \frac{x^2}{a^2} + \frac{b^2x^2}{a^2(b + a \cosh(dx^2 + c))^2} \right) dx^2 \\
 & \quad \downarrow \text{2009} \\
 & \frac{1}{2} \left(-\frac{2b \operatorname{PolyLog}\left(2, -\frac{ae^{dx^2+c}}{b-\sqrt{b^2-a^2}}\right)}{a^2d^2\sqrt{b^2-a^2}} + \frac{2b \operatorname{PolyLog}\left(2, -\frac{ae^{dx^2+c}}{b+\sqrt{b^2-a^2}}\right)}{a^2d^2\sqrt{b^2-a^2}} - \frac{b^2 \log(a \cosh(c + dx^2) + b)}{a^2d^2(a^2 - b^2)} - \frac{2bx^2 \log\left(\frac{ae}{b-\sqrt{b^2-a^2}}\right)}{a^2d\sqrt{b^2-a^2}} \right)
 \end{aligned}$$

input

```
Int[x^3/(a + b*Sech[c + d*x^2])^2,x]
```

output

$$\begin{aligned} & (x^4/(2*a^2) + (b^3*x^2*\text{Log}[1 + (a*E^{(c + d*x^2)})/(b - \text{Sqrt}[-a^2 + b^2])]) \\ & / (a^2*(-a^2 + b^2)^{(3/2)*d} - (2*b*x^2*\text{Log}[1 + (a*E^{(c + d*x^2)})/(b - \text{Sqrt} \\ & [-a^2 + b^2])]) / (a^2*\text{Sqrt}[-a^2 + b^2]*d) - (b^3*x^2*\text{Log}[1 + (a*E^{(c + d*x^2)} \\ & 2)/(b + \text{Sqrt}[-a^2 + b^2])]) / (a^2*(-a^2 + b^2)^{(3/2)*d} + (2*b*x^2*\text{Log}[1 + \\ & (a*E^{(c + d*x^2)})/(b + \text{Sqrt}[-a^2 + b^2])]) / (a^2*\text{Sqrt}[-a^2 + b^2]*d) - (b^ \\ & 2*\text{Log}[b + a*\text{Cosh}[c + d*x^2]]) / (a^2*(a^2 - b^2)*d^2) + (b^3*\text{PolyLog}[2, -((a \\ & *E^{(c + d*x^2)})/(b - \text{Sqrt}[-a^2 + b^2])]) / (a^2*(-a^2 + b^2)^{(3/2)*d^2} - (\\ & 2*b*\text{PolyLog}[2, -((a*E^{(c + d*x^2)})/(b - \text{Sqrt}[-a^2 + b^2])]) / (a^2*\text{Sqrt}[-a^ \\ & 2 + b^2]*d^2) - (b^3*\text{PolyLog}[2, -((a*E^{(c + d*x^2)})/(b + \text{Sqrt}[-a^2 + b^2]) \\ &])) / (a^2*(-a^2 + b^2)^{(3/2)*d^2} + (2*b*\text{PolyLog}[2, -((a*E^{(c + d*x^2)})/(b \\ & + \text{Sqrt}[-a^2 + b^2])]) / (a^2*\text{Sqrt}[-a^2 + b^2]*d^2) + (b^2*x^2*\text{Sinh}[c + d*x^ \\ & 2]) / (a*(a^2 - b^2)*d*(b + a*\text{Cosh}[c + d*x^2])))) / 2 \end{aligned}$$

Defintions of rubi rules used

rule 2009

$$\text{Int}[u_, x_Symbol] \text{ :> } \text{Simp}[\text{IntSum}[u, x], x] \text{ /; } \text{SumQ}[u]$$

rule 3042

$$\text{Int}[u_, x_Symbol] \text{ :> } \text{Int}[\text{DeactivateTrig}[u, x], x] \text{ /; } \text{FunctionOfTrigOfLinearQ}[u, x]$$

rule 4679

$$\begin{aligned} & \text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^{(n_.)*((c_.) + (d_.)*(x_))^{(m_.)} \\ & , x_Symbol] \text{ :> } \text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, 1/(\text{Sin}[e + f*x]^n/(b + a*\text{Si} \\ & n[e + f*x])^n), x], x] \text{ /; } \text{FreeQ}\{a, b, c, d, e, f\}, x \text{ \&\& } \text{ILtQ}[n, 0] \text{ \&\& } \text{IGt} \\ & \text{Q}[m, 0] \end{aligned}$$

rule 5959

$$\begin{aligned} & \text{Int}[(x_)^{(m_.)*((a_.) + (b_.)*\text{Sech}[(c_.) + (d_.)*(x_)^{(n_.)}])^{(p_.)}, x_Symbo \\ & l] \text{ :> } \text{Simp}[1/n \text{ Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*\text{Sech}[c + d*x] \\ &)^p}, x], x, x^n], x] \text{ /; } \text{FreeQ}\{a, b, c, d, m, n, p\}, x \text{ \&\& } \text{IGtQ}[\text{Simplify}[(m \\ & + 1)/n], 0] \text{ \&\& } \text{IntegerQ}[p] \end{aligned}$$

Maple [F]

$$\int \frac{x^3}{(a + b \operatorname{sech}(dx^2 + c))^2} dx$$

input `int(x^3/(a+b*sech(d*x^2+c))^2,x)`

output `int(x^3/(a+b*sech(d*x^2+c))^2,x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2473 vs. 2(497) = 994.

Time = 0.14 (sec) , antiderivative size = 2473, normalized size of antiderivative = 4.46

$$\int \frac{x^3}{(a + b \operatorname{sech}(c + dx^2))^2} dx = \text{Too large to display}$$

input `integrate(x^3/(a+b*sech(d*x^2+c))^2,x, algorithm="fricas")`

output

```

1/4*((a^5 - 2*a^3*b^2 + a*b^4)*d^2*x^4 + ((a^5 - 2*a^3*b^2 + a*b^4)*d^2*x^
4 + 4*(a^3*b^2 - a*b^4)*d*x^2 + 4*(a^3*b^2 - a*b^4)*c)*cosh(d*x^2 + c)^2 +
((a^5 - 2*a^3*b^2 + a*b^4)*d^2*x^4 + 4*(a^3*b^2 - a*b^4)*d*x^2 + 4*(a^3*b
^2 - a*b^4)*c)*sinh(d*x^2 + c)^2 + 2*(2*a^4*b - a^2*b^3 + (2*a^4*b - a^2*b
^3)*cosh(d*x^2 + c)^2 + (2*a^4*b - a^2*b^3)*sinh(d*x^2 + c)^2 + 2*(2*a^3*b
^2 - a*b^4)*cosh(d*x^2 + c) + 2*(2*a^3*b^2 - a*b^4 + (2*a^4*b - a^2*b^3)*c
osh(d*x^2 + c))*sinh(d*x^2 + c))*sqrt(-(a^2 - b^2)/a^2)*dilog(-(b*cosh(d*x
^2 + c) + b*sinh(d*x^2 + c) + (a*cosh(d*x^2 + c) + a*sinh(d*x^2 + c))*sqrt
(-(a^2 - b^2)/a^2) + a)/a + 1) - 2*(2*a^4*b - a^2*b^3 + (2*a^4*b - a^2*b^3
)*cosh(d*x^2 + c)^2 + (2*a^4*b - a^2*b^3)*sinh(d*x^2 + c)^2 + 2*(2*a^3*b^2
- a*b^4)*cosh(d*x^2 + c) + 2*(2*a^3*b^2 - a*b^4 + (2*a^4*b - a^2*b^3)*cos
h(d*x^2 + c))*sinh(d*x^2 + c))*sqrt(-(a^2 - b^2)/a^2)*dilog(-(b*cosh(d*x^2
+ c) + b*sinh(d*x^2 + c) - (a*cosh(d*x^2 + c) + a*sinh(d*x^2 + c))*sqrt(-
(a^2 - b^2)/a^2) + a)/a + 1) + 2*((2*a^4*b - a^2*b^3)*d*x^2 + ((2*a^4*b -
a^2*b^3)*d*x^2 + (2*a^4*b - a^2*b^3)*c)*cosh(d*x^2 + c)^2 + ((2*a^4*b - a
^2*b^3)*d*x^2 + (2*a^4*b - a^2*b^3)*c)*sinh(d*x^2 + c)^2 + (2*a^4*b - a^2*b
^3)*c + 2*((2*a^3*b^2 - a*b^4)*d*x^2 + (2*a^3*b^2 - a*b^4)*c)*cosh(d*x^2 +
c) + 2*((2*a^3*b^2 - a*b^4)*d*x^2 + (2*a^3*b^2 - a*b^4)*c + ((2*a^4*b - a
^2*b^3)*d*x^2 + (2*a^4*b - a^2*b^3)*c)*cosh(d*x^2 + c))*sinh(d*x^2 + c))*s
qrt(-(a^2 - b^2)/a^2)*log((b*cosh(d*x^2 + c) + b*sinh(d*x^2 + c) + (a*c...

```

Sympy [F]

$$\int \frac{x^3}{(a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{x^3}{(a + b \operatorname{sech}(c + dx^2))^2} dx$$

input

```
integrate(x**3/(a+b*sech(d*x**2+c))**2,x)
```

output

```
Integral(x**3/(a + b*sech(c + d*x**2))**2, x)
```

Maxima [F(-2)]

Exception generated.

$$\int \frac{x^3}{(a + b \operatorname{sech}(c + dx^2))^2} dx = \text{Exception raised: ValueError}$$

input `integrate(x^3/(a+b*sech(d*x^2+c))^2,x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(a-b>0)', see `assume?` for more details)Is`

Giac [F]

$$\int \frac{x^3}{(a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{x^3}{(b \operatorname{sech}(dx^2 + c) + a)^2} dx$$

input `integrate(x^3/(a+b*sech(d*x^2+c))^2,x, algorithm="giac")`

output `integrate(x^3/(b*sech(d*x^2 + c) + a)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x^3}{(a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{x^3}{\left(a + \frac{b}{\cosh(dx^2+c)}\right)^2} dx$$

input `int(x^3/(a + b/cosh(c + d*x^2))^2,x)`

output `int(x^3/(a + b/cosh(c + d*x^2))^2, x)`

Reduce [F]

$$\int \frac{x^3}{(a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{x^3}{\operatorname{sech}(dx^2 + c)^2 b^2 + 2 \operatorname{sech}(dx^2 + c) ab + a^2} dx$$

input `int(x^3/(a+b*sech(d*x^2+c))^2,x)`

output `int(x**3/(sech(c + d*x**2)**2*b**2 + 2*sech(c + d*x**2)*a*b + a**2),x)`

3.31
$$\int \frac{x}{(a+b\operatorname{sech}(c+dx^2))^2} dx$$

Optimal result	231
Mathematica [A] (verified)	231
Rubi [A] (verified)	232
Maple [A] (verified)	235
Fricas [B] (verification not implemented)	236
Sympy [F]	237
Maxima [F(-2)]	237
Giac [A] (verification not implemented)	237
Mupad [B] (verification not implemented)	238
Reduce [F]	239

Optimal result

Integrand size = 16, antiderivative size = 123

$$\int \frac{x}{(a + b\operatorname{sech}(c + dx^2))^2} dx = \frac{x^2}{2a^2} - \frac{b(2a^2 - b^2) \arctan\left(\frac{\sqrt{a-b} \tanh(\frac{1}{2}(c+dx^2))}{\sqrt{a+b}}\right)}{a^2(a-b)^{3/2}(a+b)^{3/2}d} + \frac{b^2 \tanh(c + dx^2)}{2a(a^2 - b^2)d(a + b\operatorname{sech}(c + dx^2))}$$

output

```
1/2*x^2/a^2-b*(2*a^2-b^2)*arctan((a-b)^(1/2)*tanh(1/2*d*x^2+1/2*c)/(a+b)^(1/2))/a^2/(a-b)^(3/2)/(a+b)^(3/2)/d+1/2*b^2*tanh(d*x^2+c)/a/(a^2-b^2)/d/(a+b*sech(d*x^2+c))
```

Mathematica [A] (verified)

Time = 0.56 (sec) , antiderivative size = 220, normalized size of antiderivative = 1.79

$$\int \frac{x}{(a + b\operatorname{sech}(c + dx^2))^2} dx = \frac{a\left((a^2 - b^2)^{3/2}(c + dx^2) + (4a^2b - 2b^3) \arctan\left(\frac{(-a+b) \tanh(\frac{1}{2}(c+dx^2))}{\sqrt{a^2-b^2}}\right)\right) \cosh(c + dx^2) + b\left((a^2 - b^2)^{3/2}(c + dx^2) + (4a^2b - 2b^3) \arctan\left(\frac{(-a+b) \tanh(\frac{1}{2}(c+dx^2))}{\sqrt{a^2-b^2}}\right)\right)}{2a^2(a-b)(a+b)\sqrt{a^2 - b^2}d(b + a \cosh(c + dx^2))}$$

input `Integrate[x/(a + b*Sech[c + d*x^2])^2,x]`

output $(a*((a^2 - b^2)^{(3/2)}*(c + d*x^2) + (4*a^2*b - 2*b^3)*ArcTan[((-a + b)*Tanh[(c + d*x^2)/2])/Sqrt[a^2 - b^2]])*Cosh[c + d*x^2] + b*((a^2 - b^2)^{(3/2)}*(c + d*x^2) + (4*a^2*b - 2*b^3)*ArcTan[((-a + b)*Tanh[(c + d*x^2)/2])/Sqrt[a^2 - b^2]] + a*b*Sqrt[a^2 - b^2]*Sinh[c + d*x^2))/(2*a^2*(a - b)*(a + b)*Sqrt[a^2 - b^2]*d*(b + a*Cosh[c + d*x^2]))$

Rubi [A] (verified)

Time = 0.77 (sec) , antiderivative size = 146, normalized size of antiderivative = 1.19, number of steps used = 12, number of rules used = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.688$, Rules used = {5959, 3042, 4272, 25, 3042, 4407, 3042, 4318, 3042, 3138, 221}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x}{(a + b \operatorname{sech}(c + dx^2))^2} dx$$

$$\downarrow 5959$$

$$\frac{1}{2} \int \frac{1}{(a + b \operatorname{sech}(dx^2 + c))^2} dx^2$$

$$\downarrow 3042$$

$$\frac{1}{2} \int \frac{1}{(a + b \csc(idx^2 + ic + \frac{\pi}{2}))^2} dx^2$$

$$\downarrow 4272$$

$$\frac{1}{2} \left(\frac{b^2 \tanh(c + dx^2)}{ad(a^2 - b^2)(a + b \operatorname{sech}(c + dx^2))} - \frac{\int -\frac{a^2 - b \operatorname{sech}(dx^2 + c)a - b^2}{a + b \operatorname{sech}(dx^2 + c)} dx^2}{a(a^2 - b^2)} \right)$$

$$\downarrow 25$$

$$\frac{1}{2} \left(\frac{\int \frac{a^2 - b \operatorname{sech}(dx^2 + c)a - b^2}{a + b \operatorname{sech}(dx^2 + c)} dx^2}{a(a^2 - b^2)} + \frac{b^2 \tanh(c + dx^2)}{ad(a^2 - b^2)(a + b \operatorname{sech}(c + dx^2))} \right)$$

↓ 3042

$$\frac{1}{2} \left(\frac{b^2 \tanh(c + dx^2)}{ad(a^2 - b^2)(a + b \operatorname{sech}(c + dx^2))} + \frac{\int \frac{a^2 - b \csc(idx^2 + ic + \frac{\pi}{2})a - b^2}{a + b \csc(idx^2 + ic + \frac{\pi}{2})} dx^2}{a(a^2 - b^2)} \right)$$

↓ 4407

$$\frac{1}{2} \left(\frac{\frac{x^2(a^2 - b^2)}{a} - \frac{b(2a^2 - b^2) \int \frac{\operatorname{sech}(dx^2 + c)}{a + b \operatorname{sech}(dx^2 + c)} dx^2}{a}}{a(a^2 - b^2)} + \frac{b^2 \tanh(c + dx^2)}{ad(a^2 - b^2)(a + b \operatorname{sech}(c + dx^2))} \right)$$

↓ 3042

$$\frac{1}{2} \left(\frac{b^2 \tanh(c + dx^2)}{ad(a^2 - b^2)(a + b \operatorname{sech}(c + dx^2))} + \frac{\frac{x^2(a^2 - b^2)}{a} - \frac{b(2a^2 - b^2) \int \frac{\csc(idx^2 + ic + \frac{\pi}{2})}{a + b \csc(idx^2 + ic + \frac{\pi}{2})} dx^2}{a}}{a(a^2 - b^2)} \right)$$

↓ 4318

$$\frac{1}{2} \left(\frac{\frac{x^2(a^2 - b^2)}{a} - \frac{(2a^2 - b^2) \int \frac{1}{a \cosh(\frac{1}{b}(dx^2 + c)) + 1} dx^2}{a}}{a(a^2 - b^2)} + \frac{b^2 \tanh(c + dx^2)}{ad(a^2 - b^2)(a + b \operatorname{sech}(c + dx^2))} \right)$$

↓ 3042

$$\frac{1}{2} \left(\frac{b^2 \tanh(c + dx^2)}{ad(a^2 - b^2)(a + b \operatorname{sech}(c + dx^2))} + \frac{\frac{x^2(a^2 - b^2)}{a} - \frac{(2a^2 - b^2) \int \frac{1}{a \sin(\frac{1}{b}(idx^2 + ic + \frac{\pi}{2})) + 1} dx^2}{a}}{a(a^2 - b^2)} \right)$$

↓ 3138

$$\frac{1}{2} \left(\frac{b^2 \tanh(c + dx^2)}{ad(a^2 - b^2)(a + b \operatorname{sech}(c + dx^2))} + \frac{\frac{x^2(a^2 - b^2)}{a} + \frac{2i(2a^2 - b^2) \int \frac{1}{(\frac{1-a}{b})x^4 + \frac{a+b}{b}} d(i \tanh(\frac{1}{2}(dx^2 + c)))}{ad}}{a(a^2 - b^2)} \right)$$

↓ 221

$$\frac{1}{2} \left(\frac{x^2(a^2-b^2)}{a} - \frac{2b(2a^2-b^2) \arctan\left(\frac{\sqrt{a-b} \tanh\left(\frac{1}{2}(c+dx^2)\right)}{\sqrt{a+b}}\right)}{ad\sqrt{a-b}\sqrt{a+b}} \right) + \frac{b^2 \tanh(c+dx^2)}{ad(a^2-b^2)(a+b \operatorname{sech}(c+dx^2))}$$

input `Int[x/(a + b*Sech[c + d*x^2])^2,x]`

output `((((a^2 - b^2)*x^2)/a - (2*b*(2*a^2 - b^2)*ArcTan[(Sqrt[a - b]*Tanh[(c + d*x^2)/2])/Sqrt[a + b]])/(a*Sqrt[a - b]*Sqrt[a + b]*d))/(a*(a^2 - b^2)) + (b^2*Tanh[c + d*x^2])/(a*(a^2 - b^2)*d*(a + b*Sech[c + d*x^2]))/2`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 221 `Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 3138 `Int[((a_) + (b_)*sin[Pi/2 + (c_) + (d_)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Simp[2*(e/d) Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]`

rule 4272 `Int[(csc[(c_) + (d_)*(x_)])*(b_) + (a_)]^(n_), x_Symbol] := Simp[b^2*Cot[c + d*x]*((a + b*Csc[c + d*x])^(n + 1)/(a*d*(n + 1)*(a^2 - b^2))), x] + Simp[1/(a*(n + 1)*(a^2 - b^2)) Int[(a + b*Csc[c + d*x])^(n + 1)*Simp[(a^2 - b^2)*(n + 1) - a*b*(n + 1)*Csc[c + d*x] + b^2*(n + 2)*Csc[c + d*x]^2, x], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2*n]`

rule 4318 $\text{Int}[\text{csc}[(e_.) + (f_.)*(x_)]/(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] \rightarrow \text{Simp}[1/b \text{ Int}[1/(1 + (a/b)*\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, e, f\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$

rule 4407 $\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] \rightarrow \text{Simp}[c*(x/a), x] - \text{Simp}[(b*c - a*d)/a \text{ Int}[\text{Csc}[e + f*x]/(a + b*\text{Csc}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

rule 5959 $\text{Int}[(x_)^(m_.)*((a_.) + (b_.)*\text{Sech}[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] \rightarrow \text{Simp}[1/n \text{ Subst}[\text{Int}[x^(Simplify[(m + 1)/n] - 1)*(a + b*\text{Sech}[c + d*x])^p, x], x, x^n], x] /; \text{FreeQ}\{a, b, c, d, m, n, p\}, x] \ \&\& \ \text{IGtQ}[Simplify[(m + 1)/n], 0] \ \&\& \ \text{IntegerQ}[p]$

Maple [A] (verified)

Time = 0.20 (sec) , antiderivative size = 177, normalized size of antiderivative = 1.44

method	result
derivativedivides	$2b \left(\frac{ab \tanh\left(\frac{dx^2}{2} + \frac{c}{2}\right)}{(a^2 - b^2) \left(\tanh\left(\frac{dx^2}{2} + \frac{c}{2}\right)^2 a - \tanh\left(\frac{dx^2}{2} + \frac{c}{2}\right)^2 b + a + b \right)} + \frac{(2a^2 - b^2) \arctan\left(\frac{(a-b) \tanh\left(\frac{dx^2}{2} + \frac{c}{2}\right)}{\sqrt{(a-b)(a+b)}}\right)}{(a-b)(a+b)\sqrt{(a-b)(a+b)}} \right) \frac{\ln\left(\tanh\left(\frac{dx^2}{2} + \frac{c}{2}\right)\right)}{a^2} - \frac{2d}{a^2}$
default	$2b \left(\frac{ab \tanh\left(\frac{dx^2}{2} + \frac{c}{2}\right)}{(a^2 - b^2) \left(\tanh\left(\frac{dx^2}{2} + \frac{c}{2}\right)^2 a - \tanh\left(\frac{dx^2}{2} + \frac{c}{2}\right)^2 b + a + b \right)} + \frac{(2a^2 - b^2) \arctan\left(\frac{(a-b) \tanh\left(\frac{dx^2}{2} + \frac{c}{2}\right)}{\sqrt{(a-b)(a+b)}}\right)}{(a-b)(a+b)\sqrt{(a-b)(a+b)}} \right) \frac{\ln\left(\tanh\left(\frac{dx^2}{2} + \frac{c}{2}\right)\right)}{a^2} - \frac{2d}{a^2}$
risch	$\frac{x^2}{2a^2} - \frac{b^2 (b e^{dx^2+c+a})}{a^2(a^2-b^2)d(a e^{2dx^2+2c} + 2b e^{dx^2+c+a})} - \frac{b \ln\left(e^{dx^2+c} + b\sqrt{\frac{-a^2+b^2+a^2-b^2}{-a^2+b^2}}\right)}{\sqrt{-a^2+b^2}(a+b)(a-b)d} + \frac{b^3 \ln\left(e^{dx^2+c} + b\sqrt{\frac{-a^2+b^2+a^2-b^2}{-a^2+b^2}}\right)}{2\sqrt{-a^2+b^2}(a+b)(a-b)d}$

input $\text{int}(x/(a+b*\text{sech}(d*x^2+c))^2, x, \text{method}=_RETURNVERBOSE)$

output

```
1/2/d*(-2*b/a^2*(-a*b/(a^2-b^2)*tanh(1/2*d*x^2+1/2*c)/(tanh(1/2*d*x^2+1/2*c)^2*a-tanh(1/2*d*x^2+1/2*c)^2*b+a+b)+(2*a^2-b^2)/(a-b)/(a+b)/((a-b)*(a+b))^(1/2)*arctan((a-b)*tanh(1/2*d*x^2+1/2*c)/((a-b)*(a+b))^(1/2)))-1/a^2*ln(tanh(1/2*d*x^2+1/2*c)-1)+1/a^2*ln(1+tanh(1/2*d*x^2+1/2*c)))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 587 vs. $2(110) = 220$.

Time = 0.12 (sec) , antiderivative size = 1314, normalized size of antiderivative = 10.68

$$\int \frac{x}{(a + b \operatorname{sech}(c + dx^2))^2} dx = \text{Too large to display}$$

input

```
integrate(x/(a+b*sech(d*x^2+c))^2,x, algorithm="fricas")
```

output

```
[1/2*((a^5 - 2*a^3*b^2 + a*b^4)*d*x^2*cosh(d*x^2 + c)^2 + (a^5 - 2*a^3*b^2 + a*b^4)*d*x^2*sinh(d*x^2 + c)^2 - 2*a^3*b^2 + 2*a*b^4 + (a^5 - 2*a^3*b^2 + a*b^4)*d*x^2 - (2*a^3*b - a*b^3 + (2*a^3*b - a*b^3)*cosh(d*x^2 + c)^2 + (2*a^3*b - a*b^3)*sinh(d*x^2 + c)^2 + 2*(2*a^2*b^2 - b^4)*cosh(d*x^2 + c) + 2*(2*a^2*b^2 - b^4 + (2*a^3*b - a*b^3)*cosh(d*x^2 + c))*sinh(d*x^2 + c))*sqrt(-a^2 + b^2)*log((a^2*cosh(d*x^2 + c)^2 + a^2*sinh(d*x^2 + c)^2 + 2*a*b*cosh(d*x^2 + c) - a^2 + 2*b^2 + 2*(a^2*cosh(d*x^2 + c) + a*b)*sinh(d*x^2 + c) + 2*sqrt(-a^2 + b^2)*(a*cosh(d*x^2 + c) + a*sinh(d*x^2 + c) + b))/(a*cosh(d*x^2 + c)^2 + a*sinh(d*x^2 + c)^2 + 2*b*cosh(d*x^2 + c) + 2*(a*cosh(d*x^2 + c) + b)*sinh(d*x^2 + c) + a) - 2*(a^2*b^3 - b^5 - (a^4*b - 2*a^2*b^3 + b^5)*d*x^2)*cosh(d*x^2 + c) - 2*(a^2*b^3 - b^5 - (a^5 - 2*a^3*b^2 + a*b^4)*d*x^2*cosh(d*x^2 + c) - (a^4*b - 2*a^2*b^3 + b^5)*d*x^2)*sinh(d*x^2 + c))/((a^7 - 2*a^5*b^2 + a^3*b^4)*d*cosh(d*x^2 + c)^2 + (a^7 - 2*a^5*b^2 + a^3*b^4)*d*sinh(d*x^2 + c)^2 + 2*(a^6*b - 2*a^4*b^3 + a^2*b^5)*d*cosh(d*x^2 + c) + (a^7 - 2*a^5*b^2 + a^3*b^4)*d + 2*((a^7 - 2*a^5*b^2 + a^3*b^4)*d*cosh(d*x^2 + c) + (a^6*b - 2*a^4*b^3 + a^2*b^5)*d)*sinh(d*x^2 + c)), 1/2*((a^5 - 2*a^3*b^2 + a*b^4)*d*x^2*cosh(d*x^2 + c)^2 + (a^5 - 2*a^3*b^2 + a*b^4)*d*x^2*sinh(d*x^2 + c)^2 - 2*a^3*b^2 + 2*a*b^4 + (a^5 - 2*a^3*b^2 + a*b^4)*d*x^2 + 2*(2*a^3*b - a*b^3 + (2*a^3*b - a*b^3)*cosh(d*x^2 + c)^2 + (2*a^3*b - a*b^3)*sinh(d*x^2 + c)^2 + 2*(2*a^2*b^2 - b^4)*cosh(d*x^2...
```

Sympy [F]

$$\int \frac{x}{(a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{x}{(a + b \operatorname{sech}(c + dx^2))^2} dx$$

input `integrate(x/(a+b*sech(d*x**2+c))**2,x)`

output `Integral(x/(a + b*sech(c + d*x**2))**2, x)`

Maxima [F(-2)]

Exception generated.

$$\int \frac{x}{(a + b \operatorname{sech}(c + dx^2))^2} dx = \text{Exception raised: ValueError}$$

input `integrate(x/(a+b*sech(d*x^2+c))^2,x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` f or more de`

Giac [A] (verification not implemented)

Time = 0.13 (sec) , antiderivative size = 148, normalized size of antiderivative = 1.20

$$\int \frac{x}{(a + b \operatorname{sech}(c + dx^2))^2} dx = -\frac{(2a^2b - b^3) \arctan\left(\frac{ae^{(dx^2+c)} + b}{\sqrt{a^2 - b^2}}\right)}{(a^4d - a^2b^2d)\sqrt{a^2 - b^2}} - \frac{b^3 e^{(dx^2+c)} + ab^2}{(a^4d - a^2b^2d)(ae^{(2dx^2+2c)} + 2be^{(dx^2+c)} + a)} + \frac{dx^2 + c}{2a^2d}$$

input `integrate(x/(a+b*sech(d*x^2+c))^2,x, algorithm="giac")`

output

```

-(2*a^2*b - b^3)*arctan((a*e^(d*x^2 + c) + b)/sqrt(a^2 - b^2))/((a^4*d - a
^2*b^2*d)*sqrt(a^2 - b^2)) - (b^3*e^(d*x^2 + c) + a*b^2)/((a^4*d - a^2*b^2
*d)*(a*e^(2*d*x^2 + 2*c) + 2*b*e^(d*x^2 + c) + a)) + 1/2*(d*x^2 + c)/(a^2*
d)

```

Mupad [B] (verification not implemented)

Time = 2.97 (sec) , antiderivative size = 316, normalized size of antiderivative = 2.57

$$\begin{aligned}
 & \int \frac{x}{(a + b \operatorname{sech}(c + dx^2))^2} dx \\
 &= \frac{\frac{b^2}{d(a^2 - b^2)} + \frac{b^3 e^{d x^2 + c}}{a d (a^2 - b^2)}}{a + 2 b e^{d x^2 + c} + a e^{2 d x^2 + 2 c}} + \frac{x^2}{2 a^2} \\
 &+ \frac{b \ln \left(\frac{2 b x e^{d x^2 + c} (2 a^2 - b^2)}{a^3 (a^2 - b^2)} - \frac{2 b x (a + b e^{d x^2 + c}) (2 a^2 - b^2)}{a^3 (a + b)^{3/2} (b - a)^{3/2}} \right) (2 a^2 - b^2)}{2 a^2 d (a + b)^{3/2} (b - a)^{3/2}} \\
 &- \frac{b \ln \left(\frac{2 b x e^{d x^2 + c} (2 a^2 - b^2)}{a^3 (a^2 - b^2)} + \frac{2 b x (a + b e^{d x^2 + c}) (2 a^2 - b^2)}{a^3 (a + b)^{3/2} (b - a)^{3/2}} \right) (2 a^2 - b^2)}{2 a^2 d (a + b)^{3/2} (b - a)^{3/2}}
 \end{aligned}$$

input

```
int(x/(a + b/cosh(c + d*x^2))^2,x)
```

output

```

(b^2/(d*(a*b^2 - a^3)) + (b^3*exp(c + d*x^2))/(a*d*(a*b^2 - a^3)))/(a + 2*
b*exp(c + d*x^2) + a*exp(2*c + 2*d*x^2)) + x^2/(2*a^2) + (b*log((2*b*x*exp
(c + d*x^2)*(2*a^2 - b^2))/(a^3*(a^2 - b^2)) - (2*b*x*(a + b*exp(c + d*x^2
))*(2*a^2 - b^2))/(a^3*(a + b)^(3/2)*(b - a)^(3/2)))*(2*a^2 - b^2))/(2*a^2
*d*(a + b)^(3/2)*(b - a)^(3/2)) - (b*log((2*b*x*exp(c + d*x^2)*(2*a^2 - b^
2))/(a^3*(a^2 - b^2)) + (2*b*x*(a + b*exp(c + d*x^2))*(2*a^2 - b^2))/(a^3*
(a + b)^(3/2)*(b - a)^(3/2)))*(2*a^2 - b^2))/(2*a^2*d*(a + b)^(3/2)*(b - a
)^(3/2))

```

Reduce [F]

$$\int \frac{x}{(a + b \operatorname{sech}(c + dx^2))^2} dx = \text{too large to display}$$

input `int(x/(a+b*sech(d*x^2+c))^2,x)`

output

```
( - 5***2*c + 2*d*x**2)*sqrt(a**2 - b**2)*atan((e**(c + d*x**2)*a + b)/s
qrt(a**2 - b**2))*a**3*b + 2*e**(2*c + 2*d*x**2)*sqrt(a**2 - b**2)*atan((e
**(c + d*x**2)*a + b)/sqrt(a**2 - b**2))*a*b**3 - 10*e**(c + d*x**2)*sqrt(
a**2 - b**2)*atan((e**(c + d*x**2)*a + b)/sqrt(a**2 - b**2))*a**2*b**2 + 4
*e**(c + d*x**2)*sqrt(a**2 - b**2)*atan((e**(c + d*x**2)*a + b)/sqrt(a**2
- b**2))*b**4 - 5*sqrt(a**2 - b**2)*atan((e**(c + d*x**2)*a + b)/sqrt(a**2
- b**2))*a**3*b + 2*sqrt(a**2 - b**2)*atan((e**(c + d*x**2)*a + b)/sqrt(a
**2 - b**2))*a*b**3 + 4*e**(2*c + 2*d*x**2)*int(x/(e**(4*c + 4*d*x**2)*a**
2 + 4*e**(3*c + 3*d*x**2)*a*b + 2*e**(2*c + 2*d*x**2)*a**2 + 4*e**(2*c + 2
*d*x**2)*b**2 + 4*e**(c + d*x**2)*a*b + a**2),x)*a**7*d - 8*e**(2*c + 2*d*
x**2)*int(x/(e**(4*c + 4*d*x**2)*a**2 + 4*e**(3*c + 3*d*x**2)*a*b + 2*e**(
2*c + 2*d*x**2)*a**2 + 4*e**(2*c + 2*d*x**2)*b**2 + 4*e**(c + d*x**2)*a*b
+ a**2),x)*a**5*b**2*d + 4*e**(2*c + 2*d*x**2)*int(x/(e**(4*c + 4*d*x**2)*
a**2 + 4*e**(3*c + 3*d*x**2)*a*b + 2*e**(2*c + 2*d*x**2)*a**2 + 4*e**(2*c
+ 2*d*x**2)*b**2 + 4*e**(c + d*x**2)*a*b + a**2),x)*a**3*b**4*d + e**(2*c
+ 2*d*x**2)*log(e**(2*c + 2*d*x**2)*a + 2*e**(c + d*x**2)*b + a)*a**5 - 2*
e**(2*c + 2*d*x**2)*log(e**(2*c + 2*d*x**2)*a + 2*e**(c + d*x**2)*b + a)*a
**3*b**2 + e**(2*c + 2*d*x**2)*log(e**(2*c + 2*d*x**2)*a + 2*e**(c + d*x**
2)*b + a)*a*b**4 + e**(2*c + 2*d*x**2)*a**5 + e**(2*c + 2*d*x**2)*a**3*b**
2 - 2*e**(2*c + 2*d*x**2)*a*b**4 + 8*e**(c + d*x**2)*int(x/(e**(4*c + 4...
```


$$3.32 \quad \int \frac{1}{x \left(a + b \operatorname{sech}(c + dx^2) \right)^2} dx$$

Optimal result	240
Mathematica [N/A]	240
Rubi [N/A]	241
Maple [N/A]	241
Fricas [N/A]	242
Sympy [N/A]	242
Maxima [N/A]	242
Giac [N/A]	243
Mupad [N/A]	243
Reduce [N/A]	244

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{1}{x \left(a + b \operatorname{sech}(c + dx^2) \right)^2} dx = \operatorname{Int} \left(\frac{1}{x \left(a + b \operatorname{sech}(c + dx^2) \right)^2}, x \right)$$

output `Defer(Int)(1/x/(a+b*sech(d*x^2+c))^2,x)`

Mathematica [N/A]

Not integrable

Time = 35.47 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{1}{x \left(a + b \operatorname{sech}(c + dx^2) \right)^2} dx = \int \frac{1}{x \left(a + b \operatorname{sech}(c + dx^2) \right)^2} dx$$

input `Integrate[1/(x*(a + b*Sech[c + d*x^2])^2),x]`

output `Integrate[1/(x*(a + b*Sech[c + d*x^2])^2), x]`

Rubi [N/A]

Not integrable

Time = 0.28 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x(a + b \operatorname{sech}(c + dx^2))^2} dx$$

↓ 5961

$$\int \frac{1}{x(a + b \operatorname{sech}(c + dx^2))^2} dx$$

input `Int[1/(x*(a + b*Sech[c + d*x^2])^2),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.06 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{1}{x(a + b \operatorname{sech}(dx^2 + c))^2} dx$$

input `int(1/x/(a+b*sech(d*x^2+c))^2,x)`

output `int(1/x/(a+b*sech(d*x^2+c))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 38, normalized size of antiderivative = 2.11

$$\int \frac{1}{x(a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{1}{(b \operatorname{sech}(dx^2 + c) + a)^2 x} dx$$

input `integrate(1/x/(a+b*sech(d*x^2+c))^2,x, algorithm="fricas")`

output `integral(1/(b^2*x*sech(d*x^2 + c)^2 + 2*a*b*x*sech(d*x^2 + c) + a^2*x), x)`

Sympy [N/A]

Not integrable

Time = 1.84 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.94

$$\int \frac{1}{x(a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{1}{x(a + b \operatorname{sech}(c + dx^2))^2} dx$$

input `integrate(1/x/(a+b*sech(d*x**2+c))**2,x)`

output `Integral(1/(x*(a + b*sech(c + d*x**2))**2), x)`

Maxima [N/A]

Not integrable

Time = 0.28 (sec) , antiderivative size = 249, normalized size of antiderivative = 13.83

$$\int \frac{1}{x(a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{1}{(b \operatorname{sech}(dx^2 + c) + a)^2 x} dx$$

input `integrate(1/x/(a+b*sech(d*x^2+c))^2,x, algorithm="maxima")`

output

```

-(b^3*e^(d*x^2 + c) + a*b^2)/((a^5*d*e^(2*c) - a^3*b^2*d*e^(2*c))*x^2*e^(2
*d*x^2) + 2*(a^4*b*d*e^c - a^2*b^3*d*e^c)*x^2*e^(d*x^2) + (a^5*d - a^3*b^2
*d)*x^2) + log(x)/a^2 - integrate(2*(a*b^2 + (b^3*e^c + (2*a^2*b*d*e^c - b
^3*d*e^c)*x^2)*e^(d*x^2))/((a^5*d*e^(2*c) - a^3*b^2*d*e^(2*c))*x^3*e^(2*d*
x^2) + 2*(a^4*b*d*e^c - a^2*b^3*d*e^c)*x^3*e^(d*x^2) + (a^5*d - a^3*b^2*d)
*x^3), x)

```

Giac [N/A]

Not integrable

Time = 0.85 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{1}{x(a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{1}{(b \operatorname{sech}(dx^2 + c) + a)^2 x} dx$$

input

```
integrate(1/x/(a+b*sech(d*x^2+c))^2,x, algorithm="giac")
```

output

```
integrate(1/((b*sech(d*x^2 + c) + a)^2*x), x)
```

Mupad [N/A]

Not integrable

Time = 2.98 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{1}{x(a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{1}{x \left(a + \frac{b}{\cosh(dx^2+c)} \right)^2} dx$$

input

```
int(1/(x*(a + b/cosh(c + d*x^2))^2),x)
```

output

```
int(1/(x*(a + b/cosh(c + d*x^2))^2), x)
```

Reduce [N/A]

Not integrable

Time = 0.26 (sec) , antiderivative size = 341, normalized size of antiderivative = 18.94

$$\int \frac{1}{x(a + b \operatorname{sech}(c + dx^2))^2} dx$$

$$= \frac{-4e^{3c} \left(\int \frac{e^{3dx^2}}{e^{4dx^2+4ca^2x+4e^{3d}x^2+3cabx+2e^{2d}x^2+2ca^2x+4e^{2d}x^2+2cb^2x+4e^{d}x^2+cabx+a^2x}} dx \right) ab - 4e^{2c} \left(\int \frac{1}{e^{4dx^2+4ca^2x+4e^{3d}x^2+3cabx+2e^{2d}x^2+2ca^2x+4e^{2d}x^2+2cb^2x+4e^{d}x^2+cabx+a^2x}} dx \right)}{1}$$

input

```
int(1/x/(a+b*sech(d*x^2+c))^2,x)
```

output

```
( - 4*e**(3*c)*int(e**(3*d*x**2)/(e**(4*c + 4*d*x**2)*a**2*x + 4*e**(3*c + 3*d*x**2)*a*b*x + 2*e**(2*c + 2*d*x**2)*a**2*x + 4*e**(2*c + 2*d*x**2)*b**2*x + 4*e**(c + d*x**2)*a*b*x + a**2*x),x)*a*b - 4*e**(2*c)*int(e**(2*d*x**2)/(e**(4*c + 4*d*x**2)*a**2*x + 4*e**(3*c + 3*d*x**2)*a*b*x + 2*e**(2*c + 2*d*x**2)*a**2*x + 4*e**(2*c + 2*d*x**2)*b**2*x + 4*e**(c + d*x**2)*a*b*x + a**2*x),x)*b**2 - 4*e**c*int(e**(d*x**2)/(e**(4*c + 4*d*x**2)*a**2*x + 4*e**(3*c + 3*d*x**2)*a*b*x + 2*e**(2*c + 2*d*x**2)*a**2*x + 4*e**(2*c + 2*d*x**2)*b**2*x + 4*e**(c + d*x**2)*a*b*x + a**2*x),x)*a*b + log(x))/a**2
```

$$3.33 \quad \int \frac{1}{x^3 (a + b \operatorname{sech}(c + dx^2))^2} dx$$

Optimal result	245
Mathematica [N/A]	245
Rubi [N/A]	246
Maple [N/A]	246
Fricas [N/A]	247
Sympy [N/A]	247
Maxima [N/A]	247
Giac [N/A]	248
Mupad [N/A]	248
Reduce [N/A]	249

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{1}{x^3 (a + b \operatorname{sech}(c + dx^2))^2} dx = \operatorname{Int}\left(\frac{1}{x^3 (a + b \operatorname{sech}(c + dx^2))^2}, x\right)$$

output `Defer(Int)(1/x^3/(a+b*sech(d*x^2+c))^2,x)`

Mathematica [N/A]

Not integrable

Time = 17.71 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{1}{x^3 (a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{1}{x^3 (a + b \operatorname{sech}(c + dx^2))^2} dx$$

input `Integrate[1/(x^3*(a + b*Sech[c + d*x^2])^2),x]`

output `Integrate[1/(x^3*(a + b*Sech[c + d*x^2])^2), x]`

Rubi [N/A]

Not integrable

Time = 0.28 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x^3 (a + b \operatorname{sech}(c + dx^2))^2} dx$$

↓ 5961

$$\int \frac{1}{x^3 (a + b \operatorname{sech}(c + dx^2))^2} dx$$

input `Int [1/(x^3*(a + b*Sech[c + d*x^2])^2),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.06 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^3 (a + b \operatorname{sech}(dx^2 + c))^2} dx$$

input `int(1/x^3/(a+b*sech(d*x^2+c))^2,x)`

output `int(1/x^3/(a+b*sech(d*x^2+c))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 44, normalized size of antiderivative = 2.44

$$\int \frac{1}{x^3 (a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{1}{(b \operatorname{sech}(dx^2 + c) + a)^2 x^3} dx$$

input `integrate(1/x^3/(a+b*sech(d*x^2+c))^2,x, algorithm="fricas")`

output `integral(1/(b^2*x^3*sech(d*x^2 + c)^2 + 2*a*b*x^3*sech(d*x^2 + c) + a^2*x^3), x)`

Sympy [N/A]

Not integrable

Time = 1.54 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.06

$$\int \frac{1}{x^3 (a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{1}{x^3 (a + b \operatorname{sech}(c + dx^2))^2} dx$$

input `integrate(1/x**3/(a+b*sech(d*x**2+c))**2,x)`

output `Integral(1/(x**3*(a + b*sech(c + d*x**2))**2), x)`

Maxima [N/A]

Not integrable

Time = 0.28 (sec) , antiderivative size = 319, normalized size of antiderivative = 17.72

$$\int \frac{1}{x^3 (a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{1}{(b \operatorname{sech}(dx^2 + c) + a)^2 x^3} dx$$

input `integrate(1/x^3/(a+b*sech(d*x^2+c))^2,x, algorithm="maxima")`

output

```
-1/2*((a^3*d*e^(2*c) - a*b^2*d*e^(2*c))*x^2*e^(2*d*x^2) + 2*a*b^2 + (a^3*d
- a*b^2*d)*x^2 + 2*(b^3*e^c + (a^2*b*d*e^c - b^3*d*e^c)*x^2)*e^(d*x^2))/(
(a^5*d*e^(2*c) - a^3*b^2*d*e^(2*c))*x^4*e^(2*d*x^2) + 2*(a^4*b*d*e^c - a^2
*b^3*d*e^c)*x^4*e^(d*x^2) + (a^5*d - a^3*b^2*d)*x^4) - integrate(2*(2*a*b^
2 + (2*b^3*e^c + (2*a^2*b*d*e^c - b^3*d*e^c)*x^2)*e^(d*x^2))/((a^5*d*e^(2*
c) - a^3*b^2*d*e^(2*c))*x^5*e^(2*d*x^2) + 2*(a^4*b*d*e^c - a^2*b^3*d*e^c)*
x^5*e^(d*x^2) + (a^5*d - a^3*b^2*d)*x^5), x)
```

Giac [N/A]

Not integrable

Time = 1.29 (sec) , antiderivative size = 3, normalized size of antiderivative = 0.17

$$\int \frac{1}{x^3 (a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{1}{(b \operatorname{sech}(dx^2 + c) + a)^2 x^3} dx$$

input

```
integrate(1/x^3/(a+b*sech(d*x^2+c))^2,x, algorithm="giac")
```

output

```
sage0*x
```

Mupad [N/A]

Not integrable

Time = 3.08 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{1}{x^3 (a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{1}{x^3 \left(a + \frac{b}{\cosh(dx^2+c)} \right)^2} dx$$

input

```
int(1/(x^3*(a + b/cosh(c + d*x^2))^2),x)
```

output

```
int(1/(x^3*(a + b/cosh(c + d*x^2))^2), x)
```

Reduce [N/A]

Not integrable

Time = 0.33 (sec) , antiderivative size = 2679, normalized size of antiderivative = 148.83

$$\int \frac{1}{x^3 (a + b \operatorname{sech}(c + dx^2))^2} dx = \text{Too large to display}$$

input `int(1/x^3/(a+b*sech(d*x^2+c))^2,x)`

output

```
( - 4*e**(5*c + 2*d*x**2)*int(e**(3*d*x**2)/(e**(4*c + 4*d*x**2)*a**2*x**3 + 4*e**(3*c + 3*d*x**2)*a*b*x**3 + 2*e**(2*c + 2*d*x**2)*a**2*x**3 + 4*e**(2*c + 2*d*x**2)*b**2*x**3 + 4*e**(c + d*x**2)*a*b*x**3 + a**2*x**3),x)*a*b*x**2 + 4*e**(5*c + 2*d*x**2)*int(e**(3*d*x**2)/(e**(4*c + 4*d*x**2)*a**2*x + 4*e**(3*c + 3*d*x**2)*a*b*x + 2*e**(2*c + 2*d*x**2)*a**2*x + 4*e**(2*c + 2*d*x**2)*b**2*x + 4*e**(c + d*x**2)*a*b*x + a**2*x),x)*a*b*d*x**2 + 4*e**(4*c + 2*d*x**2)*int(e**(2*d*x**2)/(e**(4*c + 4*d*x**2)*a**2*x**3 + 4*e**(3*c + 3*d*x**2)*a*b*x**3 + 2*e**(2*c + 2*d*x**2)*a**2*x**3 + 4*e**(2*c + 2*d*x**2)*b**2*x**3 + 4*e**(c + d*x**2)*a*b*x**3 + a**2*x**3),x)*a**2*x**2 + 8*e**(4*c + 2*d*x**2)*int(e**(2*d*x**2)/(e**(4*c + 4*d*x**2)*a**2*x + 4*e**(3*c + 3*d*x**2)*a*b*x + 2*e**(2*c + 2*d*x**2)*a**2*x + 4*e**(2*c + 2*d*x**2)*b**2*x + 4*e**(c + d*x**2)*a*b*x + a**2*x),x)*a**2*d*x**2 + 4*e**(3*c + 2*d*x**2)*int(e**(d*x**2)/(e**(4*c + 4*d*x**2)*a**2*x**3 + 4*e**(3*c + 3*d*x**2)*a*b*x**3 + 2*e**(2*c + 2*d*x**2)*a**2*x**3 + 4*e**(2*c + 2*d*x**2)*b**2*x**3 + 4*e**(c + d*x**2)*a*b*x**3 + a**2*x**3),x)*a*b*x**2 + 4*e**(3*c + 2*d*x**2)*int(e**(d*x**2)/(e**(4*c + 4*d*x**2)*a**2*x + 4*e**(3*c + 3*d*x**2)*a*b*x + 2*e**(2*c + 2*d*x**2)*a**2*x + 4*e**(2*c + 2*d*x**2)*b**2*x + 4*e**(c + d*x**2)*a*b*x + a**2*x),x)*a*b*d*x**2 + 4*e**(2*c + 2*d*x**2)*int(1/(e**(4*c + 4*d*x**2)*a**2*x**3 + 4*e**(3*c + 3*d*x**2)*a*b*x**3 + 2*e**(2*c + 2*d*x**2)*a**2*x**3 + 4*e**(2*c + 2*d*x**2)*b**2*...
```

$$3.34 \quad \int \frac{x^4}{\left(a+b\operatorname{sech}(c+dx^2)\right)^2} dx$$

Optimal result	250
Mathematica [N/A]	250
Rubi [N/A]	251
Maple [N/A]	251
Fricas [N/A]	252
Sympy [N/A]	252
Maxima [N/A]	252
Giac [N/A]	253
Mupad [N/A]	253
Reduce [N/A]	254

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{x^4}{\left(a+b\operatorname{sech}(c+dx^2)\right)^2} dx = \operatorname{Int}\left(\frac{x^4}{\left(a+b\operatorname{sech}(c+dx^2)\right)^2}, x\right)$$

output `Defer(Int)(x^4/(a+b*sech(d*x^2+c))^2,x)`

Mathematica [N/A]

Not integrable

Time = 14.26 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{x^4}{\left(a+b\operatorname{sech}(c+dx^2)\right)^2} dx = \int \frac{x^4}{\left(a+b\operatorname{sech}(c+dx^2)\right)^2} dx$$

input `Integrate[x^4/(a + b*Sech[c + d*x^2])^2,x]`

output `Integrate[x^4/(a + b*Sech[c + d*x^2])^2, x]`

Rubi [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^4}{(a + b \operatorname{sech}(c + dx^2))^2} dx$$

↓ 5961

$$\int \frac{x^4}{(a + b \operatorname{sech}(c + dx^2))^2} dx$$

input `Int[x^4/(a + b*Sech[c + d*x^2])^2,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.06 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{x^4}{(a + b \operatorname{sech}(dx^2 + c))^2} dx$$

input `int(x^4/(a+b*sech(d*x^2+c))^2,x)`

output `int(x^4/(a+b*sech(d*x^2+c))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.10 (sec) , antiderivative size = 38, normalized size of antiderivative = 2.11

$$\int \frac{x^4}{(a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{x^4}{(b \operatorname{sech}(dx^2 + c) + a)^2} dx$$

input `integrate(x^4/(a+b*sech(d*x^2+c))^2,x, algorithm="fricas")`

output `integral(x^4/(b^2*sech(d*x^2 + c)^2 + 2*a*b*sech(d*x^2 + c) + a^2), x)`

Sympy [N/A]

Not integrable

Time = 1.00 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.94

$$\int \frac{x^4}{(a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{x^4}{(a + b \operatorname{sech}(c + dx^2))^2} dx$$

input `integrate(x**4/(a+b*sech(d*x**2+c))**2,x)`

output `Integral(x**4/(a + b*sech(c + d*x**2))**2, x)`

Maxima [N/A]

Not integrable

Time = 0.28 (sec) , antiderivative size = 312, normalized size of antiderivative = 17.33

$$\int \frac{x^4}{(a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{x^4}{(b \operatorname{sech}(dx^2 + c) + a)^2} dx$$

input `integrate(x^4/(a+b*sech(d*x^2+c))^2,x, algorithm="maxima")`

output

```
1/5*((a^3*d*e^(2*c) - a*b^2*d*e^(2*c))*x^5*e^(2*d*x^2) - 5*a*b^2*x^3 + (a^3*d - a*b^2*d)*x^5 - (5*b^3*x^3*e^c - 2*(a^2*b*d*e^c - b^3*d*e^c)*x^5)*e^(d*x^2))/(a^5*d - a^3*b^2*d + (a^5*d*e^(2*c) - a^3*b^2*d*e^(2*c))*e^(2*d*x^2) + 2*(a^4*b*d*e^c - a^2*b^3*d*e^c)*e^(d*x^2)) - integrate(-(3*a*b^2*x^2 + (3*b^3*x^2*e^c - 2*(2*a^2*b*d*e^c - b^3*d*e^c)*x^4)*e^(d*x^2))/(a^5*d - a^3*b^2*d + (a^5*d*e^(2*c) - a^3*b^2*d*e^(2*c))*e^(2*d*x^2) + 2*(a^4*b*d*e^c - a^2*b^3*d*e^c)*e^(d*x^2)), x)
```

Giac [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{x^4}{(a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{x^4}{(b \operatorname{sech}(dx^2 + c) + a)^2} dx$$

input

```
integrate(x^4/(a+b*sech(d*x^2+c))^2,x, algorithm="giac")
```

output

```
integrate(x^4/(b*sech(d*x^2 + c) + a)^2, x)
```

Mupad [N/A]

Not integrable

Time = 2.66 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{x^4}{(a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{x^4}{\left(a + \frac{b}{\cosh(dx^2+c)}\right)^2} dx$$

input

```
int(x^4/(a + b/cosh(c + d*x^2))^2,x)
```

output

```
int(x^4/(a + b/cosh(c + d*x^2))^2, x)
```

Reduce [N/A]

Not integrable

Time = 0.25 (sec) , antiderivative size = 38, normalized size of antiderivative = 2.11

$$\int \frac{x^4}{(a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{x^4}{\operatorname{sech}(dx^2 + c)^2 b^2 + 2 \operatorname{sech}(dx^2 + c) ab + a^2} dx$$

input `int(x^4/(a+b*sech(d*x^2+c))^2,x)`output `int(x**4/(sech(c + d*x**2)**2*b**2 + 2*sech(c + d*x**2)*a*b + a**2),x)`

$$3.35 \quad \int \frac{x^2}{\left(a+b\operatorname{sech}(c+dx^2)\right)^2} dx$$

Optimal result	255
Mathematica [N/A]	255
Rubi [N/A]	256
Maple [N/A]	256
Fricas [N/A]	257
Sympy [N/A]	257
Maxima [N/A]	257
Giac [N/A]	258
Mupad [N/A]	258
Reduce [N/A]	259

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{x^2}{\left(a+b\operatorname{sech}(c+dx^2)\right)^2} dx = \operatorname{Int}\left(\frac{x^2}{\left(a+b\operatorname{sech}(c+dx^2)\right)^2}, x\right)$$

output `Defer(Int)(x^2/(a+b*sech(d*x^2+c))^2,x)`

Mathematica [N/A]

Not integrable

Time = 12.92 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{x^2}{\left(a+b\operatorname{sech}(c+dx^2)\right)^2} dx = \int \frac{x^2}{\left(a+b\operatorname{sech}(c+dx^2)\right)^2} dx$$

input `Integrate[x^2/(a + b*Sech[c + d*x^2])^2,x]`

output `Integrate[x^2/(a + b*Sech[c + d*x^2])^2, x]`

Rubi [N/A]

Not integrable

Time = 0.30 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^2}{(a + b \operatorname{sech}(c + dx^2))^2} dx$$

↓ 5961

$$\int \frac{x^2}{(a + b \operatorname{sech}(c + dx^2))^2} dx$$

input `Int[x^2/(a + b*Sech[c + d*x^2])^2,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.06 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{x^2}{(a + b \operatorname{sech}(dx^2 + c))^2} dx$$

input `int(x^2/(a+b*sech(d*x^2+c))^2,x)`

output `int(x^2/(a+b*sech(d*x^2+c))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 38, normalized size of antiderivative = 2.11

$$\int \frac{x^2}{(a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{x^2}{(b \operatorname{sech}(dx^2 + c) + a)^2} dx$$

input `integrate(x^2/(a+b*sech(d*x^2+c))^2,x, algorithm="fricas")`

output `integral(x^2/(b^2*sech(d*x^2 + c)^2 + 2*a*b*sech(d*x^2 + c) + a^2), x)`

Sympy [N/A]

Not integrable

Time = 0.74 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.94

$$\int \frac{x^2}{(a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{x^2}{(a + b \operatorname{sech}(c + dx^2))^2} dx$$

input `integrate(x**2/(a+b*sech(d*x**2+c))**2,x)`

output `Integral(x**2/(a + b*sech(c + d*x**2))**2, x)`

Maxima [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 300, normalized size of antiderivative = 16.67

$$\int \frac{x^2}{(a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{x^2}{(b \operatorname{sech}(dx^2 + c) + a)^2} dx$$

input `integrate(x^2/(a+b*sech(d*x^2+c))^2,x, algorithm="maxima")`

output

```
1/3*((a^3*d*e^(2*c) - a*b^2*d*e^(2*c))*x^3*e^(2*d*x^2) - 3*a*b^2*x + (a^3*d - a*b^2*d)*x^3 - (3*b^3*x*e^c - 2*(a^2*b*d*e^c - b^3*d*e^c)*x^3)*e^(d*x^2))/(a^5*d - a^3*b^2*d + (a^5*d*e^(2*c) - a^3*b^2*d*e^(2*c))*e^(2*d*x^2) + 2*(a^4*b*d*e^c - a^2*b^3*d*e^c)*e^(d*x^2)) - integrate(-(a*b^2 + (b^3*e^c - 2*(2*a^2*b*d*e^c - b^3*d*e^c)*x^2)*e^(d*x^2))/(a^5*d - a^3*b^2*d + (a^5*d*e^(2*c) - a^3*b^2*d*e^(2*c))*e^(2*d*x^2) + 2*(a^4*b*d*e^c - a^2*b^3*d*e^c)*e^(d*x^2)), x)
```

Giac [N/A]

Not integrable

Time = 0.25 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{x^2}{(a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{x^2}{(b \operatorname{sech}(dx^2 + c) + a)^2} dx$$

input

```
integrate(x^2/(a+b*sech(d*x^2+c))^2,x, algorithm="giac")
```

output

```
integrate(x^2/(b*sech(d*x^2 + c) + a)^2, x)
```

Mupad [N/A]

Not integrable

Time = 2.58 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{x^2}{(a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{x^2}{\left(a + \frac{b}{\cosh(dx^2+c)}\right)^2} dx$$

input

```
int(x^2/(a + b/cosh(c + d*x^2))^2,x)
```

output

```
int(x^2/(a + b/cosh(c + d*x^2))^2, x)
```

Reduce [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 38, normalized size of antiderivative = 2.11

$$\int \frac{x^2}{(a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{x^2}{\operatorname{sech}(dx^2 + c)^2 b^2 + 2 \operatorname{sech}(dx^2 + c) ab + a^2} dx$$

input `int(x^2/(a+b*sech(d*x^2+c))^2,x)`output `int(x**2/(sech(c + d*x**2)**2*b**2 + 2*sech(c + d*x**2)*a*b + a**2),x)`

$$3.36 \quad \int \frac{1}{x^2 (a + b \operatorname{sech}(c + dx^2))^2} dx$$

Optimal result	260
Mathematica [N/A]	260
Rubi [N/A]	261
Maple [N/A]	261
Fricas [N/A]	262
Sympy [N/A]	262
Maxima [N/A]	262
Giac [N/A]	263
Mupad [N/A]	263
Reduce [N/A]	264

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + dx^2))^2} dx = \operatorname{Int}\left(\frac{1}{x^2 (a + b \operatorname{sech}(c + dx^2))^2}, x\right)$$

output `Defer(Int)(1/x^2/(a+b*sech(d*x^2+c))^2,x)`

Mathematica [N/A]

Not integrable

Time = 16.68 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{1}{x^2 (a + b \operatorname{sech}(c + dx^2))^2} dx$$

input `Integrate[1/(x^2*(a + b*Sech[c + d*x^2])^2),x]`

output `Integrate[1/(x^2*(a + b*Sech[c + d*x^2])^2), x]`

Rubi [N/A]

Not integrable

Time = 0.33 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + dx^2))^2} dx$$

↓ 5961

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + dx^2))^2} dx$$

input `Int[1/(x^2*(a + b*Sech[c + d*x^2])^2),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.06 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(dx^2 + c))^2} dx$$

input `int(1/x^2/(a+b*sech(d*x^2+c))^2,x)`

output `int(1/x^2/(a+b*sech(d*x^2+c))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 44, normalized size of antiderivative = 2.44

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{1}{(b \operatorname{sech}(dx^2 + c) + a)^2 x^2} dx$$

input `integrate(1/x^2/(a+b*sech(d*x^2+c))^2,x, algorithm="fricas")`

output `integral(1/(b^2*x^2*sech(d*x^2 + c)^2 + 2*a*b*x^2*sech(d*x^2 + c) + a^2*x^2), x)`

Sympy [N/A]

Not integrable

Time = 1.65 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.06

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{1}{x^2 (a + b \operatorname{sech}(c + dx^2))^2} dx$$

input `integrate(1/x**2/(a+b*sech(d*x**2+c))**2,x)`

output `Integral(1/(x**2*(a + b*sech(c + d*x**2))**2), x)`

Maxima [N/A]

Not integrable

Time = 0.28 (sec) , antiderivative size = 318, normalized size of antiderivative = 17.67

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{1}{(b \operatorname{sech}(dx^2 + c) + a)^2 x^2} dx$$

input `integrate(1/x^2/(a+b*sech(d*x^2+c))^2,x, algorithm="maxima")`

output

```

-((a^3*d*e^(2*c) - a*b^2*d*e^(2*c))*x^2*e^(2*d*x^2) + a*b^2 + (a^3*d - a*b
^2*d)*x^2 + (b^3*e^c + 2*(a^2*b*d*e^c - b^3*d*e^c)*x^2)*e^(d*x^2))/((a^5*d
*e^(2*c) - a^3*b^2*d*e^(2*c))*x^3*e^(2*d*x^2) + 2*(a^4*b*d*e^c - a^2*b^3*d
*e^c)*x^3*e^(d*x^2) + (a^5*d - a^3*b^2*d)*x^3) - integrate((3*a*b^2 + (3*b
^3*e^c + 2*(2*a^2*b*d*e^c - b^3*d*e^c)*x^2)*e^(d*x^2))/((a^5*d*e^(2*c) - a
^3*b^2*d*e^(2*c))*x^4*e^(2*d*x^2) + 2*(a^4*b*d*e^c - a^2*b^3*d*e^c)*x^4*e^
(d*x^2) + (a^5*d - a^3*b^2*d)*x^4), x)

```

Giac [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{1}{(b \operatorname{sech}(dx^2 + c) + a)^2 x^2} dx$$

input

```
integrate(1/x^2/(a+b*sech(d*x^2+c))^2,x, algorithm="giac")
```

output

```
integrate(1/((b*sech(d*x^2 + c) + a)^2*x^2), x)
```

Mupad [N/A]

Not integrable

Time = 2.79 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{1}{x^2 \left(a + \frac{b}{\cosh(dx^2+c)} \right)^2} dx$$

input

```
int(1/(x^2*(a + b/cosh(c + d*x^2))^2),x)
```

output

```
int(1/(x^2*(a + b/cosh(c + d*x^2))^2), x)
```


Reduce [N/A]

Not integrable

Time = 0.26 (sec) , antiderivative size = 290, normalized size of antiderivative = 16.11

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + dx^2))^2} dx$$

$$= \left(\int \frac{\operatorname{sech}(dx^2+c)^2}{\operatorname{sech}(dx^2+c)^2 b^2 x^2 + 2 \operatorname{sech}(dx^2+c) a b x^2 + a^2 x^2} dx \right) \operatorname{sech}(dx^2+c) b^3 x + \left(\int \frac{\operatorname{sech}(dx^2+c)^2}{\operatorname{sech}(dx^2+c)^2 b^2 x^2 + 2 \operatorname{sech}(dx^2+c) a b x^2 + a^2 x^2} dx \right)$$

input `int(1/x^2/(a+b*sech(d*x^2+c))^2,x)`output `(int(sech(c + d*x**2)**2/(sech(c + d*x**2)**2*b**2*x**2 + 2*sech(c + d*x**2)*a*b*x**2 + a**2*x**2),x)*sech(c + d*x**2)*b**3*x + int(sech(c + d*x**2)**2/(sech(c + d*x**2)**2*b**2*x**2 + 2*sech(c + d*x**2)*a*b*x**2 + a**2*x**2),x)*a*b**2*x + 4*int((sech(c + d*x**2)*tanh(c + d*x**2))/(sech(c + d*x**2)**2*b**2 + 2*sech(c + d*x**2)*a*b + a**2),x)*sech(c + d*x**2)*a*b**2*d*x + 4*int((sech(c + d*x**2)*tanh(c + d*x**2))/(sech(c + d*x**2)**2*b**2 + 2*sech(c + d*x**2)*a*b + a**2),x)*a**2*b*d*x + sech(c + d*x**2)*b - a)/(a**2*x*(sech(c + d*x**2)*b + a))`

$$3.37 \quad \int \frac{1}{x^4 (a + b \operatorname{sech}(c + dx^2))^2} dx$$

Optimal result	265
Mathematica [N/A]	265
Rubi [N/A]	266
Maple [N/A]	266
Fricas [N/A]	267
Sympy [N/A]	267
Maxima [N/A]	267
Giac [N/A]	268
Mupad [N/A]	268
Reduce [N/A]	269

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{1}{x^4 (a + b \operatorname{sech}(c + dx^2))^2} dx = \operatorname{Int} \left(\frac{1}{x^4 (a + b \operatorname{sech}(c + dx^2))^2}, x \right)$$

output `Defer(Int)(1/x^4/(a+b*sech(d*x^2+c))^2,x)`

Mathematica [N/A]

Not integrable

Time = 16.63 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{1}{x^4 (a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{1}{x^4 (a + b \operatorname{sech}(c + dx^2))^2} dx$$

input `Integrate[1/(x^4*(a + b*Sech[c + d*x^2])^2),x]`

output `Integrate[1/(x^4*(a + b*Sech[c + d*x^2])^2), x]`

Rubi [N/A]

Not integrable

Time = 0.34 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x^4 (a + b \operatorname{sech}(c + dx^2))^2} dx$$

↓ 5961

$$\int \frac{1}{x^4 (a + b \operatorname{sech}(c + dx^2))^2} dx$$

input `Int[1/(x^4*(a + b*Sech[c + d*x^2])^2),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.06 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^4 (a + b \operatorname{sech}(dx^2 + c))^2} dx$$

input `int(1/x^4/(a+b*sech(d*x^2+c))^2,x)`

output `int(1/x^4/(a+b*sech(d*x^2+c))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 44, normalized size of antiderivative = 2.44

$$\int \frac{1}{x^4 (a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{1}{(b \operatorname{sech}(dx^2 + c) + a)^2 x^4} dx$$

input `integrate(1/x^4/(a+b*sech(d*x^2+c))^2,x, algorithm="fricas")`

output `integral(1/(b^2*x^4*sech(d*x^2 + c)^2 + 2*a*b*x^4*sech(d*x^2 + c) + a^2*x^4), x)`

Sympy [N/A]

Not integrable

Time = 2.05 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.06

$$\int \frac{1}{x^4 (a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{1}{x^4 (a + b \operatorname{sech}(c + dx^2))^2} dx$$

input `integrate(1/x**4/(a+b*sech(d*x**2+c))**2,x)`

output `Integral(1/(x**4*(a + b*sech(c + d*x**2))**2), x)`

Maxima [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 320, normalized size of antiderivative = 17.78

$$\int \frac{1}{x^4 (a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{1}{(b \operatorname{sech}(dx^2 + c) + a)^2 x^4} dx$$

input `integrate(1/x^4/(a+b*sech(d*x^2+c))^2,x, algorithm="maxima")`

output

```
-1/3*((a^3*d*e^(2*c) - a*b^2*d*e^(2*c))*x^2*e^(2*d*x^2) + 3*a*b^2 + (a^3*d
- a*b^2*d)*x^2 + (3*b^3*e^c + 2*(a^2*b*d*e^c - b^3*d*e^c)*x^2)*e^(d*x^2))
/((a^5*d*e^(2*c) - a^3*b^2*d*e^(2*c))*x^5*e^(2*d*x^2) + 2*(a^4*b*d*e^c - a
^2*b^3*d*e^c)*x^5*e^(d*x^2) + (a^5*d - a^3*b^2*d)*x^5) - integrate((5*a*b^
2 + (5*b^3*e^c + 2*(2*a^2*b*d*e^c - b^3*d*e^c)*x^2)*e^(d*x^2))/((a^5*d*e^(
2*c) - a^3*b^2*d*e^(2*c))*x^6*e^(2*d*x^2) + 2*(a^4*b*d*e^c - a^2*b^3*d*e^c
)*x^6*e^(d*x^2) + (a^5*d - a^3*b^2*d)*x^6), x)
```

Giac [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{1}{x^4 (a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{1}{(b \operatorname{sech}(dx^2 + c) + a)^2 x^4} dx$$

input

```
integrate(1/x^4/(a+b*sech(d*x^2+c))^2,x, algorithm="giac")
```

output

```
integrate(1/((b*sech(d*x^2 + c) + a)^2*x^4), x)
```

Mupad [N/A]

Not integrable

Time = 2.85 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{1}{x^4 (a + b \operatorname{sech}(c + dx^2))^2} dx = \int \frac{1}{x^4 \left(a + \frac{b}{\cosh(dx^2+c)} \right)^2} dx$$

input

```
int(1/(x^4*(a + b/cosh(c + d*x^2))^2),x)
```

output

```
int(1/(x^4*(a + b/cosh(c + d*x^2))^2), x)
```

Reduce [N/A]

Not integrable

Time = 0.27 (sec) , antiderivative size = 321, normalized size of antiderivative = 17.83

$$\int \frac{1}{x^4 (a + b \operatorname{sech}(c + dx^2))^2} dx$$

$$= \frac{3 \left(\int \frac{\operatorname{sech}(dx^2+c)^2}{\operatorname{sech}(dx^2+c)^2 b^2 x^4 + 2 \operatorname{sech}(dx^2+c) a b x^4 + a^2 x^4} dx \right) \operatorname{sech}(dx^2+c) b^3 x^3 + 3 \left(\int \frac{\operatorname{sech}(dx^2+c)^2}{\operatorname{sech}(dx^2+c)^2 b^2 x^4 + 2 \operatorname{sech}(dx^2+c) a b x^4 + a^2 x^4} dx \right)}{}$$

input `int(1/x^4/(a+b*sech(d*x^2+c))^2,x)`

output

```
(3*int(sech(c + d*x**2)**2/(sech(c + d*x**2)**2*b**2*x**4 + 2*sech(c + d*x**2)*a*b*x**4 + a**2*x**4),x)*sech(c + d*x**2)*b**3*x**3 + 3*int(sech(c + d*x**2)**2/(sech(c + d*x**2)**2*b**2*x**4 + 2*sech(c + d*x**2)*a*b*x**4 + a**2*x**4),x)*a*b**2*x**3 + 4*int((sech(c + d*x**2)*tanh(c + d*x**2))/(sech(c + d*x**2)**2*b**2*x**2 + 2*sech(c + d*x**2)*a*b*x**2 + a**2*x**2),x)*sech(c + d*x**2)*a*b**2*d*x**3 + 4*int((sech(c + d*x**2)*tanh(c + d*x**2))/(sech(c + d*x**2)**2*b**2*x**2 + 2*sech(c + d*x**2)*a*b*x**2 + a**2*x**2),x)*a**2*b*d*x**3 + sech(c + d*x**2)*b - a)/(3*a**2*x**3*(sech(c + d*x**2)*b + a))
```

$$3.38 \quad \int \frac{\operatorname{sech}^2\left(\frac{1}{x}\right)}{x^2} dx$$

Optimal result	270
Mathematica [A] (verified)	270
Rubi [A] (verified)	271
Maple [A] (verified)	272
Fricas [B] (verification not implemented)	273
Sympy [F]	273
Maxima [A] (verification not implemented)	273
Giac [A] (verification not implemented)	274
Mupad [B] (verification not implemented)	274
Reduce [B] (verification not implemented)	274

Optimal result

Integrand size = 10, antiderivative size = 6

$$\int \frac{\operatorname{sech}^2\left(\frac{1}{x}\right)}{x^2} dx = -\tanh\left(\frac{1}{x}\right)$$

output `-tanh(1/x)`

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 6, normalized size of antiderivative = 1.00

$$\int \frac{\operatorname{sech}^2\left(\frac{1}{x}\right)}{x^2} dx = -\tanh\left(\frac{1}{x}\right)$$

input `Integrate[Sech[x^(-1)]^2/x^2,x]`

output `-Tanh[x^(-1)]`

Rubi [A] (verified)

Time = 0.39 (sec) , antiderivative size = 6, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {5959, 3042, 4254, 24}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\operatorname{sech}^2\left(\frac{1}{x}\right)}{x^2} dx \\
 & \quad \downarrow \text{5959} \\
 & - \int \operatorname{sech}^2\left(\frac{1}{x}\right) d\frac{1}{x} \\
 & \quad \downarrow \text{3042} \\
 & - \int \csc\left(\frac{\pi}{2} + \frac{i}{x}\right)^2 d\frac{1}{x} \\
 & \quad \downarrow \text{4254} \\
 & -i \int 1d\left(-i \tanh\left(\frac{1}{x}\right)\right) \\
 & \quad \downarrow \text{24} \\
 & - \tanh\left(\frac{1}{x}\right)
 \end{aligned}$$

input `Int [Sech [x^(-1)]^2/x^2, x]`

output `-Tanh [x^(-1)]`

Definitions of rubi rules used

rule 24 `Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4254 `Int[csc[(c_.) + (d_.)*(x_)^(n_), x_Symbol] := Simp[-d^(-1) Subst[Int[Exp andIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]`

rule 5959 `Int[(x_)^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [A] (verified)

Time = 0.08 (sec) , antiderivative size = 7, normalized size of antiderivative = 1.17

method	result	size
derivativedivides	$-\tanh\left(\frac{1}{x}\right)$	7
default	$-\tanh\left(\frac{1}{x}\right)$	7
risch	$\frac{2}{e^{\frac{2}{x}} + 1}$	13
parallelrisc	$-\frac{\sinh\left(\frac{1}{x}\right)}{\cosh\left(\frac{1}{x}\right)}$	13

input `int(sech(1/x)^2/x^2,x,method=_RETURNVERBOSE)`

output `-tanh(1/x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 28 vs. $2(6) = 12$.

Time = 0.07 (sec) , antiderivative size = 28, normalized size of antiderivative = 4.67

$$\int \frac{\operatorname{sech}^2\left(\frac{1}{x}\right)}{x^2} dx = \frac{2}{\cosh\left(\frac{1}{x}\right)^2 + 2 \cosh\left(\frac{1}{x}\right) \sinh\left(\frac{1}{x}\right) + \sinh\left(\frac{1}{x}\right)^2 + 1}$$

input `integrate(sech(1/x)^2/x^2,x, algorithm="fricas")`

output `2/(cosh(1/x)^2 + 2*cosh(1/x)*sinh(1/x) + sinh(1/x)^2 + 1)`

Sympy [F]

$$\int \frac{\operatorname{sech}^2\left(\frac{1}{x}\right)}{x^2} dx = \int \frac{\operatorname{sech}^2\left(\frac{1}{x}\right)}{x^2} dx$$

input `integrate(sech(1/x)**2/x**2,x)`

output `Integral(sech(1/x)**2/x**2, x)`

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 12, normalized size of antiderivative = 2.00

$$\int \frac{\operatorname{sech}^2\left(\frac{1}{x}\right)}{x^2} dx = \frac{2}{e^{\frac{2}{x}} + 1}$$

input `integrate(sech(1/x)^2/x^2,x, algorithm="maxima")`

output `2/(e^(2/x) + 1)`

Giac [A] (verification not implemented)

Time = 0.13 (sec) , antiderivative size = 12, normalized size of antiderivative = 2.00

$$\int \frac{\operatorname{sech}^2\left(\frac{1}{x}\right)}{x^2} dx = \frac{2}{e^{\frac{2}{x}} + 1}$$

input `integrate(sech(1/x)^2/x^2,x, algorithm="giac")`output `2/(e^(2/x) + 1)`**Mupad [B] (verification not implemented)**

Time = 2.26 (sec) , antiderivative size = 12, normalized size of antiderivative = 2.00

$$\int \frac{\operatorname{sech}^2\left(\frac{1}{x}\right)}{x^2} dx = \frac{2}{e^{2/x} + 1}$$

input `int(1/(x^2*cosh(1/x)^2),x)`output `2/(exp(2/x) + 1)`**Reduce [B] (verification not implemented)**

Time = 0.23 (sec) , antiderivative size = 20, normalized size of antiderivative = 3.33

$$\int \frac{\operatorname{sech}^2\left(\frac{1}{x}\right)}{x^2} dx = -\frac{2e^{\frac{2}{x}}}{e^{\frac{2}{x}} + 1}$$

input `int(sech(1/x)^2/x^2,x)`output `(- 2*e**(2/x))/(e**(2/x) + 1)`

3.39 $\int x^3(a + b\operatorname{sech}(c + d\sqrt{x})) dx$

Optimal result	276
Mathematica [A] (verified)	277
Rubi [A] (verified)	278
Maple [F]	279
Fricas [F]	280
Sympy [F]	280
Maxima [F]	280
Giac [F]	281
Mupad [F(-1)]	281
Reduce [F]	281

Optimal result

Integrand size = 18, antiderivative size = 426

$$\begin{aligned}
\int x^3(a + b\operatorname{sech}(c + d\sqrt{x})) dx = & \frac{ax^4}{4} + \frac{4bx^{7/2} \arctan(e^{c+d\sqrt{x}})}{d} \\
& - \frac{14ibx^3 \operatorname{PolyLog}(2, -ie^{c+d\sqrt{x}})}{d^2} \\
& + \frac{14ibx^3 \operatorname{PolyLog}(2, ie^{c+d\sqrt{x}})}{d^2} \\
& + \frac{84ibx^{5/2} \operatorname{PolyLog}(3, -ie^{c+d\sqrt{x}})}{d^3} \\
& - \frac{84ibx^{5/2} \operatorname{PolyLog}(3, ie^{c+d\sqrt{x}})}{d^3} \\
& - \frac{420ibx^2 \operatorname{PolyLog}(4, -ie^{c+d\sqrt{x}})}{d^4} \\
& + \frac{420ibx^2 \operatorname{PolyLog}(4, ie^{c+d\sqrt{x}})}{d^4} \\
& + \frac{1680ibx^{3/2} \operatorname{PolyLog}(5, -ie^{c+d\sqrt{x}})}{d^5} \\
& - \frac{1680ibx^{3/2} \operatorname{PolyLog}(5, ie^{c+d\sqrt{x}})}{d^5} \\
& - \frac{5040ibx \operatorname{PolyLog}(6, -ie^{c+d\sqrt{x}})}{d^6} \\
& + \frac{5040ibx \operatorname{PolyLog}(6, ie^{c+d\sqrt{x}})}{d^6} \\
& + \frac{10080ib\sqrt{x} \operatorname{PolyLog}(7, -ie^{c+d\sqrt{x}})}{d^7} \\
& - \frac{10080ib\sqrt{x} \operatorname{PolyLog}(7, ie^{c+d\sqrt{x}})}{d^7} \\
& - \frac{10080ib \operatorname{PolyLog}(8, -ie^{c+d\sqrt{x}})}{d^8} \\
& + \frac{10080ib \operatorname{PolyLog}(8, ie^{c+d\sqrt{x}})}{d^8}
\end{aligned}$$

output

$$\frac{1}{4}ax^4 + 4bx^{7/2} \arctan(\exp(c+d\sqrt{x})) / d + 420I^2 b^2 \operatorname{polylog}(4, I \exp(c+d\sqrt{x})) / d^4 + 10080I^2 b \operatorname{polylog}(8, I \exp(c+d\sqrt{x})) / d^8 - 1680I^2 b x^{3/2} \operatorname{polylog}(5, I \exp(c+d\sqrt{x})) / d^5 + 10080I^2 b x^{1/2} \operatorname{polylog}(7, -I \exp(c+d\sqrt{x})) / d^7 - 5040I^2 b x \operatorname{polylog}(6, -I \exp(c+d\sqrt{x})) / d^6 - 10080I^2 b x^{1/2} \operatorname{polylog}(7, I \exp(c+d\sqrt{x})) / d^7 + 14I^2 b x^3 \operatorname{polylog}(2, I \exp(c+d\sqrt{x})) / d^2 - 10080I^2 b \operatorname{polylog}(8, -I \exp(c+d\sqrt{x})) / d^8 + 84I^2 b x^{5/2} \operatorname{polylog}(3, -I \exp(c+d\sqrt{x})) / d^3 + 5040I^2 b x \operatorname{polylog}(6, I \exp(c+d\sqrt{x})) / d^6 - 420I^2 b x^2 \operatorname{polylog}(4, -I \exp(c+d\sqrt{x})) / d^4 + 1680I^2 b x^{3/2} \operatorname{polylog}(5, -I \exp(c+d\sqrt{x})) / d^5 - 84I^2 b x^{5/2} \operatorname{polylog}(3, I \exp(c+d\sqrt{x})) / d^3 - 14I^2 b x^3 \operatorname{polylog}(2, -I \exp(c+d\sqrt{x})) / d^2$$
Mathematica [A] (verified)

Time = 0.41 (sec) , antiderivative size = 415, normalized size of antiderivative = 0.97

$$\int x^3 (a + b \operatorname{sech}(c + d\sqrt{x})) dx = \frac{ax^4}{4} + \frac{2ib(d^7 x^{7/2} \log(1 - ie^{c+d\sqrt{x}}) - d^7 x^{7/2} \log(1 + ie^{c+d\sqrt{x}}) - 7d^6 x^3 \operatorname{PolyLog}(2, -ie^{c+d\sqrt{x}}) + 7d^6 x^3 \operatorname{PolyLog}(2, ie^{c+d\sqrt{x}}))}{d^8}$$

input

Integrate[x^3*(a + b*Sech[c + d*Sqrt[x]]),x]

output

$$\frac{(ax^4)/4 + ((2I)b*(d^7*x^{7/2}*\operatorname{Log}[1 - I*E^{(c + d*\operatorname{Sqrt}[x])}] - d^7*x^{7/2}*\operatorname{Log}[1 + I*E^{(c + d*\operatorname{Sqrt}[x])}] - 7*d^6*x^3*\operatorname{PolyLog}[2, (-I)*E^{(c + d*\operatorname{Sqrt}[x])}] + 7*d^6*x^3*\operatorname{PolyLog}[2, I*E^{(c + d*\operatorname{Sqrt}[x])}] + 42*d^5*x^{5/2}*\operatorname{PolyLog}[3, (-I)*E^{(c + d*\operatorname{Sqrt}[x])}] - 42*d^5*x^{5/2}*\operatorname{PolyLog}[3, I*E^{(c + d*\operatorname{Sqrt}[x])}] - 210*d^4*x^2*\operatorname{PolyLog}[4, (-I)*E^{(c + d*\operatorname{Sqrt}[x])}] + 210*d^4*x^2*\operatorname{PolyLog}[4, I*E^{(c + d*\operatorname{Sqrt}[x])}] + 840*d^3*x^{3/2}*\operatorname{PolyLog}[5, (-I)*E^{(c + d*\operatorname{Sqrt}[x])}] - 840*d^3*x^{3/2}*\operatorname{PolyLog}[5, I*E^{(c + d*\operatorname{Sqrt}[x])}] - 2520*d^2*x*\operatorname{PolyLog}[6, (-I)*E^{(c + d*\operatorname{Sqrt}[x])}] + 2520*d^2*x*\operatorname{PolyLog}[6, I*E^{(c + d*\operatorname{Sqrt}[x])}] + 5040*d*\operatorname{Sqrt}[x]*\operatorname{PolyLog}[7, (-I)*E^{(c + d*\operatorname{Sqrt}[x])}] - 5040*d*\operatorname{Sqrt}[x]*\operatorname{PolyLog}[7, I*E^{(c + d*\operatorname{Sqrt}[x])}] - 5040*\operatorname{PolyLog}[8, (-I)*E^{(c + d*\operatorname{Sqrt}[x])}] + 5040*\operatorname{PolyLog}[8, I*E^{(c + d*\operatorname{Sqrt}[x])})])}{d^8}$$

Rubi [A] (verified)

Time = 0.95 (sec) , antiderivative size = 426, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^3(a + b\operatorname{sech}(c + d\sqrt{x})) dx$$

$$\downarrow \text{2010}$$

$$\int (ax^3 + bx^3\operatorname{sech}(c + d\sqrt{x})) dx$$

$$\downarrow \text{2009}$$

$$\frac{ax^4}{4} + \frac{4bx^{7/2} \arctan(e^{c+d\sqrt{x}})}{d} - \frac{10080ib \operatorname{PolyLog}(8, -ie^{c+d\sqrt{x}})}{d^8} +$$

$$\frac{10080ib \operatorname{PolyLog}(8, ie^{c+d\sqrt{x}})}{d^8} + \frac{10080ib\sqrt{x} \operatorname{PolyLog}(7, -ie^{c+d\sqrt{x}})}{d^7} -$$

$$\frac{10080ib\sqrt{x} \operatorname{PolyLog}(7, ie^{c+d\sqrt{x}})}{d^7} - \frac{5040ibx \operatorname{PolyLog}(6, -ie^{c+d\sqrt{x}})}{d^6} +$$

$$\frac{5040ibx \operatorname{PolyLog}(6, ie^{c+d\sqrt{x}})}{d^6} + \frac{1680ibx^{3/2} \operatorname{PolyLog}(5, -ie^{c+d\sqrt{x}})}{d^5} -$$

$$\frac{1680ibx^{3/2} \operatorname{PolyLog}(5, ie^{c+d\sqrt{x}})}{d^5} - \frac{420ibx^2 \operatorname{PolyLog}(4, -ie^{c+d\sqrt{x}})}{d^4} +$$

$$\frac{420ibx^2 \operatorname{PolyLog}(4, ie^{c+d\sqrt{x}})}{d^4} + \frac{84ibx^{5/2} \operatorname{PolyLog}(3, -ie^{c+d\sqrt{x}})}{d^3} -$$

$$\frac{84ibx^{5/2} \operatorname{PolyLog}(3, ie^{c+d\sqrt{x}})}{d^3} - \frac{14ibx^3 \operatorname{PolyLog}(2, -ie^{c+d\sqrt{x}})}{d^2} + \frac{14ibx^3 \operatorname{PolyLog}(2, ie^{c+d\sqrt{x}})}{d^2}$$

input

```
Int[x^3*(a + b*Sech[c + d*Sqrt[x]]), x]
```

output

```
(a*x^4)/4 + (4*b*x^(7/2)*ArcTan[E^(c + d*Sqrt[x])])/d - ((14*I)*b*x^3*Poly
Log[2, (-I)*E^(c + d*Sqrt[x])])/d^2 + ((14*I)*b*x^3*PolyLog[2, I*E^(c + d*
Sqrt[x])])/d^2 + ((84*I)*b*x^(5/2)*PolyLog[3, (-I)*E^(c + d*Sqrt[x])])/d^3
- ((84*I)*b*x^(5/2)*PolyLog[3, I*E^(c + d*Sqrt[x])])/d^3 - ((420*I)*b*x^2
*PolyLog[4, (-I)*E^(c + d*Sqrt[x])])/d^4 + ((420*I)*b*x^2*PolyLog[4, I*E^(
c + d*Sqrt[x])])/d^4 + ((1680*I)*b*x^(3/2)*PolyLog[5, (-I)*E^(c + d*Sqrt[x
])])/d^5 - ((1680*I)*b*x^(3/2)*PolyLog[5, I*E^(c + d*Sqrt[x])])/d^5 - ((50
40*I)*b*x*PolyLog[6, (-I)*E^(c + d*Sqrt[x])])/d^6 + ((5040*I)*b*x*PolyLog[
6, I*E^(c + d*Sqrt[x])])/d^6 + ((10080*I)*b*Sqrt[x]*PolyLog[7, (-I)*E^(c +
d*Sqrt[x])])/d^7 - ((10080*I)*b*Sqrt[x]*PolyLog[7, I*E^(c + d*Sqrt[x])])/
d^7 - ((10080*I)*b*PolyLog[8, (-I)*E^(c + d*Sqrt[x])])/d^8 + ((10080*I)*b*
PolyLog[8, I*E^(c + d*Sqrt[x])])/d^8
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2010

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_)
+ (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

Maple [F]

$$\int x^3 (a + b \operatorname{sech}(c + d\sqrt{x})) dx$$

input

```
int(x^3*(a+b*sech(c+d*x^(1/2))),x)
```

output

```
int(x^3*(a+b*sech(c+d*x^(1/2))),x)
```


Fricas [F]

$$\int x^3 (a + b \operatorname{sech}(c + d\sqrt{x})) dx = \int (b \operatorname{sech}(d\sqrt{x} + c) + a) x^3 dx$$

input `integrate(x^3*(a+b*sech(c+d*x^(1/2))),x, algorithm="fricas")`

output `integral(b*x^3*sech(d*sqrt(x) + c) + a*x^3, x)`

Sympy [F]

$$\int x^3 (a + b \operatorname{sech}(c + d\sqrt{x})) dx = \int x^3 (a + b \operatorname{sech}(c + d\sqrt{x})) dx$$

input `integrate(x**3*(a+b*sech(c+d*x**(1/2))),x)`

output `Integral(x**3*(a + b*sech(c + d*sqrt(x))), x)`

Maxima [F]

$$\int x^3 (a + b \operatorname{sech}(c + d\sqrt{x})) dx = \int (b \operatorname{sech}(d\sqrt{x} + c) + a) x^3 dx$$

input `integrate(x^3*(a+b*sech(c+d*x^(1/2))),x, algorithm="maxima")`

output `1/4*a*x^4 + 2*b*integrate(x^3*e^(d*sqrt(x) + c)/(e^(2*d*sqrt(x) + 2*c) + 1), x)`

Giac [F]

$$\int x^3 (a + b \operatorname{sech}(c + d\sqrt{x})) dx = \int (b \operatorname{sech}(d\sqrt{x} + c) + a) x^3 dx$$

input `integrate(x^3*(a+b*sech(c+d*x^(1/2))),x, algorithm="giac")`

output `integrate((b*sech(d*sqrt(x) + c) + a)*x^3, x)`

Mupad [F(-1)]

Timed out.

$$\int x^3 (a + b \operatorname{sech}(c + d\sqrt{x})) dx = \int x^3 \left(a + \frac{b}{\cosh(c + d\sqrt{x})} \right) dx$$

input `int(x^3*(a + b/cosh(c + d*x^(1/2))),x)`

output `int(x^3*(a + b/cosh(c + d*x^(1/2))), x)`

Reduce [F]

$$\int x^3 (a + b \operatorname{sech}(c + d\sqrt{x})) dx = \left(\int \operatorname{sech}(\sqrt{x}d + c) x^3 dx \right) b + \frac{a x^4}{4}$$

input `int(x^3*(a+b*sech(c+d*x^(1/2))),x)`

output `(4*int(sech(sqrt(x)*d + c)*x**3,x)*b + a*x**4)/4`

3.40 $\int x^2(a + b\operatorname{sech}(c + d\sqrt{x})) dx$

Optimal result	282
Mathematica [A] (verified)	283
Rubi [A] (verified)	283
Maple [F]	285
Fricas [F]	285
Sympy [F]	286
Maxima [F]	286
Giac [F]	286
Mupad [F(-1)]	287
Reduce [F]	287

Optimal result

Integrand size = 18, antiderivative size = 310

$$\int x^2(a + b\operatorname{sech}(c + d\sqrt{x})) dx = \frac{ax^3}{3} + \frac{4bx^{5/2} \arctan(e^{c+d\sqrt{x}})}{d} - \frac{10ibx^2 \operatorname{PolyLog}(2, -ie^{c+d\sqrt{x}})}{d^2} + \frac{10ibx^2 \operatorname{PolyLog}(2, ie^{c+d\sqrt{x}})}{d^2} + \frac{40ibx^{3/2} \operatorname{PolyLog}(3, -ie^{c+d\sqrt{x}})}{d^3} - \frac{40ibx^{3/2} \operatorname{PolyLog}(3, ie^{c+d\sqrt{x}})}{d^3} - \frac{120ibx \operatorname{PolyLog}(4, -ie^{c+d\sqrt{x}})}{d^4} + \frac{120ibx \operatorname{PolyLog}(4, ie^{c+d\sqrt{x}})}{d^4} + \frac{240ib\sqrt{x} \operatorname{PolyLog}(5, -ie^{c+d\sqrt{x}})}{d^5} - \frac{240ib\sqrt{x} \operatorname{PolyLog}(5, ie^{c+d\sqrt{x}})}{d^5} - \frac{240ib \operatorname{PolyLog}(6, -ie^{c+d\sqrt{x}})}{d^6} + \frac{240ib \operatorname{PolyLog}(6, ie^{c+d\sqrt{x}})}{d^6}$$

output

$$\frac{1}{3}ax^3 + 4bx^{5/2} \arctan(\exp(c+dx^{1/2}))/d - 10Ibx^2 \operatorname{polylog}(2, -I\exp(c+dx^{1/2}))/d^2 + 10Ibx^2 \operatorname{polylog}(2, I\exp(c+dx^{1/2}))/d^2 + 40Ibx^{3/2} \operatorname{polylog}(3, -I\exp(c+dx^{1/2}))/d^3 - 40Ibx^{3/2} \operatorname{polylog}(3, I\exp(c+dx^{1/2}))/d^3 - 120Ibx \operatorname{polylog}(4, -I\exp(c+dx^{1/2}))/d^4 + 120Ibx \operatorname{polylog}(4, I\exp(c+dx^{1/2}))/d^4 + 240Ibx^{1/2} \operatorname{polylog}(5, -I\exp(c+dx^{1/2}))/d^5 - 240Ibx^{1/2} \operatorname{polylog}(5, I\exp(c+dx^{1/2}))/d^5 - 240Ib \operatorname{polylog}(6, -I\exp(c+dx^{1/2}))/d^6 + 240Ib \operatorname{polylog}(6, I\exp(c+dx^{1/2}))/d^6$$
Mathematica [A] (verified)

Time = 0.32 (sec) , antiderivative size = 311, normalized size of antiderivative = 1.00

$$\int x^2(a + b \operatorname{sech}(c + d\sqrt{x})) dx = \frac{ax^3}{3} + \frac{2ib(d^5x^{5/2} \log(1 - ie^{c+d\sqrt{x}}) - d^5x^{5/2} \log(1 + ie^{c+d\sqrt{x}}) - 5d^4x^2 \operatorname{PolyLog}(2, -ie^{c+d\sqrt{x}}) + 5d^4x^2 \operatorname{PolyLog}(2, ie^{c+d\sqrt{x}}))}{d^6}$$

input

`Integrate[x^2*(a + b*Sech[c + d*Sqrt[x]]),x]`

output

$$\frac{(ax^3)/3 + ((2I)*b*(d^5*x^{5/2}*\operatorname{Log}[1 - I*E^{(c + d*\operatorname{Sqrt}[x])}] - d^5*x^{5/2}*\operatorname{Log}[1 + I*E^{(c + d*\operatorname{Sqrt}[x])}] - 5*d^4*x^2*\operatorname{PolyLog}[2, (-I)*E^{(c + d*\operatorname{Sqrt}[x])}] + 5*d^4*x^2*\operatorname{PolyLog}[2, I*E^{(c + d*\operatorname{Sqrt}[x])}] + 20*d^3*x^{3/2}*\operatorname{PolyLog}[3, (-I)*E^{(c + d*\operatorname{Sqrt}[x])}] - 20*d^3*x^{3/2}*\operatorname{PolyLog}[3, I*E^{(c + d*\operatorname{Sqrt}[x])}] - 60*d^2*x*\operatorname{PolyLog}[4, (-I)*E^{(c + d*\operatorname{Sqrt}[x])}] + 60*d^2*x*\operatorname{PolyLog}[4, I*E^{(c + d*\operatorname{Sqrt}[x])}] + 120*d*\operatorname{Sqrt}[x]*\operatorname{PolyLog}[5, (-I)*E^{(c + d*\operatorname{Sqrt}[x])}] - 120*d*\operatorname{Sqrt}[x]*\operatorname{PolyLog}[5, I*E^{(c + d*\operatorname{Sqrt}[x])}] - 120*\operatorname{PolyLog}[6, (-I)*E^{(c + d*\operatorname{Sqrt}[x])}] + 120*\operatorname{PolyLog}[6, I*E^{(c + d*\operatorname{Sqrt}[x])}]))/d^6$$
Rubi [A] (verified)Time = 0.56 (sec) , antiderivative size = 310, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^2 (a + b \operatorname{sech}(c + d\sqrt{x})) dx$$

↓ 2010

$$\int (ax^2 + bx^2 \operatorname{sech}(c + d\sqrt{x})) dx$$

↓ 2009

$$\begin{aligned} & \frac{ax^3}{3} + \frac{4bx^{5/2} \arctan(e^{c+d\sqrt{x}})}{d} - \frac{240ib \operatorname{PolyLog}(6, -ie^{c+d\sqrt{x}})}{d^6} + \frac{240ib \operatorname{PolyLog}(6, ie^{c+d\sqrt{x}})}{d^6} + \\ & \frac{240ib\sqrt{x} \operatorname{PolyLog}(5, -ie^{c+d\sqrt{x}})}{d^5} - \frac{240ib\sqrt{x} \operatorname{PolyLog}(5, ie^{c+d\sqrt{x}})}{d^5} - \\ & \frac{120ibx \operatorname{PolyLog}(4, -ie^{c+d\sqrt{x}})}{d^4} + \frac{120ibx \operatorname{PolyLog}(4, ie^{c+d\sqrt{x}})}{d^4} + \\ & \frac{40ibx^{3/2} \operatorname{PolyLog}(3, -ie^{c+d\sqrt{x}})}{d^3} - \frac{40ibx^{3/2} \operatorname{PolyLog}(3, ie^{c+d\sqrt{x}})}{d^3} - \\ & \frac{10ibx^2 \operatorname{PolyLog}(2, -ie^{c+d\sqrt{x}})}{d^2} + \frac{10ibx^2 \operatorname{PolyLog}(2, ie^{c+d\sqrt{x}})}{d^2} \end{aligned}$$

input `Int[x^2*(a + b*Sech[c + d*Sqrt[x]]),x]`

output `(a*x^3)/3 + (4*b*x^(5/2)*ArcTan[E^(c + d*Sqrt[x])])/d - ((10*I)*b*x^2*PolyLog[2, (-I)*E^(c + d*Sqrt[x])])/d^2 + ((10*I)*b*x^2*PolyLog[2, I*E^(c + d*Sqrt[x])])/d^2 + ((40*I)*b*x^(3/2)*PolyLog[3, (-I)*E^(c + d*Sqrt[x])])/d^3 - ((40*I)*b*x^(3/2)*PolyLog[3, I*E^(c + d*Sqrt[x])])/d^3 - ((120*I)*b*x*PolyLog[4, (-I)*E^(c + d*Sqrt[x])])/d^4 + ((120*I)*b*x*PolyLog[4, I*E^(c + d*Sqrt[x])])/d^4 + ((240*I)*b*Sqrt[x]*PolyLog[5, (-I)*E^(c + d*Sqrt[x])])/d^5 - ((240*I)*b*Sqrt[x]*PolyLog[5, I*E^(c + d*Sqrt[x])])/d^5 - ((240*I)*b*PolyLog[6, (-I)*E^(c + d*Sqrt[x])])/d^6 + ((240*I)*b*PolyLog[6, I*E^(c + d*Sqrt[x])])/d^6`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2010 `Int[(u_)*((c_.)*(x_)^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]`

Maple [F]

$$\int x^2 (a + b \operatorname{sech}(c + d\sqrt{x})) dx$$

input `int(x^2*(a+b*sech(c+d*x^(1/2))),x)`

output `int(x^2*(a+b*sech(c+d*x^(1/2))),x)`

Fricas [F]

$$\int x^2 (a + b \operatorname{sech}(c + d\sqrt{x})) dx = \int (b \operatorname{sech}(d\sqrt{x} + c) + a) x^2 dx$$

input `integrate(x^2*(a+b*sech(c+d*x^(1/2))),x, algorithm="fricas")`

output `integral(b*x^2*sech(d*sqrt(x) + c) + a*x^2, x)`

Sympy [F]

$$\int x^2(a + b\operatorname{sech}(c + d\sqrt{x})) dx = \int x^2(a + b\operatorname{sech}(c + d\sqrt{x})) dx$$

input `integrate(x**2*(a+b*sech(c+d*x**(1/2))),x)`

output `Integral(x**2*(a + b*sech(c + d*sqrt(x))), x)`

Maxima [F]

$$\int x^2(a + b\operatorname{sech}(c + d\sqrt{x})) dx = \int (b\operatorname{sech}(d\sqrt{x} + c) + a)x^2 dx$$

input `integrate(x^2*(a+b*sech(c+d*x^(1/2))),x, algorithm="maxima")`

output `1/3*a*x^3 + 2*b*integrate(x^2*e^(d*sqrt(x) + c)/(e^(2*d*sqrt(x) + 2*c) + 1), x)`

Giac [F]

$$\int x^2(a + b\operatorname{sech}(c + d\sqrt{x})) dx = \int (b\operatorname{sech}(d\sqrt{x} + c) + a)x^2 dx$$

input `integrate(x^2*(a+b*sech(c+d*x^(1/2))),x, algorithm="giac")`

output `integrate((b*sech(d*sqrt(x) + c) + a)*x^2, x)`

Mupad [F(-1)]

Timed out.

$$\int x^2 (a + b \operatorname{sech}(c + d\sqrt{x})) dx = \int x^2 \left(a + \frac{b}{\cosh(c + d\sqrt{x})} \right) dx$$

input `int(x^2*(a + b/cosh(c + d*x^(1/2))),x)`output `int(x^2*(a + b/cosh(c + d*x^(1/2))), x)`**Reduce [F]**

$$\int x^2 (a + b \operatorname{sech}(c + d\sqrt{x})) dx = \left(\int \operatorname{sech}(\sqrt{x}d + c) x^2 dx \right) b + \frac{ax^3}{3}$$

input `int(x^2*(a+b*sech(c+d*x^(1/2))),x)`output `(3*int(sech(sqrt(x)*d + c)*x**2,x)*b + a*x**3)/3`

3.41 $\int x(a + b\operatorname{sech}(c + d\sqrt{x})) dx$

Optimal result	288
Mathematica [A] (verified)	289
Rubi [A] (verified)	289
Maple [F]	290
Fricas [F]	291
Sympy [F]	291
Maxima [F]	291
Giac [F]	292
Mupad [F(-1)]	292
Reduce [F]	292

Optimal result

Integrand size = 16, antiderivative size = 194

$$\int x(a + b\operatorname{sech}(c + d\sqrt{x})) dx = \frac{ax^2}{2} + \frac{4bx^{3/2} \arctan(e^{c+d\sqrt{x}})}{d} - \frac{6ibx \operatorname{PolyLog}(2, -ie^{c+d\sqrt{x}})}{d^2} + \frac{6ibx \operatorname{PolyLog}(2, ie^{c+d\sqrt{x}})}{d^2} + \frac{12ib\sqrt{x} \operatorname{PolyLog}(3, -ie^{c+d\sqrt{x}})}{d^3} - \frac{12ib\sqrt{x} \operatorname{PolyLog}(3, ie^{c+d\sqrt{x}})}{d^3} - \frac{12ib \operatorname{PolyLog}(4, -ie^{c+d\sqrt{x}})}{d^4} + \frac{12ib \operatorname{PolyLog}(4, ie^{c+d\sqrt{x}})}{d^4}$$

output

```
1/2*a*x^2+4*b*x^(3/2)*arctan(exp(c+d*x^(1/2)))/d-6*I*b*x*polylog(2,-I*exp(c+d*x^(1/2)))/d^2+6*I*b*x*polylog(2,I*exp(c+d*x^(1/2)))/d^2+12*I*b*x^(1/2)*polylog(3,-I*exp(c+d*x^(1/2)))/d^3-12*I*b*x^(1/2)*polylog(3,I*exp(c+d*x^(1/2)))/d^3-12*I*b*polylog(4,-I*exp(c+d*x^(1/2)))/d^4+12*I*b*polylog(4,I*exp(c+d*x^(1/2)))/d^4
```

Mathematica [A] (verified)

Time = 0.27 (sec) , antiderivative size = 207, normalized size of antiderivative = 1.07

$$\int x(a + b \operatorname{sech}(c + d\sqrt{x})) dx = \frac{ax^2}{2} + \frac{2ib(d^3 x^{3/2} \log(1 - ie^{c+d\sqrt{x}}) - d^3 x^{3/2} \log(1 + ie^{c+d\sqrt{x}}) - 3d^2 x \operatorname{PolyLog}(2, -ie^{c+d\sqrt{x}}) + 3d^2 x \operatorname{PolyLog}(2, ie^{c+d\sqrt{x}}))}{d^4}$$

input `Integrate[x*(a + b*Sech[c + d*Sqrt[x]]),x]`

output
$$\frac{(a*x^2)/2 + ((2*I)*b*(d^3*x^{3/2}*\operatorname{Log}[1 - I*E^{(c + d*\operatorname{Sqrt}[x])}] - d^3*x^{3/2}*\operatorname{Log}[1 + I*E^{(c + d*\operatorname{Sqrt}[x])}] - 3*d^2*x*\operatorname{PolyLog}[2, (-I)*E^{(c + d*\operatorname{Sqrt}[x])}] + 3*d^2*x*\operatorname{PolyLog}[2, I*E^{(c + d*\operatorname{Sqrt}[x])}] + 6*d*\operatorname{Sqrt}[x]*\operatorname{PolyLog}[3, (-I)*E^{(c + d*\operatorname{Sqrt}[x])}] - 6*d*\operatorname{Sqrt}[x]*\operatorname{PolyLog}[3, I*E^{(c + d*\operatorname{Sqrt}[x])}] - 6*\operatorname{PolyLog}[4, (-I)*E^{(c + d*\operatorname{Sqrt}[x])}] + 6*\operatorname{PolyLog}[4, I*E^{(c + d*\operatorname{Sqrt}[x])}]))/d^4}$$

Rubi [A] (verified)

Time = 0.40 (sec) , antiderivative size = 194, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x(a + b \operatorname{sech}(c + d\sqrt{x})) dx$$

$$\downarrow \text{2010}$$

$$\int (ax + bx \operatorname{sech}(c + d\sqrt{x})) dx$$

$$\downarrow \text{2009}$$

$$\frac{ax^2}{2} + \frac{4bx^{3/2} \arctan(e^{c+d\sqrt{x}})}{d} - \frac{12ib \operatorname{PolyLog}(4, -ie^{c+d\sqrt{x}})}{d^4} + \frac{12ib \operatorname{PolyLog}(4, ie^{c+d\sqrt{x}})}{d^4} + \frac{12ib\sqrt{x} \operatorname{PolyLog}(3, -ie^{c+d\sqrt{x}})}{d^3} - \frac{12ib\sqrt{x} \operatorname{PolyLog}(3, ie^{c+d\sqrt{x}})}{d^3} - \frac{6ibx \operatorname{PolyLog}(2, -ie^{c+d\sqrt{x}})}{d^2} + \frac{6ibx \operatorname{PolyLog}(2, ie^{c+d\sqrt{x}})}{d^2}$$

input `Int[x*(a + b*Sech[c + d*Sqrt[x]]),x]`

output `(a*x^2)/2 + (4*b*x^(3/2)*ArcTan[E^(c + d*Sqrt[x])])/d - ((6*I)*b*x*PolyLog[2, (-I)*E^(c + d*Sqrt[x])])/d^2 + ((6*I)*b*x*PolyLog[2, I*E^(c + d*Sqrt[x])])/d^2 + ((12*I)*b*Sqrt[x]*PolyLog[3, (-I)*E^(c + d*Sqrt[x])])/d^3 - ((12*I)*b*Sqrt[x]*PolyLog[3, I*E^(c + d*Sqrt[x])])/d^3 - ((12*I)*b*PolyLog[4, (-I)*E^(c + d*Sqrt[x])])/d^4 + ((12*I)*b*PolyLog[4, I*E^(c + d*Sqrt[x])])/d^4`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2010 `Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]`

Maple [F]

$$\int x(a + b \operatorname{sech}(c + d\sqrt{x})) dx$$

input `int(x*(a+b*sech(c+d*x^(1/2))),x)`

output `int(x*(a+b*sech(c+d*x^(1/2))),x)`

Fricas [F]

$$\int x(a + b \operatorname{sech}(c + d\sqrt{x})) dx = \int (b \operatorname{sech}(d\sqrt{x} + c) + a)x dx$$

input `integrate(x*(a+b*sech(c+d*x^(1/2))),x, algorithm="fricas")`

output `integral(b*x*sech(d*sqrt(x) + c) + a*x, x)`

Sympy [F]

$$\int x(a + b \operatorname{sech}(c + d\sqrt{x})) dx = \int x(a + b \operatorname{sech}(c + d\sqrt{x})) dx$$

input `integrate(x*(a+b*sech(c+d*x**(1/2))),x)`

output `Integral(x*(a + b*sech(c + d*sqrt(x))), x)`

Maxima [F]

$$\int x(a + b \operatorname{sech}(c + d\sqrt{x})) dx = \int (b \operatorname{sech}(d\sqrt{x} + c) + a)x dx$$

input `integrate(x*(a+b*sech(c+d*x^(1/2))),x, algorithm="maxima")`

output `1/2*a*x^2 + 2*b*integrate(x*e^(d*sqrt(x) + c)/(e^(2*d*sqrt(x) + 2*c) + 1), x)`

Giac [F]

$$\int x(a + b\operatorname{sech}(c + d\sqrt{x})) dx = \int (b\operatorname{sech}(d\sqrt{x} + c) + a)x dx$$

input `integrate(x*(a+b*sech(c+d*x^(1/2))),x, algorithm="giac")`

output `integrate((b*sech(d*sqrt(x) + c) + a)*x, x)`

Mupad [F(-1)]

Timed out.

$$\int x(a + b\operatorname{sech}(c + d\sqrt{x})) dx = \int x \left(a + \frac{b}{\cosh(c + d\sqrt{x})} \right) dx$$

input `int(x*(a + b/cosh(c + d*x^(1/2))),x)`

output `int(x*(a + b/cosh(c + d*x^(1/2))), x)`

Reduce [F]

$$\int x(a + b\operatorname{sech}(c + d\sqrt{x})) dx = \left(\int \operatorname{sech}(\sqrt{x}d + c) x dx \right) b + \frac{ax^2}{2}$$

input `int(x*(a+b*sech(c+d*x^(1/2))),x)`

output `(2*int(sech(sqrt(x)*d + c)*x,x)*b + a*x**2)/2`

$$3.42 \quad \int \frac{a+b\operatorname{sech}(c+d\sqrt{x})}{x} dx$$

Optimal result	293
Mathematica [N/A]	293
Rubi [N/A]	294
Maple [N/A]	294
Fricas [N/A]	295
Sympy [N/A]	295
Maxima [N/A]	295
Giac [N/A]	296
Mupad [N/A]	296
Reduce [N/A]	297

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{a + b\operatorname{sech}(c + d\sqrt{x})}{x} dx = \operatorname{Int}\left(\frac{a + b\operatorname{sech}(c + d\sqrt{x})}{x}, x\right)$$

output `Defer(Int)((a+b*sech(c+d*x^(1/2)))/x,x)`

Mathematica [N/A]

Not integrable

Time = 7.12 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + b\operatorname{sech}(c + d\sqrt{x})}{x} dx = \int \frac{a + b\operatorname{sech}(c + d\sqrt{x})}{x} dx$$

input `Integrate[(a + b*Sech[c + d*Sqrt[x]])/x,x]`

output `Integrate[(a + b*Sech[c + d*Sqrt[x]])/x, x]`

Rubi [N/A]

Not integrable

Time = 0.18 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x} dx$$

$$\downarrow \text{2010}$$

$$\int \left(\frac{a}{x} + \frac{b \operatorname{sech}(c + d\sqrt{x})}{x} \right) dx$$

$$\downarrow \text{2009}$$

$$b \int \frac{\operatorname{sech}(c + d\sqrt{x})}{x} dx + a \log(x)$$

input `Int[(a + b*Sech[c + d*Sqrt[x]])/x,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 16, normalized size of antiderivative = 0.89

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x} dx$$

input `int((a+b*sech(c+d*x^(1/2)))/x,x)`

output `int((a+b*sech(c+d*x^(1/2)))/x,x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x} dx = \int \frac{b \operatorname{sech}(d\sqrt{x} + c) + a}{x} dx$$

input `integrate((a+b*sech(c+d*x^(1/2)))/x,x, algorithm="fricas")`

output `integral((b*sech(d*sqrt(x) + c) + a)/x, x)`

Sympy [N/A]

Not integrable

Time = 2.42 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.83

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x} dx = \int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x} dx$$

input `integrate((a+b*sech(c+d*x**(1/2)))/x,x)`

output `Integral((a + b*sech(c + d*sqrt(x)))/x, x)`

Maxima [N/A]

Not integrable

Time = 0.32 (sec) , antiderivative size = 36, normalized size of antiderivative = 2.00

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x} dx = \int \frac{b \operatorname{sech}(d\sqrt{x} + c) + a}{x} dx$$

input `integrate((a+b*sech(c+d*x^(1/2)))/x,x, algorithm="maxima")`

output `2*b*integrate(e^(d*sqrt(x) + c)/(x*e^(2*d*sqrt(x) + 2*c) + x), x) + a*log(x)`

Giac [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x} dx = \int \frac{b \operatorname{sech}(d\sqrt{x} + c) + a}{x} dx$$

input `integrate((a+b*sech(c+d*x^(1/2)))/x,x, algorithm="giac")`

output `integrate((b*sech(d*sqrt(x) + c) + a)/x, x)`

Mupad [N/A]

Not integrable

Time = 2.41 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x} dx = \int \frac{a + \frac{b}{\cosh(c + d\sqrt{x})}}{x} dx$$

input `int((a + b/cosh(c + d*x^(1/2)))/x,x)`

output `int((a + b/cosh(c + d*x^(1/2)))/x, x)`

Reduce [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x} dx = \left(\int \frac{\operatorname{sech}(\sqrt{x}d + c)}{x} dx \right) b + \log(x) a$$

input `int((a+b*sech(c+d*x^(1/2)))/x,x)`output `int(sech(sqrt(x)*d + c)/x,x)*b + log(x)*a`

3.43 $\int \frac{a+b\operatorname{sech}(c+d\sqrt{x})}{x^2} dx$

Optimal result	298
Mathematica [N/A]	298
Rubi [N/A]	299
Maple [N/A]	299
Fricas [N/A]	300
Sympy [N/A]	300
Maxima [N/A]	300
Giac [N/A]	301
Mupad [N/A]	301
Reduce [N/A]	302

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{a + b\operatorname{sech}(c + d\sqrt{x})}{x^2} dx = \operatorname{Int}\left(\frac{a + b\operatorname{sech}(c + d\sqrt{x})}{x^2}, x\right)$$

output `Defer(Int)((a+b*sech(c+d*x^(1/2)))/x^2,x)`

Mathematica [N/A]

Not integrable

Time = 6.68 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + b\operatorname{sech}(c + d\sqrt{x})}{x^2} dx = \int \frac{a + b\operatorname{sech}(c + d\sqrt{x})}{x^2} dx$$

input `Integrate[(a + b*Sech[c + d*Sqrt[x]])/x^2,x]`

output `Integrate[(a + b*Sech[c + d*Sqrt[x]])/x^2, x]`

Rubi [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x^2} dx$$

↓ 2010

$$\int \left(\frac{a}{x^2} + \frac{b \operatorname{sech}(c + d\sqrt{x})}{x^2} \right) dx$$

↓ 2009

$$b \int \frac{\operatorname{sech}(c + d\sqrt{x})}{x^2} dx - \frac{a}{x}$$

input `Int[(a + b*Sech[c + d*Sqrt[x]])/x^2,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 16, normalized size of antiderivative = 0.89

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x^2} dx$$

input `int((a+b*sech(c+d*x^(1/2)))/x^2,x)`

output `int((a+b*sech(c+d*x^(1/2)))/x^2,x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x^2} dx = \int \frac{b \operatorname{sech}(d\sqrt{x} + c) + a}{x^2} dx$$

input `integrate((a+b*sech(c+d*x^(1/2)))/x^2,x, algorithm="fricas")`

output `integral((b*sech(d*sqrt(x) + c) + a)/x^2, x)`

Sympy [N/A]

Not integrable

Time = 1.56 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.94

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x^2} dx = \int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x^2} dx$$

input `integrate((a+b*sech(c+d*x**(1/2)))/x**2,x)`

output `Integral((a + b*sech(c + d*sqrt(x)))/x**2, x)`

Maxima [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 42, normalized size of antiderivative = 2.33

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x^2} dx = \int \frac{b \operatorname{sech}(d\sqrt{x} + c) + a}{x^2} dx$$

input `integrate((a+b*sech(c+d*x^(1/2)))/x^2,x, algorithm="maxima")`

output `2*b*integrate(e^(d*sqrt(x) + c)/(x^2*e^(2*d*sqrt(x) + 2*c) + x^2), x) - a/x`

Giac [N/A]

Not integrable

Time = 0.15 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x^2} dx = \int \frac{b \operatorname{sech}(d\sqrt{x} + c) + a}{x^2} dx$$

input `integrate((a+b*sech(c+d*x^(1/2)))/x^2,x, algorithm="giac")`

output `integrate((b*sech(d*sqrt(x) + c) + a)/x^2, x)`

Mupad [N/A]

Not integrable

Time = 2.49 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x^2} dx = \int \frac{a + \frac{b}{\cosh(c + d\sqrt{x})}}{x^2} dx$$

input `int((a + b/cosh(c + d*x^(1/2)))/x^2,x)`

output `int((a + b/cosh(c + d*x^(1/2)))/x^2, x)`

Reduce [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.33

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x^2} dx = \frac{\left(\int \frac{\operatorname{sech}(\sqrt{x}d+c)}{x^2} dx \right) bx - a}{x}$$

input `int((a+b*sech(c+d*x^(1/2)))/x^2,x)`output `(int(sech(sqrt(x)*d + c)/x**2,x)*b*x - a)/x`

3.44 $\int x^3 (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx$

Optimal result	304
Mathematica [A] (verified)	305
Rubi [A] (verified)	306
Maple [F]	308
Fricas [F]	308
Sympy [F]	309
Maxima [F]	309
Giac [F]	309
Mupad [F(-1)]	310
Reduce [F]	310

Optimal result

Integrand size = 20, antiderivative size = 677

$$\begin{aligned}
\int x^3 (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx = & \frac{2b^2 x^{7/2}}{d} + \frac{a^2 x^4}{4} + \frac{8abx^{7/2} \arctan(e^{c+d\sqrt{x}})}{d} \\
& - \frac{14b^2 x^3 \log(1 + e^{2(c+d\sqrt{x})})}{d^2} \\
& - \frac{28iabx^3 \operatorname{PolyLog}(2, -ie^{c+d\sqrt{x}})}{d^2} \\
& + \frac{28iabx^3 \operatorname{PolyLog}(2, ie^{c+d\sqrt{x}})}{d^2} \\
& - \frac{42b^2 x^{5/2} \operatorname{PolyLog}(2, -e^{2(c+d\sqrt{x})})}{d^3} \\
& + \frac{168iabx^{5/2} \operatorname{PolyLog}(3, -ie^{c+d\sqrt{x}})}{d^3} \\
& - \frac{168iabx^{5/2} \operatorname{PolyLog}(3, ie^{c+d\sqrt{x}})}{d^3} \\
& + \frac{105b^2 x^2 \operatorname{PolyLog}(3, -e^{2(c+d\sqrt{x})})}{d^4} \\
& - \frac{840iabx^2 \operatorname{PolyLog}(4, -ie^{c+d\sqrt{x}})}{d^4} \\
& + \frac{840iabx^2 \operatorname{PolyLog}(4, ie^{c+d\sqrt{x}})}{d^4} \\
& - \frac{210b^2 x^{3/2} \operatorname{PolyLog}(4, -e^{2(c+d\sqrt{x})})}{d^5} \\
& + \frac{3360iabx^{3/2} \operatorname{PolyLog}(5, -ie^{c+d\sqrt{x}})}{d^5} \\
& - \frac{3360iabx^{3/2} \operatorname{PolyLog}(5, ie^{c+d\sqrt{x}})}{d^5} \\
& + \frac{315b^2 x \operatorname{PolyLog}(5, -e^{2(c+d\sqrt{x})})}{d^6} \\
& - \frac{10080iabx \operatorname{PolyLog}(6, -ie^{c+d\sqrt{x}})}{d^6} \\
& + \frac{10080iabx \operatorname{PolyLog}(6, ie^{c+d\sqrt{x}})}{d^6} \\
& - \frac{315b^2 \sqrt{x} \operatorname{PolyLog}(6, -e^{2(c+d\sqrt{x})})}{d^7} \\
& + \frac{20160iab\sqrt{x} \operatorname{PolyLog}(7, -ie^{c+d\sqrt{x}})}{d^7} \\
& - \frac{20160iab\sqrt{x} \operatorname{PolyLog}(7, ie^{c+d\sqrt{x}})}{d^7} \\
& + \frac{315b^2 \operatorname{PolyLog}(7, -e^{2(c+d\sqrt{x})})}{d^7}
\end{aligned}$$

output

```

2*b^2*x^(7/2)*tanh(c+d*x^(1/2))/d-315*b^2*x^(1/2)*polylog(6,-exp(2*c+2*d*x
^(1/2)))/d^7+315*b^2*x*polylog(5,-exp(2*c+2*d*x^(1/2)))/d^6-210*b^2*x^(3/2
)*polylog(4,-exp(2*c+2*d*x^(1/2)))/d^5+105*b^2*x^2*polylog(3,-exp(2*c+2*d*
x^(1/2)))/d^4-42*b^2*x^(5/2)*polylog(2,-exp(2*c+2*d*x^(1/2)))/d^3-14*b^2*x
^3*ln(1+exp(2*c+2*d*x^(1/2)))/d^2+20160*I*a*b*polylog(8,I*exp(c+d*x^(1/2))
)/d^8+8*a*b*x^(7/2)*arctan(exp(c+d*x^(1/2)))/d-20160*I*a*b*polylog(8,-I*ex
p(c+d*x^(1/2)))/d^8-10080*I*a*b*x*polylog(6,-I*exp(c+d*x^(1/2)))/d^6-3360*
I*a*b*x^(3/2)*polylog(5,I*exp(c+d*x^(1/2)))/d^5-840*I*a*b*x^2*polylog(4,-I
*exp(c+d*x^(1/2)))/d^4-168*I*a*b*x^(5/2)*polylog(3,I*exp(c+d*x^(1/2)))/d^3
-28*I*a*b*x^3*polylog(2,-I*exp(c+d*x^(1/2)))/d^2-20160*I*a*b*x^(1/2)*polyl
og(7,I*exp(c+d*x^(1/2)))/d^7+10080*I*a*b*x*polylog(6,I*exp(c+d*x^(1/2)))/d
^6+3360*I*a*b*x^(3/2)*polylog(5,-I*exp(c+d*x^(1/2)))/d^5+840*I*a*b*x^2*pol
ylog(4,I*exp(c+d*x^(1/2)))/d^4+28*I*a*b*x^3*polylog(2,I*exp(c+d*x^(1/2)))/
d^2+315/2*b^2*polylog(7,-exp(2*c+2*d*x^(1/2)))/d^8+2*b^2*x^(7/2)/d+168*I*a
*b*x^(5/2)*polylog(3,-I*exp(c+d*x^(1/2)))/d^3+20160*I*a*b*x^(1/2)*polylog(
7,-I*exp(c+d*x^(1/2)))/d^7+1/4*a^2*x^4

```

Mathematica [A] (verified)

Time = 5.30 (sec) , antiderivative size = 748, normalized size of antiderivative = 1.10

$$\int x^3 (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx = \text{Too large to display}$$

input

```
Integrate[x^3*(a + b*Sech[c + d*Sqrt[x]])^2,x]
```

output

```
(Cosh[c + d*Sqrt[x]]*(a + b*Sech[c + d*Sqrt[x]])^2*((16*b^2*E^(2*c)*x^(7/2)
)*Cosh[c + d*Sqrt[x]]/(d*(1 + E^(2*c))) + a^2*x^4*Cosh[c + d*Sqrt[x]] + (
(2*I)*b*Cosh[c + d*Sqrt[x]]*(8*a*d^7*x^(7/2)*Log[1 - I*E^(c + d*Sqrt[x])]
- 8*a*d^7*x^(7/2)*Log[1 + I*E^(c + d*Sqrt[x])] + (28*I)*b*d^6*x^3*Log[1 +
E^(2*(c + d*Sqrt[x]))] - 56*a*d^6*x^3*PolyLog[2, (-I)*E^(c + d*Sqrt[x])] +
56*a*d^6*x^3*PolyLog[2, I*E^(c + d*Sqrt[x])] + (84*I)*b*d^5*x^(5/2)*PolyL
og[2, -E^(2*(c + d*Sqrt[x]))] + 336*a*d^5*x^(5/2)*PolyLog[3, (-I)*E^(c + d
*Sqrt[x])] - 336*a*d^5*x^(5/2)*PolyLog[3, I*E^(c + d*Sqrt[x])] - (210*I)*b
*d^4*x^2*PolyLog[3, -E^(2*(c + d*Sqrt[x]))] - 1680*a*d^4*x^2*PolyLog[4, (-
I)*E^(c + d*Sqrt[x])] + 1680*a*d^4*x^2*PolyLog[4, I*E^(c + d*Sqrt[x])] + (
420*I)*b*d^3*x^(3/2)*PolyLog[4, -E^(2*(c + d*Sqrt[x]))] + 6720*a*d^3*x^(3/
2)*PolyLog[5, (-I)*E^(c + d*Sqrt[x])] - 6720*a*d^3*x^(3/2)*PolyLog[5, I*E^
(c + d*Sqrt[x])] - (630*I)*b*d^2*x*PolyLog[5, -E^(2*(c + d*Sqrt[x]))] - 20
160*a*d^2*x*PolyLog[6, (-I)*E^(c + d*Sqrt[x])] + 20160*a*d^2*x*PolyLog[6,
I*E^(c + d*Sqrt[x])] + (630*I)*b*d*Sqrt[x]*PolyLog[6, -E^(2*(c + d*Sqrt[x]
))] + 40320*a*d*Sqrt[x]*PolyLog[7, (-I)*E^(c + d*Sqrt[x])] - 40320*a*d*Sqr
t[x]*PolyLog[7, I*E^(c + d*Sqrt[x])] - (315*I)*b*PolyLog[7, -E^(2*(c + d*S
qrt[x]))] - 40320*a*PolyLog[8, (-I)*E^(c + d*Sqrt[x])] + 40320*a*PolyLog[8
, I*E^(c + d*Sqrt[x])))/d^8 + (8*b^2*x^(7/2)*Sech[c]*Sinh[d*Sqrt[x]])/d)
/(4*(b + a*Cosh[c + d*Sqrt[x]])^2)
```

Rubi [A] (verified)

Time = 1.13 (sec) , antiderivative size = 683, normalized size of antiderivative = 1.01, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {5959, 3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^3 (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx$$

$$\downarrow 5959$$

$$2 \int x^{7/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2 d\sqrt{x}$$

$$\downarrow 3042$$

$$2 \int x^{7/2} \left(a + b \operatorname{csc} \left(ic + id\sqrt{x} + \frac{\pi}{2} \right) \right)^2 d\sqrt{x}$$

$$\int \left(a^2 x^{7/2} + b^2 \operatorname{sech}^2(c + d\sqrt{x}) x^{7/2} + 2ab \operatorname{sech}(c + d\sqrt{x}) x^{7/2} \right) d\sqrt{x}$$

$$2 \left(\frac{a^2 x^4}{8} + \frac{4abx^{7/2} \arctan(e^{c+d\sqrt{x}})}{d} - \frac{10080iab \operatorname{PolyLog}(8, -ie^{c+d\sqrt{x}})}{d^8} + \frac{10080iab \operatorname{PolyLog}(8, ie^{c+d\sqrt{x}})}{d^8} + \dots \right)$$

input `Int[x^3*(a + b*Sech[c + d*Sqrt[x]])^2,x]`

output

```
2*((b^2*x^(7/2))/d + (a^2*x^4)/8 + (4*a*b*x^(7/2)*ArcTan[E^(c + d*Sqrt[x])
])/d - (7*b^2*x^3*Log[1 + E^(2*(c + d*Sqrt[x]))])/d^2 - ((14*I)*a*b*x^3*Po
lyLog[2, (-I)*E^(c + d*Sqrt[x])])/d^2 + ((14*I)*a*b*x^3*PolyLog[2, I*E^(c
+ d*Sqrt[x])])/d^2 - (21*b^2*x^(5/2)*PolyLog[2, -E^(2*(c + d*Sqrt[x]))])/d
^3 + ((84*I)*a*b*x^(5/2)*PolyLog[3, (-I)*E^(c + d*Sqrt[x])])/d^3 - ((84*I)
*a*b*x^(5/2)*PolyLog[3, I*E^(c + d*Sqrt[x])])/d^3 + (105*b^2*x^2*PolyLog[3
, -E^(2*(c + d*Sqrt[x]))])/(2*d^4) - ((420*I)*a*b*x^2*PolyLog[4, (-I)*E^(c
+ d*Sqrt[x])])/d^4 + ((420*I)*a*b*x^2*PolyLog[4, I*E^(c + d*Sqrt[x])])/d^
4 - (105*b^2*x^(3/2)*PolyLog[4, -E^(2*(c + d*Sqrt[x]))])/d^5 + ((1680*I)*a
*b*x^(3/2)*PolyLog[5, (-I)*E^(c + d*Sqrt[x])])/d^5 - ((1680*I)*a*b*x^(3/2)
*PolyLog[5, I*E^(c + d*Sqrt[x])])/d^5 + (315*b^2*x*PolyLog[5, -E^(2*(c + d
*Sqrt[x]))])/(2*d^6) - ((5040*I)*a*b*x*PolyLog[6, (-I)*E^(c + d*Sqrt[x])])
/d^6 + ((5040*I)*a*b*x*PolyLog[6, I*E^(c + d*Sqrt[x])])/d^6 - (315*b^2*Sqr
t[x]*PolyLog[6, -E^(2*(c + d*Sqrt[x]))])/(2*d^7) + ((10080*I)*a*b*Sqrt[x]*
PolyLog[7, (-I)*E^(c + d*Sqrt[x])])/d^7 - ((10080*I)*a*b*Sqrt[x]*PolyLog[7
, I*E^(c + d*Sqrt[x])])/d^7 + (315*b^2*PolyLog[7, -E^(2*(c + d*Sqrt[x]))])
/(4*d^8) - ((10080*I)*a*b*PolyLog[8, (-I)*E^(c + d*Sqrt[x])])/d^8 + ((1008
0*I)*a*b*PolyLog[8, I*E^(c + d*Sqrt[x])])/d^8 + (b^2*x^(7/2)*Tanh[c + d*Sq
rt[x]])/d)
```

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4678 `Int[(csc[e_] + (f_)*(x_))*(b_) + (a_)^(n_)*((c_) + (d_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]`

rule 5959 `Int[(x_)^(m_)*((a_) + (b_)*Sech[(c_) + (d_)*(x_)^(n_)])^(p_), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [F]

$$\int x^3 (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx$$

input `int(x^3*(a+b*sech(c+d*x^(1/2)))^2,x)`

output `int(x^3*(a+b*sech(c+d*x^(1/2)))^2,x)`

Fricas [F]

$$\int x^3 (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx = \int (b \operatorname{sech}(d\sqrt{x} + c) + a)^2 x^3 dx$$

input `integrate(x^3*(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="fricas")`

output `integral(b^2*x^3*sech(d*sqrt(x) + c)^2 + 2*a*b*x^3*sech(d*sqrt(x) + c) + a^2*x^3, x)`

Sympy [F]

$$\int x^3 (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx = \int x^3 (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx$$

input `integrate(x**3*(a+b*sech(c+d*x**(1/2)))**2,x)`

output `Integral(x**3*(a + b*sech(c + d*sqrt(x)))**2, x)`

Maxima [F]

$$\int x^3 (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx = \int (b \operatorname{sech}(d\sqrt{x} + c) + a)^2 x^3 dx$$

input `integrate(x^3*(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="maxima")`

output `1/4*(a^2*d*x^4*e^(2*d*sqrt(x) + 2*c) + a^2*d*x^4 - 16*b^2*x^(7/2))/(d*e^(2*d*sqrt(x) + 2*c) + d) + integrate(2*(2*a*b*d*x^3*e^(d*sqrt(x) + c) + 7*b^2*x^(5/2))/(d*e^(2*d*sqrt(x) + 2*c) + d), x)`

Giac [F]

$$\int x^3 (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx = \int (b \operatorname{sech}(d\sqrt{x} + c) + a)^2 x^3 dx$$

input `integrate(x^3*(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="giac")`

output `integrate((b*sech(d*sqrt(x) + c) + a)^2*x^3, x)`

Mupad [F(-1)]

Timed out.

$$\int x^3 (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx = \int x^3 \left(a + \frac{b}{\cosh(c + d\sqrt{x})} \right)^2 dx$$

input `int(x^3*(a + b/cosh(c + d*x^(1/2)))^2,x)`output `int(x^3*(a + b/cosh(c + d*x^(1/2)))^2, x)`**Reduce [F]**

$$\int x^3 (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx = \text{too large to display}$$

input `int(x^3*(a+b*sech(c+d*x^(1/2)))^2,x)`

output

```
(161280*e**(2*sqrt(x)*d + 2*c)*atan(e**(sqrt(x)*d + c))*a*b + 161280*atan(
e**(sqrt(x)*d + c))*a*b + 161280*e**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d)
/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**2 + 32*
e**(2*sqrt(x)*d + 3*c)*int((e**(sqrt(x)*d)*x**3)/(e**(4*sqrt(x)*d + 4*c) +
2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**8 + 1344*e**(2*sqrt(x)*d + 3*c)*i
nt((e**(sqrt(x)*d)*x**2)/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c)
+ 1),x)*a*b*d**6 + 26880*e**(2*sqrt(x)*d + 3*c)*int((e**(sqrt(x)*d)*x)/(
e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**4 + 224*e
**(2*sqrt(x)*d + 3*c)*int((sqrt(x)*e**(sqrt(x)*d)*x**2)/(e**(4*sqrt(x)*d +
4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**7 + 6720*e**(2*sqrt(x)*d +
3*c)*int((sqrt(x)*e**(sqrt(x)*d)*x)/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt
(x)*d + 2*c) + 1),x)*a*b*d**5 + 80640*e**(2*sqrt(x)*d + 3*c)*int((sqrt(x)
*e**(sqrt(x)*d))/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x
)*a*b*d**3 + 1260*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*b**2*d + 168*e**(2*sqrt(x)
)*d + 2*c)*int(x**2/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1
),x)*b**2*d**6 + 1260*e**(2*sqrt(x)*d + 2*c)*int(sqrt(x)/(e**(4*sqrt(x)*d
+ 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*b**2*d**3 + 56*e**(2*sqrt(x)*d +
2*c)*int((sqrt(x)*x**2)/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c)
+ 1),x)*b**2*d**7 + 420*e**(2*sqrt(x)*d + 2*c)*int((sqrt(x)*x)/(e**(4*sqrt
(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*b**2*d**5 + 840*e**(2...
```


3.45 $\int x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx$

Optimal result	313
Mathematica [A] (verified)	314
Rubi [A] (verified)	315
Maple [F]	317
Fricas [F]	317
Sympy [F]	317
Maxima [F]	318
Giac [F]	318
Mupad [F(-1)]	318
Reduce [F]	319

Optimal result

Integrand size = 20, antiderivative size = 497

$$\begin{aligned}
\int x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx = & \frac{2b^2 x^{5/2}}{d} + \frac{a^2 x^3}{3} + \frac{8abx^{5/2} \arctan(e^{c+d\sqrt{x}})}{d} \\
& - \frac{10b^2 x^2 \log(1 + e^{2(c+d\sqrt{x})})}{d^2} \\
& - \frac{20iabx^2 \operatorname{PolyLog}(2, -ie^{c+d\sqrt{x}})}{d^2} \\
& + \frac{20iabx^2 \operatorname{PolyLog}(2, ie^{c+d\sqrt{x}})}{d^2} \\
& - \frac{20b^2 x^{3/2} \operatorname{PolyLog}(2, -e^{2(c+d\sqrt{x})})}{d^3} \\
& + \frac{80iabx^{3/2} \operatorname{PolyLog}(3, -ie^{c+d\sqrt{x}})}{d^3} \\
& - \frac{80iabx^{3/2} \operatorname{PolyLog}(3, ie^{c+d\sqrt{x}})}{d^3} \\
& + \frac{30b^2 x \operatorname{PolyLog}(3, -e^{2(c+d\sqrt{x})})}{d^4} \\
& - \frac{240iabx \operatorname{PolyLog}(4, -ie^{c+d\sqrt{x}})}{d^4} \\
& + \frac{240iabx \operatorname{PolyLog}(4, ie^{c+d\sqrt{x}})}{d^4} \\
& - \frac{30b^2 \sqrt{x} \operatorname{PolyLog}(4, -e^{2(c+d\sqrt{x})})}{d^5} \\
& + \frac{480iab\sqrt{x} \operatorname{PolyLog}(5, -ie^{c+d\sqrt{x}})}{d^5} \\
& - \frac{480iab\sqrt{x} \operatorname{PolyLog}(5, ie^{c+d\sqrt{x}})}{d^5} \\
& + \frac{15b^2 \operatorname{PolyLog}(5, -e^{2(c+d\sqrt{x})})}{d^6} \\
& - \frac{480iab \operatorname{PolyLog}(6, -ie^{c+d\sqrt{x}})}{d^6} \\
& + \frac{480iab \operatorname{PolyLog}(6, ie^{c+d\sqrt{x}})}{d^6} \\
& + \frac{2b^2 x^{5/2} \tanh(c + d\sqrt{x})}{d}
\end{aligned}$$

output

```

2*b^2*x^(5/2)/d+1/3*a^2*x^3+8*a*b*x^(5/2)*arctan(exp(c+d*x^(1/2)))/d-10*b^
2*x^2*ln(1+exp(2*c+2*d*x^(1/2)))/d^2-480*I*a*b*polylog(6,-I*exp(c+d*x^(1/2)
))/d^6-80*I*a*b*x^(3/2)*polylog(3,I*exp(c+d*x^(1/2)))/d^3-20*b^2*x^(3/2)*
polylog(2,-exp(2*c+2*d*x^(1/2)))/d^3+480*I*a*b*polylog(6,I*exp(c+d*x^(1/2)
))/d^6+80*I*a*b*x^(3/2)*polylog(3,-I*exp(c+d*x^(1/2)))/d^3+30*b^2*x*polylo
g(3,-exp(2*c+2*d*x^(1/2)))/d^4-480*I*a*b*x^(1/2)*polylog(5,I*exp(c+d*x^(1/
2)))/d^5+480*I*a*b*x^(1/2)*polylog(5,-I*exp(c+d*x^(1/2)))/d^5-30*b^2*x^(1/
2)*polylog(4,-exp(2*c+2*d*x^(1/2)))/d^5+20*I*a*b*x^2*polylog(2,I*exp(c+d*x
^(1/2)))/d^2-20*I*a*b*x^2*polylog(2,-I*exp(c+d*x^(1/2)))/d^2+15*b^2*polylo
g(5,-exp(2*c+2*d*x^(1/2)))/d^6+240*I*a*b*x*polylog(4,I*exp(c+d*x^(1/2)))/d
^4-240*I*a*b*x*polylog(4,-I*exp(c+d*x^(1/2)))/d^4+2*b^2*x^(5/2)*tanh(c+d*x
^(1/2))/d

```

Mathematica [A] (verified)

Time = 4.48 (sec) , antiderivative size = 582, normalized size of antiderivative = 1.17

$$\int x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx$$

$$= \frac{\cosh(c + d\sqrt{x}) (a + b \operatorname{sech}(c + d\sqrt{x}))^2 \left(\frac{12b^2 e^{2c} x^{5/2} \cosh(c + d\sqrt{x})}{d(1+e^{2c})} + a^2 x^3 \cosh(c + d\sqrt{x}) + \frac{3ib \cosh(c + d\sqrt{x}) (4a^2 + b^2)}{d(1+e^{2c})} \right)}{d^3}$$

input

```
Integrate[x^2*(a + b*Sech[c + d*Sqrt[x]])^2,x]
```

output

```
(Cosh[c + d*Sqrt[x]]*(a + b*Sech[c + d*Sqrt[x]])^2*((12*b^2*E^(2*c)*x^(5/2)
)*Cosh[c + d*Sqrt[x]]/(d*(1 + E^(2*c))) + a^2*x^3*Cosh[c + d*Sqrt[x]] + (
(3*I)*b*Cosh[c + d*Sqrt[x]]*(4*a*d^5*x^(5/2)*Log[1 - I*E^(c + d*Sqrt[x])]
- 4*a*d^5*x^(5/2)*Log[1 + I*E^(c + d*Sqrt[x])] + (10*I)*b*d^4*x^2*Log[1 +
E^(2*(c + d*Sqrt[x]))] - 20*a*d^4*x^2*PolyLog[2, (-I)*E^(c + d*Sqrt[x])] +
20*a*d^4*x^2*PolyLog[2, I*E^(c + d*Sqrt[x])] + (20*I)*b*d^3*x^(3/2)*PolyL
og[2, -E^(2*(c + d*Sqrt[x]))] + 80*a*d^3*x^(3/2)*PolyLog[3, (-I)*E^(c + d*
Sqrt[x])] - 80*a*d^3*x^(3/2)*PolyLog[3, I*E^(c + d*Sqrt[x])] - (30*I)*b*d^
2*x*PolyLog[3, -E^(2*(c + d*Sqrt[x]))] - 240*a*d^2*x*PolyLog[4, (-I)*E^(c
+ d*Sqrt[x])] + 240*a*d^2*x*PolyLog[4, I*E^(c + d*Sqrt[x])] + (30*I)*b*d*S
qrt[x]*PolyLog[4, -E^(2*(c + d*Sqrt[x]))] + 480*a*d*Sqrt[x]*PolyLog[5, (-I
)*E^(c + d*Sqrt[x])] - 480*a*d*Sqrt[x]*PolyLog[5, I*E^(c + d*Sqrt[x])] - (
15*I)*b*PolyLog[5, -E^(2*(c + d*Sqrt[x]))] - 480*a*PolyLog[6, (-I)*E^(c +
d*Sqrt[x])] + 480*a*PolyLog[6, I*E^(c + d*Sqrt[x])]))/d^6 + (6*b^2*x^(5/2)
*Sech[c]*Sinh[d*Sqrt[x]]/d)/(3*(b + a*Cosh[c + d*Sqrt[x]])^2)
```

Rubi [A] (verified)

Time = 0.99 (sec) , antiderivative size = 499, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {5959, 3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx \\
 & \quad \downarrow 5959 \\
 & 2 \int x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2 d\sqrt{x} \\
 & \quad \downarrow 3042 \\
 & 2 \int x^{5/2} \left(a + b \operatorname{csc} \left(ic + id\sqrt{x} + \frac{\pi}{2} \right) \right)^2 d\sqrt{x} \\
 & \quad \downarrow 4678 \\
 & 2 \int \left(a^2 x^{5/2} + b^2 \operatorname{sech}^2(c + d\sqrt{x}) x^{5/2} + 2ab \operatorname{sech}(c + d\sqrt{x}) x^{5/2} \right) d\sqrt{x}
 \end{aligned}$$

↓ 2009

$$2 \left(\frac{a^2 x^3}{6} + \frac{4abx^{5/2} \arctan(e^{c+d\sqrt{x}})}{d} - \frac{240iab \operatorname{PolyLog}\left(6, -ie^{c+d\sqrt{x}}\right)}{d^6} + \frac{240iab \operatorname{PolyLog}\left(6, ie^{c+d\sqrt{x}}\right)}{d^6} + \frac{240iab}{d^6} \right)$$

input `Int[x^2*(a + b*Sech[c + d*Sqrt[x]])^2,x]`

output

```
2*((b^2*x^(5/2))/d + (a^2*x^3)/6 + (4*a*b*x^(5/2)*ArcTan[E^(c + d*Sqrt[x])
])/d - (5*b^2*x^2*Log[1 + E^(2*(c + d*Sqrt[x]))])/d^2 - ((10*I)*a*b*x^2*Po
lyLog[2, (-I)*E^(c + d*Sqrt[x])])/d^2 + ((10*I)*a*b*x^2*PolyLog[2, I*E^(c
+ d*Sqrt[x])])/d^2 - (10*b^2*x^(3/2)*PolyLog[2, -E^(2*(c + d*Sqrt[x]))])/d
^3 + ((40*I)*a*b*x^(3/2)*PolyLog[3, (-I)*E^(c + d*Sqrt[x])])/d^3 - ((40*I)
*a*b*x^(3/2)*PolyLog[3, I*E^(c + d*Sqrt[x])])/d^3 + (15*b^2*x*PolyLog[3, -
E^(2*(c + d*Sqrt[x]))])/d^4 - ((120*I)*a*b*x*PolyLog[4, (-I)*E^(c + d*Sqrt
[x])])/d^4 + ((120*I)*a*b*x*PolyLog[4, I*E^(c + d*Sqrt[x])])/d^4 - (15*b^2
*Sqrt[x]*PolyLog[4, -E^(2*(c + d*Sqrt[x]))])/d^5 + ((240*I)*a*b*Sqrt[x]*Po
lyLog[5, (-I)*E^(c + d*Sqrt[x])])/d^5 - ((240*I)*a*b*Sqrt[x]*PolyLog[5, I*
E^(c + d*Sqrt[x])])/d^5 + (15*b^2*PolyLog[5, -E^(2*(c + d*Sqrt[x]))])/(2*d
^6) - ((240*I)*a*b*PolyLog[6, (-I)*E^(c + d*Sqrt[x])])/d^6 + ((240*I)*a*b*
PolyLog[6, I*E^(c + d*Sqrt[x])])/d^6 + (b^2*x^(5/2)*Tanh[c + d*Sqrt[x]])/d
)
```

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4678 `Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)
, x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x],
x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]`

rule 5959

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol]
  :-> Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])
  ]^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m
  + 1)/n], 0] && IntegerQ[p]
```

Maple [F]

$$\int x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx$$

input `int(x^2*(a+b*sech(c+d*x^(1/2)))^2,x)`

output `int(x^2*(a+b*sech(c+d*x^(1/2)))^2,x)`

Fricas [F]

$$\int x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx = \int (b \operatorname{sech}(d\sqrt{x} + c) + a)^2 x^2 dx$$

input `integrate(x^2*(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="fricas")`

output `integral(b^2*x^2*sech(d*sqrt(x) + c)^2 + 2*a*b*x^2*sech(d*sqrt(x) + c) + a^2*x^2, x)`

Sympy [F]

$$\int x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx = \int x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx$$

input `integrate(x**2*(a+b*sech(c+d*x**(1/2)))**2,x)`

output `Integral(x**2*(a + b*sech(c + d*sqrt(x)))**2, x)`

Maxima [F]

$$\int x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx = \int (b \operatorname{sech}(d\sqrt{x} + c) + a)^2 x^2 dx$$

input `integrate(x^2*(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="maxima")`

output `1/3*(a^2*d*x^3*e^(2*d*sqrt(x) + 2*c) + a^2*d*x^3 - 12*b^2*x^(5/2))/(d*e^(2*d*sqrt(x) + 2*c) + d) + integrate(2*(2*a*b*d*x^2*e^(d*sqrt(x) + c) + 5*b^2*x^(3/2))/(d*e^(2*d*sqrt(x) + 2*c) + d), x)`

Giac [F]

$$\int x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx = \int (b \operatorname{sech}(d\sqrt{x} + c) + a)^2 x^2 dx$$

input `integrate(x^2*(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="giac")`

output `integrate((b*sech(d*sqrt(x) + c) + a)^2*x^2, x)`

Mupad [F(-1)]

Timed out.

$$\int x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx = \int x^2 \left(a + \frac{b}{\cosh(c + d\sqrt{x})} \right)^2 dx$$

input `int(x^2*(a + b/cosh(c + d*x^(1/2)))^2,x)`

output `int(x^2*(a + b/cosh(c + d*x^(1/2)))^2, x)`

Reduce [F]

$$\int x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx = \text{Too large to display}$$

input `int(x^2*(a+b*sech(c+d*x^(1/2)))^2,x)`

output

```
(2880*e**(2*sqrt(x)*d + 2*c)*atan(e**(sqrt(x)*d + c))*a*b + 2880*atan(e**(sqrt(x)*d + c))*a*b + 2880*e**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**2 + 24*e**(2*sqrt(x)*d + 3*c)*int((e**(sqrt(x)*d)*x**2)/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**6 + 480*e**(2*sqrt(x)*d + 3*c)*int((e**(sqrt(x)*d)*x)/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**4 + 120*e**(2*sqrt(x)*d + 3*c)*int((sqrt(x)*e**(sqrt(x)*d)*x)/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**5 + 1440*e**(2*sqrt(x)*d + 3*c)*int((sqrt(x)*e**(sqrt(x)*d))/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**3 + 90*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*b**2*d + 90*e**(2*sqrt(x)*d + 2*c)*int(sqrt(x)/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*b**2*d**3 + 30*e**(2*sqrt(x)*d + 2*c)*int((sqrt(x)*x)/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*b**2*d**5 + 60*e**(2*sqrt(x)*d + 2*c)*int(x/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*b**2*d**4 + 90*e**(2*sqrt(x)*d + 2*c)*int(1/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*b**2*d**2 - 45*e**(2*sqrt(x)*d + 2*c)*log(e**(2*sqrt(x)*d + 2*c) + 1)*b**2 + e**(2*sqrt(x)*d + 2*c)*a**2*d**6*x**3 - 24*sqrt(x)*e**(sqrt(x)*d + c)*a*b*d**5*x**2 - 480*sqrt(x)*e**(sqrt(x)*d + c)*a*b*d**3*x - 2880*sqrt(x)*e**(sqrt(x)*d + c)*a*b*d - 120*e**(sqrt(x)*d + c)*a*b*d**4*x**2 - 1440*e**(sqrt(x)*d + c...
```


3.46 $\int x(a + b\operatorname{sech}(c + d\sqrt{x}))^2 dx$

Optimal result	321
Mathematica [A] (warning: unable to verify)	322
Rubi [A] (verified)	322
Maple [F]	324
Fricas [F]	324
Sympy [F]	325
Maxima [F]	325
Giac [F]	325
Mupad [F(-1)]	326
Reduce [F]	326

Optimal result

Integrand size = 18, antiderivative size = 319

$$\begin{aligned}
 \int x(a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx &= \frac{2b^2 x^{3/2}}{d} + \frac{a^2 x^2}{2} + \frac{8abx^{3/2} \arctan(e^{c+d\sqrt{x}})}{d} \\
 &\quad - \frac{6b^2 x \log(1 + e^{2(c+d\sqrt{x})})}{d^2} \\
 &\quad - \frac{12iabx \operatorname{PolyLog}(2, -ie^{c+d\sqrt{x}})}{d^2} \\
 &\quad + \frac{12iabx \operatorname{PolyLog}(2, ie^{c+d\sqrt{x}})}{d^2} \\
 &\quad - \frac{6b^2 \sqrt{x} \operatorname{PolyLog}(2, -e^{2(c+d\sqrt{x})})}{d^3} \\
 &\quad + \frac{24iab\sqrt{x} \operatorname{PolyLog}(3, -ie^{c+d\sqrt{x}})}{d^3} \\
 &\quad - \frac{24iab\sqrt{x} \operatorname{PolyLog}(3, ie^{c+d\sqrt{x}})}{d^3} \\
 &\quad + \frac{3b^2 \operatorname{PolyLog}(3, -e^{2(c+d\sqrt{x})})}{d^4} \\
 &\quad - \frac{24iab \operatorname{PolyLog}(4, -ie^{c+d\sqrt{x}})}{d^4} \\
 &\quad + \frac{24iab \operatorname{PolyLog}(4, ie^{c+d\sqrt{x}})}{d^4} \\
 &\quad + \frac{2b^2 x^{3/2} \tanh(c + d\sqrt{x})}{d}
 \end{aligned}$$

output

```

2*b^2*x^(3/2)/d+1/2*a^2*x^2+8*a*b*x^(3/2)*arctan(exp(c+d*x^(1/2)))/d-6*b^2
*x*ln(1+exp(2*c+2*d*x^(1/2)))/d^2-12*I*a*b*x*polylog(2,-I*exp(c+d*x^(1/2))
)/d^2+12*I*a*b*x*polylog(2,I*exp(c+d*x^(1/2)))/d^2-6*b^2*x^(1/2)*polylog(2
,-exp(2*c+2*d*x^(1/2)))/d^3+24*I*a*b*x^(1/2)*polylog(3,-I*exp(c+d*x^(1/2))
)/d^3-24*I*a*b*x^(1/2)*polylog(3,I*exp(c+d*x^(1/2)))/d^3+3*b^2*polylog(3,-
exp(2*c+2*d*x^(1/2)))/d^4-24*I*a*b*polylog(4,-I*exp(c+d*x^(1/2)))/d^4+24*I
*a*b*polylog(4,I*exp(c+d*x^(1/2)))/d^4+2*b^2*x^(3/2)*tanh(c+d*x^(1/2))/d

```

Mathematica [A] (warning: unable to verify)

Time = 3.61 (sec) , antiderivative size = 466, normalized size of antiderivative = 1.46

$$\int x(a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx$$

$$= \frac{\cosh(c + d\sqrt{x}) (a + b \operatorname{sech}(c + d\sqrt{x}))^2 \left(a^2 x^2 \cosh(c + d\sqrt{x}) + \frac{2b \cosh(c + d\sqrt{x}) \left(4be^{2c} x^{3/2} + \frac{i(1+e^{2c}) (12ibd^2 x \log(1 - iE^{c+d\sqrt{x}}))}{d} \right)}{d^3} \right)}{d^3 (1 + E^{2c})} + \frac{(4b^2 x^{3/2} \operatorname{sech}(c + d\sqrt{x}) \operatorname{sinh}(d\sqrt{x}) + 4abd^2 x \log(1 - iE^{c+d\sqrt{x}}))}{d^3 (1 + E^{2c})}}{2}$$

input `Integrate[x*(a + b*Sech[c + d*Sqrt[x]])^2,x]`

output

```
(Cosh[c + d*Sqrt[x]]*(a + b*Sech[c + d*Sqrt[x]])^2*(a^2*x^2*Cosh[c + d*Sqrt[x]] + (2*b*Cosh[c + d*Sqrt[x]]*(4*b*E^(2*c)*x^(3/2) + (I*(1 + E^(2*c)))*((12*I)*b*d^2*x*Log[1 - I*E^(c + d*Sqrt[x]]) + 4*a*d^3*x^(3/2)*Log[1 - I*E^(c + d*Sqrt[x]]) + (12*I)*b*d^2*x*Log[1 + I*E^(c + d*Sqrt[x]]) - 4*a*d^3*x^(3/2)*Log[1 + I*E^(c + d*Sqrt[x]]) - (6*I)*b*d^2*x*Log[1 + E^(2*(c + d*Sqrt[x]))]) - 12*((-I)*b*d*Sqrt[x] + a*d^2*x)*PolyLog[2, (-I)*E^(c + d*Sqrt[x])] + 12*(I*b*d*Sqrt[x] + a*d^2*x)*PolyLog[2, I*E^(c + d*Sqrt[x])] + 24*a*d*Sqrt[x]*PolyLog[3, (-I)*E^(c + d*Sqrt[x])] - 24*a*d*Sqrt[x]*PolyLog[3, I*E^(c + d*Sqrt[x])] - (3*I)*b*PolyLog[3, -E^(2*(c + d*Sqrt[x]))] - 24*a*PolyLog[4, (-I)*E^(c + d*Sqrt[x])] + 24*a*PolyLog[4, I*E^(c + d*Sqrt[x])]))/d^3)/(d*(1 + E^(2*c))) + (4*b^2*x^(3/2)*Sech[c]*Sinh[d*Sqrt[x]]/d)/(2*(b + a*Cosh[c + d*Sqrt[x]])^2)
```

Rubi [A] (verified)Time = 1.08 (sec) , antiderivative size = 321, normalized size of antiderivative = 1.01, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {5959, 3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
& \int x(a + b\operatorname{sech}(c + d\sqrt{x}))^2 dx \\
& \quad \downarrow 5959 \\
& 2 \int x^{3/2}(a + b\operatorname{sech}(c + d\sqrt{x}))^2 d\sqrt{x} \\
& \quad \downarrow 3042 \\
& 2 \int x^{3/2}\left(a + b\operatorname{csc}\left(ic + id\sqrt{x} + \frac{\pi}{2}\right)\right)^2 d\sqrt{x} \\
& \quad \downarrow 4678 \\
& 2 \int \left(x^{3/2}a^2 + 2bx^{3/2}\operatorname{sech}(c + d\sqrt{x})a + b^2x^{3/2}\operatorname{sech}^2(c + d\sqrt{x})\right) d\sqrt{x} \\
& \quad \downarrow 2009 \\
& 2 \left(\frac{a^2x^2}{4} + \frac{4abx^{3/2}\arctan(e^{c+d\sqrt{x}})}{d} - \frac{12iab\operatorname{PolyLog}\left(4, -ie^{c+d\sqrt{x}}\right)}{d^4} + \frac{12iab\operatorname{PolyLog}\left(4, ie^{c+d\sqrt{x}}\right)}{d^4} + \frac{12iab\sqrt{x}}{d} \right)
\end{aligned}$$

input

```
Int[x*(a + b*Sech[c + d*Sqrt[x]])^2,x]
```

output

```
2*((b^2*x^(3/2))/d + (a^2*x^2)/4 + (4*a*b*x^(3/2)*ArcTan[E^(c + d*Sqrt[x])
])/d - (3*b^2*x*Log[1 + E^(2*(c + d*Sqrt[x]))])/d^2 - ((6*I)*a*b*x*PolyLog
[2, (-I)*E^(c + d*Sqrt[x])])/d^2 + ((6*I)*a*b*x*PolyLog[2, I*E^(c + d*Sqrt
[x])])/d^2 - (3*b^2*Sqrt[x]*PolyLog[2, -E^(2*(c + d*Sqrt[x]))])/d^3 + ((12
*I)*a*b*Sqrt[x]*PolyLog[3, (-I)*E^(c + d*Sqrt[x])])/d^3 - ((12*I)*a*b*Sqrt
[x]*PolyLog[3, I*E^(c + d*Sqrt[x])])/d^3 + (3*b^2*PolyLog[3, -E^(2*(c + d*
Sqrt[x])]))/(2*d^4) - ((12*I)*a*b*PolyLog[4, (-I)*E^(c + d*Sqrt[x])])/d^4
+ ((12*I)*a*b*PolyLog[4, I*E^(c + d*Sqrt[x])])/d^4 + (b^2*x^(3/2)*Tanh[c +
d*Sqrt[x]])/d)
```

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4678 `Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]`

rule 5959 `Int[(x_)^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [F]

$$\int x(a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx$$

input `int(x*(a+b*sech(c+d*x^(1/2)))^2,x)`

output `int(x*(a+b*sech(c+d*x^(1/2)))^2,x)`

Fricas [F]

$$\int x(a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx = \int (b \operatorname{sech}(d\sqrt{x} + c) + a)^2 x dx$$

input `integrate(x*(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="fricas")`

output `integral(b^2*x*sech(d*sqrt(x) + c)^2 + 2*a*b*x*sech(d*sqrt(x) + c) + a^2*x, x)`

Sympy [F]

$$\int x(a + b\operatorname{sech}(c + d\sqrt{x}))^2 dx = \int x(a + b\operatorname{sech}(c + d\sqrt{x}))^2 dx$$

input `integrate(x*(a+b*sech(c+d*x**(1/2)))**2,x)`

output `Integral(x*(a + b*sech(c + d*sqrt(x)))**2, x)`

Maxima [F]

$$\int x(a + b\operatorname{sech}(c + d\sqrt{x}))^2 dx = \int (b\operatorname{sech}(d\sqrt{x} + c) + a)^2 x dx$$

input `integrate(x*(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="maxima")`

output `1/2*(a^2*d*x^2*e^(2*d*sqrt(x) + 2*c) + a^2*d*x^2 - 8*b^2*x^(3/2))/(d*e^(2*d*sqrt(x) + 2*c) + d) + integrate(2*(2*a*b*d*x*e^(d*sqrt(x) + c) + 3*b^2*sqrt(x))/(d*e^(2*d*sqrt(x) + 2*c) + d), x)`

Giac [F]

$$\int x(a + b\operatorname{sech}(c + d\sqrt{x}))^2 dx = \int (b\operatorname{sech}(d\sqrt{x} + c) + a)^2 x dx$$

input `integrate(x*(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="giac")`

output `integrate((b*sech(d*sqrt(x) + c) + a)^2*x, x)`

Mupad [F(-1)]

Timed out.

$$\int x(a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx = \int x \left(a + \frac{b}{\cosh(c + d\sqrt{x})} \right)^2 dx$$

input `int(x*(a + b/cosh(c + d*x^(1/2)))^2,x)`output `int(x*(a + b/cosh(c + d*x^(1/2)))^2, x)`**Reduce [F]**

$$\int x(a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx$$

$$= \frac{96e^{2\sqrt{x}d+2c} \operatorname{atan}(e^{\sqrt{x}d+c}) ab + 96 \operatorname{atan}(e^{\sqrt{x}d+c}) ab + 96e^{2\sqrt{x}d+3c} \left(\int \frac{e^{\sqrt{x}d}}{e^{4\sqrt{x}d+4c} + 2e^{2\sqrt{x}d+2c} + 1} dx \right) ab d^2 + 16e^{2\sqrt{x}d+2c} ab d^2}{1}$$

input `int(x*(a+b*sech(c+d*x^(1/2)))^2,x)`

output

```
(96***e**(2*sqrt(x)*d + 2*c)*atan(e**(sqrt(x)*d + c))*a*b + 96*atan(e**(sqrt
(x)*d + c))*a*b + 96***e**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4*sqrt
(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**2 + 16***e**(2*sqrt(x)
*d + 3*c)*int((e**(sqrt(x)*d)*x)/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)
)*d + 2*c) + 1),x)*a*b*d**4 + 48***e**(2*sqrt(x)*d + 3*c)*int((sqrt(x)*e**(s
qrt(x)*d))/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*
d**3 + 12*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*b**2*d + 12***e**(2*sqrt(x)*d + 2*c
)*int(sqrt(x)/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*b
**2*d**3 + 12***e**(2*sqrt(x)*d + 2*c)*int(1/(e**(4*sqrt(x)*d + 4*c) + 2*e**
(2*sqrt(x)*d + 2*c) + 1),x)*b**2*d**2 - 6***e**(2*sqrt(x)*d + 2*c)*log(e**(2
*sqrt(x)*d + 2*c) + 1)*b**2 + e**(2*sqrt(x)*d + 2*c)*a**2*d**4*x**2 - 16*s
qrt(x)*e**(sqrt(x)*d + c)*a*b*d**3*x - 96*sqrt(x)*e**(sqrt(x)*d + c)*a*b*d
- 48***e**(sqrt(x)*d + c)*a*b*d**2*x + 96***e**c*int(e**(sqrt(x)*d)/(e**(4*sq
rt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**2 + 16***e**c*int((
e**(sqrt(x)*d)*x)/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),
x)*a*b*d**4 + 48***e**c*int((sqrt(x)*e**(sqrt(x)*d))/(e**(4*sqrt(x)*d + 4*c)
+ 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**3 - 8*sqrt(x)*b**2*d**3*x + 12*
int(sqrt(x)/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*b**
2*d**3 + 12*int(1/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),
x)*b**2*d**2 - 6*log(e**(2*sqrt(x)*d + 2*c) + 1)*b**2 + a**2*d**4*x**2 ...
```


$$3.47 \quad \int \frac{(a+b\operatorname{sech}(c+d\sqrt{x}))^2}{x} dx$$

Optimal result	328
Mathematica [N/A]	328
Rubi [N/A]	329
Maple [N/A]	329
Fricas [N/A]	330
Sympy [N/A]	330
Maxima [N/A]	330
Giac [N/A]	331
Mupad [N/A]	331
Reduce [N/A]	332

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{(a + b\operatorname{sech}(c + d\sqrt{x}))^2}{x} dx = \operatorname{Int}\left(\frac{(a + b\operatorname{sech}(c + d\sqrt{x}))^2}{x}, x\right)$$

output `Defer(Int)((a+b*sech(c+d*x^(1/2)))^2/x,x)`

Mathematica [N/A]

Not integrable

Time = 58.73 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(a + b\operatorname{sech}(c + d\sqrt{x}))^2}{x} dx = \int \frac{(a + b\operatorname{sech}(c + d\sqrt{x}))^2}{x} dx$$

input `Integrate[(a + b*Sech[c + d*Sqrt[x]])^2/x,x]`

output `Integrate[(a + b*Sech[c + d*Sqrt[x]])^2/x, x]`

Rubi [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x} dx$$

↓ 5961

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x} dx$$

input `Int[(a + b*Sech[c + d*Sqrt[x]])^2/x,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.90

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x} dx$$

input `int((a+b*sech(c+d*x^(1/2)))^2/x,x)`

output `int((a+b*sech(c+d*x^(1/2)))^2/x,x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 36, normalized size of antiderivative = 1.80

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x} dx = \int \frac{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2}{x} dx$$

input `integrate((a+b*sech(c+d*x^(1/2)))^2/x,x, algorithm="fricas")`

output `integral((b^2*sech(d*sqrt(x) + c)^2 + 2*a*b*sech(d*sqrt(x) + c) + a^2)/x, x)`

Sympy [N/A]

Not integrable

Time = 11.92 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.85

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x} dx = \int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x} dx$$

input `integrate((a+b*sech(c+d*x**(1/2)))**2/x,x)`

output `Integral((a + b*sech(c + d*sqrt(x)))**2/x, x)`

Maxima [N/A]

Not integrable

Time = 0.40 (sec) , antiderivative size = 86, normalized size of antiderivative = 4.30

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x} dx = \int \frac{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2}{x} dx$$

input `integrate((a+b*sech(c+d*x^(1/2)))^2/x,x, algorithm="maxima")`

output `a^2*log(x) - 4*b^2*sqrt(x)/(d*x*e^(2*d*sqrt(x) + 2*c) + d*x) + integrate(2
*(2*a*b*d*x*e^(d*sqrt(x) + c) - b^2*sqrt(x))/(d*x^2*e^(2*d*sqrt(x) + 2*c)
+ d*x^2), x)`

Giac [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x} dx = \int \frac{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2}{x} dx$$

input `integrate((a+b*sech(c+d*x^(1/2)))^2/x,x, algorithm="giac")`

output `integrate((b*sech(d*sqrt(x) + c) + a)^2/x, x)`

Mupad [N/A]

Not integrable

Time = 2.75 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x} dx = \int \frac{\left(a + \frac{b}{\cosh(c + d\sqrt{x})}\right)^2}{x} dx$$

input `int((a + b/cosh(c + d*x^(1/2)))^2/x,x)`

output `int((a + b/cosh(c + d*x^(1/2)))^2/x, x)`

Reduce [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 43, normalized size of antiderivative = 2.15

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x} dx = \left(\int \frac{\operatorname{sech}(\sqrt{x}d + c)^2}{x} dx \right) b^2 + 2 \left(\int \frac{\operatorname{sech}(\sqrt{x}d + c)}{x} dx \right) ab + \log(x) a^2$$

input `int((a+b*sech(c+d*x^(1/2)))^2/x,x)`output `int(sech(sqrt(x)*d + c)**2/x,x)*b**2 + 2*int(sech(sqrt(x)*d + c)/x,x)*a*b + log(x)*a**2`

$$3.48 \quad \int \frac{(a+b\operatorname{sech}(c+d\sqrt{x}))^2}{x^2} dx$$

Optimal result	333
Mathematica [N/A]	333
Rubi [N/A]	334
Maple [N/A]	334
Fricas [N/A]	335
Sympy [N/A]	335
Maxima [N/A]	335
Giac [N/A]	336
Mupad [N/A]	336
Reduce [N/A]	337

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{(a + b\operatorname{sech}(c + d\sqrt{x}))^2}{x^2} dx = \operatorname{Int}\left(\frac{(a + b\operatorname{sech}(c + d\sqrt{x}))^2}{x^2}, x\right)$$

output `Defer(Int)((a+b*sech(c+d*x^(1/2)))^2/x^2,x)`

Mathematica [N/A]

Not integrable

Time = 22.99 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(a + b\operatorname{sech}(c + d\sqrt{x}))^2}{x^2} dx = \int \frac{(a + b\operatorname{sech}(c + d\sqrt{x}))^2}{x^2} dx$$

input `Integrate[(a + b*Sech[c + d*Sqrt[x]])^2/x^2,x]`

output `Integrate[(a + b*Sech[c + d*Sqrt[x]])^2/x^2, x]`

Rubi [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^2} dx$$

↓ 5961

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^2} dx$$

input `Int[(a + b*Sech[c + d*Sqrt[x]])^2/x^2,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.90

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^2} dx$$

input `int((a+b*sech(c+d*x^(1/2)))^2/x^2,x)`

output `int((a+b*sech(c+d*x^(1/2)))^2/x^2,x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 36, normalized size of antiderivative = 1.80

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^2} dx = \int \frac{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2}{x^2} dx$$

input `integrate((a+b*sech(c+d*x^(1/2)))^2/x^2,x, algorithm="fricas")`

output `integral((b^2*sech(d*sqrt(x) + c)^2 + 2*a*b*sech(d*sqrt(x) + c) + a^2)/x^2, x)`

Sympy [N/A]

Not integrable

Time = 2.51 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.95

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^2} dx = \int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^2} dx$$

input `integrate((a+b*sech(c+d*x**(1/2)))**2/x**2,x)`

output `Integral((a + b*sech(c + d*sqrt(x)))**2/x**2, x)`

Maxima [N/A]

Not integrable

Time = 0.43 (sec) , antiderivative size = 110, normalized size of antiderivative = 5.50

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^2} dx = \int \frac{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2}{x^2} dx$$

input `integrate((a+b*sech(c+d*x^(1/2)))^2/x^2,x, algorithm="maxima")`

output `-(a^2*d*x*e^(2*d*sqrt(x) + 2*c) + a^2*d*x + 4*b^2*sqrt(x))/(d*x^2*e^(2*d*sqrt(x) + 2*c) + d*x^2) + integrate(2*(2*a*b*d*x*e^(d*sqrt(x) + c) - 3*b^2*sqrt(x))/(d*x^3*e^(2*d*sqrt(x) + 2*c) + d*x^3), x)`

Giac [N/A]

Not integrable

Time = 0.30 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^2} dx = \int \frac{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2}{x^2} dx$$

input `integrate((a+b*sech(c+d*x^(1/2)))^2/x^2,x, algorithm="giac")`

output `integrate((b*sech(d*sqrt(x) + c) + a)^2/x^2, x)`

Mupad [N/A]

Not integrable

Time = 2.71 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^2} dx = \int \frac{\left(a + \frac{b}{\cosh(c + d\sqrt{x})}\right)^2}{x^2} dx$$

input `int((a + b/cosh(c + d*x^(1/2)))^2/x^2,x)`

output `int((a + b/cosh(c + d*x^(1/2)))^2/x^2, x)`

Reduce [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 179, normalized size of antiderivative = 8.95

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^2} dx$$

$$= \frac{4e^{3c} \left(\int \frac{e^{3\sqrt{x}d}}{e^{4\sqrt{x}d+4cx^2+2e^{2\sqrt{x}d+2cx^2+x^2}} dx \right) abx + 4e^{2c} \left(\int \frac{e^{2\sqrt{x}d}}{e^{4\sqrt{x}d+4cx^2+2e^{2\sqrt{x}d+2cx^2+x^2}} dx \right) b^2x + 4e^c \left(\int \frac{e^{\sqrt{x}d}}{e^{4\sqrt{x}d+4cx^2+2e^{2\sqrt{x}d+2cx^2+x^2}} dx \right)}{x}$$

input `int((a+b*sech(c+d*x^(1/2)))^2/x^2,x)`output `(4*e**(3*c)*int(e**(3*sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*x**2 + 2*e**(2*sqrt(x)*d + 2*c)*x**2 + x**2),x)*a*b*x + 4*e**(2*c)*int(e**(2*sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*x**2 + 2*e**(2*sqrt(x)*d + 2*c)*x**2 + x**2),x)*b**2*x + 4*e**c*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*x**2 + 2*e**(2*sqrt(x)*d + 2*c)*x**2 + x**2),x)*a*b*x - a**2)/x`

$$3.49 \quad \int \frac{x^3}{a+b\operatorname{sech}(c+d\sqrt{x})} dx$$

Optimal result	339
Mathematica [A] (verified)	340
Rubi [A] (verified)	341
Maple [F]	343
Fricas [F]	344
Sympy [F]	344
Maxima [F(-2)]	344
Giac [F]	345
Mupad [F(-1)]	345
Reduce [F]	345

Optimal result

Integrand size = 20, antiderivative size = 961

$$\begin{aligned}
 \int \frac{x^3}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = & \frac{x^4}{4a} - \frac{2bx^{7/2} \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d} \\
 & + \frac{2bx^{7/2} \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d} \\
 & - \frac{14bx^3 \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^2} \\
 & + \frac{14bx^3 \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^2} \\
 & + \frac{84bx^{5/2} \operatorname{PolyLog}\left(3, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^3} \\
 & - \frac{84bx^{5/2} \operatorname{PolyLog}\left(3, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^3} \\
 & - \frac{420bx^2 \operatorname{PolyLog}\left(4, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^4} \\
 & + \frac{420bx^2 \operatorname{PolyLog}\left(4, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^4} \\
 & + \frac{1680bx^{3/2} \operatorname{PolyLog}\left(5, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^5} \\
 & - \frac{1680bx^{3/2} \operatorname{PolyLog}\left(5, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^5} \\
 & - \frac{5040bx \operatorname{PolyLog}\left(6, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^6} \\
 & + \frac{5040bx \operatorname{PolyLog}\left(6, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^6} \\
 & + \frac{10080b\sqrt{x} \operatorname{PolyLog}\left(7, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^7} \\
 & - \frac{10080b\sqrt{x} \operatorname{PolyLog}\left(7, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^7} \\
 & - \frac{10080b \operatorname{PolyLog}\left(8, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^8} \\
 & + \frac{10080b \operatorname{PolyLog}\left(8, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^8}
 \end{aligned}$$

output

```

1/4*x^4/a-2*b*x^(7/2)*ln(1+a*exp(c+d*x^(1/2))/(b-(-a^2+b^2)^(1/2)))/a/(-a^
2+b^2)^(1/2)/d+2*b*x^(7/2)*ln(1+a*exp(c+d*x^(1/2))/(b+(-a^2+b^2)^(1/2)))/a
/(-a^2+b^2)^(1/2)/d-14*b*x^3*polylog(2,-a*exp(c+d*x^(1/2))/(b-(-a^2+b^2)^(
1/2)))/a/(-a^2+b^2)^(1/2)/d^2+14*b*x^3*polylog(2,-a*exp(c+d*x^(1/2))/(b+(-
a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^2+84*b*x^(5/2)*polylog(3,-a*exp(c+d*
x^(1/2))/(b-(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^3-84*b*x^(5/2)*polylog
(3,-a*exp(c+d*x^(1/2))/(b+(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^3-420*b*
x^2*polylog(4,-a*exp(c+d*x^(1/2))/(b-(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)
/d^4+420*b*x^2*polylog(4,-a*exp(c+d*x^(1/2))/(b+(-a^2+b^2)^(1/2)))/a/(-a^2
+b^2)^(1/2)/d^4+1680*b*x^(3/2)*polylog(5,-a*exp(c+d*x^(1/2))/(b-(-a^2+b^2)
^(1/2)))/a/(-a^2+b^2)^(1/2)/d^5-1680*b*x^(3/2)*polylog(5,-a*exp(c+d*x^(1/2)
))/(b+(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^5-5040*b*x*polylog(6,-a*exp(
c+d*x^(1/2))/(b-(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^6+5040*b*x*polylog
(6,-a*exp(c+d*x^(1/2))/(b+(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^6+10080*
b*x^(1/2)*polylog(7,-a*exp(c+d*x^(1/2))/(b-(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)
^(1/2)/d^7-10080*b*x^(1/2)*polylog(7,-a*exp(c+d*x^(1/2))/(b+(-a^2+b^2)^(1/
2)))/a/(-a^2+b^2)^(1/2)/d^7-10080*b*polylog(8,-a*exp(c+d*x^(1/2))/(b-(-a^2
+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^8+10080*b*polylog(8,-a*exp(c+d*x^(1/2))
/(b+(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^8

```

Mathematica [A] (verified)

Time = 0.73 (sec) , antiderivative size = 721, normalized size of antiderivative = 0.75

$$\int \frac{x^3}{a + b \operatorname{sech}(c + d\sqrt{x})} dx$$

$$= \frac{\sqrt{-a^2 + b^2} d^8 x^4 - 8bd^7 x^{7/2} \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right) + 8bd^7 x^{7/2} \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right) - 56bd^6 x^3 \operatorname{PolyLog}\left(2, \frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right) - 56bd^6 x^3 \operatorname{PolyLog}\left(2, \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right)}{d^8}$$

input

```
Integrate[x^3/(a + b*Sech[c + d*Sqrt[x]]),x]
```

output

```
(Sqrt[-a^2 + b^2]*d^8*x^4 - 8*b*d^7*x^(7/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/
(b - Sqrt[-a^2 + b^2])] + 8*b*d^7*x^(7/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/(b
+ Sqrt[-a^2 + b^2])] - 56*b*d^6*x^3*PolyLog[2, (a*E^(c + d*Sqrt[x]))/(-b
+ Sqrt[-a^2 + b^2])] + 56*b*d^6*x^3*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b
+ Sqrt[-a^2 + b^2]))] + 336*b*d^5*x^(5/2)*PolyLog[3, (a*E^(c + d*Sqrt[x]))
/(-b + Sqrt[-a^2 + b^2])] - 336*b*d^5*x^(5/2)*PolyLog[3, -((a*E^(c + d*Sqr
t[x]))/(b + Sqrt[-a^2 + b^2]))] - 1680*b*d^4*x^2*PolyLog[4, (a*E^(c + d*Sq
rt[x]))/(-b + Sqrt[-a^2 + b^2])] + 1680*b*d^4*x^2*PolyLog[4, -((a*E^(c + d
*Sqrt[x]))/(b + Sqrt[-a^2 + b^2]))] + 6720*b*d^3*x^(3/2)*PolyLog[5, (a*E^(
c + d*Sqrt[x]))/(-b + Sqrt[-a^2 + b^2])] - 6720*b*d^3*x^(3/2)*PolyLog[5, -
((a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2]))] - 20160*b*d^2*x*PolyLog[6,
(a*E^(c + d*Sqrt[x]))/(-b + Sqrt[-a^2 + b^2])] + 20160*b*d^2*x*PolyLog[6,
-((a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2]))] + 40320*b*d*Sqrt[x]*Poly
Log[7, (a*E^(c + d*Sqrt[x]))/(-b + Sqrt[-a^2 + b^2])] - 40320*b*d*Sqrt[x]*
PolyLog[7, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2]))] - 40320*b*Poly
Log[8, (a*E^(c + d*Sqrt[x]))/(-b + Sqrt[-a^2 + b^2])] + 40320*b*PolyLog[8,
-((a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2]))]/(4*a*Sqrt[-a^2 + b^2]*d
^8)
```

Rubi [A] (verified)

Time = 2.16 (sec) , antiderivative size = 962, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {5959, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^3}{a + b \operatorname{sech}(c + d\sqrt{x})} dx$$

$$\downarrow 5959$$

$$2 \int \frac{x^{7/2}}{a + b \operatorname{sech}(c + d\sqrt{x})} d\sqrt{x}$$

$$\downarrow 3042$$

$$2 \int \frac{x^{7/2}}{a + b \csc\left(ic + id\sqrt{x} + \frac{\pi}{2}\right)} d\sqrt{x}$$

$$2 \int \left(\frac{x^{7/2}}{a} - \frac{bx^{7/2}}{a(b + a \cosh(c + d\sqrt{x}))} \right) d\sqrt{x}$$

$$2 \left(\frac{x^4}{8a} - \frac{b \log\left(\frac{e^{c+d\sqrt{x}}a}{b-\sqrt{b^2-a^2}} + 1\right) x^{7/2}}{a\sqrt{b^2-a^2}d} + \frac{b \log\left(\frac{e^{c+d\sqrt{x}}a}{b+\sqrt{b^2-a^2}} + 1\right) x^{7/2}}{a\sqrt{b^2-a^2}d} - \frac{7b \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{b^2-a^2}}\right) x^3}{a\sqrt{b^2-a^2}d^2} + \frac{7b \operatorname{PolyLog}\left(2, \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{b^2-a^2}}\right) x^3}{a\sqrt{b^2-a^2}d^2} \right)$$

input `Int[x^3/(a + b*Sech[c + d*Sqrt[x]]),x]`

output

```
2*(x^4/(8*a) - (b*x^(7/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2])])/(a*Sqrt[-a^2 + b^2]*d) + (b*x^(7/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2])])/(a*Sqrt[-a^2 + b^2]*d) - (7*b*x^3*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^2) + (7*b*x^3*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^2) + (42*b*x^(5/2)*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^3) - (42*b*x^(5/2)*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^3) - (210*b*x^2*PolyLog[4, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^4) + (210*b*x^2*PolyLog[4, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^4) + (840*b*x^(3/2)*PolyLog[5, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^5) - (840*b*x^(3/2)*PolyLog[5, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^5) - (2520*b*x*PolyLog[6, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^6) + (2520*b*x*PolyLog[6, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^6) + (5040*b*Sqrt[x]*PolyLog[7, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^7) - (5040*b*Sqrt[x]*PolyLog[7, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^7) - (5040*b*PolyLog[8, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])/(a*Sq...
```

Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4679 `Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Sin[e + f*x])^n), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]`

rule 5959 `Int[(x_)^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [F]

$$\int \frac{x^3}{a + b \operatorname{sech}(c + d\sqrt{x})} dx$$

input `int(x^3/(a+b*sech(c+d*x^(1/2))),x)`

output `int(x^3/(a+b*sech(c+d*x^(1/2))),x)`

Fricas [F]

$$\int \frac{x^3}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = \int \frac{x^3}{b \operatorname{sech}(d\sqrt{x} + c) + a} dx$$

input `integrate(x^3/(a+b*sech(c+d*x^(1/2))),x, algorithm="fricas")`

output `integral(x^3/(b*sech(d*sqrt(x) + c) + a), x)`

Sympy [F]

$$\int \frac{x^3}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = \int \frac{x^3}{a + b \operatorname{sech}(c + d\sqrt{x})} dx$$

input `integrate(x**3/(a+b*sech(c+d*x**(1/2))),x)`

output `Integral(x**3/(a + b*sech(c + d*sqrt(x))), x)`

Maxima [F(-2)]

Exception generated.

$$\int \frac{x^3}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = \text{Exception raised: ValueError}$$

input `integrate(x^3/(a+b*sech(c+d*x^(1/2))),x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(a-b>0)', see `assume?` for more details)Is`

Giac [F]

$$\int \frac{x^3}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = \int \frac{x^3}{b \operatorname{sech}(d\sqrt{x} + c) + a} dx$$

input `integrate(x^3/(a+b*sech(c+d*x^(1/2))),x, algorithm="giac")`

output `integrate(x^3/(b*sech(d*sqrt(x) + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x^3}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = \int \frac{x^3}{a + \frac{b}{\cosh(c + d\sqrt{x})}} dx$$

input `int(x^3/(a + b/cosh(c + d*x^(1/2))),x)`

output `int(x^3/(a + b/cosh(c + d*x^(1/2))), x)`

Reduce [F]

$$\int \frac{x^3}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = e^{2c} \left(\int \frac{e^{2\sqrt{x}d} x^3}{e^{2\sqrt{x}d+2c} a + 2e^{\sqrt{x}d+cb} + a} dx \right) + \int \frac{x^3}{e^{2\sqrt{x}d+2c} a + 2e^{\sqrt{x}d+cb} + a} dx$$

input `int(x^3/(a+b*sech(c+d*x^(1/2))),x)`

output `e**(2*c)*int((e**(2*sqrt(x)*d)*x**3)/(e**(2*sqrt(x)*d + 2*c)*a + 2*e**(sqrt(x)*d + c)*b + a),x) + int(x**3/(e**(2*sqrt(x)*d + 2*c)*a + 2*e**(sqrt(x)*d + c)*b + a),x)`

$$3.50 \quad \int \frac{x^2}{a+b\operatorname{sech}(c+d\sqrt{x})} dx$$

Optimal result	347
Mathematica [A] (verified)	348
Rubi [A] (verified)	349
Maple [F]	351
Fricas [F]	351
Sympy [F]	351
Maxima [F(-2)]	352
Giac [F]	352
Mupad [F(-1)]	352
Reduce [F]	353

Optimal result

Integrand size = 20, antiderivative size = 721

$$\begin{aligned}
\int \frac{x^2}{a + b \operatorname{sech}(c + d\sqrt{x})} dx &= \frac{x^3}{3a} - \frac{2bx^{5/2} \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d} \\
&+ \frac{2bx^{5/2} \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d} \\
&- \frac{10bx^2 \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^2} \\
&+ \frac{10bx^2 \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^2} \\
&+ \frac{40bx^{3/2} \operatorname{PolyLog}\left(3, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^3} \\
&- \frac{40bx^{3/2} \operatorname{PolyLog}\left(3, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^3} \\
&- \frac{120bx \operatorname{PolyLog}\left(4, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^4} \\
&+ \frac{120bx \operatorname{PolyLog}\left(4, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^4} \\
&+ \frac{240b\sqrt{x} \operatorname{PolyLog}\left(5, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^5} \\
&- \frac{240b\sqrt{x} \operatorname{PolyLog}\left(5, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^5} \\
&- \frac{240b \operatorname{PolyLog}\left(6, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^6} \\
&+ \frac{240b \operatorname{PolyLog}\left(6, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^6}
\end{aligned}$$

output

```

1/3*x^3/a-2*b*x^(5/2)*ln(1+a*exp(c+d*x^(1/2))/(b-(-a^2+b^2)^(1/2)))/a/(-a^
2+b^2)^(1/2)/d+2*b*x^(5/2)*ln(1+a*exp(c+d*x^(1/2))/(b+(-a^2+b^2)^(1/2)))/a
/(-a^2+b^2)^(1/2)/d-10*b*x^2*polylog(2,-a*exp(c+d*x^(1/2))/(b-(-a^2+b^2)^(
1/2)))/a/(-a^2+b^2)^(1/2)/d^2+10*b*x^2*polylog(2,-a*exp(c+d*x^(1/2))/(b+(-
a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^2+40*b*x^(3/2)*polylog(3,-a*exp(c+d*
x^(1/2))/(b-(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^3-40*b*x^(3/2)*polylog
(3,-a*exp(c+d*x^(1/2))/(b+(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^3-120*b*
x*polylog(4,-a*exp(c+d*x^(1/2))/(b-(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d
^4+120*b*x*polylog(4,-a*exp(c+d*x^(1/2))/(b+(-a^2+b^2)^(1/2)))/a/(-a^2+b^2
)^(1/2)/d^4+240*b*x^(1/2)*polylog(5,-a*exp(c+d*x^(1/2))/(b-(-a^2+b^2)^(1/2
)))/a/(-a^2+b^2)^(1/2)/d^5-240*b*x^(1/2)*polylog(5,-a*exp(c+d*x^(1/2))/(b+
(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^5-240*b*polylog(6,-a*exp(c+d*x^(1/
2))/(b-(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^6+240*b*polylog(6,-a*exp(c+
d*x^(1/2))/(b+(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^6

```

Mathematica [A] (verified)

Time = 0.51 (sec) , antiderivative size = 547, normalized size of antiderivative = 0.76

$$\int \frac{x^2}{a + b \operatorname{sech}(c + d\sqrt{x})} dx$$

$$= \frac{\sqrt{-a^2 + b^2} d^6 x^3 - 6bd^5 x^{5/2} \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right) + 6bd^5 x^{5/2} \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right) - 30bd^4 x^2 \operatorname{PolyLog}\left(2,$$

input

```
Integrate[x^2/(a + b*Sech[c + d*Sqrt[x]]),x]
```

output

```
(Sqrt[-a^2 + b^2]*d^6*x^3 - 6*b*d^5*x^(5/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/
(b - Sqrt[-a^2 + b^2])] + 6*b*d^5*x^(5/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/(b
+ Sqrt[-a^2 + b^2])] - 30*b*d^4*x^2*PolyLog[2, (a*E^(c + d*Sqrt[x]))/(-b
+ Sqrt[-a^2 + b^2])] + 30*b*d^4*x^2*PolyLog[2, -(a*E^(c + d*Sqrt[x]))/(b
+ Sqrt[-a^2 + b^2])] + 120*b*d^3*x^(3/2)*PolyLog[3, (a*E^(c + d*Sqrt[x]))
/(-b + Sqrt[-a^2 + b^2])] - 120*b*d^3*x^(3/2)*PolyLog[3, -(a*E^(c + d*Sqr
t[x]))/(b + Sqrt[-a^2 + b^2])] - 360*b*d^2*x*PolyLog[4, (a*E^(c + d*Sqrt[
x]))/(-b + Sqrt[-a^2 + b^2])] + 360*b*d^2*x*PolyLog[4, -(a*E^(c + d*Sqrt[
x]))/(b + Sqrt[-a^2 + b^2])] + 720*b*d*Sqrt[x]*PolyLog[5, (a*E^(c + d*Sqr
t[x]))/(-b + Sqrt[-a^2 + b^2])] - 720*b*d*Sqrt[x]*PolyLog[5, -(a*E^(c + d
*Sqrt[x]))/(b + Sqrt[-a^2 + b^2])] - 720*b*PolyLog[6, (a*E^(c + d*Sqrt[x]
))/(-b + Sqrt[-a^2 + b^2])] + 720*b*PolyLog[6, -(a*E^(c + d*Sqrt[x]))/(b
+ Sqrt[-a^2 + b^2])])]/(3*a*Sqrt[-a^2 + b^2]*d^6)
```

Rubi [A] (verified)

Time = 1.42 (sec) , antiderivative size = 722, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {5959, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{x^2}{a + b \operatorname{sech}(c + d\sqrt{x})} dx \\
 & \quad \downarrow \text{5959} \\
 & 2 \int \frac{x^{5/2}}{a + b \operatorname{sech}(c + d\sqrt{x})} d\sqrt{x} \\
 & \quad \downarrow \text{3042} \\
 & 2 \int \frac{x^{5/2}}{a + b \csc\left(ic + id\sqrt{x} + \frac{\pi}{2}\right)} d\sqrt{x} \\
 & \quad \downarrow \text{4679} \\
 & 2 \int \left(\frac{x^{5/2}}{a} - \frac{bx^{5/2}}{a(b + a \cosh(c + d\sqrt{x}))} \right) d\sqrt{x} \\
 & \quad \downarrow \text{2009}
 \end{aligned}$$

$$2 \left(-\frac{120b \operatorname{PolyLog}\left(6, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{b^2-a^2}}\right)}{ad^6\sqrt{b^2-a^2}} + \frac{120b \operatorname{PolyLog}\left(6, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{b^2-a^2}}\right)}{ad^6\sqrt{b^2-a^2}} + \frac{120b\sqrt{x} \operatorname{PolyLog}\left(5, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{b^2-a^2}}\right)}{ad^5\sqrt{b^2-a^2}} - \frac{120b\sqrt{x} \operatorname{PolyLog}\left(5, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{b^2-a^2}}\right)}{ad^5\sqrt{b^2-a^2}} \right)$$

input `Int[x^2/(a + b*Sech[c + d*Sqrt[x]]),x]`

output

```
2*(x^3/(6*a) - (b*x^(5/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2])])/(a*Sqrt[-a^2 + b^2]*d) + (b*x^(5/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2])])/(a*Sqrt[-a^2 + b^2]*d) - (5*b*x^2*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^2) + (5*b*x^2*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^2) + (20*b*x^(3/2)*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^3) - (20*b*x^(3/2)*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^3) - (60*b*x*PolyLog[4, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^4) + (60*b*x*PolyLog[4, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^4) + (120*b*Sqrt[x]*PolyLog[5, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^5) - (120*b*Sqrt[x]*PolyLog[5, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^5) - (120*b*PolyLog[6, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^6) + (120*b*PolyLog[6, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^6))
```

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4679 `Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Sinn[e + f*x]^n)], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]`

rule 5959

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol]
  := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x]
  /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]
```

Maple [F]

$$\int \frac{x^2}{a + b \operatorname{sech}(c + d\sqrt{x})} dx$$

input

```
int(x^2/(a+b*sech(c+d*x^(1/2))),x)
```

output

```
int(x^2/(a+b*sech(c+d*x^(1/2))),x)
```

Fricas [F]

$$\int \frac{x^2}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = \int \frac{x^2}{b \operatorname{sech}(d\sqrt{x} + c) + a} dx$$

input

```
integrate(x^2/(a+b*sech(c+d*x^(1/2))),x, algorithm="fricas")
```

output

```
integral(x^2/(b*sech(d*sqrt(x) + c) + a), x)
```

Sympy [F]

$$\int \frac{x^2}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = \int \frac{x^2}{a + b \operatorname{sech}(c + d\sqrt{x})} dx$$

input

```
integrate(x**2/(a+b*sech(c+d*x**(1/2))),x)
```

output

```
Integral(x**2/(a + b*sech(c + d*sqrt(x))), x)
```


Maxima [F(-2)]

Exception generated.

$$\int \frac{x^2}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = \text{Exception raised: ValueError}$$

input `integrate(x^2/(a+b*sech(c+d*x^(1/2))),x, algorithm="maxima")`

output Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(a-b>0)', see `assume?` for more details)Is

Giac [F]

$$\int \frac{x^2}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = \int \frac{x^2}{b \operatorname{sech}(d\sqrt{x} + c) + a} dx$$

input `integrate(x^2/(a+b*sech(c+d*x^(1/2))),x, algorithm="giac")`

output `integrate(x^2/(b*sech(d*sqrt(x) + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x^2}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = \int \frac{x^2}{a + \frac{b}{\cosh(c + d\sqrt{x})}} dx$$

input `int(x^2/(a + b/cosh(c + d*x^(1/2))),x)`

output `int(x^2/(a + b/cosh(c + d*x^(1/2))), x)`

Reduce [F]

$$\int \frac{x^2}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = e^{2c} \left(\int \frac{e^{2\sqrt{x}d} x^2}{e^{2\sqrt{x}d+2c} a + 2e^{\sqrt{x}d+cb} + a} dx \right) + \int \frac{x^2}{e^{2\sqrt{x}d+2c} a + 2e^{\sqrt{x}d+cb} + a} dx$$

input `int(x^2/(a+b*sech(c+d*x^(1/2))),x)`

output `e**(2*c)*int((e**(2*sqrt(x)*d)*x**2)/(e**(2*sqrt(x)*d + 2*c)*a + 2*e**(sqrt(x)*d + c)*b + a),x) + int(x**2/(e**(2*sqrt(x)*d + 2*c)*a + 2*e**(sqrt(x)*d + c)*b + a),x)`

3.51 $\int \frac{x}{a+b\operatorname{sech}(c+d\sqrt{x})} dx$

Optimal result	354
Mathematica [A] (verified)	355
Rubi [A] (verified)	356
Maple [F]	358
Fricas [F]	358
Sympy [F]	358
Maxima [F(-2)]	359
Giac [F]	359
Mupad [F(-1)]	359
Reduce [F]	360

Optimal result

Integrand size = 18, antiderivative size = 481

$$\begin{aligned}
 \int \frac{x}{a+b\operatorname{sech}(c+d\sqrt{x})} dx = & \frac{x^2}{2a} - \frac{2bx^{3/2} \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d} \\
 & + \frac{2bx^{3/2} \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d} \\
 & - \frac{6bx \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^2} \\
 & + \frac{6bx \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^2} \\
 & + \frac{12b\sqrt{x} \operatorname{PolyLog}\left(3, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^3} \\
 & - \frac{12b\sqrt{x} \operatorname{PolyLog}\left(3, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^3} \\
 & - \frac{12b \operatorname{PolyLog}\left(4, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^4} \\
 & + \frac{12b \operatorname{PolyLog}\left(4, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^4}
 \end{aligned}$$

output

```

1/2*x^2/a-2*b*x^(3/2)*ln(1+a*exp(c+d*x^(1/2))/(b-(-a^2+b^2)^(1/2)))/a/(-a^
2+b^2)^(1/2)/d+2*b*x^(3/2)*ln(1+a*exp(c+d*x^(1/2))/(b+(-a^2+b^2)^(1/2)))/a
/(-a^2+b^2)^(1/2)/d-6*b*x*polylog(2,-a*exp(c+d*x^(1/2))/(b-(-a^2+b^2)^(1/2)
)))/a/(-a^2+b^2)^(1/2)/d^2+6*b*x*polylog(2,-a*exp(c+d*x^(1/2))/(b+(-a^2+b^
2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^2+12*b*x^(1/2)*polylog(3,-a*exp(c+d*x^(1/2)
))/(b-(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^3-12*b*x^(1/2)*polylog(3,-a*
exp(c+d*x^(1/2))/(b+(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^3-12*b*polylog
(4,-a*exp(c+d*x^(1/2))/(b-(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^4+12*b*p
olylog(4,-a*exp(c+d*x^(1/2))/(b+(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^4

```

Mathematica [A] (verified)

Time = 0.42 (sec) , antiderivative size = 373, normalized size of antiderivative = 0.78

$$\int \frac{x}{a + b \operatorname{sech}(c + d\sqrt{x})} dx$$

$$= \frac{\sqrt{-a^2 + b^2} d^4 x^2 - 4bd^3 x^{3/2} \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right) + 4bd^3 x^{3/2} \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right) - 12bd^2 x \operatorname{PolyLog}\left(2, \frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right) - 12bd^2 x \operatorname{PolyLog}\left(2, \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right)}{(2a\sqrt{-a^2 + b^2}d^4)}$$

input

```
Integrate[x/(a + b*Sech[c + d*Sqrt[x]]),x]
```

output

```

(Sqrt[-a^2 + b^2]*d^4*x^2 - 4*b*d^3*x^(3/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/
(b - Sqrt[-a^2 + b^2])] + 4*b*d^3*x^(3/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/(b
+ Sqrt[-a^2 + b^2])] - 12*b*d^2*x*PolyLog[2, (a*E^(c + d*Sqrt[x]))/(-b +
Sqrt[-a^2 + b^2])] + 12*b*d^2*x*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b + Sq
rt[-a^2 + b^2]))] + 24*b*d*Sqrt[x]*PolyLog[3, (a*E^(c + d*Sqrt[x]))/(-b +
Sqrt[-a^2 + b^2])] - 24*b*d*Sqrt[x]*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/(b
+ Sqrt[-a^2 + b^2]))] - 24*b*PolyLog[4, (a*E^(c + d*Sqrt[x]))/(-b + Sqrt[-
a^2 + b^2])] + 24*b*PolyLog[4, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^
2])))]/(2*a*Sqrt[-a^2 + b^2]*d^4)

```

Rubi [A] (verified)

Time = 1.16 (sec) , antiderivative size = 482, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {5959, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{x}{a + b \operatorname{sech}(c + d\sqrt{x})} dx \\
 & \quad \downarrow \text{5959} \\
 & 2 \int \frac{x^{3/2}}{a + b \operatorname{sech}(c + d\sqrt{x})} d\sqrt{x} \\
 & \quad \downarrow \text{3042} \\
 & 2 \int \frac{x^{3/2}}{a + b \csc\left(ic + id\sqrt{x} + \frac{\pi}{2}\right)} d\sqrt{x} \\
 & \quad \downarrow \text{4679} \\
 & 2 \int \left(\frac{x^{3/2}}{a} - \frac{bx^{3/2}}{a(b + a \cosh(c + d\sqrt{x}))} \right) d\sqrt{x} \\
 & \quad \downarrow \text{2009} \\
 & 2 \left(-\frac{6b \operatorname{PolyLog}\left(4, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{b^2-a^2}}\right)}{ad^4\sqrt{b^2-a^2}} + \frac{6b \operatorname{PolyLog}\left(4, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{b^2-a^2}}\right)}{ad^4\sqrt{b^2-a^2}} + \frac{6b\sqrt{x} \operatorname{PolyLog}\left(3, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{b^2-a^2}}\right)}{ad^3\sqrt{b^2-a^2}} - \frac{6b\sqrt{x} \operatorname{PolyLog}\left(3, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{b^2-a^2}}\right)}{ad^3\sqrt{b^2-a^2}} \right)
 \end{aligned}$$

input

```
Int[x/(a + b*Sech[c + d*Sqrt[x]]),x]
```

output

$$2*(x^2/(4*a) - (b*x^{(3/2)}*Log[1 + (a*E^{(c + d*Sqrt[x]))]/(b - Sqrt[-a^2 + b^2]))]/(a*Sqrt[-a^2 + b^2]*d) + (b*x^{(3/2)}*Log[1 + (a*E^{(c + d*Sqrt[x]))]/(b + Sqrt[-a^2 + b^2]))]/(a*Sqrt[-a^2 + b^2]*d) - (3*b*x*PolyLog[2, -((a*E^{(c + d*Sqrt[x]))]/(b - Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^2) + (3*b*x*PolyLog[2, -((a*E^{(c + d*Sqrt[x]))]/(b + Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^2) + (6*b*Sqrt[x]*PolyLog[3, -((a*E^{(c + d*Sqrt[x]))]/(b - Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^3) - (6*b*Sqrt[x]*PolyLog[3, -((a*E^{(c + d*Sqrt[x]))]/(b + Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^3) - (6*b*PolyLog[4, -((a*E^{(c + d*Sqrt[x]))]/(b - Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^4) + (6*b*PolyLog[4, -((a*E^{(c + d*Sqrt[x]))]/(b + Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^4))$$

Defintions of rubi rules used

rule 2009

$$\text{Int}[u_, x_Symbol] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] \text{ /; SumQ}[u]$$

rule 3042

$$\text{Int}[u_, x_Symbol] \rightarrow \text{Int}[\text{DeactivateTrig}[u, x], x] \text{ /; FunctionOfTrigOfLinearQ}[u, x]$$

rule 4679

$$\text{Int}[(\text{csc}[(e_)] + (f_)*(x_)]*(b_)] + (a_)]^{(n_)}*((c_)] + (d_)]*(x_)]^{(m_)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, 1/(\text{Sin}[e + f*x]^n/(b + a*\text{Sin}[e + f*x]^n)], x], x] \text{ /; FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \text{ILtQ}[n, 0] \ \&\& \text{IGtQ}[m, 0]$$

rule 5959

$$\text{Int}[(x_)^{(m_)}*((a_) + (b_)*\text{Sech}[(c_) + (d_)]*(x_)^{(n_)}])^{(p_)}, x_Symbol] \rightarrow \text{Simp}[1/n \ \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*\text{Sech}[c + d*x])^p}, x], x, x^n], x] \text{ /; FreeQ}\{a, b, c, d, m, n, p\}, x] \ \&\& \text{IGtQ}[\text{Simplify}[(m + 1)/n], 0] \ \&\& \text{IntegerQ}[p]$$

Maple [F]

$$\int \frac{x}{a + b \operatorname{sech}(c + d\sqrt{x})} dx$$

input `int(x/(a+b*sech(c+d*x^(1/2))),x)`

output `int(x/(a+b*sech(c+d*x^(1/2))),x)`

Fricas [F]

$$\int \frac{x}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = \int \frac{x}{b \operatorname{sech}(d\sqrt{x} + c) + a} dx$$

input `integrate(x/(a+b*sech(c+d*x^(1/2))),x, algorithm="fricas")`

output `integral(x/(b*sech(d*sqrt(x) + c) + a), x)`

Sympy [F]

$$\int \frac{x}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = \int \frac{x}{a + b \operatorname{sech}(c + d\sqrt{x})} dx$$

input `integrate(x/(a+b*sech(c+d*x**(1/2))),x)`

output `Integral(x/(a + b*sech(c + d*sqrt(x))), x)`

Maxima [F(-2)]

Exception generated.

$$\int \frac{x}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = \text{Exception raised: ValueError}$$

input `integrate(x/(a+b*sech(c+d*x^(1/2))),x, algorithm="maxima")`

output Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(a-b>0)', see `assume?` for more details)Is

Giac [F]

$$\int \frac{x}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = \int \frac{x}{b \operatorname{sech}(d\sqrt{x} + c) + a} dx$$

input `integrate(x/(a+b*sech(c+d*x^(1/2))),x, algorithm="giac")`

output `integrate(x/(b*sech(d*sqrt(x) + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = \int \frac{x}{a + \frac{b}{\cosh(c + d\sqrt{x})}} dx$$

input `int(x/(a + b/cosh(c + d*x^(1/2))),x)`

output `int(x/(a + b/cosh(c + d*x^(1/2))), x)`

Reduce [F]

$$\int \frac{x}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = e^{2c} \left(\int \frac{e^{2\sqrt{x}d} x}{e^{2\sqrt{x}d+2c} a + 2e^{\sqrt{x}d+c} b + a} dx \right) + \int \frac{x}{e^{2\sqrt{x}d+2c} a + 2e^{\sqrt{x}d+c} b + a} dx$$

input `int(x/(a+b*sech(c+d*x^(1/2))),x)`

output `e**(2*c)*int((e**(2*sqrt(x)*d)*x)/(e**(2*sqrt(x)*d + 2*c)*a + 2*e**(sqrt(x)*d + c)*b + a),x) + int(x/(e**(2*sqrt(x)*d + 2*c)*a + 2*e**(sqrt(x)*d + c)*b + a),x)`

$$3.52 \quad \int \frac{1}{x(a+b\operatorname{sech}(c+d\sqrt{x}))} dx$$

Optimal result	361
Mathematica [N/A]	361
Rubi [N/A]	362
Maple [N/A]	362
Fricas [N/A]	363
Sympy [N/A]	363
Maxima [N/A]	363
Giac [N/A]	364
Mupad [N/A]	364
Reduce [N/A]	365

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{1}{x(a+b\operatorname{sech}(c+d\sqrt{x}))} dx = \operatorname{Int}\left(\frac{1}{x(a+b\operatorname{sech}(c+d\sqrt{x}))}, x\right)$$

output `Defer(Int)(1/x/(a+b*sech(c+d*x^(1/2))), x)`

Mathematica [N/A]

Not integrable

Time = 3.48 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{x(a+b\operatorname{sech}(c+d\sqrt{x}))} dx = \int \frac{1}{x(a+b\operatorname{sech}(c+d\sqrt{x}))} dx$$

input `Integrate[1/(x*(a + b*Sech[c + d*Sqrt[x]])), x]`

output `Integrate[1/(x*(a + b*Sech[c + d*Sqrt[x]])), x]`

Rubi [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x(a + b \operatorname{sech}(c + d\sqrt{x}))} dx$$

↓ 5961

$$\int \frac{1}{x(a + b \operatorname{sech}(c + d\sqrt{x}))} dx$$

input `Int[1/(x*(a + b*Sech[c + d*Sqrt[x]])),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.90

$$\int \frac{1}{x(a + b \operatorname{sech}(c + d\sqrt{x}))} dx$$

input `int(1/x/(a+b*sech(c+d*x^(1/2))),x)`

output `int(1/x/(a+b*sech(c+d*x^(1/2))),x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.95

$$\int \frac{1}{x(a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \int \frac{1}{(b \operatorname{sech}(d\sqrt{x} + c) + a)x} dx$$

input `integrate(1/x/(a+b*sech(c+d*x^(1/2))),x, algorithm="fricas")`

output `integral(1/(b*x*sech(d*sqrt(x) + c) + a*x), x)`

Sympy [N/A]

Not integrable

Time = 2.53 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.85

$$\int \frac{1}{x(a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \int \frac{1}{x(a + b \operatorname{sech}(c + d\sqrt{x}))} dx$$

input `integrate(1/x/(a+b*sech(c+d*x**(1/2))),x)`

output `Integral(1/(x*(a + b*sech(c + d*sqrt(x))))), x)`

Maxima [N/A]

Not integrable

Time = 0.33 (sec) , antiderivative size = 58, normalized size of antiderivative = 2.90

$$\int \frac{1}{x(a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \int \frac{1}{(b \operatorname{sech}(d\sqrt{x} + c) + a)x} dx$$

input `integrate(1/x/(a+b*sech(c+d*x^(1/2))),x, algorithm="maxima")`

output

```
-2*b*integrate(e^(d*sqrt(x) + c)/(a^2*x*e^(2*d*sqrt(x) + 2*c) + 2*a*b*x*e^(d*sqrt(x) + c) + a^2*x), x) + log(x)/a
```

Giac [N/A]

Not integrable

Time = 0.16 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{1}{x(a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \int \frac{1}{(b \operatorname{sech}(d\sqrt{x} + c) + a)x} dx$$

input

```
integrate(1/x/(a+b*sech(c+d*x^(1/2))),x, algorithm="giac")
```

output

```
integrate(1/((b*sech(d*sqrt(x) + c) + a)*x), x)
```

Mupad [N/A]

Not integrable

Time = 2.41 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{x(a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \int \frac{1}{x \left(a + \frac{b}{\cosh(c + d\sqrt{x})} \right)} dx$$

input

```
int(1/(x*(a + b/cosh(c + d*x^(1/2))))),x)
```

output

```
int(1/(x*(a + b/cosh(c + d*x^(1/2))))), x)
```

Reduce [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 56, normalized size of antiderivative = 2.80

$$\int \frac{1}{x (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \frac{-2e^c \left(\int \frac{e^{\sqrt{x}d}}{e^{2\sqrt{x}d+2c}ax+2e^{\sqrt{x}d+c}bx+ax} dx \right) b + 2 \log(\sqrt{x})}{a}$$

input `int(1/x/(a+b*sech(c+d*x^(1/2))),x)`output `(2*(- e**c*int(e**(sqrt(x)*d)/(e**(2*sqrt(x)*d + 2*c)*a*x + 2*e**(sqrt(x)*d + c)*b*x + a*x),x)*b + log(sqrt(x)))/a`

$$3.53 \quad \int \frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))} dx$$

Optimal result	366
Mathematica [N/A]	366
Rubi [N/A]	367
Maple [N/A]	367
Fricas [N/A]	368
Sympy [N/A]	368
Maxima [N/A]	368
Giac [N/A]	369
Mupad [N/A]	369
Reduce [N/A]	370

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \operatorname{Int}\left(\frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))}, x\right)$$

output `Defer(Int)(1/x^2/(a+b*sech(c+d*x^(1/2))),x)`

Mathematica [N/A]

Not integrable

Time = 5.76 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \int \frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))} dx$$

input `Integrate[1/(x^2*(a + b*Sech[c + d*Sqrt[x]])),x]`

output `Integrate[1/(x^2*(a + b*Sech[c + d*Sqrt[x]])), x]`

Rubi [N/A]

Not integrable

Time = 0.26 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))} dx$$

↓ 5961

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))} dx$$

input `Int[1/(x^2*(a + b*Sech[c + d*Sqrt[x]])),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.90

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))} dx$$

input `int(1/x^2/(a+b*sech(c+d*x^(1/2))),x)`

output `int(1/x^2/(a+b*sech(c+d*x^(1/2))),x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 23, normalized size of antiderivative = 1.15

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \int \frac{1}{(b \operatorname{sech}(d\sqrt{x} + c) + a)x^2} dx$$

input `integrate(1/x^2/(a+b*sech(c+d*x^(1/2))),x, algorithm="fricas")`

output `integral(1/(b*x^2*sech(d*sqrt(x) + c) + a*x^2), x)`

Sympy [N/A]

Not integrable

Time = 2.78 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.95

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \int \frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))} dx$$

input `integrate(1/x**2/(a+b*sech(c+d*x**(1/2))),x)`

output `Integral(1/(x**2*(a + b*sech(c + d*sqrt(x))))), x)`

Maxima [N/A]

Not integrable

Time = 0.40 (sec) , antiderivative size = 66, normalized size of antiderivative = 3.30

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \int \frac{1}{(b \operatorname{sech}(d\sqrt{x} + c) + a)x^2} dx$$

input `integrate(1/x^2/(a+b*sech(c+d*x^(1/2))),x, algorithm="maxima")`

output `-2*b*integrate(e^(d*sqrt(x) + c)/(a^2*x^2*e^(2*d*sqrt(x) + 2*c) + 2*a*b*x^2*e^(d*sqrt(x) + c) + a^2*x^2), x) - 1/(a*x)`

Giac [N/A]

Not integrable

Time = 0.25 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \int \frac{1}{(b \operatorname{sech}(d\sqrt{x} + c) + a)x^2} dx$$

input `integrate(1/x^2/(a+b*sech(c+d*x^(1/2))),x, algorithm="giac")`

output `integrate(1/((b*sech(d*sqrt(x) + c) + a)*x^2), x)`

Mupad [N/A]

Not integrable

Time = 2.38 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \int \frac{1}{x^2 \left(a + \frac{b}{\cosh(c + d\sqrt{x})} \right)} dx$$

input `int(1/(x^2*(a + b/cosh(c + d*x^(1/2))))),x)`

output `int(1/(x^2*(a + b/cosh(c + d*x^(1/2))))), x)`

Reduce [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 95, normalized size of antiderivative = 4.75

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = e^{2c} \left(\int \frac{e^{2\sqrt{x}d}}{e^{2\sqrt{x}d+2c} a x^2 + 2e^{\sqrt{x}d+c} b x^2 + a x^2} dx \right) + \int \frac{1}{e^{2\sqrt{x}d+2c} a x^2 + 2e^{\sqrt{x}d+c} b x^2 + a x^2} dx$$

input `int(1/x^2/(a+b*sech(c+d*x^(1/2))),x)`output `e**(2*c)*int(e**(2*sqrt(x)*d)/(e**(2*sqrt(x)*d + 2*c)*a*x**2 + 2*e**(sqrt(x)*d + c)*b*x**2 + a*x**2),x) + int(1/(e**(2*sqrt(x)*d + 2*c)*a*x**2 + 2*e**(sqrt(x)*d + c)*b*x**2 + a*x**2),x)`

$$3.54 \quad \int \frac{x^3}{\left(a+b\operatorname{sech}(c+d\sqrt{x})\right)^2} dx$$

Optimal result	371
Mathematica [A] (verified)	372
Rubi [A] (verified)	373
Maple [F]	375
Fricas [F]	376
Sympy [F]	376
Maxima [F(-2)]	376
Giac [F]	377
Mupad [F(-1)]	377
Reduce [F]	377

Optimal result

Integrand size = 20, antiderivative size = 2851

$$\int \frac{x^3}{\left(a + b\operatorname{sech}(c + d\sqrt{x})\right)^2} dx = \text{Too large to display}$$

output

```

1/4*x^4/a^2+2*b^2*x^(7/2)*sinh(c+d*x^(1/2))/a/(a^2-b^2)/d/(b+a*cosh(c+d*x^(1/2)))-1680*b^2*x^(3/2)*polylog(4,-a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2)))/a^2/(a^2-b^2)/d^5-420*b^3*x^2*polylog(4,-a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d^4-1680*b^2*x^(3/2)*polylog(4,-a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2)))/a^2/(a^2-b^2)/d^5+420*b^3*x^2*polylog(4,-a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d^4+420*b^2*x^2*polylog(3,-a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2)))/a^2/(a^2-b^2)/d^4+84*b^3*x^(5/2)*polylog(3,-a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d^3+420*b^2*x^2*polylog(3,-a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2)))/a^2/(a^2-b^2)/d^4-84*b^3*x^(5/2)*polylog(3,-a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d^3-84*b^2*x^(5/2)*polylog(2,-a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2)))/a^2/(a^2-b^2)/d^3-14*b^3*x^3*polylog(2,-a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d^2-84*b^2*x^(5/2)*polylog(2,-a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2)))/a^2/(a^2-b^2)/d^3+14*b^3*x^3*polylog(2,-a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d^2-14*b^2*x^3*ln(1+a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2)))/a^2/(a^2-b^2)/d^2-2*b^3*x^(7/2)*ln(1+a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d-14*b^2*x^3*ln(1+a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2)))/a^2/(a^2-b^2)/d^2+2*b^3*x^(7/2)*ln(1+a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d-3360*b*x^(3/2)*polylog(5,-a*exp(c...

```

Mathematica [A] (verified)

Time = 8.55 (sec) , antiderivative size = 2961, normalized size of antiderivative = 1.04

$$\int \frac{x^3}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \text{Result too large to show}$$

input

```
Integrate[x^3/(a + b*Sech[c + d*Sqrt[x]])^2,x]
```

output

```

((b + a*Cosh[c + d*Sqrt[x]])*Sech[c + d*Sqrt[x]]^2*(x^4*(b + a*Cosh[c + d*
Sqrt[x]]) + (8*b*E^c*(b + a*Cosh[c + d*Sqrt[x]])*(2*b*E^c*x^(7/2) + ((1 +
E^(2*c))*(-7*b*d^6*Sqrt[(-a^2 + b^2)*E^(2*c)])*x^3*Log[1 + (a*E^(2*c + d*Sq
rt[x]))/(b*E^c - Sqrt[(-a^2 + b^2)*E^(2*c)])]) - 2*a^2*d^7*E^c*x^(7/2)*Log[
1 + (a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(-a^2 + b^2)*E^(2*c)])]) + b^2*d^
7*E^c*x^(7/2)*Log[1 + (a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(-a^2 + b^2)*E
^(2*c)])]) - 7*b*d^6*Sqrt[(-a^2 + b^2)*E^(2*c)]*x^3*Log[1 + (a*E^(2*c + d*S
qrt[x]))/(b*E^c + Sqrt[(-a^2 + b^2)*E^(2*c)])]) + 2*a^2*d^7*E^c*x^(7/2)*Log
[1 + (a*E^(2*c + d*Sqrt[x]))/(b*E^c + Sqrt[(-a^2 + b^2)*E^(2*c)])]) - b^2*d
^7*E^c*x^(7/2)*Log[1 + (a*E^(2*c + d*Sqrt[x]))/(b*E^c + Sqrt[(-a^2 + b^2)*
E^(2*c)])]) + 7*d^5*(-6*b*Sqrt[(-a^2 + b^2)*E^(2*c)] - 2*a^2*d*E^c*Sqrt[x]
+ b^2*d*E^c*Sqrt[x])*x^(5/2)*PolyLog[2, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c -
Sqrt[(-a^2 + b^2)*E^(2*c)])]) - 7*d^5*(6*b*Sqrt[(-a^2 + b^2)*E^(2*c)] - 2
*a^2*d*E^c*Sqrt[x] + b^2*d*E^c*Sqrt[x])*x^(5/2)*PolyLog[2, -((a*E^(2*c + d
*Sqrt[x]))/(b*E^c + Sqrt[(-a^2 + b^2)*E^(2*c)])]) + 210*b*d^4*Sqrt[(-a^2 +
b^2)*E^(2*c)]*x^2*PolyLog[3, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(-a^
2 + b^2)*E^(2*c)])]) + 84*a^2*d^5*E^c*x^(5/2)*PolyLog[3, -((a*E^(2*c + d*S
qrt[x]))/(b*E^c - Sqrt[(-a^2 + b^2)*E^(2*c)])]) - 42*b^2*d^5*E^c*x^(5/2)*P
olyLog[3, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(-a^2 + b^2)*E^(2*c)])])
+ 210*b*d^4*Sqrt[(-a^2 + b^2)*E^(2*c)]*x^2*PolyLog[3, -((a*E^(2*c + d*...

```

Rubi [A] (verified)

Time = 5.52 (sec) , antiderivative size = 2850, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {5959, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^3}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

$$\downarrow \text{5959}$$

$$2 \int \frac{x^{7/2}}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} d\sqrt{x}$$

$$\downarrow \text{3042}$$

$$\begin{aligned}
 & 2 \int \frac{x^{7/2}}{(a + b \csc(ic + id\sqrt{x} + \frac{\pi}{2}))^2} d\sqrt{x} \\
 & \quad \downarrow 4679 \\
 & 2 \int \left(-\frac{2bx^{7/2}}{a^2(b + a \cosh(c + d\sqrt{x}))} + \frac{x^{7/2}}{a^2} + \frac{b^2x^{7/2}}{a^2(b + a \cosh(c + d\sqrt{x}))^2} \right) d\sqrt{x} \\
 & \quad \downarrow 2009 \\
 & 2 \left(\frac{x^4}{8a^2} - \frac{2b \log\left(\frac{e^{c+d\sqrt{x}}a}{b-\sqrt{b^2-a^2}} + 1\right) x^{7/2}}{a^2\sqrt{b^2-a^2}d} + \frac{b^3 \log\left(\frac{e^{c+d\sqrt{x}}a}{b-\sqrt{b^2-a^2}} + 1\right) x^{7/2}}{a^2(b^2-a^2)^{3/2}d} + \frac{2b \log\left(\frac{e^{c+d\sqrt{x}}a}{b+\sqrt{b^2-a^2}} + 1\right) x^{7/2}}{a^2\sqrt{b^2-a^2}d} - \frac{b^3 \log\left(\frac{e^{c+d\sqrt{x}}a}{b+\sqrt{b^2-a^2}} + 1\right) x^{7/2}}{a^2(b^2-a^2)^{3/2}d} \right)
 \end{aligned}$$

input `Int[x^3/(a + b*Sech[c + d*Sqrt[x]])^2,x]`

output

```

2*((b^2*x^(7/2))/(a^2*(a^2 - b^2)*d) + x^4/(8*a^2) - (7*b^2*x^3*Log[1 + (a
 *E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2])])/(a^2*(a^2 - b^2)*d^2) + (b^3*
 x^(7/2)*Log[1 + (a *E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2])])/(a^2*(-a^2
 + b^2)^(3/2)*d) - (2*b*x^(7/2)*Log[1 + (a *E^(c + d*Sqrt[x]))/(b - Sqrt[-a^
 2 + b^2])])/(a^2*Sqrt[-a^2 + b^2]*d) - (7*b^2*x^3*Log[1 + (a *E^(c + d*Sqrt
 [x]))/(b + Sqrt[-a^2 + b^2])])/(a^2*(a^2 - b^2)*d^2) - (b^3*x^(7/2)*Log[1
 + (a *E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^(3/2)*d
 ) + (2*b*x^(7/2)*Log[1 + (a *E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2])])/(a
 ^2*Sqrt[-a^2 + b^2]*d) - (42*b^2*x^(5/2)*PolyLog[2, -((a *E^(c + d*Sqrt[x])
 )/(b - Sqrt[-a^2 + b^2]))])/(a^2*(a^2 - b^2)*d^3) + (7*b^3*x^3*PolyLog[2,
 -((a *E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])/(a^2*(-a^2 + b^2)^(3/2)*
 d^2) - (14*b*x^3*PolyLog[2, -((a *E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2])
 )])/(a^2*Sqrt[-a^2 + b^2]*d^2) - (42*b^2*x^(5/2)*PolyLog[2, -((a *E^(c + d*
 Sqrt[x]))/(b + Sqrt[-a^2 + b^2]))])/(a^2*(a^2 - b^2)*d^3) - (7*b^3*x^3*Pol
 yLog[2, -((a *E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2]))])/(a^2*(-a^2 + b^2
 )^(3/2)*d^2) + (14*b*x^3*PolyLog[2, -((a *E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2
 + b^2]))])/(a^2*Sqrt[-a^2 + b^2]*d^2) + (210*b^2*x^2*PolyLog[3, -((a *E^(c
 + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])/(a^2*(a^2 - b^2)*d^4) - (42*b^3*x
 ^ (5/2)*PolyLog[3, -((a *E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])/(a^2*(
 -a^2 + b^2)^(3/2)*d^3) + (84*b*x^(5/2)*PolyLog[3, -((a *E^(c + d*Sqrt[x]...

```

Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4679 `Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Sin[e + f*x]^n)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]`

rule 5959 `Int[(x_)^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [F]

$$\int \frac{x^3}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

input `int(x^3/(a+b*sech(c+d*x^(1/2)))^2,x)`

output `int(x^3/(a+b*sech(c+d*x^(1/2)))^2,x)`

Fricas [F]

$$\int \frac{x^3}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{x^3}{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2} dx$$

input `integrate(x^3/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="fricas")`

output `integral(x^3/(b^2*sech(d*sqrt(x) + c)^2 + 2*a*b*sech(d*sqrt(x) + c) + a^2), x)`

Sympy [F]

$$\int \frac{x^3}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{x^3}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

input `integrate(x**3/(a+b*sech(c+d*x**(1/2)))**2,x)`

output `Integral(x**3/(a + b*sech(c + d*sqrt(x)))**2, x)`

Maxima [F(-2)]

Exception generated.

$$\int \frac{x^3}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \text{Exception raised: ValueError}$$

input `integrate(x^3/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(a-b>0)', see `assume?` for more details)Is`

Giac [F]

$$\int \frac{x^3}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{x^3}{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2} dx$$

input `integrate(x^3/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="giac")`

output `sage0*x`

Mupad [F(-1)]

Timed out.

$$\int \frac{x^3}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{x^3}{\left(a + \frac{b}{\cosh(c + d\sqrt{x})}\right)^2} dx$$

input `int(x^3/(a + b/cosh(c + d*x^(1/2)))^2,x)`

output `int(x^3/(a + b/cosh(c + d*x^(1/2)))^2, x)`

Reduce [F]

$$\int \frac{x^3}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \text{too large to display}$$

input `int(x^3/(a+b*sech(c+d*x^(1/2)))^2,x)`

output

```
( - 161280*e**(2*sqrt(x)*d + 2*c)*sqrt(a**2 - b**2)*atan((e**(sqrt(x)*d +
c)*a + b)/sqrt(a**2 - b**2))*a**3*b + 318780*e**(2*sqrt(x)*d + 2*c)*sqrt(a
**2 - b**2)*atan((e**(sqrt(x)*d + c)*a + b)/sqrt(a**2 - b**2))*a*b**3 - 32
2560*e**(sqrt(x)*d + c)*sqrt(a**2 - b**2)*atan((e**(sqrt(x)*d + c)*a + b)/
sqrt(a**2 - b**2))*a**2*b**2 + 637560*e**(sqrt(x)*d + c)*sqrt(a**2 - b**2)
*atan((e**(sqrt(x)*d + c)*a + b)/sqrt(a**2 - b**2))*b**4 - 161280*sqrt(a**
2 - b**2)*atan((e**(sqrt(x)*d + c)*a + b)/sqrt(a**2 - b**2))*a**3*b + 3187
80*sqrt(a**2 - b**2)*atan((e**(sqrt(x)*d + c)*a + b)/sqrt(a**2 - b**2))*a*
b**3 - 161280*e**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d +
4*c)*a**2 + 4*e**(3*sqrt(x)*d + 3*c)*a*b + 2*e**(2*sqrt(x)*d + 2*c)*a**2
+ 4*e**(2*sqrt(x)*d + 2*c)*b**2 + 4*e**(sqrt(x)*d + c)*a*b + a**2),x)*a**6
*b*d**2 + 165060*e**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*
d + 4*c)*a**2 + 4*e**(3*sqrt(x)*d + 3*c)*a*b + 2*e**(2*sqrt(x)*d + 2*c)*a*
*2 + 4*e**(2*sqrt(x)*d + 2*c)*b**2 + 4*e**(sqrt(x)*d + c)*a*b + a**2),x)*a
**4*b**3*d**2 - 3780*e**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4*sqrt
(x)*d + 4*c)*a**2 + 4*e**(3*sqrt(x)*d + 3*c)*a*b + 2*e**(2*sqrt(x)*d + 2*c
)*a**2 + 4*e**(2*sqrt(x)*d + 2*c)*b**2 + 4*e**(sqrt(x)*d + c)*a*b + a**2),
x)*a**2*b**5*d**2 - 32*e**(2*sqrt(x)*d + 3*c)*int((e**(sqrt(x)*d)*x**3)/(e
**(4*sqrt(x)*d + 4*c)*a**2 + 4*e**(3*sqrt(x)*d + 3*c)*a*b + 2*e**(2*sqrt(x)
)*d + 2*c)*a**2 + 4*e**(2*sqrt(x)*d + 2*c)*b**2 + 4*e**(sqrt(x)*d + c)*...
```

$$3.55 \quad \int \frac{x^2}{(a+b\operatorname{sech}(c+d\sqrt{x}))^2} dx$$

Optimal result	379
Mathematica [A] (verified)	380
Rubi [A] (verified)	381
Maple [F]	383
Fricas [F]	384
Sympy [F]	384
Maxima [F(-2)]	384
Giac [F]	385
Mupad [F(-1)]	385
Reduce [F]	385

Optimal result

Integrand size = 20, antiderivative size = 2123

$$\int \frac{x^2}{(a + b\operatorname{sech}(c + d\sqrt{x}))^2} dx = \text{Too large to display}$$

output

```

1/3*x^3/a^2+2*b^2*x^(5/2)*sinh(c+d*x^(1/2))/a/(a^2-b^2)/d/(b+a*cosh(c+d*x^(1/2)))-120*b^3*x*polylog(4,-a*exp(c+d*x^(1/2))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d^4+120*b^3*x*polylog(4,-a*exp(c+d*x^(1/2))/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d^4+120*b^2*x*polylog(3,-a*exp(c+d*x^(1/2))/(b+(-a^2+b^2)^(1/2)))/a^2/(a^2-b^2)/d^4+40*b^3*x^(3/2)*polylog(3,-a*exp(c+d*x^(1/2))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d^3+120*b^2*x*polylog(3,-a*exp(c+d*x^(1/2))/(b-(-a^2+b^2)^(1/2)))/a^2/(a^2-b^2)/d^4-40*b^3*x^(3/2)*polylog(3,-a*exp(c+d*x^(1/2))/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d^3-40*b^2*x^(3/2)*polylog(2,-a*exp(c+d*x^(1/2))/(b+(-a^2+b^2)^(1/2)))/a^2/(a^2-b^2)/d^3-10*b^3*x^2*polylog(2,-a*exp(c+d*x^(1/2))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d^2-40*b^2*x^(3/2)*polylog(2,-a*exp(c+d*x^(1/2))/(b-(-a^2+b^2)^(1/2)))/a^2/(a^2-b^2)/d^3+10*b^3*x^2*polylog(2,-a*exp(c+d*x^(1/2))/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d^2-10*b^2*x^2*ln(1+a*exp(c+d*x^(1/2))/(b+(-a^2+b^2)^(1/2)))/a^2/(a^2-b^2)/d^2-2*b^3*x^(5/2)*ln(1+a*exp(c+d*x^(1/2))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d-10*b^2*x^2*ln(1+a*exp(c+d*x^(1/2))/(b-(-a^2+b^2)^(1/2)))/a^2/(a^2-b^2)/d^2+2*b^3*x^(5/2)*ln(1+a*exp(c+d*x^(1/2))/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d+240*b*x*polylog(4,-a*exp(c+d*x^(1/2))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(1/2)/d^4-240*b*x*polylog(4,-a*exp(c+d*x^(1/2))/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(1/2)/d^4-80*b*x^(3/2)*polylog(3,-a*exp(c+d*x^(1/2))/(b...

```

Mathematica [A] (verified)

Time = 6.22 (sec) , antiderivative size = 2173, normalized size of antiderivative = 1.02

$$\int \frac{x^2}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \text{Result too large to show}$$

input

```
Integrate[x^2/(a + b*Sech[c + d*Sqrt[x]])^2,x]
```

output

```

((b + a*Cosh[c + d*Sqrt[x]])*Sech[c + d*Sqrt[x]]^2*(x^3*(b + a*Cosh[c + d*
Sqrt[x]]) + (6*b*E^c*(b + a*Cosh[c + d*Sqrt[x]])*(2*b*E^c*x^(5/2) + ((1 +
E^(2*c))*(-5*b*d^4*Sqrt[(-a^2 + b^2)*E^(2*c)])*x^2*Log[1 + (a*E^(2*c + d*Sq
rt[x]))/(b*E^c - Sqrt[(-a^2 + b^2)*E^(2*c)])] - 2*a^2*d^5*E^c*x^(5/2)*Log[
1 + (a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(-a^2 + b^2)*E^(2*c)])] + b^2*d^
5*E^c*x^(5/2)*Log[1 + (a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(-a^2 + b^2)*E
^(2*c)])] - 5*b*d^4*Sqrt[(-a^2 + b^2)*E^(2*c)]*x^2*Log[1 + (a*E^(2*c + d*S
qrt[x]))/(b*E^c + Sqrt[(-a^2 + b^2)*E^(2*c)])] + 2*a^2*d^5*E^c*x^(5/2)*Log
[1 + (a*E^(2*c + d*Sqrt[x]))/(b*E^c + Sqrt[(-a^2 + b^2)*E^(2*c)])] - b^2*d^
5*E^c*x^(5/2)*Log[1 + (a*E^(2*c + d*Sqrt[x]))/(b*E^c + Sqrt[(-a^2 + b^2)*
E^(2*c)])] + 5*d^3*(-4*b*Sqrt[(-a^2 + b^2)*E^(2*c)] - 2*a^2*d*E^c*Sqrt[x]
+ b^2*d*E^c*Sqrt[x])*x^(3/2)*PolyLog[2, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c -
Sqrt[(-a^2 + b^2)*E^(2*c)])]) - 5*d^3*(4*b*Sqrt[(-a^2 + b^2)*E^(2*c)] - 2
*a^2*d*E^c*Sqrt[x] + b^2*d*E^c*Sqrt[x])*x^(3/2)*PolyLog[2, -((a*E^(2*c + d
*Sqrt[x]))/(b*E^c + Sqrt[(-a^2 + b^2)*E^(2*c)])]) + 60*b*d^2*Sqrt[(-a^2 +
b^2)*E^(2*c)]*x*PolyLog[3, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(-a^2 +
b^2)*E^(2*c)])]) + 40*a^2*d^3*E^c*x^(3/2)*PolyLog[3, -((a*E^(2*c + d*Sqrt
[x]))/(b*E^c - Sqrt[(-a^2 + b^2)*E^(2*c)])]) - 20*b^2*d^3*E^c*x^(3/2)*Poly
Log[3, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(-a^2 + b^2)*E^(2*c)])]) +
60*b*d^2*Sqrt[(-a^2 + b^2)*E^(2*c)]*x*PolyLog[3, -((a*E^(2*c + d*Sqrt[x...

```

Rubi [A] (verified)

Time = 4.33 (sec) , antiderivative size = 2122, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {5959, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^2}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

$$\downarrow \text{5959}$$

$$2 \int \frac{x^{5/2}}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} d\sqrt{x}$$

$$\downarrow \text{3042}$$

$$\begin{aligned}
& 2 \int \frac{x^{5/2}}{(a + b \csc(ic + id\sqrt{x} + \frac{\pi}{2}))^2} d\sqrt{x} \\
& \quad \downarrow 4679 \\
& 2 \int \left(-\frac{2bx^{5/2}}{a^2(b + a \cosh(c + d\sqrt{x}))} + \frac{x^{5/2}}{a^2} + \frac{b^2x^{5/2}}{a^2(b + a \cosh(c + d\sqrt{x}))^2} \right) d\sqrt{x} \\
& \quad \downarrow 2009 \\
& 2 \left(\frac{x^{5/2} \log\left(\frac{e^{c+d\sqrt{x}}a}{b-\sqrt{b^2-a^2}} + 1\right) b^3}{a^2(b^2 - a^2)^{3/2} d} - \frac{x^{5/2} \log\left(\frac{e^{c+d\sqrt{x}}a}{b+\sqrt{b^2-a^2}} + 1\right) b^3}{a^2(b^2 - a^2)^{3/2} d} + \frac{5x^2 \text{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{b^2-a^2}}\right) b^3}{a^2(b^2 - a^2)^{3/2} d^2} - \frac{5x^2 \text{PolyLog}\left(2, \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{b^2-a^2}}\right) b^3}{a^2(b^2 - a^2)^{3/2} d^2} \right)
\end{aligned}$$

input `Int[x^2/(a + b*Sech[c + d*Sqrt[x]])^2,x]`

output

```

2*((b^2*x^(5/2))/(a^2*(a^2 - b^2)*d) + x^3/(6*a^2) - (5*b^2*x^2*Log[1 + (a
 *E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2])])/(a^2*(a^2 - b^2)*d^2) + (b^3*x
 x^(5/2)*Log[1 + (a *E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2])])/(a^2*(-a^2
 + b^2)^(3/2)*d) - (2*b*x^(5/2)*Log[1 + (a *E^(c + d*Sqrt[x]))/(b - Sqrt[-a^
 2 + b^2])])/(a^2*Sqrt[-a^2 + b^2]*d) - (5*b^2*x^2*Log[1 + (a *E^(c + d*Sqrt
 [x]))/(b + Sqrt[-a^2 + b^2])])/(a^2*(a^2 - b^2)*d^2) - (b^3*x^(5/2)*Log[1
 + (a *E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^(3/2)*d
 ) + (2*b*x^(5/2)*Log[1 + (a *E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2])])/(a
 ^2*Sqrt[-a^2 + b^2]*d) - (20*b^2*x^(3/2)*PolyLog[2, -((a *E^(c + d*Sqrt[x])
 )/(b - Sqrt[-a^2 + b^2]))])/(a^2*(a^2 - b^2)*d^3) + (5*b^3*x^2*PolyLog[2,
 -((a *E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])/(a^2*(-a^2 + b^2)^(3/2)*
 d^2) - (10*b*x^2*PolyLog[2, -((a *E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2])
 )])/(a^2*Sqrt[-a^2 + b^2]*d^2) - (20*b^2*x^(3/2)*PolyLog[2, -((a *E^(c + d*
 Sqrt[x]))/(b + Sqrt[-a^2 + b^2]))])/(a^2*(a^2 - b^2)*d^3) - (5*b^3*x^2*Pol
 yLog[2, -((a *E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2]))])/(a^2*(-a^2 + b^2
 )^(3/2)*d^2) + (10*b*x^2*PolyLog[2, -((a *E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2
 + b^2]))])/(a^2*Sqrt[-a^2 + b^2]*d^2) + (60*b^2*x*PolyLog[3, -((a *E^(c +
 d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])/(a^2*(a^2 - b^2)*d^4) - (20*b^3*x^(3
 /2)*PolyLog[3, -((a *E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])/(a^2*(-a^
 2 + b^2)^(3/2)*d^3) + (40*b*x^(3/2)*PolyLog[3, -((a *E^(c + d*Sqrt[x]))/...

```

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4679 `Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Sinn[e + f*x]^n)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]`

rule 5959 `Int[(x_)^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [F]

$$\int \frac{x^2}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

input `int(x^2/(a+b*sech(c+d*x^(1/2)))^2,x)`

output `int(x^2/(a+b*sech(c+d*x^(1/2)))^2,x)`

Fricas [F]

$$\int \frac{x^2}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{x^2}{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2} dx$$

input `integrate(x^2/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="fricas")`

output `integral(x^2/(b^2*sech(d*sqrt(x) + c)^2 + 2*a*b*sech(d*sqrt(x) + c) + a^2), x)`

Sympy [F]

$$\int \frac{x^2}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{x^2}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

input `integrate(x**2/(a+b*sech(c+d*x**(1/2)))**2,x)`

output `Integral(x**2/(a + b*sech(c + d*sqrt(x)))**2, x)`

Maxima [F(-2)]

Exception generated.

$$\int \frac{x^2}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \text{Exception raised: ValueError}$$

input `integrate(x^2/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(a-b>0)', see `assume?` for more details)Is`

Giac [F]

$$\int \frac{x^2}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{x^2}{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2} dx$$

input `integrate(x^2/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="giac")`

output `integrate(x^2/(b*sech(d*sqrt(x) + c) + a)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x^2}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{x^2}{\left(a + \frac{b}{\cosh(c + d\sqrt{x})}\right)^2} dx$$

input `int(x^2/(a + b/cosh(c + d*x^(1/2)))^2,x)`

output `int(x^2/(a + b/cosh(c + d*x^(1/2)))^2, x)`

Reduce [F]

$$\int \frac{x^2}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \text{too large to display}$$

input `int(x^2/(a+b*sech(c+d*x^(1/2)))^2,x)`

output

```
( - 2880*e**(2*sqrt(x)*d + 2*c)*sqrt(a**2 - b**2)*atan((e**(sqrt(x)*d + c)
*a + b)/sqrt(a**2 - b**2))*a**3*b + 5490*e**(2*sqrt(x)*d + 2*c)*sqrt(a**2
- b**2)*atan((e**(sqrt(x)*d + c)*a + b)/sqrt(a**2 - b**2))*a*b**3 - 5760*e
**(sqrt(x)*d + c)*sqrt(a**2 - b**2)*atan((e**(sqrt(x)*d + c)*a + b)/sqrt(a
**2 - b**2))*a**2*b**2 + 10980*e**(sqrt(x)*d + c)*sqrt(a**2 - b**2)*atan((
e**(sqrt(x)*d + c)*a + b)/sqrt(a**2 - b**2))*b**4 - 2880*sqrt(a**2 - b**2)
*atan((e**(sqrt(x)*d + c)*a + b)/sqrt(a**2 - b**2))*a**3*b + 5490*sqrt(a**
2 - b**2)*atan((e**(sqrt(x)*d + c)*a + b)/sqrt(a**2 - b**2))*a*b**3 - 2880
*e**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**2 +
4*e**(3*sqrt(x)*d + 3*c)*a*b + 2*e**(2*sqrt(x)*d + 2*c)*a**2 + 4*e**(2*sq
rt(x)*d + 2*c)*b**2 + 4*e**(sqrt(x)*d + c)*a*b + a**2),x)*a**6*b*d**2 + 315
0*e**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**2 +
4*e**(3*sqrt(x)*d + 3*c)*a*b + 2*e**(2*sqrt(x)*d + 2*c)*a**2 + 4*e**(2*sq
rt(x)*d + 2*c)*b**2 + 4*e**(sqrt(x)*d + c)*a*b + a**2),x)*a**4*b**3*d**2 -
270*e**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**
2 + 4*e**(3*sqrt(x)*d + 3*c)*a*b + 2*e**(2*sqrt(x)*d + 2*c)*a**2 + 4*e**(2
*sqrt(x)*d + 2*c)*b**2 + 4*e**(sqrt(x)*d + c)*a*b + a**2),x)*a**2*b**5*d**
2 - 24*e**(2*sqrt(x)*d + 3*c)*int((e**(sqrt(x)*d)*x**2)/(e**(4*sqrt(x)*d +
4*c)*a**2 + 4*e**(3*sqrt(x)*d + 3*c)*a*b + 2*e**(2*sqrt(x)*d + 2*c)*a**2
+ 4*e**(2*sqrt(x)*d + 2*c)*b**2 + 4*e**(sqrt(x)*d + c)*a*b + a**2),x)*a...
```

$$3.56 \quad \int \frac{x}{\left(a+b\operatorname{sech}(c+d\sqrt{x})\right)^2} dx$$

Optimal result	387
Mathematica [A] (verified)	388
Rubi [A] (verified)	389
Maple [F]	391
Fricas [F]	392
Sympy [F]	392
Maxima [F(-2)]	392
Giac [F]	393
Mupad [F(-1)]	393
Reduce [F]	393

Optimal result

Integrand size = 18, antiderivative size = 1395

$$\int \frac{x}{\left(a + b\operatorname{sech}(c + d\sqrt{x})\right)^2} dx = \text{Too large to display}$$

output

```

2*b^2*x^(3/2)*sinh(c+d*x^(1/2))/a/(a^2-b^2)/d/(b+a*cosh(c+d*x^(1/2)))-4*b*
x^(3/2)*ln(1+a*exp(c+d*x^(1/2)))/(b-(-a^2+b^2)^(1/2))/a^2/(-a^2+b^2)^(1/2)
/d+12*b*x*polylog(2,-a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2))/a^2/(-a^2+b^
2)^(1/2)/d^2-12*b*x*polylog(2,-a*exp(c+d*x^(1/2)))/(b-(-a^2+b^2)^(1/2))/a^
2/(-a^2+b^2)^(1/2)/d^2+4*b*x^(3/2)*ln(1+a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(
1/2))/a^2/(-a^2+b^2)^(1/2)/d-24*b*x^(1/2)*polylog(3,-a*exp(c+d*x^(1/2)))/(
b+(-a^2+b^2)^(1/2))/a^2/(-a^2+b^2)^(1/2)/d^3+24*b*x^(1/2)*polylog(3,-a*ex
p(c+d*x^(1/2)))/(b-(-a^2+b^2)^(1/2))/a^2/(-a^2+b^2)^(1/2)/d^3+12*b^3*x^(1/
2)*polylog(3,-a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2))/a^2/(-a^2+b^2)^(3/2)
/d^3-12*b^3*x^(1/2)*polylog(3,-a*exp(c+d*x^(1/2)))/(b-(-a^2+b^2)^(1/2))/a
^2/(-a^2+b^2)^(3/2)/d^3-12*b^2*x^(1/2)*polylog(2,-a*exp(c+d*x^(1/2)))/(b+(-
a^2+b^2)^(1/2))/a^2/(a^2-b^2)/d^3-12*b^2*x^(1/2)*polylog(2,-a*exp(c+d*x^(
1/2)))/(b-(-a^2+b^2)^(1/2))/a^2/(a^2-b^2)/d^3-6*b^3*x*polylog(2,-a*exp(c+d
*x^(1/2)))/(b+(-a^2+b^2)^(1/2))/a^2/(-a^2+b^2)^(3/2)/d^2+6*b^3*x*polylog(2
,-a*exp(c+d*x^(1/2)))/(b-(-a^2+b^2)^(1/2))/a^2/(-a^2+b^2)^(3/2)/d^2-6*b^2*
x*ln(1+a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2))/a^2/(a^2-b^2)/d^2-2*b^3*x^
(3/2)*ln(1+a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2))/a^2/(-a^2+b^2)^(3/2)/d
-6*b^2*x*ln(1+a*exp(c+d*x^(1/2)))/(b-(-a^2+b^2)^(1/2))/a^2/(a^2-b^2)/d^2+2
*b^3*x^(3/2)*ln(1+a*exp(c+d*x^(1/2)))/(b-(-a^2+b^2)^(1/2))/a^2/(-a^2+b^2)^
(3/2)/d-12*b^3*polylog(4,-a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2))/a^2/...

```

Mathematica [A] (verified)

Time = 8.29 (sec) , antiderivative size = 1393, normalized size of antiderivative = 1.00

$$\int \frac{x}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \text{Too large to display}$$

input

```
Integrate[x/(a + b*Sech[c + d*Sqrt[x]])^2,x]
```

output

```

((b + a*Cosh[c + d*Sqrt[x]])*Sech[c + d*Sqrt[x]]^2*(x^2*(b + a*Cosh[c + d*
Sqrt[x]]) + (4*b*E^c*(b + a*Cosh[c + d*Sqrt[x]])*(2*b*E^c*x^(3/2) + ((1 +
E^(2*c))*(-3*b*d^2*Sqrt[(-a^2 + b^2)*E^(2*c)]*x*Log[1 + (a*E^(2*c + d*Sqrt
[x]))/(b*E^c - Sqrt[(-a^2 + b^2)*E^(2*c)])] - 2*a^2*d^3*E^c*x^(3/2)*Log[1
+ (a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(-a^2 + b^2)*E^(2*c)])] + b^2*d^3*
E^c*x^(3/2)*Log[1 + (a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(-a^2 + b^2)*E^(
2*c)])] - 3*b*d^2*Sqrt[(-a^2 + b^2)*E^(2*c)]*x*Log[1 + (a*E^(2*c + d*Sqrt[
x]))/(b*E^c + Sqrt[(-a^2 + b^2)*E^(2*c)])] + 2*a^2*d^3*E^c*x^(3/2)*Log[1 +
(a*E^(2*c + d*Sqrt[x]))/(b*E^c + Sqrt[(-a^2 + b^2)*E^(2*c)])] - b^2*d^3*E
^c*x^(3/2)*Log[1 + (a*E^(2*c + d*Sqrt[x]))/(b*E^c + Sqrt[(-a^2 + b^2)*E^(2
*c)])] + 3*d*(-2*b*Sqrt[(-a^2 + b^2)*E^(2*c)] - 2*a^2*d*E^c*Sqrt[x] + b^2*
d*E^c*Sqrt[x])*Sqrt[x]*PolyLog[2, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[
(-a^2 + b^2)*E^(2*c)])]) - 3*d*(2*b*Sqrt[(-a^2 + b^2)*E^(2*c)] - 2*a^2*d*E
^c*Sqrt[x] + b^2*d*E^c*Sqrt[x])*Sqrt[x]*PolyLog[2, -((a*E^(2*c + d*Sqrt[x]
))/(b*E^c + Sqrt[(-a^2 + b^2)*E^(2*c)])]) + 6*b*Sqrt[(-a^2 + b^2)*E^(2*c)]
*PolyLog[3, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(-a^2 + b^2)*E^(2*c)]
))] + 12*a^2*d*E^c*Sqrt[x]*PolyLog[3, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sq
rt[(-a^2 + b^2)*E^(2*c)])]) - 6*b^2*d*E^c*Sqrt[x]*PolyLog[3, -((a*E^(2*c +
d*Sqrt[x]))/(b*E^c - Sqrt[(-a^2 + b^2)*E^(2*c)])]) + 6*b*Sqrt[(-a^2 + b^2
)*E^(2*c)]*PolyLog[3, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c + Sqrt[(-a^2 + b...

```

Rubi [A] (verified)

Time = 2.90 (sec) , antiderivative size = 1394, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {5959, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

$$\downarrow \text{5959}$$

$$2 \int \frac{x^{3/2}}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} d\sqrt{x}$$

$$\downarrow \text{3042}$$

$$\begin{aligned}
& 2 \int \frac{x^{3/2}}{(a + b \csc(ic + id\sqrt{x} + \frac{\pi}{2}))^2} d\sqrt{x} \\
& \quad \downarrow 4679 \\
& 2 \int \left(\frac{x^{3/2}b^2}{a^2(b + a \cosh(c + d\sqrt{x}))^2} - \frac{2x^{3/2}b}{a^2(b + a \cosh(c + d\sqrt{x}))} + \frac{x^{3/2}}{a^2} \right) d\sqrt{x} \\
& \quad \downarrow 2009 \\
& 2 \left(\frac{x^{3/2} \log\left(\frac{e^{c+d\sqrt{x}}a}{b-\sqrt{b^2-a^2}} + 1\right) b^3}{a^2(b^2 - a^2)^{3/2} d} - \frac{x^{3/2} \log\left(\frac{e^{c+d\sqrt{x}}a}{b+\sqrt{b^2-a^2}} + 1\right) b^3}{a^2(b^2 - a^2)^{3/2} d} + \frac{3x \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{b^2-a^2}}\right) b^3}{a^2(b^2 - a^2)^{3/2} d^2} - \frac{3x \operatorname{PolyLog}\left(2, \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{b^2-a^2}}\right) b^3}{a^2(b^2 - a^2)^{3/2} d^2} \right)
\end{aligned}$$

input `Int[x/(a + b*Sech[c + d*Sqrt[x]])^2,x]`

output

```

2*((b^2*x^(3/2))/(a^2*(a^2 - b^2)*d) + x^2/(4*a^2) - (3*b^2*x*Log[1 + (a*E
^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2])])/(a^2*(a^2 - b^2)*d^2) + (b^3*x^
(3/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2])])/(a^2*(-a^2 +
b^2)^(3/2)*d) - (2*b*x^(3/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2
+ b^2])])/(a^2*Sqrt[-a^2 + b^2]*d) - (3*b^2*x*Log[1 + (a*E^(c + d*Sqrt[x])
))/(b + Sqrt[-a^2 + b^2])])/(a^2*(a^2 - b^2)*d^2) - (b^3*x^(3/2)*Log[1 + (a
*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^(3/2)*d) +
(2*b*x^(3/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2])])/(a^2*S
qrt[-a^2 + b^2]*d) - (6*b^2*Sqrt[x]*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b
- Sqrt[-a^2 + b^2]))])/(a^2*(a^2 - b^2)*d^3) + (3*b^3*x*PolyLog[2, -((a*E
(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])/(a^2*(-a^2 + b^2)^(3/2)*d^2) -
(6*b*x*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])/(a^2*S
qrt[-a^2 + b^2]*d^2) - (6*b^2*Sqrt[x]*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(
b + Sqrt[-a^2 + b^2]))])/(a^2*(a^2 - b^2)*d^3) - (3*b^3*x*PolyLog[2, -((a*
E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2]))])/(a^2*(-a^2 + b^2)^(3/2)*d^2)
+ (6*b*x*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2]))])/(a^2
*Sqrt[-a^2 + b^2]*d^2) + (6*b^2*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/(b - Sq
rt[-a^2 + b^2]))])/(a^2*(a^2 - b^2)*d^4) - (6*b^3*Sqrt[x]*PolyLog[3, -((a*
E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])/(a^2*(-a^2 + b^2)^(3/2)*d^3)
+ (12*b*Sqrt[x]*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2...

```

Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4679 `Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Sin[e + f*x])^n), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]`

rule 5959 `Int[(x_)^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [F]

$$\int \frac{x}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

input `int(x/(a+b*sech(c+d*x^(1/2)))^2,x)`

output `int(x/(a+b*sech(c+d*x^(1/2)))^2,x)`

Fricas [F]

$$\int \frac{x}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{x}{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2} dx$$

input `integrate(x/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="fricas")`

output `integral(x/(b^2*sech(d*sqrt(x) + c)^2 + 2*a*b*sech(d*sqrt(x) + c) + a^2), x)`

Sympy [F]

$$\int \frac{x}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{x}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

input `integrate(x/(a+b*sech(c+d*x**(1/2)))**2,x)`

output `Integral(x/(a + b*sech(c + d*sqrt(x)))**2, x)`

Maxima [F(-2)]

Exception generated.

$$\int \frac{x}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \text{Exception raised: ValueError}$$

input `integrate(x/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(a-b>0)', see `assume?` for more details)Is`

Giac [F]

$$\int \frac{x}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{x}{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2} dx$$

input `integrate(x/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="giac")`

output `integrate(x/(b*sech(d*sqrt(x) + c) + a)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{x}{\left(a + \frac{b}{\cosh(c + d\sqrt{x})}\right)^2} dx$$

input `int(x/(a + b/cosh(c + d*x^(1/2)))^2,x)`

output `int(x/(a + b/cosh(c + d*x^(1/2)))^2, x)`

Reduce [F]

$$\int \frac{x}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \text{too large to display}$$

input `int(x/(a+b*sech(c+d*x^(1/2)))^2,x)`

output

```
( - 96***(2*sqrt(x)*d + 2*c)*sqrt(a**2 - b**2)*atan((e**(sqrt(x)*d + c)*a
+ b)/sqrt(a**2 - b**2))*a**3*b + 156***(2*sqrt(x)*d + 2*c)*sqrt(a**2 - b
**2)*atan((e**(sqrt(x)*d + c)*a + b)/sqrt(a**2 - b**2))*a*b**3 - 192***(s
qrt(x)*d + c)*sqrt(a**2 - b**2)*atan((e**(sqrt(x)*d + c)*a + b)/sqrt(a**2
- b**2))*a**2*b**2 + 312***(sqrt(x)*d + c)*sqrt(a**2 - b**2)*atan((e**(sq
rt(x)*d + c)*a + b)/sqrt(a**2 - b**2))*b**4 - 96*sqrt(a**2 - b**2)*atan((e
**(sqrt(x)*d + c)*a + b)/sqrt(a**2 - b**2))*a**3*b + 156*sqrt(a**2 - b**2)
*atan((e**(sqrt(x)*d + c)*a + b)/sqrt(a**2 - b**2))*a*b**3 - 96***(2*sqrt
(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**2 + 4*e**(3*sq
rt(x)*d + 3*c)*a*b + 2*e**(2*sqrt(x)*d + 2*c)*a**2 + 4*e**(2*sqrt(x)*d + 2*
c)*b**2 + 4*e**(sqrt(x)*d + c)*a*b + a**2),x)*a**6*b*d**2 + 132***(2*sqrt
(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**2 + 4*e**(3*sq
rt(x)*d + 3*c)*a*b + 2*e**(2*sqrt(x)*d + 2*c)*a**2 + 4*e**(2*sqrt(x)*d + 2*
c)*b**2 + 4*e**(sqrt(x)*d + c)*a*b + a**2),x)*a**4*b**3*d**2 - 36***(2*sq
rt(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**2 + 4*e**(3*s
qrt(x)*d + 3*c)*a*b + 2*e**(2*sqrt(x)*d + 2*c)*a**2 + 4*e**(2*sqrt(x)*d +
2*c)*b**2 + 4*e**(sqrt(x)*d + c)*a*b + a**2),x)*a**2*b**5*d**2 - 16***(2*
sqrt(x)*d + 3*c)*int((e**(sqrt(x)*d)*x)/(e**(4*sqrt(x)*d + 4*c)*a**2 + 4*e
**(3*sqrt(x)*d + 3*c)*a*b + 2*e**(2*sqrt(x)*d + 2*c)*a**2 + 4*e**(2*sqrt(x)
)*d + 2*c)*b**2 + 4*e**(sqrt(x)*d + c)*a*b + a**2),x)*a**6*b*d**4 + 24*...
```

$$3.57 \quad \int \frac{1}{x \left(a + b \operatorname{sech}(c + d\sqrt{x}) \right)^2} dx$$

Optimal result	395
Mathematica [N/A]	395
Rubi [N/A]	396
Maple [N/A]	396
Fricas [N/A]	397
Sympy [N/A]	397
Maxima [N/A]	397
Giac [N/A]	398
Mupad [N/A]	398
Reduce [N/A]	399

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{1}{x \left(a + b \operatorname{sech}(c + d\sqrt{x}) \right)^2} dx = \operatorname{Int} \left(\frac{1}{x \left(a + b \operatorname{sech}(c + d\sqrt{x}) \right)^2}, x \right)$$

output `Defer(Int)(1/x/(a+b*sech(c+d*x^(1/2)))^2,x)`

Mathematica [N/A]

Not integrable

Time = 115.05 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{x \left(a + b \operatorname{sech}(c + d\sqrt{x}) \right)^2} dx = \int \frac{1}{x \left(a + b \operatorname{sech}(c + d\sqrt{x}) \right)^2} dx$$

input `Integrate[1/(x*(a + b*Sech[c + d*Sqrt[x]])^2),x]`

output `Integrate[1/(x*(a + b*Sech[c + d*Sqrt[x]])^2), x]`

Rubi [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

↓ 5961

$$\int \frac{1}{x (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

input `Int[1/(x*(a + b*Sech[c + d*Sqrt[x]])^2),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.15 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.90

$$\int \frac{1}{x (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

input `int(1/x/(a+b*sech(c+d*x^(1/2)))^2,x)`

output `int(1/x/(a+b*sech(c+d*x^(1/2)))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.11 (sec) , antiderivative size = 38, normalized size of antiderivative = 1.90

$$\int \frac{1}{x (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{1}{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2 x} dx$$

input `integrate(1/x/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="fricas")`

output `integral(1/(b^2*x*sech(d*sqrt(x) + c)^2 + 2*a*b*x*sech(d*sqrt(x) + c) + a^2*x), x)`

Sympy [N/A]

Not integrable

Time = 4.57 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.95

$$\int \frac{1}{x (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{1}{x (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

input `integrate(1/x/(a+b*sech(c+d*x**(1/2)))**2,x)`

output `Integral(1/(x*(a + b*sech(c + d*sqrt(x)))**2), x)`

Maxima [N/A]

Not integrable

Time = 0.89 (sec) , antiderivative size = 253, normalized size of antiderivative = 12.65

$$\int \frac{1}{x (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{1}{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2 x} dx$$

input `integrate(1/x/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="maxima")`

output `-4*(b^3*sqrt(x)*e^(d*sqrt(x) + c) + a*b^2*sqrt(x))/((a^5*d*e^(2*c) - a^3*b^2*d*e^(2*c))*x*e^(2*d*sqrt(x)) + 2*(a^4*b*d*e^c - a^2*b^3*d*e^c)*x*e^(d*sqrt(x)) + (a^5*d - a^3*b^2*d)*x) + log(x)/a^2 - integrate(2*(a*b^2*sqrt(x) + (b^3*sqrt(x)*e^c + (2*a^2*b*d*e^c - b^3*d*e^c)*x)*e^(d*sqrt(x)))/((a^5*d*e^(2*c) - a^3*b^2*d*e^(2*c))*x^2*e^(2*d*sqrt(x)) + 2*(a^4*b*d*e^c - a^2*b^3*d*e^c)*x^2*e^(d*sqrt(x)) + (a^5*d - a^3*b^2*d)*x^2), x)`

Giac [N/A]

Not integrable

Time = 1.10 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{1}{x (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{1}{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2 x} dx$$

input `integrate(1/x/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="giac")`

output `integrate(1/((b*sech(d*sqrt(x) + c) + a)^2*x), x)`

Mupad [N/A]

Not integrable

Time = 2.72 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{x (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{1}{x \left(a + \frac{b}{\cosh(c + d\sqrt{x})} \right)^2} dx$$

input `int(1/(x*(a + b/cosh(c + d*x^(1/2))))^2,x)`

output `int(1/(x*(a + b/cosh(c + d*x^(1/2))))^2, x)`

Reduce [N/A]

Not integrable

Time = 0.25 (sec) , antiderivative size = 325, normalized size of antiderivative = 16.25

$$\int \frac{1}{x (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

$$= \frac{-4e^{3c} \left(\int \frac{e^{3\sqrt{x}d}}{e^{4\sqrt{x}d+4c}a^2x+4e^{3\sqrt{x}d+3c}abx+2e^{2\sqrt{x}d+2c}a^2x+4e^{2\sqrt{x}d+2c}b^2x+4e^{\sqrt{x}d+c}abx+a^2x} dx \right) ab - 4e^{2c} \left(\int \frac{1}{e^{4\sqrt{x}d+4c}a^2x+4e^{3\sqrt{x}d+3c}abx+2e^{2\sqrt{x}d+2c}a^2x+4e^{2\sqrt{x}d+2c}b^2x+4e^{\sqrt{x}d+c}abx+a^2x} dx \right)}{1}$$

input `int(1/x/(a+b*sech(c+d*x^(1/2)))^2,x)`

output

```
(2*( - 2***3*c)*int(e**(3*sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**2*x + 4*
e**(3*sqrt(x)*d + 3*c)*a*b*x + 2*e**(2*sqrt(x)*d + 2*c)*a**2*x + 4*e**(2*s
qrt(x)*d + 2*c)*b**2*x + 4*e**(sqrt(x)*d + c)*a*b*x + a**2*x),x)*a*b - 2*e
**(2*c)*int(e**(2*sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**2*x + 4*e**(3*sqrt
(x)*d + 3*c)*a*b*x + 2*e**(2*sqrt(x)*d + 2*c)*a**2*x + 4*e**(2*sqrt(x)*d +
2*c)*b**2*x + 4*e**(sqrt(x)*d + c)*a*b*x + a**2*x),x)*b**2 - 2*e**c*int(e
**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**2*x + 4*e**(3*sqrt(x)*d + 3*c)*a*
b*x + 2*e**(2*sqrt(x)*d + 2*c)*a**2*x + 4*e**(2*sqrt(x)*d + 2*c)*b**2*x +
4*e**(sqrt(x)*d + c)*a*b*x + a**2*x),x)*a*b + log(sqrt(x)))/a**2
```


$$3.58 \quad \int \frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

Optimal result	400
Mathematica [N/A]	400
Rubi [N/A]	401
Maple [N/A]	401
Fricas [N/A]	402
Sympy [N/A]	402
Maxima [N/A]	402
Giac [N/A]	403
Mupad [N/A]	403
Reduce [N/A]	404

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \operatorname{Int} \left(\frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))^2}, x \right)$$

output `Defer(Int)(1/x^2/(a+b*sech(c+d*x^(1/2)))^2,x)`

Mathematica [N/A]

Not integrable

Time = 57.92 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

input `Integrate[1/(x^2*(a + b*Sech[c + d*Sqrt[x]])^2),x]`

output `Integrate[1/(x^2*(a + b*Sech[c + d*Sqrt[x]])^2), x]`

Rubi [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

↓ 5961

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

input `Int[1/(x^2*(a + b*Sech[c + d*Sqrt[x]])^2),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.15 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.90

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

input `int(1/x^2/(a+b*sech(c+d*x^(1/2)))^2,x)`

output `int(1/x^2/(a+b*sech(c+d*x^(1/2)))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 44, normalized size of antiderivative = 2.20

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{1}{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2 x^2} dx$$

input `integrate(1/x^2/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="fricas")`

output `integral(1/(b^2*x^2*sech(d*sqrt(x) + c)^2 + 2*a*b*x^2*sech(d*sqrt(x) + c) + a^2*x^2), x)`

Sympy [N/A]

Not integrable

Time = 8.07 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

input `integrate(1/x**2/(a+b*sech(c+d*x**(1/2)))**2,x)`

output `Integral(1/(x**2*(a + b*sech(c + d*sqrt(x)))**2), x)`

Maxima [N/A]

Not integrable

Time = 1.05 (sec) , antiderivative size = 324, normalized size of antiderivative = 16.20

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{1}{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2 x^2} dx$$

input `integrate(1/x^2/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="maxima")`

output `-(4*a*b^2*sqrt(x) + (a^3*d*e^(2*c) - a*b^2*d*e^(2*c))*x*e^(2*d*sqrt(x)) + (a^3*d - a*b^2*d)*x + 2*(2*b^3*sqrt(x)*e^c + (a^2*b*d*e^c - b^3*d*e^c)*x)*e^(d*sqrt(x)))/((a^5*d*e^(2*c) - a^3*b^2*d*e^(2*c))*x^2*e^(2*d*sqrt(x)) + 2*(a^4*b*d*e^c - a^2*b^3*d*e^c)*x^2*e^(d*sqrt(x)) + (a^5*d - a^3*b^2*d)*x^2) - integrate(2*(3*a*b^2*sqrt(x) + (3*b^3*sqrt(x)*e^c + (2*a^2*b*d*e^c - b^3*d*e^c)*x)*e^(d*sqrt(x)))/((a^5*d*e^(2*c) - a^3*b^2*d*e^(2*c))*x^3*e^(2*d*sqrt(x)) + 2*(a^4*b*d*e^c - a^2*b^3*d*e^c)*x^3*e^(d*sqrt(x)) + (a^5*d - a^3*b^2*d)*x^3), x)`

Giac [N/A]

Not integrable

Time = 1.38 (sec) , antiderivative size = 3, normalized size of antiderivative = 0.15

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{1}{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2 x^2} dx$$

input `integrate(1/x^2/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="giac")`

output `sage0*x`

Mupad [N/A]

Not integrable

Time = 2.84 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{1}{x^2 \left(a + \frac{b}{\cosh(c + d\sqrt{x})}\right)^2} dx$$

input `int(1/(x^2*(a + b/cosh(c + d*x^(1/2))))^2,x)`

output `int(1/(x^2*(a + b/cosh(c + d*x^(1/2)))^2), x)`

Reduce [N/A]

Not integrable

Time = 0.48 (sec) , antiderivative size = 6527, normalized size of antiderivative = 326.35

$$\int \frac{1}{x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \text{Too large to display}$$

input `int(1/x^2/(a+b*sech(c+d*x^(1/2)))^2,x)`

output

```
( - 4*sqrt(x)*e**(2*sqrt(x)*d + 5*c)*int(e**(3*sqrt(x)*d)/(e**(4*sqrt(x)*d
+ 4*c))*a**2*x**2 + 4*e**(3*sqrt(x)*d + 3*c)*a*b*x**2 + 2*e**(2*sqrt(x)*d
+ 2*c)*a**2*x**2 + 4*e**(2*sqrt(x)*d + 2*c)*b**2*x**2 + 4*e**(sqrt(x)*d +
c)*a*b*x**2 + a**2*x**2),x)*a**4*b*x - 8*sqrt(x)*e**(2*sqrt(x)*d + 5*c)*in
t(e**(3*sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c))*a**2*x**2 + 4*e**(3*sqrt(x)*d +
3*c)*a*b*x**2 + 2*e**(2*sqrt(x)*d + 2*c)*a**2*x**2 + 4*e**(2*sqrt(x)*d +
2*c)*b**2*x**2 + 4*e**(sqrt(x)*d + c)*a*b*x**2 + a**2*x**2),x)*a**2*b**3*x
+ 2*sqrt(x)*e**(2*sqrt(x)*d + 5*c)*int(e**(3*sqrt(x)*d)/(e**(4*sqrt(x)*d
+ 4*c))*a**2*x + 4*e**(3*sqrt(x)*d + 3*c)*a*b*x + 2*e**(2*sqrt(x)*d + 2*c)*
a**2*x + 4*e**(2*sqrt(x)*d + 2*c)*b**2*x + 4*e**(sqrt(x)*d + c)*a*b*x + a
**2*x),x)*a**4*b*d**2*x - 4*sqrt(x)*e**(2*sqrt(x)*d + 5*c)*int(e**(3*sqrt(x)
)*d)/(e**(4*sqrt(x)*d + 4*c))*a**2*x + 4*e**(3*sqrt(x)*d + 3*c)*a*b*x + 2*e
**(2*sqrt(x)*d + 2*c)*a**2*x + 4*e**(2*sqrt(x)*d + 2*c)*b**2*x + 4*e**(sqr
t(x)*d + c)*a*b*x + a**2*x),x)*a**2*b**3*d**2*x + 4*sqrt(x)*e**(2*sqrt(x)*
d + 5*c)*int(e**(3*sqrt(x)*d)/(sqrt(x)*e**(4*sqrt(x)*d + 4*c))*a**2*x + 4*s
qrt(x)*e**(3*sqrt(x)*d + 3*c)*a*b*x + 2*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*a**
2*x + 4*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*b**2*x + 4*sqrt(x)*e**(sqrt(x)*d +
c)*a*b*x + sqrt(x)*a**2*x),x)*a**4*b*d*x - 4*sqrt(x)*e**(2*sqrt(x)*d + 5*c
)*int(e**(3*sqrt(x)*d)/(sqrt(x)*e**(4*sqrt(x)*d + 4*c))*a**2*x + 4*sqrt(x)*
e**(3*sqrt(x)*d + 3*c)*a*b*x + 2*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*a**2*x ...
```

3.59 $\int x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x})) dx$

Optimal result	405
Mathematica [A] (verified)	406
Rubi [A] (verified)	406
Maple [F]	408
Fricas [F]	408
Sympy [F]	408
Maxima [F]	409
Giac [F]	409
Mupad [F(-1)]	409
Reduce [F]	410

Optimal result

Integrand size = 20, antiderivative size = 254

$$\begin{aligned} \int x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x})) dx &= \frac{2}{5} ax^{5/2} + \frac{4bx^2 \arctan(e^{c+d\sqrt{x}})}{d} \\ &- \frac{8ibx^{3/2} \operatorname{PolyLog}(2, -ie^{c+d\sqrt{x}})}{d^2} + \frac{8ibx^{3/2} \operatorname{PolyLog}(2, ie^{c+d\sqrt{x}})}{d^2} \\ &+ \frac{24ibx \operatorname{PolyLog}(3, -ie^{c+d\sqrt{x}})}{d^3} - \frac{24ibx \operatorname{PolyLog}(3, ie^{c+d\sqrt{x}})}{d^3} \\ &- \frac{48ib\sqrt{x} \operatorname{PolyLog}(4, -ie^{c+d\sqrt{x}})}{d^4} + \frac{48ib\sqrt{x} \operatorname{PolyLog}(4, ie^{c+d\sqrt{x}})}{d^4} \\ &+ \frac{48ib \operatorname{PolyLog}(5, -ie^{c+d\sqrt{x}})}{d^5} - \frac{48ib \operatorname{PolyLog}(5, ie^{c+d\sqrt{x}})}{d^5} \end{aligned}$$

output

```
2/5*a*x^(5/2)+4*b*x^2*arctan(exp(c+d*x^(1/2)))/d-8*I*b*x^(3/2)*polylog(2,-
I*exp(c+d*x^(1/2)))/d^2+8*I*b*x^(3/2)*polylog(2,I*exp(c+d*x^(1/2)))/d^2+24
*I*b*x*polylog(3,-I*exp(c+d*x^(1/2)))/d^3-24*I*b*x*polylog(3,I*exp(c+d*x^(
1/2)))/d^3-48*I*b*x^(1/2)*polylog(4,-I*exp(c+d*x^(1/2)))/d^4+48*I*b*x^(1/2
)*polylog(4,I*exp(c+d*x^(1/2)))/d^4+48*I*b*polylog(5,-I*exp(c+d*x^(1/2)))/
d^5-48*I*b*polylog(5,I*exp(c+d*x^(1/2)))/d^5
```

Mathematica [A] (verified)

Time = 0.36 (sec) , antiderivative size = 288, normalized size of antiderivative = 1.13

$$\int x^{3/2}(a + b \operatorname{sech}(c + d\sqrt{x})) dx = \frac{2(ad^5 x^{5/2} + 5ibd^4 x^2 \log(1 - ie^{c+d\sqrt{x}}) - 5ibd^4 x^2 \log(1 + ie^{c+d\sqrt{x}}) - 20ibd^3 x^{3/2} \operatorname{PolyLog}[2, (-I)E^{c+d\sqrt{x}}] + (20I)b*d^3*x^{3/2}*PolyLog[2, I*E^{c+d\sqrt{x}}]) + (60I)*b*d^2*x*PolyLog[3, (-I)*E^{c+d\sqrt{x}}] - (60I)*b*d^2*x*PolyLog[3, I*E^{c+d\sqrt{x}}] - (120I)*b*d*\sqrt{x}*PolyLog[4, (-I)*E^{c+d\sqrt{x}}] + (120I)*b*d*\sqrt{x}*PolyLog[4, I*E^{c+d\sqrt{x}}] + (120I)*b*PolyLog[5, (-I)*E^{c+d\sqrt{x}}] - (120I)*b*PolyLog[5, I*E^{c+d\sqrt{x}}])}{(5*d^5)}$$

input

```
Integrate[x^(3/2)*(a + b*Sech[c + d*Sqrt[x]]),x]
```

output

```
(2*(a*d^5*x^(5/2) + (5*I)*b*d^4*x^2*Log[1 - I*E^(c + d*Sqrt[x])] - (5*I)*b*d^4*x^2*Log[1 + I*E^(c + d*Sqrt[x])] - (20*I)*b*d^3*x^(3/2)*PolyLog[2, (-I)*E^(c + d*Sqrt[x])] + (20*I)*b*d^3*x^(3/2)*PolyLog[2, I*E^(c + d*Sqrt[x])] + (60*I)*b*d^2*x*PolyLog[3, (-I)*E^(c + d*Sqrt[x])] - (60*I)*b*d^2*x*PolyLog[3, I*E^(c + d*Sqrt[x])] - (120*I)*b*d*Sqrt[x]*PolyLog[4, (-I)*E^(c + d*Sqrt[x])] + (120*I)*b*d*Sqrt[x]*PolyLog[4, I*E^(c + d*Sqrt[x])] + (120*I)*b*PolyLog[5, (-I)*E^(c + d*Sqrt[x])] - (120*I)*b*PolyLog[5, I*E^(c + d*Sqrt[x])]))/(5*d^5)
```

Rubi [A] (verified)

Time = 0.50 (sec) , antiderivative size = 254, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^{3/2}(a + b \operatorname{sech}(c + d\sqrt{x})) dx$$

$$\downarrow \text{2010}$$

$$\int (ax^{3/2} + bx^{3/2} \operatorname{sech}(c + d\sqrt{x})) dx$$

$$\downarrow \text{2009}$$

$$\begin{aligned} & \frac{2}{5}ax^{5/2} + \frac{4bx^2 \arctan(e^{c+d\sqrt{x}})}{d} + \frac{48ib \operatorname{PolyLog}(5, -ie^{c+d\sqrt{x}})}{d^5} - \\ & \frac{48ib \operatorname{PolyLog}(5, ie^{c+d\sqrt{x}})}{d^5} - \frac{48ib\sqrt{x} \operatorname{PolyLog}(4, -ie^{c+d\sqrt{x}})}{d^4} + \\ & \frac{48ib\sqrt{x} \operatorname{PolyLog}(4, ie^{c+d\sqrt{x}})}{d^4} + \frac{24ibx \operatorname{PolyLog}(3, -ie^{c+d\sqrt{x}})}{d^3} - \\ & \frac{24ibx \operatorname{PolyLog}(3, ie^{c+d\sqrt{x}})}{d^3} - \frac{8ibx^{3/2} \operatorname{PolyLog}(2, -ie^{c+d\sqrt{x}})}{d^2} + \frac{8ibx^{3/2} \operatorname{PolyLog}(2, ie^{c+d\sqrt{x}})}{d^2} \end{aligned}$$

input `Int[x^(3/2)*(a + b*Sech[c + d*Sqrt[x]]),x]`

output `(2*a*x^(5/2))/5 + (4*b*x^2*ArcTan[E^(c + d*Sqrt[x])])/d - ((8*I)*b*x^(3/2)*PolyLog[2, (-I)*E^(c + d*Sqrt[x])]/d^2 + ((8*I)*b*x^(3/2)*PolyLog[2, I*E^(c + d*Sqrt[x])])/d^2 + ((24*I)*b*x*PolyLog[3, (-I)*E^(c + d*Sqrt[x])]/d^3 - ((24*I)*b*x*PolyLog[3, I*E^(c + d*Sqrt[x])])/d^3 - ((48*I)*b*Sqrt[x]*PolyLog[4, (-I)*E^(c + d*Sqrt[x])])/d^4 + ((48*I)*b*Sqrt[x]*PolyLog[4, I*E^(c + d*Sqrt[x])])/d^4 + ((48*I)*b*PolyLog[5, (-I)*E^(c + d*Sqrt[x])])/d^5 - ((48*I)*b*PolyLog[5, I*E^(c + d*Sqrt[x])])/d^5`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2010 `Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]`

Maple [F]

$$\int x^{\frac{3}{2}}(a + b \operatorname{sech}(c + d\sqrt{x})) dx$$

input `int(x^(3/2)*(a+b*sech(c+d*x^(1/2))),x)`

output `int(x^(3/2)*(a+b*sech(c+d*x^(1/2))),x)`

Fricas [F]

$$\int x^{3/2}(a + b \operatorname{sech}(c + d\sqrt{x})) dx = \int (b \operatorname{sech}(d\sqrt{x} + c) + a)x^{\frac{3}{2}} dx$$

input `integrate(x^(3/2)*(a+b*sech(c+d*x^(1/2))),x, algorithm="fricas")`

output `integral(b*x^(3/2)*sech(d*sqrt(x) + c) + a*x^(3/2), x)`

Sympy [F]

$$\int x^{3/2}(a + b \operatorname{sech}(c + d\sqrt{x})) dx = \int x^{\frac{3}{2}}(a + b \operatorname{sech}(c + d\sqrt{x})) dx$$

input `integrate(x**(3/2)*(a+b*sech(c+d*x**(1/2))),x)`

output `Integral(x**(3/2)*(a + b*sech(c + d*sqrt(x))), x)`

Maxima [F]

$$\int x^{3/2}(a + b\operatorname{sech}(c + d\sqrt{x})) dx = \int (b\operatorname{sech}(d\sqrt{x} + c) + a)x^{3/2} dx$$

input `integrate(x^(3/2)*(a+b*sech(c+d*x^(1/2))),x, algorithm="maxima")`

output `2/5*a*x^(5/2) + 2*b*integrate(x^(3/2)*e^(d*sqrt(x) + c)/(e^(2*d*sqrt(x) + 2*c) + 1), x)`

Giac [F]

$$\int x^{3/2}(a + b\operatorname{sech}(c + d\sqrt{x})) dx = \int (b\operatorname{sech}(d\sqrt{x} + c) + a)x^{3/2} dx$$

input `integrate(x^(3/2)*(a+b*sech(c+d*x^(1/2))),x, algorithm="giac")`

output `integrate((b*sech(d*sqrt(x) + c) + a)*x^(3/2), x)`

Mupad [F(-1)]

Timed out.

$$\int x^{3/2}(a + b\operatorname{sech}(c + d\sqrt{x})) dx = \int x^{3/2} \left(a + \frac{b}{\cosh(c + d\sqrt{x})} \right) dx$$

input `int(x^(3/2)*(a + b/cosh(c + d*x^(1/2))),x)`

output `int(x^(3/2)*(a + b/cosh(c + d*x^(1/2))), x)`

Reduce [F]

$$\int x^{3/2}(a + b\operatorname{sech}(c + d\sqrt{x})) dx = \frac{2\sqrt{x} a x^2}{5} + \left(\int \sqrt{x} \operatorname{sech}(\sqrt{x} d + c) x dx \right) b$$

input `int(x^(3/2)*(a+b*sech(c+d*x^(1/2))),x)`

output `(2*sqrt(x)*a*x**2 + 5*int(sqrt(x)*sech(sqrt(x)*d + c)*x,x)*b)/5`

3.60 $\int \sqrt{x}(a + b\operatorname{sech}(c + d\sqrt{x})) dx$

Optimal result	411
Mathematica [A] (verified)	412
Rubi [A] (verified)	412
Maple [F]	413
Fricas [F]	413
Sympy [F]	414
Maxima [F]	414
Giac [F]	414
Mupad [F(-1)]	415
Reduce [F]	415

Optimal result

Integrand size = 20, antiderivative size = 140

$$\int \sqrt{x}(a + b\operatorname{sech}(c + d\sqrt{x})) dx = \frac{2}{3}ax^{3/2} + \frac{4bx \arctan(e^{c+d\sqrt{x}})}{d} - \frac{4ib\sqrt{x} \operatorname{PolyLog}(2, -ie^{c+d\sqrt{x}})}{d^2} + \frac{4ib\sqrt{x} \operatorname{PolyLog}(2, ie^{c+d\sqrt{x}})}{d^2} + \frac{4ib \operatorname{PolyLog}(3, -ie^{c+d\sqrt{x}})}{d^3} - \frac{4ib \operatorname{PolyLog}(3, ie^{c+d\sqrt{x}})}{d^3}$$

output

```
2/3*a*x^(3/2)+4*b*x*arctan(exp(c+d*x^(1/2)))/d-4*I*b*x^(1/2)*polylog(2,-I*exp(c+d*x^(1/2)))/d^2+4*I*b*x^(1/2)*polylog(2,I*exp(c+d*x^(1/2)))/d^2+4*I*b*polylog(3,-I*exp(c+d*x^(1/2)))/d^3-4*I*b*polylog(3,I*exp(c+d*x^(1/2)))/d^3
```

Mathematica [A] (verified)

Time = 0.56 (sec) , antiderivative size = 172, normalized size of antiderivative = 1.23

$$\int \sqrt{x}(a + b \operatorname{sech}(c + d\sqrt{x})) dx$$

$$= \frac{2(ad^3x^{3/2} + 3ibd^2x \log(1 - ie^{c+d\sqrt{x}}) - 3ibd^2x \log(1 + ie^{c+d\sqrt{x}}) - 6ibd\sqrt{x} \operatorname{PolyLog}(2, -ie^{c+d\sqrt{x}}) + 6ibd\sqrt{x} \operatorname{PolyLog}(2, ie^{c+d\sqrt{x}}))}{3d^3}$$

input

```
Integrate[Sqrt[x]*(a + b*Sech[c + d*Sqrt[x]]),x]
```

output

```
(2*(a*d^3*x^(3/2) + (3*I)*b*d^2*x*Log[1 - I*E^(c + d*Sqrt[x])] - (3*I)*b*d^2*x*Log[1 + I*E^(c + d*Sqrt[x])] - (6*I)*b*d*Sqrt[x]*PolyLog[2, (-I)*E^(c + d*Sqrt[x])] + (6*I)*b*d*Sqrt[x]*PolyLog[2, I*E^(c + d*Sqrt[x])] + (6*I)*b*PolyLog[3, (-I)*E^(c + d*Sqrt[x])] - (6*I)*b*PolyLog[3, I*E^(c + d*Sqrt[x])]))/(3*d^3)
```

Rubi [A] (verified)

Time = 0.33 (sec) , antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sqrt{x}(a + b \operatorname{sech}(c + d\sqrt{x})) dx$$

$$\downarrow \text{2010}$$

$$\int (a\sqrt{x} + b\sqrt{x} \operatorname{sech}(c + d\sqrt{x})) dx$$

$$\downarrow \text{2009}$$

$$\frac{2}{3}ax^{3/2} + \frac{4bx \arctan(e^{c+d\sqrt{x}})}{d} + \frac{4ib \operatorname{PolyLog}(3, -ie^{c+d\sqrt{x}})}{d^3} - \frac{4ib \operatorname{PolyLog}(3, ie^{c+d\sqrt{x}})}{d^3} - \frac{4ib\sqrt{x} \operatorname{PolyLog}(2, -ie^{c+d\sqrt{x}})}{d^2} + \frac{4ib\sqrt{x} \operatorname{PolyLog}(2, ie^{c+d\sqrt{x}})}{d^2}$$

input `Int[Sqrt[x]*(a + b*Sech[c + d*Sqrt[x]]),x]`

output `(2*a*x^(3/2))/3 + (4*b*x*ArcTan[E^(c + d*Sqrt[x])])/d - ((4*I)*b*Sqrt[x]*PolyLog[2, (-I)*E^(c + d*Sqrt[x])])/d^2 + ((4*I)*b*Sqrt[x]*PolyLog[2, I*E^(c + d*Sqrt[x])])/d^2 + ((4*I)*b*PolyLog[3, (-I)*E^(c + d*Sqrt[x])])/d^3 - ((4*I)*b*PolyLog[3, I*E^(c + d*Sqrt[x])])/d^3`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2010 `Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]`

Maple [F]

$$\int \sqrt{x} (a + b \operatorname{sech}(c + d\sqrt{x})) dx$$

input `int(x^(1/2)*(a+b*sech(c+d*x^(1/2))),x)`

output `int(x^(1/2)*(a+b*sech(c+d*x^(1/2))),x)`

Fricas [F]

$$\int \sqrt{x}(a + b\operatorname{sech}(c + d\sqrt{x})) dx = \int (b \operatorname{sech}(d\sqrt{x} + c) + a)\sqrt{x} dx$$

input `integrate(x^(1/2)*(a+b*sech(c+d*x^(1/2))),x, algorithm="fricas")`

output `integral(b*sqrt(x)*sech(d*sqrt(x) + c) + a*sqrt(x), x)`

Sympy [F]

$$\int \sqrt{x}(a + b\operatorname{sech}(c + d\sqrt{x})) dx = \int \sqrt{x}(a + b\operatorname{sech}(c + d\sqrt{x})) dx$$

input `integrate(x**(1/2)*(a+b*sech(c+d*x**(1/2))),x)`

output `Integral(sqrt(x)*(a + b*sech(c + d*sqrt(x))), x)`

Maxima [F]

$$\int \sqrt{x}(a + b\operatorname{sech}(c + d\sqrt{x})) dx = \int (b\operatorname{sech}(d\sqrt{x} + c) + a)\sqrt{x} dx$$

input `integrate(x^(1/2)*(a+b*sech(c+d*x^(1/2))),x, algorithm="maxima")`

output `2/3*a*x^(3/2) + 2*b*integrate(sqrt(x)*e^(d*sqrt(x) + c)/(e^(2*d*sqrt(x) + 2*c) + 1), x)`

Giac [F]

$$\int \sqrt{x}(a + b\operatorname{sech}(c + d\sqrt{x})) dx = \int (b\operatorname{sech}(d\sqrt{x} + c) + a)\sqrt{x} dx$$

input `integrate(x^(1/2)*(a+b*sech(c+d*x^(1/2))),x, algorithm="giac")`

output `integrate((b*sech(d*sqrt(x) + c) + a)*sqrt(x), x)`

Mupad [F(-1)]

Timed out.

$$\int \sqrt{x}(a + b \operatorname{sech}(c + d\sqrt{x})) dx = \int \sqrt{x} \left(a + \frac{b}{\cosh(c + d\sqrt{x})} \right) dx$$

input `int(x^(1/2)*(a + b/cosh(c + d*x^(1/2))),x)`output `int(x^(1/2)*(a + b/cosh(c + d*x^(1/2))), x)`**Reduce [F]**

$$\int \sqrt{x}(a + b \operatorname{sech}(c + d\sqrt{x})) dx = \frac{2\sqrt{x}ax}{3} + \left(\int \sqrt{x} \operatorname{sech}(\sqrt{x}d + c) dx \right) b$$

input `int(x^(1/2)*(a+b*sech(c+d*x^(1/2))),x)`output `(2*sqrt(x)*a*x + 3*int(sqrt(x)*sech(sqrt(x)*d + c),x)*b)/3`

3.61 $\int \frac{a+b\operatorname{sech}(c+d\sqrt{x})}{\sqrt{x}} dx$

Optimal result	416
Mathematica [A] (verified)	416
Rubi [A] (verified)	417
Maple [A] (verified)	418
Fricas [A] (verification not implemented)	418
Sympy [A] (verification not implemented)	418
Maxima [A] (verification not implemented)	419
Giac [A] (verification not implemented)	419
Mupad [B] (verification not implemented)	420
Reduce [B] (verification not implemented)	420

Optimal result

Integrand size = 20, antiderivative size = 26

$$\int \frac{a + b\operatorname{sech}(c + d\sqrt{x})}{\sqrt{x}} dx = 2a\sqrt{x} + \frac{2b \arctan(\sinh(c + d\sqrt{x}))}{d}$$

output `2*a*x^(1/2)+2*b*arctan(sinh(c+d*x^(1/2)))/d`

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 26, normalized size of antiderivative = 1.00

$$\int \frac{a + b\operatorname{sech}(c + d\sqrt{x})}{\sqrt{x}} dx = 2a\sqrt{x} - \frac{2b \cot^{-1}(\sinh(c + d\sqrt{x}))}{d}$$

input `Integrate[(a + b*Sech[c + d*Sqrt[x]])/Sqrt[x],x]`

output `2*a*Sqrt[x] - (2*b*ArcCot[Sinh[c + d*Sqrt[x]]])/d`

Rubi [A] (verified)

Time = 0.25 (sec) , antiderivative size = 26, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{\sqrt{x}} dx$$

↓ 2010

$$\int \left(\frac{a}{\sqrt{x}} + \frac{b \operatorname{sech}(c + d\sqrt{x})}{\sqrt{x}} \right) dx$$

↓ 2009

$$2a\sqrt{x} + \frac{2b \arctan(\sinh(c + d\sqrt{x}))}{d}$$

input `Int[(a + b*Sech[c + d*Sqrt[x]])/Sqrt[x],x]`

output `2*a*Sqrt[x] + (2*b*ArcTan[Sinh[c + d*Sqrt[x]]])/d`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2010 `Int[(u_)*((c_)*(x_)^(m_)), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]`

Maple [A] (verified)

Time = 0.12 (sec) , antiderivative size = 23, normalized size of antiderivative = 0.88

method	result	size
derivativedivides	$2a\sqrt{x} + \frac{2b \arctan(\sinh(c+d\sqrt{x}))}{d}$	23
default	$2a\sqrt{x} + \frac{2b \arctan(\sinh(c+d\sqrt{x}))}{d}$	23
parts	$2a\sqrt{x} + \frac{2b \arctan(\sinh(c+d\sqrt{x}))}{d}$	23

input `int((a+b*sech(c+d*x^(1/2)))/x^(1/2),x,method=_RETURNVERBOSE)`

output `2*a*x^(1/2)+2*b*arctan(sinh(c+d*x^(1/2)))/d`

Fricas [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 33, normalized size of antiderivative = 1.27

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{\sqrt{x}} dx = \frac{2(ad\sqrt{x} + 2b \arctan(\cosh(d\sqrt{x} + c) + \sinh(d\sqrt{x} + c)))}{d}$$

input `integrate((a+b*sech(c+d*x^(1/2)))/x^(1/2),x, algorithm="fricas")`

output `2*(a*d*sqrt(x) + 2*b*arctan(cosh(d*sqrt(x) + c) + sinh(d*sqrt(x) + c)))/d`

Sympy [A] (verification not implemented)

Time = 0.48 (sec) , antiderivative size = 37, normalized size of antiderivative = 1.42

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{\sqrt{x}} dx = 2a\sqrt{x} + 2b \left(\begin{cases} \sqrt{x} \operatorname{sech}(c) & \text{for } d = 0 \\ \frac{2 \operatorname{atan}\left(\tanh\left(\frac{c}{2} + \frac{d\sqrt{x}}{2}\right)\right)}{d} & \text{otherwise} \end{cases} \right)$$

input `integrate((a+b*sech(c+d*x**(1/2)))/x**(1/2),x)`

output `2*a*sqrt(x) + 2*b*Piecewise((sqrt(x)*sech(c), Eq(d, 0)), (2*atan(tanh(c/2 + d*sqrt(x)/2))/d, True))`

Maxima [A] (verification not implemented)

Time = 0.03 (sec) , antiderivative size = 22, normalized size of antiderivative = 0.85

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{\sqrt{x}} dx = 2a\sqrt{x} + \frac{2b \arctan(\sinh(d\sqrt{x} + c))}{d}$$

input `integrate((a+b*sech(c+d*x^(1/2)))/x^(1/2),x, algorithm="maxima")`

output `2*a*sqrt(x) + 2*b*arctan(sinh(d*sqrt(x) + c))/d`

Giac [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 29, normalized size of antiderivative = 1.12

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{\sqrt{x}} dx = \frac{2(d\sqrt{x} + c)a}{d} + \frac{4b \arctan(e^{(d\sqrt{x}+c)})}{d}$$

input `integrate((a+b*sech(c+d*x^(1/2)))/x^(1/2),x, algorithm="giac")`

output `2*(d*sqrt(x) + c)*a/d + 4*b*arctan(e^(d*sqrt(x) + c))/d`

Mupad [B] (verification not implemented)

Time = 2.42 (sec) , antiderivative size = 43, normalized size of antiderivative = 1.65

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{\sqrt{x}} dx = 2a\sqrt{x} + \frac{4 \operatorname{atan}\left(\frac{be^{d\sqrt{x}}e^c\sqrt{d^2}}{d\sqrt{b^2}}\right) \sqrt{b^2}}{\sqrt{d^2}}$$

input `int((a + b/cosh(c + d*x^(1/2)))/x^(1/2), x)`output `2*a*x^(1/2) + (4*atan((b*exp(d*x^(1/2))*exp(c)*(d^2)^(1/2))/(d*(b^2)^(1/2)))*(b^2)^(1/2))/(d^2)^(1/2)`**Reduce [B] (verification not implemented)**

Time = 0.24 (sec) , antiderivative size = 23, normalized size of antiderivative = 0.88

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{\sqrt{x}} dx = \frac{4 \operatorname{atan}(e^{\sqrt{x}d+c}) b + 2\sqrt{x} ad}{d}$$

input `int((a+b*sech(c+d*x^(1/2)))/x^(1/2), x)`output `(2*(2*atan(e**(sqrt(x)*d + c))*b + sqrt(x)*a*d))/d`

3.62 $\int \frac{a+b\operatorname{sech}(c+d\sqrt{x})}{x^{3/2}} dx$

Optimal result	421
Mathematica [N/A]	421
Rubi [N/A]	422
Maple [N/A]	422
Fricas [N/A]	423
Sympy [N/A]	423
Maxima [N/A]	423
Giac [N/A]	424
Mupad [N/A]	424
Reduce [N/A]	425

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{a + b\operatorname{sech}(c + d\sqrt{x})}{x^{3/2}} dx = \operatorname{Int}\left(\frac{a + b\operatorname{sech}(c + d\sqrt{x})}{x^{3/2}}, x\right)$$

output `Defer(Int)((a+b*sech(c+d*x^(1/2)))/x^(3/2), x)`

Mathematica [N/A]

Not integrable

Time = 8.49 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{a + b\operatorname{sech}(c + d\sqrt{x})}{x^{3/2}} dx = \int \frac{a + b\operatorname{sech}(c + d\sqrt{x})}{x^{3/2}} dx$$

input `Integrate[(a + b*Sech[c + d*Sqrt[x]])/x^(3/2), x]`

output `Integrate[(a + b*Sech[c + d*Sqrt[x]])/x^(3/2), x]`

Rubi [N/A]

Not integrable

Time = 0.28 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x^{3/2}} dx$$

↓ 2010

$$\int \left(\frac{a}{x^{3/2}} + \frac{b \operatorname{sech}(c + d\sqrt{x})}{x^{3/2}} \right) dx$$

↓ 2009

$$b \int \frac{\operatorname{sech}(c + d\sqrt{x})}{x^{3/2}} dx - \frac{2a}{\sqrt{x}}$$

input `Int[(a + b*Sech[c + d*Sqrt[x]])/x^(3/2), x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 16, normalized size of antiderivative = 0.80

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x^{3/2}} dx$$

input `int((a+b*sech(c+d*x^(1/2)))/x^(3/2), x)`

output `int((a+b*sech(c+d*x^(1/2)))/x^(3/2), x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 25, normalized size of antiderivative = 1.25

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x^{3/2}} dx = \int \frac{b \operatorname{sech}(d\sqrt{x} + c) + a}{x^{3/2}} dx$$

input `integrate((a+b*sech(c+d*x^(1/2)))/x^(3/2),x, algorithm="fricas")`

output `integral((b*sqrt(x)*sech(d*sqrt(x) + c) + a*sqrt(x))/x^2, x)`

Sympy [N/A]

Not integrable

Time = 1.08 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.95

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x^{3/2}} dx = \int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x^{3/2}} dx$$

input `integrate((a+b*sech(c+d*x**(1/2)))/x**(3/2),x)`

output `Integral((a + b*sech(c + d*sqrt(x)))/x**(3/2), x)`

Maxima [N/A]

Not integrable

Time = 0.31 (sec) , antiderivative size = 42, normalized size of antiderivative = 2.10

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x^{3/2}} dx = \int \frac{b \operatorname{sech}(d\sqrt{x} + c) + a}{x^{3/2}} dx$$

input `integrate((a+b*sech(c+d*x^(1/2)))/x^(3/2),x, algorithm="maxima")`

output

```
2*b*integrate(e^(d*sqrt(x) + c)/(x^(3/2)*e^(2*d*sqrt(x) + 2*c) + x^(3/2)),
x) - 2*a/sqrt(x)
```

Giac [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.90

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x^{3/2}} dx = \int \frac{b \operatorname{sech}(d\sqrt{x} + c) + a}{x^{3/2}} dx$$

input

```
integrate((a+b*sech(c+d*x^(1/2)))/x^(3/2),x, algorithm="giac")
```

output

```
integrate((b*sech(d*sqrt(x) + c) + a)/x^(3/2), x)
```

Mupad [N/A]

Not integrable

Time = 2.68 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x^{3/2}} dx = \int \frac{a + \frac{b}{\cosh(c + d\sqrt{x})}}{x^{3/2}} dx$$

input

```
int((a + b/cosh(c + d*x^(1/2)))/x^(3/2),x)
```

output

```
int((a + b/cosh(c + d*x^(1/2)))/x^(3/2), x)
```

Reduce [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 30, normalized size of antiderivative = 1.50

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x^{3/2}} dx = \frac{\sqrt{x} \left(\int \frac{\operatorname{sech}(\sqrt{x}d+c)}{\sqrt{x}x} dx \right) b - 2a}{\sqrt{x}}$$

input `int((a+b*sech(c+d*x^(1/2)))/x^(3/2),x)`output `(sqrt(x)*int(sech(sqrt(x)*d + c)/(sqrt(x)*x),x)*b - 2*a)/sqrt(x)`

3.63 $\int \frac{a+b\operatorname{sech}(c+d\sqrt{x})}{x^{5/2}} dx$

Optimal result	426
Mathematica [N/A]	426
Rubi [N/A]	427
Maple [N/A]	427
Fricas [N/A]	428
Sympy [N/A]	428
Maxima [N/A]	428
Giac [N/A]	429
Mupad [N/A]	429
Reduce [N/A]	430

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{a + b\operatorname{sech}(c + d\sqrt{x})}{x^{5/2}} dx = \operatorname{Int}\left(\frac{a + b\operatorname{sech}(c + d\sqrt{x})}{x^{5/2}}, x\right)$$

output `Defer(Int)((a+b*sech(c+d*x^(1/2)))/x^(5/2), x)`

Mathematica [N/A]

Not integrable

Time = 9.49 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{a + b\operatorname{sech}(c + d\sqrt{x})}{x^{5/2}} dx = \int \frac{a + b\operatorname{sech}(c + d\sqrt{x})}{x^{5/2}} dx$$

input `Integrate[(a + b*Sech[c + d*Sqrt[x]])/x^(5/2), x]`

output `Integrate[(a + b*Sech[c + d*Sqrt[x]])/x^(5/2), x]`

Rubi [N/A]

Not integrable

Time = 0.25 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x^{5/2}} dx$$

↓ 2010

$$\int \left(\frac{a}{x^{5/2}} + \frac{b \operatorname{sech}(c + d\sqrt{x})}{x^{5/2}} \right) dx$$

↓ 2009

$$b \int \frac{\operatorname{sech}(c + d\sqrt{x})}{x^{5/2}} dx - \frac{2a}{3x^{3/2}}$$

input `Int[(a + b*Sech[c + d*Sqrt[x]])/x^(5/2), x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 16, normalized size of antiderivative = 0.80

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x^{5/2}} dx$$

input `int((a+b*sech(c+d*x^(1/2)))/x^(5/2), x)`

output `int((a+b*sech(c+d*x^(1/2)))/x^(5/2), x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 25, normalized size of antiderivative = 1.25

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x^{5/2}} dx = \int \frac{b \operatorname{sech}(d\sqrt{x} + c) + a}{x^{5/2}} dx$$

input `integrate((a+b*sech(c+d*x^(1/2)))/x^(5/2),x, algorithm="fricas")`

output `integral((b*sqrt(x)*sech(d*sqrt(x) + c) + a*sqrt(x))/x^3, x)`

Sympy [N/A]

Not integrable

Time = 5.58 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.95

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x^{5/2}} dx = \int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x^{5/2}} dx$$

input `integrate((a+b*sech(c+d*x**(1/2)))/x**(5/2),x)`

output `Integral((a + b*sech(c + d*sqrt(x)))/x**(5/2), x)`

Maxima [N/A]

Not integrable

Time = 0.32 (sec) , antiderivative size = 42, normalized size of antiderivative = 2.10

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x^{5/2}} dx = \int \frac{b \operatorname{sech}(d\sqrt{x} + c) + a}{x^{5/2}} dx$$

input `integrate((a+b*sech(c+d*x^(1/2)))/x^(5/2),x, algorithm="maxima")`

output

```
2*b*integrate(e^(d*sqrt(x) + c)/(x^(5/2)*e^(2*d*sqrt(x) + 2*c) + x^(5/2)),
x) - 2/3*a/x^(3/2)
```

Giac [N/A]

Not integrable

Time = 0.14 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.90

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x^{5/2}} dx = \int \frac{b \operatorname{sech}(d\sqrt{x} + c) + a}{x^{5/2}} dx$$

input

```
integrate((a+b*sech(c+d*x^(1/2)))/x^(5/2),x, algorithm="giac")
```

output

```
integrate((b*sech(d*sqrt(x) + c) + a)/x^(5/2), x)
```

Mupad [N/A]

Not integrable

Time = 2.60 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x^{5/2}} dx = \int \frac{a + \frac{b}{\cosh(c + d\sqrt{x})}}{x^{5/2}} dx$$

input

```
int((a + b/cosh(c + d*x^(1/2)))/x^(5/2),x)
```

output

```
int((a + b/cosh(c + d*x^(1/2)))/x^(5/2), x)
```

Reduce [N/A]

Not integrable

Time = 0.25 (sec) , antiderivative size = 36, normalized size of antiderivative = 1.80

$$\int \frac{a + b \operatorname{sech}(c + d\sqrt{x})}{x^{5/2}} dx = \frac{3\sqrt{x} \left(\int \frac{\operatorname{sech}(\sqrt{x}d+c)}{\sqrt{x}x^2} dx \right) bx - 2a}{3\sqrt{x}x}$$

input `int((a+b*sech(c+d*x^(1/2)))/x^(5/2),x)`output `(3*sqrt(x)*int(sech(sqrt(x)*d + c)/(sqrt(x)*x**2),x)*b*x - 2*a)/(3*sqrt(x)*x)`

3.64 $\int x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx$

Optimal result	431
Mathematica [A] (verified)	432
Rubi [A] (verified)	433
Maple [F]	435
Fricas [F]	435
Sympy [F]	435
Maxima [F]	436
Giac [F]	436
Mupad [F(-1)]	436
Reduce [F]	437

Optimal result

Integrand size = 22, antiderivative size = 407

$$\begin{aligned}
 \int x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx &= \frac{2b^2 x^2}{d} + \frac{2}{5} a^2 x^{5/2} \\
 &+ \frac{8abx^2 \arctan(e^{c+d\sqrt{x}})}{d} - \frac{8b^2 x^{3/2} \log(1 + e^{2(c+d\sqrt{x})})}{d^2} \\
 &- \frac{16iabx^{3/2} \operatorname{PolyLog}(2, -ie^{c+d\sqrt{x}})}{d^2} + \frac{16iabx^{3/2} \operatorname{PolyLog}(2, ie^{c+d\sqrt{x}})}{d^2} \\
 &- \frac{12b^2 x \operatorname{PolyLog}(2, -e^{2(c+d\sqrt{x})})}{d^3} + \frac{48iabx \operatorname{PolyLog}(3, -ie^{c+d\sqrt{x}})}{d^3} \\
 &- \frac{48iabx \operatorname{PolyLog}(3, ie^{c+d\sqrt{x}})}{d^3} + \frac{12b^2 \sqrt{x} \operatorname{PolyLog}(3, -e^{2(c+d\sqrt{x})})}{d^4} \\
 &- \frac{96iab\sqrt{x} \operatorname{PolyLog}(4, -ie^{c+d\sqrt{x}})}{d^4} + \frac{96iab\sqrt{x} \operatorname{PolyLog}(4, ie^{c+d\sqrt{x}})}{d^4} \\
 &- \frac{6b^2 \operatorname{PolyLog}(4, -e^{2(c+d\sqrt{x})})}{d^5} + \frac{96iab \operatorname{PolyLog}(5, -ie^{c+d\sqrt{x}})}{d^5} \\
 &- \frac{96iab \operatorname{PolyLog}(5, ie^{c+d\sqrt{x}})}{d^5} + \frac{2b^2 x^2 \tanh(c + d\sqrt{x})}{d}
 \end{aligned}$$

output

```

2*b^2*x^2/d+2/5*a^2*x^(5/2)+8*a*b*x^2*arctan(exp(c+d*x^(1/2)))/d-8*b^2*x^(
3/2)*ln(1+exp(2*c+2*d*x^(1/2)))/d^2+48*I*a*b*x*polylog(3,-I*exp(c+d*x^(1/2)
))/d^3-96*I*a*b*polylog(5,I*exp(c+d*x^(1/2)))/d^5-12*b^2*x*polylog(2,-exp
(2*c+2*d*x^(1/2)))/d^3-48*I*a*b*x*polylog(3,I*exp(c+d*x^(1/2)))/d^3-96*I*a
*b*x^(1/2)*polylog(4,-I*exp(c+d*x^(1/2)))/d^4+12*b^2*x^(1/2)*polylog(3,-ex
p(2*c+2*d*x^(1/2)))/d^4+96*I*a*b*polylog(5,-I*exp(c+d*x^(1/2)))/d^5-16*I*a
*b*x^(3/2)*polylog(2,-I*exp(c+d*x^(1/2)))/d^2-6*b^2*polylog(4,-exp(2*c+2*d
*x^(1/2)))/d^5+16*I*a*b*x^(3/2)*polylog(2,I*exp(c+d*x^(1/2)))/d^2+96*I*a*b
*x^(1/2)*polylog(4,I*exp(c+d*x^(1/2)))/d^4+2*b^2*x^2*tanh(c+d*x^(1/2))/d

```

Mathematica [A] (verified)

Time = 3.74 (sec) , antiderivative size = 496, normalized size of antiderivative = 1.22

$$\int x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx = \frac{2 \cosh(c + d\sqrt{x}) (a + b \operatorname{sech}(c + d\sqrt{x}))^2 \left(\frac{10b^2 e^{2c} x^2 \cosh(c + d\sqrt{x})}{d(1 + e^{2c})} + a^2 x^{5/2} \cosh(c + d\sqrt{x}) \right)}{d^5} + \frac{5b^2 x^{5/2} \cosh(c + d\sqrt{x})}{d^5} + \frac{10ab x^{3/2} \cosh(c + d\sqrt{x})}{d^4} + \frac{5a^2 x^{3/2} \cosh(c + d\sqrt{x})}{d^4} + \frac{10ab x^{1/2} \cosh(c + d\sqrt{x})}{d^3} + \frac{5a^2 x^{1/2} \cosh(c + d\sqrt{x})}{d^3} + \frac{10ab \cosh(c + d\sqrt{x})}{d^2} + \frac{5a^2 \cosh(c + d\sqrt{x})}{d^2} + \frac{10ab \sqrt{x} \cosh(c + d\sqrt{x})}{d} + \frac{5a^2 \sqrt{x} \cosh(c + d\sqrt{x})}{d} + \frac{10ab x \cosh(c + d\sqrt{x})}{d} + \frac{5a^2 x \cosh(c + d\sqrt{x})}{d} + \frac{10ab x^{3/2} \cosh(c + d\sqrt{x})}{d} + \frac{5a^2 x^{3/2} \cosh(c + d\sqrt{x})}{d} + \frac{10ab x^{5/2} \cosh(c + d\sqrt{x})}{d} + \frac{5a^2 x^{5/2} \cosh(c + d\sqrt{x})}{d}$$

input

```
Integrate[x^(3/2)*(a + b*Sech[c + d*Sqrt[x]])^2,x]
```

output

```

(2*Cosh[c + d*Sqrt[x]]*(a + b*Sech[c + d*Sqrt[x]])^2*((10*b^2*E^(2*c))*x^2*
Cosh[c + d*Sqrt[x]]/(d*(1 + E^(2*c))) + a^2*x^(5/2)*Cosh[c + d*Sqrt[x]] +
((5*I)*b*Cosh[c + d*Sqrt[x]]*(2*a*d^4*x^2*Log[1 - I*E^(c + d*Sqrt[x])] -
2*a*d^4*x^2*Log[1 + I*E^(c + d*Sqrt[x])] + (4*I)*b*d^3*x^(3/2)*Log[1 + E^(
2*(c + d*Sqrt[x]))] - 8*a*d^3*x^(3/2)*PolyLog[2, (-I)*E^(c + d*Sqrt[x])] +
8*a*d^3*x^(3/2)*PolyLog[2, I*E^(c + d*Sqrt[x])] + (6*I)*b*d^2*x*PolyLog[2
, -E^(2*(c + d*Sqrt[x]))] + 24*a*d^2*x*PolyLog[3, (-I)*E^(c + d*Sqrt[x])]
- 24*a*d^2*x*PolyLog[3, I*E^(c + d*Sqrt[x])] - (6*I)*b*d*Sqrt[x]*PolyLog[3
, -E^(2*(c + d*Sqrt[x]))] - 48*a*d*Sqrt[x]*PolyLog[4, (-I)*E^(c + d*Sqrt[x]
)]) + 48*a*d*Sqrt[x]*PolyLog[4, I*E^(c + d*Sqrt[x])] + (3*I)*b*PolyLog[4,
-E^(2*(c + d*Sqrt[x]))] + 48*a*PolyLog[5, (-I)*E^(c + d*Sqrt[x])] - 48*a*P
olyLog[5, I*E^(c + d*Sqrt[x])])/d^5 + (5*b^2*x^2*Sech[c]*Sinh[d*Sqrt[x]]
/d))/(5*(b + a*Cosh[c + d*Sqrt[x]])^2)

```

Rubi [A] (verified)

Time = 1.34 (sec) , antiderivative size = 407, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {5959, 3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx \\
 & \quad \downarrow \text{5959} \\
 & 2 \int x^2 (a + b \operatorname{sech}(c + d\sqrt{x}))^2 d\sqrt{x} \\
 & \quad \downarrow \text{3042} \\
 & 2 \int x^2 \left(a + b \csc \left(ic + id\sqrt{x} + \frac{\pi}{2} \right) \right)^2 d\sqrt{x} \\
 & \quad \downarrow \text{4678} \\
 & 2 \int (a^2 x^2 + b^2 \operatorname{sech}^2(c + d\sqrt{x}) x^2 + 2ab \operatorname{sech}(c + d\sqrt{x}) x^2) d\sqrt{x} \\
 & \quad \downarrow \text{2009} \\
 & 2 \left(\frac{1}{5} a^2 x^{5/2} + \frac{4abx^2 \arctan(e^{c+d\sqrt{x}})}{d} + \frac{48iab \operatorname{PolyLog}(5, -ie^{c+d\sqrt{x}})}{d^5} - \frac{48iab \operatorname{PolyLog}(5, ie^{c+d\sqrt{x}})}{d^5} - \frac{48iab\sqrt{3}}{d^5} \right)
 \end{aligned}$$

input

```
Int[x^(3/2)*(a + b*Sech[c + d*Sqrt[x]])^2,x]
```

output

$$\begin{aligned}
& 2*((b^2*x^2)/d + (a^2*x^{5/2})/5 + (4*a*b*x^2*ArcTan[E^(c + d*Sqrt[x])])/d \\
& - (4*b^2*x^{3/2}*Log[1 + E^(2*(c + d*Sqrt[x]))]/d^2 - ((8*I)*a*b*x^{3/2} \\
& *PolyLog[2, (-I)*E^(c + d*Sqrt[x])])/d^2 + ((8*I)*a*b*x^{3/2}*PolyLog[2, I \\
& *E^(c + d*Sqrt[x])])/d^2 - (6*b^2*x*PolyLog[2, -E^(2*(c + d*Sqrt[x]))]/d^3 \\
& + ((24*I)*a*b*x*PolyLog[3, (-I)*E^(c + d*Sqrt[x])])/d^3 - ((24*I)*a*b*x* \\
& PolyLog[3, I*E^(c + d*Sqrt[x])])/d^3 + (6*b^2*Sqrt[x]*PolyLog[3, -E^(2*(c \\
& + d*Sqrt[x])])/d^4 - ((48*I)*a*b*Sqrt[x]*PolyLog[4, (-I)*E^(c + d*Sqrt[x] \\
&)])/d^4 + ((48*I)*a*b*Sqrt[x]*PolyLog[4, I*E^(c + d*Sqrt[x])])/d^4 - (3*b^2 \\
& *PolyLog[4, -E^(2*(c + d*Sqrt[x]))]/d^5 + ((48*I)*a*b*PolyLog[5, (-I)*E^ \\
& (c + d*Sqrt[x])])/d^5 - ((48*I)*a*b*PolyLog[5, I*E^(c + d*Sqrt[x])])/d^5 + \\
& (b^2*x^2*Tanh[c + d*Sqrt[x]])/d
\end{aligned}$$

Defintions of rubi rules used

rule 2009

$$\text{Int}[u_, x_Symbol] \text{ :> Simp[IntSum}[u, x], x] \text{ /; SumQ}[u]$$

rule 3042

$$\text{Int}[u_, x_Symbol] \text{ :> Int[DeactivateTrig}[u, x], x] \text{ /; FunctionOfTrigOfLinearQ}[u, x]$$

rule 4678

$$\text{Int}[(\text{csc}[e_] + (f_)*(x_))*(b_) + (a_)^{(n_)}*((c_) + (d_)*(x_))^{(m_)}, x_Symbol] \text{ :> Int[ExpandIntegrand}[(c + d*x)^m, (a + b*\text{Csc}[e + f*x])^n, x], x] \text{ /; FreeQ}\{a, b, c, d, e, f, m\}, x\} \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{IGtQ}[n, 0]$$

rule 5959

$$\text{Int}[(x_)^{(m_)}*((a_) + (b_)*\text{Sech}[(c_) + (d_)*(x_)^{(n_)}])^{(p_)}, x_Symbol] \text{ :> Simp}[1/n \ \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*\text{Sech}[c + d*x])^p}, x], x, x^n], x] \text{ /; FreeQ}\{a, b, c, d, m, n, p\}, x\} \ \&\& \ \text{IGtQ}[\text{Simplify}[(m + 1)/n], 0] \ \&\& \ \text{IntegerQ}[p]$$

Maple [F]

$$\int x^{\frac{3}{2}} (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx$$

input `int(x^(3/2)*(a+b*sech(c+d*x^(1/2)))^2,x)`

output `int(x^(3/2)*(a+b*sech(c+d*x^(1/2)))^2,x)`

Fricas [F]

$$\int x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx = \int (b \operatorname{sech}(d\sqrt{x} + c) + a)^2 x^{\frac{3}{2}} dx$$

input `integrate(x^(3/2)*(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="fricas")`

output `integral(b^2*x^(3/2)*sech(d*sqrt(x) + c)^2 + 2*a*b*x^(3/2)*sech(d*sqrt(x) + c) + a^2*x^(3/2), x)`

Sympy [F]

$$\int x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx = \int x^{\frac{3}{2}} (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx$$

input `integrate(x**(3/2)*(a+b*sech(c+d*x**(1/2)))**2,x)`

output `Integral(x**(3/2)*(a + b*sech(c + d*sqrt(x)))**2, x)`

Maxima [F]

$$\int x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx = \int (b \operatorname{sech}(d\sqrt{x} + c) + a)^2 x^{3/2} dx$$

input `integrate(x^(3/2)*(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="maxima")`

output `2/5*(a^2*d*x^(5/2)*e^(2*d*sqrt(x) + 2*c) + a^2*d*x^(5/2) - 10*b^2*x^2)/(d*e^(2*d*sqrt(x) + 2*c) + d) + integrate(4*(a*b*d*x^(5/2)*e^(d*sqrt(x) + c) + 2*b^2*x^2)/(d*x*e^(2*d*sqrt(x) + 2*c) + d*x), x)`

Giac [F]

$$\int x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx = \int (b \operatorname{sech}(d\sqrt{x} + c) + a)^2 x^{3/2} dx$$

input `integrate(x^(3/2)*(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="giac")`

output `integrate((b*sech(d*sqrt(x) + c) + a)^2*x^(3/2), x)`

Mupad [F(-1)]

Timed out.

$$\int x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx = \int x^{3/2} \left(a + \frac{b}{\cosh(c + d\sqrt{x})} \right)^2 dx$$

input `int(x^(3/2)*(a + b/cosh(c + d*x^(1/2)))^2,x)`

output `int(x^(3/2)*(a + b/cosh(c + d*x^(1/2)))^2, x)`

Reduce [F]

$$\int x^{3/2}(a + b\operatorname{sech}(c + d\sqrt{x}))^2 dx = \text{Too large to display}$$

input `int(x^(3/2)*(a+b*sech(c+d*x^(1/2)))^2,x)`

output

```
(2*(480***2*sqrt(x)*d + 2*c)*atan(e**(sqrt(x)*d + c))*a*b + 480*atan(e**
(sqrt(x)*d + c))*a*b + 480*e**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(
4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**2 + 80*e**(2*
sqrt(x)*d + 3*c)*int((e**(sqrt(x)*d)*x)/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*
sqrt(x)*d + 2*c) + 1),x)*a*b*d**4 + 20*e**(2*sqrt(x)*d + 3*c)*int((sqrt(x)
*e**(sqrt(x)*d)*x)/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1)
,x)*a*b*d**5 + 240*e**(2*sqrt(x)*d + 3*c)*int((sqrt(x)*e**(sqrt(x)*d))/(e*
*(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**3 + sqrt(x)
*e**(2*sqrt(x)*d + 2*c)*a**2*d**5*x**2 + 30*sqrt(x)*e**(2*sqrt(x)*d + 2*c)
*b**2*d + 30*e**(2*sqrt(x)*d + 2*c)*int(sqrt(x)/(e**(4*sqrt(x)*d + 4*c) +
2*e**(2*sqrt(x)*d + 2*c) + 1),x)*b**2*d**3 + 20*e**(2*sqrt(x)*d + 2*c)*int
(x/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*b**2*d**4 +
30*e**(2*sqrt(x)*d + 2*c)*int(1/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*
d + 2*c) + 1),x)*b**2*d**2 - 15*e**(2*sqrt(x)*d + 2*c)*log(e**(2*sqrt(x)*d
+ 2*c) + 1)*b**2 - 80*sqrt(x)*e**(sqrt(x)*d + c)*a*b*d**3*x - 480*sqrt(x)
*e**(sqrt(x)*d + c)*a*b*d - 20*e**(sqrt(x)*d + c)*a*b*d**4*x**2 - 240*e**(
sqrt(x)*d + c)*a*b*d**2*x + 480*e**c*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d +
4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**2 + 80*e**c*int((e**(sqrt(
x)*d)*x)/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d*
*4 + 20*e**c*int((sqrt(x)*e**(sqrt(x)*d)*x)/(e**(4*sqrt(x)*d + 4*c) + 2...
```

3.65 $\int \sqrt{x} (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx$

Optimal result	438
Mathematica [A] (verified)	439
Rubi [A] (verified)	439
Maple [F]	441
Fricas [F]	441
Sympy [F]	441
Maxima [F]	442
Giac [F]	442
Mupad [F(-1)]	442
Reduce [F]	443

Optimal result

Integrand size = 22, antiderivative size = 229

$$\int \sqrt{x} (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx = \frac{2b^2x}{d} + \frac{2}{3}a^2x^{3/2} + \frac{8abx \arctan(e^{c+d\sqrt{x}})}{d} - \frac{4b^2\sqrt{x} \log(1 + e^{2(c+d\sqrt{x})})}{d^2} - \frac{8iab\sqrt{x} \operatorname{PolyLog}(2, -ie^{c+d\sqrt{x}})}{d^2} + \frac{8iab\sqrt{x} \operatorname{PolyLog}(2, ie^{c+d\sqrt{x}})}{d^2} - \frac{2b^2 \operatorname{PolyLog}(2, -e^{2(c+d\sqrt{x})})}{d^3} + \frac{8iab \operatorname{PolyLog}(3, -ie^{c+d\sqrt{x}})}{d^3} - \frac{8iab \operatorname{PolyLog}(3, ie^{c+d\sqrt{x}})}{d^3} + \frac{2b^2x \tanh(c + d\sqrt{x})}{d}$$

output

```
2*b^2*x/d+2/3*a^2*x^(3/2)+8*a*b*x*arctan(exp(c+d*x^(1/2)))/d-4*b^2*x^(1/2)
*ln(1+exp(2*c+2*d*x^(1/2)))/d^2-8*I*a*b*x^(1/2)*polylog(2,-I*exp(c+d*x^(1/2)))
/d^2+8*I*a*b*x^(1/2)*polylog(2,I*exp(c+d*x^(1/2)))/d^2-2*b^2*polylog(2,
-exp(2*c+2*d*x^(1/2)))/d^3+8*I*a*b*polylog(3,-I*exp(c+d*x^(1/2)))/d^3-8*I
*a*b*polylog(3,I*exp(c+d*x^(1/2)))/d^3+2*b^2*x*tanh(c+d*x^(1/2))/d
```

Mathematica [A] (verified)

Time = 2.08 (sec) , antiderivative size = 344, normalized size of antiderivative = 1.50

$$\int \sqrt{x}(a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx$$

$$= \frac{2 \cosh(c + d\sqrt{x})(a + b \operatorname{sech}(c + d\sqrt{x}))^2 \left(a^2 x^{3/2} \cosh(c + d\sqrt{x}) + \frac{3b \cosh(c + d\sqrt{x}) \left(2be^{2c}x - 2b(1 + e^{2c})x + \frac{b(1 + e^{2c})^2}{2} \right)}{2be^{2c}x - 2b(1 + e^{2c})x + \frac{b(1 + e^{2c})^2}{2}} \right)}{2be^{2c}x - 2b(1 + e^{2c})x + \frac{b(1 + e^{2c})^2}{2}}$$

input `Integrate[Sqrt[x]*(a + b*Sech[c + d*Sqrt[x]])^2,x]`

output `(2*Cosh[c + d*Sqrt[x]]*(a + b*Sech[c + d*Sqrt[x]])^2*(a^2*x^(3/2)*Cosh[c + d*Sqrt[x]] + (3*b*Cosh[c + d*Sqrt[x]]*(2*b*E^(2*c)*x - 2*b*(1 + E^(2*c))*x + (b*(1 + E^(2*c))*(2*d^2*x - 2*d*Sqrt[x]*Log[1 + E^(2*(c + d*Sqrt[x]))] - PolyLog[2, -E^(2*(c + d*Sqrt[x]))])))/d^2 + ((2*I)*a*(1 + E^(2*c))*(d^2*x*Log[1 - I*E^(c + d*Sqrt[x])] - d^2*x*Log[1 + I*E^(c + d*Sqrt[x])] - 2*d*Sqrt[x]*PolyLog[2, (-I)*E^(c + d*Sqrt[x])] + 2*d*Sqrt[x]*PolyLog[2, I*E^(c + d*Sqrt[x])] + 2*PolyLog[3, (-I)*E^(c + d*Sqrt[x])] - 2*PolyLog[3, I*E^(c + d*Sqrt[x])]))/d^2)/(d*(1 + E^(2*c))) + (3*b^2*x*Sech[c]*Sinh[d*Sqrt[x]]/d)/(3*(b + a*Cosh[c + d*Sqrt[x]])^2)`

Rubi [A] (verified)

Time = 0.97 (sec) , antiderivative size = 229, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {5959, 3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sqrt{x}(a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx$$

↓ 5959

$$\begin{aligned}
& 2 \int x(a + b \operatorname{sech}(c + d\sqrt{x}))^2 d\sqrt{x} \\
& \quad \downarrow \text{3042} \\
& 2 \int x \left(a + b \operatorname{csc} \left(ic + id\sqrt{x} + \frac{\pi}{2} \right) \right)^2 d\sqrt{x} \\
& \quad \downarrow \text{4678} \\
& 2 \int (xa^2 + 2bx \operatorname{sech}(c + d\sqrt{x}) a + b^2 x \operatorname{sech}^2(c + d\sqrt{x})) d\sqrt{x} \\
& \quad \downarrow \text{2009} \\
& 2 \left(\frac{1}{3} a^2 x^{3/2} + \frac{4abx \arctan(e^{c+d\sqrt{x}})}{d} + \frac{4iab \operatorname{PolyLog}(3, -ie^{c+d\sqrt{x}})}{d^3} - \frac{4iab \operatorname{PolyLog}(3, ie^{c+d\sqrt{x}})}{d^3} - \frac{4iab\sqrt{x} \operatorname{PolyLog}(3, -ie^{c+d\sqrt{x}})}{d^3} \right)
\end{aligned}$$

input `Int[Sqrt[x]*(a + b*Sech[c + d*Sqrt[x]])^2,x]`

output `2*((b^2*x)/d + (a^2*x^(3/2))/3 + (4*a*b*x*ArcTan[E^(c + d*Sqrt[x])])/d - (2*b^2*Sqrt[x]*Log[1 + E^(2*(c + d*Sqrt[x]))])/d^2 - ((4*I)*a*b*Sqrt[x]*PolyLog[2, (-I)*E^(c + d*Sqrt[x])])/d^2 + ((4*I)*a*b*Sqrt[x]*PolyLog[2, I*E^(c + d*Sqrt[x])])/d^2 - (b^2*PolyLog[2, -E^(2*(c + d*Sqrt[x]))])/d^3 + ((4*I)*a*b*PolyLog[3, (-I)*E^(c + d*Sqrt[x])])/d^3 - ((4*I)*a*b*PolyLog[3, I*E^(c + d*Sqrt[x])])/d^3 + (b^2*x*Tanh[c + d*Sqrt[x]])/d)`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4678 `Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]`

rule 5959

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol]
  := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x]
  /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]
```

Maple [F]

$$\int \sqrt{x} (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx$$

input

```
int(x^(1/2)*(a+b*sech(c+d*x^(1/2)))^2,x)
```

output

```
int(x^(1/2)*(a+b*sech(c+d*x^(1/2)))^2,x)
```

Fricas [F]

$$\int \sqrt{x} (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx = \int (b \operatorname{sech}(d\sqrt{x} + c) + a)^2 \sqrt{x} dx$$

input

```
integrate(x^(1/2)*(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="fricas")
```

output

```
integral(b^2*sqrt(x)*sech(d*sqrt(x) + c)^2 + 2*a*b*sqrt(x)*sech(d*sqrt(x) + c) + a^2*sqrt(x), x)
```

Sympy [F]

$$\int \sqrt{x} (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx = \int \sqrt{x} (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx$$

input

```
integrate(x**(1/2)*(a+b*sech(c+d*x**(1/2)))**2,x)
```

output

```
Integral(sqrt(x)*(a + b*sech(c + d*sqrt(x)))**2, x)
```

Maxima [F]

$$\int \sqrt{x}(a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx = \int (b \operatorname{sech}(d\sqrt{x} + c) + a)^2 \sqrt{x} dx$$

input `integrate(x^(1/2)*(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="maxima")`

output `2/3*(a^2*d*x^(3/2)*e^(2*d*sqrt(x) + 2*c) + a^2*d*x^(3/2) - 6*b^2*x)/(d*e^(2*d*sqrt(x) + 2*c) + d) + integrate(4*(a*b*d*x^(3/2)*e^(d*sqrt(x) + c) + b^2*x)/(d*x*e^(2*d*sqrt(x) + 2*c) + d*x), x)`

Giac [F]

$$\int \sqrt{x}(a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx = \int (b \operatorname{sech}(d\sqrt{x} + c) + a)^2 \sqrt{x} dx$$

input `integrate(x^(1/2)*(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="giac")`

output `integrate((b*sech(d*sqrt(x) + c) + a)^2*sqrt(x), x)`

Mupad [F(-1)]

Timed out.

$$\int \sqrt{x}(a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx = \int \sqrt{x} \left(a + \frac{b}{\cosh(c + d\sqrt{x})} \right)^2 dx$$

input `int(x^(1/2)*(a + b/cosh(c + d*x^(1/2)))^2,x)`

output `int(x^(1/2)*(a + b/cosh(c + d*x^(1/2)))^2, x)`

Reduce [F]

$$\int \sqrt{x} (a + b \operatorname{sech}(c + d\sqrt{x}))^2 dx$$

$$= \frac{16e^{2\sqrt{x}d+2c} \operatorname{atan}(e^{\sqrt{x}d+c}) ab + 16 \operatorname{atan}(e^{\sqrt{x}d+c}) ab + 16e^{2\sqrt{x}d+3c} \left(\int \frac{e^{\sqrt{x}d}}{e^{4\sqrt{x}d+4c} + 2e^{2\sqrt{x}d+2c} + 1} dx \right) ab d^2 + 8e^{2\sqrt{x}d+3c} ab d^2 + 8e^{2\sqrt{x}d+3c} ab d^2}{1}$$

input `int(x^(1/2)*(a+b*sech(c+d*x^(1/2)))^2,x)`

output

```
(2*(24*e**(2*sqrt(x)*d + 2*c)*atan(e**(sqrt(x)*d + c))*a*b + 24*atan(e**(sqrt(x)*d + c))*a*b + 24*e**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**2 + 12*e**(2*sqrt(x)*d + 3*c)*int((sqrt(x)*e**(sqrt(x)*d))/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**3 + sqrt(x)*e**(2*sqrt(x)*d + 2*c)*a**2*d**3*x + 6*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*b**2*d + 6*e**(2*sqrt(x)*d + 2*c)*int(1/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*b**2*d**2 - 3*e**(2*sqrt(x)*d + 2*c)*log(e**(2*sqrt(x)*d + 2*c) + 1)*b**2 - 24*sqrt(x)*e**(sqrt(x)*d + c)*a*b*d - 12*e**(sqrt(x)*d + c)*a*b*d**2*x + 24*e*c*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**2 + 12*e*c*int((sqrt(x)*e**(sqrt(x)*d))/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**3 + sqrt(x)*a**2*d**3*x + 6*int(1/(e**(4*sqrt(x)*d + 4*c) + 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*b**2*d**2 - 3*log(e**(2*sqrt(x)*d + 2*c) + 1)*b**2 - 6*b**2*d**2*x)/(3*d**3*(e**(2*sqrt(x)*d + 2*c) + 1))
```

$$3.66 \quad \int \frac{(a+b\operatorname{sech}(c+d\sqrt{x}))^2}{\sqrt{x}} dx$$

Optimal result	444
Mathematica [A] (verified)	444
Rubi [A] (verified)	445
Maple [A] (verified)	447
Fricas [B] (verification not implemented)	447
Sympy [F]	448
Maxima [A] (verification not implemented)	448
Giac [A] (verification not implemented)	448
Mupad [B] (verification not implemented)	449
Reduce [B] (verification not implemented)	449

Optimal result

Integrand size = 22, antiderivative size = 47

$$\int \frac{(a + b\operatorname{sech}(c + d\sqrt{x}))^2}{\sqrt{x}} dx = 2a^2\sqrt{x} + \frac{4ab \arctan(\sinh(c + d\sqrt{x}))}{d} + \frac{2b^2 \tanh(c + d\sqrt{x})}{d}$$

output `2*a^2*x^(1/2)+4*a*b*arctan(sinh(c+d*x^(1/2)))/d+2*b^2*tanh(c+d*x^(1/2))/d`

Mathematica [A] (verified)

Time = 0.13 (sec) , antiderivative size = 47, normalized size of antiderivative = 1.00

$$\int \frac{(a + b\operatorname{sech}(c + d\sqrt{x}))^2}{\sqrt{x}} dx = 2a^2\sqrt{x} - \frac{4ab \cot^{-1}(\sinh(c + d\sqrt{x}))}{d} + \frac{2b^2 \tanh(c + d\sqrt{x})}{d}$$

input `Integrate[(a + b*Sech[c + d*Sqrt[x]])^2/Sqrt[x], x]`

output

$$2*a^2*\text{Sqrt}[x] - (4*a*b*\text{ArcCot}[\text{Sinh}[c + d*\text{Sqrt}[x]])]/d + (2*b^2*\text{Tanh}[c + d*\text{Sqrt}[x]])/d$$
Rubi [A] (verified)

Time = 0.39 (sec) , antiderivative size = 47, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.318$, Rules used = {5959, 3042, 4260, 3042, 4254, 24, 4257}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{\sqrt{x}} dx \\ & \quad \downarrow \text{5959} \\ & 2 \int (a + b \operatorname{sech}(c + d\sqrt{x}))^2 d\sqrt{x} \\ & \quad \downarrow \text{3042} \\ & 2 \int \left(a + b \csc \left(ic + id\sqrt{x} + \frac{\pi}{2} \right) \right)^2 d\sqrt{x} \\ & \quad \downarrow \text{4260} \\ & 2 \left(2ab \int \operatorname{sech}(c + d\sqrt{x}) d\sqrt{x} + b^2 \int \operatorname{sech}^2(c + d\sqrt{x}) d\sqrt{x} + a^2 \sqrt{x} \right) \\ & \quad \downarrow \text{3042} \\ & 2 \left(2ab \int \csc \left(ic + id\sqrt{x} + \frac{\pi}{2} \right) d\sqrt{x} + b^2 \int \csc \left(ic + id\sqrt{x} + \frac{\pi}{2} \right)^2 d\sqrt{x} + a^2 \sqrt{x} \right) \\ & \quad \downarrow \text{4254} \\ & 2 \left(2ab \int \csc \left(ic + id\sqrt{x} + \frac{\pi}{2} \right) d\sqrt{x} + \frac{ib^2 \int 1d(-i \tanh(c + d\sqrt{x}))}{d} + a^2 \sqrt{x} \right) \\ & \quad \downarrow \text{24} \\ & 2 \left(2ab \int \csc \left(ic + id\sqrt{x} + \frac{\pi}{2} \right) d\sqrt{x} + a^2 \sqrt{x} + \frac{b^2 \tanh(c + d\sqrt{x})}{d} \right) \end{aligned}$$

$$2 \left(a^2 \sqrt{x} + \frac{2ab \arctan(\sinh(c + d\sqrt{x}))}{d} + \frac{b^2 \tanh(c + d\sqrt{x})}{d} \right)$$

input `Int[(a + b*Sech[c + d*Sqrt[x]])^2/Sqrt[x],x]`

output `2*(a^2*Sqrt[x] + (2*a*b*ArcTan[Sinh[c + d*Sqrt[x]]])/d + (b^2*Tanh[c + d*Sqrt[x]])/d)`

Defintions of rubi rules used

rule 24 `Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4254 `Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := Simp[-d^(-1) Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]`

rule 4257 `Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := Simp[-ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

rule 4260 `Int[(csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_))^(p_.), x_Symbol] := Simp[a^2*x, x] + (Simp[2*a*b Int[Csc[c + d*x], x], x] + Simp[b^2 Int[Csc[c + d*x]^2, x], x]) /; FreeQ[{a, b, c, d}, x]`

rule 5959 `Int[(x_)^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [A] (verified)

Time = 0.20 (sec) , antiderivative size = 42, normalized size of antiderivative = 0.89

method	result	size
parts	$2a^2\sqrt{x} + \frac{4ab \arctan(\sinh(c+d\sqrt{x}))}{d} + \frac{2b^2 \tanh(c+d\sqrt{x})}{d}$	42
derivativedivides	$\frac{2a^2(c+d\sqrt{x})+8ab \arctan(e^{c+d\sqrt{x}})+2b^2 \tanh(c+d\sqrt{x})}{d}$	43
default	$\frac{2a^2(c+d\sqrt{x})+8ab \arctan(e^{c+d\sqrt{x}})+2b^2 \tanh(c+d\sqrt{x})}{d}$	43

input `int((a+b*sech(c+d*x^(1/2)))^2/x^(1/2),x,method=_RETURNVERBOSE)`

output `2*a^2*x^(1/2)+4*a*b*arctan(sinh(c+d*x^(1/2)))/d+2*b^2*tanh(c+d*x^(1/2))/d`

Fricas [B] (verification not implemented)Leaf count of result is larger than twice the leaf count of optimal. 194 vs. $2(41) = 82$.

Time = 0.12 (sec) , antiderivative size = 194, normalized size of antiderivative = 4.13

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{\sqrt{x}} dx$$

$$= \frac{2 \left(a^2 d \sqrt{x} \cosh(d\sqrt{x} + c)^2 + 2 a^2 d \sqrt{x} \cosh(d\sqrt{x} + c) \sinh(d\sqrt{x} + c) + a^2 d \sqrt{x} \sinh(d\sqrt{x} + c)^2 + a^2 d \sqrt{x} \right)}{d \cosh(d\sqrt{x} + c)^2 - d \sinh(d\sqrt{x} + c)^2}$$

input `integrate((a+b*sech(c+d*x^(1/2)))^2/x^(1/2),x, algorithm="fricas")`

output `2*(a^2*d*sqrt(x)*cosh(d*sqrt(x) + c)^2 + 2*a^2*d*sqrt(x)*cosh(d*sqrt(x) + c)*sinh(d*sqrt(x) + c) + a^2*d*sqrt(x)*sinh(d*sqrt(x) + c)^2 + a^2*d*sqrt(x) - 2*b^2 + 4*(a*b*cosh(d*sqrt(x) + c)^2 + 2*a*b*cosh(d*sqrt(x) + c)*sinh(d*sqrt(x) + c) + a*b*sinh(d*sqrt(x) + c)^2 + a*b)*arctan(cosh(d*sqrt(x) + c) + sinh(d*sqrt(x) + c)))/(d*cosh(d*sqrt(x) + c)^2 + 2*d*cosh(d*sqrt(x) + c)*sinh(d*sqrt(x) + c) + d*sinh(d*sqrt(x) + c)^2 + d)`

Sympy [F]

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{\sqrt{x}} dx = \int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{\sqrt{x}} dx$$

input `integrate((a+b*sech(c+d*x**(1/2)))**2/x**(1/2),x)`

output `Integral((a + b*sech(c + d*sqrt(x)))**2/sqrt(x), x)`

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.02

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{\sqrt{x}} dx = 2a^2\sqrt{x} + \frac{4ab \arctan(\sinh(d\sqrt{x} + c))}{d} + \frac{4b^2}{d(e^{(-2d\sqrt{x}-2c)} + 1)}$$

input `integrate((a+b*sech(c+d*x^(1/2)))^2/x^(1/2),x, algorithm="maxima")`

output `2*a^2*sqrt(x) + 4*a*b*arctan(sinh(d*sqrt(x) + c))/d + 4*b^2/(d*(e^(-2*d*sqrt(x) - 2*c) + 1))`

Giac [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 55, normalized size of antiderivative = 1.17

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{\sqrt{x}} dx = \frac{2(d\sqrt{x} + c)a^2}{d} + \frac{8ab \arctan(e^{(d\sqrt{x}+c)})}{d} - \frac{4b^2}{d(e^{(2d\sqrt{x}+2c)} + 1)}$$

input `integrate((a+b*sech(c+d*x^(1/2)))^2/x^(1/2),x, algorithm="giac")`

output

```
2*(d*sqrt(x) + c)*a^2/d + 8*a*b*arctan(e^(d*sqrt(x) + c))/d - 4*b^2/(d*(e^(2*d*sqrt(x) + 2*c) + 1))
```

Mupad [B] (verification not implemented)

Time = 2.44 (sec) , antiderivative size = 77, normalized size of antiderivative = 1.64

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{\sqrt{x}} dx$$

$$= 2a^2 \sqrt{x} + \frac{8 \operatorname{atan}\left(\frac{a b e^{d\sqrt{x}} e^c \sqrt{d^2}}{d \sqrt{a^2 b^2}}\right) \sqrt{a^2 b^2}}{\sqrt{d^2}} - \frac{4b^2}{d (e^{2c+2d\sqrt{x}} + 1)}$$

input

```
int((a + b/cosh(c + d*x^(1/2)))^2/x^(1/2), x)
```

output

```
2*a^2*x^(1/2) + (8*atan((a*b*exp(d*x^(1/2))*exp(c)*(d^2)^(1/2))/(d*(a^2*b^2)^(1/2)))*(a^2*b^2)^(1/2))/(d^2)^(1/2) - (4*b^2)/(d*(exp(2*c + 2*d*x^(1/2)) + 1))
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 99, normalized size of antiderivative = 2.11

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{\sqrt{x}} dx$$

$$= \frac{8e^{2\sqrt{x}d+2c} \operatorname{atan}(e^{\sqrt{x}d+c}) ab + 8 \operatorname{atan}(e^{\sqrt{x}d+c}) ab + 2\sqrt{x} e^{2\sqrt{x}d+2c} a^2 d + 4e^{2\sqrt{x}d+2c} b^2 + 2\sqrt{x} a^2 d}{d (e^{2\sqrt{x}d+2c} + 1)}$$

input

```
int((a+b*sech(c+d*x^(1/2)))^2/x^(1/2), x)
```

output

```
(2*(4*e**(2*sqrt(x)*d + 2*c)*atan(e**(sqrt(x)*d + c))*a*b + 4*atan(e**(sqrt(x)*d + c))*a*b + sqrt(x)*e**(2*sqrt(x)*d + 2*c)*a**2*d + 2*e**(2*sqrt(x)*d + 2*c)*b**2 + sqrt(x)*a**2*d)/(d*(e**(2*sqrt(x)*d + 2*c) + 1))
```

$$3.67 \quad \int \frac{(a+b\operatorname{sech}(c+d\sqrt{x}))^2}{x^{3/2}} dx$$

Optimal result	450
Mathematica [N/A]	450
Rubi [N/A]	451
Maple [N/A]	451
Fricas [N/A]	452
Sympy [N/A]	452
Maxima [N/A]	452
Giac [N/A]	453
Mupad [N/A]	453
Reduce [N/A]	454

Optimal result

Integrand size = 22, antiderivative size = 22

$$\int \frac{(a + b\operatorname{sech}(c + d\sqrt{x}))^2}{x^{3/2}} dx = \operatorname{Int}\left(\frac{(a + b\operatorname{sech}(c + d\sqrt{x}))^2}{x^{3/2}}, x\right)$$

output `Defer(Int)((a+b*sech(c+d*x^(1/2)))^2/x^(3/2), x)`

Mathematica [N/A]

Not integrable

Time = 22.34 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.09

$$\int \frac{(a + b\operatorname{sech}(c + d\sqrt{x}))^2}{x^{3/2}} dx = \int \frac{(a + b\operatorname{sech}(c + d\sqrt{x}))^2}{x^{3/2}} dx$$

input `Integrate[(a + b*Sech[c + d*Sqrt[x]])^2/x^(3/2), x]`

output `Integrate[(a + b*Sech[c + d*Sqrt[x]])^2/x^(3/2), x]`

Rubi [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^{3/2}} dx$$

↓ 5961

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^{3/2}} dx$$

input `Int[(a + b*Sech[c + d*Sqrt[x]])^2/x^(3/2), x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.82

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^{3/2}} dx$$

input `int((a+b*sech(c+d*x^(1/2)))^2/x^(3/2), x)`

output `int((a+b*sech(c+d*x^(1/2)))^2/x^(3/2), x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 46, normalized size of antiderivative = 2.09

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^{3/2}} dx = \int \frac{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2}{x^{3/2}} dx$$

input `integrate((a+b*sech(c+d*x^(1/2)))^2/x^(3/2),x, algorithm="fricas")`

output `integral((b^2*sqrt(x)*sech(d*sqrt(x) + c)^2 + 2*a*b*sqrt(x)*sech(d*sqrt(x) + c) + a^2*sqrt(x))/x^2, x)`

Sympy [N/A]

Not integrable

Time = 2.14 (sec) , antiderivative size = 20, normalized size of antiderivative = 0.91

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^{3/2}} dx = \int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^{3/2}} dx$$

input `integrate((a+b*sech(c+d*x**(1/2)))**2/x**(3/2),x)`

output `Integral((a + b*sech(c + d*sqrt(x)))**2/x**(3/2), x)`

Maxima [N/A]

Not integrable

Time = 0.44 (sec) , antiderivative size = 106, normalized size of antiderivative = 4.82

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^{3/2}} dx = \int \frac{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2}{x^{3/2}} dx$$

input `integrate((a+b*sech(c+d*x^(1/2)))^2/x^(3/2),x, algorithm="maxima")`

output `-2*(a^2*d*sqrt(x)*e^(2*d*sqrt(x) + 2*c) + a^2*d*sqrt(x) + 2*b^2)/(d*x*e^(2*d*sqrt(x) + 2*c) + d*x) + integrate(4*(a*b*d*x*e^(d*sqrt(x) + c) - b^2*sqrt(x))/(d*x^(5/2)*e^(2*d*sqrt(x) + 2*c) + d*x^(5/2)), x)`

Giac [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 20, normalized size of antiderivative = 0.91

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^{3/2}} dx = \int \frac{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2}{x^{3/2}} dx$$

input `integrate((a+b*sech(c+d*x^(1/2)))^2/x^(3/2),x, algorithm="giac")`

output `integrate((b*sech(d*sqrt(x) + c) + a)^2/x^(3/2), x)`

Mupad [N/A]

Not integrable

Time = 2.74 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^{3/2}} dx = \int \frac{\left(a + \frac{b}{\cosh(c + d\sqrt{x})}\right)^2}{x^{3/2}} dx$$

input `int((a + b/cosh(c + d*x^(1/2)))^2/x^(3/2),x)`

output `int((a + b/cosh(c + d*x^(1/2)))^2/x^(3/2), x)`

Reduce [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 187, normalized size of antiderivative = 8.50

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^{3/2}} dx = \frac{4\sqrt{x} e^{3c} \left(\int \frac{e^{3\sqrt{x}d}}{\sqrt{x} e^{4\sqrt{x}d+4cx} + 2\sqrt{x} e^{2\sqrt{x}d+2cx} + \sqrt{x}} dx \right) ab + 4\sqrt{x} e^{2c} \left(\int \frac{1}{\sqrt{x} e^{4\sqrt{x}d+4cx} + 2\sqrt{x} e^{2\sqrt{x}d+2cx} + \sqrt{x}} dx \right)}$$

input `int((a+b*sech(c+d*x^(1/2)))^2/x^(3/2),x)`

output `(2*(2*sqrt(x)*e**(3*c)*int(e**(3*sqrt(x)*d)/(sqrt(x)*e**(4*sqrt(x)*d + 4*c)*x + 2*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*x + sqrt(x)*x),x)*a*b + 2*sqrt(x)*e**(2*c)*int(e**(2*sqrt(x)*d)/(sqrt(x)*e**(4*sqrt(x)*d + 4*c)*x + 2*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*x + sqrt(x)*x),x)*b**2 + 2*sqrt(x)*e**c*int(e**(sqrt(x)*d)/(sqrt(x)*e**(4*sqrt(x)*d + 4*c)*x + 2*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*x + sqrt(x)*x),x)*a*b - a**2))/sqrt(x)`

$$3.68 \quad \int \frac{(a+b\operatorname{sech}(c+d\sqrt{x}))^2}{x^{5/2}} dx$$

Optimal result	455
Mathematica [N/A]	455
Rubi [N/A]	456
Maple [N/A]	456
Fricas [N/A]	457
Sympy [N/A]	457
Maxima [F(-1)]	457
Giac [N/A]	458
Mupad [N/A]	458
Reduce [N/A]	459

Optimal result

Integrand size = 22, antiderivative size = 22

$$\int \frac{(a + b\operatorname{sech}(c + d\sqrt{x}))^2}{x^{5/2}} dx = \operatorname{Int}\left(\frac{(a + b\operatorname{sech}(c + d\sqrt{x}))^2}{x^{5/2}}, x\right)$$

output `Defer(Int)((a+b*sech(c+d*x^(1/2)))^2/x^(5/2), x)`

Mathematica [N/A]

Not integrable

Time = 21.12 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.09

$$\int \frac{(a + b\operatorname{sech}(c + d\sqrt{x}))^2}{x^{5/2}} dx = \int \frac{(a + b\operatorname{sech}(c + d\sqrt{x}))^2}{x^{5/2}} dx$$

input `Integrate[(a + b*Sech[c + d*Sqrt[x]])^2/x^(5/2), x]`

output `Integrate[(a + b*Sech[c + d*Sqrt[x]])^2/x^(5/2), x]`

Rubi [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^{5/2}} dx$$

↓ 5961

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^{5/2}} dx$$

input `Int[(a + b*Sech[c + d*Sqrt[x]])^2/x^(5/2), x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.82

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^{5/2}} dx$$

input `int((a+b*sech(c+d*x^(1/2)))^2/x^(5/2), x)`

output `int((a+b*sech(c+d*x^(1/2)))^2/x^(5/2), x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 46, normalized size of antiderivative = 2.09

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^{5/2}} dx = \int \frac{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2}{x^{5/2}} dx$$

input `integrate((a+b*sech(c+d*x^(1/2)))^2/x^(5/2),x, algorithm="fricas")`

output `integral((b^2*sqrt(x)*sech(d*sqrt(x) + c)^2 + 2*a*b*sqrt(x)*sech(d*sqrt(x) + c) + a^2*sqrt(x))/x^3, x)`

Sympy [N/A]

Not integrable

Time = 5.70 (sec) , antiderivative size = 20, normalized size of antiderivative = 0.91

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^{5/2}} dx = \int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^{5/2}} dx$$

input `integrate((a+b*sech(c+d*x**(1/2)))**2/x**(5/2),x)`

output `Integral((a + b*sech(c + d*sqrt(x)))**2/x**(5/2), x)`

Maxima [F(-1)]

Timed out.

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^{5/2}} dx = \text{Timed out}$$

input `integrate((a+b*sech(c+d*x^(1/2)))^2/x^(5/2),x, algorithm="maxima")`

output Timed out

Giac [N/A]

Not integrable

Time = 0.28 (sec) , antiderivative size = 20, normalized size of antiderivative = 0.91

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^{5/2}} dx = \int \frac{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2}{x^{5/2}} dx$$

input `integrate((a+b*sech(c+d*x^(1/2)))^2/x^(5/2),x, algorithm="giac")`

output `integrate((b*sech(d*sqrt(x) + c) + a)^2/x^(5/2), x)`

Mupad [N/A]

Not integrable

Time = 2.70 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^{5/2}} dx = \int \frac{\left(a + \frac{b}{\cosh(c + d\sqrt{x})}\right)^2}{x^{5/2}} dx$$

input `int((a + b/cosh(c + d*x^(1/2)))^2/x^(5/2),x)`

output `int((a + b/cosh(c + d*x^(1/2)))^2/x^(5/2), x)`

Reduce [N/A]

Not integrable

Time = 0.25 (sec) , antiderivative size = 211, normalized size of antiderivative = 9.59

$$\int \frac{(a + b \operatorname{sech}(c + d\sqrt{x}))^2}{x^{5/2}} dx = \frac{4\sqrt{x} e^{3c} \left(\int \frac{e^{3\sqrt{x}d}}{\sqrt{x} e^{4\sqrt{x}d+4cx^2+2\sqrt{x}e^{2\sqrt{x}d+2cx^2+\sqrt{x}x^2}} dx \right) abx + 4\sqrt{x} e^{2c} \left(\int \frac{e^{2\sqrt{x}d}}{\sqrt{x} e^{4\sqrt{x}d+4cx^2+2\sqrt{x}e^{2\sqrt{x}d+2cx^2+\sqrt{x}x^2}} dx \right) abx + 4\sqrt{x} e^{2c} \left(\int \frac{e^{2\sqrt{x}d}}{\sqrt{x} e^{4\sqrt{x}d+4cx^2+2\sqrt{x}e^{2\sqrt{x}d+2cx^2+\sqrt{x}x^2}} dx \right) abx - a^2 \int \frac{1}{\sqrt{x}} dx$$

input `int((a+b*sech(c+d*x^(1/2)))^2/x^(5/2),x)`

output `(2*(6*sqrt(x)*e**(3*c)*int(e**(3*sqrt(x)*d)/(sqrt(x)*e**(4*sqrt(x)*d + 4*c)*x**2 + 2*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*x**2 + sqrt(x)*x**2),x)*a*b*x + 6*sqrt(x)*e**(2*c)*int(e**(2*sqrt(x)*d)/(sqrt(x)*e**(4*sqrt(x)*d + 4*c)*x**2 + 2*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*x**2 + sqrt(x)*x**2),x)*b**2*x + 6*sqrt(x)*e**c*int(e**(sqrt(x)*d)/(sqrt(x)*e**(4*sqrt(x)*d + 4*c)*x**2 + 2*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*x**2 + sqrt(x)*x**2),x)*a*b*x - a**2)/(3*sqrt(x)*x)`

$$3.69 \quad \int \frac{x^{3/2}}{a+b\operatorname{sech}(c+d\sqrt{x})} dx$$

Optimal result	460
Mathematica [A] (verified)	461
Rubi [A] (verified)	462
Maple [F]	464
Fricas [F]	464
Sympy [F]	464
Maxima [F(-2)]	465
Giac [F]	465
Mupad [F(-1)]	465
Reduce [F]	466

Optimal result

Integrand size = 22, antiderivative size = 601

$$\begin{aligned} \int \frac{x^{3/2}}{a+b\operatorname{sech}(c+d\sqrt{x})} dx &= \frac{2x^{5/2}}{5a} \\ &- \frac{2bx^2 \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d} + \frac{2bx^2 \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d} \\ &- \frac{8bx^{3/2} \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^2} + \frac{8bx^{3/2} \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^2} \\ &+ \frac{24bx \operatorname{PolyLog}\left(3, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^3} - \frac{24bx \operatorname{PolyLog}\left(3, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^3} \\ &- \frac{48b\sqrt{x} \operatorname{PolyLog}\left(4, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^4} + \frac{48b\sqrt{x} \operatorname{PolyLog}\left(4, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^4} \\ &+ \frac{48b \operatorname{PolyLog}\left(5, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^5} - \frac{48b \operatorname{PolyLog}\left(5, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^5} \end{aligned}$$

output

```

2/5*x^(5/2)/a-2*b*x^2*ln(1+a*exp(c+d*x^(1/2))/(b-(-a^2+b^2)^(1/2)))/a/(-a^
2+b^2)^(1/2)/d+2*b*x^2*ln(1+a*exp(c+d*x^(1/2))/(b+(-a^2+b^2)^(1/2)))/a/(-a
^2+b^2)^(1/2)/d-8*b*x^(3/2)*polylog(2,-a*exp(c+d*x^(1/2))/(b-(-a^2+b^2)^(1
/2)))/a/(-a^2+b^2)^(1/2)/d^2+8*b*x^(3/2)*polylog(2,-a*exp(c+d*x^(1/2))/(b+
(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^2+24*b*x*polylog(3,-a*exp(c+d*x^(1
/2))/(b-(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^3-24*b*x*polylog(3,-a*exp(
c+d*x^(1/2))/(b+(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^3-48*b*x^(1/2)*pol
ylog(4,-a*exp(c+d*x^(1/2))/(b-(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^4+48
*b*x^(1/2)*polylog(4,-a*exp(c+d*x^(1/2))/(b+(-a^2+b^2)^(1/2)))/a/(-a^2+b^2
)^(1/2)/d^4+48*b*polylog(5,-a*exp(c+d*x^(1/2))/(b-(-a^2+b^2)^(1/2)))/a/(-a
^2+b^2)^(1/2)/d^5-48*b*polylog(5,-a*exp(c+d*x^(1/2))/(b+(-a^2+b^2)^(1/2))
)/a/(-a^2+b^2)^(1/2)/d^5

```

Mathematica [A] (verified)

Time = 0.71 (sec) , antiderivative size = 460, normalized size of antiderivative = 0.77

$$\int \frac{x^{3/2}}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = \frac{2\left(\sqrt{-a^2 + b^2} d^5 x^{5/2} - 5bd^4 x^2 \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right) + 5bd^4 x^2 \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right)\right)}{5a\sqrt{-a^2 + b^2} d^5}$$

input

```
Integrate[x^(3/2)/(a + b*Sech[c + d*Sqrt[x]]),x]
```

output

```

(2*(Sqrt[-a^2 + b^2]*d^5*x^(5/2) - 5*b*d^4*x^2*Log[1 + (a*E^(c + d*Sqrt[x]
)))/(b - Sqrt[-a^2 + b^2])] + 5*b*d^4*x^2*Log[1 + (a*E^(c + d*Sqrt[x]))/(b
+ Sqrt[-a^2 + b^2])] - 20*b*d^3*x^(3/2)*PolyLog[2, (a*E^(c + d*Sqrt[x]))/(-
b + Sqrt[-a^2 + b^2])] + 20*b*d^3*x^(3/2)*PolyLog[2, -((a*E^(c + d*Sqrt[x]
)))/(b + Sqrt[-a^2 + b^2]))] + 60*b*d^2*x*PolyLog[3, (a*E^(c + d*Sqrt[x]))
/(-b + Sqrt[-a^2 + b^2])] - 60*b*d^2*x*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/
(b + Sqrt[-a^2 + b^2]))] - 120*b*d*Sqrt[x]*PolyLog[4, (a*E^(c + d*Sqrt[x]
)))/(-b + Sqrt[-a^2 + b^2])] + 120*b*d*Sqrt[x]*PolyLog[4, -((a*E^(c + d*Sqrt
[x]))/(b + Sqrt[-a^2 + b^2]))] + 120*b*PolyLog[5, (a*E^(c + d*Sqrt[x]))/(-
b + Sqrt[-a^2 + b^2])] - 120*b*PolyLog[5, -((a*E^(c + d*Sqrt[x]))/(b + Sqr
t[-a^2 + b^2]))])]/(5*a*Sqrt[-a^2 + b^2]*d^5)

```

Rubi [A] (verified)

Time = 1.32 (sec) , antiderivative size = 602, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {5959, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{x^{3/2}}{a + b \operatorname{sech}(c + d\sqrt{x})} dx \\
 & \quad \downarrow \text{5959} \\
 & 2 \int \frac{x^2}{a + b \operatorname{sech}(c + d\sqrt{x})} d\sqrt{x} \\
 & \quad \downarrow \text{3042} \\
 & 2 \int \frac{x^2}{a + b \csc\left(ic + id\sqrt{x} + \frac{\pi}{2}\right)} d\sqrt{x} \\
 & \quad \downarrow \text{4679} \\
 & 2 \int \left(\frac{x^2}{a} - \frac{bx^2}{a(b + a \cosh(c + d\sqrt{x}))} \right) d\sqrt{x} \\
 & \quad \downarrow \text{2009} \\
 & 2 \left(\frac{24b \operatorname{PolyLog}\left(5, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{b^2-a^2}}\right)}{ad^5\sqrt{b^2-a^2}} - \frac{24b \operatorname{PolyLog}\left(5, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{b^2-a^2}}\right)}{ad^5\sqrt{b^2-a^2}} - \frac{24b\sqrt{x} \operatorname{PolyLog}\left(4, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{b^2-a^2}}\right)}{ad^4\sqrt{b^2-a^2}} + \frac{24b\sqrt{x} \operatorname{PolyLog}\left(4, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{b^2-a^2}}\right)}{ad^4\sqrt{b^2-a^2}} \right)
 \end{aligned}$$

input `Int[x^(3/2)/(a + b*Sech[c + d*Sqrt[x]]),x]`

output

$$\begin{aligned}
& 2*(x^{(5/2)})/(5*a) - (b*x^2*\text{Log}[1 + (a*E^{(c + d*\text{Sqrt}[x])})]/(b - \text{Sqrt}[-a^2 + b^2]))/(a*\text{Sqrt}[-a^2 + b^2]*d) + (b*x^2*\text{Log}[1 + (a*E^{(c + d*\text{Sqrt}[x])})]/(b + \text{Sqrt}[-a^2 + b^2]))/(a*\text{Sqrt}[-a^2 + b^2]*d) - (4*b*x^{(3/2)}*\text{PolyLog}[2, -((a*E^{(c + d*\text{Sqrt}[x])})/(b - \text{Sqrt}[-a^2 + b^2]))]/(a*\text{Sqrt}[-a^2 + b^2]*d^2) + (4*b*x^{(3/2)}*\text{PolyLog}[2, -((a*E^{(c + d*\text{Sqrt}[x])})/(b + \text{Sqrt}[-a^2 + b^2]))]/(a*\text{Sqrt}[-a^2 + b^2]*d^2) + (12*b*x*\text{PolyLog}[3, -((a*E^{(c + d*\text{Sqrt}[x])})/(b - \text{Sqrt}[-a^2 + b^2]))]/(a*\text{Sqrt}[-a^2 + b^2]*d^3) - (12*b*x*\text{PolyLog}[3, -((a*E^{(c + d*\text{Sqrt}[x])})/(b + \text{Sqrt}[-a^2 + b^2]))]/(a*\text{Sqrt}[-a^2 + b^2]*d^3) - (24*b*\text{Sqrt}[x]*\text{PolyLog}[4, -((a*E^{(c + d*\text{Sqrt}[x])})/(b - \text{Sqrt}[-a^2 + b^2]))]/(a*\text{Sqrt}[-a^2 + b^2]*d^4) + (24*b*\text{Sqrt}[x]*\text{PolyLog}[4, -((a*E^{(c + d*\text{Sqrt}[x])})/(b + \text{Sqrt}[-a^2 + b^2]))]/(a*\text{Sqrt}[-a^2 + b^2]*d^4) + (24*b*\text{PolyLog}[5, -((a*E^{(c + d*\text{Sqrt}[x])})/(b - \text{Sqrt}[-a^2 + b^2]))]/(a*\text{Sqrt}[-a^2 + b^2]*d^5) - (24*b*\text{PolyLog}[5, -((a*E^{(c + d*\text{Sqrt}[x])})/(b + \text{Sqrt}[-a^2 + b^2]))]/(a*\text{Sqrt}[-a^2 + b^2]*d^5))
\end{aligned}$$

Defintions of rubi rules used

rule 2009

$$\text{Int}[u_, x_Symbol] \text{ :> } \text{Simp}[\text{IntSum}[u, x], x] \text{ /; } \text{SumQ}[u]$$

rule 3042

$$\text{Int}[u_, x_Symbol] \text{ :> } \text{Int}[\text{DeactivateTrig}[u, x], x] \text{ /; } \text{FunctionOfTrigOfLinearQ}[u, x]$$

rule 4679

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^{(n_.)}*((c_.) + (d_.)*(x_))^{(m_.)}, x_Symbol] \text{ :> } \text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, 1/(\text{Sin}[e + f*x]^n/(b + a*\text{Sin}[e + f*x])^n), x], x] \text{ /; } \text{FreeQ}\{a, b, c, d, e, f\}, x \text{ \&\& } \text{ILtQ}[n, 0] \text{ \&\& } \text{IGtQ}[m, 0]$$

rule 5959

$$\text{Int}[(x_)^{(m_.)}*((a_.) + (b_.)*\text{Sech}[(c_.) + (d_.)*(x_)^{(n_)})]^{(p_.)}, x_Symbol] \text{ :> } \text{Simp}[1/n \text{ Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*\text{Sech}[c + d*x])^p}, x], x, x^n], x] \text{ /; } \text{FreeQ}\{a, b, c, d, m, n, p\}, x \text{ \&\& } \text{IGtQ}[\text{Simplify}[(m + 1)/n], 0] \text{ \&\& } \text{IntegerQ}[p]$$

Maple [F]

$$\int \frac{x^{\frac{3}{2}}}{a + b \operatorname{sech}(c + d\sqrt{x})} dx$$

input `int(x^(3/2)/(a+b*sech(c+d*x^(1/2))),x)`

output `int(x^(3/2)/(a+b*sech(c+d*x^(1/2))),x)`

Fricas [F]

$$\int \frac{x^{3/2}}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = \int \frac{x^{\frac{3}{2}}}{b \operatorname{sech}(d\sqrt{x} + c) + a} dx$$

input `integrate(x^(3/2)/(a+b*sech(c+d*x^(1/2))),x, algorithm="fricas")`

output `integral(x^(3/2)/(b*sech(d*sqrt(x) + c) + a), x)`

Sympy [F]

$$\int \frac{x^{3/2}}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = \int \frac{x^{\frac{3}{2}}}{a + b \operatorname{sech}(c + d\sqrt{x})} dx$$

input `integrate(x**(3/2)/(a+b*sech(c+d*x**(1/2))),x)`

output `Integral(x**(3/2)/(a + b*sech(c + d*sqrt(x))), x)`

Maxima [F(-2)]

Exception generated.

$$\int \frac{x^{3/2}}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = \text{Exception raised: ValueError}$$

input `integrate(x^(3/2)/(a+b*sech(c+d*x^(1/2))),x, algorithm="maxima")`

output Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(a-b>0)', see `assume?` for more details)Is

Giac [F]

$$\int \frac{x^{3/2}}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = \int \frac{x^{3/2}}{b \operatorname{sech}(d\sqrt{x} + c) + a} dx$$

input `integrate(x^(3/2)/(a+b*sech(c+d*x^(1/2))),x, algorithm="giac")`

output `integrate(x^(3/2)/(b*sech(d*sqrt(x) + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x^{3/2}}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = \int \frac{x^{3/2}}{a + \frac{b}{\cosh(c + d\sqrt{x})}} dx$$

input `int(x^(3/2)/(a + b/cosh(c + d*x^(1/2))),x)`

output `int(x^(3/2)/(a + b/cosh(c + d*x^(1/2))), x)`

Reduce [F]

$$\int \frac{x^{3/2}}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = e^{2c} \left(\int \frac{\sqrt{x} e^{2\sqrt{x}d} x}{e^{2\sqrt{x}d+2c} a + 2e^{\sqrt{x}d+c} b + a} dx \right) + \int \frac{\sqrt{x} x}{e^{2\sqrt{x}d+2c} a + 2e^{\sqrt{x}d+c} b + a} dx$$

input `int(x^(3/2)/(a+b*sech(c+d*x^(1/2))),x)`

output `e**(2*c)*int((sqrt(x)*e**(2*sqrt(x)*d)*x)/(e**(2*sqrt(x)*d + 2*c)*a + 2*e**
*(sqrt(x)*d + c)*b + a),x) + int((sqrt(x)*x)/(e**(2*sqrt(x)*d + 2*c)*a + 2
*e**(sqrt(x)*d + c)*b + a),x)`

3.70 $\int \frac{\sqrt{x}}{a+b\operatorname{sech}(c+d\sqrt{x})} dx$

Optimal result	467
Mathematica [A] (verified)	468
Rubi [A] (verified)	468
Maple [F]	470
Fricas [F]	471
Sympy [F]	471
Maxima [F(-2)]	471
Giac [F]	472
Mupad [F(-1)]	472
Reduce [F]	472

Optimal result

Integrand size = 22, antiderivative size = 361

$$\int \frac{\sqrt{x}}{a+b\operatorname{sech}(c+d\sqrt{x})} dx = \frac{2x^{3/2}}{3a} - \frac{2bx \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d}$$

$$+ \frac{2bx \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d}$$

$$- \frac{4b\sqrt{x} \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^2}$$

$$+ \frac{4b\sqrt{x} \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^2}$$

$$+ \frac{4b \operatorname{PolyLog}\left(3, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^3}$$

$$- \frac{4b \operatorname{PolyLog}\left(3, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^3}$$

output

$$\frac{2/3*x^{(3/2)}/a-2*b*x*\ln(1+a*\exp(c+d*x^{(1/2)})/(b-(-a^2+b^2)^{(1/2)}))/a/(-a^2+b^2)^{(1/2)}/d+2*b*x*\ln(1+a*\exp(c+d*x^{(1/2)})/(b+(-a^2+b^2)^{(1/2)}))/a/(-a^2+b^2)^{(1/2)}/d-4*b*x^{(1/2)}*polylog(2,-a*\exp(c+d*x^{(1/2)})/(b-(-a^2+b^2)^{(1/2)}))/a/(-a^2+b^2)^{(1/2)}/d^2+4*b*x^{(1/2)}*polylog(2,-a*\exp(c+d*x^{(1/2)})/(b+(-a^2+b^2)^{(1/2)}))/a/(-a^2+b^2)^{(1/2)}/d^2+4*b*polylog(3,-a*\exp(c+d*x^{(1/2)})/(b-(-a^2+b^2)^{(1/2)}))/a/(-a^2+b^2)^{(1/2)}/d^3-4*b*polylog(3,-a*\exp(c+d*x^{(1/2)})/(b+(-a^2+b^2)^{(1/2)}))/a/(-a^2+b^2)^{(1/2)}/d^3}$$
Mathematica [A] (verified)

Time = 0.47 (sec) , antiderivative size = 286, normalized size of antiderivative = 0.79

$$\int \frac{\sqrt{x}}{a + b \operatorname{sech}(c + d\sqrt{x})} dx$$

$$= \frac{2\left(\sqrt{-a^2 + b^2} d^3 x^{3/2} - 3bd^2 x \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b-\sqrt{-a^2+b^2}}\right) + 3bd^2 x \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{-a^2+b^2}}\right) - 6bd\sqrt{x} \operatorname{PolyLog}\left(2, \frac{-b}{3a\sqrt{-a^2+b^2}}\right)\right)}{3a\sqrt{-a^2+b^2}}$$

input

Integrate[Sqrt[x]/(a + b*Sech[c + d*Sqrt[x]]),x]

output

$$\frac{(2*(\operatorname{Sqrt}[-a^2 + b^2]*d^3*x^{(3/2)} - 3*b*d^2*x*\operatorname{Log}[1 + (a*E^{(c + d*\operatorname{Sqrt}[x])})/(b - \operatorname{Sqrt}[-a^2 + b^2])]) + 3*b*d^2*x*\operatorname{Log}[1 + (a*E^{(c + d*\operatorname{Sqrt}[x])})/(b + \operatorname{Sqrt}[-a^2 + b^2])]) - 6*b*d*\operatorname{Sqrt}[x]*\operatorname{PolyLog}[2, (a*E^{(c + d*\operatorname{Sqrt}[x])})/(-b + \operatorname{Sqrt}[-a^2 + b^2])]) + 6*b*d*\operatorname{Sqrt}[x]*\operatorname{PolyLog}[2, -((a*E^{(c + d*\operatorname{Sqrt}[x])})/(b + \operatorname{Sqrt}[-a^2 + b^2]))] + 6*b*\operatorname{PolyLog}[3, (a*E^{(c + d*\operatorname{Sqrt}[x])})/(-b + \operatorname{Sqrt}[-a^2 + b^2])]) - 6*b*\operatorname{PolyLog}[3, -((a*E^{(c + d*\operatorname{Sqrt}[x])})/(b + \operatorname{Sqrt}[-a^2 + b^2]))])/(3*a*\operatorname{Sqrt}[-a^2 + b^2]*d^3)}$$
Rubi [A] (verified)Time = 1.09 (sec) , antiderivative size = 362, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {5959, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
& \int \frac{\sqrt{x}}{a + b \operatorname{sech}(c + d\sqrt{x})} dx \\
& \quad \downarrow \text{5959} \\
& 2 \int \frac{x}{a + b \operatorname{sech}(c + d\sqrt{x})} d\sqrt{x} \\
& \quad \downarrow \text{3042} \\
& 2 \int \frac{x}{a + b \csc\left(ic + id\sqrt{x} + \frac{\pi}{2}\right)} d\sqrt{x} \\
& \quad \downarrow \text{4679} \\
& 2 \int \left(\frac{x}{a} - \frac{bx}{a(b + a \cosh(c + d\sqrt{x}))} \right) d\sqrt{x} \\
& \quad \downarrow \text{2009} \\
& 2 \left(\frac{2b \operatorname{PolyLog}\left(3, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{b^2-a^2}}\right)}{ad^3\sqrt{b^2-a^2}} - \frac{2b \operatorname{PolyLog}\left(3, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{b^2-a^2}}\right)}{ad^3\sqrt{b^2-a^2}} - \frac{2b\sqrt{x} \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{b^2-a^2}}\right)}{ad^2\sqrt{b^2-a^2}} + \frac{2b\sqrt{x} \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{b^2-a^2}}\right)}{ad^2\sqrt{b^2-a^2}} \right)
\end{aligned}$$

input `Int[Sqrt[x]/(a + b*Sech[c + d*Sqrt[x]]),x]`

output `2*(x^(3/2)/(3*a) - (b*x*Log[1 + (a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2])])/(a*Sqrt[-a^2 + b^2]*d) + (b*x*Log[1 + (a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2])])/(a*Sqrt[-a^2 + b^2]*d) - (2*b*Sqrt[x]*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^2) + (2*b*Sqrt[x]*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^2) + (2*b*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^3) - (2*b*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^3))`

Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4679 `Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Sin[e + f*x]^n)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]`

rule 5959 `Int[(x_)^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [F]

$$\int \frac{\sqrt{x}}{a + b \operatorname{sech}(c + d\sqrt{x})} dx$$

input `int(x^(1/2)/(a+b*sech(c+d*x^(1/2))),x)`

output `int(x^(1/2)/(a+b*sech(c+d*x^(1/2))),x)`

Fricas [F]

$$\int \frac{\sqrt{x}}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = \int \frac{\sqrt{x}}{b \operatorname{sech}(d\sqrt{x} + c) + a} dx$$

input `integrate(x^(1/2)/(a+b*sech(c+d*x^(1/2))),x, algorithm="fricas")`

output `integral(sqrt(x)/(b*sech(d*sqrt(x) + c) + a), x)`

Sympy [F]

$$\int \frac{\sqrt{x}}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = \int \frac{\sqrt{x}}{a + b \operatorname{sech}(c + d\sqrt{x})} dx$$

input `integrate(x**(1/2)/(a+b*sech(c+d*x**(1/2))),x)`

output `Integral(sqrt(x)/(a + b*sech(c + d*sqrt(x))), x)`

Maxima [F(-2)]

Exception generated.

$$\int \frac{\sqrt{x}}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = \text{Exception raised: ValueError}$$

input `integrate(x^(1/2)/(a+b*sech(c+d*x^(1/2))),x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(a-b>0)', see `assume?` for more details)Is`

Giac [F]

$$\int \frac{\sqrt{x}}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = \int \frac{\sqrt{x}}{b \operatorname{sech}(d\sqrt{x} + c) + a} dx$$

input `integrate(x^(1/2)/(a+b*sech(c+d*x^(1/2))),x, algorithm="giac")`

output `integrate(sqrt(x)/(b*sech(d*sqrt(x) + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\sqrt{x}}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = \int \frac{\sqrt{x}}{a + \frac{b}{\cosh(c + d\sqrt{x})}} dx$$

input `int(x^(1/2)/(a + b/cosh(c + d*x^(1/2))),x)`

output `int(x^(1/2)/(a + b/cosh(c + d*x^(1/2))), x)`

Reduce [F]

$$\int \frac{\sqrt{x}}{a + b \operatorname{sech}(c + d\sqrt{x})} dx = e^{2c} \left(\int \frac{\sqrt{x} e^{2\sqrt{x}d}}{e^{2\sqrt{x}d+2c}a + 2e^{\sqrt{x}d+cb} + a} dx \right) + \int \frac{\sqrt{x}}{e^{2\sqrt{x}d+2c}a + 2e^{\sqrt{x}d+cb} + a} dx$$

input `int(x^(1/2)/(a+b*sech(c+d*x^(1/2))),x)`

output `e**(2*c)*int((sqrt(x)*e**(2*sqrt(x)*d))/(e**(2*sqrt(x)*d + 2*c)*a + 2*e**(sqrt(x)*d + c)*b + a),x) + int(sqrt(x)/(e**(2*sqrt(x)*d + 2*c)*a + 2*e**(sqrt(x)*d + c)*b + a),x)`

3.71 $\int \frac{1}{\sqrt{x}(a+b\operatorname{sech}(c+d\sqrt{x}))} dx$

Optimal result	473
Mathematica [A] (verified)	473
Rubi [A] (verified)	474
Maple [A] (verified)	476
Fricas [B] (verification not implemented)	476
Sympy [F]	477
Maxima [F(-2)]	477
Giac [A] (verification not implemented)	478
Mupad [B] (verification not implemented)	478
Reduce [B] (verification not implemented)	479

Optimal result

Integrand size = 22, antiderivative size = 68

$$\int \frac{1}{\sqrt{x}(a+b\operatorname{sech}(c+d\sqrt{x}))} dx = \frac{2\sqrt{x}}{a} - \frac{4b \arctan\left(\frac{\sqrt{a-b} \tanh(\frac{1}{2}(c+d\sqrt{x}))}{\sqrt{a+b}}\right)}{a\sqrt{a-b}\sqrt{a+bd}}$$

output

```
2*x^(1/2)/a-4*b*arctan((a-b)^(1/2)*tanh(1/2*c+1/2*d*x^(1/2))/(a+b)^(1/2))/
a/(a-b)^(1/2)/(a+b)^(1/2)/d
```

Mathematica [A] (verified)

Time = 0.12 (sec) , antiderivative size = 69, normalized size of antiderivative = 1.01

$$\int \frac{1}{\sqrt{x}(a+b\operatorname{sech}(c+d\sqrt{x}))} dx = \frac{2\left(\frac{c}{d} + \sqrt{x} + \frac{2b \arctan\left(\frac{(-a+b) \tanh(\frac{1}{2}(c+d\sqrt{x}))}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}d}\right)}{a}$$

input

```
Integrate[1/(Sqrt[x]*(a + b*Sech[c + d*Sqrt[x]])),x]
```

output

$$\frac{(2*(c/d + \text{Sqrt}[x] + (2*b*\text{ArcTan}[(-a + b)*\text{Tanh}[(c + d*\text{Sqrt}[x])/2]]/\text{Sqrt}[a^2 - b^2]))/(\text{Sqrt}[a^2 - b^2]*d))/a$$
Rubi [A] (verified)

Time = 0.37 (sec) , antiderivative size = 69, normalized size of antiderivative = 1.01, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {5959, 3042, 4270, 3042, 3138, 221}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{\sqrt{x} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx$$

$$\downarrow 5959$$

$$2 \int \frac{1}{a + b \operatorname{sech}(c + d\sqrt{x})} d\sqrt{x}$$

$$\downarrow 3042$$

$$2 \int \frac{1}{a + b \csc(ic + id\sqrt{x} + \frac{\pi}{2})} d\sqrt{x}$$

$$\downarrow 4270$$

$$2 \left(\frac{\sqrt{x}}{a} - \frac{\int \frac{1}{a \cosh(\frac{c+d\sqrt{x}}{b}) + 1} d\sqrt{x}}{a} \right)$$

$$\downarrow 3042$$

$$2 \left(\frac{\sqrt{x}}{a} - \frac{\int \frac{1}{a \sin(\frac{ic+id\sqrt{x}+\frac{\pi}{2}}{b}) + 1} d\sqrt{x}}{a} \right)$$

$$\downarrow 3138$$

$$2 \left(\frac{\sqrt{x}}{a} + \frac{2i \int \frac{1}{\frac{a+b}{b} + (1-\frac{a}{b})x} d(i \tanh(\frac{1}{2}(c + d\sqrt{x})))}{ad} \right)$$

$$\downarrow 221$$

$$2 \left(\frac{\sqrt{x}}{a} - \frac{2b \arctan \left(\frac{\sqrt{a-b} \tanh\left(\frac{1}{2}(c+d\sqrt{x})\right)}{\sqrt{a+b}} \right)}{ad\sqrt{a-b}\sqrt{a+b}} \right)$$

input `Int[1/(Sqrt[x]*(a + b*Sech[c + d*Sqrt[x]])),x]`

output `2*(Sqrt[x]/a - (2*b*ArcTan[(Sqrt[a - b]*Tanh[(c + d*Sqrt[x])/2])/Sqrt[a + b]])/(a*Sqrt[a - b]*Sqrt[a + b]*d))`

Defintions of rubi rules used

rule 221 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 3138 `Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Simp[2*(e/d) Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]`

rule 4270 `Int[(csc[(c_.) + (d_.)*(x_)])*(b_.) + (a_)^(-1), x_Symbol] := Simp[x/a, x] - Simp[1/a Int[1/(1 + (a/b)*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]`

rule 5959 `Int[(x_)^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [A] (verified)

Time = 0.18 (sec) , antiderivative size = 90, normalized size of antiderivative = 1.32

method	result	size
derivativedivides	$-\frac{4b \arctan\left(\frac{(a-b) \tanh\left(\frac{c}{2} + \frac{d\sqrt{x}}{2}\right)}{\sqrt{(a-b)(a+b)}}\right)}{a\sqrt{(a-b)(a+b)}} + \frac{2 \ln\left(\tanh\left(\frac{c}{2} + \frac{d\sqrt{x}}{2}\right) + 1\right)}{d} - \frac{2 \ln\left(\tanh\left(\frac{c}{2} + \frac{d\sqrt{x}}{2}\right) - 1\right)}{d}$	90
default	$-\frac{4b \arctan\left(\frac{(a-b) \tanh\left(\frac{c}{2} + \frac{d\sqrt{x}}{2}\right)}{\sqrt{(a-b)(a+b)}}\right)}{a\sqrt{(a-b)(a+b)}} + \frac{2 \ln\left(\tanh\left(\frac{c}{2} + \frac{d\sqrt{x}}{2}\right) + 1\right)}{d} - \frac{2 \ln\left(\tanh\left(\frac{c}{2} + \frac{d\sqrt{x}}{2}\right) - 1\right)}{d}$	90

input `int(1/x^(1/2)/(a+b*sech(c+d*x^(1/2))),x,method=_RETURNVERBOSE)`

output `2/d*(-2*b/a/((a-b)*(a+b))^(1/2)*arctan((a-b)*tanh(1/2*c+1/2*d*x^(1/2))/((a-b)*(a+b))^(1/2))+1/a*ln(tanh(1/2*c+1/2*d*x^(1/2))+1)-1/a*ln(tanh(1/2*c+1/2*d*x^(1/2))-1))`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 116 vs. 2(55) = 110.

Time = 0.11 (sec) , antiderivative size = 254, normalized size of antiderivative = 3.74

$$\int \frac{1}{\sqrt{x} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx$$

$$= \frac{2 \left((a^2 - b^2)d\sqrt{x} - \sqrt{-a^2 + b^2}b \log \left(\frac{ab + (b^2 + \sqrt{-a^2 + b^2}b) \cosh(d\sqrt{x} + c) + (a^2 - b^2 - \sqrt{-a^2 + b^2}b) \sinh(d\sqrt{x} + c) + \sqrt{-a^2 + b^2}a}{a \cosh(d\sqrt{x} + c) + b} \right) \right)}{(a^3 - ab^2)d}$$

input `integrate(1/x^(1/2)/(a+b*sech(c+d*x^(1/2))),x, algorithm="fricas")`

output

```
[2*((a^2 - b^2)*d*sqrt(x) - sqrt(-a^2 + b^2)*b*log((a*b + (b^2 + sqrt(-a^2 + b^2)*b)*cosh(d*sqrt(x) + c) + (a^2 - b^2 - sqrt(-a^2 + b^2)*b)*sinh(d*sqrt(x) + c) + sqrt(-a^2 + b^2)*a)/(a*cosh(d*sqrt(x) + c) + b)))/((a^3 - a*b^2)*d), 2*((a^2 - b^2)*d*sqrt(x) + 2*sqrt(a^2 - b^2)*b*arctan(-(sqrt(a^2 - b^2)*a*cosh(d*sqrt(x) + c) + sqrt(a^2 - b^2)*a*sinh(d*sqrt(x) + c) + sqrt(a^2 - b^2)*b)/(a^2 - b^2)))/((a^3 - a*b^2)*d)]
```

Sympy [F]

$$\int \frac{1}{\sqrt{x} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \int \frac{1}{\sqrt{x} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx$$

input

```
integrate(1/x**(1/2)/(a+b*sech(c+d*x**(1/2))),x)
```

output

```
Integral(1/(sqrt(x)*(a + b*sech(c + d*sqrt(x)))), x)
```

Maxima [F(-2)]

Exception generated.

$$\int \frac{1}{\sqrt{x} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \text{Exception raised: ValueError}$$

input

```
integrate(1/x^(1/2)/(a+b*sech(c+d*x^(1/2))),x, algorithm="maxima")
```

output

```
Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` f or more de
```

Giac [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 61, normalized size of antiderivative = 0.90

$$\int \frac{1}{\sqrt{x} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = -\frac{4b \arctan\left(\frac{ae^{(d\sqrt{x}+c)}+b}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}ad} + \frac{2(d\sqrt{x}+c)}{ad}$$

input `integrate(1/x^(1/2)/(a+b*sech(c+d*x^(1/2))),x, algorithm="giac")`

output `-4*b*arctan((a*e^(d*sqrt(x) + c) + b)/sqrt(a^2 - b^2))/(sqrt(a^2 - b^2)*a*d) + 2*(d*sqrt(x) + c)/(a*d)`

Mupad [B] (verification not implemented)

Time = 2.88 (sec) , antiderivative size = 155, normalized size of antiderivative = 2.28

$$\int \frac{1}{\sqrt{x} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \frac{2\sqrt{x}}{a} + \frac{2b \ln\left(\frac{2be^{d\sqrt{x}}e^c}{a^2\sqrt{x}} - \frac{2b(a+be^{d\sqrt{x}}e^c)}{a^2\sqrt{x}\sqrt{a+b}\sqrt{b-a}}\right)}{ad\sqrt{a+b}\sqrt{b-a}} - \frac{2b \ln\left(\frac{2be^{d\sqrt{x}}e^c}{a^2\sqrt{x}} + \frac{2b(a+be^{d\sqrt{x}}e^c)}{a^2\sqrt{x}\sqrt{a+b}\sqrt{b-a}}\right)}{ad\sqrt{a+b}\sqrt{b-a}}$$

input `int(1/(x^(1/2)*(a + b/cosh(c + d*x^(1/2))))),x`

output `(2*x^(1/2))/a + (2*b*log((2*b*exp(d*x^(1/2))*exp(c))/(a^2*x^(1/2)) - (2*b*(a + b*exp(d*x^(1/2))*exp(c)))/(a^2*x^(1/2)*(a + b)^(1/2)*(b - a)^(1/2))))/(a*d*(a + b)^(1/2)*(b - a)^(1/2)) - (2*b*log((2*b*exp(d*x^(1/2))*exp(c))/(a^2*x^(1/2)) + (2*b*(a + b*exp(d*x^(1/2))*exp(c)))/(a^2*x^(1/2)*(a + b)^(1/2)*(b - a)^(1/2))))/(a*d*(a + b)^(1/2)*(b - a)^(1/2))`

Reduce [B] (verification not implemented)

Time = 0.22 (sec) , antiderivative size = 74, normalized size of antiderivative = 1.09

$$\int \frac{1}{\sqrt{x} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \frac{-4\sqrt{a^2 - b^2} \operatorname{atan}\left(\frac{e^{\sqrt{x}d+c}a+b}{\sqrt{a^2-b^2}}\right) b + 2\sqrt{x} a^2 d - 2\sqrt{x} b^2 d}{ad(a^2 - b^2)}$$

input `int(1/x^(1/2)/(a+b*sech(c+d*x^(1/2))),x)`

output `(2*(- 2*sqrt(a**2 - b**2)*atan((e**(sqrt(x)*d + c)*a + b)/sqrt(a**2 - b**2))*b + sqrt(x)*a**2*d - sqrt(x)*b**2*d)/(a*d*(a**2 - b**2))`

$$3.72 \quad \int \frac{1}{x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx$$

Optimal result	480
Mathematica [N/A]	480
Rubi [N/A]	481
Maple [N/A]	481
Fricas [N/A]	482
Sympy [N/A]	482
Maxima [N/A]	482
Giac [N/A]	483
Mupad [N/A]	483
Reduce [N/A]	484

Optimal result

Integrand size = 22, antiderivative size = 22

$$\int \frac{1}{x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \operatorname{Int}\left(\frac{1}{x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))}, x\right)$$

output `Defer(Int)(1/x^(3/2)/(a+b*sech(c+d*x^(1/2))),x)`

Mathematica [N/A]

Not integrable

Time = 5.85 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.09

$$\int \frac{1}{x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \int \frac{1}{x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx$$

input `Integrate[1/(x^(3/2)*(a + b*Sech[c + d*Sqrt[x]])),x]`

output `Integrate[1/(x^(3/2)*(a + b*Sech[c + d*Sqrt[x]])), x]`

Rubi [N/A]

Not integrable

Time = 0.28 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx$$

↓ 5961

$$\int \frac{1}{x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx$$

input `Int[1/(x^(3/2)*(a + b*Sech[c + d*Sqrt[x]])),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.14 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.82

$$\int \frac{1}{x^{\frac{3}{2}} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx$$

input `int(1/x^(3/2)/(a+b*sech(c+d*x^(1/2))),x)`

output `int(1/x^(3/2)/(a+b*sech(c+d*x^(1/2))),x)`

Fricas [N/A]

Not integrable

Time = 0.10 (sec) , antiderivative size = 27, normalized size of antiderivative = 1.23

$$\int \frac{1}{x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \int \frac{1}{(b \operatorname{sech}(d\sqrt{x} + c) + a) x^{3/2}} dx$$

input `integrate(1/x^(3/2)/(a+b*sech(c+d*x^(1/2))),x, algorithm="fricas")`

output `integral(sqrt(x)/(b*x^2*sech(d*sqrt(x) + c) + a*x^2), x)`

Sympy [N/A]

Not integrable

Time = 2.26 (sec) , antiderivative size = 20, normalized size of antiderivative = 0.91

$$\int \frac{1}{x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \int \frac{1}{x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx$$

input `integrate(1/x**(3/2)/(a+b*sech(c+d*x**(1/2))),x)`

output `Integral(1/(x**(3/2)*(a + b*sech(c + d*sqrt(x))))), x)`

Maxima [N/A]

Not integrable

Time = 0.37 (sec) , antiderivative size = 66, normalized size of antiderivative = 3.00

$$\int \frac{1}{x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \int \frac{1}{(b \operatorname{sech}(d\sqrt{x} + c) + a) x^{3/2}} dx$$

input `integrate(1/x^(3/2)/(a+b*sech(c+d*x^(1/2))),x, algorithm="maxima")`

output

```
-2*b*integrate(e^(d*sqrt(x) + c)/(a^2*x^(3/2)*e^(2*d*sqrt(x) + 2*c) + 2*a*
b*x^(3/2)*e^(d*sqrt(x) + c) + a^2*x^(3/2)), x) - 2/(a*sqrt(x))
```

Giac [N/A]

Not integrable

Time = 0.17 (sec) , antiderivative size = 20, normalized size of antiderivative = 0.91

$$\int \frac{1}{x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \int \frac{1}{(b \operatorname{sech}(d\sqrt{x} + c) + a) x^{3/2}} dx$$

input

```
integrate(1/x^(3/2)/(a+b*sech(c+d*x^(1/2))),x, algorithm="giac")
```

output

```
integrate(1/((b*sech(d*sqrt(x) + c) + a)*x^(3/2)), x)
```

Mupad [N/A]

Not integrable

Time = 2.42 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \int \frac{1}{x^{3/2} \left(a + \frac{b}{\cosh(c + d\sqrt{x})} \right)} dx$$

input

```
int(1/(x^(3/2)*(a + b/cosh(c + d*x^(1/2))))),x)
```

output

```
int(1/(x^(3/2)*(a + b/cosh(c + d*x^(1/2))))), x)
```

Reduce [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 95, normalized size of antiderivative = 4.32

$$\int \frac{1}{x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = e^{2c} \left(\int \frac{e^{2\sqrt{x}d}}{\sqrt{x} e^{2\sqrt{x}d+2c}ax + 2\sqrt{x} e^{\sqrt{x}d+c}bx + \sqrt{x} ax} dx \right) + \int \frac{1}{\sqrt{x} e^{2\sqrt{x}d+2c}ax + 2\sqrt{x} e^{\sqrt{x}d+c}bx + \sqrt{x} ax} dx$$

input `int(1/x^(3/2)/(a+b*sech(c+d*x^(1/2))),x)`

output `e**(2*c)*int(e**(2*sqrt(x)*d)/(sqrt(x)*e**(2*sqrt(x)*d + 2*c)*a*x + 2*sqrt(x)*e**(sqrt(x)*d + c)*b*x + sqrt(x)*a*x),x) + int(1/(sqrt(x)*e**(2*sqrt(x)*d + 2*c)*a*x + 2*sqrt(x)*e**(sqrt(x)*d + c)*b*x + sqrt(x)*a*x),x)`

$$3.73 \quad \int \frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx$$

Optimal result	485
Mathematica [N/A]	485
Rubi [N/A]	486
Maple [N/A]	486
Fricas [N/A]	487
Sympy [N/A]	487
Maxima [N/A]	487
Giac [N/A]	488
Mupad [N/A]	488
Reduce [N/A]	489

Optimal result

Integrand size = 22, antiderivative size = 22

$$\int \frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \operatorname{Int} \left(\frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))}, x \right)$$

output `Defer(Int)(1/x^(5/2)/(a+b*sech(c+d*x^(1/2))),x)`

Mathematica [N/A]

Not integrable

Time = 5.99 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.09

$$\int \frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \int \frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx$$

input `Integrate[1/(x^(5/2)*(a + b*Sech[c + d*Sqrt[x]])),x]`

output `Integrate[1/(x^(5/2)*(a + b*Sech[c + d*Sqrt[x]])), x]`

Rubi [N/A]

Not integrable

Time = 0.34 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx$$

↓ 5961

$$\int \frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx$$

input `Int[1/(x^(5/2)*(a + b*Sech[c + d*Sqrt[x]])),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.82

$$\int \frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx$$

input `int(1/x^(5/2)/(a+b*sech(c+d*x^(1/2))),x)`

output `int(1/x^(5/2)/(a+b*sech(c+d*x^(1/2))),x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 27, normalized size of antiderivative = 1.23

$$\int \frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \int \frac{1}{(b \operatorname{sech}(d\sqrt{x} + c) + a) x^{5/2}} dx$$

input `integrate(1/x^(5/2)/(a+b*sech(c+d*x^(1/2))),x, algorithm="fricas")`

output `integral(sqrt(x)/(b*x^3*sech(d*sqrt(x) + c) + a*x^3), x)`

Sympy [N/A]

Not integrable

Time = 5.83 (sec) , antiderivative size = 20, normalized size of antiderivative = 0.91

$$\int \frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \int \frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx$$

input `integrate(1/x**(5/2)/(a+b*sech(c+d*x**(1/2))),x)`

output `Integral(1/(x**(5/2)*(a + b*sech(c + d*sqrt(x))))), x)`

Maxima [N/A]

Not integrable

Time = 0.44 (sec) , antiderivative size = 66, normalized size of antiderivative = 3.00

$$\int \frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \int \frac{1}{(b \operatorname{sech}(d\sqrt{x} + c) + a) x^{5/2}} dx$$

input `integrate(1/x^(5/2)/(a+b*sech(c+d*x^(1/2))),x, algorithm="maxima")`

output

```
-2*b*integrate(e^(d*sqrt(x) + c)/(a^2*x^(5/2)*e^(2*d*sqrt(x) + 2*c) + 2*a*
b*x^(5/2)*e^(d*sqrt(x) + c) + a^2*x^(5/2)), x) - 2/3/(a*x^(3/2))
```

Giac [N/A]

Not integrable

Time = 0.27 (sec) , antiderivative size = 20, normalized size of antiderivative = 0.91

$$\int \frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \int \frac{1}{(b \operatorname{sech}(d\sqrt{x} + c) + a) x^{5/2}} dx$$

input

```
integrate(1/x^(5/2)/(a+b*sech(c+d*x^(1/2))),x, algorithm="giac")
```

output

```
integrate(1/((b*sech(d*sqrt(x) + c) + a)*x^(5/2)), x)
```

Mupad [N/A]

Not integrable

Time = 2.50 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = \int \frac{1}{x^{5/2} \left(a + \frac{b}{\cosh(c + d\sqrt{x})} \right)} dx$$

input

```
int(1/(x^(5/2)*(a + b/cosh(c + d*x^(1/2))))),x)
```

output

```
int(1/(x^(5/2)*(a + b/cosh(c + d*x^(1/2))))), x)
```

Reduce [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 104, normalized size of antiderivative = 4.73

$$\int \frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))} dx = e^{2c} \left(\int \frac{e^{2\sqrt{x}d}}{\sqrt{x} e^{2\sqrt{x}d+2c} a x^2 + 2\sqrt{x} e^{\sqrt{x}d+c} b x^2 + \sqrt{x} a x^2} dx \right) \\ + \int \frac{\sqrt{x}}{e^{2\sqrt{x}d+2c} a x^3 + 2e^{\sqrt{x}d+c} b x^3 + a x^3} dx$$

input `int(1/x^(5/2)/(a+b*sech(c+d*x^(1/2))),x)`

output `e**(2*c)*int(e**(2*sqrt(x)*d)/(sqrt(x)*e**(2*sqrt(x)*d + 2*c)*a*x**2 + 2*sqrt(x)*e**(sqrt(x)*d + c)*b*x**2 + sqrt(x)*a*x**2),x) + int(sqrt(x)/(e**(2*sqrt(x)*d + 2*c)*a*x**3 + 2*e**(sqrt(x)*d + c)*b*x**3 + a*x**3),x)`

$$3.74 \quad \int \frac{x^{3/2}}{\left(a+b\operatorname{sech}(c+d\sqrt{x})\right)^2} dx$$

Optimal result	490
Mathematica [A] (verified)	491
Rubi [A] (verified)	492
Maple [F]	494
Fricas [F]	495
Sympy [F]	495
Maxima [F(-2)]	495
Giac [F]	496
Mupad [F(-1)]	496
Reduce [F]	496

Optimal result

Integrand size = 22, antiderivative size = 1755

$$\int \frac{x^{3/2}}{\left(a+b\operatorname{sech}(c+d\sqrt{x})\right)^2} dx = \text{Too large to display}$$

output

```

2/5*x^(5/2)/a^2+2*b^2*x^2*sinh(c+d*x^(1/2))/a/(a^2-b^2)/d/(b+a*cosh(c+d*x^(1/2)))-8*b^2*x^(3/2)*ln(1+a*exp(c+d*x^(1/2)))/(b-(-a^2+b^2)^(1/2))/a^2/(a^2-b^2)/d^2+2*b^3*x^2*ln(1+a*exp(c+d*x^(1/2)))/(b-(-a^2+b^2)^(1/2))/a^2/(-a^2+b^2)^(3/2)/d+4*b*x^2*ln(1+a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2))/a^2/(-a^2+b^2)^(1/2)/d-4*b*x^2*ln(1+a*exp(c+d*x^(1/2)))/(b-(-a^2+b^2)^(1/2))/a^2/(-a^2+b^2)^(1/2)/d-48*b*x*polylog(3,-a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2))/a^2/(-a^2+b^2)^(1/2)/d^3+48*b*x*polylog(3,-a*exp(c+d*x^(1/2)))/(b-(-a^2+b^2)^(1/2))/a^2/(-a^2+b^2)^(1/2)/d^3+16*b*x^(3/2)*polylog(2,-a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2))/a^2/(-a^2+b^2)^(1/2)/d^2-16*b*x^(3/2)*polylog(2,-a*exp(c+d*x^(1/2)))/(b-(-a^2+b^2)^(1/2))/a^2/(-a^2+b^2)^(1/2)/d^2+96*b*x^(1/2)*polylog(4,-a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2))/a^2/(-a^2+b^2)^(1/2)/d^4-96*b*x^(1/2)*polylog(4,-a*exp(c+d*x^(1/2)))/(b-(-a^2+b^2)^(1/2))/a^2/(-a^2+b^2)^(1/2)/d^4-48*b^3*x^(1/2)*polylog(4,-a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2))/a^2/(-a^2+b^2)^(3/2)/d^4+48*b^3*x^(1/2)*polylog(4,-a*exp(c+d*x^(1/2)))/(b-(-a^2+b^2)^(1/2))/a^2/(-a^2+b^2)^(3/2)/d^4+48*b^2*x^(1/2)*polylog(3,-a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2))/a^2/(a^2-b^2)/d^4+48*b^2*x^(1/2)*polylog(3,-a*exp(c+d*x^(1/2)))/(b-(-a^2+b^2)^(1/2))/a^2/(a^2-b^2)/d^4+24*b^3*x*polylog(3,-a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2))/a^2/(-a^2+b^2)^(3/2)/d^3-24*b^3*x*polylog(3,-a*exp(c+d*x^(1/2)))/(b-(-a^2+b^2)^(1/2))/a^2/(-a^2+b^2)^(3/2)/d^3-24*b^2*x*polylog(2,-a*exp(c+d*...

```

Mathematica [A] (verified)

Time = 5.09 (sec) , antiderivative size = 1769, normalized size of antiderivative = 1.01

$$\int \frac{x^{3/2}}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \text{Too large to display}$$

input

```
Integrate[x^(3/2)/(a + b*Sech[c + d*Sqrt[x]])^2,x]
```

output

```
(2*(b + a*Cosh[c + d*Sqrt[x]])*Sech[c + d*Sqrt[x]]^2*(x^(5/2)*(b + a*Cosh[
c + d*Sqrt[x])) + (5*b*E^c*(b + a*Cosh[c + d*Sqrt[x]])*(2*b*E^c*x^2 - ((1
+ E^(2*c))*(4*b*d^3*Sqrt[(-a^2 + b^2)*E^(2*c)]*x^(3/2)*Log[1 + (a*E^(2*c +
d*Sqrt[x]))]/(b*E^c - Sqrt[(-a^2 + b^2)*E^(2*c)])) + 2*a^2*d^4*E^c*x^2*Log
[1 + (a*E^(2*c + d*Sqrt[x]))]/(b*E^c - Sqrt[(-a^2 + b^2)*E^(2*c)])) - b^2*d
^4*E^c*x^2*Log[1 + (a*E^(2*c + d*Sqrt[x]))]/(b*E^c - Sqrt[(-a^2 + b^2)*E^(2
*c)])) + 4*b*d^3*Sqrt[(-a^2 + b^2)*E^(2*c)]*x^(3/2)*Log[1 + (a*E^(2*c + d*
Sqrt[x]))]/(b*E^c + Sqrt[(-a^2 + b^2)*E^(2*c)])) - 2*a^2*d^4*E^c*x^2*Log[1
+ (a*E^(2*c + d*Sqrt[x]))]/(b*E^c + Sqrt[(-a^2 + b^2)*E^(2*c)])) + b^2*d^4*
E^c*x^2*Log[1 + (a*E^(2*c + d*Sqrt[x]))]/(b*E^c + Sqrt[(-a^2 + b^2)*E^(2*c)
])) + 4*d^2*(3*b*Sqrt[(-a^2 + b^2)*E^(2*c)] + 2*a^2*d*E^c*Sqrt[x] - b^2*d*
E^c*Sqrt[x])*x*PolyLog[2, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(-a^2 +
b^2)*E^(2*c)])))] + 4*d^2*(3*b*Sqrt[(-a^2 + b^2)*E^(2*c)] - 2*a^2*d*E^c*Sqr
t[x] + b^2*d*E^c*Sqrt[x])*x*PolyLog[2, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c +
Sqrt[(-a^2 + b^2)*E^(2*c)])))] - 24*b*d*Sqrt[(-a^2 + b^2)*E^(2*c)]*Sqrt[x]*
PolyLog[3, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(-a^2 + b^2)*E^(2*c)]))
] - 24*a^2*d^2*E^c*x*PolyLog[3, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(-
a^2 + b^2)*E^(2*c)])))] + 12*b^2*d^2*E^c*x*PolyLog[3, -((a*E^(2*c + d*Sqrt[
x]))/(b*E^c - Sqrt[(-a^2 + b^2)*E^(2*c)])))] - 24*b*d*Sqrt[(-a^2 + b^2)*E^(
2*c)]*Sqrt[x]*PolyLog[3, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c + Sqrt[(-a^2 ...
```

Rubi [A] (verified)

Time = 3.99 (sec) , antiderivative size = 1754, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {5959, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^{3/2}}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

$$\downarrow \text{5959}$$

$$2 \int \frac{x^2}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} d\sqrt{x}$$

$$\downarrow \text{3042}$$

$$\begin{aligned}
& 2 \int \frac{x^2}{\left(a + b \csc\left(ic + id\sqrt{x} + \frac{\pi}{2}\right)\right)^2} d\sqrt{x} \\
& \quad \downarrow \text{4679} \\
& 2 \int \left(-\frac{2bx^2}{a^2 (b + a \cosh(c + d\sqrt{x}))} + \frac{x^2}{a^2} + \frac{b^2 x^2}{a^2 (b + a \cosh(c + d\sqrt{x}))^2} \right) d\sqrt{x} \\
& \quad \downarrow \text{2009} \\
& 2 \left(\frac{x^2 \log\left(\frac{e^{c+d\sqrt{x}} a}{b - \sqrt{b^2 - a^2}} + 1\right) b^3}{a^2 (b^2 - a^2)^{3/2} d} - \frac{x^2 \log\left(\frac{e^{c+d\sqrt{x}} a}{b + \sqrt{b^2 - a^2}} + 1\right) b^3}{a^2 (b^2 - a^2)^{3/2} d} + \frac{4x^{3/2} \text{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b - \sqrt{b^2 - a^2}}\right) b^3}{a^2 (b^2 - a^2)^{3/2} d^2} - \frac{4x^{3/2} \text{PolyLog}\left(2, \frac{ae^{c+d\sqrt{x}}}{b + \sqrt{b^2 - a^2}}\right) b^3}{a^2 (b^2 - a^2)^{3/2} d^2} \right)
\end{aligned}$$

input `Int[x^(3/2)/(a + b*Sech[c + d*Sqrt[x]])^2,x]`

output

```

2*((b^2*x^2)/(a^2*(a^2 - b^2)*d) + x^(5/2)/(5*a^2) - (4*b^2*x^(3/2)*Log[1
+ (a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2])])/(a^2*(a^2 - b^2)*d^2) + (
b^3*x^2*Log[1 + (a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2])])/(a^2*(-a^2
+ b^2)^(3/2)*d) - (2*b*x^2*Log[1 + (a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 +
b^2])])/(a^2*Sqrt[-a^2 + b^2]*d) - (4*b^2*x^(3/2)*Log[1 + (a*E^(c + d*Sqrt
[x]))/(b + Sqrt[-a^2 + b^2])])/(a^2*(a^2 - b^2)*d^2) - (b^3*x^2*Log[1 + (a
*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^(3/2)*d) +
(2*b*x^2*Log[1 + (a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2])])/(a^2*Sqrt[
-a^2 + b^2]*d) - (12*b^2*x*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a
^2 + b^2]))])/(a^2*(a^2 - b^2)*d^3) + (4*b^3*x^(3/2)*PolyLog[2, -((a*E^(c
+ d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])/(a^2*(-a^2 + b^2)^(3/2)*d^2) - (8*
b*x^(3/2)*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])/(a^
2*Sqrt[-a^2 + b^2]*d^2) - (12*b^2*x*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b
+ Sqrt[-a^2 + b^2]))])/(a^2*(a^2 - b^2)*d^3) - (4*b^3*x^(3/2)*PolyLog[2, -
((a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2]))])/(a^2*(-a^2 + b^2)^(3/2)*d
^2) + (8*b*x^(3/2)*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2
]))])/(a^2*Sqrt[-a^2 + b^2]*d^2) + (24*b^2*Sqrt[x]*PolyLog[3, -((a*E^(c +
d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])/(a^2*(a^2 - b^2)*d^4) - (12*b^3*x*Po
lyLog[3, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])/(a^2*(-a^2 + b^
2)^(3/2)*d^3) + (24*b*x*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a...

```

Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4679 `Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Sinn[e + f*x]^n)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]`

rule 5959 `Int[(x_)^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [F]

$$\int \frac{x^{\frac{3}{2}}}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

input `int(x^(3/2)/(a+b*sech(c+d*x^(1/2)))^2,x)`

output `int(x^(3/2)/(a+b*sech(c+d*x^(1/2)))^2,x)`

Fricas [F]

$$\int \frac{x^{3/2}}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{x^{3/2}}{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2} dx$$

input `integrate(x^(3/2)/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="fricas")`

output `integral(x^(3/2)/(b^2*sech(d*sqrt(x) + c)^2 + 2*a*b*sech(d*sqrt(x) + c) + a^2), x)`

Sympy [F]

$$\int \frac{x^{3/2}}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{x^{3/2}}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

input `integrate(x**(3/2)/(a+b*sech(c+d*x**(1/2)))**2,x)`

output `Integral(x**(3/2)/(a + b*sech(c + d*sqrt(x)))**2, x)`

Maxima [F(-2)]

Exception generated.

$$\int \frac{x^{3/2}}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \text{Exception raised: ValueError}$$

input `integrate(x^(3/2)/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(a-b>0)', see `assume?` for more details)Is`

Giac [F]

$$\int \frac{x^{3/2}}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{x^{3/2}}{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2} dx$$

input `integrate(x^(3/2)/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="giac")`

output `integrate(x^(3/2)/(b*sech(d*sqrt(x) + c) + a)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x^{3/2}}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{x^{3/2}}{\left(a + \frac{b}{\cosh(c + d\sqrt{x})}\right)^2} dx$$

input `int(x^(3/2)/(a + b/cosh(c + d*x^(1/2)))^2,x)`

output `int(x^(3/2)/(a + b/cosh(c + d*x^(1/2)))^2, x)`

Reduce [F]

$$\int \frac{x^{3/2}}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \text{too large to display}$$

input `int(x^(3/2)/(a+b*sech(c+d*x^(1/2)))^2,x)`

output

```
(2*( - 480*e**(2*sqrt(x)*d + 2*c)*sqrt(a**2 - b**2)*atan((e**(sqrt(x)*d +
c)*a + b)/sqrt(a**2 - b**2))*a**3*b + 870*e**(2*sqrt(x)*d + 2*c)*sqrt(a**2
- b**2)*atan((e**(sqrt(x)*d + c)*a + b)/sqrt(a**2 - b**2))*a*b**3 - 960*e
**(sqrt(x)*d + c)*sqrt(a**2 - b**2)*atan((e**(sqrt(x)*d + c)*a + b)/sqrt(a
**2 - b**2))*a**2*b**2 + 1740*e**(sqrt(x)*d + c)*sqrt(a**2 - b**2)*atan((e
**(sqrt(x)*d + c)*a + b)/sqrt(a**2 - b**2))*b**4 - 480*sqrt(a**2 - b**2)*a
tan((e**(sqrt(x)*d + c)*a + b)/sqrt(a**2 - b**2))*a**3*b + 870*sqrt(a**2 -
b**2)*atan((e**(sqrt(x)*d + c)*a + b)/sqrt(a**2 - b**2))*a*b**3 - 480*e**
(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**2 + 4*e
*(3*sqrt(x)*d + 3*c)*a*b + 2*e**(2*sqrt(x)*d + 2*c)*a**2 + 4*e**(2*sqrt(x)
*d + 2*c)*b**2 + 4*e**(sqrt(x)*d + c)*a*b + a**2),x)*a**6*b*d**2 + 570*e**
(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**2 + 4*e
*(3*sqrt(x)*d + 3*c)*a*b + 2*e**(2*sqrt(x)*d + 2*c)*a**2 + 4*e**(2*sqrt(x)
*d + 2*c)*b**2 + 4*e**(sqrt(x)*d + c)*a*b + a**2),x)*a**4*b**3*d**2 - 90*e
**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**2 + 4*
e**(3*sqrt(x)*d + 3*c)*a*b + 2*e**(2*sqrt(x)*d + 2*c)*a**2 + 4*e**(2*sqrt(
x)*d + 2*c)*b**2 + 4*e**(sqrt(x)*d + c)*a*b + a**2),x)*a**2*b**5*d**2 - 80
*e**(2*sqrt(x)*d + 3*c)*int((e**(sqrt(x)*d)*x)/(e**(4*sqrt(x)*d + 4*c)*a**
2 + 4*e**(3*sqrt(x)*d + 3*c)*a*b + 2*e**(2*sqrt(x)*d + 2*c)*a**2 + 4*e**(2
*sqrt(x)*d + 2*c)*b**2 + 4*e**(sqrt(x)*d + c)*a*b + a**2),x)*a**6*b*d**...
```

$$3.75 \quad \int \frac{\sqrt{x}}{\left(a+b\operatorname{sech}(c+d\sqrt{x})\right)^2} dx$$

Optimal result	498
Mathematica [A] (verified)	499
Rubi [A] (verified)	500
Maple [F]	502
Fricas [F]	503
Sympy [F]	503
Maxima [F(-2)]	503
Giac [F]	504
Mupad [F(-1)]	504
Reduce [F]	504

Optimal result

Integrand size = 22, antiderivative size = 1027

$$\int \frac{\sqrt{x}}{\left(a+b\operatorname{sech}(c+d\sqrt{x})\right)^2} dx = \text{Too large to display}$$

output

```

2*b^2*x/a^2/(a^2-b^2)/d+2/3*x^(3/2)/a^2-4*b^2*x^(1/2)*ln(1+a*exp(c+d*x^(1/2)))/(b-(-a^2+b^2)^(1/2)))/a^2/(a^2-b^2)/d^2+2*b^3*x*ln(1+a*exp(c+d*x^(1/2)))/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d-4*b*x*ln(1+a*exp(c+d*x^(1/2)))/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(1/2)/d-4*b^2*x^(1/2)*ln(1+a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2)))/a^2/(a^2-b^2)/d^2-2*b^3*x*ln(1+a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d+4*b*x*ln(1+a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(1/2)/d-4*b^2*polylog(2,-a*exp(c+d*x^(1/2)))/(b-(-a^2+b^2)^(1/2)))/a^2/(a^2-b^2)/d^3+4*b^3*x^(1/2)*polylog(2,-a*exp(c+d*x^(1/2)))/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d^2-8*b*x^(1/2)*polylog(2,-a*exp(c+d*x^(1/2)))/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(1/2)/d^2-4*b^2*polylog(2,-a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2)))/a^2/(a^2-b^2)/d^3-4*b^3*x^(1/2)*polylog(2,-a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d^2+8*b*x^(1/2)*polylog(2,-a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(1/2)/d^2-4*b^3*polylog(3,-a*exp(c+d*x^(1/2)))/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d^3+8*b*polylog(3,-a*exp(c+d*x^(1/2)))/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(1/2)/d^3+4*b^3*polylog(3,-a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d^3-8*b*polylog(3,-a*exp(c+d*x^(1/2)))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(1/2)/d^3+2*b^2*x*sinh(c+d*x^(1/2))/a/(a^2-b^2)/d/(b+a*cosh(c+d*x^(1/2)))

```

Mathematica [A] (verified)

Time = 3.21 (sec) , antiderivative size = 986, normalized size of antiderivative = 0.96

$$\int \frac{\sqrt{x}}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \text{Too large to display}$$

input

```
Integrate[Sqrt[x]/(a + b*Sech[c + d*Sqrt[x]])^2,x]
```

output

```
(2*(b + a*Cosh[c + d*Sqrt[x]])*Sech[c + d*Sqrt[x]]^2*(x^(3/2)*(b + a*Cosh[
c + d*Sqrt[x])) + (3*b*E^c*(b + a*Cosh[c + d*Sqrt[x]))*(2*b*E^c*x - ((1 +
E^(2*c))*(2*b*d*Sqrt[(-a^2 + b^2)*E^(2*c)]*Sqrt[x]*Log[1 + (a*E^(2*c + d*S
qrt[x]))/(b*E^c - Sqrt[(-a^2 + b^2)*E^(2*c)])]) + 2*a^2*d^2*E^c*x*Log[1 + (
a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(-a^2 + b^2)*E^(2*c)])]) - b^2*d^2*E^c
*x*Log[1 + (a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(-a^2 + b^2)*E^(2*c)])]) +
2*b*d*Sqrt[(-a^2 + b^2)*E^(2*c)]*Sqrt[x]*Log[1 + (a*E^(2*c + d*Sqrt[x]))/
(b*E^c + Sqrt[(-a^2 + b^2)*E^(2*c)])]) - 2*a^2*d^2*E^c*x*Log[1 + (a*E^(2*c
+ d*Sqrt[x]))/(b*E^c + Sqrt[(-a^2 + b^2)*E^(2*c)])]) + b^2*d^2*E^c*x*Log[1
+ (a*E^(2*c + d*Sqrt[x]))/(b*E^c + Sqrt[(-a^2 + b^2)*E^(2*c)])]) + 2*(b*Sqr
t[(-a^2 + b^2)*E^(2*c)] + 2*a^2*d*E^c*Sqrt[x] - b^2*d*E^c*Sqrt[x])*PolyLog
[2, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(-a^2 + b^2)*E^(2*c)]))] + 2*(
b*Sqrt[(-a^2 + b^2)*E^(2*c)] - 2*a^2*d*E^c*Sqrt[x] + b^2*d*E^c*Sqrt[x])*Po
lyLog[2, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c + Sqrt[(-a^2 + b^2)*E^(2*c)]))]
- 4*a^2*E^c*PolyLog[3, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(-a^2 + b^2
)*E^(2*c)]))] + 2*b^2*E^c*PolyLog[3, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sq
rt[(-a^2 + b^2)*E^(2*c)]))] + 4*a^2*E^c*PolyLog[3, -((a*E^(2*c + d*Sqrt[x]
))/(b*E^c + Sqrt[(-a^2 + b^2)*E^(2*c)]))] - 2*b^2*E^c*PolyLog[3, -((a*E^(2
*c + d*Sqrt[x]))/(b*E^c + Sqrt[(-a^2 + b^2)*E^(2*c)])))]/(d^2*E^c*Sqrt[(-
a^2 + b^2)*E^(2*c)])))/((a^2 - b^2)*d*(1 + E^(2*c))) + (3*b^2*x*Sech[c]...
```

Rubi [A] (verified)

Time = 2.18 (sec) , antiderivative size = 1026, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {5959, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\sqrt{x}}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

↓ 5959

$$2 \int \frac{x}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} d\sqrt{x}$$

↓ 3042

$$\begin{aligned}
& 2 \int \frac{x}{\left(a + b \csc\left(ic + id\sqrt{x} + \frac{\pi}{2}\right)\right)^2} d\sqrt{x} \\
& \quad \downarrow \text{4679} \\
& 2 \int \left(\frac{xb^2}{a^2 (b + a \cosh(c + d\sqrt{x}))^2} - \frac{2xb}{a^2 (b + a \cosh(c + d\sqrt{x}))} + \frac{x}{a^2} \right) d\sqrt{x} \\
& \quad \downarrow \text{2009} \\
& 2 \left(\frac{x \log\left(\frac{e^{c+d\sqrt{x}}a}{b-\sqrt{b^2-a^2}} + 1\right) b^3}{a^2 (b^2 - a^2)^{3/2} d} - \frac{x \log\left(\frac{e^{c+d\sqrt{x}}a}{b+\sqrt{b^2-a^2}} + 1\right) b^3}{a^2 (b^2 - a^2)^{3/2} d} + \frac{2\sqrt{x} \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{b^2-a^2}}\right) b^3}{a^2 (b^2 - a^2)^{3/2} d^2} - \frac{2\sqrt{x} \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{b^2-a^2}}\right) b^3}{a^2 (b^2 - a^2)^{3/2} d^2} \right)
\end{aligned}$$

input `Int[Sqrt[x]/(a + b*Sech[c + d*Sqrt[x]])^2,x]`

output

```

2*((b^2*x)/(a^2*(a^2 - b^2)*d) + x^(3/2)/(3*a^2) - (2*b^2*Sqrt[x]*Log[1 +
(a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2])])/(a^2*(a^2 - b^2)*d^2) + (b^
3*x*Log[1 + (a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2])])/(a^2*(-a^2 + b^
2)^(3/2)*d) - (2*b*x*Log[1 + (a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2])])
)/(a^2*Sqrt[-a^2 + b^2]*d) - (2*b^2*Sqrt[x]*Log[1 + (a*E^(c + d*Sqrt[x]))/
(b + Sqrt[-a^2 + b^2])])/(a^2*(a^2 - b^2)*d^2) - (b^3*x*Log[1 + (a*E^(c +
d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^(3/2)*d) + (2*b*x*L
og[1 + (a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2])])/(a^2*Sqrt[-a^2 + b^2
]*d) - (2*b^2*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])
/(a^2*(a^2 - b^2)*d^3) + (2*b^3*Sqrt[x]*PolyLog[2, -((a*E^(c + d*Sqrt[x]))
/(b - Sqrt[-a^2 + b^2]))])/(a^2*(-a^2 + b^2)^(3/2)*d^2) - (4*b*Sqrt[x]*Pol
yLog[2, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])/(a^2*Sqrt[-a^2 +
b^2]*d^2) - (2*b^2*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^
2]))])/(a^2*(a^2 - b^2)*d^3) - (2*b^3*Sqrt[x]*PolyLog[2, -((a*E^(c + d*Sqr
t[x]))/(b + Sqrt[-a^2 + b^2]))])/(a^2*(-a^2 + b^2)^(3/2)*d^2) + (4*b*Sqrt[
x]*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2]))])/(a^2*Sqrt[
-a^2 + b^2]*d^2) - (2*b^3*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[-a^
2 + b^2]))])/(a^2*(-a^2 + b^2)^(3/2)*d^3) + (4*b*PolyLog[3, -((a*E^(c + d*
Sqrt[x]))/(b - Sqrt[-a^2 + b^2]))])/(a^2*Sqrt[-a^2 + b^2]*d^3) + (2*b^3*Po
lyLog[3, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[-a^2 + b^2]))])/(a^2*(-a^2 +...

```

Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4679 `Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Sinn[e + f*x]^n)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]`

rule 5959 `Int[(x_)^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [F]

$$\int \frac{\sqrt{x}}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

input `int(x^(1/2)/(a+b*sech(c+d*x^(1/2)))^2,x)`

output `int(x^(1/2)/(a+b*sech(c+d*x^(1/2)))^2,x)`

Fricas [F]

$$\int \frac{\sqrt{x}}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{\sqrt{x}}{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2} dx$$

input `integrate(x^(1/2)/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="fricas")`

output `integral(sqrt(x)/(b^2*sech(d*sqrt(x) + c)^2 + 2*a*b*sech(d*sqrt(x) + c) + a^2), x)`

Sympy [F]

$$\int \frac{\sqrt{x}}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{\sqrt{x}}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

input `integrate(x**(1/2)/(a+b*sech(c+d*x**(1/2)))**2,x)`

output `Integral(sqrt(x)/(a + b*sech(c + d*sqrt(x)))**2, x)`

Maxima [F(-2)]

Exception generated.

$$\int \frac{\sqrt{x}}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \text{Exception raised: ValueError}$$

input `integrate(x^(1/2)/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(a-b>0)', see `assume?` for more details)Is`

Giac [F]

$$\int \frac{\sqrt{x}}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{\sqrt{x}}{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2} dx$$

input `integrate(x^(1/2)/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="giac")`

output `integrate(sqrt(x)/(b*sech(d*sqrt(x) + c) + a)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\sqrt{x}}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{\sqrt{x}}{\left(a + \frac{b}{\cosh(c + d\sqrt{x})}\right)^2} dx$$

input `int(x^(1/2)/(a + b/cosh(c + d*x^(1/2)))^2,x)`

output `int(x^(1/2)/(a + b/cosh(c + d*x^(1/2)))^2, x)`

Reduce [F]

$$\int \frac{\sqrt{x}}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \text{too large to display}$$

input `int(x^(1/2)/(a+b*sech(c+d*x^(1/2)))^2,x)`

output

```
(2*( - 24***(2*sqrt(x)*d + 2*c)*sqrt(a**2 - b**2)*atan((e**(sqrt(x)*d + c)
)*a + b)/sqrt(a**2 - b**2))*a**3*b + 30***(2*sqrt(x)*d + 2*c)*sqrt(a**2 -
b**2)*atan((e**(sqrt(x)*d + c)*a + b)/sqrt(a**2 - b**2))*a*b**3 - 48***(
sqrt(x)*d + c)*sqrt(a**2 - b**2)*atan((e**(sqrt(x)*d + c)*a + b)/sqrt(a**2
- b**2))*a**2*b**2 + 60***(sqrt(x)*d + c)*sqrt(a**2 - b**2)*atan((e**(sq
rt(x)*d + c)*a + b)/sqrt(a**2 - b**2))*b**4 - 24*sqrt(a**2 - b**2)*atan((e
**(sqrt(x)*d + c)*a + b)/sqrt(a**2 - b**2))*a**3*b + 30*sqrt(a**2 - b**2)*
atan((e**(sqrt(x)*d + c)*a + b)/sqrt(a**2 - b**2))*a*b**3 - 24***(2*sqrt(
x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**2 + 4*e**(3*sqrt
(x)*d + 3*c)*a*b + 2*e**(2*sqrt(x)*d + 2*c)*a**2 + 4*e**(2*sqrt(x)*d + 2*c
)*b**2 + 4*e**(sqrt(x)*d + c)*a*b + a**2),x)*a**6*b*d**2 + 42***(2*sqrt(x)
)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**2 + 4*e**(3*sqrt(
x)*d + 3*c)*a*b + 2*e**(2*sqrt(x)*d + 2*c)*a**2 + 4*e**(2*sqrt(x)*d + 2*c)
*b**2 + 4*e**(sqrt(x)*d + c)*a*b + a**2),x)*a**4*b**3*d**2 - 18***(2*sqrt
(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**2 + 4*e**(3*sq
rt(x)*d + 3*c)*a*b + 2*e**(2*sqrt(x)*d + 2*c)*a**2 + 4*e**(2*sqrt(x)*d + 2*
c)*b**2 + 4*e**(sqrt(x)*d + c)*a*b + a**2),x)*a**2*b**5*d**2 - 12***(2*sq
rt(x)*d + 3*c)*int((sqrt(x)*e**(sqrt(x)*d))/(e**(4*sqrt(x)*d + 4*c)*a**2 +
4*e**(3*sqrt(x)*d + 3*c)*a*b + 2*e**(2*sqrt(x)*d + 2*c)*a**2 + 4*e**(2*sq
rt(x)*d + 2*c)*b**2 + 4*e**(sqrt(x)*d + c)*a*b + a**2),x)*a**6*b*d**3 +...
```


input `Integrate[1/(Sqrt[x]*(a + b*Sech[c + d*Sqrt[x]])^2),x]`

output `(2*(a*((a^2 - b^2)^(3/2)*(c + d*Sqrt[x]) + (4*a^2*b - 2*b^3)*ArcTan[((-a + b)*Tanh[(c + d*Sqrt[x])/2])/Sqrt[a^2 - b^2]])*Cosh[c + d*Sqrt[x]] + b*((a^2 - b^2)^(3/2)*(c + d*Sqrt[x]) + (4*a^2*b - 2*b^3)*ArcTan[((-a + b)*Tanh[(c + d*Sqrt[x])/2])/Sqrt[a^2 - b^2]] + a*b*Sqrt[a^2 - b^2]*Sinh[c + d*Sqrt[x]])))/(a^2*(a - b)*(a + b)*Sqrt[a^2 - b^2]*d*(b + a*Cosh[c + d*Sqrt[x]]))`

Rubi [A] (verified)

Time = 1.04 (sec) , antiderivative size = 152, normalized size of antiderivative = 1.20, number of steps used = 12, number of rules used = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5959, 3042, 4272, 25, 3042, 4407, 3042, 4318, 3042, 3138, 221}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{1}{\sqrt{x} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx \\
 & \quad \downarrow 5959 \\
 & 2 \int \frac{1}{(a + b \operatorname{sech}(c + d\sqrt{x}))^2} d\sqrt{x} \\
 & \quad \downarrow 3042 \\
 & 2 \int \frac{1}{(a + b \csc(ic + id\sqrt{x} + \frac{\pi}{2}))^2} d\sqrt{x} \\
 & \quad \downarrow 4272 \\
 & 2 \left(\frac{b^2 \tanh(c + d\sqrt{x})}{ad(a^2 - b^2)(a + b \operatorname{sech}(c + d\sqrt{x}))} - \frac{\int -\frac{a^2 - b \operatorname{sech}(c + d\sqrt{x})a - b^2}{a + b \operatorname{sech}(c + d\sqrt{x})} d\sqrt{x}}{a(a^2 - b^2)} \right) \\
 & \quad \downarrow 25
 \end{aligned}$$

$$\begin{aligned}
& 2 \left(\frac{\int \frac{a^2 - b \operatorname{sech}(c+d\sqrt{x}) a - b^2}{a + b \operatorname{sech}(c+d\sqrt{x})} d\sqrt{x}}{a(a^2 - b^2)} + \frac{b^2 \tanh(c + d\sqrt{x})}{ad(a^2 - b^2)(a + b \operatorname{sech}(c + d\sqrt{x}))} \right) \\
& \quad \downarrow \text{3042} \\
& 2 \left(\frac{b^2 \tanh(c + d\sqrt{x})}{ad(a^2 - b^2)(a + b \operatorname{sech}(c + d\sqrt{x}))} + \frac{\int \frac{a^2 - b \csc(ic + id\sqrt{x} + \frac{\pi}{2}) a - b^2}{a + b \csc(ic + id\sqrt{x} + \frac{\pi}{2})} d\sqrt{x}}{a(a^2 - b^2)} \right) \\
& \quad \downarrow \text{4407} \\
& 2 \left(\frac{\frac{\sqrt{x}(a^2 - b^2)}{a} - \frac{b(2a^2 - b^2) \int \frac{\operatorname{sech}(c+d\sqrt{x})}{a + b \operatorname{sech}(c+d\sqrt{x})} d\sqrt{x}}{a}}{a(a^2 - b^2)} + \frac{b^2 \tanh(c + d\sqrt{x})}{ad(a^2 - b^2)(a + b \operatorname{sech}(c + d\sqrt{x}))} \right) \\
& \quad \downarrow \text{3042} \\
& 2 \left(\frac{b^2 \tanh(c + d\sqrt{x})}{ad(a^2 - b^2)(a + b \operatorname{sech}(c + d\sqrt{x}))} + \frac{\frac{\sqrt{x}(a^2 - b^2)}{a} - \frac{b(2a^2 - b^2) \int \frac{\csc(ic + id\sqrt{x} + \frac{\pi}{2})}{a + b \csc(ic + id\sqrt{x} + \frac{\pi}{2})} d\sqrt{x}}{a}}{a(a^2 - b^2)} \right) \\
& \quad \downarrow \text{4318} \\
& 2 \left(\frac{\frac{\sqrt{x}(a^2 - b^2)}{a} - \frac{(2a^2 - b^2) \int \frac{1}{a \cosh(\frac{c+d\sqrt{x}}{b}) + 1} d\sqrt{x}}{a}}{a(a^2 - b^2)} + \frac{b^2 \tanh(c + d\sqrt{x})}{ad(a^2 - b^2)(a + b \operatorname{sech}(c + d\sqrt{x}))} \right) \\
& \quad \downarrow \text{3042} \\
& 2 \left(\frac{b^2 \tanh(c + d\sqrt{x})}{ad(a^2 - b^2)(a + b \operatorname{sech}(c + d\sqrt{x}))} + \frac{\frac{\sqrt{x}(a^2 - b^2)}{a} - \frac{(2a^2 - b^2) \int \frac{1}{a \sin(\frac{ic + id\sqrt{x} + \frac{\pi}{2}}{b}) + 1} d\sqrt{x}}{a}}{a(a^2 - b^2)} \right) \\
& \quad \downarrow \text{3138} \\
& 2 \left(\frac{b^2 \tanh(c + d\sqrt{x})}{ad(a^2 - b^2)(a + b \operatorname{sech}(c + d\sqrt{x}))} + \frac{\frac{\sqrt{x}(a^2 - b^2)}{a} + \frac{2i(2a^2 - b^2) \int \frac{1}{\frac{a+b}{b} + (1 - \frac{a}{b})x} d(i \tanh(\frac{1}{2}(c+d\sqrt{x})))}{ad}}{a(a^2 - b^2)} \right) \\
& \quad \downarrow \text{221}
\end{aligned}$$

$$2 \left(\frac{\frac{\sqrt{x}(a^2-b^2)}{a} - \frac{2b(2a^2-b^2) \arctan\left(\frac{\sqrt{a-b} \tanh\left(\frac{1}{2}(c+d\sqrt{x})\right)}{\sqrt{a+b}}\right)}{ad\sqrt{a-b}\sqrt{a+b}}}{a(a^2-b^2)} + \frac{b^2 \tanh(c+d\sqrt{x})}{ad(a^2-b^2)(a+b \operatorname{sech}(c+d\sqrt{x}))} \right)$$

input `Int[1/(Sqrt[x]*(a + b*Sech[c + d*Sqrt[x]])^2),x]`

output `2*(((a^2 - b^2)*Sqrt[x])/a - (2*b*(2*a^2 - b^2)*ArcTan[(Sqrt[a - b]*Tanh[(c + d*Sqrt[x])/2])/Sqrt[a + b]])/(a*Sqrt[a - b]*Sqrt[a + b]*d))/(a*(a^2 - b^2)) + (b^2*Tanh[c + d*Sqrt[x]])/(a*(a^2 - b^2)*d*(a + b*Sech[c + d*Sqrt[x]]))`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 221 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 3138 `Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Simp[2*(e/d) Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]`

- rule 4272 $\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_)]*(b_.) + (a_))^n, x_Symbol] \rightarrow \text{Simp}[b^2*\text{Cot}[c + d*x]*((a + b*\text{Csc}[c + d*x])^{n+1}/(a*d*(n+1)*(a^2 - b^2))), x] + \text{Simp}[1/(a*(n+1)*(a^2 - b^2)) \text{Int}[(a + b*\text{Csc}[c + d*x])^{n+1}*\text{Simp}[(a^2 - b^2)*(n+1) - a*b*(n+1)*\text{Csc}[c + d*x] + b^2*(n+2)*\text{Csc}[c + d*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*n]$
- rule 4318 $\text{Int}[\text{csc}[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] \rightarrow \text{Simp}[1/b \text{Int}[1/(1 + (a/b)*\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, e, f, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$
- rule 4407 $\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] \rightarrow \text{Simp}[c*(x/a), x] - \text{Simp}[(b*c - a*d)/a \text{Int}[\text{Csc}[e + f*x]/(a + b*\text{Csc}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, x\} \&\& \text{NeQ}[b*c - a*d, 0]$
- rule 5959 $\text{Int}[(x_)^m*((a_.) + (b_.)*\text{Sech}[(c_.) + (d_.)*(x_)]^n)^p, x_Symbol] \rightarrow \text{Simp}[1/n \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n] - 1)*(a + b*\text{Sech}[c + d*x])^p}, x], x, x^n], x] /; \text{FreeQ}\{a, b, c, d, m, n, p, x\} \&\& \text{IGtQ}[\text{Simplify}[(m+1)/n], 0] \&\& \text{IntegerQ}[p]$

Maple [A] (verified)

Time = 0.20 (sec) , antiderivative size = 177, normalized size of antiderivative = 1.39

method	result
derivativedivides	$4b \left(\frac{ab \tanh\left(\frac{c}{2} + \frac{d\sqrt{x}}{2}\right)}{(a^2 - b^2) \left(\tanh\left(\frac{c}{2} + \frac{d\sqrt{x}}{2}\right)^2 a - \tanh\left(\frac{c}{2} + \frac{d\sqrt{x}}{2}\right)^2 b + a + b \right)} + \frac{(2a^2 - b^2) \arctan\left(\frac{(a-b) \tanh\left(\frac{c}{2} + \frac{d\sqrt{x}}{2}\right)}{\sqrt{(a-b)(a+b)}}\right)}{(a-b)(a+b)\sqrt{(a-b)(a+b)}} \right) + \frac{2 \ln\left(\tanh\left(\frac{c}{2} + \frac{d\sqrt{x}}{2}\right)\right)}{d}$
default	$4b \left(\frac{ab \tanh\left(\frac{c}{2} + \frac{d\sqrt{x}}{2}\right)}{(a^2 - b^2) \left(\tanh\left(\frac{c}{2} + \frac{d\sqrt{x}}{2}\right)^2 a - \tanh\left(\frac{c}{2} + \frac{d\sqrt{x}}{2}\right)^2 b + a + b \right)} + \frac{(2a^2 - b^2) \arctan\left(\frac{(a-b) \tanh\left(\frac{c}{2} + \frac{d\sqrt{x}}{2}\right)}{\sqrt{(a-b)(a+b)}}\right)}{(a-b)(a+b)\sqrt{(a-b)(a+b)}} \right) + \frac{2 \ln\left(\tanh\left(\frac{c}{2} + \frac{d\sqrt{x}}{2}\right)\right)}{d}$

input `int(1/x^(1/2)/(a+b*sech(c+d*x^(1/2)))^2,x,method=_RETURNVERBOSE)`

output `2/d*(-2*b/a^2*(-a*b/(a^2-b^2)*tanh(1/2*c+1/2*d*x^(1/2))/(tanh(1/2*c+1/2*d*x^(1/2)))^2*a-tanh(1/2*c+1/2*d*x^(1/2))^2*b+a+b)+(2*a^2-b^2)/(a-b)/(a+b)/((a-b)*(a+b))^(1/2)*arctan((a-b)*tanh(1/2*c+1/2*d*x^(1/2))/((a-b)*(a+b))^(1/2)))+1/a^2*ln(tanh(1/2*c+1/2*d*x^(1/2))+1)-1/a^2*ln(tanh(1/2*c+1/2*d*x^(1/2))-1))`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 683 vs. 2(110) = 220.

Time = 0.13 (sec) , antiderivative size = 1387, normalized size of antiderivative = 10.92

$$\int \frac{1}{\sqrt{x} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \text{Too large to display}$$

input `integrate(1/x^(1/2)/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="fricas")`

output

```

[-2*(2*a^3*b^2 - 2*a*b^4 - (a^5 - 2*a^3*b^2 + a*b^4)*d*sqrt(x)*cosh(d*sqrt
(x) + c)^2 - (a^5 - 2*a^3*b^2 + a*b^4)*d*sqrt(x)*sinh(d*sqrt(x) + c)^2 - (
a^5 - 2*a^3*b^2 + a*b^4)*d*sqrt(x) + 2*(a^2*b^3 - b^5 - (a^4*b - 2*a^2*b^3
+ b^5)*d*sqrt(x))*cosh(d*sqrt(x) + c) + ((2*a^3*b - a*b^3)*sqrt(-a^2 + b^
2))*cosh(d*sqrt(x) + c)^2 + (2*a^3*b - a*b^3)*sqrt(-a^2 + b^2)*sinh(d*sqrt(
x) + c)^2 + 2*(2*a^2*b^2 - b^4)*sqrt(-a^2 + b^2)*cosh(d*sqrt(x) + c) + 2*(
(2*a^3*b - a*b^3)*sqrt(-a^2 + b^2)*cosh(d*sqrt(x) + c) + (2*a^2*b^2 - b^4)
*sqrt(-a^2 + b^2))*sinh(d*sqrt(x) + c) + (2*a^3*b - a*b^3)*sqrt(-a^2 + b^2
))*log((a*b + (b^2 + sqrt(-a^2 + b^2))*b)*cosh(d*sqrt(x) + c) + (a^2 - b^2
- sqrt(-a^2 + b^2))*b)*sinh(d*sqrt(x) + c) + sqrt(-a^2 + b^2)*a)/(a*cosh(d*
sqrt(x) + c) + b)) + 2*(a^2*b^3 - b^5 - (a^5 - 2*a^3*b^2 + a*b^4)*d*sqrt(x)
)*cosh(d*sqrt(x) + c) - (a^4*b - 2*a^2*b^3 + b^5)*d*sqrt(x))*sinh(d*sqrt(x)
+ c))/((a^7 - 2*a^5*b^2 + a^3*b^4)*d*cosh(d*sqrt(x) + c)^2 + (a^7 - 2*a^
5*b^2 + a^3*b^4)*d*sinh(d*sqrt(x) + c)^2 + 2*(a^6*b - 2*a^4*b^3 + a^2*b^5)
*d*cosh(d*sqrt(x) + c) + (a^7 - 2*a^5*b^2 + a^3*b^4)*d + 2*((a^7 - 2*a^5*b
^2 + a^3*b^4)*d*cosh(d*sqrt(x) + c) + (a^6*b - 2*a^4*b^3 + a^2*b^5)*d)*sin
h(d*sqrt(x) + c)), -2*(2*a^3*b^2 - 2*a*b^4 - (a^5 - 2*a^3*b^2 + a*b^4)*d*s
qrt(x)*cosh(d*sqrt(x) + c)^2 - (a^5 - 2*a^3*b^2 + a*b^4)*d*sqrt(x)*sinh(d*
sqrt(x) + c)^2 - (a^5 - 2*a^3*b^2 + a*b^4)*d*sqrt(x) - 2*((2*a^3*b - a*b^3
)*sqrt(a^2 - b^2))*cosh(d*sqrt(x) + c)^2 + (2*a^3*b - a*b^3)*sqrt(a^2 - ...

```

Sympy [F]

$$\int \frac{1}{\sqrt{x} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{1}{\sqrt{x} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

input

```
integrate(1/x**(1/2)/(a+b*sech(c+d*x**(1/2)))**2,x)
```

output

```
Integral(1/(sqrt(x)*(a + b*sech(c + d*sqrt(x)))**2), x)
```

Maxima [F(-2)]

Exception generated.

$$\int \frac{1}{\sqrt{x} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \text{Exception raised: ValueError}$$

input `integrate(1/x^(1/2)/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` f or more de`

Giac [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 148, normalized size of antiderivative = 1.17

$$\int \frac{1}{\sqrt{x} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = -\frac{4(2a^2b - b^3) \arctan\left(\frac{ae^{(d\sqrt{x}+c)}+b}{\sqrt{a^2-b^2}}\right)}{(a^4d - a^2b^2d)\sqrt{a^2 - b^2}} - \frac{4(b^3e^{(d\sqrt{x}+c)} + ab^2)}{(a^4d - a^2b^2d)(ae^{(2d\sqrt{x}+2c)} + 2be^{(d\sqrt{x}+c)} + a)} + \frac{2(d\sqrt{x} + c)}{a^2d}$$

input `integrate(1/x^(1/2)/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="giac")`

output `-4*(2*a^2*b - b^3)*arctan((a*e^(d*sqrt(x) + c) + b)/sqrt(a^2 - b^2))/((a^4*d - a^2*b^2*d)*sqrt(a^2 - b^2)) - 4*(b^3*e^(d*sqrt(x) + c) + a*b^2)/((a^4*d - a^2*b^2*d)*(a*e^(2*d*sqrt(x) + 2*c) + 2*b*e^(d*sqrt(x) + c) + a)) + 2*(d*sqrt(x) + c)/(a^2*d)`

Mupad [B] (verification not implemented)

Time = 2.81 (sec) , antiderivative size = 344, normalized size of antiderivative = 2.71

$$\int \frac{1}{\sqrt{x} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

$$= \frac{2\sqrt{x}}{a^2} - \frac{\frac{4b^2\sqrt{x}}{d(a^3\sqrt{x}-ab^2\sqrt{x})} + \frac{4b^3\sqrt{x}e^{c+d\sqrt{x}}}{ad(a^3\sqrt{x}-ab^2\sqrt{x})}}{a + 2be^{c+d\sqrt{x}} + ae^{2c+2d\sqrt{x}}}$$

$$+ \frac{\ln\left(\frac{2e^{c+d\sqrt{x}}(2a^2b-b^3)}{a^3\sqrt{x}(a^2-b^2)} - \frac{(4a^2b-2b^3)(a+b e^{c+d\sqrt{x}})}{a^3\sqrt{x}(a+b)^{3/2}(b-a)^{3/2}}\right) (4a^2b-2b^3)}{a^2 d (a+b)^{3/2} (b-a)^{3/2}}$$

$$- \frac{2b \ln\left(\frac{2e^{c+d\sqrt{x}}(2a^2b-b^3)}{a^3\sqrt{x}(a^2-b^2)} + \frac{2b(a+b e^{c+d\sqrt{x}})(2a^2-b^2)}{a^3\sqrt{x}(a+b)^{3/2}(b-a)^{3/2}}\right) (2a^2-b^2)}{a^2 d (a+b)^{3/2} (b-a)^{3/2}}$$

input `int(1/(x^(1/2)*(a + b/cosh(c + d*x^(1/2)))^2), x)`output
$$\frac{(2*x^{(1/2)})/a^2 - ((4*b^2*x^{(1/2)})/(d*(a^3*x^{(1/2)} - a*b^2*x^{(1/2)})) + (4*b^3*x^{(1/2)}*exp(c + d*x^{(1/2)}))/(a*d*(a^3*x^{(1/2)} - a*b^2*x^{(1/2)})))/(a + 2*b*exp(c + d*x^{(1/2)}) + a*exp(2*c + 2*d*x^{(1/2)})) + (log((2*exp(c + d*x^{(1/2)})*(2*a^2*b - b^3))/(a^3*x^{(1/2)}*(a^2 - b^2)) - ((4*a^2*b - 2*b^3)*(a + b*exp(c + d*x^{(1/2)}))/(a^3*x^{(1/2)}*(a + b)^{(3/2)}*(b - a)^{(3/2)}))* (4*a^2*b - 2*b^3))/(a^2*d*(a + b)^{(3/2)}*(b - a)^{(3/2)}) - (2*b*log((2*exp(c + d*x^{(1/2)})*(2*a^2*b - b^3))/(a^3*x^{(1/2)}*(a^2 - b^2)) + (2*b*(a + b*exp(c + d*x^{(1/2)})*(2*a^2 - b^2))/(a^3*x^{(1/2)}*(a + b)^{(3/2)}*(b - a)^{(3/2)}))* (2*a^2 - b^2))/(a^2*d*(a + b)^{(3/2)}*(b - a)^{(3/2)})$$
Reduce [B] (verification not implemented)

Time = 0.23 (sec) , antiderivative size = 597, normalized size of antiderivative = 4.70

$$\int \frac{1}{\sqrt{x} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

$$= \frac{-8e^{2\sqrt{x}d+2c}\sqrt{a^2-b^2} \operatorname{atan}\left(\frac{e^{\sqrt{x}d+c}a+b}{\sqrt{a^2-b^2}}\right) a^3b + 4e^{2\sqrt{x}d+2c}\sqrt{a^2-b^2} \operatorname{atan}\left(\frac{e^{\sqrt{x}d+c}a+b}{\sqrt{a^2-b^2}}\right) ab^3 - 16e^{\sqrt{x}d+c}\sqrt{a^2-b^2}}{a^2 d (a+b)^{3/2} (b-a)^{3/2}}$$

input `int(1/x^(1/2)/(a+b*sech(c+d*x^(1/2)))^2,x)`

output

$$\frac{(2*(-4e^{2\sqrt{x}d+2c}\sqrt{a^2-b^2})\operatorname{atan}\left(\frac{e^{(\sqrt{x}d+c)a+b}}{\sqrt{a^2-b^2}}\right)a^3b+2e^{2\sqrt{x}d+2c}\sqrt{a^2-b^2})\operatorname{atan}\left(\frac{e^{(\sqrt{x}d+c)a+b}}{\sqrt{a^2-b^2}}\right)a^2b^3-8e^{(\sqrt{x}d+c)\sqrt{a^2-b^2}}\operatorname{atan}\left(\frac{e^{(\sqrt{x}d+c)a+b}}{\sqrt{a^2-b^2}}\right)a^2b^2+4e^{(\sqrt{x}d+c)\sqrt{a^2-b^2}}\operatorname{atan}\left(\frac{e^{(\sqrt{x}d+c)a+b}}{\sqrt{a^2-b^2}}\right)b^4-4\sqrt{a^2-b^2}\operatorname{atan}\left(\frac{e^{(\sqrt{x}d+c)a+b}}{\sqrt{a^2-b^2}}\right)a^3b+2\sqrt{a^2-b^2}\operatorname{atan}\left(\frac{e^{(\sqrt{x}d+c)a+b}}{\sqrt{a^2-b^2}}\right)a^2b^3+\sqrt{x}e^{2\sqrt{x}d+2c}a^5d-2\sqrt{x}e^{2\sqrt{x}d+2c}a^3b^2d+\sqrt{x}e^{2\sqrt{x}d+2c}a^2b^4d+e^{2\sqrt{x}d+2c}a^3b^2d-e^{2\sqrt{x}d+2c}a^2b^4+2\sqrt{x}e^{(\sqrt{x}d+c)a^4b^2d-4\sqrt{x}e^{(\sqrt{x}d+c)a^2b^3d+2\sqrt{x}e^{(\sqrt{x}d+c)b^5d+\sqrt{x}a^5d-2\sqrt{x}a^3b^2d+\sqrt{x}a^2b^4d-a^3b^2+a^2b^4})/(a^2d(e^{2\sqrt{x}d+2c}a^5-2e^{2\sqrt{x}d+2c}a^3b^2+e^{2\sqrt{x}d+2c}a^2b^4+2e^{(\sqrt{x}d+c)a^4b-4e^{(\sqrt{x}d+c)a^2b^3+2e^{(\sqrt{x}d+c)b^5+a^5-2a^3b^2+a^2b^4})})$$

$$3.77 \quad \int \frac{1}{x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

Optimal result	516
Mathematica [N/A]	516
Rubi [N/A]	517
Maple [N/A]	517
Fricas [N/A]	518
Sympy [N/A]	518
Maxima [N/A]	518
Giac [N/A]	519
Mupad [N/A]	519
Reduce [N/A]	520

Optimal result

Integrand size = 22, antiderivative size = 22

$$\int \frac{1}{x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \operatorname{Int} \left(\frac{1}{x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2}, x \right)$$

output `Defer(Int)(1/x^(3/2)/(a+b*sech(c+d*x^(1/2)))^2,x)`

Mathematica [N/A]

Not integrable

Time = 51.94 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.09

$$\int \frac{1}{x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{1}{x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

input `Integrate[1/(x^(3/2)*(a + b*Sech[c + d*Sqrt[x]])^2),x]`

output `Integrate[1/(x^(3/2)*(a + b*Sech[c + d*Sqrt[x]])^2), x]`

Rubi [N/A]

Not integrable

Time = 0.32 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

↓ 5961

$$\int \frac{1}{x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

input `Int[1/(x^(3/2)*(a + b*Sech[c + d*Sqrt[x]])^2),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.16 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.82

$$\int \frac{1}{x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

input `int(1/x^(3/2)/(a+b*sech(c+d*x^(1/2)))^2,x)`

output `int(1/x^(3/2)/(a+b*sech(c+d*x^(1/2)))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.11 (sec) , antiderivative size = 48, normalized size of antiderivative = 2.18

$$\int \frac{1}{x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{1}{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2 x^{3/2}} dx$$

input `integrate(1/x^(3/2)/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="fricas")`

output `integral(sqrt(x)/(b^2*x^2*sech(d*sqrt(x) + c)^2 + 2*a*b*x^2*sech(d*sqrt(x) + c) + a^2*x^2), x)`

Sympy [N/A]

Not integrable

Time = 5.20 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{1}{x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

input `integrate(1/x**(3/2)/(a+b*sech(c+d*x**(1/2)))**2,x)`

output `Integral(1/(x**(3/2)*(a + b*sech(c + d*sqrt(x)))**2), x)`

Maxima [N/A]

Not integrable

Time = 0.99 (sec) , antiderivative size = 317, normalized size of antiderivative = 14.41

$$\int \frac{1}{x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{1}{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2 x^{3/2}} dx$$

input `integrate(1/x^(3/2)/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="maxima")`

output `-2*(2*a*b^2 + (a^3*d*e^(2*c) - a*b^2*d*e^(2*c))*sqrt(x)*e^(2*d*sqrt(x)) + 2*(b^3*e^c + (a^2*b*d*e^c - b^3*d*e^c)*sqrt(x))*e^(d*sqrt(x)) + (a^3*d - a*b^2*d)*sqrt(x))/((a^5*d*e^(2*c) - a^3*b^2*d*e^(2*c))*x*e^(2*d*sqrt(x)) + 2*(a^4*b*d*e^c - a^2*b^3*d*e^c)*x*e^(d*sqrt(x)) + (a^5*d - a^3*b^2*d)*x) - integrate(2*(2*a*b^2*sqrt(x) + (2*b^3*sqrt(x))*e^c + (2*a^2*b*d*e^c - b^3*d*e^c)*x)*e^(d*sqrt(x))/((a^5*d*e^(2*c) - a^3*b^2*d*e^(2*c))*x^(5/2)*e^(2*d*sqrt(x)) + 2*(a^4*b*d*e^c - a^2*b^3*d*e^c)*x^(5/2)*e^(d*sqrt(x)) + (a^5*d - a^3*b^2*d)*x^(5/2)), x)`

Giac [N/A]

Not integrable

Time = 1.14 (sec) , antiderivative size = 20, normalized size of antiderivative = 0.91

$$\int \frac{1}{x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{1}{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2 x^{3/2}} dx$$

input `integrate(1/x^(3/2)/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="giac")`

output `integrate(1/((b*sech(d*sqrt(x) + c) + a)^2*x^(3/2)), x)`

Mupad [N/A]

Not integrable

Time = 2.85 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{1}{x^{3/2} \left(a + \frac{b}{\cosh(c + d\sqrt{x})}\right)^2} dx$$

input `int(1/(x^(3/2)*(a + b/cosh(c + d*x^(1/2))))^2,x)`

output `int(1/(x^(3/2)*(a + b/cosh(c + d*x^(1/2)))^2), x)`

Reduce [N/A]

Not integrable

Time = 0.33 (sec) , antiderivative size = 1870, normalized size of antiderivative = 85.00

$$\int \frac{1}{x^{3/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \text{Too large to display}$$

input `int(1/x^(3/2)/(a+b*sech(c+d*x^(1/2)))^2,x)`

output

```
(2*(3*sqrt(x)*e**(2*sqrt(x)*d + 5*c)*int(e**(3*sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**2*x + 4*e**(3*sqrt(x)*d + 3*c)*a*b*x + 2*e**(2*sqrt(x)*d + 2*c)*a**2*x),x)*a**2*b*d + sqrt(x)*e**(2*sqrt(x)*d + 5*c)*int(e**(3*sqrt(x)*d)/(sqrt(x)*e**(4*sqrt(x)*d + 4*c)*a**2*x + 4*sqrt(x)*e**(3*sqrt(x)*d + 3*c)*a*b*x + 2*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*a**2*x + 4*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*b**2*x + 4*sqrt(x)*e**(sqrt(x)*d + c)*a*b*x + sqrt(x)*a**2*x),x)*a**2*b + 4*sqrt(x)*e**(2*sqrt(x)*d + 4*c)*int(e**(2*sqrt(x)*d)/(sqrt(x)*e**(4*sqrt(x)*d + 4*c)*a**2*x + 4*sqrt(x)*e**(3*sqrt(x)*d + 3*c)*a*b*x + 2*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*a**2*x + 4*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*b**2*x + 4*sqrt(x)*e**(sqrt(x)*d + c)*a*b*x + sqrt(x)*a**2*x),x)*a*b**2 - 3*sqrt(x)*e**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**2*x + 4*e**(3*sqrt(x)*d + 3*c)*a*b*x + 2*e**(2*sqrt(x)*d + 2*c)*a**2*x + 4*e**(2*sqrt(x)*d + 2*c)*b**2*x + 4*e**(sqrt(x)*d + c)*a*b*x + a**2*x),x)*a**2*b*d + sqrt(x)*e**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d)/(sqrt(x)*e**(4*sqrt(x)*d + 4*c)*a**2*x + 4*sqrt(x)*e**(3*sqrt(x)*d + 3*c)*a*b*x + 2*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*a**2*x + 4*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*b**2*x + 4*sqrt(x)*e**(sqrt(x)*d + c)*a*b*x + sqrt(x)*a**2*x),x)*a**2*b - e**(2*sqrt(x)*d + 2*c)*a + 6*sqrt(x)*e**(sqrt(x)*d + 4*c)*int(e**(3*sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**2*x + 4*e**(3*sqrt(x)*d + 3*c)*a*b*x + 2*e...
```

$$3.78 \quad \int \frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

Optimal result	521
Mathematica [N/A]	521
Rubi [N/A]	522
Maple [N/A]	522
Fricas [N/A]	523
Sympy [N/A]	523
Maxima [N/A]	523
Giac [N/A]	524
Mupad [N/A]	524
Reduce [N/A]	525

Optimal result

Integrand size = 22, antiderivative size = 22

$$\int \frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \operatorname{Int}\left(\frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2}, x\right)$$

output `Defer(Int)(1/x^(5/2)/(a+b*sech(c+d*x^(1/2)))^2,x)`

Mathematica [N/A]

Not integrable

Time = 51.44 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.09

$$\int \frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

input `Integrate[1/(x^(5/2)*(a + b*Sech[c + d*Sqrt[x]])^2),x]`

output `Integrate[1/(x^(5/2)*(a + b*Sech[c + d*Sqrt[x]])^2), x]`

Rubi [N/A]

Not integrable

Time = 0.33 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

↓ 5961

$$\int \frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

input `Int[1/(x^(5/2)*(a + b*Sech[c + d*Sqrt[x]])^2),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.16 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.82

$$\int \frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

input `int(1/x^(5/2)/(a+b*sech(c+d*x^(1/2)))^2,x)`

output `int(1/x^(5/2)/(a+b*sech(c+d*x^(1/2)))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.11 (sec) , antiderivative size = 48, normalized size of antiderivative = 2.18

$$\int \frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{1}{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2 x^{5/2}} dx$$

input `integrate(1/x^(5/2)/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="fricas")`

output `integral(sqrt(x)/(b^2*x^3*sech(d*sqrt(x) + c)^2 + 2*a*b*x^3*sech(d*sqrt(x) + c) + a^2*x^3), x)`

Sympy [N/A]

Not integrable

Time = 25.13 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx$$

input `integrate(1/x**(5/2)/(a+b*sech(c+d*x**(1/2)))**2,x)`

output `Integral(1/(x**(5/2)*(a + b*sech(c + d*sqrt(x)))**2), x)`

Maxima [N/A]

Not integrable

Time = 1.54 (sec) , antiderivative size = 324, normalized size of antiderivative = 14.73

$$\int \frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{1}{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2 x^{5/2}} dx$$

input `integrate(1/x^(5/2)/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="maxima")`

output `-2/3*(6*a*b^2 + (a^3*d*e^(2*c) - a*b^2*d*e^(2*c))*sqrt(x)*e^(2*d*sqrt(x)) + 2*(3*b^3*e^c + (a^2*b*d*e^c - b^3*d*e^c)*sqrt(x))*e^(d*sqrt(x)) + (a^3*d - a*b^2*d)*sqrt(x))/((a^5*d*e^(2*c) - a^3*b^2*d*e^(2*c))*x^2*e^(2*d*sqrt(x)) + 2*(a^4*b*d*e^c - a^2*b^3*d*e^c)*x^2*e^(d*sqrt(x)) + (a^5*d - a^3*b^2*d)*x^2) - integrate(2*(4*a*b^2*sqrt(x) + (4*b^3*sqrt(x)*e^c + (2*a^2*b*d*e^c - b^3*d*e^c)*x)*e^(d*sqrt(x)))/((a^5*d*e^(2*c) - a^3*b^2*d*e^(2*c))*x^(7/2)*e^(2*d*sqrt(x)) + 2*(a^4*b*d*e^c - a^2*b^3*d*e^c)*x^(7/2)*e^(d*sqrt(x)) + (a^5*d - a^3*b^2*d)*x^(7/2)), x)`

Giac [N/A]

Not integrable

Time = 1.38 (sec) , antiderivative size = 3, normalized size of antiderivative = 0.14

$$\int \frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{1}{(b \operatorname{sech}(d\sqrt{x} + c) + a)^2 x^{5/2}} dx$$

input `integrate(1/x^(5/2)/(a+b*sech(c+d*x^(1/2)))^2,x, algorithm="giac")`

output `sage0*x`

Mupad [N/A]

Not integrable

Time = 2.75 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \int \frac{1}{x^{5/2} \left(a + \frac{b}{\cosh(c + d\sqrt{x})}\right)^2} dx$$

input `int(1/(x^(5/2)*(a + b/cosh(c + d*x^(1/2))))^2,x)`

output `int(1/(x^(5/2)*(a + b/cosh(c + d*x^(1/2)))^2), x)`

Reduce [N/A]

Not integrable

Time = 0.59 (sec) , antiderivative size = 9455, normalized size of antiderivative = 429.77

$$\int \frac{1}{x^{5/2} (a + b \operatorname{sech}(c + d\sqrt{x}))^2} dx = \text{Too large to display}$$

input `int(1/x^(5/2)/(a+b*sech(c+d*x^(1/2)))^2,x)`

output

```
(3*sqrt(x)*e**(2*sqrt(x)*d + 5*c)*int(e**(3*sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**2*x**2 + 4*e**(3*sqrt(x)*d + 3*c)*a*b*x**2 + 2*e**(2*sqrt(x)*d + 2*c)*a**2*x**2 + 4*e**(2*sqrt(x)*d + 2*c)*b**2*x**2 + 4*e**(sqrt(x)*d + c)*a*b*x**2 + a**2*x**2),x)*a**4*b*d*x - 16*sqrt(x)*e**(2*sqrt(x)*d + 5*c)*int(e**(3*sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**2*x**2 + 4*e**(3*sqrt(x)*d + 3*c)*a*b*x**2 + 2*e**(2*sqrt(x)*d + 2*c)*a**2*x**2 + 4*e**(2*sqrt(x)*d + 2*c)*b**2*x**2 + 4*e**(sqrt(x)*d + c)*a*b*x**2 + a**2*x**2),x)*a**2*b**3*d*x - 2*sqrt(x)*e**(2*sqrt(x)*d + 5*c)*int(e**(3*sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**2*x + 4*e**(3*sqrt(x)*d + 3*c)*a*b*x + 2*e**(2*sqrt(x)*d + 2*c)*a**2*x + 4*e**(2*sqrt(x)*d + 2*c)*b**2*x + 4*e**(sqrt(x)*d + c)*a*b*x + a**2*x),x)*a**4*b*d**3*x + 4*sqrt(x)*e**(2*sqrt(x)*d + 5*c)*int(e**(3*sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**2*x + 4*e**(3*sqrt(x)*d + 3*c)*a*b*x + 2*e**(2*sqrt(x)*d + 2*c)*a**2*x + 4*e**(2*sqrt(x)*d + 2*c)*b**2*x + 4*e**(sqrt(x)*d + c)*a*b*x + a**2*x),x)*a**2*b**3*d**3*x - 15*sqrt(x)*e**(2*sqrt(x)*d + 5*c)*int(e**(3*sqrt(x)*d)/(sqrt(x)*e**(4*sqrt(x)*d + 4*c)*a**2*x**2 + 4*sqrt(x)*e**(3*sqrt(x)*d + 3*c)*a*b*x**2 + 2*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*a**2*x**2 + 4*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*b**2*x**2 + 4*sqrt(x)*e**(sqrt(x)*d + c)*a*b*x**2 + sqrt(x)*a**2*x**2),x)*a**4*b*x - 36*sqrt(x)*e**(2*sqrt(x)*d + 5*c)*int(e**(3*sqrt(x)*d)/(sqrt(x)*e**(4*sqrt(x)*d + 4*c)*a**2*x**2 + 4*sqrt(x)*e**(3*sqrt(x)*d + 3*c)*a*b*x**2 + 2*sqrt(x)*e**(...
```

3.79 $\int (ex)^m (a + b\operatorname{sech}(c + dx^n))^p dx$

Optimal result	526
Mathematica [N/A]	526
Rubi [N/A]	527
Maple [N/A]	527
Fricas [N/A]	528
Sympy [N/A]	528
Maxima [N/A]	528
Giac [N/A]	529
Mupad [N/A]	529
Reduce [N/A]	530

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int (ex)^m (a + b\operatorname{sech}(c + dx^n))^p dx = x^{-m}(ex)^m \operatorname{Int}(x^m(a + b\operatorname{sech}(c + dx^n))^p, x)$$

output $(e*x)^m \operatorname{Defer}(\operatorname{Int}(x^m*(a+b*\operatorname{sech}(c+d*x^n))^p, x))/(x^m)$

Mathematica [N/A]

Not integrable

Time = 14.24 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (ex)^m (a + b\operatorname{sech}(c + dx^n))^p dx = \int (ex)^m (a + b\operatorname{sech}(c + dx^n))^p dx$$

input $\operatorname{Integrate}[(e*x)^m*(a + b*\operatorname{Sech}[c + d*x^n])^p, x]$

output $\operatorname{Integrate}[(e*x)^m*(a + b*\operatorname{Sech}[c + d*x^n])^p, x]$

Rubi [N/A]

Not integrable

Time = 0.46 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ex)^m (a + b \operatorname{sech}(c + dx^n))^p dx$$

$$\downarrow 5963$$

$$x^{-m} (ex)^m \int x^m (a + b \operatorname{sech}(dx^n + c))^p dx$$

$$\downarrow 5961$$

$$x^{-m} (ex)^m \int x^m (a + b \operatorname{sech}(dx^n + c))^p dx$$

input `Int[(e*x)^m*(a + b*Sech[c + d*x^n])^p,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int (ex)^m (a + b \operatorname{sech}(c + dx^n))^p dx$$

input `int((e*x)^m*(a+b*sech(c+d*x^n))^p,x)`

output `int((e*x)^m*(a+b*sech(c+d*x^n))^p,x)`

Fricas [N/A]

Not integrable

Time = 0.10 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (ex)^m (a + b \operatorname{sech}(c + dx^n))^p dx = \int (ex)^m (b \operatorname{sech}(dx^n + c) + a)^p dx$$

input `integrate((e*x)^m*(a+b*sech(c+d*x^n))^p,x, algorithm="fricas")`

output `integral((e*x)^m*(b*sech(d*x^n + c) + a)^p, x)`

Sympy [N/A]

Not integrable

Time = 48.06 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.95

$$\int (ex)^m (a + b \operatorname{sech}(c + dx^n))^p dx = \int (ex)^m (a + b \operatorname{sech}(c + dx^n))^p dx$$

input `integrate((e*x)**m*(a+b*sech(c+d*x**n))**p,x)`

output `Integral((e*x)**m*(a + b*sech(c + d*x**n))**p, x)`

Maxima [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (ex)^m (a + b \operatorname{sech}(c + dx^n))^p dx = \int (ex)^m (b \operatorname{sech}(dx^n + c) + a)^p dx$$

input `integrate((e*x)^m*(a+b*sech(c+d*x^n))^p,x, algorithm="maxima")`

output `integrate((e*x)^m*(b*sech(d*x^n + c) + a)^p, x)`

Giac [N/A]

Not integrable

Time = 0.54 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (ex)^m (a + b\operatorname{sech}(c + dx^n))^p dx = \int (ex)^m (b\operatorname{sech}(dx^n + c) + a)^p dx$$

input `integrate((e*x)^m*(a+b*sech(c+d*x^n))^p,x, algorithm="giac")`

output `integrate((e*x)^m*(b*sech(d*x^n + c) + a)^p, x)`

Mupad [N/A]

Not integrable

Time = 2.37 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int (ex)^m (a + b\operatorname{sech}(c + dx^n))^p dx = \int \left(a + \frac{b}{\cosh(c + dx^n)} \right)^p (ex)^m dx$$

input `int((a + b/cosh(c + d*x^n))^p*(e*x)^m,x)`

output `int((a + b/cosh(c + d*x^n))^p*(e*x)^m, x)`

Reduce [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int (ex)^m (a + b\operatorname{sech}(c + dx^n))^p dx = e^m \left(\int x^m (\operatorname{sech}(x^n d + c) b + a)^p dx \right)$$

input `int((e*x)^m*(a+b*sech(c+d*x^n))^p,x)`output `e**m*int(x**m*(sech(x**n*d + c)*b + a)**p,x)`

3.80 $\int (ex)^{-1+n} (a + b\operatorname{sech}(c + dx^n)) dx$

Optimal result	531
Mathematica [A] (verified)	531
Rubi [A] (verified)	532
Maple [C] (warning: unable to verify)	533
Fricas [B] (verification not implemented)	533
Sympy [F]	534
Maxima [F]	534
Giac [F]	534
Mupad [B] (verification not implemented)	535
Reduce [B] (verification not implemented)	535

Optimal result

Integrand size = 20, antiderivative size = 44

$$\int (ex)^{-1+n} (a + b\operatorname{sech}(c + dx^n)) dx = \frac{a(ex)^n}{en} + \frac{bx^{-n}(ex)^n \arctan(\sinh(c + dx^n))}{den}$$

output `a*(e*x)^n/e/n+b*(e*x)^n*arctan(sinh(c+d*x^n))/d/e/n/(x^n)`

Mathematica [A] (verified)

Time = 0.22 (sec) , antiderivative size = 42, normalized size of antiderivative = 0.95

$$\int (ex)^{-1+n} (a + b\operatorname{sech}(c + dx^n)) dx = \frac{x^{-n}(ex)^n (a(c + dx^n) - b \cot^{-1}(\sinh(c + dx^n)))}{den}$$

input `Integrate[(e*x)^(-1 + n)*(a + b*Sech[c + d*x^n]),x]`

output `((e*x)^n*(a*(c + d*x^n) - b*ArcCot[Sinh[c + d*x^n]]))/(d*e*n*x^n)`

Rubi [A] (verified)

Time = 0.39 (sec) , antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ex)^{n-1} (a + b\text{sech}(c + dx^n)) dx$$

$$\downarrow \text{2010}$$

$$\int (a(ex)^{n-1} + b(ex)^{n-1}\text{sech}(c + dx^n)) dx$$

$$\downarrow \text{2009}$$

$$\frac{a(ex)^n}{en} + \frac{bx^{-n}(ex)^n \arctan(\sinh(c + dx^n))}{den}$$

input `Int[(e*x)^(-1 + n)*(a + b*Sech[c + d*x^n]),x]`

output `(a*(e*x)^n)/(e*n) + (b*(e*x)^n*ArcTan[Sinh[c + d*x^n]])/(d*e*n*x^n)`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2010 `Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]`

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 3.

Time = 1.56 (sec) , antiderivative size = 155, normalized size of antiderivative = 3.52

method	result
risch	$\frac{(-1+n)(-i\pi \operatorname{csgn}(ie) \operatorname{csgn}(ix) \operatorname{csgn}(ie) + i\pi \operatorname{csgn}(ie) \operatorname{csgn}(ie)^2 + i\pi \operatorname{csgn}(ix) \operatorname{csgn}(ie)^2 - i\pi \operatorname{csgn}(ie)^3 + 2 \ln(x) + 2 \ln(e))}{ax e} + \frac{2 \arctan(e^c)}{n}$

input `int((e*x)^(-1+n)*(a+b*sech(c+d*x^n)),x,method=_RETURNVERBOSE)`

output `a/n*x*exp(1/2*(-1+n)*(-I*Pi*csgn(I*e)*csgn(I*x)*csgn(I*e*x)+I*Pi*csgn(I*e)*csgn(I*e*x)^2+I*Pi*csgn(I*x)*csgn(I*e*x)^2-I*Pi*csgn(I*e*x)^3+2*ln(x)+2*ln(e))+2*arctan(exp(c+d*x^n))/d/e*e^n/n*b*exp(1/2*I*Pi*csgn(I*e*x)*(-1+n)*(csgn(I*e*x)-csgn(I*x))*(-csgn(I*e*x)+csgn(I*e)))`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 122 vs. 2(44) = 88.

Time = 0.11 (sec) , antiderivative size = 122, normalized size of antiderivative = 2.77

$$\int (ex)^{-1+n} (a + b \operatorname{sech}(c + dx^n)) dx$$

$$= \frac{ad \cosh((n-1) \log(e)) \cosh(n \log(x)) + ad \cosh(n \log(x)) \sinh((n-1) \log(e)) + 2(b \cosh((n-1) \log(e)) \sinh(n \log(x)) + b \sinh((n-1) \log(e)) \cosh(n \log(x)))}{d^n}$$

input `integrate((e*x)^(-1+n)*(a+b*sech(c+d*x^n)),x, algorithm="fricas")`

output `(a*d*cosh((n-1)*log(e))*cosh(n*log(x)) + a*d*cosh(n*log(x))*sinh((n-1)*log(e)) + 2*(b*cosh((n-1)*log(e)) + b*sinh((n-1)*log(e)))*arctan(cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c)) + (a*d*cosh((n-1)*log(e)) + a*d*sinh((n-1)*log(e)))*sinh(n*log(x)))/(d*n)`

Sympy [F]

$$\int (ex)^{-1+n} (a + b \operatorname{sech}(c + dx^n)) dx = \int (ex)^{n-1} (a + b \operatorname{sech}(c + dx^n)) dx$$

input `integrate((e*x)**(-1+n)*(a+b*sech(c+d*x**n)),x)`

output `Integral((e*x)**(n - 1)*(a + b*sech(c + d*x**n)), x)`

Maxima [F]

$$\int (ex)^{-1+n} (a + b \operatorname{sech}(c + dx^n)) dx = \int (b \operatorname{sech}(dx^n + c) + a)(ex)^{n-1} dx$$

input `integrate((e*x)^(-1+n)*(a+b*sech(c+d*x^n)),x, algorithm="maxima")`

output `2*b*integrate((e*x)^(n - 1)/(e^(d*x^n + c) + e^(-d*x^n - c)), x) + (e*x)^n *a/(e*n)`

Giac [F]

$$\int (ex)^{-1+n} (a + b \operatorname{sech}(c + dx^n)) dx = \int (b \operatorname{sech}(dx^n + c) + a)(ex)^{n-1} dx$$

input `integrate((e*x)^(-1+n)*(a+b*sech(c+d*x^n)),x, algorithm="giac")`

output `integrate((b*sech(d*x^n + c) + a)*(e*x)^(n - 1), x)`

Mupad [B] (verification not implemented)

Time = 2.25 (sec) , antiderivative size = 110, normalized size of antiderivative = 2.50

$$\int (ex)^{-1+n} (a + b \operatorname{sech}(c + dx^n)) dx = \frac{2 \operatorname{atan}\left(\frac{bx e^{dx^n} e^c (ex)^{n-1} \sqrt{d^2 n^2 x^{2n}}}{dn x^n \sqrt{b^2 x^2 (ex)^{2n-2}}}\right) \sqrt{b^2 x^2 (ex)^{2n-2}}}{\sqrt{d^2 n^2 x^{2n}}} + \frac{ax (ex)^{n-1}}{n}$$

input `int((a + b/cosh(c + d*x^n))*(e*x)^(n - 1), x)`output `(2*atan((b*x*exp(d*x^n)*exp(c)*(e*x)^(n - 1)*(d^2*n^2*x^(2*n))^(1/2))/(d*n*x^n*(b^2*x^2*(e*x)^(2*n - 2))^(1/2)))*(b^2*x^2*(e*x)^(2*n - 2))^(1/2))/(d^2*n^2*x^(2*n))^(1/2) + (a*x*(e*x)^(n - 1))/n`**Reduce [B] (verification not implemented)**

Time = 0.19 (sec) , antiderivative size = 33, normalized size of antiderivative = 0.75

$$\int (ex)^{-1+n} (a + b \operatorname{sech}(c + dx^n)) dx = \frac{e^n (2 \operatorname{atan}(e^{x^n d + c}) b + x^n a d)}{den}$$

input `int((e*x)^(-1+n)*(a+b*sech(c+d*x^n)), x)`output `(e**n*(2*atan(e**(x**n*d + c))*b + x**n*a*d))/(d*e*n)`

3.81 $\int (ex)^{-1+2n} (a + b\operatorname{sech}(c + dx^n)) dx$

Optimal result	536
Mathematica [A] (verified)	536
Rubi [A] (verified)	537
Maple [C] (warning: unable to verify)	538
Fricas [B] (verification not implemented)	539
Sympy [F]	540
Maxima [F]	540
Giac [F]	540
Mupad [F(-1)]	541
Reduce [F]	541

Optimal result

Integrand size = 22, antiderivative size = 135

$$\int (ex)^{-1+2n} (a + b\operatorname{sech}(c + dx^n)) dx = \frac{a(ex)^{2n}}{2en} + \frac{2bx^{-n}(ex)^{2n} \arctan(e^{c+dx^n})}{den} - \frac{ibx^{-2n}(ex)^{2n} \operatorname{PolyLog}(2, -ie^{c+dx^n})}{d^2en} + \frac{ibx^{-2n}(ex)^{2n} \operatorname{PolyLog}(2, ie^{c+dx^n})}{d^2en}$$

output

```
1/2*a*(e*x)^(2*n)/e/n+2*b*(e*x)^(2*n)*arctan(exp(c+d*x^n))/d/e/n/(x^n)-I*b*(e*x)^(2*n)*polylog(2,-I*exp(c+d*x^n))/d^2/e/n/(x^(2*n))+I*b*(e*x)^(2*n)*polylog(2,I*exp(c+d*x^n))/d^2/e/n/(x^(2*n))
```

Mathematica [A] (verified)

Time = 0.40 (sec) , antiderivative size = 260, normalized size of antiderivative = 1.93

$$\int (ex)^{-1+2n} (a + b\operatorname{sech}(c + dx^n)) dx = \frac{x^{-2n}(ex)^{2n} (ad^2x^{2n} + 2ibc \log(1 - ie^{c+dx^n}) - b\pi \log(1 - ie^{c+dx^n}) + 2ibdx^n \log(1 - ie^{c+dx^n}) - 2ibc \log(1 + ie^{c+dx^n}) + b\pi \log(1 + ie^{c+dx^n}) + 2ibdx^n \log(1 + ie^{c+dx^n}) - 2ibc \log(1 - ie^{c+dx^n}) + b\pi \log(1 - ie^{c+dx^n}) - 2ibdx^n \log(1 - ie^{c+dx^n}) - 2ibc \log(1 + ie^{c+dx^n}) + b\pi \log(1 + ie^{c+dx^n}) - 2ibdx^n \log(1 + ie^{c+dx^n})}{d^2en}$$

input `Integrate[(e*x)^(-1 + 2*n)*(a + b*Sech[c + d*x^n]),x]`

output
$$\begin{aligned} & ((e*x)^{(2*n)}*(a*d^{2*n}*x^{(2*n)} + (2*I)*b*c*\text{Log}[1 - I*E^{(c + d*x^n)}] - b*\text{Pi}*\text{Log}[1 - I*E^{(c + d*x^n)}] + (2*I)*b*d*x^n*\text{Log}[1 - I*E^{(c + d*x^n)}] - (2*I)*b*c*\text{Log}[1 + I*E^{(c + d*x^n)}] + b*\text{Pi}*\text{Log}[1 + I*E^{(c + d*x^n)}] - (2*I)*b*d*x^n*\text{Log}[1 + I*E^{(c + d*x^n)}] - (2*I)*b*c*\text{Log}[\text{Cot}[\frac{(2*I)*c + \text{Pi} + (2*I)*d*x^n}{4}]] + b*\text{Pi}*\text{Log}[\text{Cot}[\frac{(2*I)*c + \text{Pi} + (2*I)*d*x^n}{4}]] - (2*I)*b*\text{PolyLog}[2, (-I)*E^{(c + d*x^n)}] + (2*I)*b*\text{PolyLog}[2, I*E^{(c + d*x^n)}]))/(2*d^{2*n}*e^n*x^{(2*n)}) \end{aligned}$$

Rubi [A] (verified)

Time = 0.45 (sec) , antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int (ex)^{2n-1} (a + b\text{sech}(c + dx^n)) dx \\ & \quad \downarrow \text{2010} \\ & \int (a(ex)^{2n-1} + b(ex)^{2n-1}\text{sech}(c + dx^n)) dx \\ & \quad \downarrow \text{2009} \\ & \frac{a(ex)^{2n}}{2en} + \frac{2bx^{-n}(ex)^{2n} \arctan(e^{c+dx^n})}{\frac{den}{ibx^{-2n}(ex)^{2n} \text{PolyLog}(2, ie^{dx^n+c})}} - \frac{ibx^{-2n}(ex)^{2n} \text{PolyLog}(2, -ie^{dx^n+c})}{d^2en} + \end{aligned}$$

input `Int[(e*x)^(-1 + 2*n)*(a + b*Sech[c + d*x^n]),x]`

output
$$\begin{aligned} & (a*(e*x)^{(2*n)})/(2*e^n) + (2*b*(e*x)^{(2*n)}*\text{ArcTan}[E^{(c + d*x^n)}])/(d*e^n*x^n) - (I*b*(e*x)^{(2*n)}*\text{PolyLog}[2, (-I)*E^{(c + d*x^n)}])/(d^{2*n}*e^n*x^{(2*n)}) + (I*b*(e*x)^{(2*n)}*\text{PolyLog}[2, I*E^{(c + d*x^n)}])/(d^{2*n}*e^n*x^{(2*n)}) \end{aligned}$$

Defintions of rubi rules used

```
rule 2009 Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

```
rule 2010 Int[(u_)*((c_)*(x_)^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 1.51 (sec) , antiderivative size = 368, normalized size of antiderivative = 2.73

method	result
risch	$\frac{ax e^{\frac{(-1+2n)(-i\pi \operatorname{csgn}(ie) \operatorname{csgn}(ix) \operatorname{csgn}(ie x) + i\pi \operatorname{csgn}(ie) \operatorname{csgn}(ie x)^2 + i\pi \operatorname{csgn}(ix) \operatorname{csgn}(ie x)^2 - i\pi \operatorname{csgn}(ie x)^3 + 2 \ln(x) + 2 \ln(e))}{2n}}}{2n} + \frac{2b e^{-i\pi n \operatorname{csgn}(ie) \operatorname{csgn}(ix) \operatorname{csgn}(ie x)}}{2n}$

```
input int((e*x)^(-1+2*n)*(a+b*sech(c+d*x^n)),x,method=_RETURNVERBOSE)
```

```
output 1/2*a/n*x*exp(1/2*(-1+2*n)*(-I*Pi*csgn(I*e)*csgn(I*x)*csgn(I*e*x)+I*Pi*csgn(I*e)*csgn(I*e*x)^2+I*Pi*csgn(I*x)*csgn(I*e*x)^2-I*Pi*csgn(I*e*x)^3+2*ln(x)+2*ln(e))+2*b*exp(-I*Pi*n*csgn(I*e)*csgn(I*x)*csgn(I*e*x))*exp(I*Pi*n*csgn(I*e)*csgn(I*e*x)^2)*exp(I*Pi*n*csgn(I*x)*csgn(I*e*x)^2)*exp(-I*Pi*n*csgn(I*e*x)^3)*exp(1/2*I*Pi*csgn(I*e)*csgn(I*x)*csgn(I*e*x))*exp(-1/2*I*Pi*csgn(I*e)*csgn(I*e*x)^2)*exp(-1/2*I*Pi*csgn(I*x)*csgn(I*e*x)^2)*exp(1/2*I*Pi*csgn(I*e*x)^3)*(e^n)^2/e*exp(c)/n/d^2*(-1/2*(-exp(2*c))^(1/2)*x^n*d*(ln(1+exp(d*x^n)*(-exp(2*c))^(1/2))-ln(1-exp(d*x^n)*(-exp(2*c))^(1/2)))*exp(-2*c)-1/2*(-exp(2*c))^(1/2)*(dilog(1+exp(d*x^n)*(-exp(2*c))^(1/2))-dilog(1-exp(d*x^n)*(-exp(2*c))^(1/2)))*exp(-2*c))
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 664 vs. $2(124) = 248$.

Time = 0.13 (sec) , antiderivative size = 664, normalized size of antiderivative = 4.92

$$\int (ex)^{-1+2n} (a + b\operatorname{sech}(c + dx^n)) dx = \text{Too large to display}$$

input `integrate((e*x)^(-1+2*n)*(a+b*sech(c+d*x^n)),x, algorithm="fricas")`

output

```
1/2*(a*d^2*cosh((2*n - 1)*log(e))*cosh(n*log(x))^2 + a*d^2*cosh(n*log(x))^2*
sinh((2*n - 1)*log(e)) + (a*d^2*cosh((2*n - 1)*log(e)) + a*d^2*sinh((2*n -
1)*log(e)))*sinh(n*log(x))^2 - 2*(-I*b*cosh((2*n - 1)*log(e)) - I*b*sin
h((2*n - 1)*log(e)))*dilog(I*cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c)
+ I*sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c)) - 2*(I*b*cosh((2*n - 1
)*log(e)) + I*b*sinh((2*n - 1)*log(e)))*dilog(-I*cosh(d*cosh(n*log(x)) + d
*sinh(n*log(x)) + c) - I*sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c)) -
2*(I*b*c*cosh((2*n - 1)*log(e)) + I*b*c*sinh((2*n - 1)*log(e)))*log(cosh(d
*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + sinh(d*cosh(n*log(x)) + d*sinh(n
*log(x)) + c) + I) - 2*(-I*b*c*cosh((2*n - 1)*log(e)) - I*b*c*sinh((2*n -
1)*log(e)))*log(cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + sinh(d*cos
h(n*log(x)) + d*sinh(n*log(x)) + c) - I) - 2*(I*b*d*cosh((2*n - 1)*log(e))
*cosh(n*log(x)) + I*b*c*cosh((2*n - 1)*log(e)) + (I*b*d*cosh(n*log(x)) + I
*b*c)*sinh((2*n - 1)*log(e)) + (I*b*d*cosh((2*n - 1)*log(e)) + I*b*d*sinh(
(2*n - 1)*log(e)))*sinh(n*log(x)))*log(I*cosh(d*cosh(n*log(x)) + d*sinh(n*
log(x)) + c) + I*sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + 1) - 2*(-
I*b*d*cosh((2*n - 1)*log(e))*cosh(n*log(x)) - I*b*c*cosh((2*n - 1)*log(e))
+ (-I*b*d*cosh(n*log(x)) - I*b*c)*sinh((2*n - 1)*log(e)) + (-I*b*d*cosh((
2*n - 1)*log(e)) - I*b*d*sinh((2*n - 1)*log(e)))*sinh(n*log(x)))*log(-I*co
sh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) - I*sinh(d*cosh(n*log(x)) + ...
```

Sympy [F]

$$\int (ex)^{-1+2n} (a + b \operatorname{sech}(c + dx^n)) dx = \int (ex)^{2n-1} (a + b \operatorname{sech}(c + dx^n)) dx$$

input `integrate((e*x)**(-1+2*n)*(a+b*sech(c+d*x**n)),x)`

output `Integral((e*x)**(2*n - 1)*(a + b*sech(c + d*x**n)), x)`

Maxima [F]

$$\int (ex)^{-1+2n} (a + b \operatorname{sech}(c + dx^n)) dx = \int (b \operatorname{sech}(dx^n + c) + a)(ex)^{2n-1} dx$$

input `integrate((e*x)^(-1+2*n)*(a+b*sech(c+d*x^n)),x, algorithm="maxima")`

output `2*b*integrate((e*x)^(2*n - 1)/(e^(d*x^n + c) + e^(-d*x^n - c)), x) + 1/2*(e*x)^(2*n)*a/(e*n)`

Giac [F]

$$\int (ex)^{-1+2n} (a + b \operatorname{sech}(c + dx^n)) dx = \int (b \operatorname{sech}(dx^n + c) + a)(ex)^{2n-1} dx$$

input `integrate((e*x)^(-1+2*n)*(a+b*sech(c+d*x^n)),x, algorithm="giac")`

output `integrate((b*sech(d*x^n + c) + a)*(e*x)^(2*n - 1), x)`

Mupad [F(-1)]

Timed out.

$$\int (ex)^{-1+2n} (a + b\operatorname{sech}(c + dx^n)) dx = \int \left(a + \frac{b}{\cosh(c + dx^n)} \right) (ex)^{2n-1} dx$$

input `int((a + b/cosh(c + d*x^n))*(e*x)^(2*n - 1), x)`output `int((a + b/cosh(c + d*x^n))*(e*x)^(2*n - 1), x)`**Reduce [F]**

$$\int (ex)^{-1+2n} (a + b\operatorname{sech}(c + dx^n)) dx = \frac{e^{2n} \left(x^{2n} a + 2 \left(\int \frac{x^{2n} \operatorname{sech}(x^n d + c)}{x} dx \right) b n \right)}{2en}$$

input `int((e*x)^(-1+2*n)*(a+b*sech(c+d*x^n)), x)`output `(e**(2*n)*(x**(2*n)*a + 2*int((x**(2*n)*sech(x**n*d + c))/x,x)*b*n))/(2*e*n)`

3.82 $\int (ex)^{-1+3n} (a + b\operatorname{sech}(c + dx^n)) dx$

Optimal result	542
Mathematica [F]	543
Rubi [A] (verified)	543
Maple [F]	544
Fricas [B] (verification not implemented)	544
Sympy [F]	545
Maxima [F]	546
Giac [F]	546
Mupad [F(-1)]	546
Reduce [F]	547

Optimal result

Integrand size = 22, antiderivative size = 217

$$\int (ex)^{-1+3n} (a + b\operatorname{sech}(c + dx^n)) dx = \frac{a(ex)^{3n}}{3en} + \frac{2bx^{-n}(ex)^{3n} \arctan(e^{c+dx^n})}{den} - \frac{2ibx^{-2n}(ex)^{3n} \operatorname{PolyLog}(2, -ie^{c+dx^n})}{d^2en} + \frac{2ibx^{-2n}(ex)^{3n} \operatorname{PolyLog}(2, ie^{c+dx^n})}{d^2en} + \frac{2ibx^{-3n}(ex)^{3n} \operatorname{PolyLog}(3, -ie^{c+dx^n})}{d^3en} - \frac{2ibx^{-3n}(ex)^{3n} \operatorname{PolyLog}(3, ie^{c+dx^n})}{d^3en}$$

output

```
1/3*a*(e*x)^(3*n)/e/n+2*b*(e*x)^(3*n)*arctan(exp(c+d*x^n))/d/e/n/(x^n)-2*I
*b*(e*x)^(3*n)*polylog(2,-I*exp(c+d*x^n))/d^2/e/n/(x^(2*n))+2*I*b*(e*x)^(3
*n)*polylog(2,I*exp(c+d*x^n))/d^2/e/n/(x^(2*n))+2*I*b*(e*x)^(3*n)*polylog(
3,-I*exp(c+d*x^n))/d^3/e/n/(x^(3*n))-2*I*b*(e*x)^(3*n)*polylog(3,I*exp(c+d
*x^n))/d^3/e/n/(x^(3*n))
```

Mathematica [F]

$$\int (ex)^{-1+3n} (a + b\operatorname{sech}(c + dx^n)) dx = \int (ex)^{-1+3n} (a + b\operatorname{sech}(c + dx^n)) dx$$

input `Integrate[(e*x)^(-1 + 3*n)*(a + b*Sech[c + d*x^n]),x]`

output `Integrate[(e*x)^(-1 + 3*n)*(a + b*Sech[c + d*x^n]), x]`

Rubi [A] (verified)

Time = 0.46 (sec) , antiderivative size = 217, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int (ex)^{3n-1} (a + b\operatorname{sech}(c + dx^n)) dx \\ & \quad \downarrow \text{2010} \\ & \int (a(ex)^{3n-1} + b(ex)^{3n-1}\operatorname{sech}(c + dx^n)) dx \\ & \quad \downarrow \text{2009} \\ & \frac{a(ex)^{3n}}{3en} + \frac{2bx^{-n}(ex)^{3n} \arctan(e^{c+dx^n})}{den} + \frac{2ibx^{-3n}(ex)^{3n} \operatorname{PolyLog}(3, -ie^{dx^n+c})}{d^3en} - \\ & \frac{2ibx^{-3n}(ex)^{3n} \operatorname{PolyLog}(3, ie^{dx^n+c})}{d^3en} - \frac{2ibx^{-2n}(ex)^{3n} \operatorname{PolyLog}(2, -ie^{dx^n+c})}{d^2en} + \\ & \frac{2ibx^{-2n}(ex)^{3n} \operatorname{PolyLog}(2, ie^{dx^n+c})}{d^2en} \end{aligned}$$

input `Int[(e*x)^(-1 + 3*n)*(a + b*Sech[c + d*x^n]),x]`

output

```
(a*(e*x)^(3*n))/(3*e*n) + (2*b*(e*x)^(3*n)*ArcTan[E^(c + d*x^n)]/(d*e*n*x^n) - ((2*I)*b*(e*x)^(3*n)*PolyLog[2, (-I)*E^(c + d*x^n)]/(d^2*e*n*x^(2*n))) + ((2*I)*b*(e*x)^(3*n)*PolyLog[2, I*E^(c + d*x^n)]/(d^2*e*n*x^(2*n)) + ((2*I)*b*(e*x)^(3*n)*PolyLog[3, (-I)*E^(c + d*x^n)]/(d^3*e*n*x^(3*n)) - ((2*I)*b*(e*x)^(3*n)*PolyLog[3, I*E^(c + d*x^n)]/(d^3*e*n*x^(3*n)))
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2010

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Maple [F]

$$\int (ex)^{-1+3n} (a + b \operatorname{sech}(c + dx^n)) dx$$

input

```
int((e*x)^(-1+3*n)*(a+b*sech(c+d*x^n)),x)
```

output

```
int((e*x)^(-1+3*n)*(a+b*sech(c+d*x^n)),x)
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1082 vs. $2(200) = 400$.

Time = 0.13 (sec) , antiderivative size = 1082, normalized size of antiderivative = 4.99

$$\int (ex)^{-1+3n} (a + b \operatorname{sech}(c + dx^n)) dx = \text{Too large to display}$$

input

```
integrate((e*x)^(-1+3*n)*(a+b*sech(c+d*x^n)),x, algorithm="fricas")
```

output

```

1/3*(a*d^3*cosh((3*n - 1)*log(e))*cosh(n*log(x))^3 + a*d^3*cosh(n*log(x))^
3*sinh((3*n - 1)*log(e)) + (a*d^3*cosh((3*n - 1)*log(e)) + a*d^3*sinh((3*n
- 1)*log(e)))*sinh(n*log(x))^3 + 3*(a*d^3*cosh((3*n - 1)*log(e))*cosh(n*log(x))
+ a*d^3*cosh(n*log(x))*sinh((3*n - 1)*log(e)))*sinh(n*log(x))^2 - 6
*(-I*b*d*cosh((3*n - 1)*log(e))*cosh(n*log(x)) - I*b*d*cosh(n*log(x))*sinh
((3*n - 1)*log(e)) + (-I*b*d*cosh((3*n - 1)*log(e)) - I*b*d*sinh((3*n - 1)
*log(e)))*sinh(n*log(x)))*dilog(I*cosh(d*cosh(n*log(x)) + d*sinh(n*log(x))
+ c) + I*sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c)) - 6*(I*b*d*cosh((
3*n - 1)*log(e))*cosh(n*log(x)) + I*b*d*cosh(n*log(x))*sinh((3*n - 1)*log(
e)) + (I*b*d*cosh((3*n - 1)*log(e)) + I*b*d*sinh((3*n - 1)*log(e)))*sinh(n
*log(x)))*dilog(-I*cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) - I*sinh(
d*cosh(n*log(x)) + d*sinh(n*log(x)) + c)) - 3*(-I*b*c^2*cosh((3*n - 1)*log
(e)) - I*b*c^2*sinh((3*n - 1)*log(e)))*log(cosh(d*cosh(n*log(x)) + d*sinh(
n*log(x)) + c) + sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + I) - 3*(I
*b*c^2*cosh((3*n - 1)*log(e)) + I*b*c^2*sinh((3*n - 1)*log(e)))*log(cosh(d
*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + sinh(d*cosh(n*log(x)) + d*sinh(n
*log(x)) + c) - I) - 3*(I*b*d^2*cosh((3*n - 1)*log(e))*cosh(n*log(x))^2 -
I*b*c^2*cosh((3*n - 1)*log(e)) + (I*b*d^2*cosh((3*n - 1)*log(e)) + I*b*d^2
*sinh((3*n - 1)*log(e)))*sinh(n*log(x))^2 + (I*b*d^2*cosh(n*log(x))^2 - I*
b*c^2)*sinh((3*n - 1)*log(e)) + 2*(I*b*d^2*cosh((3*n - 1)*log(e))*cosh(...

```

Sympy [F]

$$\int (ex)^{-1+3n} (a + b \operatorname{sech}(c + dx^n)) dx = \int (ex)^{3n-1} (a + b \operatorname{sech}(c + dx^n)) dx$$

input

```
integrate((e*x)**(-1+3*n)*(a+b*sech(c+d*x**n)),x)
```

output

```
Integral((e*x)**(3*n - 1)*(a + b*sech(c + d*x**n)), x)
```

Maxima [F]

$$\int (ex)^{-1+3n} (a + b \operatorname{sech}(c + dx^n)) dx = \int (b \operatorname{sech}(dx^n + c) + a)(ex)^{3n-1} dx$$

input `integrate((e*x)^(-1+3*n)*(a+b*sech(c+d*x^n)),x, algorithm="maxima")`

output `2*b*integrate((e*x)^(3*n - 1)/(e^(d*x^n + c) + e^(-d*x^n - c)), x) + 1/3*(e*x)^(3*n)*a/(e*n)`

Giac [F]

$$\int (ex)^{-1+3n} (a + b \operatorname{sech}(c + dx^n)) dx = \int (b \operatorname{sech}(dx^n + c) + a)(ex)^{3n-1} dx$$

input `integrate((e*x)^(-1+3*n)*(a+b*sech(c+d*x^n)),x, algorithm="giac")`

output `integrate((b*sech(d*x^n + c) + a)*(e*x)^(3*n - 1), x)`

Mupad [F(-1)]

Timed out.

$$\int (ex)^{-1+3n} (a + b \operatorname{sech}(c + dx^n)) dx = \int \left(a + \frac{b}{\cosh(c + dx^n)} \right) (ex)^{3n-1} dx$$

input `int((a + b/cosh(c + d*x^n))*(e*x)^(3*n - 1),x)`

output `int((a + b/cosh(c + d*x^n))*(e*x)^(3*n - 1), x)`

Reduce [F]

$$\int (ex)^{-1+3n} (a + b\operatorname{sech}(c + dx^n)) dx = \frac{e^{3n} \left(x^{3n} a + 3 \left(\int \frac{x^{3n} \operatorname{sech}(x^n d + c)}{x} dx \right) b n \right)}{3en}$$

input `int((e*x)^(-1+3*n)*(a+b*sech(c+d*x^n)),x)`

output `(e**(3*n)*(x**(3*n)*a + 3*int((x**(3*n)*sech(x**n*d + c))/x,x)*b*n))/(3*e*n)`

3.83 $\int (ex)^{-1+n} (a + b\operatorname{sech}(c + dx^n))^2 dx$

Optimal result	548
Mathematica [A] (verified)	548
Rubi [A] (verified)	549
Maple [C] (warning: unable to verify)	551
Fricas [B] (verification not implemented)	552
Sympy [F]	553
Maxima [F]	553
Giac [F]	553
Mupad [B] (verification not implemented)	554
Reduce [B] (verification not implemented)	554

Optimal result

Integrand size = 22, antiderivative size = 79

$$\int (ex)^{-1+n} (a + b\operatorname{sech}(c + dx^n))^2 dx = \frac{a^2(ex)^n}{en} + \frac{2abx^{-n}(ex)^n \arctan(\sinh(c + dx^n))}{den} + \frac{b^2x^{-n}(ex)^n \tanh(c + dx^n)}{den}$$

output `a^2*(e*x)^n/e/n+2*a*b*(e*x)^n*arctan(sinh(c+d*x^n))/d/e/n/(x^n)+b^2*(e*x)^n*tanh(c+d*x^n)/d/e/n/(x^n)`

Mathematica [A] (verified)

Time = 0.65 (sec) , antiderivative size = 57, normalized size of antiderivative = 0.72

$$\int (ex)^{-1+n} (a + b\operatorname{sech}(c + dx^n))^2 dx = \frac{x^{-n}(ex)^n (a(a(c + dx^n) - 2b \cot^{-1}(\sinh(c + dx^n))) + b^2 \tanh(c + dx^n))}{den}$$

input `Integrate[(e*x)^(-1 + n)*(a + b*Sech[c + d*x^n])^2,x]`

output

$$\frac{((e*x)^n*(a*(a*(c + d*x^n) - 2*b*ArcCot[Sinh[c + d*x^n]]) + b^2*Tanh[c + d*x^n]))/(d*e*n*x^n)}$$
Rubi [A] (verified)

Time = 0.50 (sec) , antiderivative size = 56, normalized size of antiderivative = 0.71, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {5963, 5959, 3042, 4260, 3042, 4254, 24, 4257}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int (ex)^{n-1} (a + b \operatorname{sech}(c + dx^n))^2 dx \\ & \quad \downarrow \text{5963} \\ & \frac{x^{-n}(ex)^n \int x^{n-1} (a + b \operatorname{sech}(dx^n + c))^2 dx}{e} \\ & \quad \downarrow \text{5959} \\ & \frac{x^{-n}(ex)^n \int (a + b \operatorname{sech}(dx^n + c))^2 dx^n}{en} \\ & \quad \downarrow \text{3042} \\ & \frac{x^{-n}(ex)^n \int (a + b \csc(idx^n + ic + \frac{\pi}{2}))^2 dx^n}{en} \\ & \quad \downarrow \text{4260} \\ & \frac{x^{-n}(ex)^n (2ab \int \operatorname{sech}(dx^n + c) dx^n + b^2 \int \operatorname{sech}^2(dx^n + c) dx^n + a^2 x^n)}{en} \\ & \quad \downarrow \text{3042} \\ & \frac{x^{-n}(ex)^n (2ab \int \csc(idx^n + ic + \frac{\pi}{2}) dx^n + b^2 \int \csc(idx^n + ic + \frac{\pi}{2})^2 dx^n + a^2 x^n)}{en} \\ & \quad \downarrow \text{4254} \\ & \frac{x^{-n}(ex)^n (2ab \int \csc(idx^n + ic + \frac{\pi}{2}) dx^n + \frac{ib^2 \int 1d(-i \tanh(dx^n+c))}{d} + a^2 x^n)}{en} \\ & \quad \downarrow \text{24} \end{aligned}$$

$$\frac{x^{-n}(ex)^n \left(2ab \int \csc \left(idx^n + ic + \frac{\pi}{2} \right) dx^n + a^2x^n + \frac{b^2 \tanh(c+dx^n)}{d} \right)}{en}$$

↓ 4257

$$\frac{x^{-n}(ex)^n \left(a^2x^n + \frac{2ab \arctan(\sinh(c+dx^n))}{d} + \frac{b^2 \tanh(c+dx^n)}{d} \right)}{en}$$

input `Int[(e*x)^(-1 + n)*(a + b*Sech[c + d*x^n])^2,x]`

output `((e*x)^n*(a^2*x^n + (2*a*b*ArcTan[Sinh[c + d*x^n]]))/d + (b^2*Tanh[c + d*x^n])/d)/(e*n*x^n)`

Defintions of rubi rules used

rule 24 `Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4254 `Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := Simp[-d^(-1) Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]`

rule 4257 `Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := Simp[-ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

rule 4260 `Int[(csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.))^2, x_Symbol] := Simp[a^2*x, x] + (Simp[2*a*b Int[Csc[c + d*x], x], x] + Simp[b^2 Int[Csc[c + d*x]^2, x], x]) /; FreeQ[{a, b, c, d}, x]`

```
rule 5959 Int[(x_)^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol]
  := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x]
  /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]
```

```
rule 5963 Int[((e_)*(x_))^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol]
  := Simp[e^IntPart[m]*((e*x)^FracPart[m]/x^FracPart[m]) Int[x^m*(a + b*Sech[c + d*x^n])^p, x], x]
  /; FreeQ[{a, b, c, d, e, m, n, p}, x]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 3.

Time = 18.23 (sec) , antiderivative size = 271, normalized size of antiderivative = 3.43

method	result
risch	$\frac{a^2 x e^{(-1+n)(-i\pi \operatorname{csgn}(ie) \operatorname{csgn}(ix) \operatorname{csgn}(iex) + i\pi \operatorname{csgn}(ie) \operatorname{csgn}(iex)^2 + i\pi \operatorname{csgn}(ix) \operatorname{csgn}(iex)^2 - i\pi \operatorname{csgn}(iex)^3 + 2 \ln(x) + 2 \ln(e))}}{n} - \frac{2 x x^{-n} b^2 e^{\dots}}{\dots}$

```
input int((e*x)^(-1+n)*(a+b*sech(c+d*x^n))^2,x,method=_RETURNVERBOSE)
```

```
output a^2/n*x*exp(1/2*(-1+n)*(-I*Pi*csgn(I*e)*csgn(I*x)*csgn(I*e*x)+I*Pi*csgn(I*e)*csgn(I*e*x)^2+I*Pi*csgn(I*x)*csgn(I*e*x)^2-I*Pi*csgn(I*e*x)^3+2*ln(x)+2*ln(e)))-2/d/n*x/(x^n)*b^2*exp(1/2*(-1+n)*(-I*Pi*csgn(I*e)*csgn(I*x)*csgn(I*e*x)+I*Pi*csgn(I*e)*csgn(I*e*x)^2+I*Pi*csgn(I*x)*csgn(I*e*x)^2-I*Pi*csgn(I*e*x)^3+2*ln(x)+2*ln(e)))/(1+exp(2*c+2*d*x^n))+4*arctan(exp(c+d*x^n))/d/e*e^n/n*a*b*exp(1/2*I*Pi*csgn(I*e*x)*(-1+n)*(csgn(I*e*x)-csgn(I*x))*(-csgn(I*e*x)+csgn(I*e)))
```


Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 646 vs. $2(79) = 158$.

Time = 0.10 (sec) , antiderivative size = 646, normalized size of antiderivative = 8.18

$$\int (ex)^{-1+n} (a + b\operatorname{sech}(c + dx^n))^2 dx = \text{Too large to display}$$

input `integrate((e*x)^(-1+n)*(a+b*sech(c+d*x^n))^2,x, algorithm="fricas")`

output

```
(a^2*d*cosh((n - 1)*log(e))*cosh(n*log(x)) + (a^2*d*cosh((n - 1)*log(e))*cosh(n*log(x)) + a^2*d*cosh(n*log(x))*sinh((n - 1)*log(e)) + (a^2*d*cosh((n - 1)*log(e)) + a^2*d*sinh((n - 1)*log(e)))*sinh(n*log(x)))*cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c)^2 - 2*b^2*cosh((n - 1)*log(e)) + 2*(a^2*d*cosh((n - 1)*log(e))*cosh(n*log(x)) + a^2*d*cosh(n*log(x))*sinh((n - 1)*log(e)) + (a^2*d*cosh((n - 1)*log(e)) + a^2*d*sinh((n - 1)*log(e)))*sinh(n*log(x)))*cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c)*sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + (a^2*d*cosh((n - 1)*log(e))*cosh(n*log(x)) + a^2*d*cosh(n*log(x))*sinh((n - 1)*log(e)) + (a^2*d*cosh((n - 1)*log(e)) + a^2*d*sinh((n - 1)*log(e)))*sinh(n*log(x)))*sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c)^2 + 4*((a*b*cosh((n - 1)*log(e)) + a*b*sinh((n - 1)*log(e)))*cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c)^2 + a*b*cosh((n - 1)*log(e)) + 2*(a*b*cosh((n - 1)*log(e)) + a*b*sinh((n - 1)*log(e)))*cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c)*sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + (a*b*cosh((n - 1)*log(e)) + a*b*sinh((n - 1)*log(e)))*sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c)^2 + a*b*sinh((n - 1)*log(e))*arctan(cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c)) + (a^2*d*cosh(n*log(x)) - 2*b^2)*sinh((n - 1)*log(e)) + (a^2*d*cosh((n - 1)*log(e)) + a^2*d*sinh((n - 1)*log(e)))*sinh(n*log(x)))/(d*n*cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c)^2 + 2*d*n*cosh(d*cosh...
```

Sympy [F]

$$\int (ex)^{-1+n} (a + b \operatorname{sech}(c + dx^n))^2 dx = \int (ex)^{n-1} (a + b \operatorname{sech}(c + dx^n))^2 dx$$

input `integrate((e*x)**(-1+n)*(a+b*sech(c+d*x**n))**2,x)`

output `Integral((e*x)**(n - 1)*(a + b*sech(c + d*x**n))**2, x)`

Maxima [F]

$$\int (ex)^{-1+n} (a + b \operatorname{sech}(c + dx^n))^2 dx = \int (b \operatorname{sech}(dx^n + c) + a)^2 (ex)^{n-1} dx$$

input `integrate((e*x)^(-1+n)*(a+b*sech(c+d*x^n))^2,x, algorithm="maxima")`

output `4*a*b*e^n*integrate(e^(d*x^n + n*log(x) + c)/(e*x*e^(2*d*x^n + 2*c) + e*x), x) - 2*b^2*e^n/(d*e*n*e^(2*d*x^n + 2*c) + d*e*n) + (e*x)^n*a^2/(e*n)`

Giac [F]

$$\int (ex)^{-1+n} (a + b \operatorname{sech}(c + dx^n))^2 dx = \int (b \operatorname{sech}(dx^n + c) + a)^2 (ex)^{n-1} dx$$

input `integrate((e*x)^(-1+n)*(a+b*sech(c+d*x^n))^2,x, algorithm="giac")`

output `integrate((b*sech(d*x^n + c) + a)^2*(e*x)^(n - 1), x)`

Mupad [B] (verification not implemented)

Time = 2.29 (sec) , antiderivative size = 158, normalized size of antiderivative = 2.00

$$\int (ex)^{-1+n} (a + b \operatorname{sech}(c + dx^n))^2 dx$$

$$= \frac{4 \operatorname{atan}\left(\frac{a b x e^{dx^n} e^c (ex)^{n-1} \sqrt{d^2 n^2 x^{2n}}}{d n x^n \sqrt{a^2 b^2 x^2 (ex)^{2n-2}}}\right) \sqrt{a^2 b^2 x^2 (ex)^{2n-2}}}{\sqrt{d^2 n^2 x^{2n}}} + \frac{a^2 x (ex)^{n-1}}{n} - \frac{2 b^2 x (ex)^{n-1}}{d n x^n (e^{2c+2dx^n} + 1)}$$

input `int((a + b/cosh(c + d*x^n))^2*(e*x)^(n - 1),x)`output `(4*atan((a*b*x*exp(d*x^n)*exp(c)*(e*x)^(n - 1)*(d^2*n^2*x^(2*n))^(1/2))/(d*n*x^n*(a^2*b^2*x^2*(e*x)^(2*n - 2))^(1/2)))*(a^2*b^2*x^2*(e*x)^(2*n - 2))^(1/2))/(d^2*n^2*x^(2*n))^(1/2) + (a^2*x*(e*x)^(n - 1))/n - (2*b^2*x*(e*x)^(n - 1))/(d*n*x^n*(exp(2*c + 2*d*x^n) + 1))`**Reduce [B] (verification not implemented)**

Time = 0.21 (sec) , antiderivative size = 115, normalized size of antiderivative = 1.46

$$\int (ex)^{-1+n} (a + b \operatorname{sech}(c + dx^n))^2 dx$$

$$= \frac{e^n (4e^{2x^nd+2c} \operatorname{atan}(e^{x^nd+c}) ab + 4 \operatorname{atan}(e^{x^nd+c}) ab + x^n e^{2x^nd+2c} a^2 d + 2e^{2x^nd+2c} b^2 + x^n a^2 d)}{den (e^{2x^nd+2c} + 1)}$$

input `int((e*x)^(-1+n)*(a+b*sech(c+d*x^n))^2,x)`output `(e**n*(4*e**(2*x**n*d + 2*c)*atan(e**(x**n*d + c))*a*b + 4*atan(e**(x**n*d + c))*a*b + x**n*e**(2*x**n*d + 2*c)*a**2*d + 2*e**(2*x**n*d + 2*c)*b**2 + x**n*a**2*d)/(d*e*n*(e**(2*x**n*d + 2*c) + 1))`

3.84 $\int (ex)^{-1+2n} (a + b\operatorname{sech}(c + dx^n))^2 dx$

Optimal result	555
Mathematica [B] (warning: unable to verify)	556
Rubi [A] (verified)	556
Maple [F]	558
Fricas [B] (verification not implemented)	559
Sympy [F]	560
Maxima [F]	560
Giac [F]	560
Mupad [F(-1)]	561
Reduce [F]	561

Optimal result

Integrand size = 24, antiderivative size = 208

$$\int (ex)^{-1+2n} (a + b\operatorname{sech}(c + dx^n))^2 dx = \frac{a^2(ex)^{2n}}{2en} + \frac{4abx^{-n}(ex)^{2n} \arctan(e^{c+dx^n})}{den} - \frac{b^2x^{-2n}(ex)^{2n} \log(\cosh(c + dx^n))}{d^2en} - \frac{2iabx^{-2n}(ex)^{2n} \operatorname{PolyLog}(2, -ie^{c+dx^n})}{d^2en} + \frac{2iabx^{-2n}(ex)^{2n} \operatorname{PolyLog}(2, ie^{c+dx^n})}{d^2en} + \frac{b^2x^{-n}(ex)^{2n} \tanh(c + dx^n)}{den}$$

output

```
1/2*a^2*(e*x)^(2*n)/e/n+4*a*b*(e*x)^(2*n)*arctan(exp(c+d*x^n))/d/e/n/(x^n)
-b^2*(e*x)^(2*n)*ln(cosh(c+d*x^n))/d^2/e/n/(x^(2*n))-2*I*a*b*(e*x)^(2*n)*p
olylog(2,-I*exp(c+d*x^n))/d^2/e/n/(x^(2*n))+2*I*a*b*(e*x)^(2*n)*polylog(2,
I*exp(c+d*x^n))/d^2/e/n/(x^(2*n))+b^2*(e*x)^(2*n)*tanh(c+d*x^n)/d/e/n/(x^n
)
```

Mathematica [B] (warning: unable to verify)

Leaf count is larger than twice the leaf count of optimal. 501 vs. $2(208) = 416$.

Time = 3.50 (sec) , antiderivative size = 501, normalized size of antiderivative = 2.41

$$\int (ex)^{-1+2n} (a + b\operatorname{sech}(c + dx^n))^2 dx$$

$$= \frac{x^{-2n}(ex)^{2n} \operatorname{csch}^5(c) \operatorname{sech}(c + dx^n) \left(-2b^2 dx^n \cosh(dx^n) \sqrt{-\operatorname{csch}^2(c)} + 2b^2 dx^n \cosh(2c + dx^n) \sqrt{-\operatorname{csch}^2(c)} \right)}{4d^2 e^n x^{2n} (-\operatorname{csch}(c))^2}$$

input `Integrate[(e*x)^(-1 + 2*n)*(a + b*Sech[c + d*x^n])^2,x]`

output

$$\frac{\begin{aligned} & ((e*x)^{(2*n)} * \operatorname{Csch}[c]^5 * \operatorname{Sech}[c + d*x^n] * (-2*b^2*d*x^n * \operatorname{Cosh}[d*x^n] * \operatorname{Sqrt}[-\operatorname{Csch}[c]^2] \\ & + 2*b^2*d*x^n * \operatorname{Cosh}[2*c + d*x^n] * \operatorname{Sqrt}[-\operatorname{Csch}[c]^2] + 8*a*b*d*x^n * \operatorname{Cosh}[c + d*x^n] * \operatorname{Log}[1 - E^{-(d*x^n)} - \operatorname{ArcTanh}[\operatorname{Coth}[c]]]) \\ & + 8*a*b * \operatorname{ArcTanh}[\operatorname{Coth}[c]] * \operatorname{Cosh}[c + d*x^n] * \operatorname{Log}[1 - E^{-(d*x^n)} - \operatorname{ArcTanh}[\operatorname{Coth}[c]]]) - 8*a*b*d*x^n * \operatorname{Cosh}[c + d*x^n] * \operatorname{Log}[1 + E^{-(d*x^n)} - \operatorname{ArcTanh}[\operatorname{Coth}[c]]]) \\ & - 8*a*b * \operatorname{ArcTanh}[\operatorname{Coth}[c]] * \operatorname{Cosh}[c + d*x^n] * \operatorname{Log}[1 + E^{-(d*x^n)} - \operatorname{ArcTanh}[\operatorname{Coth}[c]]]) + 8*a*b * \operatorname{Cosh}[c + d*x^n] * \operatorname{PolyLog}[2, -E^{-(d*x^n)} - \operatorname{ArcTanh}[\operatorname{Coth}[c]]]) \\ & - 8*a*b * \operatorname{Cosh}[c + d*x^n] * \operatorname{PolyLog}[2, E^{-(d*x^n)} - \operatorname{ArcTanh}[\operatorname{Coth}[c]]]) - a^2*d^2*x^{(2*n)} * \operatorname{Sqrt}[-\operatorname{Csch}[c]^2] * \operatorname{Sinh}[d*x^n] \\ & + 8*a*b * \operatorname{ArcTan}[\operatorname{Sinh}[c] + \operatorname{Cosh}[c] * \operatorname{Tanh}[(d*x^n)/2]] * \operatorname{ArcTanh}[\operatorname{Coth}[c]] * \operatorname{Sqrt}[-\operatorname{Csch}[c]^2] * \operatorname{Sinh}[d*x^n] \\ & + 2*b^2 * \operatorname{Sqrt}[-\operatorname{Csch}[c]^2] * \operatorname{Log}[\operatorname{Cosh}[c + d*x^n]] * \operatorname{Sinh}[d*x^n] + a^2*d^2*x^{(2*n)} * \operatorname{Sqrt}[-\operatorname{Csch}[c]^2] * \operatorname{Sinh}[2*c + d*x^n] \\ & - 8*a*b * \operatorname{ArcTan}[\operatorname{Sinh}[c] + \operatorname{Cosh}[c] * \operatorname{Tanh}[(d*x^n)/2]] * \operatorname{ArcTanh}[\operatorname{Coth}[c]] * \operatorname{Sqrt}[-\operatorname{Csch}[c]^2] * \operatorname{Sinh}[2*c + d*x^n] \\ & - 2*b^2 * \operatorname{Sqrt}[-\operatorname{Csch}[c]^2] * \operatorname{Log}[\operatorname{Cosh}[c + d*x^n]] * \operatorname{Sinh}[2*c + d*x^n] \end{aligned}}{(4*d^2*e^n*x^{(2*n)}*(-\operatorname{Csch}[c]^2)^{(5/2)})}$$
Rubi [A] (verified)

Time = 0.52 (sec) , antiderivative size = 135, normalized size of antiderivative = 0.65, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {5963, 5959, 3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (ex)^{2n-1} (a + b\operatorname{sech}(c + dx^n))^2 dx \\
 & \quad \downarrow \text{5963} \\
 & \frac{x^{-2n}(ex)^{2n} \int x^{2n-1}(a + b\operatorname{sech}(dx^n + c))^2 dx}{e} \\
 & \quad \downarrow \text{5959} \\
 & \frac{x^{-2n}(ex)^{2n} \int x^n(a + b\operatorname{sech}(dx^n + c))^2 dx^n}{en} \\
 & \quad \downarrow \text{3042} \\
 & \frac{x^{-2n}(ex)^{2n} \int x^n(a + b\operatorname{csc}(idx^n + ic + \frac{\pi}{2}))^2 dx^n}{en} \\
 & \quad \downarrow \text{4678} \\
 & \frac{x^{-2n}(ex)^{2n} \int (a^2x^n + b^2\operatorname{sech}^2(dx^n + c)x^n + 2ab\operatorname{sech}(dx^n + c)x^n) dx^n}{en} \\
 & \quad \downarrow \text{2009} \\
 & \frac{x^{-2n}(ex)^{2n} \left(\frac{1}{2}a^2x^{2n} + \frac{4abx^n \arctan(e^{c+dx^n})}{d} - \frac{2iab \operatorname{PolyLog}\left(2, -ie^{dx^n+c}\right)}{d^2} + \frac{2iab \operatorname{PolyLog}\left(2, ie^{dx^n+c}\right)}{d^2} - \frac{b^2 \log(\cosh(c+dx^n))}{d^2} \right)}{en}
 \end{aligned}$$

input `Int[(e*x)^(-1 + 2*n)*(a + b*Sech[c + d*x^n])^2,x]`

output `((e*x)^(2*n)*((a^2*x^(2*n))/2 + (4*a*b*x^n*ArcTan[E^(c + d*x^n)])/d - (b^2*Log[Cosh[c + d*x^n]])/d^2 - ((2*I)*a*b*PolyLog[2, (-I)*E^(c + d*x^n)])/d^2 + ((2*I)*a*b*PolyLog[2, I*E^(c + d*x^n)])/d^2 + (b^2*x^n*Tanh[c + d*x^n])/d))/(e*n*x^(2*n))`

Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4678 `Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]`

rule 5959 `Int[(x_)^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

rule 5963 `Int[((e_.)*(x_.))^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Simp[e^IntPart[m]*((e*x)^FracPart[m]/x^FracPart[m]) Int[x^m*(a + b*Sech[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x]`

Maple [F]

$$\int (ex)^{-1+2n} (a + b \operatorname{sech}(c + dx^n))^2 dx$$

input `int((e*x)^(-1+2*n)*(a+b*sech(c+d*x^n))^2,x)`

output `int((e*x)^(-1+2*n)*(a+b*sech(c+d*x^n))^2,x)`

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 2972 vs. $2(199) = 398$.

Time = 0.18 (sec) , antiderivative size = 2972, normalized size of antiderivative = 14.29

$$\int (ex)^{-1+2n} (a + b\operatorname{sech}(c + dx^n))^2 dx = \text{Too large to display}$$

input `integrate((e*x)^(-1+2*n)*(a+b*sech(c+d*x^n))^2,x, algorithm="fricas")`

output

```
1/2*(a^2*d^2*cosh((2*n - 1)*log(e))*cosh(n*log(x))^2 + 4*b^2*c*cosh((2*n -
1)*log(e)) + (a^2*d^2*cosh((2*n - 1)*log(e))*cosh(n*log(x))^2 + 4*b^2*d*c
osh((2*n - 1)*log(e))*cosh(n*log(x)) + 4*b^2*c*cosh((2*n - 1)*log(e)) + (a
^2*d^2*cosh((2*n - 1)*log(e)) + a^2*d^2*sinh((2*n - 1)*log(e)))*sinh(n*log
(x))^2 + (a^2*d^2*cosh(n*log(x))^2 + 4*b^2*d*cosh(n*log(x)) + 4*b^2*c)*sin
h((2*n - 1)*log(e)) + 2*(a^2*d^2*cosh((2*n - 1)*log(e))*cosh(n*log(x)) + 2
*b^2*d*cosh((2*n - 1)*log(e)) + (a^2*d^2*cosh(n*log(x)) + 2*b^2*d)*sinh((2
*n - 1)*log(e)))*sinh(n*log(x))*cosh(d*cosh(n*log(x)) + d*sinh(n*log(x))
+ c)^2 + 2*(a^2*d^2*cosh((2*n - 1)*log(e))*cosh(n*log(x))^2 + 4*b^2*d*cosh
((2*n - 1)*log(e))*cosh(n*log(x)) + 4*b^2*c*cosh((2*n - 1)*log(e)) + (a^2*
d^2*cosh((2*n - 1)*log(e)) + a^2*d^2*sinh((2*n - 1)*log(e)))*sinh(n*log(x)
)^2 + (a^2*d^2*cosh(n*log(x))^2 + 4*b^2*d*cosh(n*log(x)) + 4*b^2*c)*sinh((
2*n - 1)*log(e)) + 2*(a^2*d^2*cosh((2*n - 1)*log(e))*cosh(n*log(x)) + 2*b^
2*d*cosh((2*n - 1)*log(e)) + (a^2*d^2*cosh(n*log(x)) + 2*b^2*d)*sinh((2*n
- 1)*log(e)))*sinh(n*log(x))*cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c
)*sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + (a^2*d^2*cosh((2*n - 1)*
log(e))*cosh(n*log(x))^2 + 4*b^2*d*cosh((2*n - 1)*log(e))*cosh(n*log(x)) +
4*b^2*c*cosh((2*n - 1)*log(e)) + (a^2*d^2*cosh((2*n - 1)*log(e)) + a^2*d^
2*sinh((2*n - 1)*log(e)))*sinh(n*log(x))^2 + (a^2*d^2*cosh(n*log(x))^2 + 4
*b^2*d*cosh(n*log(x)) + 4*b^2*c)*sinh((2*n - 1)*log(e)) + 2*(a^2*d^2*co...
```


Sympy [F]

$$\int (ex)^{-1+2n} (a + b \operatorname{sech}(c + dx^n))^2 dx = \int (ex)^{2n-1} (a + b \operatorname{sech}(c + dx^n))^2 dx$$

input `integrate((e*x)**(-1+2*n)*(a+b*sech(c+d*x**n))**2,x)`

output `Integral((e*x)**(2*n - 1)*(a + b*sech(c + d*x**n))**2, x)`

Maxima [F]

$$\int (ex)^{-1+2n} (a + b \operatorname{sech}(c + dx^n))^2 dx = \int (b \operatorname{sech}(dx^n + c) + a)^2 (ex)^{2n-1} dx$$

input `integrate((e*x)^(-1+2*n)*(a+b*sech(c+d*x^n))^2,x, algorithm="maxima")`

output `4*a*b*e^(2*n)*integrate(e^(d*x^n + 2*n*log(x) + c)/(e*x*e^(2*d*x^n + 2*c) + e*x), x) + b^2*(2*e^(2*n)*e^(2*d*x^n + n*log(x) + 2*c)/(d*e*n*e^(2*d*x^n + 2*c) + d*e*n) - e^(2*n - 1)*log((e^(2*d*x^n + 2*c) + 1)*e^(-2*c))/(d^2*n)) + 1/2*(e*x)^(2*n)*a^2/(e*n)`

Giac [F]

$$\int (ex)^{-1+2n} (a + b \operatorname{sech}(c + dx^n))^2 dx = \int (b \operatorname{sech}(dx^n + c) + a)^2 (ex)^{2n-1} dx$$

input `integrate((e*x)^(-1+2*n)*(a+b*sech(c+d*x^n))^2,x, algorithm="giac")`

output `integrate((b*sech(d*x^n + c) + a)^2*(e*x)^(2*n - 1), x)`

Mupad [F(-1)]

Timed out.

$$\int (ex)^{-1+2n} (a + b\operatorname{sech}(c + dx^n))^2 dx = \int \left(a + \frac{b}{\cosh(c + dx^n)} \right)^2 (ex)^{2n-1} dx$$

input `int((a + b/cosh(c + d*x^n))^2*(e*x)^(2*n - 1),x)`

output `int((a + b/cosh(c + d*x^n))^2*(e*x)^(2*n - 1), x)`

Reduce [F]

$$\int (ex)^{-1+2n} (a + b\operatorname{sech}(c + dx^n))^2 dx$$

$$= \frac{e^{2n} \left(8e^{2x^nd+2c} \operatorname{atan}(e^{x^nd+c}) ab + 8\operatorname{atan}(e^{x^nd+c}) ab + 16e^{2x^nd+3c} \left(\int \frac{x^{2n} e^{x^nd}}{e^{4x^nd+4c} x + 2e^{2x^nd+2c} x + x} dx \right) ab d^2 n + x^{2n} e^{2x^nd+2c} \right)}{2}$$

input `int((e*x)^(-1+2*n)*(a+b*sech(c+d*x^n))^2,x)`

output `(e**(2*n)*(8*e**(2*x**n*d + 2*c)*atan(e**(x**n*d + c))*a*b + 8*atan(e**(x**n*d + c))*a*b + 16*e**(2*x**n*d + 3*c)*int((x**(2*n)*e**(x**n*d))/(e**(4*x**n*d + 4*c)*x + 2*e**(2*x**n*d + 2*c)*x + x),x)*a*b*d**2*n + x**(2*n)*e**(2*x**n*d + 2*c)*a**2*d**2 + 4*x**n*e**(2*x**n*d + 2*c)*b**2*d - 2*e**(2*x**n*d + 2*c)*log(e**(2*x**n*d + 2*c) + 1)*b**2 - 8*x**n*e**(x**n*d + c)*a*b*d + 16*e**c*int((x**(2*n)*e**(x**n*d))/(e**(4*x**n*d + 4*c)*x + 2*e**(2*x**n*d + 2*c)*x + x),x)*a*b*d**2*n + x**(2*n)*a**2*d**2 - 2*log(e**(2*x**n*d + 2*c) + 1)*b**2)/(2*d**2*e*n*(e**(2*x**n*d + 2*c) + 1))`

3.85 $\int (ex)^{-1+3n} (a + b\operatorname{sech}(c + dx^n))^2 dx$

Optimal result	562
Mathematica [F]	563
Rubi [A] (verified)	563
Maple [F]	565
Fricas [B] (verification not implemented)	565
Sympy [F]	566
Maxima [F]	566
Giac [F]	566
Mupad [F(-1)]	567
Reduce [F]	567

Optimal result

Integrand size = 24, antiderivative size = 363

$$\int (ex)^{-1+3n} (a + b\operatorname{sech}(c + dx^n))^2 dx = \frac{a^2(ex)^{3n}}{3en} + \frac{b^2x^{-n}(ex)^{3n}}{den} + \frac{4abx^{-n}(ex)^{3n} \arctan(e^{c+dx^n})}{den} - \frac{2b^2x^{-2n}(ex)^{3n} \log(1 + e^{2(c+dx^n)})}{d^2en} - \frac{4iabx^{-2n}(ex)^{3n} \operatorname{PolyLog}(2, -ie^{c+dx^n})}{d^2en} + \frac{4iabx^{-2n}(ex)^{3n} \operatorname{PolyLog}(2, ie^{c+dx^n})}{d^2en} - \frac{b^2x^{-3n}(ex)^{3n} \operatorname{PolyLog}(2, -e^{2(c+dx^n)})}{d^2en} + \frac{4iabx^{-3n}(ex)^{3n} \operatorname{PolyLog}(3, -ie^{c+dx^n})}{d^3en} - \frac{4iabx^{-3n}(ex)^{3n} \operatorname{PolyLog}(3, ie^{c+dx^n})}{d^3en} + \frac{b^2x^{-n}(ex)^{3n} \tanh(c + dx^n)}{den}$$

output

```

1/3*a^2*(e*x)^(3*n)/e/n+b^2*(e*x)^(3*n)/d/e/n/(x^n)+4*a*b*(e*x)^(3*n)*arct
an(exp(c+d*x^n))/d/e/n/(x^n)-2*b^2*(e*x)^(3*n)*ln(1+exp(2*c+2*d*x^n))/d^2/
e/n/(x^(2*n))-4*I*a*b*(e*x)^(3*n)*polylog(2,-I*exp(c+d*x^n))/d^2/e/n/(x^(2
*n))+4*I*a*b*(e*x)^(3*n)*polylog(2,I*exp(c+d*x^n))/d^2/e/n/(x^(2*n))-b^2*(
e*x)^(3*n)*polylog(2,-exp(2*c+2*d*x^n))/d^3/e/n/(x^(3*n))+4*I*a*b*(e*x)^(3
*n)*polylog(3,-I*exp(c+d*x^n))/d^3/e/n/(x^(3*n))-4*I*a*b*(e*x)^(3*n)*polyl
og(3,I*exp(c+d*x^n))/d^3/e/n/(x^(3*n))+b^2*(e*x)^(3*n)*tanh(c+d*x^n)/d/e/n
/(x^n)

```

Mathematica [F]

$$\int (ex)^{-1+3n} (a + b \operatorname{sech}(c + dx^n))^2 dx = \int (ex)^{-1+3n} (a + b \operatorname{sech}(c + dx^n))^2 dx$$

input

```
Integrate[(e*x)^(-1 + 3*n)*(a + b*Sech[c + d*x^n])^2,x]
```

output

```
Integrate[(e*x)^(-1 + 3*n)*(a + b*Sech[c + d*x^n])^2, x]
```

Rubi [A] (verified)

Time = 0.71 (sec) , antiderivative size = 236, normalized size of antiderivative = 0.65, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {5963, 5959, 3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ex)^{3n-1} (a + b \operatorname{sech}(c + dx^n))^2 dx$$

$$\downarrow 5963$$

$$\frac{x^{-3n} (ex)^{3n} \int x^{3n-1} (a + b \operatorname{sech}(dx^n + c))^2 dx}{e}$$

$$\downarrow 5959$$

$$\begin{array}{c}
 \frac{x^{-3n}(ex)^{3n} \int x^{2n}(a + b\operatorname{sech}(dx^n + c))^2 dx^n}{en} \\
 \downarrow 3042 \\
 \frac{x^{-3n}(ex)^{3n} \int x^{2n}(a + b\operatorname{csc}(idx^n + ic + \frac{\pi}{2}))^2 dx^n}{en} \\
 \downarrow 4678 \\
 \frac{x^{-3n}(ex)^{3n} \int (a^2x^{2n} + b^2\operatorname{sech}^2(dx^n + c)x^{2n} + 2ab\operatorname{sech}(dx^n + c)x^{2n}) dx^n}{en} \\
 \downarrow 2009 \\
 x^{-3n}(ex)^{3n} \left(\frac{1}{3}a^2x^{3n} + \frac{4abx^{2n} \arctan(e^{c+dx^n})}{d} + \frac{4iab \operatorname{PolyLog}(3, -ie^{dx^n+c})}{d^3} - \frac{4iab \operatorname{PolyLog}(3, ie^{dx^n+c})}{d^3} - \frac{4iabx^n \operatorname{PolyLog}(2, -ie^{dx^n+c})}{d^2} \right)
 \end{array}$$

en

input `Int[(e*x)^(-1 + 3*n)*(a + b*Sech[c + d*x^n])^2,x]`

output `((e*x)^(3*n)*((b^2*x^(2*n))/d + (a^2*x^(3*n))/3 + (4*a*b*x^(2*n)*ArcTan[E^(c + d*x^n)]/d - (2*b^2*x^n*Log[1 + E^(2*(c + d*x^n))])/d^2 - ((4*I)*a*b*x^n*PolyLog[2, (-I)*E^(c + d*x^n)])/d^2 + ((4*I)*a*b*x^n*PolyLog[2, I*E^(c + d*x^n)])/d^2 - (b^2*PolyLog[2, -E^(2*(c + d*x^n))])/d^3 + ((4*I)*a*b*PolyLog[3, (-I)*E^(c + d*x^n)])/d^3 - ((4*I)*a*b*PolyLog[3, I*E^(c + d*x^n)])/d^3 + (b^2*x^(2*n)*Tanh[c + d*x^n]/d))/(e*n*x^(3*n))`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4678 `Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]`

rule 5959 `Int[(x_)^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

rule 5963 `Int[((e_)*(x_))^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Simp[e^IntPart[m]*(e*x)^FracPart[m]/x^FracPart[m] Int[x^m*(a + b*Sech[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x]`

Maple [F]

$$\int (ex)^{-1+3n} (a + b \operatorname{sech}(c + dx^n))^2 dx$$

input `int((e*x)^(-1+3*n)*(a+b*sech(c+d*x^n))^2,x)`

output `int((e*x)^(-1+3*n)*(a+b*sech(c+d*x^n))^2,x)`

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 5453 vs. $2(349) = 698$.

Time = 0.20 (sec) , antiderivative size = 5453, normalized size of antiderivative = 15.02

$$\int (ex)^{-1+3n} (a + b \operatorname{sech}(c + dx^n))^2 dx = \text{Too large to display}$$

input `integrate((e*x)^(-1+3*n)*(a+b*sech(c+d*x^n))^2,x, algorithm="fricas")`

output `Too large to include`

Sympy [F]

$$\int (ex)^{-1+3n} (a + b \operatorname{sech}(c + dx^n))^2 dx = \int (ex)^{3n-1} (a + b \operatorname{sech}(c + dx^n))^2 dx$$

input `integrate((e*x)**(-1+3*n)*(a+b*sech(c+d*x**n))**2,x)`

output `Integral((e*x)**(3*n - 1)*(a + b*sech(c + d*x**n))**2, x)`

Maxima [F]

$$\int (ex)^{-1+3n} (a + b \operatorname{sech}(c + dx^n))^2 dx = \int (b \operatorname{sech}(dx^n + c) + a)^2 (ex)^{3n-1} dx$$

input `integrate((e*x)^(-1+3*n)*(a+b*sech(c+d*x^n))^2,x, algorithm="maxima")`

output `-2*b^2*e^(3*n)*x^(2*n)/(d*e*n*e^(2*d*x^n + 2*c) + d*e*n) + 1/3*(e*x)^(3*n)*a^2/(e*n) + integrate(4*(a*b*d*e^(3*n)*e^(d*x^n + 3*n*log(x) + c) + b^2*e^(3*n)*x^(2*n))/(d*e*x*e^(2*d*x^n + 2*c) + d*e*x), x)`

Giac [F]

$$\int (ex)^{-1+3n} (a + b \operatorname{sech}(c + dx^n))^2 dx = \int (b \operatorname{sech}(dx^n + c) + a)^2 (ex)^{3n-1} dx$$

input `integrate((e*x)^(-1+3*n)*(a+b*sech(c+d*x^n))^2,x, algorithm="giac")`

output `integrate((b*sech(d*x^n + c) + a)^2*(e*x)^(3*n - 1), x)`

Mupad [F(-1)]

Timed out.

$$\int (ex)^{-1+3n} (a + b \operatorname{sech}(c + dx^n))^2 dx = \int \left(a + \frac{b}{\cosh(c + dx^n)} \right)^2 (ex)^{3n-1} dx$$

input `int((a + b/cosh(c + d*x^n))^2*(e*x)^(3*n - 1), x)`

output `int((a + b/cosh(c + d*x^n))^2*(e*x)^(3*n - 1), x)`

Reduce [F]

$$\int (ex)^{-1+3n} (a + b \operatorname{sech}(c + dx^n))^2 dx$$

$$= \frac{e^{3n} \left(24e^{2x^nd+2c} \operatorname{atan}(e^{x^nd+c}) ab + 24 \operatorname{atan}(e^{x^nd+c}) ab + 24e^{2x^nd+3c} \left(\int \frac{x^{3n} e^{x^nd}}{e^{4x^nd+4c} x + 2e^{2x^nd+2c} x + x} dx \right) ab d^3 n + 4 \right)}{}$$

input `int((e*x)^(-1+3*n)*(a+b*sech(c+d*x^n))^2,x)`

output `(e**(3*n)*(24*e**(2*x**n*d + 2*c)*atan(e**(x**n*d + c))*a*b + 24*atan(e**(x**n*d + c))*a*b + 24*e**(2*x**n*d + 3*c)*int((x**(3*n)*e**(x**n*d))/(e**(4*x**n*d + 4*c)*x + 2*e**(2*x**n*d + 2*c)*x + x),x)*a*b*d**3*n + 48*e**(2*x**n*d + 3*c)*int((x**(2*n)*e**(x**n*d))/(e**(4*x**n*d + 4*c)*x + 2*e**(2*x**n*d + 2*c)*x + x),x)*a*b*d**2*n + x**(3*n)*e**(2*x**n*d + 2*c)*a**2*d**3 + 6*x**n*e**(2*x**n*d + 2*c)*b**2*d + 12*e**(2*x**n*d + 2*c)*int(x**(2*n)/(e**(4*x**n*d + 4*c)*x + 2*e**(2*x**n*d + 2*c)*x + x),x)*b**2*d**2*n - 3*e**(2*x**n*d + 2*c)*log(e**(2*x**n*d + 2*c) + 1)*b**2 - 12*x**(2*n)*e**(x**n*d + c)*a*b*d**2 - 24*x**n*e**(x**n*d + c)*a*b*d + 24*e**c*int((x**(3*n)*e**(x**n*d))/(e**(4*x**n*d + 4*c)*x + 2*e**(2*x**n*d + 2*c)*x + x),x)*a*b*d**3*n + 48*e**c*int((x**(2*n)*e**(x**n*d))/(e**(4*x**n*d + 4*c)*x + 2*e**(2*x**n*d + 2*c)*x + x),x)*a*b*d**2*n + x**(3*n)*a**2*d**3 - 6*x**(2*n)*b**2*d**2 + 12*int(x**(2*n)/(e**(4*x**n*d + 4*c)*x + 2*e**(2*x**n*d + 2*c)*x + x),x)*b**2*d**2*n - 3*log(e**(2*x**n*d + 2*c) + 1)*b**2)/(3*d**3*e**n*(e**(2*x**n*d + 2*c) + 1))`

3.86 $\int \frac{(ex)^{-1+n}}{a+b\operatorname{sech}(c+dx^n)} dx$

Optimal result	568
Mathematica [A] (verified)	568
Rubi [A] (verified)	569
Maple [C] (warning: unable to verify)	571
Fricas [B] (verification not implemented)	572
Sympy [F]	572
Maxima [F]	573
Giac [F]	573
Mupad [B] (verification not implemented)	573
Reduce [B] (verification not implemented)	574

Optimal result

Integrand size = 22, antiderivative size = 87

$$\int \frac{(ex)^{-1+n}}{a + b\operatorname{sech}(c + dx^n)} dx = \frac{(ex)^n}{aen} - \frac{2bx^{-n}(ex)^n \arctan\left(\frac{\sqrt{a-b}\tanh(\frac{1}{2}(c+dx^n))}{\sqrt{a+b}}\right)}{a\sqrt{a-b}\sqrt{a+bd}en}$$

output

```
(e*x)^n/a/e/n-2*b*(e*x)^n*arctan((a-b)^(1/2)*tanh(1/2*c+1/2*d*x^n)/(a+b)^(1/2))/a/(a-b)^(1/2)/(a+b)^(1/2)/d/e/n/(x^n)
```

Mathematica [A] (verified)

Time = 0.43 (sec) , antiderivative size = 80, normalized size of antiderivative = 0.92

$$\int \frac{(ex)^{-1+n}}{a + b\operatorname{sech}(c + dx^n)} dx = \frac{(ex)^n \left(d + cx^{-n} + \frac{2bx^{-n} \arctan\left(\frac{(-a+b)\tanh(\frac{1}{2}(c+dx^n))}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} \right)}{aden}$$

input

```
Integrate[(e*x)^(-1 + n)/(a + b*Sech[c + d*x^n]), x]
```

```
output ((e*x)^n*(d + c/x^n + (2*b*ArcTan[(-a + b)*Tanh[(c + d*x^n)/2]]/Sqrt[a^2 - b^2]))/(Sqrt[a^2 - b^2]*x^n))/(a*d*e*n)
```

Rubi [A] (verified)

Time = 0.48 (sec) , antiderivative size = 80, normalized size of antiderivative = 0.92, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.318$, Rules used = {5963, 5959, 3042, 4270, 3042, 3138, 221}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ex)^{n-1}}{a + b \operatorname{sech}(c + dx^n)} dx$$

↓ 5963

$$\frac{x^{-n}(ex)^n \int \frac{x^{n-1}}{a + b \operatorname{sech}(dx^n + c)} dx}{e}$$

↓ 5959

$$\frac{x^{-n}(ex)^n \int \frac{1}{a + b \operatorname{sech}(dx^n + c)} dx^n}{en}$$

↓ 3042

$$\frac{x^{-n}(ex)^n \int \frac{1}{a + b \csc(idx^n + ic + \frac{\pi}{2})} dx^n}{en}$$

↓ 4270

$$\frac{x^{-n}(ex)^n \left(\frac{x^n}{a} - \frac{\int \frac{1}{\frac{a \cosh(dx^n + c)}{b} + 1} dx^n}{a} \right)}{en}$$

↓ 3042

$$\frac{x^{-n}(ex)^n \left(\frac{x^n}{a} - \frac{\int \frac{1}{\frac{a \sin(idx^n + ic + \frac{\pi}{2})}{b} + 1} dx^n}{a} \right)}{en}$$

↓ 3138

$$\frac{x^{-n}(ex)^n \left(\frac{x^n}{a} + \frac{2i \int \frac{1}{(1-\frac{a}{b})x^{2n} + \frac{a+b}{b}} d(i \tanh(\frac{1}{2}(dx^n+c)))}{ad} \right)}{en}$$

↓ 221

$$\frac{x^{-n}(ex)^n \left(\frac{x^n}{a} - \frac{2b \arctan\left(\frac{\sqrt{a-b} \tanh(\frac{1}{2}(c+dx^n))}{\sqrt{a+b}}\right)}{ad\sqrt{a-b}\sqrt{a+b}} \right)}{en}$$

input `Int[(e*x)^(-1 + n)/(a + b*Sech[c + d*x^n]),x]`

output `((e*x)^n*(x^n/a - (2*b*ArcTan[(Sqrt[a - b]*Tanh[(c + d*x^n)/2])/Sqrt[a + b]])/(a*Sqrt[a - b]*Sqrt[a + b]*d))/(e*n*x^n)`

Defintions of rubi rules used

rule 221 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 3138 `Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Simp[2*(e/d) Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]`

rule 4270 `Int[(csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_))^-1, x_Symbol] := Simp[x/a, x] - Simp[1/a Int[1/(1 + (a/b)*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]`

rule 5959

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol]
  := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x]
  /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]
```

rule 5963

```
Int[((e_)*(x_))^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol]
  := Simp[e^IntPart[m]*((e*x)^FracPart[m]/x^FracPart[m]) Int[x^m*(a + b*Sech[c + d*x^n])^p, x], x]
  /; FreeQ[{a, b, c, d, e, m, n, p}, x]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 3.

Time = 0.70 (sec) , antiderivative size = 317, normalized size of antiderivative = 3.64

method	result
risch	$\frac{x e^{\frac{(-1+n)(-i\pi \operatorname{csgn}(ie) \operatorname{csgn}(ix) \operatorname{csgn}(ie x) + i\pi \operatorname{csgn}(ie) \operatorname{csgn}(ie x)^2 + i\pi \operatorname{csgn}(ix) \operatorname{csgn}(ie x)^2 - i\pi \operatorname{csgn}(ie x)^3 + 2 \ln(x) + 2 \ln(e))}{2}}}{an} - \frac{2b e^{-i\pi n \operatorname{csgn}(ie)}}{a^2 \exp(2c) - \exp(2c) b^2} \arctan\left(\frac{1}{2} \frac{2a \exp(2c + d x^n) + 2 \exp(c) b}{a^2 \exp(2c) - \exp(2c) b^2}\right)^{1/2}$

input

```
int((e*x)^(-1+n)/(a+b*sech(c+d*x^n)),x,method=_RETURNVERBOSE)
```

output

```
1/a/n*x*exp(1/2*(-1+n)*(-I*Pi*csgn(I*e)*csgn(I*x)*csgn(I*e*x)+I*Pi*csgn(I*
e)*csgn(I*e*x)^2+I*Pi*csgn(I*x)*csgn(I*e*x)^2-I*Pi*csgn(I*e*x)^3+2*ln(x)+2
*ln(e))-2*b/a/n*exp(-1/2*I*Pi*n*csgn(I*e)*csgn(I*x)*csgn(I*e*x))*exp(1/2*
I*Pi*n*csgn(I*e)*csgn(I*e*x)^2)*exp(1/2*I*Pi*n*csgn(I*x)*csgn(I*e*x)^2)*ex
p(-1/2*I*Pi*n*csgn(I*e*x)^3)*exp(1/2*I*Pi*csgn(I*e)*csgn(I*x)*csgn(I*e*x))
*exp(-1/2*I*Pi*csgn(I*e)*csgn(I*e*x)^2)*exp(-1/2*I*Pi*csgn(I*x)*csgn(I*e*x
)^2)*exp(1/2*I*Pi*csgn(I*e*x)^3)*e^n/e*exp(c)/d/(a^2*exp(2*c)-exp(2*c)*b^2
)^(1/2)*arctan(1/2*(2*a*exp(2*c+d*x^n)+2*exp(c)*b)/(a^2*exp(2*c)-exp(2*c)*
b^2)^(1/2))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 240 vs. $2(78) = 156$.

Time = 0.12 (sec) , antiderivative size = 511, normalized size of antiderivative = 5.87

$$\int \frac{(ex)^{-1+n}}{a + b \operatorname{sech}(c + dx^n)} dx = \text{Too large to display}$$

input `integrate((e*x)^(-1+n)/(a+b*sech(c+d*x^n)),x, algorithm="fricas")`

output `[((a^2 - b^2)*d*cosh((n - 1)*log(e))*cosh(n*log(x)) + (a^2 - b^2)*d*cosh(n*log(x))*sinh((n - 1)*log(e)) - (sqrt(-a^2 + b^2)*b*cosh((n - 1)*log(e)) + sqrt(-a^2 + b^2)*b*sinh((n - 1)*log(e)))*log((a*b + (b^2 + sqrt(-a^2 + b^2)*b)*cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + (a^2 - b^2 - sqrt(-a^2 + b^2)*b)*sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + sqrt(-a^2 + b^2)*a)/(a*cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + b)) + ((a^2 - b^2)*d*cosh((n - 1)*log(e)) + (a^2 - b^2)*d*sinh((n - 1)*log(e)))*sinh(n*log(x)))/((a^3 - a*b^2)*d*n), ((a^2 - b^2)*d*cosh((n - 1)*log(e))*cosh(n*log(x)) + (a^2 - b^2)*d*cosh(n*log(x))*sinh((n - 1)*log(e)) + 2*(sqrt(a^2 - b^2)*b*cosh((n - 1)*log(e)) + sqrt(a^2 - b^2)*b*sinh((n - 1)*log(e)))*arctan(-(sqrt(a^2 - b^2)*a*cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + sqrt(a^2 - b^2)*a*sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + sqrt(a^2 - b^2)*b)/(a^2 - b^2)) + ((a^2 - b^2)*d*cosh((n - 1)*log(e)) + (a^2 - b^2)*d*sinh((n - 1)*log(e)))*sinh(n*log(x)))/((a^3 - a*b^2)*d*n)]`

Sympy [F]

$$\int \frac{(ex)^{-1+n}}{a + b \operatorname{sech}(c + dx^n)} dx = \int \frac{(ex)^{n-1}}{a + b \operatorname{sech}(c + dx^n)} dx$$

input `integrate((e*x)**(-1+n)/(a+b*sech(c+d*x**n)),x)`

output `Integral((e*x)**(n - 1)/(a + b*sech(c + d*x**n)), x)`

Maxima [F]

$$\int \frac{(ex)^{-1+n}}{a + b \operatorname{sech}(c + dx^n)} dx = \int \frac{(ex)^{n-1}}{b \operatorname{sech}(dx^n + c) + a} dx$$

input `integrate((e*x)^(-1+n)/(a+b*sech(c+d*x^n)),x, algorithm="maxima")`

output `-2*b*e^n*integrate(e^(d*x^n + n*log(x) + c)/(a^2*e*x*e^(2*d*x^n + 2*c) + 2*a*b*e*x*e^(d*x^n + c) + a^2*e*x), x) + e^(n - 1)*x^n/(a*n)`

Giac [F]

$$\int \frac{(ex)^{-1+n}}{a + b \operatorname{sech}(c + dx^n)} dx = \int \frac{(ex)^{n-1}}{b \operatorname{sech}(dx^n + c) + a} dx$$

input `integrate((e*x)^(-1+n)/(a+b*sech(c+d*x^n)),x, algorithm="giac")`

output `integrate((e*x)^(n - 1)/(b*sech(d*x^n + c) + a), x)`

Mupad [B] (verification not implemented)

Time = 2.93 (sec) , antiderivative size = 409, normalized size of antiderivative = 4.70

$$\int \frac{(ex)^{-1+n}}{a + b \operatorname{sech}(c + dx^n)} dx = \frac{x (ex)^{n-1}}{a n} + \frac{2 \operatorname{atan} \left(\frac{a^2 e^{d x^n} e^c \left(\frac{2 b x (ex)^{n-1}}{a^4 d n x^n \sqrt{b^2 x^2 (ex)^{2n-2}} + \frac{2 b d n x^n (ex)^{1-n} \sqrt{b^2 x^2 (ex)^{2n-2}}}{a^2 x \sqrt{a^4 d^2 n^2 x^{2n} - a^2 b^2 d^2 n^2 x^{2n}} \sqrt{a^2 d^2 n^2 x^{2n} (a^2 - b^2)}} \right)}{2} \right) \sqrt{a^4 d^2 n^2 x^{2n} - a^2 b^2 d^2 n^2 x^{2n}}}{\sqrt{a^4 d^2 n^2 x^{2n} - a^2 b^2 d^2 n^2 x^{2n}}}$$

input `int((e*x)^(n - 1)/(a + b/cosh(c + d*x^n)),x)`

output

```
(x*(e*x)^(n - 1))/(a*n) - ((2*atan((a^2*exp(d*x^n)*exp(c)*((2*b*x*(e*x)^(n
- 1))/(a^4*d*n*x^n*(b^2*x^2*(e*x)^(2*n - 2))^(1/2)) + (2*b*d*n*x^n*(e*x)^(
1 - n)*(b^2*x^2*(e*x)^(2*n - 2))^(1/2)))/(a^2*x*(a^4*d^2*n^2*x^(2*n) - a^2
*b^2*d^2*n^2*x^(2*n))^(1/2)*(a^2*d^2*n^2*x^(2*n)*(a^2 - b^2))^(1/2)))*(a^4
*d^2*n^2*x^(2*n) - a^2*b^2*d^2*n^2*x^(2*n))^(1/2))/2 + (a*d*n*x^n*(e*x)^(1
- n)*(b^2*x^2*(e*x)^(2*n - 2))^(1/2))/(x*(a^2*d^2*n^2*x^(2*n)*(a^2 - b^2)
)^(1/2))) + 2*atan((x*(e*x)^(n - 1)*(a^2*d^2*n^2*x^(2*n)*(a^2 - b^2))^(1/2
)))/(a*d*n*x^n*(b^2*x^2*(e*x)^(2*n - 2))^(1/2)))*(b^2*x^2*(e*x)^(2*n - 2)
)^(1/2))/(a^4*d^2*n^2*x^(2*n) - a^2*b^2*d^2*n^2*x^(2*n))^(1/2)
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 85, normalized size of antiderivative = 0.98

$$\int \frac{(ex)^{-1+n}}{a + b \operatorname{sech}(c + dx^n)} dx = \frac{e^n \left(-2\sqrt{a^2 - b^2} \operatorname{atan}\left(\frac{e^{x^n d + c} a + b}{\sqrt{a^2 - b^2}}\right) b + x^n a^2 d - x^n b^2 d \right)}{a d e^n (a^2 - b^2)}$$

input

```
int((e*x)^(-1+n)/(a+b*sech(c+d*x^n)),x)
```

output

```
(e**n*( - 2*sqrt(a**2 - b**2)*atan((e**(x**n*d + c)*a + b)/sqrt(a**2 - b**
2))*b + x**n*a**2*d - x**n*b**2*d))/(a*d*e**n*(a**2 - b**2))
```

3.87 $\int \frac{(ex)^{-1+2n}}{a+b\operatorname{sech}(c+dx^n)} dx$

Optimal result	575
Mathematica [C] (warning: unable to verify)	576
Rubi [A] (verified)	577
Maple [C] (warning: unable to verify)	579
Fricas [B] (verification not implemented)	579
Sympy [F]	580
Maxima [F]	581
Giac [F]	581
Mupad [F(-1)]	581
Reduce [F]	582

Optimal result

Integrand size = 24, antiderivative size = 307

$$\int \frac{(ex)^{-1+2n}}{a+b\operatorname{sech}(c+dx^n)} dx = \frac{(ex)^{2n}}{2aen} - \frac{bx^{-n}(ex)^{2n} \log\left(1 + \frac{ae^{c+dx^n}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}den} + \frac{bx^{-n}(ex)^{2n} \log\left(1 + \frac{ae^{c+dx^n}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}den} - \frac{bx^{-2n}(ex)^{2n} \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^n}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^2en} + \frac{bx^{-2n}(ex)^{2n} \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^n}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^2en}$$

output

```
1/2*(e*x)^(2*n)/a/e/n-b*(e*x)^(2*n)*ln(1+a*exp(c+d*x^n)/(b-(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d/e/n/(x^n)+b*(e*x)^(2*n)*ln(1+a*exp(c+d*x^n)/(b+(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d/e/n/(x^n)-b*(e*x)^(2*n)*polylog(2,-a*exp(c+d*x^n)/(b-(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^2/e/n/(x^(2*n))+b*(e*x)^(2*n)*polylog(2,-a*exp(c+d*x^n)/(b+(-a^2+b^2)^(1/2)))/a/(-a^2+b^2)^(1/2)/d^2/e/n/(x^(2*n))
```


Mathematica [C] (warning: unable to verify)

Result contains complex when optimal does not.

Time = 2.43 (sec) , antiderivative size = 859, normalized size of antiderivative = 2.80

$$\int \frac{(ex)^{-1+2n}}{a + b \operatorname{sech}(c + dx^n)} dx = \text{Too large to display}$$

input `Integrate[(e*x)^(-1 + 2*n)/(a + b*Sech[c + d*x^n]),x]`

output

```
((e*x)^(2*n)*(b + a*Cosh[c + d*x^n])*(1 + (2*b*(2*(c + d*x^n)*ArcTan[((a + b)*Coth[(c + d*x^n)/2])/Sqrt[a^2 - b^2]] + 2*(c - I*ArcCos[-(b/a)])*ArcTan[((a - b)*Tanh[(c + d*x^n)/2])/Sqrt[a^2 - b^2]] + (ArcCos[-(b/a)] + 2*(ArcTan[((a + b)*Coth[(c + d*x^n)/2])/Sqrt[a^2 - b^2]] + ArcTan[((a - b)*Tanh[(c + d*x^n)/2])/Sqrt[a^2 - b^2]]))*Log[(Sqrt[a^2 - b^2]*E^(-1/2*c - (d*x^n)/2))/(Sqrt[2]*Sqrt[a]*Sqrt[b + a*Cosh[c + d*x^n]])] + (ArcCos[-(b/a)] - 2*(ArcTan[((a + b)*Coth[(c + d*x^n)/2])/Sqrt[a^2 - b^2]] + ArcTan[((a - b)*Tanh[(c + d*x^n)/2])/Sqrt[a^2 - b^2]]))*Log[(Sqrt[a^2 - b^2]*E^((c + d*x^n)/2))/(Sqrt[2]*Sqrt[a]*Sqrt[b + a*Cosh[c + d*x^n]])] - (ArcCos[-(b/a)] + 2*ArcTan[((a - b)*Tanh[(c + d*x^n)/2])/Sqrt[a^2 - b^2]])*Log[((a + b)*(-a + b + I*Sqrt[a^2 - b^2])*(-1 + Tanh[(c + d*x^n)/2]))/(a*(a + b + I*Sqrt[a^2 - b^2]*Tanh[(c + d*x^n)/2]))] - (ArcCos[-(b/a)] - 2*ArcTan[((a - b)*Tanh[(c + d*x^n)/2])/Sqrt[a^2 - b^2]])*Log[((a + b)*(a - b + I*Sqrt[a^2 - b^2])*(1 + Tanh[(c + d*x^n)/2]))/(a*(a + b + I*Sqrt[a^2 - b^2]*Tanh[(c + d*x^n)/2]))] + I*(PolyLog[2, ((b - I*Sqrt[a^2 - b^2])*(a + b - I*Sqrt[a^2 - b^2])*Tanh[(c + d*x^n)/2]))/(a*(a + b + I*Sqrt[a^2 - b^2]*Tanh[(c + d*x^n)/2]))] - PolyLog[2, ((b + I*Sqrt[a^2 - b^2])*(a + b - I*Sqrt[a^2 - b^2])*Tanh[(c + d*x^n)/2]))/(a*(a + b + I*Sqrt[a^2 - b^2]*Tanh[(c + d*x^n)/2]))]))/(Sqrt[a^2 - b^2]*d^2*x^(2*n))*Sech[c + d*x^n]/(2*a*e^n*(a + b*Sech[c + d*x^n]))
```

Rubi [A] (verified)

Time = 0.91 (sec) , antiderivative size = 252, normalized size of antiderivative = 0.82, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {5963, 5959, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{(ex)^{2n-1}}{a + b \operatorname{sech}(c + dx^n)} dx \\
 & \quad \downarrow \text{5963} \\
 & \frac{x^{-2n}(ex)^{2n} \int \frac{x^{2n-1}}{a+b \operatorname{sech}(dx^n+c)} dx}{e} \\
 & \quad \downarrow \text{5959} \\
 & \frac{x^{-2n}(ex)^{2n} \int \frac{x^n}{a+b \operatorname{sech}(dx^n+c)} dx^n}{en} \\
 & \quad \downarrow \text{3042} \\
 & \frac{x^{-2n}(ex)^{2n} \int \frac{x^n}{a+b \csc(idx^n+ic+\frac{\pi}{2})} dx^n}{en} \\
 & \quad \downarrow \text{4679} \\
 & \frac{x^{-2n}(ex)^{2n} \int \left(\frac{x^n}{a} - \frac{bx^n}{a(b+a \cosh(dx^n+c))} \right) dx^n}{en} \\
 & \quad \downarrow \text{2009} \\
 & \frac{x^{-2n}(ex)^{2n} \left(-\frac{b \operatorname{PolyLog}\left(2, -\frac{ae^{dx^n+c}}{b-\sqrt{b^2-a^2}}\right)}{ad^2\sqrt{b^2-a^2}} + \frac{b \operatorname{PolyLog}\left(2, -\frac{ae^{dx^n+c}}{b+\sqrt{b^2-a^2}}\right)}{ad^2\sqrt{b^2-a^2}} - \frac{bx^n \log\left(\frac{ae^{c+dx^n}}{b-\sqrt{b^2-a^2}}+1\right)}{ad\sqrt{b^2-a^2}} + \frac{bx^n \log\left(\frac{ae^{c+dx^n}}{\sqrt{b^2-a^2}+b}+1\right)}{ad\sqrt{b^2-a^2}} + \frac{x^n}{a} \right)}{en}
 \end{aligned}$$

input

`Int[(e*x)^(-1 + 2*n)/(a + b*Sech[c + d*x^n]),x]`

output

$$\frac{\left(\frac{(e x)^{2 n} (x^{2 n})}{2 a} - \frac{b x^n \operatorname{Log}\left[1 + \left(a E^{c + d x^n}\right)\right]}{b - \sqrt{-a^2 + b^2}}\right) / \left(a \sqrt{-a^2 + b^2} d\right) + \frac{b x^n \operatorname{Log}\left[1 + \left(a E^{c + d x^n}\right)\right]}{b + \sqrt{-a^2 + b^2}} / \left(a \sqrt{-a^2 + b^2} d\right) - \frac{b \operatorname{PolyLog}\left[2, -\left(a E^{c + d x^n}\right)\right]}{b - \sqrt{-a^2 + b^2}} / \left(a \sqrt{-a^2 + b^2} d^2\right) + \frac{b \operatorname{PolyLog}\left[2, -\left(a E^{c + d x^n}\right)\right]}{b + \sqrt{-a^2 + b^2}} / \left(a \sqrt{-a^2 + b^2} d^2\right)}{(e^n x^{2 n})}$$

Defintions of rubi rules used

rule 2009

$$\operatorname{Int}[u_, x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{IntSum}[u, x], x] \text{ ; SumQ}[u]$$

rule 3042

$$\operatorname{Int}[u_, x_Symbol] \rightarrow \operatorname{Int}[\operatorname{DeactivateTrig}[u, x], x] \text{ ; FunctionOfTrigOfLinearQ}[u, x]$$

rule 4679

$$\operatorname{Int}[(\operatorname{csc}[e_] + (f_)(x_))(b_) + (a_)]^{(n_)}((c_) + (d_)(x_))^{(m_)}, x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(c + d x)^m, 1/(\operatorname{Sin}[e + f x]^n / (b + a \operatorname{Sin}[e + f x]^n)), x], x] \text{ ; FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \operatorname{ILtQ}[n, 0] \&\& \operatorname{IGtQ}[m, 0]$$

rule 5959

$$\operatorname{Int}[(x_)^{(m_)}((a_) + (b_)\operatorname{Sech}[(c_) + (d_)(x_)^{(n_)}])^{(p_)}, x_Symbol] \rightarrow \operatorname{Simp}[1/n \operatorname{Subst}[\operatorname{Int}[x^{(\operatorname{Simplify}[m + 1]/n - 1)(a + b \operatorname{Sech}[c + d x])^p}, x], x, x^n], x] \text{ ; FreeQ}\{a, b, c, d, m, n, p\}, x\} \&\& \operatorname{IGtQ}[\operatorname{Simplify}[m + 1]/n, 0] \&\& \operatorname{IntegerQ}[p]$$

rule 5963

$$\operatorname{Int}[(e_)(x_)^{(m_)}((a_) + (b_)\operatorname{Sech}[(c_) + (d_)(x_)^{(n_)}])^{(p_)}, x_Symbol] \rightarrow \operatorname{Simp}[e^{\operatorname{IntPart}[m]} (e x)^{\operatorname{FracPart}[m]} / x^{\operatorname{FracPart}[m]} \operatorname{Int}[x^m (a + b \operatorname{Sech}[c + d x^n])^p, x], x] \text{ ; FreeQ}\{a, b, c, d, e, m, n, p\}, x\}$$

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 0.68 (sec) , antiderivative size = 585, normalized size of antiderivative = 1.91

method	result
risch	$\frac{x e^{\frac{(-1+2n)(-i\pi \operatorname{csgn}(ie) \operatorname{csgn}(ix) \operatorname{csgn}(iex)+i\pi \operatorname{csgn}(ie) \operatorname{csgn}(iex)^2+i\pi \operatorname{csgn}(ix) \operatorname{csgn}(iex)^2-i\pi \operatorname{csgn}(iex)^3+2\ln(x)+2\ln(e))}{2an}}}{2an} - \frac{2be^{-i\pi n} \operatorname{csgn}(ie) \operatorname{csgn}(ix) \operatorname{csgn}(iex)}{2an}$

input `int((e*x)^(-1+2*n)/(a+b*sech(c+d*x^n)),x,method=_RETURNVERBOSE)`

output

$$\begin{aligned} & 1/2/a/n*x*\exp(1/2*(-1+2*n)*(-I*Pi*csgn(I*e)*csgn(I*x)*csgn(I*e*x)+I*Pi*csgn(I*e)*csgn(I*e*x)^2+I*Pi*csgn(I*x)*csgn(I*e*x)^2-I*Pi*csgn(I*e*x)^3+2*\ln(x)+2*\ln(e)))-2*b/a*\exp(-I*Pi*n*csgn(I*e)*csgn(I*x)*csgn(I*e*x))*\exp(I*Pi*n*csgn(I*e)*csgn(I*e*x)^2)*\exp(I*Pi*n*csgn(I*x)*csgn(I*e*x)^2)*\exp(-I*Pi*n*csgn(I*e*x)^3)*\exp(1/2*I*Pi*csgn(I*e)*csgn(I*x)*csgn(I*e*x))*\exp(-1/2*I*Pi*csgn(I*e)*csgn(I*e*x)^2)*\exp(-1/2*I*Pi*csgn(I*x)*csgn(I*e*x)^2)*\exp(1/2*I*Pi*csgn(I*e*x)^3)*(e^n)^2/e*\exp(c)/n/d^2*(1/2*x^n*d*(\ln((-a*\exp(2*c+d*x^n)-\exp(c)*b+(\exp(2*c)*b^2-a^2*\exp(2*c))^(1/2)))/(-\exp(c)*b+(\exp(2*c)*b^2-a^2*\exp(2*c))^(1/2)))-\ln((a*\exp(2*c+d*x^n)+\exp(c)*b+(\exp(2*c)*b^2-a^2*\exp(2*c))^(1/2)))/(\exp(c)*b+(\exp(2*c)*b^2-a^2*\exp(2*c))^(1/2)))/(\exp(2*c)*b^2-a^2*\exp(2*c))^(1/2)+1/2*(dilog((-a*\exp(2*c+d*x^n)-\exp(c)*b+(\exp(2*c)*b^2-a^2*\exp(2*c))^(1/2)))/(-\exp(c)*b+(\exp(2*c)*b^2-a^2*\exp(2*c))^(1/2)))-dilog((a*\exp(2*c+d*x^n)+\exp(c)*b+(\exp(2*c)*b^2-a^2*\exp(2*c))^(1/2)))/(\exp(c)*b+(\exp(2*c)*b^2-a^2*\exp(2*c))^(1/2)))/(\exp(2*c)*b^2-a^2*\exp(2*c))^(1/2)) \end{aligned}$$
Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1286 vs. $2(287) = 574$.

Time = 0.12 (sec) , antiderivative size = 1286, normalized size of antiderivative = 4.19

$$\int \frac{(ex)^{-1+2n}}{a + b\operatorname{sech}(c + dx^n)} dx = \text{Too large to display}$$

input `integrate((e*x)^(-1+2*n)/(a+b*sech(c+d*x^n)),x, algorithm="fricas")`

output

```

1/2*((a^2 - b^2)*d^2*cosh((2*n - 1)*log(e))*cosh(n*log(x))^2 + (a^2 - b^2)
*d^2*cosh(n*log(x))^2*sinh((2*n - 1)*log(e)) + ((a^2 - b^2)*d^2*cosh((2*n
- 1)*log(e)) + (a^2 - b^2)*d^2*sinh((2*n - 1)*log(e)))*sinh(n*log(x))^2 +
2*(a*b*sqrt(-(a^2 - b^2)/a^2)*cosh((2*n - 1)*log(e)) + a*b*sqrt(-(a^2 - b^
2)/a^2)*sinh((2*n - 1)*log(e)))*dilog(-((a*sqrt(-(a^2 - b^2)/a^2) + b)*cos
h(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + (a*sqrt(-(a^2 - b^2)/a^2) + b
)*sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + a)/a + 1) - 2*(a*b*sqrt(
-(a^2 - b^2)/a^2)*cosh((2*n - 1)*log(e)) + a*b*sqrt(-(a^2 - b^2)/a^2)*sinh
((2*n - 1)*log(e)))*dilog(((a*sqrt(-(a^2 - b^2)/a^2) - b)*cosh(d*cosh(n*lo
g(x)) + d*sinh(n*log(x)) + c) + (a*sqrt(-(a^2 - b^2)/a^2) - b)*sinh(d*cosh
(n*log(x)) + d*sinh(n*log(x)) + c) - a)/a + 1) + 2*(a*b*c*sqrt(-(a^2 - b^2
)/a^2)*cosh((2*n - 1)*log(e)) + a*b*c*sqrt(-(a^2 - b^2)/a^2)*sinh((2*n - 1
)*log(e)))*log(2*a*cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + 2*a*sin
h(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + 2*a*sqrt(-(a^2 - b^2)/a^2) +
2*b) - 2*(a*b*c*sqrt(-(a^2 - b^2)/a^2)*cosh((2*n - 1)*log(e)) + a*b*c*sqrt
(-(a^2 - b^2)/a^2)*sinh((2*n - 1)*log(e)))*log(2*a*cosh(d*cosh(n*log(x)) +
d*sinh(n*log(x)) + c) + 2*a*sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c)
- 2*a*sqrt(-(a^2 - b^2)/a^2) + 2*b) + 2*(a*b*d*sqrt(-(a^2 - b^2)/a^2)*cos
h((2*n - 1)*log(e))*cosh(n*log(x)) + a*b*c*sqrt(-(a^2 - b^2)/a^2)*cosh((2*
n - 1)*log(e)) + (a*b*d*sqrt(-(a^2 - b^2)/a^2)*cosh(n*log(x)) + a*b*c*s...

```

Sympy [F]

$$\int \frac{(ex)^{-1+2n}}{a + b \operatorname{sech}(c + dx^n)} dx = \int \frac{(ex)^{2n-1}}{a + b \operatorname{sech}(c + dx^n)} dx$$

input

```
integrate((e*x)**(-1+2*n)/(a+b*sech(c+d*x**n)),x)
```

output

```
Integral((e*x)**(2*n - 1)/(a + b*sech(c + d*x**n)), x)
```

Maxima [F]

$$\int \frac{(ex)^{-1+2n}}{a + b \operatorname{sech}(c + dx^n)} dx = \int \frac{(ex)^{2n-1}}{b \operatorname{sech}(dx^n + c) + a} dx$$

input `integrate((e*x)^(-1+2*n)/(a+b*sech(c+d*x^n)),x, algorithm="maxima")`

output `-2*b*e^(2*n)*integrate(e^(d*x^n + 2*n*log(x) + c)/(a^2*e*x*e^(2*d*x^n + 2*c) + 2*a*b*e*x*e^(d*x^n + c) + a^2*e*x), x) + 1/2*e^(2*n - 1)*x^(2*n)/(a*n)`

Giac [F]

$$\int \frac{(ex)^{-1+2n}}{a + b \operatorname{sech}(c + dx^n)} dx = \int \frac{(ex)^{2n-1}}{b \operatorname{sech}(dx^n + c) + a} dx$$

input `integrate((e*x)^(-1+2*n)/(a+b*sech(c+d*x^n)),x, algorithm="giac")`

output `integrate((e*x)^(2*n - 1)/(b*sech(d*x^n + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{(ex)^{-1+2n}}{a + b \operatorname{sech}(c + dx^n)} dx = \int \frac{(ex)^{2n-1}}{a + \frac{b}{\cosh(c+dx^n)}} dx$$

input `int((e*x)^(2*n - 1)/(a + b/cosh(c + d*x^n)),x)`

output `int((e*x)^(2*n - 1)/(a + b/cosh(c + d*x^n)), x)`

Reduce [F]

$$\int \frac{(ex)^{-1+2n}}{a + b \operatorname{sech}(c + dx^n)} dx$$

$$= \frac{e^{2n} \left(\int \frac{x^{2n} e^{2x^n d}}{e^{2x^n d + 2c} a x + 2e^{x^n d + c} b x + a x} dx \right) + \int \frac{x^{2n}}{e^{2x^n d + 2c} a x + 2e^{x^n d + c} b x + a x} dx}{e}$$

input `int((e*x)^(-1+2*n)/(a+b*sech(c+d*x^n)),x)`

output `(e**(2*n)*(e**(2*c)*int((x**(2*n)*e**(2*x**n*d))/(e**(2*x**n*d + 2*c)*a*x + 2*e**(x**n*d + c)*b*x + a*x),x) + int(x**(2*n)/(e**(2*x**n*d + 2*c)*a*x + 2*e**(x**n*d + c)*b*x + a*x),x))/e`

3.88 $\int \frac{(ex)^{-1+3n}}{a+b\operatorname{sech}(c+dx^n)} dx$

Optimal result	583
Mathematica [F]	584
Rubi [A] (verified)	584
Maple [F]	586
Fricas [B] (verification not implemented)	587
Sympy [F]	588
Maxima [F]	588
Giac [F]	588
Mupad [F(-1)]	589
Reduce [F]	589

Optimal result

Integrand size = 24, antiderivative size = 452

$$\int \frac{(ex)^{-1+3n}}{a+b\operatorname{sech}(c+dx^n)} dx = \frac{(ex)^{3n}}{3aen} - \frac{bx^{-n}(ex)^{3n} \log\left(1 + \frac{ae^{c+dx^n}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}den}$$

$$+ \frac{bx^{-n}(ex)^{3n} \log\left(1 + \frac{ae^{c+dx^n}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}den}$$

$$- \frac{2bx^{-2n}(ex)^{3n} \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^n}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^2en}$$

$$+ \frac{2bx^{-2n}(ex)^{3n} \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^n}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^2en}$$

$$+ \frac{2bx^{-3n}(ex)^{3n} \operatorname{PolyLog}\left(3, -\frac{ae^{c+dx^n}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^3en}$$

$$- \frac{2bx^{-3n}(ex)^{3n} \operatorname{PolyLog}\left(3, -\frac{ae^{c+dx^n}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}d^3en}$$

output

```

1/3*(e*x)^(3*n)/a/e/n-b*(e*x)^(3*n)*ln(1+a*exp(c+d*x^n)/(b-(-a^2+b^2)^(1/2)))
)/a/(-a^2+b^2)^(1/2)/d/e/n/(x^n)+b*(e*x)^(3*n)*ln(1+a*exp(c+d*x^n)/(b+(-a^2+b^2)^(1/2)))
)/a/(-a^2+b^2)^(1/2)/d/e/n/(x^n)-2*b*(e*x)^(3*n)*polylog(2,-a*exp(c+d*x^n)/(b-(-a^2+b^2)^(1/2)))
)/a/(-a^2+b^2)^(1/2)/d^2/e/n/(x^(2*n))+2*b*(e*x)^(3*n)*polylog(2,-a*exp(c+d*x^n)/(b+(-a^2+b^2)^(1/2)))
)/a/(-a^2+b^2)^(1/2)/d^2/e/n/(x^(2*n))+2*b*(e*x)^(3*n)*polylog(3,-a*exp(c+d*x^n)/(b-(-a^2+b^2)^(1/2)))
)/a/(-a^2+b^2)^(1/2)/d^3/e/n/(x^(3*n))-2*b*(e*x)^(3*n)*polylog(3,-a*exp(c+d*x^n)/(b+(-a^2+b^2)^(1/2)))
)/a/(-a^2+b^2)^(1/2)/d^3/e/n/(x^(3*n))

```

Mathematica [F]

$$\int \frac{(ex)^{-1+3n}}{a + b \operatorname{sech}(c + dx^n)} dx = \int \frac{(ex)^{-1+3n}}{a + b \operatorname{sech}(c + dx^n)} dx$$

input

```
Integrate[(e*x)^(-1 + 3*n)/(a + b*Sech[c + d*x^n]),x]
```

output

```
Integrate[(e*x)^(-1 + 3*n)/(a + b*Sech[c + d*x^n]), x]
```

Rubi [A] (verified)

Time = 1.78 (sec) , antiderivative size = 371, normalized size of antiderivative = 0.82, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {5963, 5959, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ex)^{3n-1}}{a + b \operatorname{sech}(c + dx^n)} dx$$

↓ 5963

$$\frac{x^{-3n}(ex)^{3n} \int \frac{x^{3n-1}}{a + b \operatorname{sech}(dx^n + c)} dx}{e}$$

$$\begin{array}{c}
 \downarrow 5959 \\
 \frac{x^{-3n}(ex)^{3n} \int \frac{x^{2n}}{a+b\operatorname{sech}(dx^n+c)} dx^n}{en} \\
 \downarrow 3042 \\
 \frac{x^{-3n}(ex)^{3n} \int \frac{x^{2n}}{a+b\operatorname{csc}(idx^n+ic+\frac{\pi}{2})} dx^n}{en} \\
 \downarrow 4679 \\
 \frac{x^{-3n}(ex)^{3n} \int \left(\frac{x^{2n}}{a} - \frac{bx^{2n}}{a(b+a \cosh(dx^n+c))} \right) dx^n}{en} \\
 \downarrow 2009 \\
 \frac{x^{-3n}(ex)^{3n} \left(\frac{2b \operatorname{PolyLog}\left(3, -\frac{ae^{dx^n+c}}{b-\sqrt{b^2-a^2}}\right)}{ad^3\sqrt{b^2-a^2}} - \frac{2b \operatorname{PolyLog}\left(3, -\frac{ae^{dx^n+c}}{b+\sqrt{b^2-a^2}}\right)}{ad^3\sqrt{b^2-a^2}} - \frac{2bx^n \operatorname{PolyLog}\left(2, -\frac{ae^{dx^n+c}}{b-\sqrt{b^2-a^2}}\right)}{ad^2\sqrt{b^2-a^2}} + \frac{2bx^n \operatorname{PolyLog}\left(2, -\frac{ae}{b+\sqrt{b^2-a^2}}\right)}{ad^2\sqrt{b^2-a^2}} \right)}{en}
 \end{array}$$

input

```
Int[(e*x)^(-1 + 3*n)/(a + b*Sech[c + d*x^n]),x]
```

output

```
((e*x)^(3*n)*(x^(3*n)/(3*a) - (b*x^(2*n)*Log[1 + (a*E^(c + d*x^n))/(b - Sqrt[-a^2 + b^2]])))/(a*Sqrt[-a^2 + b^2]*d) + (b*x^(2*n)*Log[1 + (a*E^(c + d*x^n))/(b + Sqrt[-a^2 + b^2]]))/(a*Sqrt[-a^2 + b^2]*d) - (2*b*x^n*PolyLog[2, -((a*E^(c + d*x^n))/(b - Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^2) + (2*b*x^n*PolyLog[2, -((a*E^(c + d*x^n))/(b + Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^2) + (2*b*PolyLog[3, -((a*E^(c + d*x^n))/(b - Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^3) - (2*b*PolyLog[3, -((a*E^(c + d*x^n))/(b + Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*d^3))/(e*n*x^(3*n))
```

Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4679 `Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Sin[e + f*x]^n)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]`

rule 5959 `Int[(x_)^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

rule 5963 `Int[((e_.)*(x_.))^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Simp[e^IntPart[m]*((e*x)^FracPart[m]/x^FracPart[m]) Int[x^m*(a + b*Sech[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x]`

Maple [F]

$$\int \frac{(ex)^{-1+3n}}{a + b \operatorname{sech}(c + dx^n)} dx$$

input `int((e*x)^(-1+3*n)/(a+b*sech(c+d*x^n)),x)`

output `int((e*x)^(-1+3*n)/(a+b*sech(c+d*x^n)),x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2005 vs. $2(426) = 852$.

Time = 0.13 (sec) , antiderivative size = 2005, normalized size of antiderivative = 4.44

$$\int \frac{(ex)^{-1+3n}}{a + b \operatorname{sech}(c + dx^n)} dx = \text{Too large to display}$$

input `integrate((e*x)^(-1+3*n)/(a+b*sech(c+d*x^n)),x, algorithm="fricas")`

output

```

1/3*((a^2 - b^2)*d^3*cosh((3*n - 1)*log(e))*cosh(n*log(x))^3 + (a^2 - b^2)
*d^3*cosh(n*log(x))^3*sinh((3*n - 1)*log(e)) + ((a^2 - b^2)*d^3*cosh((3*n
- 1)*log(e)) + (a^2 - b^2)*d^3*sinh((3*n - 1)*log(e)))*sinh(n*log(x))^3 +
3*((a^2 - b^2)*d^3*cosh((3*n - 1)*log(e))*cosh(n*log(x)) + (a^2 - b^2)*d^3
*cosh(n*log(x))*sinh((3*n - 1)*log(e)))*sinh(n*log(x))^2 + 6*(a*b*d*sqrt(-
(a^2 - b^2)/a^2)*cosh((3*n - 1)*log(e))*cosh(n*log(x)) + a*b*d*sqrt(-(a^2
- b^2)/a^2)*cosh(n*log(x))*sinh((3*n - 1)*log(e)) + (a*b*d*sqrt(-(a^2 - b^
2)/a^2)*cosh((3*n - 1)*log(e)) + a*b*d*sqrt(-(a^2 - b^2)/a^2)*sinh((3*n -
1)*log(e)))*sinh(n*log(x)))*dilog(-((a*sqrt(-(a^2 - b^2)/a^2) + b)*cosh(d*
cosh(n*log(x)) + d*sinh(n*log(x)) + c) + (a*sqrt(-(a^2 - b^2)/a^2) + b)*si
nh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + a)/a + 1) - 6*(a*b*d*sqrt(-
(a^2 - b^2)/a^2)*cosh((3*n - 1)*log(e))*cosh(n*log(x)) + a*b*d*sqrt(-(a^2 -
b^2)/a^2)*cosh(n*log(x))*sinh((3*n - 1)*log(e)) + (a*b*d*sqrt(-(a^2 - b^2)
)/a^2)*cosh((3*n - 1)*log(e)) + a*b*d*sqrt(-(a^2 - b^2)/a^2)*sinh((3*n - 1
)*log(e)))*sinh(n*log(x)))*dilog(((a*sqrt(-(a^2 - b^2)/a^2) - b)*cosh(d*co
sh(n*log(x)) + d*sinh(n*log(x)) + c) + (a*sqrt(-(a^2 - b^2)/a^2) - b)*sinh
(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) - a)/a + 1) - 3*(a*b*c^2*sqrt(-
(a^2 - b^2)/a^2)*cosh((3*n - 1)*log(e)) + a*b*c^2*sqrt(-(a^2 - b^2)/a^2)*si
nh((3*n - 1)*log(e))*log(2*a*cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c
) + 2*a*sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + 2*a*sqrt(-(a^2 ...

```

Sympy [F]

$$\int \frac{(ex)^{-1+3n}}{a + b \operatorname{sech}(c + dx^n)} dx = \int \frac{(ex)^{3n-1}}{a + b \operatorname{sech}(c + dx^n)} dx$$

input `integrate((e*x)**(-1+3*n)/(a+b*sech(c+d*x**n)),x)`

output `Integral((e*x)**(3*n - 1)/(a + b*sech(c + d*x**n)), x)`

Maxima [F]

$$\int \frac{(ex)^{-1+3n}}{a + b \operatorname{sech}(c + dx^n)} dx = \int \frac{(ex)^{3n-1}}{b \operatorname{sech}(dx^n + c) + a} dx$$

input `integrate((e*x)^(-1+3*n)/(a+b*sech(c+d*x^n)),x, algorithm="maxima")`

output `-2*b*e^(3*n)*integrate(e^(d*x^n + 3*n*log(x) + c)/(a^2*e*x*e^(2*d*x^n + 2*c) + 2*a*b*e*x*e^(d*x^n + c) + a^2*e*x), x) + 1/3*e^(3*n - 1)*x^(3*n)/(a*n)`

Giac [F]

$$\int \frac{(ex)^{-1+3n}}{a + b \operatorname{sech}(c + dx^n)} dx = \int \frac{(ex)^{3n-1}}{b \operatorname{sech}(dx^n + c) + a} dx$$

input `integrate((e*x)^(-1+3*n)/(a+b*sech(c+d*x^n)),x, algorithm="giac")`

output `integrate((e*x)**(3*n - 1)/(b*sech(d*x^n + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{(ex)^{-1+3n}}{a + b \operatorname{sech}(c + dx^n)} dx = \int \frac{(ex)^{3n-1}}{a + \frac{b}{\cosh(c+dx^n)}} dx$$

input `int((e*x)^(3*n - 1)/(a + b/cosh(c + d*x^n)),x)`output `int((e*x)^(3*n - 1)/(a + b/cosh(c + d*x^n)), x)`**Reduce [F]**

$$\begin{aligned} & \int \frac{(ex)^{-1+3n}}{a + b \operatorname{sech}(c + dx^n)} dx \\ &= \frac{e^{3n} \left(e^{2c} \left(\int \frac{x^{3n} e^{2x^n d}}{e^{2x^n d + 2c} a x + 2e^{x^n d + c} b x + a x} dx \right) + \int \frac{x^{3n}}{e^{2x^n d + 2c} a x + 2e^{x^n d + c} b x + a x} dx \right)}{e} \end{aligned}$$

input `int((e*x)^(-1+3*n)/(a+b*sech(c+d*x^n)),x)`output `(e**(3*n)*(e**(2*c)*int((x**(3*n)*e**(2*x**n*d))/(e**(2*x**n*d + 2*c)*a*x + 2*e**(x**n*d + c)*b*x + a*x),x) + int(x**(3*n)/(e**(2*x**n*d + 2*c)*a*x + 2*e**(x**n*d + c)*b*x + a*x),x))/e`

3.89
$$\int \frac{(ex)^{-1+n}}{(a+b\operatorname{sech}(c+dx^n))^2} dx$$

Optimal result	590
Mathematica [A] (verified)	591
Rubi [A] (verified)	591
Maple [C] (warning: unable to verify)	595
Fricas [B] (verification not implemented)	595
Sympy [F]	596
Maxima [F]	596
Giac [F]	596
Mupad [F(-1)]	597
Reduce [B] (verification not implemented)	597

Optimal result

Integrand size = 22, antiderivative size = 157

$$\int \frac{(ex)^{-1+n}}{(a + b\operatorname{sech}(c + dx^n))^2} dx = \frac{(ex)^n}{a^2 e n} - \frac{2b(2a^2 - b^2) x^{-n} (ex)^n \arctan\left(\frac{\sqrt{a-b} \tanh(\frac{1}{2}(c+dx^n))}{\sqrt{a+b}}\right)}{a^2(a-b)^{3/2}(a+b)^{3/2}den} + \frac{b^2 x^{-n} (ex)^n \tanh(c + dx^n)}{a(a^2 - b^2) den (a + b\operatorname{sech}(c + dx^n))}$$

output

```
(e*x)^n/a^2/e/n-2*b*(2*a^2-b^2)*(e*x)^n*arctan((a-b)^(1/2)*tanh(1/2*c+1/2*d*x^n)/(a+b)^(1/2))/a^2/(a-b)^(3/2)/(a+b)^(3/2)/d/e/n/(x^n)+b^2*(e*x)^n*tanh(c+d*x^n)/a/(a^2-b^2)/d/e/n/(x^n)/(a+b*sech(c+d*x^n))
```

Mathematica [A] (verified)

Time = 0.80 (sec) , antiderivative size = 233, normalized size of antiderivative = 1.48

$$\int \frac{(ex)^{-1+n}}{(a + b \operatorname{sech}(c + dx^n))^2} dx$$

$$= \frac{x^{-n}(ex)^n \left(a \left((a^2 - b^2)^{3/2} (c + dx^n) + (4a^2b - 2b^3) \arctan \left(\frac{(-a+b) \tanh(\frac{1}{2}(c+dx^n))}{\sqrt{a^2-b^2}} \right) \right) \cosh(c + dx^n) + b \left((a^2 - b^2)^{3/2} (c + dx^n) + (4a^2b - 2b^3) \arctan \left(\frac{(-a+b) \tanh(\frac{1}{2}(c+dx^n))}{\sqrt{a^2-b^2}} \right) \right) \sinh(c + dx^n) \right)}{a^2(a-b)(a+b)\sqrt{a^2-b^2} \operatorname{den}(c + dx^n)}$$

input `Integrate[(e*x)^(-1 + n)/(a + b*Sech[c + d*x^n])^2,x]`

output `((e*x)^n*(a*((a^2 - b^2)^(3/2)*(c + d*x^n) + (4*a^2*b - 2*b^3)*ArcTan[((-a + b)*Tanh[(c + d*x^n)/2])/Sqrt[a^2 - b^2]])*Cosh[c + d*x^n] + b*((a^2 - b^2)^(3/2)*(c + d*x^n) + (4*a^2*b - 2*b^3)*ArcTan[((-a + b)*Tanh[(c + d*x^n)/2])/Sqrt[a^2 - b^2]] + a*b*Sqrt[a^2 - b^2]*Sinh[c + d*x^n]))/(a^2*(a - b)*(a + b)*Sqrt[a^2 - b^2]*d*e*n*x^n*(b + a*Cosh[c + d*x^n]))`

Rubi [A] (verified)

Time = 1.41 (sec) , antiderivative size = 159, normalized size of antiderivative = 1.01, number of steps used = 13, number of rules used = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.545$, Rules used = {5963, 5959, 3042, 4272, 25, 3042, 4407, 3042, 4318, 3042, 3138, 221}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ex)^{n-1}}{(a + b \operatorname{sech}(c + dx^n))^2} dx$$

$$\downarrow \text{5963}$$

$$\frac{x^{-n}(ex)^n \int \frac{x^{n-1}}{(a + b \operatorname{sech}(dx^n + c))^2} dx}{e}$$

$$\downarrow \text{5959}$$

$$\frac{x^{-n}(ex)^n \int \frac{1}{(a + b \operatorname{sech}(dx^n + c))^2} dx^n}{en}$$

$$\begin{array}{c}
 \downarrow \text{3042} \\
 \frac{x^{-n}(ex)^n \int \frac{1}{(a+b \csc(idx^n+ic+\frac{\pi}{2}))^2} dx^n}{en} \\
 \downarrow \text{4272} \\
 \frac{x^{-n}(ex)^n \left(\frac{b^2 \tanh(c+dx^n)}{ad(a^2-b^2)(a+b \operatorname{sech}(c+dx^n))} - \frac{\int -\frac{a^2-b \operatorname{sech}(dx^n+c)a-b^2}{a+b \operatorname{sech}(dx^n+c)} dx^n}{a(a^2-b^2)} \right)}{en} \\
 \downarrow \text{25} \\
 \frac{x^{-n}(ex)^n \left(\frac{\int \frac{a^2-b \operatorname{sech}(dx^n+c)a-b^2}{a+b \operatorname{sech}(dx^n+c)} dx^n}{a(a^2-b^2)} + \frac{b^2 \tanh(c+dx^n)}{ad(a^2-b^2)(a+b \operatorname{sech}(c+dx^n))} \right)}{en} \\
 \downarrow \text{3042} \\
 \frac{x^{-n}(ex)^n \left(\frac{b^2 \tanh(c+dx^n)}{ad(a^2-b^2)(a+b \operatorname{sech}(c+dx^n))} + \frac{\int \frac{a^2-b \csc(idx^n+ic+\frac{\pi}{2})a-b^2}{a+b \csc(idx^n+ic+\frac{\pi}{2})} dx^n}{a(a^2-b^2)} \right)}{en} \\
 \downarrow \text{4407} \\
 \frac{x^{-n}(ex)^n \left(\frac{\frac{(a^2-b^2)x^n}{a} - \frac{b(2a^2-b^2) \int \frac{\operatorname{sech}(dx^n+c)}{a+b \operatorname{sech}(dx^n+c)} dx^n}{a}}{a(a^2-b^2)} + \frac{b^2 \tanh(c+dx^n)}{ad(a^2-b^2)(a+b \operatorname{sech}(c+dx^n))} \right)}{en} \\
 \downarrow \text{3042} \\
 \frac{x^{-n}(ex)^n \left(\frac{b^2 \tanh(c+dx^n)}{ad(a^2-b^2)(a+b \operatorname{sech}(c+dx^n))} + \frac{\frac{(a^2-b^2)x^n}{a} - \frac{b(2a^2-b^2) \int \frac{\csc(idx^n+ic+\frac{\pi}{2})}{a+b \csc(idx^n+ic+\frac{\pi}{2})} dx^n}{a}}{a(a^2-b^2)} \right)}{en} \\
 \downarrow \text{4318} \\
 \frac{x^{-n}(ex)^n \left(\frac{\frac{(a^2-b^2)x^n}{a} - \frac{(2a^2-b^2) \int \frac{1}{a \cosh(\frac{dx^n}{b}+c)+1} dx^n}{a}}{a(a^2-b^2)} + \frac{b^2 \tanh(c+dx^n)}{ad(a^2-b^2)(a+b \operatorname{sech}(c+dx^n))} \right)}{en}
 \end{array}$$

$$\begin{array}{c}
 \downarrow \text{3042} \\
 \frac{x^{-n}(ex)^n \left(\frac{b^2 \tanh(c+dx^n)}{ad(a^2-b^2)(a+b\operatorname{sech}(c+dx^n))} + \frac{(a^2-b^2)x^n}{a} - \frac{(2a^2-b^2) \int \frac{1}{a \sin\left(\frac{idx^n+ic+\frac{\pi}{2}}{b}\right)+1} dx^n}{a(a^2-b^2)} \right)}{en} \\
 \downarrow \text{3138} \\
 \frac{x^{-n}(ex)^n \left(\frac{b^2 \tanh(c+dx^n)}{ad(a^2-b^2)(a+b\operatorname{sech}(c+dx^n))} + \frac{(a^2-b^2)x^n}{a} + \frac{2i(2a^2-b^2) \int \frac{1}{\left(1-\frac{a}{b}\right)x^{2n}+\frac{a+b}{b}} d\left(i \tanh\left(\frac{1}{2}(dx^n+c)\right)\right)}{ad} \right)}{en} \\
 \downarrow \text{221} \\
 \frac{x^{-n}(ex)^n \left(\frac{(a^2-b^2)x^n}{a} - \frac{2b(2a^2-b^2) \arctan\left(\frac{\sqrt{a-b} \tanh\left(\frac{1}{2}(c+dx^n)\right)}{\sqrt{a+b}}\right)}{ad\sqrt{a-b}\sqrt{a+b}} + \frac{b^2 \tanh(c+dx^n)}{ad(a^2-b^2)(a+b\operatorname{sech}(c+dx^n))} \right)}{en}
 \end{array}$$

input `Int[(e*x)^(-1 + n)/(a + b*Sech[c + d*x^n])^2,x]`

output `((e*x)^n*(((a^2 - b^2)*x^n)/a - (2*b*(2*a^2 - b^2)*ArcTan[(Sqrt[a - b]*Tanh[(c + d*x^n)/2])/Sqrt[a + b]])/(a*Sqrt[a - b]*Sqrt[a + b]*d))/(a*(a^2 - b^2)) + (b^2*Tanh[c + d*x^n])/(a*(a^2 - b^2)*d*(a + b*Sech[c + d*x^n])))/(e*n*x^n)`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 221 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 3138 `Int[((a_) + (b_)*sin[Pi/2 + (c_) + (d_)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Simp[2*(e/d) Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]`

rule 4272 `Int[(csc[(c_) + (d_)*(x_)]*(b_) + (a_))^(n_), x_Symbol] := Simp[b^2*Cot[c + d*x]*((a + b*Csc[c + d*x])^(n + 1)/(a*d*(n + 1)*(a^2 - b^2))), x] + Simp[1/(a*(n + 1)*(a^2 - b^2)) Int[(a + b*Csc[c + d*x])^(n + 1)*Simp[(a^2 - b^2)*(n + 1) - a*b*(n + 1)*Csc[c + d*x] + b^2*(n + 2)*Csc[c + d*x]^2, x], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2*n]`

rule 4318 `Int[csc[(e_) + (f_)*(x_)]/(csc[(e_) + (f_)*(x_)]*(b_) + (a_)), x_Symbol] := Simp[1/b Int[1/(1 + (a/b)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]`

rule 4407 `Int[(csc[(e_) + (f_)*(x_)]*(d_) + (c_))/(csc[(e_) + (f_)*(x_)]*(b_) + (a_)), x_Symbol] := Simp[c*(x/a), x] - Simp[(b*c - a*d)/a Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]`

rule 5959 `Int[(x_)^(m_)*((a_) + (b_)*Sech[(c_) + (d_)*(x_)^(n_)])^(p_), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

rule 5963 `Int[((e)*(x_)^(m_))*((a_) + (b_)*Sech[(c_) + (d_)*(x_)^(n_)])^(p_), x_Symbol] := Simp[e^IntPart[m]*((e*x)^FracPart[m]/x^FracPart[m]) Int[x^m*(a + b*Sech[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x]`

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 3.

Time = 8.80 (sec) , antiderivative size = 491, normalized size of antiderivative = 3.13

method	result
risch	$\frac{x e^{(-1+n)(-i\pi \operatorname{csgn}(ie) \operatorname{csgn}(ix) \operatorname{csgn}(ie x) + i\pi \operatorname{csgn}(ie) \operatorname{csgn}(ie x)^2 + i\pi \operatorname{csgn}(ix) \operatorname{csgn}(ie x)^2 - i\pi \operatorname{csgn}(ie x)^3 + 2\ln(x) + 2\ln(e))}}{a^2 n} - \frac{2b^2 e^{(-1+n)(\dots)}}{\dots}$

input `int((e*x)^(-1+n)/(a+b*sech(c+d*x^n))^2,x,method=_RETURNVERBOSE)`

output

```
1/a^2/n*x*exp(1/2*(-1+n)*(-I*Pi*csgn(I*e)*csgn(I*x)*csgn(I*e*x)+I*Pi*csgn(I*e)*csgn(I*e*x)^2+I*Pi*csgn(I*x)*csgn(I*e*x)^2-I*Pi*csgn(I*e*x)^3+2*ln(x)+2*ln(e)))-2*b^2*exp(1/2*(-1+n)*(-I*Pi*csgn(I*e)*csgn(I*x)*csgn(I*e*x)+I*Pi*csgn(I*e)*csgn(I*e*x)^2+I*Pi*csgn(I*x)*csgn(I*e*x)^2-I*Pi*csgn(I*e*x)^3+2*ln(x)+2*ln(e)))*x*(b*exp(c+d*x^n)+a)/a^2/(a^2-b^2)/d/n/(x^n)/(a*exp(2*c+2*d*x^n)+2*b*exp(c+d*x^n)+a)-2*b/a^2*(2*a^2-b^2)/(a^2-b^2)/n*exp(-1/2*I*Pi*n*csgn(I*e)*csgn(I*x)*csgn(I*e*x))*exp(1/2*I*Pi*n*csgn(I*e)*csgn(I*e*x)^2)*exp(1/2*I*Pi*n*csgn(I*x)*csgn(I*e*x)^2)*exp(-1/2*I*Pi*n*csgn(I*e*x)^3)*exp(1/2*I*Pi*csgn(I*e)*csgn(I*x)*csgn(I*e*x))*exp(-1/2*I*Pi*csgn(I*e)*csgn(I*e*x)^2)*exp(-1/2*I*Pi*csgn(I*x)*csgn(I*e*x)^2)*exp(1/2*I*Pi*csgn(I*e*x)^3)*e^n/e*exp(c)/d/(a^2*exp(2*c)-exp(2*c)*b^2)^(1/2)*arctan(1/2*(2*a*exp(2*c+d*x^n)+2*exp(c)*b)/(a^2*exp(2*c)-exp(2*c)*b^2)^(1/2))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1758 vs. 2(148) = 296.

Time = 0.16 (sec) , antiderivative size = 3547, normalized size of antiderivative = 22.59

$$\int \frac{(ex)^{-1+n}}{(a + b\operatorname{sech}(c + dx^n))^2} dx = \text{Too large to display}$$

input `integrate((e*x)^(-1+n)/(a+b*sech(c+d*x^n))^2,x, algorithm="fricas")`

output

Too large to include

Sympy [F]

$$\int \frac{(ex)^{-1+n}}{(a + b \operatorname{sech}(c + dx^n))^2} dx = \int \frac{(ex)^{n-1}}{(a + b \operatorname{sech}(c + dx^n))^2} dx$$

input `integrate((e*x)**(-1+n)/(a+b*sech(c+d*x**n))**2,x)`

output `Integral((e*x)**(n - 1)/(a + b*sech(c + d*x**n))**2, x)`

Maxima [F]

$$\int \frac{(ex)^{-1+n}}{(a + b \operatorname{sech}(c + dx^n))^2} dx = \int \frac{(ex)^{n-1}}{(b \operatorname{sech}(dx^n + c) + a)^2} dx$$

input `integrate((e*x)^(-1+n)/(a+b*sech(c+d*x^n))^2,x, algorithm="maxima")`

output `-2*(2*a^2*b*e^n*e^c - b^3*e^n*e^c)*integrate(e^(d*x^n + n*log(x))/((a^5*e*e^(2*c) - a^3*b^2*e*e^(2*c))*x*e^(2*d*x^n) + 2*(a^4*b*e*e^c - a^2*b^3*e*e^c)*x*e^(d*x^n) + (a^5*e - a^3*b^2*e)*x), x) - (2*a*b^2*e^n - (a^3*d*e^n - a*b^2*d*e^n)*x^n - (a^3*d*e^n*e^(2*c) - a*b^2*d*e^n*e^(2*c))*e^(2*d*x^n + n*log(x)) + 2*(b^3*e^n*e^c - (a^2*b*d*e^n*e^c - b^3*d*e^n*e^c)*x^n)*e^(d*x^n))/(a^5*d*e*n - a^3*b^2*d*e*n + (a^5*d*e*n*e^(2*c) - a^3*b^2*d*e*n*e^(2*c))*e^(2*d*x^n) + 2*(a^4*b*d*e*n*e^c - a^2*b^3*d*e*n*e^c)*e^(d*x^n))`

Giac [F]

$$\int \frac{(ex)^{-1+n}}{(a + b \operatorname{sech}(c + dx^n))^2} dx = \int \frac{(ex)^{n-1}}{(b \operatorname{sech}(dx^n + c) + a)^2} dx$$

input `integrate((e*x)^(-1+n)/(a+b*sech(c+d*x^n))^2,x, algorithm="giac")`

output `integrate((e*x)^(n - 1)/(b*sech(d*x^n + c) + a)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{(ex)^{-1+n}}{(a + b\operatorname{sech}(c + dx^n))^2} dx = \int \frac{(ex)^{n-1}}{\left(a + \frac{b}{\cosh(c+dx^n)}\right)^2} dx$$

input `int((e*x)^(n - 1)/(a + b/cosh(c + d*x^n))^2,x)`

output `int((e*x)^(n - 1)/(a + b/cosh(c + d*x^n))^2, x)`

Reduce [B] (verification not implemented)

Time = 0.22 (sec) , antiderivative size = 638, normalized size of antiderivative = 4.06

$$\int \frac{(ex)^{-1+n}}{(a + b\operatorname{sech}(c + dx^n))^2} dx$$

$$= \frac{e^n \left(-4e^{2x^nd+2c} \sqrt{a^2 - b^2} \operatorname{atan}\left(\frac{e^{x^nd+c} a + b}{\sqrt{a^2 - b^2}}\right) a^3 b + 2e^{2x^nd+2c} \sqrt{a^2 - b^2} \operatorname{atan}\left(\frac{e^{x^nd+c} a + b}{\sqrt{a^2 - b^2}}\right) a b^3 - 8e^{x^nd+c} \sqrt{a^2 - b^2} \right)}{\dots}$$

input `int((e*x)^(-1+n)/(a+b*sech(c+d*x^n))^2,x)`

output

```
(e**n*( - 4*e**(2*x**n*d + 2*c)*sqrt(a**2 - b**2)*atan((e**(x**n*d + c)*a
+ b)/sqrt(a**2 - b**2))*a**3*b + 2*e**(2*x**n*d + 2*c)*sqrt(a**2 - b**2)*a
tan((e**(x**n*d + c)*a + b)/sqrt(a**2 - b**2))*a*b**3 - 8*e**(x**n*d + c)*
sqrt(a**2 - b**2)*atan((e**(x**n*d + c)*a + b)/sqrt(a**2 - b**2))*a**2*b**
2 + 4*e**(x**n*d + c)*sqrt(a**2 - b**2)*atan((e**(x**n*d + c)*a + b)/sqrt(
a**2 - b**2))*b**4 - 4*sqrt(a**2 - b**2)*atan((e**(x**n*d + c)*a + b)/sqrt
(a**2 - b**2))*a**3*b + 2*sqrt(a**2 - b**2)*atan((e**(x**n*d + c)*a + b)/s
qrt(a**2 - b**2))*a*b**3 + x**n*e**(2*x**n*d + 2*c)*a**5*d - 2*x**n*e**(2*
x**n*d + 2*c)*a**3*b**2*d + x**n*e**(2*x**n*d + 2*c)*a*b**4*d + e**(2*x**n
*d + 2*c)*a**3*b**2 - e**(2*x**n*d + 2*c)*a*b**4 + 2*x**n*e**(x**n*d + c)*
a**4*b*d - 4*x**n*e**(x**n*d + c)*a**2*b**3*d + 2*x**n*e**(x**n*d + c)*b**
5*d + x**n*a**5*d - 2*x**n*a**3*b**2*d + x**n*a*b**4*d - a**3*b**2 + a*b**
4))/(a**2*d*e*n*(e**(2*x**n*d + 2*c)*a**5 - 2*e**(2*x**n*d + 2*c)*a**3*b**
2 + e**(2*x**n*d + 2*c)*a*b**4 + 2*e**(x**n*d + c)*a**4*b - 4*e**(x**n*d +
c)*a**2*b**3 + 2*e**(x**n*d + c)*b**5 + a**5 - 2*a**3*b**2 + a*b**4))
```

$$3.90 \quad \int \frac{(ex)^{-1+2n}}{(a+b\operatorname{sech}(c+dx^n))^2} dx$$

Optimal result	600
Mathematica [A] (warning: unable to verify)	601
Rubi [A] (verified)	602
Maple [F]	604
Fricas [B] (verification not implemented)	604
Sympy [F]	604
Maxima [F]	605
Giac [F]	605
Mupad [F(-1)]	606
Reduce [F]	606

Optimal result

Integrand size = 24, antiderivative size = 717

$$\begin{aligned}
\int \frac{(ex)^{-1+2n}}{(a + b \operatorname{sech}(c + dx^n))^2} dx &= \frac{(ex)^{2n}}{2a^2 en} + \frac{b^3 x^{-n} (ex)^{2n} \log\left(1 + \frac{ae^{c+dx^n}}{b - \sqrt{-a^2 + b^2}}\right)}{a^2 (-a^2 + b^2)^{3/2} den} \\
&\quad - \frac{2bx^{-n} (ex)^{2n} \log\left(1 + \frac{ae^{c+dx^n}}{b - \sqrt{-a^2 + b^2}}\right)}{a^2 \sqrt{-a^2 + b^2} den} \\
&\quad - \frac{b^3 x^{-n} (ex)^{2n} \log\left(1 + \frac{ae^{c+dx^n}}{b + \sqrt{-a^2 + b^2}}\right)}{a^2 (-a^2 + b^2)^{3/2} den} \\
&\quad + \frac{2bx^{-n} (ex)^{2n} \log\left(1 + \frac{ae^{c+dx^n}}{b + \sqrt{-a^2 + b^2}}\right)}{a^2 \sqrt{-a^2 + b^2} den} \\
&\quad - \frac{b^2 x^{-2n} (ex)^{2n} \log(b + a \cosh(c + dx^n))}{a^2 (a^2 - b^2) d^2 en} \\
&\quad + \frac{b^3 x^{-2n} (ex)^{2n} \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^n}}{b - \sqrt{-a^2 + b^2}}\right)}{a^2 (-a^2 + b^2)^{3/2} d^2 en} \\
&\quad - \frac{2bx^{-2n} (ex)^{2n} \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^n}}{b - \sqrt{-a^2 + b^2}}\right)}{a^2 \sqrt{-a^2 + b^2} d^2 en} \\
&\quad - \frac{b^3 x^{-2n} (ex)^{2n} \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^n}}{b + \sqrt{-a^2 + b^2}}\right)}{a^2 (-a^2 + b^2)^{3/2} d^2 en} \\
&\quad + \frac{2bx^{-2n} (ex)^{2n} \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^n}}{b + \sqrt{-a^2 + b^2}}\right)}{a^2 \sqrt{-a^2 + b^2} d^2 en} \\
&\quad + \frac{b^2 x^{-n} (ex)^{2n} \sinh(c + dx^n)}{a (a^2 - b^2) den (b + a \cosh(c + dx^n))}
\end{aligned}$$

output

```

1/2*(e*x)^(2*n)/a^2/e/n+b^3*(e*x)^(2*n)*ln(1+a*exp(c+d*x^n)/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d/e/n/(x^n)-2*b*(e*x)^(2*n)*ln(1+a*exp(c+d*x^n)/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(1/2)/d/e/n/(x^n)-b^3*(e*x)^(2*n)*ln(1+a*exp(c+d*x^n)/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d/e/n/(x^n)+2*b*(e*x)^(2*n)*ln(1+a*exp(c+d*x^n)/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(1/2)/d/e/n/(x^n)-b^2*(e*x)^(2*n)*ln(b+a*cosh(c+d*x^n))/a^2/(a^2-b^2)/d^2/e/n/(x^(2*n))+b^3*(e*x)^(2*n)*polylog(2,-a*exp(c+d*x^n)/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d^2/e/n/(x^(2*n))-2*b*(e*x)^(2*n)*polylog(2,-a*exp(c+d*x^n)/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(1/2)/d^2/e/n/(x^(2*n))-b^3*(e*x)^(2*n)*polylog(2,-a*exp(c+d*x^n)/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d^2/e/n/(x^(2*n))+2*b*(e*x)^(2*n)*polylog(2,-a*exp(c+d*x^n)/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(1/2)/d^2/e/n/(x^(2*n))+b^2*(e*x)^(2*n)*sinh(c+d*x^n)/a/(a^2-b^2)/d/e/n/(x^n)/(b+a*cosh(c+d*x^n))

```

Mathematica [A] (warning: unable to verify)

Time = 4.16 (sec) , antiderivative size = 469, normalized size of antiderivative = 0.65

$$\int \frac{(ex)^{-1+2n}}{(a + b \operatorname{sech}(c + dx^n))^2} dx$$

$$= \frac{x^{-2n}(ex)^{2n}(b + a \cosh(c + dx^n)) \operatorname{sech}^2(c + dx^n) \left(\frac{4b^2 de^{2c} x^n (b + a \cosh(c + dx^n))}{(a^2 - b^2)(1 + e^{2c})} + \frac{2b(b + a \cosh(c + dx^n)) (b\sqrt{-a^2 + b^2} \log}{(a^2 - b^2)(1 + e^{2c})} \right)}{(a + b \operatorname{sech}(c + dx^n))^2}$$

input

```
Integrate[(e*x)^(-1 + 2*n)/(a + b*Sech[c + d*x^n])^2,x]
```

output

```

((e*x)^(2*n)*(b + a*Cosh[c + d*x^n])*Sech[c + d*x^n]^2*((4*b^2*d*E^(2*c)*x^n*(b + a*Cosh[c + d*x^n]))/((a^2 - b^2)*(1 + E^(2*c))) + (2*b*(b + a*Cosh[c + d*x^n])*(b*Sqrt[-a^2 + b^2]*Log[a + 2*b*E^(c + d*x^n) + a*E^(2*(c + d*x^n))] + (2*a^2 - b^2)*(d*x^n*Log[1 + (a*E^(c + d*x^n))/(b - Sqrt[-a^2 + b^2]]) + PolyLog[2, (a*E^(c + d*x^n))/(-b + Sqrt[-a^2 + b^2]])] - (2*a^2 - b^2)*(d*x^n*Log[1 + (a*E^(c + d*x^n))/(b + Sqrt[-a^2 + b^2]]) + PolyLog[2, -(a*E^(c + d*x^n))/(b + Sqrt[-a^2 + b^2]])]))/(-a^2 + b^2)^(3/2) + (2*b^2*d*x^n*Sech[c]*(b*Sinh[c] - a*Sinh[d*x^n]))/((-a + b)*(a + b)) + (2*b^2*d*x^n*(b + a*Cosh[c + d*x^n])*Tanh[c])/(-a^2 + b^2) + (d*x^n*(b + a*Cosh[c + d*x^n])*((a^2 - b^2)*d*x^n + 2*b^2*Tanh[c]))/((a - b)*(a + b)))/(2*a^2*d^2*e*n*x^(2*n)*(a + b*Sech[c + d*x^n])^2)

```

Rubi [A] (verified)

Time = 1.54 (sec) , antiderivative size = 563, normalized size of antiderivative = 0.79, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {5963, 5959, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{(ex)^{2n-1}}{(a + b \operatorname{sech}(c + dx^n))^2} dx \\
 & \quad \downarrow \text{5963} \\
 & \frac{x^{-2n}(ex)^{2n} \int \frac{x^{2n-1}}{(a + b \operatorname{sech}(dx^n + c))^2} dx}{e} \\
 & \quad \downarrow \text{5959} \\
 & \frac{x^{-2n}(ex)^{2n} \int \frac{x^n}{(a + b \operatorname{sech}(dx^n + c))^2} dx^n}{en} \\
 & \quad \downarrow \text{3042} \\
 & \frac{x^{-2n}(ex)^{2n} \int \frac{x^n}{(a + b \operatorname{csc}(idx^n + ic + \frac{\pi}{2}))^2} dx^n}{en} \\
 & \quad \downarrow \text{4679} \\
 & \frac{x^{-2n}(ex)^{2n} \int \left(-\frac{2bx^n}{a^2(b+a \cosh(dx^n+c))} + \frac{x^n}{a^2} + \frac{b^2 x^n}{a^2(b+a \cosh(dx^n+c))^2} \right) dx^n}{en} \\
 & \quad \downarrow \text{2009} \\
 & x^{-2n}(ex)^{2n} \left(-\frac{2b \operatorname{PolyLog}\left(2, -\frac{ae^{dx^n+c}}{b-\sqrt{b^2-a^2}}\right)}{a^2 d^2 \sqrt{b^2-a^2}} + \frac{2b \operatorname{PolyLog}\left(2, -\frac{ae^{dx^n+c}}{b+\sqrt{b^2-a^2}}\right)}{a^2 d^2 \sqrt{b^2-a^2}} - \frac{b^2 \log(a \cosh(c+dx^n)+b)}{a^2 d^2 (a^2-b^2)} - \frac{2bx^n \log\left(\frac{ae^c+dx^n}{b-\sqrt{b^2-a^2}}+1\right)}{a^2 d \sqrt{b^2-a^2}} \right)
 \end{aligned}$$

input

```
Int[(e*x)^(-1 + 2*n)/(a + b*Sech[c + d*x^n])^2,x]
```

output

```

((e*x)^(2*n)*(x^(2*n)/(2*a^2) + (b^3*x^n*Log[1 + (a*E^(c + d*x^n))/(b - Sqrt[-a^2 + b^2]])]/(a^2*(-a^2 + b^2)^(3/2)*d) - (2*b*x^n*Log[1 + (a*E^(c + d*x^n))/(b - Sqrt[-a^2 + b^2]])]/(a^2*Sqrt[-a^2 + b^2]*d) - (b^3*x^n*Log[1 + (a*E^(c + d*x^n))/(b + Sqrt[-a^2 + b^2]])]/(a^2*(-a^2 + b^2)^(3/2)*d) + (2*b*x^n*Log[1 + (a*E^(c + d*x^n))/(b + Sqrt[-a^2 + b^2]])]/(a^2*Sqrt[-a^2 + b^2]*d) - (b^2*Log[b + a*Cosh[c + d*x^n]])/(a^2*(a^2 - b^2)*d^2) + (b^3*PolyLog[2, -((a*E^(c + d*x^n))/(b - Sqrt[-a^2 + b^2]))]/(a^2*(-a^2 + b^2)^(3/2)*d^2) - (2*b*PolyLog[2, -((a*E^(c + d*x^n))/(b - Sqrt[-a^2 + b^2]))]/(a^2*Sqrt[-a^2 + b^2]*d^2) - (b^3*PolyLog[2, -((a*E^(c + d*x^n))/(b + Sqrt[-a^2 + b^2]))]/(a^2*(-a^2 + b^2)^(3/2)*d^2) + (2*b*PolyLog[2, -((a*E^(c + d*x^n))/(b + Sqrt[-a^2 + b^2]))]/(a^2*Sqrt[-a^2 + b^2]*d^2) + (b^2*x^n*Sinh[c + d*x^n]/(a*(a^2 - b^2)*d*(b + a*Cosh[c + d*x^n]))))/(e^n*x^(2*n))

```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 3042

```
Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]
```

rule 4679

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*SIN[e + f*x]^n), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]
```

rule 5959

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]
```

rule 5963

```
Int[((e_.)*(x_.))^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Simp[e^IntPart[m]*((e*x)^FracPart[m]/x^FracPart[m]) Int[x^m*(a + b*Sech[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x]
```

Maple [F]

$$\int \frac{(ex)^{-1+2n}}{(a + b \operatorname{sech}(c + dx^n))^2} dx$$

input `int((e*x)^(-1+2*n)/(a+b*sech(c+d*x^n))^2,x)`

output `int((e*x)^(-1+2*n)/(a+b*sech(c+d*x^n))^2,x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 9020 vs. 2(681) = 1362.

Time = 0.26 (sec) , antiderivative size = 9020, normalized size of antiderivative = 12.58

$$\int \frac{(ex)^{-1+2n}}{(a + b \operatorname{sech}(c + dx^n))^2} dx = \text{Too large to display}$$

input `integrate((e*x)^(-1+2*n)/(a+b*sech(c+d*x^n))^2,x, algorithm="fricas")`

output `Too large to include`

Sympy [F]

$$\int \frac{(ex)^{-1+2n}}{(a + b \operatorname{sech}(c + dx^n))^2} dx = \int \frac{(ex)^{2n-1}}{(a + b \operatorname{sech}(c + dx^n))^2} dx$$

input `integrate((e*x)**(-1+2*n)/(a+b*sech(c+d*x**n))**2,x)`

output `Integral((e*x)**(2*n - 1)/(a + b*sech(c + d*x**n))**2, x)`

Maxima [F]

$$\int \frac{(ex)^{-1+2n}}{(a + b \operatorname{sech}(c + dx^n))^2} dx = \int \frac{(ex)^{2n-1}}{(b \operatorname{sech}(dx^n + c) + a)^2} dx$$

input `integrate((e*x)^(-1+2*n)/(a+b*sech(c+d*x^n))^2,x, algorithm="maxima")`

output `-1/2*(4*a*b^2*e^(2*n)*x^n - (a^3*d*e^(2*n) - a*b^2*d*e^(2*n))*x^(2*n) - (a^3*d*e^(2*n)*e^(2*c) - a*b^2*d*e^(2*n)*e^(2*c))*e^(2*d*x^n + 2*n*log(x)) + 2*(2*b^3*e^(2*n)*e^(n*log(x) + c) - (a^2*b*d*e^(2*n)*e^c - b^3*d*e^(2*n)*e^c)*x^(2*n))*e^(d*x^n)/(a^5*d*e*n - a^3*b^2*d*e*n + (a^5*d*e*n*e^(2*c) - a^3*b^2*d*e*n*e^(2*c))*e^(2*d*x^n) + 2*(a^4*b*d*e*n*e^c - a^2*b^3*d*e*n*e^c)*e^(d*x^n)) - integrate(-2*(a*b^2*e^(2*n)*x^n + (b^3*e^(2*n)*e^(n*log(x) + c) - (2*a^2*b*d*e^(2*n)*e^c - b^3*d*e^(2*n)*e^c)*x^(2*n))*e^(d*x^n))/(a^5*d*e*e^(2*c) - a^3*b^2*d*e*e^(2*c))*x*e^(2*d*x^n) + 2*(a^4*b*d*e*e^c - a^2*b^3*d*e*e^c)*x*e^(d*x^n) + (a^5*d*e - a^3*b^2*d*e)*x, x)`

Giac [F]

$$\int \frac{(ex)^{-1+2n}}{(a + b \operatorname{sech}(c + dx^n))^2} dx = \int \frac{(ex)^{2n-1}}{(b \operatorname{sech}(dx^n + c) + a)^2} dx$$

input `integrate((e*x)^(-1+2*n)/(a+b*sech(c+d*x^n))^2,x, algorithm="giac")`

output `integrate((e*x)^(2*n - 1)/(b*sech(d*x^n + c) + a)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{(ex)^{-1+2n}}{(a + b\operatorname{sech}(c + dx^n))^2} dx = \int \frac{(ex)^{2n-1}}{\left(a + \frac{b}{\cosh(c+dx^n)}\right)^2} dx$$

input `int((e*x)^(2*n - 1)/(a + b/cosh(c + d*x^n))^2,x)`output `int((e*x)^(2*n - 1)/(a + b/cosh(c + d*x^n))^2, x)`**Reduce [F]**

$$\int \frac{(ex)^{-1+2n}}{(a + b\operatorname{sech}(c + dx^n))^2} dx = \text{too large to display}$$

input `int((e*x)^(-1+2*n)/(a+b*sech(c+d*x^n))^2,x)`

output

```
(e**(2*n)*(- 8*e**(2*x**n*d + 2*c)*sqrt(a**2 - b**2)*atan((e**(x**n*d + c)
)*a + b)/sqrt(a**2 - b**2))*a**3*b + 4*e**(2*x**n*d + 2*c)*sqrt(a**2 - b**
2)*atan((e**(x**n*d + c)*a + b)/sqrt(a**2 - b**2))*a*b**3 - 16*e**(x**n*d
+ c)*sqrt(a**2 - b**2)*atan((e**(x**n*d + c)*a + b)/sqrt(a**2 - b**2))*a**
2*b**2 + 8*e**(x**n*d + c)*sqrt(a**2 - b**2)*atan((e**(x**n*d + c)*a + b)/
sqrt(a**2 - b**2))*b**4 - 8*sqrt(a**2 - b**2)*atan((e**(x**n*d + c)*a + b)
/sqrt(a**2 - b**2))*a**3*b + 4*sqrt(a**2 - b**2)*atan((e**(x**n*d + c)*a +
b)/sqrt(a**2 - b**2))*a*b**3 - 16*e**(2*x**n*d + 3*c)*int((x**(2*n)*e**(x
**n*d))/(e**(4*x**n*d + 4*c)*a**2*x + 4*e**(3*x**n*d + 3*c)*a*b*x + 2*e**(
2*x**n*d + 2*c)*a**2*x + 4*e**(2*x**n*d + 2*c)*b**2*x + 4*e**(x**n*d + c)*
a*b*x + a**2*x),x)*a**6*b*d**2*n + 24*e**(2*x**n*d + 3*c)*int((x**(2*n)*e*
*(x**n*d))/(e**(4*x**n*d + 4*c)*a**2*x + 4*e**(3*x**n*d + 3*c)*a*b*x + 2*e
**(2*x**n*d + 2*c)*a**2*x + 4*e**(2*x**n*d + 2*c)*b**2*x + 4*e**(x**n*d +
c)*a*b*x + a**2*x),x)*a**4*b**3*d**2*n - 8*e**(2*x**n*d + 3*c)*int((x**(2*
n)*e**(x**n*d))/(e**(4*x**n*d + 4*c)*a**2*x + 4*e**(3*x**n*d + 3*c)*a*b*x
+ 2*e**(2*x**n*d + 2*c)*a**2*x + 4*e**(2*x**n*d + 2*c)*b**2*x + 4*e**(x**n
*d + c)*a*b*x + a**2*x),x)*a**2*b**5*d**2*n + x**(2*n)*e**(2*x**n*d + 2*c)
*a**5*d**2 - x**(2*n)*e**(2*x**n*d + 2*c)*a**3*b**2*d**2 - 4*x**n*e**(2*x*
*n*d + 2*c)*a**3*b**2*d + 4*x**n*e**(2*x**n*d + 2*c)*a*b**4*d + 2*e**(2*x*
*n*d + 2*c)*log(e**(2*x**n*d + 2*c)*a + 2*e**(x**n*d + c)*b + a)*a**3*b...
```


3.91
$$\int \frac{(ex)^{-1+3n}}{(a+b\operatorname{sech}(c+dx^n))^2} dx$$

Optimal result	608
Mathematica [F]	609
Rubi [A] (verified)	610
Maple [F]	612
Fricas [B] (verification not implemented)	612
Sympy [F]	613
Maxima [F]	613
Giac [F]	614
Mupad [F(-1)]	614
Reduce [F]	614

Optimal result

Integrand size = 24, antiderivative size = 1284

$$\int \frac{(ex)^{-1+3n}}{(a + b\operatorname{sech}(c + dx^n))^2} dx = \text{Too large to display}$$

output

```

1/3*(e*x)^(3*n)/a^2/e/n+b^2*(e*x)^(3*n)/a^2/(a^2-b^2)/d/e/n/(x^n)-2*b^2*(e
*x)^(3*n)*ln(1+a*exp(c+d*x^n)/(b-(-a^2+b^2)^(1/2)))/a^2/(a^2-b^2)/d^2/e/n/
(x^(2*n))+b^3*(e*x)^(3*n)*ln(1+a*exp(c+d*x^n)/(b-(-a^2+b^2)^(1/2)))/a^2/(-
a^2+b^2)^(3/2)/d/e/n/(x^n)-2*b*(e*x)^(3*n)*ln(1+a*exp(c+d*x^n)/(b-(-a^2+b
^2)^(1/2)))/a^2/(-a^2+b^2)^(1/2)/d/e/n/(x^n)-2*b^2*(e*x)^(3*n)*ln(1+a*exp(c
+d*x^n)/(b+(-a^2+b^2)^(1/2)))/a^2/(a^2-b^2)/d^2/e/n/(x^(2*n))-b^3*(e*x)^(3
*n)*ln(1+a*exp(c+d*x^n)/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d/e/n/(
x^n)+2*b*(e*x)^(3*n)*ln(1+a*exp(c+d*x^n)/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b
^2)^(1/2)/d/e/n/(x^n)-2*b^2*(e*x)^(3*n)*polylog(2,-a*exp(c+d*x^n)/(b-(-a^2
+b^2)^(1/2)))/a^2/(a^2-b^2)/d^3/e/n/(x^(3*n))+2*b^3*(e*x)^(3*n)*polylog(2,
-a*exp(c+d*x^n)/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d^2/e/n/(x^(2*n
))-4*b*(e*x)^(3*n)*polylog(2,-a*exp(c+d*x^n)/(b-(-a^2+b^2)^(1/2)))/a^2/(-a
^2+b^2)^(1/2)/d^2/e/n/(x^(2*n))-2*b^2*(e*x)^(3*n)*polylog(2,-a*exp(c+d*x^n
)/(b+(-a^2+b^2)^(1/2)))/a^2/(a^2-b^2)/d^3/e/n/(x^(3*n))-2*b^3*(e*x)^(3*n)*
polylog(2,-a*exp(c+d*x^n)/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d^2/e
/n/(x^(2*n))+4*b*(e*x)^(3*n)*polylog(2,-a*exp(c+d*x^n)/(b+(-a^2+b^2)^(1/2)
))/a^2/(-a^2+b^2)^(1/2)/d^2/e/n/(x^(2*n))-2*b^3*(e*x)^(3*n)*polylog(3,-a*e
xp(c+d*x^n)/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/d^3/e/n/(x^(3*n))+4
*b*(e*x)^(3*n)*polylog(3,-a*exp(c+d*x^n)/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b
^2)^(1/2)/d^3/e/n/(x^(3*n))+2*b^3*(e*x)^(3*n)*polylog(3,-a*exp(c+d*x^n)...

```

Mathematica [F]

$$\int \frac{(ex)^{-1+3n}}{(a + b \operatorname{sech}(c + dx^n))^2} dx = \int \frac{(ex)^{-1+3n}}{(a + b \operatorname{sech}(c + dx^n))^2} dx$$

input

```
Integrate[(e*x)^(-1 + 3*n)/(a + b*Sech[c + d*x^n])^2,x]
```

output

```
Integrate[(e*x)^(-1 + 3*n)/(a + b*Sech[c + d*x^n])^2, x]
```

Rubi [A] (verified)

Time = 2.59 (sec) , antiderivative size = 1019, normalized size of antiderivative = 0.79, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {5963, 5959, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{(ex)^{3n-1}}{(a + b \operatorname{sech}(c + dx^n))^2} dx \\
 & \quad \downarrow \text{5963} \\
 & \frac{x^{-3n}(ex)^{3n} \int \frac{x^{3n-1}}{(a+b \operatorname{sech}(dx^n+c))^2} dx}{e} \\
 & \quad \downarrow \text{5959} \\
 & \frac{x^{-3n}(ex)^{3n} \int \frac{x^{2n}}{(a+b \operatorname{sech}(dx^n+c))^2} dx^n}{en} \\
 & \quad \downarrow \text{3042} \\
 & \frac{x^{-3n}(ex)^{3n} \int \frac{x^{2n}}{(a+b \operatorname{csc}(idx^n+ic+\frac{\pi}{2}))^2} dx^n}{en} \\
 & \quad \downarrow \text{4679} \\
 & \frac{x^{-3n}(ex)^{3n} \int \left(-\frac{2bx^{2n}}{a^2(b+a \cosh(dx^n+c))} + \frac{x^{2n}}{a^2} + \frac{b^2x^{2n}}{a^2(b+a \cosh(dx^n+c))^2} \right) dx^n}{en} \\
 & \quad \downarrow \text{2009} \\
 & \frac{x^{-3n}(ex)^{3n} \left(-\frac{2b^2 \log\left(\frac{e^{dx^n+c}}{b-\sqrt{b^2-a^2}}+1\right)x^n}{a^2(a^2-b^2)d^2} - \frac{2b^2 \log\left(\frac{e^{dx^n+c}}{b+\sqrt{b^2-a^2}}+1\right)x^n}{a^2(a^2-b^2)d^2} - \frac{4b \operatorname{PolyLog}\left(2, -\frac{ae^{dx^n+c}}{b-\sqrt{b^2-a^2}}\right)x^n}{a^2\sqrt{b^2-a^2}d^2} + \frac{2b^3 \operatorname{PolyLog}\left(2, -\frac{ae^{dx^n+c}}{b-\sqrt{b^2-a^2}}\right)}{a^2(b^2-a^2)^{3/2}d^2} \right)}{en}
 \end{aligned}$$

input

```
Int[(e*x)^(-1 + 3*n)/(a + b*Sech[c + d*x^n])^2,x]
```

output

$$\begin{aligned} & ((e*x)^{(3*n)}*((b^2*x^{(2*n)})/(a^2*(a^2 - b^2)*d) + x^{(3*n)}/(3*a^2) - (2*b^2 \\ & *x^n*\text{Log}[1 + (a*E^{(c + d*x^n)})/(b - \text{Sqrt}[-a^2 + b^2])])/(a^2*(a^2 - b^2)*d \\ & ^2) + (b^3*x^{(2*n)}*\text{Log}[1 + (a*E^{(c + d*x^n)})/(b - \text{Sqrt}[-a^2 + b^2])])/(a^2 \\ & *(-a^2 + b^2)^{(3/2)*d} - (2*b*x^{(2*n)}*\text{Log}[1 + (a*E^{(c + d*x^n)})/(b - \text{Sqrt}[\\ & -a^2 + b^2])])/(a^2*\text{Sqrt}[-a^2 + b^2]*d) - (2*b^2*x^n*\text{Log}[1 + (a*E^{(c + d*x \\ & ^n)})/(b + \text{Sqrt}[-a^2 + b^2])])/(a^2*(a^2 - b^2)*d^2) - (b^3*x^{(2*n)}*\text{Log}[1 + \\ & (a*E^{(c + d*x^n)})/(b + \text{Sqrt}[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^{(3/2)*d} + (\\ & 2*b*x^{(2*n)}*\text{Log}[1 + (a*E^{(c + d*x^n)})/(b + \text{Sqrt}[-a^2 + b^2])])/(a^2*\text{Sqrt}[- \\ & a^2 + b^2]*d) - (2*b^2*\text{PolyLog}[2, -((a*E^{(c + d*x^n)})/(b - \text{Sqrt}[-a^2 + b^2 \\ &]))])/(a^2*(a^2 - b^2)*d^3) + (2*b^3*x^n*\text{PolyLog}[2, -((a*E^{(c + d*x^n)})/(b \\ & - \text{Sqrt}[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^{(3/2)*d^2} - (4*b*x^n*\text{PolyLog}[2, \\ & -((a*E^{(c + d*x^n)})/(b - \text{Sqrt}[-a^2 + b^2])])/(a^2*\text{Sqrt}[-a^2 + b^2]*d^2) \\ & - (2*b^2*\text{PolyLog}[2, -((a*E^{(c + d*x^n)})/(b + \text{Sqrt}[-a^2 + b^2])])/(a^2*(a^ \\ & 2 - b^2)*d^3) - (2*b^3*x^n*\text{PolyLog}[2, -((a*E^{(c + d*x^n)})/(b + \text{Sqrt}[-a^2 + \\ & b^2])])/(a^2*(-a^2 + b^2)^{(3/2)*d^2} + (4*b*x^n*\text{PolyLog}[2, -((a*E^{(c + d \\ & *x^n)})/(b + \text{Sqrt}[-a^2 + b^2])])/(a^2*\text{Sqrt}[-a^2 + b^2]*d^2) - (2*b^3*\text{PolyL \\ & og}[3, -((a*E^{(c + d*x^n)})/(b - \text{Sqrt}[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^{(3/2 \\ &)}*d^3) + (4*b*\text{PolyLog}[3, -((a*E^{(c + d*x^n)})/(b - \text{Sqrt}[-a^2 + b^2])])/(a^ \\ & 2*\text{Sqrt}[-a^2 + b^2]*d^3) + (2*b^3*\text{PolyLog}[3, -((a*E^{(c + d*x^n)})/(b + \text{Sqrt}[\\ & -a^2 + b^2])])/(a^2*(-a^2 + b^2)^{(3/2)*d^3} - (4*b*\text{PolyLog}[3, -((a*E^{(...$$

Defintions of rubi rules used

rule 2009 $\text{Int}[u_, x_Symbol] \text{ :> } \text{Simp}[\text{IntSum}[u, x], x] \text{ /; } \text{SumQ}[u]$

rule 3042 $\text{Int}[u_, x_Symbol] \text{ :> } \text{Int}[\text{DeactivateTrig}[u, x], x] \text{ /; } \text{FunctionOfTrigOfLinearQ}[u, x]$

rule 4679 $\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(n_.)}*((c_.) + (d_.)*(x_.))^{(m_.)}, x_Symbol] \text{ :> } \text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, 1/(\text{Sin}[e + f*x]^n/(b + a*\text{Sin}[e + f*x]^n)], x], x] \text{ /; } \text{FreeQ}[\{a, b, c, d, e, f\}, x] \text{ \&\& } \text{ILtQ}[n, 0] \text{ \&\& } \text{IGtQ}[m, 0]$

rule 5959

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol]
  := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sech[c + d*x])^p, x], x, x^n], x]
  /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]
```

rule 5963

```
Int[((e_)*(x_))^(m_.)*((a_.) + (b_.)*Sech[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol]
  := Simp[e^IntPart[m]*((e*x)^FracPart[m]/x^FracPart[m]) Int[x^m*(a + b*Sech[c + d*x^n])^p, x], x]
  /; FreeQ[{a, b, c, d, e, m, n, p}, x]
```

Maple [F]

$$\int \frac{(ex)^{-1+3n}}{(a + b \operatorname{sech}(c + dx^n))^2} dx$$

input

```
int((e*x)^(-1+3*n)/(a+b*sech(c+d*x^n))^2,x)
```

output

```
int((e*x)^(-1+3*n)/(a+b*sech(c+d*x^n))^2,x)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 16192 vs. 2(1228) = 2456.

Time = 0.42 (sec) , antiderivative size = 16192, normalized size of antiderivative = 12.61

$$\int \frac{(ex)^{-1+3n}}{(a + b \operatorname{sech}(c + dx^n))^2} dx = \text{Too large to display}$$

input

```
integrate((e*x)^(-1+3*n)/(a+b*sech(c+d*x^n))^2,x, algorithm="fricas")
```

output

```
Too large to include
```

Sympy [F]

$$\int \frac{(ex)^{-1+3n}}{(a + b \operatorname{sech}(c + dx^n))^2} dx = \int \frac{(ex)^{3n-1}}{(a + b \operatorname{sech}(c + dx^n))^2} dx$$

input `integrate((e*x)**(-1+3*n)/(a+b*sech(c+d*x**n))**2,x)`

output `Integral((e*x)**(3*n - 1)/(a + b*sech(c + d*x**n))**2, x)`

Maxima [F]

$$\int \frac{(ex)^{-1+3n}}{(a + b \operatorname{sech}(c + dx^n))^2} dx = \int \frac{(ex)^{3n-1}}{(b \operatorname{sech}(dx^n + c) + a)^2} dx$$

input `integrate((e*x)^(-1+3*n)/(a+b*sech(c+d*x^n))^2,x, algorithm="maxima")`

output `-1/3*(6*a*b^2*e^(3*n)*x^(2*n) - (a^3*d*e^(3*n) - a*b^2*d*e^(3*n))*x^(3*n) - (a^3*d*e^(3*n)*e^(2*c) - a*b^2*d*e^(3*n)*e^(2*c))*e^(2*d*x^n + 3*n*log(x)) + 2*(3*b^3*e^(3*n)*e^(2*n*log(x) + c) - (a^2*b*d*e^(3*n)*e^c - b^3*d*e^(3*n)*e^c)*x^(3*n))*e^(d*x^n)/(a^5*d*e*n - a^3*b^2*d*e*n + (a^5*d*e*n*e^(2*c) - a^3*b^2*d*e*n*e^(2*c))*e^(2*d*x^n) + 2*(a^4*b*d*e*n*e^c - a^2*b^3*d*e*n*e^c)*e^(d*x^n) - integrate(-2*(2*a*b^2*e^(3*n)*x^(2*n) + (2*b^3*e^(3*n)*e^(2*n*log(x) + c) - (2*a^2*b*d*e^(3*n)*e^c - b^3*d*e^(3*n)*e^c)*x^(3*n))*e^(d*x^n)/((a^5*d*e*n*e^(2*c) - a^3*b^2*d*e*n*e^(2*c))*x*e^(2*d*x^n) + 2*(a^4*b*d*e*n*e^c - a^2*b^3*d*e*n*e^c)*x*e^(d*x^n) + (a^5*d*e - a^3*b^2*d*e)*x), x)`

Giac [F]

$$\int \frac{(ex)^{-1+3n}}{(a + b \operatorname{sech}(c + dx^n))^2} dx = \int \frac{(ex)^{3n-1}}{(b \operatorname{sech}(dx^n + c) + a)^2} dx$$

input `integrate((e*x)^(-1+3*n)/(a+b*sech(c+d*x^n))^2,x, algorithm="giac")`

output `integrate((e*x)^(3*n - 1)/(b*sech(d*x^n + c) + a)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{(ex)^{-1+3n}}{(a + b \operatorname{sech}(c + dx^n))^2} dx = \int \frac{(ex)^{3n-1}}{\left(a + \frac{b}{\cosh(c+dx^n)}\right)^2} dx$$

input `int((e*x)^(3*n - 1)/(a + b/cosh(c + d*x^n))^2,x)`

output `int((e*x)^(3*n - 1)/(a + b/cosh(c + d*x^n))^2, x)`

Reduce [F]

$$\int \frac{(ex)^{-1+3n}}{(a + b \operatorname{sech}(c + dx^n))^2} dx = \text{too large to display}$$

input `int((e*x)^(-1+3*n)/(a+b*sech(c+d*x^n))^2,x)`

output

```

(e**(3*n)*(- 24*e**(2*x**n*d + 2*c)*sqrt(a**2 - b**2)*atan((e**(x**n*d +
c)*a + b)/sqrt(a**2 - b**2))*a**3*b + 30*e**(2*x**n*d + 2*c)*sqrt(a**2 - b
**2)*atan((e**(x**n*d + c)*a + b)/sqrt(a**2 - b**2))*a*b**3 - 48*e**(x**n*
d + c)*sqrt(a**2 - b**2)*atan((e**(x**n*d + c)*a + b)/sqrt(a**2 - b**2))*a
**2*b**2 + 60*e**(x**n*d + c)*sqrt(a**2 - b**2)*atan((e**(x**n*d + c)*a +
b)/sqrt(a**2 - b**2))*b**4 - 24*sqrt(a**2 - b**2)*atan((e**(x**n*d + c)*a
+ b)/sqrt(a**2 - b**2))*a**3*b + 30*sqrt(a**2 - b**2)*atan((e**(x**n*d + c
)*a + b)/sqrt(a**2 - b**2))*a*b**3 - 24*e**(2*x**n*d + 3*c)*int((x**(3*n)*
e**(x**n*d))/(e**(4*x**n*d + 4*c)*a**2*x + 4*e**(3*x**n*d + 3*c)*a*b*x + 2
*e**(2*x**n*d + 2*c)*a**2*x + 4*e**(2*x**n*d + 2*c)*b**2*x + 4*e**(x**n*d
+ c)*a*b*x + a**2*x),x)*a**6*b*d**3*n + 36*e**(2*x**n*d + 3*c)*int((x**(3*
n)*e**(x**n*d))/(e**(4*x**n*d + 4*c)*a**2*x + 4*e**(3*x**n*d + 3*c)*a*b*x
+ 2*e**(2*x**n*d + 2*c)*a**2*x + 4*e**(2*x**n*d + 2*c)*b**2*x + 4*e**(x**n
*d + c)*a*b*x + a**2*x),x)*a**4*b**3*d**3*n - 12*e**(2*x**n*d + 3*c)*int((
x**(3*n)*e**(x**n*d))/(e**(4*x**n*d + 4*c)*a**2*x + 4*e**(3*x**n*d + 3*c)*
a*b*x + 2*e**(2*x**n*d + 2*c)*a**2*x + 4*e**(2*x**n*d + 2*c)*b**2*x + 4*e*
*(x**n*d + c)*a*b*x + a**2*x),x)*a**2*b**5*d**3*n - 48*e**(2*x**n*d + 3*c)
*int((x**(2*n)*e**(x**n*d))/(e**(4*x**n*d + 4*c)*a**2*x + 4*e**(3*x**n*d +
3*c)*a*b*x + 2*e**(2*x**n*d + 2*c)*a**2*x + 4*e**(2*x**n*d + 2*c)*b**2*x
+ 4*e**(x**n*d + c)*a*b*x + a**2*x),x)*a**6*b*d**2*n + 84*e**(2*x**n*d ...

```


CHAPTER 4

APPENDIX

4.1 Listing of Grading functions	616
4.2 Links to plain text integration problems used in this report for each CAS .	634

4.1 Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* Nasser: April 7, 2022. add second output which gives reason for the grade *)
(*                               Small rewrite of logic in main function to make it*)
(*                               match Maple's logic. No change in functionality otherwise*)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)
```

```

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] := Module[{expnResult,expnOptimal,leafCountResult,leafCountOptimal},
  expnResult = ExpnType[result];
  expnOptimal = ExpnType[optimal];
  leafCountResult = LeafCount[result];
  leafCountOptimal = LeafCount[optimal];

  (*Print["expnResult=",expnResult," expnOptimal=",expnOptimal];*)
  If[expnResult<=expnOptimal,
    If[Not[FreeQ[result,Complex]], (*result contains complex*)
      If[Not[FreeQ[optimal,Complex]], (*optimal contains complex*)
        If[leafCountResult<=2*leafCountOptimal,
          finalresult={"A",""}
          ,(*ELSE*)
          finalresult={"B","Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal."}
        ]
      ,(*ELSE*)
      finalresult={"C","Result contains complex when optimal does not."}
    ]
    ,(*ELSE*)(*result does not contains complex*)
    If[leafCountResult<=2*leafCountOptimal,
      finalresult={"A",""}
      ,(*ELSE*)
      finalresult={"B","Leaf count is larger than twice the leaf count of optimal."}
    ]
  ]
  ,(*ELSE*)(*expnResult>expnOptimal*)
  If[FreeQ[result,Integrate] && FreeQ[result,Int],
    finalresult={"C","Result contains higher order function than in optimal. Order of integration is higher than in optimal."}
  ]
  ,

```

```

        finalresult={"F","Contains unresolved integral."}
    ]
];

finalresult
]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
  If[ListQ[expn],
    Max[Map[ExpnType,expn]],
  If[Head[expn]===Power,
    If[IntegerQ[expn[[2]]],
      ExpnType[expn[[1]]],
    If[Head[expn[[2]]]===Rational,
      If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
        1,
        Max[ExpnType[expn[[1]],2]],
      Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
    If[Head[expn]===Plus || Head[expn]===Times,
      Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
    If[ElementaryFunctionQ[Head[expn]],
      Max[3,ExpnType[expn[[1]]]],
    If[SpecialFunctionQ[Head[expn]],
      Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
    If[HypergeometricFunctionQ[Head[expn]],

```


Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#                    if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
#                    see problem 156, file Apostol_Problems
#Nasser 4/07/2022  add second output which gives reason for the grade

GradeAntiderivative := proc(result,optimal)
local leaf_count_result,
      leaf_count_optimal,
      ExpnType_result,
      ExpnType_optimal,
      debug:=false;

      leaf_count_result:=leafcount(result);
      #do NOT call ExpnType() if leaf size is too large. Recursion problem
      if leaf_count_result > 500000 then
          return "B","result has leaf size over 500,000. Avoiding possible recursion issue";
      fi;

      leaf_count_optimal := leafcount(optimal);
      ExpnType_result    := ExpnType(result);
      ExpnType_optimal   := ExpnType(optimal);

      if debug then
          print("ExpnType_result",ExpnType_result," ExpnType_optimal=",ExpnType_optimal);
      fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
#     is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal

```

```

# antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F","Result contains unresolved integral";
fi;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;
    if is_contains_complex(result) then
        if is_contains_complex(optimal) then
            if debug then
                print("both result and optimal complex");
            fi;
            if leaf_count_result<=2*leaf_count_optimal then
                return "A"," ";
            else
                return "B",cat("Both result and optimal contain complex but leaf count of
                                convert(leaf_count_result,string)," vs. $2 (" ,
                                convert(leaf_count_optimal,string)," ) = ",convert(2*leaf

            end if
        else #result contains complex but optimal is not
            if debug then
                print("result contains complex but optimal is not");
            fi;
            return "C","Result contains complex when optimal does not.";
        fi;
    else # result do not contain complex
        # this assumes optimal do not as well. No check is needed here.
        if debug then
            print("result do not contain complex, this assumes optimal do not as well
        fi;

```

```

        if leaf_count_result<=2*leaf_count_optimal then
            if debug then
                print("leaf_count_result<=2*leaf_count_optimal");
            fi;
            return "A"," ";
        else
            if debug then
                print("leaf_count_result>2*leaf_count_optimal");
            fi;
            return "B",cat("Leaf count of result is larger than twice the leaf count of
                            convert(leaf_count_result,string)," $ vs. $2(",
                            convert(leaf_count_optimal,string),")=",convert(2*leaf_co
        fi;
    fi;
else #ExpnType(result) > ExpnType(optimal)
    if debug then
        print("ExpnType(result) > ExpnType(optimal)");
    fi;
    return "C",cat("Result contains higher order function than in optimal. Order ",
                    convert(ExpnType_result,string)," vs. order ",
                    convert(ExpnType_optimal,string),".");
fi;

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false
#
#Nasser 032417
is_contains_complex:= proc(expression)
    return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function

```

```

# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'+'') or type(expn,'*') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  elif HypergeometricFunctionQ(op(0,expn)) then
    max(5,apply(max,map(ExpnType,[op(expn)])))
  elif AppellFunctionQ(op(0,expn)) then
    max(6,apply(max,map(ExpnType,[op(expn)])))
  elif op(0,expn)='int' then
    max(8,apply(max,map(ExpnType,[op(expn)]))) else
  9

```



```

    end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func, [
    exp, log, ln,
    sin, cos, tan, cot, sec, csc,
    arcsin, arccos, arctan, arccot, arcsec, arccsc,
    sinh, cosh, tanh, coth, sech, csch,
    arcsinh, arccosh, arctanh, arccoth, arcsech, arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func, [
    erf, erfc, erfi,
    FresnelS, FresnelC,
    Ei, Ei, Li, Si, Ci, Shi, Chi,
    GAMMA, lnGAMMA, Psi, Zeta, polylog, dilog, LambertW,
    EllipticF, EllipticE, EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func, [Hypergeometric1F1, hypergeom, HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func, [AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u), op(2..nops(u),u))
  end if
end proc:

#leafcount(u) returns the number of nodes in u.

```

```
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc;
```

Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
#      Port of original Maple grading function by
#      Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#      added 'exp_polar'
from sympy import *

def leaf_count(expr):
  #sympy do not have leaf count function. This is approximation
  return round(1.7*count_ops(expr))

def is_sqrt(expr):
  if isinstance(expr,Pow):
    if expr.args[1] == Rational(1,2):
      return True
    else:
      return False
  else:
    return False

def is_elementary_function(func):
  return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
    asinh,acosh,atanh,acoth,asech,acsch
  ]

def is_special_function(func):
  return func in [ erf,erfc,erfi,
    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
    gamma,loggamma,digamma,zeta,polylog,LambertW,
    elliptic_f,elliptic_e,elliptic_pi,exp_polar
  ]
```

```

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
        else:
            return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+') or type(expn,'*')

```

```

    m1 = expnType(expn.args[0])
    m2 = expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
    return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif is_appell_function(expn.func):
    m1 = max(map(expnType, list(expn.args)))
    return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif isinstance(expn,RootSum):
    m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
    return max(7,m1)
elif str(expn).find("Integral") != -1:
    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    #print("Enter grade_antiderivative for sagemath")
    #print("Enter grade_antiderivative, result=",result," optimal=",optimal)

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    #print("leaf_count_result=",leaf_count_result)
    #print("leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        grade = "F"
        grade_annotation = ""

```

```

else:
    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    grade = "A"
                    grade_annotation = ""
                else:
                    grade = "B"
                    grade_annotation = "Both result and optimal contain complex but leaf count of result is lar
            else: #result contains complex but optimal is not
                grade = "C"
                grade_annotation = "Result contains complex when optimal does not."
        else: # result do not contain complex, this assumes optimal do not as well
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = ""
            else:
                grade = "B"
                grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(
        else:
            grade = "C"
            grade_annotation = "Result contains higher order function than in optimal. Order "+str(ExpnType

#print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```

SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#       Albert Rich to use with Sagemath. This is used to
#       grade Fricas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#       'arctan2', 'floor', 'abs', 'log_integral'
#June 4, 2022 Made default grade_annotation "none" instead of "" due
#       issue later when reading the file.
#July 14, 2022. Added ellipticF. This is until they fix sagemath, then remove it.

```

```

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    #print("Enter tree_size, expr is ",expr)

    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    #debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arcoth','arcsech','arcsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:

```

```

    if m:
        print ("func ", func , " is elementary_function")
    else:
        print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    #debug=False
    if debug:
        print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','sinh_integral',
        'Chi','cosh_integral','gamma','log_gamma','psi','zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e','ellipticF',
        'elliptic_pi','exp_integral_e','log_integral',
        'weierstrassPInverse','weierstrass','weierstrassP','weierstrassZeta',
        'weierstrassPPrime','weierstrassSigma']

    if debug:
        print ("m=",m)
    if m:
        print ("func ", func , " is special_function")
    else:
        print ("func ", func , " is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U']

def is_appell_function(func):
    return func.name() in ['hypergeometric']  #[appellf1] can't find this in sagemath

def is_atom(expn):

    #debug=False

```

```

if debug:
    print ("Enter is_atom, expn=",expn)

if not hasattr(expn, 'parent'):
    return False

#thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic
try:
    if expn.parent() is SR:
        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().gens()

    return False

except AttributeError as error:
    print ("Exception,AttributeError in is_atom")
    print ("caught exception" , type(error).__name__ )
    return False

def expnType(expn):

    if debug:
        print (">>>>>Enter expnType, expn=", expn)
        print (">>>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #instance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
    elif expn.operator() == operator.pow: #instance(expn,Pow)
        if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer)

```



```

    return expnType(expn.operands()[0]) #expnType(expn.args[0])
elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],Rational)
    if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],Rational)
        return 1
    else:
        return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
else:
    return max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1])) #max(3,expnType(expn
elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #isinstance(expn,Add) or isins
    m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
    m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
    #is checked before calling the grading function that is passed.
    #but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

if debug:
    print ("Enter grade_antiderivative for sagemath")
    print ("Enter grade_antiderivative, result=",result)
    print ("Enter grade_antiderivative, optimal=",optimal)
    print ("type(anti)=", type(result))
    print ("type(optimal)=", type(optimal))

```

```

leaf_count_result = tree_size(result) #leaf_count(result)
leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

#if debug: print ("leaf_count_result=", leaf_count_result, "leaf_count_optimal=",leaf_count_optimal)

expnType_result = expnType(result)
expnType_optimal = expnType(optimal)

if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",expnType_optimal)

if expnType_result <= expnType_optimal:
    if result.has(I):
        if optimal.has(I): #both result and optimal complex
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = "none"
            else:
                grade = "B"
                grade_annotation = "Both result and optimal contain complex but leaf count of result is larger"
        else: #result contains complex but optimal is not
            grade = "C"
            grade_annotation = "Result contains complex when optimal does not."
    else: # result do not contain complex, this assumes optimal do not as well
        if leaf_count_result <= 2*leaf_count_optimal:
            grade = "A"
            grade_annotation = "none"
        else:
            grade = "B"
            grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(leaf_count_result - 2*leaf_count_optimal)
    else:
        grade = "C"
        grade_annotation = "Result contains higher order function than in optimal. Order "+str(expnType_result - expnType_optimal)

print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```

4.2 Links to plain text integration problems used in this report for each CAS

1. Mathematica integration problems as .m file
2. Maple integration problems as .txt file
3. Sagemath integration problems as .sage file
4. Reduce integration problems as .txt file
5. Mupad integration problems as .txt file
6. Sympy integration problems as .py file