

Computer Algebra Independent Integration Tests

Summer 2024

6-Hyperbolic-functions/6.6-Hyperbolic-cosecant/317-6.6.2

Nasser M. Abbasi

May 18, 2024

Compiled on May 18, 2024 at 10:48am

Contents

1	Introduction	5
1.1	Listing of CAS systems tested	6
1.2	Results	7
1.3	Time and leaf size Performance	11
1.4	Performance based on number of rules Rubi used	13
1.5	Performance based on number of steps Rubi used	14
1.6	Solved integrals histogram based on leaf size of result	15
1.7	Solved integrals histogram based on CPU time used	16
1.8	Leaf size vs. CPU time used	17
1.9	list of integrals with no known antiderivative	18
1.10	List of integrals solved by CAS but has no known antiderivative	18
1.11	list of integrals solved by CAS but failed verification	18
1.12	Timing	19
1.13	Verification	19
1.14	Important notes about some of the results	20
1.15	Current tree layout of integration tests	23
1.16	Design of the test system	24
2	detailed summary tables of results	25
2.1	List of integrals sorted by grade for each CAS	26
2.2	Detailed conclusion table per each integral for all CAS systems	30
2.3	Detailed conclusion table specific for Rubi results	53
3	Listing of integrals	57
3.1	$\int x^5(a + b\operatorname{csch}(c + dx^2)) dx$	61
3.2	$\int x^3(a + b\operatorname{csch}(c + dx^2)) dx$	67
3.3	$\int x(a + b\operatorname{csch}(c + dx^2)) dx$	72
3.4	$\int \frac{a+b\operatorname{csch}(c+dx^2)}{x} dx$	77
3.5	$\int \frac{a+b\operatorname{csch}(c+dx^2)}{x^3} dx$	82
3.6	$\int x^4(a + b\operatorname{csch}(c + dx^2)) dx$	87

3.7	$\int x^2(a + b\operatorname{csch}(c + dx^2)) dx$	92
3.8	$\int \frac{a+b\operatorname{csch}(c+dx^2)}{x^2} dx$	97
3.9	$\int \frac{a+b\operatorname{csch}(c+dx^2)}{x^4} dx$	102
3.10	$\int x^5(a + b\operatorname{csch}(c + dx^2))^2 dx$	107
3.11	$\int x^3(a + b\operatorname{csch}(c + dx^2))^2 dx$	115
3.12	$\int x(a + b\operatorname{csch}(c + dx^2))^2 dx$	121
3.13	$\int \frac{(a+b\operatorname{csch}(c+dx^2))^2}{x} dx$	128
3.14	$\int \frac{(a+b\operatorname{csch}(c+dx^2))^2}{x^3} dx$	133
3.15	$\int x^4(a + b\operatorname{csch}(c + dx^2))^2 dx$	138
3.16	$\int x^2(a + b\operatorname{csch}(c + dx^2))^2 dx$	143
3.17	$\int \frac{(a+b\operatorname{csch}(c+dx^2))^2}{x^2} dx$	148
3.18	$\int \frac{(a+b\operatorname{csch}(c+dx^2))^2}{x^4} dx$	153
3.19	$\int x\operatorname{csch}^7(a + bx^2) dx$	158
3.20	$\int \frac{x^5}{a+b\operatorname{csch}(c+dx^2)} dx$	168
3.21	$\int \frac{x^3}{a+b\operatorname{csch}(c+dx^2)} dx$	175
3.22	$\int \frac{x}{a+b\operatorname{csch}(c+dx^2)} dx$	181
3.23	$\int \frac{1}{x(a+b\operatorname{csch}(c+dx^2))} dx$	188
3.24	$\int \frac{1}{x^3(a+b\operatorname{csch}(c+dx^2))} dx$	193
3.25	$\int \frac{x^4}{a+b\operatorname{csch}(c+dx^2)} dx$	198
3.26	$\int \frac{x^2}{a+b\operatorname{csch}(c+dx^2)} dx$	203
3.27	$\int \frac{1}{x^2(a+b\operatorname{csch}(c+dx^2))} dx$	208
3.28	$\int \frac{1}{x^4(a+b\operatorname{csch}(c+dx^2))} dx$	213
3.29	$\int \frac{x^5}{(a+b\operatorname{csch}(c+dx^2))^2} dx$	218
3.30	$\int \frac{x^3}{(a+b\operatorname{csch}(c+dx^2))^2} dx$	227
3.31	$\int \frac{x}{(a+b\operatorname{csch}(c+dx^2))^2} dx$	235
3.32	$\int \frac{1}{x(a+b\operatorname{csch}(c+dx^2))^2} dx$	245
3.33	$\int \frac{1}{x^3(a+b\operatorname{csch}(c+dx^2))^2} dx$	250
3.34	$\int \frac{x^4}{(a+b\operatorname{csch}(c+dx^2))^2} dx$	255
3.35	$\int \frac{x^2}{(a+b\operatorname{csch}(c+dx^2))^2} dx$	260

3.36	$\int \frac{1}{x^2(a+b\operatorname{csch}(c+dx^2))^2} dx$	265
3.37	$\int \frac{1}{x^3(a+b\operatorname{csch}(c+dx^2))^2} dx$	270
3.38	$\int x^3(a+b\operatorname{csch}(c+d\sqrt{x})) dx$	275
3.39	$\int x^2(a+b\operatorname{csch}(c+d\sqrt{x})) dx$	283
3.40	$\int x(a+b\operatorname{csch}(c+d\sqrt{x})) dx$	289
3.41	$\int \frac{a+b\operatorname{csch}(c+d\sqrt{x})}{x} dx$	295
3.42	$\int \frac{a+b\operatorname{csch}(c+d\sqrt{x})}{x^2} dx$	300
3.43	$\int x^3(a+b\operatorname{csch}(c+d\sqrt{x}))^2 dx$	305
3.44	$\int x^2(a+b\operatorname{csch}(c+d\sqrt{x}))^2 dx$	315
3.45	$\int x(a+b\operatorname{csch}(c+d\sqrt{x}))^2 dx$	324
3.46	$\int \frac{(a+b\operatorname{csch}(c+d\sqrt{x}))^2}{x} dx$	331
3.47	$\int \frac{(a+b\operatorname{csch}(c+d\sqrt{x}))^2}{x^2} dx$	336
3.48	$\int \frac{x^3}{a+b\operatorname{csch}(c+d\sqrt{x})} dx$	341
3.49	$\int \frac{x^2}{a+b\operatorname{csch}(c+d\sqrt{x})} dx$	349
3.50	$\int \frac{x}{a+b\operatorname{csch}(c+d\sqrt{x})} dx$	357
3.51	$\int \frac{1}{x(a+b\operatorname{csch}(c+d\sqrt{x}))} dx$	364
3.52	$\int \frac{1}{x^2(a+b\operatorname{csch}(c+d\sqrt{x}))} dx$	369
3.53	$\int \frac{x^3}{(a+b\operatorname{csch}(c+d\sqrt{x}))^2} dx$	374
3.54	$\int \frac{x^2}{(a+b\operatorname{csch}(c+d\sqrt{x}))^2} dx$	382
3.55	$\int \frac{x}{(a+b\operatorname{csch}(c+d\sqrt{x}))^2} dx$	390
3.56	$\int \frac{1}{x(a+b\operatorname{csch}(c+d\sqrt{x}))^2} dx$	398
3.57	$\int \frac{1}{x^2(a+b\operatorname{csch}(c+d\sqrt{x}))^2} dx$	403
3.58	$\int x^{3/2}(a+b\operatorname{csch}(c+d\sqrt{x})) dx$	408
3.59	$\int \sqrt{x}(a+b\operatorname{csch}(c+d\sqrt{x})) dx$	414
3.60	$\int \frac{a+b\operatorname{csch}(c+d\sqrt{x})}{\sqrt{x}} dx$	419
3.61	$\int \frac{a+b\operatorname{csch}(c+d\sqrt{x})}{x^{3/2}} dx$	424
3.62	$\int \frac{a+b\operatorname{csch}(c+d\sqrt{x})}{x^{5/2}} dx$	429
3.63	$\int x^{3/2}(a+b\operatorname{csch}(c+d\sqrt{x}))^2 dx$	434
3.64	$\int \sqrt{x}(a+b\operatorname{csch}(c+d\sqrt{x}))^2 dx$	442
3.65	$\int \frac{(a+b\operatorname{csch}(c+d\sqrt{x}))^2}{\sqrt{x}} dx$	449

3.66	$\int \frac{(a+b\operatorname{csch}(c+d\sqrt{x}))^2}{x^{3/2}} dx$	456
3.67	$\int \frac{(a+b\operatorname{csch}(c+d\sqrt{x}))^2}{x^{5/2}} dx$	461
3.68	$\int \frac{x^{3/2}}{a+b\operatorname{csch}(c+d\sqrt{x})} dx$	466
3.69	$\int \frac{\sqrt{x}}{a+b\operatorname{csch}(c+d\sqrt{x})} dx$	473
3.70	$\int \frac{1}{\sqrt{x}(a+b\operatorname{csch}(c+d\sqrt{x}))} dx$	479
3.71	$\int \frac{1}{x^{3/2}(a+b\operatorname{csch}(c+d\sqrt{x}))} dx$	486
3.72	$\int \frac{1}{x^{5/2}(a+b\operatorname{csch}(c+d\sqrt{x}))} dx$	491
3.73	$\int \frac{x^{3/2}}{(a+b\operatorname{csch}(c+d\sqrt{x}))^2} dx$	496
3.74	$\int \frac{\sqrt{x}}{(a+b\operatorname{csch}(c+d\sqrt{x}))^2} dx$	504
3.75	$\int \frac{1}{\sqrt{x}(a+b\operatorname{csch}(c+d\sqrt{x}))^2} dx$	512
3.76	$\int \frac{1}{x^{3/2}(a+b\operatorname{csch}(c+d\sqrt{x}))^2} dx$	522
3.77	$\int \frac{1}{x^{5/2}(a+b\operatorname{csch}(c+d\sqrt{x}))^2} dx$	527
3.78	$\int (ex)^m (a + b\operatorname{csch}(c + dx^n))^p dx$	532
3.79	$\int (ex)^{-1+n} (a + b\operatorname{csch}(c + dx^n)) dx$	537
3.80	$\int (ex)^{-1+2n} (a + b\operatorname{csch}(c + dx^n)) dx$	542
3.81	$\int (ex)^{-1+3n} (a + b\operatorname{csch}(c + dx^n)) dx$	548
3.82	$\int (ex)^{-1+n} (a + b\operatorname{csch}(c + dx^n))^2 dx$	554
3.83	$\int (ex)^{-1+2n} (a + b\operatorname{csch}(c + dx^n))^2 dx$	562
3.84	$\int (ex)^{-1+3n} (a + b\operatorname{csch}(c + dx^n))^2 dx$	569
3.85	$\int \frac{(ex)^{-1+n}}{a+b\operatorname{csch}(c+dx^n)} dx$	576
3.86	$\int \frac{(ex)^{-1+2n}}{a+b\operatorname{csch}(c+dx^n)} dx$	583
3.87	$\int \frac{(ex)^{-1+3n}}{a+b\operatorname{csch}(c+dx^n)} dx$	591
3.88	$\int \frac{(ex)^{-1+n}}{(a+b\operatorname{csch}(c+dx^n))^2} dx$	598
3.89	$\int \frac{(ex)^{-1+2n}}{(a+b\operatorname{csch}(c+dx^n))^2} dx$	609
3.90	$\int \frac{(ex)^{-1+3n}}{(a+b\operatorname{csch}(c+dx^n))^2} dx$	618

4	Appendix	626
4.1	Listing of Grading functions	626
4.2	Links to plain text integration problems used in this report for each CAS644	

CHAPTER 1

INTRODUCTION

1.1	Listing of CAS systems tested	6
1.2	Results	7
1.3	Time and leaf size Performance	11
1.4	Performance based on number of rules Rubi used	13
1.5	Performance based on number of steps Rubi used	14
1.6	Solved integrals histogram based on leaf size of result	15
1.7	Solved integrals histogram based on CPU time used	16
1.8	Leaf size vs. CPU time used	17
1.9	list of integrals with no known antiderivative	18
1.10	List of integrals solved by CAS but has no known antiderivative	18
1.11	list of integrals solved by CAS but failed verification	18
1.12	Timing	19
1.13	Verification	19
1.14	Important notes about some of the results	20
1.15	Current tree layout of integration tests	23
1.16	Design of the test system	24

This report gives the result of running the computer algebra independent integration test. The download section in on the main webpage contains links to download the problems in plain text format used for all CAS systems. The number of integrals in this report is [90]. This is test number [317].

1.1 Listing of CAS systems tested

The following are the CAS systems tested:

1. Mathematica 14 (January 9, 2024) on windows 10 pro.
2. Rubi 4.17.3 (Sept 25, 2023) on Mathematica 14 on windows 10m pro.
3. Maple 2024 (March 1, 2024) on windows 10 pro.
4. Maxima 5.47 (June 1, 2023) using Lisp SBCL 2.4.0 on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
5. FriCAS 1.3.10 built with sbcl 2.3.11 (January 10, 2024) on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
6. Giac/Xcas 1.9.0-99 on Linux via sagemath 10.3.
7. Sympy 1.12 using Python 3.11.6 (Nov 14 2023, 09:36:21) [GCC 13.2.1 20230801] on Linux Manjaro 23.1.2 KDE.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 on windows 10.
9. Reduce CSL rev 6687 (January 9, 2024) on Linux Manjaro 23.1.2 KDE.

Maxima and Fricas and Giac are called using Sagemath. This was done using Sagemath `integrate` command by changing the name of the algorithm to use the different CAS systems.

Sympy was run directly in Python not via sagemath.

Reduce was called directly.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed. If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	% solved	% Failed
Rubi	100.00 (90)	0.00 (0)
Mathematica	94.44 (85)	5.56 (5)
Fricas	77.78 (70)	22.22 (20)
Maxima	68.89 (62)	31.11 (28)
Maple	62.22 (56)	37.78 (34)
Mupad	60.00 (54)	40.00 (36)
Reduce	58.89 (53)	41.11 (37)
Giac	55.56 (50)	44.44 (40)
Sympy	47.78 (43)	52.22 (47)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	53.333	0.000	1.111	45.556
Mathematica	40.000	7.778	2.222	50.000
Maxima	23.333	1.111	0.000	75.556
Maple	10.000	0.000	6.667	83.333
Giac	7.778	2.222	0.000	90.000
Sympy	2.222	0.000	0.000	97.778
Fricas	0.000	32.222	0.000	67.778
Mupad	0.000	14.444	0.000	85.556
Reduce	0.000	13.333	0.000	86.667

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the grades of the CAS systems.



The following table shows the distribution of the different types of failures for each CAS. There are 3 types failures. The first is when CAS returns the input within the time limit, which means it could not solve it. This is the typical failure and given as **F**.

The second failure is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned. This is assigned **F(-1)**.

The third is due to an exception generated, indicated as **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in the CAS itself. This type of error requires more investigation to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00	0.00	0.00
Mathematica	5	80.00	20.00	0.00
Fricas	20	100.00	0.00	0.00
Maxima	28	96.43	3.57	0.00
Maple	34	100.00	0.00	0.00
Mupad	36	0.00	100.00	0.00
Reduce	37	100.00	0.00	0.00
Giac	40	100.00	0.00	0.00
Sympy	47	100.00	0.00	0.00

Table 1.4: Failure statistics for each CAS

1.3 Time and leaf size Performance

The table below summarizes the performance of each CAS system in terms of time used and leaf size of results.

Mean size is the average leaf size produced by the CAS (before any normalization). The Normalized mean is relative to the mean size of the optimal anti-derivative given in the input files.

For example, if CAS has **Normalized mean** of 3, then the mean size of its leaf size is 3 times as large as the mean size of the optimal leaf size.

Median size is value of leaf size where half the values are larger than this and half are smaller (before any normalization). i.e. The Middle value.

Similarly the **Normalized median** is relative to the median leaf size of the optimal.

For example, if a CAS has Normalized median of 1.2, then its median is 1.2 as large as the median leaf size of the optimal.

System	Mean time (sec)
Fricas	0.10
Reduce	0.26
Maple	0.34
Giac	0.37
Rubi	0.66
Maxima	0.68
Sympy	1.18
Mupad	3.08
Mathematica	14.23

Table 1.5: Time performance for each CAS

System	Mean size	Normalized mean	Median size	Normalized median
Sympy	18.37	0.96	17.00	0.94
Giac	33.60	1.09	20.00	1.11
Maple	64.57	1.22	18.00	1.00
Mupad	85.17	1.64	22.00	1.22
Maxima	158.82	4.85	110.50	2.65
Rubi	238.08	0.99	46.50	1.00
Mathematica	323.51	1.33	42.00	1.11
Reduce	569.62	26.51	82.00	3.22
Fricas	777.90	3.68	44.00	2.11

Table 1.6: Leaf size performance for each CAS

1.4 Performance based on number of rules Rubi used

This section shows how each CAS performed based on the number of rules Rubi needed to solve the same integral. One diagram is given for each CAS.

On the y axis is the percentage solved which Rubi itself needed the number of rules given the x axis. These plots show that as more rules are needed then most CAS system percentage of solving decreases which indicates the integral is becoming more complicated to solve.




Figure 1.1: Solving statistics per number of Rubi rules used

1.5 Performance based on number of steps Rubi used

This section shows how each CAS performed based on the number of steps Rubi needed to solve the same integral. Note that the number of steps Rubi needed can be much higher than the number of rules, as the same rule could be used more than once.




Figure 1.2: Solving statistics per number of Rubi steps used

The above diagram shows that the percentage of solved integrals decreases for most CAS systems as the number of steps increases. As expected, for integrals that required less steps by Rubi, CAS systems had more success which indicates the integral was not as hard to solve. As Rubi needed more steps to solve the integral, the solved percentage decreased for most CAS systems which indicates the integral is becoming harder to solve.

1.6 Solved integrals histogram based on leaf size of result

The following shows the distribution of solved integrals for each CAS system based on leaf size of the antiderivatives produced by each CAS. It shows that most integrals solved produced leaf size less than about 100 to 150. The bin size used is 40.




Figure 1.3: Solved integrals based on leaf size distribution

1.7 Solved integrals histogram based on CPU time used

The following shows the distribution of solved integrals for each CAS system based on CPU time used in seconds. The bin size used is 0.1 second.




Figure 1.4: Solved integrals histogram based on CPU time used

1.8 Leaf size vs. CPU time used

The following shows the relation between the CPU time used to solve an integral and the leaf size of the antiderivative.

The result for Fracas, Maxima and Giac is shifted more to the right than the other CAS system due to the use of sagemath to call them, which causes an initial slight delay in the timing to start the integration due to overhead of starting a new process each time. This should also be taken into account when looking at the timing of these three CAS systems. Direct calls not using sagemath would result in faster timings, but current implementation uses sagemath as this makes testing much easier to do.




Figure 1.5: Leaf size vs. CPU time. Full range

1.9 list of integrals with no known antiderivative

{4, 5, 6, 7, 8, 9, 13, 14, 15, 16, 17, 18, 23, 24, 25, 26, 27, 28, 32, 33, 34, 35, 36, 37, 41, 42, 46, 47, 51, 52, 56, 57, 61, 62, 66, 67, 71, 72, 76, 77, 78}

1.10 List of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Reduce {}

Mupad {}

1.11 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not necessarily mean that the anti-derivative is wrong as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it possible to do further investigation to determine why the result could not be verified.

Rubi {22, 31, 70, 75, 85, 88}

Mathematica {30, 86, 89}

Maple {79, 80, 82, 85, 86, 88}

Maxima Verification phase not currently implemented.

Fricas Verification phase not currently implemented.

Sympy Verification phase not currently implemented.

Giac Verification phase not currently implemented.

Reduce Verification phase not currently implemented.

Mupad Verification phase not currently implemented.

1.12 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of_int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 CPU minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out was not counted in the final statistics.

1.13 Verification

A verification phase was applied on the result of integration for **Rubi** and **Mathematica**.

Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative was correct.

Verification phase also had 3 minutes time out. An integral whose result was not verified could still be correct, but further investigation is needed on those integrals. These integrals were marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.14 Important notes about some of the results

Important note about Maxima results

Since tests were run in a batch mode, and using an automated script, then any integral where Maxima needed an interactive response from the user to answer a question during the evaluation of the integral will fail.

The exception raised is `ValueError`. Therefore Maxima results is lower than what would result if Maxima was run directly and each question was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the `Timofeev` test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate the cause of error.

Maxima `integrate` was run using SageMath with the following settings set by default

```
'besselexpand : true'  
'display2d : false'  
'domain : complex'  
'keepfloat : true'  
'load(to_poly_solve)'  
'load(simplify_sum)'  
'load(abs_integrate)' 'load(diag)'
```

SageMath automatic loading of Maxima `abs_integrate` was found to cause some problems. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib  
maxima_lib.set('extra_definite_integration_methods', '[]')  
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

Important note about FriCAS result

There were few integrals which failed due to SageMath interface and not because FriCAS system could not do the integration.

These will fail With error `Exception raised: NotImplementedError`.

The number of such cases seems to be very small. About 1 or 2 percent of all integrals. These can be identified by looking at the exception message given in the result.

Important note about finding leaf size of antiderivative

For Mathematica, Rubi, and Maple, the builtin system function `LeafSize` was used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy antiderivative was determined using the following function, thanks to user `slelievre` at https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which was called directly from Python, the following code was used to obtain the leafsize of its result

```
try:  
    # 1.7 is a fudge factor since it is low side from actual leaf count  
    leafCount = round(1.7*count_ops(anti))  
  
except Exception as ee:  
    leafCount = 1
```

Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative. Maple was used to determine the leaf size of Mupad output by post processing Mupad result.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.

The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')  
the_variable = evalin(symengine, 'x')  
anti = int(integrand, the_variable)
```

Which gives $\sin(x)^2/2$

1.15 Current tree layout of integration tests





Figure 1.6: CAS integration tests tree

1.16 Design of the test system

The following diagram gives a high level view of the current test build system.



High level overview of the CAS independent integration test build system

One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer, the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "E"
13. String. Small string description of why the grade was given.
14. integer. 1 if result was verified or 0 if not verified. (For mma, rubi and maple only)

The following fields are present only in Rubi Table file

15. integer. Number of steps used.
16. integer. Number of rules used.
17. integer. Integrand leaf size.
18. real number. Ratio. Field 16 over field 17
19. String of form "{n,n,...}" which is list of the rules used by Rubi
20. String. The optimal antiderivative in Mathematica syntax

Nasser M. Abbasi
January 13, 2024
Design note

CHAPTER 2

DETAILED SUMMARY TABLES OF RESULTS

2.1	List of integrals sorted by grade for each CAS	26
2.2	Detailed conclusion table per each integral for all CAS systems	30
2.3	Detailed conclusion table specific for Rubi results	53

2.1 List of integrals sorted by grade for each CAS

Rubi	26
Mma	26
Maple	27
Fricas	27
Maxima	27
Giac	28
Mupad	28
Sympy	28
Reduce	29

Rubi

A grade { 1, 2, 3, 10, 11, 12, 20, 21, 22, 29, 30, 31, 38, 39, 40, 43, 44, 45, 48, 49, 50, 53, 54, 55, 58, 59, 60, 63, 64, 65, 68, 69, 70, 73, 74, 75, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90 }

B grade { }

C grade { 19 }

F normal fail { }

F(-1) timedout fail { }

F(-2) exception fail { }

Mma

A grade { 1, 2, 3, 12, 19, 20, 21, 22, 29, 30, 31, 38, 39, 40, 45, 48, 49, 50, 53, 54, 55, 58, 59, 60, 65, 68, 69, 70, 73, 74, 75, 79, 80, 82, 85, 88 }

B grade { 10, 11, 43, 44, 63, 64, 83 }

C grade { 86, 89 }

F normal fail { 81, 84, 87, 90 }

F(-1) timedout fail { 46 }

F(-2) exception fail { }

Maple

A grade { 3, 12, 19, 22, 31, 60, 65, 70, 75 }

B grade { }

C grade { 79, 80, 82, 85, 86, 88 }

F normal fail { 1, 2, 10, 11, 20, 21, 29, 30, 38, 39, 40, 43, 44, 45, 48, 49, 50, 53, 54, 55, 58, 59, 63, 64, 68, 69, 73, 74, 81, 83, 84, 87, 89, 90 }

F(-1) timedout fail { }

F(-2) exception fail { }

Fricas

A grade { }

B grade { 1, 2, 3, 10, 11, 12, 19, 20, 21, 22, 29, 30, 31, 60, 65, 70, 75, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90 }

C grade { }

F normal fail { 38, 39, 40, 43, 44, 45, 48, 49, 50, 53, 54, 55, 58, 59, 63, 64, 68, 69, 73, 74 }

F(-1) timedout fail { }

F(-2) exception fail { }

Maxima

A grade { 3, 10, 12, 22, 31, 38, 39, 40, 43, 44, 45, 58, 59, 60, 63, 64, 65, 70, 75, 79, 82 }

B grade { 19 }

C grade { }

F normal fail { 1, 2, 11, 20, 21, 29, 30, 48, 49, 50, 53, 54, 55, 68, 69, 73, 74, 80, 81, 83, 84, 85, 86, 87, 88, 89, 90 }

F(-1) timedout fail { 67 }

F(-2) exception fail { }

Giac

A grade { 12, 19, 22, 31, 65, 70, 75 }

B grade { 3, 60 }

C grade { }

F normal fail { 1, 2, 10, 11, 20, 21, 29, 30, 38, 39, 40, 43, 44, 45, 48, 49, 50, 53, 54, 55, 58, 59, 63, 64, 68, 69, 73, 74, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90 }

F(-1) timedout fail { }

F(-2) exception fail { }

Mupad

A grade { }

B grade { 3, 12, 19, 22, 31, 60, 65, 70, 75, 79, 82, 85, 88 }

C grade { }

F normal fail { }

F(-1) timedout fail { 1, 2, 10, 11, 20, 21, 29, 30, 38, 39, 40, 43, 44, 45, 48, 49, 50, 53, 54, 55, 58, 59, 63, 64, 68, 69, 73, 74, 80, 81, 83, 84, 86, 87, 89, 90 }

F(-2) exception fail { }

Sympy

A grade { 3, 60 }

B grade { }

C grade { }

F normal fail { 1, 2, 10, 11, 12, 19, 20, 21, 22, 29, 30, 31, 38, 39, 40, 43, 44, 45, 48, 49, 50, 53, 54, 55, 58, 59, 63, 64, 65, 68, 69, 70, 73, 74, 75, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90 }

F(-1) timedout fail { }

F(-2) exception fail { }

Reduce

A grade { }

B grade { 3, 12, 19, 22, 60, 65, 70, 75, 79, 82, 85, 88 }

C grade { }

F normal fail { 1, 2, 10, 11, 20, 21, 29, 30, 31, 38, 39, 40, 43, 44, 45, 48, 49, 50, 53, 54, 55, 58, 59, 63, 64, 68, 69, 73, 74, 80, 81, 83, 84, 86, 87, 89, 90 }

F(-1) timedout fail { }

F(-2) exception fail { }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by the table below. The elapsed time is in seconds. For failed result it is given as **F(-1)** if the failure was due to timeout. It is given as **F(-2)** if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given as **F**.

In this table, the column **N.S.** means **normalized size** and is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$. To make the table fit the page, the name **Mathematica** was abbreviated to **MMA**.

Problem 1	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	104	104	133	0	0	209	0	0	23	0
N.S.	1	1.00	1.28	0.00	0.00	2.01	0.00	0.00	0.22	0.00
time (sec)	N/A	0.344	0.127	0.000	0.000	0.099	0.000	0.000	0.220	0.000

Problem 2	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	68	68	97	0	0	144	0	0	23	0
N.S.	1	1.00	1.43	0.00	0.00	2.12	0.00	0.00	0.34	0.00
time (sec)	N/A	0.260	0.082	0.000	0.000	0.095	0.000	0.000	0.217	0.000

Problem 3	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	B	A	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	26	26	26	26	25	55	37	49	41	47
N.S.	1	1.00	1.00	1.00	0.96	2.12	1.42	1.88	1.58	1.81
time (sec)	N/A	0.185	0.012	0.165	0.046	0.106	0.432	0.112	0.230	2.483

Problem 4	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	16	16	18	16	38	18	14	18	21	20
N.S.	1	1.00	1.12	1.00	2.38	1.12	0.88	1.12	1.31	1.25
time (sec)	N/A	0.182	6.746	0.046	0.385	0.081	0.813	0.117	0.233	2.566

Problem 5	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	16	16	18	16	40	18	15	18	29	20
N.S.	1	1.00	1.12	1.00	2.50	1.12	0.94	1.12	1.81	1.25
time (sec)	N/A	0.193	8.052	0.046	0.362	0.078	0.347	0.131	0.225	2.713

Problem 6	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	16	16	18	16	40	21	15	18	23	20
N.S.	1	1.00	1.12	1.00	2.50	1.31	0.94	1.12	1.44	1.25
time (sec)	N/A	0.182	9.195	0.043	0.339	0.082	0.390	0.155	0.241	2.391

Problem 7	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	16	16	18	16	40	21	15	18	23	20
N.S.	1	1.00	1.12	1.00	2.50	1.31	0.94	1.12	1.44	1.25
time (sec)	N/A	0.187	7.645	0.049	0.345	0.076	0.376	0.129	0.204	2.415

Problem 8	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	16	16	18	16	40	18	15	18	25	20
N.S.	1	1.00	1.12	1.00	2.50	1.12	0.94	1.12	1.56	1.25
time (sec)	N/A	0.188	7.500	0.047	0.362	0.070	0.343	0.155	0.240	2.627

Problem 9	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	16	16	18	16	40	18	15	18	29	20
N.S.	1	1.00	1.12	1.00	2.50	1.12	0.94	1.12	1.81	1.25
time (sec)	N/A	0.183	7.682	0.048	0.364	0.071	0.359	0.172	0.215	2.525

Problem 10	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	A	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	196	194	595	0	271	1031	0	0	633	0
N.S.	1	0.99	3.04	0.00	1.38	5.26	0.00	0.00	3.23	0.00
time (sec)	N/A	0.611	2.103	0.000	0.494	0.105	0.000	0.000	0.239	0.000

Problem 11	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	108	108	276	0	0	683	0	0	388	0
N.S.	1	1.00	2.56	0.00	0.00	6.32	0.00	0.00	3.59	0.00
time (sec)	N/A	0.397	0.618	0.000	0.000	0.105	0.000	0.000	0.223	0.000

Problem 12	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	B	F	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	45	44	85	44	49	271	0	75	156	81
N.S.	1	0.98	1.89	0.98	1.09	6.02	0.00	1.67	3.47	1.80
time (sec)	N/A	0.349	0.437	0.361	0.100	0.091	0.000	0.116	0.211	2.343

Problem 13	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	112	36	15	20	45	22
N.S.	1	1.00	1.11	1.00	6.22	2.00	0.83	1.11	2.50	1.22
time (sec)	N/A	0.185	53.815	0.128	0.492	0.072	2.998	0.153	0.245	2.559

Problem 14	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	114	36	17	20	195	22
N.S.	1	1.00	1.11	1.00	6.33	2.00	0.94	1.11	10.83	1.22
time (sec)	N/A	0.184	31.096	0.118	0.621	0.074	0.587	0.176	0.230	2.730

Problem 15	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	108	42	17	20	829	22
N.S.	1	1.00	1.11	1.00	6.00	2.33	0.94	1.11	46.06	1.22
time (sec)	N/A	0.186	20.784	0.118	0.619	0.092	0.480	0.520	0.219	2.509

Problem 16	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	98	42	17	20	587	22
N.S.	1	1.00	1.11	1.00	5.44	2.33	0.94	1.11	32.61	1.22
time (sec)	N/A	0.182	18.693	0.120	0.637	0.087	0.462	0.471	0.224	2.577

Problem 17	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	118	36	17	20	50	22
N.S.	1	1.00	1.11	1.00	6.56	2.00	0.94	1.11	2.78	1.22
time (sec)	N/A	0.182	29.761	0.126	0.413	0.092	0.596	0.439	0.238	2.708

Problem 18	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	118	36	17	20	56	22
N.S.	1	1.00	1.11	1.00	6.56	2.00	0.94	1.11	3.11	1.22
time (sec)	N/A	0.187	30.189	0.124	0.370	0.090	0.653	0.737	0.209	2.717

Problem 19	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	C	A	A	B	B	F	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	90	114	167	62	205	2590	0	158	513	399
N.S.	1	1.27	1.86	0.69	2.28	28.78	0.00	1.76	5.70	4.43
time (sec)	N/A	0.497	0.084	0.457	0.076	0.106	0.000	0.113	0.231	2.403

Problem 20	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	325	326	256	0	0	686	0	0	93	0
N.S.	1	1.00	0.79	0.00	0.00	2.11	0.00	0.00	0.29	0.00
time (sec)	N/A	1.173	0.216	0.000	0.000	0.108	0.000	0.000	0.266	0.000

Problem 21	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	225	219	175	0	0	505	0	0	93	0
N.S.	1	0.97	0.78	0.00	0.00	2.24	0.00	0.00	0.41	0.00
time (sec)	N/A	0.821	0.116	0.000	0.000	0.104	0.000	0.000	0.240	0.000

Problem 22	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	B	F	A	B	B
verified	N/A	No	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	61	71	89	92	213	0	92	74	175
N.S.	1	1.02	1.18	1.48	1.53	3.55	0.00	1.53	1.23	2.92
time (sec)	N/A	0.409	0.104	0.217	0.275	0.093	0.000	0.126	0.220	3.113

Problem 23	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	59	19	15	20	58	22
N.S.	1	1.00	1.11	1.00	3.28	1.06	0.83	1.11	3.22	1.22
time (sec)	N/A	0.204	1.903	0.079	0.293	0.081	0.745	0.159	0.245	2.617

Problem 24	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	67	23	17	20	104	22
N.S.	1	1.00	1.11	1.00	3.72	1.28	0.94	1.11	5.78	1.22
time (sec)	N/A	0.199	2.611	0.079	0.170	0.073	0.560	0.188	0.242	2.833

Problem 25	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	61	20	15	20	60	22
N.S.	1	1.00	1.11	1.00	3.39	1.11	0.83	1.11	3.33	1.22
time (sec)	N/A	0.202	2.352	0.081	0.188	0.073	0.282	0.128	0.230	2.510

Problem 26	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	61	20	15	20	60	22
N.S.	1	1.00	1.11	1.00	3.39	1.11	0.83	1.11	3.33	1.22
time (sec)	N/A	0.201	2.041	0.080	0.351	0.077	0.273	0.129	0.219	2.451

Problem 27	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	67	23	17	20	104	22
N.S.	1	1.00	1.11	1.00	3.72	1.28	0.94	1.11	5.78	1.22
time (sec)	N/A	0.201	2.042	0.082	0.341	0.075	0.587	0.127	0.242	2.497

Problem 28	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	67	23	17	20	104	22
N.S.	1	1.00	1.11	1.00	3.72	1.28	0.94	1.11	5.78	1.22
time (sec)	N/A	0.200	2.104	0.082	0.181	0.073	0.581	0.133	0.235	2.516

Problem 29	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	922	924	1502	0	0	3756	0	0	38	0
N.S.	1	1.00	1.63	0.00	0.00	4.07	0.00	0.00	0.04	0.00
time (sec)	N/A	2.376	3.751	0.000	0.000	0.142	0.000	0.000	0.225	0.000

Problem 30	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	B	F	F	F	F(-1)
verified	N/A	Yes	No	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	519	510	735	0	0	2383	0	0	38	0
N.S.	1	0.98	1.42	0.00	0.00	4.59	0.00	0.00	0.07	0.00
time (sec)	N/A	1.351	3.490	0.000	0.000	0.120	0.000	0.000	0.240	0.000

Problem 31	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	B	F	A	F	B
verified	N/A	No	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	113	133	161	189	200	711	0	177	0	290
N.S.	1	1.18	1.42	1.67	1.77	6.29	0.00	1.57	0.00	2.57
time (sec)	N/A	0.770	0.660	0.278	0.166	0.091	0.000	0.141	0.226	3.017

Problem 32	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	246	38	17	20	341	22
N.S.	1	1.00	1.11	1.00	13.67	2.11	0.94	1.11	18.94	1.22
time (sec)	N/A	0.207	28.390	0.094	0.371	0.090	1.098	0.756	0.252	2.807

Problem 33	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	315	44	19	3	2681	22
N.S.	1	1.00	1.11	1.00	17.50	2.44	1.06	0.17	148.94	1.22
time (sec)	N/A	0.210	17.603	0.092	0.695	0.079	0.740	1.246	0.373	3.061

Problem 34	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	304	38	17	20	38	22
N.S.	1	1.00	1.11	1.00	16.89	2.11	0.94	1.11	2.11	1.22
time (sec)	N/A	0.215	13.571	0.088	0.685	0.083	0.510	0.214	0.258	2.538

Problem 35	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	292	38	17	20	38	22
N.S.	1	1.00	1.11	1.00	16.22	2.11	0.94	1.11	2.11	1.22
time (sec)	N/A	0.208	13.549	0.087	0.427	0.074	0.500	0.219	0.293	2.516

Problem 36	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	313	44	19	20	128	22
N.S.	1	1.00	1.11	1.00	17.39	2.44	1.06	1.11	7.11	1.22
time (sec)	N/A	0.211	15.896	0.086	0.356	0.082	0.838	0.211	0.277	2.748

Problem 37	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	315	44	19	3	2681	22
N.S.	1	1.00	1.11	1.00	17.50	2.44	1.06	0.17	148.94	1.22
time (sec)	N/A	0.212	0.970	0.003	0.640	0.078	0.754	1.219	0.348	0.002

Problem 38	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	356	356	365	0	349	0	0	0	22	0
N.S.	1	1.00	1.03	0.00	0.98	0.00	0.00	0.00	0.06	0.00
time (sec)	N/A	0.740	0.239	0.000	0.364	0.000	0.000	0.000	0.226	0.000

Problem 39	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	260	260	273	0	261	0	0	0	22	0
N.S.	1	1.00	1.05	0.00	1.00	0.00	0.00	0.00	0.08	0.00
time (sec)	N/A	0.553	0.156	0.000	0.379	0.000	0.000	0.000	0.229	0.000

Problem 40	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	164	164	181	0	173	0	0	0	20	0
N.S.	1	1.00	1.10	0.00	1.05	0.00	0.00	0.00	0.12	0.00
time (sec)	N/A	0.389	0.130	0.000	0.481	0.000	0.000	0.000	0.259	0.000

Problem 41	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	16	43	18	15	18	20	20
N.S.	1	1.00	1.11	0.89	2.39	1.00	0.83	1.00	1.11	1.11
time (sec)	N/A	0.185	31.396	0.113	0.406	0.083	1.559	0.125	0.246	2.560

Problem 42	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	16	53	18	17	18	24	20
N.S.	1	1.00	1.11	0.89	2.94	1.00	0.94	1.00	1.33	1.11
time (sec)	N/A	0.184	29.680	0.125	0.437	0.075	0.527	0.138	0.221	2.583

Problem 43	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	597	605	1289	0	648	0	0	0	0	0
N.S.	1	1.01	2.16	0.00	1.09	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	1.313	7.274	0.000	0.277	0.000	0.000	0.000	0.312	0.000

Problem 44	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	441	445	1017	0	496	0	0	0	1265	0
N.S.	1	1.01	2.31	0.00	1.12	0.00	0.00	0.00	2.87	0.00
time (sec)	N/A	0.993	7.046	0.000	0.289	0.000	0.000	0.000	0.294	0.000

Problem 45	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	287	291	382	0	343	0	0	0	801	0
N.S.	1	1.01	1.33	0.00	1.20	0.00	0.00	0.00	2.79	0.00
time (sec)	N/A	0.818	3.640	0.000	0.299	0.000	0.000	0.000	0.252	0.000

Problem 46	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	F(-1)	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	0	18	117	36	17	20	43	22
N.S.	1	1.00	0.00	0.90	5.85	1.80	0.85	1.00	2.15	1.10
time (sec)	N/A	0.228	0.000	0.331	1.046	0.083	8.764	0.218	0.256	2.867

Problem 47	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	18	143	36	19	20	179	22
N.S.	1	1.00	1.10	0.90	7.15	1.80	0.95	1.00	8.95	1.10
time (sec)	N/A	0.222	107.108	0.313	1.110	0.084	1.453	0.314	0.275	2.856

Problem 48	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	897	898	685	0	0	0	0	0	88	0
N.S.	1	1.00	0.76	0.00	0.00	0.00	0.00	0.00	0.10	0.00
time (sec)	N/A	1.799	0.732	0.000	0.000	0.000	0.000	0.000	0.241	0.000

Problem 49	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	673	674	519	0	0	0	0	0	88	0
N.S.	1	1.00	0.77	0.00	0.00	0.00	0.00	0.00	0.13	0.00
time (sec)	N/A	1.353	0.495	0.000	0.000	0.000	0.000	0.000	0.230	0.000

Problem 50	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	449	450	353	0	0	0	0	0	84	0
N.S.	1	1.00	0.79	0.00	0.00	0.00	0.00	0.00	0.19	0.00
time (sec)	N/A	1.142	0.414	0.000	0.000	0.000	0.000	0.000	0.258	0.000

Problem 51	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	18	59	19	17	20	57	22
N.S.	1	1.00	1.10	0.90	2.95	0.95	0.85	1.00	2.85	1.10
time (sec)	N/A	0.205	3.449	0.218	0.839	0.075	1.929	0.170	0.223	2.550

Problem 52	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	18	67	23	19	20	99	22
N.S.	1	1.00	1.10	0.90	3.35	1.15	0.95	1.00	4.95	1.10
time (sec)	N/A	0.203	5.780	0.222	0.898	0.075	1.621	0.250	0.230	2.591

Problem 53	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	2663	2664	2841	0	0	0	0	0	0	0
N.S.	1	1.00	1.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	4.142	7.995	0.000	0.000	0.000	0.000	0.000	0.571	0.000

Problem 54	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	1983	1984	2085	0	0	0	0	0	0	0
N.S.	1	1.00	1.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	3.449	5.773	0.000	0.000	0.000	0.000	0.000	0.416	0.000

Problem 55	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	1303	1304	1333	0	0	0	0	0	0	0
N.S.	1	1.00	1.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	2.814	7.258	0.000	0.000	0.000	0.000	0.000	0.334	0.000

Problem 56	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	18	249	38	19	20	325	22
N.S.	1	1.00	1.10	0.90	12.45	1.90	0.95	1.00	16.25	1.10
time (sec)	N/A	0.198	91.104	0.247	2.902	0.093	2.984	1.382	0.263	2.989

Problem 57	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	18	318	44	20	3	6528	22
N.S.	1	1.00	1.10	0.90	15.90	2.20	1.00	0.15	326.40	1.10
time (sec)	N/A	0.201	59.652	0.255	3.040	0.109	2.372	1.398	0.518	3.009

Problem 58	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	214	214	238	0	217	0	0	0	24	0
N.S.	1	1.00	1.11	0.00	1.01	0.00	0.00	0.00	0.11	0.00
time (sec)	N/A	0.484	0.199	0.000	0.911	0.000	0.000	0.000	0.238	0.000

Problem 59	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	120	120	142	0	129	0	0	0	21	0
N.S.	1	1.00	1.18	0.00	1.08	0.00	0.00	0.00	0.18	0.00
time (sec)	N/A	0.326	0.122	0.000	0.881	0.000	0.000	0.000	0.217	0.000

Problem 60	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	B	A	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	26	26	26	26	25	55	36	49	38	47
N.S.	1	1.00	1.00	1.00	0.96	2.12	1.38	1.88	1.46	1.81
time (sec)	N/A	0.184	0.024	0.264	0.133	0.090	0.298	0.109	0.238	2.425

Problem 61	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	16	53	25	19	18	30	20
N.S.	1	1.00	1.10	0.80	2.65	1.25	0.95	0.90	1.50	1.00
time (sec)	N/A	0.179	49.856	0.114	1.031	0.076	0.513	0.130	0.218	2.697

Problem 62	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	16	53	25	19	18	36	20
N.S.	1	1.00	1.10	0.80	2.65	1.25	0.95	0.90	1.80	1.00
time (sec)	N/A	0.183	50.574	0.110	0.921	0.078	0.525	0.141	0.228	2.743

Problem 63	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	363	365	875	0	422	0	0	0	1033	0
N.S.	1	1.01	2.41	0.00	1.16	0.00	0.00	0.00	2.85	0.00
time (sec)	N/A	0.810	6.918	0.000	0.550	0.000	0.000	0.000	0.282	0.000

Problem 64	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	209	210	637	0	264	0	0	0	575	0
N.S.	1	1.00	3.05	0.00	1.26	0.00	0.00	0.00	2.75	0.00
time (sec)	N/A	0.588	2.174	0.000	0.582	0.000	0.000	0.000	0.249	0.000

Problem 65	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	B	F	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	47	48	93	44	51	271	0	76	145	81
N.S.	1	1.02	1.98	0.94	1.09	5.77	0.00	1.62	3.09	1.72
time (sec)	N/A	0.376	0.285	0.491	0.140	0.117	0.000	0.125	0.222	2.583

Problem 66	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	22	22	24	18	138	46	20	20	187	22
N.S.	1	1.00	1.09	0.82	6.27	2.09	0.91	0.91	8.50	1.00
time (sec)	N/A	0.194	108.850	0.344	1.794	0.079	1.411	0.202	0.236	2.824

Problem 67	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	22	22	24	18	0	46	20	20	211	22
N.S.	1	1.00	1.09	0.82	0.00	2.09	0.91	0.91	9.59	1.00
time (sec)	N/A	0.196	108.758	0.323	0.000	0.084	1.469	0.300	0.254	3.006

Problem 68	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	561	562	436	0	0	0	0	0	88	0
N.S.	1	1.00	0.78	0.00	0.00	0.00	0.00	0.00	0.16	0.00
time (sec)	N/A	1.251	0.738	0.000	0.000	0.000	0.000	0.000	0.235	0.000

Problem 69	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	337	338	270	0	0	0	0	0	86	0
N.S.	1	1.00	0.80	0.00	0.00	0.00	0.00	0.00	0.26	0.00
time (sec)	N/A	1.035	0.476	0.000	0.000	0.000	0.000	0.000	0.244	0.000

Problem 70	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	B	F	A	B	B
verified	N/A	No	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	63	63	73	89	92	123	0	92	71	145
N.S.	1	1.00	1.16	1.41	1.46	1.95	0.00	1.46	1.13	2.30
time (sec)	N/A	0.388	0.144	0.351	0.284	0.099	0.000	0.162	0.254	2.917

Problem 71	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	22	22	24	18	67	27	20	20	99	22
N.S.	1	1.00	1.09	0.82	3.05	1.23	0.91	0.91	4.50	1.00
time (sec)	N/A	0.234	4.457	0.220	0.918	0.080	1.759	0.174	0.262	2.565

Problem 72	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	22	22	24	18	67	27	20	20	108	22
N.S.	1	1.00	1.09	0.82	3.05	1.23	0.91	0.91	4.91	1.00
time (sec)	N/A	0.234	4.502	0.224	1.511	0.082	1.741	0.271	0.239	2.562

Problem 73	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	1639	1640	1696	0	0	0	0	0	0	0
N.S.	1	1.00	1.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	3.547	5.915	0.000	0.000	0.000	0.000	0.000	0.403	0.000

Problem 74	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	959	960	948	0	0	0	0	0	0	0
N.S.	1	1.00	0.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	2.186	2.978	0.000	0.000	0.000	0.000	0.000	0.311	0.000

Problem 75	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	B	F	A	B	B
verified	N/A	No	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	118	139	175	189	200	670	0	178	604	319
N.S.	1	1.18	1.48	1.60	1.69	5.68	0.00	1.51	5.12	2.70
time (sec)	N/A	0.741	0.346	0.358	0.460	0.123	0.000	0.176	0.225	2.946

Problem 76	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	22	22	24	18	311	48	22	20	1872	22
N.S.	1	1.00	1.09	0.82	14.14	2.18	1.00	0.91	85.09	1.00
time (sec)	N/A	0.215	51.857	0.237	3.490	0.125	2.525	1.922	0.389	2.867

Problem 77	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	22	22	24	18	318	48	22	3	9457	22
N.S.	1	1.00	1.09	0.82	14.45	2.18	1.00	0.14	429.86	1.00
time (sec)	N/A	0.207	53.065	0.250	3.331	0.102	2.470	1.366	0.587	2.850

Problem 78	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	22	22	19	22	24	24
N.S.	1	1.00	1.10	1.00	1.10	1.10	0.95	1.10	1.20	1.20
time (sec)	N/A	0.280	13.393	0.125	0.878	0.090	0.341	0.539	0.214	2.481

Problem 79	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	A	B	F	F	B	B
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	45	45	42	155	75	180	0	0	49	112
N.S.	1	1.00	0.93	3.44	1.67	4.00	0.00	0.00	1.09	2.49
time (sec)	N/A	0.244	0.206	0.641	0.100	0.094	0.000	0.000	0.219	5.286

Problem 80	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	F	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	124	124	175	326	0	555	0	0	44	0
N.S.	1	1.00	1.41	2.63	0.00	4.48	0.00	0.00	0.35	0.00
time (sec)	N/A	0.331	0.499	0.586	0.000	0.109	0.000	0.000	0.224	0.000

Problem 81	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	F	F	F	B	F	F	F	F(-1)
verified	N/A	Yes	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	197	197	0	0	0	951	0	0	44	0
N.S.	1	1.00	0.00	0.00	0.00	4.83	0.00	0.00	0.22	0.00
time (sec)	N/A	0.432	0.000	0.000	0.000	0.094	0.000	0.000	0.228	0.000

Problem 82	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	A	B	F	F	B	B
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	80	57	103	271	109	854	0	0	164	160
N.S.	1	0.71	1.29	3.39	1.36	10.68	0.00	0.00	2.05	2.00
time (sec)	N/A	0.502	0.842	1.754	0.149	0.101	0.000	0.000	0.239	2.496

Problem 83	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	198	125	488	0	0	2678	0	0	415	0
N.S.	1	0.63	2.46	0.00	0.00	13.53	0.00	0.00	2.10	0.00
time (sec)	N/A	0.516	2.516	0.000	0.000	0.145	0.000	0.000	0.227	0.000

Problem 84	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	F	F	F	B	F	F	F	F(-1)
verified	N/A	Yes	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	344	217	0	0	0	4967	0	0	688	0
N.S.	1	0.63	0.00	0.00	0.00	14.44	0.00	0.00	2.00	0.00
time (sec)	N/A	0.695	0.000	0.000	0.000	0.153	0.000	0.000	0.271	0.000

Problem 85	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	F	B	F	F	B	B
verified	N/A	No	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	82	74	84	319	0	248	0	0	82	410
N.S.	1	0.90	1.02	3.89	0.00	3.02	0.00	0.00	1.00	5.00
time (sec)	N/A	0.485	0.494	0.779	0.000	0.096	0.000	0.000	0.218	8.697

Problem 86	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	C	F	B	F	F	F	F(-1)
verified	N/A	Yes	No	No	TBD	TBD	TBD	TBD	TBD	TBD
size	291	236	1181	577	0	1183	0	0	112	0
N.S.	1	0.81	4.06	1.98	0.00	4.07	0.00	0.00	0.38	0.00
time (sec)	N/A	0.914	4.037	0.733	0.000	0.132	0.000	0.000	0.262	0.000

Problem 87	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	F	F	F	B	F	F	F	F(-1)
verified	N/A	Yes	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	428	347	0	0	0	1850	0	0	112	0
N.S.	1	0.81	0.00	0.00	0.00	4.32	0.00	0.00	0.26	0.00
time (sec)	N/A	1.198	0.000	0.000	0.000	0.146	0.000	0.000	0.254	0.000

Problem 88	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	F	B	F	F	B	B
verified	N/A	No	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	149	146	167	490	0	1729	0	0	645	1449
N.S.	1	0.98	1.12	3.29	0.00	11.60	0.00	0.00	4.33	9.72
time (sec)	N/A	0.889	0.860	5.817	0.000	0.122	0.000	0.000	0.215	18.798

Problem 89	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	F	F	B	F	F	F	F(-1)
verified	N/A	Yes	No	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	681	527	3219	0	0	8453	0	0	0	0
N.S.	1	0.77	4.73	0.00	0.00	12.41	0.00	0.00	0.00	0.00
time (sec)	N/A	1.558	19.265	0.000	0.000	0.217	0.000	0.000	0.245	0.000

Problem 90	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	F	F	F	B	F	F	F	F(-1)
verified	N/A	Yes	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	1218	953	0	0	0	15187	0	0	0	0
N.S.	1	0.78	0.00	0.00	0.00	12.47	0.00	0.00	0.00	0.00
time (sec)	N/A	2.383	0.000	0.000	0.000	0.356	0.000	0.000	0.321	0.000

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi only. It gives additional statistics for each integral. The column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is also given. The larger this ratio is, the harder the integral is to solve. In this test file, problem number [19] had the largest ratio of [1.3332999999999999]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	2	2	1.00	16	0.125
2	A	2	2	1.00	16	0.125
3	A	2	2	1.00	14	0.143
4	N/A	2	0	1.00	16	0.000
5	N/A	2	0	1.00	16	0.000
6	N/A	2	0	1.00	16	0.000
7	N/A	2	0	1.00	16	0.000
8	N/A	2	0	1.00	16	0.000
9	N/A	2	0	1.00	16	0.000
10	A	5	4	0.99	18	0.222
11	A	5	4	1.00	18	0.222
12	A	12	11	0.98	16	0.688
13	N/A	1	0	1.00	18	0.000
14	N/A	1	0	1.00	18	0.000
15	N/A	1	0	1.00	18	0.000
16	N/A	1	0	1.00	18	0.000
17	N/A	1	0	1.00	18	0.000
18	N/A	1	0	1.00	18	0.000
19	C	17	16	1.27	12	1.333
20	A	5	4	1.00	18	0.222

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
21	A	5	4	0.97	18	0.222
22	A	8	7	1.02	16	0.438
23	N/A	1	0	1.00	18	0.000
24	N/A	1	0	1.00	18	0.000
25	N/A	1	0	1.00	18	0.000
26	N/A	1	0	1.00	18	0.000
27	N/A	1	0	1.00	18	0.000
28	N/A	1	0	1.00	18	0.000
29	A	5	4	1.00	18	0.222
30	A	5	4	0.98	18	0.222
31	A	15	14	1.18	16	0.875
32	N/A	1	0	1.00	18	0.000
33	N/A	1	0	1.00	18	0.000
34	N/A	1	0	1.00	18	0.000
35	N/A	1	0	1.00	18	0.000
36	N/A	1	0	1.00	18	0.000
37	N/A	1	0	1.00	18	0.000
38	A	2	2	1.00	18	0.111
39	A	2	2	1.00	18	0.111
40	A	2	2	1.00	16	0.125
41	N/A	2	0	1.00	18	0.000
42	N/A	2	0	1.00	18	0.000
43	A	5	4	1.01	20	0.200
44	A	5	4	1.01	20	0.200
45	A	5	4	1.01	18	0.222
46	N/A	1	0	1.00	20	0.000
47	N/A	1	0	1.00	20	0.000
48	A	5	4	1.00	20	0.200
49	A	5	4	1.00	20	0.200
50	A	5	4	1.00	18	0.222

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
51	N/A	1	0	1.00	20	0.000
52	N/A	1	0	1.00	20	0.000
53	A	5	4	1.00	20	0.200
54	A	5	4	1.00	20	0.200
55	A	5	4	1.00	18	0.222
56	N/A	1	0	1.00	20	0.000
57	N/A	1	0	1.00	20	0.000
58	A	2	2	1.00	20	0.100
59	A	2	2	1.00	20	0.100
60	A	2	2	1.00	20	0.100
61	N/A	2	0	1.00	20	0.000
62	N/A	2	0	1.00	20	0.000
63	A	5	4	1.01	22	0.182
64	A	5	4	1.00	22	0.182
65	A	12	11	1.02	22	0.500
66	N/A	1	0	1.00	22	0.000
67	N/A	1	0	1.00	22	0.000
68	A	5	4	1.00	22	0.182
69	A	5	4	1.00	22	0.182
70	A	8	7	1.00	22	0.318
71	N/A	1	0	1.00	22	0.000
72	N/A	1	0	1.00	22	0.000
73	A	5	4	1.00	22	0.182
74	A	5	4	1.00	22	0.182
75	A	15	14	1.18	22	0.636
76	N/A	1	0	1.00	22	0.000
77	N/A	1	0	1.00	22	0.000
78	N/A	2	0	1.00	20	0.000
79	A	2	2	1.00	20	0.100
80	A	2	2	1.00	22	0.091
81	A	2	2	1.00	22	0.091

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
82	A	13	12	0.71	22	0.545
83	A	6	5	0.63	24	0.208
84	A	6	5	0.63	24	0.208
85	A	9	8	0.90	22	0.364
86	A	6	5	0.81	24	0.208
87	A	6	5	0.81	24	0.208
88	A	16	15	0.98	22	0.682
89	A	6	5	0.77	24	0.208
90	A	6	5	0.78	24	0.208

CHAPTER 3

LISTING OF INTEGRALS

3.1	$\int x^5(a + b\operatorname{csch}(c + dx^2)) dx$	61
3.2	$\int x^3(a + b\operatorname{csch}(c + dx^2)) dx$	67
3.3	$\int x(a + b\operatorname{csch}(c + dx^2)) dx$	72
3.4	$\int \frac{a+b\operatorname{csch}(c+dx^2)}{x} dx$	77
3.5	$\int \frac{a+b\operatorname{csch}(c+dx^2)}{x^3} dx$	82
3.6	$\int x^4(a + b\operatorname{csch}(c + dx^2)) dx$	87
3.7	$\int x^2(a + b\operatorname{csch}(c + dx^2)) dx$	92
3.8	$\int \frac{a+b\operatorname{csch}(c+dx^2)}{x^2} dx$	97
3.9	$\int \frac{a+b\operatorname{csch}(c+dx^2)}{x^4} dx$	102
3.10	$\int x^5(a + b\operatorname{csch}(c + dx^2))^2 dx$	107
3.11	$\int x^3(a + b\operatorname{csch}(c + dx^2))^2 dx$	115
3.12	$\int x(a + b\operatorname{csch}(c + dx^2))^2 dx$	121
3.13	$\int \frac{(a+b\operatorname{csch}(c+dx^2))^2}{x} dx$	128
3.14	$\int \frac{(a+b\operatorname{csch}(c+dx^2))^2}{x^3} dx$	133
3.15	$\int x^4(a + b\operatorname{csch}(c + dx^2))^2 dx$	138
3.16	$\int x^2(a + b\operatorname{csch}(c + dx^2))^2 dx$	143
3.17	$\int \frac{(a+b\operatorname{csch}(c+dx^2))^2}{x^2} dx$	148
3.18	$\int \frac{(a+b\operatorname{csch}(c+dx^2))^2}{x^4} dx$	153
3.19	$\int x\operatorname{csch}^7(a + bx^2) dx$	158
3.20	$\int \frac{x^5}{a+b\operatorname{csch}(c+dx^2)} dx$	168
3.21	$\int \frac{x^3}{a+b\operatorname{csch}(c+dx^2)} dx$	175
3.22	$\int \frac{x}{a+b\operatorname{csch}(c+dx^2)} dx$	181
3.23	$\int \frac{1}{x(a+b\operatorname{csch}(c+dx^2))} dx$	188

3.24	$\int \frac{1}{x^3(a+b\operatorname{csch}(c+dx^2))} dx$	193
3.25	$\int \frac{x^4}{a+b\operatorname{csch}(c+dx^2)} dx$	198
3.26	$\int \frac{x^2}{a+b\operatorname{csch}(c+dx^2)} dx$	203
3.27	$\int \frac{1}{x^2(a+b\operatorname{csch}(c+dx^2))} dx$	208
3.28	$\int \frac{1}{x^4(a+b\operatorname{csch}(c+dx^2))} dx$	213
3.29	$\int \frac{x^5}{(a+b\operatorname{csch}(c+dx^2))^2} dx$	218
3.30	$\int \frac{x^3}{(a+b\operatorname{csch}(c+dx^2))^2} dx$	227
3.31	$\int \frac{x}{(a+b\operatorname{csch}(c+dx^2))^2} dx$	235
3.32	$\int \frac{1}{x(a+b\operatorname{csch}(c+dx^2))^2} dx$	245
3.33	$\int \frac{1}{x^3(a+b\operatorname{csch}(c+dx^2))^2} dx$	250
3.34	$\int \frac{x^4}{(a+b\operatorname{csch}(c+dx^2))^2} dx$	255
3.35	$\int \frac{x^2}{(a+b\operatorname{csch}(c+dx^2))^2} dx$	260
3.36	$\int \frac{1}{x^2(a+b\operatorname{csch}(c+dx^2))^2} dx$	265
3.37	$\int \frac{1}{x^3(a+b\operatorname{csch}(c+dx^2))^2} dx$	270
3.38	$\int x^3(a+b\operatorname{csch}(c+d\sqrt{x})) dx$	275
3.39	$\int x^2(a+b\operatorname{csch}(c+d\sqrt{x})) dx$	283
3.40	$\int x(a+b\operatorname{csch}(c+d\sqrt{x})) dx$	289
3.41	$\int \frac{a+b\operatorname{csch}(c+d\sqrt{x})}{x} dx$	295
3.42	$\int \frac{a+b\operatorname{csch}(c+d\sqrt{x})}{x^2} dx$	300
3.43	$\int x^3(a+b\operatorname{csch}(c+d\sqrt{x}))^2 dx$	305
3.44	$\int x^2(a+b\operatorname{csch}(c+d\sqrt{x}))^2 dx$	315
3.45	$\int x(a+b\operatorname{csch}(c+d\sqrt{x}))^2 dx$	324
3.46	$\int \frac{(a+b\operatorname{csch}(c+d\sqrt{x}))^2}{x} dx$	331
3.47	$\int \frac{(a+b\operatorname{csch}(c+d\sqrt{x}))^2}{x^3 x^2} dx$	336
3.48	$\int \frac{x^3 x^2}{a+b\operatorname{csch}(c+d\sqrt{x})} dx$	341
3.49	$\int \frac{x^2}{a+b\operatorname{csch}(c+d\sqrt{x})} dx$	349
3.50	$\int \frac{x}{a+b\operatorname{csch}(c+d\sqrt{x})} dx$	357
3.51	$\int \frac{1}{x(a+b\operatorname{csch}(c+d\sqrt{x}))} dx$	364

3.52	$\int \frac{1}{x^2(a+b\operatorname{csch}(c+d\sqrt{x}))} dx$	369
3.53	$\int \frac{x^3}{(a+b\operatorname{csch}(c+d\sqrt{x}))^2} dx$	374
3.54	$\int \frac{x^2}{(a+b\operatorname{csch}(c+d\sqrt{x}))^2} dx$	382
3.55	$\int \frac{x}{(a+b\operatorname{csch}(c+d\sqrt{x}))^2} dx$	390
3.56	$\int \frac{1}{x(a+b\operatorname{csch}(c+d\sqrt{x}))^2} dx$	398
3.57	$\int \frac{1}{x^2(a+b\operatorname{csch}(c+d\sqrt{x}))^2} dx$	403
3.58	$\int x^{3/2}(a+b\operatorname{csch}(c+d\sqrt{x})) dx$	408
3.59	$\int \sqrt{x}(a+b\operatorname{csch}(c+d\sqrt{x})) dx$	414
3.60	$\int \frac{a+b\operatorname{csch}(c+d\sqrt{x})}{\sqrt{x}} dx$	419
3.61	$\int \frac{a+b\operatorname{csch}(c+d\sqrt{x})}{x^{3/2}} dx$	424
3.62	$\int \frac{a+b\operatorname{csch}(c+d\sqrt{x})}{x^{5/2}} dx$	429
3.63	$\int x^{3/2}(a+b\operatorname{csch}(c+d\sqrt{x}))^2 dx$	434
3.64	$\int \sqrt{x}(a+b\operatorname{csch}(c+d\sqrt{x}))^2 dx$	442
3.65	$\int \frac{(a+b\operatorname{csch}(c+d\sqrt{x}))^2}{\sqrt{x}} dx$	449
3.66	$\int \frac{(a+b\operatorname{csch}(c+d\sqrt{x}))^2}{x^{3/2}} dx$	456
3.67	$\int \frac{(a+b\operatorname{csch}(c+d\sqrt{x}))^2}{x^{5/2}} dx$	461
3.68	$\int \frac{x^{3/2}}{a+b\operatorname{csch}(c+d\sqrt{x})} dx$	466
3.69	$\int \frac{\sqrt{x}}{a+b\operatorname{csch}(c+d\sqrt{x})} dx$	473
3.70	$\int \frac{1}{\sqrt{x}(a+b\operatorname{csch}(c+d\sqrt{x}))} dx$	479
3.71	$\int \frac{1}{x^{3/2}(a+b\operatorname{csch}(c+d\sqrt{x}))} dx$	486
3.72	$\int \frac{1}{x^{5/2}(a+b\operatorname{csch}(c+d\sqrt{x}))} dx$	491
3.73	$\int \frac{x^{3/2}}{(a+b\operatorname{csch}(c+d\sqrt{x}))^2} dx$	496
3.74	$\int \frac{\sqrt{x}}{(a+b\operatorname{csch}(c+d\sqrt{x}))^2} dx$	504
3.75	$\int \frac{1}{\sqrt{x}(a+b\operatorname{csch}(c+d\sqrt{x}))^2} dx$	512
3.76	$\int \frac{1}{x^{3/2}(a+b\operatorname{csch}(c+d\sqrt{x}))^2} dx$	522
3.77	$\int \frac{1}{x^{5/2}(a+b\operatorname{csch}(c+d\sqrt{x}))^2} dx$	527
3.78	$\int (ex)^m (a+b\operatorname{csch}(c+dx^n))^p dx$	532
3.79	$\int (ex)^{-1+n} (a+b\operatorname{csch}(c+dx^n)) dx$	537

3.80	$\int (ex)^{-1+2n} (a + bcsch(c + dx^n)) dx$	542
3.81	$\int (ex)^{-1+3n} (a + bcsch(c + dx^n)) dx$	548
3.82	$\int (ex)^{-1+n} (a + bcsch(c + dx^n))^2 dx$	554
3.83	$\int (ex)^{-1+2n} (a + bcsch(c + dx^n))^2 dx$	562
3.84	$\int (ex)^{-1+3n} (a + bcsch(c + dx^n))^2 dx$	569
3.85	$\int \frac{(ex)^{-1+n}}{a+bcsch(c+dx^n)} dx$	576
3.86	$\int \frac{(ex)^{-1+2n}}{a+bcsch(c+dx^n)} dx$	583
3.87	$\int \frac{(ex)^{-1+3n}}{a+bcsch(c+dx^n)} dx$	591
3.88	$\int \frac{(ex)^{-1+n}}{(a+bcsch(c+dx^n))^2} dx$	598
3.89	$\int \frac{(ex)^{-1+2n}}{(a+bcsch(c+dx^n))^2} dx$	609
3.90	$\int \frac{(ex)^{-1+3n}}{(a+bcsch(c+dx^n))^2} dx$	618

3.1 $\int x^5(a + b\operatorname{csch}(c + dx^2)) dx$

Optimal result	61
Mathematica [A] (verified)	62
Rubi [A] (verified)	62
Maple [F]	63
Fricas [B] (verification not implemented)	64
Sympy [F]	64
Maxima [F]	65
Giac [F]	65
Mupad [F(-1)]	65
Reduce [F]	66

Optimal result

Integrand size = 16, antiderivative size = 104

$$\int x^5(a + b\operatorname{csch}(c + dx^2)) dx = \frac{ax^6}{6} - \frac{bx^4 \operatorname{arctanh}(e^{c+dx^2})}{d} - \frac{bx^2 \operatorname{PolyLog}\left(2, -e^{c+dx^2}\right)}{d^2} + \frac{bx^2 \operatorname{PolyLog}\left(2, e^{c+dx^2}\right)}{d^2} + \frac{b \operatorname{PolyLog}\left(3, -e^{c+dx^2}\right)}{d^3} - \frac{b \operatorname{PolyLog}\left(3, e^{c+dx^2}\right)}{d^3}$$

output `1/6*a*x^6-b*x^4*arctanh(exp(d*x^2+c))/d-b*x^2*polylog(2,-exp(d*x^2+c))/d^2+b*x^2*polylog(2,exp(d*x^2+c))/d^2+b*polylog(3,-exp(d*x^2+c))/d^3-b*polylog(3,exp(d*x^2+c))/d^3`

Mathematica [A] (verified)

Time = 0.13 (sec) , antiderivative size = 133, normalized size of antiderivative = 1.28

$$\int x^5 (a + b \operatorname{csch}(c + dx^2)) dx = \frac{ax^6}{6} + \frac{bx^4 \log(1 - e^{c+dx^2})}{2d} - \frac{bx^4 \log(1 + e^{c+dx^2})}{2d} \\ - \frac{bx^2 \operatorname{PolyLog}(2, -e^{c+dx^2})}{d^2} + \frac{bx^2 \operatorname{PolyLog}(2, e^{c+dx^2})}{d^2} \\ + \frac{b \operatorname{PolyLog}(3, -e^{c+dx^2})}{d^3} - \frac{b \operatorname{PolyLog}(3, e^{c+dx^2})}{d^3}$$

input

```
Integrate[x^5*(a + b*Csch[c + d*x^2]),x]
```

output

```
(a*x^6)/6 + (b*x^4*Log[1 - E^(c + d*x^2)])/(2*d) - (b*x^4*Log[1 + E^(c + d*x^2)])/(2*d) - (b*x^2*PolyLog[2, -E^(c + d*x^2)])/d^2 + (b*x^2*PolyLog[2, E^(c + d*x^2)])/d^2 + (b*PolyLog[3, -E^(c + d*x^2)])/d^3 - (b*PolyLog[3, E^(c + d*x^2)])/d^3
```

Rubi [A] (verified)

Time = 0.34 (sec) , antiderivative size = 104, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^5 (a + b \operatorname{csch}(c + dx^2)) dx \\ \downarrow \text{2010} \\ \int (ax^5 + bx^5 \operatorname{csch}(c + dx^2)) dx \\ \downarrow \text{2009}$$

$$\frac{ax^6}{6} - \frac{bx^4 \operatorname{arctanh}(e^{c+dx^2})}{d} + \frac{b \operatorname{PolyLog}(3, -e^{dx^2+c})}{d^3} - \frac{b \operatorname{PolyLog}(3, e^{dx^2+c})}{d^3} - \frac{bx^2 \operatorname{PolyLog}(2, -e^{dx^2+c})}{d^2} + \frac{bx^2 \operatorname{PolyLog}(2, e^{dx^2+c})}{d^2}$$

input `Int[x^5*(a + b*Csch[c + d*x^2]),x]`

output `(a*x^6)/6 - (b*x^4*ArcTanh[E^(c + d*x^2)])/d - (b*x^2*PolyLog[2, -E^(c + d*x^2)])/d^2 + (b*x^2*PolyLog[2, E^(c + d*x^2)])/d^2 + (b*PolyLog[3, -E^(c + d*x^2)])/d^3 - (b*PolyLog[3, E^(c + d*x^2)])/d^3`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2010 `Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]`

Maple [F]

$$\int x^5 (a + b \operatorname{csch}(dx^2 + c)) dx$$

input `int(x^5*(a+b*csch(d*x^2+c)),x)`

output `int(x^5*(a+b*csch(d*x^2+c)),x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 209 vs. $2(95) = 190$.

Time = 0.10 (sec) , antiderivative size = 209, normalized size of antiderivative = 2.01

$$\int x^5 (a + b \operatorname{csch}(c + dx^2)) dx$$

$$= \frac{ad^3 x^6 - 3bd^2 x^4 \log(\cosh(dx^2 + c) + \sinh(dx^2 + c) + 1) + 6bdx^2 \operatorname{Li}_2(\cosh(dx^2 + c) + \sinh(dx^2 + c)) - 6bd^2 x^2 \operatorname{dilog}(\cosh(dx^2 + c) + \sinh(dx^2 + c)) - 6bd^2 x^2 \operatorname{dilog}(-\cosh(dx^2 + c) - \sinh(dx^2 + c)) + 3b^2 c^2 \log(\cosh(dx^2 + c) + \sinh(dx^2 + c) - 1) + 3(bd^2 x^4 - b^2 c^2) \log(-\cosh(dx^2 + c) - \sinh(dx^2 + c) + 1) - 6b^2 \operatorname{polylog}(3, \cosh(dx^2 + c) + \sinh(dx^2 + c)) + 6b^2 \operatorname{polylog}(3, -\cosh(dx^2 + c) - \sinh(dx^2 + c))}{d^3}$$

input `integrate(x^5*(a+b*csch(d*x^2+c)),x, algorithm="fricas")`

output `1/6*(a*d^3*x^6 - 3*b*d^2*x^4*log(cosh(d*x^2 + c) + sinh(d*x^2 + c) + 1) + 6*b*d*x^2*dilog(cosh(d*x^2 + c) + sinh(d*x^2 + c)) - 6*b*d*x^2*dilog(-cosh(d*x^2 + c) - sinh(d*x^2 + c)) + 3*b*c^2*log(cosh(d*x^2 + c) + sinh(d*x^2 + c) - 1) + 3*(b*d^2*x^4 - b*c^2)*log(-cosh(d*x^2 + c) - sinh(d*x^2 + c) + 1) - 6*b*polylog(3, cosh(d*x^2 + c) + sinh(d*x^2 + c)) + 6*b*polylog(3, -cosh(d*x^2 + c) - sinh(d*x^2 + c)))/d^3`

Sympy [F]

$$\int x^5 (a + b \operatorname{csch}(c + dx^2)) dx = \int x^5 (a + b \operatorname{csch}(c + dx^2)) dx$$

input `integrate(x**5*(a+b*csch(d*x**2+c)),x)`

output `Integral(x**5*(a + b*csch(c + d*x**2)), x)`

Maxima [F]

$$\int x^5 (a + b \operatorname{csch}(c + dx^2)) dx = \int (b \operatorname{csch}(dx^2 + c) + a) x^5 dx$$

input `integrate(x^5*(a+b*csch(d*x^2+c)),x, algorithm="maxima")`

output `1/6*a*x^6 + 2*b*integrate(x^5/(e^(d*x^2 + c) - e^(-d*x^2 - c)), x)`

Giac [F]

$$\int x^5 (a + b \operatorname{csch}(c + dx^2)) dx = \int (b \operatorname{csch}(dx^2 + c) + a) x^5 dx$$

input `integrate(x^5*(a+b*csch(d*x^2+c)),x, algorithm="giac")`

output `integrate((b*csch(d*x^2 + c) + a)*x^5, x)`

Mupad [F(-1)]

Timed out.

$$\int x^5 (a + b \operatorname{csch}(c + dx^2)) dx = \int x^5 \left(a + \frac{b}{\sinh(dx^2 + c)} \right) dx$$

input `int(x^5*(a + b/sinh(c + d*x^2)),x)`

output `int(x^5*(a + b/sinh(c + d*x^2)), x)`

Reduce [F]

$$\int x^5 (a + b \operatorname{csch}(c + dx^2)) dx = \left(\int \operatorname{csch}(dx^2 + c) x^5 dx \right) b + \frac{ax^6}{6}$$

input `int(x^5*(a+b*csch(d*x^2+c)),x)`

output `(6*int(csch(c + d*x**2)*x**5,x)*b + a*x**6)/6`

3.2 $\int x^3(a + b\operatorname{csch}(c + dx^2)) dx$

Optimal result	67
Mathematica [A] (verified)	67
Rubi [A] (verified)	68
Maple [F]	69
Fricas [B] (verification not implemented)	69
Sympy [F]	70
Maxima [F]	70
Giac [F]	70
Mupad [F(-1)]	71
Reduce [F]	71

Optimal result

Integrand size = 16, antiderivative size = 68

$$\int x^3(a + b\operatorname{csch}(c + dx^2)) dx = \frac{ax^4}{4} - \frac{bx^2 \operatorname{arctanh}(e^{c+dx^2})}{d} - \frac{b \operatorname{PolyLog}(2, -e^{c+dx^2})}{2d^2} + \frac{b \operatorname{PolyLog}(2, e^{c+dx^2})}{2d^2}$$

output `1/4*a*x^4-b*x^2*arctanh(exp(d*x^2+c))/d-1/2*b*polylog(2,-exp(d*x^2+c))/d^2+1/2*b*polylog(2,exp(d*x^2+c))/d^2`

Mathematica [A] (verified)

Time = 0.08 (sec) , antiderivative size = 97, normalized size of antiderivative = 1.43

$$\int x^3(a + b\operatorname{csch}(c + dx^2)) dx = \frac{ax^4}{4} + \frac{bx^2 \log(1 - e^{c+dx^2})}{2d} - \frac{bx^2 \log(1 + e^{c+dx^2})}{2d} - \frac{b \operatorname{PolyLog}(2, -e^{c+dx^2})}{2d^2} + \frac{b \operatorname{PolyLog}(2, e^{c+dx^2})}{2d^2}$$

input `Integrate[x^3*(a + b*Csch[c + d*x^2]),x]`

output

$$\frac{(a*x^4)/4 + (b*x^2*\text{Log}[1 - E^(c + d*x^2)])/(2*d) - (b*x^2*\text{Log}[1 + E^(c + d*x^2)])/(2*d) - (b*\text{PolyLog}[2, -E^(c + d*x^2)])/(2*d^2) + (b*\text{PolyLog}[2, E^(c + d*x^2)])/(2*d^2)}$$

Rubi [A] (verified)

Time = 0.26 (sec) , antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^3 (a + b \operatorname{csch}(c + dx^2)) dx$$

$$\downarrow \text{2010}$$

$$\int (ax^3 + bx^3 \operatorname{csch}(c + dx^2)) dx$$

$$\downarrow \text{2009}$$

$$\frac{ax^4}{4} - \frac{bx^2 \operatorname{arctanh}(e^{c+dx^2})}{d} - \frac{b \operatorname{PolyLog}(2, -e^{dx^2+c})}{2d^2} + \frac{b \operatorname{PolyLog}(2, e^{dx^2+c})}{2d^2}$$

input

```
Int[x^3*(a + b*Csch[c + d*x^2]),x]
```

output

$$\frac{(a*x^4)/4 - (b*x^2*\text{ArcTanh}[E^(c + d*x^2)]/d - (b*\text{PolyLog}[2, -E^(c + d*x^2)])/(2*d^2) + (b*\text{PolyLog}[2, E^(c + d*x^2)])/(2*d^2)}$$

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2010 `Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]`

Maple [F]

$$\int x^3 (a + b \operatorname{csch}(dx^2 + c)) dx$$

input `int(x^3*(a+b*csch(d*x^2+c)),x)`

output `int(x^3*(a+b*csch(d*x^2+c)),x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 144 vs. 2(57) = 114.

Time = 0.10 (sec) , antiderivative size = 144, normalized size of antiderivative = 2.12

$$\int x^3 (a + b \operatorname{csch}(c + dx^2)) dx$$

$$= \frac{ad^2 x^4 - 2bdx^2 \log(\cosh(dx^2 + c) + \sinh(dx^2 + c) + 1) - 2bc \log(\cosh(dx^2 + c) + \sinh(dx^2 + c) - 1)}{d^2}$$

input `integrate(x^3*(a+b*csch(d*x^2+c)),x, algorithm="fricas")`

output `1/4*(a*d^2*x^4 - 2*b*d*x^2*log(cosh(d*x^2 + c) + sinh(d*x^2 + c) + 1) - 2*b*c*log(cosh(d*x^2 + c) + sinh(d*x^2 + c) - 1) + 2*b*dilog(cosh(d*x^2 + c) + sinh(d*x^2 + c)) - 2*b*dilog(-cosh(d*x^2 + c) - sinh(d*x^2 + c)) + 2*(b*d*x^2 + b*c)*log(-cosh(d*x^2 + c) - sinh(d*x^2 + c) + 1))/d^2`

Sympy [F]

$$\int x^3(a + b \operatorname{csch}(c + dx^2)) dx = \int x^3(a + b \operatorname{csch}(c + dx^2)) dx$$

input `integrate(x**3*(a+b*csch(d*x**2+c)),x)`

output `Integral(x**3*(a + b*csch(c + d*x**2)), x)`

Maxima [F]

$$\int x^3(a + b \operatorname{csch}(c + dx^2)) dx = \int (b \operatorname{csch}(dx^2 + c) + a)x^3 dx$$

input `integrate(x^3*(a+b*csch(d*x^2+c)),x, algorithm="maxima")`

output `1/4*a*x^4 + 2*b*integrate(x^3/(e^(d*x^2 + c) - e^(-d*x^2 - c)), x)`

Giac [F]

$$\int x^3(a + b \operatorname{csch}(c + dx^2)) dx = \int (b \operatorname{csch}(dx^2 + c) + a)x^3 dx$$

input `integrate(x^3*(a+b*csch(d*x^2+c)),x, algorithm="giac")`

output `integrate((b*csch(d*x^2 + c) + a)*x^3, x)`

Mupad [F(-1)]

Timed out.

$$\int x^3 (a + b \operatorname{csch}(c + dx^2)) dx = \int x^3 \left(a + \frac{b}{\sinh(dx^2 + c)} \right) dx$$

input `int(x^3*(a + b/sinh(c + d*x^2)),x)`output `int(x^3*(a + b/sinh(c + d*x^2)), x)`**Reduce [F]**

$$\int x^3 (a + b \operatorname{csch}(c + dx^2)) dx = \left(\int \operatorname{csch}(dx^2 + c) x^3 dx \right) b + \frac{ax^4}{4}$$

input `int(x^3*(a+b*csch(d*x^2+c)),x)`output `(4*int(csch(c + d*x**2)*x**3,x)*b + a*x**4)/4`

3.3 $\int x(a + b\operatorname{csch}(c + dx^2)) dx$

Optimal result	72
Mathematica [A] (verified)	72
Rubi [A] (verified)	73
Maple [A] (verified)	74
Fricas [B] (verification not implemented)	74
Sympy [A] (verification not implemented)	75
Maxima [A] (verification not implemented)	75
Giac [B] (verification not implemented)	75
Mupad [B] (verification not implemented)	76
Reduce [B] (verification not implemented)	76

Optimal result

Integrand size = 14, antiderivative size = 26

$$\int x(a + b\operatorname{csch}(c + dx^2)) dx = \frac{ax^2}{2} - \frac{\operatorname{barctanh}(\cosh(c + dx^2))}{2d}$$

output `1/2*a*x^2-1/2*b*arctanh(cosh(d*x^2+c))/d`

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 26, normalized size of antiderivative = 1.00

$$\int x(a + b\operatorname{csch}(c + dx^2)) dx = \frac{ax^2}{2} - \frac{\operatorname{barctanh}(\cosh(c + dx^2))}{2d}$$

input `Integrate[x*(a + b*Csch[c + d*x^2]),x]`

output `(a*x^2)/2 - (b*ArcTanh[Cosh[c + d*x^2]])/(2*d)`

Rubi [A] (verified)

Time = 0.18 (sec) , antiderivative size = 26, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x(a + b\text{csch}(c + dx^2)) dx$$

$$\downarrow \text{2010}$$

$$\int (ax + bxc\text{sch}(c + dx^2)) dx$$

$$\downarrow \text{2009}$$

$$\frac{ax^2}{2} - \frac{\text{barctanh}(\cosh(c + dx^2))}{2d}$$

input

```
Int[x*(a + b*Csch[c + d*x^2]),x]
```

output

```
(a*x^2)/2 - (b*ArcTanh[Cosh[c + d*x^2]])/(2*d)
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2010

```
Int[(u_)*((c_.)*(x_)^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

Maple [A] (verified)

Time = 0.16 (sec) , antiderivative size = 26, normalized size of antiderivative = 1.00

method	result	size
parts	$\frac{ax^2}{2} + \frac{b \ln\left(\tanh\left(\frac{dx^2}{2} + \frac{c}{2}\right)\right)}{2d}$	26
parallelrisch	$\frac{adx^2 + b \ln\left(\tanh\left(\frac{dx^2}{2} + \frac{c}{2}\right)\right)}{2d}$	27
derivativedivides	$\frac{(dx^2+c)a + b \ln\left(\tanh\left(\frac{dx^2}{2} + \frac{c}{2}\right)\right)}{2d}$	30
default	$\frac{(dx^2+c)a + b \ln\left(\tanh\left(\frac{dx^2}{2} + \frac{c}{2}\right)\right)}{2d}$	30
risch	$\frac{ax^2}{2} + \frac{b \ln(e^{dx^2+c}-1)}{2d} - \frac{b \ln(1+e^{dx^2+c})}{2d}$	42

input `int(x*(a+b*csch(d*x^2+c)),x,method=_RETURNVERBOSE)`

output `1/2*a*x^2+1/2*b/d*ln(tanh(1/2*d*x^2+1/2*c))`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 55 vs. 2(22) = 44.

Time = 0.11 (sec) , antiderivative size = 55, normalized size of antiderivative = 2.12

$$\int x(a + b \operatorname{csch}(c + dx^2)) dx$$

$$= \frac{adx^2 - b \log(\cosh(dx^2 + c) + \sinh(dx^2 + c) + 1) + b \log(\cosh(dx^2 + c) + \sinh(dx^2 + c) - 1)}{2d}$$

input `integrate(x*(a+b*csch(d*x^2+c)),x, algorithm="fricas")`

output `1/2*(a*d*x^2 - b*log(cosh(d*x^2 + c) + sinh(d*x^2 + c) + 1) + b*log(cosh(d*x^2 + c) + sinh(d*x^2 + c) - 1))/d`

Sympy [A] (verification not implemented)

Time = 0.43 (sec) , antiderivative size = 37, normalized size of antiderivative = 1.42

$$\int x(a + b \operatorname{csch}(c + dx^2)) dx = \begin{cases} \frac{a(c+dx^2) + b \log\left(\tanh\left(\frac{c}{2} + \frac{dx^2}{2}\right)\right)}{2d} & \text{for } d \neq 0 \\ \frac{x^2(a + b \operatorname{csch}(c))}{2} & \text{otherwise} \end{cases}$$

input `integrate(x*(a+b*csch(d*x**2+c)),x)`

output `Piecewise(((a*(c + d*x**2) + b*log(tanh(c/2 + d*x**2/2)))/(2*d), Ne(d, 0)), (x**2*(a + b*csch(c))/2, True))`

Maxima [A] (verification not implemented)

Time = 0.05 (sec) , antiderivative size = 25, normalized size of antiderivative = 0.96

$$\int x(a + b \operatorname{csch}(c + dx^2)) dx = \frac{1}{2} ax^2 + \frac{b \log\left(\tanh\left(\frac{1}{2} dx^2 + \frac{1}{2} c\right)\right)}{2d}$$

input `integrate(x*(a+b*csch(d*x^2+c)),x, algorithm="maxima")`

output `1/2*a*x^2 + 1/2*b*log(tanh(1/2*d*x^2 + 1/2*c))/d`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 49 vs. 2(22) = 44.

Time = 0.11 (sec) , antiderivative size = 49, normalized size of antiderivative = 1.88

$$\int x(a + b \operatorname{csch}(c + dx^2)) dx = \frac{(dx^2 + c)a}{2d} - \frac{b \log\left(e^{(dx^2+c)} + 1\right)}{2d} + \frac{b \log\left(\left|e^{(dx^2+c)} - 1\right|\right)}{2d}$$

input `integrate(x*(a+b*csch(d*x^2+c)),x, algorithm="giac")`

output $1/2*(d*x^2 + c)*a/d - 1/2*b*\log(e^{(d*x^2 + c) + 1})/d + 1/2*b*\log(\text{abs}(e^{(d*x^2 + c) - 1}))/d$

Mupad [B] (verification not implemented)

Time = 2.48 (sec) , antiderivative size = 47, normalized size of antiderivative = 1.81

$$\int x(a + b\text{csch}(c + dx^2)) dx = \frac{ax^2}{2} - \frac{\text{atan}\left(\frac{be^{dx^2}e^c\sqrt{-d^2}}{d\sqrt{b^2}}\right)\sqrt{b^2}}{\sqrt{-d^2}}$$

input `int(x*(a + b/sinh(c + d*x^2)),x)`

output $(a*x^2)/2 - (\text{atan}((b*\exp(d*x^2)*\exp(c)*(-d^2)^{(1/2)})/(d*(b^2)^{(1/2)}))*(b^2)^{(1/2)})/(-d^2)^{(1/2)}$

Reduce [B] (verification not implemented)

Time = 0.23 (sec) , antiderivative size = 41, normalized size of antiderivative = 1.58

$$\int x(a + b\text{csch}(c + dx^2)) dx = \frac{\log(e^{dx^2+c} - 1)b - \log(e^{dx^2+c} + 1)b + adx^2}{2d}$$

input `int(x*(a+b*csch(d*x^2+c)),x)`

output $(\log(e^{(c + d*x^2)} - 1)*b - \log(e^{(c + d*x^2)} + 1)*b + a*d*x^2)/(2*d)$

3.4 $\int \frac{a+b\operatorname{csch}(c+dx^2)}{x} dx$

Optimal result	77
Mathematica [N/A]	77
Rubi [N/A]	78
Maple [N/A]	78
Fricas [N/A]	79
Sympy [N/A]	79
Maxima [N/A]	79
Giac [N/A]	80
Mupad [N/A]	80
Reduce [N/A]	81

Optimal result

Integrand size = 16, antiderivative size = 16

$$\int \frac{a + b\operatorname{csch}(c + dx^2)}{x} dx = \operatorname{Int}\left(\frac{a + b\operatorname{csch}(c + dx^2)}{x}, x\right)$$

output `Defer(Int)((a+b*csch(d*x^2+c))/x,x)`

Mathematica [N/A]

Not integrable

Time = 6.75 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{a + b\operatorname{csch}(c + dx^2)}{x} dx = \int \frac{a + b\operatorname{csch}(c + dx^2)}{x} dx$$

input `Integrate[(a + b*Csch[c + d*x^2])/x,x]`

output `Integrate[(a + b*Csch[c + d*x^2])/x, x]`

Rubi [N/A]

Not integrable

Time = 0.18 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{a + b \operatorname{csch}(c + dx^2)}{x} dx$$

$$\downarrow \text{2010}$$

$$\int \left(\frac{a}{x} + \frac{b \operatorname{csch}(c + dx^2)}{x} \right) dx$$

$$\downarrow \text{2009}$$

$$b \int \frac{\operatorname{csch}(dx^2 + c)}{x} dx + a \log(x)$$

input `Int[(a + b*Csch[c + d*x^2])/x,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.05 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int \frac{a + b \operatorname{csch}(dx^2 + c)}{x} dx$$

input `int((a+b*csch(d*x^2+c))/x,x)`

output `int((a+b*csch(d*x^2+c))/x,x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{a + b \operatorname{csch}(c + dx^2)}{x} dx = \int \frac{b \operatorname{csch}(dx^2 + c) + a}{x} dx$$

input `integrate((a+b*csch(d*x^2+c))/x,x, algorithm="fricas")`

output `integral((b*csch(d*x^2 + c) + a)/x, x)`

Sympy [N/A]

Not integrable

Time = 0.81 (sec) , antiderivative size = 14, normalized size of antiderivative = 0.88

$$\int \frac{a + b \operatorname{csch}(c + dx^2)}{x} dx = \int \frac{a + b \operatorname{csch}(c + dx^2)}{x} dx$$

input `integrate((a+b*csch(d*x**2+c))/x,x)`

output `Integral((a + b*csch(c + d*x**2))/x, x)`

Maxima [N/A]

Not integrable

Time = 0.38 (sec) , antiderivative size = 38, normalized size of antiderivative = 2.38

$$\int \frac{a + b \operatorname{csch}(c + dx^2)}{x} dx = \int \frac{b \operatorname{csch}(dx^2 + c) + a}{x} dx$$

input `integrate((a+b*csch(d*x^2+c))/x,x, algorithm="maxima")`

output `2*b*integrate(1/(x*(e^(d*x^2 + c) - e^(-d*x^2 - c))), x) + a*log(x)`

Giac [N/A]

Not integrable

Time = 0.12 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{a + b \operatorname{csch}(c + dx^2)}{x} dx = \int \frac{b \operatorname{csch}(dx^2 + c) + a}{x} dx$$

input `integrate((a+b*csch(d*x^2+c))/x,x, algorithm="giac")`

output `integrate((b*csch(d*x^2 + c) + a)/x, x)`

Mupad [N/A]

Not integrable

Time = 2.57 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.25

$$\int \frac{a + b \operatorname{csch}(c + dx^2)}{x} dx = \int \frac{a + \frac{b}{\sinh(dx^2+c)}}{x} dx$$

input `int((a + b/sinh(c + d*x^2))/x,x)`

output `int((a + b/sinh(c + d*x^2))/x, x)`

Reduce [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.31

$$\int \frac{a + b \operatorname{csch}(c + dx^2)}{x} dx = \left(\int \frac{\operatorname{csch}(dx^2 + c)}{x} dx \right) b + \log(x) a$$

input `int((a+b*csch(d*x^2+c))/x,x)`output `int(csch(c + d*x**2)/x,x)*b + log(x)*a`

3.5 $\int \frac{a+b\operatorname{csch}(c+dx^2)}{x^3} dx$

Optimal result	82
Mathematica [N/A]	82
Rubi [N/A]	83
Maple [N/A]	83
Fricas [N/A]	84
Sympy [N/A]	84
Maxima [N/A]	84
Giac [N/A]	85
Mupad [N/A]	85
Reduce [N/A]	86

Optimal result

Integrand size = 16, antiderivative size = 16

$$\int \frac{a + b\operatorname{csch}(c + dx^2)}{x^3} dx = \operatorname{Int}\left(\frac{a + b\operatorname{csch}(c + dx^2)}{x^3}, x\right)$$

output `Defer(Int)((a+b*csch(d*x^2+c))/x^3,x)`

Mathematica [N/A]

Not integrable

Time = 8.05 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{a + b\operatorname{csch}(c + dx^2)}{x^3} dx = \int \frac{a + b\operatorname{csch}(c + dx^2)}{x^3} dx$$

input `Integrate[(a + b*Csch[c + d*x^2])/x^3,x]`

output `Integrate[(a + b*Csch[c + d*x^2])/x^3, x]`

Rubi [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{a + b \operatorname{csch}(c + dx^2)}{x^3} dx$$

↓ 2010

$$\int \left(\frac{a}{x^3} + \frac{b \operatorname{csch}(c + dx^2)}{x^3} \right) dx$$

↓ 2009

$$b \int \frac{\operatorname{csch}(dx^2 + c)}{x^3} dx - \frac{a}{2x^2}$$

input `Int[(a + b*Csch[c + d*x^2])/x^3,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.05 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int \frac{a + b \operatorname{csch}(dx^2 + c)}{x^3} dx$$

input `int((a+b*csch(d*x^2+c))/x^3,x)`

output `int((a+b*csch(d*x^2+c))/x^3,x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{a + b \operatorname{csch}(c + dx^2)}{x^3} dx = \int \frac{b \operatorname{csch}(dx^2 + c) + a}{x^3} dx$$

input `integrate((a+b*csch(d*x^2+c))/x^3,x, algorithm="fricas")`

output `integral((b*csch(d*x^2 + c) + a)/x^3, x)`

Sympy [N/A]

Not integrable

Time = 0.35 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.94

$$\int \frac{a + b \operatorname{csch}(c + dx^2)}{x^3} dx = \int \frac{a + b \operatorname{csch}(c + dx^2)}{x^3} dx$$

input `integrate((a+b*csch(d*x**2+c))/x**3,x)`

output `Integral((a + b*csch(c + d*x**2))/x**3, x)`

Maxima [N/A]

Not integrable

Time = 0.36 (sec) , antiderivative size = 40, normalized size of antiderivative = 2.50

$$\int \frac{a + b \operatorname{csch}(c + dx^2)}{x^3} dx = \int \frac{b \operatorname{csch}(dx^2 + c) + a}{x^3} dx$$

input `integrate((a+b*csch(d*x^2+c))/x^3,x, algorithm="maxima")`

output `2*b*integrate(1/(x^3*(e^(d*x^2 + c) - e^(-d*x^2 - c))), x) - 1/2*a/x^2`

Giac [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{a + b \operatorname{csch}(c + dx^2)}{x^3} dx = \int \frac{b \operatorname{csch}(dx^2 + c) + a}{x^3} dx$$

input `integrate((a+b*csch(d*x^2+c))/x^3,x, algorithm="giac")`

output `integrate((b*csch(d*x^2 + c) + a)/x^3, x)`

Mupad [N/A]

Not integrable

Time = 2.71 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.25

$$\int \frac{a + b \operatorname{csch}(c + dx^2)}{x^3} dx = \int \frac{a + \frac{b}{\sinh(dx^2+c)}}{x^3} dx$$

input `int((a + b/sinh(c + d*x^2))/x^3,x)`

output `int((a + b/sinh(c + d*x^2))/x^3, x)`

Reduce [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 29, normalized size of antiderivative = 1.81

$$\int \frac{a + b \operatorname{csch}(c + dx^2)}{x^3} dx = \frac{2 \left(\int \frac{\operatorname{csch}(dx^2+c)}{x^3} dx \right) b x^2 - a}{2x^2}$$

input `int((a+b*csch(d*x^2+c))/x^3,x)`output `(2*int(csch(c + d*x**2)/x**3,x)*b*x**2 - a)/(2*x**2)`

3.6 $\int x^4(a + b\operatorname{csch}(c + dx^2)) dx$

Optimal result	87
Mathematica [N/A]	87
Rubi [N/A]	88
Maple [N/A]	88
Fricas [N/A]	89
Sympy [N/A]	89
Maxima [N/A]	89
Giac [N/A]	90
Mupad [N/A]	90
Reduce [N/A]	91

Optimal result

Integrand size = 16, antiderivative size = 16

$$\int x^4(a + b\operatorname{csch}(c + dx^2)) dx = \operatorname{Int}(x^4(a + b\operatorname{csch}(c + dx^2)), x)$$

output `Defer(Int)(x^4*(a+b*csch(d*x^2+c)),x)`

Mathematica [N/A]

Not integrable

Time = 9.20 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int x^4(a + b\operatorname{csch}(c + dx^2)) dx = \int x^4(a + b\operatorname{csch}(c + dx^2)) dx$$

input `Integrate[x^4*(a + b*Csch[c + d*x^2]),x]`

output `Integrate[x^4*(a + b*Csch[c + d*x^2]), x]`

Rubi [N/A]

Not integrable

Time = 0.18 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^4(a + b\operatorname{csch}(c + dx^2)) dx$$

$$\downarrow \text{2010}$$

$$\int (ax^4 + bx^4\operatorname{csch}(c + dx^2)) dx$$

$$\downarrow \text{2009}$$

$$b \int x^4\operatorname{csch}(dx^2 + c) dx + \frac{ax^5}{5}$$

input `Int[x^4*(a + b*Csch[c + d*x^2]),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.04 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int x^4(a + b \operatorname{csch}(d x^2 + c)) dx$$

input `int(x^4*(a+b*csch(d*x^2+c)),x)`

output `int(x^4*(a+b*csch(d*x^2+c)),x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.31

$$\int x^4(a + b \operatorname{csch}(c + dx^2)) dx = \int (b \operatorname{csch}(dx^2 + c) + a)x^4 dx$$

input `integrate(x^4*(a+b*csch(d*x^2+c)),x, algorithm="fricas")`

output `integral(b*x^4*csch(d*x^2 + c) + a*x^4, x)`

Sympy [N/A]

Not integrable

Time = 0.39 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.94

$$\int x^4(a + b \operatorname{csch}(c + dx^2)) dx = \int x^4(a + b \operatorname{csch}(c + dx^2)) dx$$

input `integrate(x**4*(a+b*csch(d*x**2+c)),x)`

output `Integral(x**4*(a + b*csch(c + d*x**2)), x)`

Maxima [N/A]

Not integrable

Time = 0.34 (sec) , antiderivative size = 40, normalized size of antiderivative = 2.50

$$\int x^4(a + b \operatorname{csch}(c + dx^2)) dx = \int (b \operatorname{csch}(dx^2 + c) + a)x^4 dx$$

input `integrate(x^4*(a+b*csch(d*x^2+c)),x, algorithm="maxima")`

output `1/5*a*x^5 + 2*b*integrate(x^4/(e^(d*x^2 + c) - e^(-d*x^2 - c)), x)`

Giac [N/A]

Not integrable

Time = 0.16 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int x^4 (a + b \operatorname{csch}(c + dx^2)) dx = \int (b \operatorname{csch}(dx^2 + c) + a) x^4 dx$$

input `integrate(x^4*(a+b*csch(d*x^2+c)),x, algorithm="giac")`

output `integrate((b*csch(d*x^2 + c) + a)*x^4, x)`

Mupad [N/A]

Not integrable

Time = 2.39 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.25

$$\int x^4 (a + b \operatorname{csch}(c + dx^2)) dx = \int x^4 \left(a + \frac{b}{\sinh(dx^2 + c)} \right) dx$$

input `int(x^4*(a + b/sinh(c + d*x^2)),x)`

output `int(x^4*(a + b/sinh(c + d*x^2)), x)`

Reduce [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 23, normalized size of antiderivative = 1.44

$$\int x^4(a + b\operatorname{csch}(c + dx^2)) dx = \left(\int \operatorname{csch}(dx^2 + c) x^4 dx \right) b + \frac{ax^5}{5}$$

input `int(x^4*(a+b*csch(d*x^2+c)),x)`output `(5*int(csch(c + d*x**2)*x**4,x)*b + a*x**5)/5`

3.7 $\int x^2(a + b\operatorname{csch}(c + dx^2)) dx$

Optimal result	92
Mathematica [N/A]	92
Rubi [N/A]	93
Maple [N/A]	93
Fricas [N/A]	94
Sympy [N/A]	94
Maxima [N/A]	94
Giac [N/A]	95
Mupad [N/A]	95
Reduce [N/A]	96

Optimal result

Integrand size = 16, antiderivative size = 16

$$\int x^2(a + b\operatorname{csch}(c + dx^2)) dx = \operatorname{Int}(x^2(a + b\operatorname{csch}(c + dx^2)), x)$$

output `Defer(Int)(x^2*(a+b*csch(d*x^2+c)),x)`

Mathematica [N/A]

Not integrable

Time = 7.64 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int x^2(a + b\operatorname{csch}(c + dx^2)) dx = \int x^2(a + b\operatorname{csch}(c + dx^2)) dx$$

input `Integrate[x^2*(a + b*Csch[c + d*x^2]),x]`

output `Integrate[x^2*(a + b*Csch[c + d*x^2]), x]`

Rubi [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^2(a + b\text{csch}(c + dx^2)) dx$$

$$\downarrow \text{2010}$$

$$\int (ax^2 + bx^2\text{csch}(c + dx^2)) dx$$

$$\downarrow \text{2009}$$

$$b \int x^2\text{csch}(dx^2 + c) dx + \frac{ax^3}{3}$$

input `Int[x^2*(a + b*Csch[c + d*x^2]),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.05 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int x^2(a + b \text{csch}(d x^2 + c)) dx$$

input `int(x^2*(a+b*csch(d*x^2+c)),x)`

output `int(x^2*(a+b*csch(d*x^2+c)),x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.31

$$\int x^2(a + b \operatorname{csch}(c + dx^2)) dx = \int (b \operatorname{csch}(dx^2 + c) + a)x^2 dx$$

input `integrate(x^2*(a+b*csch(d*x^2+c)),x, algorithm="fricas")`

output `integral(b*x^2*csch(d*x^2 + c) + a*x^2, x)`

Sympy [N/A]

Not integrable

Time = 0.38 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.94

$$\int x^2(a + b \operatorname{csch}(c + dx^2)) dx = \int x^2(a + b \operatorname{csch}(c + dx^2)) dx$$

input `integrate(x**2*(a+b*csch(d*x**2+c)),x)`

output `Integral(x**2*(a + b*csch(c + d*x**2)), x)`

Maxima [N/A]

Not integrable

Time = 0.35 (sec) , antiderivative size = 40, normalized size of antiderivative = 2.50

$$\int x^2(a + b \operatorname{csch}(c + dx^2)) dx = \int (b \operatorname{csch}(dx^2 + c) + a)x^2 dx$$

input `integrate(x^2*(a+b*csch(d*x^2+c)),x, algorithm="maxima")`

output `1/3*a*x^3 + 2*b*integrate(x^2/(e^(d*x^2 + c) - e^(-d*x^2 - c)), x)`

Giac [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int x^2 (a + b \operatorname{csch}(c + dx^2)) dx = \int (b \operatorname{csch}(dx^2 + c) + a) x^2 dx$$

input `integrate(x^2*(a+b*csch(d*x^2+c)),x, algorithm="giac")`

output `integrate((b*csch(d*x^2 + c) + a)*x^2, x)`

Mupad [N/A]

Not integrable

Time = 2.41 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.25

$$\int x^2 (a + b \operatorname{csch}(c + dx^2)) dx = \int x^2 \left(a + \frac{b}{\sinh(dx^2 + c)} \right) dx$$

input `int(x^2*(a + b/sinh(c + d*x^2)),x)`

output `int(x^2*(a + b/sinh(c + d*x^2)), x)`

Reduce [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 23, normalized size of antiderivative = 1.44

$$\int x^2(a + b\operatorname{csch}(c + dx^2)) dx = \left(\int \operatorname{csch}(dx^2 + c) x^2 dx \right) b + \frac{ax^3}{3}$$

input `int(x^2*(a+b*csch(d*x^2+c)),x)`output `(3*int(csch(c + d*x**2)*x**2,x)*b + a*x**3)/3`

3.8 $\int \frac{a+b\operatorname{csch}(c+dx^2)}{x^2} dx$

Optimal result	97
Mathematica [N/A]	97
Rubi [N/A]	98
Maple [N/A]	98
Fricas [N/A]	99
Sympy [N/A]	99
Maxima [N/A]	99
Giac [N/A]	100
Mupad [N/A]	100
Reduce [N/A]	101

Optimal result

Integrand size = 16, antiderivative size = 16

$$\int \frac{a + b\operatorname{csch}(c + dx^2)}{x^2} dx = \operatorname{Int}\left(\frac{a + b\operatorname{csch}(c + dx^2)}{x^2}, x\right)$$

output `Defer(Int)((a+b*csch(d*x^2+c))/x^2,x)`

Mathematica [N/A]

Not integrable

Time = 7.50 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{a + b\operatorname{csch}(c + dx^2)}{x^2} dx = \int \frac{a + b\operatorname{csch}(c + dx^2)}{x^2} dx$$

input `Integrate[(a + b*Csch[c + d*x^2])/x^2,x]`

output `Integrate[(a + b*Csch[c + d*x^2])/x^2, x]`

Rubi [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{a + b \operatorname{csch}(c + dx^2)}{x^2} dx$$

↓ 2010

$$\int \left(\frac{a}{x^2} + \frac{b \operatorname{csch}(c + dx^2)}{x^2} \right) dx$$

↓ 2009

$$b \int \frac{\operatorname{csch}(dx^2 + c)}{x^2} dx - \frac{a}{x}$$

input `Int[(a + b*Csch[c + d*x^2])/x^2,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.05 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int \frac{a + b \operatorname{csch}(dx^2 + c)}{x^2} dx$$

input `int((a+b*csch(d*x^2+c))/x^2,x)`

output `int((a+b*csch(d*x^2+c))/x^2,x)`

Fricas [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{a + b \operatorname{csch}(c + dx^2)}{x^2} dx = \int \frac{b \operatorname{csch}(dx^2 + c) + a}{x^2} dx$$

input `integrate((a+b*csch(d*x^2+c))/x^2,x, algorithm="fricas")`

output `integral((b*csch(d*x^2 + c) + a)/x^2, x)`

Sympy [N/A]

Not integrable

Time = 0.34 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.94

$$\int \frac{a + b \operatorname{csch}(c + dx^2)}{x^2} dx = \int \frac{a + b \operatorname{csch}(c + dx^2)}{x^2} dx$$

input `integrate((a+b*csch(d*x**2+c))/x**2,x)`

output `Integral((a + b*csch(c + d*x**2))/x**2, x)`

Maxima [N/A]

Not integrable

Time = 0.36 (sec) , antiderivative size = 40, normalized size of antiderivative = 2.50

$$\int \frac{a + b \operatorname{csch}(c + dx^2)}{x^2} dx = \int \frac{b \operatorname{csch}(dx^2 + c) + a}{x^2} dx$$

input `integrate((a+b*csch(d*x^2+c))/x^2,x, algorithm="maxima")`

output `2*b*integrate(1/(x^2*(e^(d*x^2 + c) - e^(-d*x^2 - c))), x) - a/x`

Giac [N/A]

Not integrable

Time = 0.16 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{a + b \operatorname{csch}(c + dx^2)}{x^2} dx = \int \frac{b \operatorname{csch}(dx^2 + c) + a}{x^2} dx$$

input `integrate((a+b*csch(d*x^2+c))/x^2,x, algorithm="giac")`

output `integrate((b*csch(d*x^2 + c) + a)/x^2, x)`

Mupad [N/A]

Not integrable

Time = 2.63 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.25

$$\int \frac{a + b \operatorname{csch}(c + dx^2)}{x^2} dx = \int \frac{a + \frac{b}{\sinh(dx^2+c)}}{x^2} dx$$

input `int((a + b/sinh(c + d*x^2))/x^2,x)`

output `int((a + b/sinh(c + d*x^2))/x^2, x)`

Reduce [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 25, normalized size of antiderivative = 1.56

$$\int \frac{a + b \operatorname{csch}(c + dx^2)}{x^2} dx = \frac{\left(\int \frac{\operatorname{csch}(dx^2+c)}{x^2} dx \right) bx - a}{x}$$

input `int((a+b*csch(d*x^2+c))/x^2,x)`output `(int(csch(c + d*x**2)/x**2,x)*b*x - a)/x`

3.9 $\int \frac{a+b\operatorname{csch}(c+dx^2)}{x^4} dx$

Optimal result	102
Mathematica [N/A]	102
Rubi [N/A]	103
Maple [N/A]	103
Fricas [N/A]	104
Sympy [N/A]	104
Maxima [N/A]	104
Giac [N/A]	105
Mupad [N/A]	105
Reduce [N/A]	106

Optimal result

Integrand size = 16, antiderivative size = 16

$$\int \frac{a + b\operatorname{csch}(c + dx^2)}{x^4} dx = \operatorname{Int}\left(\frac{a + b\operatorname{csch}(c + dx^2)}{x^4}, x\right)$$

output `Defer(Int)((a+b*csch(d*x^2+c))/x^4,x)`

Mathematica [N/A]

Not integrable

Time = 7.68 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{a + b\operatorname{csch}(c + dx^2)}{x^4} dx = \int \frac{a + b\operatorname{csch}(c + dx^2)}{x^4} dx$$

input `Integrate[(a + b*Csch[c + d*x^2])/x^4,x]`

output `Integrate[(a + b*Csch[c + d*x^2])/x^4, x]`

Rubi [N/A]

Not integrable

Time = 0.18 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{a + b \operatorname{csch}(c + dx^2)}{x^4} dx$$

↓ 2010

$$\int \left(\frac{a}{x^4} + \frac{b \operatorname{csch}(c + dx^2)}{x^4} \right) dx$$

↓ 2009

$$b \int \frac{\operatorname{csch}(dx^2 + c)}{x^4} dx - \frac{a}{3x^3}$$

input `Int[(a + b*Csch[c + d*x^2])/x^4,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.05 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int \frac{a + b \operatorname{csch}(dx^2 + c)}{x^4} dx$$

input `int((a+b*csch(d*x^2+c))/x^4,x)`

output `int((a+b*csch(d*x^2+c))/x^4,x)`

Fricas [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{a + b \operatorname{csch}(c + dx^2)}{x^4} dx = \int \frac{b \operatorname{csch}(dx^2 + c) + a}{x^4} dx$$

input `integrate((a+b*csch(d*x^2+c))/x^4,x, algorithm="fricas")`

output `integral((b*csch(d*x^2 + c) + a)/x^4, x)`

Sympy [N/A]

Not integrable

Time = 0.36 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.94

$$\int \frac{a + b \operatorname{csch}(c + dx^2)}{x^4} dx = \int \frac{a + b \operatorname{csch}(c + dx^2)}{x^4} dx$$

input `integrate((a+b*csch(d*x**2+c))/x**4,x)`

output `Integral((a + b*csch(c + d*x**2))/x**4, x)`

Maxima [N/A]

Not integrable

Time = 0.36 (sec) , antiderivative size = 40, normalized size of antiderivative = 2.50

$$\int \frac{a + b \operatorname{csch}(c + dx^2)}{x^4} dx = \int \frac{b \operatorname{csch}(dx^2 + c) + a}{x^4} dx$$

input `integrate((a+b*csch(d*x^2+c))/x^4,x, algorithm="maxima")`

output `2*b*integrate(1/(x^4*(e^(d*x^2 + c) - e^(-d*x^2 - c))), x) - 1/3*a/x^3`

Giac [N/A]

Not integrable

Time = 0.17 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{a + b \operatorname{csch}(c + dx^2)}{x^4} dx = \int \frac{b \operatorname{csch}(dx^2 + c) + a}{x^4} dx$$

input `integrate((a+b*csch(d*x^2+c))/x^4,x, algorithm="giac")`

output `integrate((b*csch(d*x^2 + c) + a)/x^4, x)`

Mupad [N/A]

Not integrable

Time = 2.53 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.25

$$\int \frac{a + b \operatorname{csch}(c + dx^2)}{x^4} dx = \int \frac{a + \frac{b}{\sinh(dx^2+c)}}{x^4} dx$$

input `int((a + b/sinh(c + d*x^2))/x^4,x)`

output `int((a + b/sinh(c + d*x^2))/x^4, x)`

Reduce [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 29, normalized size of antiderivative = 1.81

$$\int \frac{a + b \operatorname{csch}(c + dx^2)}{x^4} dx = \frac{3 \left(\int \frac{\operatorname{csch}(dx^2+c)}{x^4} dx \right) b x^3 - a}{3x^3}$$

input `int((a+b*csch(d*x^2+c))/x^4,x)`output `(3*int(csch(c + d*x**2)/x**4,x)*b*x**3 - a)/(3*x**3)`

3.10 $\int x^5 (a + b \operatorname{csch}(c + dx^2))^2 dx$

Optimal result	107
Mathematica [B] (verified)	108
Rubi [A] (verified)	108
Maple [F]	110
Fricas [B] (verification not implemented)	110
Sympy [F]	111
Maxima [A] (verification not implemented)	112
Giac [F]	113
Mupad [F(-1)]	113
Reduce [F]	113

Optimal result

Integrand size = 18, antiderivative size = 196

$$\int x^5 (a + b \operatorname{csch}(c + dx^2))^2 dx = -\frac{b^2 x^4}{2d} + \frac{a^2 x^6}{6} - \frac{2abx^4 \operatorname{arctanh}(e^{c+dx^2})}{d}$$

$$- \frac{b^2 x^4 \operatorname{coth}(c + dx^2)}{2d} + \frac{b^2 x^2 \log(1 - e^{2(c+dx^2)})}{d^2}$$

$$- \frac{2abx^2 \operatorname{PolyLog}(2, -e^{c+dx^2})}{d^2}$$

$$+ \frac{2abx^2 \operatorname{PolyLog}(2, e^{c+dx^2})}{d^2}$$

$$+ \frac{b^2 \operatorname{PolyLog}(2, e^{2(c+dx^2)})}{2d^3}$$

$$+ \frac{2ab \operatorname{PolyLog}(3, -e^{c+dx^2})}{d^3} - \frac{2ab \operatorname{PolyLog}(3, e^{c+dx^2})}{d^3}$$

output

```
-1/2*b^2*x^4/d+1/6*a^2*x^6-2*a*b*x^4*arctanh(exp(d*x^2+c))/d-1/2*b^2*x^4*c
oth(d*x^2+c)/d+b^2*x^2*ln(1-exp(2*d*x^2+2*c))/d^2-2*a*b*x^2*polylog(2,-exp
(d*x^2+c))/d^2+2*a*b*x^2*polylog(2,exp(d*x^2+c))/d^2+1/2*b^2*polylog(2,exp
(2*d*x^2+2*c))/d^3+2*a*b*polylog(3,-exp(d*x^2+c))/d^3-2*a*b*polylog(3,exp(
d*x^2+c))/d^3
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 595 vs. $2(196) = 392$.

Time = 2.10 (sec) , antiderivative size = 595, normalized size of antiderivative = 3.04

$$\int x^5 (a + b \operatorname{csch}(c + dx^2))^2 dx = \frac{12b^2 d^2 x^4 + 2a^2 d^3 x^6 - 2a^2 d^3 e^{2c} x^6 + 12b^2 dx^2 \log(1 - e^{-c-dx^2}) - 12b^2 de^{2c} x^2 \log(1 - e^{-c-dx^2}) + 12ab$$

input

```
Integrate[x^5*(a + b*Csch[c + d*x^2])^2,x]
```

output

```
-1/12*(12*b^2*d^2*x^4 + 2*a^2*d^3*x^6 - 2*a^2*d^3*E^(2*c)*x^6 + 12*b^2*d*x^2*Log[1 - E^(-c - d*x^2)] - 12*b^2*d*E^(2*c)*x^2*Log[1 - E^(-c - d*x^2)] + 12*a*b*d^2*x^4*Log[1 - E^(-c - d*x^2)] - 12*a*b*d^2*E^(2*c)*x^4*Log[1 - E^(-c - d*x^2)] + 12*b^2*d*x^2*Log[1 + E^(-c - d*x^2)] - 12*b^2*d*E^(2*c)*x^2*Log[1 + E^(-c - d*x^2)] - 12*a*b*d^2*x^4*Log[1 + E^(-c - d*x^2)] + 12*a*b*d^2*E^(2*c)*x^4*Log[1 + E^(-c - d*x^2)] + 12*b*(-1 + E^(2*c))*(b - 2*a*d*x^2)*PolyLog[2, -E^(-c - d*x^2)] + 12*b*(-1 + E^(2*c))*(b + 2*a*d*x^2)*PolyLog[2, E^(-c - d*x^2)] + 24*a*b*PolyLog[3, -E^(-c - d*x^2)] - 24*a*b*E^(2*c)*PolyLog[3, -E^(-c - d*x^2)] - 24*a*b*PolyLog[3, E^(-c - d*x^2)] + 24*a*b*E^(2*c)*PolyLog[3, E^(-c - d*x^2)] + 3*b^2*d^2*x^4*Csch[c/2]*Csch[(c + d*x^2)/2]*Sinh[(d*x^2)/2] - 3*b^2*d^2*E^(2*c)*x^4*Csch[c/2]*Csch[(c + d*x^2)/2]*Sinh[(d*x^2)/2] - 3*b^2*d^2*x^4*Sech[c/2]*Sech[(c + d*x^2)/2]*Sinh[(d*x^2)/2] + 3*b^2*d^2*E^(2*c)*x^4*Sech[c/2]*Sech[(c + d*x^2)/2]*Sinh[(d*x^2)/2])/(d^3*(-1 + E^(2*c)))
```

Rubi [A] (verified)

Time = 0.61 (sec) , antiderivative size = 194, normalized size of antiderivative = 0.99, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {5960, 3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
& \int x^5 (a + b \operatorname{csch}(c + dx^2))^2 dx \\
& \quad \downarrow 5960 \\
& \frac{1}{2} \int x^4 (a + b \operatorname{csch}(dx^2 + c))^2 dx^2 \\
& \quad \downarrow 3042 \\
& \frac{1}{2} \int x^4 (a + ib \operatorname{csc}(idx^2 + ic))^2 dx^2 \\
& \quad \downarrow 4678 \\
& \frac{1}{2} \int (a^2 x^4 + b^2 \operatorname{csch}^2(dx^2 + c) x^4 + 2ab \operatorname{csch}(dx^2 + c) x^4) dx^2 \\
& \quad \downarrow 2009 \\
& \frac{1}{2} \left(\frac{a^2 x^6}{3} - \frac{4abx^4 \operatorname{arctanh}(e^{c+dx^2})}{d} + \frac{4ab \operatorname{PolyLog}(3, -e^{dx^2+c})}{d^3} - \frac{4ab \operatorname{PolyLog}(3, e^{dx^2+c})}{d^3} - \frac{4abx^2 \operatorname{PolyLog}(2, -e^{c+dx^2})}{d^2} \right)
\end{aligned}$$

input

```
Int[x^5*(a + b*Csch[c + d*x^2])^2,x]
```

output

```
(-((b^2*x^4)/d) + (a^2*x^6)/3 - (4*a*b*x^4*ArcTanh[E^(c + d*x^2)])/d - (b^2*x^4*Coth[c + d*x^2])/d + (2*b^2*x^2*Log[1 - E^(2*(c + d*x^2))])/d^2 - (4*a*b*x^2*PolyLog[2, -E^(c + d*x^2)])/d^2 + (4*a*b*x^2*PolyLog[2, E^(c + d*x^2)])/d^2 + (b^2*PolyLog[2, E^(2*(c + d*x^2))])/d^3 + (4*a*b*PolyLog[3, -E^(c + d*x^2)])/d^3 - (4*a*b*PolyLog[3, E^(c + d*x^2)])/d^3)/2
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 3042

```
Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]
```

rule 4678

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)
, x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x],
x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]
```

rule 5960

```
Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_)]*(b_.))^(p_.)*(x_)^(m_.), x_Symbol]
:= Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]
```

Maple [F]

$$\int x^5 (a + b \operatorname{csch}(dx^2 + c))^2 dx$$

input

```
int(x^5*(a+b*csch(d*x^2+c))^2,x)
```

output

```
int(x^5*(a+b*csch(d*x^2+c))^2,x)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1031 vs. $2(180) = 360$.

Time = 0.10 (sec) , antiderivative size = 1031, normalized size of antiderivative = 5.26

$$\int x^5 (a + b \operatorname{csch}(c + dx^2))^2 dx = \text{Too large to display}$$

input

```
integrate(x^5*(a+b*csch(d*x^2+c))^2,x, algorithm="fricas")
```

output

```

-1/6*(a^2*d^3*x^6 + 6*b^2*c^2 - (a^2*d^3*x^6 - 6*b^2*d^2*x^4 + 6*b^2*c^2)*
cosh(d*x^2 + c)^2 - 2*(a^2*d^3*x^6 - 6*b^2*d^2*x^4 + 6*b^2*c^2)*cosh(d*x^2
+ c)*sinh(d*x^2 + c) - (a^2*d^3*x^6 - 6*b^2*d^2*x^4 + 6*b^2*c^2)*sinh(d*x
^2 + c)^2 + 6*(2*a*b*d*x^2 - (2*a*b*d*x^2 + b^2)*cosh(d*x^2 + c)^2 - 2*(2*
a*b*d*x^2 + b^2)*cosh(d*x^2 + c)*sinh(d*x^2 + c) - (2*a*b*d*x^2 + b^2)*sin
h(d*x^2 + c)^2 + b^2)*dilog(cosh(d*x^2 + c) + sinh(d*x^2 + c)) - 6*(2*a*b*
d*x^2 - (2*a*b*d*x^2 - b^2)*cosh(d*x^2 + c)^2 - 2*(2*a*b*d*x^2 - b^2)*cosh
(d*x^2 + c)*sinh(d*x^2 + c) - (2*a*b*d*x^2 - b^2)*sinh(d*x^2 + c)^2 - b^2)
*dilog(-cosh(d*x^2 + c) - sinh(d*x^2 + c)) - 6*(a*b*d^2*x^4 - b^2*d*x^2 -
(a*b*d^2*x^4 - b^2*d*x^2)*cosh(d*x^2 + c)^2 - 2*(a*b*d^2*x^4 - b^2*d*x^2)*
cosh(d*x^2 + c)*sinh(d*x^2 + c) - (a*b*d^2*x^4 - b^2*d*x^2)*sinh(d*x^2 + c
)^2)*log(cosh(d*x^2 + c) + sinh(d*x^2 + c) + 1) + 6*(a*b*c^2 - b^2*c - (a*
b*c^2 - b^2*c)*cosh(d*x^2 + c)^2 - 2*(a*b*c^2 - b^2*c)*cosh(d*x^2 + c)*sin
h(d*x^2 + c) - (a*b*c^2 - b^2*c)*sinh(d*x^2 + c)^2)*log(cosh(d*x^2 + c) +
sinh(d*x^2 + c) - 1) + 6*(a*b*d^2*x^4 + b^2*d*x^2 - a*b*c^2 + b^2*c - (a*b
*d^2*x^4 + b^2*d*x^2 - a*b*c^2 + b^2*c)*cosh(d*x^2 + c)^2 - 2*(a*b*d^2*x^4
+ b^2*d*x^2 - a*b*c^2 + b^2*c)*cosh(d*x^2 + c)*sinh(d*x^2 + c) - (a*b*d^2
*x^4 + b^2*d*x^2 - a*b*c^2 + b^2*c)*sinh(d*x^2 + c)^2)*log(-cosh(d*x^2 + c
) - sinh(d*x^2 + c) + 1) + 12*(a*b*cosh(d*x^2 + c)^2 + 2*a*b*cosh(d*x^2 +
c)*sinh(d*x^2 + c) + a*b*sinh(d*x^2 + c)^2 - a*b)*polylog(3, cosh(d*x^2...

```

Sympy [F]

$$\int x^5 (a + b \operatorname{csch}(c + dx^2))^2 dx = \int x^5 (a + b \operatorname{csch}(c + dx^2))^2 dx$$

input

```
integrate(x**5*(a+b*csch(d*x**2+c))**2,x)
```

output

```
Integral(x**5*(a + b*csch(c + d*x**2))**2, x)
```


Maxima [A] (verification not implemented)

Time = 0.49 (sec) , antiderivative size = 271, normalized size of antiderivative = 1.38

$$\begin{aligned}
& \int x^5 (a + b \operatorname{csch}(c + dx^2))^2 dx \\
&= \frac{1}{6} a^2 x^6 - \frac{b^2 x^4}{d e^{(2dx^2+2c)} - d} \\
&\quad - \frac{\left(d^2 x^4 \log(e^{(dx^2+c)} + 1) + 2 dx^2 \operatorname{Li}_2(-e^{(dx^2+c)}) - 2 \operatorname{Li}_3(-e^{(dx^2+c)}) \right) ab}{d^3} \\
&\quad + \frac{\left(d^2 x^4 \log(-e^{(dx^2+c)} + 1) + 2 dx^2 \operatorname{Li}_2(e^{(dx^2+c)}) - 2 \operatorname{Li}_3(e^{(dx^2+c)}) \right) ab}{d^3} \\
&\quad + \frac{\left(dx^2 \log(e^{(dx^2+c)} + 1) + \operatorname{Li}_2(-e^{(dx^2+c)}) \right) b^2}{d^3} \\
&\quad + \frac{\left(dx^2 \log(-e^{(dx^2+c)} + 1) + \operatorname{Li}_2(e^{(dx^2+c)}) \right) b^2}{d^3} \\
&\quad - \frac{2 abd^3 x^6 + 3 b^2 d^2 x^4}{6 d^3} + \frac{2 abd^3 x^6 - 3 b^2 d^2 x^4}{6 d^3}
\end{aligned}$$

input `integrate(x^5*(a+b*csch(d*x^2+c))^2,x, algorithm="maxima")`

output `1/6*a^2*x^6 - b^2*x^4/(d*e^(2*d*x^2 + 2*c) - d) - (d^2*x^4*log(e^(d*x^2 + c) + 1) + 2*d*x^2*dilog(-e^(d*x^2 + c)) - 2*polylog(3, -e^(d*x^2 + c)))*a*b/d^3 + (d^2*x^4*log(-e^(d*x^2 + c) + 1) + 2*d*x^2*dilog(e^(d*x^2 + c)) - 2*polylog(3, e^(d*x^2 + c)))*a*b/d^3 + (d*x^2*log(e^(d*x^2 + c) + 1) + dilog(-e^(d*x^2 + c)))*b^2/d^3 + (d*x^2*log(-e^(d*x^2 + c) + 1) + dilog(e^(d*x^2 + c)))*b^2/d^3 - 1/6*(2*a*b*d^3*x^6 + 3*b^2*d^2*x^4)/d^3 + 1/6*(2*a*b*d^3*x^6 - 3*b^2*d^2*x^4)/d^3`

Giac [F]

$$\int x^5 (a + b \operatorname{csch}(c + dx^2))^2 dx = \int (b \operatorname{csch}(dx^2 + c) + a)^2 x^5 dx$$

input `integrate(x^5*(a+b*csch(d*x^2+c))^2,x, algorithm="giac")`

output `integrate((b*csch(d*x^2 + c) + a)^2*x^5, x)`

Mupad [F(-1)]

Timed out.

$$\int x^5 (a + b \operatorname{csch}(c + dx^2))^2 dx = \int x^5 \left(a + \frac{b}{\sinh(dx^2 + c)} \right)^2 dx$$

input `int(x^5*(a + b/sinh(c + d*x^2))^2,x)`

output `int(x^5*(a + b/sinh(c + d*x^2))^2, x)`

Reduce [F]

$$\int x^5 (a + b \operatorname{csch}(c + dx^2))^2 dx$$

$$= \frac{-48e^{2dx^2+3c} \left(\int \frac{e^{dx^2} x^5}{e^{4dx^2+4c}-2e^{2dx^2+2c}+1} dx \right) ab d^3 - 96e^{2dx^2+3c} \left(\int \frac{e^{dx^2} x^3}{e^{4dx^2+4c}-2e^{2dx^2+2c}+1} dx \right) ab d^2 - 24e^{2dx^2+2c} \left(\int \frac{e^{dx^2} x}{e^{4dx^2+4c}-2e^{2dx^2+2c}+1} dx \right) ab d - 24e^{2dx^2+2c} \left(\int \frac{e^{dx^2}}{e^{4dx^2+4c}-2e^{2dx^2+2c}+1} dx \right) ab - 24e^{2dx^2+2c} \left(\int \frac{e^{dx^2} x^5}{e^{4dx^2+4c}-2e^{2dx^2+2c}+1} dx \right) ab d^3 - 96e^{2dx^2+3c} \left(\int \frac{e^{dx^2} x^3}{e^{4dx^2+4c}-2e^{2dx^2+2c}+1} dx \right) ab d^2 - 24e^{2dx^2+2c} \left(\int \frac{e^{dx^2} x}{e^{4dx^2+4c}-2e^{2dx^2+2c}+1} dx \right) ab d - 24e^{2dx^2+2c} \left(\int \frac{e^{dx^2}}{e^{4dx^2+4c}-2e^{2dx^2+2c}+1} dx \right) ab$$

input `int(x^5*(a+b*csch(d*x^2+c))^2,x)`

output

```
( - 48*e**(3*c + 2*d*x**2)*int((e**(d*x**2)*x**5)/(e**(4*c + 4*d*x**2) - 2
*e**(2*c + 2*d*x**2) + 1),x)*a*b*d**3 - 96*e**(3*c + 2*d*x**2)*int((e**(d*
x**2)*x**3)/(e**(4*c + 4*d*x**2) - 2*e**(2*c + 2*d*x**2) + 1),x)*a*b*d**2
- 24*e**(2*c + 2*d*x**2)*int(x**3/(e**(4*c + 4*d*x**2) - 2*e**(2*c + 2*d*x
**2) + 1),x)*b**2*d**2 + 12*e**(2*c + 2*d*x**2)*log(e**(c + d*x**2) - 1)*a
*b + 3*e**(2*c + 2*d*x**2)*log(e**(c + d*x**2) - 1)*b**2 - 12*e**(2*c + 2*
d*x**2)*log(e**(c + d*x**2) + 1)*a*b + 3*e**(2*c + 2*d*x**2)*log(e**(c + d
*x**2) + 1)*b**2 + e**(2*c + 2*d*x**2)*a**2*d**3*x**6 - 6*e**(2*c + 2*d*x*
*2)*b**2*d*x**2 - 12*e**(c + d*x**2)*a*b*d**2*x**4 - 24*e**(c + d*x**2)*a*
b*d*x**2 + 48*e**c*int((e**(d*x**2)*x**5)/(e**(4*c + 4*d*x**2) - 2*e**(2*c
+ 2*d*x**2) + 1),x)*a*b*d**3 + 96*e**c*int((e**(d*x**2)*x**3)/(e**(4*c +
4*d*x**2) - 2*e**(2*c + 2*d*x**2) + 1),x)*a*b*d**2 + 24*int(x**3/(e**(4*c
+ 4*d*x**2) - 2*e**(2*c + 2*d*x**2) + 1),x)*b**2*d**2 - 12*log(e**(c + d*x
**2) - 1)*a*b - 3*log(e**(c + d*x**2) - 1)*b**2 + 12*log(e**(c + d*x**2) +
1)*a*b - 3*log(e**(c + d*x**2) + 1)*b**2 - a**2*d**3*x**6 - 6*b**2*d**2*x
**4)/(6*d**3*(e**(2*c + 2*d*x**2) - 1))
```

3.11 $\int x^3(a + b\operatorname{csch}(c + dx^2))^2 dx$

Optimal result	115
Mathematica [B] (verified)	115
Rubi [A] (verified)	116
Maple [F]	117
Fricas [B] (verification not implemented)	118
Sympy [F]	118
Maxima [F]	119
Giac [F]	119
Mupad [F(-1)]	119
Reduce [F]	120

Optimal result

Integrand size = 18, antiderivative size = 108

$$\int x^3(a + b\operatorname{csch}(c + dx^2))^2 dx = \frac{a^2x^4}{4} - \frac{2abx^2\operatorname{arctanh}(e^{c+dx^2})}{d} - \frac{b^2x^2\coth(c + dx^2)}{2d} + \frac{b^2\log(\sinh(c + dx^2))}{2d^2} - \frac{ab\operatorname{PolyLog}(2, -e^{c+dx^2})}{d^2} + \frac{ab\operatorname{PolyLog}(2, e^{c+dx^2})}{d^2}$$

output

```
1/4*a^2*x^4-2*a*b*x^2*arctanh(exp(d*x^2+c))/d-1/2*b^2*x^2*coth(d*x^2+c)/d+
1/2*b^2*ln(sinh(d*x^2+c))/d^2-a*b*polylog(2,-exp(d*x^2+c))/d^2+a*b*polylog
(2,exp(d*x^2+c))/d^2
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 276 vs. 2(108) = 216.

Time = 0.62 (sec) , antiderivative size = 276, normalized size of antiderivative = 2.56

$$\int x^3(a + b\operatorname{csch}(c + dx^2))^2 dx = \frac{\operatorname{csch}(\frac{1}{2}(c + dx^2)) \operatorname{sech}(\frac{1}{2}(c + dx^2)) \sinh(c)(\cosh(c) + \sinh(c)) \left(-2b^2dx^2 \cosh(c + dx^2) + 2b^2dx^2 \sinh(c) \right)}{\dots}$$

input `Integrate[x^3*(a + b*Csch[c + d*x^2])^2,x]`

output $(\text{Csch}[(c + dx^2)/2] * \text{Sech}[(c + dx^2)/2] * \text{Sinh}[c] * (\text{Cosh}[c] + \text{Sinh}[c]) * (-2*b^2 * dx^2 * \text{Cosh}[c + dx^2] + 2*b^2 * dx^2 * \text{Sinh}[c + dx^2] + a^2 * d^2 * x^4 * \text{Sinh}[c + dx^2] + 2*b^2 * \text{Log}[1 - E^{(-c - dx^2)}] * \text{Sinh}[c + dx^2] + 4*a*b * dx^2 * \text{Log}[1 - E^{(-c - dx^2)}] * \text{Sinh}[c + dx^2] + 2*b^2 * \text{Log}[1 + E^{(-c - dx^2)}] * \text{Sinh}[c + dx^2] - 4*a*b * dx^2 * \text{Log}[1 + E^{(-c - dx^2)}] * \text{Sinh}[c + dx^2] + 4*a*b * \text{PolyLog}[2, -E^{(-c - dx^2)}] * \text{Sinh}[c + dx^2] - 4*a*b * \text{PolyLog}[2, E^{(-c - dx^2)}] * \text{Sinh}[c + dx^2])) / (4*d^2 * (-1 + E^{(2*c)}))$

Rubi [A] (verified)

Time = 0.40 (sec) , antiderivative size = 108, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {5960, 3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^3 (a + b \operatorname{csch}(c + dx^2))^2 dx$$

$$\downarrow 5960$$

$$\frac{1}{2} \int x^2 (a + b \operatorname{csch}(dx^2 + c))^2 dx^2$$

$$\downarrow 3042$$

$$\frac{1}{2} \int x^2 (a + ib \operatorname{csc}(idx^2 + ic))^2 dx^2$$

$$\downarrow 4678$$

$$\frac{1}{2} \int (a^2 x^2 + b^2 \operatorname{csch}^2(dx^2 + c) x^2 + 2ab \operatorname{csch}(dx^2 + c) x^2) dx^2$$

$$\downarrow 2009$$

$$\frac{1}{2} \left(\frac{a^2 x^4}{2} - \frac{4abx^2 \operatorname{arctanh}(e^{c+dx^2})}{d} - \frac{2ab \operatorname{PolyLog}(2, -e^{dx^2+c})}{d^2} + \frac{2ab \operatorname{PolyLog}(2, e^{dx^2+c})}{d^2} + \frac{b^2 \log(\sinh(c + dx^2))}{d^2} \right)$$

input `Int[x^3*(a + b*Csch[c + d*x^2])^2,x]`

output `((a^2*x^4)/2 - (4*a*b*x^2*ArcTanh[E^(c + d*x^2)])/d - (b^2*x^2*Coth[c + d*x^2])/d + (b^2*Log[Sinh[c + d*x^2]])/d^2 - (2*a*b*PolyLog[2, -E^(c + d*x^2)])/d^2 + (2*a*b*PolyLog[2, E^(c + d*x^2)])/d^2)/2`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4678 `Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]`

rule 5960 `Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_)])*(b_.))^(p_.)*(x_)^(m_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple **[F]**

$$\int x^3 (a + b \operatorname{csch}(dx^2 + c))^2 dx$$

input `int(x^3*(a+b*csch(d*x^2+c))^2,x)`

output `int(x^3*(a+b*csch(d*x^2+c))^2,x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 683 vs. $2(97) = 194$.

Time = 0.10 (sec) , antiderivative size = 683, normalized size of antiderivative = 6.32

$$\int x^3 (a + b \operatorname{csch}(c + dx^2))^2 dx = \text{Too large to display}$$

input `integrate(x^3*(a+b*csch(d*x^2+c))^2,x, algorithm="fricas")`

output

```
-1/4*(a^2*d^2*x^4 - 4*b^2*c - (a^2*d^2*x^4 - 4*b^2*d*x^2 - 4*b^2*c)*cosh(d
*x^2 + c)^2 - 2*(a^2*d^2*x^4 - 4*b^2*d*x^2 - 4*b^2*c)*cosh(d*x^2 + c)*sinh
(d*x^2 + c) - (a^2*d^2*x^4 - 4*b^2*d*x^2 - 4*b^2*c)*sinh(d*x^2 + c)^2 - 4*
(a*b*cosh(d*x^2 + c)^2 + 2*a*b*cosh(d*x^2 + c)*sinh(d*x^2 + c) + a*b*sinh(
d*x^2 + c)^2 - a*b)*dilog(cosh(d*x^2 + c) + sinh(d*x^2 + c)) + 4*(a*b*cosh
(d*x^2 + c)^2 + 2*a*b*cosh(d*x^2 + c)*sinh(d*x^2 + c) + a*b*sinh(d*x^2 + c
)^2 - a*b)*dilog(-cosh(d*x^2 + c) - sinh(d*x^2 + c)) - 2*(2*a*b*d*x^2 - (2
*a*b*d*x^2 - b^2)*cosh(d*x^2 + c)^2 - 2*(2*a*b*d*x^2 - b^2)*cosh(d*x^2 + c
)*sinh(d*x^2 + c) - (2*a*b*d*x^2 - b^2)*sinh(d*x^2 + c)^2 - b^2)*log(cosh(
d*x^2 + c) + sinh(d*x^2 + c) + 1) - 2*(2*a*b*c - (2*a*b*c - b^2)*cosh(d*x^
2 + c)^2 - 2*(2*a*b*c - b^2)*cosh(d*x^2 + c)*sinh(d*x^2 + c) - (2*a*b*c -
b^2)*sinh(d*x^2 + c)^2 - b^2)*log(cosh(d*x^2 + c) + sinh(d*x^2 + c) - 1) +
4*(a*b*d*x^2 + a*b*c - (a*b*d*x^2 + a*b*c)*cosh(d*x^2 + c)^2 - 2*(a*b*d*x
^2 + a*b*c)*cosh(d*x^2 + c)*sinh(d*x^2 + c) - (a*b*d*x^2 + a*b*c)*sinh(d*x
^2 + c)^2)*log(-cosh(d*x^2 + c) - sinh(d*x^2 + c) + 1))/(d^2*cosh(d*x^2 +
c)^2 + 2*d^2*cosh(d*x^2 + c)*sinh(d*x^2 + c) + d^2*sinh(d*x^2 + c)^2 - d^2
)
```

Sympy [F]

$$\int x^3 (a + b \operatorname{csch}(c + dx^2))^2 dx = \int x^3 (a + b \operatorname{csch}(c + dx^2))^2 dx$$

input `integrate(x**3*(a+b*csch(d*x**2+c))**2,x)`

output

```
Integral(x**3*(a + b*csch(c + d*x**2))**2, x)
```

Maxima [F]

$$\int x^3 (a + b \operatorname{csch}(c + dx^2))^2 dx = \int (b \operatorname{csch}(dx^2 + c) + a)^2 x^3 dx$$

input `integrate(x^3*(a+b*csch(d*x^2+c))^2,x, algorithm="maxima")`

output `1/4*a^2*x^4 - 1/2*(2*x^2*e^(2*d*x^2 + 2*c)/(d*e^(2*d*x^2 + 2*c) - d) - log((e^(d*x^2 + c) + 1)*e^(-c))/d^2 - log((e^(d*x^2 + c) - 1)*e^(-c))/d^2)*b^2 + 4*a*b*(integrate(1/2*x^3/(e^(d*x^2 + c) + 1), x) + integrate(1/2*x^3/(e^(d*x^2 + c) - 1), x))`

Giac [F]

$$\int x^3 (a + b \operatorname{csch}(c + dx^2))^2 dx = \int (b \operatorname{csch}(dx^2 + c) + a)^2 x^3 dx$$

input `integrate(x^3*(a+b*csch(d*x^2+c))^2,x, algorithm="giac")`

output `integrate((b*csch(d*x^2 + c) + a)^2*x^3, x)`

Mupad [F(-1)]

Timed out.

$$\int x^3 (a + b \operatorname{csch}(c + dx^2))^2 dx = \int x^3 \left(a + \frac{b}{\sinh(dx^2 + c)} \right)^2 dx$$

input `int(x^3*(a + b/sinh(c + d*x^2))^2,x)`

output `int(x^3*(a + b/sinh(c + d*x^2))^2, x)`

Reduce [F]

$$\int x^3 (a + b \operatorname{csch}(c + dx^2))^2 dx$$

$$= \frac{-32e^{2dx^2+3c} \left(\int \frac{e^{dx^2} x^3}{e^{4dx^2+4c} - 2e^{2dx^2+2c} + 1} dx \right) ab d^2 + 4e^{2dx^2+2c} \log(e^{dx^2+c} - 1) ab + 2e^{2dx^2+2c} \log(e^{dx^2+c} - 1) b^2}{1}$$

input `int(x^3*(a+b*csch(d*x^2+c))^2,x)`

output

```
( - 32*e**(3*c + 2*d*x**2)*int((e**(d*x**2)*x**3)/(e**(4*c + 4*d*x**2) - 2
*e**(2*c + 2*d*x**2) + 1),x)*a*b*d**2 + 4*e**(2*c + 2*d*x**2)*log(e**(c +
d*x**2) - 1)*a*b + 2*e**(2*c + 2*d*x**2)*log(e**(c + d*x**2) - 1)*b**2 - 4
*e**(2*c + 2*d*x**2)*log(e**(c + d*x**2) + 1)*a*b + 2*e**(2*c + 2*d*x**2)*
log(e**(c + d*x**2) + 1)*b**2 + e**(2*c + 2*d*x**2)*a**2*d**2*x**4 - 4*e**
(2*c + 2*d*x**2)*b**2*d*x**2 - 8*e**(c + d*x**2)*a*b*d*x**2 + 32*e**c*int(
(e**(d*x**2)*x**3)/(e**(4*c + 4*d*x**2) - 2*e**(2*c + 2*d*x**2) + 1),x)*a*
b*d**2 - 4*log(e**(c + d*x**2) - 1)*a*b - 2*log(e**(c + d*x**2) - 1)*b**2
+ 4*log(e**(c + d*x**2) + 1)*a*b - 2*log(e**(c + d*x**2) + 1)*b**2 - a**2*
d**2*x**4)/(4*d**2*(e**(2*c + 2*d*x**2) - 1))
```

3.12 $\int x(a + b\operatorname{csch}(c + dx^2))^2 dx$

Optimal result	121
Mathematica [A] (verified)	121
Rubi [A] (verified)	122
Maple [A] (verified)	124
Fricas [B] (verification not implemented)	125
Sympy [F]	125
Maxima [A] (verification not implemented)	126
Giac [A] (verification not implemented)	126
Mupad [B] (verification not implemented)	126
Reduce [B] (verification not implemented)	127

Optimal result

Integrand size = 16, antiderivative size = 45

$$\int x(a + b\operatorname{csch}(c + dx^2))^2 dx = \frac{a^2x^2}{2} - \frac{a b \operatorname{arctanh}(\cosh(c + dx^2))}{d} - \frac{b^2 \operatorname{coth}(c + dx^2)}{2d}$$

output

```
1/2*a^2*x^2-a*b*arctanh(cosh(d*x^2+c))/d-1/2*b^2*coth(d*x^2+c)/d
```

Mathematica [A] (verified)

Time = 0.44 (sec) , antiderivative size = 85, normalized size of antiderivative = 1.89

$$\int x(a + b\operatorname{csch}(c + dx^2))^2 dx = \frac{b^2 \operatorname{coth}\left(\frac{1}{2}(c + dx^2)\right) - 2a(ac + adx^2 - 2b \log(\cosh(\frac{1}{2}(c + dx^2)))) + 2b \log(\sinh(\frac{1}{2}(c + dx^2))) + b^2 \operatorname{tanh}\left(\frac{1}{2}(c + dx^2)\right)}{4d}$$

input

```
Integrate[x*(a + b*Csch[c + d*x^2])^2,x]
```

output

```
-1/4*(b^2*Coth[(c + d*x^2)/2] - 2*a*(a*c + a*d*x^2 - 2*b*Log[Cosh[(c + d*x^2)/2]]) + 2*b*Log[Sinh[(c + d*x^2)/2]]) + b^2*Tanh[(c + d*x^2)/2])/d
```

Rubi [A] (verified)

Time = 0.35 (sec) , antiderivative size = 44, normalized size of antiderivative = 0.98, number of steps used = 12, number of rules used = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.688$, Rules used = {5960, 3042, 4260, 25, 26, 3042, 25, 26, 4254, 24, 4257}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x(a + b \operatorname{csch}(c + dx^2))^2 dx \\
 & \quad \downarrow \text{5960} \\
 & \frac{1}{2} \int (a + b \operatorname{csch}(dx^2 + c))^2 dx^2 \\
 & \quad \downarrow \text{3042} \\
 & \frac{1}{2} \int (a + ib \operatorname{csc}(idx^2 + ic))^2 dx^2 \\
 & \quad \downarrow \text{4260} \\
 & \frac{1}{2} \left(2iab \int -i \operatorname{csch}(dx^2 + c) dx^2 + b^2 \left(- \int -\operatorname{csch}^2(dx^2 + c) dx^2 \right) + a^2 x^2 \right) \\
 & \quad \downarrow \text{25} \\
 & \frac{1}{2} \left(2iab \int -i \operatorname{csch}(dx^2 + c) dx^2 + b^2 \int \operatorname{csch}^2(dx^2 + c) dx^2 + a^2 x^2 \right) \\
 & \quad \downarrow \text{26} \\
 & \frac{1}{2} \left(2ab \int \operatorname{csch}(dx^2 + c) dx^2 + b^2 \int \operatorname{csch}^2(dx^2 + c) dx^2 + a^2 x^2 \right) \\
 & \quad \downarrow \text{3042} \\
 & \frac{1}{2} \left(2ab \int i \operatorname{csc}(idx^2 + ic) dx^2 + b^2 \int -\operatorname{csc}(idx^2 + ic)^2 dx^2 + a^2 x^2 \right) \\
 & \quad \downarrow \text{25} \\
 & \frac{1}{2} \left(2ab \int i \operatorname{csc}(idx^2 + ic) dx^2 + b^2 \left(- \int \operatorname{csc}(idx^2 + ic)^2 dx^2 \right) + a^2 x^2 \right) \\
 & \quad \downarrow \text{26}
 \end{aligned}$$

$$\begin{aligned}
& \frac{1}{2} \left(2iab \int \csc(idx^2 + ic) dx^2 + b^2 \left(- \int \csc(idx^2 + ic)^2 dx^2 \right) + a^2 x^2 \right) \\
& \quad \downarrow 4254 \\
& \frac{1}{2} \left(2iab \int \csc(idx^2 + ic) dx^2 - \frac{ib^2 \int 1d(-i \coth(dx^2 + c))}{d} + a^2 x^2 \right) \\
& \quad \downarrow 24 \\
& \frac{1}{2} \left(2iab \int \csc(idx^2 + ic) dx^2 + a^2 x^2 - \frac{b^2 \coth(c + dx^2)}{d} \right) \\
& \quad \downarrow 4257 \\
& \frac{1}{2} \left(a^2 x^2 - \frac{2abarctanh(\cosh(c + dx^2))}{d} - \frac{b^2 \coth(c + dx^2)}{d} \right)
\end{aligned}$$

input `Int[x*(a + b*Csch[c + d*x^2])^2,x]`

output `(a^2*x^2 - (2*a*b*ArcTanh[Cosh[c + d*x^2]])/d - (b^2*Coth[c + d*x^2])/d)/2`

Defintions of rubi rules used

rule 24 `Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 26 `Int[(Complex[0, a_])*(Fx_), x_Symbol] := Simp[(Complex[Identity[0], a]) Int[Fx, x], x] /; FreeQ[a, x] && EqQ[a^2, 1]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4254 `Int[csc[(c_.) + (d_.)*(x_)^(n_), x_Symbol] := Simp[-d^(-1) Subst[Int[Exp andIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]`

rule 4257 `Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := Simp[-ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

rule 4260 `Int[(csc[(c_.) + (d_.)*(x_)*(b_.) + (a_.)]^2, x_Symbol] := Simp[a^2*x, x] + (Simp[2*a*b Int[Csc[c + d*x], x], x] + Simp[b^2 Int[Csc[c + d*x]^2, x], x]) /; FreeQ[{a, b, c, d}, x]`

rule 5960 `Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_)])*(b_.)]^(p_.)*(x_)^(m_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [A] (verified)

Time = 0.36 (sec) , antiderivative size = 44, normalized size of antiderivative = 0.98

method	result	size
derivativedivides	$\frac{a^2(d x^2+c)-4ab \operatorname{arctanh}\left(e^{d x^2+c}\right)-b^2 \operatorname{coth}\left(d x^2+c\right)}{2d}$	44
default	$\frac{a^2(d x^2+c)-4ab \operatorname{arctanh}\left(e^{d x^2+c}\right)-b^2 \operatorname{coth}\left(d x^2+c\right)}{2d}$	44
parts	$\frac{a^2 x^2}{2} - \frac{b^2 \operatorname{coth}\left(d x^2+c\right)}{2d} + \frac{ab \ln\left(\tanh\left(\frac{d x^2}{2}+\frac{c}{2}\right)\right)}{d}$	44
parallelrisch	$\frac{2a^2 d x^2+4 \ln\left(\tanh\left(\frac{d x^2}{2}+\frac{c}{2}\right)\right) ab-b^2\left(\tanh\left(\frac{d x^2}{2}+\frac{c}{2}\right)+\operatorname{coth}\left(\frac{d x^2}{2}+\frac{c}{2}\right)\right)}{4d}$	60
risch	$\frac{a^2 x^2}{2} - \frac{b^2}{d\left(e^{2d x^2+2c}-1\right)} + \frac{ab \ln\left(e^{d x^2+c}-1\right)}{d} - \frac{ab \ln\left(1+e^{d x^2+c}\right)}{d}$	68

input `int(x*(a+b*csch(d*x^2+c))^2,x,method=_RETURNVERBOSE)`

output `1/2/d*(a^2*(d*x^2+c)-4*a*b*arctanh(exp(d*x^2+c))-b^2*coth(d*x^2+c))`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 271 vs. 2(41) = 82.

Time = 0.09 (sec) , antiderivative size = 271, normalized size of antiderivative = 6.02

$$\int x(a + b \operatorname{csch}(c + dx^2))^2 dx$$

$$= \frac{a^2 dx^2 \cosh(dx^2 + c)^2 + 2a^2 dx^2 \cosh(dx^2 + c) \sinh(dx^2 + c) + a^2 dx^2 \sinh(dx^2 + c)^2 - a^2 dx^2 - 2b^2 - 2a*b \log(\cosh(dx^2 + c) + \sinh(dx^2 + c) + 1) + 2*(a*b \cosh(dx^2 + c)^2 + 2*a*b \cosh(dx^2 + c) \sinh(dx^2 + c) + a*b \sinh(dx^2 + c)^2 - a*b) \log(\cosh(dx^2 + c) + \sinh(dx^2 + c) - 1)}{(d \cosh(dx^2 + c)^2 + 2*d \cosh(dx^2 + c) \sinh(dx^2 + c) + d \sinh(dx^2 + c)^2 - d)}$$

input `integrate(x*(a+b*csch(d*x^2+c))^2,x, algorithm="fricas")`

output `1/2*(a^2*d*x^2*cosh(d*x^2 + c)^2 + 2*a^2*d*x^2*cosh(d*x^2 + c)*sinh(d*x^2 + c) + a^2*d*x^2*sinh(d*x^2 + c)^2 - a^2*d*x^2 - 2*b^2 - 2*(a*b*cosh(d*x^2 + c)^2 + 2*a*b*cosh(d*x^2 + c)*sinh(d*x^2 + c) + a*b*sinh(d*x^2 + c)^2 - a*b)*log(cosh(d*x^2 + c) + sinh(d*x^2 + c) + 1) + 2*(a*b*cosh(d*x^2 + c)^2 + 2*a*b*cosh(d*x^2 + c)*sinh(d*x^2 + c) + a*b*sinh(d*x^2 + c)^2 - a*b)*log(cosh(d*x^2 + c) + sinh(d*x^2 + c) - 1))/(d*cosh(d*x^2 + c)^2 + 2*d*cosh(d*x^2 + c)*sinh(d*x^2 + c) + d*sinh(d*x^2 + c)^2 - d)`

Sympy [F]

$$\int x(a + b \operatorname{csch}(c + dx^2))^2 dx = \int x(a + b \operatorname{csch}(c + dx^2))^2 dx$$

input `integrate(x*(a+b*csch(d*x**2+c))**2,x)`

output `Integral(x*(a + b*csch(c + d*x**2))**2, x)`

Maxima [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 49, normalized size of antiderivative = 1.09

$$\int x(a + b \operatorname{csch}(c + dx^2))^2 dx = \frac{1}{2} a^2 x^2 + \frac{ab \log\left(\tanh\left(\frac{1}{2} dx^2 + \frac{1}{2} c\right)\right)}{d} + \frac{b^2}{d(e^{(-2dx^2-2c)} - 1)}$$

input `integrate(x*(a+b*csch(d*x^2+c))^2,x, algorithm="maxima")`output `1/2*a^2*x^2 + a*b*log(tanh(1/2*d*x^2 + 1/2*c))/d + b^2/(d*(e^(-2*d*x^2 - 2*c) - 1))`**Giac [A] (verification not implemented)**

Time = 0.12 (sec) , antiderivative size = 75, normalized size of antiderivative = 1.67

$$\int x(a + b \operatorname{csch}(c + dx^2))^2 dx = \frac{(dx^2 + c)a^2}{2d} - \frac{ab \log\left(e^{(dx^2+c)} + 1\right)}{d} + \frac{ab \log\left(\left|e^{(dx^2+c)} - 1\right|\right)}{d} - \frac{b^2}{d(e^{(2dx^2+2c)} - 1)}$$

input `integrate(x*(a+b*csch(d*x^2+c))^2,x, algorithm="giac")`output `1/2*(d*x^2 + c)*a^2/d - a*b*log(e^(d*x^2 + c) + 1)/d + a*b*log(abs(e^(d*x^2 + c) - 1))/d - b^2/(d*(e^(2*d*x^2 + 2*c) - 1))`**Mupad [B] (verification not implemented)**

Time = 2.34 (sec) , antiderivative size = 81, normalized size of antiderivative = 1.80

$$\int x(a + b \operatorname{csch}(c + dx^2))^2 dx = \frac{a^2 x^2}{2} - \frac{b^2}{d(e^{2dx^2+2c} - 1)} - \frac{2 \operatorname{atan}\left(\frac{ab e^{dx^2} e^c \sqrt{-d^2}}{d \sqrt{a^2 b^2}}\right) \sqrt{a^2 b^2}}{\sqrt{-d^2}}$$

input `int(x*(a + b/sinh(c + d*x^2))^2,x)`

output

$$\frac{(a^2 x^2)/2 - b^2/(d(\exp(2c + 2dx^2) - 1)) - (2\operatorname{atan}((a b \exp(dx^2) \exp(c) (-d^2)^{1/2})/(d(a^2 b^2)^{1/2}))) (a^2 b^2)^{1/2}/(-d^2)^{1/2}}{2d(e^{2dx^2+2c} - 1)}$$

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 156, normalized size of antiderivative = 3.47

$$\int x(a + b \operatorname{csch}(c + dx^2))^2 dx$$

$$= \frac{2e^{2dx^2+2c} \log(e^{dx^2+c} - 1) ab - 2e^{2dx^2+2c} \log(e^{dx^2+c} + 1) ab + e^{2dx^2+2c} a^2 dx^2 - 2e^{2dx^2+2c} b^2 - 2 \log(e^{dx^2+c})}{2d(e^{2dx^2+2c} - 1)}$$

input

```
int(x*(a+b*csch(d*x^2+c))^2,x)
```

output

```
(2*e**(2*c + 2*d*x**2)*log(e**(c + d*x**2) - 1)*a*b - 2*e**(2*c + 2*d*x**2)
)*log(e**(c + d*x**2) + 1)*a*b + e**(2*c + 2*d*x**2)*a**2*d*x**2 - 2*e**(2
*c + 2*d*x**2)*b**2 - 2*log(e**(c + d*x**2) - 1)*a*b + 2*log(e**(c + d*x**
2) + 1)*a*b - a**2*d*x**2)/(2*d*(e**(2*c + 2*d*x**2) - 1))
```


$$3.13 \quad \int \frac{(a+b\mathbf{csch}(c+dx^2))^2}{x} dx$$

Optimal result	128
Mathematica [N/A]	128
Rubi [N/A]	129
Maple [N/A]	129
Fricas [N/A]	130
Sympy [N/A]	130
Maxima [N/A]	130
Giac [N/A]	131
Mupad [N/A]	131
Reduce [N/A]	132

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{(a + b\mathbf{csch}(c + dx^2))^2}{x} dx = \text{Int}\left(\frac{(a + b\mathbf{csch}(c + dx^2))^2}{x}, x\right)$$

output `Defer(Int)((a+b*csch(d*x^2+c))^2/x,x)`

Mathematica [N/A]

Not integrable

Time = 53.82 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{(a + b\mathbf{csch}(c + dx^2))^2}{x} dx = \int \frac{(a + b\mathbf{csch}(c + dx^2))^2}{x} dx$$

input `Integrate[(a + b*Csch[c + d*x^2])^2/x,x]`

output `Integrate[(a + b*Csch[c + d*x^2])^2/x, x]`

Rubi [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x} dx$$

↓ 5962

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x} dx$$

input `Int[(a + b*Csch[c + d*x^2])^2/x,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{(a + b \operatorname{csch}(dx^2 + c))^2}{x} dx$$

input `int((a+b*csch(d*x^2+c))^2/x,x)`

output `int((a+b*csch(d*x^2+c))^2/x,x)`

Fricas [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 36, normalized size of antiderivative = 2.00

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x} dx = \int \frac{(b \operatorname{csch}(dx^2 + c) + a)^2}{x} dx$$

input `integrate((a+b*csch(d*x^2+c))^2/x,x, algorithm="fricas")`

output `integral((b^2*csch(d*x^2 + c)^2 + 2*a*b*csch(d*x^2 + c) + a^2)/x, x)`

Sympy [N/A]

Not integrable

Time = 3.00 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.83

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x} dx = \int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x} dx$$

input `integrate((a+b*csch(d*x**2+c))**2/x,x)`

output `Integral((a + b*csch(c + d*x**2))**2/x, x)`

Maxima [N/A]

Not integrable

Time = 0.49 (sec) , antiderivative size = 112, normalized size of antiderivative = 6.22

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x} dx = \int \frac{(b \operatorname{csch}(dx^2 + c) + a)^2}{x} dx$$

input `integrate((a+b*csch(d*x^2+c))^2/x,x, algorithm="maxima")`

output

```
a^2*log(x) - b^2/(d*x^2*e^(2*d*x^2 + 2*c) - d*x^2) + integrate((2*a*b*d*x^2 + b^2)/(d*x^3*e^(d*x^2 + c) + d*x^3), x) + integrate((2*a*b*d*x^2 - b^2)/(d*x^3*e^(d*x^2 + c) - d*x^3), x)
```

Giac [N/A]

Not integrable

Time = 0.15 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x} dx = \int \frac{(b \operatorname{csch}(dx^2 + c) + a)^2}{x} dx$$

input

```
integrate((a+b*csch(d*x^2+c))^2/x,x, algorithm="giac")
```

output

```
integrate((b*csch(d*x^2 + c) + a)^2/x, x)
```

Mupad [N/A]

Not integrable

Time = 2.56 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x} dx = \int \frac{\left(a + \frac{b}{\sinh(dx^2+c)}\right)^2}{x} dx$$

input

```
int((a + b/sinh(c + d*x^2))^2/x,x)
```

output

```
int((a + b/sinh(c + d*x^2))^2/x, x)
```

Reduce [N/A]

Not integrable

Time = 0.25 (sec) , antiderivative size = 45, normalized size of antiderivative = 2.50

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x} dx = 2 \left(\int \frac{\operatorname{csch}(dx^2 + c)}{x} dx \right) ab + \left(\int \frac{\operatorname{csch}(dx^2 + c)^2}{x} dx \right) b^2 + \log(x) a^2$$

input `int((a+b*csch(d*x^2+c))^2/x,x)`output `2*int(csch(c + d*x**2)/x,x)*a*b + int(csch(c + d*x**2)**2/x,x)*b**2 + log(x)*a**2`

$$3.14 \quad \int \frac{(a+b\operatorname{csch}(c+dx^2))^2}{x^3} dx$$

Optimal result	133
Mathematica [N/A]	133
Rubi [N/A]	134
Maple [N/A]	134
Fricas [N/A]	135
Sympy [N/A]	135
Maxima [N/A]	135
Giac [N/A]	136
Mupad [N/A]	136
Reduce [N/A]	137

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{(a + b\operatorname{csch}(c + dx^2))^2}{x^3} dx = \operatorname{Int}\left(\frac{(a + b\operatorname{csch}(c + dx^2))^2}{x^3}, x\right)$$

output `Defer(Int)((a+b*csch(d*x^2+c))^2/x^3,x)`

Mathematica [N/A]

Not integrable

Time = 31.10 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{(a + b\operatorname{csch}(c + dx^2))^2}{x^3} dx = \int \frac{(a + b\operatorname{csch}(c + dx^2))^2}{x^3} dx$$

input `Integrate[(a + b*Csch[c + d*x^2])^2/x^3,x]`

output `Integrate[(a + b*Csch[c + d*x^2])^2/x^3, x]`

Rubi [N/A]

Not integrable

Time = 0.18 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x^3} dx$$

↓ 5962

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x^3} dx$$

input `Int[(a + b*Csch[c + d*x^2])^2/x^3,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.12 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{(a + b \operatorname{csch}(dx^2 + c))^2}{x^3} dx$$

input `int((a+b*csch(d*x^2+c))^2/x^3,x)`

output `int((a+b*csch(d*x^2+c))^2/x^3,x)`

Fricas [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 36, normalized size of antiderivative = 2.00

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x^3} dx = \int \frac{(b \operatorname{csch}(dx^2 + c) + a)^2}{x^3} dx$$

input `integrate((a+b*csch(d*x^2+c))^2/x^3,x, algorithm="fricas")`

output `integral((b^2*csch(d*x^2 + c)^2 + 2*a*b*csch(d*x^2 + c) + a^2)/x^3, x)`

Sympy [N/A]

Not integrable

Time = 0.59 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.94

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x^3} dx = \int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x^3} dx$$

input `integrate((a+b*csch(d*x**2+c))**2/x**3,x)`

output `Integral((a + b*csch(c + d*x**2))**2/x**3, x)`

Maxima [N/A]

Not integrable

Time = 0.62 (sec) , antiderivative size = 114, normalized size of antiderivative = 6.33

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x^3} dx = \int \frac{(b \operatorname{csch}(dx^2 + c) + a)^2}{x^3} dx$$

input `integrate((a+b*csch(d*x^2+c))^2/x^3,x, algorithm="maxima")`

output

```
-b^2/(d*x^4*e^(2*d*x^2 + 2*c) - d*x^4) - 1/2*a^2/x^2 + integrate(2*(a*b*d*
x^2 + b^2)/(d*x^5*e^(d*x^2 + c) + d*x^5), x) + integrate(2*(a*b*d*x^2 - b^
2)/(d*x^5*e^(d*x^2 + c) - d*x^5), x)
```

Giac [N/A]

Not integrable

Time = 0.18 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x^3} dx = \int \frac{(b \operatorname{csch}(dx^2 + c) + a)^2}{x^3} dx$$

input

```
integrate((a+b*csch(d*x^2+c))^2/x^3,x, algorithm="giac")
```

output

```
integrate((b*csch(d*x^2 + c) + a)^2/x^3, x)
```

Mupad [N/A]

Not integrable

Time = 2.73 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x^3} dx = \int \frac{\left(a + \frac{b}{\sinh(dx^2+c)}\right)^2}{x^3} dx$$

input

```
int((a + b/sinh(c + d*x^2))^2/x^3,x)
```

output

```
int((a + b/sinh(c + d*x^2))^2/x^3, x)
```

Reduce [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 195, normalized size of antiderivative = 10.83

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x^3} dx$$

$$= \frac{8e^{3c} \left(\int \frac{e^{3dx^2}}{e^{4dx^2+4cx^3}-2e^{2dx^2+2cx^3+x^3}} dx \right) abx^2 + 8e^{2c} \left(\int \frac{e^{2dx^2}}{e^{4dx^2+4cx^3}-2e^{2dx^2+2cx^3+x^3}} dx \right) b^2x^2 - 8e^c \left(\int \frac{e^{dx^2}}{e^{4dx^2+4cx^3}-2e^{2dx^2+2cx^3+x^3}} dx \right) a^2x^2}{2x^2}$$

input `int((a+b*csch(d*x^2+c))^2/x^3,x)`

output

```
(8***3*c)*int(e**(3*d*x**2)/(e**(4*c + 4*d*x**2)*x**3 - 2*e**(2*c + 2*d*x**2)*x**3 + x**3),x)*a*b*x**2 + 8*e**(2*c)*int(e**(2*d*x**2)/(e**(4*c + 4*d*x**2)*x**3 - 2*e**(2*c + 2*d*x**2)*x**3 + x**3),x)*b**2*x**2 - 8*e**c*int(e**(d*x**2)/(e**(4*c + 4*d*x**2)*x**3 - 2*e**(2*c + 2*d*x**2)*x**3 + x**3),x)*a*b*x**2 - a**2/(2*x**2)
```

3.15 $\int x^4(a + b\operatorname{csch}(c + dx^2))^2 dx$

Optimal result	138
Mathematica [N/A]	138
Rubi [N/A]	139
Maple [N/A]	139
Fricas [N/A]	140
Sympy [N/A]	140
Maxima [N/A]	140
Giac [N/A]	141
Mupad [N/A]	141
Reduce [N/A]	142

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int x^4(a + b\operatorname{csch}(c + dx^2))^2 dx = \operatorname{Int}\left(x^4(a + b\operatorname{csch}(c + dx^2))^2, x\right)$$

output `Defer(Int)(x^4*(a+b*csch(d*x^2+c))^2,x)`

Mathematica [N/A]

Not integrable

Time = 20.78 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int x^4(a + b\operatorname{csch}(c + dx^2))^2 dx = \int x^4(a + b\operatorname{csch}(c + dx^2))^2 dx$$

input `Integrate[x^4*(a + b*Csch[c + d*x^2])^2,x]`

output `Integrate[x^4*(a + b*Csch[c + d*x^2])^2, x]`

Rubi [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^4 (a + b \operatorname{csch}(c + dx^2))^2 dx$$

↓ 5962

$$\int x^4 (a + b \operatorname{csch}(c + dx^2))^2 dx$$

input `Int[x^4*(a + b*Csch[c + d*x^2])^2,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.12 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int x^4 (a + b \operatorname{csch}(dx^2 + c))^2 dx$$

input `int(x^4*(a+b*csch(d*x^2+c))^2,x)`

output `int(x^4*(a+b*csch(d*x^2+c))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 42, normalized size of antiderivative = 2.33

$$\int x^4 (a + b \operatorname{csch}(c + dx^2))^2 dx = \int (b \operatorname{csch}(dx^2 + c) + a)^2 x^4 dx$$

input `integrate(x^4*(a+b*csch(d*x^2+c))^2,x, algorithm="fricas")`

output `integral(b^2*x^4*csch(d*x^2 + c)^2 + 2*a*b*x^4*csch(d*x^2 + c) + a^2*x^4, x)`

Sympy [N/A]

Not integrable

Time = 0.48 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.94

$$\int x^4 (a + b \operatorname{csch}(c + dx^2))^2 dx = \int x^4 (a + b \operatorname{csch}(c + dx^2))^2 dx$$

input `integrate(x**4*(a+b*csch(d*x**2+c))**2,x)`

output `Integral(x**4*(a + b*csch(c + d*x**2))**2, x)`

Maxima [N/A]

Not integrable

Time = 0.62 (sec) , antiderivative size = 108, normalized size of antiderivative = 6.00

$$\int x^4 (a + b \operatorname{csch}(c + dx^2))^2 dx = \int (b \operatorname{csch}(dx^2 + c) + a)^2 x^4 dx$$

input `integrate(x^4*(a+b*csch(d*x^2+c))^2,x, algorithm="maxima")`

output

```
1/5*a^2*x^5 - b^2*x^3/(d*e^(2*d*x^2 + 2*c) - d) + integrate(1/2*(4*a*b*d*x^4 - 3*b^2*x^2)/(d*e^(d*x^2 + c) + d), x) + integrate(1/2*(4*a*b*d*x^4 + 3*b^2*x^2)/(d*e^(d*x^2 + c) - d), x)
```

Giac [N/A]

Not integrable

Time = 0.52 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int x^4 (a + b \operatorname{csch}(c + dx^2))^2 dx = \int (b \operatorname{csch}(dx^2 + c) + a)^2 x^4 dx$$

input

```
integrate(x^4*(a+b*csch(d*x^2+c))^2,x, algorithm="giac")
```

output

```
integrate((b*csch(d*x^2 + c) + a)^2*x^4, x)
```

Mupad [N/A]

Not integrable

Time = 2.51 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int x^4 (a + b \operatorname{csch}(c + dx^2))^2 dx = \int x^4 \left(a + \frac{b}{\sinh(dx^2 + c)} \right)^2 dx$$

input

```
int(x^4*(a + b/sinh(c + d*x^2))^2,x)
```

output

```
int(x^4*(a + b/sinh(c + d*x^2))^2, x)
```

Reduce [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 829, normalized size of antiderivative = 46.06

$$\int x^4 (a + b \operatorname{csch}(c + dx^2))^2 dx$$

$$= \frac{60e^{2dx^2+5c} \left(\int \frac{e^{3dx^2}}{e^{4dx^2+4c} - 2e^{2dx^2+2c} + 1} dx \right) ab + 15e^{2dx^2+4c} \left(\int \frac{e^{2dx^2}}{e^{4dx^2+4c} - 2e^{2dx^2+2c} + 1} dx \right) b^2 - 60e^{2dx^2+3c} \left(\int \frac{e^{dx^2}}{e^{4dx^2+4c} - 2e^{2dx^2+2c} + 1} dx \right) ab - 160e^{3c+2dx^2} \int \frac{e^{dx^2}}{e^{4dx^2+4c} - 2e^{2dx^2+2c} + 1} dx - 160e^{3c+2dx^2} \int \frac{e^{dx^2} x^4}{e^{4dx^2+4c} - 2e^{2dx^2+2c} + 1} dx - 240e^{3c+2dx^2} \int \frac{e^{dx^2} x^2}{e^{4dx^2+4c} - 2e^{2dx^2+2c} + 1} dx - 60e^{2c+2dx^2} \int \frac{x^2}{e^{4dx^2+4c} - 2e^{2dx^2+2c} + 1} dx - 15e^{2c+2dx^2} \int \frac{1}{e^{4dx^2+4c} - 2e^{2dx^2+2c} + 1} dx + 4e^{2c+2dx^2} a^2 d^2 x^5 - 40e^{c+dx^2} a b d x^3 - 60e^{c+dx^2} a b x - 60e^{3c} \int \frac{e^{3dx^2}}{e^{4dx^2+4c} - 2e^{2dx^2+2c} + 1} dx - 15e^{2c} \int \frac{e^{2dx^2}}{e^{4dx^2+4c} - 2e^{2dx^2+2c} + 1} dx + 60e^{2c} \int \frac{e^{dx^2}}{e^{4dx^2+4c} - 2e^{2dx^2+2c} + 1} dx + 160e^{2c} \int \frac{e^{dx^2} x^4}{e^{4dx^2+4c} - 2e^{2dx^2+2c} + 1} dx - 2e^{2c+2dx^2} \int \frac{e^{dx^2} x^2}{e^{4dx^2+4c} - 2e^{2dx^2+2c} + 1} dx + 240e^{2c+2dx^2} \int \frac{e^{dx^2} x^2}{e^{4dx^2+4c} - 2e^{2dx^2+2c} + 1} dx + 60 \int \frac{x^2}{e^{4dx^2+4c} - 2e^{2dx^2+2c} + 1} dx + 15 \int \frac{1}{e^{4dx^2+4c} - 2e^{2dx^2+2c} + 1} dx - 4a^2 d^2 x^5 - 20b^2 d x^3 - 15b^2 x}{(20d^2(e^{2c+2dx^2} - 1))}$$

input

```
int(x^4*(a+b*csch(d*x^2+c))^2,x)
```

output

```
(60***5*c + 2*d*x**2)*int(e**(3*d*x**2)/(e**(4*c + 4*d*x**2) - 2*e**(2*c + 2*d*x**2) + 1),x)*a*b + 15*e**(4*c + 2*d*x**2)*int(e**(2*d*x**2)/(e**(4*c + 4*d*x**2) - 2*e**(2*c + 2*d*x**2) + 1),x)*b**2 - 60*e**(3*c + 2*d*x**2)*int(e**(d*x**2)/(e**(4*c + 4*d*x**2) - 2*e**(2*c + 2*d*x**2) + 1),x)*a*b - 160*e**(3*c + 2*d*x**2)*int((e**(d*x**2)*x**4)/(e**(4*c + 4*d*x**2) - 2*e**(2*c + 2*d*x**2) + 1),x)*a*b*d**2 - 240*e**(3*c + 2*d*x**2)*int((e**(d*x**2)*x**2)/(e**(4*c + 4*d*x**2) - 2*e**(2*c + 2*d*x**2) + 1),x)*a*b*d - 60*e**(2*c + 2*d*x**2)*int(x**2/(e**(4*c + 4*d*x**2) - 2*e**(2*c + 2*d*x**2) + 1),x)*b**2*d - 15*e**(2*c + 2*d*x**2)*int(1/(e**(4*c + 4*d*x**2) - 2*e**(2*c + 2*d*x**2) + 1),x)*b**2 + 4*e**(2*c + 2*d*x**2)*a**2*d**2*x**5 - 40*e**(c + d*x**2)*a*b*d*x**3 - 60*e**(c + d*x**2)*a*b*x - 60*e**(3*c)*int(e**(3*d*x**2)/(e**(4*c + 4*d*x**2) - 2*e**(2*c + 2*d*x**2) + 1),x)*a*b - 15*e**(2*c)*int(e**(2*d*x**2)/(e**(4*c + 4*d*x**2) - 2*e**(2*c + 2*d*x**2) + 1),x)*b**2 + 60*e**c*int(e**(d*x**2)/(e**(4*c + 4*d*x**2) - 2*e**(2*c + 2*d*x**2) + 1),x)*a*b + 160*e**c*int((e**(d*x**2)*x**4)/(e**(4*c + 4*d*x**2) - 2*e**(2*c + 2*d*x**2) + 1),x)*a*b*d**2 + 240*e**c*int((e**(d*x**2)*x**2)/(e**(4*c + 4*d*x**2) - 2*e**(2*c + 2*d*x**2) + 1),x)*a*b*d + 60*int(x**2/(e**(4*c + 4*d*x**2) - 2*e**(2*c + 2*d*x**2) + 1),x)*b**2*d + 15*int(1/(e**(4*c + 4*d*x**2) - 2*e**(2*c + 2*d*x**2) + 1),x)*b**2 - 4*a**2*d**2*x**5 - 20*b**2*d*x**3 - 15*b**2*x)/(20*d**2*(e**(2*c + 2*d*x**2) - 1))
```

3.16 $\int x^2(a + b\operatorname{csch}(c + dx^2))^2 dx$

Optimal result	143
Mathematica [N/A]	143
Rubi [N/A]	144
Maple [N/A]	144
Fricas [N/A]	145
Sympy [N/A]	145
Maxima [N/A]	145
Giac [N/A]	146
Mupad [N/A]	146
Reduce [N/A]	147

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int x^2(a + b\operatorname{csch}(c + dx^2))^2 dx = \operatorname{Int}\left(x^2(a + b\operatorname{csch}(c + dx^2))^2, x\right)$$

output `Defer(Int)(x^2*(a+b*csch(d*x^2+c))^2,x)`

Mathematica [N/A]

Not integrable

Time = 18.69 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int x^2(a + b\operatorname{csch}(c + dx^2))^2 dx = \int x^2(a + b\operatorname{csch}(c + dx^2))^2 dx$$

input `Integrate[x^2*(a + b*Csch[c + d*x^2])^2,x]`

output `Integrate[x^2*(a + b*Csch[c + d*x^2])^2, x]`

Rubi [N/A]

Not integrable

Time = 0.18 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^2(a + b \operatorname{csch}(c + dx^2))^2 dx$$

↓ 5962

$$\int x^2(a + b \operatorname{csch}(c + dx^2))^2 dx$$

input `Int[x^2*(a + b*Csch[c + d*x^2])^2,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.12 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int x^2(a + b \operatorname{csch}(dx^2 + c))^2 dx$$

input `int(x^2*(a+b*csch(d*x^2+c))^2,x)`

output `int(x^2*(a+b*csch(d*x^2+c))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 42, normalized size of antiderivative = 2.33

$$\int x^2 (a + b \operatorname{csch}(c + dx^2))^2 dx = \int (b \operatorname{csch}(dx^2 + c) + a)^2 x^2 dx$$

input `integrate(x^2*(a+b*csch(d*x^2+c))^2,x, algorithm="fricas")`

output `integral(b^2*x^2*csch(d*x^2 + c)^2 + 2*a*b*x^2*csch(d*x^2 + c) + a^2*x^2, x)`

Sympy [N/A]

Not integrable

Time = 0.46 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.94

$$\int x^2 (a + b \operatorname{csch}(c + dx^2))^2 dx = \int x^2 (a + b \operatorname{csch}(c + dx^2))^2 dx$$

input `integrate(x**2*(a+b*csch(d*x**2+c))**2,x)`

output `Integral(x**2*(a + b*csch(c + d*x**2))**2, x)`

Maxima [N/A]

Not integrable

Time = 0.64 (sec) , antiderivative size = 98, normalized size of antiderivative = 5.44

$$\int x^2 (a + b \operatorname{csch}(c + dx^2))^2 dx = \int (b \operatorname{csch}(dx^2 + c) + a)^2 x^2 dx$$

input `integrate(x^2*(a+b*csch(d*x^2+c))^2,x, algorithm="maxima")`

output

```
1/3*a^2*x^3 - b^2*x/(d*e^(2*d*x^2 + 2*c) - d) + integrate(1/2*(4*a*b*d*x^2
- b^2)/(d*e^(d*x^2 + c) + d), x) + integrate(1/2*(4*a*b*d*x^2 + b^2)/(d*e
^(d*x^2 + c) - d), x)
```

Giac [N/A]

Not integrable

Time = 0.47 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int x^2 (a + b \operatorname{csch}(c + dx^2))^2 dx = \int (b \operatorname{csch}(dx^2 + c) + a)^2 x^2 dx$$

input

```
integrate(x^2*(a+b*csch(d*x^2+c))^2,x, algorithm="giac")
```

output

```
integrate((b*csch(d*x^2 + c) + a)^2*x^2, x)
```

Mupad [N/A]

Not integrable

Time = 2.58 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int x^2 (a + b \operatorname{csch}(c + dx^2))^2 dx = \int x^2 \left(a + \frac{b}{\sinh(dx^2 + c)} \right)^2 dx$$

input

```
int(x^2*(a + b/sinh(c + d*x^2))^2,x)
```

output

```
int(x^2*(a + b/sinh(c + d*x^2))^2, x)
```

Reduce [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 587, normalized size of antiderivative = 32.61

$$\int x^2 (a + b \operatorname{csch}(c + dx^2))^2 dx$$

$$= \frac{6e^{2dx^2+5c} \left(\int \frac{e^{3dx^2}}{e^{4dx^2+4c}-2e^{2dx^2+2c+1}} dx \right) ab + 3e^{2dx^2+4c} \left(\int \frac{e^{2dx^2}}{e^{4dx^2+4c}-2e^{2dx^2+2c+1}} dx \right) b^2 - 6e^{2dx^2+3c} \left(\int \frac{e^{dx^2}}{e^{4dx^2+4c}-2e^{2dx^2+2c+1}} dx \right)}{1}$$

input

```
int(x^2*(a+b*csch(d*x^2+c))^2,x)
```

output

```
(6***5*c + 2*d*x**2)*int(e**(3*d*x**2)/(e**(4*c + 4*d*x**2) - 2*e**(2*c + 2*d*x**2) + 1),x)*a*b + 3*e**(4*c + 2*d*x**2)*int(e**(2*d*x**2)/(e**(4*c + 4*d*x**2) - 2*e**(2*c + 2*d*x**2) + 1),x)*b**2 - 6*e**(3*c + 2*d*x**2)*int(e**(d*x**2)/(e**(4*c + 4*d*x**2) - 2*e**(2*c + 2*d*x**2) + 1),x)*a*b - 24*e**(3*c + 2*d*x**2)*int((e**(d*x**2)*x**2)/(e**(4*c + 4*d*x**2) - 2*e**(2*c + 2*d*x**2) + 1),x)*a*b*d - 3*e**(2*c + 2*d*x**2)*int(1/(e**(4*c + 4*d*x**2) - 2*e**(2*c + 2*d*x**2) + 1),x)*b**2 + e**(2*c + 2*d*x**2)*a**2*d*x**3 - 6*e**(c + d*x**2)*a*b*x - 6*e**(3*c)*int(e**(3*d*x**2)/(e**(4*c + 4*d*x**2) - 2*e**(2*c + 2*d*x**2) + 1),x)*a*b - 3*e**(2*c)*int(e**(2*d*x**2)/(e**(4*c + 4*d*x**2) - 2*e**(2*c + 2*d*x**2) + 1),x)*b**2 + 6*e**c*int(e**(d*x**2)/(e**(4*c + 4*d*x**2) - 2*e**(2*c + 2*d*x**2) + 1),x)*a*b + 24*e**c*int((e**(d*x**2)*x**2)/(e**(4*c + 4*d*x**2) - 2*e**(2*c + 2*d*x**2) + 1),x)*a*b*d + 3*int(1/(e**(4*c + 4*d*x**2) - 2*e**(2*c + 2*d*x**2) + 1),x)*b**2 - a**2*d*x**3 - 3*b**2*x)/(3*d*(e**(2*c + 2*d*x**2) - 1))
```

$$3.17 \quad \int \frac{(a+b\operatorname{csch}(c+dx^2))^2}{x^2} dx$$

Optimal result	148
Mathematica [N/A]	148
Rubi [N/A]	149
Maple [N/A]	149
Fricas [N/A]	150
Sympy [N/A]	150
Maxima [N/A]	150
Giac [N/A]	151
Mupad [N/A]	151
Reduce [N/A]	152

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{(a + b\operatorname{csch}(c + dx^2))^2}{x^2} dx = \operatorname{Int}\left(\frac{(a + b\operatorname{csch}(c + dx^2))^2}{x^2}, x\right)$$

output `Defer(Int)((a+b*csch(d*x^2+c))^2/x^2,x)`

Mathematica [N/A]

Not integrable

Time = 29.76 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{(a + b\operatorname{csch}(c + dx^2))^2}{x^2} dx = \int \frac{(a + b\operatorname{csch}(c + dx^2))^2}{x^2} dx$$

input `Integrate[(a + b*Csch[c + d*x^2])^2/x^2,x]`

output `Integrate[(a + b*Csch[c + d*x^2])^2/x^2, x]`

Rubi [N/A]

Not integrable

Time = 0.18 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x^2} dx$$

↓ 5962

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x^2} dx$$

input `Int[(a + b*Csch[c + d*x^2])^2/x^2,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{(a + b \operatorname{csch}(dx^2 + c))^2}{x^2} dx$$

input `int((a+b*csch(d*x^2+c))^2/x^2,x)`

output `int((a+b*csch(d*x^2+c))^2/x^2,x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 36, normalized size of antiderivative = 2.00

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x^2} dx = \int \frac{(b \operatorname{csch}(dx^2 + c) + a)^2}{x^2} dx$$

input `integrate((a+b*csch(d*x^2+c))^2/x^2,x, algorithm="fricas")`

output `integral((b^2*csch(d*x^2 + c)^2 + 2*a*b*csch(d*x^2 + c) + a^2)/x^2, x)`

Sympy [N/A]

Not integrable

Time = 0.60 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.94

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x^2} dx = \int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x^2} dx$$

input `integrate((a+b*csch(d*x**2+c))**2/x**2,x)`

output `Integral((a + b*csch(c + d*x**2))**2/x**2, x)`

Maxima [N/A]

Not integrable

Time = 0.41 (sec) , antiderivative size = 118, normalized size of antiderivative = 6.56

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x^2} dx = \int \frac{(b \operatorname{csch}(dx^2 + c) + a)^2}{x^2} dx$$

input `integrate((a+b*csch(d*x^2+c))^2/x^2,x, algorithm="maxima")`

output

```
-b^2/(d*x^3*e^(2*d*x^2 + 2*c) - d*x^3) - a^2/x + integrate(1/2*(4*a*b*d*x^2 + 3*b^2)/(d*x^4*e^(d*x^2 + c) + d*x^4), x) + integrate(1/2*(4*a*b*d*x^2 - 3*b^2)/(d*x^4*e^(d*x^2 + c) - d*x^4), x)
```

Giac [N/A]

Not integrable

Time = 0.44 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x^2} dx = \int \frac{(b \operatorname{csch}(dx^2 + c) + a)^2}{x^2} dx$$

input

```
integrate((a+b*csch(d*x^2+c))^2/x^2,x, algorithm="giac")
```

output

```
integrate((b*csch(d*x^2 + c) + a)^2/x^2, x)
```

Mupad [N/A]

Not integrable

Time = 2.71 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x^2} dx = \int \frac{\left(a + \frac{b}{\sinh(dx^2+c)}\right)^2}{x^2} dx$$

input

```
int((a + b/sinh(c + d*x^2))^2/x^2,x)
```

output

```
int((a + b/sinh(c + d*x^2))^2/x^2, x)
```


Reduce [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 50, normalized size of antiderivative = 2.78

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x^2} dx = \frac{2 \left(\int \frac{\operatorname{csch}(dx^2+c)}{x^2} dx \right) abx + \left(\int \frac{\operatorname{csch}(dx^2+c)^2}{x^2} dx \right) b^2x - a^2}{x}$$

input `int((a+b*csch(d*x^2+c))^2/x^2,x)`output `(2*int(csch(c + d*x**2)/x**2,x)*a*b*x + int(csch(c + d*x**2)**2/x**2,x)*b**2*x - a**2)/x`

$$3.18 \quad \int \frac{(a+b\operatorname{csch}(c+dx^2))^2}{x^4} dx$$

Optimal result	153
Mathematica [N/A]	153
Rubi [N/A]	154
Maple [N/A]	154
Fricas [N/A]	155
Sympy [N/A]	155
Maxima [N/A]	155
Giac [N/A]	156
Mupad [N/A]	156
Reduce [N/A]	157

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{(a + b\operatorname{csch}(c + dx^2))^2}{x^4} dx = \operatorname{Int}\left(\frac{(a + b\operatorname{csch}(c + dx^2))^2}{x^4}, x\right)$$

output `Defer(Int)((a+b*csch(d*x^2+c))^2/x^4,x)`

Mathematica [N/A]

Not integrable

Time = 30.19 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{(a + b\operatorname{csch}(c + dx^2))^2}{x^4} dx = \int \frac{(a + b\operatorname{csch}(c + dx^2))^2}{x^4} dx$$

input `Integrate[(a + b*Csch[c + d*x^2])^2/x^4,x]`

output `Integrate[(a + b*Csch[c + d*x^2])^2/x^4, x]`

Rubi [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x^4} dx$$

↓ 5962

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x^4} dx$$

input `Int[(a + b*Csch[c + d*x^2])^2/x^4,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.12 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{(a + b \operatorname{csch}(dx^2 + c))^2}{x^4} dx$$

input `int((a+b*csch(d*x^2+c))^2/x^4,x)`

output `int((a+b*csch(d*x^2+c))^2/x^4,x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 36, normalized size of antiderivative = 2.00

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x^4} dx = \int \frac{(b \operatorname{csch}(dx^2 + c) + a)^2}{x^4} dx$$

input `integrate((a+b*csch(d*x^2+c))^2/x^4,x, algorithm="fricas")`

output `integral((b^2*csch(d*x^2 + c)^2 + 2*a*b*csch(d*x^2 + c) + a^2)/x^4, x)`

Sympy [N/A]

Not integrable

Time = 0.65 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.94

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x^4} dx = \int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x^4} dx$$

input `integrate((a+b*csch(d*x**2+c))**2/x**4,x)`

output `Integral((a + b*csch(c + d*x**2))**2/x**4, x)`

Maxima [N/A]

Not integrable

Time = 0.37 (sec) , antiderivative size = 118, normalized size of antiderivative = 6.56

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x^4} dx = \int \frac{(b \operatorname{csch}(dx^2 + c) + a)^2}{x^4} dx$$

input `integrate((a+b*csch(d*x^2+c))^2/x^4,x, algorithm="maxima")`

output

```
-b^2/(d*x^5*e^(2*d*x^2 + 2*c) - d*x^5) - 1/3*a^2/x^3 + integrate(1/2*(4*a*
b*d*x^2 + 5*b^2)/(d*x^6*e^(d*x^2 + c) + d*x^6), x) + integrate(1/2*(4*a*b*
d*x^2 - 5*b^2)/(d*x^6*e^(d*x^2 + c) - d*x^6), x)
```

Giac [N/A]

Not integrable

Time = 0.74 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x^4} dx = \int \frac{(b \operatorname{csch}(dx^2 + c) + a)^2}{x^4} dx$$

input

```
integrate((a+b*csch(d*x^2+c))^2/x^4,x, algorithm="giac")
```

output

```
integrate((b*csch(d*x^2 + c) + a)^2/x^4, x)
```

Mupad [N/A]

Not integrable

Time = 2.72 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x^4} dx = \int \frac{\left(a + \frac{b}{\sinh(dx^2+c)}\right)^2}{x^4} dx$$

input

```
int((a + b/sinh(c + d*x^2))^2/x^4,x)
```

output

```
int((a + b/sinh(c + d*x^2))^2/x^4, x)
```

Reduce [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 56, normalized size of antiderivative = 3.11

$$\int \frac{(a + b \operatorname{csch}(c + dx^2))^2}{x^4} dx = \frac{6 \left(\int \frac{\operatorname{csch}(dx^2+c)}{x^4} dx \right) ab x^3 + 3 \left(\int \frac{\operatorname{csch}(dx^2+c)^2}{x^4} dx \right) b^2 x^3 - a^2}{3x^3}$$

input `int((a+b*csch(d*x^2+c))^2/x^4,x)`output `(6*int(csch(c + d*x**2)/x**4,x)*a*b*x**3 + 3*int(csch(c + d*x**2)**2/x**4,x)*b**2*x**3 - a**2)/(3*x**3)`

3.19 $\int x \operatorname{csch}^7(a + bx^2) dx$

Optimal result	158
Mathematica [A] (verified)	158
Rubi [C] (verified)	159
Maple [A] (verified)	162
Fricas [B] (verification not implemented)	163
Sympy [F]	164
Maxima [B] (verification not implemented)	164
Giac [A] (verification not implemented)	165
Mupad [B] (verification not implemented)	165
Reduce [B] (verification not implemented)	166

Optimal result

Integrand size = 12, antiderivative size = 90

$$\int x \operatorname{csch}^7(a + bx^2) dx = \frac{5 \operatorname{arctanh}(\cosh(a + bx^2))}{32b} - \frac{5 \coth(a + bx^2) \operatorname{csch}(a + bx^2)}{32b} + \frac{5 \coth(a + bx^2) \operatorname{csch}^3(a + bx^2)}{48b} - \frac{\coth(a + bx^2) \operatorname{csch}^5(a + bx^2)}{12b}$$

output

$5/32*\operatorname{arctanh}(\cosh(b*x^2+a))/b-5/32*\coth(b*x^2+a)*\operatorname{csch}(b*x^2+a)/b+5/48*\coth(b*x^2+a)*\operatorname{csch}(b*x^2+a)^3/b-1/12*\coth(b*x^2+a)*\operatorname{csch}(b*x^2+a)^5/b$

Mathematica [A] (verified)

Time = 0.08 (sec) , antiderivative size = 167, normalized size of antiderivative = 1.86

$$\int x \operatorname{csch}^7(a + bx^2) dx = -\frac{5 \operatorname{csch}^2(\frac{1}{2}(a + bx^2))}{128b} + \frac{\operatorname{csch}^4(\frac{1}{2}(a + bx^2))}{128b} - \frac{\operatorname{csch}^6(\frac{1}{2}(a + bx^2))}{768b} + \frac{5 \log(\cosh(\frac{1}{2}(a + bx^2)))}{32b} - \frac{5 \log(\sinh(\frac{1}{2}(a + bx^2)))}{32b} - \frac{5 \operatorname{sech}^2(\frac{1}{2}(a + bx^2))}{128b} - \frac{\operatorname{sech}^4(\frac{1}{2}(a + bx^2))}{128b} - \frac{\operatorname{sech}^6(\frac{1}{2}(a + bx^2))}{768b}$$

input `Integrate[x*Csch[a + b*x^2]^7,x]`

output $(-5*\text{Csch}[(a + b*x^2)/2]^2)/(128*b) + \text{Csch}[(a + b*x^2)/2]^4/(128*b) - \text{Csch}[(a + b*x^2)/2]^6/(768*b) + (5*\text{Log}[\text{Cosh}[(a + b*x^2)/2]])/(32*b) - (5*\text{Log}[\text{Sinh}[(a + b*x^2)/2]])/(32*b) - (5*\text{Sech}[(a + b*x^2)/2]^2)/(128*b) - \text{Sech}[(a + b*x^2)/2]^4/(128*b) - \text{Sech}[(a + b*x^2)/2]^6/(768*b)$

Rubi [C] (verified)

Result contains complex when optimal does not.

Time = 0.50 (sec) , antiderivative size = 114, normalized size of antiderivative = 1.27, number of steps used = 17, number of rules used = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 1.333$, Rules used = {5960, 3042, 26, 4255, 26, 3042, 26, 4255, 26, 3042, 26, 4255, 26, 3042, 26, 4257}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x \text{csch}^7(a + bx^2) dx \\
 & \quad \downarrow \text{5960} \\
 & \frac{1}{2} \int \text{csch}^7(bx^2 + a) dx^2 \\
 & \quad \downarrow \text{3042} \\
 & \frac{1}{2} \int -i \csc(ibx^2 + ia)^7 dx^2 \\
 & \quad \downarrow \text{26} \\
 & -\frac{1}{2}i \int \csc(ibx^2 + ia)^7 dx^2 \\
 & \quad \downarrow \text{4255} \\
 & -\frac{1}{2}i \left(\frac{5}{6} \int -i \text{csch}^5(bx^2 + a) dx^2 - \frac{i \coth(a + bx^2) \text{csch}^5(a + bx^2)}{6b} \right) \\
 & \quad \downarrow \text{26}
 \end{aligned}$$

$$\begin{aligned}
& -\frac{1}{2}i \left(-\frac{5}{6} \int \operatorname{csch}^5(bx^2 + a) dx^2 - \frac{i \coth(a + bx^2) \operatorname{csch}^5(a + bx^2)}{6b} \right) \\
& \quad \downarrow \text{3042} \\
& -\frac{1}{2}i \left(-\frac{5}{6}i \int i \csc(ibx^2 + ia)^5 dx^2 - \frac{i \coth(a + bx^2) \operatorname{csch}^5(a + bx^2)}{6b} \right) \\
& \quad \downarrow \text{26} \\
& -\frac{1}{2}i \left(\frac{5}{6} \int \csc(ibx^2 + ia)^5 dx^2 - \frac{i \coth(a + bx^2) \operatorname{csch}^5(a + bx^2)}{6b} \right) \\
& \quad \downarrow \text{4255} \\
& -\frac{1}{2}i \left(\frac{5}{6} \left(\frac{3}{4} \int i \operatorname{csch}^3(bx^2 + a) dx^2 + \frac{i \coth(a + bx^2) \operatorname{csch}^3(a + bx^2)}{4b} \right) - \frac{i \coth(a + bx^2) \operatorname{csch}^5(a + bx^2)}{6b} \right) \\
& \quad \downarrow \text{26} \\
& -\frac{1}{2}i \left(\frac{5}{6} \left(\frac{3}{4}i \int \operatorname{csch}^3(bx^2 + a) dx^2 + \frac{i \coth(a + bx^2) \operatorname{csch}^3(a + bx^2)}{4b} \right) - \frac{i \coth(a + bx^2) \operatorname{csch}^5(a + bx^2)}{6b} \right) \\
& \quad \downarrow \text{3042} \\
& -\frac{1}{2}i \left(\frac{5}{6} \left(\frac{3}{4}i \int -i \csc(ibx^2 + ia)^3 dx^2 + \frac{i \coth(a + bx^2) \operatorname{csch}^3(a + bx^2)}{4b} \right) - \frac{i \coth(a + bx^2) \operatorname{csch}^5(a + bx^2)}{6b} \right) \\
& \quad \downarrow \text{26} \\
& -\frac{1}{2}i \left(\frac{5}{6} \left(\frac{3}{4} \int \csc(ibx^2 + ia)^3 dx^2 + \frac{i \coth(a + bx^2) \operatorname{csch}^3(a + bx^2)}{4b} \right) - \frac{i \coth(a + bx^2) \operatorname{csch}^5(a + bx^2)}{6b} \right) \\
& \quad \downarrow \text{4255} \\
& -\frac{1}{2}i \left(\frac{5}{6} \left(\frac{3}{4} \left(\frac{1}{2} \int -i \operatorname{csch}(bx^2 + a) dx^2 - \frac{i \coth(a + bx^2) \operatorname{csch}(a + bx^2)}{2b} \right) + \frac{i \coth(a + bx^2) \operatorname{csch}^3(a + bx^2)}{4b} \right) \right) \\
& \quad \downarrow \text{26} \\
& -\frac{1}{2}i \left(\frac{5}{6} \left(\frac{3}{4} \left(-\frac{1}{2}i \int \operatorname{csch}(bx^2 + a) dx^2 - \frac{i \coth(a + bx^2) \operatorname{csch}(a + bx^2)}{2b} \right) + \frac{i \coth(a + bx^2) \operatorname{csch}^3(a + bx^2)}{4b} \right) \right)
\end{aligned}$$

↓ 3042

$$-\frac{1}{2}i \left(\frac{5}{6} \left(\frac{3}{4} \left(-\frac{1}{2}i \int i \csc(ibx^2 + ia) dx^2 - \frac{i \coth(a + bx^2) \operatorname{csch}(a + bx^2)}{2b} \right) + \frac{i \coth(a + bx^2) \operatorname{csch}^3(a + bx^2)}{4b} \right) \right)$$

↓ 26

$$-\frac{1}{2}i \left(\frac{5}{6} \left(\frac{3}{4} \left(\frac{1}{2} \int \csc(ibx^2 + ia) dx^2 - \frac{i \coth(a + bx^2) \operatorname{csch}(a + bx^2)}{2b} \right) + \frac{i \coth(a + bx^2) \operatorname{csch}^3(a + bx^2)}{4b} \right) \right) - i$$

↓ 4257

$$-\frac{1}{2}i \left(\frac{5}{6} \left(\frac{3}{4} \left(\frac{i \operatorname{arctanh}(\cosh(a + bx^2))}{2b} - \frac{i \coth(a + bx^2) \operatorname{csch}(a + bx^2)}{2b} \right) + \frac{i \coth(a + bx^2) \operatorname{csch}^3(a + bx^2)}{4b} \right) \right) - i$$

input `Int[x*Csch[a + b*x^2]^7,x]`

output `(-1/2*I)*((((-1/6*I)*Coth[a + b*x^2]*Csch[a + b*x^2]^5)/b + (5*(((I/4)*Coth[a + b*x^2]*Csch[a + b*x^2]^3)/b + (3*(((I/2)*ArcTanh[Cosh[a + b*x^2]])/b - ((I/2)*Coth[a + b*x^2]*Csch[a + b*x^2])/b))/4))/6)`

Defintions of rubi rules used

rule 26 `Int[(Complex[0, a_])*(F_x_), x_Symbol] := Simp[(Complex[Identity[0], a]) Int[F_x, x], x] /; FreeQ[a, x] && EqQ[a^2, 1]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4255 `Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n_], x_Symbol] := Simp[(-b)*Cos[c + d*x]*(b*Csc[c + d*x]^(n-1)/(d*(n-1))), x] + Simp[b^2*(n-2)/(n-1) Int[(b*Csc[c + d*x])^(n-2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

rule 4257 `Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := Simp[-ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

rule 5960 `Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_.)]*(b_.))^(p_.)*(x_)^(m_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [A] (verified)

Time = 0.46 (sec) , antiderivative size = 62, normalized size of antiderivative = 0.69

method	result
derivativedivides	$\frac{\left(-\frac{\operatorname{csch}(bx^2+a)^5}{6} + \frac{5\operatorname{csch}(bx^2+a)^3}{24} - \frac{5\operatorname{csch}(bx^2+a)}{16}\right) \operatorname{coth}(bx^2+a) + \frac{5\operatorname{arctanh}\left(\frac{e^{bx^2+a}}{8}\right)}{8}}{2b}$
default	$\frac{\left(-\frac{\operatorname{csch}(bx^2+a)^5}{6} + \frac{5\operatorname{csch}(bx^2+a)^3}{24} - \frac{5\operatorname{csch}(bx^2+a)}{16}\right) \operatorname{coth}(bx^2+a) + \frac{5\operatorname{arctanh}\left(\frac{e^{bx^2+a}}{8}\right)}{8}}{2b}$
parallelrisch	$\frac{\tanh\left(\frac{bx^2}{2} + \frac{a}{2}\right)^6 - \operatorname{coth}\left(\frac{bx^2}{2} + \frac{a}{2}\right)^6 - 9\tanh\left(\frac{bx^2}{2} + \frac{a}{2}\right)^4 + 9\operatorname{coth}\left(\frac{bx^2}{2} + \frac{a}{2}\right)^4 + 45\tanh\left(\frac{bx^2}{2} + \frac{a}{2}\right)^2 - 45\operatorname{coth}\left(\frac{bx^2}{2} + \frac{a}{2}\right)^2}{768b}$
risch	$-\frac{e^{bx^2+a} \left(15e^{10bx^2+10a} - 85e^{8bx^2+8a} + 198e^{6bx^2+6a} + 198e^{4bx^2+4a} - 85e^{2bx^2+2a} + 15\right)}{48b \left(e^{2bx^2+2a} - 1\right)^6} + \frac{5\ln\left(1+e^{bx^2+a}\right)}{32b} - \frac{5}{32b}$

input `int(x*csch(b*x^2+a)^7,x,method=_RETURNVERBOSE)`

output $\frac{1}{2}/b*((-1/6*\operatorname{csch}(b*x^2+a)^5+5/24*\operatorname{csch}(b*x^2+a)^3-5/16*\operatorname{csch}(b*x^2+a))*\operatorname{coth}(b*x^2+a)+5/8*\operatorname{arctanh}(\exp(b*x^2+a)))$

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2590 vs. $2(82) = 164$.

Time = 0.11 (sec) , antiderivative size = 2590, normalized size of antiderivative = 28.78

$$\int x \operatorname{csch}^7(a + bx^2) dx = \text{Too large to display}$$

input `integrate(x*csch(b*x^2+a)^7,x, algorithm="fricas")`

output

```
-1/96*(30*cosh(b*x^2 + a)^11 + 330*cosh(b*x^2 + a)*sinh(b*x^2 + a)^10 + 30
*sinh(b*x^2 + a)^11 + 10*(165*cosh(b*x^2 + a)^2 - 17)*sinh(b*x^2 + a)^9 -
170*cosh(b*x^2 + a)^9 + 90*(55*cosh(b*x^2 + a)^3 - 17*cosh(b*x^2 + a))*sin
h(b*x^2 + a)^8 + 36*(275*cosh(b*x^2 + a)^4 - 170*cosh(b*x^2 + a)^2 + 11)*s
inh(b*x^2 + a)^7 + 396*cosh(b*x^2 + a)^7 + 84*(165*cosh(b*x^2 + a)^5 - 170
*cosh(b*x^2 + a)^3 + 33*cosh(b*x^2 + a))*sinh(b*x^2 + a)^6 + 36*(385*cosh(
b*x^2 + a)^6 - 595*cosh(b*x^2 + a)^4 + 231*cosh(b*x^2 + a)^2 + 11)*sinh(b*
x^2 + a)^5 + 396*cosh(b*x^2 + a)^5 + 180*(55*cosh(b*x^2 + a)^7 - 119*cosh(
b*x^2 + a)^5 + 77*cosh(b*x^2 + a)^3 + 11*cosh(b*x^2 + a))*sinh(b*x^2 + a)^
4 + 10*(495*cosh(b*x^2 + a)^8 - 1428*cosh(b*x^2 + a)^6 + 1386*cosh(b*x^2 +
a)^4 + 396*cosh(b*x^2 + a)^2 - 17)*sinh(b*x^2 + a)^3 - 170*cosh(b*x^2 + a
)^3 + 6*(275*cosh(b*x^2 + a)^9 - 1020*cosh(b*x^2 + a)^7 + 1386*cosh(b*x^2
+ a)^5 + 660*cosh(b*x^2 + a)^3 - 85*cosh(b*x^2 + a))*sinh(b*x^2 + a)^2 - 1
5*(cosh(b*x^2 + a)^12 + 12*cosh(b*x^2 + a)*sinh(b*x^2 + a)^11 + sinh(b*x^2
+ a)^12 + 6*(11*cosh(b*x^2 + a)^2 - 1)*sinh(b*x^2 + a)^10 - 6*cosh(b*x^2
+ a)^10 + 20*(11*cosh(b*x^2 + a)^3 - 3*cosh(b*x^2 + a))*sinh(b*x^2 + a)^9
+ 15*(33*cosh(b*x^2 + a)^4 - 18*cosh(b*x^2 + a)^2 + 1)*sinh(b*x^2 + a)^8 +
15*cosh(b*x^2 + a)^8 + 24*(33*cosh(b*x^2 + a)^5 - 30*cosh(b*x^2 + a)^3 +
5*cosh(b*x^2 + a))*sinh(b*x^2 + a)^7 + 4*(231*cosh(b*x^2 + a)^6 - 315*cosh
(b*x^2 + a)^4 + 105*cosh(b*x^2 + a)^2 - 5)*sinh(b*x^2 + a)^6 - 20*cosh(...
```

Sympy [F]

$$\int x \operatorname{csch}^7(a + bx^2) dx = \int x \operatorname{csch}^7(a + bx^2) dx$$

input `integrate(x*csch(b*x**2+a)**7,x)`

output `Integral(x*csch(a + b*x**2)**7, x)`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 205 vs. 2(82) = 164.

Time = 0.08 (sec) , antiderivative size = 205, normalized size of antiderivative = 2.28

$$\int x \operatorname{csch}^7(a + bx^2) dx = \frac{5 \log(e^{(-bx^2-a)} + 1)}{32b} - \frac{5 \log(e^{(-bx^2-a)} - 1)}{32b} + \frac{15e^{(-bx^2-a)} - 85e^{(-3bx^2-3a)} + 198e^{(-5bx^2-5a)} + 198e^{(-7bx^2-7a)} - 85e^{(-9bx^2-9a)} + 15e^{(-11bx^2-11a)}}{48b(6e^{(-2bx^2-2a)} - 15e^{(-4bx^2-4a)} + 20e^{(-6bx^2-6a)} - 15e^{(-8bx^2-8a)} + 6e^{(-10bx^2-10a)} - e^{(-12bx^2-12a)} - 1)}$$

input `integrate(x*csch(b*x^2+a)^7,x, algorithm="maxima")`

output `5/32*log(e^(-b*x^2 - a) + 1)/b - 5/32*log(e^(-b*x^2 - a) - 1)/b + 1/48*(15*e^(-b*x^2 - a) - 85*e^(-3*b*x^2 - 3*a) + 198*e^(-5*b*x^2 - 5*a) + 198*e^(-7*b*x^2 - 7*a) - 85*e^(-9*b*x^2 - 9*a) + 15*e^(-11*b*x^2 - 11*a))/(b*(6*e^(-2*b*x^2 - 2*a) - 15*e^(-4*b*x^2 - 4*a) + 20*e^(-6*b*x^2 - 6*a) - 15*e^(-8*b*x^2 - 8*a) + 6*e^(-10*b*x^2 - 10*a) - e^(-12*b*x^2 - 12*a) - 1))`

Giac [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 158, normalized size of antiderivative = 1.76

$$\int x \operatorname{csch}^7(a + bx^2) dx$$

$$= \frac{5 \log\left(e^{(bx^2+a)} + e^{(-bx^2-a)} + 2\right)}{64b} - \frac{5 \log\left(e^{(bx^2+a)} + e^{(-bx^2-a)} - 2\right)}{64b}$$

$$- \frac{15 \left(e^{(bx^2+a)} + e^{(-bx^2-a)}\right)^5 - 160 \left(e^{(bx^2+a)} + e^{(-bx^2-a)}\right)^3 + 528 e^{(bx^2+a)} + 528 e^{(-bx^2-a)}}{48 \left(\left(e^{(bx^2+a)} + e^{(-bx^2-a)}\right)^2 - 4\right)^3 b}$$

input `integrate(x*csch(b*x^2+a)^7,x, algorithm="giac")`output `5/64*log(e^(b*x^2 + a) + e^(-b*x^2 - a) + 2)/b - 5/64*log(e^(b*x^2 + a) + e^(-b*x^2 - a) - 2)/b - 1/48*(15*(e^(b*x^2 + a) + e^(-b*x^2 - a))^5 - 160*(e^(b*x^2 + a) + e^(-b*x^2 - a))^3 + 528*e^(b*x^2 + a) + 528*e^(-b*x^2 - a))/(((e^(b*x^2 + a) + e^(-b*x^2 - a))^2 - 4)^3*b)`**Mupad [B] (verification not implemented)**

Time = 2.40 (sec) , antiderivative size = 399, normalized size of antiderivative = 4.43

$$\int x \operatorname{csch}^7(a + bx^2) dx = \frac{5 \operatorname{atan}\left(\frac{e^a e^{bx^2} \sqrt{-b^2}}{b}\right)}{16 \sqrt{-b^2}}$$

$$- \frac{8 e^{3bx^2+3a}}{3b \left(5 e^{2bx^2+2a} - 10 e^{4bx^2+4a} + 10 e^{6bx^2+6a} - 5 e^{8bx^2+8a} + e^{10bx^2+10a} - 1\right)}$$

$$- \frac{5 e^{bx^2+a}}{b \left(6 e^{4bx^2+4a} - 4 e^{2bx^2+2a} - 4 e^{6bx^2+6a} + e^{8bx^2+8a} + 1\right)}$$

$$+ \frac{5 e^{bx^2+a}}{24b \left(e^{4bx^2+4a} - 2 e^{2bx^2+2a} + 1\right)}$$

$$- \frac{16 e^{5bx^2+5a}}{3b \left(15 e^{4bx^2+4a} - 6 e^{2bx^2+2a} - 20 e^{6bx^2+6a} + 15 e^{8bx^2+8a} - 6 e^{10bx^2+10a} + e^{12bx^2+12a} + 1\right)}$$

$$- \frac{5 e^{bx^2+a}}{6b \left(3 e^{2bx^2+2a} - 3 e^{4bx^2+4a} + e^{6bx^2+6a} - 1\right)} - \frac{1}{16b \left(e^{2bx^2+2a} - 1\right)}$$

input `int(x/sinh(a + b*x^2)^7,x)`

output
$$\begin{aligned} & (5*\operatorname{atan}((\exp(a)*\exp(b*x^2)*(-b^2)^{(1/2)})/b))/(16*(-b^2)^{(1/2)}) - (8*\exp(3*a + 3*b*x^2))/(3*b*(5*\exp(2*a + 2*b*x^2) - 10*\exp(4*a + 4*b*x^2) + 10*\exp(6*a + 6*b*x^2) - 5*\exp(8*a + 8*b*x^2) + \exp(10*a + 10*b*x^2) - 1)) - \exp(a + b*x^2)/(b*(6*\exp(4*a + 4*b*x^2) - 4*\exp(2*a + 2*b*x^2) - 4*\exp(6*a + 6*b*x^2) + \exp(8*a + 8*b*x^2) + 1)) + (5*\exp(a + b*x^2))/(24*b*(\exp(4*a + 4*b*x^2) - 2*\exp(2*a + 2*b*x^2) + 1)) - (16*\exp(5*a + 5*b*x^2))/(3*b*(15*\exp(4*a + 4*b*x^2) - 6*\exp(2*a + 2*b*x^2) - 20*\exp(6*a + 6*b*x^2) + 15*\exp(8*a + 8*b*x^2) - 6*\exp(10*a + 10*b*x^2) + \exp(12*a + 12*b*x^2) + 1)) - \exp(a + b*x^2)/(6*b*(3*\exp(2*a + 2*b*x^2) - 3*\exp(4*a + 4*b*x^2) + \exp(6*a + 6*b*x^2) - 1)) - (5*\exp(a + b*x^2))/(16*b*(\exp(2*a + 2*b*x^2) - 1)) \end{aligned}$$

Reduce [B] (verification not implemented)

Time = 0.23 (sec) , antiderivative size = 513, normalized size of antiderivative = 5.70

$$\int x \operatorname{csch}^7(a + bx^2) dx$$

$$= \frac{-15e^{12bx^2+12a}\log(e^{bx^2+a} - 1) + 15e^{12bx^2+12a}\log(e^{bx^2+a} + 1) - 30e^{11bx^2+11a} + 90e^{10bx^2+10a}\log(e^{bx^2+a} - 1) + 90e^{10bx^2+10a}\log(e^{bx^2+a} + 1) - 30e^{9bx^2+9a} + 90e^{8bx^2+8a}\log(e^{bx^2+a} - 1) + 90e^{8bx^2+8a}\log(e^{bx^2+a} + 1) - 30e^{7bx^2+7a} + 90e^{6bx^2+6a}\log(e^{bx^2+a} - 1) + 90e^{6bx^2+6a}\log(e^{bx^2+a} + 1) - 30e^{5bx^2+5a} + 90e^{4bx^2+4a}\log(e^{bx^2+a} - 1) + 90e^{4bx^2+4a}\log(e^{bx^2+a} + 1) - 30e^{3bx^2+3a} + 90e^{2bx^2+2a}\log(e^{bx^2+a} - 1) + 90e^{2bx^2+2a}\log(e^{bx^2+a} + 1) - 30e^{bx^2+a} + 90\log(e^{bx^2+a} - 1) + 90\log(e^{bx^2+a} + 1)}{12b}$$

input `int(x*csch(b*x^2+a)^7,x)`

output

```
( - 15*e**(12*a + 12*b*x**2)*log(e**(a + b*x**2) - 1) + 15*e**(12*a + 12*b
*x**2)*log(e**(a + b*x**2) + 1) - 30*e**(11*a + 11*b*x**2) + 90*e**(10*a +
10*b*x**2)*log(e**(a + b*x**2) - 1) - 90*e**(10*a + 10*b*x**2)*log(e**(a
+ b*x**2) + 1) + 170*e**(9*a + 9*b*x**2) - 225*e**(8*a + 8*b*x**2)*log(e**
(a + b*x**2) - 1) + 225*e**(8*a + 8*b*x**2)*log(e**(a + b*x**2) + 1) - 396
*e**(7*a + 7*b*x**2) + 300*e**(6*a + 6*b*x**2)*log(e**(a + b*x**2) - 1) -
300*e**(6*a + 6*b*x**2)*log(e**(a + b*x**2) + 1) - 396*e**(5*a + 5*b*x**2)
- 225*e**(4*a + 4*b*x**2)*log(e**(a + b*x**2) - 1) + 225*e**(4*a + 4*b*x*
*2)*log(e**(a + b*x**2) + 1) + 170*e**(3*a + 3*b*x**2) + 90*e**(2*a + 2*b*
x**2)*log(e**(a + b*x**2) - 1) - 90*e**(2*a + 2*b*x**2)*log(e**(a + b*x**2
) + 1) - 30*e**(a + b*x**2) - 15*log(e**(a + b*x**2) - 1) + 15*log(e**(a +
b*x**2) + 1))/(96*b*(e**(12*a + 12*b*x**2) - 6*e**(10*a + 10*b*x**2) + 15
*e**(8*a + 8*b*x**2) - 20*e**(6*a + 6*b*x**2) + 15*e**(4*a + 4*b*x**2) - 6
*e**(2*a + 2*b*x**2) + 1))
```


3.20 $\int \frac{x^5}{a+b\mathbf{csch}(c+dx^2)} dx$

Optimal result	168
Mathematica [A] (verified)	169
Rubi [A] (verified)	169
Maple [F]	171
Fricas [B] (verification not implemented)	171
Sympy [F]	172
Maxima [F]	172
Giac [F]	173
Mupad [F(-1)]	173
Reduce [F]	173

Optimal result

Integrand size = 18, antiderivative size = 325

$$\int \frac{x^5}{a+b\mathbf{csch}(c+dx^2)} dx = \frac{x^6}{6a} - \frac{bx^4 \log\left(1 + \frac{ae^{c+dx^2}}{b-\sqrt{a^2+b^2}}\right)}{2a\sqrt{a^2+b^2}d} + \frac{bx^4 \log\left(1 + \frac{ae^{c+dx^2}}{b+\sqrt{a^2+b^2}}\right)}{2a\sqrt{a^2+b^2}d}$$

$$- \frac{bx^2 \text{PolyLog}\left(2, -\frac{ae^{c+dx^2}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^2}$$

$$+ \frac{bx^2 \text{PolyLog}\left(2, -\frac{ae^{c+dx^2}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^2}$$

$$+ \frac{b \text{PolyLog}\left(3, -\frac{ae^{c+dx^2}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^3} - \frac{b \text{PolyLog}\left(3, -\frac{ae^{c+dx^2}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^3}$$

output

```
1/6*x^6/a-1/2*b*x^4*ln(1+a*exp(d*x^2+c)/(b-(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d+1/2*b*x^4*ln(1+a*exp(d*x^2+c)/(b+(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d-b*x^2*polylog(2,-a*exp(d*x^2+c)/(b-(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d^2+b*x^2*polylog(2,-a*exp(d*x^2+c)/(b+(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d^2+b*polylog(3,-a*exp(d*x^2+c)/(b-(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d^3-b*polylog(3,-a*exp(d*x^2+c)/(b+(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d^3
```

Mathematica [A] (verified)

Time = 0.22 (sec) , antiderivative size = 256, normalized size of antiderivative = 0.79

$$\int \frac{x^5}{a + b \operatorname{csch}(c + dx^2)} dx$$

$$= \frac{\sqrt{a^2 + b^2} d^3 x^6 - 3bd^2 x^4 \log\left(1 + \frac{ae^{c+dx^2}}{b - \sqrt{a^2 + b^2}}\right) + 3bd^2 x^4 \log\left(1 + \frac{ae^{c+dx^2}}{b + \sqrt{a^2 + b^2}}\right) - 6bdx^2 \operatorname{PolyLog}\left(2, \frac{ae^{c+dx^2}}{-b + \sqrt{a^2 + b^2}}\right) + 6bdx^2 \operatorname{PolyLog}\left(2, \frac{ae^{c+dx^2}}{b + \sqrt{a^2 + b^2}}\right) + 6b \operatorname{PolyLog}\left[3, \frac{ae^{c+dx^2}}{-b + \sqrt{a^2 + b^2}}\right] - 6b \operatorname{PolyLog}\left[3, \frac{ae^{c+dx^2}}{b + \sqrt{a^2 + b^2}}\right]}{6a\sqrt{a^2 + b^2}}$$

input `Integrate[x^5/(a + b*Csch[c + d*x^2]),x]`

output

```
(Sqrt[a^2 + b^2]*d^3*x^6 - 3*b*d^2*x^4*Log[1 + (a*E^(c + d*x^2))/(b - Sqrt[a^2 + b^2])] + 3*b*d^2*x^4*Log[1 + (a*E^(c + d*x^2))/(b + Sqrt[a^2 + b^2])] - 6*b*d*x^2*PolyLog[2, (a*E^(c + d*x^2))/(-b + Sqrt[a^2 + b^2])] + 6*b*d*x^2*PolyLog[2, -(a*E^(c + d*x^2))/(b + Sqrt[a^2 + b^2])] + 6*b*PolyLog[3, (a*E^(c + d*x^2))/(-b + Sqrt[a^2 + b^2])] - 6*b*PolyLog[3, -(a*E^(c + d*x^2))/(b + Sqrt[a^2 + b^2])])/(6*a*Sqrt[a^2 + b^2]*d^3)
```

Rubi [A] (verified)Time = 1.17 (sec) , antiderivative size = 326, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {5960, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^5}{a + b \operatorname{csch}(c + dx^2)} dx$$

$$\downarrow \text{5960}$$

$$\frac{1}{2} \int \frac{x^4}{a + b \operatorname{csch}(dx^2 + c)} dx^2$$

$$\downarrow \text{3042}$$

$$\frac{1}{2} \int \frac{x^4}{a + ib \operatorname{csc}(idx^2 + ic)} dx^2$$

$$\frac{1}{2} \int \left(\frac{x^4}{a} - \frac{bx^4}{a(b + a \sinh(dx^2 + c))} \right) dx^2$$

$$\frac{1}{2} \left(\frac{2b \operatorname{PolyLog}\left(3, -\frac{ae^{dx^2+c}}{b-\sqrt{a^2+b^2}}\right)}{ad^3\sqrt{a^2+b^2}} - \frac{2b \operatorname{PolyLog}\left(3, -\frac{ae^{dx^2+c}}{b+\sqrt{a^2+b^2}}\right)}{ad^3\sqrt{a^2+b^2}} - \frac{2bx^2 \operatorname{PolyLog}\left(2, -\frac{ae^{dx^2+c}}{b-\sqrt{a^2+b^2}}\right)}{ad^2\sqrt{a^2+b^2}} + \frac{2bx^2 \operatorname{PolyLog}\left(2, -\frac{ae^{dx^2+c}}{b+\sqrt{a^2+b^2}}\right)}{ad^2\sqrt{a^2+b^2}} \right)$$

input `Int[x^5/(a + b*Csch[c + d*x^2]),x]`

output `(x^6/(3*a) - (b*x^4*Log[1 + (a*E^(c + d*x^2))/(b - Sqrt[a^2 + b^2]])/(a*Sqrt[a^2 + b^2]*d) + (b*x^4*Log[1 + (a*E^(c + d*x^2))/(b + Sqrt[a^2 + b^2]])/(a*Sqrt[a^2 + b^2]*d) - (2*b*x^2*PolyLog[2, -((a*E^(c + d*x^2))/(b - Sqrt[a^2 + b^2]])]/(a*Sqrt[a^2 + b^2]*d^2) + (2*b*x^2*PolyLog[2, -((a*E^(c + d*x^2))/(b + Sqrt[a^2 + b^2]])]/(a*Sqrt[a^2 + b^2]*d^2) + (2*b*PolyLog[3, -((a*E^(c + d*x^2))/(b - Sqrt[a^2 + b^2]])]/(a*Sqrt[a^2 + b^2]*d^3) - (2*b*PolyLog[3, -((a*E^(c + d*x^2))/(b + Sqrt[a^2 + b^2]])]/(a*Sqrt[a^2 + b^2]*d^3)))/2`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4679 `Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*SIN[e + f*x]^n)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]`

rule 5960

```
Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_.)]*(b_.))^(p_.)*(x_)^(m_.), x_Symbol]
  := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x], x, x^n], x]
  /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]
```

Maple [F]

$$\int \frac{x^5}{a + b \operatorname{csch}(dx^2 + c)} dx$$

input

```
int(x^5/(a+b*csch(d*x^2+c)),x)
```

output

```
int(x^5/(a+b*csch(d*x^2+c)),x)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 686 vs. $2(287) = 574$.

Time = 0.11 (sec) , antiderivative size = 686, normalized size of antiderivative = 2.11

$$\int \frac{x^5}{a + b \operatorname{csch}(c + dx^2)} dx = \text{Too large to display}$$

input

```
integrate(x^5/(a+b*csch(d*x^2+c)),x, algorithm="fricas")
```

output

```

1/6*((a^2 + b^2)*d^3*x^6 - 6*a*b*d*x^2*sqrt((a^2 + b^2)/a^2)*dilog((b*cosh
(d*x^2 + c) + b*sinh(d*x^2 + c) + (a*cosh(d*x^2 + c) + a*sinh(d*x^2 + c))*
sqrt((a^2 + b^2)/a^2) - a)/a + 1) + 6*a*b*d*x^2*sqrt((a^2 + b^2)/a^2)*dilo
g((b*cosh(d*x^2 + c) + b*sinh(d*x^2 + c) - (a*cosh(d*x^2 + c) + a*sinh(d*x
^2 + c))*sqrt((a^2 + b^2)/a^2) - a)/a + 1) + 3*a*b*c^2*sqrt((a^2 + b^2)/a^
2)*log(2*a*cosh(d*x^2 + c) + 2*a*sinh(d*x^2 + c) + 2*a*sqrt((a^2 + b^2)/a^
2) + 2*b) - 3*a*b*c^2*sqrt((a^2 + b^2)/a^2)*log(2*a*cosh(d*x^2 + c) + 2*a*
sinh(d*x^2 + c) - 2*a*sqrt((a^2 + b^2)/a^2) + 2*b) + 6*a*b*sqrt((a^2 + b^2
)/a^2)*polylog(3, (b*cosh(d*x^2 + c) + b*sinh(d*x^2 + c) + (a*cosh(d*x^2 +
c) + a*sinh(d*x^2 + c))*sqrt((a^2 + b^2)/a^2))/a) - 6*a*b*sqrt((a^2 + b^2
)/a^2)*polylog(3, (b*cosh(d*x^2 + c) + b*sinh(d*x^2 + c) - (a*cosh(d*x^2 +
c) + a*sinh(d*x^2 + c))*sqrt((a^2 + b^2)/a^2))/a) - 3*(a*b*d^2*x^4 - a*b*
c^2)*sqrt((a^2 + b^2)/a^2)*log(-(b*cosh(d*x^2 + c) + b*sinh(d*x^2 + c) + (
a*cosh(d*x^2 + c) + a*sinh(d*x^2 + c))*sqrt((a^2 + b^2)/a^2) - a)/a) + 3*(
a*b*d^2*x^4 - a*b*c^2)*sqrt((a^2 + b^2)/a^2)*log(-(b*cosh(d*x^2 + c) + b*s
inh(d*x^2 + c) - (a*cosh(d*x^2 + c) + a*sinh(d*x^2 + c))*sqrt((a^2 + b^2)/
a^2) - a)/a)/((a^3 + a*b^2)*d^3)

```

Sympy [F]

$$\int \frac{x^5}{a + b \operatorname{csch}(c + dx^2)} dx = \int \frac{x^5}{a + b \operatorname{csch}(c + dx^2)} dx$$

input

```
integrate(x**5/(a+b*csch(d*x**2+c)),x)
```

output

```
Integral(x**5/(a + b*csch(c + d*x**2)), x)
```

Maxima [F]

$$\int \frac{x^5}{a + b \operatorname{csch}(c + dx^2)} dx = \int \frac{x^5}{b \operatorname{csch}(dx^2 + c) + a} dx$$

input

```
integrate(x^5/(a+b*csch(d*x^2+c)),x, algorithm="maxima")
```

output `1/6*x^6/a - 2*b*integrate(x^5*e^(d*x^2 + c)/(a^2*e^(2*d*x^2 + 2*c) + 2*a*b*e^(d*x^2 + c) - a^2), x)`

Giac [F]

$$\int \frac{x^5}{a + b \operatorname{csch}(c + dx^2)} dx = \int \frac{x^5}{b \operatorname{csch}(dx^2 + c) + a} dx$$

input `integrate(x^5/(a+b*csch(d*x^2+c)),x, algorithm="giac")`

output `integrate(x^5/(b*csch(d*x^2 + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x^5}{a + b \operatorname{csch}(c + dx^2)} dx = \int \frac{x^5}{a + \frac{b}{\sinh(dx^2+c)}} dx$$

input `int(x^5/(a + b/sinh(c + d*x^2)),x)`

output `int(x^5/(a + b/sinh(c + d*x^2)), x)`

Reduce [F]

$$\int \frac{x^5}{a + b \operatorname{csch}(c + dx^2)} dx = e^{2c} \left(\int \frac{e^{2dx^2} x^5}{e^{2dx^2+2c} a + 2e^{dx^2+c} b - a} dx \right) - \left(\int \frac{x^5}{e^{2dx^2+2c} a + 2e^{dx^2+c} b - a} dx \right)$$

input `int(x^5/(a+b*csch(d*x^2+c)),x)`

output

```
e**(2*c)*int((e**(2*d*x**2)*x**5)/(e**(2*c + 2*d*x**2)*a + 2*e**(c + d*x**2)*b - a),x) - int(x**5/(e**(2*c + 2*d*x**2)*a + 2*e**(c + d*x**2)*b - a),x)
```

3.21 $\int \frac{x^3}{a+b\mathbf{csch}(c+dx^2)} dx$

Optimal result	175
Mathematica [A] (verified)	176
Rubi [A] (verified)	176
Maple [F]	178
Fricas [B] (verification not implemented)	178
Sympy [F]	179
Maxima [F]	179
Giac [F]	179
Mupad [F(-1)]	180
Reduce [F]	180

Optimal result

Integrand size = 18, antiderivative size = 225

$$\int \frac{x^3}{a + b\mathbf{csch}(c + dx^2)} dx = \frac{x^4}{4a} - \frac{bx^2 \log\left(1 + \frac{ae^{c+dx^2}}{b-\sqrt{a^2+b^2}}\right)}{2a\sqrt{a^2+b^2}d} + \frac{bx^2 \log\left(1 + \frac{ae^{c+dx^2}}{b+\sqrt{a^2+b^2}}\right)}{2a\sqrt{a^2+b^2}d} - \frac{b \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^2}}{b-\sqrt{a^2+b^2}}\right)}{2a\sqrt{a^2+b^2}d^2} + \frac{b \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^2}}{b+\sqrt{a^2+b^2}}\right)}{2a\sqrt{a^2+b^2}d^2}$$

output

```
1/4*x^4/a-1/2*b*x^2*ln(1+a*exp(d*x^2+c)/(b-(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d+1/2*b*x^2*ln(1+a*exp(d*x^2+c)/(b+(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d-1/2*b*polylog(2,-a*exp(d*x^2+c)/(b-(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d^2+1/2*b*polylog(2,-a*exp(d*x^2+c)/(b+(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d^2
```


Mathematica [A] (verified)

Time = 0.12 (sec) , antiderivative size = 175, normalized size of antiderivative = 0.78

$$\int \frac{x^3}{a + b \operatorname{csch}(c + dx^2)} dx$$

$$= \frac{dx^2 \left(\sqrt{a^2 + b^2} dx^2 - 2b \log \left(1 + \frac{ae^{c+dx^2}}{b - \sqrt{a^2 + b^2}} \right) + 2b \log \left(1 + \frac{ae^{c+dx^2}}{b + \sqrt{a^2 + b^2}} \right) \right) - 2b \operatorname{PolyLog} \left(2, \frac{ae^{c+dx^2}}{-b + \sqrt{a^2 + b^2}} \right) + 2b \operatorname{PolyLog} \left(2, \frac{ae^{c+dx^2}}{b + \sqrt{a^2 + b^2}} \right)}{4a\sqrt{a^2 + b^2}d^2}$$

input `Integrate[x^3/(a + b*Csch[c + d*x^2]),x]`

output `(d*x^2*(Sqrt[a^2 + b^2]*d*x^2 - 2*b*Log[1 + (a*E^(c + d*x^2))/(b - Sqrt[a^2 + b^2]]) + 2*b*Log[1 + (a*E^(c + d*x^2))/(b + Sqrt[a^2 + b^2]]) - 2*b*PolyLog[2, (a*E^(c + d*x^2))/(-b + Sqrt[a^2 + b^2])] + 2*b*PolyLog[2, -(a*E^(c + d*x^2))/(b + Sqrt[a^2 + b^2])])/(4*a*Sqrt[a^2 + b^2]*d^2)`

Rubi [A] (verified)

Time = 0.82 (sec) , antiderivative size = 219, normalized size of antiderivative = 0.97, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {5960, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^3}{a + b \operatorname{csch}(c + dx^2)} dx$$

$$\downarrow \text{5960}$$

$$\frac{1}{2} \int \frac{x^2}{a + b \operatorname{csch}(dx^2 + c)} dx^2$$

$$\downarrow \text{3042}$$

$$\frac{1}{2} \int \frac{x^2}{a + ib \operatorname{csc}(idx^2 + ic)} dx^2$$

$$\downarrow \text{4679}$$

$$\frac{1}{2} \int \left(\frac{x^2}{a} - \frac{bx^2}{a(b + a \sinh(dx^2 + c))} \right) dx^2$$

↓ 2009

$$\frac{1}{2} \left(-\frac{b \operatorname{PolyLog}\left(2, -\frac{ae^{dx^2+c}}{b-\sqrt{a^2+b^2}}\right)}{ad^2\sqrt{a^2+b^2}} + \frac{b \operatorname{PolyLog}\left(2, -\frac{ae^{dx^2+c}}{b+\sqrt{a^2+b^2}}\right)}{ad^2\sqrt{a^2+b^2}} - \frac{bx^2 \log\left(\frac{ae^{c+dx^2}}{b-\sqrt{a^2+b^2}} + 1\right)}{ad\sqrt{a^2+b^2}} + \frac{bx^2 \log\left(\frac{ae^{c+dx^2}}{\sqrt{a^2+b^2}+b}\right)}{ad\sqrt{a^2+b^2}} \right)$$

input `Int[x^3/(a + b*Csch[c + d*x^2]),x]`

output `(x^4/(2*a) - (b*x^2*Log[1 + (a*E^(c + d*x^2))/(b - Sqrt[a^2 + b^2]]))/(a*Sqrt[a^2 + b^2]*d) + (b*x^2*Log[1 + (a*E^(c + d*x^2))/(b + Sqrt[a^2 + b^2]]))/(a*Sqrt[a^2 + b^2]*d) - (b*PolyLog[2, -((a*E^(c + d*x^2))/(b - Sqrt[a^2 + b^2]))]/(a*Sqrt[a^2 + b^2]*d^2) + (b*PolyLog[2, -((a*E^(c + d*x^2))/(b + Sqrt[a^2 + b^2]))]/(a*Sqrt[a^2 + b^2]*d^2)))/2`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4679 `Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Sin[e + f*x]^n)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]`

rule 5960 `Int[((a_.) + Csch[(c_.) + (d_.)*(x_.)^(n_.)]*(b_.))^(p_.)*(x_.)^(m_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [F]

$$\int \frac{x^3}{a + b \operatorname{csch}(dx^2 + c)} dx$$

input `int(x^3/(a+b*csch(d*x^2+c)),x)`

output `int(x^3/(a+b*csch(d*x^2+c)),x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 505 vs. $2(193) = 386$.

Time = 0.10 (sec) , antiderivative size = 505, normalized size of antiderivative = 2.24

$$\int \frac{x^3}{a + b \operatorname{csch}(c + dx^2)} dx$$

$$= \frac{(a^2 + b^2)d^2x^4 - 2abc\sqrt{\frac{a^2+b^2}{a^2}} \log\left(2a \cosh(dx^2 + c) + 2a \sinh(dx^2 + c) + 2a\sqrt{\frac{a^2+b^2}{a^2}} + 2b\right) + 2abc\sqrt{\frac{a^2+b^2}{a^2}}}{(a^2 + b^2)d^2x^4 - 2abc\sqrt{\frac{a^2+b^2}{a^2}} \log\left(2a \cosh(dx^2 + c) + 2a \sinh(dx^2 + c) + 2a\sqrt{\frac{a^2+b^2}{a^2}} + 2b\right) + 2abc\sqrt{\frac{a^2+b^2}{a^2}}}$$

input `integrate(x^3/(a+b*csch(d*x^2+c)),x, algorithm="fricas")`

output

```
1/4*((a^2 + b^2)*d^2*x^4 - 2*a*b*c*sqrt((a^2 + b^2)/a^2)*log(2*a*cosh(d*x^2 + c) + 2*a*sinh(d*x^2 + c) + 2*a*sqrt((a^2 + b^2)/a^2) + 2*b) + 2*a*b*c*sqrt((a^2 + b^2)/a^2)*log(2*a*cosh(d*x^2 + c) + 2*a*sinh(d*x^2 + c) - 2*a*sqrt((a^2 + b^2)/a^2) + 2*b) - 2*a*b*sqrt((a^2 + b^2)/a^2)*dilog((b*cosh(d*x^2 + c) + b*sinh(d*x^2 + c) + (a*cosh(d*x^2 + c) + a*sinh(d*x^2 + c))*sqrt((a^2 + b^2)/a^2) - a)/a + 1) + 2*a*b*sqrt((a^2 + b^2)/a^2)*dilog((b*cosh(d*x^2 + c) + b*sinh(d*x^2 + c) - (a*cosh(d*x^2 + c) + a*sinh(d*x^2 + c))*sqrt((a^2 + b^2)/a^2) - a)/a + 1) - 2*(a*b*d*x^2 + a*b*c)*sqrt((a^2 + b^2)/a^2)*log(-(b*cosh(d*x^2 + c) + b*sinh(d*x^2 + c) + (a*cosh(d*x^2 + c) + a*sinh(d*x^2 + c))*sqrt((a^2 + b^2)/a^2) - a)/a) + 2*(a*b*d*x^2 + a*b*c)*sqrt((a^2 + b^2)/a^2)*log(-(b*cosh(d*x^2 + c) + b*sinh(d*x^2 + c) - (a*cosh(d*x^2 + c) + a*sinh(d*x^2 + c))*sqrt((a^2 + b^2)/a^2) - a)/a)/((a^3 + a*b^2)*d^2)
```

Sympy [F]

$$\int \frac{x^3}{a + b \operatorname{csch}(c + dx^2)} dx = \int \frac{x^3}{a + b \operatorname{csch}(c + dx^2)} dx$$

input `integrate(x**3/(a+b*csch(d*x**2+c)),x)`

output `Integral(x**3/(a + b*csch(c + d*x**2)), x)`

Maxima [F]

$$\int \frac{x^3}{a + b \operatorname{csch}(c + dx^2)} dx = \int \frac{x^3}{b \operatorname{csch}(dx^2 + c) + a} dx$$

input `integrate(x^3/(a+b*csch(d*x^2+c)),x, algorithm="maxima")`

output `1/4*x^4/a - 2*b*integrate(x^3*e^(d*x^2 + c)/(a^2*e^(2*d*x^2 + 2*c) + 2*a*b*e^(d*x^2 + c) - a^2), x)`

Giac [F]

$$\int \frac{x^3}{a + b \operatorname{csch}(c + dx^2)} dx = \int \frac{x^3}{b \operatorname{csch}(dx^2 + c) + a} dx$$

input `integrate(x^3/(a+b*csch(d*x^2+c)),x, algorithm="giac")`

output `integrate(x^3/(b*csch(d*x^2 + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x^3}{a + b \operatorname{csch}(c + dx^2)} dx = \int \frac{x^3}{a + \frac{b}{\sinh(dx^2+c)}} dx$$

input `int(x^3/(a + b/sinh(c + d*x^2)),x)`output `int(x^3/(a + b/sinh(c + d*x^2)), x)`**Reduce [F]**

$$\int \frac{x^3}{a + b \operatorname{csch}(c + dx^2)} dx = e^{2c} \left(\int \frac{e^{2dx^2} x^3}{e^{2dx^2+2c} a + 2e^{dx^2+c} b - a} dx \right) - \left(\int \frac{x^3}{e^{2dx^2+2c} a + 2e^{dx^2+c} b - a} dx \right)$$

input `int(x^3/(a+b*csch(d*x^2+c)),x)`output `e**(2*c)*int((e**(2*d*x**2)*x**3)/(e**(2*c + 2*d*x**2)*a + 2*e**(c + d*x**2)*b - a),x) - int(x**3/(e**(2*c + 2*d*x**2)*a + 2*e**(c + d*x**2)*b - a),x)`

3.22 $\int \frac{x}{a+b\operatorname{csch}(c+dx^2)} dx$

Optimal result	181
Mathematica [A] (verified)	181
Rubi [A] (warning: unable to verify)	182
Maple [A] (verified)	184
Fricas [B] (verification not implemented)	184
Sympy [F]	185
Maxima [A] (verification not implemented)	185
Giac [A] (verification not implemented)	186
Mupad [B] (verification not implemented)	186
Reduce [B] (verification not implemented)	187

Optimal result

Integrand size = 16, antiderivative size = 60

$$\int \frac{x}{a + b\operatorname{csch}(c + dx^2)} dx = \frac{x^2}{2a} + \frac{\operatorname{barctanh}\left(\frac{a - b \tanh\left(\frac{1}{2}(c + dx^2)\right)}{\sqrt{a^2 + b^2}}\right)}{a\sqrt{a^2 + b^2}d}$$

output $\frac{1}{2}x^2/a + b \operatorname{arctanh}\left(\frac{a - b \tanh(1/2 * d * x^2 + 1/2 * c)}{(a^2 + b^2)^{1/2}}\right) / a / (a^2 + b^2)^{1/2} / d$

Mathematica [A] (verified)

Time = 0.10 (sec) , antiderivative size = 71, normalized size of antiderivative = 1.18

$$\int \frac{x}{a + b\operatorname{csch}(c + dx^2)} dx = \frac{\frac{c}{d} + x^2 - \frac{2b \operatorname{arctan}\left(\frac{a - b \tanh\left(\frac{1}{2}(c + dx^2)\right)}{\sqrt{-a^2 - b^2}}\right)}{\sqrt{-a^2 - b^2}d}}{2a}$$

input `Integrate[x/(a + b*Csch[c + d*x^2]),x]`

output $\frac{(c/d + x^2 - (2 * b * \operatorname{ArcTan}[(a - b * \operatorname{Tanh}[(c + d * x^2) / 2]) / \operatorname{Sqrt}[-a^2 - b^2]]) / (\operatorname{Sqrt}[-a^2 - b^2] * d))}{(2 * a)}$

Rubi [A] (warning: unable to verify)

Time = 0.41 (sec) , antiderivative size = 61, normalized size of antiderivative = 1.02, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$, Rules used = {5960, 3042, 4270, 3042, 3139, 1083, 217}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{x}{a + b \operatorname{csch}(c + dx^2)} dx \\
 & \quad \downarrow \text{5960} \\
 & \frac{1}{2} \int \frac{1}{a + b \operatorname{csch}(dx^2 + c)} dx^2 \\
 & \quad \downarrow \text{3042} \\
 & \frac{1}{2} \int \frac{1}{a + ib \csc(idx^2 + ic)} dx^2 \\
 & \quad \downarrow \text{4270} \\
 & \frac{1}{2} \left(\frac{x^2}{a} - \frac{\int \frac{1}{\frac{a \sinh(dx^2+c)}{b} + 1} dx^2}{a} \right) \\
 & \quad \downarrow \text{3042} \\
 & \frac{1}{2} \left(\frac{x^2}{a} - \frac{\int \frac{1}{1 - \frac{ia \sin(idx^2+ic)}{b}} dx^2}{a} \right) \\
 & \quad \downarrow \text{3139} \\
 & \frac{1}{2} \left(\frac{x^2}{a} + \frac{2i \int \frac{1}{x^4 + \frac{2a \tanh(\frac{1}{2}(dx^2+c))}{b} + 1} d(i \tanh(\frac{1}{2}(dx^2+c)))}{ad} \right) \\
 & \quad \downarrow \text{1083} \\
 & \frac{1}{2} \left(\frac{x^2}{a} - \frac{4i \int \frac{1}{-x^4 - 4(\frac{a^2}{b^2} + 1)} d(2i \tanh(\frac{1}{2}(dx^2+c)) - \frac{2ia}{b})}{ad} \right)
 \end{aligned}$$

$$\begin{array}{c} \downarrow 217 \\ \frac{1}{2} \left(\frac{x^2}{a} - \frac{2b \operatorname{arctanh} \left(\frac{b \tanh \left(\frac{1}{2}(c+dx^2) \right)}{2\sqrt{a^2+b^2}} \right)}{ad\sqrt{a^2+b^2}} \right) \end{array}$$

input `Int[x/(a + b*Csch[c + d*x^2]),x]`

output `(x^2/a - (2*b*ArcTanh[(b*Tanh[(c + d*x^2)/2])]/(2*Sqrt[a^2 + b^2]))/(a*Sqrt[a^2 + b^2]*d))/2`

Definitions of rubi rules used

rule 217 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-(Rt[-a, 2]*Rt[-b, 2])^(-1))*ArcTan[Rt[-b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])`

rule 1083 `Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Simp[-2 Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 3139 `Int[((a_) + (b_.)*sin[(c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Simp[2*(e/d) Subst[Int[1/(a + 2*b*e*x + a*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]`

rule 4270 `Int[(csc[(c_.) + (d_.)*(x_)])*(b_.) + (a_)^(-1), x_Symbol] := Simp[x/a, x] - Simp[1/a Int[1/(1 + (a/b)*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]`

rule 5960

```
Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_)]*(b_.))^(p_.)*(x_)^(m_.), x_Symbol]
:> Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]
```

Maple [A] (verified)

Time = 0.22 (sec) , antiderivative size = 89, normalized size of antiderivative = 1.48

method	result	size
derivativedivides	$\frac{2b \operatorname{arctanh}\left(\frac{-2b \tanh\left(\frac{dx^2+c}{2}\right)+2a}{2\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}} - \frac{\ln\left(\tanh\left(\frac{dx^2+c}{2}\right)-1\right) + \ln\left(1+\tanh\left(\frac{dx^2+c}{2}\right)\right)}{2d}$	89
default	$\frac{2b \operatorname{arctanh}\left(\frac{-2b \tanh\left(\frac{dx^2+c}{2}\right)+2a}{2\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}} - \frac{\ln\left(\tanh\left(\frac{dx^2+c}{2}\right)-1\right) + \ln\left(1+\tanh\left(\frac{dx^2+c}{2}\right)\right)}{2d}$	89
risch	$\frac{x^2}{2a} + \frac{b \ln\left(\frac{e^{dx^2+c} + b\sqrt{a^2+b^2+a^2+b^2}}{\sqrt{a^2+b^2}a}\right)}{2\sqrt{a^2+b^2}da} - \frac{b \ln\left(\frac{e^{dx^2+c} + b\sqrt{a^2+b^2-a^2-b^2}}{\sqrt{a^2+b^2}a}\right)}{2\sqrt{a^2+b^2}da}$	132

input

```
int(x/(a+b*csch(d*x^2+c)),x,method=_RETURNVERBOSE)
```

output

```
1/2/d*(2/a*b/(a^2+b^2)^(1/2)*arctanh(1/2*(-2*b*tanh(1/2*d*x^2+1/2*c)+2*a)/(a^2+b^2)^(1/2))-1/a*ln(tanh(1/2*d*x^2+1/2*c)-1)+1/a*ln(1+tanh(1/2*d*x^2+1/2*c)))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 213 vs. 2(55) = 110.

Time = 0.09 (sec) , antiderivative size = 213, normalized size of antiderivative = 3.55

$$\int \frac{x}{a + b \operatorname{csch}(c + dx^2)} dx = \frac{(a^2 + b^2)dx^2 + \sqrt{a^2 + b^2}b \log\left(\frac{a^2 \cosh(dx^2+c)^2 + a^2 \sinh(dx^2+c)^2 + 2ab \cosh(dx^2+c) + a^2 + 2b^2 + 2(a^2 \cosh(dx^2+c) + ab) \sinh(dx^2+c)}{a \cosh(dx^2+c)^2 + a \sinh(dx^2+c)^2 + 2b \cosh(dx^2+c) + 2(a \cosh(dx^2+c) + b \sinh(dx^2+c))}\right)}{2(a^3 + ab^2)d}$$

input `integrate(x/(a+b*csch(d*x^2+c)),x, algorithm="fricas")`

output `1/2*((a^2 + b^2)*d*x^2 + sqrt(a^2 + b^2)*b*log((a^2*cosh(d*x^2 + c)^2 + a^2*sinh(d*x^2 + c)^2 + 2*a*b*cosh(d*x^2 + c) + a^2 + 2*b^2 + 2*(a^2*cosh(d*x^2 + c) + a*b)*sinh(d*x^2 + c) + 2*sqrt(a^2 + b^2)*(a*cosh(d*x^2 + c) + a*sinh(d*x^2 + c) + b))/(a*cosh(d*x^2 + c)^2 + a*sinh(d*x^2 + c)^2 + 2*b*cosh(d*x^2 + c) + 2*(a*cosh(d*x^2 + c) + b)*sinh(d*x^2 + c) - a)))/((a^3 + a*b^2)*d)`

Sympy [F]

$$\int \frac{x}{a + b \operatorname{csch}(c + dx^2)} dx = \int \frac{x}{a + b \operatorname{csch}(c + dx^2)} dx$$

input `integrate(x/(a+b*csch(d*x**2+c)),x)`

output `Integral(x/(a + b*csch(c + d*x**2)), x)`

Maxima [A] (verification not implemented)

Time = 0.28 (sec) , antiderivative size = 92, normalized size of antiderivative = 1.53

$$\int \frac{x}{a + b \operatorname{csch}(c + dx^2)} dx = -\frac{b \log\left(\frac{ae^{(-dx^2-c)} - b - \sqrt{a^2 + b^2}}{ae^{(-dx^2-c)} - b + \sqrt{a^2 + b^2}}\right)}{2\sqrt{a^2 + b^2}ad} + \frac{dx^2 + c}{2ad}$$

input `integrate(x/(a+b*csch(d*x^2+c)),x, algorithm="maxima")`

output `-1/2*b*log((a*e^(-d*x^2 - c) - b - sqrt(a^2 + b^2))/(a*e^(-d*x^2 - c) - b + sqrt(a^2 + b^2)))/(sqrt(a^2 + b^2)*a*d) + 1/2*(d*x^2 + c)/(a*d)`

Giac [A] (verification not implemented)

Time = 0.13 (sec) , antiderivative size = 92, normalized size of antiderivative = 1.53

$$\int \frac{x}{a + b \operatorname{csch}(c + dx^2)} dx = -\frac{b \log \left(\frac{2ae^{(dx^2+c)} + 2b - 2\sqrt{a^2+b^2}}{2ae^{(dx^2+c)} + 2b + 2\sqrt{a^2+b^2}} \right)}{2\sqrt{a^2+b^2}ad} + \frac{dx^2 + c}{2ad}$$

input `integrate(x/(a+b*csch(d*x^2+c)),x, algorithm="giac")`output `-1/2*b*log(abs(2*a*e^(d*x^2 + c) + 2*b - 2*sqrt(a^2 + b^2))/abs(2*a*e^(d*x^2 + c) + 2*b + 2*sqrt(a^2 + b^2)))/(sqrt(a^2 + b^2)*a*d) + 1/2*(d*x^2 + c)/(a*d)`**Mupad [B] (verification not implemented)**

Time = 3.11 (sec) , antiderivative size = 175, normalized size of antiderivative = 2.92

$$\int \frac{x}{a + b \operatorname{csch}(c + dx^2)} dx = \frac{x^2}{2a} - \frac{\operatorname{atan} \left(\frac{ad\sqrt{b^2}}{\sqrt{-a^4d^2 - a^2b^2d^2}} - \frac{be^{dx^2}e^c\sqrt{-a^4d^2 - a^2b^2d^2}}{a^2d\sqrt{b^2}} + \frac{a^2bde^{dx^2}e^c\sqrt{b^2}\sqrt{-a^4d^2 - a^2b^2d^2}}{a^6d^2 + a^4b^2d^2} \right) \sqrt{b^2}}{\sqrt{-a^4d^2 - a^2b^2d^2}}$$

input `int(x/(a + b/sinh(c + d*x^2)),x)`output `x^2/(2*a) - (atan((a*d*(b^2)^(1/2))/(- a^4*d^2 - a^2*b^2*d^2)^(1/2) - (b*exp(d*x^2)*exp(c)*(- a^4*d^2 - a^2*b^2*d^2)^(1/2))/(a^2*d*(b^2)^(1/2)) + (a^2*b*d*exp(d*x^2)*exp(c)*(b^2)^(1/2)*(- a^4*d^2 - a^2*b^2*d^2)^(1/2))/(a^6*d^2 + a^4*b^2*d^2))*(b^2)^(1/2))/(- a^4*d^2 - a^2*b^2*d^2)^(1/2)`

Reduce [B] (verification not implemented)

Time = 0.22 (sec) , antiderivative size = 74, normalized size of antiderivative = 1.23

$$\int \frac{x}{a + b \operatorname{csch}(c + dx^2)} dx = \frac{-2\sqrt{a^2 + b^2} \operatorname{atan}\left(\frac{e^{dx^2+c} ai + bi}{\sqrt{a^2+b^2}}\right) bi + a^2 d x^2 + b^2 d x^2}{2ad(a^2 + b^2)}$$

input `int(x/(a+b*csch(d*x^2+c)),x)`output `(- 2*sqrt(a**2 + b**2)*atan((e**(c + d*x**2)*a*i + b*i)/sqrt(a**2 + b**2)) * b*i + a**2*d*x**2 + b**2*d*x**2)/(2*a*d*(a**2 + b**2))`

$$3.23 \quad \int \frac{1}{x(a+b\operatorname{csch}(c+dx^2))} dx$$

Optimal result	188
Mathematica [N/A]	188
Rubi [N/A]	189
Maple [N/A]	189
Fricas [N/A]	190
Sympy [N/A]	190
Maxima [N/A]	190
Giac [N/A]	191
Mupad [N/A]	191
Reduce [N/A]	192

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{1}{x(a+b\operatorname{csch}(c+dx^2))} dx = \operatorname{Int}\left(\frac{1}{x(a+b\operatorname{csch}(c+dx^2))}, x\right)$$

output `Defer(Int)(1/x/(a+b*csch(d*x^2+c)), x)`

Mathematica [N/A]

Not integrable

Time = 1.90 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{1}{x(a+b\operatorname{csch}(c+dx^2))} dx = \int \frac{1}{x(a+b\operatorname{csch}(c+dx^2))} dx$$

input `Integrate[1/(x*(a + b*Csch[c + d*x^2])), x]`

output `Integrate[1/(x*(a + b*Csch[c + d*x^2])), x]`

Rubi [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x (a + b \operatorname{csch} (c + dx^2))} dx$$

↓ 5962

$$\int \frac{1}{x (a + b \operatorname{csch} (c + dx^2))} dx$$

input `Int[1/(x*(a + b*Csch[c + d*x^2])),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{1}{x (a + b \operatorname{csch} (dx^2 + c))} dx$$

input `int(1/x/(a+b*csch(d*x^2+c)),x)`

output `int(1/x/(a+b*csch(d*x^2+c)),x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.06

$$\int \frac{1}{x(a + b \operatorname{csch}(c + dx^2))} dx = \int \frac{1}{(b \operatorname{csch}(dx^2 + c) + a)x} dx$$

input `integrate(1/x/(a+b*csch(d*x^2+c)),x, algorithm="fricas")`

output `integral(1/(b*x*csch(d*x^2 + c) + a*x), x)`

Sympy [N/A]

Not integrable

Time = 0.74 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.83

$$\int \frac{1}{x(a + b \operatorname{csch}(c + dx^2))} dx = \int \frac{1}{x(a + b \operatorname{csch}(c + dx^2))} dx$$

input `integrate(1/x/(a+b*csch(d*x**2+c)),x)`

output `Integral(1/(x*(a + b*csch(c + d*x**2))), x)`

Maxima [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 59, normalized size of antiderivative = 3.28

$$\int \frac{1}{x(a + b \operatorname{csch}(c + dx^2))} dx = \int \frac{1}{(b \operatorname{csch}(dx^2 + c) + a)x} dx$$

input `integrate(1/x/(a+b*csch(d*x^2+c)),x, algorithm="maxima")`

output `-2*b*integrate(e^(d*x^2 + c)/(a^2*x*e^(2*d*x^2 + 2*c) + 2*a*b*x*e^(d*x^2 + c) - a^2*x), x) + log(x)/a`

Giac [N/A]

Not integrable

Time = 0.16 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{1}{x(a + b \operatorname{csch}(c + dx^2))} dx = \int \frac{1}{(b \operatorname{csch}(dx^2 + c) + a)x} dx$$

input `integrate(1/x/(a+b*csch(d*x^2+c)),x, algorithm="giac")`

output `integrate(1/((b*csch(d*x^2 + c) + a)*x), x)`

Mupad [N/A]

Not integrable

Time = 2.62 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{1}{x(a + b \operatorname{csch}(c + dx^2))} dx = \int \frac{1}{x \left(a + \frac{b}{\sinh(dx^2+c)} \right)} dx$$

input `int(1/(x*(a + b/sinh(c + d*x^2))),x)`

output `int(1/(x*(a + b/sinh(c + d*x^2))), x)`

Reduce [N/A]

Not integrable

Time = 0.25 (sec) , antiderivative size = 58, normalized size of antiderivative = 3.22

$$\int \frac{1}{x(a + b \operatorname{csch}(c + dx^2))} dx = \frac{-2e^c \left(\int \frac{e^{dx^2}}{e^{2dx^2+2c}ax+2e^{dx^2+c}bx-ax} dx \right) b + \log(x)}{a}$$

input `int(1/x/(a+b*csch(d*x^2+c)),x)`output `(- 2*e**c*int(e**(d*x**2)/(e**(2*c + 2*d*x**2)*a*x + 2*e**(c + d*x**2)*b*x - a*x),x)*b + log(x))/a`

$$3.24 \quad \int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))} dx$$

Optimal result	193
Mathematica [N/A]	193
Rubi [N/A]	194
Maple [N/A]	194
Fricas [N/A]	195
Sympy [N/A]	195
Maxima [N/A]	195
Giac [N/A]	196
Mupad [N/A]	196
Reduce [N/A]	197

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))} dx = \operatorname{Int}\left(\frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))}, x\right)$$

output `Defer(Int)(1/x^3/(a+b*csch(d*x^2+c)),x)`

Mathematica [N/A]

Not integrable

Time = 2.61 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))} dx = \int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))} dx$$

input `Integrate[1/(x^3*(a + b*Csch[c + d*x^2])),x]`

output `Integrate[1/(x^3*(a + b*Csch[c + d*x^2])), x]`

Rubi [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))} dx$$

↓ 5962

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))} dx$$

input `Int[1/(x^3*(a + b*Csch[c + d*x^2])),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(dx^2 + c))} dx$$

input `int(1/x^3/(a+b*csch(d*x^2+c)),x)`

output `int(1/x^3/(a+b*csch(d*x^2+c)),x)`

Fricas [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 23, normalized size of antiderivative = 1.28

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))} dx = \int \frac{1}{(b \operatorname{csch}(dx^2 + c) + a)x^3} dx$$

input `integrate(1/x^3/(a+b*csch(d*x^2+c)),x, algorithm="fricas")`

output `integral(1/(b*x^3*csch(d*x^2 + c) + a*x^3), x)`

Sympy [N/A]

Not integrable

Time = 0.56 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.94

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))} dx = \int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))} dx$$

input `integrate(1/x**3/(a+b*csch(d*x**2+c)),x)`

output `Integral(1/(x**3*(a + b*csch(c + d*x**2))), x)`

Maxima [N/A]

Not integrable

Time = 0.17 (sec) , antiderivative size = 67, normalized size of antiderivative = 3.72

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))} dx = \int \frac{1}{(b \operatorname{csch}(dx^2 + c) + a)x^3} dx$$

input `integrate(1/x^3/(a+b*csch(d*x^2+c)),x, algorithm="maxima")`

output `-2*b*integrate(e^(d*x^2 + c)/(a^2*x^3*e^(2*d*x^2 + 2*c) + 2*a*b*x^3*e^(d*x^2 + c) - a^2*x^3), x) - 1/2/(a*x^2)`

Giac [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))} dx = \int \frac{1}{(b \operatorname{csch}(dx^2 + c) + a)x^3} dx$$

input `integrate(1/x^3/(a+b*csch(d*x^2+c)),x, algorithm="giac")`

output `integrate(1/((b*csch(d*x^2 + c) + a)*x^3), x)`

Mupad [N/A]

Not integrable

Time = 2.83 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))} dx = \int \frac{1}{x^3 \left(a + \frac{b}{\sinh(dx^2+c)} \right)} dx$$

input `int(1/(x^3*(a + b/sinh(c + d*x^2))),x)`

output `int(1/(x^3*(a + b/sinh(c + d*x^2))), x)`

Reduce [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 104, normalized size of antiderivative = 5.78

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))} dx = e^{2c} \left(\int \frac{e^{2dx^2}}{e^{2dx^2+2c} a x^3 + 2e^{dx^2+c} b x^3 - a x^3} dx \right) - \left(\int \frac{1}{e^{2dx^2+2c} a x^3 + 2e^{dx^2+c} b x^3 - a x^3} dx \right)$$

input `int(1/x^3/(a+b*csch(d*x^2+c)),x)`output `e**(2*c)*int(e**(2*d*x**2)/(e**(2*c + 2*d*x**2)*a*x**3 + 2*e**(c + d*x**2)*b*x**3 - a*x**3),x) - int(1/(e**(2*c + 2*d*x**2)*a*x**3 + 2*e**(c + d*x**2)*b*x**3 - a*x**3),x)`

3.25 $\int \frac{x^4}{a+b\mathbf{csch}(c+dx^2)} dx$

Optimal result	198
Mathematica [N/A]	198
Rubi [N/A]	199
Maple [N/A]	199
Fricas [N/A]	200
Sympy [N/A]	200
Maxima [N/A]	200
Giac [N/A]	201
Mupad [N/A]	201
Reduce [N/A]	202

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{x^4}{a + b\mathbf{csch}(c + dx^2)} dx = \text{Int}\left(\frac{x^4}{a + b\mathbf{csch}(c + dx^2)}, x\right)$$

output `Defer(Int)(x^4/(a+b*csch(d*x^2+c)), x)`

Mathematica [N/A]

Not integrable

Time = 2.35 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{x^4}{a + b\mathbf{csch}(c + dx^2)} dx = \int \frac{x^4}{a + b\mathbf{csch}(c + dx^2)} dx$$

input `Integrate[x^4/(a + b*Csch[c + d*x^2]), x]`

output `Integrate[x^4/(a + b*Csch[c + d*x^2]), x]`

Rubi [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^4}{a + b \operatorname{csch}(c + dx^2)} dx$$

↓ 5962

$$\int \frac{x^4}{a + b \operatorname{csch}(c + dx^2)} dx$$

input `Int[x^4/(a + b*Csch[c + d*x^2]),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{x^4}{a + b \operatorname{csch}(dx^2 + c)} dx$$

input `int(x^4/(a+b*csch(d*x^2+c)),x)`

output `int(x^4/(a+b*csch(d*x^2+c)),x)`

Fricas [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{x^4}{a + b \operatorname{csch}(c + dx^2)} dx = \int \frac{x^4}{b \operatorname{csch}(dx^2 + c) + a} dx$$

input `integrate(x^4/(a+b*csch(d*x^2+c)),x, algorithm="fricas")`

output `integral(x^4/(b*csch(d*x^2 + c) + a), x)`

Sympy [N/A]

Not integrable

Time = 0.28 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.83

$$\int \frac{x^4}{a + b \operatorname{csch}(c + dx^2)} dx = \int \frac{x^4}{a + b \operatorname{csch}(c + dx^2)} dx$$

input `integrate(x**4/(a+b*csch(d*x**2+c)),x)`

output `Integral(x**4/(a + b*csch(c + d*x**2)), x)`

Maxima [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 61, normalized size of antiderivative = 3.39

$$\int \frac{x^4}{a + b \operatorname{csch}(c + dx^2)} dx = \int \frac{x^4}{b \operatorname{csch}(dx^2 + c) + a} dx$$

input `integrate(x^4/(a+b*csch(d*x^2+c)),x, algorithm="maxima")`

output `1/5*x^5/a - 2*b*integrate(x^4*e^(d*x^2 + c)/(a^2*e^(2*d*x^2 + 2*c) + 2*a*b*e^(d*x^2 + c) - a^2), x)`

Giac [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{x^4}{a + b \operatorname{csch}(c + dx^2)} dx = \int \frac{x^4}{b \operatorname{csch}(dx^2 + c) + a} dx$$

input `integrate(x^4/(a+b*csch(d*x^2+c)),x, algorithm="giac")`

output `integrate(x^4/(b*csch(d*x^2 + c) + a), x)`

Mupad [N/A]

Not integrable

Time = 2.51 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{x^4}{a + b \operatorname{csch}(c + dx^2)} dx = \int \frac{x^4}{a + \frac{b}{\sinh(dx^2+c)}} dx$$

input `int(x^4/(a + b/sinh(c + d*x^2)),x)`

output `int(x^4/(a + b/sinh(c + d*x^2)), x)`

Reduce [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 60, normalized size of antiderivative = 3.33

$$\int \frac{x^4}{a + b \operatorname{csch}(c + dx^2)} dx = \frac{-10e^c \left(\int \frac{e^{dx^2} x^4}{e^{2dx^2+2c} a + 2e^{dx^2+c} b - a} dx \right) b + x^5}{5a}$$

input `int(x^4/(a+b*csch(d*x^2+c)),x)`output `(- 10*e**c*int((e**(d*x**2)*x**4)/(e**(2*c + 2*d*x**2)*a + 2*e**(c + d*x**2)*b - a),x)*b + x**5)/(5*a)`

3.26 $\int \frac{x^2}{a+b\mathbf{csch}(c+dx^2)} dx$

Optimal result	203
Mathematica [N/A]	203
Rubi [N/A]	204
Maple [N/A]	204
Fricas [N/A]	205
Sympy [N/A]	205
Maxima [N/A]	205
Giac [N/A]	206
Mupad [N/A]	206
Reduce [N/A]	207

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{x^2}{a + b\mathbf{csch}(c + dx^2)} dx = \text{Int}\left(\frac{x^2}{a + b\mathbf{csch}(c + dx^2)}, x\right)$$

output `Defer(Int)(x^2/(a+b*csch(d*x^2+c)), x)`

Mathematica [N/A]

Not integrable

Time = 2.04 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{x^2}{a + b\mathbf{csch}(c + dx^2)} dx = \int \frac{x^2}{a + b\mathbf{csch}(c + dx^2)} dx$$

input `Integrate[x^2/(a + b*Csch[c + d*x^2]), x]`

output `Integrate[x^2/(a + b*Csch[c + d*x^2]), x]`

Rubi [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^2}{a + b \operatorname{csch}(c + dx^2)} dx$$

↓ 5962

$$\int \frac{x^2}{a + b \operatorname{csch}(c + dx^2)} dx$$

input `Int[x^2/(a + b*Csch[c + d*x^2]),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{x^2}{a + b \operatorname{csch}(dx^2 + c)} dx$$

input `int(x^2/(a+b*csch(d*x^2+c)),x)`

output `int(x^2/(a+b*csch(d*x^2+c)),x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{x^2}{a + b \operatorname{csch}(c + dx^2)} dx = \int \frac{x^2}{b \operatorname{csch}(dx^2 + c) + a} dx$$

input `integrate(x^2/(a+b*csch(d*x^2+c)),x, algorithm="fricas")`

output `integral(x^2/(b*csch(d*x^2 + c) + a), x)`

Sympy [N/A]

Not integrable

Time = 0.27 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.83

$$\int \frac{x^2}{a + b \operatorname{csch}(c + dx^2)} dx = \int \frac{x^2}{a + b \operatorname{csch}(c + dx^2)} dx$$

input `integrate(x**2/(a+b*csch(d*x**2+c)),x)`

output `Integral(x**2/(a + b*csch(c + d*x**2)), x)`

Maxima [N/A]

Not integrable

Time = 0.35 (sec) , antiderivative size = 61, normalized size of antiderivative = 3.39

$$\int \frac{x^2}{a + b \operatorname{csch}(c + dx^2)} dx = \int \frac{x^2}{b \operatorname{csch}(dx^2 + c) + a} dx$$

input `integrate(x^2/(a+b*csch(d*x^2+c)),x, algorithm="maxima")`

output `1/3*x^3/a - 2*b*integrate(x^2*e^(d*x^2 + c)/(a^2*e^(2*d*x^2 + 2*c) + 2*a*b*e^(d*x^2 + c) - a^2), x)`

Giac [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{x^2}{a + b \operatorname{csch}(c + dx^2)} dx = \int \frac{x^2}{b \operatorname{csch}(dx^2 + c) + a} dx$$

input `integrate(x^2/(a+b*csch(d*x^2+c)),x, algorithm="giac")`

output `integrate(x^2/(b*csch(d*x^2 + c) + a), x)`

Mupad [N/A]

Not integrable

Time = 2.45 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{x^2}{a + b \operatorname{csch}(c + dx^2)} dx = \int \frac{x^2}{a + \frac{b}{\sinh(dx^2+c)}} dx$$

input `int(x^2/(a + b/sinh(c + d*x^2)),x)`

output `int(x^2/(a + b/sinh(c + d*x^2)), x)`

Reduce [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 60, normalized size of antiderivative = 3.33

$$\int \frac{x^2}{a + b \operatorname{csch}(c + dx^2)} dx = \frac{-6e^c \left(\int \frac{e^{dx^2} x^2}{e^{2dx^2+2c} a + 2e^{dx^2+c} b - a} dx \right) b + x^3}{3a}$$

input `int(x^2/(a+b*csch(d*x^2+c)),x)`output `(- 6***c*int((e**(d*x**2)*x**2)/(e**(2*c + 2*d*x**2)*a + 2*e**(c + d*x**2)*b - a),x)*b + x**3)/(3*a)`

3.27
$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + dx^2))} dx$$

Optimal result	208
Mathematica [N/A]	208
Rubi [N/A]	209
Maple [N/A]	209
Fricas [N/A]	210
Sympy [N/A]	210
Maxima [N/A]	210
Giac [N/A]	211
Mupad [N/A]	211
Reduce [N/A]	212

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + dx^2))} dx = \operatorname{Int}\left(\frac{1}{x^2 (a + b \operatorname{csch}(c + dx^2))}, x\right)$$

output

```
Defer(Int)(1/x^2/(a+b*csch(d*x^2+c)), x)
```

Mathematica [N/A]

Not integrable

Time = 2.04 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + dx^2))} dx = \int \frac{1}{x^2 (a + b \operatorname{csch}(c + dx^2))} dx$$

input

```
Integrate[1/(x^2*(a + b*Csch[c + d*x^2])), x]
```

output

```
Integrate[1/(x^2*(a + b*Csch[c + d*x^2])), x]
```

Rubi [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + dx^2))} dx$$

↓ 5962

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + dx^2))} dx$$

input `Int[1/(x^2*(a + b*Csch[c + d*x^2])),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(dx^2 + c))} dx$$

input `int(1/x^2/(a+b*csch(d*x^2+c)),x)`

output `int(1/x^2/(a+b*csch(d*x^2+c)),x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 23, normalized size of antiderivative = 1.28

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + dx^2))} dx = \int \frac{1}{(b \operatorname{csch}(dx^2 + c) + a)x^2} dx$$

input `integrate(1/x^2/(a+b*csch(d*x^2+c)),x, algorithm="fricas")`

output `integral(1/(b*x^2*csch(d*x^2 + c) + a*x^2), x)`

Sympy [N/A]

Not integrable

Time = 0.59 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.94

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + dx^2))} dx = \int \frac{1}{x^2 (a + b \operatorname{csch}(c + dx^2))} dx$$

input `integrate(1/x**2/(a+b*csch(d*x**2+c)),x)`

output `Integral(1/(x**2*(a + b*csch(c + d*x**2))), x)`

Maxima [N/A]

Not integrable

Time = 0.34 (sec) , antiderivative size = 67, normalized size of antiderivative = 3.72

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + dx^2))} dx = \int \frac{1}{(b \operatorname{csch}(dx^2 + c) + a)x^2} dx$$

input `integrate(1/x^2/(a+b*csch(d*x^2+c)),x, algorithm="maxima")`

output

```
-2*b*integrate(e^(d*x^2 + c)/(a^2*x^2*e^(2*d*x^2 + 2*c) + 2*a*b*x^2*e^(d*x^2 + c) - a^2*x^2), x) - 1/(a*x)
```

Giac [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + dx^2))} dx = \int \frac{1}{(b \operatorname{csch}(dx^2 + c) + a)x^2} dx$$

input

```
integrate(1/x^2/(a+b*csch(d*x^2+c)),x, algorithm="giac")
```

output

```
integrate(1/((b*csch(d*x^2 + c) + a)*x^2), x)
```

Mupad [N/A]

Not integrable

Time = 2.50 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + dx^2))} dx = \int \frac{1}{x^2 \left(a + \frac{b}{\sinh(dx^2+c)} \right)} dx$$

input

```
int(1/(x^2*(a + b/sinh(c + d*x^2))),x)
```

output

```
int(1/(x^2*(a + b/sinh(c + d*x^2))), x)
```

Reduce [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 104, normalized size of antiderivative = 5.78

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + dx^2))} dx = e^{2c} \left(\int \frac{e^{2dx^2}}{e^{2dx^2+2c} a x^2 + 2e^{dx^2+c} b x^2 - a x^2} dx \right) - \left(\int \frac{1}{e^{2dx^2+2c} a x^2 + 2e^{dx^2+c} b x^2 - a x^2} dx \right)$$

input `int(1/x^2/(a+b*csch(d*x^2+c)),x)`output `e**(2*c)*int(e**(2*d*x**2)/(e**(2*c + 2*d*x**2)*a*x**2 + 2*e**(c + d*x**2)*b*x**2 - a*x**2),x) - int(1/(e**(2*c + 2*d*x**2)*a*x**2 + 2*e**(c + d*x**2)*b*x**2 - a*x**2),x)`

$$3.28 \quad \int \frac{1}{x^4 (a + b \operatorname{csch}(c + dx^2))} dx$$

Optimal result	213
Mathematica [N/A]	213
Rubi [N/A]	214
Maple [N/A]	214
Fricas [N/A]	215
Sympy [N/A]	215
Maxima [N/A]	215
Giac [N/A]	216
Mupad [N/A]	216
Reduce [N/A]	217

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{1}{x^4 (a + b \operatorname{csch}(c + dx^2))} dx = \operatorname{Int}\left(\frac{1}{x^4 (a + b \operatorname{csch}(c + dx^2))}, x\right)$$

output `Defer(Int)(1/x^4/(a+b*csch(d*x^2+c)),x)`

Mathematica [N/A]

Not integrable

Time = 2.10 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{1}{x^4 (a + b \operatorname{csch}(c + dx^2))} dx = \int \frac{1}{x^4 (a + b \operatorname{csch}(c + dx^2))} dx$$

input `Integrate[1/(x^4*(a + b*Csch[c + d*x^2])),x]`

output `Integrate[1/(x^4*(a + b*Csch[c + d*x^2])), x]`

Rubi [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x^4 (a + b \operatorname{csch}(c + dx^2))} dx$$

↓ 5962

$$\int \frac{1}{x^4 (a + b \operatorname{csch}(c + dx^2))} dx$$

input `Int[1/(x^4*(a + b*Csch[c + d*x^2])),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^4 (a + b \operatorname{csch}(dx^2 + c))} dx$$

input `int(1/x^4/(a+b*csch(d*x^2+c)),x)`

output `int(1/x^4/(a+b*csch(d*x^2+c)),x)`

Fricas [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 23, normalized size of antiderivative = 1.28

$$\int \frac{1}{x^4 (a + b \operatorname{csch}(c + dx^2))} dx = \int \frac{1}{(b \operatorname{csch}(dx^2 + c) + a)x^4} dx$$

input `integrate(1/x^4/(a+b*csch(d*x^2+c)),x, algorithm="fricas")`

output `integral(1/(b*x^4*csch(d*x^2 + c) + a*x^4), x)`

Sympy [N/A]

Not integrable

Time = 0.58 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.94

$$\int \frac{1}{x^4 (a + b \operatorname{csch}(c + dx^2))} dx = \int \frac{1}{x^4 (a + b \operatorname{csch}(c + dx^2))} dx$$

input `integrate(1/x**4/(a+b*csch(d*x**2+c)),x)`

output `Integral(1/(x**4*(a + b*csch(c + d*x**2))), x)`

Maxima [N/A]

Not integrable

Time = 0.18 (sec) , antiderivative size = 67, normalized size of antiderivative = 3.72

$$\int \frac{1}{x^4 (a + b \operatorname{csch}(c + dx^2))} dx = \int \frac{1}{(b \operatorname{csch}(dx^2 + c) + a)x^4} dx$$

input `integrate(1/x^4/(a+b*csch(d*x^2+c)),x, algorithm="maxima")`

output

```
-2*b*integrate(e^(d*x^2 + c)/(a^2*x^4*e^(2*d*x^2 + 2*c) + 2*a*b*x^4*e^(d*x^2 + c) - a^2*x^4), x) - 1/3/(a*x^3)
```

Giac [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{1}{x^4 (a + b \operatorname{csch}(c + dx^2))} dx = \int \frac{1}{(b \operatorname{csch}(dx^2 + c) + a)x^4} dx$$

input

```
integrate(1/x^4/(a+b*csch(d*x^2+c)),x, algorithm="giac")
```

output

```
integrate(1/((b*csch(d*x^2 + c) + a)*x^4), x)
```

Mupad [N/A]

Not integrable

Time = 2.52 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{1}{x^4 (a + b \operatorname{csch}(c + dx^2))} dx = \int \frac{1}{x^4 \left(a + \frac{b}{\sinh(dx^2+c)} \right)} dx$$

input

```
int(1/(x^4*(a + b/sinh(c + d*x^2))),x)
```

output

```
int(1/(x^4*(a + b/sinh(c + d*x^2))), x)
```

Reduce [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 104, normalized size of antiderivative = 5.78

$$\int \frac{1}{x^4 (a + b \operatorname{csch}(c + dx^2))} dx = e^{2c} \left(\int \frac{e^{2dx^2}}{e^{2dx^2+2c} a x^4 + 2e^{dx^2+c} b x^4 - a x^4} dx \right) - \left(\int \frac{1}{e^{2dx^2+2c} a x^4 + 2e^{dx^2+c} b x^4 - a x^4} dx \right)$$

input `int(1/x^4/(a+b*csch(d*x^2+c)),x)`output `e**(2*c)*int(e**(2*d*x**2)/(e**(2*c + 2*d*x**2)*a*x**4 + 2*e**(c + d*x**2)*b*x**4 - a*x**4),x) - int(1/(e**(2*c + 2*d*x**2)*a*x**4 + 2*e**(c + d*x**2)*b*x**4 - a*x**4),x)`

$$3.29 \quad \int \frac{x^5}{\left(a+b\mathbf{csch}(c+dx^2)\right)^2} dx$$

Optimal result	219
Mathematica [A] (verified)	220
Rubi [A] (verified)	221
Maple [F]	223
Fricas [B] (verification not implemented)	224
Sympy [F]	224
Maxima [F]	224
Giac [F]	225
Mupad [F(-1)]	225
Reduce [F]	226

Optimal result

Integrand size = 18, antiderivative size = 922

$$\begin{aligned}
\int \frac{x^5}{(a + b \operatorname{csch}(c + dx^2))^2} dx = & -\frac{b^2 x^4}{2a^2 (a^2 + b^2) d} + \frac{x^6}{6a^2} + \frac{b^2 x^2 \log\left(1 + \frac{ae^{c+dx^2}}{b-\sqrt{a^2+b^2}}\right)}{a^2 (a^2 + b^2) d^2} \\
& + \frac{b^3 x^4 \log\left(1 + \frac{ae^{c+dx^2}}{b-\sqrt{a^2+b^2}}\right)}{2a^2 (a^2 + b^2)^{3/2} d} - \frac{bx^4 \log\left(1 + \frac{ae^{c+dx^2}}{b-\sqrt{a^2+b^2}}\right)}{a^2 \sqrt{a^2 + b^2} d} \\
& + \frac{b^2 x^2 \log\left(1 + \frac{ae^{c+dx^2}}{b+\sqrt{a^2+b^2}}\right)}{a^2 (a^2 + b^2) d^2} - \frac{b^3 x^4 \log\left(1 + \frac{ae^{c+dx^2}}{b+\sqrt{a^2+b^2}}\right)}{2a^2 (a^2 + b^2)^{3/2} d} \\
& + \frac{bx^4 \log\left(1 + \frac{ae^{c+dx^2}}{b+\sqrt{a^2+b^2}}\right)}{a^2 \sqrt{a^2 + b^2} d} + \frac{b^2 \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^2}}{b-\sqrt{a^2+b^2}}\right)}{a^2 (a^2 + b^2) d^3} \\
& + \frac{b^3 x^2 \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^2}}{b-\sqrt{a^2+b^2}}\right)}{a^2 (a^2 + b^2)^{3/2} d^2} \\
& - \frac{2bx^2 \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^2}}{b-\sqrt{a^2+b^2}}\right)}{a^2 \sqrt{a^2 + b^2} d^2} \\
& + \frac{b^2 \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^2}}{b+\sqrt{a^2+b^2}}\right)}{a^2 (a^2 + b^2) d^3} \\
& - \frac{b^3 x^2 \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^2}}{b+\sqrt{a^2+b^2}}\right)}{a^2 (a^2 + b^2)^{3/2} d^2} \\
& + \frac{2bx^2 \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^2}}{b+\sqrt{a^2+b^2}}\right)}{a^2 \sqrt{a^2 + b^2} d^2} \\
& - \frac{b^3 \operatorname{PolyLog}\left(3, -\frac{ae^{c+dx^2}}{b-\sqrt{a^2+b^2}}\right)}{a^2 (a^2 + b^2)^{3/2} d^3} \\
& + \frac{2b \operatorname{PolyLog}\left(3, -\frac{ae^{c+dx^2}}{b-\sqrt{a^2+b^2}}\right)}{a^2 \sqrt{a^2 + b^2} d^3} \\
& + \frac{b^3 \operatorname{PolyLog}\left(3, -\frac{ae^{c+dx^2}}{b+\sqrt{a^2+b^2}}\right)}{a^2 (a^2 + b^2)^{3/2} d^3} \\
& - \frac{2b \operatorname{PolyLog}\left(3, -\frac{ae^{c+dx^2}}{b+\sqrt{a^2+b^2}}\right)}{a^2 \sqrt{a^2 + b^2} d^3} \\
& - \frac{b^2 x^4 \cosh(c + dx^2)}{2a (a^2 + b^2) d (b + a \sinh(c + dx^2))}
\end{aligned}$$

output

```

-1/2*b^2*x^4/a^2/(a^2+b^2)/d+1/6*x^6/a^2+b^2*x^2*ln(1+a*exp(d*x^2+c)/(b-(a
^2+b^2)^(1/2)))/a^2/(a^2+b^2)/d^2+1/2*b^3*x^4*ln(1+a*exp(d*x^2+c)/(b-(a^2+
b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d-b*x^4*ln(1+a*exp(d*x^2+c)/(b-(a^2+b^2)^(
1/2)))/a^2/(a^2+b^2)^(1/2)/d+b^2*x^2*ln(1+a*exp(d*x^2+c)/(b+(a^2+b^2)^(1/
2)))/a^2/(a^2+b^2)/d^2-1/2*b^3*x^4*ln(1+a*exp(d*x^2+c)/(b+(a^2+b^2)^(1/2))
)/a^2/(a^2+b^2)^(3/2)/d+b*x^4*ln(1+a*exp(d*x^2+c)/(b+(a^2+b^2)^(1/2)))/a^2
/(a^2+b^2)^(1/2)/d+b^2*polylog(2,-a*exp(d*x^2+c)/(b-(a^2+b^2)^(1/2)))/a^2/
(a^2+b^2)/d^3+b^3*x^2*polylog(2,-a*exp(d*x^2+c)/(b-(a^2+b^2)^(1/2)))/a^2/(
a^2+b^2)^(3/2)/d^2-2*b*x^2*polylog(2,-a*exp(d*x^2+c)/(b-(a^2+b^2)^(1/2)))/
a^2/(a^2+b^2)^(1/2)/d^2+b^2*polylog(2,-a*exp(d*x^2+c)/(b+(a^2+b^2)^(1/2))
)/a^2/(a^2+b^2)/d^3-b^3*x^2*polylog(2,-a*exp(d*x^2+c)/(b+(a^2+b^2)^(1/2))
)/a^2/(a^2+b^2)^(3/2)/d^2+2*b*x^2*polylog(2,-a*exp(d*x^2+c)/(b+(a^2+b^2)^(1
/2)))/a^2/(a^2+b^2)^(1/2)/d^2-b^3*polylog(3,-a*exp(d*x^2+c)/(b-(a^2+b^2)^(1
/2)))/a^2/(a^2+b^2)^(3/2)/d^3+2*b*polylog(3,-a*exp(d*x^2+c)/(b-(a^2+b^2)^(
1/2)))/a^2/(a^2+b^2)^(1/2)/d^3+b^3*polylog(3,-a*exp(d*x^2+c)/(b+(a^2+b^2)^(
1/2)))/a^2/(a^2+b^2)^(3/2)/d^3-2*b*polylog(3,-a*exp(d*x^2+c)/(b+(a^2+b^2)
^(1/2)))/a^2/(a^2+b^2)^(1/2)/d^3-1/2*b^2*x^4*cosh(d*x^2+c)/a/(a^2+b^2)/d/(
b+a*sinh(d*x^2+c))

```

Mathematica [A] (verified)

Time = 3.75 (sec) , antiderivative size = 1502, normalized size of antiderivative = 1.63

$$\int \frac{x^5}{(a + b \operatorname{csch}(c + dx^2))^2} dx = \text{Too large to display}$$

input

```
Integrate[x^5/(a + b*Csch[c + d*x^2])^2,x]
```

output

```
(Csch[c + d*x^2]^2*(b + a*Sinh[c + d*x^2])*((6*b^2*x^4*Csch[c]*(b*Cosh[c]
+ a*Sinh[d*x^2]))/((a^2 + b^2)*d) + 2*x^6*(b + a*Sinh[c + d*x^2]) - (6*b*E
^(2*c)*(2*b*d^2*E^(2*c)*Sqrt[(a^2 + b^2)*E^(2*c)]*x^4 + 2*b*d*Sqrt[(a^2 +
b^2)*E^(2*c)]*x^2*Log[1 + (a*E^(2*c + d*x^2))/(b*E^c - Sqrt[(a^2 + b^2)*E
^(2*c)])] - 2*b*d*E^(2*c)*Sqrt[(a^2 + b^2)*E^(2*c)]*x^2*Log[1 + (a*E^(2*c +
d*x^2))/(b*E^c - Sqrt[(a^2 + b^2)*E^(2*c)])] - 2*a^2*d^2*E^c*x^4*Log[1 +
(a*E^(2*c + d*x^2))/(b*E^c - Sqrt[(a^2 + b^2)*E^(2*c)])] - b^2*d^2*E^c*x^4
*Log[1 + (a*E^(2*c + d*x^2))/(b*E^c - Sqrt[(a^2 + b^2)*E^(2*c)])] + 2*a^2*
d^2*E^(3*c)*x^4*Log[1 + (a*E^(2*c + d*x^2))/(b*E^c - Sqrt[(a^2 + b^2)*E^(2
*c)])] + b^2*d^2*E^(3*c)*x^4*Log[1 + (a*E^(2*c + d*x^2))/(b*E^c - Sqrt[(a^
2 + b^2)*E^(2*c)])] + 2*b*d*Sqrt[(a^2 + b^2)*E^(2*c)]*x^2*Log[1 + (a*E^(2*
c + d*x^2))/(b*E^c + Sqrt[(a^2 + b^2)*E^(2*c)])] - 2*b*d*E^(2*c)*Sqrt[(a^2
+ b^2)*E^(2*c)]*x^2*Log[1 + (a*E^(2*c + d*x^2))/(b*E^c + Sqrt[(a^2 + b^2)
*E^(2*c)])] + 2*a^2*d^2*E^c*x^4*Log[1 + (a*E^(2*c + d*x^2))/(b*E^c + Sqrt[
(a^2 + b^2)*E^(2*c)])] + b^2*d^2*E^c*x^4*Log[1 + (a*E^(2*c + d*x^2))/(b*E^
c + Sqrt[(a^2 + b^2)*E^(2*c)])] - 2*a^2*d^2*E^(3*c)*x^4*Log[1 + (a*E^(2*c
+ d*x^2))/(b*E^c + Sqrt[(a^2 + b^2)*E^(2*c)])] - b^2*d^2*E^(3*c)*x^4*Log[1
+ (a*E^(2*c + d*x^2))/(b*E^c + Sqrt[(a^2 + b^2)*E^(2*c)])] + 2*(-1 + E^(2
*c))*(-(b*Sqrt[(a^2 + b^2)*E^(2*c)]) + 2*a^2*d*E^c*x^2 + b^2*d*E^c*x^2)*Po
lyLog[2, -((a*E^(2*c + d*x^2))/(b*E^c - Sqrt[(a^2 + b^2)*E^(2*c)]) - ...
```

Rubi [A] (verified)

Time = 2.38 (sec) , antiderivative size = 924, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {5960, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^5}{(a + b \operatorname{csch}(c + dx^2))^2} dx$$

$$\downarrow \text{5960}$$

$$\frac{1}{2} \int \frac{x^4}{(a + b \operatorname{csch}(dx^2 + c))^2} dx^2$$

$$\downarrow \text{3042}$$

$$\frac{1}{2} \int \frac{x^4}{(a + ib \csc(id x^2 + ic))^2} dx^2$$

↓ 4679

$$\frac{1}{2} \int \left(-\frac{2bx^4}{a^2(b + a \sinh(dx^2 + c))} + \frac{x^4}{a^2} + \frac{b^2 x^4}{a^2(b + a \sinh(dx^2 + c))^2} \right) dx^2$$

↓ 2009

$$\frac{1}{2} \left(\frac{x^6}{3a^2} - \frac{2b \log\left(\frac{e^{dx^2+c}}{b-\sqrt{a^2+b^2}} + 1\right) x^4}{a^2 \sqrt{a^2+b^2} d} + \frac{b^3 \log\left(\frac{e^{dx^2+c}}{b-\sqrt{a^2+b^2}} + 1\right) x^4}{a^2 (a^2+b^2)^{3/2} d} + \frac{2b \log\left(\frac{e^{dx^2+c}}{b+\sqrt{a^2+b^2}} + 1\right) x^4}{a^2 \sqrt{a^2+b^2} d} - \frac{b^3 \log\left(\frac{e^{dx^2+c}}{b+\sqrt{a^2+b^2}} + 1\right) x^4}{a^2 (a^2+b^2)^{3/2} d} \right)$$

input `Int[x^5/(a + b*Csch[c + d*x^2])^2,x]`

output

```

(-(b^2*x^4)/(a^2*(a^2 + b^2)*d)) + x^6/(3*a^2) + (2*b^2*x^2*Log[1 + (a*E^
(c + d*x^2))/(b - Sqrt[a^2 + b^2]])/(a^2*(a^2 + b^2)*d^2) + (b^3*x^4*Log[
1 + (a*E^(c + d*x^2))/(b - Sqrt[a^2 + b^2]])/(a^2*(a^2 + b^2)^(3/2)*d) -
(2*b*x^4*Log[1 + (a*E^(c + d*x^2))/(b - Sqrt[a^2 + b^2]])/(a^2*Sqrt[a^2 +
b^2]*d) + (2*b^2*x^2*Log[1 + (a*E^(c + d*x^2))/(b + Sqrt[a^2 + b^2]])/(a
^2*(a^2 + b^2)*d^2) - (b^3*x^4*Log[1 + (a*E^(c + d*x^2))/(b + Sqrt[a^2 + b
^2]])/(a^2*(a^2 + b^2)^(3/2)*d) + (2*b*x^4*Log[1 + (a*E^(c + d*x^2))/(b +
Sqrt[a^2 + b^2]])/(a^2*Sqrt[a^2 + b^2]*d) + (2*b^2*PolyLog[2, -(a*E^(c
+ d*x^2))/(b - Sqrt[a^2 + b^2]])/(a^2*(a^2 + b^2)*d^3) + (2*b^3*x^2*Poly
Log[2, -(a*E^(c + d*x^2))/(b - Sqrt[a^2 + b^2]])/(a^2*(a^2 + b^2)^(3/2)
*d^2) - (4*b*x^2*PolyLog[2, -(a*E^(c + d*x^2))/(b - Sqrt[a^2 + b^2]])/(
a^2*Sqrt[a^2 + b^2]*d^2) + (2*b^2*PolyLog[2, -(a*E^(c + d*x^2))/(b + Sqrt
[a^2 + b^2]])/(a^2*(a^2 + b^2)*d^3) - (2*b^3*x^2*PolyLog[2, -(a*E^(c +
d*x^2))/(b + Sqrt[a^2 + b^2]])/(a^2*(a^2 + b^2)^(3/2)*d^2) + (4*b*x^2*Po
lyLog[2, -(a*E^(c + d*x^2))/(b + Sqrt[a^2 + b^2]])/(a^2*Sqrt[a^2 + b^2]
*d^2) - (2*b^3*PolyLog[3, -(a*E^(c + d*x^2))/(b - Sqrt[a^2 + b^2]])/(a^
2*(a^2 + b^2)^(3/2)*d^3) + (4*b*PolyLog[3, -(a*E^(c + d*x^2))/(b - Sqrt[a
^2 + b^2]])/(a^2*Sqrt[a^2 + b^2]*d^3) + (2*b^3*PolyLog[3, -(a*E^(c + d*
x^2))/(b + Sqrt[a^2 + b^2]])/(a^2*(a^2 + b^2)^(3/2)*d^3) - (4*b*PolyLog[
3, -(a*E^(c + d*x^2))/(b + Sqrt[a^2 + b^2]])/(a^2*Sqrt[a^2 + b^2]*d^...

```

Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4679 `Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Sin[e + f*x])^n), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]`

rule 5960 `Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_)])*(b_.))^(p_.)*(x_)^(m_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [F]

$$\int \frac{x^5}{(a + b \operatorname{csch}(dx^2 + c))^2} dx$$

input `int(x^5/(a+b*csch(d*x^2+c))^2,x)`

output `int(x^5/(a+b*csch(d*x^2+c))^2,x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 3756 vs. $2(834) = 1668$.

Time = 0.14 (sec) , antiderivative size = 3756, normalized size of antiderivative = 4.07

$$\int \frac{x^5}{(a + b \operatorname{csch}(c + dx^2))^2} dx = \text{Too large to display}$$

input `integrate(x^5/(a+b*csch(d*x^2+c))^2,x, algorithm="fricas")`

output Too large to include

Sympy [F]

$$\int \frac{x^5}{(a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{x^5}{(a + b \operatorname{csch}(c + dx^2))^2} dx$$

input `integrate(x**5/(a+b*csch(d*x**2+c))**2,x)`

output `Integral(x**5/(a + b*csch(c + d*x**2))**2, x)`

Maxima [F]

$$\int \frac{x^5}{(a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{x^5}{(b \operatorname{csch}(dx^2 + c) + a)^2} dx$$

input `integrate(x^5/(a+b*csch(d*x^2+c))^2,x, algorithm="maxima")`

output

```
-1/6*((a^3*d*e^(2*c) + a*b^2*d*e^(2*c))*x^6*e^(2*d*x^2) - 6*a*b^2*x^4 - (a^3*d + a*b^2*d)*x^6 + 2*(3*b^3*x^4*e^c + (a^2*b*d*e^c + b^3*d*e^c)*x^6)*e^(d*x^2))/(a^5*d + a^3*b^2*d - (a^5*d*e^(2*c) + a^3*b^2*d*e^(2*c))*e^(2*d*x^2) - 2*(a^4*b*d*e^c + a^2*b^3*d*e^c)*e^(d*x^2)) - integrate(2*(2*a*b^2*x^2 - (2*b^3*x^2*e^c + (2*a^2*b*d*e^c + b^3*d*e^c)*x^4)*e^(d*x^2))*x/(a^5*d + a^3*b^2*d - (a^5*d*e^(2*c) + a^3*b^2*d*e^(2*c))*e^(2*d*x^2) - 2*(a^4*b*d*e^c + a^2*b^3*d*e^c)*e^(d*x^2)), x)
```

Giac [F]

$$\int \frac{x^5}{(a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{x^5}{(b \operatorname{csch}(dx^2 + c) + a)^2} dx$$

input

```
integrate(x^5/(a+b*csch(d*x^2+c))^2,x, algorithm="giac")
```

output

```
integrate(x^5/(b*csch(d*x^2 + c) + a)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{x^5}{(a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{x^5}{\left(a + \frac{b}{\sinh(dx^2+c)}\right)^2} dx$$

input

```
int(x^5/(a + b/sinh(c + d*x^2))^2,x)
```

output

```
int(x^5/(a + b/sinh(c + d*x^2))^2, x)
```

Reduce [F]

$$\int \frac{x^5}{(a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{x^5}{\operatorname{csch}(dx^2 + c)^2 b^2 + 2 \operatorname{csch}(dx^2 + c) ab + a^2} dx$$

input `int(x^5/(a+b*csch(d*x^2+c))^2,x)`

output `int(x**5/(csch(c + d*x**2)**2*b**2 + 2*csch(c + d*x**2)*a*b + a**2),x)`

3.30
$$\int \frac{x^3}{\left(a+b\operatorname{csch}(c+dx^2)\right)^2} dx$$

Optimal result	227
Mathematica [A] (warning: unable to verify)	228
Rubi [A] (verified)	229
Maple [F]	231
Fricas [B] (verification not implemented)	231
Sympy [F]	232
Maxima [F]	233
Giac [F]	233
Mupad [F(-1)]	234
Reduce [F]	234

Optimal result

Integrand size = 18, antiderivative size = 519

$$\begin{aligned} \int \frac{x^3}{(a+b\operatorname{csch}(c+dx^2))^2} dx = & \frac{x^4}{4a^2} + \frac{b^3x^2 \log\left(1 + \frac{ae^{c+dx^2}}{b-\sqrt{a^2+b^2}}\right)}{2a^2(a^2+b^2)^{3/2}d} - \frac{bx^2 \log\left(1 + \frac{ae^{c+dx^2}}{b-\sqrt{a^2+b^2}}\right)}{a^2\sqrt{a^2+b^2}d} \\ & - \frac{b^3x^2 \log\left(1 + \frac{ae^{c+dx^2}}{b+\sqrt{a^2+b^2}}\right)}{2a^2(a^2+b^2)^{3/2}d} + \frac{bx^2 \log\left(1 + \frac{ae^{c+dx^2}}{b+\sqrt{a^2+b^2}}\right)}{a^2\sqrt{a^2+b^2}d} \\ & + \frac{b^2 \log(b+a \sinh(c+dx^2))}{2a^2(a^2+b^2)d^2} \\ & + \frac{b^3 \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^2}}{b-\sqrt{a^2+b^2}}\right)}{2a^2(a^2+b^2)^{3/2}d^2} \\ & - \frac{b \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^2}}{b-\sqrt{a^2+b^2}}\right)}{a^2\sqrt{a^2+b^2}d^2} \\ & - \frac{b^3 \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^2}}{b+\sqrt{a^2+b^2}}\right)}{2a^2(a^2+b^2)^{3/2}d^2} \\ & + \frac{b \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^2}}{b+\sqrt{a^2+b^2}}\right)}{a^2\sqrt{a^2+b^2}d^2} \\ & - \frac{b^2x^2 \cosh(c+dx^2)}{2a(a^2+b^2)d(b+a \sinh(c+dx^2))} \end{aligned}$$

output

```

1/4*x^4/a^2+1/2*b^3*x^2*ln(1+a*exp(d*x^2+c)/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+
b^2)^(3/2)/d-b*x^2*ln(1+a*exp(d*x^2+c)/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(
1/2)/d-1/2*b^3*x^2*ln(1+a*exp(d*x^2+c)/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)
^(3/2)/d+b*x^2*ln(1+a*exp(d*x^2+c)/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(1/2
)/d+1/2*b^2*ln(b+a*sinh(d*x^2+c))/a^2/(a^2+b^2)/d^2+1/2*b^3*polylog(2,-a*ex
p(d*x^2+c)/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d^2-b*polylog(2,-a*ex
p(d*x^2+c)/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(1/2)/d^2-1/2*b^3*polylog(2,
-a*exp(d*x^2+c)/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d^2+b*polylog(2,-
a*exp(d*x^2+c)/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(1/2)/d^2-1/2*b^2*x^2*co
sh(d*x^2+c)/a/(a^2+b^2)/d/(b+a*sinh(d*x^2+c))

```

Mathematica [A] (warning: unable to verify)

Time = 3.49 (sec) , antiderivative size = 735, normalized size of antiderivative = 1.42

$$\int \frac{x^3}{(a + b \operatorname{csch}(c + dx^2))^2} dx$$

$$= \frac{\operatorname{csch}^2(c + dx^2) (b + a \sinh(c + dx^2)) \left(-\frac{2ab^2 dx^2 \cosh(c + dx^2)}{a^2 + b^2} + (-c + dx^2) (c + dx^2) (b + a \sinh(c + dx^2)) \right)}{\dots}$$

input

```
Integrate[x^3/(a + b*Csch[c + d*x^2])^2,x]
```

output

```
(Csch[c + d*x^2]^2*(b + a*Sinh[c + d*x^2])*((-2*a*b^2*d*x^2*Cosh[c + d*x^2
])/ (a^2 + b^2) + (-c + d*x^2)*(c + d*x^2)*(b + a*Sinh[c + d*x^2]) - (2*b*(
a^2 + b^2)*(-b*Sqrt[-(a^2 + b^2)^2]*(c + d*x^2)) + 2*b^2*Sqrt[a^2 + b^2]*
ArcTan[(b + a*E^(c + d*x^2))/Sqrt[-a^2 - b^2]] + 2*b^2*Sqrt[-a^2 - b^2]*Ar
cTanh[(b + a*E^(c + d*x^2))/Sqrt[a^2 + b^2]] - 4*a^2*Sqrt[-a^2 - b^2]*c*Ar
cTanh[(b + a*E^(c + d*x^2))/Sqrt[a^2 + b^2]] - 2*b^2*Sqrt[-a^2 - b^2]*c*Ar
cTanh[(b + a*E^(c + d*x^2))/Sqrt[a^2 + b^2]] - 2*a^2*Sqrt[-a^2 - b^2]*(c +
d*x^2)*Log[1 + (a*E^(c + d*x^2))/(b - Sqrt[a^2 + b^2])] - b^2*Sqrt[-a^2 -
b^2]*(c + d*x^2)*Log[1 + (a*E^(c + d*x^2))/(b - Sqrt[a^2 + b^2])] + 2*a^2
*Sqrt[-a^2 - b^2]*(c + d*x^2)*Log[1 + (a*E^(c + d*x^2))/(b + Sqrt[a^2 + b^
2])] + b^2*Sqrt[-a^2 - b^2]*(c + d*x^2)*Log[1 + (a*E^(c + d*x^2))/(b + Sqr
t[a^2 + b^2])] + b*Sqrt[-(a^2 + b^2)^2]*Log[2*b*E^(c + d*x^2) + a*(-1 + E^
(2*(c + d*x^2)))] - Sqrt[-a^2 - b^2]*(2*a^2 + b^2)*PolyLog[2, (a*E^(c + d*
x^2))/(-b + Sqrt[a^2 + b^2])] + Sqrt[-a^2 - b^2]*(2*a^2 + b^2)*PolyLog[2,
-((a*E^(c + d*x^2))/(b + Sqrt[a^2 + b^2]))]*(b + a*Sinh[c + d*x^2])/(- (a
^2 + b^2)^2)^(3/2))/(4*a^2*d^2*(a + b*Csch[c + d*x^2])^2)
```

Rubi [A] (verified)

Time = 1.35 (sec) , antiderivative size = 510, normalized size of antiderivative = 0.98, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {5960, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^3}{(a + b \operatorname{csch}(c + dx^2))^2} dx$$

$$\downarrow \text{5960}$$

$$\frac{1}{2} \int \frac{x^2}{(a + b \operatorname{csch}(dx^2 + c))^2} dx^2$$

$$\downarrow \text{3042}$$

$$\frac{1}{2} \int \frac{x^2}{(a + ib \operatorname{csc}(idx^2 + ic))^2} dx^2$$

$$\downarrow \text{4679}$$

$$\frac{1}{2} \int \left(-\frac{2bx^2}{a^2(b + a \sinh(dx^2 + c))} + \frac{x^2}{a^2} + \frac{b^2x^2}{a^2(b + a \sinh(dx^2 + c))^2} \right) dx^2$$

↓ 2009

$$\frac{1}{2} \left(-\frac{2b \operatorname{PolyLog}\left(2, -\frac{ae^{dx^2+c}}{b-\sqrt{a^2+b^2}}\right)}{a^2d^2\sqrt{a^2+b^2}} + \frac{2b \operatorname{PolyLog}\left(2, -\frac{ae^{dx^2+c}}{b+\sqrt{a^2+b^2}}\right)}{a^2d^2\sqrt{a^2+b^2}} + \frac{b^2 \log(a \sinh(c + dx^2) + b)}{a^2d^2(a^2 + b^2)} - \frac{2bx^2 \log\left(\frac{ae^{dx^2+c}}{b-\sqrt{a^2+b^2}}\right)}{a^2d\sqrt{a^2+b^2}} \right)$$

input

```
Int[x^3/(a + b*Csch[c + d*x^2])^2,x]
```

output

```
(x^4/(2*a^2) + (b^3*x^2*Log[1 + (a*E^(c + d*x^2))/(b - Sqrt[a^2 + b^2]])/
(a^2*(a^2 + b^2)^(3/2)*d) - (2*b*x^2*Log[1 + (a*E^(c + d*x^2))/(b - Sqrt[
a^2 + b^2]])/(a^2*Sqrt[a^2 + b^2]*d) - (b^3*x^2*Log[1 + (a*E^(c + d*x^2))/
(b + Sqrt[a^2 + b^2]])/(a^2*(a^2 + b^2)^(3/2)*d) + (2*b*x^2*Log[1 + (a*E
(c + d*x^2))/(b + Sqrt[a^2 + b^2]])/(a^2*Sqrt[a^2 + b^2]*d) + (b^2*Log[b
+ a*Sinh[c + d*x^2]])/(a^2*(a^2 + b^2)*d^2) + (b^3*PolyLog[2, -((a*E^(c +
d*x^2))/(b - Sqrt[a^2 + b^2]))]/(a^2*(a^2 + b^2)^(3/2)*d^2) - (2*b*PolyLo
g[2, -((a*E^(c + d*x^2))/(b - Sqrt[a^2 + b^2]))]/(a^2*Sqrt[a^2 + b^2]*d^2
) - (b^3*PolyLog[2, -((a*E^(c + d*x^2))/(b + Sqrt[a^2 + b^2]))]/(a^2*(a^2
+ b^2)^(3/2)*d^2) + (2*b*PolyLog[2, -((a*E^(c + d*x^2))/(b + Sqrt[a^2 + b
^2]))]/(a^2*Sqrt[a^2 + b^2]*d^2) - (b^2*x^2*Cosh[c + d*x^2])/(a*(a^2 + b
2)*d*(b + a*Sinh[c + d*x^2])))/2
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 3042

```
Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinear
Q[u, x]
```

rule 4679

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.)
, x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Si
n[e + f*x])^n), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGt
Q[m, 0]
```

rule 5960

```
Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_.)]*(b_.))^(p_.)*(x_)^(m_.), x_Symbol]
  := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x], x, x^n], x]
  /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]
```

Maple [F]

$$\int \frac{x^3}{(a + b \operatorname{csch}(dx^2 + c))^2} dx$$

input

```
int(x^3/(a+b*csch(d*x^2+c))^2,x)
```

output

```
int(x^3/(a+b*csch(d*x^2+c))^2,x)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2383 vs. 2(461) = 922.

Time = 0.12 (sec) , antiderivative size = 2383, normalized size of antiderivative = 4.59

$$\int \frac{x^3}{(a + b \operatorname{csch}(c + dx^2))^2} dx = \text{Too large to display}$$

input

```
integrate(x^3/(a+b*csch(d*x^2+c))^2,x, algorithm="fricas")
```


output

```

-1/4*((a^5 + 2*a^3*b^2 + a*b^4)*d^2*x^4 - ((a^5 + 2*a^3*b^2 + a*b^4)*d^2*x
^4 - 4*(a^3*b^2 + a*b^4)*d*x^2 - 4*(a^3*b^2 + a*b^4)*c)*cosh(d*x^2 + c)^2
- ((a^5 + 2*a^3*b^2 + a*b^4)*d^2*x^4 - 4*(a^3*b^2 + a*b^4)*d*x^2 - 4*(a^3*
b^2 + a*b^4)*c)*sinh(d*x^2 + c)^2 - 2*(2*a^4*b + a^2*b^3 - (2*a^4*b + a^2*
b^3)*cosh(d*x^2 + c)^2 - (2*a^4*b + a^2*b^3)*sinh(d*x^2 + c)^2 - 2*(2*a^3*
b^2 + a*b^4)*cosh(d*x^2 + c) - 2*(2*a^3*b^2 + a*b^4 + (2*a^4*b + a^2*b^3)*
cosh(d*x^2 + c))*sinh(d*x^2 + c))*sqrt((a^2 + b^2)/a^2)*dilog((b*cosh(d*x^
2 + c) + b*sinh(d*x^2 + c) + (a*cosh(d*x^2 + c) + a*sinh(d*x^2 + c))*sqrt(
(a^2 + b^2)/a^2) - a)/a + 1) + 2*(2*a^4*b + a^2*b^3 - (2*a^4*b + a^2*b^3)*
cosh(d*x^2 + c)^2 - (2*a^4*b + a^2*b^3)*sinh(d*x^2 + c)^2 - 2*(2*a^3*b^2 +
a*b^4)*cosh(d*x^2 + c) - 2*(2*a^3*b^2 + a*b^4 + (2*a^4*b + a^2*b^3)*cosh(
d*x^2 + c))*sinh(d*x^2 + c))*sqrt((a^2 + b^2)/a^2)*dilog((b*cosh(d*x^2 + c
) + b*sinh(d*x^2 + c) - (a*cosh(d*x^2 + c) + a*sinh(d*x^2 + c))*sqrt((a^2
+ b^2)/a^2) - a)/a + 1) - 2*((2*a^4*b + a^2*b^3)*d*x^2 - ((2*a^4*b + a^2*b^
3)*d*x^2 + (2*a^4*b + a^2*b^3)*c)*cosh(d*x^2 + c)^2 - ((2*a^4*b + a^2*b^3
)*d*x^2 + (2*a^4*b + a^2*b^3)*c)*sinh(d*x^2 + c)^2 + (2*a^4*b + a^2*b^3)*c
- 2*((2*a^3*b^2 + a*b^4)*d*x^2 + (2*a^3*b^2 + a*b^4)*c)*cosh(d*x^2 + c) -
2*((2*a^3*b^2 + a*b^4)*d*x^2 + (2*a^3*b^2 + a*b^4)*c + ((2*a^4*b + a^2*b^
3)*d*x^2 + (2*a^4*b + a^2*b^3)*c)*cosh(d*x^2 + c))*sinh(d*x^2 + c))*sqrt((
a^2 + b^2)/a^2)*log(-(b*cosh(d*x^2 + c) + b*sinh(d*x^2 + c) + (a*cosh(d...

```

Sympy [F]

$$\int \frac{x^3}{(a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{x^3}{(a + b \operatorname{csch}(c + dx^2))^2} dx$$

input

```
integrate(x**3/(a+b*csch(d*x**2+c))**2,x)
```

output

```
Integral(x**3/(a + b*csch(c + d*x**2))**2, x)
```

Maxima [F]

$$\int \frac{x^3}{(a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{x^3}{(b \operatorname{csch}(dx^2 + c) + a)^2} dx$$

input `integrate(x^3/(a+b*csch(d*x^2+c))^2,x, algorithm="maxima")`

output

```
-4*a^2*b*d*integrate(x^3*e^(d*x^2 + c)/(a^5*d*e^(2*d*x^2 + 2*c) + a^3*b^2*
d*e^(2*d*x^2 + 2*c) + 2*a^4*b*d*e^(d*x^2 + c) + 2*a^2*b^3*d*e^(d*x^2 + c)
- a^5*d - a^3*b^2*d), x) - 2*b^3*d*integrate(x^3*e^(d*x^2 + c)/(a^5*d*e^(2
*d*x^2 + 2*c) + a^3*b^2*d*e^(2*d*x^2 + 2*c) + 2*a^4*b*d*e^(d*x^2 + c) + 2*
a^2*b^3*d*e^(d*x^2 + c) - a^5*d - a^3*b^2*d), x) + 1/2*a*b^2*(b*log((a*e^(
d*x^2 + c) + b - sqrt(a^2 + b^2))/(a*e^(d*x^2 + c) + b + sqrt(a^2 + b^2)))
/((a^5 + a^3*b^2)*sqrt(a^2 + b^2)*d^2) - 2*(d*x^2 + c)/((a^5 + a^3*b^2)*d^
2) + log(a*e^(2*d*x^2 + 2*c) + 2*b*e^(d*x^2 + c) - a)/((a^5 + a^3*b^2)*d^2
)) - 1/2*b^3*log((a*e^(d*x^2 + c) + b - sqrt(a^2 + b^2))/(a*e^(d*x^2 + c)
+ b + sqrt(a^2 + b^2)))/((a^4 + a^2*b^2)*sqrt(a^2 + b^2)*d^2) - 1/4*((a^3*
d*e^(2*c) + a*b^2*d*e^(2*c))*x^4*e^(2*d*x^2) - 4*a*b^2*x^2 - (a^3*d + a*b^
2*d)*x^4 + 2*(2*b^3*x^2*e^c + (a^2*b*d*e^c + b^3*d*e^c)*x^4)*e^(d*x^2))/(a
^5*d + a^3*b^2*d - (a^5*d*e^(2*c) + a^3*b^2*d*e^(2*c))*e^(2*d*x^2) - 2*(a^
4*b*d*e^c + a^2*b^3*d*e^c)*e^(d*x^2))
```

Giac [F]

$$\int \frac{x^3}{(a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{x^3}{(b \operatorname{csch}(dx^2 + c) + a)^2} dx$$

input `integrate(x^3/(a+b*csch(d*x^2+c))^2,x, algorithm="giac")`

output

```
integrate(x^3/(b*csch(d*x^2 + c) + a)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{x^3}{(a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{x^3}{\left(a + \frac{b}{\sinh(dx^2+c)}\right)^2} dx$$

input `int(x^3/(a + b/sinh(c + d*x^2))^2,x)`output `int(x^3/(a + b/sinh(c + d*x^2))^2, x)`**Reduce [F]**

$$\int \frac{x^3}{(a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{x^3}{\operatorname{csch}(dx^2 + c)^2 b^2 + 2 \operatorname{csch}(dx^2 + c) ab + a^2} dx$$

input `int(x^3/(a+b*csch(d*x^2+c))^2,x)`output `int(x**3/(csch(c + d*x**2)**2*b**2 + 2*csch(c + d*x**2)*a*b + a**2),x)`

3.31
$$\int \frac{x}{(a+b\mathbf{csch}(c+dx^2))^2} dx$$

Optimal result	235
Mathematica [A] (verified)	235
Rubi [A] (warning: unable to verify)	236
Maple [A] (verified)	240
Fricas [B] (verification not implemented)	241
Sympy [F]	241
Maxima [A] (verification not implemented)	242
Giac [A] (verification not implemented)	242
Mupad [B] (verification not implemented)	243
Reduce [F]	243

Optimal result

Integrand size = 16, antiderivative size = 113

$$\int \frac{x}{(a+b\mathbf{csch}(c+dx^2))^2} dx = \frac{x^2}{2a^2} + \frac{b(2a^2+b^2)\operatorname{arctanh}\left(\frac{a-b\tanh\left(\frac{1}{2}(c+dx^2)\right)}{\sqrt{a^2+b^2}}\right)}{a^2(a^2+b^2)^{3/2}d} - \frac{b^2\operatorname{coth}(c+dx^2)}{2a(a^2+b^2)d(a+b\mathbf{csch}(c+dx^2))}$$

output `1/2*x^2/a^2+b*(2*a^2+b^2)*arctanh((a-b*tanh(1/2*d*x^2+1/2*c))/(a^2+b^2)^(1/2))/a^2/(a^2+b^2)^(3/2)/d-1/2*b^2*coth(d*x^2+c)/a/(a^2+b^2)/d/(a+b*csch(d*x^2+c))`

Mathematica [A] (verified)

Time = 0.66 (sec) , antiderivative size = 161, normalized size of antiderivative = 1.42

$$\int \frac{x}{(a+b\mathbf{csch}(c+dx^2))^2} dx$$

$$= \frac{\mathbf{csch}(c+dx^2) \left(-\frac{ab^2\operatorname{coth}(c+dx^2)}{a^2+b^2} + (c+dx^2)(a+b\mathbf{csch}(c+dx^2)) + \frac{2b(2a^2+b^2)\operatorname{arctan}\left(\frac{a-b\tanh\left(\frac{1}{2}(c+dx^2)\right)}{\sqrt{-a^2-b^2}}\right)}{(-a^2-b^2)^{3/2}} \right) (a+b\mathbf{csch}(c+dx^2))}{2a^2d(a+b\mathbf{csch}(c+dx^2))^2}$$

input `Integrate[x/(a + b*Csch[c + d*x^2])^2,x]`

output $(\text{Csch}[c + d*x^2]*(-((a*b^2*\text{Coth}[c + d*x^2])/(a^2 + b^2)) + (c + d*x^2)*(a + b*\text{Csch}[c + d*x^2]) + (2*b*(2*a^2 + b^2)*\text{ArcTan}[(a - b*\text{Tanh}[(c + d*x^2)/2])/ \text{Sqrt}[-a^2 - b^2]]*(a + b*\text{Csch}[c + d*x^2]))/(-a^2 - b^2)^{(3/2)}*(b + a*\text{Sinh}[c + d*x^2]))/(2*a^2*d*(a + b*\text{Csch}[c + d*x^2])^2)$

Rubi [A] (warning: unable to verify)

Time = 0.77 (sec) , antiderivative size = 133, normalized size of antiderivative = 1.18, number of steps used = 15, number of rules used = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.875$, Rules used = {5960, 3042, 4272, 25, 3042, 4407, 26, 3042, 26, 4318, 3042, 3139, 1083, 217}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x}{(a + b \operatorname{csch}(c + dx^2))^2} dx$$

↓ 5960

$$\frac{1}{2} \int \frac{1}{(a + b \operatorname{csch}(dx^2 + c))^2} dx^2$$

↓ 3042

$$\frac{1}{2} \int \frac{1}{(a + ib \operatorname{csc}(idx^2 + ic))^2} dx^2$$

↓ 4272

$$\frac{1}{2} \left(-\frac{\int \frac{a^2 - b \operatorname{csch}(dx^2 + c)a + b^2}{a + b \operatorname{csch}(dx^2 + c)} dx^2}{a(a^2 + b^2)} - \frac{b^2 \operatorname{coth}(c + dx^2)}{ad(a^2 + b^2)(a + b \operatorname{csch}(c + dx^2))} \right)$$

↓ 25

$$\frac{1}{2} \left(\frac{\int \frac{a^2 - b \operatorname{csch}(dx^2 + c)a + b^2}{a + b \operatorname{csch}(dx^2 + c)} dx^2}{a(a^2 + b^2)} - \frac{b^2 \operatorname{coth}(c + dx^2)}{ad(a^2 + b^2)(a + b \operatorname{csch}(c + dx^2))} \right)$$

↓ 3042

$$\begin{aligned}
& \frac{1}{2} \left(-\frac{b^2 \coth(c + dx^2)}{ad(a^2 + b^2)(a + b \operatorname{csch}(c + dx^2))} + \frac{\int \frac{a^2 - ib \operatorname{csc}(idx^2 + ic)a + b^2}{a + ib \operatorname{csc}(idx^2 + ic)} dx^2}{a(a^2 + b^2)} \right) \\
& \quad \downarrow 4407 \\
& \frac{1}{2} \left(-\frac{b^2 \coth(c + dx^2)}{ad(a^2 + b^2)(a + b \operatorname{csch}(c + dx^2))} + \frac{\frac{x^2(a^2 + b^2)}{a} - \frac{ib(2a^2 + b^2) \int -\frac{i \operatorname{csch}(dx^2 + c)}{a + b \operatorname{csch}(dx^2 + c)} dx^2}{a}}{a(a^2 + b^2)} \right) \\
& \quad \downarrow 26 \\
& \frac{1}{2} \left(\frac{\frac{x^2(a^2 + b^2)}{a} - \frac{b(2a^2 + b^2) \int \frac{\operatorname{csch}(dx^2 + c)}{a + b \operatorname{csch}(dx^2 + c)} dx^2}{a}}{a(a^2 + b^2)} - \frac{b^2 \coth(c + dx^2)}{ad(a^2 + b^2)(a + b \operatorname{csch}(c + dx^2))} \right) \\
& \quad \downarrow 3042 \\
& \frac{1}{2} \left(-\frac{b^2 \coth(c + dx^2)}{ad(a^2 + b^2)(a + b \operatorname{csch}(c + dx^2))} + \frac{\frac{x^2(a^2 + b^2)}{a} - \frac{b(2a^2 + b^2) \int \frac{i \operatorname{csc}(idx^2 + ic)}{a + ib \operatorname{csc}(idx^2 + ic)} dx^2}{a}}{a(a^2 + b^2)} \right) \\
& \quad \downarrow 26 \\
& \frac{1}{2} \left(-\frac{b^2 \coth(c + dx^2)}{ad(a^2 + b^2)(a + b \operatorname{csch}(c + dx^2))} + \frac{\frac{x^2(a^2 + b^2)}{a} - \frac{ib(2a^2 + b^2) \int \frac{\operatorname{csc}(idx^2 + ic)}{a + ib \operatorname{csc}(idx^2 + ic)} dx^2}{a}}{a(a^2 + b^2)} \right) \\
& \quad \downarrow 4318 \\
& \frac{1}{2} \left(\frac{\frac{x^2(a^2 + b^2)}{a} - \frac{(2a^2 + b^2) \int \frac{1}{\frac{a \sinh(dx^2 + c)}{b} + 1} dx^2}{a}}{a(a^2 + b^2)} - \frac{b^2 \coth(c + dx^2)}{ad(a^2 + b^2)(a + b \operatorname{csch}(c + dx^2))} \right) \\
& \quad \downarrow 3042 \\
& \frac{1}{2} \left(-\frac{b^2 \coth(c + dx^2)}{ad(a^2 + b^2)(a + b \operatorname{csch}(c + dx^2))} + \frac{\frac{x^2(a^2 + b^2)}{a} - \frac{(2a^2 + b^2) \int \frac{1}{1 - \frac{ia \sin(idx^2 + ic)}{b}} dx^2}{a}}{a(a^2 + b^2)} \right)
\end{aligned}$$

$$\begin{aligned} & \downarrow 3139 \\ & \frac{1}{2} \left(-\frac{b^2 \coth(c + dx^2)}{ad(a^2 + b^2)(a + b \operatorname{csch}(c + dx^2))} + \frac{x^2(a^2 + b^2)}{a} + \frac{2i(2a^2 + b^2) \int \frac{1}{x^4 + \frac{2a \tanh(\frac{1}{2}(dx^2 + c))}{b} + 1} dx (i \tanh(\frac{1}{2}(dx^2 + c)))}{a(a^2 + b^2)} \right) \\ & \downarrow 1083 \\ & \frac{1}{2} \left(-\frac{b^2 \coth(c + dx^2)}{ad(a^2 + b^2)(a + b \operatorname{csch}(c + dx^2))} + \frac{x^2(a^2 + b^2)}{a} - \frac{4i(2a^2 + b^2) \int \frac{1}{-x^4 - 4(\frac{a^2}{b^2} + 1)} dx (2i \tanh(\frac{1}{2}(dx^2 + c)) - \frac{2ia}{b})}{a(a^2 + b^2)} \right) \\ & \downarrow 217 \\ & \frac{1}{2} \left(\frac{\frac{x^2(a^2 + b^2)}{a} - \frac{2b(2a^2 + b^2) \operatorname{arctanh}\left(\frac{b \tanh(\frac{1}{2}(c + dx^2))}{2\sqrt{a^2 + b^2}}\right)}{ad\sqrt{a^2 + b^2}}}{a(a^2 + b^2)} - \frac{b^2 \coth(c + dx^2)}{ad(a^2 + b^2)(a + b \operatorname{csch}(c + dx^2))} \right) \end{aligned}$$

input `Int[x/(a + b*Csch[c + d*x^2])^2,x]`

output `((((a^2 + b^2)*x^2)/a - (2*b*(2*a^2 + b^2)*ArcTanh[(b*Tanh[(c + d*x^2)/2]]/(2*sqrt[a^2 + b^2])))/(a*sqrt[a^2 + b^2]*d))/(a*(a^2 + b^2)) - (b^2*Coth[c + d*x^2])/(a*(a^2 + b^2)*d*(a + b*Csch[c + d*x^2])))/2`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] :> Simp[Identity[-1] Int[Fx, x], x]`

rule 26 `Int[(Complex[0, a_]*(Fx_), x_Symbol] :> Simp[(Complex[Identity[0], a]) Int[Fx, x], x] /; FreeQ[a, x] && EqQ[a^2, 1]`

- rule 217 $\text{Int}[(a_ + (b_ \cdot)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(-\text{Rt}[-a, 2] \cdot \text{Rt}[-b, 2])^{-1}] \cdot \text{ArcTan}[\text{Rt}[-b, 2] \cdot (x/\text{Rt}[-a, 2])], x] /;$ $\text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$
- rule 1083 $\text{Int}[(a_ + (b_ \cdot)(x_) + (c_ \cdot)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[-2 \ \text{Subst}[\text{Int}[1/\text{Simp}[b^2 - 4 \cdot a \cdot c - x^2, x], x], x, b + 2 \cdot c \cdot x], x] /;$ $\text{FreeQ}[\{a, b, c\}, x]$
- rule 3042 $\text{Int}[u_, x_Symbol] \rightarrow \text{Int}[\text{DeactivateTrig}[u, x], x] /;$ $\text{FunctionOfTrigOfLinearQ}[u, x]$
- rule 3139 $\text{Int}[(a_ + (b_ \cdot)\sin[(c_ \cdot) + (d_ \cdot)(x_)])^{-1}, x_Symbol] \rightarrow \text{With}[\{e = \text{FreeFactors}[\text{Tan}[(c + d \cdot x)/2], x]\}, \text{Simp}[2 \cdot (e/d) \ \text{Subst}[\text{Int}[1/(a + 2 \cdot b \cdot e \cdot x + a \cdot e^2 \cdot x^2), x], x, \text{Tan}[(c + d \cdot x)/2]/e], x] /;$ $\text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$
- rule 4272 $\text{Int}[(\text{csc}[(c_ \cdot) + (d_ \cdot)(x_)] \cdot (b_ \cdot) + (a_))^{(n_)}, x_Symbol] \rightarrow \text{Simp}[b^2 \cdot \text{Cot}[c + d \cdot x] \cdot ((a + b \cdot \text{Csc}[c + d \cdot x])^{(n + 1)}) / (a \cdot d \cdot (n + 1) \cdot (a^2 - b^2)), x] + \text{Simp}[1 / (a \cdot (n + 1) \cdot (a^2 - b^2)) \ \text{Int}[(a + b \cdot \text{Csc}[c + d \cdot x])^{(n + 1)} \cdot \text{Simp}[(a^2 - b^2) \cdot (n + 1) - a \cdot b \cdot (n + 1) \cdot \text{Csc}[c + d \cdot x] + b^2 \cdot (n + 2) \cdot \text{Csc}[c + d \cdot x]^2, x], x], x] /;$ $\text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{LtQ}[n, -1] \ \&\& \ \text{IntegerQ}[2 \cdot n]$
- rule 4318 $\text{Int}[\text{csc}[(e_ \cdot) + (f_ \cdot)(x_)] / (\text{csc}[(e_ \cdot) + (f_ \cdot)(x_)] \cdot (b_ \cdot) + (a_)), x_Symbol] \rightarrow \text{Simp}[1/b \ \text{Int}[1/(1 + (a/b) \cdot \text{Sin}[e + f \cdot x]), x], x] /;$ $\text{FreeQ}[\{a, b, e, f\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$
- rule 4407 $\text{Int}[(\text{csc}[(e_ \cdot) + (f_ \cdot)(x_)] \cdot (d_ \cdot) + (c_)) / (\text{csc}[(e_ \cdot) + (f_ \cdot)(x_)] \cdot (b_ \cdot) + (a_)), x_Symbol] \rightarrow \text{Simp}[c \cdot (x/a), x] - \text{Simp}[(b \cdot c - a \cdot d) / a \ \text{Int}[\text{Csc}[e + f \cdot x] / (a + b \cdot \text{Csc}[e + f \cdot x]), x], x] /;$ $\text{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b \cdot c - a \cdot d, 0]$

rule 5960

```
Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_.)]*(b_.))^(p_.)*(x_)^(m_.), x_Symbol]
:= Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x], x, x^n], x]
/; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]
```

Maple [A] (verified)

Time = 0.28 (sec) , antiderivative size = 189, normalized size of antiderivative = 1.67

method	result
derivativdivides	$\frac{\frac{\ln\left(1+\tanh\left(\frac{dx^2+c}{2}\right)\right)}{a^2} - \frac{\ln\left(\tanh\left(\frac{dx^2+c}{2}\right)-1\right)}{a^2}}{2d} - \frac{2b\left(\frac{\frac{a^2 \tanh\left(\frac{dx^2+c}{2}\right)}{2a^2+2b^2} + \frac{ab}{2a^2+2b^2} - \frac{2(2a^2+b^2) \operatorname{arctanh}\left(\frac{-2b \tanh\left(\frac{dx^2+c}{2}\right)}{2a^2+2b^2}\right)}{2}\right)}{a^2} + a \tanh\left(\frac{dx^2+c}{2}\right) + \frac{b}{2}}$
default	$\frac{\frac{\ln\left(1+\tanh\left(\frac{dx^2+c}{2}\right)\right)}{a^2} - \frac{\ln\left(\tanh\left(\frac{dx^2+c}{2}\right)-1\right)}{a^2}}{2d} - \frac{2b\left(\frac{\frac{a^2 \tanh\left(\frac{dx^2+c}{2}\right)}{2a^2+2b^2} + \frac{ab}{2a^2+2b^2} - \frac{2(2a^2+b^2) \operatorname{arctanh}\left(\frac{-2b \tanh\left(\frac{dx^2+c}{2}\right)}{2a^2+2b^2}\right)}{2}\right)}{a^2} + a \tanh\left(\frac{dx^2+c}{2}\right) + \frac{b}{2}}$
risch	$\frac{x^2}{2a^2} - \frac{b^2(-be^{dx^2+c}+a)}{a^2(a^2+b^2)d(ae^{2dx^2+2c}+2be^{dx^2+c}-a)} + \frac{b \ln\left(e^{dx^2+c} + \frac{(a^2+b^2)^{\frac{3}{2}}b+a^4+2a^2b^2+b^4}{a(a^2+b^2)^{\frac{3}{2}}}\right)}{(a^2+b^2)^{\frac{3}{2}}d} + \frac{b^3 \ln\left(e^{dx^2+c} + \dots\right)}{2}$

input

```
int(x/(a+b*csch(d*x^2+c))^2,x,method=_RETURNVERBOSE)
```

output

```
1/2/d*(1/a^2*ln(1+tanh(1/2*d*x^2+1/2*c))-1/a^2*ln(tanh(1/2*d*x^2+1/2*c)-1)
-2*b/a^2*((1/2*a^2/(a^2+b^2)*tanh(1/2*d*x^2+1/2*c)+1/2*b*a/(a^2+b^2))/(-1/
2*tanh(1/2*d*x^2+1/2*c)^2*b+a*tanh(1/2*d*x^2+1/2*c)+1/2*b)-2*(2*a^2+b^2)/(
2*a^2+2*b^2)/(a^2+b^2)^(1/2)*arctanh(1/2*(-2*b*tanh(1/2*d*x^2+1/2*c)+2*a)/
(a^2+b^2)^(1/2))))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 711 vs. $2(106) = 212$.

Time = 0.09 (sec) , antiderivative size = 711, normalized size of antiderivative = 6.29

$$\int \frac{x}{(a + b \operatorname{csch}(c + dx^2))^2} dx = \text{Too large to display}$$

input `integrate(x/(a+b*csch(d*x^2+c))^2,x, algorithm="fricas")`

output

```
1/2*((a^5 + 2*a^3*b^2 + a*b^4)*d*x^2*cosh(d*x^2 + c)^2 + (a^5 + 2*a^3*b^2
+ a*b^4)*d*x^2*sinh(d*x^2 + c)^2 - 2*a^3*b^2 - 2*a*b^4 - (a^5 + 2*a^3*b^2
+ a*b^4)*d*x^2 - (2*a^3*b + a*b^3 - (2*a^3*b + a*b^3)*cosh(d*x^2 + c)^2 -
(2*a^3*b + a*b^3)*sinh(d*x^2 + c)^2 - 2*(2*a^2*b^2 + b^4)*cosh(d*x^2 + c)
- 2*(2*a^2*b^2 + b^4 + (2*a^3*b + a*b^3)*cosh(d*x^2 + c))*sinh(d*x^2 + c))
*sqrt(a^2 + b^2)*log((a^2*cosh(d*x^2 + c)^2 + a^2*sinh(d*x^2 + c)^2 + 2*a*
b*cosh(d*x^2 + c) + a^2 + 2*b^2 + 2*(a^2*cosh(d*x^2 + c) + a*b)*sinh(d*x^2
+ c) + 2*sqrt(a^2 + b^2)*(a*cosh(d*x^2 + c) + a*sinh(d*x^2 + c) + b))/(a*
cosh(d*x^2 + c)^2 + a*sinh(d*x^2 + c)^2 + 2*b*cosh(d*x^2 + c) + 2*(a*cosh(
d*x^2 + c) + b)*sinh(d*x^2 + c) - a)) + 2*(a^2*b^3 + b^5 + (a^4*b + 2*a^2*
b^3 + b^5)*d*x^2)*cosh(d*x^2 + c) + 2*(a^2*b^3 + b^5 + (a^5 + 2*a^3*b^2 +
a*b^4)*d*x^2*cosh(d*x^2 + c) + (a^4*b + 2*a^2*b^3 + b^5)*d*x^2)*sinh(d*x^2
+ c))/((a^7 + 2*a^5*b^2 + a^3*b^4)*d*cosh(d*x^2 + c)^2 + (a^7 + 2*a^5*b^2
+ a^3*b^4)*d*sinh(d*x^2 + c)^2 + 2*(a^6*b + 2*a^4*b^3 + a^2*b^5)*d*cosh(
d*x^2 + c) - (a^7 + 2*a^5*b^2 + a^3*b^4)*d + 2*((a^7 + 2*a^5*b^2 + a^3*b^4)
*d*cosh(d*x^2 + c) + (a^6*b + 2*a^4*b^3 + a^2*b^5)*d)*sinh(d*x^2 + c))
```

Sympy [F]

$$\int \frac{x}{(a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{x}{(a + b \operatorname{csch}(c + dx^2))^2} dx$$

input `integrate(x/(a+b*csch(d*x**2+c))**2,x)`

output `Integral(x/(a + b*csch(c + d*x**2))**2, x)`

Maxima [A] (verification not implemented)

Time = 0.17 (sec) , antiderivative size = 200, normalized size of antiderivative = 1.77

$$\int \frac{x}{(a + b \operatorname{csch}(c + dx^2))^2} dx$$

$$= -\frac{(2a^2b + b^3) \log\left(\frac{ae^{(-dx^2-c)} - b - \sqrt{a^2+b^2}}{ae^{(-dx^2-c)} - b + \sqrt{a^2+b^2}}\right)}{2(a^4 + a^2b^2)\sqrt{a^2+b^2}d} - \frac{b^3e^{(-dx^2-c)} + ab^2}{(a^5 + a^3b^2 + 2(a^4b + a^2b^3)e^{(-dx^2-c)} - (a^5 + a^3b^2)e^{(-2dx^2-2c)})d} + \frac{dx^2 + c}{2a^2d}$$

input `integrate(x/(a+b*csch(d*x^2+c))^2,x, algorithm="maxima")`

output

$$-1/2*(2*a^2*b + b^3)*\log((a*e^{(-d*x^2 - c)} - b - \operatorname{sqrt}(a^2 + b^2))/(a*e^{(-d*x^2 - c)} - b + \operatorname{sqrt}(a^2 + b^2)))/((a^4 + a^2*b^2)*\operatorname{sqrt}(a^2 + b^2)*d) - (b^3*e^{(-d*x^2 - c)} + a*b^2)/((a^5 + a^3*b^2 + 2*(a^4*b + a^2*b^3)*e^{(-d*x^2 - c)} - (a^5 + a^3*b^2)*e^{(-2*d*x^2 - 2*c)})*d) + 1/2*(d*x^2 + c)/(a^2*d)$$

Giac [A] (verification not implemented)

Time = 0.14 (sec) , antiderivative size = 177, normalized size of antiderivative = 1.57

$$\int \frac{x}{(a + b \operatorname{csch}(c + dx^2))^2} dx = -\frac{(2a^2b + b^3) \log\left(\frac{2ae^{(dx^2+c)} + 2b - 2\sqrt{a^2+b^2}}{2ae^{(dx^2+c)} + 2b + 2\sqrt{a^2+b^2}}\right)}{2(a^4d + a^2b^2d)\sqrt{a^2+b^2}} + \frac{b^3e^{(dx^2+c)} - ab^2}{(a^4d + a^2b^2d)(ae^{(2dx^2+2c)} + 2be^{(dx^2+c)} - a)} + \frac{dx^2 + c}{2a^2d}$$

input `integrate(x/(a+b*csch(d*x^2+c))^2,x, algorithm="giac")`

output

$$-1/2*(2*a^2*b + b^3)*\log(\operatorname{abs}(2*a*e^{(d*x^2 + c)} + 2*b - 2*\operatorname{sqrt}(a^2 + b^2)))/\operatorname{abs}(2*a*e^{(d*x^2 + c)} + 2*b + 2*\operatorname{sqrt}(a^2 + b^2)))/((a^4*d + a^2*b^2*d)*\operatorname{sqrt}(a^2 + b^2)) + (b^3*e^{(d*x^2 + c)} - a*b^2)/((a^4*d + a^2*b^2*d)*(a*e^{(2*d*x^2 + 2*c)} + 2*b*e^{(d*x^2 + c)} - a)) + 1/2*(d*x^2 + c)/(a^2*d)$$

Mupad [B] (verification not implemented)

Time = 3.02 (sec) , antiderivative size = 290, normalized size of antiderivative = 2.57

$$\int \frac{x}{(a + b \operatorname{csch}(c + dx^2))^2} dx$$

$$= \frac{x^2}{2a^2} - \frac{\frac{b^2}{d(a^3+ab^2)} - \frac{b^3 e^{dx^2+c}}{a d(a^3+ab^2)}}{2b e^{dx^2+c} - a + a e^{2dx^2+2c}}$$

$$- \frac{b \ln \left(\frac{2bx e^{dx^2+c} (2a^2+b^2)}{a^3 (a^2+b^2)} - \frac{2bx (2a^2+b^2) (a-b e^{dx^2+c})}{a^3 (a^2+b^2)^{3/2}} \right) (2a^2 + b^2)}{2a^2 d (a^2 + b^2)^{3/2}}$$

$$+ \frac{b \ln \left(\frac{2bx e^{dx^2+c} (2a^2+b^2)}{a^3 (a^2+b^2)} + \frac{2bx (2a^2+b^2) (a-b e^{dx^2+c})}{a^3 (a^2+b^2)^{3/2}} \right) (2a^2 + b^2)}{2a^2 d (a^2 + b^2)^{3/2}}$$

input `int(x/(a + b/sinh(c + d*x^2))^2,x)`output `x^2/(2*a^2) - (b^2/(d*(a*b^2 + a^3)) - (b^3*exp(c + d*x^2))/(a*d*(a*b^2 + a^3)))/(2*b*exp(c + d*x^2) - a + a*exp(2*c + 2*d*x^2)) - (b*log((2*b*x*exp(c + d*x^2)*(2*a^2 + b^2))/(a^3*(a^2 + b^2)) - (2*b*x*(2*a^2 + b^2)*(a - b*exp(c + d*x^2)))/(a^3*(a^2 + b^2)^(3/2))))*(2*a^2 + b^2)/(2*a^2*d*(a^2 + b^2)^(3/2)) + (b*log((2*b*x*exp(c + d*x^2)*(2*a^2 + b^2))/(a^3*(a^2 + b^2)^(3/2)) + (2*b*x*(2*a^2 + b^2)*(a - b*exp(c + d*x^2)))/(a^3*(a^2 + b^2)^(3/2))))*(2*a^2 + b^2)/(2*a^2*d*(a^2 + b^2)^(3/2))`**Reduce [F]**

$$\int \frac{x}{(a + b \operatorname{csch}(c + dx^2))^2} dx = \text{too large to display}$$

input `int(x/(a+b*csch(d*x^2+c))^2,x)`

output

```
( - 5*exp(2*c + 2*d*x**2)*sqrt(a**2 + b**2)*atan((exp(c + d*x**2)*a*i + b*i)/sqrt(a**2 + b**2))*a**3*b**i - 2*exp(2*c + 2*d*x**2)*sqrt(a**2 + b**2)*atan((exp(c + d*x**2)*a*i + b*i)/sqrt(a**2 + b**2))*a*b**3*i - 10*exp(c + d*x**2)*sqrt(a**2 + b**2)*atan((exp(c + d*x**2)*a*i + b*i)/sqrt(a**2 + b**2))*a**2*b**2*i - 4*exp(c + d*x**2)*sqrt(a**2 + b**2)*atan((exp(c + d*x**2)*a*i + b*i)/sqrt(a**2 + b**2))*b**4*i + 5*sqrt(a**2 + b**2)*atan((exp(c + d*x**2)*a*i + b*i)/sqrt(a**2 + b**2))*a**3*b**i + 2*sqrt(a**2 + b**2)*atan((exp(c + d*x**2)*a*i + b*i)/sqrt(a**2 + b**2))*a*b**3*i + 4*exp(2*c + 2*d*x**2)*int(x/(exp(4*c + 4*d*x**2)*a**2 + 4*exp(3*c + 3*d*x**2)*a*b - 2*exp(2*c + 2*d*x**2)*a**2 + 4*exp(2*c + 2*d*x**2)*b**2 - 4*exp(c + d*x**2)*a*b + a**2),x)*a**7*d + 8*exp(2*c + 2*d*x**2)*int(x/(exp(4*c + 4*d*x**2)*a**2 + 4*exp(3*c + 3*d*x**2)*a*b - 2*exp(2*c + 2*d*x**2)*a**2 + 4*exp(2*c + 2*d*x**2)*b**2 - 4*exp(c + d*x**2)*a*b + a**2),x)*a**5*b**2*d + 4*exp(2*c + 2*d*x**2)*int(x/(exp(4*c + 4*d*x**2)*a**2 + 4*exp(3*c + 3*d*x**2)*a*b - 2*exp(2*c + 2*d*x**2)*a**2 + 4*exp(2*c + 2*d*x**2)*b**2 - 4*exp(c + d*x**2)*a*b + a**2),x)*a**3*b**4*d + exp(2*c + 2*d*x**2)*log(exp(2*c + 2*d*x**2)*a + 2*exp(c + d*x**2)*b - a)*a**5 + 2*exp(2*c + 2*d*x**2)*log(exp(2*c + 2*d*x**2)*a + 2*exp(c + d*x**2)*b - a)*a**3*b**2 + exp(2*c + 2*d*x**2)*log(exp(2*c + 2*d*x**2)*a + 2*exp(c + d*x**2)*b - a)*a*b**4 + exp(2*c + 2*d*x**2)*a**5 - exp(2*c + 2*d*x**2)*a**3*b**2 - 2*exp(2*c + 2*d*x**2)*a*b**4 + ...
```

$$3.32 \quad \int \frac{1}{x \left(a + b \operatorname{csch}(c + dx^2) \right)^2} dx$$

Optimal result	245
Mathematica [N/A]	245
Rubi [N/A]	246
Maple [N/A]	246
Fricas [N/A]	247
Sympy [N/A]	247
Maxima [N/A]	247
Giac [N/A]	248
Mupad [N/A]	248
Reduce [N/A]	249

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{1}{x \left(a + b \operatorname{csch}(c + dx^2) \right)^2} dx = \operatorname{Int} \left(\frac{1}{x \left(a + b \operatorname{csch}(c + dx^2) \right)^2}, x \right)$$

output `Defer(Int)(1/x/(a+b*csch(d*x^2+c))^2,x)`

Mathematica [N/A]

Not integrable

Time = 28.39 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{1}{x \left(a + b \operatorname{csch}(c + dx^2) \right)^2} dx = \int \frac{1}{x \left(a + b \operatorname{csch}(c + dx^2) \right)^2} dx$$

input `Integrate[1/(x*(a + b*Csch[c + d*x^2])^2),x]`

output `Integrate[1/(x*(a + b*Csch[c + d*x^2])^2), x]`

Rubi [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x(a + b \operatorname{csch}(c + dx^2))^2} dx$$

↓ 5962

$$\int \frac{1}{x(a + b \operatorname{csch}(c + dx^2))^2} dx$$

input `Int[1/(x*(a + b*Csch[c + d*x^2])^2),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{1}{x(a + b \operatorname{csch}(dx^2 + c))^2} dx$$

input `int(1/x/(a+b*csch(d*x^2+c))^2,x)`

output `int(1/x/(a+b*csch(d*x^2+c))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 38, normalized size of antiderivative = 2.11

$$\int \frac{1}{x (a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{1}{(b \operatorname{csch}(dx^2 + c) + a)^2 x} dx$$

input `integrate(1/x/(a+b*csch(d*x^2+c))^2,x, algorithm="fricas")`

output `integral(1/(b^2*x*csch(d*x^2 + c)^2 + 2*a*b*x*csch(d*x^2 + c) + a^2*x), x)`

Sympy [N/A]

Not integrable

Time = 1.10 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.94

$$\int \frac{1}{x (a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{1}{x (a + b \operatorname{csch}(c + dx^2))^2} dx$$

input `integrate(1/x/(a+b*csch(d*x**2+c))**2,x)`

output `Integral(1/(x*(a + b*csch(c + d*x**2))**2), x)`

Maxima [N/A]

Not integrable

Time = 0.37 (sec) , antiderivative size = 246, normalized size of antiderivative = 13.67

$$\int \frac{1}{x (a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{1}{(b \operatorname{csch}(dx^2 + c) + a)^2 x} dx$$

input `integrate(1/x/(a+b*csch(d*x^2+c))^2,x, algorithm="maxima")`

output

```
(b^3*e^(d*x^2 + c) - a*b^2)/((a^5*d*e^(2*c) + a^3*b^2*d*e^(2*c))*x^2*e^(2*
d*x^2) + 2*(a^4*b*d*e^c + a^2*b^3*d*e^c)*x^2*e^(d*x^2) - (a^5*d + a^3*b^2*
d)*x^2) + log(x)/a^2 - integrate(2*(a*b^2 - (b^3*e^c - (2*a^2*b*d*e^c + b^
3*d*e^c)*x^2)*e^(d*x^2))/((a^5*d*e^(2*c) + a^3*b^2*d*e^(2*c))*x^3*e^(2*d*x
^2) + 2*(a^4*b*d*e^c + a^2*b^3*d*e^c)*x^3*e^(d*x^2) - (a^5*d + a^3*b^2*d)*
x^3), x)
```

Giac [N/A]

Not integrable

Time = 0.76 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{1}{x(a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{1}{(b \operatorname{csch}(dx^2 + c) + a)^2 x} dx$$

input

```
integrate(1/x/(a+b*csch(d*x^2+c))^2,x, algorithm="giac")
```

output

```
integrate(1/((b*csch(d*x^2 + c) + a)^2*x), x)
```

Mupad [N/A]

Not integrable

Time = 2.81 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{1}{x(a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{1}{x \left(a + \frac{b}{\sinh(dx^2+c)} \right)^2} dx$$

input

```
int(1/(x*(a + b/sinh(c + d*x^2))^2),x)
```

output

```
int(1/(x*(a + b/sinh(c + d*x^2))^2), x)
```

Reduce [N/A]

Not integrable

Time = 0.25 (sec) , antiderivative size = 341, normalized size of antiderivative = 18.94

$$\int \frac{1}{x(a + b \operatorname{csch}(c + dx^2))^2} dx$$

$$= \frac{-4e^{3c} \left(\int \frac{e^{3dx^2}}{e^{4dx^2+4ca^2x+4e^{3d}x^2+3cabx-2e^{2d}x^2+2ca^2x+4e^{2d}x^2+2cb^2x-4e^{d}x^2+cabx+a^2x}} dx \right) ab - 4e^{2c} \left(\int \frac{1}{e^{4dx^2+4ca^2x+4e^{3d}x^2+3cabx-2e^{2d}x^2+2ca^2x+4e^{2d}x^2+2cb^2x-4e^{d}x^2+cabx+a^2x}} dx \right)}{1}$$

input

```
int(1/x/(a+b*csch(d*x^2+c))^2,x)
```

output

```
( - 4*e**(3*c)*int(e**(3*d*x**2)/(e**(4*c + 4*d*x**2)*a**2*x + 4*e**(3*c + 3*d*x**2)*a*b*x - 2*e**(2*c + 2*d*x**2)*a**2*x + 4*e**(2*c + 2*d*x**2)*b**2*x - 4*e**(c + d*x**2)*a*b*x + a**2*x),x)*a*b - 4*e**(2*c)*int(e**(2*d*x**2)/(e**(4*c + 4*d*x**2)*a**2*x + 4*e**(3*c + 3*d*x**2)*a*b*x - 2*e**(2*c + 2*d*x**2)*a**2*x + 4*e**(2*c + 2*d*x**2)*b**2*x - 4*e**(c + d*x**2)*a*b*x + a**2*x),x)*b**2 + 4*e**c*int(e**(d*x**2)/(e**(4*c + 4*d*x**2)*a**2*x + 4*e**(3*c + 3*d*x**2)*a*b*x - 2*e**(2*c + 2*d*x**2)*a**2*x + 4*e**(2*c + 2*d*x**2)*b**2*x - 4*e**(c + d*x**2)*a*b*x + a**2*x),x)*a*b + log(x))/a**2
```

$$3.33 \quad \int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))^2} dx$$

Optimal result	250
Mathematica [N/A]	250
Rubi [N/A]	251
Maple [N/A]	251
Fricas [N/A]	252
Sympy [N/A]	252
Maxima [N/A]	252
Giac [N/A]	253
Mupad [N/A]	253
Reduce [N/A]	254

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))^2} dx = \operatorname{Int}\left(\frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))^2}, x\right)$$

output `Defer(Int)(1/x^3/(a+b*csch(d*x^2+c))^2,x)`

Mathematica [N/A]

Not integrable

Time = 17.60 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))^2} dx$$

input `Integrate[1/(x^3*(a + b*Csch[c + d*x^2])^2),x]`

output `Integrate[1/(x^3*(a + b*Csch[c + d*x^2])^2), x]`

Rubi [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))^2} dx$$

↓ 5962

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))^2} dx$$

input `Int[1/(x^3*(a + b*Csch[c + d*x^2])^2),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(dx^2 + c))^2} dx$$

input `int(1/x^3/(a+b*csch(d*x^2+c))^2,x)`

output `int(1/x^3/(a+b*csch(d*x^2+c))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 44, normalized size of antiderivative = 2.44

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{1}{(b \operatorname{csch}(dx^2 + c) + a)^2 x^3} dx$$

input `integrate(1/x^3/(a+b*csch(d*x^2+c))^2,x, algorithm="fricas")`

output `integral(1/(b^2*x^3*csch(d*x^2 + c)^2 + 2*a*b*x^3*csch(d*x^2 + c) + a^2*x^3), x)`

Sympy [N/A]

Not integrable

Time = 0.74 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.06

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))^2} dx$$

input `integrate(1/x**3/(a+b*csch(d*x**2+c))**2,x)`

output `Integral(1/(x**3*(a + b*csch(c + d*x**2))**2), x)`

Maxima [N/A]

Not integrable

Time = 0.69 (sec) , antiderivative size = 315, normalized size of antiderivative = 17.50

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{1}{(b \operatorname{csch}(dx^2 + c) + a)^2 x^3} dx$$

input `integrate(1/x^3/(a+b*csch(d*x^2+c))^2,x, algorithm="maxima")`

output

```
-1/2*((a^3*d*e^(2*c) + a*b^2*d*e^(2*c))*x^2*e^(2*d*x^2) + 2*a*b^2 - (a^3*d
+ a*b^2*d)*x^2 - 2*(b^3*e^c - (a^2*b*d*e^c + b^3*d*e^c)*x^2)*e^(d*x^2))/
(a^5*d*e^(2*c) + a^3*b^2*d*e^(2*c))*x^4*e^(2*d*x^2) + 2*(a^4*b*d*e^c + a^2
*b^3*d*e^c)*x^4*e^(d*x^2) - (a^5*d + a^3*b^2*d)*x^4) - integrate(2*(2*a*b^
2 - (2*b^3*e^c - (2*a^2*b*d*e^c + b^3*d*e^c)*x^2)*e^(d*x^2))/((a^5*d*e^(2*
c) + a^3*b^2*d*e^(2*c))*x^5*e^(2*d*x^2) + 2*(a^4*b*d*e^c + a^2*b^3*d*e^c)*
x^5*e^(d*x^2) - (a^5*d + a^3*b^2*d)*x^5), x)
```

Giac [N/A]

Not integrable

Time = 1.25 (sec) , antiderivative size = 3, normalized size of antiderivative = 0.17

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{1}{(b \operatorname{csch}(dx^2 + c) + a)^2 x^3} dx$$

input

```
integrate(1/x^3/(a+b*csch(d*x^2+c))^2,x, algorithm="giac")
```

output

```
sage0*x
```

Mupad [N/A]

Not integrable

Time = 3.06 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{1}{x^3 \left(a + \frac{b}{\sinh(dx^2+c)} \right)^2} dx$$

input

```
int(1/(x^3*(a + b/sinh(c + d*x^2))^2),x)
```

output

```
int(1/(x^3*(a + b/sinh(c + d*x^2))^2), x)
```

Reduce [N/A]

Not integrable

Time = 0.37 (sec) , antiderivative size = 2681, normalized size of antiderivative = 148.94

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))^2} dx = \text{Too large to display}$$

input `int(1/x^3/(a+b*csch(d*x^2+c))^2,x)`

output

```
( - 4*e**(5*c + 2*d*x**2)*int(e**(3*d*x**2)/(e**(4*c + 4*d*x**2)*a**2*x**3
+ 4*e**(3*c + 3*d*x**2)*a*b*x**3 - 2*e**(2*c + 2*d*x**2)*a**2*x**3 + 4*e
*(2*c + 2*d*x**2)*b**2*x**3 - 4*e**(c + d*x**2)*a*b*x**3 + a**2*x**3),x)*a
*b*x**2 + 4*e**(5*c + 2*d*x**2)*int(e**(3*d*x**2)/(e**(4*c + 4*d*x**2)*a**
2*x + 4*e**(3*c + 3*d*x**2)*a*b*x - 2*e**(2*c + 2*d*x**2)*a**2*x + 4*e**(2
*c + 2*d*x**2)*b**2*x - 4*e**(c + d*x**2)*a*b*x + a**2*x),x)*a*b*d*x**2 -
4*e**(4*c + 2*d*x**2)*int(e**(2*d*x**2)/(e**(4*c + 4*d*x**2)*a**2*x**3 + 4
*e**(3*c + 3*d*x**2)*a*b*x**3 - 2*e**(2*c + 2*d*x**2)*a**2*x**3 + 4*e**(2*
c + 2*d*x**2)*b**2*x**3 - 4*e**(c + d*x**2)*a*b*x**3 + a**2*x**3),x)*a**2*
x**2 - 8*e**(4*c + 2*d*x**2)*int(e**(2*d*x**2)/(e**(4*c + 4*d*x**2)*a**2*x
+ 4*e**(3*c + 3*d*x**2)*a*b*x - 2*e**(2*c + 2*d*x**2)*a**2*x + 4*e**(2*c
+ 2*d*x**2)*b**2*x - 4*e**(c + d*x**2)*a*b*x + a**2*x),x)*a**2*d*x**2 - 4*
e**(3*c + 2*d*x**2)*int(e**(d*x**2)/(e**(4*c + 4*d*x**2)*a**2*x**3 + 4*e**
(3*c + 3*d*x**2)*a*b*x**3 - 2*e**(2*c + 2*d*x**2)*a**2*x**3 + 4*e**(2*c +
2*d*x**2)*b**2*x**3 - 4*e**(c + d*x**2)*a*b*x**3 + a**2*x**3),x)*a*b*x**2
- 4*e**(3*c + 2*d*x**2)*int(e**(d*x**2)/(e**(4*c + 4*d*x**2)*a**2*x + 4*e
*(3*c + 3*d*x**2)*a*b*x - 2*e**(2*c + 2*d*x**2)*a**2*x + 4*e**(2*c + 2*d*x
**2)*b**2*x - 4*e**(c + d*x**2)*a*b*x + a**2*x),x)*a*b*d*x**2 + 4*e**(2*c
+ 2*d*x**2)*int(1/(e**(4*c + 4*d*x**2)*a**2*x**3 + 4*e**(3*c + 3*d*x**2)*a
*b*x**3 - 2*e**(2*c + 2*d*x**2)*a**2*x**3 + 4*e**(2*c + 2*d*x**2)*b**2*...
```

$$3.34 \quad \int \frac{x^4}{\left(a+b\operatorname{csch}(c+dx^2)\right)^2} dx$$

Optimal result	255
Mathematica [N/A]	255
Rubi [N/A]	256
Maple [N/A]	256
Fricas [N/A]	257
Sympy [N/A]	257
Maxima [N/A]	257
Giac [N/A]	258
Mupad [N/A]	258
Reduce [N/A]	259

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{x^4}{\left(a+b\operatorname{csch}(c+dx^2)\right)^2} dx = \operatorname{Int}\left(\frac{x^4}{\left(a+b\operatorname{csch}(c+dx^2)\right)^2}, x\right)$$

output `Defer(Int)(x^4/(a+b*csch(d*x^2+c))^2,x)`

Mathematica [N/A]

Not integrable

Time = 13.57 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{x^4}{\left(a+b\operatorname{csch}(c+dx^2)\right)^2} dx = \int \frac{x^4}{\left(a+b\operatorname{csch}(c+dx^2)\right)^2} dx$$

input `Integrate[x^4/(a + b*Csch[c + d*x^2])^2,x]`

output `Integrate[x^4/(a + b*Csch[c + d*x^2])^2, x]`

Rubi [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^4}{(a + b \operatorname{csch}(c + dx^2))^2} dx$$

↓ 5962

$$\int \frac{x^4}{(a + b \operatorname{csch}(c + dx^2))^2} dx$$

input `Int[x^4/(a + b*Csch[c + d*x^2])^2,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{x^4}{(a + b \operatorname{csch}(dx^2 + c))^2} dx$$

input `int(x^4/(a+b*csch(d*x^2+c))^2,x)`

output `int(x^4/(a+b*csch(d*x^2+c))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 38, normalized size of antiderivative = 2.11

$$\int \frac{x^4}{(a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{x^4}{(b \operatorname{csch}(dx^2 + c) + a)^2} dx$$

input `integrate(x^4/(a+b*csch(d*x^2+c))^2,x, algorithm="fricas")`

output `integral(x^4/(b^2*csch(d*x^2 + c)^2 + 2*a*b*csch(d*x^2 + c) + a^2), x)`

Sympy [N/A]

Not integrable

Time = 0.51 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.94

$$\int \frac{x^4}{(a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{x^4}{(a + b \operatorname{csch}(c + dx^2))^2} dx$$

input `integrate(x**4/(a+b*csch(d*x**2+c))**2,x)`

output `Integral(x**4/(a + b*csch(c + d*x**2))**2, x)`

Maxima [N/A]

Not integrable

Time = 0.68 (sec) , antiderivative size = 304, normalized size of antiderivative = 16.89

$$\int \frac{x^4}{(a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{x^4}{(b \operatorname{csch}(dx^2 + c) + a)^2} dx$$

input `integrate(x^4/(a+b*csch(d*x^2+c))^2,x, algorithm="maxima")`

output

```
-1/5*((a^3*d*e^(2*c) + a*b^2*d*e^(2*c))*x^5*e^(2*d*x^2) - 5*a*b^2*x^3 - (a^3*d + a*b^2*d)*x^5 + (5*b^3*x^3*e^c + 2*(a^2*b*d*e^c + b^3*d*e^c)*x^5)*e^(d*x^2))/(a^5*d + a^3*b^2*d - (a^5*d*e^(2*c) + a^3*b^2*d*e^(2*c))*e^(2*d*x^2) - 2*(a^4*b*d*e^c + a^2*b^3*d*e^c)*e^(d*x^2)) - integrate((3*a*b^2*x^2 - (3*b^3*x^2*e^c + 2*(2*a^2*b*d*e^c + b^3*d*e^c)*x^4)*e^(d*x^2))/(a^5*d + a^3*b^2*d - (a^5*d*e^(2*c) + a^3*b^2*d*e^(2*c))*e^(2*d*x^2) - 2*(a^4*b*d*e^c + a^2*b^3*d*e^c)*e^(d*x^2)), x)
```

Giac [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{x^4}{(a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{x^4}{(b \operatorname{csch}(dx^2 + c) + a)^2} dx$$

input

```
integrate(x^4/(a+b*csch(d*x^2+c))^2,x, algorithm="giac")
```

output

```
integrate(x^4/(b*csch(d*x^2 + c) + a)^2, x)
```

Mupad [N/A]

Not integrable

Time = 2.54 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{x^4}{(a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{x^4}{\left(a + \frac{b}{\sinh(dx^2+c)}\right)^2} dx$$

input

```
int(x^4/(a + b/sinh(c + d*x^2))^2,x)
```

output

```
int(x^4/(a + b/sinh(c + d*x^2))^2, x)
```

Reduce [N/A]

Not integrable

Time = 0.26 (sec) , antiderivative size = 38, normalized size of antiderivative = 2.11

$$\int \frac{x^4}{(a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{x^4}{\operatorname{csch}(dx^2 + c)^2 b^2 + 2 \operatorname{csch}(dx^2 + c) ab + a^2} dx$$

input `int(x^4/(a+b*csch(d*x^2+c))^2,x)`output `int(x**4/(csch(c + d*x**2)**2*b**2 + 2*csch(c + d*x**2)*a*b + a**2),x)`

$$3.35 \quad \int \frac{x^2}{\left(a+b\mathbf{csch}(c+dx^2)\right)^2} dx$$

Optimal result	260
Mathematica [N/A]	260
Rubi [N/A]	261
Maple [N/A]	261
Fricas [N/A]	262
Sympy [N/A]	262
Maxima [N/A]	262
Giac [N/A]	263
Mupad [N/A]	263
Reduce [N/A]	264

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{x^2}{\left(a+b\mathbf{csch}(c+dx^2)\right)^2} dx = \text{Int}\left(\frac{x^2}{\left(a+b\mathbf{csch}(c+dx^2)\right)^2}, x\right)$$

output `Defer(Int)(x^2/(a+b*csch(d*x^2+c))^2,x)`

Mathematica [N/A]

Not integrable

Time = 13.55 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{x^2}{\left(a+b\mathbf{csch}(c+dx^2)\right)^2} dx = \int \frac{x^2}{\left(a+b\mathbf{csch}(c+dx^2)\right)^2} dx$$

input `Integrate[x^2/(a + b*Csch[c + d*x^2])^2,x]`

output `Integrate[x^2/(a + b*Csch[c + d*x^2])^2, x]`

Rubi [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^2}{(a + b \operatorname{csch}(c + dx^2))^2} dx$$

↓ 5962

$$\int \frac{x^2}{(a + b \operatorname{csch}(c + dx^2))^2} dx$$

input `Int[x^2/(a + b*Csch[c + d*x^2])^2,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{x^2}{(a + b \operatorname{csch}(dx^2 + c))^2} dx$$

input `int(x^2/(a+b*csch(d*x^2+c))^2,x)`

output `int(x^2/(a+b*csch(d*x^2+c))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 38, normalized size of antiderivative = 2.11

$$\int \frac{x^2}{(a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{x^2}{(b \operatorname{csch}(dx^2 + c) + a)^2} dx$$

input `integrate(x^2/(a+b*csch(d*x^2+c))^2,x, algorithm="fricas")`

output `integral(x^2/(b^2*csch(d*x^2 + c)^2 + 2*a*b*csch(d*x^2 + c) + a^2), x)`

Sympy [N/A]

Not integrable

Time = 0.50 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.94

$$\int \frac{x^2}{(a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{x^2}{(a + b \operatorname{csch}(c + dx^2))^2} dx$$

input `integrate(x**2/(a+b*csch(d*x**2+c))**2,x)`

output `Integral(x**2/(a + b*csch(c + d*x**2))**2, x)`

Maxima [N/A]

Not integrable

Time = 0.43 (sec) , antiderivative size = 292, normalized size of antiderivative = 16.22

$$\int \frac{x^2}{(a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{x^2}{(b \operatorname{csch}(dx^2 + c) + a)^2} dx$$

input `integrate(x^2/(a+b*csch(d*x^2+c))^2,x, algorithm="maxima")`

output

```
-1/3*((a^3*d*e^(2*c) + a*b^2*d*e^(2*c))*x^3*e^(2*d*x^2) - 3*a*b^2*x - (a^3*d + a*b^2*d)*x^3 + (3*b^3*x*e^c + 2*(a^2*b*d*e^c + b^3*d*e^c)*x^3)*e^(d*x^2))/(a^5*d + a^3*b^2*d - (a^5*d*e^(2*c) + a^3*b^2*d*e^(2*c))*e^(2*d*x^2) - 2*(a^4*b*d*e^c + a^2*b^3*d*e^c)*e^(d*x^2)) - integrate((a*b^2 - (b^3*e^c + 2*(2*a^2*b*d*e^c + b^3*d*e^c)*x^2)*e^(d*x^2))/(a^5*d + a^3*b^2*d - (a^5*d*e^(2*c) + a^3*b^2*d*e^(2*c))*e^(2*d*x^2) - 2*(a^4*b*d*e^c + a^2*b^3*d*e^c)*e^(d*x^2)), x)
```

Giac [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{x^2}{(a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{x^2}{(b \operatorname{csch}(dx^2 + c) + a)^2} dx$$

input

```
integrate(x^2/(a+b*csch(d*x^2+c))^2,x, algorithm="giac")
```

output

```
integrate(x^2/(b*csch(d*x^2 + c) + a)^2, x)
```

Mupad [N/A]

Not integrable

Time = 2.52 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{x^2}{(a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{x^2}{\left(a + \frac{b}{\sinh(dx^2+c)}\right)^2} dx$$

input

```
int(x^2/(a + b/sinh(c + d*x^2))^2,x)
```

output

```
int(x^2/(a + b/sinh(c + d*x^2))^2, x)
```


Reduce [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 38, normalized size of antiderivative = 2.11

$$\int \frac{x^2}{(a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{x^2}{\operatorname{csch}(dx^2 + c)^2 b^2 + 2 \operatorname{csch}(dx^2 + c) ab + a^2} dx$$

input `int(x^2/(a+b*csch(d*x^2+c))^2,x)`output `int(x**2/(csch(c + d*x**2)**2*b**2 + 2*csch(c + d*x**2)*a*b + a**2),x)`

$$3.36 \quad \int \frac{1}{x^2 (a + b \operatorname{csch}(c + dx^2))^2} dx$$

Optimal result	265
Mathematica [N/A]	265
Rubi [N/A]	266
Maple [N/A]	266
Fricas [N/A]	267
Sympy [N/A]	267
Maxima [N/A]	267
Giac [N/A]	268
Mupad [N/A]	268
Reduce [N/A]	269

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + dx^2))^2} dx = \operatorname{Int}\left(\frac{1}{x^2 (a + b \operatorname{csch}(c + dx^2))^2}, x\right)$$

output `Defer(Int)(1/x^2/(a+b*csch(d*x^2+c))^2,x)`

Mathematica [N/A]

Not integrable

Time = 15.90 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{1}{x^2 (a + b \operatorname{csch}(c + dx^2))^2} dx$$

input `Integrate[1/(x^2*(a + b*Csch[c + d*x^2])^2),x]`

output `Integrate[1/(x^2*(a + b*Csch[c + d*x^2])^2), x]`

Rubi [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + dx^2))^2} dx$$

↓ 5962

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + dx^2))^2} dx$$

input `Int[1/(x^2*(a + b*Csch[c + d*x^2])^2),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(dx^2 + c))^2} dx$$

input `int(1/x^2/(a+b*csch(d*x^2+c))^2,x)`

output `int(1/x^2/(a+b*csch(d*x^2+c))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 44, normalized size of antiderivative = 2.44

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{1}{(b \operatorname{csch}(dx^2 + c) + a)^2 x^2} dx$$

input `integrate(1/x^2/(a+b*csch(d*x^2+c))^2,x, algorithm="fricas")`

output `integral(1/(b^2*x^2*csch(d*x^2 + c)^2 + 2*a*b*x^2*csch(d*x^2 + c) + a^2*x^2), x)`

Sympy [N/A]

Not integrable

Time = 0.84 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.06

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{1}{x^2 (a + b \operatorname{csch}(c + dx^2))^2} dx$$

input `integrate(1/x**2/(a+b*csch(d*x**2+c))**2,x)`

output `Integral(1/(x**2*(a + b*csch(c + d*x**2))**2), x)`

Maxima [N/A]

Not integrable

Time = 0.36 (sec) , antiderivative size = 313, normalized size of antiderivative = 17.39

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{1}{(b \operatorname{csch}(dx^2 + c) + a)^2 x^2} dx$$

input `integrate(1/x^2/(a+b*csch(d*x^2+c))^2,x, algorithm="maxima")`

output

```

-((a^3*d*e^(2*c) + a*b^2*d*e^(2*c))*x^2*e^(2*d*x^2) + a*b^2 - (a^3*d + a*b
^2*d)*x^2 - (b^3*e^c - 2*(a^2*b*d*e^c + b^3*d*e^c)*x^2)*e^(d*x^2))/((a^5*d
*e^(2*c) + a^3*b^2*d*e^(2*c))*x^3*e^(2*d*x^2) + 2*(a^4*b*d*e^c + a^2*b^3*d
*e^c)*x^3*e^(d*x^2) - (a^5*d + a^3*b^2*d)*x^3) - integrate((3*a*b^2 - (3*b
^3*e^c - 2*(2*a^2*b*d*e^c + b^3*d*e^c)*x^2)*e^(d*x^2))/((a^5*d*e^(2*c) + a
^3*b^2*d*e^(2*c))*x^4*e^(2*d*x^2) + 2*(a^4*b*d*e^c + a^2*b^3*d*e^c)*x^4*e
^(d*x^2) - (a^5*d + a^3*b^2*d)*x^4), x)

```

Giac [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{1}{(b \operatorname{csch}(dx^2 + c) + a)^2 x^2} dx$$

input

```
integrate(1/x^2/(a+b*csch(d*x^2+c))^2,x, algorithm="giac")
```

output

```
integrate(1/((b*csch(d*x^2 + c) + a)^2*x^2), x)
```

Mupad [N/A]

Not integrable

Time = 2.75 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{1}{x^2 \left(a + \frac{b}{\sinh(dx^2+c)} \right)^2} dx$$

input

```
int(1/(x^2*(a + b/sinh(c + d*x^2))^2),x)
```

output

```
int(1/(x^2*(a + b/sinh(c + d*x^2))^2), x)
```

Reduce [N/A]

Not integrable

Time = 0.28 (sec) , antiderivative size = 128, normalized size of antiderivative = 7.11

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + dx^2))^2} dx$$

$$= \frac{-2 \left(\int \frac{\operatorname{csch}(dx^2+c)}{\operatorname{csch}(dx^2+c)^2 b^2 x^2 + 2 \operatorname{csch}(dx^2+c) a b x^2 + a^2 x^2} dx \right) a b x - \left(\int \frac{\operatorname{csch}(dx^2+c)^2}{\operatorname{csch}(dx^2+c)^2 b^2 x^2 + 2 \operatorname{csch}(dx^2+c) a b x^2 + a^2 x^2} dx \right) b^2 x - 1}{a^2 x}$$

input `int(1/x^2/(a+b*csch(d*x^2+c))^2,x)`

output

```
( - 2*int(csch(c + d*x**2)/(csch(c + d*x**2)**2*b**2*x**2 + 2*csch(c + d*x**2)*a*b*x**2 + a**2*x**2),x)*a*b*x - int(csch(c + d*x**2)**2/(csch(c + d*x**2)**2*b**2*x**2 + 2*csch(c + d*x**2)*a*b*x**2 + a**2*x**2),x)*b**2*x - 1)/(a**2*x)
```

$$3.37 \quad \int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))^2} dx$$

Optimal result	270
Mathematica [N/A]	270
Rubi [N/A]	271
Maple [N/A]	271
Fricas [N/A]	272
Sympy [N/A]	272
Maxima [N/A]	272
Giac [N/A]	273
Mupad [N/A]	273
Reduce [N/A]	274

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))^2} dx = \operatorname{Int}\left(\frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))^2}, x\right)$$

output `Defer(Int)(1/x^3/(a+b*csch(d*x^2+c))^2,x)`

Mathematica [N/A]

Not integrable

Time = 0.97 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))^2} dx$$

input `Integrate[1/(x^3*(a + b*Csch[c + d*x^2])^2),x]`

output `Integrate[1/(x^3*(a + b*Csch[c + d*x^2])^2), x]`

Rubi [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))^2} dx$$

↓ 5962

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))^2} dx$$

input `Int[1/(x^3*(a + b*Csch[c + d*x^2])^2),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.00 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(dx^2 + c))^2} dx$$

input `int(1/x^3/(a+b*csch(d*x^2+c))^2,x)`

output `int(1/x^3/(a+b*csch(d*x^2+c))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 44, normalized size of antiderivative = 2.44

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{1}{(b \operatorname{csch}(dx^2 + c) + a)^2 x^3} dx$$

input `integrate(1/x^3/(a+b*csch(d*x^2+c))^2,x, algorithm="fricas")`

output `integral(1/(b^2*x^3*csch(d*x^2 + c)^2 + 2*a*b*x^3*csch(d*x^2 + c) + a^2*x^3), x)`

Sympy [N/A]

Not integrable

Time = 0.75 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.06

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))^2} dx$$

input `integrate(1/x**3/(a+b*csch(d*x**2+c))**2,x)`

output `Integral(1/(x**3*(a + b*csch(c + d*x**2))**2), x)`

Maxima [N/A]

Not integrable

Time = 0.64 (sec) , antiderivative size = 315, normalized size of antiderivative = 17.50

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{1}{(b \operatorname{csch}(dx^2 + c) + a)^2 x^3} dx$$

input `integrate(1/x^3/(a+b*csch(d*x^2+c))^2,x, algorithm="maxima")`

output

```
-1/2*((a^3*d*e^(2*c) + a*b^2*d*e^(2*c))*x^2*e^(2*d*x^2) + 2*a*b^2 - (a^3*d
+ a*b^2*d)*x^2 - 2*(b^3*e^c - (a^2*b*d*e^c + b^3*d*e^c)*x^2)*e^(d*x^2))/(
(a^5*d*e^(2*c) + a^3*b^2*d*e^(2*c))*x^4*e^(2*d*x^2) + 2*(a^4*b*d*e^c + a^2
*b^3*d*e^c)*x^4*e^(d*x^2) - (a^5*d + a^3*b^2*d)*x^4) - integrate(2*(2*a*b^
2 - (2*b^3*e^c - (2*a^2*b*d*e^c + b^3*d*e^c)*x^2)*e^(d*x^2))/((a^5*d*e^(2*
c) + a^3*b^2*d*e^(2*c))*x^5*e^(2*d*x^2) + 2*(a^4*b*d*e^c + a^2*b^3*d*e^c)*
x^5*e^(d*x^2) - (a^5*d + a^3*b^2*d)*x^5), x)
```

Giac [N/A]

Not integrable

Time = 1.22 (sec) , antiderivative size = 3, normalized size of antiderivative = 0.17

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{1}{(b \operatorname{csch}(dx^2 + c) + a)^2 x^3} dx$$

input

```
integrate(1/x^3/(a+b*csch(d*x^2+c))^2,x, algorithm="giac")
```

output

```
sage0*x
```

Mupad [N/A]

Not integrable

Time = 0.00 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))^2} dx = \int \frac{1}{x^3 \left(a + \frac{b}{\sinh(dx^2+c)} \right)^2} dx$$

input

```
int(1/(x^3*(a + b/sinh(c + d*x^2))^2),x)
```

output

```
int(1/(x^3*(a + b/sinh(c + d*x^2))^2), x)
```

Reduce [N/A]

Not integrable

Time = 0.35 (sec) , antiderivative size = 2681, normalized size of antiderivative = 148.94

$$\int \frac{1}{x^3 (a + b \operatorname{csch}(c + dx^2))^2} dx = \text{Too large to display}$$

input `int(1/x^3/(a+b*csch(d*x^2+c))^2,x)`

output

```
( - 4*e**(5*c + 2*d*x**2)*int(e**(3*d*x**2)/(e**(4*c + 4*d*x**2)*a**2*x**3
+ 4*e**(3*c + 3*d*x**2)*a*b*x**3 - 2*e**(2*c + 2*d*x**2)*a**2*x**3 + 4*e
*(2*c + 2*d*x**2)*b**2*x**3 - 4*e**(c + d*x**2)*a*b*x**3 + a**2*x**3),x)*a
*b*x**2 + 4*e**(5*c + 2*d*x**2)*int(e**(3*d*x**2)/(e**(4*c + 4*d*x**2)*a**
2*x + 4*e**(3*c + 3*d*x**2)*a*b*x - 2*e**(2*c + 2*d*x**2)*a**2*x + 4*e**(2
*c + 2*d*x**2)*b**2*x - 4*e**(c + d*x**2)*a*b*x + a**2*x),x)*a*b*d*x**2 -
4*e**(4*c + 2*d*x**2)*int(e**(2*d*x**2)/(e**(4*c + 4*d*x**2)*a**2*x**3 + 4
*e**(3*c + 3*d*x**2)*a*b*x**3 - 2*e**(2*c + 2*d*x**2)*a**2*x**3 + 4*e**(2*
c + 2*d*x**2)*b**2*x**3 - 4*e**(c + d*x**2)*a*b*x**3 + a**2*x**3),x)*a**2*
x**2 - 8*e**(4*c + 2*d*x**2)*int(e**(2*d*x**2)/(e**(4*c + 4*d*x**2)*a**2*x
+ 4*e**(3*c + 3*d*x**2)*a*b*x - 2*e**(2*c + 2*d*x**2)*a**2*x + 4*e**(2*c
+ 2*d*x**2)*b**2*x - 4*e**(c + d*x**2)*a*b*x + a**2*x),x)*a**2*d*x**2 - 4*
e**(3*c + 2*d*x**2)*int(e**(d*x**2)/(e**(4*c + 4*d*x**2)*a**2*x**3 + 4*e**
(3*c + 3*d*x**2)*a*b*x**3 - 2*e**(2*c + 2*d*x**2)*a**2*x**3 + 4*e**(2*c +
2*d*x**2)*b**2*x**3 - 4*e**(c + d*x**2)*a*b*x**3 + a**2*x**3),x)*a*b*x**2
- 4*e**(3*c + 2*d*x**2)*int(e**(d*x**2)/(e**(4*c + 4*d*x**2)*a**2*x + 4*e
*(3*c + 3*d*x**2)*a*b*x - 2*e**(2*c + 2*d*x**2)*a**2*x + 4*e**(2*c + 2*d*x
**2)*b**2*x - 4*e**(c + d*x**2)*a*b*x + a**2*x),x)*a*b*d*x**2 + 4*e**(2*c
+ 2*d*x**2)*int(1/(e**(4*c + 4*d*x**2)*a**2*x**3 + 4*e**(3*c + 3*d*x**2)*a
*b*x**3 - 2*e**(2*c + 2*d*x**2)*a**2*x**3 + 4*e**(2*c + 2*d*x**2)*b**2*...
```

3.38 $\int x^3 (a + b \operatorname{csch}(c + d\sqrt{x})) dx$

Optimal result	276
Mathematica [A] (verified)	277
Rubi [A] (verified)	278
Maple [F]	279
Fricas [F]	280
Sympy [F]	280
Maxima [A] (verification not implemented)	280
Giac [F]	281
Mupad [F(-1)]	281
Reduce [F]	282

Optimal result

Integrand size = 18, antiderivative size = 356

$$\begin{aligned}
\int x^3 (a + b \operatorname{csch}(c + d\sqrt{x})) dx = & \frac{ax^4}{4} - \frac{4bx^{7/2} \operatorname{arctanh}(e^{c+d\sqrt{x}})}{d} \\
& - \frac{14bx^3 \operatorname{PolyLog}(2, -e^{c+d\sqrt{x}})}{d^2} \\
& + \frac{14bx^3 \operatorname{PolyLog}(2, e^{c+d\sqrt{x}})}{d^2} \\
& + \frac{84bx^{5/2} \operatorname{PolyLog}(3, -e^{c+d\sqrt{x}})}{d^3} \\
& - \frac{84bx^{5/2} \operatorname{PolyLog}(3, e^{c+d\sqrt{x}})}{d^3} \\
& - \frac{420bx^2 \operatorname{PolyLog}(4, -e^{c+d\sqrt{x}})}{d^4} \\
& + \frac{420bx^2 \operatorname{PolyLog}(4, e^{c+d\sqrt{x}})}{d^4} \\
& + \frac{1680bx^{3/2} \operatorname{PolyLog}(5, -e^{c+d\sqrt{x}})}{d^5} \\
& - \frac{1680bx^{3/2} \operatorname{PolyLog}(5, e^{c+d\sqrt{x}})}{d^5} \\
& - \frac{5040bx \operatorname{PolyLog}(6, -e^{c+d\sqrt{x}})}{d^6} \\
& + \frac{5040bx \operatorname{PolyLog}(6, e^{c+d\sqrt{x}})}{d^6} \\
& + \frac{10080b\sqrt{x} \operatorname{PolyLog}(7, -e^{c+d\sqrt{x}})}{d^7} \\
& - \frac{10080b\sqrt{x} \operatorname{PolyLog}(7, e^{c+d\sqrt{x}})}{d^7} \\
& - \frac{10080b \operatorname{PolyLog}(8, -e^{c+d\sqrt{x}})}{d^8} \\
& + \frac{10080b \operatorname{PolyLog}(8, e^{c+d\sqrt{x}})}{d^8}
\end{aligned}$$

output

```
1/4*a*x^4-4*b*x^(7/2)*arctanh(exp(c+d*x^(1/2)))/d-14*b*x^3*polylog(2,-exp(c+d*x^(1/2)))/d^2+14*b*x^3*polylog(2,exp(c+d*x^(1/2)))/d^2+84*b*x^(5/2)*polylog(3,-exp(c+d*x^(1/2)))/d^3-84*b*x^(5/2)*polylog(3,exp(c+d*x^(1/2)))/d^3-420*b*x^2*polylog(4,-exp(c+d*x^(1/2)))/d^4+420*b*x^2*polylog(4,exp(c+d*x^(1/2)))/d^4+1680*b*x^(3/2)*polylog(5,-exp(c+d*x^(1/2)))/d^5-1680*b*x^(3/2)*polylog(5,exp(c+d*x^(1/2)))/d^5-5040*b*x*polylog(6,-exp(c+d*x^(1/2)))/d^6+5040*b*x*polylog(6,exp(c+d*x^(1/2)))/d^6+10080*b*x^(1/2)*polylog(7,-exp(c+d*x^(1/2)))/d^7-10080*b*x^(1/2)*polylog(7,exp(c+d*x^(1/2)))/d^7-10080*b*polylog(8,-exp(c+d*x^(1/2)))/d^8+10080*b*polylog(8,exp(c+d*x^(1/2)))/d^8
```

Mathematica [A] (verified)

Time = 0.24 (sec) , antiderivative size = 365, normalized size of antiderivative = 1.03

$$\int x^3 (a + b \operatorname{csch}(c + d\sqrt{x})) dx = \frac{ax^4}{4} + \frac{2b(d^7 x^{7/2} \log(1 - e^{c+d\sqrt{x}}) - d^7 x^{7/2} \log(1 + e^{c+d\sqrt{x}}) - 7d^6 x^3 \operatorname{PolyLog}(2, -e^{c+d\sqrt{x}}) + 7d^6 x^3 \operatorname{PolyLog}(2, e^{c+d\sqrt{x}}))}{d^8}$$

input

```
Integrate[x^3*(a + b*Csch[c + d*Sqrt[x]]),x]
```

output

```
(a*x^4)/4 + (2*b*(d^7*x^(7/2)*Log[1 - E^(c + d*Sqrt[x])] - d^7*x^(7/2)*Log[1 + E^(c + d*Sqrt[x])] - 7*d^6*x^3*PolyLog[2, -E^(c + d*Sqrt[x])] + 7*d^6*x^3*PolyLog[2, E^(c + d*Sqrt[x])] + 42*d^5*x^(5/2)*PolyLog[3, -E^(c + d*Sqrt[x])] - 42*d^5*x^(5/2)*PolyLog[3, E^(c + d*Sqrt[x])] - 210*d^4*x^2*PolyLog[4, -E^(c + d*Sqrt[x])] + 210*d^4*x^2*PolyLog[4, E^(c + d*Sqrt[x])] + 840*d^3*x^(3/2)*PolyLog[5, -E^(c + d*Sqrt[x])] - 840*d^3*x^(3/2)*PolyLog[5, E^(c + d*Sqrt[x])] - 2520*d^2*x*PolyLog[6, -E^(c + d*Sqrt[x])] + 2520*d^2*x*PolyLog[6, E^(c + d*Sqrt[x])] + 5040*d*Sqrt[x]*PolyLog[7, -E^(c + d*Sqrt[x])] - 5040*d*Sqrt[x]*PolyLog[7, E^(c + d*Sqrt[x])] - 5040*PolyLog[8, -E^(c + d*Sqrt[x])] + 5040*PolyLog[8, E^(c + d*Sqrt[x])])/d^8
```

Rubi [A] (verified)

Time = 0.74 (sec) , antiderivative size = 356, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x^3 (a + b \operatorname{csch}(c + d\sqrt{x})) \, dx \\
 & \quad \downarrow \text{2010} \\
 & \int (ax^3 + bx^3 \operatorname{csch}(c + d\sqrt{x})) \, dx \\
 & \quad \downarrow \text{2009} \\
 & \frac{ax^4}{4} - \frac{4bx^{7/2} \operatorname{arctanh}(e^{c+d\sqrt{x}})}{d} - \frac{10080b \operatorname{PolyLog}(8, -e^{c+d\sqrt{x}})}{d^8} + \\
 & \frac{10080b \operatorname{PolyLog}(8, e^{c+d\sqrt{x}})}{d^8} + \frac{10080b\sqrt{x} \operatorname{PolyLog}(7, -e^{c+d\sqrt{x}})}{d^7} - \\
 & \frac{10080b\sqrt{x} \operatorname{PolyLog}(7, e^{c+d\sqrt{x}})}{d^7} - \frac{5040bx \operatorname{PolyLog}(6, -e^{c+d\sqrt{x}})}{d^6} + \\
 & \frac{5040bx \operatorname{PolyLog}(6, e^{c+d\sqrt{x}})}{d^6} + \frac{1680bx^{3/2} \operatorname{PolyLog}(5, -e^{c+d\sqrt{x}})}{d^5} - \\
 & \frac{1680bx^{3/2} \operatorname{PolyLog}(5, e^{c+d\sqrt{x}})}{d^5} - \frac{420bx^2 \operatorname{PolyLog}(4, -e^{c+d\sqrt{x}})}{d^4} + \\
 & \frac{420bx^2 \operatorname{PolyLog}(4, e^{c+d\sqrt{x}})}{d^4} + \frac{84bx^{5/2} \operatorname{PolyLog}(3, -e^{c+d\sqrt{x}})}{d^3} - \\
 & \frac{84bx^{5/2} \operatorname{PolyLog}(3, e^{c+d\sqrt{x}})}{d^3} - \frac{14bx^3 \operatorname{PolyLog}(2, -e^{c+d\sqrt{x}})}{d^2} + \frac{14bx^3 \operatorname{PolyLog}(2, e^{c+d\sqrt{x}})}{d^2}
 \end{aligned}$$

input

```
Int[x^3*(a + b*Csch[c + d*Sqrt[x]]), x]
```

output

```
(a*x^4)/4 - (4*b*x^(7/2)*ArcTanh[E^(c + d*Sqrt[x])])/d - (14*b*x^3*PolyLog
[2, -E^(c + d*Sqrt[x])])/d^2 + (14*b*x^3*PolyLog[2, E^(c + d*Sqrt[x])])/d^
2 + (84*b*x^(5/2)*PolyLog[3, -E^(c + d*Sqrt[x])])/d^3 - (84*b*x^(5/2)*Poly
Log[3, E^(c + d*Sqrt[x])])/d^3 - (420*b*x^2*PolyLog[4, -E^(c + d*Sqrt[x])])
/d^4 + (420*b*x^2*PolyLog[4, E^(c + d*Sqrt[x])])/d^4 + (1680*b*x^(3/2)*Po
lyLog[5, -E^(c + d*Sqrt[x])])/d^5 - (1680*b*x^(3/2)*PolyLog[5, E^(c + d*Sq
rt[x])])/d^5 - (5040*b*x*PolyLog[6, -E^(c + d*Sqrt[x])])/d^6 + (5040*b*x*P
olyLog[6, E^(c + d*Sqrt[x])])/d^6 + (10080*b*Sqrt[x]*PolyLog[7, -E^(c + d*
Sqrt[x])])/d^7 - (10080*b*Sqrt[x]*PolyLog[7, E^(c + d*Sqrt[x])])/d^7 - (10
080*b*PolyLog[8, -E^(c + d*Sqrt[x])])/d^8 + (10080*b*PolyLog[8, E^(c + d*S
qrt[x])])/d^8
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2010

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_
+ (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Maple [F]

$$\int x^3 (a + b \operatorname{csch}(c + d\sqrt{x})) dx$$

input

```
int(x^3*(a+b*csch(c+d*x^(1/2))),x)
```

output

```
int(x^3*(a+b*csch(c+d*x^(1/2))),x)
```


Fricas [F]

$$\int x^3 (a + b \operatorname{csch}(c + d\sqrt{x})) dx = \int (b \operatorname{csch}(d\sqrt{x} + c) + a) x^3 dx$$

input `integrate(x^3*(a+b*csch(c+d*x^(1/2))),x, algorithm="fricas")`

output `integral(b*x^3*csch(d*sqrt(x) + c) + a*x^3, x)`

Sympy [F]

$$\int x^3 (a + b \operatorname{csch}(c + d\sqrt{x})) dx = \int x^3 (a + b \operatorname{csch}(c + d\sqrt{x})) dx$$

input `integrate(x**3*(a+b*csch(c+d*x**(1/2))),x)`

output `Integral(x**3*(a + b*csch(c + d*sqrt(x))), x)`

Maxima [A] (verification not implemented)

Time = 0.36 (sec) , antiderivative size = 349, normalized size of antiderivative = 0.98

$$\int x^3 (a + b \operatorname{csch}(c + d\sqrt{x})) dx = \frac{1}{4} ax^4$$

$$+ \frac{2 \left(\log(e^{(d\sqrt{x}+c)} + 1) \log(e^{(d\sqrt{x})})^7 + 7 \operatorname{Li}_2(-e^{(d\sqrt{x}+c)}) \log(e^{(d\sqrt{x})})^6 - 42 \log(e^{(d\sqrt{x})})^5 \operatorname{Li}_3(-e^{(d\sqrt{x}+c)}) \right)}{1}$$

$$+ \frac{2 \left(\log(-e^{(d\sqrt{x}+c)} + 1) \log(e^{(d\sqrt{x})})^7 + 7 \operatorname{Li}_2(e^{(d\sqrt{x}+c)}) \log(e^{(d\sqrt{x})})^6 - 42 \log(e^{(d\sqrt{x})})^5 \operatorname{Li}_3(e^{(d\sqrt{x}+c)}) \right)}{1}$$

input `integrate(x^3*(a+b*csch(c+d*x^(1/2))),x, algorithm="maxima")`

output

```
1/4*a*x^4 - 2*(log(e^(d*sqrt(x) + c) + 1)*log(e^(d*sqrt(x)))^7 + 7*dilog(-
e^(d*sqrt(x) + c))*log(e^(d*sqrt(x)))^6 - 42*log(e^(d*sqrt(x)))^5*polylog(
3, -e^(d*sqrt(x) + c)) + 210*log(e^(d*sqrt(x)))^4*polylog(4, -e^(d*sqrt(x)
+ c)) - 840*log(e^(d*sqrt(x)))^3*polylog(5, -e^(d*sqrt(x) + c)) + 2520*lo
g(e^(d*sqrt(x)))^2*polylog(6, -e^(d*sqrt(x) + c)) - 5040*log(e^(d*sqrt(x)
))*polylog(7, -e^(d*sqrt(x) + c)) + 5040*polylog(8, -e^(d*sqrt(x) + c)))b/
d^8 + 2*(log(-e^(d*sqrt(x) + c) + 1)*log(e^(d*sqrt(x)))^7 + 7*dilog(e^(d*s
qrt(x) + c))*log(e^(d*sqrt(x)))^6 - 42*log(e^(d*sqrt(x)))^5*polylog(3, e^(
d*sqrt(x) + c)) + 210*log(e^(d*sqrt(x)))^4*polylog(4, e^(d*sqrt(x) + c)) -
840*log(e^(d*sqrt(x)))^3*polylog(5, e^(d*sqrt(x) + c)) + 2520*log(e^(d*sqr
t(x)))^2*polylog(6, e^(d*sqrt(x) + c)) - 5040*log(e^(d*sqrt(x)))polylog(
7, e^(d*sqrt(x) + c)) + 5040*polylog(8, e^(d*sqrt(x) + c)))b/d^8
```

Giac [F]

$$\int x^3(a + b \operatorname{csch}(c + d\sqrt{x})) dx = \int (b \operatorname{csch}(d\sqrt{x} + c) + a)x^3 dx$$

input

```
integrate(x^3*(a+b*csch(c+d*x^(1/2))),x, algorithm="giac")
```

output

```
integrate((b*csch(d*sqrt(x) + c) + a)*x^3, x)
```

Mupad [F(-1)]

Timed out.

$$\int x^3(a + b \operatorname{csch}(c + d\sqrt{x})) dx = \int x^3 \left(a + \frac{b}{\sinh(c + d\sqrt{x})} \right) dx$$

input

```
int(x^3*(a + b/sinh(c + d*x^(1/2))),x)
```

output

```
int(x^3*(a + b/sinh(c + d*x^(1/2))), x)
```

Reduce [F]

$$\int x^3 (a + b \operatorname{csch}(c + d\sqrt{x})) dx = \left(\int \operatorname{csch}(\sqrt{x}d + c) x^3 dx \right) b + \frac{ax^4}{4}$$

input `int(x^3*(a+b*csch(c+d*x^(1/2))),x)`

output `(4*int(csch(sqrt(x)*d + c)*x**3,x)*b + a*x**4)/4`

3.39 $\int x^2(a + b\operatorname{csch}(c + d\sqrt{x})) dx$

Optimal result	283
Mathematica [A] (verified)	284
Rubi [A] (verified)	284
Maple [F]	286
Fricas [F]	286
Sympy [F]	286
Maxima [A] (verification not implemented)	287
Giac [F]	287
Mupad [F(-1)]	288
Reduce [F]	288

Optimal result

Integrand size = 18, antiderivative size = 260

$$\int x^2(a + b\operatorname{csch}(c + d\sqrt{x})) dx = \frac{ax^3}{3} - \frac{4bx^{5/2}\operatorname{arctanh}(e^{c+d\sqrt{x}})}{d} - \frac{10bx^2 \operatorname{PolyLog}(2, -e^{c+d\sqrt{x}})}{d^2} + \frac{10bx^2 \operatorname{PolyLog}(2, e^{c+d\sqrt{x}})}{d^2} + \frac{40bx^{3/2} \operatorname{PolyLog}(3, -e^{c+d\sqrt{x}})}{d^3} - \frac{40bx^{3/2} \operatorname{PolyLog}(3, e^{c+d\sqrt{x}})}{d^3} - \frac{120bx \operatorname{PolyLog}(4, -e^{c+d\sqrt{x}})}{d^4} + \frac{120bx \operatorname{PolyLog}(4, e^{c+d\sqrt{x}})}{d^4} + \frac{240b\sqrt{x} \operatorname{PolyLog}(5, -e^{c+d\sqrt{x}})}{d^5} - \frac{240b\sqrt{x} \operatorname{PolyLog}(5, e^{c+d\sqrt{x}})}{d^5} - \frac{240b \operatorname{PolyLog}(6, -e^{c+d\sqrt{x}})}{d^6} + \frac{240b \operatorname{PolyLog}(6, e^{c+d\sqrt{x}})}{d^6}$$

output

```
1/3*a*x^3-4*b*x^(5/2)*arctanh(exp(c+d*x^(1/2)))/d-10*b*x^2*polylog(2,-exp(c+d*x^(1/2)))/d^2+10*b*x^2*polylog(2,exp(c+d*x^(1/2)))/d^2+40*b*x^(3/2)*polylog(3,-exp(c+d*x^(1/2)))/d^3-40*b*x^(3/2)*polylog(3,exp(c+d*x^(1/2)))/d^3-120*b*x*polylog(4,-exp(c+d*x^(1/2)))/d^4+120*b*x*polylog(4,exp(c+d*x^(1/2)))/d^4+240*b*x^(1/2)*polylog(5,-exp(c+d*x^(1/2)))/d^5-240*b*x^(1/2)*polylog(5,exp(c+d*x^(1/2)))/d^5-240*b*polylog(6,-exp(c+d*x^(1/2)))/d^6+240*b*polylog(6,exp(c+d*x^(1/2)))/d^6
```

Mathematica [A] (verified)

Time = 0.16 (sec) , antiderivative size = 273, normalized size of antiderivative = 1.05

$$\int x^2(a + b \operatorname{csch}(c + d\sqrt{x})) dx = \frac{ax^3}{3} + \frac{2b(d^5x^{5/2} \log(1 - e^{c+d\sqrt{x}}) - d^5x^{5/2} \log(1 + e^{c+d\sqrt{x}}) - 5d^4x^2 \operatorname{PolyLog}(2, -e^{c+d\sqrt{x}}) + 5d^4x^2 \operatorname{PolyLog}(2, e^{c+d\sqrt{x}}))}{d^6}$$

input

```
Integrate[x^2*(a + b*Csch[c + d*Sqrt[x]]),x]
```

output

```
(a*x^3)/3 + (2*b*(d^5*x^(5/2)*Log[1 - E^(c + d*Sqrt[x])] - d^5*x^(5/2)*Log[1 + E^(c + d*Sqrt[x])] - 5*d^4*x^2*PolyLog[2, -E^(c + d*Sqrt[x])] + 5*d^4*x^2*PolyLog[2, E^(c + d*Sqrt[x])] + 20*d^3*x^(3/2)*PolyLog[3, -E^(c + d*Sqrt[x])] - 20*d^3*x^(3/2)*PolyLog[3, E^(c + d*Sqrt[x])] - 60*d^2*x*PolyLog[4, -E^(c + d*Sqrt[x])] + 60*d^2*x*PolyLog[4, E^(c + d*Sqrt[x])] + 120*d*Sqrt[x]*PolyLog[5, -E^(c + d*Sqrt[x])] - 120*d*Sqrt[x]*PolyLog[5, E^(c + d*Sqrt[x])] - 120*PolyLog[6, -E^(c + d*Sqrt[x])] + 120*PolyLog[6, E^(c + d*Sqrt[x])])/d^6
```

Rubi [A] (verified)

Time = 0.55 (sec) , antiderivative size = 260, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^2 (a + b \operatorname{csch}(c + d\sqrt{x})) dx$$

↓ 2010

$$\int (ax^2 + bx^2 \operatorname{csch}(c + d\sqrt{x})) dx$$

↓ 2009

$$\begin{aligned} & \frac{ax^3}{3} - \frac{4bx^{5/2} \operatorname{arctanh}(e^{c+d\sqrt{x}})}{d} - \frac{240b \operatorname{PolyLog}(6, -e^{c+d\sqrt{x}})}{d^6} + \frac{240b \operatorname{PolyLog}(6, e^{c+d\sqrt{x}})}{d^6} + \\ & \frac{240b\sqrt{x} \operatorname{PolyLog}(5, -e^{c+d\sqrt{x}})}{d^5} - \frac{240b\sqrt{x} \operatorname{PolyLog}(5, e^{c+d\sqrt{x}})}{d^5} - \\ & \frac{120bx \operatorname{PolyLog}(4, -e^{c+d\sqrt{x}})}{d^4} + \frac{120bx \operatorname{PolyLog}(4, e^{c+d\sqrt{x}})}{d^4} + \frac{40bx^{3/2} \operatorname{PolyLog}(3, -e^{c+d\sqrt{x}})}{d^3} - \\ & \frac{40bx^{3/2} \operatorname{PolyLog}(3, e^{c+d\sqrt{x}})}{d^3} - \frac{10bx^2 \operatorname{PolyLog}(2, -e^{c+d\sqrt{x}})}{d^2} + \frac{10bx^2 \operatorname{PolyLog}(2, e^{c+d\sqrt{x}})}{d^2} \end{aligned}$$

input `Int[x^2*(a + b*Csch[c + d*Sqrt[x]]),x]`

output `(a*x^3)/3 - (4*b*x^(5/2)*ArcTanh[E^(c + d*Sqrt[x])])/d - (10*b*x^2*PolyLog[2, -E^(c + d*Sqrt[x])])/d^2 + (10*b*x^2*PolyLog[2, E^(c + d*Sqrt[x])])/d^2 + (40*b*x^(3/2)*PolyLog[3, -E^(c + d*Sqrt[x])])/d^3 - (40*b*x^(3/2)*PolyLog[3, E^(c + d*Sqrt[x])])/d^3 - (120*b*x*PolyLog[4, -E^(c + d*Sqrt[x])])/d^4 + (120*b*x*PolyLog[4, E^(c + d*Sqrt[x])])/d^4 + (240*b*Sqrt[x]*PolyLog[5, -E^(c + d*Sqrt[x])])/d^5 - (240*b*Sqrt[x]*PolyLog[5, E^(c + d*Sqrt[x])])/d^5 - (240*b*PolyLog[6, -E^(c + d*Sqrt[x])])/d^6 + (240*b*PolyLog[6, E^(c + d*Sqrt[x])])/d^6`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2010 `Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]`

Maple [F]

$$\int x^2 (a + b \operatorname{csch}(c + d\sqrt{x})) dx$$

input `int(x^2*(a+b*csch(c+d*x^(1/2))),x)`

output `int(x^2*(a+b*csch(c+d*x^(1/2))),x)`

Fricas [F]

$$\int x^2 (a + b \operatorname{csch}(c + d\sqrt{x})) dx = \int (b \operatorname{csch}(d\sqrt{x} + c) + a) x^2 dx$$

input `integrate(x^2*(a+b*csch(c+d*x^(1/2))),x, algorithm="fricas")`

output `integral(b*x^2*csch(d*sqrt(x) + c) + a*x^2, x)`

Sympy [F]

$$\int x^2 (a + b \operatorname{csch}(c + d\sqrt{x})) dx = \int x^2 (a + b \operatorname{csch}(c + d\sqrt{x})) dx$$

input `integrate(x**2*(a+b*csch(c+d*x**(1/2))),x)`

output `Integral(x**2*(a + b*csch(c + d*sqrt(x))), x)`

Maxima [A] (verification not implemented)

Time = 0.38 (sec) , antiderivative size = 261, normalized size of antiderivative = 1.00

$$\int x^2(a + b\operatorname{csch}(c + d\sqrt{x})) dx = \frac{1}{3}ax^3 - \frac{2\left(\log\left(e^{(d\sqrt{x}+c)} + 1\right)\log\left(e^{(d\sqrt{x})}\right)^5 + 5\operatorname{Li}_2\left(-e^{(d\sqrt{x}+c)}\right)\log\left(e^{(d\sqrt{x})}\right)^4 - 20\log\left(e^{(d\sqrt{x})}\right)^3\operatorname{Li}_3\left(-e^{(d\sqrt{x}+c)}\right)\right)}{d^6} + \frac{2\left(\log\left(-e^{(d\sqrt{x}+c)} + 1\right)\log\left(e^{(d\sqrt{x})}\right)^5 + 5\operatorname{Li}_2\left(e^{(d\sqrt{x}+c)}\right)\log\left(e^{(d\sqrt{x})}\right)^4 - 20\log\left(e^{(d\sqrt{x})}\right)^3\operatorname{Li}_3\left(e^{(d\sqrt{x}+c)}\right)\right)}{d^6}$$

input `integrate(x^2*(a+b*csch(c+d*x^(1/2))),x, algorithm="maxima")`

output

```
1/3*a*x^3 - 2*(log(e^(d*sqrt(x) + c) + 1)*log(e^(d*sqrt(x)))^5 + 5*dilog(-
e^(d*sqrt(x) + c))*log(e^(d*sqrt(x)))^4 - 20*log(e^(d*sqrt(x)))^3*polylog(
3, -e^(d*sqrt(x) + c)) + 60*log(e^(d*sqrt(x)))^2*polylog(4, -e^(d*sqrt(x)
+ c)) - 120*log(e^(d*sqrt(x)))*polylog(5, -e^(d*sqrt(x) + c)) + 120*polylo
g(6, -e^(d*sqrt(x) + c)))*b/d^6 + 2*(log(-e^(d*sqrt(x) + c) + 1)*log(e^(d*
sqrt(x)))^5 + 5*dilog(e^(d*sqrt(x) + c))*log(e^(d*sqrt(x)))^4 - 20*log(e^(
d*sqrt(x)))^3*polylog(3, e^(d*sqrt(x) + c)) + 60*log(e^(d*sqrt(x)))^2*poly
log(4, e^(d*sqrt(x) + c)) - 120*log(e^(d*sqrt(x)))*polylog(5, e^(d*sqrt(x)
+ c)) + 120*polylog(6, e^(d*sqrt(x) + c)))*b/d^6
```

Giac [F]

$$\int x^2(a + b\operatorname{csch}(c + d\sqrt{x})) dx = \int (b\operatorname{csch}(d\sqrt{x} + c) + a)x^2 dx$$

input `integrate(x^2*(a+b*csch(c+d*x^(1/2))),x, algorithm="giac")`

output

`integrate((b*csch(d*sqrt(x) + c) + a)*x^2, x)`

Mupad [F(-1)]

Timed out.

$$\int x^2 (a + b \operatorname{csch}(c + d\sqrt{x})) dx = \int x^2 \left(a + \frac{b}{\sinh(c + d\sqrt{x})} \right) dx$$

input `int(x^2*(a + b/sinh(c + d*x^(1/2))),x)`output `int(x^2*(a + b/sinh(c + d*x^(1/2))), x)`**Reduce [F]**

$$\int x^2 (a + b \operatorname{csch}(c + d\sqrt{x})) dx = \left(\int \operatorname{csch}(\sqrt{x} d + c) x^2 dx \right) b + \frac{a x^3}{3}$$

input `int(x^2*(a+b*csch(c+d*x^(1/2))),x)`output `(3*int(csch(sqrt(x)*d + c)*x**2,x)*b + a*x**3)/3`

3.40 $\int x(a + b\operatorname{csch}(c + d\sqrt{x})) dx$

Optimal result	289
Mathematica [A] (verified)	290
Rubi [A] (verified)	290
Maple [F]	291
Fricas [F]	292
Sympy [F]	292
Maxima [A] (verification not implemented)	292
Giac [F]	293
Mupad [F(-1)]	293
Reduce [F]	294

Optimal result

Integrand size = 16, antiderivative size = 164

$$\int x(a + b\operatorname{csch}(c + d\sqrt{x})) dx = \frac{ax^2}{2} - \frac{4bx^{3/2}\operatorname{arctanh}(e^{c+d\sqrt{x}})}{d} - \frac{6bx \operatorname{PolyLog}(2, -e^{c+d\sqrt{x}})}{d^2} + \frac{6bx \operatorname{PolyLog}(2, e^{c+d\sqrt{x}})}{d^2} + \frac{12b\sqrt{x} \operatorname{PolyLog}(3, -e^{c+d\sqrt{x}})}{d^3} - \frac{12b\sqrt{x} \operatorname{PolyLog}(3, e^{c+d\sqrt{x}})}{d^3} - \frac{12b \operatorname{PolyLog}(4, -e^{c+d\sqrt{x}})}{d^4} + \frac{12b \operatorname{PolyLog}(4, e^{c+d\sqrt{x}})}{d^4}$$

output

```
1/2*a*x^2-4*b*x^(3/2)*arctanh(exp(c+d*x^(1/2)))/d-6*b*x*polylog(2,-exp(c+d
*x^(1/2)))/d^2+6*b*x*polylog(2,exp(c+d*x^(1/2)))/d^2+12*b*x^(1/2)*polylog(
3,-exp(c+d*x^(1/2)))/d^3-12*b*x^(1/2)*polylog(3,exp(c+d*x^(1/2)))/d^3-12*b
*polylog(4,-exp(c+d*x^(1/2)))/d^4+12*b*polylog(4,exp(c+d*x^(1/2)))/d^4
```

Mathematica [A] (verified)

Time = 0.13 (sec) , antiderivative size = 181, normalized size of antiderivative = 1.10

$$\int x(a + b \operatorname{csch}(c + d\sqrt{x})) dx = \frac{ax^2}{2} + \frac{2b(d^3 x^{3/2} \log(1 - e^{c+d\sqrt{x}}) - d^3 x^{3/2} \log(1 + e^{c+d\sqrt{x}}) - 3d^2 x \operatorname{PolyLog}(2, -e^{c+d\sqrt{x}}) + 3d^2 x \operatorname{PolyLog}(2, e^{c+d\sqrt{x}}) - 6d \operatorname{Sqrt}[x] \operatorname{PolyLog}[3, -E^{(c+d\sqrt{x})}] + 6d \operatorname{Sqrt}[x] \operatorname{PolyLog}[3, E^{(c+d\sqrt{x})}] - 6 \operatorname{PolyLog}[4, -E^{(c+d\sqrt{x})}] + 6 \operatorname{PolyLog}[4, E^{(c+d\sqrt{x})}]))}{d^4}$$

input

```
Integrate[x*(a + b*Csch[c + d*Sqrt[x]]),x]
```

output

```
(a*x^2)/2 + (2*b*(d^3*x^(3/2)*Log[1 - E^(c + d*Sqrt[x])] - d^3*x^(3/2)*Log[1 + E^(c + d*Sqrt[x])] - 3*d^2*x*PolyLog[2, -E^(c + d*Sqrt[x])] + 3*d^2*x*PolyLog[2, E^(c + d*Sqrt[x])] + 6*d*Sqrt[x]*PolyLog[3, -E^(c + d*Sqrt[x])] - 6*d*Sqrt[x]*PolyLog[3, E^(c + d*Sqrt[x])] - 6*PolyLog[4, -E^(c + d*Sqrt[x])] + 6*PolyLog[4, E^(c + d*Sqrt[x])])/d^4
```

Rubi [A] (verified)

Time = 0.39 (sec) , antiderivative size = 164, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x(a + b \operatorname{csch}(c + d\sqrt{x})) dx$$

↓ 2010

$$\int (ax + b x \operatorname{csch}(c + d\sqrt{x})) dx$$

↓ 2009

$$\frac{ax^2}{2} - \frac{4bx^{3/2}\operatorname{arctanh}(e^{c+d\sqrt{x}})}{d} - \frac{12b\operatorname{PolyLog}(4, -e^{c+d\sqrt{x}})}{d^4} + \frac{12b\operatorname{PolyLog}(4, e^{c+d\sqrt{x}})}{d^4} +$$

$$\frac{12b\sqrt{x}\operatorname{PolyLog}(3, -e^{c+d\sqrt{x}})}{d^3} - \frac{12b\sqrt{x}\operatorname{PolyLog}(3, e^{c+d\sqrt{x}})}{d^3} - \frac{6bx\operatorname{PolyLog}(2, -e^{c+d\sqrt{x}})}{d^2} +$$

$$\frac{6bx\operatorname{PolyLog}(2, e^{c+d\sqrt{x}})}{d^2}$$

input `Int[x*(a + b*Csch[c + d*Sqrt[x]]),x]`

output `(a*x^2)/2 - (4*b*x^(3/2)*ArcTanh[E^(c + d*Sqrt[x])])/d - (6*b*x*PolyLog[2, -E^(c + d*Sqrt[x])])/d^2 + (6*b*x*PolyLog[2, E^(c + d*Sqrt[x])])/d^2 + (12*b*Sqrt[x]*PolyLog[3, -E^(c + d*Sqrt[x])])/d^3 - (12*b*Sqrt[x]*PolyLog[3, E^(c + d*Sqrt[x])])/d^3 - (12*b*PolyLog[4, -E^(c + d*Sqrt[x])])/d^4 + (12*b*PolyLog[4, E^(c + d*Sqrt[x])])/d^4`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2010 `Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]`

Maple [F]

$$\int x(a + b \operatorname{csch}(c + d\sqrt{x})) dx$$

input `int(x*(a+b*csch(c+d*x^(1/2))),x)`

output `int(x*(a+b*csch(c+d*x^(1/2))),x)`

Fricas [F]

$$\int x(a + b \operatorname{csch}(c + d\sqrt{x})) dx = \int (b \operatorname{csch}(d\sqrt{x} + c) + a)x dx$$

input `integrate(x*(a+b*csch(c+d*x^(1/2))),x, algorithm="fricas")`

output `integral(b*x*csch(d*sqrt(x) + c) + a*x, x)`

Sympy [F]

$$\int x(a + b \operatorname{csch}(c + d\sqrt{x})) dx = \int x(a + b \operatorname{csch}(c + d\sqrt{x})) dx$$

input `integrate(x*(a+b*csch(c+d*x**(1/2))),x)`

output `Integral(x*(a + b*csch(c + d*sqrt(x))), x)`

Maxima [A] (verification not implemented)

Time = 0.48 (sec) , antiderivative size = 173, normalized size of antiderivative = 1.05

$$\int x(a + b \operatorname{csch}(c + d\sqrt{x})) dx = \frac{1}{2} ax^2$$

$$+ \frac{2 \left(\log(e^{(d\sqrt{x}+c)} + 1) \log(e^{(d\sqrt{x})})^3 + 3 \operatorname{Li}_2(-e^{(d\sqrt{x}+c)}) \log(e^{(d\sqrt{x})})^2 - 6 \log(e^{(d\sqrt{x})}) \operatorname{Li}_3(-e^{(d\sqrt{x}+c)}) \right)}{d^4}$$

$$+ \frac{2 \left(\log(-e^{(d\sqrt{x}+c)} + 1) \log(e^{(d\sqrt{x})})^3 + 3 \operatorname{Li}_2(e^{(d\sqrt{x}+c)}) \log(e^{(d\sqrt{x})})^2 - 6 \log(e^{(d\sqrt{x})}) \operatorname{Li}_3(e^{(d\sqrt{x}+c)}) \right)}{d^4}$$

input `integrate(x*(a+b*csch(c+d*x^(1/2))),x, algorithm="maxima")`

output

```
1/2*a*x^2 - 2*(log(e^(d*sqrt(x) + c) + 1)*log(e^(d*sqrt(x))))^3 + 3*dilog(-
e^(d*sqrt(x) + c))*log(e^(d*sqrt(x)))^2 - 6*log(e^(d*sqrt(x)))*polylog(3,
-e^(d*sqrt(x) + c)) + 6*polylog(4, -e^(d*sqrt(x) + c)))*b/d^4 + 2*(log(-e^
(d*sqrt(x) + c) + 1)*log(e^(d*sqrt(x))))^3 + 3*dilog(e^(d*sqrt(x) + c))*log
(e^(d*sqrt(x)))^2 - 6*log(e^(d*sqrt(x)))*polylog(3, e^(d*sqrt(x) + c)) + 6
*polylog(4, e^(d*sqrt(x) + c)))*b/d^4
```

Giac [F]

$$\int x(a + b \operatorname{csch}(c + d\sqrt{x})) dx = \int (b \operatorname{csch}(d\sqrt{x} + c) + a)x dx$$

input

```
integrate(x*(a+b*csch(c+d*x^(1/2))),x, algorithm="giac")
```

output

```
integrate((b*csch(d*sqrt(x) + c) + a)*x, x)
```

Mupad [F(-1)]

Timed out.

$$\int x(a + b \operatorname{csch}(c + d\sqrt{x})) dx = \int x \left(a + \frac{b}{\sinh(c + d\sqrt{x})} \right) dx$$

input

```
int(x*(a + b/sinh(c + d*x^(1/2))),x)
```

output

```
int(x*(a + b/sinh(c + d*x^(1/2))), x)
```

Reduce [F]

$$\int x(a + b \operatorname{csch}(c + d\sqrt{x})) dx = \left(\int \operatorname{csch}(\sqrt{x}d + c) x dx \right) b + \frac{ax^2}{2}$$

input `int(x*(a+b*csch(c+d*x^(1/2))),x)`

output `(2*int(csch(sqrt(x)*d + c)*x,x)*b + a*x**2)/2`

3.41 $\int \frac{a+b\operatorname{csch}(c+d\sqrt{x})}{x} dx$

Optimal result	295
Mathematica [N/A]	295
Rubi [N/A]	296
Maple [N/A]	296
Fricas [N/A]	297
Sympy [N/A]	297
Maxima [N/A]	297
Giac [N/A]	298
Mupad [N/A]	298
Reduce [N/A]	299

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{a + b\operatorname{csch}(c + d\sqrt{x})}{x} dx = \operatorname{Int}\left(\frac{a + b\operatorname{csch}(c + d\sqrt{x})}{x}, x\right)$$

output `Defer(Int)((a+b*csch(c+d*x^(1/2)))/x,x)`

Mathematica [N/A]

Not integrable

Time = 31.40 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + b\operatorname{csch}(c + d\sqrt{x})}{x} dx = \int \frac{a + b\operatorname{csch}(c + d\sqrt{x})}{x} dx$$

input `Integrate[(a + b*Csch[c + d*Sqrt[x]])/x,x]`

output `Integrate[(a + b*Csch[c + d*Sqrt[x]])/x, x]`

Rubi [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x} dx$$

$$\downarrow \text{2010}$$

$$\int \left(\frac{a}{x} + \frac{b \operatorname{csch}(c + d\sqrt{x})}{x} \right) dx$$

$$\downarrow \text{2009}$$

$$b \int \frac{\operatorname{csch}(c + d\sqrt{x})}{x} dx + a \log(x)$$

input `Int[(a + b*Csch[c + d*Sqrt[x]])/x,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.11 (sec) , antiderivative size = 16, normalized size of antiderivative = 0.89

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x} dx$$

input `int((a+b*csch(c+d*x^(1/2)))/x,x)`

output `int((a+b*csch(c+d*x^(1/2)))/x,x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x} dx = \int \frac{b \operatorname{csch}(d\sqrt{x} + c) + a}{x} dx$$

input `integrate((a+b*csch(c+d*x^(1/2)))/x,x, algorithm="fricas")`

output `integral((b*csch(d*sqrt(x) + c) + a)/x, x)`

Sympy [N/A]

Not integrable

Time = 1.56 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.83

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x} dx = \int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x} dx$$

input `integrate((a+b*csch(c+d*x**(1/2)))/x,x)`

output `Integral((a + b*csch(c + d*sqrt(x)))/x, x)`

Maxima [N/A]

Not integrable

Time = 0.41 (sec) , antiderivative size = 43, normalized size of antiderivative = 2.39

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x} dx = \int \frac{b \operatorname{csch}(d\sqrt{x} + c) + a}{x} dx$$

input `integrate((a+b*csch(c+d*x^(1/2)))/x,x, algorithm="maxima")`

output `b*integrate(1/(x*e^(d*sqrt(x) + c) + x), x) + b*integrate(1/(x*e^(d*sqrt(x) + c) - x), x) + a*log(x)`

Giac [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x} dx = \int \frac{b \operatorname{csch}(d\sqrt{x} + c) + a}{x} dx$$

input `integrate((a+b*csch(c+d*x^(1/2)))/x,x, algorithm="giac")`

output `integrate((b*csch(d*sqrt(x) + c) + a)/x, x)`

Mupad [N/A]

Not integrable

Time = 2.56 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x} dx = \int \frac{a + \frac{b}{\sinh(c + d\sqrt{x})}}{x} dx$$

input `int((a + b/sinh(c + d*x^(1/2)))/x,x)`

output `int((a + b/sinh(c + d*x^(1/2)))/x, x)`

Reduce [N/A]

Not integrable

Time = 0.25 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x} dx = \left(\int \frac{\operatorname{csch}(\sqrt{x}d + c)}{x} dx \right) b + \log(x) a$$

input `int((a+b*csch(c+d*x^(1/2)))/x,x)`output `int(csch(sqrt(x)*d + c)/x,x)*b + log(x)*a`

3.42 $\int \frac{a+b\mathbf{csch}(c+d\sqrt{x})}{x^2} dx$

Optimal result	300
Mathematica [N/A]	300
Rubi [N/A]	301
Maple [N/A]	301
Fricas [N/A]	302
Sympy [N/A]	302
Maxima [N/A]	302
Giac [N/A]	303
Mupad [N/A]	303
Reduce [N/A]	304

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{a + b\mathbf{csch}(c + d\sqrt{x})}{x^2} dx = \text{Int}\left(\frac{a + b\mathbf{csch}(c + d\sqrt{x})}{x^2}, x\right)$$

output `Defer(Int)((a+b*csch(c+d*x^(1/2)))/x^2,x)`

Mathematica [N/A]

Not integrable

Time = 29.68 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + b\mathbf{csch}(c + d\sqrt{x})}{x^2} dx = \int \frac{a + b\mathbf{csch}(c + d\sqrt{x})}{x^2} dx$$

input `Integrate[(a + b*Csch[c + d*Sqrt[x]])/x^2,x]`

output `Integrate[(a + b*Csch[c + d*Sqrt[x]])/x^2, x]`

Rubi [N/A]

Not integrable

Time = 0.18 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x^2} dx$$

↓ 2010

$$\int \left(\frac{a}{x^2} + \frac{b \operatorname{csch}(c + d\sqrt{x})}{x^2} \right) dx$$

↓ 2009

$$b \int \frac{\operatorname{csch}(c + d\sqrt{x})}{x^2} dx - \frac{a}{x}$$

input `Int[(a + b*Csch[c + d*Sqrt[x]])/x^2,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.12 (sec) , antiderivative size = 16, normalized size of antiderivative = 0.89

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x^2} dx$$

input `int((a+b*csch(c+d*x^(1/2)))/x^2,x)`

output `int((a+b*csch(c+d*x^(1/2)))/x^2,x)`

Fricas [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x^2} dx = \int \frac{b \operatorname{csch}(d\sqrt{x} + c) + a}{x^2} dx$$

input `integrate((a+b*csch(c+d*x^(1/2)))/x^2,x, algorithm="fricas")`

output `integral((b*csch(d*sqrt(x) + c) + a)/x^2, x)`

Sympy [N/A]

Not integrable

Time = 0.53 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.94

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x^2} dx = \int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x^2} dx$$

input `integrate((a+b*csch(c+d*x**(1/2)))/x**2,x)`

output `Integral((a + b*csch(c + d*sqrt(x)))/x**2, x)`

Maxima [N/A]

Not integrable

Time = 0.44 (sec) , antiderivative size = 53, normalized size of antiderivative = 2.94

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x^2} dx = \int \frac{b \operatorname{csch}(d\sqrt{x} + c) + a}{x^2} dx$$

input `integrate((a+b*csch(c+d*x^(1/2)))/x^2,x, algorithm="maxima")`

output `b*integrate(1/(x^2*e^(d*sqrt(x) + c) + x^2), x) + b*integrate(1/(x^2*e^(d*sqrt(x) + c) - x^2), x) - a/x`

Giac [N/A]

Not integrable

Time = 0.14 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x^2} dx = \int \frac{b \operatorname{csch}(d\sqrt{x} + c) + a}{x^2} dx$$

input `integrate((a+b*csch(c+d*x^(1/2)))/x^2,x, algorithm="giac")`

output `integrate((b*csch(d*sqrt(x) + c) + a)/x^2, x)`

Mupad [N/A]

Not integrable

Time = 2.58 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x^2} dx = \int \frac{a + \frac{b}{\sinh(c + d\sqrt{x})}}{x^2} dx$$

input `int((a + b/sinh(c + d*x^(1/2)))/x^2,x)`

output `int((a + b/sinh(c + d*x^(1/2)))/x^2, x)`

Reduce [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.33

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x^2} dx = \frac{\left(\int \frac{\operatorname{csch}(\sqrt{x}d+c)}{x^2} dx \right) bx - a}{x}$$

input `int((a+b*csch(c+d*x^(1/2)))/x^2,x)`output `(int(csch(sqrt(x)*d + c)/x**2,x)*b*x - a)/x`

3.43 $\int x^3 (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx$

Optimal result	306
Mathematica [B] (verified)	307
Rubi [A] (verified)	308
Maple [F]	310
Fricas [F]	310
Sympy [F]	311
Maxima [A] (verification not implemented)	311
Giac [F]	312
Mupad [F(-1)]	313
Reduce [F]	313

Optimal result

Integrand size = 20, antiderivative size = 597

$$\begin{aligned}
\int x^3 (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = & -\frac{2b^2 x^{7/2}}{d} + \frac{a^2 x^4}{4} - \frac{8abx^{7/2} \operatorname{arctanh}(e^{c+d\sqrt{x}})}{d} \\
& - \frac{2b^2 x^{7/2} \operatorname{coth}(c + d\sqrt{x})}{d} \\
& + \frac{14b^2 x^3 \log(1 - e^{2(c+d\sqrt{x})})}{d^2} \\
& - \frac{28abx^3 \operatorname{PolyLog}(2, -e^{c+d\sqrt{x}})}{d^2} \\
& + \frac{28abx^3 \operatorname{PolyLog}(2, e^{c+d\sqrt{x}})}{d^2} \\
& + \frac{42b^2 x^{5/2} \operatorname{PolyLog}(2, e^{2(c+d\sqrt{x})})}{d^3} \\
& + \frac{168abx^{5/2} \operatorname{PolyLog}(3, -e^{c+d\sqrt{x}})}{d^3} \\
& - \frac{168abx^{5/2} \operatorname{PolyLog}(3, e^{c+d\sqrt{x}})}{d^3} \\
& - \frac{105b^2 x^2 \operatorname{PolyLog}(3, e^{2(c+d\sqrt{x})})}{d^4} \\
& - \frac{840abx^2 \operatorname{PolyLog}(4, -e^{c+d\sqrt{x}})}{d^4} \\
& + \frac{840abx^2 \operatorname{PolyLog}(4, e^{c+d\sqrt{x}})}{d^4} \\
& + \frac{210b^2 x^{3/2} \operatorname{PolyLog}(4, e^{2(c+d\sqrt{x})})}{d^5} \\
& + \frac{3360abx^{3/2} \operatorname{PolyLog}(5, -e^{c+d\sqrt{x}})}{d^5} \\
& - \frac{3360abx^{3/2} \operatorname{PolyLog}(5, e^{c+d\sqrt{x}})}{d^5} \\
& - \frac{315b^2 x \operatorname{PolyLog}(5, e^{2(c+d\sqrt{x})})}{d^6} \\
& - \frac{10080abx \operatorname{PolyLog}(6, -e^{c+d\sqrt{x}})}{d^6} \\
& + \frac{10080abx \operatorname{PolyLog}(6, e^{c+d\sqrt{x}})}{d^6} \\
& + \frac{315b^2 \sqrt{x} \operatorname{PolyLog}(6, e^{2(c+d\sqrt{x})})}{d^7} \\
& + \frac{20160ab\sqrt{x} \operatorname{PolyLog}(7, -e^{c+d\sqrt{x}})}{d^7} \\
& - \frac{20160ab\sqrt{x} \operatorname{PolyLog}(7, e^{c+d\sqrt{x}})}{d^7}
\end{aligned}$$

output

```
-20160*a*b*polylog(8,-exp(c+d*x^(1/2)))/d^8+14*b^2*x^3*ln(1-exp(2*c+2*d*x^(1/2)))/d^2+20160*a*b*polylog(8,exp(c+d*x^(1/2)))/d^8-315*b^2*x*polylog(5,exp(2*c+2*d*x^(1/2)))/d^6+210*b^2*x^(3/2)*polylog(4,exp(2*c+2*d*x^(1/2)))/d^5-105*b^2*x^2*polylog(3,exp(2*c+2*d*x^(1/2)))/d^4+42*b^2*x^(5/2)*polylog(2,exp(2*c+2*d*x^(1/2)))/d^3-2*b^2*x^(7/2)*coth(c+d*x^(1/2))/d+315*b^2*x^(1/2)*polylog(6,exp(2*c+2*d*x^(1/2)))/d^7-3360*a*b*x^(3/2)*polylog(5,exp(c+d*x^(1/2)))/d^5-315/2*b^2*polylog(7,exp(2*c+2*d*x^(1/2)))/d^8-2*b^2*x^(7/2)/d+840*a*b*x^2*polylog(4,exp(c+d*x^(1/2)))/d^4-168*a*b*x^(5/2)*polylog(3,exp(c+d*x^(1/2)))/d^3+28*a*b*x^3*polylog(2,exp(c+d*x^(1/2)))/d^2-8*a*b*x^(7/2)*arctanh(exp(c+d*x^(1/2)))/d+20160*a*b*x^(1/2)*polylog(7,-exp(c+d*x^(1/2)))/d^7-20160*a*b*x^(1/2)*polylog(7,exp(c+d*x^(1/2)))/d^7-10080*a*b*x*polylog(6,-exp(c+d*x^(1/2)))/d^6+3360*a*b*x^(3/2)*polylog(5,-exp(c+d*x^(1/2)))/d^5-840*a*b*x^2*polylog(4,-exp(c+d*x^(1/2)))/d^4+168*a*b*x^(5/2)*polylog(3,-exp(c+d*x^(1/2)))/d^3-28*a*b*x^3*polylog(2,-exp(c+d*x^(1/2)))/d^2+10080*a*b*x*polylog(6,exp(c+d*x^(1/2)))/d^6+1/4*a^2*x^4
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1289 vs. $2(597) = 1194$.

Time = 7.27 (sec) , antiderivative size = 1289, normalized size of antiderivative = 2.16

$$\int x^3 (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = \text{Too large to display}$$

input

```
Integrate[x^3*(a + b*Csch[c + d*Sqrt[x]])^2,x]
```

output

```
(a^2*x^4*(a + b*Csch[c + d*Sqrt[x]])^2*Sinh[c + d*Sqrt[x]]^2)/(4*(b + a*Sinh[c + d*Sqrt[x]])^2) - (2*b*(a + b*Csch[c + d*Sqrt[x]])^2*(2*b*d^7*x^(7/2) - 7*b*d^6*(-1 + E^(2*c))*x^3*Log[1 - E^(-c - d*Sqrt[x])] - 2*a*d^7*(-1 + E^(2*c))*x^(7/2)*Log[1 - E^(-c - d*Sqrt[x])] - 7*b*d^6*(-1 + E^(2*c))*x^3*Log[1 + E^(-c - d*Sqrt[x])] + 2*a*d^7*(-1 + E^(2*c))*x^(7/2)*Log[1 + E^(-c - d*Sqrt[x])] + 42*b*d^5*(-1 + E^(2*c))*x^(5/2)*PolyLog[2, -E^(-c - d*Sqrt[x])] - 14*a*d^6*(-1 + E^(2*c))*x^3*PolyLog[2, -E^(-c - d*Sqrt[x])] + 42*b*d^5*(-1 + E^(2*c))*x^(5/2)*PolyLog[2, E^(-c - d*Sqrt[x])] + 14*a*d^6*(-1 + E^(2*c))*x^3*PolyLog[2, E^(-c - d*Sqrt[x])] + 210*b*d^4*(-1 + E^(2*c))*x^2*PolyLog[3, -E^(-c - d*Sqrt[x])] - 84*a*d^5*(-1 + E^(2*c))*x^(5/2)*PolyLog[3, -E^(-c - d*Sqrt[x])] + 210*b*d^4*(-1 + E^(2*c))*x^2*PolyLog[3, E^(-c - d*Sqrt[x])] + 84*a*d^5*(-1 + E^(2*c))*x^(5/2)*PolyLog[3, E^(-c - d*Sqrt[x])] + 840*b*d^3*(-1 + E^(2*c))*x^(3/2)*PolyLog[4, -E^(-c - d*Sqrt[x])] - 420*a*d^4*(-1 + E^(2*c))*x^2*PolyLog[4, -E^(-c - d*Sqrt[x])] + 840*b*d^3*(-1 + E^(2*c))*x^(3/2)*PolyLog[4, E^(-c - d*Sqrt[x])] + 420*a*d^4*(-1 + E^(2*c))*x^2*PolyLog[4, E^(-c - d*Sqrt[x])] + 2520*b*d^2*(-1 + E^(2*c))*x*PolyLog[5, -E^(-c - d*Sqrt[x])] - 1680*a*d^3*(-1 + E^(2*c))*x^(3/2)*PolyLog[5, -E^(-c - d*Sqrt[x])] + 2520*b*d^2*(-1 + E^(2*c))*x*PolyLog[5, E^(-c - d*Sqrt[x])] + 1680*a*d^3*(-1 + E^(2*c))*x^(3/2)*PolyLog[5, E^(-c - d*Sqrt[x])] + 5040*b*d*(-1 + E^(2*c))*Sqrt[x]*PolyLog[6, -E^(-c - d*Sqrt[x])].
```

Rubi [A] (verified)

Time = 1.31 (sec) , antiderivative size = 605, normalized size of antiderivative = 1.01, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {5960, 3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^3 (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx$$

$$\downarrow 5960$$

$$2 \int x^{7/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2 d\sqrt{x}$$

$$\downarrow 3042$$

$$2 \int x^{7/2} (a + ib \operatorname{csc}(ic + id\sqrt{x}))^2 d\sqrt{x}$$

$$\int \left(a^2 x^{7/2} + b^2 \operatorname{csch}^2(c + d\sqrt{x}) x^{7/2} + 2ab \operatorname{csch}(c + d\sqrt{x}) x^{7/2} \right) d\sqrt{x}$$

$$2 \left(\frac{a^2 x^4}{8} - \frac{4abx^{7/2} \operatorname{arctanh}(e^{c+d\sqrt{x}})}{d} - \frac{10080ab \operatorname{PolyLog}(8, -e^{c+d\sqrt{x}})}{d^8} + \frac{10080ab \operatorname{PolyLog}(8, e^{c+d\sqrt{x}})}{d^8} + \frac{10080ab \operatorname{PolyLog}(8, -e^{c+d\sqrt{x}})}{d^8} + \frac{10080ab \operatorname{PolyLog}(8, e^{c+d\sqrt{x}})}{d^8} \right)$$

input `Int[x^3*(a + b*Csch[c + d*Sqrt[x]])^2,x]`

output

$$2 * \left(- \left(\frac{b^2 x^{7/2}}{d} \right) + \frac{a^2 x^4}{8} - \frac{4 a b x^{7/2} \operatorname{ArcTanh}\left[E^{(c + d \sqrt{x})}\right]}{d} - \frac{b^2 x^{7/2} \operatorname{Coth}\left[c + d \sqrt{x}\right]}{d} + \frac{7 b^2 x^3 \operatorname{Log}\left[1 - E^{2(c + d \sqrt{x})}\right]}{d^2} - \frac{14 a b x^3 \operatorname{PolyLog}\left[2, -E^{(c + d \sqrt{x})}\right]}{d^2} + \frac{14 a b x^3 \operatorname{PolyLog}\left[2, E^{(c + d \sqrt{x})}\right]}{d^2} + \frac{21 b^2 x^{5/2} \operatorname{PolyLog}\left[2, E^{2(c + d \sqrt{x})}\right]}{d^3} + \frac{84 a b x^{5/2} \operatorname{PolyLog}\left[3, -E^{(c + d \sqrt{x})}\right]}{d^3} - \frac{84 a b x^{5/2} \operatorname{PolyLog}\left[3, E^{(c + d \sqrt{x})}\right]}{d^3} - \frac{105 b^2 x^2 \operatorname{PolyLog}\left[3, E^{2(c + d \sqrt{x})}\right]}{2 d^4} - \frac{420 a b x^2 \operatorname{PolyLog}\left[4, -E^{(c + d \sqrt{x})}\right]}{d^4} + \frac{420 a b x^2 \operatorname{PolyLog}\left[4, E^{(c + d \sqrt{x})}\right]}{d^4} + \frac{105 b^2 x^{3/2} \operatorname{PolyLog}\left[4, E^{2(c + d \sqrt{x})}\right]}{d^5} + \frac{1680 a b x^{3/2} \operatorname{PolyLog}\left[5, -E^{(c + d \sqrt{x})}\right]}{d^5} - \frac{1680 a b x^{3/2} \operatorname{PolyLog}\left[5, E^{(c + d \sqrt{x})}\right]}{d^5} - \frac{315 b^2 x \operatorname{PolyLog}\left[5, E^{2(c + d \sqrt{x})}\right]}{2 d^6} - \frac{5040 a b x \operatorname{PolyLog}\left[6, -E^{(c + d \sqrt{x})}\right]}{d^6} + \frac{5040 a b x \operatorname{PolyLog}\left[6, E^{(c + d \sqrt{x})}\right]}{d^6} + \frac{315 b^2 \sqrt{x} \operatorname{PolyLog}\left[6, E^{2(c + d \sqrt{x})}\right]}{2 d^7} + \frac{10080 a b \sqrt{x} \operatorname{PolyLog}\left[7, -E^{(c + d \sqrt{x})}\right]}{d^7} - \frac{10080 a b \sqrt{x} \operatorname{PolyLog}\left[7, E^{(c + d \sqrt{x})}\right]}{d^7} - \frac{315 b^2 \operatorname{PolyLog}\left[7, E^{2(c + d \sqrt{x})}\right]}{4 d^8} - \frac{10080 a b \operatorname{PolyLog}\left[8, -E^{(c + d \sqrt{x})}\right]}{d^8} + \frac{10080 a b \operatorname{PolyLog}\left[8, E^{(c + d \sqrt{x})}\right]}{d^8} \right)$$

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4678 `Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]`

rule 5960 `Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_)]*(b_.))^(p_.)*(x_)^(m_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [F]

$$\int x^3 (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx$$

input `int(x^3*(a+b*csch(c+d*x^(1/2)))^2,x)`

output `int(x^3*(a+b*csch(c+d*x^(1/2)))^2,x)`

Fricas [F]

$$\int x^3 (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = \int (b \operatorname{csch}(d\sqrt{x} + c) + a)^2 x^3 dx$$

input `integrate(x^3*(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="fricas")`

output `integral(b^2*x^3*csch(d*sqrt(x) + c)^2 + 2*a*b*x^3*csch(d*sqrt(x) + c) + a^2*x^3, x)`

Sympy [F]

$$\int x^3 (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = \int x^3 (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx$$

input `integrate(x**3*(a+b*csch(c+d*x**(1/2)))**2,x)`

output `Integral(x**3*(a + b*csch(c + d*sqrt(x)))**2, x)`

Maxima [A] (verification not implemented)

Time = 0.28 (sec) , antiderivative size = 648, normalized size of antiderivative = 1.09

$$\int x^3 (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = \text{Too large to display}$$

input `integrate(x^3*(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="maxima")`

output

```

1/4*a^2*x^4 - 4*b^2*x^(7/2)/(d*e^(2*d*sqrt(x) + 2*c) - d) - 4*(d^7*x^(7/2)
*log(e^(d*sqrt(x) + c) + 1) + 7*d^6*x^3*dilog(-e^(d*sqrt(x) + c)) - 42*d^5
*x^(5/2)*polylog(3, -e^(d*sqrt(x) + c)) + 210*d^4*x^2*polylog(4, -e^(d*sqr
t(x) + c)) - 840*d^3*x^(3/2)*polylog(5, -e^(d*sqrt(x) + c)) + 2520*d^2*x*p
olylog(6, -e^(d*sqrt(x) + c)) - 5040*d*sqrt(x)*polylog(7, -e^(d*sqrt(x) +
c)) + 5040*polylog(8, -e^(d*sqrt(x) + c))) *a*b/d^8 + 4*(d^7*x^(7/2)*log(-e
^(d*sqrt(x) + c) + 1) + 7*d^6*x^3*dilog(e^(d*sqrt(x) + c)) - 42*d^5*x^(5/2)
)*polylog(3, e^(d*sqrt(x) + c)) + 210*d^4*x^2*polylog(4, e^(d*sqrt(x) + c)
) - 840*d^3*x^(3/2)*polylog(5, e^(d*sqrt(x) + c)) + 2520*d^2*x*polylog(6,
e^(d*sqrt(x) + c)) - 5040*d*sqrt(x)*polylog(7, e^(d*sqrt(x) + c)) + 5040*p
olylog(8, e^(d*sqrt(x) + c))) *a*b/d^8 + 14*(d^6*x^3*log(e^(d*sqrt(x) + c)
+ 1) + 6*d^5*x^(5/2)*dilog(-e^(d*sqrt(x) + c)) - 30*d^4*x^2*polylog(3, -e^
(d*sqrt(x) + c)) + 120*d^3*x^(3/2)*polylog(4, -e^(d*sqrt(x) + c)) - 360*d^
2*x*polylog(5, -e^(d*sqrt(x) + c)) + 720*d*sqrt(x)*polylog(6, -e^(d*sqrt(x)
) + c)) - 720*polylog(7, -e^(d*sqrt(x) + c))) *b^2/d^8 + 14*(d^6*x^3*log(-e
^(d*sqrt(x) + c) + 1) + 6*d^5*x^(5/2)*dilog(e^(d*sqrt(x) + c)) - 30*d^4*x^
2*polylog(3, e^(d*sqrt(x) + c)) + 120*d^3*x^(3/2)*polylog(4, e^(d*sqrt(x)
+ c)) - 360*d^2*x*polylog(5, e^(d*sqrt(x) + c)) + 720*d*sqrt(x)*polylog(6,
e^(d*sqrt(x) + c)) - 720*polylog(7, e^(d*sqrt(x) + c))) *b^2/d^8 - 1/2*(a*
b*d^8*x^4 + 4*b^2*d^7*x^(7/2))/d^8 + 1/2*(a*b*d^8*x^4 - 4*b^2*d^7*x^(7/...

```

Giac [F]

$$\int x^3 (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = \int (b \operatorname{csch}(d\sqrt{x} + c) + a)^2 x^3 dx$$

input

```
integrate(x^3*(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="giac")
```

output

```
integrate((b*csch(d*sqrt(x) + c) + a)^2*x^3, x)
```

Mupad [F(-1)]

Timed out.

$$\int x^3 (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = \int x^3 \left(a + \frac{b}{\sinh(c + d\sqrt{x})} \right)^2 dx$$

input `int(x^3*(a + b/sinh(c + d*x^(1/2)))^2,x)`output `int(x^3*(a + b/sinh(c + d*x^(1/2)))^2, x)`**Reduce [F]**

$$\int x^3 (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = \text{too large to display}$$

input `int(x^3*(a+b*csch(c+d*x^(1/2)))^2,x)`

output

```
( - 161280*e**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**2 - 32*e**(2*sqrt(x)*d + 3*c)*int((e**(sqrt(x)*d)*x**3)/(e**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**8 - 1344*e**(2*sqrt(x)*d + 3*c)*int((e**(sqrt(x)*d)*x**2)/(e**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**6 - 26880*e**(2*sqrt(x)*d + 3*c)*int((e**(sqrt(x)*d)*x)/(e**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**4 - 224*e**(2*sqrt(x)*d + 3*c)*int((sqrt(x)*e**(sqrt(x)*d)*x**2)/(e**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**7 - 6720*e**(2*sqrt(x)*d + 3*c)*int((sqrt(x)*e**(sqrt(x)*d)*x)/(e**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**5 - 80640*e**(2*sqrt(x)*d + 3*c)*int((sqrt(x)*e**(sqrt(x)*d))/(e**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**3 - 1260*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*b**2*d - 168*e**(2*sqrt(x)*d + 2*c)*int(x**2/(e**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*b**2*d**6 - 1260*e**(2*sqrt(x)*d + 2*c)*int(sqrt(x)/(e**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*b**2*d**3 - 56*e**(2*sqrt(x)*d + 2*c)*int((sqrt(x)*x**2)/(e**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*b**2*d**7 - 420*e**(2*sqrt(x)*d + 2*c)*int((sqrt(x)*x)/(e**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*b**2*d**5 - 840*e**(2*sqrt(x)*d + 2*c)*int(x/(e**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*b**2*d**4 - 1...
```

3.44 $\int x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx$

Optimal result	316
Mathematica [B] (verified)	317
Rubi [A] (verified)	318
Maple [F]	320
Fricas [F]	320
Sympy [F]	321
Maxima [A] (verification not implemented)	321
Giac [F]	322
Mupad [F(-1)]	322
Reduce [F]	323

Optimal result

Integrand size = 20, antiderivative size = 441

$$\begin{aligned}
\int x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = & -\frac{2b^2 x^{5/2}}{d} + \frac{a^2 x^3}{3} - \frac{8abx^{5/2} \operatorname{arctanh}(e^{c+d\sqrt{x}})}{d} \\
& - \frac{2b^2 x^{5/2} \operatorname{coth}(c + d\sqrt{x})}{d} \\
& + \frac{10b^2 x^2 \log(1 - e^{2(c+d\sqrt{x})})}{d^2} \\
& - \frac{20abx^2 \operatorname{PolyLog}(2, -e^{c+d\sqrt{x}})}{d^2} \\
& + \frac{20abx^2 \operatorname{PolyLog}(2, e^{c+d\sqrt{x}})}{d^2} \\
& + \frac{20b^2 x^{3/2} \operatorname{PolyLog}(2, e^{2(c+d\sqrt{x})})}{d^3} \\
& + \frac{80abx^{3/2} \operatorname{PolyLog}(3, -e^{c+d\sqrt{x}})}{d^3} \\
& - \frac{80abx^{3/2} \operatorname{PolyLog}(3, e^{c+d\sqrt{x}})}{d^3} \\
& - \frac{30b^2 x \operatorname{PolyLog}(3, e^{2(c+d\sqrt{x})})}{d^4} \\
& - \frac{240abx \operatorname{PolyLog}(4, -e^{c+d\sqrt{x}})}{d^4} \\
& + \frac{240abx \operatorname{PolyLog}(4, e^{c+d\sqrt{x}})}{d^4} \\
& + \frac{30b^2 \sqrt{x} \operatorname{PolyLog}(4, e^{2(c+d\sqrt{x})})}{d^5} \\
& + \frac{480ab\sqrt{x} \operatorname{PolyLog}(5, -e^{c+d\sqrt{x}})}{d^5} \\
& - \frac{480ab\sqrt{x} \operatorname{PolyLog}(5, e^{c+d\sqrt{x}})}{d^5} \\
& - \frac{15b^2 \operatorname{PolyLog}(5, e^{2(c+d\sqrt{x})})}{d^6} \\
& - \frac{480ab \operatorname{PolyLog}(6, -e^{c+d\sqrt{x}})}{d^6} \\
& + \frac{480ab \operatorname{PolyLog}(6, e^{c+d\sqrt{x}})}{d^6}
\end{aligned}$$

output

```
-2*b^2*x^(5/2)/d+1/3*a^2*x^3-8*a*b*x^(5/2)*arctanh(exp(c+d*x^(1/2)))/d-2*b^2*x^(5/2)*coth(c+d*x^(1/2))/d+10*b^2*x^2*ln(1-exp(2*c+2*d*x^(1/2)))/d^2-20*a*b*x^2*polylog(2,-exp(c+d*x^(1/2)))/d^2+20*a*b*x^2*polylog(2,exp(c+d*x^(1/2)))/d^2+20*b^2*x^(3/2)*polylog(2,exp(2*c+2*d*x^(1/2)))/d^3+80*a*b*x^(3/2)*polylog(3,-exp(c+d*x^(1/2)))/d^3-80*a*b*x^(3/2)*polylog(3,exp(c+d*x^(1/2)))/d^3-30*b^2*x*polylog(3,exp(2*c+2*d*x^(1/2)))/d^4-240*a*b*x*polylog(4,-exp(c+d*x^(1/2)))/d^4+240*a*b*x*polylog(4,exp(c+d*x^(1/2)))/d^4+30*b^2*x^(1/2)*polylog(4,exp(2*c+2*d*x^(1/2)))/d^5+480*a*b*x^(1/2)*polylog(5,-exp(c+d*x^(1/2)))/d^5-480*a*b*x^(1/2)*polylog(5,exp(c+d*x^(1/2)))/d^5-15*b^2*polylog(5,exp(2*c+2*d*x^(1/2)))/d^6-480*a*b*polylog(6,-exp(c+d*x^(1/2)))/d^6+480*a*b*polylog(6,exp(c+d*x^(1/2)))/d^6
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1017 vs. $2(441) = 882$.

Time = 7.05 (sec) , antiderivative size = 1017, normalized size of antiderivative = 2.31

$$\int x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = \text{Too large to display}$$

input

```
Integrate[x^2*(a + b*Csch[c + d*Sqrt[x]])^2,x]
```

output

```
(a^2*x^3*(a + b*Csch[c + d*Sqrt[x]])^2*Sinh[c + d*Sqrt[x]]^2)/(3*(b + a*Si
nh[c + d*Sqrt[x]])^2) - (2*b*(a + b*Csch[c + d*Sqrt[x]])^2*(2*b*d^5*x^(5/2
) - 5*b*d^4*(-1 + E^(2*c))*x^2*Log[1 - E^(-c - d*Sqrt[x])] - 2*a*d^5*(-1 +
E^(2*c))*x^(5/2)*Log[1 - E^(-c - d*Sqrt[x])] - 5*b*d^4*(-1 + E^(2*c))*x^2
*Log[1 + E^(-c - d*Sqrt[x])] + 2*a*d^5*(-1 + E^(2*c))*x^(5/2)*Log[1 + E^(-
c - d*Sqrt[x])] + 20*b*d^3*(-1 + E^(2*c))*x^(3/2)*PolyLog[2, -E^(-c - d*Sq
rt[x])] - 10*a*d^4*(-1 + E^(2*c))*x^2*PolyLog[2, -E^(-c - d*Sqrt[x])] + 20
*b*d^3*(-1 + E^(2*c))*x^(3/2)*PolyLog[2, E^(-c - d*Sqrt[x])] + 10*a*d^4*(-
1 + E^(2*c))*x^2*PolyLog[2, E^(-c - d*Sqrt[x])] + 60*b*d^2*(-1 + E^(2*c))*
x*PolyLog[3, -E^(-c - d*Sqrt[x])] - 40*a*d^3*(-1 + E^(2*c))*x^(3/2)*PolyLo
g[3, -E^(-c - d*Sqrt[x])] + 60*b*d^2*(-1 + E^(2*c))*x*PolyLog[3, E^(-c - d
*Sqrt[x])] + 40*a*d^3*(-1 + E^(2*c))*x^(3/2)*PolyLog[3, E^(-c - d*Sqrt[x])
] + 120*b*d*(-1 + E^(2*c))*Sqrt[x]*PolyLog[4, -E^(-c - d*Sqrt[x])] - 120*a
*d^2*(-1 + E^(2*c))*x*PolyLog[4, -E^(-c - d*Sqrt[x])] + 120*b*d*(-1 + E^(2
*c))*Sqrt[x]*PolyLog[4, E^(-c - d*Sqrt[x])] + 120*a*d^2*(-1 + E^(2*c))*x*P
olyLog[4, E^(-c - d*Sqrt[x])] + 120*b*(-1 + E^(2*c))*PolyLog[5, -E^(-c - d
*Sqrt[x])] - 240*a*d*(-1 + E^(2*c))*Sqrt[x]*PolyLog[5, -E^(-c - d*Sqrt[x])
] + 120*b*(-1 + E^(2*c))*PolyLog[5, E^(-c - d*Sqrt[x])] + 240*a*d*(-1 + E^
(2*c))*Sqrt[x]*PolyLog[5, E^(-c - d*Sqrt[x])] - 240*a*(-1 + E^(2*c))*PolyL
og[6, -E^(-c - d*Sqrt[x])] + 240*a*(-1 + E^(2*c))*PolyLog[6, E^(-c - d*...
```

Rubi [A] (verified)

Time = 0.99 (sec) , antiderivative size = 445, normalized size of antiderivative = 1.01, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {5960, 3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx$$

$$\downarrow 5960$$

$$2 \int x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2 d\sqrt{x}$$

$$\downarrow 3042$$

$$2 \int x^{5/2} (a + ib \operatorname{csc}(ic + id\sqrt{x}))^2 d\sqrt{x}$$

$$\int \left(a^2 x^{5/2} + b^2 \operatorname{csch}^2(c + d\sqrt{x}) x^{5/2} + 2ab \operatorname{csch}(c + d\sqrt{x}) x^{5/2} \right) d\sqrt{x}$$

$$2 \left(\frac{a^2 x^3}{6} - \frac{4abx^{5/2} \operatorname{arctanh}(e^{c+d\sqrt{x}})}{d} - \frac{240ab \operatorname{PolyLog}(6, -e^{c+d\sqrt{x}})}{d^6} + \frac{240ab \operatorname{PolyLog}(6, e^{c+d\sqrt{x}})}{d^6} + \frac{240ab\sqrt{x}}{d^6} \right)$$

input `Int[x^2*(a + b*Csch[c + d*Sqrt[x]])^2,x]`

output `2*(-((b^2*x^(5/2))/d) + (a^2*x^3)/6 - (4*a*b*x^(5/2)*ArcTanh[E^(c + d*Sqrt[x])])/d - (b^2*x^(5/2)*Coth[c + d*Sqrt[x]])/d + (5*b^2*x^2*Log[1 - E^(2*(c + d*Sqrt[x]))])/d^2 - (10*a*b*x^2*PolyLog[2, -E^(c + d*Sqrt[x])])/d^2 + (10*a*b*x^2*PolyLog[2, E^(c + d*Sqrt[x])])/d^2 + (10*b^2*x^(3/2)*PolyLog[2, E^(2*(c + d*Sqrt[x]))])/d^3 + (40*a*b*x^(3/2)*PolyLog[3, -E^(c + d*Sqrt[x])])/d^3 - (40*a*b*x^(3/2)*PolyLog[3, E^(c + d*Sqrt[x])])/d^3 - (15*b^2*x*PolyLog[3, E^(2*(c + d*Sqrt[x]))])/d^4 - (120*a*b*x*PolyLog[4, -E^(c + d*Sqrt[x])])/d^4 + (120*a*b*x*PolyLog[4, E^(c + d*Sqrt[x])])/d^4 + (15*b^2*Sqrt[x]*PolyLog[4, E^(2*(c + d*Sqrt[x]))])/d^5 + (240*a*b*Sqrt[x]*PolyLog[5, -E^(c + d*Sqrt[x])])/d^5 - (240*a*b*Sqrt[x]*PolyLog[5, E^(c + d*Sqrt[x])])/d^5 - (15*b^2*PolyLog[5, E^(2*(c + d*Sqrt[x]))])/(2*d^6) - (240*a*b*PolyLog[6, -E^(c + d*Sqrt[x])])/d^6 + (240*a*b*PolyLog[6, E^(c + d*Sqrt[x])])/d^6)`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4678 `Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]`

rule 5960 `Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_)]*(b_.))^(p_.)*(x_)^(m_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [F]

$$\int x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx$$

input `int(x^2*(a+b*csch(c+d*x^(1/2)))^2,x)`

output `int(x^2*(a+b*csch(c+d*x^(1/2)))^2,x)`

Fricas [F]

$$\int x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = \int (b \operatorname{csch}(d\sqrt{x} + c) + a)^2 x^2 dx$$

input `integrate(x^2*(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="fricas")`

output `integral(b^2*x^2*csch(d*sqrt(x) + c)^2 + 2*a*b*x^2*csch(d*sqrt(x) + c) + a^2*x^2, x)`

Sympy [F]

$$\int x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = \int x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx$$

input `integrate(x**2*(a+b*csch(c+d*x**(1/2)))**2,x)`

output `Integral(x**2*(a + b*csch(c + d*sqrt(x)))**2, x)`

Maxima [A] (verification not implemented)

Time = 0.29 (sec) , antiderivative size = 496, normalized size of antiderivative = 1.12

$$\begin{aligned} \int x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx &= \frac{1}{3} a^2 x^3 - \frac{4 b^2 x^{\frac{5}{2}}}{d e^{(2d\sqrt{x}+2c)} - d} \\ &- \frac{4 \left(d^5 x^{\frac{5}{2}} \log \left(e^{(d\sqrt{x}+c)} + 1 \right) + 5 d^4 x^2 \operatorname{Li}_2 \left(-e^{(d\sqrt{x}+c)} \right) - 20 d^3 x^{\frac{3}{2}} \operatorname{Li}_3 \left(-e^{(d\sqrt{x}+c)} \right) + 60 d^2 x \operatorname{Li}_4 \left(-e^{(d\sqrt{x}+c)} \right) \right)}{d^6} \\ &+ \frac{4 \left(d^5 x^{\frac{5}{2}} \log \left(-e^{(d\sqrt{x}+c)} + 1 \right) + 5 d^4 x^2 \operatorname{Li}_2 \left(e^{(d\sqrt{x}+c)} \right) - 20 d^3 x^{\frac{3}{2}} \operatorname{Li}_3 \left(e^{(d\sqrt{x}+c)} \right) + 60 d^2 x \operatorname{Li}_4 \left(e^{(d\sqrt{x}+c)} \right) - 1}{d^6} \\ &+ \frac{10 \left(d^4 x^2 \log \left(e^{(d\sqrt{x}+c)} + 1 \right) + 4 d^3 x^{\frac{3}{2}} \operatorname{Li}_2 \left(-e^{(d\sqrt{x}+c)} \right) - 12 d^2 x \operatorname{Li}_3 \left(-e^{(d\sqrt{x}+c)} \right) + 24 d \sqrt{x} \operatorname{Li}_4 \left(-e^{(d\sqrt{x}+c)} \right) \right)}{d^6} \\ &+ \frac{10 \left(d^4 x^2 \log \left(-e^{(d\sqrt{x}+c)} + 1 \right) + 4 d^3 x^{\frac{3}{2}} \operatorname{Li}_2 \left(e^{(d\sqrt{x}+c)} \right) - 12 d^2 x \operatorname{Li}_3 \left(e^{(d\sqrt{x}+c)} \right) + 24 d \sqrt{x} \operatorname{Li}_4 \left(e^{(d\sqrt{x}+c)} \right) \right)}{d^6} \\ &- \frac{2 \left(a b d^6 x^3 + 3 b^2 d^5 x^{\frac{5}{2}} \right)}{3 d^6} + \frac{2 \left(a b d^6 x^3 - 3 b^2 d^5 x^{\frac{5}{2}} \right)}{3 d^6} \end{aligned}$$

input `integrate(x^2*(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="maxima")`

output

```

1/3*a^2*x^3 - 4*b^2*x^(5/2)/(d*e^(2*d*sqrt(x) + 2*c) - d) - 4*(d^5*x^(5/2)
*log(e^(d*sqrt(x) + c) + 1) + 5*d^4*x^2*dilog(-e^(d*sqrt(x) + c)) - 20*d^3
*x^(3/2)*polylog(3, -e^(d*sqrt(x) + c)) + 60*d^2*x*polylog(4, -e^(d*sqrt(x)
) + c)) - 120*d*sqrt(x)*polylog(5, -e^(d*sqrt(x) + c)) + 120*polylog(6, -e
^(d*sqrt(x) + c)))*a*b/d^6 + 4*(d^5*x^(5/2)*log(-e^(d*sqrt(x) + c) + 1) +
5*d^4*x^2*dilog(e^(d*sqrt(x) + c)) - 20*d^3*x^(3/2)*polylog(3, e^(d*sqrt(x)
) + c)) + 60*d^2*x*polylog(4, e^(d*sqrt(x) + c)) - 120*d*sqrt(x)*polylog(5
, e^(d*sqrt(x) + c)) + 120*polylog(6, e^(d*sqrt(x) + c)))*a*b/d^6 + 10*(d^
4*x^2*log(e^(d*sqrt(x) + c) + 1) + 4*d^3*x^(3/2)*dilog(-e^(d*sqrt(x) + c))
- 12*d^2*x*polylog(3, -e^(d*sqrt(x) + c)) + 24*d*sqrt(x)*polylog(4, -e^(d
*sqrt(x) + c)) - 24*polylog(5, -e^(d*sqrt(x) + c)))*b^2/d^6 + 10*(d^4*x^2*
log(-e^(d*sqrt(x) + c) + 1) + 4*d^3*x^(3/2)*dilog(e^(d*sqrt(x) + c)) - 12*
d^2*x*polylog(3, e^(d*sqrt(x) + c)) + 24*d*sqrt(x)*polylog(4, e^(d*sqrt(x)
+ c)) - 24*polylog(5, e^(d*sqrt(x) + c)))*b^2/d^6 - 2/3*(a*b*d^6*x^3 + 3*
b^2*d^5*x^(5/2))/d^6 + 2/3*(a*b*d^6*x^3 - 3*b^2*d^5*x^(5/2))/d^6

```

Giac [F]

$$\int x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = \int (b \operatorname{csch}(d\sqrt{x} + c) + a)^2 x^2 dx$$

input

```
integrate(x^2*(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="giac")
```

output

```
integrate((b*csch(d*sqrt(x) + c) + a)^2*x^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = \int x^2 \left(a + \frac{b}{\sinh(c + d\sqrt{x})} \right)^2 dx$$

input

```
int(x^2*(a + b/sinh(c + d*x^(1/2)))^2,x)
```

output `int(x^2*(a + b/sinh(c + d*x^(1/2)))^2, x)`

Reduce [F]

$$\int x^2(a + b\operatorname{csch}(c + d\sqrt{x}))^2 dx = \text{Too large to display}$$

input `int(x^2*(a+b*csch(c+d*x^(1/2)))^2,x)`

output

```
( - 2880***e**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)
- 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**2 - 24*e**(2*sqrt(x)*d + 3*c)*i
nt((e**(sqrt(x)*d)*x**2)/(e**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d + 2*c)
) + 1),x)*a*b*d**6 - 480*e**(2*sqrt(x)*d + 3*c)*int((e**(sqrt(x)*d)*x)/(e*
*(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**4 - 120*e**
(2*sqrt(x)*d + 3*c)*int((sqrt(x)*e**(sqrt(x)*d)*x)/(e**(4*sqrt(x)*d + 4*c)
- 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**5 - 1440*e**(2*sqrt(x)*d + 3*c)
*int((sqrt(x)*e**(sqrt(x)*d))/(e**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d
+ 2*c) + 1),x)*a*b*d**3 - 90*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*b**2*d - 90*e*
*(2*sqrt(x)*d + 2*c)*int(sqrt(x)/(e**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)
*d + 2*c) + 1),x)*b**2*d**3 - 30*e**(2*sqrt(x)*d + 2*c)*int((sqrt(x)*x)/(e
**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*b**2*d**5 - 60*e*
*(2*sqrt(x)*d + 2*c)*int(x/(e**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d + 2
*c) + 1),x)*b**2*d**4 - 90*e**(2*sqrt(x)*d + 2*c)*int(1/(e**(4*sqrt(x)*d +
4*c) - 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*b**2*d**2 + 1440*e**(2*sqrt(x)*d
+ 2*c)*log(e**(sqrt(x)*d + c) - 1)*a*b + 45*e**(2*sqrt(x)*d + 2*c)*log(e**
(sqrt(x)*d + c) - 1)*b**2 - 1440*e**(2*sqrt(x)*d + 2*c)*log(e**(sqrt(x)*d
+ c) + 1)*a*b + 45*e**(2*sqrt(x)*d + 2*c)*log(e**(sqrt(x)*d + c) + 1)*b**2
+ e**(2*sqrt(x)*d + 2*c)*a**2*d**6*x**3 - 24*sqrt(x)*e**(sqrt(x)*d + c)*a
*b*d**5*x**2 - 480*sqrt(x)*e**(sqrt(x)*d + c)*a*b*d**3*x - 2880*sqrt(x)...
```

3.45 $\int x(a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx$

Optimal result	324
Mathematica [A] (verified)	325
Rubi [A] (verified)	326
Maple [F]	327
Fricas [F]	327
Sympy [F]	328
Maxima [A] (verification not implemented)	328
Giac [F]	329
Mupad [F(-1)]	329
Reduce [F]	330

Optimal result

Integrand size = 18, antiderivative size = 287

$$\begin{aligned}
 \int x(a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = & -\frac{2b^2x^{3/2}}{d} + \frac{a^2x^2}{2} - \frac{8abx^{3/2}\operatorname{arctanh}(e^{c+d\sqrt{x}})}{d} \\
 & - \frac{2b^2x^{3/2}\coth(c + d\sqrt{x})}{d} + \frac{6b^2x \log(1 - e^{2(c+d\sqrt{x})})}{d^2} \\
 & - \frac{12abx \operatorname{PolyLog}(2, -e^{c+d\sqrt{x}})}{d^2} \\
 & + \frac{12abx \operatorname{PolyLog}(2, e^{c+d\sqrt{x}})}{d^2} \\
 & + \frac{6b^2\sqrt{x} \operatorname{PolyLog}(2, e^{2(c+d\sqrt{x})})}{d^3} \\
 & + \frac{24ab\sqrt{x} \operatorname{PolyLog}(3, -e^{c+d\sqrt{x}})}{d^3} \\
 & - \frac{24ab\sqrt{x} \operatorname{PolyLog}(3, e^{c+d\sqrt{x}})}{d^3} \\
 & - \frac{3b^2 \operatorname{PolyLog}(3, e^{2(c+d\sqrt{x})})}{d^4} \\
 & - \frac{24ab \operatorname{PolyLog}(4, -e^{c+d\sqrt{x}})}{d^4} \\
 & + \frac{24ab \operatorname{PolyLog}(4, e^{c+d\sqrt{x}})}{d^4}
 \end{aligned}$$

output

```
-2*b^2*x^(3/2)/d+1/2*a^2*x^2-8*a*b*x^(3/2)*arctanh(exp(c+d*x^(1/2)))/d-2*b^2*x^(3/2)*coth(c+d*x^(1/2))/d+6*b^2*x*ln(1-exp(2*c+2*d*x^(1/2)))/d^2-12*a*b*x*polylog(2,-exp(c+d*x^(1/2)))/d^2+12*a*b*x*polylog(2,exp(c+d*x^(1/2)))/d^2+6*b^2*x^(1/2)*polylog(2,exp(2*c+2*d*x^(1/2)))/d^3+24*a*b*x^(1/2)*polylog(3,-exp(c+d*x^(1/2)))/d^3-24*a*b*x^(1/2)*polylog(3,exp(c+d*x^(1/2)))/d^3-3*b^2*polylog(3,exp(2*c+2*d*x^(1/2)))/d^4-24*a*b*polylog(4,-exp(c+d*x^(1/2)))/d^4+24*a*b*polylog(4,exp(c+d*x^(1/2)))/d^4
```

Mathematica [A] (verified)

Time = 3.64 (sec) , antiderivative size = 382, normalized size of antiderivative = 1.33

$$\int x(a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx$$

$$= \frac{4b^2 d^3 x^{3/2} + a^2 d^4 x^2 - 4b^2 d^3 x^{3/2} \coth(c + d\sqrt{x}) + 12b^2 d^2 x \log(1 - e^{-c-d\sqrt{x}}) + 8abd^3 x^{3/2} \log(1 - e^{-c-d\sqrt{x}})}{2d^4}$$

input

```
Integrate[x*(a + b*Csch[c + d*Sqrt[x]])^2,x]
```

output

```
(4*b^2*d^3*x^(3/2) + a^2*d^4*x^2 - 4*b^2*d^3*x^(3/2)*Coth[c + d*Sqrt[x]] + 12*b^2*d^2*x*Log[1 - E^(-c - d*Sqrt[x])] + 8*a*b*d^3*x^(3/2)*Log[1 - E^(-c - d*Sqrt[x])] + 12*b^2*d^2*x*Log[1 + E^(-c - d*Sqrt[x])] - 8*a*b*d^3*x^(3/2)*Log[1 + E^(-c - d*Sqrt[x])] + 24*(-(b^2*d*Sqrt[x]) + a*b*d^2*x)*PolyLog[2, -E^(-c - d*Sqrt[x])] - 24*b*d*(b + a*d*Sqrt[x])*Sqrt[x]*PolyLog[2, E^(-c - d*Sqrt[x])] - 24*b^2*PolyLog[3, -E^(-c - d*Sqrt[x])] + 48*a*b*d*Sqrt[x]*PolyLog[3, -E^(-c - d*Sqrt[x])] - 24*b^2*PolyLog[3, E^(-c - d*Sqrt[x])] - 48*a*b*d*Sqrt[x]*PolyLog[3, E^(-c - d*Sqrt[x])] + 48*a*b*PolyLog[4, -E^(-c - d*Sqrt[x])] - 48*a*b*PolyLog[4, E^(-c - d*Sqrt[x])])/(2*d^4)
```

Rubi [A] (verified)

Time = 0.82 (sec) , antiderivative size = 291, normalized size of antiderivative = 1.01, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {5960, 3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x(a + b\operatorname{csch}(c + d\sqrt{x}))^2 dx \\
 & \quad \downarrow 5960 \\
 & 2 \int x^{3/2}(a + b\operatorname{csch}(c + d\sqrt{x}))^2 d\sqrt{x} \\
 & \quad \downarrow 3042 \\
 & 2 \int x^{3/2}(a + ib \operatorname{csc}(ic + id\sqrt{x}))^2 d\sqrt{x} \\
 & \quad \downarrow 4678 \\
 & 2 \int (x^{3/2}a^2 + 2bx^{3/2}\operatorname{csch}(c + d\sqrt{x})a + b^2x^{3/2}\operatorname{csch}^2(c + d\sqrt{x})) d\sqrt{x} \\
 & \quad \downarrow 2009 \\
 & 2 \left(\frac{a^2x^2}{4} - \frac{4abx^{3/2}\operatorname{arctanh}(e^{c+d\sqrt{x}})}{d} - \frac{12ab \operatorname{PolyLog}(4, -e^{c+d\sqrt{x}})}{d^4} + \frac{12ab \operatorname{PolyLog}(4, e^{c+d\sqrt{x}})}{d^4} + \frac{12ab\sqrt{x} \operatorname{PolyLog}(4, e^{c+d\sqrt{x}})}{d^4} \right)
 \end{aligned}$$

input `Int[x*(a + b*Csch[c + d*Sqrt[x]])^2,x]`

output `2*(-((b^2*x^(3/2))/d) + (a^2*x^2)/4 - (4*a*b*x^(3/2)*ArcTanh[E^(c + d*Sqrt[x])])/d - (b^2*x^(3/2)*Coth[c + d*Sqrt[x]])/d + (3*b^2*x*Log[1 - E^(2*(c + d*Sqrt[x]))])/d^2 - (6*a*b*x*PolyLog[2, -E^(c + d*Sqrt[x])])/d^2 + (6*a*b*x*PolyLog[2, E^(c + d*Sqrt[x])])/d^2 + (3*b^2*Sqrt[x]*PolyLog[2, E^(2*(c + d*Sqrt[x]))])/d^3 + (12*a*b*Sqrt[x]*PolyLog[3, -E^(c + d*Sqrt[x])])/d^3 - (12*a*b*Sqrt[x]*PolyLog[3, E^(c + d*Sqrt[x])])/d^3 - (3*b^2*PolyLog[3, E^(2*(c + d*Sqrt[x]))])/(2*d^4) - (12*a*b*PolyLog[4, -E^(c + d*Sqrt[x])])/d^4 + (12*a*b*PolyLog[4, E^(c + d*Sqrt[x])])/d^4`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4678 `Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]`

rule 5960 `Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_)]*(b_.))^(p_.)*(x_)^(m_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [F]

$$\int x(a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx$$

input `int(x*(a+b*csch(c+d*x^(1/2)))^2,x)`

output `int(x*(a+b*csch(c+d*x^(1/2)))^2,x)`

Fricas [F]

$$\int x(a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = \int (b \operatorname{csch}(d\sqrt{x} + c) + a)^2 x dx$$

input `integrate(x*(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="fricas")`

output `integral(b^2*x*csch(d*sqrt(x) + c)^2 + 2*a*b*x*csch(d*sqrt(x) + c) + a^2*x, x)`

Sympy [F]

$$\int x(a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = \int x(a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx$$

input `integrate(x*(a+b*csch(c+d*x**(1/2)))**2,x)`

output `Integral(x*(a + b*csch(c + d*sqrt(x)))**2, x)`

Maxima [A] (verification not implemented)

Time = 0.30 (sec) , antiderivative size = 343, normalized size of antiderivative = 1.20

$$\begin{aligned} \int x(a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx &= \frac{1}{2} a^2 x^2 - \frac{4 b^2 x^{\frac{3}{2}}}{d e^{(2d\sqrt{x}+2c)} - d} \\ &- \frac{4 \left(d^3 x^{\frac{3}{2}} \log \left(e^{(d\sqrt{x}+c)} + 1 \right) + 3 d^2 x \operatorname{Li}_2 \left(-e^{(d\sqrt{x}+c)} \right) - 6 d \sqrt{x} \operatorname{Li}_3 \left(-e^{(d\sqrt{x}+c)} \right) + 6 \operatorname{Li}_4 \left(-e^{(d\sqrt{x}+c)} \right) \right) a b}{d^4} \\ &+ \frac{4 \left(d^3 x^{\frac{3}{2}} \log \left(-e^{(d\sqrt{x}+c)} + 1 \right) + 3 d^2 x \operatorname{Li}_2 \left(e^{(d\sqrt{x}+c)} \right) - 6 d \sqrt{x} \operatorname{Li}_3 \left(e^{(d\sqrt{x}+c)} \right) + 6 \operatorname{Li}_4 \left(e^{(d\sqrt{x}+c)} \right) \right) a b}{d^4} \\ &+ \frac{6 \left(d^2 x \log \left(e^{(d\sqrt{x}+c)} + 1 \right) + 2 d \sqrt{x} \operatorname{Li}_2 \left(-e^{(d\sqrt{x}+c)} \right) - 2 \operatorname{Li}_3 \left(-e^{(d\sqrt{x}+c)} \right) \right) b^2}{d^4} \\ &+ \frac{6 \left(d^2 x \log \left(-e^{(d\sqrt{x}+c)} + 1 \right) + 2 d \sqrt{x} \operatorname{Li}_2 \left(e^{(d\sqrt{x}+c)} \right) - 2 \operatorname{Li}_3 \left(e^{(d\sqrt{x}+c)} \right) \right) b^2}{d^4} \\ &- \frac{a b d^4 x^2 + 2 b^2 d^3 x^{\frac{3}{2}}}{d^4} + \frac{a b d^4 x^2 - 2 b^2 d^3 x^{\frac{3}{2}}}{d^4} \end{aligned}$$

input `integrate(x*(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="maxima")`

output

```

1/2*a^2*x^2 - 4*b^2*x^(3/2)/(d*e^(2*d*sqrt(x) + 2*c) - d) - 4*(d^3*x^(3/2)
*log(e^(d*sqrt(x) + c) + 1) + 3*d^2*x*dilog(-e^(d*sqrt(x) + c)) - 6*d*sqrt
(x)*polylog(3, -e^(d*sqrt(x) + c)) + 6*polylog(4, -e^(d*sqrt(x) + c)))*a*b
/d^4 + 4*(d^3*x^(3/2)*log(-e^(d*sqrt(x) + c) + 1) + 3*d^2*x*dilog(e^(d*sq
rt(x) + c)) - 6*d*sqrt(x)*polylog(3, e^(d*sqrt(x) + c)) + 6*polylog(4, e^(d
*sqrt(x) + c)))*a*b/d^4 + 6*(d^2*x*log(e^(d*sqrt(x) + c) + 1) + 2*d*sqrt(x)
)*dilog(-e^(d*sqrt(x) + c)) - 2*polylog(3, -e^(d*sqrt(x) + c)))*b^2/d^4 +
6*(d^2*x*log(-e^(d*sqrt(x) + c) + 1) + 2*d*sqrt(x)*dilog(e^(d*sqrt(x) + c)
) - 2*polylog(3, e^(d*sqrt(x) + c)))*b^2/d^4 - (a*b*d^4*x^2 + 2*b^2*d^3*x^
(3/2))/d^4 + (a*b*d^4*x^2 - 2*b^2*d^3*x^(3/2))/d^4

```

Giac [F]

$$\int x(a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = \int (b \operatorname{csch}(d\sqrt{x} + c) + a)^2 x dx$$

input

```
integrate(x*(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="giac")
```

output

```
integrate((b*csch(d*sqrt(x) + c) + a)^2*x, x)
```

Mupad [F(-1)]

Timed out.

$$\int x(a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = \int x \left(a + \frac{b}{\sinh(c + d\sqrt{x})} \right)^2 dx$$

input

```
int(x*(a + b/sinh(c + d*x^(1/2)))^2,x)
```

output

```
int(x*(a + b/sinh(c + d*x^(1/2)))^2, x)
```

Reduce [F]

$$\int x(a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = \text{Too large to display}$$

input `int(x*(a+b*csch(c+d*x^(1/2)))^2,x)`

output

```
( - 96***e**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c) -
2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**2 - 16*e**(2*sqrt(x)*d + 3*c)*int
((e**(sqrt(x)*d)*x)/(e**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d + 2*c) + 1
),x)*a*b*d**4 - 48*e**(2*sqrt(x)*d + 3*c)*int((sqrt(x)*e**(sqrt(x)*d))/(e*
*(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**3 - 12*sqrt
(x)*e**(2*sqrt(x)*d + 2*c)*b**2*d - 12*e**(2*sqrt(x)*d + 2*c)*int(sqrt(x)/
(e**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*b**2*d**3 - 12*
e**(2*sqrt(x)*d + 2*c)*int(1/(e**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d +
2*c) + 1),x)*b**2*d**2 + 48*e**(2*sqrt(x)*d + 2*c)*log(e**(sqrt(x)*d + c)
- 1)*a*b + 6*e**(2*sqrt(x)*d + 2*c)*log(e**(sqrt(x)*d + c) - 1)*b**2 - 48
*e**(2*sqrt(x)*d + 2*c)*log(e**(sqrt(x)*d + c) + 1)*a*b + 6*e**(2*sqrt(x)*
d + 2*c)*log(e**(sqrt(x)*d + c) + 1)*b**2 + e**(2*sqrt(x)*d + 2*c)*a**2*d*
*4*x**2 - 16*sqrt(x)*e**(sqrt(x)*d + c)*a*b*d**3*x - 96*sqrt(x)*e**(sqrt(x)
)*d + c)*a*b*d - 48*e**(sqrt(x)*d + c)*a*b*d**2*x + 96*e**c*int(e**(sqrt(x)
)*d)/(e**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**2 +
16*e**c*int((e**(sqrt(x)*d)*x)/(e**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*
d + 2*c) + 1),x)*a*b*d**4 + 48*e**c*int((sqrt(x)*e**(sqrt(x)*d))/(e**(4*sq
rt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**3 - 8*sqrt(x)*b**
2*d**3*x + 12*int(sqrt(x)/(e**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d + 2*
c) + 1),x)*b**2*d**3 + 12*int(1/(e**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(...
```

$$3.46 \quad \int \frac{(a+b\operatorname{csch}(c+d\sqrt{x}))^2}{x} dx$$

Optimal result	331
Mathematica [F(-1)]	331
Rubi [N/A]	332
Maple [N/A]	332
Fricas [N/A]	333
Sympy [N/A]	333
Maxima [N/A]	333
Giac [N/A]	334
Mupad [N/A]	334
Reduce [N/A]	335

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{(a + b\operatorname{csch}(c + d\sqrt{x}))^2}{x} dx = \operatorname{Int}\left(\frac{(a + b\operatorname{csch}(c + d\sqrt{x}))^2}{x}, x\right)$$

output `Defer(Int)((a+b*csch(c+d*x^(1/2)))^2/x,x)`

Mathematica [F(-1)]

Timed out.

$$\int \frac{(a + b\operatorname{csch}(c + d\sqrt{x}))^2}{x} dx = \$\text{Aborted}$$

input `Integrate[(a + b*Csch[c + d*Sqrt[x]])^2/x,x]`

output `$$Aborted`

Rubi [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x} dx$$

↓ 5962

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x} dx$$

input `Int[(a + b*Csch[c + d*Sqrt[x]])^2/x,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.33 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.90

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x} dx$$

input `int((a+b*csch(c+d*x^(1/2)))^2/x,x)`

output `int((a+b*csch(c+d*x^(1/2)))^2/x,x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 36, normalized size of antiderivative = 1.80

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x} dx = \int \frac{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2}{x} dx$$

input `integrate((a+b*csch(c+d*x^(1/2)))^2/x,x, algorithm="fricas")`

output `integral((b^2*csch(d*sqrt(x) + c)^2 + 2*a*b*csch(d*sqrt(x) + c) + a^2)/x, x)`

Sympy [N/A]

Not integrable

Time = 8.76 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.85

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x} dx = \int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x} dx$$

input `integrate((a+b*csch(c+d*x**(1/2)))**2/x,x)`

output `Integral((a + b*csch(c + d*sqrt(x)))**2/x, x)`

Maxima [N/A]

Not integrable

Time = 1.05 (sec) , antiderivative size = 117, normalized size of antiderivative = 5.85

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x} dx = \int \frac{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2}{x} dx$$

input `integrate((a+b*c*sch(c+d*x^(1/2)))^2/x,x, algorithm="maxima")`

output `a^2*log(x) - 4*b^2*sqrt(x)/(d*x*e^(2*d*sqrt(x) + 2*c) - d*x) + integrate((2*a*b*d*x + b^2*sqrt(x))/(d*x^2*e^(d*sqrt(x) + c) + d*x^2), x) - integrate(-(2*a*b*d*x - b^2*sqrt(x))/(d*x^2*e^(d*sqrt(x) + c) - d*x^2), x)`

Giac [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x} dx = \int \frac{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2}{x} dx$$

input `integrate((a+b*c*sch(c+d*x^(1/2)))^2/x,x, algorithm="giac")`

output `integrate((b*c*sch(d*sqrt(x) + c) + a)^2/x, x)`

Mupad [N/A]

Not integrable

Time = 2.87 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x} dx = \int \frac{\left(a + \frac{b}{\sinh(c + d\sqrt{x})}\right)^2}{x} dx$$

input `int((a + b/sinh(c + d*x^(1/2)))^2/x,x)`

output `int((a + b/sinh(c + d*x^(1/2)))^2/x, x)`

Reduce [N/A]

Not integrable

Time = 0.26 (sec) , antiderivative size = 43, normalized size of antiderivative = 2.15

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x} dx = 2 \left(\int \frac{\operatorname{csch}(\sqrt{x} d + c)}{x} dx \right) ab + \left(\int \frac{\operatorname{csch}(\sqrt{x} d + c)^2}{x} dx \right) b^2 + \log(x) a^2$$

input `int((a+b*csch(c+d*x^(1/2)))^2/x,x)`output `2*int(csch(sqrt(x)*d + c)/x,x)*a*b + int(csch(sqrt(x)*d + c)**2/x,x)*b**2 + log(x)*a**2`

$$3.47 \quad \int \frac{(a+b\operatorname{csch}(c+d\sqrt{x}))^2}{x^2} dx$$

Optimal result	336
Mathematica [N/A]	336
Rubi [N/A]	337
Maple [N/A]	337
Fricas [N/A]	338
Sympy [N/A]	338
Maxima [N/A]	338
Giac [N/A]	339
Mupad [N/A]	339
Reduce [N/A]	340

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{(a + b\operatorname{csch}(c + d\sqrt{x}))^2}{x^2} dx = \operatorname{Int}\left(\frac{(a + b\operatorname{csch}(c + d\sqrt{x}))^2}{x^2}, x\right)$$

output `Defer(Int)((a+b*csch(c+d*x^(1/2)))^2/x^2, x)`

Mathematica [N/A]

Not integrable

Time = 107.11 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(a + b\operatorname{csch}(c + d\sqrt{x}))^2}{x^2} dx = \int \frac{(a + b\operatorname{csch}(c + d\sqrt{x}))^2}{x^2} dx$$

input `Integrate[(a + b*Csch[c + d*Sqrt[x]])^2/x^2, x]`

output `Integrate[(a + b*Csch[c + d*Sqrt[x]])^2/x^2, x]`

Rubi [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^2} dx$$

↓ 5962

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^2} dx$$

input `Int[(a + b*Csch[c + d*Sqrt[x]])^2/x^2,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.31 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.90

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^2} dx$$

input `int((a+b*csch(c+d*x^(1/2)))^2/x^2,x)`

output `int((a+b*csch(c+d*x^(1/2)))^2/x^2,x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 36, normalized size of antiderivative = 1.80

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^2} dx = \int \frac{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2}{x^2} dx$$

input `integrate((a+b*csch(c+d*x^(1/2)))^2/x^2,x, algorithm="fricas")`

output `integral((b^2*csch(d*sqrt(x) + c)^2 + 2*a*b*csch(d*sqrt(x) + c) + a^2)/x^2, x)`

Sympy [N/A]

Not integrable

Time = 1.45 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.95

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^2} dx = \int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^2} dx$$

input `integrate((a+b*csch(c+d*x**(1/2)))**2/x**2,x)`

output `Integral((a + b*csch(c + d*sqrt(x)))**2/x**2, x)`

Maxima [N/A]

Not integrable

Time = 1.11 (sec) , antiderivative size = 143, normalized size of antiderivative = 7.15

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^2} dx = \int \frac{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2}{x^2} dx$$

input `integrate((a+b*csch(c+d*x^(1/2)))^2/x^2,x, algorithm="maxima")`

output `-(a^2*d*x*e^(2*d*sqrt(x) + 2*c) - a^2*d*x + 4*b^2*sqrt(x))/(d*x^2*e^(2*d*sqrt(x) + 2*c) - d*x^2) + integrate((2*a*b*d*x + 3*b^2*sqrt(x))/(d*x^3*e^(d*sqrt(x) + c) + d*x^3), x) - integrate(-(2*a*b*d*x - 3*b^2*sqrt(x))/(d*x^3*e^(d*sqrt(x) + c) - d*x^3), x)`

Giac [N/A]

Not integrable

Time = 0.31 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^2} dx = \int \frac{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2}{x^2} dx$$

input `integrate((a+b*csch(c+d*x^(1/2)))^2/x^2,x, algorithm="giac")`

output `integrate((b*csch(d*sqrt(x) + c) + a)^2/x^2, x)`

Mupad [N/A]

Not integrable

Time = 2.86 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^2} dx = \int \frac{\left(a + \frac{b}{\sinh(c + d\sqrt{x})}\right)^2}{x^2} dx$$

input `int((a + b/sinh(c + d*x^(1/2)))^2/x^2,x)`

output `int((a + b/sinh(c + d*x^(1/2)))^2/x^2, x)`

Reduce [N/A]

Not integrable

Time = 0.28 (sec) , antiderivative size = 179, normalized size of antiderivative = 8.95

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^2} dx$$

$$= \frac{4e^{3c} \left(\int \frac{e^{3\sqrt{x}d}}{e^{4\sqrt{x}d+4cx^2}-2e^{2\sqrt{x}d+2cx^2+x^2}} dx \right) abx + 4e^{2c} \left(\int \frac{e^{2\sqrt{x}d}}{e^{4\sqrt{x}d+4cx^2}-2e^{2\sqrt{x}d+2cx^2+x^2}} dx \right) b^2x - 4e^c \left(\int \frac{e^{\sqrt{x}d}}{e^{4\sqrt{x}d+4cx^2}-2e^{2\sqrt{x}d+2cx^2+x^2}} dx \right)}{x}$$

input `int((a+b*csch(c+d*x^(1/2)))^2/x^2,x)`output `(4*e**(3*c)*int(e**(3*sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*x**2 - 2*e**(2*sqrt(x)*d + 2*c)*x**2 + x**2),x)*a*b*x + 4*e**(2*c)*int(e**(2*sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*x**2 - 2*e**(2*sqrt(x)*d + 2*c)*x**2 + x**2),x)*b**2*x - 4*e**c*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*x**2 - 2*e**(2*sqrt(x)*d + 2*c)*x**2 + x**2),x)*a*b*x - a**2)/x`

$$3.48 \quad \int \frac{x^3}{a+b\mathbf{csch}(c+d\sqrt{x})} dx$$

Optimal result	342
Mathematica [A] (verified)	343
Rubi [A] (verified)	344
Maple [F]	346
Fricas [F]	347
Sympy [F]	347
Maxima [F]	347
Giac [F]	348
Mupad [F(-1)]	348
Reduce [F]	348

Optimal result

Integrand size = 20, antiderivative size = 897

$$\begin{aligned}
\int \frac{x^3}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = & \frac{x^4}{4a} - \frac{2bx^{7/2} \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d} \\
& + \frac{2bx^{7/2} \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d} \\
& - \frac{14bx^3 \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^2} \\
& + \frac{14bx^3 \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^2} \\
& + \frac{84bx^{5/2} \operatorname{PolyLog}\left(3, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^3} \\
& - \frac{84bx^{5/2} \operatorname{PolyLog}\left(3, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^3} \\
& - \frac{420bx^2 \operatorname{PolyLog}\left(4, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^4} \\
& + \frac{420bx^2 \operatorname{PolyLog}\left(4, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^4} \\
& + \frac{1680bx^{3/2} \operatorname{PolyLog}\left(5, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^5} \\
& - \frac{1680bx^{3/2} \operatorname{PolyLog}\left(5, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^5} \\
& - \frac{5040bx \operatorname{PolyLog}\left(6, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^6} \\
& + \frac{5040bx \operatorname{PolyLog}\left(6, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^6} \\
& + \frac{10080b\sqrt{x} \operatorname{PolyLog}\left(7, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^7} \\
& - \frac{10080b\sqrt{x} \operatorname{PolyLog}\left(7, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^7} \\
& - \frac{10080b \operatorname{PolyLog}\left(8, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^8} \\
& + \frac{10080b \operatorname{PolyLog}\left(8, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^8}
\end{aligned}$$

output

```

1/4*x^4/a-2*b*x^(7/2)*ln(1+a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)))/a/(a^2+
b^2)^(1/2)/d+2*b*x^(7/2)*ln(1+a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a/(a
^2+b^2)^(1/2)/d-14*b*x^3*polylog(2,-a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2))
)/a/(a^2+b^2)^(1/2)/d^2+14*b*x^3*polylog(2,-a*exp(c+d*x^(1/2))/(b+(a^2+b^2
)^(1/2)))/a/(a^2+b^2)^(1/2)/d^2+84*b*x^(5/2)*polylog(3,-a*exp(c+d*x^(1/2))
/(b-(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d^3-84*b*x^(5/2)*polylog(3,-a*exp(
c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d^3-420*b*x^2*polylog(
4,-a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d^4+420*b*x^2
*polylog(4,-a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d^4+
1680*b*x^(3/2)*polylog(5,-a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)))/a/(a^2+b
^2)^(1/2)/d^5-1680*b*x^(3/2)*polylog(5,-a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1
/2)))/a/(a^2+b^2)^(1/2)/d^5-5040*b*x*polylog(6,-a*exp(c+d*x^(1/2))/(b-(a^2
+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d^6+5040*b*x*polylog(6,-a*exp(c+d*x^(1/2))
/(b+(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d^6+10080*b*x^(1/2)*polylog(7,-a*
exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d^7-10080*b*x^(1/2
)*polylog(7,-a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d^7-
10080*b*polylog(8,-a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/
2)/d^8+10080*b*polylog(8,-a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a/(a^2+b
^2)^(1/2)/d^8

```

Mathematica [A] (verified)

Time = 0.73 (sec) , antiderivative size = 685, normalized size of antiderivative = 0.76

$$\int \frac{x^3}{a + b \operatorname{csch}(c + d\sqrt{x})} dx$$

$$= \frac{\sqrt{a^2 + b^2} d^8 x^4 - 8bd^7 x^{7/2} \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right) + 8bd^7 x^{7/2} \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right) - 56bd^6 x^3 \operatorname{PolyLog}\left(2, \frac{ae^{c+d\sqrt{x}}}{-b+\sqrt{a^2+b^2}}\right)}{\sqrt{a^2 + b^2}}$$

input

```
Integrate[x^3/(a + b*Csch[c + d*Sqrt[x]]),x]
```


output

```
(Sqrt[a^2 + b^2]*d^8*x^4 - 8*b*d^7*x^(7/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2])] + 8*b*d^7*x^(7/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2])] - 56*b*d^6*x^3*PolyLog[2, (a*E^(c + d*Sqrt[x]))/(-b + Sqrt[a^2 + b^2])] + 56*b*d^6*x^3*PolyLog[2, -(a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2])] + 336*b*d^5*x^(5/2)*PolyLog[3, (a*E^(c + d*Sqrt[x]))/(-b + Sqrt[a^2 + b^2])] - 336*b*d^5*x^(5/2)*PolyLog[3, -(a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2])] - 1680*b*d^4*x^2*PolyLog[4, (a*E^(c + d*Sqrt[x]))/(-b + Sqrt[a^2 + b^2])] + 1680*b*d^4*x^2*PolyLog[4, -(a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2])] + 6720*b*d^3*x^(3/2)*PolyLog[5, (a*E^(c + d*Sqrt[x]))/(-b + Sqrt[a^2 + b^2])] - 6720*b*d^3*x^(3/2)*PolyLog[5, -(a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2])] - 20160*b*d^2*x*PolyLog[6, (a*E^(c + d*Sqrt[x]))/(-b + Sqrt[a^2 + b^2])] + 20160*b*d^2*x*PolyLog[6, -(a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2])] + 40320*b*d*Sqrt[x]*PolyLog[7, (a*E^(c + d*Sqrt[x]))/(-b + Sqrt[a^2 + b^2])] - 40320*b*d*Sqrt[x]*PolyLog[7, -(a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2])] - 40320*b*PolyLog[8, (a*E^(c + d*Sqrt[x]))/(-b + Sqrt[a^2 + b^2])] + 40320*b*PolyLog[8, -(a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2])])]/(4*a*Sqrt[a^2 + b^2]*d^8)
```

Rubi [A] (verified)

Time = 1.80 (sec) , antiderivative size = 898, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {5960, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^3}{a + b \operatorname{csch}(c + d\sqrt{x})} dx$$

$$\downarrow 5960$$

$$2 \int \frac{x^{7/2}}{a + b \operatorname{csch}(c + d\sqrt{x})} d\sqrt{x}$$

$$\downarrow 3042$$

$$2 \int \frac{x^{7/2}}{a + ib \operatorname{csc}(ic + id\sqrt{x})} d\sqrt{x}$$

$$\downarrow 4679$$

$$2 \int \left(\frac{x^{7/2}}{a} - \frac{bx^{7/2}}{a(b + a \sinh(c + d\sqrt{x}))} \right) d\sqrt{x}$$

↓ 2009

$$2 \left(\frac{x^4}{8a} - \frac{b \log\left(\frac{e^{c+d\sqrt{x}a}}{b-\sqrt{a^2+b^2}} + 1\right) x^{7/2}}{a\sqrt{a^2+b^2}d} + \frac{b \log\left(\frac{e^{c+d\sqrt{x}a}}{b+\sqrt{a^2+b^2}} + 1\right) x^{7/2}}{a\sqrt{a^2+b^2}d} - \frac{7b \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right) x^3}{a\sqrt{a^2+b^2}d^2} + \frac{7b \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right) x^3}{a\sqrt{a^2+b^2}d^2} \right)$$

input

```
Int[x^3/(a + b*Csch[c + d*Sqrt[x]]), x]
```

output

```
2*(x^4/(8*a) - (b*x^(7/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2])])/(a*Sqrt[a^2 + b^2]*d) + (b*x^(7/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2])])/(a*Sqrt[a^2 + b^2]*d) - (7*b*x^3*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^2) + (7*b*x^3*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^2) + (42*b*x^(5/2)*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^3) - (42*b*x^(5/2)*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^3) - (210*b*x^2*PolyLog[4, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^4) + (210*b*x^2*PolyLog[4, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^4) + (840*b*x^(3/2)*PolyLog[5, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^5) - (840*b*x^(3/2)*PolyLog[5, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^5) - (2520*b*x*PolyLog[6, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^6) + (2520*b*x*PolyLog[6, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^6) + (5040*b*Sqrt[x]*PolyLog[7, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^7) - (5040*b*Sqrt[x]*PolyLog[7, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^7) - (5040*b*PolyLog[8, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^8) + (5040*b*...
```

Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4679 `Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Sin[e + f*x])^n), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]`

rule 5960 `Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_)])*(b_.))^(p_.)*(x_)^(m_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [F]

$$\int \frac{x^3}{a + b \operatorname{csch}(c + d\sqrt{x})} dx$$

input `int(x^3/(a+b*csch(c+d*x^(1/2))),x)`

output `int(x^3/(a+b*csch(c+d*x^(1/2))),x)`

Fricas [F]

$$\int \frac{x^3}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = \int \frac{x^3}{b \operatorname{csch}(d\sqrt{x} + c) + a} dx$$

input `integrate(x^3/(a+b*csch(c+d*x^(1/2))),x, algorithm="fricas")`

output `integral(x^3/(b*csch(d*sqrt(x) + c) + a), x)`

Sympy [F]

$$\int \frac{x^3}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = \int \frac{x^3}{a + b \operatorname{csch}(c + d\sqrt{x})} dx$$

input `integrate(x**3/(a+b*csch(c+d*x**(1/2))),x)`

output `Integral(x**3/(a + b*csch(c + d*sqrt(x))), x)`

Maxima [F]

$$\int \frac{x^3}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = \int \frac{x^3}{b \operatorname{csch}(d\sqrt{x} + c) + a} dx$$

input `integrate(x^3/(a+b*csch(c+d*x^(1/2))),x, algorithm="maxima")`

output `1/4*x^4/a - 2*b*integrate(x^3*e^(d*sqrt(x) + c)/(a^2*e^(2*d*sqrt(x) + 2*c) + 2*a*b*e^(d*sqrt(x) + c) - a^2), x)`

Giac [F]

$$\int \frac{x^3}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = \int \frac{x^3}{b \operatorname{csch}(d\sqrt{x} + c) + a} dx$$

input `integrate(x^3/(a+b*csch(c+d*x^(1/2))),x, algorithm="giac")`

output `integrate(x^3/(b*csch(d*sqrt(x) + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x^3}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = \int \frac{x^3}{a + \frac{b}{\sinh(c + d\sqrt{x})}} dx$$

input `int(x^3/(a + b/sinh(c + d*x^(1/2))),x)`

output `int(x^3/(a + b/sinh(c + d*x^(1/2))), x)`

Reduce [F]

$$\int \frac{x^3}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = e^{2c} \left(\int \frac{e^{2\sqrt{x}d} x^3}{e^{2\sqrt{x}d+2c} a + 2e^{\sqrt{x}d+cb} - a} dx \right) - \left(\int \frac{x^3}{e^{2\sqrt{x}d+2c} a + 2e^{\sqrt{x}d+cb} - a} dx \right)$$

input `int(x^3/(a+b*csch(c+d*x^(1/2))),x)`

output `e**(2*c)*int((e**(2*sqrt(x)*d)*x**3)/(e**(2*sqrt(x)*d + 2*c)*a + 2*e**(sqrt(x)*d + c)*b - a),x) - int(x**3/(e**(2*sqrt(x)*d + 2*c)*a + 2*e**(sqrt(x)*d + c)*b - a),x)`

$$3.49 \quad \int \frac{x^2}{a+b\mathbf{csch}(c+d\sqrt{x})} dx$$

Optimal result	350
Mathematica [A] (verified)	351
Rubi [A] (verified)	352
Maple [F]	354
Fricas [F]	354
Sympy [F]	354
Maxima [F]	355
Giac [F]	355
Mupad [F(-1)]	355
Reduce [F]	356

Optimal result

Integrand size = 20, antiderivative size = 673

$$\begin{aligned}
\int \frac{x^2}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = & \frac{x^3}{3a} - \frac{2bx^{5/2} \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d} \\
& + \frac{2bx^{5/2} \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d} \\
& - \frac{10bx^2 \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^2} \\
& + \frac{10bx^2 \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^2} \\
& + \frac{40bx^{3/2} \operatorname{PolyLog}\left(3, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^3} \\
& - \frac{40bx^{3/2} \operatorname{PolyLog}\left(3, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^3} \\
& - \frac{120bx \operatorname{PolyLog}\left(4, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^4} \\
& + \frac{120bx \operatorname{PolyLog}\left(4, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^4} \\
& + \frac{240b\sqrt{x} \operatorname{PolyLog}\left(5, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^5} \\
& - \frac{240b\sqrt{x} \operatorname{PolyLog}\left(5, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^5} \\
& - \frac{240b \operatorname{PolyLog}\left(6, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^6} \\
& + \frac{240b \operatorname{PolyLog}\left(6, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^6}
\end{aligned}$$

output

```

1/3*x^3/a-2*b*x^(5/2)*ln(1+a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)))/a/(a^2+
b^2)^(1/2)/d+2*b*x^(5/2)*ln(1+a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a/(a
^2+b^2)^(1/2)/d-10*b*x^2*polylog(2,-a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2))
)/a/(a^2+b^2)^(1/2)/d^2+10*b*x^2*polylog(2,-a*exp(c+d*x^(1/2))/(b+(a^2+b^2
)^(1/2)))/a/(a^2+b^2)^(1/2)/d^2+40*b*x^(3/2)*polylog(3,-a*exp(c+d*x^(1/2))
/(b-(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d^3-40*b*x^(3/2)*polylog(3,-a*exp(
c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d^3-120*b*x*polylog(4,
-a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d^4+120*b*x*pol
ylog(4,-a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d^4+240*
b*x^(1/2)*polylog(5,-a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(
1/2)/d^5-240*b*x^(1/2)*polylog(5,-a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/
a/(a^2+b^2)^(1/2)/d^5-240*b*polylog(6,-a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/
2)))/a/(a^2+b^2)^(1/2)/d^6+240*b*polylog(6,-a*exp(c+d*x^(1/2))/(b+(a^2+b^2
)^(1/2)))/a/(a^2+b^2)^(1/2)/d^6

```

Mathematica [A] (verified)

Time = 0.49 (sec) , antiderivative size = 519, normalized size of antiderivative = 0.77

$$\int \frac{x^2}{a + b \operatorname{csch}(c + d\sqrt{x})} dx$$

$$= \frac{\sqrt{a^2 + b^2} d^6 x^3 - 6bd^5 x^{5/2} \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right) + 6bd^5 x^{5/2} \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right) - 30bd^4 x^2 \operatorname{PolyLog}\left(2, \frac{ae^{c+d\sqrt{x}}}{-b+\sqrt{a^2+b^2}}\right) - 30bd^4 x^2 \operatorname{PolyLog}\left(2, \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{d^6}$$

input

```
Integrate[x^2/(a + b*Csch[c + d*Sqrt[x]]), x]
```


output

```
(Sqrt[a^2 + b^2]*d^6*x^3 - 6*b*d^5*x^(5/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2])] + 6*b*d^5*x^(5/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2])] - 30*b*d^4*x^2*PolyLog[2, (a*E^(c + d*Sqrt[x]))/(-b + Sqrt[a^2 + b^2])] + 30*b*d^4*x^2*PolyLog[2, -(a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2])] + 120*b*d^3*x^(3/2)*PolyLog[3, (a*E^(c + d*Sqrt[x]))/(-b + Sqrt[a^2 + b^2])] - 120*b*d^3*x^(3/2)*PolyLog[3, -(a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2])] - 360*b*d^2*x*PolyLog[4, (a*E^(c + d*Sqrt[x]))/(-b + Sqrt[a^2 + b^2])] + 360*b*d^2*x*PolyLog[4, -(a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2])] + 720*b*d*Sqrt[x]*PolyLog[5, (a*E^(c + d*Sqrt[x]))/(-b + Sqrt[a^2 + b^2])] - 720*b*d*Sqrt[x]*PolyLog[5, -(a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2])] - 720*b*PolyLog[6, (a*E^(c + d*Sqrt[x]))/(-b + Sqrt[a^2 + b^2])] + 720*b*PolyLog[6, -(a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2])])]/(3*a*Sqrt[a^2 + b^2]*d^6)
```

Rubi [A] (verified)

Time = 1.35 (sec) , antiderivative size = 674, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {5960, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{x^2}{a + b \operatorname{csch}(c + d\sqrt{x})} dx \\
 & \quad \downarrow \text{5960} \\
 & 2 \int \frac{x^{5/2}}{a + b \operatorname{csch}(c + d\sqrt{x})} d\sqrt{x} \\
 & \quad \downarrow \text{3042} \\
 & 2 \int \frac{x^{5/2}}{a + ib \operatorname{csc}(ic + id\sqrt{x})} d\sqrt{x} \\
 & \quad \downarrow \text{4679} \\
 & 2 \int \left(\frac{x^{5/2}}{a} - \frac{bx^{5/2}}{a(b + a \sinh(c + d\sqrt{x}))} \right) d\sqrt{x} \\
 & \quad \downarrow \text{2009}
 \end{aligned}$$

$$2 \left(-\frac{120b \operatorname{PolyLog}\left(6, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{ad^6\sqrt{a^2+b^2}} + \frac{120b \operatorname{PolyLog}\left(6, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{ad^6\sqrt{a^2+b^2}} + \frac{120b\sqrt{x} \operatorname{PolyLog}\left(5, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{ad^5\sqrt{a^2+b^2}} - \frac{120b\sqrt{x} \operatorname{PolyLog}\left(5, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{ad^5\sqrt{a^2+b^2}} \right)$$

input `Int[x^2/(a + b*Csch[c + d*Sqrt[x]]), x]`

output

```
2*(x^3/(6*a) - (b*x^(5/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2])])/(a*Sqrt[a^2 + b^2]*d) + (b*x^(5/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2])])/(a*Sqrt[a^2 + b^2]*d) - (5*b*x^2*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^2) + (5*b*x^2*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^2) + (20*b*x^(3/2)*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^3) - (20*b*x^(3/2)*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^3) - (60*b*x*PolyLog[4, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^4) + (60*b*x*PolyLog[4, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^4) + (120*b*Sqrt[x]*PolyLog[5, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^5) - (120*b*Sqrt[x]*PolyLog[5, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^5) - (120*b*PolyLog[6, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^6) + (120*b*PolyLog[6, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^6))
```

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4679 `Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Sin[e + f*x]^n)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]`

rule 5960

```
Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_)])*(b_.)^(p_.)*(x_)^(m_.), x_Symbol]
  := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x], x, x^n], x]
  /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]
```

Maple [F]

$$\int \frac{x^2}{a + b \operatorname{csch}(c + d\sqrt{x})} dx$$

input

```
int(x^2/(a+b*csch(c+d*x^(1/2))),x)
```

output

```
int(x^2/(a+b*csch(c+d*x^(1/2))),x)
```

Fricas [F]

$$\int \frac{x^2}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = \int \frac{x^2}{b \operatorname{csch}(d\sqrt{x} + c) + a} dx$$

input

```
integrate(x^2/(a+b*csch(c+d*x^(1/2))),x, algorithm="fricas")
```

output

```
integral(x^2/(b*csch(d*sqrt(x) + c) + a), x)
```

Sympy [F]

$$\int \frac{x^2}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = \int \frac{x^2}{a + b \operatorname{csch}(c + d\sqrt{x})} dx$$

input

```
integrate(x**2/(a+b*csch(c+d*x**(1/2))),x)
```

output

```
Integral(x**2/(a + b*csch(c + d*sqrt(x))), x)
```

Maxima [F]

$$\int \frac{x^2}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = \int \frac{x^2}{b \operatorname{csch}(d\sqrt{x} + c) + a} dx$$

input `integrate(x^2/(a+b*csch(c+d*x^(1/2))),x, algorithm="maxima")`

output `1/3*x^3/a - 2*b*integrate(x^2*e^(d*sqrt(x) + c)/(a^2*e^(2*d*sqrt(x) + 2*c) + 2*a*b*e^(d*sqrt(x) + c) - a^2), x)`

Giac [F]

$$\int \frac{x^2}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = \int \frac{x^2}{b \operatorname{csch}(d\sqrt{x} + c) + a} dx$$

input `integrate(x^2/(a+b*csch(c+d*x^(1/2))),x, algorithm="giac")`

output `integrate(x^2/(b*csch(d*sqrt(x) + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x^2}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = \int \frac{x^2}{a + \frac{b}{\sinh(c + d\sqrt{x})}} dx$$

input `int(x^2/(a + b/sinh(c + d*x^(1/2))),x)`

output `int(x^2/(a + b/sinh(c + d*x^(1/2))), x)`

Reduce [F]

$$\int \frac{x^2}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = e^{2c} \left(\int \frac{e^{2\sqrt{x}d} x^2}{e^{2\sqrt{x}d+2c} a + 2e^{\sqrt{x}d+c} b - a} dx \right) - \left(\int \frac{x^2}{e^{2\sqrt{x}d+2c} a + 2e^{\sqrt{x}d+c} b - a} dx \right)$$

input `int(x^2/(a+b*csch(c+d*x^(1/2))),x)`

output `e**(2*c)*int((e**(2*sqrt(x)*d)*x**2)/(e**(2*sqrt(x)*d + 2*c)*a + 2*e**(sqrt(x)*d + c)*b - a),x) - int(x**2/(e**(2*sqrt(x)*d + 2*c)*a + 2*e**(sqrt(x)*d + c)*b - a),x)`

3.50 $\int \frac{x}{a+b\operatorname{csch}(c+d\sqrt{x})} dx$

Optimal result	357
Mathematica [A] (verified)	358
Rubi [A] (verified)	359
Maple [F]	361
Fricas [F]	361
Sympy [F]	361
Maxima [F]	362
Giac [F]	362
Mupad [F(-1)]	362
Reduce [F]	363

Optimal result

Integrand size = 18, antiderivative size = 449

$$\begin{aligned}
 \int \frac{x}{a+b\operatorname{csch}(c+d\sqrt{x})} dx = & \frac{x^2}{2a} - \frac{2bx^{3/2} \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d} \\
 & + \frac{2bx^{3/2} \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d} \\
 & - \frac{6bx \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^2} \\
 & + \frac{6bx \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^2} \\
 & + \frac{12b\sqrt{x} \operatorname{PolyLog}\left(3, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^3} \\
 & - \frac{12b\sqrt{x} \operatorname{PolyLog}\left(3, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^3} \\
 & - \frac{12b \operatorname{PolyLog}\left(4, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^4} \\
 & + \frac{12b \operatorname{PolyLog}\left(4, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^4}
 \end{aligned}$$

output

$$\frac{1/2*x^2/a-2*b*x^{(3/2)}*\ln(1+a*\exp(c+d*x^{(1/2)}))/(b-(a^2+b^2)^{(1/2)})/a/(a^2+b^2)^{(1/2)}/d+2*b*x^{(3/2)}*\ln(1+a*\exp(c+d*x^{(1/2)}))/(b+(a^2+b^2)^{(1/2)})/a/(a^2+b^2)^{(1/2)}/d-6*b*x*polylog(2,-a*\exp(c+d*x^{(1/2)}))/(b-(a^2+b^2)^{(1/2)})/a/(a^2+b^2)^{(1/2)}/d^2+6*b*x*polylog(2,-a*\exp(c+d*x^{(1/2)}))/(b+(a^2+b^2)^{(1/2)})/a/(a^2+b^2)^{(1/2)}/d^2+12*b*x^{(1/2)}*polylog(3,-a*\exp(c+d*x^{(1/2)}))/(b-(a^2+b^2)^{(1/2)})/a/(a^2+b^2)^{(1/2)}/d^3-12*b*x^{(1/2)}*polylog(3,-a*\exp(c+d*x^{(1/2)}))/(b+(a^2+b^2)^{(1/2)})/a/(a^2+b^2)^{(1/2)}/d^3-12*b*polylog(4,-a*\exp(c+d*x^{(1/2)}))/(b-(a^2+b^2)^{(1/2)})/a/(a^2+b^2)^{(1/2)}/d^4+12*b*polylog(4,-a*\exp(c+d*x^{(1/2)}))/(b+(a^2+b^2)^{(1/2)})/a/(a^2+b^2)^{(1/2)}/d^4$$
Mathematica [A] (verified)

Time = 0.41 (sec) , antiderivative size = 353, normalized size of antiderivative = 0.79

$$\int \frac{x}{a + b \operatorname{csch}(c + d\sqrt{x})} dx$$

$$= \frac{\sqrt{a^2 + b^2} d^4 x^2 - 4bd^3 x^{3/2} \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right) + 4bd^3 x^{3/2} \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right) - 12bd^2 x \operatorname{PolyLog}\left(2, \frac{ae^{c+d\sqrt{x}}}{-b+\sqrt{a^2+b^2}}\right) + 12bd^2 x \operatorname{PolyLog}\left(2, \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right) - 24bd \operatorname{PolyLog}\left(3, \frac{ae^{c+d\sqrt{x}}}{-b+\sqrt{a^2+b^2}}\right) + 24bd \operatorname{PolyLog}\left(3, \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right) - 24b \operatorname{PolyLog}\left(4, \frac{ae^{c+d\sqrt{x}}}{-b+\sqrt{a^2+b^2}}\right) + 24b \operatorname{PolyLog}\left(4, \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{2*a*\sqrt{a^2 + b^2}*d^4}$$

input

`Integrate[x/(a + b*Csch[c + d*Sqrt[x]]),x]`

output

$$\frac{(\sqrt{a^2 + b^2}*d^4*x^2 - 4*b*d^3*x^{(3/2)}*\Log[1 + (a*E^{(c + d*\sqrt{x})})/(b - \sqrt{a^2 + b^2})] + 4*b*d^3*x^{(3/2)}*\Log[1 + (a*E^{(c + d*\sqrt{x})})/(b + \sqrt{a^2 + b^2})] - 12*b*d^2*x*\operatorname{PolyLog}[2, (a*E^{(c + d*\sqrt{x})})/(-b + \sqrt{a^2 + b^2})] + 12*b*d^2*x*\operatorname{PolyLog}[2, -(a*E^{(c + d*\sqrt{x})})/(b + \sqrt{a^2 + b^2})] + 24*b*d*\sqrt{x}*\operatorname{PolyLog}[3, (a*E^{(c + d*\sqrt{x})})/(-b + \sqrt{a^2 + b^2})] - 24*b*d*\sqrt{x}*\operatorname{PolyLog}[3, -(a*E^{(c + d*\sqrt{x})})/(b + \sqrt{a^2 + b^2})] - 24*b*\operatorname{PolyLog}[4, (a*E^{(c + d*\sqrt{x})})/(-b + \sqrt{a^2 + b^2})] + 24*b*\operatorname{PolyLog}[4, -(a*E^{(c + d*\sqrt{x})})/(b + \sqrt{a^2 + b^2})])/(2*a*\sqrt{a^2 + b^2}*d^4)$$

Rubi [A] (verified)

Time = 1.14 (sec) , antiderivative size = 450, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {5960, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{x}{a + b \operatorname{csch}(c + d\sqrt{x})} dx \\
 & \quad \downarrow \text{5960} \\
 & 2 \int \frac{x^{3/2}}{a + b \operatorname{csch}(c + d\sqrt{x})} d\sqrt{x} \\
 & \quad \downarrow \text{3042} \\
 & 2 \int \frac{x^{3/2}}{a + ib \operatorname{csc}(ic + id\sqrt{x})} d\sqrt{x} \\
 & \quad \downarrow \text{4679} \\
 & 2 \int \left(\frac{x^{3/2}}{a} - \frac{bx^{3/2}}{a(b + a \sinh(c + d\sqrt{x}))} \right) d\sqrt{x} \\
 & \quad \downarrow \text{2009} \\
 & 2 \left(-\frac{6b \operatorname{PolyLog}\left(4, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{ad^4\sqrt{a^2+b^2}} + \frac{6b \operatorname{PolyLog}\left(4, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{ad^4\sqrt{a^2+b^2}} + \frac{6b\sqrt{x} \operatorname{PolyLog}\left(3, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{ad^3\sqrt{a^2+b^2}} - \frac{6b\sqrt{x} \operatorname{PolyLog}\left(3, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{ad^3\sqrt{a^2+b^2}} \right)
 \end{aligned}$$

input

```
Int[x/(a + b*Csch[c + d*Sqrt[x]]),x]
```


output

```

2*(x^2/(4*a) - (b*x^(3/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2])])/(a*Sqrt[a^2 + b^2]*d) + (b*x^(3/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2])])/(a*Sqrt[a^2 + b^2]*d) - (3*b*x*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^2) + (3*b*x*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^2) + (6*b*Sqrt[x]*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^3) - (6*b*Sqrt[x]*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^3) - (6*b*PolyLog[4, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^4) + (6*b*PolyLog[4, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^4))

```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 3042

```
Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]
```

rule 4679

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Sin[e + f*x]^n)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]
```

rule 5960

```
Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_)]*(b_.))^(p_.)*(x_)^(m_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]
```

Maple [F]

$$\int \frac{x}{a + b \operatorname{csch}(c + d\sqrt{x})} dx$$

input `int(x/(a+b*csch(c+d*x^(1/2))),x)`

output `int(x/(a+b*csch(c+d*x^(1/2))),x)`

Fricas [F]

$$\int \frac{x}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = \int \frac{x}{b \operatorname{csch}(d\sqrt{x} + c) + a} dx$$

input `integrate(x/(a+b*csch(c+d*x^(1/2))),x, algorithm="fricas")`

output `integral(x/(b*csch(d*sqrt(x) + c) + a), x)`

Sympy [F]

$$\int \frac{x}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = \int \frac{x}{a + b \operatorname{csch}(c + d\sqrt{x})} dx$$

input `integrate(x/(a+b*csch(c+d*x**(1/2))),x)`

output `Integral(x/(a + b*csch(c + d*sqrt(x))), x)`

Maxima [F]

$$\int \frac{x}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = \int \frac{x}{b \operatorname{csch}(d\sqrt{x} + c) + a} dx$$

input `integrate(x/(a+b*csch(c+d*x^(1/2))),x, algorithm="maxima")`

output `-2*b*integrate(x*e^(d*sqrt(x) + c)/(a^2*e^(2*d*sqrt(x) + 2*c) + 2*a*b*e^(d*sqrt(x) + c) - a^2), x) + 1/2*x^2/a`

Giac [F]

$$\int \frac{x}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = \int \frac{x}{b \operatorname{csch}(d\sqrt{x} + c) + a} dx$$

input `integrate(x/(a+b*csch(c+d*x^(1/2))),x, algorithm="giac")`

output `integrate(x/(b*csch(d*sqrt(x) + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = \int \frac{x}{a + \frac{b}{\sinh(c + d\sqrt{x})}} dx$$

input `int(x/(a + b/sinh(c + d*x^(1/2))),x)`

output `int(x/(a + b/sinh(c + d*x^(1/2))), x)`

Reduce [F]

$$\int \frac{x}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = e^{2c} \left(\int \frac{e^{2\sqrt{x}d} x}{e^{2\sqrt{x}d+2c} a + 2e^{\sqrt{x}d+c} b - a} dx \right) - \left(\int \frac{x}{e^{2\sqrt{x}d+2c} a + 2e^{\sqrt{x}d+c} b - a} dx \right)$$

input `int(x/(a+b*csch(c+d*x^(1/2))),x)`

output `e**(2*c)*int((e**(2*sqrt(x)*d)*x)/(e**(2*sqrt(x)*d + 2*c)*a + 2*e**(sqrt(x)*d + c)*b - a),x) - int(x/(e**(2*sqrt(x)*d + 2*c)*a + 2*e**(sqrt(x)*d + c)*b - a),x)`

$$3.51 \quad \int \frac{1}{x(a+b\operatorname{csch}(c+d\sqrt{x}))} dx$$

Optimal result	364
Mathematica [N/A]	364
Rubi [N/A]	365
Maple [N/A]	365
Fricas [N/A]	366
Sympy [N/A]	366
Maxima [N/A]	366
Giac [N/A]	367
Mupad [N/A]	367
Reduce [N/A]	368

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{1}{x(a+b\operatorname{csch}(c+d\sqrt{x}))} dx = \operatorname{Int}\left(\frac{1}{x(a+b\operatorname{csch}(c+d\sqrt{x}))}, x\right)$$

output `Defer(Int)(1/x/(a+b*csch(c+d*x^(1/2))), x)`

Mathematica [N/A]

Not integrable

Time = 3.45 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{x(a+b\operatorname{csch}(c+d\sqrt{x}))} dx = \int \frac{1}{x(a+b\operatorname{csch}(c+d\sqrt{x}))} dx$$

input `Integrate[1/(x*(a + b*Csch[c + d*Sqrt[x]])), x]`

output `Integrate[1/(x*(a + b*Csch[c + d*Sqrt[x]])), x]`

Rubi [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x(a + b \operatorname{csch}(c + d\sqrt{x}))} dx$$

↓ 5962

$$\int \frac{1}{x(a + b \operatorname{csch}(c + d\sqrt{x}))} dx$$

input `Int[1/(x*(a + b*Csch[c + d*Sqrt[x]])),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.90

$$\int \frac{1}{x(a + b \operatorname{csch}(c + d\sqrt{x}))} dx$$

input `int(1/x/(a+b*csch(c+d*x^(1/2))),x)`

output `int(1/x/(a+b*csch(c+d*x^(1/2))),x)`

Fricas [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.95

$$\int \frac{1}{x(a + b \operatorname{csch}(c + d\sqrt{x}))} dx = \int \frac{1}{(b \operatorname{csch}(d\sqrt{x} + c) + a)x} dx$$

input `integrate(1/x/(a+b*csch(c+d*x^(1/2))),x, algorithm="fricas")`

output `integral(1/(b*x*csch(d*sqrt(x) + c) + a*x), x)`

Sympy [N/A]

Not integrable

Time = 1.93 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.85

$$\int \frac{1}{x(a + b \operatorname{csch}(c + d\sqrt{x}))} dx = \int \frac{1}{x(a + b \operatorname{csch}(c + d\sqrt{x}))} dx$$

input `integrate(1/x/(a+b*csch(c+d*x**(1/2))),x)`

output `Integral(1/(x*(a + b*csch(c + d*sqrt(x))))), x)`

Maxima [N/A]

Not integrable

Time = 0.84 (sec) , antiderivative size = 59, normalized size of antiderivative = 2.95

$$\int \frac{1}{x(a + b \operatorname{csch}(c + d\sqrt{x}))} dx = \int \frac{1}{(b \operatorname{csch}(d\sqrt{x} + c) + a)x} dx$$

input `integrate(1/x/(a+b*csch(c+d*x^(1/2))),x, algorithm="maxima")`

output

```
-2*b*integrate(e^(d*sqrt(x) + c)/(a^2*x*e^(2*d*sqrt(x) + 2*c) + 2*a*b*x*e^(d*sqrt(x) + c) - a^2*x), x) + log(x)/a
```

Giac [N/A]

Not integrable

Time = 0.17 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{1}{x(a + b \operatorname{csch}(c + d\sqrt{x}))} dx = \int \frac{1}{(b \operatorname{csch}(d\sqrt{x} + c) + a)x} dx$$

input

```
integrate(1/x/(a+b*csch(c+d*x^(1/2))),x, algorithm="giac")
```

output

```
integrate(1/((b*csch(d*sqrt(x) + c) + a)*x), x)
```

Mupad [N/A]

Not integrable

Time = 2.55 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{x(a + b \operatorname{csch}(c + d\sqrt{x}))} dx = \int \frac{1}{x \left(a + \frac{b}{\sinh(c + d\sqrt{x})} \right)} dx$$

input

```
int(1/(x*(a + b/sinh(c + d*x^(1/2))))),x)
```

output

```
int(1/(x*(a + b/sinh(c + d*x^(1/2))))), x)
```


Reduce [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 57, normalized size of antiderivative = 2.85

$$\int \frac{1}{x (a + b \operatorname{csch}(c + d\sqrt{x}))} dx = \frac{-2e^c \left(\int \frac{e^{\sqrt{x}d}}{e^{2\sqrt{x}d+2c}ax+2e^{\sqrt{x}d+c}bx-ax} dx \right) b + 2 \log(\sqrt{x})}{a}$$

input `int(1/x/(a+b*csch(c+d*x^(1/2))),x)`output `(2*(- e**c*int(e**(sqrt(x)*d)/(e**(2*sqrt(x)*d + 2*c)*a*x + 2*e**(sqrt(x)*d + c)*b*x - a*x),x)*b + log(sqrt(x)))/a`

$$3.52 \quad \int \frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))} dx$$

Optimal result	369
Mathematica [N/A]	369
Rubi [N/A]	370
Maple [N/A]	370
Fricas [N/A]	371
Sympy [N/A]	371
Maxima [N/A]	371
Giac [N/A]	372
Mupad [N/A]	372
Reduce [N/A]	373

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))} dx = \operatorname{Int}\left(\frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))}, x\right)$$

output `Defer(Int)(1/x^2/(a+b*csch(c+d*x^(1/2))),x)`

Mathematica [N/A]

Not integrable

Time = 5.78 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))} dx = \int \frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))} dx$$

input `Integrate[1/(x^2*(a + b*Csch[c + d*Sqrt[x]])),x]`

output `Integrate[1/(x^2*(a + b*Csch[c + d*Sqrt[x]])), x]`

Rubi [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))} dx$$

↓ 5962

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))} dx$$

input `Int[1/(x^2*(a + b*Csch[c + d*Sqrt[x]])),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.90

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))} dx$$

input `int(1/x^2/(a+b*csch(c+d*x^(1/2))),x)`

output `int(1/x^2/(a+b*csch(c+d*x^(1/2))),x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 23, normalized size of antiderivative = 1.15

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))} dx = \int \frac{1}{(b \operatorname{csch}(d\sqrt{x} + c) + a)x^2} dx$$

input `integrate(1/x^2/(a+b*csch(c+d*x^(1/2))),x, algorithm="fricas")`

output `integral(1/(b*x^2*csch(d*sqrt(x) + c) + a*x^2), x)`

Sympy [N/A]

Not integrable

Time = 1.62 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.95

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))} dx = \int \frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))} dx$$

input `integrate(1/x**2/(a+b*csch(c+d*x**(1/2))),x)`

output `Integral(1/(x**2*(a + b*csch(c + d*sqrt(x)))) , x)`

Maxima [N/A]

Not integrable

Time = 0.90 (sec) , antiderivative size = 67, normalized size of antiderivative = 3.35

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))} dx = \int \frac{1}{(b \operatorname{csch}(d\sqrt{x} + c) + a)x^2} dx$$

input `integrate(1/x^2/(a+b*csch(c+d*x^(1/2))),x, algorithm="maxima")`

output

```
-2*b*integrate(e^(d*sqrt(x) + c)/(a^2*x^2*e^(2*d*sqrt(x) + 2*c) + 2*a*b*x^2*e^(d*sqrt(x) + c) - a^2*x^2), x) - 1/(a*x)
```

Giac [N/A]

Not integrable

Time = 0.25 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))} dx = \int \frac{1}{(b \operatorname{csch}(d\sqrt{x} + c) + a)x^2} dx$$

input

```
integrate(1/x^2/(a+b*csch(c+d*x^(1/2))),x, algorithm="giac")
```

output

```
integrate(1/((b*csch(d*sqrt(x) + c) + a)*x^2), x)
```

Mupad [N/A]

Not integrable

Time = 2.59 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))} dx = \int \frac{1}{x^2 \left(a + \frac{b}{\sinh(c + d\sqrt{x})} \right)} dx$$

input

```
int(1/(x^2*(a + b/sinh(c + d*x^(1/2))))),x)
```

output

```
int(1/(x^2*(a + b/sinh(c + d*x^(1/2))))), x)
```

Reduce [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 99, normalized size of antiderivative = 4.95

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))} dx = e^{2c} \left(\int \frac{e^{2\sqrt{x}d}}{e^{2\sqrt{x}d+2c} a x^2 + 2e^{\sqrt{x}d+c} b x^2 - a x^2} dx \right) - \left(\int \frac{1}{e^{2\sqrt{x}d+2c} a x^2 + 2e^{\sqrt{x}d+c} b x^2 - a x^2} dx \right)$$

input `int(1/x^2/(a+b*csch(c+d*x^(1/2))),x)`output `e**(2*c)*int(e**(2*sqrt(x)*d)/(e**(2*sqrt(x)*d + 2*c)*a*x**2 + 2*e**(sqrt(x)*d + c)*b*x**2 - a*x**2),x) - int(1/(e**(2*sqrt(x)*d + 2*c)*a*x**2 + 2*e**(sqrt(x)*d + c)*b*x**2 - a*x**2),x)`

$$3.53 \quad \int \frac{x^3}{\left(a+b\mathbf{csch}(c+d\sqrt{x})\right)^2} dx$$

Optimal result	374
Mathematica [A] (verified)	375
Rubi [A] (verified)	376
Maple [F]	378
Fricas [F]	379
Sympy [F]	379
Maxima [F]	379
Giac [F]	380
Mupad [F(-1)]	380
Reduce [F]	381

Optimal result

Integrand size = 20, antiderivative size = 2663

$$\int \frac{x^3}{\left(a + b\mathbf{csch}(c + d\sqrt{x})\right)^2} dx = \text{Too large to display}$$

output

```

-10080*b^3*polylog(8,-a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d^8+10080*b^3*polylog(8,-a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d^8-10080*b^2*polylog(7,-a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)/d^8-10080*b^2*polylog(7,-a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)/d^8+20160*b*polylog(8,-a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(1/2)/d^8-20160*b*polylog(8,-a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(1/2)/d^8-2*b^2*x^(7/2)*cosh(c+d*x^(1/2))/a/(a^2+b^2)/d/(b+a*sinh(c+d*x^(1/2)))-420*b^2*x^2*polylog(3,-a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)/d^4+84*b^3*x^(5/2)*polylog(3,-a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d^3-420*b^2*x^2*polylog(3,-a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)/d^4-84*b^3*x^(5/2)*polylog(3,-a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d^3+84*b^2*x^(5/2)*polylog(2,-a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)/d^3-14*b^3*x^3*polylog(2,-a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d^2+14*b^3*x^3*polylog(2,-a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d^2+84*b^2*x^(5/2)*polylog(2,-a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)/d^3-2*b^3*x^(7/2)*ln(1+a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d+14*b^2*x^3*ln(1+a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)/d^2+14*b^2*x^3*ln(1+a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)/d^2+2...

```

Mathematica [A] (verified)

Time = 8.00 (sec) , antiderivative size = 2841, normalized size of antiderivative = 1.07

$$\int \frac{x^3}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \text{Result too large to show}$$

input

```
Integrate[x^3/(a + b*Csch[c + d*Sqrt[x]])^2,x]
```


output

```
(Csch[c + d*Sqrt[x]]^2*(b + a*Sinh[c + d*Sqrt[x]]*(x^4*(b + a*Sinh[c + d*
Sqrt[x]]) - (8*b*E^c*(2*b*E^c*x^(7/2) + ((-1 + E^(2*c))*(-7*b*d^6*Sqrt[(a^
2 + b^2)*E^(2*c)]*x^3*Log[1 + (a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(a^2 +
b^2)*E^(2*c)])) + 2*a^2*d^7*E^c*x^(7/2)*Log[1 + (a*E^(2*c + d*Sqrt[x]))/(
b*E^c - Sqrt[(a^2 + b^2)*E^(2*c)])) + b^2*d^7*E^c*x^(7/2)*Log[1 + (a*E^(2*
c + d*Sqrt[x]))/(b*E^c - Sqrt[(a^2 + b^2)*E^(2*c)])) - 7*b*d^6*Sqrt[(a^2 +
b^2)*E^(2*c)]*x^3*Log[1 + (a*E^(2*c + d*Sqrt[x]))/(b*E^c + Sqrt[(a^2 + b^
2)*E^(2*c)])) - 2*a^2*d^7*E^c*x^(7/2)*Log[1 + (a*E^(2*c + d*Sqrt[x]))/(b*E
^c + Sqrt[(a^2 + b^2)*E^(2*c)])) - b^2*d^7*E^c*x^(7/2)*Log[1 + (a*E^(2*c +
d*Sqrt[x]))/(b*E^c + Sqrt[(a^2 + b^2)*E^(2*c)])) + 7*d^5*(-6*b*Sqrt[(a^2
+ b^2)*E^(2*c)] + 2*a^2*d*E^c*Sqrt[x] + b^2*d*E^c*Sqrt[x])*x^(5/2)*PolyLog
[2, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(a^2 + b^2)*E^(2*c)])) - 7*d^
5*(6*b*Sqrt[(a^2 + b^2)*E^(2*c)] + 2*a^2*d*E^c*Sqrt[x] + b^2*d*E^c*Sqrt[x]
)*x^(5/2)*PolyLog[2, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c + Sqrt[(a^2 + b^2)*E
^(2*c)])) + 210*b*d^4*Sqrt[(a^2 + b^2)*E^(2*c)]*x^2*PolyLog[3, -((a*E^(2*
c + d*Sqrt[x]))/(b*E^c - Sqrt[(a^2 + b^2)*E^(2*c)])) - 84*a^2*d^5*E^c*x^(
5/2)*PolyLog[3, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(a^2 + b^2)*E^(2*c
)])) - 42*b^2*d^5*E^c*x^(5/2)*PolyLog[3, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c
- Sqrt[(a^2 + b^2)*E^(2*c)])) + 210*b*d^4*Sqrt[(a^2 + b^2)*E^(2*c)]*x^2*
PolyLog[3, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c + Sqrt[(a^2 + b^2)*E^(2*c)]...

```

Rubi [A] (verified)

Time = 4.14 (sec) , antiderivative size = 2664, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {5960, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^3}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

↓ 5960

$$2 \int \frac{x^{7/2}}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} d\sqrt{x}$$

↓ 3042

$$\begin{aligned}
& 2 \int \frac{x^{7/2}}{(a + ib \csc(ic + id\sqrt{x}))^2} d\sqrt{x} \\
& \quad \downarrow 4679 \\
& 2 \int \left(-\frac{2bx^{7/2}}{a^2(b + a \sinh(c + d\sqrt{x}))} + \frac{x^{7/2}}{a^2} + \frac{b^2x^{7/2}}{a^2(b + a \sinh(c + d\sqrt{x}))^2} \right) d\sqrt{x} \\
& \quad \downarrow 2009 \\
& 2 \left(\frac{x^4}{8a^2} - \frac{2b \log\left(\frac{e^{c+d\sqrt{x}}a}{b-\sqrt{a^2+b^2}} + 1\right) x^{7/2}}{a^2\sqrt{a^2+b^2}d} + \frac{b^3 \log\left(\frac{e^{c+d\sqrt{x}}a}{b-\sqrt{a^2+b^2}} + 1\right) x^{7/2}}{a^2(a^2+b^2)^{3/2}d} + \frac{2b \log\left(\frac{e^{c+d\sqrt{x}}a}{b+\sqrt{a^2+b^2}} + 1\right) x^{7/2}}{a^2\sqrt{a^2+b^2}d} - \frac{b^3 \log\left(\frac{e^{c+d\sqrt{x}}a}{b+\sqrt{a^2+b^2}} + 1\right) x^{7/2}}{a^2(a^2+b^2)^{3/2}d} \right)
\end{aligned}$$

input `Int[x^3/(a + b*Csch[c + d*Sqrt[x]])^2,x]`

output

```

2*(-((b^2*x^(7/2))/(a^2*(a^2 + b^2)*d)) + x^4/(8*a^2) + (7*b^2*x^3*Log[1 +
(a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2])])/(a^2*(a^2 + b^2)*d^2) + (b^
3*x^(7/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2])])/(a^2*(a^2
+ b^2)^(3/2)*d) - (2*b*x^(7/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2
+ b^2])])/(a^2*Sqrt[a^2 + b^2]*d) + (7*b^2*x^3*Log[1 + (a*E^(c + d*Sqrt[x
]))/(b + Sqrt[a^2 + b^2])])/(a^2*(a^2 + b^2)*d^2) - (b^3*x^(7/2)*Log[1 + (
a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2])])/(a^2*(a^2 + b^2)^(3/2)*d) + (
2*b*x^(7/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2])])/(a^2*Sqr
t[a^2 + b^2]*d) + (42*b^2*x^(5/2)*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b -
Sqrt[a^2 + b^2]))])/(a^2*(a^2 + b^2)*d^3) + (7*b^3*x^3*PolyLog[2, -((a*E^(
c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a^2*(a^2 + b^2)^(3/2)*d^2) - (14
*b*x^3*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a^2*Sq
rt[a^2 + b^2]*d^2) + (42*b^2*x^(5/2)*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b
+ Sqrt[a^2 + b^2]))])/(a^2*(a^2 + b^2)*d^3) - (7*b^3*x^3*PolyLog[2, -((a*
E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2]))])/(a^2*(a^2 + b^2)^(3/2)*d^2) +
(14*b*x^3*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2]))])/(a^2
*Sqrt[a^2 + b^2]*d^2) - (210*b^2*x^2*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/(b
- Sqrt[a^2 + b^2]))])/(a^2*(a^2 + b^2)*d^4) - (42*b^3*x^(5/2)*PolyLog[3,
-((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a^2*(a^2 + b^2)^(3/2)*d^
3) + (84*b*x^(5/2)*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b...

```

Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4679 `Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Sin[e + f*x]^n)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]`

rule 5960 `Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_)])*(b_.))^(p_.)*(x_)^(m_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [F]

$$\int \frac{x^3}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

input `int(x^3/(a+b*csch(c+d*x^(1/2)))^2,x)`

output `int(x^3/(a+b*csch(c+d*x^(1/2)))^2,x)`

Fricas [F]

$$\int \frac{x^3}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{x^3}{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2} dx$$

input `integrate(x^3/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="fricas")`

output `integral(x^3/(b^2*csch(d*sqrt(x) + c)^2 + 2*a*b*csch(d*sqrt(x) + c) + a^2), x)`

Sympy [F]

$$\int \frac{x^3}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{x^3}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

input `integrate(x**3/(a+b*csch(c+d*x**(1/2)))**2,x)`

output `Integral(x**3/(a + b*csch(c + d*sqrt(x)))**2, x)`

Maxima [F]

$$\int \frac{x^3}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{x^3}{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2} dx$$

input `integrate(x^3/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="maxima")`

output

```

1/4*(16*a*b^2*x^(7/2) - (a^3*d*e^(2*c) + a*b^2*d*e^(2*c))*x^4*e^(2*d*sqrt(
x)) + (a^3*d + a*b^2*d)*x^4 - 2*(8*b^3*x^(7/2)*e^c + (a^2*b*d*e^c + b^3*d*
e^c)*x^4)*e^(d*sqrt(x))/(a^5*d + a^3*b^2*d - (a^5*d*e^(2*c) + a^3*b^2*d*e
^(2*c))*e^(2*d*sqrt(x)) - 2*(a^4*b*d*e^c + a^2*b^3*d*e^c)*e^(d*sqrt(x))) -
integrate(2*(7*a*b^2*x^(5/2) - (7*b^3*x^(5/2)*e^c + (2*a^2*b*d*e^c + b^3*
d*e^c)*x^3)*e^(d*sqrt(x))/(a^5*d + a^3*b^2*d - (a^5*d*e^(2*c) + a^3*b^2*d
*e^(2*c))*e^(2*d*sqrt(x)) - 2*(a^4*b*d*e^c + a^2*b^3*d*e^c)*e^(d*sqrt(x)))
, x)

```

Giac [F]

$$\int \frac{x^3}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{x^3}{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2} dx$$

input

```
integrate(x^3/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="giac")
```

output

```
sage0*x
```

Mupad [F(-1)]

Timed out.

$$\int \frac{x^3}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{x^3}{\left(a + \frac{b}{\sinh(c + d\sqrt{x})}\right)^2} dx$$

input

```
int(x^3/(a + b/sinh(c + d*x^(1/2)))^2,x)
```

output

```
int(x^3/(a + b/sinh(c + d*x^(1/2)))^2, x)
```

Reduce [F]

$$\int \frac{x^3}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \text{too large to display}$$

input `int(x^3/(a+b*csch(c+d*x^(1/2)))^2,x)`

output

```
( - 161280*e**(2*sqrt(x)*d + 2*c)*sqrt(a**2 + b**2)*atan((e**(sqrt(x)*d +
c)*a*i + b*i)/sqrt(a**2 + b**2))*a**3*b*i - 318780*e**(2*sqrt(x)*d + 2*c)*
sqrt(a**2 + b**2)*atan((e**(sqrt(x)*d + c)*a*i + b*i)/sqrt(a**2 + b**2))*
a**3*i - 322560*e**(sqrt(x)*d + c)*sqrt(a**2 + b**2)*atan((e**(sqrt(x)*d
+ c)*a*i + b*i)/sqrt(a**2 + b**2))*a**2*b**2*i - 637560*e**(sqrt(x)*d + c)
*sqrt(a**2 + b**2)*atan((e**(sqrt(x)*d + c)*a*i + b*i)/sqrt(a**2 + b**2))*
b**4*i + 161280*sqrt(a**2 + b**2)*atan((e**(sqrt(x)*d + c)*a*i + b*i)/sqrt
(a**2 + b**2))*a**3*b*i + 318780*sqrt(a**2 + b**2)*atan((e**(sqrt(x)*d + c
)*a*i + b*i)/sqrt(a**2 + b**2))*a*b**3*i + 161280*e**(2*sqrt(x)*d + 3*c)*i
nt(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**2 + 4*e**(3*sqrt(x)*d + 3*c)*
a*b - 2*e**(2*sqrt(x)*d + 2*c)*a**2 + 4*e**(2*sqrt(x)*d + 2*c)*b**2 - 4*e*
*(sqrt(x)*d + c)*a*b + a**2),x)*a**6*b*d**2 + 165060*e**(2*sqrt(x)*d + 3*c
)*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**2 + 4*e**(3*sqrt(x)*d + 3*
c)*a*b - 2*e**(2*sqrt(x)*d + 2*c)*a**2 + 4*e**(2*sqrt(x)*d + 2*c)*b**2 - 4
*e**(sqrt(x)*d + c)*a*b + a**2),x)*a**4*b**3*d**2 + 3780*e**(2*sqrt(x)*d +
3*c)*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**2 + 4*e**(3*sqrt(x)*d
+ 3*c)*a*b - 2*e**(2*sqrt(x)*d + 2*c)*a**2 + 4*e**(2*sqrt(x)*d + 2*c)*b**2
- 4*e**(sqrt(x)*d + c)*a*b + a**2),x)*a**2*b**5*d**2 + 32*e**(2*sqrt(x)*d
+ 3*c)*int((e**(sqrt(x)*d)*x**3)/(e**(4*sqrt(x)*d + 4*c)*a**2 + 4*e**(3*s
qrt(x)*d + 3*c)*a*b - 2*e**(2*sqrt(x)*d + 2*c)*a**2 + 4*e**(2*sqrt(x)*d...
```

$$3.54 \quad \int \frac{x^2}{\left(a+b\mathbf{csch}(c+d\sqrt{x})\right)^2} dx$$

Optimal result	382
Mathematica [A] (verified)	383
Rubi [A] (verified)	384
Maple [F]	386
Fricas [F]	387
Sympy [F]	387
Maxima [F]	387
Giac [F]	388
Mupad [F(-1)]	388
Reduce [F]	389

Optimal result

Integrand size = 20, antiderivative size = 1983

$$\int \frac{x^2}{\left(a + b\mathbf{csch}(c + d\sqrt{x})\right)^2} dx = \text{Too large to display}$$

output

```

1/3*x^3/a^2-240*b^3*polylog(6,-a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a^2
/(a^2+b^2)^(3/2)/d^6+240*b^3*polylog(6,-a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1
/2)))/a^2/(a^2+b^2)^(3/2)/d^6-240*b^2*polylog(5,-a*exp(c+d*x^(1/2))/(b+(a^
2+b^2)^(1/2)))/a^2/(a^2+b^2)/d^6-240*b^2*polylog(5,-a*exp(c+d*x^(1/2))/(b-
(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)/d^6+480*b*polylog(6,-a*exp(c+d*x^(1/2))/(b
+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(1/2)/d^6-480*b*polylog(6,-a*exp(c+d*x^(1
/2))/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(1/2)/d^6-2*b^2*x^(5/2)*cosh(c+d*x
^(1/2))/a/(a^2+b^2)/d/(b+a*sinh(c+d*x^(1/2)))-120*b^3*x*polylog(4,-a*exp(c
+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d^4+120*b^3*x*polylog
(4,-a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d^4-120*b^
2*x*polylog(3,-a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)/d^4+4
0*b^3*x^(3/2)*polylog(3,-a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+
b^2)^(3/2)/d^3-120*b^2*x*polylog(3,-a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2))
)/a^2/(a^2+b^2)/d^4-40*b^3*x^(3/2)*polylog(3,-a*exp(c+d*x^(1/2))/(b-(a^2+b
^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d^3+40*b^2*x^(3/2)*polylog(2,-a*exp(c+d*x^
(1/2))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)/d^3-10*b^3*x^2*polylog(2,-a*exp(
c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d^2+40*b^2*x^(3/2)*p
olylog(2,-a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)/d^3+10*b^3
*x^2*polylog(2,-a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2
)/d^2+10*b^2*x^2*ln(1+a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+...

```

Mathematica [A] (verified)

Time = 5.77 (sec) , antiderivative size = 2085, normalized size of antiderivative = 1.05

$$\int \frac{x^2}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \text{Result too large to show}$$

input

```
Integrate[x^2/(a + b*Csch[c + d*Sqrt[x]])^2,x]
```


output

```
(Csch[c + d*Sqrt[x]]^2*(b + a*Sinh[c + d*Sqrt[x]]*(x^3*(b + a*Sinh[c + d*
Sqrt[x]]) - (6*b*E^c*(2*b*E^c*x^(5/2) + ((-1 + E^(2*c))*(-5*b*d^4*Sqrt[(a^
2 + b^2)*E^(2*c)]*x^2*Log[1 + (a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(a^2 +
b^2)*E^(2*c)])]) + 2*a^2*d^5*E^c*x^(5/2)*Log[1 + (a*E^(2*c + d*Sqrt[x]))/(
b*E^c - Sqrt[(a^2 + b^2)*E^(2*c)])]) + b^2*d^5*E^c*x^(5/2)*Log[1 + (a*E^(2*
c + d*Sqrt[x]))/(b*E^c - Sqrt[(a^2 + b^2)*E^(2*c)])]) - 5*b*d^4*Sqrt[(a^2 +
b^2)*E^(2*c)]*x^2*Log[1 + (a*E^(2*c + d*Sqrt[x]))/(b*E^c + Sqrt[(a^2 + b^
2)*E^(2*c)])]) - 2*a^2*d^5*E^c*x^(5/2)*Log[1 + (a*E^(2*c + d*Sqrt[x]))/(b*E
^c + Sqrt[(a^2 + b^2)*E^(2*c)])]) - b^2*d^5*E^c*x^(5/2)*Log[1 + (a*E^(2*c +
d*Sqrt[x]))/(b*E^c + Sqrt[(a^2 + b^2)*E^(2*c)])]) + 5*d^3*(-4*b*Sqrt[(a^2
+ b^2)*E^(2*c)] + 2*a^2*d*E^c*Sqrt[x] + b^2*d*E^c*Sqrt[x])*x^(3/2)*PolyLog
[2, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(a^2 + b^2)*E^(2*c)]))] - 5*d^
3*(4*b*Sqrt[(a^2 + b^2)*E^(2*c)] + 2*a^2*d*E^c*Sqrt[x] + b^2*d*E^c*Sqrt[x]
)*x^(3/2)*PolyLog[2, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c + Sqrt[(a^2 + b^2)*E
^(2*c)]))] + 60*b*d^2*Sqrt[(a^2 + b^2)*E^(2*c)]*x*PolyLog[3, -((a*E^(2*c +
d*Sqrt[x]))/(b*E^c - Sqrt[(a^2 + b^2)*E^(2*c)]))] - 40*a^2*d^3*E^c*x^(3/2
)*PolyLog[3, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(a^2 + b^2)*E^(2*c)]
))] - 20*b^2*d^3*E^c*x^(3/2)*PolyLog[3, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c -
Sqrt[(a^2 + b^2)*E^(2*c)]))] + 60*b*d^2*Sqrt[(a^2 + b^2)*E^(2*c)]*x*PolyLo
g[3, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c + Sqrt[(a^2 + b^2)*E^(2*c)]))] + ...
```

Rubi [A] (verified)

Time = 3.45 (sec) , antiderivative size = 1984, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {5960, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^2}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

$$\downarrow \text{5960}$$

$$2 \int \frac{x^{5/2}}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} d\sqrt{x}$$

$$\downarrow \text{3042}$$

$$\begin{aligned}
& 2 \int \frac{x^{5/2}}{(a + ib \csc(ic + id\sqrt{x}))^2} d\sqrt{x} \\
& \quad \downarrow 4679 \\
& 2 \int \left(-\frac{2bx^{5/2}}{a^2(b + a \sinh(c + d\sqrt{x}))} + \frac{x^{5/2}}{a^2} + \frac{b^2x^{5/2}}{a^2(b + a \sinh(c + d\sqrt{x}))^2} \right) d\sqrt{x} \\
& \quad \downarrow 2009 \\
& 2 \left(\frac{x^{5/2} \log\left(\frac{e^{c+d\sqrt{x}}a}{b-\sqrt{a^2+b^2}} + 1\right) b^3}{a^2(a^2+b^2)^{3/2}d} - \frac{x^{5/2} \log\left(\frac{e^{c+d\sqrt{x}}a}{b+\sqrt{a^2+b^2}} + 1\right) b^3}{a^2(a^2+b^2)^{3/2}d} + \frac{5x^2 \text{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right) b^3}{a^2(a^2+b^2)^{3/2}d^2} - \frac{5x^2 \text{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right) b^3}{a^2(a^2+b^2)^{3/2}d^2} \right)
\end{aligned}$$

input `Int[x^2/(a + b*Csch[c + d*Sqrt[x]])^2,x]`

output

```

2*(-((b^2*x^(5/2))/(a^2*(a^2 + b^2)*d)) + x^3/(6*a^2) + (5*b^2*x^2*Log[1 +
(a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2])])/(a^2*(a^2 + b^2)*d^2) + (b^
3*x^(5/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2])])/(a^2*(a^2
+ b^2)^(3/2)*d) - (2*b*x^(5/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2
+ b^2])])/(a^2*Sqrt[a^2 + b^2]*d) + (5*b^2*x^2*Log[1 + (a*E^(c + d*Sqrt[x
]))/(b + Sqrt[a^2 + b^2])])/(a^2*(a^2 + b^2)*d^2) - (b^3*x^(5/2)*Log[1 + (
a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2])])/(a^2*(a^2 + b^2)^(3/2)*d) + (
2*b*x^(5/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2])])/(a^2*Sqr
t[a^2 + b^2]*d) + (20*b^2*x^(3/2)*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b -
Sqrt[a^2 + b^2]))])/(a^2*(a^2 + b^2)*d^3) + (5*b^3*x^2*PolyLog[2, -((a*E^(
c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a^2*(a^2 + b^2)^(3/2)*d^2) - (10
*b*x^2*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a^2*Sqr
t[a^2 + b^2]*d^2) + (20*b^2*x^(3/2)*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b
+ Sqrt[a^2 + b^2]))])/(a^2*(a^2 + b^2)*d^3) - (5*b^3*x^2*PolyLog[2, -((a*
E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2]))])/(a^2*(a^2 + b^2)^(3/2)*d^2) +
(10*b*x^2*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2]))])/(a^2
*Sqrt[a^2 + b^2]*d^2) - (60*b^2*x*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/(b -
Sqrt[a^2 + b^2]))])/(a^2*(a^2 + b^2)*d^4) - (20*b^3*x^(3/2)*PolyLog[3, -((
a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a^2*(a^2 + b^2)^(3/2)*d^3)
+ (40*b*x^(3/2)*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2])...

```

Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4679 `Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Sin[e + f*x]^n)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]`

rule 5960 `Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_)])*(b_.))^(p_.)*(x_)^(m_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [F]

$$\int \frac{x^2}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

input `int(x^2/(a+b*csch(c+d*x^(1/2)))^2,x)`

output `int(x^2/(a+b*csch(c+d*x^(1/2)))^2,x)`

Fricas [F]

$$\int \frac{x^2}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{x^2}{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2} dx$$

input `integrate(x^2/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="fricas")`

output `integral(x^2/(b^2*csch(d*sqrt(x) + c)^2 + 2*a*b*csch(d*sqrt(x) + c) + a^2), x)`

Sympy [F]

$$\int \frac{x^2}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{x^2}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

input `integrate(x**2/(a+b*csch(c+d*x**(1/2)))**2,x)`

output `Integral(x**2/(a + b*csch(c + d*sqrt(x)))**2, x)`

Maxima [F]

$$\int \frac{x^2}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{x^2}{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2} dx$$

input `integrate(x^2/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="maxima")`

output

```
1/3*(12*a*b^2*x^(5/2) - (a^3*d*e^(2*c) + a*b^2*d*e^(2*c))*x^3*e^(2*d*sqrt(x)) + (a^3*d + a*b^2*d)*x^3 - 2*(6*b^3*x^(5/2)*e^c + (a^2*b*d*e^c + b^3*d*e^c)*x^3)*e^(d*sqrt(x))/(a^5*d + a^3*b^2*d - (a^5*d*e^(2*c) + a^3*b^2*d*e^(2*c))*e^(2*d*sqrt(x)) - 2*(a^4*b*d*e^c + a^2*b^3*d*e^c)*e^(d*sqrt(x))) - integrate(2*(5*a*b^2*x^(3/2) - (5*b^3*x^(3/2)*e^c + (2*a^2*b*d*e^c + b^3*d*e^c)*x^2)*e^(d*sqrt(x)))/(a^5*d + a^3*b^2*d - (a^5*d*e^(2*c) + a^3*b^2*d*e^(2*c))*e^(2*d*sqrt(x)) - 2*(a^4*b*d*e^c + a^2*b^3*d*e^c)*e^(d*sqrt(x))), x)
```

Giac [F]

$$\int \frac{x^2}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{x^2}{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2} dx$$

input

```
integrate(x^2/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="giac")
```

output

```
integrate(x^2/(b*csch(d*sqrt(x) + c) + a)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{x^2}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{x^2}{\left(a + \frac{b}{\sinh(c + d\sqrt{x})}\right)^2} dx$$

input

```
int(x^2/(a + b/sinh(c + d*x^(1/2)))^2,x)
```

output

```
int(x^2/(a + b/sinh(c + d*x^(1/2)))^2, x)
```

Reduce [F]

$$\int \frac{x^2}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \text{too large to display}$$

input `int(x^2/(a+b*csch(c+d*x^(1/2)))^2,x)`

output

```
( - 2880*exp(2*sqrt(x)*d + 2*c)*sqrt(a**2 + b**2)*atan((exp(sqrt(x)*d + c)
*a*i + b*i)/sqrt(a**2 + b**2))*a**3*b*i - 5490*exp(2*sqrt(x)*d + 2*c)*sqrt
(a**2 + b**2)*atan((exp(sqrt(x)*d + c)*a*i + b*i)/sqrt(a**2 + b**2))*a*b**
3*i - 5760*exp(sqrt(x)*d + c)*sqrt(a**2 + b**2)*atan((exp(sqrt(x)*d + c)*a
*i + b*i)/sqrt(a**2 + b**2))*a**2*b**2*i - 10980*exp(sqrt(x)*d + c)*sqrt(a
**2 + b**2)*atan((exp(sqrt(x)*d + c)*a*i + b*i)/sqrt(a**2 + b**2))*b**4*i
+ 2880*sqrt(a**2 + b**2)*atan((exp(sqrt(x)*d + c)*a*i + b*i)/sqrt(a**2 + b
**2))*a**3*b*i + 5490*sqrt(a**2 + b**2)*atan((exp(sqrt(x)*d + c)*a*i + b*i
)/sqrt(a**2 + b**2))*a*b**3*i + 2880*exp(2*sqrt(x)*d + 3*c)*int(exp(sqrt(x)
*d)/(exp(4*sqrt(x)*d + 4*c)*a**2 + 4*exp(3*sqrt(x)*d + 3*c)*a*b - 2*exp(2
*sqrt(x)*d + 2*c)*a**2 + 4*exp(2*sqrt(x)*d + 2*c)*b**2 - 4*exp(sqrt(x)*d +
c)*a*b + a**2),x)*a**6*b*d**2 + 3150*exp(2*sqrt(x)*d + 3*c)*int(exp(sqrt(x)
*d)/(exp(4*sqrt(x)*d + 4*c)*a**2 + 4*exp(3*sqrt(x)*d + 3*c)*a*b - 2*exp(
2*sqrt(x)*d + 2*c)*a**2 + 4*exp(2*sqrt(x)*d + 2*c)*b**2 - 4*exp(sqrt(x)*d
+ c)*a*b + a**2),x)*a**4*b**3*d**2 + 270*exp(2*sqrt(x)*d + 3*c)*int(exp(sq
rt(x)*d)/(exp(4*sqrt(x)*d + 4*c)*a**2 + 4*exp(3*sqrt(x)*d + 3*c)*a*b - 2*
exp(2*sqrt(x)*d + 2*c)*a**2 + 4*exp(2*sqrt(x)*d + 2*c)*b**2 - 4*exp(sqrt(x)
*d + c)*a*b + a**2),x)*a**2*b**5*d**2 + 24*exp(2*sqrt(x)*d + 3*c)*int((exp
(sqrt(x)*d)*x**2)/(exp(4*sqrt(x)*d + 4*c)*a**2 + 4*exp(3*sqrt(x)*d + 3*c)*
a*b - 2*exp(2*sqrt(x)*d + 2*c)*a**2 + 4*exp(2*sqrt(x)*d + 2*c)*b**2 - 4...
```

$$3.55 \quad \int \frac{x}{\left(a+b\mathbf{csch}(c+d\sqrt{x})\right)^2} dx$$

Optimal result	390
Mathematica [A] (verified)	391
Rubi [A] (verified)	392
Maple [F]	394
Fricas [F]	395
Sympy [F]	395
Maxima [F]	395
Giac [F]	396
Mupad [F(-1)]	396
Reduce [F]	397

Optimal result

Integrand size = 18, antiderivative size = 1303

$$\int \frac{x}{\left(a+b\mathbf{csch}(c+d\sqrt{x})\right)^2} dx = \text{Too large to display}$$

output

```

-12*b^3*polylog(4,-a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(
3/2)/d^4+12*b^3*polylog(4,-a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)))/a^2/(a^
2+b^2)^(3/2)/d^4-12*b^2*polylog(3,-a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))
/a^2/(a^2+b^2)/d^4-12*b^2*polylog(3,-a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)
))/a^2/(a^2+b^2)/d^4+24*b*polylog(4,-a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)
))/a^2/(a^2+b^2)^(1/2)/d^4-24*b*polylog(4,-a*exp(c+d*x^(1/2))/(b-(a^2+b^2)
^(1/2)))/a^2/(a^2+b^2)^(1/2)/d^4-2*b^3*x^(3/2)*ln(1+a*exp(c+d*x^(1/2))/(b+
(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d+6*b^2*x*ln(1+a*exp(c+d*x^(1/2))/(b
-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)/d^2+2*b^3*x^(3/2)*ln(1+a*exp(c+d*x^(1/2))
/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d-2*b^2*x^(3/2)*cosh(c+d*x^(1/2)
)/a/(a^2+b^2)/d/(b+a*sinh(c+d*x^(1/2)))+12*b*x*polylog(2,-a*exp(c+d*x^(1/2)
))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(1/2)/d^2-12*b*x*polylog(2,-a*exp(c+
d*x^(1/2))/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(1/2)/d^2+4*b*x^(3/2)*ln(1+a
*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(1/2)/d-4*b*x^(3/2)*l
n(1+a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(1/2)/d+24*b*x^(
1/2)*polylog(3,-a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(1/2)
/d^3+12*b^3*x^(1/2)*polylog(3,-a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a^
2/(a^2+b^2)^(3/2)/d^3-12*b^3*x^(1/2)*polylog(3,-a*exp(c+d*x^(1/2))/(b-(a^2
+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d^3+12*b^2*x^(1/2)*polylog(2,-a*exp(c+d*
x^(1/2))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)/d^3+12*b^2*x^(1/2)*polylog(...

```

Mathematica [A] (verified)

Time = 7.26 (sec) , antiderivative size = 1333, normalized size of antiderivative = 1.02

$$\int \frac{x}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \text{Too large to display}$$

input

```
Integrate[x/(a + b*Csch[c + d*Sqrt[x]])^2,x]
```


output

```
(Csch[c + d*Sqrt[x]]^2*(b + a*Sinh[c + d*
Sqrt[x]]) - (4*b*E^c*(2*b*E^c*x^(3/2) + ((-1 + E^(2*c))*(-3*b*d^2*Sqrt[(a^
2 + b^2)*E^(2*c)])*x*Log[1 + (a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(a^2 + b
^2)*E^(2*c)])]) + 2*a^2*d^3*E^c*x^(3/2)*Log[1 + (a*E^(2*c + d*Sqrt[x]))/(b*
E^c - Sqrt[(a^2 + b^2)*E^(2*c)])]) + b^2*d^3*E^c*x^(3/2)*Log[1 + (a*E^(2*c
+ d*Sqrt[x]))/(b*E^c - Sqrt[(a^2 + b^2)*E^(2*c)])]) - 3*b*d^2*Sqrt[(a^2 + b
^2)*E^(2*c)]*x*Log[1 + (a*E^(2*c + d*Sqrt[x]))/(b*E^c + Sqrt[(a^2 + b^2)*E
^(2*c)])]) - 2*a^2*d^3*E^c*x^(3/2)*Log[1 + (a*E^(2*c + d*Sqrt[x]))/(b*E^c +
Sqrt[(a^2 + b^2)*E^(2*c)])]) - b^2*d^3*E^c*x^(3/2)*Log[1 + (a*E^(2*c + d*S
qrt[x]))/(b*E^c + Sqrt[(a^2 + b^2)*E^(2*c)])]) + (-6*b*d*Sqrt[(a^2 + b^2)*E
^(2*c)]*Sqrt[x] + 6*a^2*d^2*E^c*x + 3*b^2*d^2*E^c*x)*PolyLog[2, -((a*E^(2*
c + d*Sqrt[x]))/(b*E^c - Sqrt[(a^2 + b^2)*E^(2*c)]))] - 3*d*(2*b*Sqrt[(a^2
+ b^2)*E^(2*c)] + 2*a^2*d*E^c*Sqrt[x] + b^2*d*E^c*Sqrt[x])*Sqrt[x]*PolyLo
g[2, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c + Sqrt[(a^2 + b^2)*E^(2*c)]))] + 6*b
*Sqrt[(a^2 + b^2)*E^(2*c)]*PolyLog[3, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c - S
qrt[(a^2 + b^2)*E^(2*c)]))] - 12*a^2*d*E^c*Sqrt[x]*PolyLog[3, -((a*E^(2*c
+ d*Sqrt[x]))/(b*E^c - Sqrt[(a^2 + b^2)*E^(2*c)]))] - 6*b^2*d*E^c*Sqrt[x]*
PolyLog[3, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(a^2 + b^2)*E^(2*c)]))]
+ 6*b*Sqrt[(a^2 + b^2)*E^(2*c)]*PolyLog[3, -((a*E^(2*c + d*Sqrt[x]))/(b*E
^c + Sqrt[(a^2 + b^2)*E^(2*c)]))] + 12*a^2*d*E^c*Sqrt[x]*PolyLog[3, -((...
```

Rubi [A] (verified)

Time = 2.81 (sec) , antiderivative size = 1304, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {5960, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

$$\downarrow \text{5960}$$

$$2 \int \frac{x^{3/2}}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} d\sqrt{x}$$

$$\downarrow \text{3042}$$

$$\begin{aligned}
& 2 \int \frac{x^{3/2}}{(a + ib \csc(ic + id\sqrt{x}))^2} d\sqrt{x} \\
& \quad \downarrow 4679 \\
& 2 \int \left(\frac{x^{3/2}b^2}{a^2(b + a \sinh(c + d\sqrt{x}))^2} - \frac{2x^{3/2}b}{a^2(b + a \sinh(c + d\sqrt{x}))} + \frac{x^{3/2}}{a^2} \right) d\sqrt{x} \\
& \quad \downarrow 2009 \\
& 2 \left(\frac{x^{3/2} \log\left(\frac{e^{c+d\sqrt{x}}a}{b-\sqrt{a^2+b^2}} + 1\right) b^3}{a^2(a^2+b^2)^{3/2}d} - \frac{x^{3/2} \log\left(\frac{e^{c+d\sqrt{x}}a}{b+\sqrt{a^2+b^2}} + 1\right) b^3}{a^2(a^2+b^2)^{3/2}d} + \frac{3x \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right) b^3}{a^2(a^2+b^2)^{3/2}d^2} - \frac{3x \operatorname{PolyLog}\left(2, \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right) b^3}{a^2(a^2+b^2)^{3/2}d^2} \right)
\end{aligned}$$

input `Int[x/(a + b*Csch[c + d*Sqrt[x]])^2,x]`

output

```

2*(-((b^2*x^(3/2))/(a^2*(a^2 + b^2)*d)) + x^2/(4*a^2) + (3*b^2*x*Log[1 + (
a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2])])/(a^2*(a^2 + b^2)*d^2) + (b^3*
x^(3/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2])])/(a^2*(a^2 +
b^2)^(3/2)*d) - (2*b*x^(3/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 +
b^2])])/(a^2*Sqrt[a^2 + b^2]*d) + (3*b^2*x*Log[1 + (a*E^(c + d*Sqrt[x]))/
(b + Sqrt[a^2 + b^2])])/(a^2*(a^2 + b^2)*d^2) - (b^3*x^(3/2)*Log[1 + (a*E^
(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2])])/(a^2*(a^2 + b^2)^(3/2)*d) + (2*b*
x^(3/2)*Log[1 + (a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2])])/(a^2*Sqrt[a^
2 + b^2]*d) + (6*b^2*Sqrt[x]*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[
a^2 + b^2]))])/(a^2*(a^2 + b^2)*d^3) + (3*b^3*x*PolyLog[2, -((a*E^(c + d*S
qrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a^2*(a^2 + b^2)^(3/2)*d^2) - (6*b*x*Pol
yLog[2, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a^2*Sqrt[a^2 + b
^2]*d^2) + (6*b^2*Sqrt[x]*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2
+ b^2]))])/(a^2*(a^2 + b^2)*d^3) - (3*b^3*x*PolyLog[2, -((a*E^(c + d*Sqrt
[x]))/(b + Sqrt[a^2 + b^2]))])/(a^2*(a^2 + b^2)^(3/2)*d^2) + (6*b*x*PolyLo
g[2, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2]))])/(a^2*Sqrt[a^2 + b^2]
*d^2) - (6*b^2*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])
/(a^2*(a^2 + b^2)*d^4) - (6*b^3*Sqrt[x]*PolyLog[3, -((a*E^(c + d*Sqrt[x]))
/(b - Sqrt[a^2 + b^2]))])/(a^2*(a^2 + b^2)^(3/2)*d^3) + (12*b*Sqrt[x]*Poly
Log[3, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a^2*Sqrt[a^2 + ...

```

Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4679 `Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Sin[e + f*x]^n)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]`

rule 5960 `Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_)]*(b_.))^(p_.)*(x_)^(m_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [F]

$$\int \frac{x}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

input `int(x/(a+b*csch(c+d*x^(1/2)))^2,x)`

output `int(x/(a+b*csch(c+d*x^(1/2)))^2,x)`

Fricas [F]

$$\int \frac{x}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{x}{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2} dx$$

input `integrate(x/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="fricas")`

output `integral(x/(b^2*csch(d*sqrt(x) + c)^2 + 2*a*b*csch(d*sqrt(x) + c) + a^2), x)`

Sympy [F]

$$\int \frac{x}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{x}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

input `integrate(x/(a+b*csch(c+d*x**(1/2)))**2,x)`

output `Integral(x/(a + b*csch(c + d*sqrt(x)))**2, x)`

Maxima [F]

$$\int \frac{x}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{x}{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2} dx$$

input `integrate(x/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="maxima")`

output

```

1/2*(8*a*b^2*x^(3/2) - (a^3*d*e^(2*c) + a*b^2*d*e^(2*c))*x^2*e^(2*d*sqrt(x))
+ (a^3*d + a*b^2*d)*x^2 - 2*(4*b^3*x^(3/2)*e^c + (a^2*b*d*e^c + b^3*d*e^c)*x^2)*e^(d*sqrt(x)))/(a^5*d + a^3*b^2*d - (a^5*d*e^(2*c) + a^3*b^2*d*e^(2*c))*e^(2*d*sqrt(x)) - 2*(a^4*b*d*e^c + a^2*b^3*d*e^c)*e^(d*sqrt(x))) -
integrate(2*(3*a*b^2*sqrt(x) - (3*b^3*sqrt(x)*e^c + (2*a^2*b*d*e^c + b^3*d*e^c)*x)*e^(d*sqrt(x)))/(a^5*d + a^3*b^2*d - (a^5*d*e^(2*c) + a^3*b^2*d*e^(2*c))*e^(2*d*sqrt(x)) - 2*(a^4*b*d*e^c + a^2*b^3*d*e^c)*e^(d*sqrt(x))), x
)

```

Giac [F]

$$\int \frac{x}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{x}{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2} dx$$

input

```
integrate(x/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="giac")
```

output

```
integrate(x/(b*csch(d*sqrt(x) + c) + a)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{x}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{x}{\left(a + \frac{b}{\sinh(c + d\sqrt{x})}\right)^2} dx$$

input

```
int(x/(a + b/sinh(c + d*x^(1/2)))^2,x)
```

output

```
int(x/(a + b/sinh(c + d*x^(1/2)))^2, x)
```

Reduce [F]

$$\int \frac{x}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \text{too large to display}$$

input `int(x/(a+b*csch(c+d*x^(1/2)))^2,x)`

output

```
( - 96***2*sqrt(x)*d + 2*c)*sqrt(a**2 + b**2)*atan((e**(sqrt(x)*d + c)*a
*i + b*i)/sqrt(a**2 + b**2))*a**3*b*i - 156*e**(2*sqrt(x)*d + 2*c)*sqrt(a
**2 + b**2)*atan((e**(sqrt(x)*d + c)*a*i + b*i)/sqrt(a**2 + b**2))*a*b**3*i
- 192*e**(sqrt(x)*d + c)*sqrt(a**2 + b**2)*atan((e**(sqrt(x)*d + c)*a*i +
b*i)/sqrt(a**2 + b**2))*a**2*b**2*i - 312*e**(sqrt(x)*d + c)*sqrt(a**2 +
b**2)*atan((e**(sqrt(x)*d + c)*a*i + b*i)/sqrt(a**2 + b**2))*b**4*i + 96*s
qrt(a**2 + b**2)*atan((e**(sqrt(x)*d + c)*a*i + b*i)/sqrt(a**2 + b**2))*a
**3*b*i + 156*sqrt(a**2 + b**2)*atan((e**(sqrt(x)*d + c)*a*i + b*i)/sqrt(a
**2 + b**2))*a*b**3*i + 96*e**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4
*sqrt(x)*d + 4*c)*a**2 + 4*e**(3*sqrt(x)*d + 3*c)*a*b - 2*e**(2*sqrt(x)*d
+ 2*c)*a**2 + 4*e**(2*sqrt(x)*d + 2*c)*b**2 - 4*e**(sqrt(x)*d + c)*a*b + a
**2),x)*a**6*b*d**2 + 132*e**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4
*sqrt(x)*d + 4*c)*a**2 + 4*e**(3*sqrt(x)*d + 3*c)*a*b - 2*e**(2*sqrt(x)*d
+ 2*c)*a**2 + 4*e**(2*sqrt(x)*d + 2*c)*b**2 - 4*e**(sqrt(x)*d + c)*a*b + a
**2),x)*a**4*b**3*d**2 + 36*e**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(
4*sqrt(x)*d + 4*c)*a**2 + 4*e**(3*sqrt(x)*d + 3*c)*a*b - 2*e**(2*sqrt(x)*
d + 2*c)*a**2 + 4*e**(2*sqrt(x)*d + 2*c)*b**2 - 4*e**(sqrt(x)*d + c)*a*b +
a**2),x)*a**2*b**5*d**2 + 16*e**(2*sqrt(x)*d + 3*c)*int((e**(sqrt(x)*d)*x
)/(e**(4*sqrt(x)*d + 4*c)*a**2 + 4*e**(3*sqrt(x)*d + 3*c)*a*b - 2*e**(2*sq
rt(x)*d + 2*c)*a**2 + 4*e**(2*sqrt(x)*d + 2*c)*b**2 - 4*e**(sqrt(x)*d + ...
```

$$3.56 \quad \int \frac{1}{x \left(a + b \operatorname{csch}(c + d\sqrt{x}) \right)^2} dx$$

Optimal result	398
Mathematica [N/A]	398
Rubi [N/A]	399
Maple [N/A]	399
Fricas [N/A]	400
Sympy [N/A]	400
Maxima [N/A]	400
Giac [N/A]	401
Mupad [N/A]	401
Reduce [N/A]	402

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{1}{x \left(a + b \operatorname{csch}(c + d\sqrt{x}) \right)^2} dx = \operatorname{Int} \left(\frac{1}{x \left(a + b \operatorname{csch}(c + d\sqrt{x}) \right)^2}, x \right)$$

output `Defer(Int)(1/x/(a+b*csch(c+d*x^(1/2)))^2,x)`

Mathematica [N/A]

Not integrable

Time = 91.10 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{x \left(a + b \operatorname{csch}(c + d\sqrt{x}) \right)^2} dx = \int \frac{1}{x \left(a + b \operatorname{csch}(c + d\sqrt{x}) \right)^2} dx$$

input `Integrate[1/(x*(a + b*Csch[c + d*Sqrt[x]])^2),x]`

output `Integrate[1/(x*(a + b*Csch[c + d*Sqrt[x]])^2), x]`

Rubi [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

↓ 5962

$$\int \frac{1}{x (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

input `Int[1/(x*(a + b*Csch[c + d*Sqrt[x]])^2),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.25 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.90

$$\int \frac{1}{x (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

input `int(1/x/(a+b*csch(c+d*x^(1/2)))^2,x)`

output `int(1/x/(a+b*csch(c+d*x^(1/2)))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 38, normalized size of antiderivative = 1.90

$$\int \frac{1}{x (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{1}{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2 x} dx$$

input `integrate(1/x/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="fricas")`

output `integral(1/(b^2*x*csch(d*sqrt(x) + c)^2 + 2*a*b*x*csch(d*sqrt(x) + c) + a^2*x), x)`

Sympy [N/A]

Not integrable

Time = 2.98 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.95

$$\int \frac{1}{x (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{1}{x (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

input `integrate(1/x/(a+b*csch(c+d*x**(1/2)))**2,x)`

output `Integral(1/(x*(a + b*csch(c + d*sqrt(x)))**2), x)`

Maxima [N/A]

Not integrable

Time = 2.90 (sec) , antiderivative size = 249, normalized size of antiderivative = 12.45

$$\int \frac{1}{x (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{1}{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2 x} dx$$

input `integrate(1/x/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="maxima")`

output
$$4*(b^3*\sqrt{x}*e^{(d*\sqrt{x} + c) - a*b^2*\sqrt{x}})/((a^5*d*e^{(2*c) + a^3*b^2*d*e^{(2*c)}})*x*e^{(2*d*\sqrt{x})} + 2*(a^4*b*d*e^c + a^2*b^3*d*e^c)*x*e^{(d*\sqrt{x})} - (a^5*d + a^3*b^2*d)*x) + \log(x)/a^2 + \text{integrate}(-2*(a*b^2*\sqrt{x} - (b^3*\sqrt{x}*e^c - (2*a^2*b*d*e^c + b^3*d*e^c)*x)*e^{(d*\sqrt{x})})/((a^5*d*e^{(2*c) + a^3*b^2*d*e^{(2*c)}})*x^2*e^{(2*d*\sqrt{x})} + 2*(a^4*b*d*e^c + a^2*b^3*d*e^c)*x^2*e^{(d*\sqrt{x})} - (a^5*d + a^3*b^2*d)*x^2), x)$$

Giac [N/A]

Not integrable

Time = 1.38 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{1}{x (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{1}{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2 x} dx$$

input `integrate(1/x/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="giac")`

output `integrate(1/((b*csch(d*sqrt(x) + c) + a)^2*x), x)`

Mupad [N/A]

Not integrable

Time = 2.99 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{x (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{1}{x \left(a + \frac{b}{\sinh(c + d\sqrt{x})} \right)^2} dx$$

input `int(1/(x*(a + b/sinh(c + d*x^(1/2))))^2),x)`

output `int(1/(x*(a + b/sinh(c + d*x^(1/2))))^2), x)`

Reduce [N/A]

Not integrable

Time = 0.26 (sec) , antiderivative size = 325, normalized size of antiderivative = 16.25

$$\int \frac{1}{x (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

$$= \frac{-4e^{3c} \left(\int \frac{e^{3\sqrt{x}d}}{e^{4\sqrt{x}d+4c}a^2x+4e^{3\sqrt{x}d+3c}abx-2e^{2\sqrt{x}d+2c}a^2x+4e^{2\sqrt{x}d+2c}b^2x-4e^{\sqrt{x}d+c}abx+a^2x} dx \right) ab - 4e^{2c} \left(\int \frac{1}{e^{4\sqrt{x}d+4c}a^2x+4e^{3\sqrt{x}d+3c}abx-2e^{2\sqrt{x}d+2c}a^2x+4e^{2\sqrt{x}d+2c}b^2x-4e^{\sqrt{x}d+c}abx+a^2x} dx \right)}{1}$$

input `int(1/x/(a+b*csch(c+d*x^(1/2)))^2,x)`

output

```
(2*( - 2***3*c)*int(e**(3*sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**2*x + 4*
e**(3*sqrt(x)*d + 3*c)*a*b*x - 2*e**(2*sqrt(x)*d + 2*c)*a**2*x + 4*e**(2*s
qrt(x)*d + 2*c)*b**2*x - 4*e**(sqrt(x)*d + c)*a*b*x + a**2*x),x)*a*b - 2*e
**(2*c)*int(e**(2*sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**2*x + 4*e**(3*sqrt
(x)*d + 3*c)*a*b*x - 2*e**(2*sqrt(x)*d + 2*c)*a**2*x + 4*e**(2*sqrt(x)*d +
2*c)*b**2*x - 4*e**(sqrt(x)*d + c)*a*b*x + a**2*x),x)*b**2 + 2*e**c*int(e
**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**2*x + 4*e**(3*sqrt(x)*d + 3*c)*a*
b*x - 2*e**(2*sqrt(x)*d + 2*c)*a**2*x + 4*e**(2*sqrt(x)*d + 2*c)*b**2*x -
4*e**(sqrt(x)*d + c)*a*b*x + a**2*x),x)*a*b + log(sqrt(x)))/a**2
```

$$3.57 \quad \int \frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

Optimal result	403
Mathematica [N/A]	403
Rubi [N/A]	404
Maple [N/A]	404
Fricas [N/A]	405
Sympy [N/A]	405
Maxima [N/A]	405
Giac [N/A]	406
Mupad [N/A]	406
Reduce [N/A]	407

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \operatorname{Int} \left(\frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))^2}, x \right)$$

output `Defer(Int)(1/x^2/(a+b*csch(c+d*x^(1/2)))^2,x)`

Mathematica [N/A]

Not integrable

Time = 59.65 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

input `Integrate[1/(x^2*(a + b*Csch[c + d*Sqrt[x]])^2),x]`

output `Integrate[1/(x^2*(a + b*Csch[c + d*Sqrt[x]])^2), x]`

Rubi [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

↓ 5962

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

input `Int[1/(x^2*(a + b*Csch[c + d*Sqrt[x]])^2),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.26 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.90

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

input `int(1/x^2/(a+b*csch(c+d*x^(1/2)))^2,x)`

output `int(1/x^2/(a+b*csch(c+d*x^(1/2)))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.11 (sec) , antiderivative size = 44, normalized size of antiderivative = 2.20

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{1}{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2 x^2} dx$$

input `integrate(1/x^2/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="fricas")`

output `integral(1/(b^2*x^2*csch(d*sqrt(x) + c)^2 + 2*a*b*x^2*csch(d*sqrt(x) + c) + a^2*x^2), x)`

Sympy [N/A]

Not integrable

Time = 2.37 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

input `integrate(1/x**2/(a+b*csch(c+d*x**(1/2)))**2,x)`

output `Integral(1/(x**2*(a + b*csch(c + d*sqrt(x)))**2), x)`

Maxima [N/A]

Not integrable

Time = 3.04 (sec) , antiderivative size = 318, normalized size of antiderivative = 15.90

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{1}{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2 x^2} dx$$

input `integrate(1/x^2/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="maxima")`

output `-(4*a*b^2*sqrt(x) + (a^3*d*e^(2*c) + a*b^2*d*e^(2*c))*x*e^(2*d*sqrt(x)) - (a^3*d + a*b^2*d)*x - 2*(2*b^3*sqrt(x)*e^c - (a^2*b*d*e^c + b^3*d*e^c)*x)*e^(d*sqrt(x)))/((a^5*d*e^(2*c) + a^3*b^2*d*e^(2*c))*x^2*e^(2*d*sqrt(x)) + 2*(a^4*b*d*e^c + a^2*b^3*d*e^c)*x^2*e^(d*sqrt(x)) - (a^5*d + a^3*b^2*d)*x^2) + integrate(-2*(3*a*b^2*sqrt(x) - (3*b^3*sqrt(x)*e^c - (2*a^2*b*d*e^c + b^3*d*e^c)*x)*e^(d*sqrt(x)))/((a^5*d*e^(2*c) + a^3*b^2*d*e^(2*c))*x^3*e^(2*d*sqrt(x)) + 2*(a^4*b*d*e^c + a^2*b^3*d*e^c)*x^3*e^(d*sqrt(x)) - (a^5*d + a^3*b^2*d)*x^3), x)`

Giac [N/A]

Not integrable

Time = 1.40 (sec) , antiderivative size = 3, normalized size of antiderivative = 0.15

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{1}{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2 x^2} dx$$

input `integrate(1/x^2/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="giac")`

output `sage0*x`

Mupad [N/A]

Not integrable

Time = 3.01 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{1}{x^2 \left(a + \frac{b}{\sinh(c + d\sqrt{x})}\right)^2} dx$$

input `int(1/(x^2*(a + b/sinh(c + d*x^(1/2))))^2,x)`

output `int(1/(x^2*(a + b/sinh(c + d*x^(1/2)))^2), x)`

Reduce [N/A]

Not integrable

Time = 0.52 (sec) , antiderivative size = 6528, normalized size of antiderivative = 326.40

$$\int \frac{1}{x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \text{Too large to display}$$

input `int(1/x^2/(a+b*csch(c+d*x^(1/2)))^2,x)`

output

```
( - 4*sqrt(x)*e**(2*sqrt(x)*d + 5*c)*int(e**(3*sqrt(x)*d)/(e**(4*sqrt(x)*d
+ 4*c))*a**2*x**2 + 4*e**(3*sqrt(x)*d + 3*c)*a*b*x**2 - 2*e**(2*sqrt(x)*d
+ 2*c)*a**2*x**2 + 4*e**(2*sqrt(x)*d + 2*c)*b**2*x**2 - 4*e**(sqrt(x)*d +
c)*a*b*x**2 + a**2*x**2),x)*a**4*b*x + 8*sqrt(x)*e**(2*sqrt(x)*d + 5*c)*in
t(e**(3*sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c))*a**2*x**2 + 4*e**(3*sqrt(x)*d +
3*c)*a*b*x**2 - 2*e**(2*sqrt(x)*d + 2*c)*a**2*x**2 + 4*e**(2*sqrt(x)*d +
2*c)*b**2*x**2 - 4*e**(sqrt(x)*d + c)*a*b*x**2 + a**2*x**2),x)*a**2*b**3*x
+ 2*sqrt(x)*e**(2*sqrt(x)*d + 5*c)*int(e**(3*sqrt(x)*d)/(e**(4*sqrt(x)*d
+ 4*c))*a**2*x + 4*e**(3*sqrt(x)*d + 3*c)*a*b*x - 2*e**(2*sqrt(x)*d + 2*c)*
a**2*x + 4*e**(2*sqrt(x)*d + 2*c)*b**2*x - 4*e**(sqrt(x)*d + c)*a*b*x + a*
**2*x),x)*a**4*b*d**2*x + 4*sqrt(x)*e**(2*sqrt(x)*d + 5*c)*int(e**(3*sqrt(x)
)*d)/(e**(4*sqrt(x)*d + 4*c))*a**2*x + 4*e**(3*sqrt(x)*d + 3*c)*a*b*x - 2*e
**(2*sqrt(x)*d + 2*c)*a**2*x + 4*e**(2*sqrt(x)*d + 2*c)*b**2*x - 4*e**(sqr
t(x)*d + c)*a*b*x + a**2*x),x)*a**2*b**3*d**2*x + 4*sqrt(x)*e**(2*sqrt(x)*
d + 5*c)*int(e**(3*sqrt(x)*d)/(sqrt(x)*e**(4*sqrt(x)*d + 4*c))*a**2*x + 4*s
qrt(x)*e**(3*sqrt(x)*d + 3*c)*a*b*x - 2*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*a**
2*x + 4*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*b**2*x - 4*sqrt(x)*e**(sqrt(x)*d +
c)*a*b*x + sqrt(x)*a**2*x),x)*a**4*b*d*x + 4*sqrt(x)*e**(2*sqrt(x)*d + 5*c
)*int(e**(3*sqrt(x)*d)/(sqrt(x)*e**(4*sqrt(x)*d + 4*c))*a**2*x + 4*sqrt(x)*
e**(3*sqrt(x)*d + 3*c)*a*b*x - 2*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*a**2*x ...
```


3.58 $\int x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x})) dx$

Optimal result	408
Mathematica [A] (verified)	409
Rubi [A] (verified)	409
Maple [F]	410
Fricas [F]	411
Sympy [F]	411
Maxima [A] (verification not implemented)	411
Giac [F]	412
Mupad [F(-1)]	412
Reduce [F]	413

Optimal result

Integrand size = 20, antiderivative size = 214

$$\begin{aligned} \int x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x})) dx &= \frac{2}{5} a x^{5/2} - \frac{4bx^2 \operatorname{arctanh}(e^{c+d\sqrt{x}})}{d} \\ &- \frac{8bx^{3/2} \operatorname{PolyLog}(2, -e^{c+d\sqrt{x}})}{d^2} + \frac{8bx^{3/2} \operatorname{PolyLog}(2, e^{c+d\sqrt{x}})}{d^2} \\ &+ \frac{24bx \operatorname{PolyLog}(3, -e^{c+d\sqrt{x}})}{d^3} - \frac{24bx \operatorname{PolyLog}(3, e^{c+d\sqrt{x}})}{d^3} \\ &- \frac{48b\sqrt{x} \operatorname{PolyLog}(4, -e^{c+d\sqrt{x}})}{d^4} + \frac{48b\sqrt{x} \operatorname{PolyLog}(4, e^{c+d\sqrt{x}})}{d^4} \\ &+ \frac{48b \operatorname{PolyLog}(5, -e^{c+d\sqrt{x}})}{d^5} - \frac{48b \operatorname{PolyLog}(5, e^{c+d\sqrt{x}})}{d^5} \end{aligned}$$

output

```
2/5*a*x^(5/2)-4*b*x^2*arctanh(exp(c+d*x^(1/2)))/d-8*b*x^(3/2)*polylog(2,-exp(c+d*x^(1/2)))/d^2+8*b*x^(3/2)*polylog(2,exp(c+d*x^(1/2)))/d^2+24*b*x*polylog(3,-exp(c+d*x^(1/2)))/d^3-24*b*x*polylog(3,exp(c+d*x^(1/2)))/d^3-48*b*x^(1/2)*polylog(4,-exp(c+d*x^(1/2)))/d^4+48*b*x^(1/2)*polylog(4,exp(c+d*x^(1/2)))/d^4+48*b*polylog(5,-exp(c+d*x^(1/2)))/d^5-48*b*polylog(5,exp(c+d*x^(1/2)))/d^5
```

Mathematica [A] (verified)

Time = 0.20 (sec) , antiderivative size = 238, normalized size of antiderivative = 1.11

$$\int x^{3/2}(a + b \operatorname{csch}(c + d\sqrt{x})) dx = \frac{2(ad^5 x^{5/2} + 5bd^4 x^2 \log(1 - e^{c+d\sqrt{x}}) - 5bd^4 x^2 \log(1 + e^{c+d\sqrt{x}}) - 20bd^3 x^{3/2} \operatorname{PolyLog}[2, -E^{c+d\sqrt{x}}] + 20bd^3 x^{3/2} \operatorname{PolyLog}[2, E^{c+d\sqrt{x}}] + 60bd^2 x \operatorname{PolyLog}[3, -E^{c+d\sqrt{x}}] - 60bd^2 x \operatorname{PolyLog}[3, E^{c+d\sqrt{x}}] - 120bd \operatorname{Sqrt}[x] \operatorname{PolyLog}[4, -E^{c+d\sqrt{x}}] + 120bd \operatorname{Sqrt}[x] \operatorname{PolyLog}[4, E^{c+d\sqrt{x}}] + 120b \operatorname{PolyLog}[5, -E^{c+d\sqrt{x}}] - 120b \operatorname{PolyLog}[5, E^{c+d\sqrt{x}}])}{5d^5}$$

input

```
Integrate[x^(3/2)*(a + b*Csch[c + d*Sqrt[x]]),x]
```

output

```
(2*(a*d^5*x^(5/2) + 5*b*d^4*x^2*Log[1 - E^(c + d*Sqrt[x])] - 5*b*d^4*x^2*Log[1 + E^(c + d*Sqrt[x])] - 20*b*d^3*x^(3/2)*PolyLog[2, -E^(c + d*Sqrt[x])] + 20*b*d^3*x^(3/2)*PolyLog[2, E^(c + d*Sqrt[x])] + 60*b*d^2*x*PolyLog[3, -E^(c + d*Sqrt[x])] - 60*b*d^2*x*PolyLog[3, E^(c + d*Sqrt[x])] - 120*b*d*Sqrt[x]*PolyLog[4, -E^(c + d*Sqrt[x])] + 120*b*d*Sqrt[x]*PolyLog[4, E^(c + d*Sqrt[x])] + 120*b*PolyLog[5, -E^(c + d*Sqrt[x])] - 120*b*PolyLog[5, E^(c + d*Sqrt[x])])/(5*d^5)
```

Rubi [A] (verified)

Time = 0.48 (sec) , antiderivative size = 214, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^{3/2}(a + b \operatorname{csch}(c + d\sqrt{x})) dx$$

↓ 2010

$$\int (ax^{3/2} + bx^{3/2} \operatorname{csch}(c + d\sqrt{x})) dx$$

↓ 2009

$$\frac{2}{5}ax^{5/2} - \frac{4bx^2 \operatorname{arctanh}(e^{c+d\sqrt{x}})}{d} + \frac{48b \operatorname{PolyLog}(5, -e^{c+d\sqrt{x}})}{d^5} - \frac{48b \operatorname{PolyLog}(5, e^{c+d\sqrt{x}})}{d^5} -$$

$$\frac{48b\sqrt{x} \operatorname{PolyLog}(4, -e^{c+d\sqrt{x}})}{d^4} + \frac{48b\sqrt{x} \operatorname{PolyLog}(4, e^{c+d\sqrt{x}})}{d^4} + \frac{24bx \operatorname{PolyLog}(3, -e^{c+d\sqrt{x}})}{d^3} -$$

$$\frac{24bx \operatorname{PolyLog}(3, e^{c+d\sqrt{x}})}{d^3} - \frac{8bx^{3/2} \operatorname{PolyLog}(2, -e^{c+d\sqrt{x}})}{d^2} + \frac{8bx^{3/2} \operatorname{PolyLog}(2, e^{c+d\sqrt{x}})}{d^2}$$

input `Int[x^(3/2)*(a + b*Csch[c + d*Sqrt[x]]),x]`

output `(2*a*x^(5/2))/5 - (4*b*x^2*ArcTanh[E^(c + d*Sqrt[x])])/d - (8*b*x^(3/2)*PolyLog[2, -E^(c + d*Sqrt[x])])/d^2 + (8*b*x^(3/2)*PolyLog[2, E^(c + d*Sqrt[x])])/d^2 + (24*b*x*PolyLog[3, -E^(c + d*Sqrt[x])])/d^3 - (24*b*x*PolyLog[3, E^(c + d*Sqrt[x])])/d^3 - (48*b*Sqrt[x]*PolyLog[4, -E^(c + d*Sqrt[x])])/d^4 + (48*b*Sqrt[x]*PolyLog[4, E^(c + d*Sqrt[x])])/d^4 + (48*b*PolyLog[5, -E^(c + d*Sqrt[x])])/d^5 - (48*b*PolyLog[5, E^(c + d*Sqrt[x])])/d^5`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2010 `Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]`

Maple [F]

$$\int x^{\frac{3}{2}}(a + b \operatorname{csch}(c + d\sqrt{x})) dx$$

input `int(x^(3/2)*(a+b*csch(c+d*x^(1/2))),x)`

output `int(x^(3/2)*(a+b*csch(c+d*x^(1/2))),x)`

Fricas [F]

$$\int x^{3/2}(a + b\operatorname{csch}(c + d\sqrt{x})) dx = \int (b\operatorname{csch}(d\sqrt{x} + c) + a)x^{3/2} dx$$

input `integrate(x^(3/2)*(a+b*csch(c+d*x^(1/2))),x, algorithm="fricas")`

output `integral(b*x^(3/2)*csch(d*sqrt(x) + c) + a*x^(3/2), x)`

Sympy [F]

$$\int x^{3/2}(a + b\operatorname{csch}(c + d\sqrt{x})) dx = \int x^{3/2}(a + b\operatorname{csch}(c + d\sqrt{x})) dx$$

input `integrate(x**(3/2)*(a+b*csch(c+d*x**(1/2))),x)`

output `Integral(x**(3/2)*(a + b*csch(c + d*sqrt(x))), x)`

Maxima [A] (verification not implemented)

Time = 0.91 (sec) , antiderivative size = 217, normalized size of antiderivative = 1.01

$$\int x^{3/2}(a + b\operatorname{csch}(c + d\sqrt{x})) dx = \frac{2}{5}ax^{5/2} + \frac{2 \left(\log(e^{(d\sqrt{x}+c)} + 1) \log(e^{(d\sqrt{x})})^4 + 4\operatorname{Li}_2(-e^{(d\sqrt{x}+c)}) \log(e^{(d\sqrt{x})})^3 - 12 \log(e^{(d\sqrt{x})})^2 \operatorname{Li}_3(-e^{(d\sqrt{x}+c)}) \right) d^5}{d^5} + \frac{2 \left(\log(-e^{(d\sqrt{x}+c)} + 1) \log(e^{(d\sqrt{x})})^4 + 4\operatorname{Li}_2(e^{(d\sqrt{x}+c)}) \log(e^{(d\sqrt{x})})^3 - 12 \log(e^{(d\sqrt{x})})^2 \operatorname{Li}_3(e^{(d\sqrt{x}+c)}) \right) d^5}{d^5}$$

input `integrate(x^(3/2)*(a+b*csch(c+d*x^(1/2))),x, algorithm="maxima")`

output

```
2/5*a*x^(5/2) - 2*(log(e^(d*sqrt(x) + c) + 1)*log(e^(d*sqrt(x)))^4 + 4*dilog(-e^(d*sqrt(x) + c))*log(e^(d*sqrt(x)))^3 - 12*log(e^(d*sqrt(x)))^2*polylog(3, -e^(d*sqrt(x) + c)) + 24*log(e^(d*sqrt(x)))*polylog(4, -e^(d*sqrt(x) + c)) - 24*polylog(5, -e^(d*sqrt(x) + c)))*b/d^5 + 2*(log(-e^(d*sqrt(x) + c) + 1)*log(e^(d*sqrt(x)))^4 + 4*dilog(e^(d*sqrt(x) + c))*log(e^(d*sqrt(x)))^3 - 12*log(e^(d*sqrt(x)))^2*polylog(3, e^(d*sqrt(x) + c)) + 24*log(e^(d*sqrt(x)))*polylog(4, e^(d*sqrt(x) + c)) - 24*polylog(5, e^(d*sqrt(x) + c)))*b/d^5
```

Giac [F]

$$\int x^{3/2}(a + b\operatorname{csch}(c + d\sqrt{x})) dx = \int (b\operatorname{csch}(d\sqrt{x} + c) + a)x^{3/2} dx$$

input

```
integrate(x^(3/2)*(a+b*csch(c+d*x^(1/2))),x, algorithm="giac")
```

output

```
integrate((b*csch(d*sqrt(x) + c) + a)*x^(3/2), x)
```

Mupad [F(-1)]

Timed out.

$$\int x^{3/2}(a + b\operatorname{csch}(c + d\sqrt{x})) dx = \int x^{3/2} \left(a + \frac{b}{\sinh(c + d\sqrt{x})} \right) dx$$

input

```
int(x^(3/2)*(a + b/sinh(c + d*x^(1/2))),x)
```

output

```
int(x^(3/2)*(a + b/sinh(c + d*x^(1/2))), x)
```

Reduce [F]

$$\int x^{3/2}(a + b\operatorname{csch}(c + d\sqrt{x})) dx = \frac{2\sqrt{x} a x^2}{5} + \left(\int \sqrt{x} \operatorname{csch}(\sqrt{x} d + c) x dx \right) b$$

input `int(x^(3/2)*(a+b*csch(c+d*x^(1/2))),x)`

output `(2*sqrt(x)*a*x**2 + 5*int(sqrt(x)*csch(sqrt(x)*d + c)*x,x)*b)/5`

3.59 $\int \sqrt{x}(a + b\operatorname{csch}(c + d\sqrt{x})) dx$

Optimal result	414
Mathematica [A] (verified)	415
Rubi [A] (verified)	415
Maple [F]	416
Fricas [F]	416
Sympy [F]	417
Maxima [A] (verification not implemented)	417
Giac [F]	418
Mupad [F(-1)]	418
Reduce [F]	418

Optimal result

Integrand size = 20, antiderivative size = 120

$$\int \sqrt{x}(a + b\operatorname{csch}(c + d\sqrt{x})) dx = \frac{2}{3}ax^{3/2} - \frac{4bx\operatorname{arctanh}(e^{c+d\sqrt{x}})}{d} - \frac{4b\sqrt{x}\operatorname{PolyLog}(2, -e^{c+d\sqrt{x}})}{d^2} + \frac{4b\sqrt{x}\operatorname{PolyLog}(2, e^{c+d\sqrt{x}})}{d^2} + \frac{4b\operatorname{PolyLog}(3, -e^{c+d\sqrt{x}})}{d^3} - \frac{4b\operatorname{PolyLog}(3, e^{c+d\sqrt{x}})}{d^3}$$

output

```
2/3*a*x^(3/2)-4*b*x*arctanh(exp(c+d*x^(1/2)))/d-4*b*x^(1/2)*polylog(2,-exp
(c+d*x^(1/2)))/d^2+4*b*x^(1/2)*polylog(2,exp(c+d*x^(1/2)))/d^2+4*b*polylog
(3,-exp(c+d*x^(1/2)))/d^3-4*b*polylog(3,exp(c+d*x^(1/2)))/d^3
```

Mathematica [A] (verified)

Time = 0.12 (sec) , antiderivative size = 142, normalized size of antiderivative = 1.18

$$\int \sqrt{x}(a + b \operatorname{csch}(c + d\sqrt{x})) dx$$

$$= \frac{2(ad^3x^{3/2} + 3bd^2x \log(1 - e^{c+d\sqrt{x}}) - 3bd^2x \log(1 + e^{c+d\sqrt{x}}) - 6bd\sqrt{x} \operatorname{PolyLog}(2, -e^{c+d\sqrt{x}}) + 6bd\sqrt{x} \operatorname{PolyLog}(2, e^{c+d\sqrt{x}}))}{3d^3}$$

input

```
Integrate[Sqrt[x]*(a + b*Csch[c + d*Sqrt[x]]),x]
```

output

```
(2*(a*d^3*x^(3/2) + 3*b*d^2*x*Log[1 - E^(c + d*Sqrt[x])] - 3*b*d^2*x*Log[1 + E^(c + d*Sqrt[x])] - 6*b*d*Sqrt[x]*PolyLog[2, -E^(c + d*Sqrt[x])] + 6*b*d*Sqrt[x]*PolyLog[2, E^(c + d*Sqrt[x])] + 6*b*PolyLog[3, -E^(c + d*Sqrt[x])] - 6*b*PolyLog[3, E^(c + d*Sqrt[x])])/(3*d^3)
```

Rubi [A] (verified)

Time = 0.33 (sec) , antiderivative size = 120, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sqrt{x}(a + b \operatorname{csch}(c + d\sqrt{x})) dx$$

$$\downarrow \text{2010}$$

$$\int (a\sqrt{x} + b\sqrt{x} \operatorname{csch}(c + d\sqrt{x})) dx$$

$$\downarrow \text{2009}$$

$$\frac{2}{3}ax^{3/2} - \frac{4bx \operatorname{arctanh}(e^{c+d\sqrt{x}})}{d} + \frac{4b \operatorname{PolyLog}(3, -e^{c+d\sqrt{x}})}{d^3} - \frac{4b \operatorname{PolyLog}(3, e^{c+d\sqrt{x}})}{d^3} - \frac{4b\sqrt{x} \operatorname{PolyLog}(2, -e^{c+d\sqrt{x}})}{d^2} + \frac{4b\sqrt{x} \operatorname{PolyLog}(2, e^{c+d\sqrt{x}})}{d^2}$$

input `Int[Sqrt[x]*(a + b*Csch[c + d*Sqrt[x]]),x]`

output `(2*a*x^(3/2))/3 - (4*b*x*ArcTanh[E^(c + d*Sqrt[x])])/d - (4*b*Sqrt[x]*PolyLog[2, -E^(c + d*Sqrt[x])])/d^2 + (4*b*Sqrt[x]*PolyLog[2, E^(c + d*Sqrt[x])])/d^2 + (4*b*PolyLog[3, -E^(c + d*Sqrt[x])])/d^3 - (4*b*PolyLog[3, E^(c + d*Sqrt[x])])/d^3`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2010 `Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]`

Maple [F]

$$\int \sqrt{x} (a + b \operatorname{csch}(c + d\sqrt{x})) dx$$

input `int(x^(1/2)*(a+b*csch(c+d*x^(1/2))),x)`

output `int(x^(1/2)*(a+b*csch(c+d*x^(1/2))),x)`

Fricas [F]

$$\int \sqrt{x}(a + b\operatorname{csch}(c + d\sqrt{x})) dx = \int (b\operatorname{csch}(d\sqrt{x} + c) + a)\sqrt{x} dx$$

input `integrate(x^(1/2)*(a+b*csch(c+d*x^(1/2))),x, algorithm="fricas")`

output `integral(b*sqrt(x)*csch(d*sqrt(x) + c) + a*sqrt(x), x)`

Sympy [F]

$$\int \sqrt{x}(a + b \operatorname{csch}(c + d\sqrt{x})) dx = \int \sqrt{x}(a + b \operatorname{csch}(c + d\sqrt{x})) dx$$

input `integrate(x**(1/2)*(a+b*csch(c+d*x**(1/2))), x)`

output `Integral(sqrt(x)*(a + b*csch(c + d*sqrt(x))), x)`

Maxima [A] (verification not implemented)

Time = 0.88 (sec) , antiderivative size = 129, normalized size of antiderivative = 1.08

$$\int \sqrt{x}(a + b \operatorname{csch}(c + d\sqrt{x})) dx = \frac{2}{3} ax^{\frac{3}{2}} + \frac{2 \left(\log(e^{(d\sqrt{x}+c)} + 1) \log(e^{(d\sqrt{x})})^2 + 2 \operatorname{Li}_2(-e^{(d\sqrt{x}+c)}) \log(e^{(d\sqrt{x})}) - 2 \operatorname{Li}_3(-e^{(d\sqrt{x}+c)}) \right) b}{d^3} + \frac{2 \left(\log(-e^{(d\sqrt{x}+c)} + 1) \log(e^{(d\sqrt{x})})^2 + 2 \operatorname{Li}_2(e^{(d\sqrt{x}+c)}) \log(e^{(d\sqrt{x})}) - 2 \operatorname{Li}_3(e^{(d\sqrt{x}+c)}) \right) b}{d^3}$$

input `integrate(x^(1/2)*(a+b*csch(c+d*x^(1/2))), x, algorithm="maxima")`

output `2/3*a*x^(3/2) - 2*(log(e^(d*sqrt(x) + c) + 1)*log(e^(d*sqrt(x)))^2 + 2*dilog(-e^(d*sqrt(x) + c))*log(e^(d*sqrt(x))) - 2*polylog(3, -e^(d*sqrt(x) + c)))*b/d^3 + 2*(log(-e^(d*sqrt(x) + c) + 1)*log(e^(d*sqrt(x)))^2 + 2*dilog(e^(d*sqrt(x) + c))*log(e^(d*sqrt(x))) - 2*polylog(3, e^(d*sqrt(x) + c)))*b/d^3`

Giac [F]

$$\int \sqrt{x}(a + b \operatorname{csch}(c + d\sqrt{x})) dx = \int (b \operatorname{csch}(d\sqrt{x} + c) + a)\sqrt{x} dx$$

input `integrate(x^(1/2)*(a+b*csch(c+d*x^(1/2))),x, algorithm="giac")`

output `integrate((b*csch(d*sqrt(x) + c) + a)*sqrt(x), x)`

Mupad [F(-1)]

Timed out.

$$\int \sqrt{x}(a + b \operatorname{csch}(c + d\sqrt{x})) dx = \int \sqrt{x} \left(a + \frac{b}{\sinh(c + d\sqrt{x})} \right) dx$$

input `int(x^(1/2)*(a + b/sinh(c + d*x^(1/2))),x)`

output `int(x^(1/2)*(a + b/sinh(c + d*x^(1/2))), x)`

Reduce [F]

$$\int \sqrt{x}(a + b \operatorname{csch}(c + d\sqrt{x})) dx = \frac{2\sqrt{x}ax}{3} + \left(\int \sqrt{x} \operatorname{csch}(\sqrt{x}d + c) dx \right) b$$

input `int(x^(1/2)*(a+b*csch(c+d*x^(1/2))),x)`

output `(2*sqrt(x)*a*x + 3*int(sqrt(x)*csch(sqrt(x)*d + c),x)*b)/3`

$$3.60 \quad \int \frac{a+b\operatorname{csch}(c+d\sqrt{x})}{\sqrt{x}} dx$$

Optimal result	419
Mathematica [A] (verified)	419
Rubi [A] (verified)	420
Maple [A] (verified)	421
Fricas [B] (verification not implemented)	421
Sympy [A] (verification not implemented)	422
Maxima [A] (verification not implemented)	422
Giac [B] (verification not implemented)	422
Mupad [B] (verification not implemented)	423
Reduce [B] (verification not implemented)	423

Optimal result

Integrand size = 20, antiderivative size = 26

$$\int \frac{a + b\operatorname{csch}(c + d\sqrt{x})}{\sqrt{x}} dx = 2a\sqrt{x} - \frac{2b\operatorname{arctanh}(\cosh(c + d\sqrt{x}))}{d}$$

output `2*a*x^(1/2)-2*b*arctanh(cosh(c+d*x^(1/2)))/d`

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 26, normalized size of antiderivative = 1.00

$$\int \frac{a + b\operatorname{csch}(c + d\sqrt{x})}{\sqrt{x}} dx = 2a\sqrt{x} - \frac{2b\operatorname{arctanh}(\cosh(c + d\sqrt{x}))}{d}$$

input `Integrate[(a + b*Csch[c + d*Sqrt[x]])/Sqrt[x],x]`

output `2*a*Sqrt[x] - (2*b*ArcTanh[Cosh[c + d*Sqrt[x]]])/d`

Rubi [A] (verified)

Time = 0.18 (sec) , antiderivative size = 26, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{a + b\text{csch}(c + d\sqrt{x})}{\sqrt{x}} dx$$

↓ 2010

$$\int \left(\frac{a}{\sqrt{x}} + \frac{b\text{csch}(c + d\sqrt{x})}{\sqrt{x}} \right) dx$$

↓ 2009

$$2a\sqrt{x} - \frac{2b\text{arctanh}(\cosh(c + d\sqrt{x}))}{d}$$

input `Int[(a + b*Csch[c + d*Sqrt[x]])/Sqrt[x],x]`

output `2*a*Sqrt[x] - (2*b*ArcTanh[Cosh[c + d*Sqrt[x]]])/d`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2010 `Int[(u_)*((c_.)*(x_)^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]`

Maple [A] (verified)

Time = 0.26 (sec) , antiderivative size = 26, normalized size of antiderivative = 1.00

method	result	size
derivativedivides	$2a\sqrt{x} + \frac{2b \ln\left(\tanh\left(\frac{c}{2} + \frac{d\sqrt{x}}{2}\right)\right)}{d}$	26
default	$2a\sqrt{x} + \frac{2b \ln\left(\tanh\left(\frac{c}{2} + \frac{d\sqrt{x}}{2}\right)\right)}{d}$	26
parts	$2a\sqrt{x} + \frac{2b \ln\left(\tanh\left(\frac{c}{2} + \frac{d\sqrt{x}}{2}\right)\right)}{d}$	26

input `int((a+b*csch(c+d*x^(1/2)))/x^(1/2),x,method=_RETURNVERBOSE)`

output `2*a*x^(1/2)+2*b/d*ln(tanh(1/2*c+1/2*d*x^(1/2)))`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 55 vs. $2(22) = 44$.

Time = 0.09 (sec) , antiderivative size = 55, normalized size of antiderivative = 2.12

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{\sqrt{x}} dx$$

$$= \frac{2(ad\sqrt{x} - b \log(\cosh(d\sqrt{x} + c) + \sinh(d\sqrt{x} + c) + 1) + b \log(\cosh(d\sqrt{x} + c) + \sinh(d\sqrt{x} + c) - 1))}{d}$$

input `integrate((a+b*csch(c+d*x^(1/2)))/x^(1/2),x, algorithm="fricas")`

output `2*(a*d*sqrt(x) - b*log(cosh(d*sqrt(x) + c) + sinh(d*sqrt(x) + c) + 1) + b*log(cosh(d*sqrt(x) + c) + sinh(d*sqrt(x) + c) - 1))/d`

Sympy [A] (verification not implemented)

Time = 0.30 (sec) , antiderivative size = 36, normalized size of antiderivative = 1.38

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{\sqrt{x}} dx = 2a\sqrt{x} + 2b \begin{cases} \sqrt{x} \operatorname{csch}(c) & \text{for } d = 0 \\ \frac{\log\left(\tanh\left(\frac{c}{2} + \frac{d\sqrt{x}}{2}\right)\right)}{d} & \text{otherwise} \end{cases}$$

input `integrate((a+b*csch(c+d*x**(1/2)))/x**(1/2),x)`

output `2*a*sqrt(x) + 2*b*Piecewise((sqrt(x)*csch(c), Eq(d, 0)), (log(tanh(c/2 + d*sqrt(x)/2))/d, True))`

Maxima [A] (verification not implemented)

Time = 0.13 (sec) , antiderivative size = 25, normalized size of antiderivative = 0.96

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{\sqrt{x}} dx = 2a\sqrt{x} + \frac{2b \log\left(\tanh\left(\frac{1}{2}d\sqrt{x} + \frac{1}{2}c\right)\right)}{d}$$

input `integrate((a+b*csch(c+d*x^(1/2)))/x^(1/2),x, algorithm="maxima")`

output `2*a*sqrt(x) + 2*b*log(tanh(1/2*d*sqrt(x) + 1/2*c))/d`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 49 vs. $2(22) = 44$.

Time = 0.11 (sec) , antiderivative size = 49, normalized size of antiderivative = 1.88

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{\sqrt{x}} dx = \frac{2(d\sqrt{x} + c)a}{d} - \frac{2b \log\left(e^{(d\sqrt{x}+c)} + 1\right)}{d} + \frac{2b \log\left(\left|e^{(d\sqrt{x}+c)} - 1\right|\right)}{d}$$

input `integrate((a+b*csch(c+d*x^(1/2)))/x^(1/2),x, algorithm="giac")`

output $2*(d*\sqrt{x} + c)*a/d - 2*b*\log(e^{(d*\sqrt{x} + c) + 1})/d + 2*b*\log(\text{abs}(e^{(d*\sqrt{x} + c) - 1}))/d$

Mupad [B] (verification not implemented)

Time = 2.42 (sec) , antiderivative size = 47, normalized size of antiderivative = 1.81

$$\int \frac{a + b\text{csch}(c + d\sqrt{x})}{\sqrt{x}} dx = 2a\sqrt{x} - \frac{4 \operatorname{atan}\left(\frac{be^{d\sqrt{x}}e^c\sqrt{-d^2}}{d\sqrt{b^2}}\right) \sqrt{b^2}}{\sqrt{-d^2}}$$

input `int((a + b/sinh(c + d*x^(1/2)))/x^(1/2),x)`

output $2*a*x^{(1/2)} - (4*\operatorname{atan}((b*\exp(d*x^{(1/2)}))*\exp(c)*(-d^2)^{(1/2)})/(d*(b^2)^{(1/2)}))*(b^2)^{(1/2)}/(-d^2)^{(1/2)}$

Reduce [B] (verification not implemented)

Time = 0.24 (sec) , antiderivative size = 38, normalized size of antiderivative = 1.46

$$\int \frac{a + b\text{csch}(c + d\sqrt{x})}{\sqrt{x}} dx = \frac{2\sqrt{x}ad + 2\log(e^{\sqrt{x}d+c} - 1)b - 2\log(e^{\sqrt{x}d+c} + 1)b}{d}$$

input `int((a+b*csch(c+d*x^(1/2)))/x^(1/2),x)`

output $(2*(\sqrt{x})*a*d + \log(e^{**}(\sqrt{x}*d + c) - 1)*b - \log(e^{**}(\sqrt{x}*d + c) + 1)*b))/d$

3.61 $\int \frac{a+b\operatorname{csch}(c+d\sqrt{x})}{x^{3/2}} dx$

Optimal result	424
Mathematica [N/A]	424
Rubi [N/A]	425
Maple [N/A]	425
Fricas [N/A]	426
Sympy [N/A]	426
Maxima [N/A]	426
Giac [N/A]	427
Mupad [N/A]	427
Reduce [N/A]	428

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{a + b\operatorname{csch}(c + d\sqrt{x})}{x^{3/2}} dx = \operatorname{Int}\left(\frac{a + b\operatorname{csch}(c + d\sqrt{x})}{x^{3/2}}, x\right)$$

output `Defer(Int)((a+b*csch(c+d*x^(1/2)))/x^(3/2), x)`

Mathematica [N/A]

Not integrable

Time = 49.86 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{a + b\operatorname{csch}(c + d\sqrt{x})}{x^{3/2}} dx = \int \frac{a + b\operatorname{csch}(c + d\sqrt{x})}{x^{3/2}} dx$$

input `Integrate[(a + b*Csch[c + d*Sqrt[x]])/x^(3/2), x]`

output `Integrate[(a + b*Csch[c + d*Sqrt[x]])/x^(3/2), x]`

Rubi [N/A]

Not integrable

Time = 0.18 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x^{3/2}} dx$$

$$\downarrow \text{2010}$$

$$\int \left(\frac{a}{x^{3/2}} + \frac{b \operatorname{csch}(c + d\sqrt{x})}{x^{3/2}} \right) dx$$

$$\downarrow \text{2009}$$

$$b \int \frac{\operatorname{csch}(c + d\sqrt{x})}{x^{3/2}} dx - \frac{2a}{\sqrt{x}}$$

input `Int[(a + b*Csch[c + d*Sqrt[x]])/x^(3/2), x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.11 (sec) , antiderivative size = 16, normalized size of antiderivative = 0.80

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x^{3/2}} dx$$

input `int((a+b*csch(c+d*x^(1/2)))/x^(3/2), x)`

output `int((a+b*csch(c+d*x^(1/2)))/x^(3/2), x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 25, normalized size of antiderivative = 1.25

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x^{3/2}} dx = \int \frac{b \operatorname{csch}(d\sqrt{x} + c) + a}{x^{3/2}} dx$$

input `integrate((a+b*csch(c+d*x^(1/2)))/x^(3/2),x, algorithm="fricas")`

output `integral((b*sqrt(x)*csch(d*sqrt(x) + c) + a*sqrt(x))/x^2, x)`

Sympy [N/A]

Not integrable

Time = 0.51 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.95

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x^{3/2}} dx = \int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x^{3/2}} dx$$

input `integrate((a+b*csch(c+d*x**(1/2)))/x**(3/2),x)`

output `Integral((a + b*csch(c + d*sqrt(x)))/x**(3/2), x)`

Maxima [N/A]

Not integrable

Time = 1.03 (sec) , antiderivative size = 53, normalized size of antiderivative = 2.65

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x^{3/2}} dx = \int \frac{b \operatorname{csch}(d\sqrt{x} + c) + a}{x^{3/2}} dx$$

input `integrate((a+b*csch(c+d*x^(1/2)))/x^(3/2),x, algorithm="maxima")`

output `b*integrate(1/(x^(3/2)*e^(d*sqrt(x) + c) + x^(3/2)), x) + b*integrate(1/(x^(3/2)*e^(d*sqrt(x) + c) - x^(3/2)), x) - 2*a/sqrt(x)`

Giac [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.90

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x^{3/2}} dx = \int \frac{b \operatorname{csch}(d\sqrt{x} + c) + a}{x^{3/2}} dx$$

input `integrate((a+b*csch(c+d*x^(1/2)))/x^(3/2),x, algorithm="giac")`

output `integrate((b*csch(d*sqrt(x) + c) + a)/x^(3/2), x)`

Mupad [N/A]

Not integrable

Time = 2.70 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x^{3/2}} dx = \int \frac{a + \frac{b}{\sinh(c + d\sqrt{x})}}{x^{3/2}} dx$$

input `int((a + b/sinh(c + d*x^(1/2)))/x^(3/2),x)`

output `int((a + b/sinh(c + d*x^(1/2)))/x^(3/2), x)`

Reduce [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 30, normalized size of antiderivative = 1.50

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x^{3/2}} dx = \frac{\sqrt{x} \left(\int \frac{\operatorname{csch}(\sqrt{x}d+c)}{\sqrt{x}x} dx \right) b - 2a}{\sqrt{x}}$$

input `int((a+b*csch(c+d*x^(1/2)))/x^(3/2),x)`output `(sqrt(x)*int(csch(sqrt(x)*d + c)/(sqrt(x)*x),x)*b - 2*a)/sqrt(x)`

3.62 $\int \frac{a+b\operatorname{csch}(c+d\sqrt{x})}{x^{5/2}} dx$

Optimal result	429
Mathematica [N/A]	429
Rubi [N/A]	430
Maple [N/A]	430
Fricas [N/A]	431
Sympy [N/A]	431
Maxima [N/A]	431
Giac [N/A]	432
Mupad [N/A]	432
Reduce [N/A]	433

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{a + b\operatorname{csch}(c + d\sqrt{x})}{x^{5/2}} dx = \operatorname{Int}\left(\frac{a + b\operatorname{csch}(c + d\sqrt{x})}{x^{5/2}}, x\right)$$

output `Defer(Int)((a+b*csch(c+d*x^(1/2)))/x^(5/2), x)`

Mathematica [N/A]

Not integrable

Time = 50.57 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{a + b\operatorname{csch}(c + d\sqrt{x})}{x^{5/2}} dx = \int \frac{a + b\operatorname{csch}(c + d\sqrt{x})}{x^{5/2}} dx$$

input `Integrate[(a + b*Csch[c + d*Sqrt[x]])/x^(5/2), x]`

output `Integrate[(a + b*Csch[c + d*Sqrt[x]])/x^(5/2), x]`

Rubi [N/A]

Not integrable

Time = 0.18 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x^{5/2}} dx$$

$$\downarrow \text{2010}$$

$$\int \left(\frac{a}{x^{5/2}} + \frac{b \operatorname{csch}(c + d\sqrt{x})}{x^{5/2}} \right) dx$$

$$\downarrow \text{2009}$$

$$b \int \frac{\operatorname{csch}(c + d\sqrt{x})}{x^{5/2}} dx - \frac{2a}{3x^{3/2}}$$

input `Int[(a + b*Csch[c + d*Sqrt[x]])/x^(5/2), x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.11 (sec) , antiderivative size = 16, normalized size of antiderivative = 0.80

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x^{5/2}} dx$$

input `int((a+b*csch(c+d*x^(1/2)))/x^(5/2), x)`

output `int((a+b*csch(c+d*x^(1/2)))/x^(5/2), x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 25, normalized size of antiderivative = 1.25

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x^{5/2}} dx = \int \frac{b \operatorname{csch}(d\sqrt{x} + c) + a}{x^{5/2}} dx$$

input `integrate((a+b*csch(c+d*x^(1/2)))/x^(5/2),x, algorithm="fricas")`

output `integral((b*sqrt(x)*csch(d*sqrt(x) + c) + a*sqrt(x))/x^3, x)`

Sympy [N/A]

Not integrable

Time = 0.52 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.95

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x^{5/2}} dx = \int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x^{5/2}} dx$$

input `integrate((a+b*csch(c+d*x**(1/2)))/x**(5/2),x)`

output `Integral((a + b*csch(c + d*sqrt(x)))/x**(5/2), x)`

Maxima [N/A]

Not integrable

Time = 0.92 (sec) , antiderivative size = 53, normalized size of antiderivative = 2.65

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x^{5/2}} dx = \int \frac{b \operatorname{csch}(d\sqrt{x} + c) + a}{x^{5/2}} dx$$

input `integrate((a+b*csch(c+d*x^(1/2)))/x^(5/2),x, algorithm="maxima")`

output `b*integrate(1/(x^(5/2)*e^(d*sqrt(x) + c) + x^(5/2)), x) + b*integrate(1/(x^(5/2)*e^(d*sqrt(x) + c) - x^(5/2)), x) - 2/3*a/x^(3/2)`

Giac [N/A]

Not integrable

Time = 0.14 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.90

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x^{5/2}} dx = \int \frac{b \operatorname{csch}(d\sqrt{x} + c) + a}{x^{5/2}} dx$$

input `integrate((a+b*csch(c+d*x^(1/2)))/x^(5/2),x, algorithm="giac")`

output `integrate((b*csch(d*sqrt(x) + c) + a)/x^(5/2), x)`

Mupad [N/A]

Not integrable

Time = 2.74 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x^{5/2}} dx = \int \frac{a + \frac{b}{\sinh(c + d\sqrt{x})}}{x^{5/2}} dx$$

input `int((a + b/sinh(c + d*x^(1/2)))/x^(5/2),x)`

output `int((a + b/sinh(c + d*x^(1/2)))/x^(5/2), x)`

Reduce [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 36, normalized size of antiderivative = 1.80

$$\int \frac{a + b \operatorname{csch}(c + d\sqrt{x})}{x^{5/2}} dx = \frac{3\sqrt{x} \left(\int \frac{\operatorname{csch}(\sqrt{x}d+c)}{\sqrt{x}x^2} dx \right) bx - 2a}{3\sqrt{x}x}$$

input `int((a+b*csch(c+d*x^(1/2)))/x^(5/2),x)`

output `(3*sqrt(x)*int(csch(sqrt(x)*d + c)/(sqrt(x)*x**2),x)*b*x - 2*a)/(3*sqrt(x)*x)`

3.63 $\int x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx$

Optimal result	434
Mathematica [B] (verified)	435
Rubi [A] (verified)	436
Maple [F]	438
Fricas [F]	438
Sympy [F]	438
Maxima [A] (verification not implemented)	439
Giac [F]	440
Mupad [F(-1)]	440
Reduce [F]	440

Optimal result

Integrand size = 22, antiderivative size = 363

$$\begin{aligned}
 \int x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx &= -\frac{2b^2 x^2}{d} + \frac{2}{5} a^2 x^{5/2} \\
 &- \frac{8abx^2 \operatorname{arctanh}(e^{c+d\sqrt{x}})}{d} - \frac{2b^2 x^2 \operatorname{coth}(c + d\sqrt{x})}{d} \\
 &+ \frac{8b^2 x^{3/2} \log(1 - e^{2(c+d\sqrt{x})})}{d^2} - \frac{16abx^{3/2} \operatorname{PolyLog}(2, -e^{c+d\sqrt{x}})}{d^2} \\
 &+ \frac{16abx^{3/2} \operatorname{PolyLog}(2, e^{c+d\sqrt{x}})}{d^2} + \frac{12b^2 x \operatorname{PolyLog}(2, e^{2(c+d\sqrt{x})})}{d^3} \\
 &+ \frac{48abx \operatorname{PolyLog}(3, -e^{c+d\sqrt{x}})}{d^3} - \frac{48abx \operatorname{PolyLog}(3, e^{c+d\sqrt{x}})}{d^3} \\
 &- \frac{12b^2 \sqrt{x} \operatorname{PolyLog}(3, e^{2(c+d\sqrt{x})})}{d^4} - \frac{96ab \sqrt{x} \operatorname{PolyLog}(4, -e^{c+d\sqrt{x}})}{d^4} \\
 &+ \frac{96ab \sqrt{x} \operatorname{PolyLog}(4, e^{c+d\sqrt{x}})}{d^4} + \frac{6b^2 \operatorname{PolyLog}(4, e^{2(c+d\sqrt{x})})}{d^5} \\
 &+ \frac{96ab \operatorname{PolyLog}(5, -e^{c+d\sqrt{x}})}{d^5} - \frac{96ab \operatorname{PolyLog}(5, e^{c+d\sqrt{x}})}{d^5}
 \end{aligned}$$

output

```
-2*b^2*x^2/d+2/5*a^2*x^(5/2)-8*a*b*x^2*arctanh(exp(c+d*x^(1/2)))/d-2*b^2*x^2*coth(c+d*x^(1/2))/d+8*b^2*x^(3/2)*ln(1-exp(2*c+2*d*x^(1/2)))/d^2-16*a*b*x^(3/2)*polylog(2,-exp(c+d*x^(1/2)))/d^2+16*a*b*x^(3/2)*polylog(2,exp(c+d*x^(1/2)))/d^2+12*b^2*x*polylog(2,exp(2*c+2*d*x^(1/2)))/d^3+48*a*b*x*polylog(3,-exp(c+d*x^(1/2)))/d^3-48*a*b*x*polylog(3,exp(c+d*x^(1/2)))/d^3-12*b^2*x^(1/2)*polylog(3,exp(2*c+2*d*x^(1/2)))/d^4-96*a*b*x^(1/2)*polylog(4,-exp(c+d*x^(1/2)))/d^4+96*a*b*x^(1/2)*polylog(4,exp(c+d*x^(1/2)))/d^4+6*b^2*polylog(4,exp(2*c+2*d*x^(1/2)))/d^5+96*a*b*polylog(5,-exp(c+d*x^(1/2)))/d^5-96*a*b*polylog(5,exp(c+d*x^(1/2)))/d^5
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 875 vs. $2(363) = 726$.

Time = 6.92 (sec) , antiderivative size = 875, normalized size of antiderivative = 2.41

$$\int x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = \text{Too large to display}$$

input

```
Integrate[x^(3/2)*(a + b*Csch[c + d*Sqrt[x]])^2,x]
```

output

```
(2*a^2*x^(5/2)*(a + b*Csch[c + d*Sqrt[x]])^2*Sinh[c + d*Sqrt[x]]^2)/(5*(b
+ a*Sinh[c + d*Sqrt[x]])^2) - (4*b*(a + b*Csch[c + d*Sqrt[x]])^2*(b*d^4*x^
2 - 2*b*d^3*(-1 + E^(2*c))*x^(3/2)*Log[1 - E^(-c - d*Sqrt[x])] - a*d^4*(-1
+ E^(2*c))*x^2*Log[1 - E^(-c - d*Sqrt[x])] - 2*b*d^3*(-1 + E^(2*c))*x^(3/
2)*Log[1 + E^(-c - d*Sqrt[x])] + a*d^4*(-1 + E^(2*c))*x^2*Log[1 + E^(-c -
d*Sqrt[x])] + 6*b*d^2*(-1 + E^(2*c))*x*PolyLog[2, -E^(-c - d*Sqrt[x])] - 4
*a*d^3*(-1 + E^(2*c))*x^(3/2)*PolyLog[2, -E^(-c - d*Sqrt[x])] + 6*b*d^2*(-
1 + E^(2*c))*x*PolyLog[2, E^(-c - d*Sqrt[x])] + 4*a*d^3*(-1 + E^(2*c))*x^(
3/2)*PolyLog[2, E^(-c - d*Sqrt[x])] + 12*b*d*(-1 + E^(2*c))*Sqrt[x]*PolyLo
g[3, -E^(-c - d*Sqrt[x])] - 12*a*d^2*(-1 + E^(2*c))*x*PolyLog[3, -E^(-c -
d*Sqrt[x])] + 12*b*d*(-1 + E^(2*c))*Sqrt[x]*PolyLog[3, E^(-c - d*Sqrt[x])]
+ 12*a*d^2*(-1 + E^(2*c))*x*PolyLog[3, E^(-c - d*Sqrt[x])] + 12*b*(-1 + E
^(2*c))*PolyLog[4, -E^(-c - d*Sqrt[x])] - 24*a*d*(-1 + E^(2*c))*Sqrt[x]*Po
lyLog[4, -E^(-c - d*Sqrt[x])] + 12*b*(-1 + E^(2*c))*PolyLog[4, E^(-c - d*S
qrt[x])] + 24*a*d*(-1 + E^(2*c))*Sqrt[x]*PolyLog[4, E^(-c - d*Sqrt[x])] -
24*a*(-1 + E^(2*c))*PolyLog[5, -E^(-c - d*Sqrt[x])] + 24*a*(-1 + E^(2*c))*
PolyLog[5, E^(-c - d*Sqrt[x])]*Sinh[c + d*Sqrt[x]]^2)/(d^5*(-1 + E^(2*c))
*(b + a*Sinh[c + d*Sqrt[x]])^2) + (b^2*x^2*Csch[c/2]*Csch[c/2 + (d*Sqrt[x]
)/2]*(a + b*Csch[c + d*Sqrt[x]])^2*Sinh[c + d*Sqrt[x]]^2*Sinh[(d*Sqrt[x])/
2])/(d*(b + a*Sinh[c + d*Sqrt[x]])^2) - (b^2*x^2*(a + b*Csch[c + d*Sqrt...
```

Rubi [A] (verified)

Time = 0.81 (sec) , antiderivative size = 365, normalized size of antiderivative = 1.01, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {5960, 3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx$$

$$\downarrow 5960$$

$$2 \int x^2 (a + b \operatorname{csch}(c + d\sqrt{x}))^2 d\sqrt{x}$$

$$\downarrow 3042$$

$$2 \int x^2 (a + ib \operatorname{csc}(ic + id\sqrt{x}))^2 d\sqrt{x}$$

$$\int (a^2 x^2 + b^2 \operatorname{csch}^2(c + d\sqrt{x}) x^2 + 2ab \operatorname{csch}(c + d\sqrt{x}) x^2) d\sqrt{x}$$

$$2 \left(\frac{1}{5} a^2 x^{5/2} - \frac{4abx^2 \operatorname{arctanh}(e^{c+d\sqrt{x}})}{d} + \frac{48ab \operatorname{PolyLog}(5, -e^{c+d\sqrt{x}})}{d^5} - \frac{48ab \operatorname{PolyLog}(5, e^{c+d\sqrt{x}})}{d^5} - \frac{48ab\sqrt{x} \operatorname{PolyLog}(5, -e^{c+d\sqrt{x}})}{d^5} + \frac{48ab\sqrt{x} \operatorname{PolyLog}(5, e^{c+d\sqrt{x}})}{d^5} \right)$$

input `Int[x^(3/2)*(a + b*Csch[c + d*Sqrt[x]])^2,x]`

output `2*(-((b^2*x^2)/d) + (a^2*x^(5/2))/5 - (4*a*b*x^2*ArcTanh[E^(c + d*Sqrt[x])])/d - (b^2*x^2*Coth[c + d*Sqrt[x]])/d + (4*b^2*x^(3/2)*Log[1 - E^(2*(c + d*Sqrt[x])])]/d^2 - (8*a*b*x^(3/2)*PolyLog[2, -E^(c + d*Sqrt[x])])/d^2 + (8*a*b*x^(3/2)*PolyLog[2, E^(c + d*Sqrt[x])])/d^2 + (6*b^2*x*PolyLog[2, E^(2*(c + d*Sqrt[x])])]/d^3 + (24*a*b*x*PolyLog[3, -E^(c + d*Sqrt[x])])/d^3 - (24*a*b*x*PolyLog[3, E^(c + d*Sqrt[x])])/d^3 - (6*b^2*Sqrt[x]*PolyLog[3, E^(2*(c + d*Sqrt[x])])]/d^4 - (48*a*b*Sqrt[x]*PolyLog[4, -E^(c + d*Sqrt[x])])/d^4 + (48*a*b*Sqrt[x]*PolyLog[4, E^(c + d*Sqrt[x])])/d^4 + (3*b^2*PolyLog[4, E^(2*(c + d*Sqrt[x])])]/d^5 + (48*a*b*PolyLog[5, -E^(c + d*Sqrt[x])])/d^5 - (48*a*b*PolyLog[5, E^(c + d*Sqrt[x])])/d^5)`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4678 `Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]`

rule 5960

```
Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_.)]*(b_.))^(p_.)*(x_)^(m_.), x_Symbol]
  := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])
    ]^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m
    + 1)/n], 0] && IntegerQ[p]
```

Maple [F]

$$\int x^{\frac{3}{2}} (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx$$

input

```
int(x^(3/2)*(a+b*csch(c+d*x^(1/2)))^2,x)
```

output

```
int(x^(3/2)*(a+b*csch(c+d*x^(1/2)))^2,x)
```

Fricas [F]

$$\int x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = \int (b \operatorname{csch}(d\sqrt{x} + c) + a)^2 x^{\frac{3}{2}} dx$$

input

```
integrate(x^(3/2)*(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="fricas")
```

output

```
integral(b^2*x^(3/2)*csch(d*sqrt(x) + c)^2 + 2*a*b*x^(3/2)*csch(d*sqrt(x)
+ c) + a^2*x^(3/2), x)
```

Sympy [F]

$$\int x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = \int x^{\frac{3}{2}} (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx$$

input

```
integrate(x**(3/2)*(a+b*csch(c+d*x**(1/2)))**2,x)
```

output

```
Integral(x**(3/2)*(a + b*csch(c + d*sqrt(x)))**2, x)
```

Maxima [A] (verification not implemented)

Time = 0.55 (sec) , antiderivative size = 422, normalized size of antiderivative = 1.16

$$\int x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = \frac{2}{5} a^2 x^{5/2} - \frac{4b^2 x^2}{d e^{(2d\sqrt{x}+2c)} - d}$$

$$- \frac{4 \left(d^4 x^2 \log \left(e^{(d\sqrt{x}+c)} + 1 \right) + 4 d^3 x^{3/2} \operatorname{Li}_2 \left(-e^{(d\sqrt{x}+c)} \right) - 12 d^2 x \operatorname{Li}_3 \left(-e^{(d\sqrt{x}+c)} \right) + 24 d \sqrt{x} \operatorname{Li}_4 \left(-e^{(d\sqrt{x}+c)} \right) - 24 \operatorname{Li}_5 \left(-e^{(d\sqrt{x}+c)} \right) \right)}{d^5}$$

$$+ \frac{4 \left(d^4 x^2 \log \left(-e^{(d\sqrt{x}+c)} + 1 \right) + 4 d^3 x^{3/2} \operatorname{Li}_2 \left(e^{(d\sqrt{x}+c)} \right) - 12 d^2 x \operatorname{Li}_3 \left(e^{(d\sqrt{x}+c)} \right) + 24 d \sqrt{x} \operatorname{Li}_4 \left(e^{(d\sqrt{x}+c)} \right) - 24 \operatorname{Li}_5 \left(e^{(d\sqrt{x}+c)} \right) \right)}{d^5}$$

$$+ \frac{8 \left(d^3 x^{3/2} \log \left(e^{(d\sqrt{x}+c)} + 1 \right) + 3 d^2 x \operatorname{Li}_2 \left(-e^{(d\sqrt{x}+c)} \right) - 6 d \sqrt{x} \operatorname{Li}_3 \left(-e^{(d\sqrt{x}+c)} \right) + 6 \operatorname{Li}_4 \left(-e^{(d\sqrt{x}+c)} \right) \right) b^2}{d^5}$$

$$+ \frac{8 \left(d^3 x^{3/2} \log \left(-e^{(d\sqrt{x}+c)} + 1 \right) + 3 d^2 x \operatorname{Li}_2 \left(e^{(d\sqrt{x}+c)} \right) - 6 d \sqrt{x} \operatorname{Li}_3 \left(e^{(d\sqrt{x}+c)} \right) + 6 \operatorname{Li}_4 \left(e^{(d\sqrt{x}+c)} \right) \right) b^2}{d^5}$$

$$- \frac{2 \left(2 a b d^5 x^{5/2} + 5 b^2 d^4 x^2 \right)}{5 d^5} + \frac{2 \left(2 a b d^5 x^{5/2} - 5 b^2 d^4 x^2 \right)}{5 d^5}$$

input `integrate(x^(3/2)*(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="maxima")`output

```

2/5*a^2*x^(5/2) - 4*b^2*x^2/(d*e^(2*d*sqrt(x) + 2*c) - d) - 4*(d^4*x^2*log
(e^(d*sqrt(x) + c) + 1) + 4*d^3*x^(3/2)*dilog(-e^(d*sqrt(x) + c)) - 12*d^2
*x*polylog(3, -e^(d*sqrt(x) + c)) + 24*d*sqrt(x)*polylog(4, -e^(d*sqrt(x)
+ c)) - 24*polylog(5, -e^(d*sqrt(x) + c)))*a*b/d^5 + 4*(d^4*x^2*log(-e^(d*
sqrt(x) + c) + 1) + 4*d^3*x^(3/2)*dilog(e^(d*sqrt(x) + c)) - 12*d^2*x*poly
log(3, e^(d*sqrt(x) + c)) + 24*d*sqrt(x)*polylog(4, e^(d*sqrt(x) + c)) - 2
4*polylog(5, e^(d*sqrt(x) + c)))*a*b/d^5 + 8*(d^3*x^(3/2)*log(e^(d*sqrt(x)
+ c) + 1) + 3*d^2*x*dilog(-e^(d*sqrt(x) + c)) - 6*d*sqrt(x)*polylog(3, -e
^(d*sqrt(x) + c)) + 6*polylog(4, -e^(d*sqrt(x) + c)))*b^2/d^5 + 8*(d^3*x^(
3/2)*log(-e^(d*sqrt(x) + c) + 1) + 3*d^2*x*dilog(e^(d*sqrt(x) + c)) - 6*d*
sqrt(x)*polylog(3, e^(d*sqrt(x) + c)) + 6*polylog(4, e^(d*sqrt(x) + c)))*b
^2/d^5 - 2/5*(2*a*b*d^5*x^(5/2) + 5*b^2*d^4*x^2)/d^5 + 2/5*(2*a*b*d^5*x^(5
/2) - 5*b^2*d^4*x^2)/d^5

```


Giac [F]

$$\int x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = \int (b \operatorname{csch}(d\sqrt{x} + c) + a)^2 x^{3/2} dx$$

input `integrate(x^(3/2)*(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="giac")`

output `integrate((b*csch(d*sqrt(x) + c) + a)^2*x^(3/2), x)`

Mupad [F(-1)]

Timed out.

$$\int x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = \int x^{3/2} \left(a + \frac{b}{\sinh(c + d\sqrt{x})} \right)^2 dx$$

input `int(x^(3/2)*(a + b/sinh(c + d*x^(1/2)))^2,x)`

output `int(x^(3/2)*(a + b/sinh(c + d*x^(1/2)))^2, x)`

Reduce [F]

$$\int x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = \text{Too large to display}$$

input `int(x^(3/2)*(a+b*csch(c+d*x^(1/2)))^2,x)`

output

```
(2*( - 480***e**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*
c) - 2***e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**2 - 80***e**(2*sqrt(x)*d + 3*c)
*int((e**(sqrt(x)*d)*x)/(e**(4*sqrt(x)*d + 4*c) - 2***e**(2*sqrt(x)*d + 2*c)
+ 1),x)*a*b*d**4 - 20***e**(2*sqrt(x)*d + 3*c)*int((sqrt(x)*e**(sqrt(x)*d)*
x)/(e**(4*sqrt(x)*d + 4*c) - 2***e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**5 - 2
40***e**(2*sqrt(x)*d + 3*c)*int((sqrt(x)*e**(sqrt(x)*d))/(e**(4*sqrt(x)*d +
4*c) - 2***e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**3 + sqrt(x)*e**(2*sqrt(x)*d
+ 2*c)*a**2*d**5*x**2 - 30*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*b**2*d - 30***e**
(2*sqrt(x)*d + 2*c)*int(sqrt(x)/(e**(4*sqrt(x)*d + 4*c) - 2***e**(2*sqrt(x)*
d + 2*c) + 1),x)*b**2*d**3 - 20***e**(2*sqrt(x)*d + 2*c)*int(x/(e**(4*sqrt(x)
)*d + 4*c) - 2***e**(2*sqrt(x)*d + 2*c) + 1),x)*b**2*d**4 - 30***e**(2*sqrt(x)
*d + 2*c)*int(1/(e**(4*sqrt(x)*d + 4*c) - 2***e**(2*sqrt(x)*d + 2*c) + 1),x)
*b**2*d**2 + 240***e**(2*sqrt(x)*d + 2*c)*log(e**(sqrt(x)*d + c) - 1)*a*b +
15***e**(2*sqrt(x)*d + 2*c)*log(e**(sqrt(x)*d + c) - 1)*b**2 - 240***e**(2*sqr
t(x)*d + 2*c)*log(e**(sqrt(x)*d + c) + 1)*a*b + 15***e**(2*sqrt(x)*d + 2*c)*
log(e**(sqrt(x)*d + c) + 1)*b**2 - 80*sqrt(x)*e**(sqrt(x)*d + c)*a*b*d**3*
x - 480*sqrt(x)*e**(sqrt(x)*d + c)*a*b*d - 20***e**(sqrt(x)*d + c)*a*b*d**4*
x**2 - 240***e**(sqrt(x)*d + c)*a*b*d**2*x + 480***e**c*int(e**(sqrt(x)*d)/(e*
*(4*sqrt(x)*d + 4*c) - 2***e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**2 + 80***e**c
*int((e**(sqrt(x)*d)*x)/(e**(4*sqrt(x)*d + 4*c) - 2***e**(2*sqrt(x)*d + 2...
```

3.64 $\int \sqrt{x} (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx$

Optimal result	442
Mathematica [B] (verified)	443
Rubi [A] (verified)	443
Maple [F]	445
Fricas [F]	445
Sympy [F]	446
Maxima [A] (verification not implemented)	446
Giac [F]	447
Mupad [F(-1)]	447
Reduce [F]	448

Optimal result

Integrand size = 22, antiderivative size = 209

$$\int \sqrt{x} (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = -\frac{2b^2x}{d} + \frac{2}{3}a^2x^{3/2} - \frac{8abx \operatorname{arctanh}(e^{c+d\sqrt{x}})}{d} - \frac{2b^2x \coth(c + d\sqrt{x})}{d} + \frac{4b^2\sqrt{x} \log(1 - e^{2(c+d\sqrt{x})})}{d^2} - \frac{8ab\sqrt{x} \operatorname{PolyLog}(2, -e^{c+d\sqrt{x}})}{d^2} + \frac{8ab\sqrt{x} \operatorname{PolyLog}(2, e^{c+d\sqrt{x}})}{d^2} + \frac{2b^2 \operatorname{PolyLog}(2, e^{2(c+d\sqrt{x})})}{d^3} + \frac{8ab \operatorname{PolyLog}(3, -e^{c+d\sqrt{x}})}{d^3} - \frac{8ab \operatorname{PolyLog}(3, e^{c+d\sqrt{x}})}{d^3}$$

output

```
-2*b^2*x/d+2/3*a^2*x^(3/2)-8*a*b*x*arctanh(exp(c+d*x^(1/2)))/d-2*b^2*x*cot
h(c+d*x^(1/2))/d+4*b^2*x^(1/2)*ln(1-exp(2*c+2*d*x^(1/2)))/d^2-8*a*b*x^(1/2)
*polylog(2,-exp(c+d*x^(1/2)))/d^2+8*a*b*x^(1/2)*polylog(2,exp(c+d*x^(1/2)
))/d^2+2*b^2*polylog(2,exp(2*c+2*d*x^(1/2)))/d^3+8*a*b*polylog(3,-exp(c+d*
x^(1/2)))/d^3-8*a*b*polylog(3,exp(c+d*x^(1/2)))/d^3
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 637 vs. $2(209) = 418$.

Time = 2.17 (sec) , antiderivative size = 637, normalized size of antiderivative = 3.05

$$\int \sqrt{x}(a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx =$$

$$\frac{12b^2 d^2 x + 2a^2 d^3 x^{3/2} - 2a^2 d^3 e^{2c} x^{3/2} + 12b^2 d \sqrt{x} \log(1 - e^{-c-d\sqrt{x}}) - 12b^2 d e^{2c} \sqrt{x} \log(1 - e^{-c-d\sqrt{x}}) + \dots}{\dots}$$

input

```
Integrate[Sqrt[x]*(a + b*Csch[c + d*Sqrt[x]])^2,x]
```

output

```
-1/3*(12*b^2*d^2*x + 2*a^2*d^3*x^(3/2) - 2*a^2*d^3*E^(2*c)*x^(3/2) + 12*b^2*d*Sqrt[x]*Log[1 - E^(-c - d*Sqrt[x])] - 12*b^2*d*E^(2*c)*Sqrt[x]*Log[1 - E^(-c - d*Sqrt[x])] + 12*a*b*d^2*x*Log[1 - E^(-c - d*Sqrt[x])] - 12*a*b*d^2*E^(2*c)*x*Log[1 - E^(-c - d*Sqrt[x])] + 12*b^2*d*Sqrt[x]*Log[1 + E^(-c - d*Sqrt[x])] - 12*b^2*d*E^(2*c)*Sqrt[x]*Log[1 + E^(-c - d*Sqrt[x])] - 12*a*b*d^2*x*Log[1 + E^(-c - d*Sqrt[x])] + 12*a*b*d^2*E^(2*c)*x*Log[1 + E^(-c - d*Sqrt[x])] + 12*b*(-1 + E^(2*c))*(b - 2*a*d*Sqrt[x])*PolyLog[2, -E^(-c - d*Sqrt[x])] + 12*b*(-1 + E^(2*c))*(b + 2*a*d*Sqrt[x])*PolyLog[2, E^(-c - d*Sqrt[x])] + 24*a*b*PolyLog[3, -E^(-c - d*Sqrt[x])] - 24*a*b*E^(2*c)*PolyLog[3, -E^(-c - d*Sqrt[x])] - 24*a*b*PolyLog[3, E^(-c - d*Sqrt[x])] + 24*a*b*E^(2*c)*PolyLog[3, E^(-c - d*Sqrt[x])] + 3*b^2*d^2*x*Csch[c/2]*Csch[(c + d*Sqrt[x])/2]*Sinh[(d*Sqrt[x])/2] - 3*b^2*d^2*E^(2*c)*x*Csch[c/2]*Csch[(c + d*Sqrt[x])/2]*Sinh[(d*Sqrt[x])/2] - 3*b^2*d^2*x*Sech[c/2]*Sech[(c + d*Sqrt[x])/2]*Sinh[(d*Sqrt[x])/2] + 3*b^2*d^2*E^(2*c)*x*Sech[c/2]*Sech[(c + d*Sqrt[x])/2]*Sinh[(d*Sqrt[x])/2])/(d^3*(-1 + E^(2*c)))
```

Rubi [A] (verified)

Time = 0.59 (sec) , antiderivative size = 210, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {5960, 3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
& \int \sqrt{x} (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx \\
& \quad \downarrow 5960 \\
& 2 \int x (a + b \operatorname{csch}(c + d\sqrt{x}))^2 d\sqrt{x} \\
& \quad \downarrow 3042 \\
& 2 \int x (a + ib \operatorname{csc}(ic + id\sqrt{x}))^2 d\sqrt{x} \\
& \quad \downarrow 4678 \\
& 2 \int (xa^2 + 2bx \operatorname{csch}(c + d\sqrt{x}) a + b^2 x \operatorname{csch}^2(c + d\sqrt{x})) d\sqrt{x} \\
& \quad \downarrow 2009 \\
& 2 \left(\frac{1}{3} a^2 x^{3/2} - \frac{4abx \operatorname{arctanh}(e^{c+d\sqrt{x}})}{d} + \frac{4ab \operatorname{PolyLog}(3, -e^{c+d\sqrt{x}})}{d^3} - \frac{4ab \operatorname{PolyLog}(3, e^{c+d\sqrt{x}})}{d^3} - \frac{4ab\sqrt{x} \operatorname{PolyLog}(3, e^{c+d\sqrt{x}})}{d^3} \right)
\end{aligned}$$

input `Int[Sqrt[x]*(a + b*Csch[c + d*Sqrt[x]])^2,x]`

output `2*(-((b^2*x)/d) + (a^2*x^(3/2))/3 - (4*a*b*x*ArcTanh[E^(c + d*Sqrt[x])])/d - (b^2*x*Coth[c + d*Sqrt[x]])/d + (2*b^2*Sqrt[x]*Log[1 - E^(2*(c + d*Sqrt[x])]))/d^2 - (4*a*b*Sqrt[x]*PolyLog[2, -E^(c + d*Sqrt[x])])/d^2 + (4*a*b*Sqrt[x]*PolyLog[2, E^(c + d*Sqrt[x])])/d^2 + (b^2*PolyLog[2, E^(2*(c + d*Sqrt[x])]))/d^3 + (4*a*b*PolyLog[3, -E^(c + d*Sqrt[x])])/d^3 - (4*a*b*PolyLog[3, E^(c + d*Sqrt[x])])/d^3)`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4678 `Int[(csc[e_] + (f_)*(x_)]*(b_) + (a_)^(n_)*((c_) + (d_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]`

rule 5960 `Int[((a_) + Csch[(c_) + (d_)*(x_)^(n_)])*(b_)^(p_)*(x_)^(m_), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [F]

$$\int \sqrt{x} (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx$$

input `int(x^(1/2)*(a+b*csch(c+d*x^(1/2)))^2,x)`

output `int(x^(1/2)*(a+b*csch(c+d*x^(1/2)))^2,x)`

Fricas [F]

$$\int \sqrt{x} (a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = \int (b \operatorname{csch}(d\sqrt{x} + c) + a)^2 \sqrt{x} dx$$

input `integrate(x^(1/2)*(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="fricas")`

output `integral(b^2*sqrt(x)*csch(d*sqrt(x) + c)^2 + 2*a*b*sqrt(x)*csch(d*sqrt(x) + c) + a^2*sqrt(x), x)`

Sympy [F]

$$\int \sqrt{x}(a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = \int \sqrt{x}(a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx$$

input `integrate(x**(1/2)*(a+b*csch(c+d*x**(1/2)))**2,x)`

output `Integral(sqrt(x)*(a + b*csch(c + d*sqrt(x)))**2, x)`

Maxima [A] (verification not implemented)

Time = 0.58 (sec) , antiderivative size = 264, normalized size of antiderivative = 1.26

$$\begin{aligned} & \int \sqrt{x}(a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx \\ &= \frac{2}{3} a^2 x^{\frac{3}{2}} - \frac{4 b^2 x}{d e^{(2d\sqrt{x}+2c)} - d} \\ & \quad - \frac{4 \left(d^2 x \log \left(e^{(d\sqrt{x}+c)} + 1 \right) + 2 d \sqrt{x} \operatorname{Li}_2 \left(-e^{(d\sqrt{x}+c)} \right) - 2 \operatorname{Li}_3 \left(-e^{(d\sqrt{x}+c)} \right) \right) a b}{d^3} \\ & \quad + \frac{4 \left(d^2 x \log \left(-e^{(d\sqrt{x}+c)} + 1 \right) + 2 d \sqrt{x} \operatorname{Li}_2 \left(e^{(d\sqrt{x}+c)} \right) - 2 \operatorname{Li}_3 \left(e^{(d\sqrt{x}+c)} \right) \right) a b}{d^3} \\ & \quad + \frac{4 \left(d \sqrt{x} \log \left(e^{(d\sqrt{x}+c)} + 1 \right) + \operatorname{Li}_2 \left(-e^{(d\sqrt{x}+c)} \right) \right) b^2}{d^3} \\ & \quad + \frac{4 \left(d \sqrt{x} \log \left(-e^{(d\sqrt{x}+c)} + 1 \right) + \operatorname{Li}_2 \left(e^{(d\sqrt{x}+c)} \right) \right) b^2}{d^3} \\ & \quad - \frac{2 \left(2 a b d^3 x^{\frac{3}{2}} + 3 b^2 d^2 x \right)}{3 d^3} + \frac{2 \left(2 a b d^3 x^{\frac{3}{2}} - 3 b^2 d^2 x \right)}{3 d^3} \end{aligned}$$

input `integrate(x^(1/2)*(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="maxima")`

output

```
2/3*a^2*x^(3/2) - 4*b^2*x/(d*e^(2*d*sqrt(x) + 2*c) - d) - 4*(d^2*x*log(e^(
d*sqrt(x) + c) + 1) + 2*d*sqrt(x)*dilog(-e^(d*sqrt(x) + c)) - 2*polylog(3,
-e^(d*sqrt(x) + c)))*a*b/d^3 + 4*(d^2*x*log(-e^(d*sqrt(x) + c) + 1) + 2*d
*sqrt(x)*dilog(e^(d*sqrt(x) + c)) - 2*polylog(3, e^(d*sqrt(x) + c)))*a*b/d
^3 + 4*(d*sqrt(x)*log(e^(d*sqrt(x) + c) + 1) + dilog(-e^(d*sqrt(x) + c)))*
b^2/d^3 + 4*(d*sqrt(x)*log(-e^(d*sqrt(x) + c) + 1) + dilog(e^(d*sqrt(x) +
c)))*b^2/d^3 - 2/3*(2*a*b*d^3*x^(3/2) + 3*b^2*d^2*x)/d^3 + 2/3*(2*a*b*d^3*
x^(3/2) - 3*b^2*d^2*x)/d^3
```

Giac [F]

$$\int \sqrt{x}(a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = \int (b \operatorname{csch}(d\sqrt{x} + c) + a)^2 \sqrt{x} dx$$

input

```
integrate(x^(1/2)*(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="giac")
```

output

```
integrate((b*csch(d*sqrt(x) + c) + a)^2*sqrt(x), x)
```

Mupad [F(-1)]

Timed out.

$$\int \sqrt{x}(a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx = \int \sqrt{x} \left(a + \frac{b}{\sinh(c + d\sqrt{x})} \right)^2 dx$$

input

```
int(x^(1/2)*(a + b/sinh(c + d*x^(1/2)))^2,x)
```

output

```
int(x^(1/2)*(a + b/sinh(c + d*x^(1/2)))^2, x)
```


Reduce [F]

$$\int \sqrt{x}(a + b \operatorname{csch}(c + d\sqrt{x}))^2 dx$$

$$= \frac{-16e^{2\sqrt{x}d+3c} \left(\int \frac{e^{\sqrt{x}d}}{e^{4\sqrt{x}d+4c}-2e^{2\sqrt{x}d+2c+1}} dx \right) ab d^2 - 8e^{2\sqrt{x}d+3c} \left(\int \frac{\sqrt{x}e^{\sqrt{x}d}}{e^{4\sqrt{x}d+4c}-2e^{2\sqrt{x}d+2c+1}} dx \right) ab d^3 + \frac{2\sqrt{x}e^{2\sqrt{x}d+2c}}{3}}$$

input `int(x^(1/2)*(a+b*csch(c+d*x^(1/2)))^2,x)`

output

```
(2*( - 24*e**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**2 - 12*e**(2*sqrt(x)*d + 3*c)*int((sqrt(x)*e**(sqrt(x)*d))/(e**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**3 + sqrt(x)*e**(2*sqrt(x)*d + 2*c)*a**2*d**3*x - 6*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*b**2*d - 6*e**(2*sqrt(x)*d + 2*c)*int(1/(e**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*b**2*d**2 + 12*e**(2*sqrt(x)*d + 2*c)*log(e**(sqrt(x)*d + c) - 1)*a*b + 3*e**(2*sqrt(x)*d + 2*c)*log(e**(sqrt(x)*d + c) - 1)*b**2 - 12*e**(2*sqrt(x)*d + 2*c)*log(e**(sqrt(x)*d + c) + 1)*a*b + 3*e**(2*sqrt(x)*d + 2*c)*log(e**(sqrt(x)*d + c) + 1)*b**2 - 24*sqrt(x)*e**(sqrt(x)*d + c)*a*b*d - 12*e**(sqrt(x)*d + c)*a*b*d**2*x + 24*e**c*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**2 + 12*e**c*int((sqrt(x)*e**(sqrt(x)*d))/(e**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*a*b*d**3 - sqrt(x)*a**2*d**3*x + 6*int(1/(e**(4*sqrt(x)*d + 4*c) - 2*e**(2*sqrt(x)*d + 2*c) + 1),x)*b**2*d**2 - 12*log(e**(sqrt(x)*d + c) - 1)*a*b - 3*log(e**(sqrt(x)*d + c) - 1)*b**2 + 12*log(e**(sqrt(x)*d + c) + 1)*a*b - 3*log(e**(sqrt(x)*d + c) + 1)*b**2 - 6*b**2*d**2*x))/(3*d**3*(e**(2*sqrt(x)*d + 2*c) - 1))
```

3.65
$$\int \frac{(a+b\operatorname{csch}(c+d\sqrt{x}))^2}{\sqrt{x}} dx$$

Optimal result	449
Mathematica [A] (verified)	449
Rubi [A] (verified)	450
Maple [A] (verified)	452
Fricas [B] (verification not implemented)	453
Sympy [F]	453
Maxima [A] (verification not implemented)	454
Giac [A] (verification not implemented)	454
Mupad [B] (verification not implemented)	455
Reduce [B] (verification not implemented)	455

Optimal result

Integrand size = 22, antiderivative size = 47

$$\int \frac{(a + b\operatorname{csch}(c + d\sqrt{x}))^2}{\sqrt{x}} dx = 2a^2\sqrt{x} - \frac{4ab\operatorname{arctanh}(\cosh(c + d\sqrt{x}))}{d} - \frac{2b^2 \coth(c + d\sqrt{x})}{d}$$

output `2*a^2*x^(1/2)-4*a*b*arctanh(cosh(c+d*x^(1/2)))/d-2*b^2*coth(c+d*x^(1/2))/d`

Mathematica [A] (verified)

Time = 0.28 (sec) , antiderivative size = 93, normalized size of antiderivative = 1.98

$$\int \frac{(a + b\operatorname{csch}(c + d\sqrt{x}))^2}{\sqrt{x}} dx = \frac{b^2 \coth\left(\frac{1}{2}(c + d\sqrt{x})\right) - 2a(ac + ad\sqrt{x} - 2b \log(\cosh(\frac{1}{2}(c + d\sqrt{x}))) + 2b \log(\sinh(\frac{1}{2}(c + d\sqrt{x}))))}{d}$$

input `Integrate[(a + b*Csch[c + d*Sqrt[x]])^2/Sqrt[x],x]`

output

$$-\left(\frac{b^2 \operatorname{Coth}\left[\frac{c + d\sqrt{x}}{2}\right] - 2a(a c + a d\sqrt{x}) - 2b \operatorname{Log}\left[\operatorname{Cosh}\left[\frac{c + d\sqrt{x}}{2}\right]\right] + 2b \operatorname{Log}\left[\operatorname{Sinh}\left[\frac{c + d\sqrt{x}}{2}\right]\right]}{d}\right) + b^2 \operatorname{Tanh}\left[\frac{c + d\sqrt{x}}{2}\right]$$
Rubi [A] (verified)

Time = 0.38 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.02, number of steps used = 12, number of rules used = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5960, 3042, 4260, 25, 26, 3042, 25, 26, 4254, 24, 4257}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{\sqrt{x}} dx \\ & \quad \downarrow \text{5960} \\ & 2 \int (a + b \operatorname{csch}(c + d\sqrt{x}))^2 d\sqrt{x} \\ & \quad \downarrow \text{3042} \\ & 2 \int (a + i b \operatorname{csc}(ic + id\sqrt{x}))^2 d\sqrt{x} \\ & \quad \downarrow \text{4260} \\ & 2 \left(2iab \int -i \operatorname{csch}(c + d\sqrt{x}) d\sqrt{x} - b^2 \int -\operatorname{csch}^2(c + d\sqrt{x}) d\sqrt{x} + a^2 \sqrt{x} \right) \\ & \quad \downarrow \text{25} \\ & 2 \left(2iab \int -i \operatorname{csch}(c + d\sqrt{x}) d\sqrt{x} + b^2 \int \operatorname{csch}^2(c + d\sqrt{x}) d\sqrt{x} + a^2 \sqrt{x} \right) \\ & \quad \downarrow \text{26} \\ & 2 \left(2ab \int \operatorname{csch}(c + d\sqrt{x}) d\sqrt{x} + b^2 \int \operatorname{csch}^2(c + d\sqrt{x}) d\sqrt{x} + a^2 \sqrt{x} \right) \\ & \quad \downarrow \text{3042} \\ & 2 \left(2ab \int i \operatorname{csc}(ic + id\sqrt{x}) d\sqrt{x} + b^2 \int -\operatorname{csc}(ic + id\sqrt{x})^2 d\sqrt{x} + a^2 \sqrt{x} \right) \end{aligned}$$

$$\begin{aligned}
& \downarrow 25 \\
& 2 \left(2ab \int i \csc(ic + id\sqrt{x}) d\sqrt{x} - b^2 \int \csc(ic + id\sqrt{x})^2 d\sqrt{x} + a^2 \sqrt{x} \right) \\
& \downarrow 26 \\
& 2 \left(2iab \int \csc(ic + id\sqrt{x}) d\sqrt{x} - b^2 \int \csc(ic + id\sqrt{x})^2 d\sqrt{x} + a^2 \sqrt{x} \right) \\
& \downarrow 4254 \\
& 2 \left(2iab \int \csc(ic + id\sqrt{x}) d\sqrt{x} - \frac{ib^2 \int 1d(-i \coth(c + d\sqrt{x}))}{d} + a^2 \sqrt{x} \right) \\
& \downarrow 24 \\
& 2 \left(2iab \int \csc(ic + id\sqrt{x}) d\sqrt{x} + a^2 \sqrt{x} - \frac{b^2 \coth(c + d\sqrt{x})}{d} \right) \\
& \downarrow 4257 \\
& 2 \left(a^2 \sqrt{x} - \frac{2ab \operatorname{arctanh}(\cosh(c + d\sqrt{x}))}{d} - \frac{b^2 \coth(c + d\sqrt{x})}{d} \right)
\end{aligned}$$

input `Int[(a + b*Csch[c + d*Sqrt[x]])^2/Sqrt[x], x]`

output `2*(a^2*Sqrt[x] - (2*a*b*ArcTanh[Cosh[c + d*Sqrt[x]]])/d - (b^2*Coth[c + d*Sqrt[x]])/d)`

Defintions of rubi rules used

rule 24 `Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 26 `Int[(Complex[0, a_]*(Fx_), x_Symbol] := Simp[(Complex[Identity[0], a]) Int[Fx, x], x] /; FreeQ[a, x] && EqQ[a^2, 1]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4254 `Int[csc[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := Simp[-d^(-1) Subst[Int[Exp andIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]`

rule 4257 `Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := Simp[-ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

rule 4260 `Int[(csc[(c_.) + (d_.)*(x_)*(b_.) + (a_.)]^2, x_Symbol] := Simp[a^2*x, x] + (Simp[2*a*b Int[Csc[c + d*x], x], x] + Simp[b^2 Int[Csc[c + d*x]^2, x], x]) /; FreeQ[{a, b, c, d}, x]`

rule 5960 `Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_)])*(b_.)]^(p_.)*(x_)^(m_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [A] (verified)

Time = 0.49 (sec) , antiderivative size = 44, normalized size of antiderivative = 0.94

method	result	size
derivativedivides	$\frac{2a^2(c+d\sqrt{x})-8ab \operatorname{arctanh}\left(\frac{e^{c+d\sqrt{x}}}{2}\right)-2b^2 \operatorname{coth}(c+d\sqrt{x})}{d}$	44
default	$\frac{2a^2(c+d\sqrt{x})-8ab \operatorname{arctanh}\left(\frac{e^{c+d\sqrt{x}}}{2}\right)-2b^2 \operatorname{coth}(c+d\sqrt{x})}{d}$	44
parts	$2a^2\sqrt{x} - \frac{2b^2 \operatorname{coth}(c+d\sqrt{x})}{d} + \frac{4ab \ln\left(\tanh\left(\frac{c}{2} + \frac{d\sqrt{x}}{2}\right)\right)}{d}$	45

input `int((a+b*csch(c+d*x^(1/2)))^2/x^(1/2),x,method=_RETURNVERBOSE)`

output `2/d*(a^2*(c+d*x^(1/2))-4*a*b*arctanh(exp(c+d*x^(1/2)))-b^2*coth(c+d*x^(1/2)))`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 271 vs. $2(41) = 82$.

Time = 0.12 (sec) , antiderivative size = 271, normalized size of antiderivative = 5.77

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{\sqrt{x}} dx$$

$$= \frac{2 \left(a^2 d \sqrt{x} \cosh(d\sqrt{x} + c)^2 + 2 a^2 d \sqrt{x} \cosh(d\sqrt{x} + c) \sinh(d\sqrt{x} + c) + a^2 d \sqrt{x} \sinh(d\sqrt{x} + c)^2 - a^2 d \sqrt{x} \right)}{\dots}$$

input `integrate((a+b*csch(c+d*x^(1/2)))^2/x^(1/2),x, algorithm="fricas")`

output `2*(a^2*d*sqrt(x)*cosh(d*sqrt(x) + c)^2 + 2*a^2*d*sqrt(x)*cosh(d*sqrt(x) + c)*sinh(d*sqrt(x) + c) + a^2*d*sqrt(x)*sinh(d*sqrt(x) + c)^2 - a^2*d*sqrt(x) - 2*b^2 - 2*(a*b*cosh(d*sqrt(x) + c)^2 + 2*a*b*cosh(d*sqrt(x) + c)*sinh(d*sqrt(x) + c) + a*b*sinh(d*sqrt(x) + c)^2 - a*b)*log(cosh(d*sqrt(x) + c) + sinh(d*sqrt(x) + c) + 1) + 2*(a*b*cosh(d*sqrt(x) + c)^2 + 2*a*b*cosh(d*sqrt(x) + c)*sinh(d*sqrt(x) + c) + a*b*sinh(d*sqrt(x) + c)^2 - a*b)*log(cosh(d*sqrt(x) + c) + sinh(d*sqrt(x) + c) - 1))/(d*cosh(d*sqrt(x) + c)^2 + 2*d*cosh(d*sqrt(x) + c)*sinh(d*sqrt(x) + c) + d*sinh(d*sqrt(x) + c)^2 - d)`

Sympy [F]

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{\sqrt{x}} dx = \int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{\sqrt{x}} dx$$

input `integrate((a+b*csch(c+d*x**(1/2)))**2/x**(1/2),x)`

output `Integral((a + b*csch(c + d*sqrt(x)))**2/sqrt(x), x)`

Maxima [A] (verification not implemented)

Time = 0.14 (sec) , antiderivative size = 51, normalized size of antiderivative = 1.09

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{\sqrt{x}} dx = 2a^2\sqrt{x} + \frac{4ab \log(\tanh(\frac{1}{2}d\sqrt{x} + \frac{1}{2}c))}{d} + \frac{4b^2}{d(e^{(-2d\sqrt{x}-2c)} - 1)}$$

input `integrate((a+b*csch(c+d*x^(1/2)))^2/x^(1/2),x, algorithm="maxima")`output `2*a^2*sqrt(x) + 4*a*b*log(tanh(1/2*d*sqrt(x) + 1/2*c))/d + 4*b^2/(d*(e^(-2*d*sqrt(x) - 2*c) - 1))`**Giac [A] (verification not implemented)**

Time = 0.12 (sec) , antiderivative size = 76, normalized size of antiderivative = 1.62

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{\sqrt{x}} dx = \frac{2(d\sqrt{x} + c)a^2}{d} - \frac{4ab \log(e^{(d\sqrt{x}+c)} + 1)}{d} + \frac{4ab \log(|e^{(d\sqrt{x}+c)} - 1|)}{d} - \frac{4b^2}{d(e^{(2d\sqrt{x}+2c)} - 1)}$$

input `integrate((a+b*csch(c+d*x^(1/2)))^2/x^(1/2),x, algorithm="giac")`output `2*(d*sqrt(x) + c)*a^2/d - 4*a*b*log(e^(d*sqrt(x) + c) + 1)/d + 4*a*b*log(abs(e^(d*sqrt(x) + c) - 1))/d - 4*b^2/(d*(e^(2*d*sqrt(x) + 2*c) - 1))`

Mupad [B] (verification not implemented)

Time = 2.58 (sec) , antiderivative size = 81, normalized size of antiderivative = 1.72

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{\sqrt{x}} dx = 2a^2 \sqrt{x} - \frac{4b^2}{d(e^{2c+2d\sqrt{x}} - 1)} - \frac{8 \operatorname{atan}\left(\frac{ab e^{d\sqrt{x}} e^c \sqrt{-d^2}}{d\sqrt{a^2 b^2}}\right) \sqrt{a^2 b^2}}{\sqrt{-d^2}}$$

input `int((a + b/sinh(c + d*x^(1/2)))^2/x^(1/2), x)`output `2*a^2*x^(1/2) - (4*b^2)/(d*(exp(2*c + 2*d*x^(1/2)) - 1)) - (8*atan((a*b*exp(d*x^(1/2))*exp(c)*(-d^2)^(1/2))/(d*(a^2*b^2)^(1/2)))*(a^2*b^2)^(1/2)/(-d^2)^(1/2)`**Reduce [B] (verification not implemented)**

Time = 0.22 (sec) , antiderivative size = 145, normalized size of antiderivative = 3.09

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{\sqrt{x}} dx = \frac{2\sqrt{x} e^{2\sqrt{x}d+2c} a^2 d + 4e^{2\sqrt{x}d+2c} \log(e^{\sqrt{x}d+c} - 1) ab - 4e^{2\sqrt{x}d+2c} \log(e^{\sqrt{x}d+c} + 1) ab - 4e^{2\sqrt{x}d+2c} b^2 - 2\sqrt{x} a}{d(e^{2\sqrt{x}d+2c} - 1)}$$

input `int((a+b*csch(c+d*x^(1/2)))^2/x^(1/2), x)`output `(2*(sqrt(x)*e**(2*sqrt(x)*d + 2*c))*a**2*d + 2*e**(2*sqrt(x)*d + 2*c)*log(e**(sqrt(x)*d + c) - 1)*a*b - 2*e**(2*sqrt(x)*d + 2*c)*log(e**(sqrt(x)*d + c) + 1)*a*b - 2*e**(2*sqrt(x)*d + 2*c)*b**2 - sqrt(x)*a**2*d - 2*log(e**(sqrt(x)*d + c) - 1)*a*b + 2*log(e**(sqrt(x)*d + c) + 1)*a*b)/(d*(e**(2*sqrt(x)*d + 2*c) - 1))`

$$3.66 \quad \int \frac{(a+b\mathbf{csch}(c+d\sqrt{x}))^2}{x^{3/2}} dx$$

Optimal result	456
Mathematica [N/A]	456
Rubi [N/A]	457
Maple [N/A]	457
Fricas [N/A]	458
Sympy [N/A]	458
Maxima [N/A]	458
Giac [N/A]	459
Mupad [N/A]	459
Reduce [N/A]	460

Optimal result

Integrand size = 22, antiderivative size = 22

$$\int \frac{(a + b\mathbf{csch}(c + d\sqrt{x}))^2}{x^{3/2}} dx = \text{Int}\left(\frac{(a + b\mathbf{csch}(c + d\sqrt{x}))^2}{x^{3/2}}, x\right)$$

output `Defer(Int)((a+b*csch(c+d*x^(1/2)))^2/x^(3/2), x)`

Mathematica [N/A]

Not integrable

Time = 108.85 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.09

$$\int \frac{(a + b\mathbf{csch}(c + d\sqrt{x}))^2}{x^{3/2}} dx = \int \frac{(a + b\mathbf{csch}(c + d\sqrt{x}))^2}{x^{3/2}} dx$$

input `Integrate[(a + b*Csch[c + d*Sqrt[x]])^2/x^(3/2), x]`

output `Integrate[(a + b*Csch[c + d*Sqrt[x]])^2/x^(3/2), x]`

Rubi [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^{3/2}} dx$$

↓ 5962

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^{3/2}} dx$$

input `Int[(a + b*Csch[c + d*Sqrt[x]])^2/x^(3/2), x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.34 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.82

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^{3/2}} dx$$

input `int((a+b*csch(c+d*x^(1/2)))^2/x^(3/2), x)`

output `int((a+b*csch(c+d*x^(1/2)))^2/x^(3/2), x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 46, normalized size of antiderivative = 2.09

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^{3/2}} dx = \int \frac{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2}{x^{3/2}} dx$$

input `integrate((a+b*csch(c+d*x^(1/2)))^2/x^(3/2),x, algorithm="fricas")`

output `integral((b^2*sqrt(x)*csch(d*sqrt(x) + c)^2 + 2*a*b*sqrt(x)*csch(d*sqrt(x) + c) + a^2*sqrt(x))/x^2, x)`

Sympy [N/A]

Not integrable

Time = 1.41 (sec) , antiderivative size = 20, normalized size of antiderivative = 0.91

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^{3/2}} dx = \int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^{3/2}} dx$$

input `integrate((a+b*csch(c+d*x**(1/2)))**2/x**(3/2),x)`

output `Integral((a + b*csch(c + d*sqrt(x)))**2/x**(3/2), x)`

Maxima [N/A]

Not integrable

Time = 1.79 (sec) , antiderivative size = 138, normalized size of antiderivative = 6.27

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^{3/2}} dx = \int \frac{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2}{x^{3/2}} dx$$

input `integrate((a+b*csch(c+d*x^(1/2)))^2/x^(3/2),x, algorithm="maxima")`

output `-2*(a^2*d*sqrt(x)*e^(2*d*sqrt(x) + 2*c) - a^2*d*sqrt(x) + 2*b^2)/(d*x*e^(2*d*sqrt(x) + 2*c) - d*x) + integrate(2*(a*b*d*x + b^2*sqrt(x))/(d*x^(5/2)*e^(d*sqrt(x) + c) + d*x^(5/2)), x) - integrate(-2*(a*b*d*x - b^2*sqrt(x))/(d*x^(5/2)*e^(d*sqrt(x) + c) - d*x^(5/2)), x)`

Giac [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 20, normalized size of antiderivative = 0.91

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^{3/2}} dx = \int \frac{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2}{x^{3/2}} dx$$

input `integrate((a+b*csch(c+d*x^(1/2)))^2/x^(3/2),x, algorithm="giac")`

output `integrate((b*csch(d*sqrt(x) + c) + a)^2/x^(3/2), x)`

Mupad [N/A]

Not integrable

Time = 2.82 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^{3/2}} dx = \int \frac{\left(a + \frac{b}{\sinh(c + d\sqrt{x})}\right)^2}{x^{3/2}} dx$$

input `int((a + b/sinh(c + d*x^(1/2)))^2/x^(3/2),x)`

output `int((a + b/sinh(c + d*x^(1/2)))^2/x^(3/2), x)`

Reduce [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 187, normalized size of antiderivative = 8.50

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^{3/2}} dx = \frac{4\sqrt{x} e^{3c} \left(\int \frac{e^{3\sqrt{x}d}}{\sqrt{x} e^{4\sqrt{x}d+4cx} - 2\sqrt{x} e^{2\sqrt{x}d+2cx} + \sqrt{x}} dx \right) ab + 4\sqrt{x} e^{2c} \left(\int \frac{e^{2\sqrt{x}d}}{\sqrt{x} e^{4\sqrt{x}d+4cx} - 2\sqrt{x} e^{2\sqrt{x}d+2cx} + \sqrt{x}} dx \right) ab + 4\sqrt{x} e^{2c} \left(\int \frac{e^{2\sqrt{x}d}}{\sqrt{x} e^{4\sqrt{x}d+4cx} - 2\sqrt{x} e^{2\sqrt{x}d+2cx} + \sqrt{x}} dx \right) ab - a^2 \sqrt{x}}{x^{3/2}}$$

input `int((a+b*csch(c+d*x^(1/2)))^2/x^(3/2),x)`

output `(2*(2*sqrt(x)*e**(3*c)*int(e**(3*sqrt(x)*d)/(sqrt(x)*e**(4*sqrt(x)*d + 4*c)*x - 2*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*x + sqrt(x)*x),x)*a*b + 2*sqrt(x)*e**(2*c)*int(e**(2*sqrt(x)*d)/(sqrt(x)*e**(4*sqrt(x)*d + 4*c)*x - 2*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*x + sqrt(x)*x),x)*b**2 - 2*sqrt(x)*e**c*int(e**(sqrt(x)*d)/(sqrt(x)*e**(4*sqrt(x)*d + 4*c)*x - 2*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*x + sqrt(x)*x),x)*a*b - a**2)/sqrt(x)`

3.67
$$\int \frac{(a+b\operatorname{csch}(c+d\sqrt{x}))^2}{x^{5/2}} dx$$

Optimal result	461
Mathematica [N/A]	461
Rubi [N/A]	462
Maple [N/A]	462
Fricas [N/A]	463
Sympy [N/A]	463
Maxima [F(-1)]	463
Giac [N/A]	464
Mupad [N/A]	464
Reduce [N/A]	465

Optimal result

Integrand size = 22, antiderivative size = 22

$$\int \frac{(a + b\operatorname{csch}(c + d\sqrt{x}))^2}{x^{5/2}} dx = \operatorname{Int}\left(\frac{(a + b\operatorname{csch}(c + d\sqrt{x}))^2}{x^{5/2}}, x\right)$$

output `Defer(Int)((a+b*csch(c+d*x^(1/2)))^2/x^(5/2), x)`

Mathematica [N/A]

Not integrable

Time = 108.76 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.09

$$\int \frac{(a + b\operatorname{csch}(c + d\sqrt{x}))^2}{x^{5/2}} dx = \int \frac{(a + b\operatorname{csch}(c + d\sqrt{x}))^2}{x^{5/2}} dx$$

input `Integrate[(a + b*Csch[c + d*Sqrt[x]])^2/x^(5/2), x]`

output `Integrate[(a + b*Csch[c + d*Sqrt[x]])^2/x^(5/2), x]`

Rubi [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^{5/2}} dx$$

↓ 5962

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^{5/2}} dx$$

input `Int[(a + b*Csch[c + d*Sqrt[x]])^2/x^(5/2), x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.32 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.82

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^{5/2}} dx$$

input `int((a+b*csch(c+d*x^(1/2)))^2/x^(5/2), x)`

output `int((a+b*csch(c+d*x^(1/2)))^2/x^(5/2), x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 46, normalized size of antiderivative = 2.09

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^{5/2}} dx = \int \frac{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2}{x^{5/2}} dx$$

input `integrate((a+b*csch(c+d*x^(1/2)))^2/x^(5/2),x, algorithm="fricas")`

output `integral((b^2*sqrt(x)*csch(d*sqrt(x) + c)^2 + 2*a*b*sqrt(x)*csch(d*sqrt(x) + c) + a^2*sqrt(x))/x^3, x)`

Sympy [N/A]

Not integrable

Time = 1.47 (sec) , antiderivative size = 20, normalized size of antiderivative = 0.91

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^{5/2}} dx = \int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^{5/2}} dx$$

input `integrate((a+b*csch(c+d*x**(1/2)))**2/x**(5/2),x)`

output `Integral((a + b*csch(c + d*sqrt(x)))**2/x**(5/2), x)`

Maxima [F(-1)]

Timed out.

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^{5/2}} dx = \text{Timed out}$$

input `integrate((a+b*csch(c+d*x^(1/2)))^2/x^(5/2),x, algorithm="maxima")`

output Timed out

Giac [N/A]

Not integrable

Time = 0.30 (sec) , antiderivative size = 20, normalized size of antiderivative = 0.91

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^{5/2}} dx = \int \frac{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2}{x^{5/2}} dx$$

input `integrate((a+b*csch(c+d*x^(1/2)))^2/x^(5/2),x, algorithm="giac")`

output `integrate((b*csch(d*sqrt(x) + c) + a)^2/x^(5/2), x)`

Mupad [N/A]

Not integrable

Time = 3.01 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^{5/2}} dx = \int \frac{\left(a + \frac{b}{\sinh(c+d\sqrt{x})}\right)^2}{x^{5/2}} dx$$

input `int((a + b/sinh(c + d*x^(1/2)))^2/x^(5/2),x)`

output `int((a + b/sinh(c + d*x^(1/2)))^2/x^(5/2), x)`

Reduce [N/A]

Not integrable

Time = 0.25 (sec) , antiderivative size = 211, normalized size of antiderivative = 9.59

$$\int \frac{(a + b \operatorname{csch}(c + d\sqrt{x}))^2}{x^{5/2}} dx = \frac{4\sqrt{x} e^{3c} \left(\int \frac{e^{3\sqrt{x}d}}{\sqrt{x} e^{4\sqrt{x}d+4cx^2} - 2\sqrt{x} e^{2\sqrt{x}d+2cx^2} + \sqrt{x} x^2} dx \right) abx + 4\sqrt{x} e^{2c} \left(\int \frac{e^{2\sqrt{x}d}}{\sqrt{x} e^{4\sqrt{x}d+4cx^2} - 2\sqrt{x} e^{2\sqrt{x}d+2cx^2} + \sqrt{x} x^2} dx \right) abx + 4\sqrt{x} e^{2c} \left(\int \frac{e^{2\sqrt{x}d}}{\sqrt{x} e^{4\sqrt{x}d+4cx^2} - 2\sqrt{x} e^{2\sqrt{x}d+2cx^2} + \sqrt{x} x^2} dx \right) abx - a^2 \int \frac{1}{\sqrt{x}} dx$$

input `int((a+b*csch(c+d*x^(1/2)))^2/x^(5/2),x)`

output `(2*(6*sqrt(x)*e**(3*c)*int(e**(3*sqrt(x)*d)/(sqrt(x)*e**(4*sqrt(x)*d + 4*c)*x**2 - 2*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*x**2 + sqrt(x)*x**2),x)*a*b*x + 6*sqrt(x)*e**(2*c)*int(e**(2*sqrt(x)*d)/(sqrt(x)*e**(4*sqrt(x)*d + 4*c)*x**2 - 2*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*x**2 + sqrt(x)*x**2),x)*b**2*x - 6*sqrt(x)*e**c*int(e**(sqrt(x)*d)/(sqrt(x)*e**(4*sqrt(x)*d + 4*c)*x**2 - 2*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*x**2 + sqrt(x)*x**2),x)*a*b*x - a**2)/(3*sqrt(x)*x)`

$$3.68 \quad \int \frac{x^{3/2}}{a+b\operatorname{csch}(c+d\sqrt{x})} dx$$

Optimal result	466
Mathematica [A] (verified)	467
Rubi [A] (verified)	468
Maple [F]	470
Fricas [F]	470
Sympy [F]	470
Maxima [F]	471
Giac [F]	471
Mupad [F(-1)]	471
Reduce [F]	472

Optimal result

Integrand size = 22, antiderivative size = 561

$$\begin{aligned} \int \frac{x^{3/2}}{a+b\operatorname{csch}(c+d\sqrt{x})} dx &= \frac{2x^{5/2}}{5a} \\ &- \frac{2bx^2 \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d} + \frac{2bx^2 \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d} \\ &- \frac{8bx^{3/2} \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^2} + \frac{8bx^{3/2} \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^2} \\ &+ \frac{24bx \operatorname{PolyLog}\left(3, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^3} - \frac{24bx \operatorname{PolyLog}\left(3, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^3} \\ &- \frac{48b\sqrt{x} \operatorname{PolyLog}\left(4, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^4} + \frac{48b\sqrt{x} \operatorname{PolyLog}\left(4, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^4} \\ &+ \frac{48b \operatorname{PolyLog}\left(5, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^5} - \frac{48b \operatorname{PolyLog}\left(5, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^5} \end{aligned}$$

output

```

2/5*x^(5/2)/a-2*b*x^2*ln(1+a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)))/a/(a^2+
b^2)^(1/2)/d+2*b*x^2*ln(1+a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a/(a^2+b
^2)^(1/2)/d-8*b*x^(3/2)*polylog(2,-a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)))
/a/(a^2+b^2)^(1/2)/d^2+8*b*x^(3/2)*polylog(2,-a*exp(c+d*x^(1/2))/(b+(a^2+b
^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d^2+24*b*x*polylog(3,-a*exp(c+d*x^(1/2))/(b-
(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d^3-24*b*x*polylog(3,-a*exp(c+d*x^(1/2)
))/(b+(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d^3-48*b*x^(1/2)*polylog(4,-a*ex
p(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d^4+48*b*x^(1/2)*pol
ylog(4,-a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d^4+48*b
*polylog(5,-a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d^5-
48*b*polylog(5,-a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/
d^5

```

Mathematica [A] (verified)

Time = 0.74 (sec) , antiderivative size = 436, normalized size of antiderivative = 0.78

$$\int \frac{x^{3/2}}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = \frac{2\left(\sqrt{a^2 + b^2} d^5 x^{5/2} - 5bd^4 x^2 \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right) + 5bd^4 x^2 \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)\right)}{a + b \operatorname{csch}(c + d\sqrt{x})}$$

input

```
Integrate[x^(3/2)/(a + b*Csch[c + d*Sqrt[x]]),x]
```

output

```

(2*(Sqrt[a^2 + b^2]*d^5*x^(5/2) - 5*b*d^4*x^2*Log[1 + (a*E^(c + d*Sqrt[x])
))/(b - Sqrt[a^2 + b^2])] + 5*b*d^4*x^2*Log[1 + (a*E^(c + d*Sqrt[x]))/(b +
Sqrt[a^2 + b^2])] - 20*b*d^3*x^(3/2)*PolyLog[2, (a*E^(c + d*Sqrt[x]))/(-b
+ Sqrt[a^2 + b^2])] + 20*b*d^3*x^(3/2)*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/
(b + Sqrt[a^2 + b^2]))] + 60*b*d^2*x*PolyLog[3, (a*E^(c + d*Sqrt[x]))/(-b
+ Sqrt[a^2 + b^2])] - 60*b*d^2*x*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/(b + S
qrt[a^2 + b^2]))] - 120*b*d*Sqrt[x]*PolyLog[4, (a*E^(c + d*Sqrt[x]))/(-b +
Sqrt[a^2 + b^2])] + 120*b*d*Sqrt[x]*PolyLog[4, -((a*E^(c + d*Sqrt[x]))/(b
+ Sqrt[a^2 + b^2]))] + 120*b*PolyLog[5, (a*E^(c + d*Sqrt[x]))/(-b + Sqrt[
a^2 + b^2])] - 120*b*PolyLog[5, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b
^2]))])]/(5*a*Sqrt[a^2 + b^2]*d^5)

```

Rubi [A] (verified)

Time = 1.25 (sec) , antiderivative size = 562, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {5960, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{x^{3/2}}{a + b \operatorname{csch}(c + d\sqrt{x})} dx \\
 & \quad \downarrow \text{5960} \\
 & 2 \int \frac{x^2}{a + b \operatorname{csch}(c + d\sqrt{x})} d\sqrt{x} \\
 & \quad \downarrow \text{3042} \\
 & 2 \int \frac{x^2}{a + ib \operatorname{csc}(ic + id\sqrt{x})} d\sqrt{x} \\
 & \quad \downarrow \text{4679} \\
 & 2 \int \left(\frac{x^2}{a} - \frac{bx^2}{a(b + a \sinh(c + d\sqrt{x}))} \right) d\sqrt{x} \\
 & \quad \downarrow \text{2009} \\
 & 2 \left(\frac{24b \operatorname{PolyLog}\left(5, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{ad^5\sqrt{a^2+b^2}} - \frac{24b \operatorname{PolyLog}\left(5, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{ad^5\sqrt{a^2+b^2}} - \frac{24b\sqrt{x} \operatorname{PolyLog}\left(4, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{ad^4\sqrt{a^2+b^2}} + \frac{24b\sqrt{x} \operatorname{PolyLog}\left(4, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{ad^4\sqrt{a^2+b^2}} \right)
 \end{aligned}$$

input `Int[x^(3/2)/(a + b*Csch[c + d*Sqrt[x]]),x]`

output

$$2*(x^{(5/2)})/(5*a) - (b*x^2*\text{Log}[1 + (a*E^{(c + d*\text{Sqrt}[x])})]/(b - \text{Sqrt}[a^2 + b^2])])/(a*\text{Sqrt}[a^2 + b^2]*d) + (b*x^2*\text{Log}[1 + (a*E^{(c + d*\text{Sqrt}[x])})]/(b + \text{Sqrt}[a^2 + b^2])])/(a*\text{Sqrt}[a^2 + b^2]*d) - (4*b*x^{(3/2)}*\text{PolyLog}[2, -((a*E^{(c + d*\text{Sqrt}[x])})/(b - \text{Sqrt}[a^2 + b^2]))])/(a*\text{Sqrt}[a^2 + b^2]*d^2) + (4*b*x^{(3/2)}*\text{PolyLog}[2, -((a*E^{(c + d*\text{Sqrt}[x])})/(b + \text{Sqrt}[a^2 + b^2]))])/(a*\text{Sqrt}[a^2 + b^2]*d^2) + (12*b*x*\text{PolyLog}[3, -((a*E^{(c + d*\text{Sqrt}[x])})/(b - \text{Sqrt}[a^2 + b^2]))])/(a*\text{Sqrt}[a^2 + b^2]*d^3) - (12*b*x*\text{PolyLog}[3, -((a*E^{(c + d*\text{Sqrt}[x])})/(b + \text{Sqrt}[a^2 + b^2]))])/(a*\text{Sqrt}[a^2 + b^2]*d^3) - (24*b*\text{Sqrt}[x]*\text{PolyLog}[4, -((a*E^{(c + d*\text{Sqrt}[x])})/(b - \text{Sqrt}[a^2 + b^2]))])/(a*\text{Sqrt}[a^2 + b^2]*d^4) + (24*b*\text{Sqrt}[x]*\text{PolyLog}[4, -((a*E^{(c + d*\text{Sqrt}[x])})/(b + \text{Sqrt}[a^2 + b^2]))])/(a*\text{Sqrt}[a^2 + b^2]*d^4) + (24*b*\text{PolyLog}[5, -((a*E^{(c + d*\text{Sqrt}[x])})/(b - \text{Sqrt}[a^2 + b^2]))])/(a*\text{Sqrt}[a^2 + b^2]*d^5) - (24*b*\text{PolyLog}[5, -((a*E^{(c + d*\text{Sqrt}[x])})/(b + \text{Sqrt}[a^2 + b^2]))])/(a*\text{Sqrt}[a^2 + b^2]*d^5)$$

Defintions of rubi rules used

rule 2009

$$\text{Int}[u_, x_Symbol] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] \text{ /; SumQ}[u]$$

rule 3042

$$\text{Int}[u_, x_Symbol] \rightarrow \text{Int}[\text{DeactivateTrig}[u, x], x] \text{ /; FunctionOfTrigOfLinearQ}[u, x]$$

rule 4679

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(n_.)}*((c_.) + (d_.)*(x_.))^{(m_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, 1/(\text{Sin}[e + f*x]^n/(b + a*\text{Sin}[e + f*x]^n)), x], x] \text{ /; FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \ \text{ILtQ}[n, 0] \ \&\& \ \text{IGtQ}[m, 0]$$

rule 5960

$$\text{Int}[(a_.) + \text{Csch}[(c_.) + (d_.)*(x_.)^{(n_.)}]*(b_.))^{(p_.)}*(x_.)^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[1/n \ \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*\text{Csch}[c + d*x])^p}, x], x, x^n], x] \text{ /; FreeQ}\{a, b, c, d, m, n, p\}, x \ \&\& \ \text{IGtQ}[\text{Simplify}[(m + 1)/n], 0] \ \&\& \ \text{IntegerQ}[p]$$

Maple [F]

$$\int \frac{x^{\frac{3}{2}}}{a + b \operatorname{csch}(c + d\sqrt{x})} dx$$

input `int(x^(3/2)/(a+b*csch(c+d*x^(1/2))),x)`

output `int(x^(3/2)/(a+b*csch(c+d*x^(1/2))),x)`

Fricas [F]

$$\int \frac{x^{3/2}}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = \int \frac{x^{\frac{3}{2}}}{b \operatorname{csch}(d\sqrt{x} + c) + a} dx$$

input `integrate(x^(3/2)/(a+b*csch(c+d*x^(1/2))),x, algorithm="fricas")`

output `integral(x^(3/2)/(b*csch(d*sqrt(x) + c) + a), x)`

Sympy [F]

$$\int \frac{x^{3/2}}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = \int \frac{x^{\frac{3}{2}}}{a + b \operatorname{csch}(c + d\sqrt{x})} dx$$

input `integrate(x**(3/2)/(a+b*csch(c+d*x**(1/2))),x)`

output `Integral(x**(3/2)/(a + b*csch(c + d*sqrt(x))), x)`

Maxima [F]

$$\int \frac{x^{3/2}}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = \int \frac{x^{3/2}}{b \operatorname{csch}(d\sqrt{x} + c) + a} dx$$

input `integrate(x^(3/2)/(a+b*csch(c+d*x^(1/2))),x, algorithm="maxima")`

output `-2*b*integrate(x^(3/2)*e^(d*sqrt(x) + c)/(a^2*e^(2*d*sqrt(x) + 2*c) + 2*a*b*e^(d*sqrt(x) + c) - a^2), x) + 2/5*x^(5/2)/a`

Giac [F]

$$\int \frac{x^{3/2}}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = \int \frac{x^{3/2}}{b \operatorname{csch}(d\sqrt{x} + c) + a} dx$$

input `integrate(x^(3/2)/(a+b*csch(c+d*x^(1/2))),x, algorithm="giac")`

output `integrate(x^(3/2)/(b*csch(d*sqrt(x) + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x^{3/2}}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = \int \frac{x^{3/2}}{a + \frac{b}{\sinh(c + d\sqrt{x})}} dx$$

input `int(x^(3/2)/(a + b/sinh(c + d*x^(1/2))),x)`

output `int(x^(3/2)/(a + b/sinh(c + d*x^(1/2))), x)`

Reduce [F]

$$\int \frac{x^{3/2}}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = e^{2c} \left(\int \frac{\sqrt{x} e^{2\sqrt{x}d} x}{e^{2\sqrt{x}d+2c} a + 2e^{\sqrt{x}d+cb} - a} dx \right) - \left(\int \frac{\sqrt{x} x}{e^{2\sqrt{x}d+2c} a + 2e^{\sqrt{x}d+cb} - a} dx \right)$$

input `int(x^(3/2)/(a+b*csch(c+d*x^(1/2))),x)`

output `e**(2*c)*int((sqrt(x)*e**(2*sqrt(x)*d)*x)/(e**(2*sqrt(x)*d + 2*c)*a + 2*e**
*(sqrt(x)*d + c)*b - a),x) - int((sqrt(x)*x)/(e**(2*sqrt(x)*d + 2*c)*a + 2
*e**(sqrt(x)*d + c)*b - a),x)`

3.69 $\int \frac{\sqrt{x}}{a+b\mathbf{csch}(c+d\sqrt{x})} dx$

Optimal result	473
Mathematica [A] (verified)	474
Rubi [A] (verified)	474
Maple [F]	476
Fricas [F]	477
Sympy [F]	477
Maxima [F]	477
Giac [F]	478
Mupad [F(-1)]	478
Reduce [F]	478

Optimal result

Integrand size = 22, antiderivative size = 337

$$\int \frac{\sqrt{x}}{a + b\mathbf{csch}(c + d\sqrt{x})} dx = \frac{2x^{3/2}}{3a} - \frac{2bx \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d} + \frac{2bx \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d}$$

$$- \frac{4b\sqrt{x} \text{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^2}$$

$$+ \frac{4b\sqrt{x} \text{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^2}$$

$$+ \frac{4b \text{PolyLog}\left(3, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^3}$$

$$- \frac{4b \text{PolyLog}\left(3, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^3}$$

output

$$\frac{2/3*x^{(3/2)}/a-2*b*x*\ln(1+a*\exp(c+d*x^{(1/2)})/(b-(a^2+b^2)^{(1/2)}))/a/(a^2+b^2)^{(1/2)}/d+2*b*x*\ln(1+a*\exp(c+d*x^{(1/2)})/(b+(a^2+b^2)^{(1/2)}))/a/(a^2+b^2)^{(1/2)}/d-4*b*x^{(1/2)}*polylog(2,-a*\exp(c+d*x^{(1/2)})/(b-(a^2+b^2)^{(1/2)}))/a/(a^2+b^2)^{(1/2)}/d^2+4*b*x^{(1/2)}*polylog(2,-a*\exp(c+d*x^{(1/2)})/(b+(a^2+b^2)^{(1/2)}))/a/(a^2+b^2)^{(1/2)}/d^2+4*b*polylog(3,-a*\exp(c+d*x^{(1/2)})/(b-(a^2+b^2)^{(1/2)}))/a/(a^2+b^2)^{(1/2)}/d^3-4*b*polylog(3,-a*\exp(c+d*x^{(1/2)})/(b+(a^2+b^2)^{(1/2)}))/a/(a^2+b^2)^{(1/2)}/d^3}{3a\sqrt{a^2+b^2}}$$
Mathematica [A] (verified)

Time = 0.48 (sec) , antiderivative size = 270, normalized size of antiderivative = 0.80

$$\int \frac{\sqrt{x}}{a + b \operatorname{csch}(c + d\sqrt{x})} dx$$

$$= \frac{2\left(\sqrt{a^2 + b^2} d^3 x^{3/2} - 3bd^2 x \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right) + 3bd^2 x \log\left(1 + \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right) - 6bd\sqrt{x} \operatorname{PolyLog}\left(2, \frac{ae^{c+d\sqrt{x}}}{-b+\sqrt{a^2+b^2}}\right) + 6bd\sqrt{x} \operatorname{PolyLog}\left(2, \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right) - 6bd\sqrt{x} \operatorname{PolyLog}\left(3, \frac{ae^{c+d\sqrt{x}}}{-b+\sqrt{a^2+b^2}}\right) + 6bd\sqrt{x} \operatorname{PolyLog}\left(3, \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)\right)}{3a\sqrt{a^2+b^2}}$$

input

Integrate[Sqrt[x]/(a + b*Csch[c + d*Sqrt[x]]),x]

output

$$\frac{(2*(\operatorname{Sqrt}[a^2 + b^2]*d^3*x^{(3/2)} - 3*b*d^2*x*\operatorname{Log}[1 + (a*E^{(c + d*\operatorname{Sqrt}[x]))]/(b - \operatorname{Sqrt}[a^2 + b^2])]) + 3*b*d^2*x*\operatorname{Log}[1 + (a*E^{(c + d*\operatorname{Sqrt}[x]))]/(b + \operatorname{Sqrt}[a^2 + b^2])]) - 6*b*d*\operatorname{Sqrt}[x]*\operatorname{PolyLog}[2, (a*E^{(c + d*\operatorname{Sqrt}[x]))]/(-b + \operatorname{Sqrt}[a^2 + b^2])]) + 6*b*d*\operatorname{Sqrt}[x]*\operatorname{PolyLog}[2, -((a*E^{(c + d*\operatorname{Sqrt}[x]))}/(b + \operatorname{Sqrt}[a^2 + b^2]))] + 6*b*\operatorname{PolyLog}[3, (a*E^{(c + d*\operatorname{Sqrt}[x]))}/(-b + \operatorname{Sqrt}[a^2 + b^2])]) - 6*b*\operatorname{PolyLog}[3, -((a*E^{(c + d*\operatorname{Sqrt}[x]))}/(b + \operatorname{Sqrt}[a^2 + b^2]))]))/(3*a*\operatorname{Sqrt}[a^2 + b^2]*d^3)$$
Rubi [A] (verified)Time = 1.03 (sec) , antiderivative size = 338, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {5960, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
& \int \frac{\sqrt{x}}{a + b \operatorname{csch}(c + d\sqrt{x})} dx \\
& \quad \downarrow 5960 \\
& 2 \int \frac{x}{a + b \operatorname{csch}(c + d\sqrt{x})} d\sqrt{x} \\
& \quad \downarrow 3042 \\
& 2 \int \frac{x}{a + ib \operatorname{csc}(ic + id\sqrt{x})} d\sqrt{x} \\
& \quad \downarrow 4679 \\
& 2 \int \left(\frac{x}{a} - \frac{bx}{a(b + a \sinh(c + d\sqrt{x}))} \right) d\sqrt{x} \\
& \quad \downarrow 2009 \\
& 2 \left(\frac{2b \operatorname{PolyLog}\left(3, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{ad^3\sqrt{a^2+b^2}} - \frac{2b \operatorname{PolyLog}\left(3, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{ad^3\sqrt{a^2+b^2}} - \frac{2b\sqrt{x} \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right)}{ad^2\sqrt{a^2+b^2}} + \frac{2b\sqrt{x} \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right)}{ad^2\sqrt{a^2+b^2}} \right)
\end{aligned}$$

input `Int[Sqrt[x]/(a + b*Csch[c + d*Sqrt[x]]),x]`

output `2*(x^(3/2)/(3*a) - (b*x*Log[1 + (a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2])])/(a*Sqrt[a^2 + b^2]*d) + (b*x*Log[1 + (a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2])])/(a*Sqrt[a^2 + b^2]*d) - (2*b*Sqrt[x]*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^2) + (2*b*Sqrt[x]*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^2) + (2*b*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^3) - (2*b*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2]))])/(a*Sqrt[a^2 + b^2]*d^3))`

Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4679 `Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Sin[e + f*x])^n), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]`

rule 5960 `Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_)])*(b_.))^(p_.)*(x_)^(m_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [F]

$$\int \frac{\sqrt{x}}{a + b \operatorname{csch}(c + d\sqrt{x})} dx$$

input `int(x^(1/2)/(a+b*csch(c+d*x^(1/2))),x)`

output `int(x^(1/2)/(a+b*csch(c+d*x^(1/2))),x)`

Fricas [F]

$$\int \frac{\sqrt{x}}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = \int \frac{\sqrt{x}}{b \operatorname{csch}(d\sqrt{x} + c) + a} dx$$

input `integrate(x^(1/2)/(a+b*csch(c+d*x^(1/2))),x, algorithm="fricas")`

output `integral(sqrt(x)/(b*csch(d*sqrt(x) + c) + a), x)`

Sympy [F]

$$\int \frac{\sqrt{x}}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = \int \frac{\sqrt{x}}{a + b \operatorname{csch}(c + d\sqrt{x})} dx$$

input `integrate(x**(1/2)/(a+b*csch(c+d*x**(1/2))),x)`

output `Integral(sqrt(x)/(a + b*csch(c + d*sqrt(x))), x)`

Maxima [F]

$$\int \frac{\sqrt{x}}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = \int \frac{\sqrt{x}}{b \operatorname{csch}(d\sqrt{x} + c) + a} dx$$

input `integrate(x^(1/2)/(a+b*csch(c+d*x^(1/2))),x, algorithm="maxima")`

output `-2*b*integrate(sqrt(x)*e^(d*sqrt(x) + c)/(a^2*e^(2*d*sqrt(x) + 2*c) + 2*a*b*e^(d*sqrt(x) + c) - a^2), x) + 2/3*x^(3/2)/a`

Giac [F]

$$\int \frac{\sqrt{x}}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = \int \frac{\sqrt{x}}{b \operatorname{csch}(d\sqrt{x} + c) + a} dx$$

input `integrate(x^(1/2)/(a+b*csch(c+d*x^(1/2))),x, algorithm="giac")`

output `integrate(sqrt(x)/(b*csch(d*sqrt(x) + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\sqrt{x}}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = \int \frac{\sqrt{x}}{a + \frac{b}{\sinh(c + d\sqrt{x})}} dx$$

input `int(x^(1/2)/(a + b/sinh(c + d*x^(1/2))),x)`

output `int(x^(1/2)/(a + b/sinh(c + d*x^(1/2))), x)`

Reduce [F]

$$\int \frac{\sqrt{x}}{a + b \operatorname{csch}(c + d\sqrt{x})} dx = e^{2c} \left(\int \frac{\sqrt{x} e^{2\sqrt{x}d}}{e^{2\sqrt{x}d+2c}a + 2e^{\sqrt{x}d+cb} - a} dx \right) - \left(\int \frac{\sqrt{x}}{e^{2\sqrt{x}d+2c}a + 2e^{\sqrt{x}d+cb} - a} dx \right)$$

input `int(x^(1/2)/(a+b*csch(c+d*x^(1/2))),x)`

output `e**(2*c)*int((sqrt(x)*e**(2*sqrt(x)*d))/(e**(2*sqrt(x)*d + 2*c)*a + 2*e**(sqrt(x)*d + c)*b - a),x) - int(sqrt(x)/(e**(2*sqrt(x)*d + 2*c)*a + 2*e**(sqrt(x)*d + c)*b - a),x)`

3.70
$$\int \frac{1}{\sqrt{x}(a+b\operatorname{csch}(c+d\sqrt{x}))} dx$$

Optimal result	479
Mathematica [A] (verified)	479
Rubi [A] (warning: unable to verify)	480
Maple [A] (verified)	482
Fricas [B] (verification not implemented)	483
Sympy [F]	483
Maxima [A] (verification not implemented)	484
Giac [A] (verification not implemented)	484
Mupad [B] (verification not implemented)	484
Reduce [B] (verification not implemented)	485

Optimal result

Integrand size = 22, antiderivative size = 63

$$\int \frac{1}{\sqrt{x}(a+b\operatorname{csch}(c+d\sqrt{x}))} dx = \frac{2\sqrt{x}}{a} + \frac{4b\operatorname{arctanh}\left(\frac{a-b\tanh\left(\frac{1}{2}(c+d\sqrt{x})\right)}{\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d}$$

output `2*x^(1/2)/a+4*b*arctanh((a-b*tanh(1/2*c+1/2*d*x^(1/2)))/(a^2+b^2)^(1/2))/a/(a^2+b^2)^(1/2)/d`

Mathematica [A] (verified)

Time = 0.14 (sec) , antiderivative size = 73, normalized size of antiderivative = 1.16

$$\int \frac{1}{\sqrt{x}(a+b\operatorname{csch}(c+d\sqrt{x}))} dx = \frac{2\left(\frac{c}{d} + \sqrt{x} - \frac{2b\operatorname{arctan}\left(\frac{a-b\tanh\left(\frac{1}{2}(c+d\sqrt{x})\right)}{\sqrt{-a^2-b^2}}\right)}{\sqrt{-a^2-b^2}d}\right)}{a}$$

input `Integrate[1/(Sqrt[x]*(a + b*Csch[c + d*Sqrt[x]])),x]`

output

$$\frac{(2*(c/d + \text{Sqrt}[x] - (2*b*\text{ArcTan}[(a - b*\text{Tanh}[(c + d*\text{Sqrt}[x])/2])/2])/ \text{Sqrt}[-a^2 - b^2])]/(\text{Sqrt}[-a^2 - b^2]*d)))/a$$
Rubi [A] (warning: unable to verify)

Time = 0.39 (sec) , antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.318$, Rules used = {5960, 3042, 4270, 3042, 3139, 1083, 217}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{\sqrt{x} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx$$

$$\downarrow 5960$$

$$2 \int \frac{1}{a + b \operatorname{csch}(c + d\sqrt{x})} d\sqrt{x}$$

$$\downarrow 3042$$

$$2 \int \frac{1}{a + ib \operatorname{csc}(ic + id\sqrt{x})} d\sqrt{x}$$

$$\downarrow 4270$$

$$2 \left(\frac{\sqrt{x}}{a} - \frac{\int \frac{1}{a \frac{\sinh(c+d\sqrt{x})}{b} + 1} d\sqrt{x}}{a} \right)$$

$$\downarrow 3042$$

$$2 \left(\frac{\sqrt{x}}{a} - \frac{\int \frac{1}{1 - \frac{ia \sin(ic+id\sqrt{x})}{b}} d\sqrt{x}}{a} \right)$$

$$\downarrow 3139$$

$$2 \left(\frac{\sqrt{x}}{a} + \frac{2i \int \frac{1}{x + \frac{2a \tanh(\frac{1}{2}(c+d\sqrt{x}))}{b}} + 1} d(i \tanh(\frac{1}{2}(c+d\sqrt{x})))}{ad} \right)$$

$$\downarrow 1083$$

$$2 \left(\frac{\sqrt{x}}{a} - \frac{4i \int \frac{1}{-4\left(\frac{a^2}{b^2} + 1\right) - x} d(2i \tanh\left(\frac{1}{2}(c + d\sqrt{x})\right) - \frac{2ia}{b})}{ad} \right)$$

↓ 217

$$2 \left(\frac{\sqrt{x}}{a} - \frac{2b \operatorname{arctanh}\left(\frac{b \tanh\left(\frac{1}{2}(c + d\sqrt{x})\right)}{2\sqrt{a^2 + b^2}}\right)}{ad\sqrt{a^2 + b^2}} \right)$$

input `Int[1/(Sqrt[x]*(a + b*Csch[c + d*Sqrt[x]])),x]`

output `2*(Sqrt[x]/a - (2*b*ArcTanh[(b*Tanh[(c + d*Sqrt[x])/2])]/(2*Sqrt[a^2 + b^2])))/(a*Sqrt[a^2 + b^2]*d)`

Defintions of rubi rules used

rule 217 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-(Rt[-a, 2]*Rt[-b, 2])^(-1))*ArcTan[Rt[-b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])`

rule 1083 `Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Simp[-2 Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 3139 `Int[((a_) + (b_.)*sin[(c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Simp[2*(e/d) Subst[Int[1/(a + 2*b*e*x + a*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]`

```
rule 4270 Int[(csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_))^(n_), x_Symbol] := Simp[x/a, x]
- Simp[1/a Int[1/(1 + (a/b)*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d},
x] && NeQ[a^2 - b^2, 0]
```

```
rule 5960 Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_)]*(b_.))^(p_.)*(x_)^(m_.), x_Symbol]
:= Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])
]^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m
+ 1)/n], 0] && IntegerQ[p]
```

Maple [A] (verified)

Time = 0.35 (sec) , antiderivative size = 89, normalized size of antiderivative = 1.41

method	result	size
derivativedivides	$\frac{2 \ln\left(\tanh\left(\frac{c}{2} + \frac{d\sqrt{x}}{2}\right) + 1\right)}{a} + \frac{4b \operatorname{arctanh}\left(\frac{-2b \tanh\left(\frac{c}{2} + \frac{d\sqrt{x}}{2}\right) + 2a}{2\sqrt{a^2 + b^2}}\right)}{a\sqrt{a^2 + b^2}} - \frac{2 \ln\left(\tanh\left(\frac{c}{2} + \frac{d\sqrt{x}}{2}\right) - 1\right)}{a}$	89
default	$\frac{2 \ln\left(\tanh\left(\frac{c}{2} + \frac{d\sqrt{x}}{2}\right) + 1\right)}{a} + \frac{4b \operatorname{arctanh}\left(\frac{-2b \tanh\left(\frac{c}{2} + \frac{d\sqrt{x}}{2}\right) + 2a}{2\sqrt{a^2 + b^2}}\right)}{a\sqrt{a^2 + b^2}} - \frac{2 \ln\left(\tanh\left(\frac{c}{2} + \frac{d\sqrt{x}}{2}\right) - 1\right)}{a}$	89

```
input int(1/x^(1/2)/(a+b*csch(c+d*x^(1/2))),x,method=_RETURNVERBOSE)
```

```
output 2/d*(1/a*ln(tanh(1/2*c+1/2*d*x^(1/2))+1)+2/a*b/(a^2+b^2)^(1/2)*arctanh(1/2
*(-2*b*tanh(1/2*c+1/2*d*x^(1/2))+2*a)/(a^2+b^2)^(1/2))-1/a*ln(tanh(1/2*c+1
/2*d*x^(1/2))-1))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 123 vs. $2(56) = 112$.

Time = 0.10 (sec) , antiderivative size = 123, normalized size of antiderivative = 1.95

$$\int \frac{1}{\sqrt{x} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx$$

$$= \frac{2 \left((a^2 + b^2)d\sqrt{x} + \sqrt{a^2 + b^2}b \log \left(\frac{ab + (a^2 + b^2 + \sqrt{a^2 + b^2}b) \cosh(d\sqrt{x} + c) - (b^2 + \sqrt{a^2 + b^2}b) \sinh(d\sqrt{x} + c) + \sqrt{a^2 + b^2}a}{a \sinh(d\sqrt{x} + c) + b} \right) \right)}{(a^3 + ab^2)d}$$

input `integrate(1/x^(1/2)/(a+b*csch(c+d*x^(1/2))),x, algorithm="fricas")`

output `2*((a^2 + b^2)*d*sqrt(x) + sqrt(a^2 + b^2)*b*log((a*b + (a^2 + b^2 + sqrt(a^2 + b^2)*b)*cosh(d*sqrt(x) + c) - (b^2 + sqrt(a^2 + b^2)*b)*sinh(d*sqrt(x) + c) + sqrt(a^2 + b^2)*a)/(a*sinh(d*sqrt(x) + c) + b)))/(a^3 + a*b^2)*d)`

Sympy [F]

$$\int \frac{1}{\sqrt{x} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx = \int \frac{1}{\sqrt{x} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx$$

input `integrate(1/x**(1/2)/(a+b*csch(c+d*x**(1/2))),x)`

output `Integral(1/(sqrt(x)*(a + b*csch(c + d*sqrt(x)))), x)`

Maxima [A] (verification not implemented)

Time = 0.28 (sec) , antiderivative size = 92, normalized size of antiderivative = 1.46

$$\int \frac{1}{\sqrt{x} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx = -\frac{2b \log\left(\frac{ae^{(-d\sqrt{x}-c)} - b - \sqrt{a^2+b^2}}{ae^{(-d\sqrt{x}-c)} - b + \sqrt{a^2+b^2}}\right)}{\sqrt{a^2+b^2}ad} + \frac{2(d\sqrt{x} + c)}{ad}$$

input `integrate(1/x^(1/2)/(a+b*csch(c+d*x^(1/2))),x, algorithm="maxima")`output `-2*b*log((a*e^(-d*sqrt(x) - c) - b - sqrt(a^2 + b^2))/(a*e^(-d*sqrt(x) - c) - b + sqrt(a^2 + b^2)))/(sqrt(a^2 + b^2)*a*d) + 2*(d*sqrt(x) + c)/(a*d)`**Giac [A] (verification not implemented)**

Time = 0.16 (sec) , antiderivative size = 92, normalized size of antiderivative = 1.46

$$\int \frac{1}{\sqrt{x} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx = -\frac{2b \log\left(\left|\frac{2ae^{(d\sqrt{x}+c)} + 2b - 2\sqrt{a^2+b^2}}{2ae^{(d\sqrt{x}+c)} + 2b + 2\sqrt{a^2+b^2}}\right|\right)}{\sqrt{a^2+b^2}ad} + \frac{2(d\sqrt{x} + c)}{ad}$$

input `integrate(1/x^(1/2)/(a+b*csch(c+d*x^(1/2))),x, algorithm="giac")`output `-2*b*log(abs(2*a*e^(d*sqrt(x) + c) + 2*b - 2*sqrt(a^2 + b^2))/abs(2*a*e^(d*sqrt(x) + c) + 2*b + 2*sqrt(a^2 + b^2)))/(sqrt(a^2 + b^2)*a*d) + 2*(d*sqrt(x) + c)/(a*d)`**Mupad [B] (verification not implemented)**

Time = 2.92 (sec) , antiderivative size = 145, normalized size of antiderivative = 2.30

$$\int \frac{1}{\sqrt{x} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx = \frac{2\sqrt{x}}{a} - \frac{2b \ln\left(\frac{2be^{d\sqrt{x}}e^c}{a^2\sqrt{x}} - \frac{2b(a-be^{d\sqrt{x}}e^c)}{a^2\sqrt{x}\sqrt{a^2+b^2}}\right)}{ad\sqrt{a^2+b^2}} + \frac{2b \ln\left(\frac{2be^{d\sqrt{x}}e^c}{a^2\sqrt{x}} + \frac{2b(a-be^{d\sqrt{x}}e^c)}{a^2\sqrt{x}\sqrt{a^2+b^2}}\right)}{ad\sqrt{a^2+b^2}}$$

input `int(1/(x^(1/2)*(a + b/sinh(c + d*x^(1/2)))) ,x)`

output `(2*x^(1/2))/a - (2*b*log((2*b*exp(d*x^(1/2))*exp(c))/(a^2*x^(1/2)) - (2*b*(a - b*exp(d*x^(1/2))*exp(c)))/(a^2*x^(1/2)*(a^2 + b^2)^(1/2))))/(a*d*(a^2 + b^2)^(1/2)) + (2*b*log((2*b*exp(d*x^(1/2))*exp(c))/(a^2*x^(1/2)) + (2*b*(a - b*exp(d*x^(1/2))*exp(c)))/(a^2*x^(1/2)*(a^2 + b^2)^(1/2))))/(a*d*(a^2 + b^2)^(1/2))`

Reduce [B] (verification not implemented)

Time = 0.25 (sec) , antiderivative size = 71, normalized size of antiderivative = 1.13

$$\int \frac{1}{\sqrt{x} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx$$

$$= \frac{-4\sqrt{a^2 + b^2} \operatorname{atan}\left(\frac{e^{\sqrt{x}d + c} ai + bi}{\sqrt{a^2 + b^2}}\right) bi + 2\sqrt{x} a^2 d + 2\sqrt{x} b^2 d}{ad(a^2 + b^2)}$$

input `int(1/x^(1/2)/(a+b*csch(c+d*x^(1/2)))) ,x)`

output `(2*(- 2*sqrt(a**2 + b**2)*atan((e**(sqrt(x)*d + c)*a*i + b*i)/sqrt(a**2 + b**2))*b*i + sqrt(x)*a**2*d + sqrt(x)*b**2*d))/(a*d*(a**2 + b**2))`

$$3.71 \quad \int \frac{1}{x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx$$

Optimal result	486
Mathematica [N/A]	486
Rubi [N/A]	487
Maple [N/A]	487
Fricas [N/A]	488
Sympy [N/A]	488
Maxima [N/A]	488
Giac [N/A]	489
Mupad [N/A]	489
Reduce [N/A]	490

Optimal result

Integrand size = 22, antiderivative size = 22

$$\int \frac{1}{x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx = \operatorname{Int} \left(\frac{1}{x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))}, x \right)$$

output `Defer(Int)(1/x^(3/2)/(a+b*csch(c+d*x^(1/2))),x)`

Mathematica [N/A]

Not integrable

Time = 4.46 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.09

$$\int \frac{1}{x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx = \int \frac{1}{x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx$$

input `Integrate[1/(x^(3/2)*(a + b*Csch[c + d*Sqrt[x]])),x]`

output `Integrate[1/(x^(3/2)*(a + b*Csch[c + d*Sqrt[x]])), x]`

Rubi [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx$$

↓ 5962

$$\int \frac{1}{x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx$$

input `Int[1/(x^(3/2)*(a + b*Csch[c + d*Sqrt[x]])),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.82

$$\int \frac{1}{x^{\frac{3}{2}} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx$$

input `int(1/x^(3/2)/(a+b*csch(c+d*x^(1/2))),x)`

output `int(1/x^(3/2)/(a+b*csch(c+d*x^(1/2))),x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 27, normalized size of antiderivative = 1.23

$$\int \frac{1}{x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx = \int \frac{1}{(b \operatorname{csch}(d\sqrt{x} + c) + a) x^{3/2}} dx$$

input `integrate(1/x^(3/2)/(a+b*csch(c+d*x^(1/2))),x, algorithm="fricas")`

output `integral(sqrt(x)/(b*x^2*csch(d*sqrt(x) + c) + a*x^2), x)`

Sympy [N/A]

Not integrable

Time = 1.76 (sec) , antiderivative size = 20, normalized size of antiderivative = 0.91

$$\int \frac{1}{x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx = \int \frac{1}{x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx$$

input `integrate(1/x**(3/2)/(a+b*csch(c+d*x**(1/2))),x)`

output `Integral(1/(x**(3/2)*(a + b*csch(c + d*sqrt(x))))), x)`

Maxima [N/A]

Not integrable

Time = 0.92 (sec) , antiderivative size = 67, normalized size of antiderivative = 3.05

$$\int \frac{1}{x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx = \int \frac{1}{(b \operatorname{csch}(d\sqrt{x} + c) + a) x^{3/2}} dx$$

input `integrate(1/x^(3/2)/(a+b*csch(c+d*x^(1/2))),x, algorithm="maxima")`

output `-2*b*integrate(e^(d*sqrt(x) + c)/(a^2*x^(3/2)*e^(2*d*sqrt(x) + 2*c) + 2*a*b*x^(3/2)*e^(d*sqrt(x) + c) - a^2*x^(3/2)), x) - 2/(a*sqrt(x))`

Giac [N/A]

Not integrable

Time = 0.17 (sec) , antiderivative size = 20, normalized size of antiderivative = 0.91

$$\int \frac{1}{x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx = \int \frac{1}{(b \operatorname{csch}(d\sqrt{x} + c) + a) x^{3/2}} dx$$

input `integrate(1/x^(3/2)/(a+b*csch(c+d*x^(1/2))),x, algorithm="giac")`

output `integrate(1/((b*csch(d*sqrt(x) + c) + a)*x^(3/2)), x)`

Mupad [N/A]

Not integrable

Time = 2.57 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx = \int \frac{1}{x^{3/2} \left(a + \frac{b}{\sinh(c + d\sqrt{x})} \right)} dx$$

input `int(1/(x^(3/2)*(a + b/sinh(c + d*x^(1/2))))),x)`

output `int(1/(x^(3/2)*(a + b/sinh(c + d*x^(1/2))))), x)`

Reduce [N/A]

Not integrable

Time = 0.26 (sec) , antiderivative size = 99, normalized size of antiderivative = 4.50

$$\int \frac{1}{x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx = e^{2c} \left(\int \frac{e^{2\sqrt{x}d}}{\sqrt{x} e^{2\sqrt{x}d+2c} a x + 2\sqrt{x} e^{\sqrt{x}d+c} b x - \sqrt{x} a x} dx \right) - \left(\int \frac{1}{\sqrt{x} e^{2\sqrt{x}d+2c} a x + 2\sqrt{x} e^{\sqrt{x}d+c} b x - \sqrt{x} a x} dx \right)$$

input `int(1/x^(3/2)/(a+b*csch(c+d*x^(1/2))),x)`output `e**(2*c)*int(e**(2*sqrt(x)*d)/(sqrt(x)*e**(2*sqrt(x)*d + 2*c)*a*x + 2*sqrt(x)*e**(sqrt(x)*d + c)*b*x - sqrt(x)*a*x),x) - int(1/(sqrt(x)*e**(2*sqrt(x)*d + 2*c)*a*x + 2*sqrt(x)*e**(sqrt(x)*d + c)*b*x - sqrt(x)*a*x),x)`

$$3.72 \quad \int \frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx$$

Optimal result	491
Mathematica [N/A]	491
Rubi [N/A]	492
Maple [N/A]	492
Fricas [N/A]	493
Sympy [N/A]	493
Maxima [N/A]	493
Giac [N/A]	494
Mupad [N/A]	494
Reduce [N/A]	495

Optimal result

Integrand size = 22, antiderivative size = 22

$$\int \frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx = \operatorname{Int}\left(\frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))}, x\right)$$

output `Defer(Int)(1/x^(5/2)/(a+b*csch(c+d*x^(1/2))),x)`

Mathematica [N/A]

Not integrable

Time = 4.50 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.09

$$\int \frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx = \int \frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx$$

input `Integrate[1/(x^(5/2)*(a + b*Csch[c + d*Sqrt[x]])),x]`

output `Integrate[1/(x^(5/2)*(a + b*Csch[c + d*Sqrt[x]])), x]`

Rubi [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx$$

↓ 5962

$$\int \frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx$$

input `Int[1/(x^(5/2)*(a + b*Csch[c + d*Sqrt[x]])),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.82

$$\int \frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx$$

input `int(1/x^(5/2)/(a+b*csch(c+d*x^(1/2))),x)`

output `int(1/x^(5/2)/(a+b*csch(c+d*x^(1/2))),x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 27, normalized size of antiderivative = 1.23

$$\int \frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx = \int \frac{1}{(b \operatorname{csch}(d\sqrt{x} + c) + a) x^{5/2}} dx$$

input `integrate(1/x^(5/2)/(a+b*csch(c+d*x^(1/2))),x, algorithm="fricas")`

output `integral(sqrt(x)/(b*x^3*csch(d*sqrt(x) + c) + a*x^3), x)`

Sympy [N/A]

Not integrable

Time = 1.74 (sec) , antiderivative size = 20, normalized size of antiderivative = 0.91

$$\int \frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx = \int \frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx$$

input `integrate(1/x**(5/2)/(a+b*csch(c+d*x**(1/2))),x)`

output `Integral(1/(x**(5/2)*(a + b*csch(c + d*sqrt(x))))), x)`

Maxima [N/A]

Not integrable

Time = 1.51 (sec) , antiderivative size = 67, normalized size of antiderivative = 3.05

$$\int \frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx = \int \frac{1}{(b \operatorname{csch}(d\sqrt{x} + c) + a) x^{5/2}} dx$$

input `integrate(1/x^(5/2)/(a+b*csch(c+d*x^(1/2))),x, algorithm="maxima")`

output

```
-2*b*integrate(e^(d*sqrt(x) + c)/(a^2*x^(5/2)*e^(2*d*sqrt(x) + 2*c) + 2*a*
b*x^(5/2)*e^(d*sqrt(x) + c) - a^2*x^(5/2)), x) - 2/3/(a*x^(3/2))
```

Giac [N/A]

Not integrable

Time = 0.27 (sec) , antiderivative size = 20, normalized size of antiderivative = 0.91

$$\int \frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx = \int \frac{1}{(b \operatorname{csch}(d\sqrt{x} + c) + a) x^{5/2}} dx$$

input

```
integrate(1/x^(5/2)/(a+b*csch(c+d*x^(1/2))),x, algorithm="giac")
```

output

```
integrate(1/((b*csch(d*sqrt(x) + c) + a)*x^(5/2)), x)
```

Mupad [N/A]

Not integrable

Time = 2.56 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx = \int \frac{1}{x^{5/2} \left(a + \frac{b}{\sinh(c + d\sqrt{x})} \right)} dx$$

input

```
int(1/(x^(5/2)*(a + b/sinh(c + d*x^(1/2))))),x)
```

output

```
int(1/(x^(5/2)*(a + b/sinh(c + d*x^(1/2))))), x)
```

Reduce [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 108, normalized size of antiderivative = 4.91

$$\int \frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))} dx = e^{2c} \left(\int \frac{e^{2\sqrt{x}d}}{\sqrt{x} e^{2\sqrt{x}d+2c} a x^2 + 2\sqrt{x} e^{\sqrt{x}d+c} b x^2 - \sqrt{x} a x^2} dx \right) - \left(\int \frac{\sqrt{x}}{e^{2\sqrt{x}d+2c} a x^3 + 2e^{\sqrt{x}d+c} b x^3 - a x^3} dx \right)$$

input `int(1/x^(5/2)/(a+b*csch(c+d*x^(1/2))),x)`

output `e**(2*c)*int(e**(2*sqrt(x)*d)/(sqrt(x)*e**(2*sqrt(x)*d + 2*c)*a*x**2 + 2*sqrt(x)*e**(sqrt(x)*d + c)*b*x**2 - sqrt(x)*a*x**2),x) - int(sqrt(x)/(e**(2*sqrt(x)*d + 2*c)*a*x**3 + 2*e**(sqrt(x)*d + c)*b*x**3 - a*x**3),x)`

3.73
$$\int \frac{x^{3/2}}{\left(a+b\mathbf{csch}(c+d\sqrt{x})\right)^2} dx$$

Optimal result	496
Mathematica [A] (verified)	497
Rubi [A] (verified)	498
Maple [F]	500
Fricas [F]	501
Sympy [F]	501
Maxima [F]	501
Giac [F]	502
Mupad [F(-1)]	502
Reduce [F]	503

Optimal result

Integrand size = 22, antiderivative size = 1639

$$\int \frac{x^{3/2}}{\left(a + b\mathbf{csch}(c + d\sqrt{x})\right)^2} dx = \text{Too large to display}$$

output

```

-48*b^2*x^(1/2)*polylog(3,-a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)))/a^2/(a^
2+b^2)/d^4+96*b*x^(1/2)*polylog(4,-a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))
/a^2/(a^2+b^2)^(1/2)/d^4-96*b*x^(1/2)*polylog(4,-a*exp(c+d*x^(1/2))/(b-(a^
2+b^2)^(1/2)))/a^2/(a^2+b^2)^(1/2)/d^4+24*b^3*x*polylog(3,-a*exp(c+d*x^(1/
2))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d^3-24*b^3*x*polylog(3,-a*exp
(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d^3+2/5*x^(5/2)/a^2
+24*b^2*x*polylog(2,-a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)
/d^3-8*b^3*x^(3/2)*polylog(2,-a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a^2/
(a^2+b^2)^(3/2)/d^2+24*b^2*x*polylog(2,-a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1
/2)))/a^2/(a^2+b^2)/d^3+8*b^3*x^(3/2)*polylog(2,-a*exp(c+d*x^(1/2))/(b-(a^
2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d^2+8*b^2*x^(3/2)*ln(1+a*exp(c+d*x^(1/2)
))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)/d^2-2*b^3*x^2*ln(1+a*exp(c+d*x^(1/2)
))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d+8*b^2*x^(3/2)*ln(1+a*exp(c+d*
x^(1/2))/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)/d^2+2*b^3*x^2*ln(1+a*exp(c+d*x
^(1/2))/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d-48*b*x*polylog(3,-a*exp
(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(1/2)/d^3+16*b*x^(
3/2)*polylog(2,-a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(1/
2)/d^2-16*b*x^(3/2)*polylog(2,-a*exp(c+d*x^(1/2))/(b-(a^2+b^2)^(1/2)))/a^2
/(a^2+b^2)^(1/2)/d^2+4*b*x^2*ln(1+a*exp(c+d*x^(1/2))/(b+(a^2+b^2)^(1/2))...

```

Mathematica [A] (verified)

Time = 5.92 (sec) , antiderivative size = 1696, normalized size of antiderivative = 1.03

$$\int \frac{x^{3/2}}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \text{Too large to display}$$

input

```
Integrate[x^(3/2)/(a + b*Csch[c + d*Sqrt[x]])^2,x]
```

output

```
(2*Csch[c + d*Sqrt[x]]^2*(b + a*Sinh[c + d*Sqrt[x]]*(x^(5/2)*(b + a*Sinh[
c + d*Sqrt[x]])) - (5*b*E^c*(2*b*E^c*x^2 - ((-1 + E^(2*c))*(4*b*d^3*Sqrt[(a
^2 + b^2)*E^(2*c)]*x^(3/2)*Log[1 + (a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(
a^2 + b^2)*E^(2*c)])) - 2*a^2*d^4*E^c*x^2*Log[1 + (a*E^(2*c + d*Sqrt[x]))/
(b*E^c - Sqrt[(a^2 + b^2)*E^(2*c)])) - b^2*d^4*E^c*x^2*Log[1 + (a*E^(2*c +
d*Sqrt[x]))/(b*E^c - Sqrt[(a^2 + b^2)*E^(2*c)])) + 4*b*d^3*Sqrt[(a^2 + b^
2)*E^(2*c)]*x^(3/2)*Log[1 + (a*E^(2*c + d*Sqrt[x]))/(b*E^c + Sqrt[(a^2 + b
^2)*E^(2*c)])) + 2*a^2*d^4*E^c*x^2*Log[1 + (a*E^(2*c + d*Sqrt[x]))/(b*E^c
+ Sqrt[(a^2 + b^2)*E^(2*c)])) + b^2*d^4*E^c*x^2*Log[1 + (a*E^(2*c + d*Sqrt
[x]))/(b*E^c + Sqrt[(a^2 + b^2)*E^(2*c)])) - 4*d^2*(-3*b*Sqrt[(a^2 + b^2)*
E^(2*c)] + 2*a^2*d*E^c*Sqrt[x] + b^2*d*E^c*Sqrt[x])*x*PolyLog[2, -((a*E^(2
*c + d*Sqrt[x]))/(b*E^c - Sqrt[(a^2 + b^2)*E^(2*c)])))] + 4*d^2*(3*b*Sqrt[(
a^2 + b^2)*E^(2*c)] + 2*a^2*d*E^c*Sqrt[x] + b^2*d*E^c*Sqrt[x])*x*PolyLog[2
, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c + Sqrt[(a^2 + b^2)*E^(2*c)])))] - 24*b*d
*Sqrt[(a^2 + b^2)*E^(2*c)]*Sqrt[x]*PolyLog[3, -((a*E^(2*c + d*Sqrt[x]))/(b
*E^c - Sqrt[(a^2 + b^2)*E^(2*c)])))] + 24*a^2*d^2*E^c*x*PolyLog[3, -((a*E^(
2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(a^2 + b^2)*E^(2*c)])))] + 12*b^2*d^2*E^c*x
*PolyLog[3, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(a^2 + b^2)*E^(2*c)])))]
] - 24*b*d*Sqrt[(a^2 + b^2)*E^(2*c)]*Sqrt[x]*PolyLog[3, -((a*E^(2*c + d*Sq
rt[x]))/(b*E^c + Sqrt[(a^2 + b^2)*E^(2*c)])))] - 24*a^2*d^2*E^c*x*PolyLo...
```

Rubi [A] (verified)

Time = 3.55 (sec) , antiderivative size = 1640, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {5960, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^{3/2}}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

$$\downarrow \text{5960}$$

$$2 \int \frac{x^2}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} d\sqrt{x}$$

$$\downarrow \text{3042}$$

$$\begin{aligned}
& 2 \int \frac{x^2}{(a + ib \operatorname{csc}(ic + id\sqrt{x}))^2} d\sqrt{x} \\
& \quad \downarrow 4679 \\
& 2 \int \left(-\frac{2bx^2}{a^2(b + a \sinh(c + d\sqrt{x}))} + \frac{x^2}{a^2} + \frac{b^2x^2}{a^2(b + a \sinh(c + d\sqrt{x}))^2} \right) d\sqrt{x} \\
& \quad \downarrow 2009 \\
& 2 \left(\frac{x^2 \log\left(\frac{e^{c+d\sqrt{x}}a}{b-\sqrt{a^2+b^2}} + 1\right) b^3}{a^2(a^2+b^2)^{3/2}d} - \frac{x^2 \log\left(\frac{e^{c+d\sqrt{x}}a}{b+\sqrt{a^2+b^2}} + 1\right) b^3}{a^2(a^2+b^2)^{3/2}d} + \frac{4x^{3/2} \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right) b^3}{a^2(a^2+b^2)^{3/2}d^2} - \frac{4x^{3/2} \operatorname{PolyLog}\left(2, \frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right) b^3}{a^2(a^2+b^2)^{3/2}d^2} \right)
\end{aligned}$$

input `Int[x^(3/2)/(a + b*Csch[c + d*Sqrt[x]])^2,x]`

output

```

2*(-((b^2*x^2)/(a^2*(a^2 + b^2)*d)) + x^(5/2)/(5*a^2) + (4*b^2*x^(3/2)*Log
[1 + (a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2])])/(a^2*(a^2 + b^2)*d^2) +
(b^3*x^2*Log[1 + (a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2])])/(a^2*(a^2
+ b^2)^(3/2)*d) - (2*b*x^2*Log[1 + (a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b
^2])])/(a^2*Sqrt[a^2 + b^2]*d) + (4*b^2*x^(3/2)*Log[1 + (a*E^(c + d*Sqrt[x
]))/(b + Sqrt[a^2 + b^2])])/(a^2*(a^2 + b^2)*d^2) - (b^3*x^2*Log[1 + (a*E
(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2])])/(a^2*(a^2 + b^2)^(3/2)*d) + (2*b*
x^2*Log[1 + (a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2])])/(a^2*Sqrt[a^2 +
b^2]*d) + (12*b^2*x*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2
]))])/(a^2*(a^2 + b^2)*d^3) + (4*b^3*x^(3/2)*PolyLog[2, -((a*E^(c + d*Sqrt
[x]))/(b - Sqrt[a^2 + b^2]))])/(a^2*(a^2 + b^2)^(3/2)*d^2) - (8*b*x^(3/2)*
PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a^2*Sqrt[a^2
+ b^2]*d^2) + (12*b^2*x*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 +
b^2]))])/(a^2*(a^2 + b^2)*d^3) - (4*b^3*x^(3/2)*PolyLog[2, -((a*E^(c + d*
Sqrt[x]))/(b + Sqrt[a^2 + b^2]))])/(a^2*(a^2 + b^2)^(3/2)*d^2) + (8*b*x^(3
/2)*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2]))])/(a^2*Sqrt[
a^2 + b^2]*d^2) - (24*b^2*Sqrt[x]*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/(b -
Sqrt[a^2 + b^2]))])/(a^2*(a^2 + b^2)*d^4) - (12*b^3*x*PolyLog[3, -((a*E^(c
+ d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a^2*(a^2 + b^2)^(3/2)*d^3) + (24*
b*x*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a^2*Sq...

```

Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4679 `Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Sin[e + f*x])^n), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]`

rule 5960 `Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_)])*(b_.))^(p_.)*(x_)^(m_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [F]

$$\int \frac{x^{\frac{3}{2}}}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

input `int(x^(3/2)/(a+b*csch(c+d*x^(1/2)))^2,x)`

output `int(x^(3/2)/(a+b*csch(c+d*x^(1/2)))^2,x)`

Fricas [F]

$$\int \frac{x^{3/2}}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{x^{3/2}}{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2} dx$$

input `integrate(x^(3/2)/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="fricas")`

output `integral(x^(3/2)/(b^2*csch(d*sqrt(x) + c)^2 + 2*a*b*csch(d*sqrt(x) + c) + a^2), x)`

Sympy [F]

$$\int \frac{x^{3/2}}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{x^{3/2}}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

input `integrate(x**(3/2)/(a+b*csch(c+d*x**(1/2)))**2,x)`

output `Integral(x**(3/2)/(a + b*csch(c + d*sqrt(x)))**2, x)`

Maxima [F]

$$\int \frac{x^{3/2}}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{x^{3/2}}{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2} dx$$

input `integrate(x^(3/2)/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="maxima")`

output

```
2/5*(10*a*b^2*x^2 - (a^3*d*e^(2*c) + a*b^2*d*e^(2*c))*x^(5/2)*e^(2*d*sqrt(x)) + (a^3*d + a*b^2*d)*x^(5/2) - 2*(5*b^3*x^2*e^c + (a^2*b*d*e^c + b^3*d*e^c)*x^(5/2))*e^(d*sqrt(x)))/(a^5*d + a^3*b^2*d - (a^5*d*e^(2*c) + a^3*b^2*d*e^(2*c))*e^(2*d*sqrt(x)) - 2*(a^4*b*d*e^c + a^2*b^3*d*e^c)*e^(d*sqrt(x))) - integrate(-2*(4*a*b^2*x^2 - (4*b^3*x^2*e^c + (2*a^2*b*d*e^c + b^3*d*e^c)*x^(5/2))*e^(d*sqrt(x)))/((a^5*d*e^(2*c) + a^3*b^2*d*e^(2*c))*x*e^(2*d*sqrt(x)) + 2*(a^4*b*d*e^c + a^2*b^3*d*e^c)*x*e^(d*sqrt(x)) - (a^5*d + a^3*b^2*d)*x), x)
```

Giac [F]

$$\int \frac{x^{3/2}}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{x^{\frac{3}{2}}}{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2} dx$$

input

```
integrate(x^(3/2)/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="giac")
```

output

```
integrate(x^(3/2)/(b*csch(d*sqrt(x) + c) + a)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{x^{3/2}}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{x^{3/2}}{\left(a + \frac{b}{\sinh(c + d\sqrt{x})}\right)^2} dx$$

input

```
int(x^(3/2)/(a + b/sinh(c + d*x^(1/2)))^2,x)
```

output

```
int(x^(3/2)/(a + b/sinh(c + d*x^(1/2)))^2, x)
```

Reduce [F]

$$\int \frac{x^{3/2}}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \text{too large to display}$$

input `int(x^(3/2)/(a+b*csch(c+d*x^(1/2)))^2,x)`

output

```
(2*(- 480***2*sqrt(x)*d + 2*c)*sqrt(a**2 + b**2)*atan((e**(sqrt(x)*d +
c)*a*i + b*i)/sqrt(a**2 + b**2))*a**3*b*i - 870*e**(2*sqrt(x)*d + 2*c)*sq
rt(a**2 + b**2)*atan((e**(sqrt(x)*d + c)*a*i + b*i)/sqrt(a**2 + b**2))*a*b*
*3*i - 960*e**(sqrt(x)*d + c)*sqrt(a**2 + b**2)*atan((e**(sqrt(x)*d + c)*a
*i + b*i)/sqrt(a**2 + b**2))*a**2*b**2*i - 1740*e**(sqrt(x)*d + c)*sqrt(a
**2 + b**2)*atan((e**(sqrt(x)*d + c)*a*i + b*i)/sqrt(a**2 + b**2))*b**4*i +
480*sqrt(a**2 + b**2)*atan((e**(sqrt(x)*d + c)*a*i + b*i)/sqrt(a**2 + b**
2))*a**3*b*i + 870*sqrt(a**2 + b**2)*atan((e**(sqrt(x)*d + c)*a*i + b*i)/s
qrt(a**2 + b**2))*a*b**3*i + 480*e**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d
/(e**(4*sqrt(x)*d + 4*c)*a**2 + 4*e**(3*sqrt(x)*d + 3*c)*a*b - 2*e**(2*sq
rt(x)*d + 2*c)*a**2 + 4*e**(2*sqrt(x)*d + 2*c)*b**2 - 4*e**(sqrt(x)*d + c)*
a*b + a**2),x)*a**6*b*d**2 + 570*e**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d
/(e**(4*sqrt(x)*d + 4*c)*a**2 + 4*e**(3*sqrt(x)*d + 3*c)*a*b - 2*e**(2*sq
rt(x)*d + 2*c)*a**2 + 4*e**(2*sqrt(x)*d + 2*c)*b**2 - 4*e**(sqrt(x)*d + c)*
a*b + a**2),x)*a**4*b**3*d**2 + 90*e**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*
d)/(e**(4*sqrt(x)*d + 4*c)*a**2 + 4*e**(3*sqrt(x)*d + 3*c)*a*b - 2*e**(2*s
qrt(x)*d + 2*c)*a**2 + 4*e**(2*sqrt(x)*d + 2*c)*b**2 - 4*e**(sqrt(x)*d + c
)*a*b + a**2),x)*a**2*b**5*d**2 + 80*e**(2*sqrt(x)*d + 3*c)*int((e**(sqrt(
x)*d)*x)/(e**(4*sqrt(x)*d + 4*c)*a**2 + 4*e**(3*sqrt(x)*d + 3*c)*a*b - 2*e
**(2*sqrt(x)*d + 2*c)*a**2 + 4*e**(2*sqrt(x)*d + 2*c)*b**2 - 4*e**(sqrt...
```


$$3.74 \quad \int \frac{\sqrt{x}}{\left(a+b\mathbf{csch}(c+d\sqrt{x})\right)^2} dx$$

Optimal result	504
Mathematica [A] (verified)	505
Rubi [A] (verified)	506
Maple [F]	508
Fricas [F]	509
Sympy [F]	509
Maxima [F]	509
Giac [F]	510
Mupad [F(-1)]	510
Reduce [F]	511

Optimal result

Integrand size = 22, antiderivative size = 959

$$\int \frac{\sqrt{x}}{\left(a+b\mathbf{csch}(c+d\sqrt{x})\right)^2} dx = \text{Too large to display}$$

output

```

-2*b^2*x/a^2/(a^2+b^2)/d+2/3*x^(3/2)/a^2+4*b^2*x^(1/2)*ln(1+a*exp(c+d*x^(1/2)))/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)/d^2+2*b^3*x*ln(1+a*exp(c+d*x^(1/2)))/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d-4*b*x*ln(1+a*exp(c+d*x^(1/2)))/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(1/2)/d+4*b^2*x^(1/2)*ln(1+a*exp(c+d*x^(1/2)))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)/d^2-2*b^3*x*ln(1+a*exp(c+d*x^(1/2)))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d+4*b*x*ln(1+a*exp(c+d*x^(1/2)))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(1/2)/d+4*b^2*polylog(2,-a*exp(c+d*x^(1/2)))/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)/d^3+4*b^3*x^(1/2)*polylog(2,-a*exp(c+d*x^(1/2)))/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d^2-8*b*x^(1/2)*polylog(2,-a*exp(c+d*x^(1/2)))/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(1/2)/d^2+4*b^2*polylog(2,-a*exp(c+d*x^(1/2)))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)/d^3-4*b^3*x^(1/2)*polylog(2,-a*exp(c+d*x^(1/2)))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d^2+8*b*x^(1/2)*polylog(2,-a*exp(c+d*x^(1/2)))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(1/2)/d^2-4*b^3*polylog(3,-a*exp(c+d*x^(1/2)))/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d^3+8*b*polylog(3,-a*exp(c+d*x^(1/2)))/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(1/2)/d^3+4*b^3*polylog(3,-a*exp(c+d*x^(1/2)))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d^3-8*b*polylog(3,-a*exp(c+d*x^(1/2)))/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(1/2)/d^3-2*b^2*x*cosh(c+d*x^(1/2)))/a/(a^2+b^2)/d/(b+a*sinh(c+d*x^(1/2)))

```

Mathematica [A] (verified)

Time = 2.98 (sec) , antiderivative size = 948, normalized size of antiderivative = 0.99

$$\int \frac{\sqrt{x}}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \text{Too large to display}$$

input

```
Integrate[Sqrt[x]/(a + b*Csch[c + d*Sqrt[x]])^2,x]
```

output

```
(Csch[c + d*Sqrt[x]]^2*(b + a*Sinh[c + d*Sqrt[x]]*(2*x^(3/2)*(b + a*Sinh[
c + d*Sqrt[x]]) - (6*b*E^c*(2*b*E^c*x - ((-1 + E^(2*c))*(2*b*d*Sqrt[(a^2 +
b^2)*E^(2*c)]*Sqrt[x]*Log[1 + (a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(a^2
+ b^2)*E^(2*c)])]) - 2*a^2*d^2*E^c*x*Log[1 + (a*E^(2*c + d*Sqrt[x]))/(b*E^c
- Sqrt[(a^2 + b^2)*E^(2*c)])]) - b^2*d^2*E^c*x*Log[1 + (a*E^(2*c + d*Sqrt[
x]))/(b*E^c - Sqrt[(a^2 + b^2)*E^(2*c)])]) + 2*b*d*Sqrt[(a^2 + b^2)*E^(2*c)
]*Sqrt[x]*Log[1 + (a*E^(2*c + d*Sqrt[x]))/(b*E^c + Sqrt[(a^2 + b^2)*E^(2*c)
])]) + 2*a^2*d^2*E^c*x*Log[1 + (a*E^(2*c + d*Sqrt[x]))/(b*E^c + Sqrt[(a^2
+ b^2)*E^(2*c)])]) + b^2*d^2*E^c*x*Log[1 + (a*E^(2*c + d*Sqrt[x]))/(b*E^c +
Sqrt[(a^2 + b^2)*E^(2*c)])]) + 2*(b*Sqrt[(a^2 + b^2)*E^(2*c)] - 2*a^2*d*E^
c*Sqrt[x] - b^2*d*E^c*Sqrt[x])*PolyLog[2, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c
- Sqrt[(a^2 + b^2)*E^(2*c)]))]) + 2*(b*Sqrt[(a^2 + b^2)*E^(2*c)] + 2*a^2*d
*E^c*Sqrt[x] + b^2*d*E^c*Sqrt[x])*PolyLog[2, -((a*E^(2*c + d*Sqrt[x]))/(b*
E^c + Sqrt[(a^2 + b^2)*E^(2*c)]))]) + 4*a^2*E^c*PolyLog[3, -((a*E^(2*c + d
Sqrt[x]))/(b*E^c - Sqrt[(a^2 + b^2)*E^(2*c)]))]) + 2*b^2*E^c*PolyLog[3, -((
a*E^(2*c + d*Sqrt[x]))/(b*E^c - Sqrt[(a^2 + b^2)*E^(2*c)]))]) - 4*a^2*E^c*P
olyLog[3, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c + Sqrt[(a^2 + b^2)*E^(2*c)]))])
- 2*b^2*E^c*PolyLog[3, -((a*E^(2*c + d*Sqrt[x]))/(b*E^c + Sqrt[(a^2 + b^2)
*E^(2*c)]))])])/(d^2*E^c*Sqrt[(a^2 + b^2)*E^(2*c)])*(b + a*Sinh[c + d*Sqrt
[x]]))/((a^2 + b^2)*d*(-1 + E^(2*c))) + (6*b^2*x*Csch[c]*(b*Cosh[c] + a...
```

Rubi [A] (verified)

Time = 2.19 (sec) , antiderivative size = 960, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {5960, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\sqrt{x}}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

$$\downarrow \text{5960}$$

$$2 \int \frac{x}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} d\sqrt{x}$$

$$\downarrow \text{3042}$$

$$\begin{aligned}
 & 2 \int \frac{x}{(a + ib \operatorname{csc}(ic + id\sqrt{x}))^2} d\sqrt{x} \\
 & \quad \downarrow \text{4679} \\
 & 2 \int \left(\frac{xb^2}{a^2 (b + a \sinh(c + d\sqrt{x}))^2} - \frac{2xb}{a^2 (b + a \sinh(c + d\sqrt{x}))} + \frac{x}{a^2} \right) d\sqrt{x} \\
 & \quad \downarrow \text{2009} \\
 & 2 \left(\frac{x \log\left(\frac{e^{c+d\sqrt{x}a}}{b-\sqrt{a^2+b^2}} + 1\right) b^3}{a^2 (a^2 + b^2)^{3/2} d} - \frac{x \log\left(\frac{e^{c+d\sqrt{x}a}}{b+\sqrt{a^2+b^2}} + 1\right) b^3}{a^2 (a^2 + b^2)^{3/2} d} + \frac{2\sqrt{x} \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b-\sqrt{a^2+b^2}}\right) b^3}{a^2 (a^2 + b^2)^{3/2} d^2} - \frac{2\sqrt{x} \operatorname{PolyLog}\left(2, -\frac{ae^{c+d\sqrt{x}}}{b+\sqrt{a^2+b^2}}\right) b^3}{a^2 (a^2 + b^2)^{3/2} d^2} \right)
 \end{aligned}$$

input `Int[Sqrt[x]/(a + b*Csch[c + d*Sqrt[x]])^2,x]`

output

```

2*(-((b^2*x)/(a^2*(a^2 + b^2)*d)) + x^(3/2)/(3*a^2) + (2*b^2*Sqrt[x]*Log[1
+ (a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2])])/(a^2*(a^2 + b^2)*d^2) + (
b^3*x*Log[1 + (a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2])])/(a^2*(a^2 + b^
2)^(3/2)*d) - (2*b*x*Log[1 + (a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2])])
/(a^2*Sqrt[a^2 + b^2]*d) + (2*b^2*Sqrt[x]*Log[1 + (a*E^(c + d*Sqrt[x]))/(b
+ Sqrt[a^2 + b^2])])/(a^2*(a^2 + b^2)*d^2) - (b^3*x*Log[1 + (a*E^(c + d*S
qrt[x]))/(b + Sqrt[a^2 + b^2])])/(a^2*(a^2 + b^2)^(3/2)*d) + (2*b*x*Log[1
+ (a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2])])/(a^2*Sqrt[a^2 + b^2]*d) +
(2*b^2*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a^2*(a
^2 + b^2)*d^3) + (2*b^3*Sqrt[x]*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b - Sq
rt[a^2 + b^2]))])/(a^2*(a^2 + b^2)^(3/2)*d^2) - (4*b*Sqrt[x]*PolyLog[2, -(
(a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a^2*Sqrt[a^2 + b^2]*d^2) +
(2*b^2*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2]))])/(a^2*(
a^2 + b^2)*d^3) - (2*b^3*Sqrt[x]*PolyLog[2, -((a*E^(c + d*Sqrt[x]))/(b + S
qrt[a^2 + b^2]))])/(a^2*(a^2 + b^2)^(3/2)*d^2) + (4*b*Sqrt[x]*PolyLog[2, -
((a*E^(c + d*Sqrt[x]))/(b + Sqrt[a^2 + b^2]))])/(a^2*Sqrt[a^2 + b^2]*d^2)
- (2*b^3*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt[a^2 + b^2]))])/(a^2*
(a^2 + b^2)^(3/2)*d^3) + (4*b*PolyLog[3, -((a*E^(c + d*Sqrt[x]))/(b - Sqrt
[a^2 + b^2]))])/(a^2*Sqrt[a^2 + b^2]*d^3) + (2*b^3*PolyLog[3, -((a*E^(c +
d*Sqrt[x]))/(b + Sqrt[a^2 + b^2]))])/(a^2*(a^2 + b^2)^(3/2)*d^3) - (4*b...
    
```

Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4679 `Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Sinn[e + f*x]^n)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]`

rule 5960 `Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_)])*(b_.))^(p_.)*(x_)^(m_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [F]

$$\int \frac{\sqrt{x}}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

input `int(x^(1/2)/(a+b*csch(c+d*x^(1/2)))^2,x)`

output `int(x^(1/2)/(a+b*csch(c+d*x^(1/2)))^2,x)`

Fricas [F]

$$\int \frac{\sqrt{x}}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{\sqrt{x}}{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2} dx$$

input `integrate(x^(1/2)/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="fricas")`

output `integral(sqrt(x)/(b^2*csch(d*sqrt(x) + c)^2 + 2*a*b*csch(d*sqrt(x) + c) + a^2), x)`

Sympy [F]

$$\int \frac{\sqrt{x}}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{\sqrt{x}}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

input `integrate(x**(1/2)/(a+b*csch(c+d*x**(1/2)))**2,x)`

output `Integral(sqrt(x)/(a + b*csch(c + d*sqrt(x)))**2, x)`

Maxima [F]

$$\int \frac{\sqrt{x}}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{\sqrt{x}}{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2} dx$$

input `integrate(x^(1/2)/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="maxima")`

output

```
2/3*(6*a*b^2*x - (a^3*d*e^(2*c) + a*b^2*d*e^(2*c))*x^(3/2)*e^(2*d*sqrt(x))
+ (a^3*d + a*b^2*d)*x^(3/2) - 2*(3*b^3*x*e^c + (a^2*b*d*e^c + b^3*d*e^c)*
x^(3/2))*e^(d*sqrt(x)))/(a^5*d + a^3*b^2*d - (a^5*d*e^(2*c) + a^3*b^2*d*e^
(2*c))*e^(2*d*sqrt(x)) - 2*(a^4*b*d*e^c + a^2*b^3*d*e^c)*e^(d*sqrt(x))) -
integrate(-2*(2*a*b^2*x - (2*b^3*x*e^c + (2*a^2*b*d*e^c + b^3*d*e^c)*x^(3/
2))*e^(d*sqrt(x)))/((a^5*d*e^(2*c) + a^3*b^2*d*e^(2*c))*x*e^(2*d*sqrt(x))
+ 2*(a^4*b*d*e^c + a^2*b^3*d*e^c)*x*e^(d*sqrt(x)) - (a^5*d + a^3*b^2*d)*x
, x)
```

Giac [F]

$$\int \frac{\sqrt{x}}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{\sqrt{x}}{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2} dx$$

input

```
integrate(x^(1/2)/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="giac")
```

output

```
integrate(sqrt(x)/(b*csch(d*sqrt(x) + c) + a)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\sqrt{x}}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{\sqrt{x}}{\left(a + \frac{b}{\sinh(c + d\sqrt{x})}\right)^2} dx$$

input

```
int(x^(1/2)/(a + b/sinh(c + d*x^(1/2)))^2,x)
```

output

```
int(x^(1/2)/(a + b/sinh(c + d*x^(1/2)))^2, x)
```

Reduce [F]

$$\int \frac{\sqrt{x}}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \text{too large to display}$$

input `int(x^(1/2)/(a+b*csch(c+d*x^(1/2)))^2,x)`

output

```
(2*( - 24***e**(2*sqrt(x)*d + 2*c)*sqrt(a**2 + b**2)*atan((e**(sqrt(x)*d + c)
)*a*i + b*i)/sqrt(a**2 + b**2))*a**3*b*i - 30***e**(2*sqrt(x)*d + 2*c)*sqrt(
a**2 + b**2)*atan((e**(sqrt(x)*d + c)*a*i + b*i)/sqrt(a**2 + b**2))*a*b**3
*i - 48***e**(sqrt(x)*d + c)*sqrt(a**2 + b**2)*atan((e**(sqrt(x)*d + c)*a*i
+ b*i)/sqrt(a**2 + b**2))*a**2*b**2*i - 60***e**(sqrt(x)*d + c)*sqrt(a**2 +
b**2)*atan((e**(sqrt(x)*d + c)*a*i + b*i)/sqrt(a**2 + b**2))*b**4*i + 24**s
qrt(a**2 + b**2)*atan((e**(sqrt(x)*d + c)*a*i + b*i)/sqrt(a**2 + b**2))*a*
*3*b*i + 30*sqrt(a**2 + b**2)*atan((e**(sqrt(x)*d + c)*a*i + b*i)/sqrt(a**
2 + b**2))*a*b**3*i + 24***e**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4*
sqrt(x)*d + 4*c)*a**2 + 4***e**(3*sqrt(x)*d + 3*c)*a*b - 2***e**(2*sqrt(x)*d +
2*c)*a**2 + 4***e**(2*sqrt(x)*d + 2*c)*b**2 - 4***e**(sqrt(x)*d + c)*a*b + a*
*2),x)*a**6*b*d**2 + 42***e**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4*s
qrt(x)*d + 4*c)*a**2 + 4***e**(3*sqrt(x)*d + 3*c)*a*b - 2***e**(2*sqrt(x)*d +
2*c)*a**2 + 4***e**(2*sqrt(x)*d + 2*c)*b**2 - 4***e**(sqrt(x)*d + c)*a*b + a**
2),x)*a**4*b**3*d**2 + 18***e**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4
*sqrt(x)*d + 4*c)*a**2 + 4***e**(3*sqrt(x)*d + 3*c)*a*b - 2***e**(2*sqrt(x)*d
+ 2*c)*a**2 + 4***e**(2*sqrt(x)*d + 2*c)*b**2 - 4***e**(sqrt(x)*d + c)*a*b + a
**2),x)*a**2*b**5*d**2 + 12***e**(2*sqrt(x)*d + 3*c)*int((sqrt(x)*e**(sqrt(x)
)*d))/(e**(4*sqrt(x)*d + 4*c)*a**2 + 4***e**(3*sqrt(x)*d + 3*c)*a*b - 2***e**(
2*sqrt(x)*d + 2*c)*a**2 + 4***e**(2*sqrt(x)*d + 2*c)*b**2 - 4***e**(sqrt(x)...
```


3.75 $\int \frac{1}{\sqrt{x} (a+b\operatorname{csch}(c+d\sqrt{x}))^2} dx$

Optimal result	512
Mathematica [A] (verified)	512
Rubi [A] (warning: unable to verify)	513
Maple [A] (verified)	517
Fricas [B] (verification not implemented)	517
Sympy [F]	518
Maxima [A] (verification not implemented)	519
Giac [A] (verification not implemented)	519
Mupad [B] (verification not implemented)	520
Reduce [B] (verification not implemented)	521

Optimal result

Integrand size = 22, antiderivative size = 118

$$\int \frac{1}{\sqrt{x} (a + b\operatorname{csch}(c + d\sqrt{x}))^2} dx = \frac{2\sqrt{x}}{a^2} + \frac{4b(2a^2 + b^2) \operatorname{arctanh}\left(\frac{a - b \tanh\left(\frac{1}{2}(c + d\sqrt{x})\right)}{\sqrt{a^2 + b^2}}\right)}{a^2 (a^2 + b^2)^{3/2} d} - \frac{2b^2 \operatorname{coth}(c + d\sqrt{x})}{a (a^2 + b^2) d (a + b\operatorname{csch}(c + d\sqrt{x}))}$$

output

```
2*x^(1/2)/a^2+4*b*(2*a^2+b^2)*arctanh((a-b*tanh(1/2*c+1/2*d*x^(1/2)))/(a^2+b^2)^(1/2))/a^2/(a^2+b^2)^(3/2)/d-2*b^2*coth(c+d*x^(1/2))/a/(a^2+b^2)/d/(a+b*csch(c+d*x^(1/2)))
```

Mathematica [A] (verified)

Time = 0.35 (sec) , antiderivative size = 175, normalized size of antiderivative = 1.48

$$\int \frac{1}{\sqrt{x} (a + b\operatorname{csch}(c + d\sqrt{x}))^2} dx = \frac{2\operatorname{csch}(c + d\sqrt{x}) \left(-\frac{ab^2 \operatorname{coth}(c + d\sqrt{x})}{a^2 + b^2} + (c + d\sqrt{x}) (a + b\operatorname{csch}(c + d\sqrt{x})) + \frac{2b(2a^2 + b^2) \operatorname{arctan}\left(\frac{a - b \tanh\left(\frac{1}{2}(c + d\sqrt{x})\right)}{\sqrt{-a^2 - b^2}}\right)}{(-a^2 - b^2)^{3/2}} \right)}{a^2 d (a + b\operatorname{csch}(c + d\sqrt{x}))^2}$$

input `Integrate[1/(Sqrt[x]*(a + b*Csch[c + d*Sqrt[x]])^2),x]`

output $(2*\text{Csch}[c + d*\text{Sqrt}[x]]*(-((a*b^2*\text{Coth}[c + d*\text{Sqrt}[x]])/(a^2 + b^2)) + (c + d*\text{Sqrt}[x])*(a + b*\text{Csch}[c + d*\text{Sqrt}[x]]) + (2*b*(2*a^2 + b^2)*\text{ArcTan}[(a - b*\text{Tanh}[(c + d*\text{Sqrt}[x])/2])/ \text{Sqrt}[-a^2 - b^2]]*(a + b*\text{Csch}[c + d*\text{Sqrt}[x]])))/(-a^2 - b^2)^{(3/2)}*(b + a*\text{Sinh}[c + d*\text{Sqrt}[x]]))/(a^2*d*(a + b*\text{Csch}[c + d*\text{Sqrt}[x]])^2)$

Rubi [A] (warning: unable to verify)

Time = 0.74 (sec) , antiderivative size = 139, normalized size of antiderivative = 1.18, number of steps used = 15, number of rules used = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.636$, Rules used = {5960, 3042, 4272, 25, 3042, 4407, 26, 3042, 26, 4318, 3042, 3139, 1083, 217}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{\sqrt{x} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

$$\downarrow 5960$$

$$2 \int \frac{1}{(a + b \operatorname{csch}(c + d\sqrt{x}))^2} d\sqrt{x}$$

$$\downarrow 3042$$

$$2 \int \frac{1}{(a + ib \operatorname{csc}(ic + id\sqrt{x}))^2} d\sqrt{x}$$

$$\downarrow 4272$$

$$2 \left(-\frac{\int \frac{a^2 - b \operatorname{csch}(c + d\sqrt{x}) a + b^2}{a + b \operatorname{csch}(c + d\sqrt{x})} d\sqrt{x}}{a(a^2 + b^2)} - \frac{b^2 \operatorname{coth}(c + d\sqrt{x})}{ad(a^2 + b^2)(a + b \operatorname{csch}(c + d\sqrt{x}))} \right)$$

$$\downarrow 25$$

$$2 \left(\frac{\int \frac{a^2 - b \operatorname{csch}(c + d\sqrt{x}) a + b^2}{a + b \operatorname{csch}(c + d\sqrt{x})} d\sqrt{x}}{a(a^2 + b^2)} - \frac{b^2 \operatorname{coth}(c + d\sqrt{x})}{ad(a^2 + b^2)(a + b \operatorname{csch}(c + d\sqrt{x}))} \right)$$

$$\begin{aligned}
& \downarrow 3042 \\
& 2 \left(-\frac{b^2 \coth(c + d\sqrt{x})}{ad(a^2 + b^2)(a + b\operatorname{csch}(c + d\sqrt{x}))} + \frac{\int \frac{a^2 - ib \csc(ic + id\sqrt{x})a + b^2}{a + ib \csc(ic + id\sqrt{x})} d\sqrt{x}}{a(a^2 + b^2)} \right) \\
& \downarrow 4407 \\
& 2 \left(-\frac{b^2 \coth(c + d\sqrt{x})}{ad(a^2 + b^2)(a + b\operatorname{csch}(c + d\sqrt{x}))} + \frac{\frac{\sqrt{x}(a^2 + b^2)}{a} - \frac{ib(2a^2 + b^2) \int -\frac{i \operatorname{csch}(c + d\sqrt{x})}{a + b \operatorname{csch}(c + d\sqrt{x})} d\sqrt{x}}{a}}{a(a^2 + b^2)} \right) \\
& \downarrow 26 \\
& 2 \left(\frac{\frac{\sqrt{x}(a^2 + b^2)}{a} - \frac{b(2a^2 + b^2) \int \frac{\operatorname{csch}(c + d\sqrt{x})}{a + b \operatorname{csch}(c + d\sqrt{x})} d\sqrt{x}}{a}}{a(a^2 + b^2)} - \frac{b^2 \coth(c + d\sqrt{x})}{ad(a^2 + b^2)(a + b\operatorname{csch}(c + d\sqrt{x}))} \right) \\
& \downarrow 3042 \\
& 2 \left(-\frac{b^2 \coth(c + d\sqrt{x})}{ad(a^2 + b^2)(a + b\operatorname{csch}(c + d\sqrt{x}))} + \frac{\frac{\sqrt{x}(a^2 + b^2)}{a} - \frac{b(2a^2 + b^2) \int \frac{i \csc(ic + id\sqrt{x})}{a + ib \csc(ic + id\sqrt{x})} d\sqrt{x}}{a}}{a(a^2 + b^2)} \right) \\
& \downarrow 26 \\
& 2 \left(-\frac{b^2 \coth(c + d\sqrt{x})}{ad(a^2 + b^2)(a + b\operatorname{csch}(c + d\sqrt{x}))} + \frac{\frac{\sqrt{x}(a^2 + b^2)}{a} - \frac{ib(2a^2 + b^2) \int \frac{\csc(ic + id\sqrt{x})}{a + ib \csc(ic + id\sqrt{x})} d\sqrt{x}}{a}}{a(a^2 + b^2)} \right) \\
& \downarrow 4318 \\
& 2 \left(\frac{\frac{\sqrt{x}(a^2 + b^2)}{a} - \frac{(2a^2 + b^2) \int \frac{1}{a \sinh(\frac{c + d\sqrt{x}}{b}) + 1} d\sqrt{x}}{a}}{a(a^2 + b^2)} - \frac{b^2 \coth(c + d\sqrt{x})}{ad(a^2 + b^2)(a + b\operatorname{csch}(c + d\sqrt{x}))} \right) \\
& \downarrow 3042 \\
& 2 \left(-\frac{b^2 \coth(c + d\sqrt{x})}{ad(a^2 + b^2)(a + b\operatorname{csch}(c + d\sqrt{x}))} + \frac{\frac{\sqrt{x}(a^2 + b^2)}{a} - \frac{(2a^2 + b^2) \int \frac{1}{1 - \frac{ia \sin(ic + id\sqrt{x})}{b}} d\sqrt{x}}{a}}{a(a^2 + b^2)} \right) \\
& \downarrow 3139
\end{aligned}$$

$$2 \left(-\frac{b^2 \coth(c + d\sqrt{x})}{ad(a^2 + b^2)(a + b\operatorname{csch}(c + d\sqrt{x}))} + \frac{\sqrt{x}(a^2 + b^2)}{a} + \frac{2i(2a^2 + b^2) \int \frac{1}{x + \frac{2a \tanh(\frac{1}{2}(c + d\sqrt{x}))}{b} + 1} d(i \tanh(\frac{1}{2}(c + d\sqrt{x})))}{a(a^2 + b^2)} \right)$$

↓ 1083

$$2 \left(-\frac{b^2 \coth(c + d\sqrt{x})}{ad(a^2 + b^2)(a + b\operatorname{csch}(c + d\sqrt{x}))} + \frac{\sqrt{x}(a^2 + b^2)}{a} - \frac{4i(2a^2 + b^2) \int \frac{1}{-4(\frac{a^2}{b^2} + 1) - x} d(2i \tanh(\frac{1}{2}(c + d\sqrt{x})) - \frac{2ia}{b})}{a(a^2 + b^2)} \right)$$

↓ 217

$$2 \left(\frac{\frac{\sqrt{x}(a^2 + b^2)}{a} - \frac{2b(2a^2 + b^2) \operatorname{arctanh}\left(\frac{b \tanh(\frac{1}{2}(c + d\sqrt{x}))}{2\sqrt{a^2 + b^2}}\right)}{ad\sqrt{a^2 + b^2}}}{a(a^2 + b^2)} - \frac{b^2 \coth(c + d\sqrt{x})}{ad(a^2 + b^2)(a + b\operatorname{csch}(c + d\sqrt{x}))} \right)$$

input `Int[1/(Sqrt[x]*(a + b*Csch[c + d*Sqrt[x]])^2),x]`

output `2*(((a^2 + b^2)*Sqrt[x])/a - (2*b*(2*a^2 + b^2)*ArcTanh[(b*Tanh[(c + d*Sqrt[x])/2])]/(2*Sqrt[a^2 + b^2]))/(a*Sqrt[a^2 + b^2]*d))/(a*(a^2 + b^2)) - (b^2*Coth[c + d*Sqrt[x]])/(a*(a^2 + b^2)*d*(a + b*Csch[c + d*Sqrt[x]]))`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 26 `Int[(Complex[0, a_])*(Fx_), x_Symbol] := Simp[(Complex[Identity[0], a]) Int[Fx, x], x] /; FreeQ[a, x] && EqQ[a^2, 1]`

rule 217 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-Rt[-a, 2]*Rt[-b, 2])^((-1))*ArcTan[Rt[-b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])`

rule 1083 `Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Simp[-2 Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 3139 `Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Simp[2*(e/d) Subst[Int[1/(a + 2*b*e*x + a*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]`

rule 4272 `Int[(csc[(c_) + (d_)*(x_)])*(b_) + (a_)^(n_), x_Symbol] := Simp[b^2*Cot[c + d*x]*((a + b*Csc[c + d*x])^(n + 1)/(a*d*(n + 1)*(a^2 - b^2))), x] + Simp[1/(a*(n + 1)*(a^2 - b^2)) Int[(a + b*Csc[c + d*x])^(n + 1)*Simp[(a^2 - b^2)*(n + 1) - a*b*(n + 1)*Csc[c + d*x] + b^2*(n + 2)*Csc[c + d*x]^2, x], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2*n]`

rule 4318 `Int[csc[(e_) + (f_)*(x_)]/(csc[(e_) + (f_)*(x_)])*(b_) + (a_), x_Symbol] := Simp[1/b Int[1/(1 + (a/b)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]`

rule 4407 `Int[(csc[(e_) + (f_)*(x_)])*(d_) + (c_))/(csc[(e_) + (f_)*(x_)])*(b_) + (a_), x_Symbol] := Simp[c*(x/a), x] - Simp[(b*c - a*d)/a Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]`

rule 5960 `Int[((a_) + Csch[(c_) + (d_)*(x_)^(n_)])*(b_)^(p_)*(x_)^(m_), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

Maple [A] (verified)

Time = 0.36 (sec) , antiderivative size = 189, normalized size of antiderivative = 1.60

method	result
derivativedivides	$\frac{2 \ln \left(\tanh \left(\frac{c}{2} + \frac{d\sqrt{x}}{2} \right) - 1 \right)}{a^2} - \frac{4b \left(\frac{\frac{a^2 \tanh \left(\frac{c}{2} + \frac{d\sqrt{x}}{2} \right)}{2a^2+2b^2} + \frac{ab}{2a^2+2b^2} \right) 2(2a^2+b^2) \operatorname{arctanh} \left(\frac{-2b \tanh \left(\frac{c}{2} + \frac{d\sqrt{x}}{2} \right) + 2a}{2\sqrt{a^2+b^2}} \right)}{\left(\frac{\tanh \left(\frac{c}{2} + \frac{d\sqrt{x}}{2} \right)}{2} + a \tanh \left(\frac{c}{2} + \frac{d\sqrt{x}}{2} \right) + \frac{b}{2} \right) (2a^2+2b^2) \sqrt{a^2+b^2}}$
default	$\frac{2 \ln \left(\tanh \left(\frac{c}{2} + \frac{d\sqrt{x}}{2} \right) - 1 \right)}{a^2} - \frac{4b \left(\frac{\frac{a^2 \tanh \left(\frac{c}{2} + \frac{d\sqrt{x}}{2} \right)}{2a^2+2b^2} + \frac{ab}{2a^2+2b^2} \right) 2(2a^2+b^2) \operatorname{arctanh} \left(\frac{-2b \tanh \left(\frac{c}{2} + \frac{d\sqrt{x}}{2} \right) + 2a}{2\sqrt{a^2+b^2}} \right)}{\left(\frac{\tanh \left(\frac{c}{2} + \frac{d\sqrt{x}}{2} \right)}{2} + a \tanh \left(\frac{c}{2} + \frac{d\sqrt{x}}{2} \right) + \frac{b}{2} \right) (2a^2+2b^2) \sqrt{a^2+b^2}}$

```
input int(1/x^(1/2)/(a+b*csch(c+d*x^(1/2)))^2,x,method=_RETURNVERBOSE)
```

```
output 2/d*(-1/a^2*ln(tanh(1/2*c+1/2*d*x^(1/2))-1)-2*b/a^2*((1/2*a^2/(a^2+b^2)*tanh(1/2*c+1/2*d*x^(1/2))+1/2*b*a/(a^2+b^2))/(-1/2*tanh(1/2*c+1/2*d*x^(1/2))^2*b+a*tanh(1/2*c+1/2*d*x^(1/2))+1/2*b)-2*(2*a^2+b^2)/(2*a^2+2*b^2)/(a^2+b^2)^(1/2)*arctanh(1/2*(-2*b*tanh(1/2*c+1/2*d*x^(1/2))+2*a)/(a^2+b^2)^(1/2)))+1/a^2*ln(tanh(1/2*c+1/2*d*x^(1/2))+1))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 670 vs. 2(107) = 214.

Time = 0.12 (sec) , antiderivative size = 670, normalized size of antiderivative = 5.68

$$\int \frac{1}{\sqrt{x} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \text{Too large to display}$$

```
input integrate(1/x^(1/2)/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="fricas")
```

output

```

-2*(2*a^3*b^2 + 2*a*b^4 - (a^5 + 2*a^3*b^2 + a*b^4)*d*sqrt(x)*cosh(d*sqrt(x)
+ c)^2 - (a^5 + 2*a^3*b^2 + a*b^4)*d*sqrt(x)*sinh(d*sqrt(x) + c)^2 + (a
^5 + 2*a^3*b^2 + a*b^4)*d*sqrt(x) - 2*(a^2*b^3 + b^5 + (a^4*b + 2*a^2*b^3
+ b^5)*d*sqrt(x))*cosh(d*sqrt(x) + c) - ((2*a^3*b + a*b^3)*sqrt(a^2 + b^2)
*cosh(d*sqrt(x) + c)^2 + (2*a^3*b + a*b^3)*sqrt(a^2 + b^2)*sinh(d*sqrt(x)
+ c)^2 + 2*(2*a^2*b^2 + b^4)*sqrt(a^2 + b^2)*cosh(d*sqrt(x) + c) + 2*((2*a
^3*b + a*b^3)*sqrt(a^2 + b^2)*cosh(d*sqrt(x) + c) + (2*a^2*b^2 + b^4)*sqrt
(a^2 + b^2))*sinh(d*sqrt(x) + c) - (2*a^3*b + a*b^3)*sqrt(a^2 + b^2))*log(
(a*b + (a^2 + b^2 + sqrt(a^2 + b^2)*b)*cosh(d*sqrt(x) + c) - (b^2 + sqrt(a
^2 + b^2)*b)*sinh(d*sqrt(x) + c) + sqrt(a^2 + b^2)*a)/(a*sinh(d*sqrt(x) +
c) + b)) - 2*(a^2*b^3 + b^5 + (a^5 + 2*a^3*b^2 + a*b^4)*d*sqrt(x)*cosh(d*s
qrt(x) + c) + (a^4*b + 2*a^2*b^3 + b^5)*d*sqrt(x))*sinh(d*sqrt(x) + c))/((
a^7 + 2*a^5*b^2 + a^3*b^4)*d*cosh(d*sqrt(x) + c)^2 + (a^7 + 2*a^5*b^2 + a
^3*b^4)*d*sinh(d*sqrt(x) + c)^2 + 2*(a^6*b + 2*a^4*b^3 + a^2*b^5)*d*cosh(d*
sqrt(x) + c) - (a^7 + 2*a^5*b^2 + a^3*b^4)*d + 2*((a^7 + 2*a^5*b^2 + a^3*b
^4)*d*cosh(d*sqrt(x) + c) + (a^6*b + 2*a^4*b^3 + a^2*b^5)*d)*sinh(d*sqrt(x
) + c))

```

Sympy [F]

$$\int \frac{1}{\sqrt{x} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{1}{\sqrt{x} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

input

```
integrate(1/x**(1/2)/(a+b*csch(c+d*x**(1/2)))**2,x)
```

output

```
Integral(1/(sqrt(x)*(a + b*csch(c + d*sqrt(x)))**2), x)
```

Maxima [A] (verification not implemented)

Time = 0.46 (sec) , antiderivative size = 200, normalized size of antiderivative = 1.69

$$\int \frac{1}{\sqrt{x} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

$$= -\frac{2(2a^2b + b^3) \log\left(\frac{ae^{(-d\sqrt{x}-c)} - b - \sqrt{a^2+b^2}}{ae^{(-d\sqrt{x}-c)} - b + \sqrt{a^2+b^2}}\right)}{(a^4 + a^2b^2)\sqrt{a^2 + b^2}d} - \frac{4(b^3e^{(-d\sqrt{x}-c)} + ab^2)}{(a^5 + a^3b^2 + 2(a^4b + a^2b^3)e^{(-d\sqrt{x}-c)} - (a^5 + a^3b^2)e^{(-2d\sqrt{x}-2c)})d} + \frac{2(d\sqrt{x} + c)}{a^2d}$$

input `integrate(1/x^(1/2)/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="maxima")`output `-2*(2*a^2*b + b^3)*log((a*e^(-d*sqrt(x) - c) - b - sqrt(a^2 + b^2))/(a*e^(-d*sqrt(x) - c) - b + sqrt(a^2 + b^2)))/((a^4 + a^2*b^2)*sqrt(a^2 + b^2)*d) - 4*(b^3*e^(-d*sqrt(x) - c) + a*b^2)/((a^5 + a^3*b^2 + 2*(a^4*b + a^2*b^3)*e^(-d*sqrt(x) - c) - (a^5 + a^3*b^2)*e^(-2*d*sqrt(x) - 2*c))*d) + 2*(d*sqrt(x) + c)/(a^2*d)`**Giac [A] (verification not implemented)**

Time = 0.18 (sec) , antiderivative size = 178, normalized size of antiderivative = 1.51

$$\int \frac{1}{\sqrt{x} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = -\frac{2(2a^2b + b^3) \log\left(\frac{2ae^{(d\sqrt{x}+c)} + 2b - 2\sqrt{a^2+b^2}}{2ae^{(d\sqrt{x}+c)} + 2b + 2\sqrt{a^2+b^2}}\right)}{(a^4d + a^2b^2d)\sqrt{a^2 + b^2}} + \frac{4(b^3e^{(d\sqrt{x}+c)} - ab^2)}{(a^4d + a^2b^2d)(ae^{(2d\sqrt{x}+2c)} + 2be^{(d\sqrt{x}+c)} - a)} + \frac{2(d\sqrt{x} + c)}{a^2d}$$

input `integrate(1/x^(1/2)/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="giac")`

output

```
-2*(2*a^2*b + b^3)*log(abs(2*a*e^(d*sqrt(x) + c) + 2*b - 2*sqrt(a^2 + b^2))
)/abs(2*a*e^(d*sqrt(x) + c) + 2*b + 2*sqrt(a^2 + b^2))/((a^4*d + a^2*b^2*
d)*sqrt(a^2 + b^2)) + 4*(b^3*e^(d*sqrt(x) + c) - a*b^2)/((a^4*d + a^2*b^2*
d)*(a*e^(2*d*sqrt(x) + 2*c) + 2*b*e^(d*sqrt(x) + c) - a)) + 2*(d*sqrt(x) +
c)/(a^2*d)
```

Mupad [B] (verification not implemented)

Time = 2.95 (sec) , antiderivative size = 319, normalized size of antiderivative = 2.70

$$\int \frac{1}{\sqrt{x} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

$$= \frac{2\sqrt{x}}{a^2} - \frac{\frac{4b^2\sqrt{x}}{d(a^3\sqrt{x} + ab^2\sqrt{x})} - \frac{4b^3\sqrt{x}e^{c+d\sqrt{x}}}{ad(a^3\sqrt{x} + ab^2\sqrt{x})}}{2be^{c+d\sqrt{x}} - a + ae^{2c+2d\sqrt{x}}}$$

$$- \frac{2b \ln\left(\frac{2e^{c+d\sqrt{x}}(2a^2b+b^3)}{a^3\sqrt{x}(a^2+b^2)} - \frac{2b(2a^2+b^2)(a-be^{c+d\sqrt{x}})}{a^3\sqrt{x}(a^2+b^2)^{3/2}}\right) (2a^2 + b^2)}{a^2 d (a^2 + b^2)^{3/2}}$$

$$+ \frac{2b \ln\left(\frac{2e^{c+d\sqrt{x}}(2a^2b+b^3)}{a^3\sqrt{x}(a^2+b^2)} + \frac{2b(2a^2+b^2)(a-be^{c+d\sqrt{x}})}{a^3\sqrt{x}(a^2+b^2)^{3/2}}\right) (2a^2 + b^2)}{a^2 d (a^2 + b^2)^{3/2}}$$

input

```
int(1/(x^(1/2)*(a + b/sinh(c + d*x^(1/2)))^2),x)
```

output

```
(2*x^(1/2))/a^2 - ((4*b^2*x^(1/2))/(d*(a^3*x^(1/2) + a*b^2*x^(1/2))) - (4*
b^3*x^(1/2)*exp(c + d*x^(1/2)))/(a*d*(a^3*x^(1/2) + a*b^2*x^(1/2))))/(2*b*
exp(c + d*x^(1/2)) - a + a*exp(2*c + 2*d*x^(1/2))) - (2*b*log((2*exp(c + d
*x^(1/2))*(2*a^2*b + b^3))/(a^3*x^(1/2)*(a^2 + b^2)) - (2*b*(2*a^2 + b^2)*
(a - b*exp(c + d*x^(1/2))))/(a^3*x^(1/2)*(a^2 + b^2)^(3/2))))*(2*a^2 + b^2
)/(a^2*d*(a^2 + b^2)^(3/2)) + (2*b*log((2*exp(c + d*x^(1/2))*(2*a^2*b + b^
3))/(a^3*x^(1/2)*(a^2 + b^2)) + (2*b*(2*a^2 + b^2)*(a - b*exp(c + d*x^(1/2
))))/(a^3*x^(1/2)*(a^2 + b^2)^(3/2))))*(2*a^2 + b^2)/(a^2*d*(a^2 + b^2)^(3
/2))
```

Reduce [B] (verification not implemented)

Time = 0.22 (sec) , antiderivative size = 604, normalized size of antiderivative = 5.12

$$\int \frac{1}{\sqrt{x} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

$$= \frac{-8e^{2\sqrt{x}d+2c}\sqrt{a^2+b^2} \operatorname{atan}\left(\frac{e^{\sqrt{x}d+c}ai+bi}{\sqrt{a^2+b^2}}\right) a^3bi - 4e^{2\sqrt{x}d+2c}\sqrt{a^2+b^2} \operatorname{atan}\left(\frac{e^{\sqrt{x}d+c}ai+bi}{\sqrt{a^2+b^2}}\right) a b^3i - 16e^{\sqrt{x}d+c}\sqrt{a^2+b^2}}{\dots}$$

input `int(1/x^(1/2)/(a+b*csch(c+d*x^(1/2)))^2,x)`

output

```
(2*( - 4***2*sqrt(x)*d + 2*c)*sqrt(a**2 + b**2)*atan((e**(sqrt(x)*d + c)
*a*i + b*i)/sqrt(a**2 + b**2))*a**3*b*i - 2*e**(2*sqrt(x)*d + 2*c)*sqrt(a*
*2 + b**2)*atan((e**(sqrt(x)*d + c)*a*i + b*i)/sqrt(a**2 + b**2))*a*b**3*i
- 8*e**(sqrt(x)*d + c)*sqrt(a**2 + b**2)*atan((e**(sqrt(x)*d + c)*a*i + b
*i)/sqrt(a**2 + b**2))*a**2*b**2*i - 4*e**(sqrt(x)*d + c)*sqrt(a**2 + b**2)
)*atan((e**(sqrt(x)*d + c)*a*i + b*i)/sqrt(a**2 + b**2))*b**4*i + 4*sqrt(a
**2 + b**2)*atan((e**(sqrt(x)*d + c)*a*i + b*i)/sqrt(a**2 + b**2))*a**3*b*
i + 2*sqrt(a**2 + b**2)*atan((e**(sqrt(x)*d + c)*a*i + b*i)/sqrt(a**2 + b*
**2))*a*b**3*i + sqrt(x)*e**(2*sqrt(x)*d + 2*c)*a**5*d + 2*sqrt(x)*e**(2*sq
rt(x)*d + 2*c)*a**3*b**2*d + sqrt(x)*e**(2*sqrt(x)*d + 2*c)*a*b**4*d - e**
(2*sqrt(x)*d + 2*c)*a**3*b**2 - e**(2*sqrt(x)*d + 2*c)*a*b**4 + 2*sqrt(x)*
e**(sqrt(x)*d + c)*a**4*b*d + 4*sqrt(x)*e**(sqrt(x)*d + c)*a**2*b**3*d + 2
*sqrt(x)*e**(sqrt(x)*d + c)*b**5*d - sqrt(x)*a**5*d - 2*sqrt(x)*a**3*b**2*
d - sqrt(x)*a*b**4*d - a**3*b**2 - a*b**4)/(a**2*d*(e**(2*sqrt(x)*d + 2*c)
)*a**5 + 2*e**(2*sqrt(x)*d + 2*c)*a**3*b**2 + e**(2*sqrt(x)*d + 2*c)*a*b**
4 + 2*e**(sqrt(x)*d + c)*a**4*b + 4*e**(sqrt(x)*d + c)*a**2*b**3 + 2*e**(s
qrt(x)*d + c)*b**5 - a**5 - 2*a**3*b**2 - a*b**4))
```

$$3.76 \quad \int \frac{1}{x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

Optimal result	522
Mathematica [N/A]	522
Rubi [N/A]	523
Maple [N/A]	523
Fricas [N/A]	524
Sympy [N/A]	524
Maxima [N/A]	524
Giac [N/A]	525
Mupad [N/A]	525
Reduce [N/A]	526

Optimal result

Integrand size = 22, antiderivative size = 22

$$\int \frac{1}{x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \operatorname{Int} \left(\frac{1}{x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2}, x \right)$$

output `Defer(Int)(1/x^(3/2)/(a+b*csch(c+d*x^(1/2)))^2,x)`

Mathematica [N/A]

Not integrable

Time = 51.86 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.09

$$\int \frac{1}{x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{1}{x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

input `Integrate[1/(x^(3/2)*(a + b*Csch[c + d*Sqrt[x]])^2),x]`

output `Integrate[1/(x^(3/2)*(a + b*Csch[c + d*Sqrt[x]])^2), x]`

Rubi [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

↓ 5962

$$\int \frac{1}{x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

input `Int[1/(x^(3/2)*(a + b*Csch[c + d*Sqrt[x]])^2),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.82

$$\int \frac{1}{x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

input `int(1/x^(3/2)/(a+b*csch(c+d*x^(1/2)))^2,x)`

output `int(1/x^(3/2)/(a+b*csch(c+d*x^(1/2)))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 48, normalized size of antiderivative = 2.18

$$\int \frac{1}{x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{1}{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2 x^{3/2}} dx$$

input `integrate(1/x^(3/2)/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="fricas")`

output `integral(sqrt(x)/(b^2*x^2*csch(d*sqrt(x) + c)^2 + 2*a*b*x^2*csch(d*sqrt(x) + c) + a^2*x^2), x)`

Sympy [N/A]

Not integrable

Time = 2.52 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{1}{x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

input `integrate(1/x**(3/2)/(a+b*csch(c+d*x**(1/2)))**2,x)`

output `Integral(1/(x**(3/2)*(a + b*csch(c + d*sqrt(x)))**2), x)`

Maxima [N/A]

Not integrable

Time = 3.49 (sec) , antiderivative size = 311, normalized size of antiderivative = 14.14

$$\int \frac{1}{x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{1}{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2 x^{3/2}} dx$$

input `integrate(1/x^(3/2)/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="maxima")`

output
$$\begin{aligned} & -2*(2*a*b^2 + (a^3*d*e^{(2*c)} + a*b^2*d*e^{(2*c)})*\sqrt{x})*e^{(2*d*\sqrt{x})} - \\ & 2*(b^3*e^c - (a^2*b*d*e^c + b^3*d*e^c)*\sqrt{x})*e^{(d*\sqrt{x})} - (a^3*d + a \\ & *b^2*d)*\sqrt{x})/((a^5*d*e^{(2*c)} + a^3*b^2*d*e^{(2*c)})*x*e^{(2*d*\sqrt{x})} + \\ & 2*(a^4*b*d*e^c + a^2*b^3*d*e^c)*x*e^{(d*\sqrt{x})} - (a^5*d + a^3*b^2*d)*x) + \\ & \text{integrate}(-2*(2*a*b^2*\sqrt{x} - (2*b^3*\sqrt{x})*e^c - (2*a^2*b*d*e^c + b^3 \\ & *d*e^c)*x)*e^{(d*\sqrt{x})})/((a^5*d*e^{(2*c)} + a^3*b^2*d*e^{(2*c)})*x^{(5/2)}*e^{(\\ & 2*d*\sqrt{x})} + 2*(a^4*b*d*e^c + a^2*b^3*d*e^c)*x^{(5/2)}*e^{(d*\sqrt{x})} - (a^ \\ & 5*d + a^3*b^2*d)*x^{(5/2)}), x) \end{aligned}$$

Giac [N/A]

Not integrable

Time = 1.92 (sec) , antiderivative size = 20, normalized size of antiderivative = 0.91

$$\int \frac{1}{x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{1}{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2 x^{\frac{3}{2}}} dx$$

input `integrate(1/x^(3/2)/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="giac")`

output `integrate(1/((b*csch(d*sqrt(x) + c) + a)^2*x^(3/2)), x)`

Mupad [N/A]

Not integrable

Time = 2.87 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{1}{x^{3/2} \left(a + \frac{b}{\sinh(c + d\sqrt{x})}\right)^2} dx$$

input `int(1/(x^(3/2)*(a + b/sinh(c + d*x^(1/2))))^2,x)`

output `int(1/(x^(3/2)*(a + b/sinh(c + d*x^(1/2)))^2), x)`

Reduce [N/A]

Not integrable

Time = 0.39 (sec) , antiderivative size = 1872, normalized size of antiderivative = 85.09

$$\int \frac{1}{x^{3/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \text{Too large to display}$$

input `int(1/x^(3/2)/(a+b*csch(c+d*x^(1/2)))^2,x)`

output

```
(2*(3*sqrt(x)*e**(2*sqrt(x)*d + 5*c)*int(e**(3*sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c))*a**2*x + 4*e**(3*sqrt(x)*d + 3*c)*a*b*x - 2*e**(2*sqrt(x)*d + 2*c)*a**2*x + 4*e**(2*sqrt(x)*d + 2*c)*b**2*x - 4*e**(sqrt(x)*d + c)*a*b*x + a**2*x),x)*a**2*b*d + sqrt(x)*e**(2*sqrt(x)*d + 5*c)*int(e**(3*sqrt(x)*d)/(sqrt(x)*e**(4*sqrt(x)*d + 4*c))*a**2*x + 4*sqrt(x)*e**(3*sqrt(x)*d + 3*c)*a*b*x - 2*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*a**2*x + 4*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*b**2*x - 4*sqrt(x)*e**(sqrt(x)*d + c)*a*b*x + sqrt(x)*a**2*x),x)*a**2*b + 4*sqrt(x)*e**(2*sqrt(x)*d + 4*c)*int(e**(2*sqrt(x)*d)/(sqrt(x)*e**(4*sqrt(x)*d + 4*c))*a**2*x + 4*sqrt(x)*e**(3*sqrt(x)*d + 3*c)*a*b*x - 2*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*a**2*x + 4*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*b**2*x - 4*sqrt(x)*e**(sqrt(x)*d + c)*a*b*x + sqrt(x)*a**2*x),x)*a*b**2 + 3*sqrt(x)*e**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c))*a**2*x + 4*e**(3*sqrt(x)*d + 3*c)*a*b*x - 2*e**(2*sqrt(x)*d + 2*c)*a**2*x + 4*e**(2*sqrt(x)*d + 2*c)*b**2*x - 4*e**(sqrt(x)*d + c)*a*b*x + a**2*x),x)*a**2*b*d - sqrt(x)*e**(2*sqrt(x)*d + 3*c)*int(e**(sqrt(x)*d)/(sqrt(x)*e**(4*sqrt(x)*d + 4*c))*a**2*x + 4*sqrt(x)*e**(3*sqrt(x)*d + 3*c)*a*b*x - 2*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*a**2*x + 4*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*b**2*x - 4*sqrt(x)*e**(sqrt(x)*d + c)*a*b*x + sqrt(x)*a**2*x),x)*a**2*b - e**(2*sqrt(x)*d + 2*c)*a + 6*sqrt(x)*e**(sqrt(x)*d + 4*c)*int(e**(3*sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c))*a**2*x + 4*e**(3*sqrt(x)*d + 3*c)*a*b*x - 2*e...
```

$$3.77 \quad \int \frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

Optimal result	527
Mathematica [N/A]	527
Rubi [N/A]	528
Maple [N/A]	528
Fricas [N/A]	529
Sympy [N/A]	529
Maxima [N/A]	529
Giac [N/A]	530
Mupad [N/A]	530
Reduce [N/A]	531

Optimal result

Integrand size = 22, antiderivative size = 22

$$\int \frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \operatorname{Int} \left(\frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2}, x \right)$$

output `Defer(Int)(1/x^(5/2)/(a+b*csch(c+d*x^(1/2)))^2,x)`

Mathematica [N/A]

Not integrable

Time = 53.06 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.09

$$\int \frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

input `Integrate[1/(x^(5/2)*(a + b*Csch[c + d*Sqrt[x]])^2),x]`

output `Integrate[1/(x^(5/2)*(a + b*Csch[c + d*Sqrt[x]])^2), x]`

Rubi [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

↓ 5962

$$\int \frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

input `Int[1/(x^(5/2)*(a + b*Csch[c + d*Sqrt[x]])^2),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.25 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.82

$$\int \frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

input `int(1/x^(5/2)/(a+b*csch(c+d*x^(1/2)))^2,x)`

output `int(1/x^(5/2)/(a+b*csch(c+d*x^(1/2)))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.10 (sec) , antiderivative size = 48, normalized size of antiderivative = 2.18

$$\int \frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{1}{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2 x^{5/2}} dx$$

input `integrate(1/x^(5/2)/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="fricas")`

output `integral(sqrt(x)/(b^2*x^3*csch(d*sqrt(x) + c)^2 + 2*a*b*x^3*csch(d*sqrt(x) + c) + a^2*x^3), x)`

Sympy [N/A]

Not integrable

Time = 2.47 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx$$

input `integrate(1/x**(5/2)/(a+b*csch(c+d*x**(1/2)))**2,x)`

output `Integral(1/(x**(5/2)*(a + b*csch(c + d*sqrt(x)))**2), x)`

Maxima [N/A]

Not integrable

Time = 3.33 (sec) , antiderivative size = 318, normalized size of antiderivative = 14.45

$$\int \frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{1}{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2 x^{5/2}} dx$$

input `integrate(1/x^(5/2)/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="maxima")`

output
$$\begin{aligned} & -2/3*(6*a*b^2 + (a^3*d*e^{(2*c)} + a*b^2*d*e^{(2*c)})*\sqrt{x})*e^{(2*d*\sqrt{x})} \\ & - 2*(3*b^3*e^c - (a^2*b*d*e^c + b^3*d*e^c)*\sqrt{x})*e^{(d*\sqrt{x})} - (a^3*d \\ & + a*b^2*d)*\sqrt{x})/((a^5*d*e^{(2*c)} + a^3*b^2*d*e^{(2*c)})*x^2*e^{(2*d*\sqrt{x})} \\ & + 2*(a^4*b*d*e^c + a^2*b^3*d*e^c)*x^2*e^{(d*\sqrt{x})} - (a^5*d + a^3*b^2 \\ & *d)*x^2) + \text{integrate}(-2*(4*a*b^2*\sqrt{x} - (4*b^3*\sqrt{x})*e^c - (2*a^2*b*d \\ & *e^c + b^3*d*e^c)*x)*e^{(d*\sqrt{x})})/((a^5*d*e^{(2*c)} + a^3*b^2*d*e^{(2*c)})*x \\ & ^{(7/2)}*e^{(2*d*\sqrt{x})} + 2*(a^4*b*d*e^c + a^2*b^3*d*e^c)*x^{(7/2)}*e^{(d*\sqrt{x})} \\ & - (a^5*d + a^3*b^2*d)*x^{(7/2)}), x) \end{aligned}$$

Giac [N/A]

Not integrable

Time = 1.37 (sec) , antiderivative size = 3, normalized size of antiderivative = 0.14

$$\int \frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{1}{(b \operatorname{csch}(d\sqrt{x} + c) + a)^2 x^{5/2}} dx$$

input `integrate(1/x^(5/2)/(a+b*csch(c+d*x^(1/2)))^2,x, algorithm="giac")`

output `sage0*x`

Mupad [N/A]

Not integrable

Time = 2.85 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \int \frac{1}{x^{5/2} \left(a + \frac{b}{\sinh(c + d\sqrt{x})}\right)^2} dx$$

input `int(1/(x^(5/2)*(a + b/sinh(c + d*x^(1/2))))^2,x)`

output `int(1/(x^(5/2)*(a + b/sinh(c + d*x^(1/2)))^2), x)`

Reduce [N/A]

Not integrable

Time = 0.59 (sec) , antiderivative size = 9457, normalized size of antiderivative = 429.86

$$\int \frac{1}{x^{5/2} (a + b \operatorname{csch}(c + d\sqrt{x}))^2} dx = \text{Too large to display}$$

input `int(1/x^(5/2)/(a+b*csch(c+d*x^(1/2)))^2,x)`

output

```
(3*sqrt(x)*e**(2*sqrt(x)*d + 5*c)*int(e**(3*sqrt(x)*d)/(e**(4*sqrt(x)*d +
4*c)*a**2*x**2 + 4*e**(3*sqrt(x)*d + 3*c)*a*b*x**2 - 2*e**(2*sqrt(x)*d + 2
*c)*a**2*x**2 + 4*e**(2*sqrt(x)*d + 2*c)*b**2*x**2 - 4*e**(sqrt(x)*d + c)*
a*b*x**2 + a**2*x**2),x)*a**4*b*d*x + 16*sqrt(x)*e**(2*sqrt(x)*d + 5*c)*in
t(e**(3*sqrt(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**2*x**2 + 4*e**(3*sqrt(x)*d +
3*c)*a*b*x**2 - 2*e**(2*sqrt(x)*d + 2*c)*a**2*x**2 + 4*e**(2*sqrt(x)*d +
2*c)*b**2*x**2 - 4*e**(sqrt(x)*d + c)*a*b*x**2 + a**2*x**2),x)*a**2*b**3*d
*x - 2*sqrt(x)*e**(2*sqrt(x)*d + 5*c)*int(e**(3*sqrt(x)*d)/(e**(4*sqrt(x)*
d + 4*c)*a**2*x + 4*e**(3*sqrt(x)*d + 3*c)*a*b*x - 2*e**(2*sqrt(x)*d + 2*c
)*a**2*x + 4*e**(2*sqrt(x)*d + 2*c)*b**2*x - 4*e**(sqrt(x)*d + c)*a*b*x +
a**2*x),x)*a**4*b*d**3*x - 4*sqrt(x)*e**(2*sqrt(x)*d + 5*c)*int(e**(3*sqrt
(x)*d)/(e**(4*sqrt(x)*d + 4*c)*a**2*x + 4*e**(3*sqrt(x)*d + 3*c)*a*b*x - 2
*e**(2*sqrt(x)*d + 2*c)*a**2*x + 4*e**(2*sqrt(x)*d + 2*c)*b**2*x - 4*e**(s
qrt(x)*d + c)*a*b*x + a**2*x),x)*a**2*b**3*d**3*x - 15*sqrt(x)*e**(2*sqrt(
x)*d + 5*c)*int(e**(3*sqrt(x)*d)/(sqrt(x)*e**(4*sqrt(x)*d + 4*c)*a**2*x**2
+ 4*sqrt(x)*e**(3*sqrt(x)*d + 3*c)*a*b*x**2 - 2*sqrt(x)*e**(2*sqrt(x)*d +
2*c)*a**2*x**2 + 4*sqrt(x)*e**(2*sqrt(x)*d + 2*c)*b**2*x**2 - 4*sqrt(x)*e
**(sqrt(x)*d + c)*a*b*x**2 + sqrt(x)*a**2*x**2),x)*a**4*b*x + 36*sqrt(x)*e
**(2*sqrt(x)*d + 5*c)*int(e**(3*sqrt(x)*d)/(sqrt(x)*e**(4*sqrt(x)*d + 4*c)
*a**2*x**2 + 4*sqrt(x)*e**(3*sqrt(x)*d + 3*c)*a*b*x**2 - 2*sqrt(x)*e**(...
```

3.78 $\int (ex)^m (a + bcsch(c + dx^n))^p dx$

Optimal result	532
Mathematica [N/A]	532
Rubi [N/A]	533
Maple [N/A]	533
Fricas [N/A]	534
Sympy [N/A]	534
Maxima [N/A]	534
Giac [N/A]	535
Mupad [N/A]	535
Reduce [N/A]	536

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int (ex)^m (a + bcsch(c + dx^n))^p dx = x^{-m}(ex)^m \text{Int}(x^m(a + bcsch(c + dx^n))^p, x)$$

output `(e*x)^m*Defer(Int)(x^m*(a+b*csch(c+d*x^n))^p,x)/(x^m)`

Mathematica [N/A]

Not integrable

Time = 13.39 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (ex)^m (a + bcsch(c + dx^n))^p dx = \int (ex)^m (a + bcsch(c + dx^n))^p dx$$

input `Integrate[(e*x)^m*(a + b*Csch[c + d*x^n])^p,x]`

output `Integrate[(e*x)^m*(a + b*Csch[c + d*x^n])^p, x]`

Rubi [N/A]

Not integrable

Time = 0.28 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ex)^m (a + b \operatorname{csch}(c + dx^n))^p dx$$

$$\downarrow 5964$$

$$x^{-m} (ex)^m \int x^m (a + b \operatorname{csch}(dx^n + c))^p dx$$

$$\downarrow 5962$$

$$x^{-m} (ex)^m \int x^m (a + b \operatorname{csch}(dx^n + c))^p dx$$

input `Int[(e*x)^m*(a + b*Csch[c + d*x^n])^p,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.12 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int (ex)^m (a + b \operatorname{csch}(c + dx^n))^p dx$$

input `int((e*x)^m*(a+b*csch(c+d*x^n))^p,x)`

output `int((e*x)^m*(a+b*csch(c+d*x^n))^p,x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (ex)^m (a + b \operatorname{csch}(c + dx^n))^p dx = \int (ex)^m (b \operatorname{csch}(dx^n + c) + a)^p dx$$

input `integrate((e*x)^m*(a+b*csch(c+d*x^n))^p,x, algorithm="fricas")`

output `integral((e*x)^m*(b*csch(d*x^n + c) + a)^p, x)`

Sympy [N/A]

Not integrable

Time = 0.34 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.95

$$\int (ex)^m (a + b \operatorname{csch}(c + dx^n))^p dx = \int (ex)^m (a + b \operatorname{csch}(c + dx^n))^p dx$$

input `integrate((e*x)**m*(a+b*csch(c+d*x**n))**p,x)`

output `Integral((e*x)**m*(a + b*csch(c + d*x**n))**p, x)`

Maxima [N/A]

Not integrable

Time = 0.88 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (ex)^m (a + b \operatorname{csch}(c + dx^n))^p dx = \int (ex)^m (b \operatorname{csch}(dx^n + c) + a)^p dx$$

input `integrate((e*x)^m*(a+b*csch(c+d*x^n))^p,x, algorithm="maxima")`

output `integrate((e*x)^m*(b*csch(d*x^n + c) + a)^p, x)`

Giac [N/A]

Not integrable

Time = 0.54 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (ex)^m (a + bcsch(c + dx^n))^p dx = \int (ex)^m (bcsch(dx^n + c) + a)^p dx$$

input `integrate((e*x)^m*(a+b*csch(c+d*x^n))^p,x, algorithm="giac")`

output `integrate((e*x)^m*(b*csch(d*x^n + c) + a)^p, x)`

Mupad [N/A]

Not integrable

Time = 2.48 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int (ex)^m (a + bcsch(c + dx^n))^p dx = \int \left(a + \frac{b}{\sinh(c + dx^n)} \right)^p (ex)^m dx$$

input `int((a + b/sinh(c + d*x^n))^p*(e*x)^m,x)`

output `int((a + b/sinh(c + d*x^n))^p*(e*x)^m, x)`

Reduce [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int (ex)^m (a + b\operatorname{csch}(c + dx^n))^p dx = e^m \left(\int x^m (\operatorname{csch}(x^n d + c) b + a)^p dx \right)$$

input `int((e*x)^m*(a+b*csch(c+d*x^n))^p,x)`output `e**m*int(x**m*(csch(x**n*d + c)*b + a)**p,x)`

3.79 $\int (ex)^{-1+n} (a + bcsch(c + dx^n)) dx$

Optimal result	537
Mathematica [A] (verified)	537
Rubi [A] (verified)	538
Maple [C] (warning: unable to verify)	539
Fricas [B] (verification not implemented)	539
Sympy [F]	540
Maxima [A] (verification not implemented)	540
Giac [F]	540
Mupad [B] (verification not implemented)	541
Reduce [B] (verification not implemented)	541

Optimal result

Integrand size = 20, antiderivative size = 45

$$\int (ex)^{-1+n} (a + bcsch(c + dx^n)) dx = \frac{a(ex)^n}{en} - \frac{bx^{-n}(ex)^n \operatorname{arctanh}(\cosh(c + dx^n))}{den}$$

output `a*(e*x)^n/e/n-b*(e*x)^n*arctanh(cosh(c+d*x^n))/d/e/n/(x^n)`

Mathematica [A] (verified)

Time = 0.21 (sec) , antiderivative size = 42, normalized size of antiderivative = 0.93

$$\int (ex)^{-1+n} (a + bcsch(c + dx^n)) dx = \frac{x^{-n}(ex)^n (a(c + dx^n) - b \operatorname{arctanh}(\cosh(c + dx^n)))}{den}$$

input `Integrate[(e*x)^(-1 + n)*(a + b*Csch[c + d*x^n]),x]`

output `((e*x)^n*(a*(c + d*x^n) - b*ArcTanh[Cosh[c + d*x^n]]))/(d*e*n*x^n)`

Rubi [A] (verified)

Time = 0.24 (sec) , antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ex)^{n-1} (a + bcsch(c + dx^n)) dx$$

↓ 2010

$$\int (a(ex)^{n-1} + b(ex)^{n-1}csch(c + dx^n)) dx$$

↓ 2009

$$\frac{a(ex)^n}{en} - \frac{bx^{-n}(ex)^n \operatorname{arctanh}(\cosh(c + dx^n))}{den}$$

input `Int[(e*x)^(-1 + n)*(a + b*Csch[c + d*x^n]),x]`

output `(a*(e*x)^n)/(e*n) - (b*(e*x)^n*ArcTanh[Cosh[c + d*x^n]])/(d*e*n*x^n)`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2010 `Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]`

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 3.

Time = 0.64 (sec) , antiderivative size = 155, normalized size of antiderivative = 3.44

method	result
risch	$\frac{ax e^{\frac{(-1+n)(-i\pi \operatorname{csgn}(ie) \operatorname{csgn}(ix) \operatorname{csgn}(iex) + i\pi \operatorname{csgn}(ie) \operatorname{csgn}(iex)^2 + i\pi \operatorname{csgn}(ix) \operatorname{csgn}(iex)^2 - i\pi \operatorname{csgn}(iex)^3 + 2 \ln(x) + 2 \ln(e))}{2}}}{n} - 2 \operatorname{arctanh}(e)$

input `int((e*x)^(-1+n)*(a+b*csch(c+d*x^n)),x,method=_RETURNVERBOSE)`

output `a/n*x*exp(1/2*(-1+n)*(-I*Pi*csgn(I*e)*csgn(I*x)*csgn(I*e*x)+I*Pi*csgn(I*e)*csgn(I*e*x)^2+I*Pi*csgn(I*x)*csgn(I*e*x)^2-I*Pi*csgn(I*e*x)^3+2*ln(x)+2*ln(e))-2*arctanh(exp(c+d*x^n))/d/e*e^n/n*b*exp(1/2*I*Pi*csgn(I*e*x)*(-1+n)*(csgn(I*e*x)-csgn(I*x))*(-csgn(I*e*x)+csgn(I*e)))`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 180 vs. $2(45) = 90$.

Time = 0.09 (sec) , antiderivative size = 180, normalized size of antiderivative = 4.00

$$\int (ex)^{-1+n} (a + b \operatorname{csch}(c + dx^n)) dx$$

$$= \frac{ad \cosh((n-1) \log(e)) \cosh(n \log(x)) + ad \cosh(n \log(x)) \sinh((n-1) \log(e)) - (b \cosh((n-1) \log(e)) \cosh(n \log(x)) + b \sinh((n-1) \log(e)) \sinh(n \log(x)) + c) + \sinh(d \cosh(n \log(x)) + d \sinh(n \log(x)) + c) + 1 + (b \cosh((n-1) \log(e)) + b \sinh((n-1) \log(e))) \log(\cosh(d \cosh(n \log(x)) + d \sinh(n \log(x)) + c) + \sinh(d \cosh(n \log(x)) + d \sinh(n \log(x)) + c) + 1) + (a*d*\cosh((n-1)*\log(e)) + a*d*\sinh((n-1)*\log(e)))\sinh(n*\log(x)))/(d*n)$$

input `integrate((e*x)^(-1+n)*(a+b*csch(c+d*x^n)),x, algorithm="fricas")`

output `(a*d*cosh((n-1)*log(e))*cosh(n*log(x)) + a*d*cosh(n*log(x))*sinh((n-1)*log(e)) - (b*cosh((n-1)*log(e)) + b*sinh((n-1)*log(e)))*log(cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + 1) + (b*cosh((n-1)*log(e)) + b*sinh((n-1)*log(e)))*log(cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + 1) + (a*d*cosh((n-1)*log(e)) + a*d*sinh((n-1)*log(e)))\sinh(n*log(x)))/(d*n)`

Sympy [F]

$$\int (ex)^{-1+n} (a + b \operatorname{csch}(c + dx^n)) dx = \int (ex)^{n-1} (a + b \operatorname{csch}(c + dx^n)) dx$$

input `integrate((e*x)**(-1+n)*(a+b*csch(c+d*x**n)),x)`

output `Integral((e*x)**(n - 1)*(a + b*csch(c + d*x**n)), x)`

Maxima [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 75, normalized size of antiderivative = 1.67

$$\int (ex)^{-1+n} (a + b \operatorname{csch}(c + dx^n)) dx$$

$$= -b \left(\frac{e^{n-1} \log((e^{(dx^n+c)} + 1)e^{(-c)})}{dn} - \frac{e^{n-1} \log((e^{(dx^n+c)} - 1)e^{(-c)})}{dn} \right) + \frac{(ex)^n a}{en}$$

input `integrate((e*x)^(-1+n)*(a+b*csch(c+d*x^n)),x, algorithm="maxima")`

output `-b*(e^(n - 1)*log((e^(d*x^n + c) + 1)*e^(-c))/(d*n) - e^(n - 1)*log((e^(d*x^n + c) - 1)*e^(-c))/(d*n)) + (e*x)^n*a/(e*n)`

Giac [F]

$$\int (ex)^{-1+n} (a + b \operatorname{csch}(c + dx^n)) dx = \int (b \operatorname{csch}(dx^n + c) + a)(ex)^{n-1} dx$$

input `integrate((e*x)^(-1+n)*(a+b*csch(c+d*x^n)),x, algorithm="giac")`

output `integrate((b*csch(d*x^n + c) + a)*(e*x)^(n - 1), x)`

Mupad [B] (verification not implemented)

Time = 5.29 (sec) , antiderivative size = 112, normalized size of antiderivative = 2.49

$$\int (ex)^{-1+n} (a + bcsch(c + dx^n)) dx$$

$$= \frac{ax(ex)^{n-1}}{n} - \frac{2 \operatorname{atan}\left(\frac{bx e^{dx^n} e^c (ex)^{n-1} \sqrt{-d^2 n^2 x^{2n}}}{dnx^n \sqrt{b^2 x^2 (ex)^{2n-2}}}\right) \sqrt{b^2 x^2 (ex)^{2n-2}}}{\sqrt{-d^2 n^2 x^{2n}}}$$

input `int((a + b/sinh(c + d*x^n))*(e*x)^(n - 1), x)`output `(a*x*(e*x)^(n - 1))/n - (2*atan((b*x*exp(d*x^n)*exp(c)*(e*x)^(n - 1)*(-d^2*n^2*x^(2*n))^(1/2))/(d*n*x^n*(b^2*x^2*(e*x)^(2*n - 2))^(1/2)))*(b^2*x^2*(e*x)^(2*n - 2))^(1/2))/(-d^2*n^2*x^(2*n))^(1/2)`**Reduce [B] (verification not implemented)**

Time = 0.22 (sec) , antiderivative size = 49, normalized size of antiderivative = 1.09

$$\int (ex)^{-1+n} (a + bcsch(c + dx^n)) dx = \frac{e^n (x^n a d + \log(e^{x^n d + c} - 1) b - \log(e^{x^n d + c} + 1) b)}{den}$$

input `int((e*x)^(-1+n)*(a+b*csch(c+d*x^n)), x)`output `(e**n*(x**n*a*d + log(e**(x**n*d + c) - 1)*b - log(e**(x**n*d + c) + 1)*b)/(d*e**n)`

3.80 $\int (ex)^{-1+2n} (a + bcsch(c + dx^n)) dx$

Optimal result	542
Mathematica [A] (verified)	542
Rubi [A] (verified)	543
Maple [C] (warning: unable to verify)	544
Fricas [B] (verification not implemented)	545
Sympy [F]	545
Maxima [F]	546
Giac [F]	546
Mupad [F(-1)]	546
Reduce [F]	547

Optimal result

Integrand size = 22, antiderivative size = 124

$$\int (ex)^{-1+2n} (a + bcsch(c + dx^n)) dx = \frac{a(ex)^{2n}}{2en} - \frac{2bx^{-n}(ex)^{2n} \operatorname{arctanh}(e^{c+dx^n})}{den} - \frac{bx^{-2n}(ex)^{2n} \operatorname{PolyLog}(2, -e^{c+dx^n})}{d^2en} + \frac{bx^{-2n}(ex)^{2n} \operatorname{PolyLog}(2, e^{c+dx^n})}{d^2en}$$

output

```
1/2*a*(e*x)^(2*n)/e/n-2*b*(e*x)^(2*n)*arctanh(exp(c+d*x^n))/d/e/n/(x^n)-b*(e*x)^(2*n)*polylog(2,-exp(c+d*x^n))/d^2/e/n/(x^(2*n))+b*(e*x)^(2*n)*polylog(2,exp(c+d*x^n))/d^2/e/n/(x^(2*n))
```

Mathematica [A] (verified)

Time = 0.50 (sec) , antiderivative size = 175, normalized size of antiderivative = 1.41

$$\int (ex)^{-1+2n} (a + bcsch(c + dx^n)) dx = \frac{x^{-2n}(ex)^{2n} (ad^2x^{2n} + 2bc \log(1 - e^{-c-dx^n}) + 2bdx^n \log(1 - e^{-c-dx^n}) - 2bc \log(1 + e^{-c-dx^n}) - 2bdx^n \log(1 + e^{-c-dx^n}))}{2d^2e^n}$$

input `Integrate[(e*x)^(-1 + 2*n)*(a + b*Csch[c + d*x^n]),x]`

output
$$\frac{((e*x)^{(2*n})*(a*d^{2*x^{(2*n)}} + 2*b*c*\text{Log}[1 - E^{(-c - d*x^n)}] + 2*b*d*x^n*\text{Log}[1 - E^{(-c - d*x^n)}] - 2*b*c*\text{Log}[1 + E^{(-c - d*x^n)}] - 2*b*d*x^n*\text{Log}[1 + E^{(-c - d*x^n)}] - 2*b*c*\text{Log}[\text{Tanh}[(c + d*x^n)/2]] + 2*b*\text{PolyLog}[2, -E^{(-c - d*x^n)}] - 2*b*\text{PolyLog}[2, E^{(-c - d*x^n)}])}{(2*d^{2*e*n}*x^{(2*n)})}$$

Rubi [A] (verified)

Time = 0.33 (sec) , antiderivative size = 124, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ex)^{2n-1} (a + b\text{csch}(c + dx^n)) dx$$

↓ 2010

$$\int (a(ex)^{2n-1} + b(ex)^{2n-1}\text{csch}(c + dx^n)) dx$$

↓ 2009

$$\frac{a(ex)^{2n}}{2en} - \frac{2bx^{-n}(ex)^{2n}\text{arctanh}(e^{c+dx^n})}{\frac{den}{bx^{-2n}(ex)^{2n}\text{PolyLog}(2, e^{dx^n+c})}} - \frac{bx^{-2n}(ex)^{2n}\text{PolyLog}(2, -e^{dx^n+c})}{d^2en} +$$

input `Int[(e*x)^(-1 + 2*n)*(a + b*Csch[c + d*x^n]),x]`

output
$$(a*(e*x)^{(2*n)})/(2*e*n) - (2*b*(e*x)^{(2*n)}*\text{ArcTanh}[E^{(c + d*x^n)}])/(d*e*n*x^n) - (b*(e*x)^{(2*n)}*\text{PolyLog}[2, -E^{(c + d*x^n)}])/(d^2*e*n*x^{(2*n)}) + (b*(e*x)^{(2*n)}*\text{PolyLog}[2, E^{(c + d*x^n)}])/(d^2*e*n*x^{(2*n)})$$

Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2010 `Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]`

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 0.59 (sec) , antiderivative size = 326, normalized size of antiderivative = 2.63

method	result
risch	$\frac{ax e^{\frac{(-1+2n)(-i\pi \operatorname{csgn}(ie) \operatorname{csgn}(ix) \operatorname{csgn}(ie x) + i\pi \operatorname{csgn}(ie) \operatorname{csgn}(ie x)^2 + i\pi \operatorname{csgn}(ix) \operatorname{csgn}(ie x)^2 - i\pi \operatorname{csgn}(ie x)^3 + 2 \ln(x) + 2 \ln(e))}{2}}}{2n} + \frac{2b e^{-i\pi n \operatorname{csgn}(ie)}}{2n}$

input `int((e*x)^(-1+2*n)*(a+b*c*sch(c+d*x^n)),x,method=_RETURNVERBOSE)`

output `1/2*a/n*x*exp(1/2*(-1+2*n)*(-I*Pi*csgn(I*e)*csgn(I*x)*csgn(I*e*x)+I*Pi*csgn(I*e)*csgn(I*e*x)^2+I*Pi*csgn(I*x)*csgn(I*e*x)^2-I*Pi*csgn(I*e*x)^3+2*ln(x)+2*ln(e)))+2*b*exp(-I*Pi*n*csgn(I*e)*csgn(I*x)*csgn(I*e*x))*exp(I*Pi*n*csgn(I*e)*csgn(I*e*x)^2)*exp(I*Pi*n*csgn(I*x)*csgn(I*e*x)^2)*exp(-I*Pi*n*csgn(I*e*x)^3)*exp(1/2*I*Pi*csgn(I*e)*csgn(I*x)*csgn(I*e*x))*exp(-1/2*I*Pi*csgn(I*e)*csgn(I*e*x)^2)*exp(-1/2*I*Pi*csgn(I*x)*csgn(I*e*x)^2)*exp(1/2*I*Pi*csgn(I*e*x)^3)*(e^n)^2/e*exp(c)/n/d^2*(1/2*(ln(1-exp(c+d*x^n))-ln(exp(c+d*x^n)+1))*d*x^n*exp(-c)+1/2*(dilog(1-exp(c+d*x^n))-dilog(exp(c+d*x^n)+1))*exp(-c))`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 555 vs. $2(121) = 242$.

Time = 0.11 (sec) , antiderivative size = 555, normalized size of antiderivative = 4.48

$$\int (ex)^{-1+2n} (a + bcsch(c + dx^n)) dx = \text{Too large to display}$$

input `integrate((e*x)^(-1+2*n)*(a+b*csch(c+d*x^n)),x, algorithm="fricas")`

output

```
1/2*(a*d^2*cosh((2*n - 1)*log(e))*cosh(n*log(x))^2 + a*d^2*cosh(n*log(x))^2*
sinh((2*n - 1)*log(e)) + (a*d^2*cosh((2*n - 1)*log(e)) + a*d^2*sinh((2*n - 1)*log(e)))
*sinh(n*log(x))^2 + 2*(b*cosh((2*n - 1)*log(e)) + b*sinh((2*n - 1)*log(e)))
*dilog(cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c)) - 2*(b*cosh((2*n - 1)*log(e)) + b*sinh((2*n - 1)*log(e)))
*dilog(-cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) - sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c)) - 2*(b*d*cosh((2*n - 1)*log(e))*cosh(n*log(x)) + b*d*cosh(n*log(x))*sinh((2*n - 1)*log(e)) + (b*d*cosh((2*n - 1)*log(e)) + b*d*sinh((2*n - 1)*log(e)))*sinh(n*log(x)))
*log(cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + 1) - 2*(b*c*cosh((2*n - 1)*log(e)) + b*c*sinh((2*n - 1)*log(e)))
*log(cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) - 1) + 2*(b*d*cosh((2*n - 1)*log(e))*cosh(n*log(x)) + b*c*cosh((2*n - 1)*log(e)) + (b*d*cosh(n*log(x)) + b*c)*sinh((2*n - 1)*log(e)) + (b*d*cosh((2*n - 1)*log(e)) + b*d*sinh((2*n - 1)*log(e)))*sinh(n*log(x)))
*log(-cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) - sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + 1) + 2*(a*d^2*cosh((2*n - 1)*log(e))*cosh(n*log(x)) + a*d^2*cosh(n*log(x))*sinh((2*n - 1)*log(e))*sinh(n*log(x)))/(d^2*n)
```

Sympy [F]

$$\int (ex)^{-1+2n} (a + bcsch(c + dx^n)) dx = \int (ex)^{2n-1} (a + bcsch(c + dx^n)) dx$$

input `integrate((e*x)**(-1+2*n)*(a+b*csch(c+d*x**n)),x)`

output `Integral((e*x)**(2*n - 1)*(a + b*csch(c + d*x**n)), x)`

Maxima [F]

$$\int (ex)^{-1+2n} (a + bcsch(c + dx^n)) dx = \int (bcsch(dx^n + c) + a)(ex)^{2n-1} dx$$

input `integrate((e*x)^(-1+2*n)*(a+b*csch(c+d*x^n)),x, algorithm="maxima")`

output `2*b*integrate((e*x)^(2*n - 1)/(e^(d*x^n + c) - e^(-d*x^n - c)), x) + 1/2*(e*x)^(2*n)*a/(e*n)`

Giac [F]

$$\int (ex)^{-1+2n} (a + bcsch(c + dx^n)) dx = \int (bcsch(dx^n + c) + a)(ex)^{2n-1} dx$$

input `integrate((e*x)^(-1+2*n)*(a+b*csch(c+d*x^n)),x, algorithm="giac")`

output `integrate((b*csch(d*x^n + c) + a)*(e*x)^(2*n - 1), x)`

Mupad [F(-1)]

Timed out.

$$\int (ex)^{-1+2n} (a + bcsch(c + dx^n)) dx = \int \left(a + \frac{b}{\sinh(c + dx^n)} \right) (ex)^{2n-1} dx$$

input `int((a + b/sinh(c + d*x^n))*(e*x)^(2*n - 1),x)`

output `int((a + b/sinh(c + d*x^n))*(e*x)^(2*n - 1), x)`

Reduce [F]

$$\int (ex)^{-1+2n} (a + b\operatorname{csch}(c + dx^n)) dx = \frac{e^{2n} \left(x^{2n} a + 2 \left(\int \frac{x^{2n} \operatorname{csch}(x^n d + c)}{x} dx \right) b n \right)}{2en}$$

input `int((e*x)^(-1+2*n)*(a+b*csch(c+d*x^n)),x)`

output `(e**(2*n)*(x**(2*n)*a + 2*int((x**(2*n)*csch(x**n*d + c))/x,x)*b*n))/(2*e*n)`

3.81 $\int (ex)^{-1+3n} (a + bcsch(c + dx^n)) dx$

Optimal result	548
Mathematica [F]	549
Rubi [A] (verified)	549
Maple [F]	550
Fricas [B] (verification not implemented)	550
Sympy [F]	551
Maxima [F]	552
Giac [F]	552
Mupad [F(-1)]	552
Reduce [F]	553

Optimal result

Integrand size = 22, antiderivative size = 197

$$\int (ex)^{-1+3n} (a + bcsch(c + dx^n)) dx = \frac{a(ex)^{3n}}{3en} - \frac{2bx^{-n}(ex)^{3n} \operatorname{arctanh}(e^{c+dx^n})}{den} - \frac{2bx^{-2n}(ex)^{3n} \operatorname{PolyLog}(2, -e^{c+dx^n})}{d^2en} + \frac{2bx^{-2n}(ex)^{3n} \operatorname{PolyLog}(2, e^{c+dx^n})}{d^2en} + \frac{2bx^{-3n}(ex)^{3n} \operatorname{PolyLog}(3, -e^{c+dx^n})}{d^3en} - \frac{2bx^{-3n}(ex)^{3n} \operatorname{PolyLog}(3, e^{c+dx^n})}{d^3en}$$

output

```
1/3*a*(e*x)^(3*n)/e/n-2*b*(e*x)^(3*n)*arctanh(exp(c+d*x^n))/d/e/n/(x^n)-2*
b*(e*x)^(3*n)*polylog(2,-exp(c+d*x^n))/d^2/e/n/(x^(2*n))+2*b*(e*x)^(3*n)*p
olylog(2,exp(c+d*x^n))/d^2/e/n/(x^(2*n))+2*b*(e*x)^(3*n)*polylog(3,-exp(c+
d*x^n))/d^3/e/n/(x^(3*n))-2*b*(e*x)^(3*n)*polylog(3,exp(c+d*x^n))/d^3/e/n/
(x^(3*n))
```

Mathematica [F]

$$\int (ex)^{-1+3n} (a + bcsch(c + dx^n)) dx = \int (ex)^{-1+3n} (a + bcsch(c + dx^n)) dx$$

input `Integrate[(e*x)^(-1 + 3*n)*(a + b*Csch[c + d*x^n]),x]`

output `Integrate[(e*x)^(-1 + 3*n)*(a + b*Csch[c + d*x^n]), x]`

Rubi [A] (verified)

Time = 0.43 (sec) , antiderivative size = 197, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int (ex)^{3n-1} (a + bcsch(c + dx^n)) dx \\ & \quad \downarrow \text{2010} \\ & \int (a(ex)^{3n-1} + b(ex)^{3n-1}csch(c + dx^n)) dx \\ & \quad \downarrow \text{2009} \\ & \frac{a(ex)^{3n}}{3en} - \frac{2bx^{-n}(ex)^{3n}\operatorname{arctanh}(e^{c+dx^n})}{2bx^{-3n}(ex)^{3n}\operatorname{PolyLog}(3, e^{dx^n+c})} + \frac{2bx^{-3n}(ex)^{3n}\operatorname{PolyLog}(3, -e^{dx^n+c})}{2bx^{-2n}(ex)^{3n}\operatorname{PolyLog}(2, -e^{dx^n+c})} - \\ & \quad \frac{d^3en}{2bx^{-2n}(ex)^{3n}\operatorname{PolyLog}(2, e^{dx^n+c})} + \frac{d^2en}{d^2en} \end{aligned}$$

input `Int[(e*x)^(-1 + 3*n)*(a + b*Csch[c + d*x^n]),x]`

output

```
(a*(e*x)^(3*n))/(3*e*n) - (2*b*(e*x)^(3*n)*ArcTanh[E^(c + d*x^n)]/(d*e*n*
x^n) - (2*b*(e*x)^(3*n)*PolyLog[2, -E^(c + d*x^n)]/(d^2*e*n*x^(2*n)) + (2
*b*(e*x)^(3*n)*PolyLog[2, E^(c + d*x^n)]/(d^2*e*n*x^(2*n)) + (2*b*(e*x)^(
3*n)*PolyLog[3, -E^(c + d*x^n)]/(d^3*e*n*x^(3*n)) - (2*b*(e*x)^(3*n)*Poly
Log[3, E^(c + d*x^n)]/(d^3*e*n*x^(3*n))
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2010

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_
+ (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

Maple [F]

$$\int (ex)^{-1+3n} (a + b \operatorname{csch}(c + dx^n)) dx$$

input

```
int((e*x)^(-1+3*n)*(a+b*csch(c+d*x^n)),x)
```

output

```
int((e*x)^(-1+3*n)*(a+b*csch(c+d*x^n)),x)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 951 vs. $2(196) = 392$.

Time = 0.09 (sec) , antiderivative size = 951, normalized size of antiderivative = 4.83

$$\int (ex)^{-1+3n} (a + b \operatorname{csch}(c + dx^n)) dx = \text{Too large to display}$$

input

```
integrate((e*x)^(-1+3*n)*(a+b*csch(c+d*x^n)),x, algorithm="fricas")
```

output

```

1/3*(a*d^3*cosh((3*n - 1)*log(e))*cosh(n*log(x))^3 + a*d^3*cosh(n*log(x))^
3*sinh((3*n - 1)*log(e)) + (a*d^3*cosh((3*n - 1)*log(e)) + a*d^3*sinh((3*n
- 1)*log(e)))*sinh(n*log(x))^3 + 3*(a*d^3*cosh((3*n - 1)*log(e))*cosh(n*log(x))
+ a*d^3*cosh(n*log(x))*sinh((3*n - 1)*log(e)))*sinh(n*log(x))^2 + 6
*(b*d*cosh((3*n - 1)*log(e))*cosh(n*log(x)) + b*d*cosh(n*log(x))*sinh((3*n
- 1)*log(e)) + (b*d*cosh((3*n - 1)*log(e)) + b*d*sinh((3*n - 1)*log(e)))*
sinh(n*log(x)))*dilog(cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + sinh
(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c)) - 6*(b*d*cosh((3*n - 1)*log(e))
*cosh(n*log(x)) + b*d*cosh(n*log(x))*sinh((3*n - 1)*log(e)) + (b*d*cosh((3
*n - 1)*log(e)) + b*d*sinh((3*n - 1)*log(e)))*sinh(n*log(x)))*dilog(-cosh(
d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) - sinh(d*cosh(n*log(x)) + d*sinh(
n*log(x)) + c)) - 3*(b*d^2*cosh((3*n - 1)*log(e))*cosh(n*log(x))^2 + b*d^2
*cosh(n*log(x))^2*sinh((3*n - 1)*log(e)) + (b*d^2*cosh((3*n - 1)*log(e)) +
b*d^2*sinh((3*n - 1)*log(e)))*sinh(n*log(x))^2 + 2*(b*d^2*cosh((3*n - 1)*
log(e))*cosh(n*log(x)) + b*d^2*cosh(n*log(x))*sinh((3*n - 1)*log(e)))*sinh
(n*log(x)))*log(cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + sinh(d*cos
h(n*log(x)) + d*sinh(n*log(x)) + c) + 1) + 3*(b*c^2*cosh((3*n - 1)*log(e))
+ b*c^2*sinh((3*n - 1)*log(e)))*log(cosh(d*cosh(n*log(x)) + d*sinh(n*log(
x)) + c) + sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) - 1) + 3*(b*d^2*c
osh((3*n - 1)*log(e))*cosh(n*log(x))^2 - b*c^2*cosh((3*n - 1)*log(e)) + ...

```

Sympy [F]

$$\int (ex)^{-1+3n} (a + bcsch(c + dx^n)) dx = \int (ex)^{3n-1} (a + bcsch(c + dx^n)) dx$$

input

```
integrate((e*x)**(-1+3*n)*(a+b*csch(c+d*x**n)),x)
```

output

```
Integral((e*x)**(3*n - 1)*(a + b*csch(c + d*x**n)), x)
```


Maxima [F]

$$\int (ex)^{-1+3n} (a + b \operatorname{csch}(c + dx^n)) dx = \int (b \operatorname{csch}(dx^n + c) + a)(ex)^{3n-1} dx$$

input `integrate((e*x)^(-1+3*n)*(a+b*csch(c+d*x^n)),x, algorithm="maxima")`

output `2*b*integrate((e*x)^(3*n - 1)/(e^(d*x^n + c) - e^(-d*x^n - c)), x) + 1/3*(e*x)^(3*n)*a/(e*n)`

Giac [F]

$$\int (ex)^{-1+3n} (a + b \operatorname{csch}(c + dx^n)) dx = \int (b \operatorname{csch}(dx^n + c) + a)(ex)^{3n-1} dx$$

input `integrate((e*x)^(-1+3*n)*(a+b*csch(c+d*x^n)),x, algorithm="giac")`

output `integrate((b*csch(d*x^n + c) + a)*(e*x)^(3*n - 1), x)`

Mupad [F(-1)]

Timed out.

$$\int (ex)^{-1+3n} (a + b \operatorname{csch}(c + dx^n)) dx = \int \left(a + \frac{b}{\sinh(c + dx^n)} \right) (ex)^{3n-1} dx$$

input `int((a + b/sinh(c + d*x^n))*(e*x)^(3*n - 1),x)`

output `int((a + b/sinh(c + d*x^n))*(e*x)^(3*n - 1), x)`

Reduce [F]

$$\int (ex)^{-1+3n} (a + b\operatorname{csch}(c + dx^n)) dx = \frac{e^{3n} \left(x^{3n} a + 3 \left(\int \frac{x^{3n} \operatorname{csch}(x^n d + c)}{x} dx \right) bn \right)}{3en}$$

input `int((e*x)^(-1+3*n)*(a+b*csch(c+d*x^n)),x)`

output `(e**(3*n)*(x**(3*n)*a + 3*int((x**(3*n)*csch(x**n*d + c))/x,x)*b*n))/(3*e*n)`

3.82 $\int (ex)^{-1+n} (a + bcsch(c + dx^n))^2 dx$

Optimal result	554
Mathematica [A] (verified)	554
Rubi [A] (verified)	555
Maple [C] (warning: unable to verify)	558
Fricas [B] (verification not implemented)	558
Sympy [F]	559
Maxima [A] (verification not implemented)	560
Giac [F]	560
Mupad [B] (verification not implemented)	561
Reduce [B] (verification not implemented)	561

Optimal result

Integrand size = 22, antiderivative size = 80

$$\int (ex)^{-1+n} (a + bcsch(c + dx^n))^2 dx = \frac{a^2(ex)^n}{en} - \frac{2abx^{-n}(ex)^n \operatorname{arctanh}(\cosh(c + dx^n))}{den} - \frac{b^2x^{-n}(ex)^n \operatorname{coth}(c + dx^n)}{den}$$

output `a^2*(e*x)^n/e/n-2*a*b*(e*x)^n*arctanh(cosh(c+d*x^n))/d/e/n/(x^n)-b^2*(e*x)^n*coth(c+d*x^n)/d/e/n/(x^n)`

Mathematica [A] (verified)

Time = 0.84 (sec) , antiderivative size = 103, normalized size of antiderivative = 1.29

$$\int (ex)^{-1+n} (a + bcsch(c + dx^n))^2 dx = \frac{x^{-n}(ex)^n (-b^2 \operatorname{coth}(\frac{1}{2}(c + dx^n)) + 2a(ac + adx^n - 2b \log(\cosh(\frac{1}{2}(c + dx^n)))) + 2b \log(\sinh(\frac{1}{2}(c + dx^n)))}{2den}$$

input `Integrate[(e*x)^(-1 + n)*(a + b*Csch[c + d*x^n])^2,x]`

output

$$\frac{((e*x)^n*(-(b^2*\text{Coth}[(c + d*x^n)/2]) + 2*a*(a*c + a*d*x^n - 2*b*\text{Log}[\text{Cosh}[(c + d*x^n)/2]] + 2*b*\text{Log}[\text{Sinh}[(c + d*x^n)/2]]) - b^2*\text{Tanh}[(c + d*x^n)/2]))}{(2*d*e^n*x^n)}$$
Rubi [A] (verified)

Time = 0.50 (sec) , antiderivative size = 57, normalized size of antiderivative = 0.71, number of steps used = 13, number of rules used = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.545$, Rules used = {5964, 5960, 3042, 4260, 25, 26, 3042, 25, 26, 4254, 24, 4257}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int (ex)^{n-1} (a + b \operatorname{csch}(c + dx^n))^2 dx \\ & \quad \downarrow 5964 \\ & \frac{x^{-n}(ex)^n \int x^{n-1} (a + b \operatorname{csch}(dx^n + c))^2 dx}{e} \\ & \quad \downarrow 5960 \\ & \frac{x^{-n}(ex)^n \int (a + b \operatorname{csch}(dx^n + c))^2 dx^n}{en} \\ & \quad \downarrow 3042 \\ & \frac{x^{-n}(ex)^n \int (a + ib \operatorname{csc}(idx^n + ic))^2 dx^n}{en} \\ & \quad \downarrow 4260 \\ & \frac{x^{-n}(ex)^n (2iab \int -i \operatorname{csch}(dx^n + c) dx^n - b^2 \int -\operatorname{csch}^2(dx^n + c) dx^n + a^2 x^n)}{en} \\ & \quad \downarrow 25 \\ & \frac{x^{-n}(ex)^n (2iab \int -i \operatorname{csch}(dx^n + c) dx^n + b^2 \int \operatorname{csch}^2(dx^n + c) dx^n + a^2 x^n)}{en} \\ & \quad \downarrow 26 \\ & \frac{x^{-n}(ex)^n (2ab \int \operatorname{csch}(dx^n + c) dx^n + b^2 \int \operatorname{csch}^2(dx^n + c) dx^n + a^2 x^n)}{en} \\ & \quad \downarrow 3042 \end{aligned}$$

$$\begin{array}{c}
 \frac{x^{-n}(ex)^n \left(2ab \int i \csc (idx^n + ic) dx^n + b^2 \int -\csc (idx^n + ic)^2 dx^n + a^2 x^n \right)}{en} \\
 \downarrow 25 \\
 \frac{x^{-n}(ex)^n \left(2ab \int i \csc (idx^n + ic) dx^n - b^2 \int \csc (idx^n + ic)^2 dx^n + a^2 x^n \right)}{en} \\
 \downarrow 26 \\
 \frac{x^{-n}(ex)^n \left(2iab \int \csc (idx^n + ic) dx^n - b^2 \int \csc (idx^n + ic)^2 dx^n + a^2 x^n \right)}{en} \\
 \downarrow 4254 \\
 \frac{x^{-n}(ex)^n \left(2iab \int \csc (idx^n + ic) dx^n - \frac{ib^2 \int 1d(-i \coth(dx^n+c))}{d} + a^2 x^n \right)}{en} \\
 \downarrow 24 \\
 \frac{x^{-n}(ex)^n \left(2iab \int \csc (idx^n + ic) dx^n + a^2 x^n - \frac{b^2 \coth(c+dx^n)}{d} \right)}{en} \\
 \downarrow 4257 \\
 \frac{x^{-n}(ex)^n \left(a^2 x^n - \frac{2ab \operatorname{arctanh}(\cosh(c+dx^n))}{d} - \frac{b^2 \coth(c+dx^n)}{d} \right)}{en}
 \end{array}$$

input

`Int[(e*x)^(-1 + n)*(a + b*Csch[c + d*x^n])^2,x]`

output

`((e*x)^n*(a^2*x^n - (2*a*b*ArcTanh[Cosh[c + d*x^n]]))/d - (b^2*Coth[c + d*x^n])/d)/(e*n*x^n)`

Defintions of rubi rules used

rule 24

`Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

rule 25

`Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

- rule 26 `Int[(Complex[0, a_]*(Fx_), x_Symbol] := Simp[(Complex[Identity[0], a]) Int[Fx, x], x] /; FreeQ[a, x] && EqQ[a^2, 1]`
- rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`
- rule 4254 `Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := Simp[-d^(-1) Subst[Int[Exp andIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]`
- rule 4257 `Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := Simp[-ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`
- rule 4260 `Int[(csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_))^(2, x_Symbol] := Simp[a^2*x, x] + (Simp[2*a*b Int[Csc[c + d*x], x], x] + Simp[b^2 Int[Csc[c + d*x]^2, x], x]) /; FreeQ[{a, b, c, d}, x]`
- rule 5960 `Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_)])*(b_.))^(p_.)*(x_)^(m_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`
- rule 5964 `Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_)])*(b_.))^(p_.)*((e_)*(x_))^(m_.), x_Symbol] := Simp[e^IntPart[m]*((e*x)^FracPart[m]/x^FracPart[m]) Int[x^m*(a + b*Csch[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x]`

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 3.

Time = 1.75 (sec) , antiderivative size = 271, normalized size of antiderivative = 3.39

method	result
risch	$\frac{a^2 x e^{(-1+n) \left(-i\pi \operatorname{csgn}(ie) \operatorname{csgn}(ix) \operatorname{csgn}(ie x) + i\pi \operatorname{csgn}(ie) \operatorname{csgn}(ie x)^2 + i\pi \operatorname{csgn}(ix) \operatorname{csgn}(ie x)^2 - i\pi \operatorname{csgn}(ie x)^3 + 2 \ln(x) + 2 \ln(e) \right)}}{n} - \frac{2 x x^{-n} b^2 e^{\dots}}{\dots}$

input

```
int((e*x)^(-1+n)*(a+b*csch(c+d*x^n))^2,x,method=_RETURNVERBOSE)
```

output

```
a^2/n*x*exp(1/2*(-1+n)*(-I*Pi*csgn(I*e)*csgn(I*x)*csgn(I*e*x)+I*Pi*csgn(I*
e)*csgn(I*e*x)^2+I*Pi*csgn(I*x)*csgn(I*e*x)^2-I*Pi*csgn(I*e*x)^3+2*ln(x)+2
*ln(e)))-2/d/n*x/(x^n)*b^2*exp(1/2*(-1+n)*(-I*Pi*csgn(I*e)*csgn(I*x)*csgn(
I*e*x)+I*Pi*csgn(I*e)*csgn(I*e*x)^2+I*Pi*csgn(I*x)*csgn(I*e*x)^2-I*Pi*csgn
(I*e*x)^3+2*ln(x)+2*ln(e)))/(exp(2*c+2*d*x^n)-1)-4*arctanh(exp(c+d*x^n))/d
/e*e^n/n*a*b*exp(1/2*I*Pi*csgn(I*e*x)*(-1+n)*(csgn(I*e*x)-csgn(I*x))*(-csg
n(I*e*x)+csgn(I*e)))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 854 vs. $2(80) = 160$.

Time = 0.10 (sec) , antiderivative size = 854, normalized size of antiderivative = 10.68

$$\int (ex)^{-1+n} (a + bcsch(c + dx^n))^2 dx = \text{Too large to display}$$

input

```
integrate((e*x)^(-1+n)*(a+b*csch(c+d*x^n))^2,x, algorithm="fricas")
```

output

```

-(a^2*d*cosh((n - 1)*log(e))*cosh(n*log(x)) - (a^2*d*cosh((n - 1)*log(e))*
cosh(n*log(x)) + a^2*d*cosh(n*log(x))*sinh((n - 1)*log(e)) + (a^2*d*cosh((
n - 1)*log(e)) + a^2*d*sinh((n - 1)*log(e)))*sinh(n*log(x)))*cosh(d*cosh(n
*log(x)) + d*sinh(n*log(x)) + c)^2 + 2*b^2*cosh((n - 1)*log(e)) - 2*(a^2*d
*cosh((n - 1)*log(e))*cosh(n*log(x)) + a^2*d*cosh(n*log(x))*sinh((n - 1)*l
og(e)) + (a^2*d*cosh((n - 1)*log(e)) + a^2*d*sinh((n - 1)*log(e)))*sinh(n*
log(x)))*cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c)*sinh(d*cosh(n*log(x)
)) + d*sinh(n*log(x)) + c) - (a^2*d*cosh((n - 1)*log(e))*cosh(n*log(x)) +
a^2*d*cosh(n*log(x))*sinh((n - 1)*log(e)) + (a^2*d*cosh((n - 1)*log(e)) +
a^2*d*sinh((n - 1)*log(e)))*sinh(n*log(x)))*sinh(d*cosh(n*log(x)) + d*sinh
(n*log(x)) + c)^2 + 2*((a*b*cosh((n - 1)*log(e)) + a*b*sinh((n - 1)*log(e)
))*cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c)^2 - a*b*cosh((n - 1)*log(
e)) + 2*(a*b*cosh((n - 1)*log(e)) + a*b*sinh((n - 1)*log(e)))*cosh(d*cosh(
n*log(x)) + d*sinh(n*log(x)) + c)*sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)
) + c) + (a*b*cosh((n - 1)*log(e)) + a*b*sinh((n - 1)*log(e)))*sinh(d*cosh(
n*log(x)) + d*sinh(n*log(x)) + c)^2 - a*b*sinh((n - 1)*log(e))*log(cosh(d
*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + sinh(d*cosh(n*log(x)) + d*sinh(n
*log(x)) + c) + 1) - 2*((a*b*cosh((n - 1)*log(e)) + a*b*sinh((n - 1)*log(e)
))*cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c)^2 - a*b*cosh((n - 1)*log
(e)) + 2*(a*b*cosh((n - 1)*log(e)) + a*b*sinh((n - 1)*log(e)))*cosh(d*c...

```

Sympy [F]

$$\int (ex)^{-1+n} (a + b \operatorname{csch}(c + dx^n))^2 dx = \int (ex)^{n-1} (a + b \operatorname{csch}(c + dx^n))^2 dx$$

input

```
integrate((e*x)**(-1+n)*(a+b*csch(c+d*x**n))**2,x)
```

output

```
Integral((e*x)**(n - 1)*(a + b*csch(c + d*x**n))**2, x)
```


Maxima [A] (verification not implemented)

Time = 0.15 (sec) , antiderivative size = 109, normalized size of antiderivative = 1.36

$$\int (ex)^{-1+n} (a + b \operatorname{csch}(c + dx^n))^2 dx$$

$$= -2ab \left(\frac{e^{n-1} \log((e^{(dx^n+c)} + 1)e^{-c})}{dn} - \frac{e^{n-1} \log((e^{(dx^n+c)} - 1)e^{-c})}{dn} \right)$$

$$- \frac{2b^2 e^n}{dne^{(2dx^n+2c)} - den} + \frac{(ex)^n a^2}{en}$$

input `integrate((e*x)^(-1+n)*(a+b*csch(c+d*x^n))^2,x, algorithm="maxima")`

output `-2*a*b*(e^(n - 1)*log((e^(d*x^n + c) + 1)*e^(-c))/(d*n) - e^(n - 1)*log((e^(d*x^n + c) - 1)*e^(-c))/(d*n)) - 2*b^2*e^n/(d*e*n*e^(2*d*x^n + 2*c) - d*e*n) + (e*x)^n*a^2/(e*n)`

Giac [F]

$$\int (ex)^{-1+n} (a + b \operatorname{csch}(c + dx^n))^2 dx = \int (b \operatorname{csch}(dx^n + c) + a)^2 (ex)^{n-1} dx$$

input `integrate((e*x)^(-1+n)*(a+b*csch(c+d*x^n))^2,x, algorithm="giac")`

output `integrate((b*csch(d*x^n + c) + a)^2*(e*x)^(n - 1), x)`

Mupad [B] (verification not implemented)

Time = 2.50 (sec) , antiderivative size = 160, normalized size of antiderivative = 2.00

$$\int (ex)^{-1+n} (a + bcsch(c + dx^n))^2 dx$$

$$= \frac{a^2 x (ex)^{n-1}}{n} - \frac{4 \operatorname{atan}\left(\frac{a b x e^{dx^n} e^c (ex)^{n-1} \sqrt{-d^2 n^2 x^{2n}}}{dn x^n \sqrt{a^2 b^2 x^2 (ex)^{2n-2}}}\right) \sqrt{a^2 b^2 x^2 (ex)^{2n-2}}}{\sqrt{-d^2 n^2 x^{2n}}} - \frac{2 b^2 x (ex)^{n-1}}{dn x^n (e^{2c+2dx^n} - 1)}$$

input `int((a + b/sinh(c + d*x^n))^2*(e*x)^(n - 1),x)`output `(a^2*x*(e*x)^(n - 1))/n - (4*atan((a*b*x*exp(d*x^n)*exp(c)*(e*x)^(n - 1))*(-d^2*n^2*x^(2*n))^(1/2))/(d*n*x^n*(a^2*b^2*x^2*(e*x)^(2*n - 2))^(1/2)))*(a^2*b^2*x^2*(e*x)^(2*n - 2))^(1/2)/(-d^2*n^2*x^(2*n))^(1/2) - (2*b^2*x*(e*x)^(n - 1))/(d*n*x^n*(exp(2*c + 2*d*x^n) - 1))`**Reduce [B] (verification not implemented)**

Time = 0.24 (sec) , antiderivative size = 164, normalized size of antiderivative = 2.05

$$\int (ex)^{-1+n} (a + bcsch(c + dx^n))^2 dx$$

$$= \frac{e^n (x^n e^{2x^n d + 2c} a^2 d + 2e^{2x^n d + 2c} \log(e^{x^n d + c} - 1) ab - 2e^{2x^n d + 2c} \log(e^{x^n d + c} + 1) ab - 2e^{2x^n d + 2c} b^2 - x^n a^2 d - 2e^{2x^n d + 2c} \log(e^{x^n d + c} - 1) ab + 2e^{2x^n d + 2c} \log(e^{x^n d + c} + 1) ab)}{den(e^{2x^n d + 2c} - 1)}$$

input `int((e*x)^(-1+n)*(a+b*csch(c+d*x^n))^2,x)`output `(e**n*(x**n*e**(2*x**n*d + 2*c))*a**2*d + 2*e**(2*x**n*d + 2*c)*log(e**(x**n*d + c) - 1)*a*b - 2*e**(2*x**n*d + 2*c)*log(e**(x**n*d + c) + 1)*a*b - 2*e**(2*x**n*d + 2*c)*b**2 - x**n*a**2*d - 2*log(e**(x**n*d + c) - 1)*a*b + 2*log(e**(x**n*d + c) + 1)*a*b)/(d*e**n*(e**(2*x**n*d + 2*c) - 1))`

3.83 $\int (ex)^{-1+2n} (a + bcsch(c + dx^n))^2 dx$

Optimal result	562
Mathematica [B] (verified)	563
Rubi [A] (verified)	563
Maple [F]	565
Fricas [B] (verification not implemented)	565
Sympy [F]	566
Maxima [F]	567
Giac [F]	567
Mupad [F(-1)]	567
Reduce [F]	568

Optimal result

Integrand size = 24, antiderivative size = 198

$$\int (ex)^{-1+2n} (a + bcsch(c + dx^n))^2 dx = \frac{a^2(ex)^{2n}}{2en} - \frac{4abx^{-n}(ex)^{2n}\operatorname{arctanh}(e^{c+dx^n})}{den} - \frac{b^2x^{-n}(ex)^{2n}\operatorname{coth}(c + dx^n)}{den} + \frac{b^2x^{-2n}(ex)^{2n}\log(\sinh(c + dx^n))}{d^2en} - \frac{2abx^{-2n}(ex)^{2n}\operatorname{PolyLog}(2, -e^{c+dx^n})}{d^2en} + \frac{2abx^{-2n}(ex)^{2n}\operatorname{PolyLog}(2, e^{c+dx^n})}{d^2en}$$

output

```
1/2*a^2*(e*x)^(2*n)/e/n-4*a*b*(e*x)^(2*n)*arctanh(exp(c+d*x^n))/d/e/n/(x^n)
-b^2*(e*x)^(2*n)*coth(c+d*x^n)/d/e/n/(x^n)+b^2*(e*x)^(2*n)*ln(sinh(c+d*x^n))/d^2/e/n/(x^(2*n))-2*a*b*(e*x)^(2*n)*polylog(2,-exp(c+d*x^n))/d^2/e/n/(x^(2*n))+2*a*b*(e*x)^(2*n)*polylog(2,exp(c+d*x^n))/d^2/e/n/(x^(2*n))
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 488 vs. $2(198) = 396$.

Time = 2.52 (sec) , antiderivative size = 488, normalized size of antiderivative = 2.46

$$\int (ex)^{-1+2n} (a + b\operatorname{csch}(c + dx^n))^2 dx$$

$$= \frac{x^{-2n}(ex)^{2n} (-4b^2dx^n - a^2d^2x^{2n} + a^2d^2e^{2c}x^{2n} - 2b^2 \log(1 - e^{-c-dx^n}) + 2b^2e^{2c} \log(1 - e^{-c-dx^n}) - 4abd}{\dots}$$

input `Integrate[(e*x)^(-1 + 2*n)*(a + b*Csch[c + d*x^n])^2,x]`

output

```
((e*x)^(2*n)*(-4*b^2*d*x^n - a^2*d^2*x^(2*n) + a^2*d^2*E^(2*c)*x^(2*n) - 2*b^2*Log[1 - E^(-c - d*x^n)] + 2*b^2*E^(2*c)*Log[1 - E^(-c - d*x^n)] - 4*a*b*d*x^n*Log[1 - E^(-c - d*x^n)] + 4*a*b*d*E^(2*c)*x^n*Log[1 - E^(-c - d*x^n)] - 2*b^2*Log[1 + E^(-c - d*x^n)] + 2*b^2*E^(2*c)*Log[1 + E^(-c - d*x^n)] + 4*a*b*d*x^n*Log[1 + E^(-c - d*x^n)] - 4*a*b*d*E^(2*c)*x^n*Log[1 + E^(-c - d*x^n)] + 4*a*b*(-1 + E^(2*c))*PolyLog[2, -E^(-c - d*x^n)] - 4*a*b*(-1 + E^(2*c))*PolyLog[2, E^(-c - d*x^n)] - b^2*d*x^n*Csch[c/2]*Csch[(c + d*x^n)/2]*Sinh[(d*x^n)/2] + b^2*d*E^(2*c)*x^n*Csch[c/2]*Csch[(c + d*x^n)/2]*Sinh[(d*x^n)/2] + b^2*d*x^n*Sech[c/2]*Sech[(c + d*x^n)/2]*Sinh[(d*x^n)/2] - 4*b^2*d*E^(2*c)*x^n*Csch[c]*Csch[c + d*x^n]*Sinh[c/2]*Sinh[(d*x^n)/2]*Sinh[(c + d*x^n)/2]))/(2*d^2*e^(-1 + E^(2*c))*n*x^(2*n))
```

Rubi [A] (verified)

Time = 0.52 (sec) , antiderivative size = 125, normalized size of antiderivative = 0.63, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {5964, 5960, 3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ex)^{2n-1} (a + b\operatorname{csch}(c + dx^n))^2 dx$$

↓ 5964

$$\begin{array}{c}
 \frac{x^{-2n}(ex)^{2n} \int x^{2n-1}(a + b\operatorname{csch}(dx^n + c))^2 dx}{e} \\
 \downarrow 5960 \\
 \frac{x^{-2n}(ex)^{2n} \int x^n(a + b\operatorname{csch}(dx^n + c))^2 dx^n}{en} \\
 \downarrow 3042 \\
 \frac{x^{-2n}(ex)^{2n} \int x^n(a + ib \operatorname{csc}(idx^n + ic))^2 dx^n}{en} \\
 \downarrow 4678 \\
 \frac{x^{-2n}(ex)^{2n} \int (a^2x^n + b^2\operatorname{csch}^2(dx^n + c)x^n + 2ab\operatorname{csch}(dx^n + c)x^n) dx^n}{en} \\
 \downarrow 2009 \\
 \frac{x^{-2n}(ex)^{2n} \left(\frac{1}{2}a^2x^{2n} - \frac{4abx^n \operatorname{arctanh}(e^{c+dx^n})}{d} - \frac{2ab \operatorname{PolyLog}(2, -e^{dx^n+c})}{d^2} + \frac{2ab \operatorname{PolyLog}(2, e^{dx^n+c})}{d^2} + \frac{b^2 \log(\sinh(c+dx^n))}{d^2} \right)}{en}
 \end{array}$$

input `Int[(e*x)^(-1 + 2*n)*(a + b*Csch[c + d*x^n])^2,x]`

output `((e*x)^(2*n)*((a^2*x^(2*n))/2 - (4*a*b*x^n*ArcTanh[E^(c + d*x^n)])/d - (b^2*x^n*Coth[c + d*x^n])/d + (b^2*Log[Sinh[c + d*x^n]])/d^2 - (2*a*b*PolyLog[2, -E^(c + d*x^n)])/d^2 + (2*a*b*PolyLog[2, E^(c + d*x^n)])/d^2))/(e*n*x^(2*n))`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4678 `Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]`

rule 5960 `Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_)]*(b_.))^(p_.)*(x_)^(m_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

rule 5964 `Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_)]*(b_.))^(p_.)*((e_)*(x_))^(m_.), x_Symbol] := Simp[e^IntPart[m]*((e*x)^FracPart[m]/x^FracPart[m]) Int[x^m*(a + b*Csch[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x]`

Maple [F]

$$\int (ex)^{-1+2n} (a + b \operatorname{csch}(c + dx^n))^2 dx$$

input `int((e*x)^(-1+2*n)*(a+b*csch(c+d*x^n))^2,x)`

output `int((e*x)^(-1+2*n)*(a+b*csch(c+d*x^n))^2,x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2678 vs. $2(197) = 394$.

Time = 0.15 (sec) , antiderivative size = 2678, normalized size of antiderivative = 13.53

$$\int (ex)^{-1+2n} (a + b \operatorname{csch}(c + dx^n))^2 dx = \text{Too large to display}$$

input `integrate((e*x)^(-1+2*n)*(a+b*csch(c+d*x^n))^2,x, algorithm="fricas")`

output

```
-1/2*(a^2*d^2*cosh((2*n - 1)*log(e))*cosh(n*log(x))^2 - 4*b^2*c*cosh((2*n
- 1)*log(e)) - (a^2*d^2*cosh((2*n - 1)*log(e))*cosh(n*log(x))^2 - 4*b^2*d*
cosh((2*n - 1)*log(e))*cosh(n*log(x)) - 4*b^2*c*cosh((2*n - 1)*log(e)) + (
a^2*d^2*cosh((2*n - 1)*log(e)) + a^2*d^2*sinh((2*n - 1)*log(e)))*sinh(n*lo
g(x))^2 + (a^2*d^2*cosh(n*log(x))^2 - 4*b^2*d*cosh(n*log(x)) - 4*b^2*c)*si
nh((2*n - 1)*log(e)) + 2*(a^2*d^2*cosh((2*n - 1)*log(e))*cosh(n*log(x)) -
2*b^2*d*cosh((2*n - 1)*log(e)) + (a^2*d^2*cosh(n*log(x)) - 2*b^2*d)*sinh((
2*n - 1)*log(e)))*sinh(n*log(x))*cosh(d*cosh(n*log(x)) + d*sinh(n*log(x))
+ c)^2 - 2*(a^2*d^2*cosh((2*n - 1)*log(e))*cosh(n*log(x))^2 - 4*b^2*d*cos
h((2*n - 1)*log(e))*cosh(n*log(x)) - 4*b^2*c*cosh((2*n - 1)*log(e)) + (a^2
*d^2*cosh((2*n - 1)*log(e)) + a^2*d^2*sinh((2*n - 1)*log(e)))*sinh(n*log(x)
))^2 + (a^2*d^2*cosh(n*log(x))^2 - 4*b^2*d*cosh(n*log(x)) - 4*b^2*c)*sinh(
(2*n - 1)*log(e)) + 2*(a^2*d^2*cosh((2*n - 1)*log(e))*cosh(n*log(x)) - 2*b
^2*d*cosh((2*n - 1)*log(e)) + (a^2*d^2*cosh(n*log(x)) - 2*b^2*d)*sinh((2*n
- 1)*log(e)))*sinh(n*log(x))*cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) +
c)*sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) - (a^2*d^2*cosh((2*n - 1)
*log(e))*cosh(n*log(x))^2 - 4*b^2*d*cosh((2*n - 1)*log(e))*cosh(n*log(x))
- 4*b^2*c*cosh((2*n - 1)*log(e)) + (a^2*d^2*cosh((2*n - 1)*log(e)) + a^2*d
^2*sinh((2*n - 1)*log(e)))*sinh(n*log(x))^2 + (a^2*d^2*cosh(n*log(x))^2 -
4*b^2*d*cosh(n*log(x)) - 4*b^2*c)*sinh((2*n - 1)*log(e)) + 2*(a^2*d^2*c...
```

Sympy [F]

$$\int (ex)^{-1+2n} (a + b \operatorname{csch}(c + dx^n))^2 dx = \int (ex)^{2n-1} (a + b \operatorname{csch}(c + dx^n))^2 dx$$

input

```
integrate((e*x)**(-1+2*n)*(a+b*csch(c+d*x**n))**2,x)
```

output

```
Integral((e*x)**(2*n - 1)*(a + b*csch(c + d*x**n))**2, x)
```

Maxima [F]

$$\int (ex)^{-1+2n} (a + b \operatorname{csch}(c + dx^n))^2 dx = \int (b \operatorname{csch}(dx^n + c) + a)^2 (ex)^{2n-1} dx$$

input `integrate((e*x)^(-1+2*n)*(a+b*csch(c+d*x^n))^2,x, algorithm="maxima")`

output `4*(e^(2*n)*integrate(1/2*x^(2*n)/(e*x*e^(d*x^n + c) + e*x), x) + e^(2*n)*integrate(1/2*x^(2*n)/(e*x*e^(d*x^n + c) - e*x), x))*a*b - b^2*(2*e^(2*n)*e^(2*d*x^n + n*log(x) + 2*c)/(d*e*n*e^(2*d*x^n + 2*c) - d*e*n) - e^(2*n - 1)*log((e^(d*x^n + c) + 1)*e^(-c))/(d^2*n) - e^(2*n - 1)*log((e^(d*x^n + c) - 1)*e^(-c))/(d^2*n)) + 1/2*(e*x)^(2*n)*a^2/(e*n)`

Giac [F]

$$\int (ex)^{-1+2n} (a + b \operatorname{csch}(c + dx^n))^2 dx = \int (b \operatorname{csch}(dx^n + c) + a)^2 (ex)^{2n-1} dx$$

input `integrate((e*x)^(-1+2*n)*(a+b*csch(c+d*x^n))^2,x, algorithm="giac")`

output `integrate((b*csch(d*x^n + c) + a)^2*(e*x)^(2*n - 1), x)`

Mupad [F(-1)]

Timed out.

$$\int (ex)^{-1+2n} (a + b \operatorname{csch}(c + dx^n))^2 dx = \int \left(a + \frac{b}{\sinh(c + dx^n)} \right)^2 (ex)^{2n-1} dx$$

input `int((a + b/sinh(c + d*x^n))^2*(e*x)^(2*n - 1),x)`

output `int((a + b/sinh(c + d*x^n))^2*(e*x)^(2*n - 1), x)`

Reduce [F]

$$\int (ex)^{-1+2n} (a + b\operatorname{csch}(c + dx^n))^2 dx$$

$$= \frac{e^{2n} \left(-16e^{2x^nd+3c} \left(\int \frac{x^{2n}e^{x^nd}}{e^{4x^nd+4c}x-2e^{2x^nd+2c}x+x} dx \right) ab d^2 n + x^{2n} e^{2x^nd+2c} a^2 d^2 - 4x^n e^{2x^nd+2c} b^2 d + 4e^{2x^nd+2c} \log \left(\right) \right)}{}$$

input `int((e*x)^(-1+2*n)*(a+b*csch(c+d*x^n))^2,x)`

output

```
(e**(2*n))*(-16*e**(2*x**n*d+3*c)*int((x**(2*n)*e**(x**n*d))/(e**(4*x**n*d+4*c)*x-2*e**(2*x**n*d+2*c)*x+x),x)*a*b*d**2*n+x**(2*n)*e**(2*x**n*d+2*c)*a**2*d**2-4*x**n*e**(2*x**n*d+2*c)*b**2*d+4*e**(2*x**n*d+2*c)*log(e**(x**n*d+c)-1)*a*b+2*e**(2*x**n*d+2*c)*log(e**(x**n*d+c)-1)*b**2-4*e**(2*x**n*d+2*c)*log(e**(x**n*d+c)+1)*a*b+2*e**(2*x**n*d+2*c)*log(e**(x**n*d+c)+1)*b**2-8*x**n*e**(x**n*d+c)*a*b*d+16*e**c*int((x**(2*n)*e**(x**n*d))/(e**(4*x**n*d+4*c)*x-2*e**(2*x**n*d+2*c)*x+x),x)*a*b*d**2*n-x**(2*n)*a**2*d**2-4*log(e**(x**n*d+c)-1)*a*b-2*log(e**(x**n*d+c)-1)*b**2+4*log(e**(x**n*d+c)+1)*a*b-2*log(e**(x**n*d+c)+1)*b**2)/(2*d**2*e*n*(e**(2*x**n*d+2*c)-1))
```

3.84 $\int (ex)^{-1+3n} (a + bcsch(c + dx^n))^2 dx$

Optimal result	569
Mathematica [F]	570
Rubi [A] (verified)	570
Maple [F]	572
Fricas [B] (verification not implemented)	572
Sympy [F]	573
Maxima [F]	573
Giac [F]	573
Mupad [F(-1)]	574
Reduce [F]	574

Optimal result

Integrand size = 24, antiderivative size = 344

$$\begin{aligned}
 \int (ex)^{-1+3n} (a + bcsch(c + dx^n))^2 dx = & \frac{a^2(ex)^{3n}}{3en} - \frac{b^2x^{-n}(ex)^{3n}}{den} \\
 & - \frac{4abx^{-n}(ex)^{3n}\operatorname{arctanh}(e^{c+dx^n})}{den} \\
 & - \frac{b^2x^{-n}(ex)^{3n}\operatorname{coth}(c + dx^n)}{den} \\
 & + \frac{2b^2x^{-2n}(ex)^{3n}\log(1 - e^{2(c+dx^n)})}{d^2en} \\
 & - \frac{4abx^{-2n}(ex)^{3n}\operatorname{PolyLog}(2, -e^{c+dx^n})}{d^2en} \\
 & + \frac{4abx^{-2n}(ex)^{3n}\operatorname{PolyLog}(2, e^{c+dx^n})}{d^2en} \\
 & + \frac{b^2x^{-3n}(ex)^{3n}\operatorname{PolyLog}(2, e^{2(c+dx^n)})}{d^3en} \\
 & + \frac{4abx^{-3n}(ex)^{3n}\operatorname{PolyLog}(3, -e^{c+dx^n})}{d^3en} \\
 & - \frac{4abx^{-3n}(ex)^{3n}\operatorname{PolyLog}(3, e^{c+dx^n})}{d^3en}
 \end{aligned}$$

output

```
1/3*a^2*(e*x)^(3*n)/e/n-b^2*(e*x)^(3*n)/d/e/n/(x^n)-4*a*b*(e*x)^(3*n)*arctanh(exp(c+d*x^n))/d/e/n/(x^n)-b^2*(e*x)^(3*n)*coth(c+d*x^n)/d/e/n/(x^n)+2*b^2*(e*x)^(3*n)*ln(1-exp(2*c+2*d*x^n))/d^2/e/n/(x^(2*n))-4*a*b*(e*x)^(3*n)*polylog(2,-exp(c+d*x^n))/d^2/e/n/(x^(2*n))+4*a*b*(e*x)^(3*n)*polylog(2,exp(c+d*x^n))/d^2/e/n/(x^(2*n))+b^2*(e*x)^(3*n)*polylog(2,exp(2*c+2*d*x^n))/d^3/e/n/(x^(3*n))+4*a*b*(e*x)^(3*n)*polylog(3,-exp(c+d*x^n))/d^3/e/n/(x^(3*n))-4*a*b*(e*x)^(3*n)*polylog(3,exp(c+d*x^n))/d^3/e/n/(x^(3*n))
```

Mathematica [F]

$$\int (ex)^{-1+3n} (a + bcsch(c + dx^n))^2 dx = \int (ex)^{-1+3n} (a + bcsch(c + dx^n))^2 dx$$

input

```
Integrate[(e*x)^(-1 + 3*n)*(a + b*Csch[c + d*x^n])^2,x]
```

output

```
Integrate[(e*x)^(-1 + 3*n)*(a + b*Csch[c + d*x^n])^2, x]
```

Rubi [A] (verified)

Time = 0.69 (sec) , antiderivative size = 217, normalized size of antiderivative = 0.63, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {5964, 5960, 3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ex)^{3n-1} (a + bcsch(c + dx^n))^2 dx$$

$$\downarrow 5964$$

$$\frac{x^{-3n}(ex)^{3n} \int x^{3n-1}(a + bcsch(dx^n + c))^2 dx}{e}$$

$$\downarrow 5960$$

$$\frac{x^{-3n}(ex)^{3n} \int x^{2n}(a + bcsch(dx^n + c))^2 dx^n}{en}$$

$$\begin{array}{c}
 \downarrow 3042 \\
 \frac{x^{-3n}(ex)^{3n} \int x^{2n}(a + ib \csc(idx^n + ic))^2 dx^n}{en} \\
 \downarrow 4678 \\
 \frac{x^{-3n}(ex)^{3n} \int (a^2x^{2n} + b^2 \operatorname{csch}^2(dx^n + c)x^{2n} + 2ab \operatorname{csch}(dx^n + c)x^{2n}) dx^n}{en} \\
 \downarrow 2009 \\
 \frac{x^{-3n}(ex)^{3n} \left(\frac{1}{3}a^2x^{3n} - \frac{4abx^{2n} \operatorname{arctanh}(e^{c+dx^n})}{d} + \frac{4ab \operatorname{PolyLog}\left(3, -e^{dx^n+c}\right)}{d^3} - \frac{4ab \operatorname{PolyLog}\left(3, e^{dx^n+c}\right)}{d^3} - \frac{4abx^n \operatorname{PolyLog}\left(2, -e^d\right)}{d^2} \right)}{en}
 \end{array}$$

input `Int[(e*x)^(-1 + 3*n)*(a + b*Csch[c + d*x^n])^2,x]`

output `((e*x)^(3*n)*(-(b^2*x^(2*n))/d) + (a^2*x^(3*n))/3 - (4*a*b*x^(2*n)*ArcTanh[E^(c + d*x^n)]/d - (b^2*x^(2*n)*Coth[c + d*x^n])/d + (2*b^2*x^n*Log[1 - E^(2*(c + d*x^n))])/d^2 - (4*a*b*x^n*PolyLog[2, -E^(c + d*x^n)]/d^2 + (4*a*b*x^n*PolyLog[2, E^(c + d*x^n)]/d^2 + (b^2*PolyLog[2, E^(2*(c + d*x^n))])/d^3 + (4*a*b*PolyLog[3, -E^(c + d*x^n)]/d^3 - (4*a*b*PolyLog[3, E^(c + d*x^n)]/d^3))/(e*n*x^(3*n))`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4678 `Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]`

rule 5960

```
Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_.)]*(b_.))^(p_.)*(x_)^(m_.), x_Symbol]
  := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x], x, x^n], x]
  /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]
```

rule 5964

```
Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_.)]*(b_.))^(p_.)*((e_)*(x_)^(m_.), x_Symbol]
  := Simp[e^IntPart[m]*((e*x)^FracPart[m]/x^FracPart[m]) Int[x^m*(a + b*Csch[c + d*x^n])^p, x], x]
  /; FreeQ[{a, b, c, d, e, m, n, p}, x]
```

Maple [F]

$$\int (ex)^{-1+3n} (a + b \operatorname{csch}(c + dx^n))^2 dx$$

input

```
int((e*x)^(-1+3*n)*(a+b*csch(c+d*x^n))^2,x)
```

output

```
int((e*x)^(-1+3*n)*(a+b*csch(c+d*x^n))^2,x)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 4967 vs. $2(346) = 692$.

Time = 0.15 (sec) , antiderivative size = 4967, normalized size of antiderivative = 14.44

$$\int (ex)^{-1+3n} (a + b \operatorname{csch}(c + dx^n))^2 dx = \text{Too large to display}$$

input

```
integrate((e*x)^(-1+3*n)*(a+b*csch(c+d*x^n))^2,x, algorithm="fricas")
```

output

```
Too large to include
```

Sympy [F]

$$\int (ex)^{-1+3n} (a + b \operatorname{csch}(c + dx^n))^2 dx = \int (ex)^{3n-1} (a + b \operatorname{csch}(c + dx^n))^2 dx$$

input `integrate((e*x)**(-1+3*n)*(a+b*csch(c+d*x**n))**2,x)`

output `Integral((e*x)**(3*n - 1)*(a + b*csch(c + d*x**n))**2, x)`

Maxima [F]

$$\int (ex)^{-1+3n} (a + b \operatorname{csch}(c + dx^n))^2 dx = \int (b \operatorname{csch}(dx^n + c) + a)^2 (ex)^{3n-1} dx$$

input `integrate((e*x)^(-1+3*n)*(a+b*csch(c+d*x^n))^2,x, algorithm="maxima")`

output `-2*b^2*e^(3*n)*x^(2*n)/(d*e*n*e^(2*d*x^n + 2*c) - d*e*n) + 1/3*(e*x)^(3*n)*a^2/(e*n) + integrate(2*(a*b*d*e^(3*n)*x^(3*n) - b^2*e^(3*n)*x^(2*n))/(d*e*x*e^(d*x^n + c) + d*e*x), x) + integrate(2*(a*b*d*e^(3*n)*x^(3*n) + b^2*e^(3*n)*x^(2*n))/(d*e*x*e^(d*x^n + c) - d*e*x), x)`

Giac [F]

$$\int (ex)^{-1+3n} (a + b \operatorname{csch}(c + dx^n))^2 dx = \int (b \operatorname{csch}(dx^n + c) + a)^2 (ex)^{3n-1} dx$$

input `integrate((e*x)^(-1+3*n)*(a+b*csch(c+d*x^n))^2,x, algorithm="giac")`

output `integrate((b*csch(d*x^n + c) + a)^2*(e*x)^(3*n - 1), x)`

Mupad [F(-1)]

Timed out.

$$\int (ex)^{-1+3n} (a + bcsch(c + dx^n))^2 dx = \int \left(a + \frac{b}{\sinh(c + dx^n)} \right)^2 (ex)^{3n-1} dx$$

input `int((a + b/sinh(c + d*x^n))^2*(e*x)^(3*n - 1),x)`output `int((a + b/sinh(c + d*x^n))^2*(e*x)^(3*n - 1), x)`**Reduce [F]**

$$\int (ex)^{-1+3n} (a + bcsch(c + dx^n))^2 dx$$

$$= \frac{e^{3n} \left(-24e^{2x^n d+3c} \left(\int \frac{x^{3n} e^{x^n d}}{e^{4x^n d+4c} x - 2e^{2x^n d+2c} x + x} dx \right) ab d^3 n - 48e^{2x^n d+3c} \left(\int \frac{x^{2n} e^{x^n d}}{e^{4x^n d+4c} x - 2e^{2x^n d+2c} x + x} dx \right) ab d^2 n + x \right)}{e^{3n}}$$

input `int((e*x)^(-1+3*n)*(a+b*csch(c+d*x^n))^2,x)`

output

```
(e**(3*n)*(- 24*e**(2*x**n*d + 3*c)*int((x**(3*n)*e**(x**n*d))/(e**(4*x**
n*d + 4*c)*x - 2*e**(2*x**n*d + 2*c)*x + x),x)*a*b*d**3*n - 48*e**(2*x**n*
d + 3*c)*int((x**(2*n)*e**(x**n*d))/(e**(4*x**n*d + 4*c)*x - 2*e**(2*x**n*
d + 2*c)*x + x),x)*a*b*d**2*n + x**(3*n)*e**(2*x**n*d + 2*c)*a**2*d**3 - 6
*x**n*e**(2*x**n*d + 2*c)*b**2*d - 12*e**(2*x**n*d + 2*c)*int(x**(2*n)/(e*
*(4*x**n*d + 4*c)*x - 2*e**(2*x**n*d + 2*c)*x + x),x)*b**2*d**2*n + 12*e**
(2*x**n*d + 2*c)*log(e**(x**n*d + c) - 1)*a*b + 3*e**(2*x**n*d + 2*c)*log(
e**(x**n*d + c) - 1)*b**2 - 12*e**(2*x**n*d + 2*c)*log(e**(x**n*d + c) + 1
)*a*b + 3*e**(2*x**n*d + 2*c)*log(e**(x**n*d + c) + 1)*b**2 - 12*x**(2*n)*
e**(x**n*d + c)*a*b*d**2 - 24*x**n*e**(x**n*d + c)*a*b*d + 24*e**c*int((x*
*(3*n)*e**(x**n*d))/(e**(4*x**n*d + 4*c)*x - 2*e**(2*x**n*d + 2*c)*x + x),
x)*a*b*d**3*n + 48*e**c*int((x**(2*n)*e**(x**n*d))/(e**(4*x**n*d + 4*c)*x
- 2*e**(2*x**n*d + 2*c)*x + x),x)*a*b*d**2*n - x**(3*n)*a**2*d**3 - 6*x**
(2*n)*b**2*d**2 + 12*int(x**(2*n)/(e**(4*x**n*d + 4*c)*x - 2*e**(2*x**n*d +
2*c)*x + x),x)*b**2*d**2*n - 12*log(e**(x**n*d + c) - 1)*a*b - 3*log(e**
(x**n*d + c) - 1)*b**2 + 12*log(e**(x**n*d + c) + 1)*a*b - 3*log(e**(x**n*d
+ c) + 1)*b**2))/(3*d**3*e**n*(e**(2*x**n*d + 2*c) - 1))
```


3.85 $\int \frac{(ex)^{-1+n}}{a+b\mathbf{csch}(c+dx^n)} dx$

Optimal result	576
Mathematica [A] (verified)	576
Rubi [A] (warning: unable to verify)	577
Maple [C] (warning: unable to verify)	579
Fricas [B] (verification not implemented)	580
Sympy [F]	581
Maxima [F]	581
Giac [F]	581
Mupad [B] (verification not implemented)	582
Reduce [B] (verification not implemented)	582

Optimal result

Integrand size = 22, antiderivative size = 82

$$\int \frac{(ex)^{-1+n}}{a+b\mathbf{csch}(c+dx^n)} dx = \frac{(ex)^n}{aen} + \frac{2bx^{-n}(ex)^n \operatorname{arctanh}\left(\frac{a-b \tanh\left(\frac{1}{2}(c+dx^n)\right)}{\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}den}$$

output

```
(e*x)^n/a/e/n+2*b*(e*x)^n*arctanh((a-b*tanh(1/2*c+1/2*d*x^n))/(a^2+b^2)^(1/2))/a/(a^2+b^2)^(1/2)/d/e/n/(x^n)
```

Mathematica [A] (verified)

Time = 0.49 (sec) , antiderivative size = 84, normalized size of antiderivative = 1.02

$$\int \frac{(ex)^{-1+n}}{a+b\mathbf{csch}(c+dx^n)} dx = \frac{(ex)^n \left(d + cx^{-n} - \frac{2bx^{-n} \operatorname{arctan}\left(\frac{a-b \tanh\left(\frac{1}{2}(c+dx^n)\right)}{\sqrt{-a^2-b^2}}\right)}{\sqrt{-a^2-b^2}} \right)}{aden}$$

input

```
Integrate[(e*x)^(-1 + n)/(a + b*Csch[c + d*x^n]), x]
```

output

$$\frac{((e*x)^n*(d + c/x^n - (2*b*ArcTan[(a - b*Tanh[(c + d*x^n)/2])/Sqrt[-a^2 - b^2]]))/(Sqrt[-a^2 - b^2]*x^n)))/(a*d*e^n)}$$
Rubi [A] (warning: unable to verify)

Time = 0.48 (sec) , antiderivative size = 74, normalized size of antiderivative = 0.90, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {5964, 5960, 3042, 4270, 3042, 3139, 1083, 217}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{(ex)^{n-1}}{a + b \operatorname{csch}(c + dx^n)} dx \\ & \quad \downarrow \text{5964} \\ & \frac{x^{-n}(ex)^n \int \frac{x^{n-1}}{a + b \operatorname{CSch}(dx^n + c)} dx}{e} \\ & \quad \downarrow \text{5960} \\ & \frac{x^{-n}(ex)^n \int \frac{1}{a + b \operatorname{csch}(dx^n + c)} dx^n}{en} \\ & \quad \downarrow \text{3042} \\ & \frac{x^{-n}(ex)^n \int \frac{1}{a + ib \operatorname{csc}(idx^n + ic)} dx^n}{en} \\ & \quad \downarrow \text{4270} \\ & \frac{x^{-n}(ex)^n \left(\frac{x^n}{a} - \frac{\int \frac{1}{\frac{a \sinh(dx^n + c)}{b} + 1} dx^n}{a} \right)}{en} \\ & \quad \downarrow \text{3042} \\ & \frac{x^{-n}(ex)^n \left(\frac{x^n}{a} - \frac{\int \frac{1}{1 - \frac{ia \sin(idxn + ic)}{b}} dx^n}{a} \right)}{en} \\ & \quad \downarrow \text{3139} \end{aligned}$$

$$\begin{array}{c}
 \frac{x^{-n}(ex)^n \left(\frac{x^n}{a} + \frac{2i \int \frac{1}{x^{2n} + \frac{2a \tanh\left(\frac{1}{2}(dx^n+c)\right)}{b} + 1} dx (i \tanh\left(\frac{1}{2}(dx^n+c)\right)) \right)}{en} \\
 \downarrow 1083 \\
 \frac{x^{-n}(ex)^n \left(\frac{x^n}{a} - \frac{4i \int \frac{1}{-x^{2n}-4\left(\frac{a^2}{b^2}+1\right)} dx (2i \tanh\left(\frac{1}{2}(dx^n+c)\right) - \frac{2ia}{b}) \right)}{en} \\
 \downarrow 217 \\
 \frac{x^{-n}(ex)^n \left(\frac{x^n}{a} - \frac{2b \operatorname{arctanh}\left(\frac{b \tanh\left(\frac{1}{2}(c+dx^n)\right)}{2\sqrt{a^2+b^2}}\right)}{ad\sqrt{a^2+b^2}} \right)}{en}
 \end{array}$$

input `Int[(e*x)^(-1 + n)/(a + b*Csch[c + d*x^n]), x]`

output `((e*x)^n*(x^n/a - (2*b*ArcTanh[(b*Tanh[(c + d*x^n)/2]])/(2*Sqrt[a^2 + b^2])))/(a*Sqrt[a^2 + b^2]*d))/(e*n*x^n)`

Defintions of rubi rules used

rule 217 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-(Rt[-a, 2]*Rt[-b, 2])^(-1))*ArcTan[Rt[-b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])`

rule 1083 `Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Simp[-2 Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

```
rule 3139 Int[((a_) + (b_.)*sin[(c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Simp[2*(e/d) Subst[Int[1/(a + 2*b*e*x + a*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

```
rule 4270 Int[(csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_))^-1, x_Symbol] := Simp[x/a, x] - Simp[1/a Int[1/(1 + (a/b)*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

```
rule 5960 Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^n])*(b_.)^p*(x_)^m, x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]
```

```
rule 5964 Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^n])*(b_.)^p*((e)*(x_)^m), x_Symbol] := Simp[e^IntPart[m]*((e*x)^FracPart[m]/x^FracPart[m]) Int[x^m*(a + b*Csch[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 3.
 Time = 0.78 (sec) , antiderivative size = 319, normalized size of antiderivative = 3.89

method	result
risch	$\frac{x e^{\frac{(-1+n)(-i\pi \operatorname{csgn}(ie) \operatorname{csgn}(ix) \operatorname{csgn}(ie x) + i\pi \operatorname{csgn}(ie) \operatorname{csgn}(ie x)^2 + i\pi \operatorname{csgn}(ix) \operatorname{csgn}(ie x)^2 - i\pi \operatorname{csgn}(ie x)^3 + 2 \ln(x) + 2 \ln(e))}{2}}}{an} - \frac{2b e^{-\frac{i\pi n \operatorname{csgn}(ie) \operatorname{csgn}(ix) \operatorname{csgn}(ie x)}}{2}}}{a}$

```
input int((e*x)^(-1+n)/(a+b*csch(c+d*x^n)),x,method=_RETURNVERBOSE)
```

output

```
1/a/n*x*exp(1/2*(-1+n)*(-I*Pi*csgn(I*e)*csgn(I*x)*csgn(I*e*x)+I*Pi*csgn(I*
e)*csgn(I*e*x)^2+I*Pi*csgn(I*x)*csgn(I*e*x)^2-I*Pi*csgn(I*e*x)^3+2*ln(x)+2
*ln(e)))-2/a*b/n*exp(-1/2*I*Pi*n*csgn(I*e)*csgn(I*x)*csgn(I*e*x))*exp(1/2*
I*Pi*n*csgn(I*e)*csgn(I*e*x)^2)*exp(1/2*I*Pi*n*csgn(I*x)*csgn(I*e*x)^2)*ex
p(-1/2*I*Pi*n*csgn(I*e*x)^3)*exp(1/2*I*Pi*csgn(I*e)*csgn(I*x)*csgn(I*e*x))
*exp(-1/2*I*Pi*csgn(I*e)*csgn(I*e*x)^2)*exp(-1/2*I*Pi*csgn(I*x)*csgn(I*e*x
)^2)*exp(1/2*I*Pi*csgn(I*e*x)^3)*e^n/e*exp(c)/d/(-a^2*exp(2*c)-exp(2*c)*b^
2)^(1/2)*arctan(1/2*(2*a*exp(2*c+d*x^n)+2*exp(c)*b)/(-a^2*exp(2*c)-exp(2*c
)*b^2)^(1/2))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 248 vs. $2(79) = 158$.

Time = 0.10 (sec) , antiderivative size = 248, normalized size of antiderivative = 3.02

$$\int \frac{(ex)^{-1+n}}{a + b \operatorname{csch}(c + dx^n)} dx$$

$$= \frac{(a^2 + b^2)d \cosh((n-1)\log(e)) \cosh(n\log(x)) + (a^2 + b^2)d \cosh(n\log(x)) \sinh((n-1)\log(e)) + (\sqrt{a^2 + b^2})d \cosh(n\log(x)) \sinh((n-1)\log(e)) + (\sqrt{a^2 + b^2})d \cosh((n-1)\log(e)) \sinh(n\log(x))}{(a^3 + a*b^2)*d*n}$$

input

```
integrate((e*x)^(-1+n)/(a+b*csch(c+d*x^n)),x, algorithm="fricas")
```

output

```
((a^2 + b^2)*d*cosh((n - 1)*log(e))*cosh(n*log(x)) + (a^2 + b^2)*d*cosh(n*
log(x))*sinh((n - 1)*log(e)) + (sqrt(a^2 + b^2)*b*cosh((n - 1)*log(e)) + s
qrt(a^2 + b^2)*b*sinh((n - 1)*log(e)))*log((a*b + (a^2 + b^2 + sqrt(a^2 +
b^2)*b)*cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) - (b^2 + sqrt(a^2 +
b^2)*b)*sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + sqrt(a^2 + b^2)*a
/(a*sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + b)) + ((a^2 + b^2)*d*c
osh((n - 1)*log(e)) + (a^2 + b^2)*d*sinh((n - 1)*log(e))*sinh(n*log(x)))/
((a^3 + a*b^2)*d*n)
```

Sympy [F]

$$\int \frac{(ex)^{-1+n}}{a + b \operatorname{csch}(c + dx^n)} dx = \int \frac{(ex)^{n-1}}{a + b \operatorname{csch}(c + dx^n)} dx$$

input `integrate((e*x)**(-1+n)/(a+b*csch(c+d*x**n)),x)`

output `Integral((e*x)**(n - 1)/(a + b*csch(c + d*x**n)), x)`

Maxima [F]

$$\int \frac{(ex)^{-1+n}}{a + b \operatorname{csch}(c + dx^n)} dx = \int \frac{(ex)^{n-1}}{b \operatorname{csch}(dx^n + c) + a} dx$$

input `integrate((e*x)^(-1+n)/(a+b*csch(c+d*x^n)),x, algorithm="maxima")`

output `-2*b*e^n*integrate(e^(d*x^n + n*log(x) + c)/(a^2*e*x*e^(2*d*x^n + 2*c) + 2*a*b*e*x*e^(d*x^n + c) - a^2*e*x), x) + e^(n - 1)*x^n/(a*n)`

Giac [F]

$$\int \frac{(ex)^{-1+n}}{a + b \operatorname{csch}(c + dx^n)} dx = \int \frac{(ex)^{n-1}}{b \operatorname{csch}(dx^n + c) + a} dx$$

input `integrate((e*x)^(-1+n)/(a+b*csch(c+d*x^n)),x, algorithm="giac")`

output `integrate((e*x)^(n - 1)/(b*csch(d*x^n + c) + a), x)`

Mupad [B] (verification not implemented)

Time = 8.70 (sec) , antiderivative size = 410, normalized size of antiderivative = 5.00

$$\int \frac{(ex)^{-1+n}}{a + b \operatorname{csch}(c + dx^n)} dx = \frac{x (ex)^{n-1}}{an} - \frac{2 \operatorname{atan}\left(\frac{x (ex)^{n-1} \sqrt{-a^2 d^2 n^2 x^{2n} (a^2 + b^2)}}{a d n x^n \sqrt{b^2 x^2 (ex)^{2n-2}}}\right) - 2 \operatorname{atan}\left(\frac{a^2 e^{dx^n} e^c \left(\frac{2 b x (ex)^{n-1}}{a^4 d n x^n \sqrt{b^2 x^2 (ex)^{2n-2}} + \frac{2 b d n x^n (ex)^{1-n}}{a^2 x \sqrt{-a^4 d^2 n^2 x^{2n} - a^2 b^2 d^2 n^2}}}\right)}{\sqrt{-a^4 d^2 n^2 x^{2n} - a^2 b^2 d^2 n^2}}\right)}{\sqrt{-a^4 d^2 n^2 x^{2n} - a^2 b^2 d^2 n^2}}$$

input `int((e*x)^(n - 1)/(a + b/sinh(c + d*x^n)),x)`

output

$$\begin{aligned} & (x*(e*x)^(n - 1))/(a*n) - ((2*atan((x*(e*x)^(n - 1))*(-a^2*d^2*n^2*x^(2*n)* \\ & (a^2 + b^2))^(1/2))/(a*d*n*x^n*(b^2*x^2*(e*x)^(2*n - 2))^(1/2))) - 2*atan(\\ & (a^2*exp(d*x^n)*exp(c)*((2*b*x*(e*x)^(n - 1))/(a^4*d*n*x^n*(b^2*x^2*(e*x) \\ & (2*n - 2))^(1/2)) + (2*b*d*n*x^n*(e*x)^(1 - n)*(b^2*x^2*(e*x)^(2*n - 2))^(\\ & 1/2))/(a^2*x*(- a^4*d^2*n^2*x^(2*n) - a^2*b^2*d^2*n^2*x^(2*n))^(1/2))*(-a^2 \\ & *d^2*n^2*x^(2*n)*(a^2 + b^2))^(1/2)))*(- a^4*d^2*n^2*x^(2*n) - a^2*b^2*d^2 \\ & *n^2*x^(2*n))^(1/2))/2 - (a*d*n*x^n*(e*x)^(1 - n)*(b^2*x^2*(e*x)^(2*n - 2) \\ &)^(1/2))/(x*(-a^2*d^2*n^2*x^(2*n)*(a^2 + b^2))^(1/2)))* (b^2*x^2*(e*x)^(2* \\ & n - 2))^(1/2))/(- a^4*d^2*n^2*x^(2*n) - a^2*b^2*d^2*n^2*x^(2*n))^(1/2) \end{aligned}$$
Reduce [B] (verification not implemented)

Time = 0.22 (sec) , antiderivative size = 82, normalized size of antiderivative = 1.00

$$\int \frac{(ex)^{-1+n}}{a + b \operatorname{csch}(c + dx^n)} dx = \frac{e^n \left(-2\sqrt{a^2 + b^2} \operatorname{atan}\left(\frac{e^{x^n d + c} a i + b i}{\sqrt{a^2 + b^2}}\right) b i + x^n a^2 d + x^n b^2 d \right)}{a d e^n (a^2 + b^2)}$$

input `int((e*x)^(-1+n)/(a+b*csch(c+d*x^n)),x)`

output

$$(e**n*(- 2*sqrt(a**2 + b**2)*atan((e**(x**n*d + c))*a*i + b*i)/sqrt(a**2 + b**2))*b*i + x**n*a**2*d + x**n*b**2*d)/(a*d*e**n*(a**2 + b**2))$$

3.86 $\int \frac{(ex)^{-1+2n}}{a+b\mathbf{csch}(c+dx^n)} dx$

Optimal result	583
Mathematica [C] (warning: unable to verify)	584
Rubi [A] (verified)	585
Maple [C] (warning: unable to verify)	587
Fricas [B] (verification not implemented)	587
Sympy [F]	588
Maxima [F]	589
Giac [F]	589
Mupad [F(-1)]	589
Reduce [F]	590

Optimal result

Integrand size = 24, antiderivative size = 291

$$\int \frac{(ex)^{-1+2n}}{a+b\mathbf{csch}(c+dx^n)} dx = \frac{(ex)^{2n}}{2aen} - \frac{bx^{-n}(ex)^{2n} \log\left(1 + \frac{ae^{c+dx^n}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}den} + \frac{bx^{-n}(ex)^{2n} \log\left(1 + \frac{ae^{c+dx^n}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}den} - \frac{bx^{-2n}(ex)^{2n} \text{PolyLog}\left(2, -\frac{ae^{c+dx^n}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^2en} + \frac{bx^{-2n}(ex)^{2n} \text{PolyLog}\left(2, -\frac{ae^{c+dx^n}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^2en}$$

output

```
1/2*(e*x)^(2*n)/a/e/n-b*(e*x)^(2*n)*ln(1+a*exp(c+d*x^n)/(b-(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d/e/n/(x^n)+b*(e*x)^(2*n)*ln(1+a*exp(c+d*x^n)/(b+(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d/e/n/(x^n)-b*(e*x)^(2*n)*polylog(2,-a*exp(c+d*x^n)/(b-(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d^2/e/n/(x^(2*n))+b*(e*x)^(2*n)*polylog(2,-a*exp(c+d*x^n)/(b+(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d^2/e/n/(x^(2*n))
```


Mathematica [C] (warning: unable to verify)

Result contains complex when optimal does not.

Time = 4.04 (sec) , antiderivative size = 1181, normalized size of antiderivative = 4.06

$$\int \frac{(ex)^{-1+2n}}{a + b \operatorname{csch}(c + dx^n)} dx = \text{Too large to display}$$

input `Integrate[(e*x)^(-1 + 2*n)/(a + b*Csch[c + d*x^n]),x]`

output

```
((e*x)^(2*n)*Csch[c + d*x^n]*(1 - (2*b*((( -I)*Pi*ArcTanh[(-a + b*Tanh[(c +
d*x^n)/2]])/Sqrt[a^2 + b^2]))/Sqrt[a^2 + b^2] - (2*(c + I*ArcCos[(-I)*b]/
a))*ArcTan[((a - I*b)*Cot[((2*I)*c + Pi + (2*I)*d*x^n)/4])/Sqrt[-a^2 - b^2
]] + ((-2*I)*c + Pi - (2*I)*d*x^n)*ArcTanh[((( -I)*a + b)*Tan[((2*I)*c + Pi
+ (2*I)*d*x^n)/4])/Sqrt[-a^2 - b^2]] - (ArcCos[(-I)*b]/a) - 2*ArcTan[((a
- I*b)*Cot[((2*I)*c + Pi + (2*I)*d*x^n)/4])/Sqrt[-a^2 - b^2]]*Log[((a +
I*b)*(a - I*b + Sqrt[-a^2 - b^2])*(1 + I*Cot[((2*I)*c + Pi + (2*I)*d*x^n)/
4]))/(a*(a + I*b + I*Sqrt[-a^2 - b^2]*Cot[((2*I)*c + Pi + (2*I)*d*x^n)/4])
)] - (ArcCos[(-I)*b]/a) + 2*ArcTan[((a - I*b)*Cot[((2*I)*c + Pi + (2*I)*d
*x^n)/4])/Sqrt[-a^2 - b^2]]*Log[(I*(a + I*b)*(-a + I*b + Sqrt[-a^2 - b^2]
)*(I + Cot[((2*I)*c + Pi + (2*I)*d*x^n)/4]))/(a*(a + I*b + I*Sqrt[-a^2 - b
^2]*Cot[((2*I)*c + Pi + (2*I)*d*x^n)/4]))] + (ArcCos[(-I)*b]/a) + 2*ArcTa
n[((a - I*b)*Cot[((2*I)*c + Pi + (2*I)*d*x^n)/4])/Sqrt[-a^2 - b^2]] - (2*I
)*ArcTanh[((( -I)*a + b)*Tan[((2*I)*c + Pi + (2*I)*d*x^n)/4])/Sqrt[-a^2 - b
^2]]*Log[-((( -1)^(3/4)*Sqrt[-a^2 - b^2]*E^(-1/2*c - (d*x^n)/2))/(Sqrt[2]*
Sqrt[(-I)*a]*Sqrt[b + a*Sinh[c + d*x^n]])] + (ArcCos[(-I)*b]/a) - 2*ArcT
an[((a - I*b)*Cot[((2*I)*c + Pi + (2*I)*d*x^n)/4])/Sqrt[-a^2 - b^2]] + (2*
I)*ArcTanh[((( -I)*a + b)*Tan[((2*I)*c + Pi + (2*I)*d*x^n)/4])/Sqrt[-a^2 -
b^2]]*Log[((( -1)^(1/4)*Sqrt[-a^2 - b^2]*E^((c + d*x^n)/2))/(Sqrt[2]*Sqrt[(-
I)*a]*Sqrt[b + a*Sinh[c + d*x^n]])] + I*(PolyLog[2, ((I*b + Sqrt[-a^2 ...
```

Rubi [A] (verified)

Time = 0.91 (sec) , antiderivative size = 236, normalized size of antiderivative = 0.81, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {5964, 5960, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{(ex)^{2n-1}}{a + b\text{csch}(c + dx^n)} dx \\
 & \quad \downarrow \text{5964} \\
 & \frac{x^{-2n}(ex)^{2n} \int \frac{x^{2n-1}}{a+b\text{csch}(dx^n+c)} dx}{e} \\
 & \quad \downarrow \text{5960} \\
 & \frac{x^{-2n}(ex)^{2n} \int \frac{x^n}{a+b\text{csch}(dx^n+c)} dx^n}{en} \\
 & \quad \downarrow \text{3042} \\
 & \frac{x^{-2n}(ex)^{2n} \int \frac{x^n}{a+ib \text{csc}(idx^n+ic)} dx^n}{en} \\
 & \quad \downarrow \text{4679} \\
 & \frac{x^{-2n}(ex)^{2n} \int \left(\frac{x^n}{a} - \frac{bx^n}{a(b+a \sinh(dx^n+c))} \right) dx^n}{en} \\
 & \quad \downarrow \text{2009} \\
 & \frac{x^{-2n}(ex)^{2n} \left(-\frac{b \text{PolyLog}\left(2, -\frac{ae^{dx^n+c}}{b-\sqrt{a^2+b^2}}\right)}{ad^2\sqrt{a^2+b^2}} + \frac{b \text{PolyLog}\left(2, -\frac{ae^{dx^n+c}}{b+\sqrt{a^2+b^2}}\right)}{ad^2\sqrt{a^2+b^2}} - \frac{bx^n \log\left(\frac{ae^{c+dx^n}}{b-\sqrt{a^2+b^2}}+1\right)}{ad\sqrt{a^2+b^2}} + \frac{bx^n \log\left(\frac{ae^{c+dx^n}}{\sqrt{a^2+b^2}+b}+1\right)}{ad\sqrt{a^2+b^2}} + \frac{bx^n}{2} \right)}{en}
 \end{aligned}$$

input

```
Int[(e*x)^(-1 + 2*n)/(a + b*Csch[c + d*x^n]),x]
```

output

$$\frac{((e*x)^{(2*n)}*(x^{(2*n)})/(2*a) - (b*x^n*\text{Log}[1 + (a*E^{(c + d*x^n)})/(b - \text{Sqrt}[a^2 + b^2])]))/(a*\text{Sqrt}[a^2 + b^2]*d) + (b*x^n*\text{Log}[1 + (a*E^{(c + d*x^n)})/(b + \text{Sqrt}[a^2 + b^2])])/(a*\text{Sqrt}[a^2 + b^2]*d) - (b*\text{PolyLog}[2, -((a*E^{(c + d*x^n)})/(b - \text{Sqrt}[a^2 + b^2])]))/(a*\text{Sqrt}[a^2 + b^2]*d^2) + (b*\text{PolyLog}[2, -((a*E^{(c + d*x^n)})/(b + \text{Sqrt}[a^2 + b^2])]))/(a*\text{Sqrt}[a^2 + b^2]*d^2))/(e^n*x^{(2*n)})$$

Defintions of rubi rules used

rule 2009

$$\text{Int}[u_, x_Symbol] \text{ :> } \text{Simp}[\text{IntSum}[u, x], x] \text{ /; } \text{SumQ}[u]$$

rule 3042

$$\text{Int}[u_, x_Symbol] \text{ :> } \text{Int}[\text{DeactivateTrig}[u, x], x] \text{ /; } \text{FunctionOfTrigOfLinearQ}[u, x]$$

rule 4679

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^{(n_.)}*((c_.) + (d_.)*(x_))^{(m_.)}, x_Symbol] \text{ :> } \text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, 1/(\text{Sin}[e + f*x]^n/(b + a*\text{Sin}[e + f*x]^n)), x], x] \text{ /; } \text{FreeQ}\{a, b, c, d, e, f\}, x\} \ \&\& \ \text{ILtQ}[n, 0] \ \&\& \ \text{IGtQ}[m, 0]$$

rule 5960

$$\text{Int}[(a_.) + \text{Csch}[(c_.) + (d_.)*(x_)]*(b_.))^{(p_.)}*(x_)^{(m_.)}, x_Symbol] \text{ :> } \text{Simp}[1/n \ \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*\text{Csch}[c + d*x])^p}, x], x, x^n], x] \text{ /; } \text{FreeQ}\{a, b, c, d, m, n, p\}, x\} \ \&\& \ \text{IGtQ}[\text{Simplify}[(m + 1)/n], 0] \ \&\& \ \text{IntegerQ}[p]$$

rule 5964

$$\text{Int}[(a_.) + \text{Csch}[(c_.) + (d_.)*(x_)]*(b_.))^{(p_.)}*(e_)*(x_)^{(m_.)}, x_Symbol] \text{ :> } \text{Simp}[e^{\text{IntPart}[m]}*((e*x)^{\text{FracPart}[m]}/x^{\text{FracPart}[m]}) \ \text{Int}[x^m*(a + b*\text{Csch}[c + d*x^n])^p, x], x] \text{ /; } \text{FreeQ}\{a, b, c, d, e, m, n, p\}, x]$$

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 0.73 (sec) , antiderivative size = 577, normalized size of antiderivative = 1.98

method	result
risch	$\frac{x e^{\frac{(-1+2n)(-i\pi \operatorname{csgn}(ie) \operatorname{csgn}(ix) \operatorname{csgn}(iex)+i\pi \operatorname{csgn}(ie) \operatorname{csgn}(iex)^2+i\pi \operatorname{csgn}(ix) \operatorname{csgn}(iex)^2-i\pi \operatorname{csgn}(iex)^3+2\ln(x)+2\ln(e))}{2an}}}{2an} - \frac{2be^{-i\pi n} \operatorname{csgn}(ie) \operatorname{csgn}(ix) \operatorname{csgn}(iex)}{2an}$

```
input int((e*x)^(-1+2*n)/(a+b*csch(c+d*x^n)),x,method=_RETURNVERBOSE)
```

```
output 1/2/a/n*x*exp(1/2*(-1+2*n)*(-I*Pi*csgn(I*e)*csgn(I*x)*csgn(I*e*x)+I*Pi*csgn(I*e)*csgn(I*e*x)^2+I*Pi*csgn(I*x)*csgn(I*e*x)^2-I*Pi*csgn(I*e*x)^3+2*ln(x)+2*ln(e)))-2/a*b*exp(-I*Pi*n*csgn(I*e)*csgn(I*x)*csgn(I*e*x))*exp(I*Pi*n*csgn(I*e)*csgn(I*e*x)^2)*exp(I*Pi*n*csgn(I*x)*csgn(I*e*x)^2)*exp(-I*Pi*n*csgn(I*e*x)^3)*exp(1/2*I*Pi*csgn(I*e)*csgn(I*x)*csgn(I*e*x))*exp(-1/2*I*Pi*csgn(I*e)*csgn(I*e*x)^2)*exp(-1/2*I*Pi*csgn(I*x)*csgn(I*e*x)^2)*exp(1/2*I*Pi*csgn(I*e*x)^3)*(e^n)^2/e*exp(c)/n/d^2*(1/2*x^n*d*(ln((a*exp(2*c+d*x^n)+exp(c)*b-(a^2*exp(2*c)+exp(2*c)*b^2)^(1/2)))/(exp(c)*b-(a^2*exp(2*c)+exp(2*c)*b^2)^(1/2)))-ln((a*exp(2*c+d*x^n)+exp(c)*b+(a^2*exp(2*c)+exp(2*c)*b^2)^(1/2)))/(exp(c)*b+(a^2*exp(2*c)+exp(2*c)*b^2)^(1/2)))/(a^2*exp(2*c)+exp(2*c)*b^2)^(1/2)+1/2*(dilog((a*exp(2*c+d*x^n)+exp(c)*b-(a^2*exp(2*c)+exp(2*c)*b^2)^(1/2)))/(exp(c)*b-(a^2*exp(2*c)+exp(2*c)*b^2)^(1/2)))-dilog((a*exp(2*c+d*x^n)+exp(c)*b+(a^2*exp(2*c)+exp(2*c)*b^2)^(1/2)))/(exp(c)*b+(a^2*exp(2*c)+exp(2*c)*b^2)^(1/2)))/(a^2*exp(2*c)+exp(2*c)*b^2)^(1/2))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1183 vs. 2(271) = 542.

Time = 0.13 (sec) , antiderivative size = 1183, normalized size of antiderivative = 4.07

$$\int \frac{(ex)^{-1+2n}}{a + bcsch(c + dx^n)} dx = \text{Too large to display}$$

```
input integrate((e*x)^(-1+2*n)/(a+b*csch(c+d*x^n)),x, algorithm="fricas")
```

output

```

1/2*((a^2 + b^2)*d^2*cosh((2*n - 1)*log(e))*cosh(n*log(x))^2 + (a^2 + b^2)
*d^2*cosh(n*log(x))^2*sinh((2*n - 1)*log(e)) + ((a^2 + b^2)*d^2*cosh((2*n
- 1)*log(e)) + (a^2 + b^2)*d^2*sinh((2*n - 1)*log(e)))*sinh(n*log(x))^2 -
2*(a*b*sqrt((a^2 + b^2)/a^2)*cosh((2*n - 1)*log(e)) + a*b*sqrt((a^2 + b^2)
/a^2)*sinh((2*n - 1)*log(e)))*dilog(((a*sqrt((a^2 + b^2)/a^2) + b)*cosh(d*
cosh(n*log(x)) + d*sinh(n*log(x)) + c) + (a*sqrt((a^2 + b^2)/a^2) + b)*sin
h(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) - a)/a + 1) + 2*(a*b*sqrt((a^2
+ b^2)/a^2)*cosh((2*n - 1)*log(e)) + a*b*sqrt((a^2 + b^2)/a^2)*sinh((2*n -
1)*log(e)))*dilog(-((a*sqrt((a^2 + b^2)/a^2) - b)*cosh(d*cosh(n*log(x)) +
d*sinh(n*log(x)) + c) + (a*sqrt((a^2 + b^2)/a^2) - b)*sinh(d*cosh(n*log(x)
)) + d*sinh(n*log(x)) + c) + a)/a + 1) - 2*(a*b*c*sqrt((a^2 + b^2)/a^2)*co
sh((2*n - 1)*log(e)) + a*b*c*sqrt((a^2 + b^2)/a^2)*sinh((2*n - 1)*log(e))
*log(2*a*cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + 2*a*sinh(d*cosh(n
*log(x)) + d*sinh(n*log(x)) + c) + 2*a*sqrt((a^2 + b^2)/a^2) + 2*b) + 2*(a
*b*c*sqrt((a^2 + b^2)/a^2)*cosh((2*n - 1)*log(e)) + a*b*c*sqrt((a^2 + b^2)
/a^2)*sinh((2*n - 1)*log(e)))*log(2*a*cosh(d*cosh(n*log(x)) + d*sinh(n*log
(x)) + c) + 2*a*sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) - 2*a*sqrt((
a^2 + b^2)/a^2) + 2*b) - 2*(a*b*d*sqrt((a^2 + b^2)/a^2)*cosh((2*n - 1)*log
(e))*cosh(n*log(x)) + a*b*c*sqrt((a^2 + b^2)/a^2)*cosh((2*n - 1)*log(e)) +
(a*b*d*sqrt((a^2 + b^2)/a^2)*cosh(n*log(x)) + a*b*c*sqrt((a^2 + b^2)/a...

```

Sympy [F]

$$\int \frac{(ex)^{-1+2n}}{a + b \operatorname{csch}(c + dx^n)} dx = \int \frac{(ex)^{2n-1}}{a + b \operatorname{csch}(c + dx^n)} dx$$

input

```
integrate((e*x)**(-1+2*n)/(a+b*csch(c+d*x**n)),x)
```

output

```
Integral((e*x)**(2*n - 1)/(a + b*csch(c + d*x**n)), x)
```

Maxima [F]

$$\int \frac{(ex)^{-1+2n}}{a + b \operatorname{csch}(c + dx^n)} dx = \int \frac{(ex)^{2n-1}}{b \operatorname{csch}(dx^n + c) + a} dx$$

input `integrate((e*x)^(-1+2*n)/(a+b*csch(c+d*x^n)),x, algorithm="maxima")`

output `-2*b*e^(2*n)*integrate(e^(d*x^n + 2*n*log(x) + c)/(a^2*e*x*e^(2*d*x^n + 2*c) + 2*a*b*e*x*e^(d*x^n + c) - a^2*e*x), x) + 1/2*e^(2*n - 1)*x^(2*n)/(a*n)`

Giac [F]

$$\int \frac{(ex)^{-1+2n}}{a + b \operatorname{csch}(c + dx^n)} dx = \int \frac{(ex)^{2n-1}}{b \operatorname{csch}(dx^n + c) + a} dx$$

input `integrate((e*x)^(-1+2*n)/(a+b*csch(c+d*x^n)),x, algorithm="giac")`

output `integrate((e*x)^(2*n - 1)/(b*csch(d*x^n + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{(ex)^{-1+2n}}{a + b \operatorname{csch}(c + dx^n)} dx = \int \frac{(ex)^{2n-1}}{a + \frac{b}{\sinh(c+dx^n)}} dx$$

input `int((e*x)^(2*n - 1)/(a + b/sinh(c + d*x^n)),x)`

output `int((e*x)^(2*n - 1)/(a + b/sinh(c + d*x^n)), x)`

Reduce [F]

$$\int \frac{(ex)^{-1+2n}}{a + b\operatorname{csch}(c + dx^n)} dx$$

$$= \frac{e^{2n} \left(e^{2c} \left(\int \frac{x^{2n} e^{2x^n d}}{e^{2x^n d + 2c} a x + 2e^{x^n d + c} b x - a x} dx \right) - \left(\int \frac{x^{2n}}{e^{2x^n d + 2c} a x + 2e^{x^n d + c} b x - a x} dx \right) \right)}{e}$$

input `int((e*x)^(-1+2*n)/(a+b*csch(c+d*x^n)),x)`

output `(e**(2*n)*(e**(2*c)*int((x**(2*n)*e**(2*x**n*d))/(e**(2*x**n*d + 2*c)*a*x + 2*e**(x**n*d + c)*b*x - a*x),x) - int(x**(2*n)/(e**(2*x**n*d + 2*c)*a*x + 2*e**(x**n*d + c)*b*x - a*x),x))/e`

3.87 $\int \frac{(ex)^{-1+3n}}{a+b\mathbf{csch}(c+dx^n)} dx$

Optimal result	591
Mathematica [F]	592
Rubi [A] (verified)	592
Maple [F]	594
Fricas [B] (verification not implemented)	594
Sympy [F]	595
Maxima [F]	596
Giac [F]	596
Mupad [F(-1)]	596
Reduce [F]	597

Optimal result

Integrand size = 24, antiderivative size = 428

$$\int \frac{(ex)^{-1+3n}}{a+b\mathbf{csch}(c+dx^n)} dx = \frac{(ex)^{3n}}{3aen} - \frac{bx^{-n}(ex)^{3n} \log\left(1 + \frac{ae^{c+dx^n}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}den}$$

$$+ \frac{bx^{-n}(ex)^{3n} \log\left(1 + \frac{ae^{c+dx^n}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}den}$$

$$- \frac{2bx^{-2n}(ex)^{3n} \text{PolyLog}\left(2, -\frac{ae^{c+dx^n}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^2en}$$

$$+ \frac{2bx^{-2n}(ex)^{3n} \text{PolyLog}\left(2, -\frac{ae^{c+dx^n}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^2en}$$

$$+ \frac{2bx^{-3n}(ex)^{3n} \text{PolyLog}\left(3, -\frac{ae^{c+dx^n}}{b-\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^3en}$$

$$- \frac{2bx^{-3n}(ex)^{3n} \text{PolyLog}\left(3, -\frac{ae^{c+dx^n}}{b+\sqrt{a^2+b^2}}\right)}{a\sqrt{a^2+b^2}d^3en}$$

output

```

1/3*(e*x)^(3*n)/a/e/n-b*(e*x)^(3*n)*ln(1+a*exp(c+d*x^n)/(b-(a^2+b^2)^(1/2)
)))/a/(a^2+b^2)^(1/2)/d/e/n/(x^n)+b*(e*x)^(3*n)*ln(1+a*exp(c+d*x^n)/(b+(a^2
+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d/e/n/(x^n)-2*b*(e*x)^(3*n)*polylog(2,-a*e
xp(c+d*x^n)/(b-(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d^2/e/n/(x^(2*n))+2*b*(
e*x)^(3*n)*polylog(2,-a*exp(c+d*x^n)/(b+(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2
)/d^2/e/n/(x^(2*n))+2*b*(e*x)^(3*n)*polylog(3,-a*exp(c+d*x^n)/(b-(a^2+b^2)
^(1/2)))/a/(a^2+b^2)^(1/2)/d^3/e/n/(x^(3*n))-2*b*(e*x)^(3*n)*polylog(3,-a*
exp(c+d*x^n)/(b+(a^2+b^2)^(1/2)))/a/(a^2+b^2)^(1/2)/d^3/e/n/(x^(3*n))

```

Mathematica [F]

$$\int \frac{(ex)^{-1+3n}}{a + b \operatorname{csch}(c + dx^n)} dx = \int \frac{(ex)^{-1+3n}}{a + b \operatorname{csch}(c + dx^n)} dx$$

input

```
Integrate[(e*x)^(-1 + 3*n)/(a + b*Csch[c + d*x^n]),x]
```

output

```
Integrate[(e*x)^(-1 + 3*n)/(a + b*Csch[c + d*x^n]), x]
```

Rubi [A] (verified)

Time = 1.20 (sec) , antiderivative size = 347, normalized size of antiderivative = 0.81, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {5964, 5960, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ex)^{3n-1}}{a + b \operatorname{csch}(c + dx^n)} dx$$

$$\downarrow \text{5964}$$

$$\frac{x^{-3n}(ex)^{3n} \int \frac{x^{3n-1}}{a + b \operatorname{csch}(dx^n + c)} dx}{e}$$

$$\downarrow \text{5960}$$

$$\begin{array}{c}
 \frac{x^{-3n}(ex)^{3n} \int \frac{x^{2n}}{a+b\operatorname{csch}(dx^n+c)} dx^n}{en} \\
 \downarrow \text{3042} \\
 \frac{x^{-3n}(ex)^{3n} \int \frac{x^{2n}}{a+ib \operatorname{csc}(idx^n+ic)} dx^n}{en} \\
 \downarrow \text{4679} \\
 \frac{x^{-3n}(ex)^{3n} \int \left(\frac{x^{2n}}{a} - \frac{bx^{2n}}{a(b+a \sinh(dx^n+c))} \right) dx^n}{en} \\
 \downarrow \text{2009} \\
 \frac{x^{-3n}(ex)^{3n} \left(\frac{2b \operatorname{PolyLog}\left(3, -\frac{ae^{dx^n+c}}{b-\sqrt{a^2+b^2}}\right)}{ad^3\sqrt{a^2+b^2}} - \frac{2b \operatorname{PolyLog}\left(3, -\frac{ae^{dx^n+c}}{b+\sqrt{a^2+b^2}}\right)}{ad^3\sqrt{a^2+b^2}} - \frac{2bx^n \operatorname{PolyLog}\left(2, -\frac{ae^{dx^n+c}}{b-\sqrt{a^2+b^2}}\right)}{ad^2\sqrt{a^2+b^2}} + \frac{2bx^n \operatorname{PolyLog}\left(2, -\frac{ae^{dx^n+c}}{b+\sqrt{a^2+b^2}}\right)}{ad^2\sqrt{a^2+b^2}} \right)}{en}
 \end{array}$$

input `Int[(e*x)^(-1 + 3*n)/(a + b*Csch[c + d*x^n]),x]`

output `((e*x)^(3*n)*(x^(3*n)/(3*a) - (b*x^(2*n)*Log[1 + (a*E^(c + d*x^n))/(b - Sqrt[a^2 + b^2]]))/(a*Sqrt[a^2 + b^2]*d) + (b*x^(2*n)*Log[1 + (a*E^(c + d*x^n))/(b + Sqrt[a^2 + b^2]]))/(a*Sqrt[a^2 + b^2]*d) - (2*b*x^n*PolyLog[2, -(a*E^(c + d*x^n))/(b - Sqrt[a^2 + b^2]]))/(a*Sqrt[a^2 + b^2]*d^2) + (2*b*x^n*PolyLog[2, -(a*E^(c + d*x^n))/(b + Sqrt[a^2 + b^2]]))/(a*Sqrt[a^2 + b^2]*d^2) + (2*b*PolyLog[3, -(a*E^(c + d*x^n))/(b - Sqrt[a^2 + b^2]]))/(a*Sqrt[a^2 + b^2]*d^3) - (2*b*PolyLog[3, -(a*E^(c + d*x^n))/(b + Sqrt[a^2 + b^2]]))/(a*Sqrt[a^2 + b^2]*d^3))/(e*n*x^(3*n))`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4679 `Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)^(n_.))*((c_.) + (d_.)*(x_)^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Sin[e + f*x])^n), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]`

rule 5960 `Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_)])*(b_.))^(p_.)*(x_)^(m_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

rule 5964 `Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_)])*(b_.))^(p_.)*((e_.)*(x_)^(m_.), x_Symbol] := Simp[e^IntPart[m]*((e*x)^FracPart[m]/x^FracPart[m]) Int[x^m*(a + b*Csch[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x]`

Maple [F]

$$\int \frac{(ex)^{-1+3n}}{a + b \operatorname{csch}(c + dx^n)} dx$$

input `int((e*x)^(-1+3*n)/(a+b*csch(c+d*x^n)),x)`

output `int((e*x)^(-1+3*n)/(a+b*csch(c+d*x^n)),x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1850 vs. $2(402) = 804$.

Time = 0.15 (sec) , antiderivative size = 1850, normalized size of antiderivative = 4.32

$$\int \frac{(ex)^{-1+3n}}{a + b \operatorname{csch}(c + dx^n)} dx = \text{Too large to display}$$

input `integrate((e*x)^(-1+3*n)/(a+b*csch(c+d*x^n)),x, algorithm="fricas")`

output

```

1/3*((a^2 + b^2)*d^3*cosh((3*n - 1)*log(e))*cosh(n*log(x))^3 + (a^2 + b^2)
*d^3*cosh(n*log(x))^3*sinh((3*n - 1)*log(e)) + ((a^2 + b^2)*d^3*cosh((3*n
- 1)*log(e)) + (a^2 + b^2)*d^3*sinh((3*n - 1)*log(e)))*sinh(n*log(x))^3 +
3*((a^2 + b^2)*d^3*cosh((3*n - 1)*log(e))*cosh(n*log(x)) + (a^2 + b^2)*d^3
*cosh(n*log(x))*sinh((3*n - 1)*log(e)))*sinh(n*log(x))^2 - 6*(a*b*d*sqrt((
a^2 + b^2)/a^2)*cosh((3*n - 1)*log(e))*cosh(n*log(x)) + a*b*d*sqrt((a^2 +
b^2)/a^2)*cosh(n*log(x))*sinh((3*n - 1)*log(e)) + (a*b*d*sqrt((a^2 + b^2)/
a^2)*cosh((3*n - 1)*log(e)) + a*b*d*sqrt((a^2 + b^2)/a^2)*sinh((3*n - 1)*l
og(e)))*sinh(n*log(x)))*dilog(((a*sqrt((a^2 + b^2)/a^2) + b)*cosh(d*cosh(n
*log(x)) + d*sinh(n*log(x)) + c) + (a*sqrt((a^2 + b^2)/a^2) + b)*sinh(d*co
sh(n*log(x)) + d*sinh(n*log(x)) + c) - a)/a + 1) + 6*(a*b*d*sqrt((a^2 + b^
2)/a^2)*cosh((3*n - 1)*log(e))*cosh(n*log(x)) + a*b*d*sqrt((a^2 + b^2)/a^2
)*cosh(n*log(x))*sinh((3*n - 1)*log(e)) + (a*b*d*sqrt((a^2 + b^2)/a^2)*cos
h((3*n - 1)*log(e)) + a*b*d*sqrt((a^2 + b^2)/a^2)*sinh((3*n - 1)*log(e)))*
sinh(n*log(x)))*dilog(-((a*sqrt((a^2 + b^2)/a^2) - b)*cosh(d*cosh(n*log(x)
) + d*sinh(n*log(x)) + c) + (a*sqrt((a^2 + b^2)/a^2) - b)*sinh(d*cosh(n*lo
g(x)) + d*sinh(n*log(x)) + c) + a)/a + 1) + 3*(a*b*c^2*sqrt((a^2 + b^2)/a^
2)*cosh((3*n - 1)*log(e)) + a*b*c^2*sqrt((a^2 + b^2)/a^2)*sinh((3*n - 1)*l
og(e)))*log(2*a*cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + 2*a*sinh(d
*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + 2*a*sqrt((a^2 + b^2)/a^2) + 2...

```

Sympy [F]

$$\int \frac{(ex)^{-1+3n}}{a + b \operatorname{csch}(c + dx^n)} dx = \int \frac{(ex)^{3n-1}}{a + b \operatorname{csch}(c + dx^n)} dx$$

input

```
integrate((e*x)**(-1+3*n)/(a+b*csch(c+d*x**n)),x)
```

output

```
Integral((e*x)**(3*n - 1)/(a + b*csch(c + d*x**n)), x)
```

Maxima [F]

$$\int \frac{(ex)^{-1+3n}}{a + b \operatorname{csch}(c + dx^n)} dx = \int \frac{(ex)^{3n-1}}{b \operatorname{csch}(dx^n + c) + a} dx$$

input `integrate((e*x)^(-1+3*n)/(a+b*csch(c+d*x^n)),x, algorithm="maxima")`

output `-2*b*e^(3*n)*integrate(e^(d*x^n + 3*n*log(x) + c)/(a^2*e*x*e^(2*d*x^n + 2*c) + 2*a*b*e*x*e^(d*x^n + c) - a^2*e*x), x) + 1/3*e^(3*n - 1)*x^(3*n)/(a*n)`

Giac [F]

$$\int \frac{(ex)^{-1+3n}}{a + b \operatorname{csch}(c + dx^n)} dx = \int \frac{(ex)^{3n-1}}{b \operatorname{csch}(dx^n + c) + a} dx$$

input `integrate((e*x)^(-1+3*n)/(a+b*csch(c+d*x^n)),x, algorithm="giac")`

output `integrate((e*x)^(3*n - 1)/(b*csch(d*x^n + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{(ex)^{-1+3n}}{a + b \operatorname{csch}(c + dx^n)} dx = \int \frac{(ex)^{3n-1}}{a + \frac{b}{\sinh(c+dx^n)}} dx$$

input `int((e*x)^(3*n - 1)/(a + b/sinh(c + d*x^n)),x)`

output `int((e*x)^(3*n - 1)/(a + b/sinh(c + d*x^n)), x)`

Reduce [F]

$$\int \frac{(ex)^{-1+3n}}{a + b \operatorname{csch}(c + dx^n)} dx$$

$$= \frac{e^{3n} \left(e^{2c} \left(\int \frac{x^{3n} e^{2x^n d}}{e^{2x^n d + 2c} a x + 2e^{x^n d + c} b x - a x} dx \right) - \left(\int \frac{x^{3n}}{e^{2x^n d + 2c} a x + 2e^{x^n d + c} b x - a x} dx \right) \right)}{e}$$

input `int((e*x)^(-1+3*n)/(a+b*csch(c+d*x^n)),x)`

output `(e**(3*n)*(e**(2*c)*int((x**(3*n)*e**(2*x**n*d))/(e**(2*x**n*d + 2*c)*a*x + 2*e**(x**n*d + c)*b*x - a*x),x) - int(x**(3*n)/(e**(2*x**n*d + 2*c)*a*x + 2*e**(x**n*d + c)*b*x - a*x),x))/e`

3.88
$$\int \frac{(ex)^{-1+n}}{(a+b\operatorname{csch}(c+dx^n))^2} dx$$

Optimal result	598
Mathematica [A] (verified)	598
Rubi [A] (warning: unable to verify)	599
Maple [C] (warning: unable to verify)	603
Fricas [B] (verification not implemented)	604
Sympy [F]	605
Maxima [F]	606
Giac [F]	606
Mupad [B] (verification not implemented)	606
Reduce [B] (verification not implemented)	607

Optimal result

Integrand size = 22, antiderivative size = 149

$$\int \frac{(ex)^{-1+n}}{(a+b\operatorname{csch}(c+dx^n))^2} dx = \frac{(ex)^n}{a^2 e n} + \frac{2b(2a^2+b^2)x^{-n}(ex)^n \operatorname{arctanh}\left(\frac{a-b \tanh(\frac{1}{2}(c+dx^n))}{\sqrt{a^2+b^2}}\right)}{a^2(a^2+b^2)^{3/2} \operatorname{den}} - \frac{b^2 x^{-n}(ex)^n \operatorname{coth}(c+dx^n)}{a(a^2+b^2) \operatorname{den}(a+b\operatorname{csch}(c+dx^n))}$$

output

```
(e*x)^n/a^2/e/n+2*b*(2*a^2+b^2)*(e*x)^n*arctanh((a-b*tanh(1/2*c+1/2*d*x^n))/(a^2+b^2)^(1/2))/a^2/(a^2+b^2)^(3/2)/d/e/n/(x^n)-b^2*(e*x)^n*coth(c+d*x^n)/a/(a^2+b^2)/d/e/n/(x^n)/(a+b*csch(c+d*x^n))
```

Mathematica [A] (verified)

Time = 0.86 (sec) , antiderivative size = 167, normalized size of antiderivative = 1.12

$$\int \frac{(ex)^{-1+n}}{(a+b\operatorname{csch}(c+dx^n))^2} dx = \frac{x^{-n}(ex)^n \left(-ab^2 \sqrt{-a^2-b^2} \operatorname{coth}(c+dx^n) + \left(-(-a^2-b^2)^{3/2} (c+dx^n) - 2b(2a^2+b^2) \operatorname{arctan}\left(\frac{a-b \tanh(\frac{1}{2}(c+dx^n))}{\sqrt{a^2+b^2}}\right) \right) \right)}{a^2(-a^2-b^2)^{3/2} \operatorname{den}(a+b\operatorname{csch}(c+dx^n))}$$

input `Integrate[(e*x)^(-1 + n)/(a + b*Csch[c + d*x^n])^2,x]`

output
$$-\left(\left(\left(e^x\right)^n\left(-\left(a b^2 \sqrt{-a^2-b^2}\right) \operatorname{Coth}\left[c+d x^n\right]\right)+\left(-\left(-a^2-b^2\right)^{\frac{3}{2}}\left(c+d x^n\right)-2 b\left(2 a^2+b^2\right) \operatorname{ArcTan}\left[\frac{a-b \operatorname{Tanh}\left[\frac{c+d x^n}{2}\right]}{\sqrt{-a^2-b^2}}\right]\right)\right) \left(a+b \operatorname{Csch}\left[c+d x^n\right]\right) \right) / \left(a^2\left(-a^2-b^2\right)^{\frac{3}{2}} d e^n x^n\left(a+b \operatorname{Csch}\left[c+d x^n\right]\right)\right)$$

Rubi [A] (warning: unable to verify)

Time = 0.89 (sec) , antiderivative size = 146, normalized size of antiderivative = 0.98, number of steps used = 16, number of rules used = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.682$, Rules used = {5964, 5960, 3042, 4272, 25, 3042, 4407, 26, 3042, 26, 4318, 3042, 3139, 1083, 217}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ex)^{n-1}}{(a + bcsch(c + dx^n))^2} dx$$

↓ 5964

$$\frac{x^{-n}(ex)^n \int \frac{x^{n-1}}{(a+bcsch(dx^n+c))^2} dx}{e}$$

↓ 5960

$$\frac{x^{-n}(ex)^n \int \frac{1}{(a+bcsch(dx^n+c))^2} dx^n}{en}$$

↓ 3042

$$\frac{x^{-n}(ex)^n \int \frac{1}{(a+ib \csc(idx^n+ic))^2} dx^n}{en}$$

↓ 4272

$$\frac{x^{-n}(ex)^n \left(-\frac{\int -\frac{a^2-b \operatorname{Csch}(dx^n+c)a+b^2}{a+b \operatorname{Csch}(dx^n+c)} dx^n}{a(a^2+b^2)} - \frac{b^2 \operatorname{coth}(c+dx^n)}{ad(a^2+b^2)(a+b \operatorname{Csch}(c+dx^n))} \right)}{en}$$

$$\begin{array}{c}
 \downarrow 25 \\
 \frac{x^{-n}(ex)^n \left(\frac{\int \frac{a^2 - b \operatorname{CSch}(dx^n + c) a + b^2}{a + b \operatorname{CSch}(dx^n + c)} dx^n}{a(a^2 + b^2)} - \frac{b^2 \coth(c + dx^n)}{ad(a^2 + b^2)(a + b \operatorname{CSch}(c + dx^n))} \right)}{en} \\
 \downarrow 3042 \\
 \frac{x^{-n}(ex)^n \left(-\frac{b^2 \coth(c + dx^n)}{ad(a^2 + b^2)(a + b \operatorname{CSch}(c + dx^n))} + \frac{\int \frac{a^2 - ib \operatorname{csc}(idx^n + ic) a + b^2}{a + ib \operatorname{csc}(idx^n + ic)} dx^n}{a(a^2 + b^2)} \right)}{en} \\
 \downarrow 4407 \\
 \frac{x^{-n}(ex)^n \left(-\frac{b^2 \coth(c + dx^n)}{ad(a^2 + b^2)(a + b \operatorname{CSch}(c + dx^n))} + \frac{(a^2 + b^2)x^n}{a} - \frac{ib(2a^2 + b^2) \int -\frac{i \operatorname{CSch}(dx^n + c)}{a + b \operatorname{CSch}(dx^n + c)} dx^n}{a(a^2 + b^2)} \right)}{en} \\
 \downarrow 26 \\
 \frac{x^{-n}(ex)^n \left(\frac{(a^2 + b^2)x^n}{a} - \frac{b(2a^2 + b^2) \int \frac{\operatorname{CSch}(dx^n + c)}{a + b \operatorname{CSch}(dx^n + c)} dx^n}{a(a^2 + b^2)} - \frac{b^2 \coth(c + dx^n)}{ad(a^2 + b^2)(a + b \operatorname{CSch}(c + dx^n))} \right)}{en} \\
 \downarrow 3042 \\
 \frac{x^{-n}(ex)^n \left(-\frac{b^2 \coth(c + dx^n)}{ad(a^2 + b^2)(a + b \operatorname{CSch}(c + dx^n))} + \frac{(a^2 + b^2)x^n}{a} - \frac{b(2a^2 + b^2) \int \frac{i \operatorname{csc}(idx^n + ic)}{a + ib \operatorname{csc}(idx^n + ic)} dx^n}{a(a^2 + b^2)} \right)}{en} \\
 \downarrow 26 \\
 \frac{x^{-n}(ex)^n \left(-\frac{b^2 \coth(c + dx^n)}{ad(a^2 + b^2)(a + b \operatorname{CSch}(c + dx^n))} + \frac{(a^2 + b^2)x^n}{a} - \frac{ib(2a^2 + b^2) \int \frac{\operatorname{csc}(idx^n + ic)}{a + ib \operatorname{csc}(idx^n + ic)} dx^n}{a(a^2 + b^2)} \right)}{en} \\
 \downarrow 4318 \\
 \frac{x^{-n}(ex)^n \left(\frac{(a^2 + b^2)x^n}{a} - \frac{(2a^2 + b^2) \int \frac{1}{a \sinh(\frac{1}{b}(dx^n + c)) + 1} dx^n}{a(a^2 + b^2)} - \frac{b^2 \coth(c + dx^n)}{ad(a^2 + b^2)(a + b \operatorname{CSch}(c + dx^n))} \right)}{en}
 \end{array}$$

$$\begin{array}{c}
 \downarrow \text{3042} \\
 \frac{x^{-n}(ex)^n \left(-\frac{b^2 \coth(c+dx^n)}{ad(a^2+b^2)(a+b\text{Csch}(c+dx^n))} + \frac{(a^2+b^2)x^n}{a} - \frac{(2a^2+b^2) \int \frac{1}{1-\frac{ia \sin(\frac{1}{b}(dx^n+ic))} dx^n}}{a(a^2+b^2)} \right)}{en} \\
 \downarrow \text{3139} \\
 \frac{x^{-n}(ex)^n \left(-\frac{b^2 \coth(c+dx^n)}{ad(a^2+b^2)(a+b\text{Csch}(c+dx^n))} + \frac{(a^2+b^2)x^n}{a} + \frac{2i(2a^2+b^2) \int \frac{1}{x^{2n} + \frac{2a \tanh(\frac{1}{b}(dx^n+c))}{b} + 1} d(i \tanh(\frac{1}{2}(dx^n+c)))}{a(a^2+b^2)ad} \right)}{en} \\
 \downarrow \text{1083} \\
 \frac{x^{-n}(ex)^n \left(-\frac{b^2 \coth(c+dx^n)}{ad(a^2+b^2)(a+b\text{Csch}(c+dx^n))} + \frac{(a^2+b^2)x^n}{a} - \frac{4i(2a^2+b^2) \int \frac{1}{-x^{2n}-4(\frac{a^2}{b^2}+1)} d(2i \tanh(\frac{1}{2}(dx^n+c)) - \frac{2ia}{b})}{a(a^2+b^2)ad} \right)}{en} \\
 \downarrow \text{217} \\
 \frac{x^{-n}(ex)^n \left(\frac{(a^2+b^2)x^n}{a} - \frac{2b(2a^2+b^2) \arctanh\left(\frac{b \tanh(\frac{1}{2}(c+dx^n))}{2\sqrt{a^2+b^2}}\right)}{ad\sqrt{a^2+b^2}} - \frac{b^2 \coth(c+dx^n)}{ad(a^2+b^2)(a+b\text{Csch}(c+dx^n))} \right)}{en}
 \end{array}$$

input `Int[(e*x)^(-1 + n)/(a + b*Csch[c + d*x^n])^2,x]`

output `((e*x)^n*(((a^2 + b^2)*x^n)/a - (2*b*(2*a^2 + b^2)*ArcTanh[(b*Tanh[(c + d*x^n)/2])]/(2*sqrt[a^2 + b^2]))/(a*sqrt[a^2 + b^2]*d))/(a*(a^2 + b^2)) - (b^2*Coth[c + d*x^n]/(a*(a^2 + b^2)*d*(a + b*Csch[c + d*x^n]))) / (e*n*x^n)`

Definitions of rubi rules used

- rule 25 $\text{Int}[-(\text{Fx}_), \text{x_Symbol}] \rightarrow \text{Simp}[\text{Identity}[-1] \quad \text{Int}[\text{Fx}, \text{x}], \text{x}]$
- rule 26 $\text{Int}[(\text{Complex}[0, \text{a}_])*(\text{Fx}_), \text{x_Symbol}] \rightarrow \text{Simp}[(\text{Complex}[\text{Identity}[0], \text{a}]) \quad \text{Int}[\text{Fx}, \text{x}], \text{x}] \text{ ; FreeQ}[\text{a}, \text{x}] \ \&\& \ \text{EqQ}[\text{a}^2, 1]$
- rule 217 $\text{Int}[(\text{a}_) + (\text{b}_)*(x_)^2)^{-1}, \text{x_Symbol}] \rightarrow \text{Simp}[(-\text{Rt}[-\text{a}, 2]*\text{Rt}[-\text{b}, 2])^{-1})*\text{ArcTan}[\text{Rt}[-\text{b}, 2]*(x/\text{Rt}[-\text{a}, 2])], \text{x}] \text{ ; FreeQ}[\{\text{a}, \text{b}\}, \text{x}] \ \&\& \ \text{PosQ}[\text{a}/\text{b}] \ \& \ (\text{LtQ}[\text{a}, 0] \ || \ \text{LtQ}[\text{b}, 0])$
- rule 1083 $\text{Int}[(\text{a}_) + (\text{b}_)*(x_) + (\text{c}_)*(x_)^2)^{-1}, \text{x_Symbol}] \rightarrow \text{Simp}[-2 \quad \text{Subst}[\text{Int}[1/\text{Simp}[\text{b}^2 - 4*\text{a}*c - x^2, \text{x}], \text{x}], \text{x}, \text{b} + 2*c*x], \text{x}] \text{ ; FreeQ}[\{\text{a}, \text{b}, \text{c}\}, \text{x}]$
- rule 3042 $\text{Int}[\text{u}_, \text{x_Symbol}] \rightarrow \text{Int}[\text{DeactivateTrig}[\text{u}, \text{x}], \text{x}] \text{ ; FunctionOfTrigOfLinearQ}[\text{u}, \text{x}]$
- rule 3139 $\text{Int}[(\text{a}_) + (\text{b}_)*\sin[(\text{c}_) + (\text{d}_)*(x_)])^{-1}, \text{x_Symbol}] \rightarrow \text{With}[\{\text{e} = \text{FreeFactors}[\text{Tan}[(\text{c} + \text{d}*x)/2], \text{x}]\}, \text{Simp}[2*(\text{e}/\text{d}) \quad \text{Subst}[\text{Int}[1/(\text{a} + 2*\text{b}*e*x + \text{a}*e^2*x^2), \text{x}], \text{x}, \text{Tan}[(\text{c} + \text{d}*x)/2]/\text{e}], \text{x}]] \text{ ; FreeQ}[\{\text{a}, \text{b}, \text{c}, \text{d}\}, \text{x}] \ \&\& \ \text{NeQ}[\text{a}^2 - \text{b}^2, 0]$
- rule 4272 $\text{Int}[(\text{csc}[(\text{c}_) + (\text{d}_)*(x_)]*(\text{b}_) + (\text{a}_))^{(n)}, \text{x_Symbol}] \rightarrow \text{Simp}[\text{b}^2*\text{Cot}[\text{c} + \text{d}*x]*((\text{a} + \text{b}*\text{Csc}[\text{c} + \text{d}*x])^{(n+1)}/(\text{a}*d*(n+1)*(a^2 - b^2))), \text{x}] + \text{Simp}[1/(\text{a}*(n+1)*(a^2 - b^2)) \quad \text{Int}[(\text{a} + \text{b}*\text{Csc}[\text{c} + \text{d}*x])^{(n+1)}*\text{Simp}[(a^2 - b^2)*(n+1) - \text{a}*b*(n+1)*\text{Csc}[\text{c} + \text{d}*x] + \text{b}^2*(n+2)*\text{Csc}[\text{c} + \text{d}*x]^2, \text{x}], \text{x}], \text{x}] \text{ ; FreeQ}[\{\text{a}, \text{b}, \text{c}, \text{d}\}, \text{x}] \ \&\& \ \text{NeQ}[\text{a}^2 - \text{b}^2, 0] \ \&\& \ \text{LtQ}[\text{n}, -1] \ \&\& \ \text{IntegerQ}[2*n]$
- rule 4318 $\text{Int}[\text{csc}[(\text{e}_) + (\text{f}_)*(x_)]/(\text{csc}[(\text{e}_) + (\text{f}_)*(x_)]*(\text{b}_) + (\text{a}_)), \text{x_Symbol}] \rightarrow \text{Simp}[1/\text{b} \quad \text{Int}[1/(1 + (\text{a}/\text{b})*\text{Sin}[\text{e} + \text{f}*x]), \text{x}], \text{x}] \text{ ; FreeQ}[\{\text{a}, \text{b}, \text{e}, \text{f}\}, \text{x}] \ \&\& \ \text{NeQ}[\text{a}^2 - \text{b}^2, 0]$

rule 4407

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.), x_Symbol] := Simp[c*(x/a), x] - Simp[(b*c - a*d)/a Int[Csc[e + f*
x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c
- a*d, 0]
```

rule 5960

```
Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_)]*(b_.))^(p_.)*(x_)^(m_.), x_Symbol]
:= Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x]
)^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m
+ 1)/n], 0] && IntegerQ[p]
```

rule 5964

```
Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_)]*(b_.))^(p_.)*((e_.)*(x_)^(m_.),
x_Symbol] := Simp[e^IntPart[m]*((e*x)^FracPart[m]/x^FracPart[m]) Int[x^m*
(a + b*Csch[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 3.

Time = 5.82 (sec) , antiderivative size = 490, normalized size of antiderivative = 3.29

method	result
risch	$\frac{x e^{\frac{(-1+n)(-i\pi \operatorname{csgn}(ie) \operatorname{csgn}(ix) \operatorname{csgn}(iex) + i\pi \operatorname{csgn}(ie) \operatorname{csgn}(iex)^2 + i\pi \operatorname{csgn}(ix) \operatorname{csgn}(iex)^2 - i\pi \operatorname{csgn}(iex)^3 + 2\ln(x) + 2\ln(e))}{2}}}{a^2 n} - \frac{2b^2 e^{\frac{(-1+n)(-i\pi \operatorname{csgn}(ie) \operatorname{csgn}(ix) \operatorname{csgn}(iex) + i\pi \operatorname{csgn}(ie) \operatorname{csgn}(iex)^2 + i\pi \operatorname{csgn}(ix) \operatorname{csgn}(iex)^2 - i\pi \operatorname{csgn}(iex)^3 + 2\ln(x) + 2\ln(e))}{2}}}{2b^2 e^{\frac{(-1+n)(-i\pi \operatorname{csgn}(ie) \operatorname{csgn}(ix) \operatorname{csgn}(iex) + i\pi \operatorname{csgn}(ie) \operatorname{csgn}(iex)^2 + i\pi \operatorname{csgn}(ix) \operatorname{csgn}(iex)^2 - i\pi \operatorname{csgn}(iex)^3 + 2\ln(x) + 2\ln(e))}{2}}}}$

input

```
int((e*x)^(-1+n)/(a+b*csch(c+d*x^n))^2,x,method=_RETURNVERBOSE)
```

output

```

1/a^2/n*x*exp(1/2*(-1+n)*(-I*Pi*csgn(I*e)*csgn(I*x)*csgn(I*e*x)+I*Pi*csgn(
I*e)*csgn(I*e*x)^2+I*Pi*csgn(I*x)*csgn(I*e*x)^2-I*Pi*csgn(I*e*x)^3+2*ln(x
+2*ln(e)))-2*b^2*exp(1/2*(-1+n)*(-I*Pi*csgn(I*e)*csgn(I*x)*csgn(I*e*x)+I*P
i*csgn(I*e)*csgn(I*e*x)^2+I*Pi*csgn(I*x)*csgn(I*e*x)^2-I*Pi*csgn(I*e*x)^3+
2*ln(x)+2*ln(e)))*x*(-b*exp(c+d*x^n)+a)/a^2/(a^2+b^2)/d/n/(x^n)/(a*exp(2*c
+2*d*x^n)+2*b*exp(c+d*x^n)-a)-2*b/a^2*(2*a^2+b^2)/(a^2+b^2)/n*exp(-1/2*I*P
i*n*csgn(I*e)*csgn(I*x)*csgn(I*e*x))*exp(1/2*I*Pi*n*csgn(I*e)*csgn(I*e*x)^
2)*exp(1/2*I*Pi*n*csgn(I*x)*csgn(I*e*x)^2)*exp(-1/2*I*Pi*n*csgn(I*e*x)^3)*
exp(1/2*I*Pi*csgn(I*e)*csgn(I*x)*csgn(I*e*x))*exp(-1/2*I*Pi*csgn(I*e)*csgn
(I*e*x)^2)*exp(-1/2*I*Pi*csgn(I*x)*csgn(I*e*x)^2)*exp(1/2*I*Pi*csgn(I*e*x)
^3)*e^n/e*exp(c)/d/(-a^2*exp(2*c)-exp(2*c)*b^2)^(1/2)*arctan(1/2*(2*a*exp(
2*c+d*x^n)+2*exp(c)*b)/(-a^2*exp(2*c)-exp(2*c)*b^2)^(1/2))

```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1729 vs. $2(146) = 292$.

Time = 0.12 (sec) , antiderivative size = 1729, normalized size of antiderivative = 11.60

$$\int \frac{(ex)^{-1+n}}{(a + bcsch(c + dx^n))^2} dx = \text{Too large to display}$$

input

```
integrate((e*x)^(-1+n)/(a+b*csh(c+d*x^n))^2,x, algorithm="fricas")
```

output

```

-((a^5 + 2*a^3*b^2 + a*b^4)*d*cosh((n - 1)*log(e))*cosh(n*log(x)) - ((a^5
+ 2*a^3*b^2 + a*b^4)*d*cosh((n - 1)*log(e))*cosh(n*log(x)) + (a^5 + 2*a^3*
b^2 + a*b^4)*d*cosh(n*log(x))*sinh((n - 1)*log(e)) + ((a^5 + 2*a^3*b^2 + a
*b^4)*d*cosh((n - 1)*log(e)) + (a^5 + 2*a^3*b^2 + a*b^4)*d*sinh((n - 1)*lo
g(e)))*sinh(n*log(x))*cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c)^2 - (
(a^5 + 2*a^3*b^2 + a*b^4)*d*cosh((n - 1)*log(e))*cosh(n*log(x)) + (a^5 + 2
*a^3*b^2 + a*b^4)*d*cosh(n*log(x))*sinh((n - 1)*log(e)) + ((a^5 + 2*a^3*b^
2 + a*b^4)*d*cosh((n - 1)*log(e)) + (a^5 + 2*a^3*b^2 + a*b^4)*d*sinh((n -
1)*log(e))*sinh(n*log(x))*sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c)^
2 - 2*((a^4*b + 2*a^2*b^3 + b^5)*d*cosh((n - 1)*log(e))*cosh(n*log(x)) + (
a^2*b^3 + b^5)*cosh((n - 1)*log(e)) + (a^2*b^3 + b^5 + (a^4*b + 2*a^2*b^3
+ b^5)*d*cosh(n*log(x))*sinh((n - 1)*log(e)) + ((a^4*b + 2*a^2*b^3 + b^5)
*d*cosh((n - 1)*log(e)) + (a^4*b + 2*a^2*b^3 + b^5)*d*sinh((n - 1)*log(e)
))*sinh(n*log(x))*cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c) + 2*(a^3*b
^2 + a*b^4)*cosh((n - 1)*log(e)) - (((2*a^3*b + a*b^3)*sqrt(a^2 + b^2)*cos
h((n - 1)*log(e)) + (2*a^3*b + a*b^3)*sqrt(a^2 + b^2)*sinh((n - 1)*log(e)
))*cosh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c)^2 + ((2*a^3*b + a*b^3)*sq
rt(a^2 + b^2)*cosh((n - 1)*log(e)) + (2*a^3*b + a*b^3)*sqrt(a^2 + b^2)*sin
h((n - 1)*log(e))*sinh(d*cosh(n*log(x)) + d*sinh(n*log(x)) + c)^2 - (2*a^3
*b + a*b^3)*sqrt(a^2 + b^2)*cosh((n - 1)*log(e)) - (2*a^3*b + a*b^3)*sq...

```

Sympy [F]

$$\int \frac{(ex)^{-1+n}}{(a + b \operatorname{csch}(c + dx^n))^2} dx = \int \frac{(ex)^{n-1}}{(a + b \operatorname{csch}(c + dx^n))^2} dx$$

input

```
integrate((e*x)**(-1+n)/(a+b*csch(c+d*x**n))**2,x)
```

output

```
Integral((e*x)**(n - 1)/(a + b*csch(c + d*x**n))**2, x)
```

Maxima [F]

$$\int \frac{(ex)^{-1+n}}{(a + b \operatorname{csch}(c + dx^n))^2} dx = \int \frac{(ex)^{n-1}}{(b \operatorname{csch}(dx^n + c) + a)^2} dx$$

input `integrate((e*x)^(-1+n)/(a+b*csch(c+d*x^n))^2,x, algorithm="maxima")`

output `-2*(2*a^2*b*e^n*e^c + b^3*e^n*e^c)*integrate(e^(d*x^n + n*log(x))/((a^5*e*e^(2*c) + a^3*b^2*e*e^(2*c))*x*e^(2*d*x^n) + 2*(a^4*b*e*e^c + a^2*b^3*e*e^c)*x*e^(d*x^n) - (a^5*e + a^3*b^2*e)*x), x) + (2*a*b^2*e^n + (a^3*d*e^n + a*b^2*d*e^n)*x^n - (a^3*d*e^n*e^(2*c) + a*b^2*d*e^n*e^(2*c))*e^(2*d*x^n + n*log(x)) - 2*(b^3*e^n*e^c + (a^2*b*d*e^n*e^c + b^3*d*e^n*e^c)*x^n)*e^(d*x^n))/(a^5*d*e*n + a^3*b^2*d*e*n - (a^5*d*e*n*e^(2*c) + a^3*b^2*d*e*n*e^(2*c))*e^(2*d*x^n) - 2*(a^4*b*d*e*n*e^c + a^2*b^3*d*e*n*e^c)*e^(d*x^n))`

Giac [F]

$$\int \frac{(ex)^{-1+n}}{(a + b \operatorname{csch}(c + dx^n))^2} dx = \int \frac{(ex)^{n-1}}{(b \operatorname{csch}(dx^n + c) + a)^2} dx$$

input `integrate((e*x)^(-1+n)/(a+b*csch(c+d*x^n))^2,x, algorithm="giac")`

output `integrate((e*x)^(n - 1)/(b*csch(d*x^n + c) + a)^2, x)`

Mupad [B] (verification not implemented)

Time = 18.80 (sec) , antiderivative size = 1449, normalized size of antiderivative = 9.72

$$\int \frac{(ex)^{-1+n}}{(a + b \operatorname{csch}(c + dx^n))^2} dx = \text{Too large to display}$$

input `int((e*x)^(n - 1)/(a + b/sinh(c + d*x^n))^2,x)`

output

```

((2*atan(((a^5*(- a^10*d^2*n^2*x^(2*n) - a^4*b^6*d^2*n^2*x^(2*n) - 3*a^6*b^4*d^2*n^2*x^(2*n) - 3*a^8*b^2*d^2*n^2*x^(2*n))^(1/2))/2 + (a^3*b^2*(- a^10*d^2*n^2*x^(2*n) - a^4*b^6*d^2*n^2*x^(2*n) - 3*a^6*b^4*d^2*n^2*x^(2*n) - 3*a^8*b^2*d^2*n^2*x^(2*n))^(1/2))/2)*(exp(d*x^n)*exp(c)*((2*(e*x)^(1 - n)*(a^4*b*d*n*x^n*(b^6*x^2*(e*x)^(2*n - 2) + 4*a^2*b^4*x^2*(e*x)^(2*n - 2) + 4*a^4*b^2*x^2*(e*x)^(2*n - 2))^(1/2) + a^2*b^3*d*n*x^n*(b^6*x^2*(e*x)^(2*n - 2) + 4*a^2*b^4*x^2*(e*x)^(2*n - 2) + 4*a^4*b^2*x^2*(e*x)^(2*n - 2))^(1/2)))/(a^2*x*(a^4 + a^2*b^2)*(2*a^2 + b^2)*(- a^10*d^2*n^2*x^(2*n) - a^4*b^6*d^2*n^2*x^(2*n) - 3*a^6*b^4*d^2*n^2*x^(2*n) - 3*a^8*b^2*d^2*n^2*x^(2*n))^(1/2)*(-a^4*d^2*n^2*x^(2*n)*(a^2 + b^2)^3)^(1/2)) + (2*(b^3*x*(e*x)^(n - 1)*(- a^10*d^2*n^2*x^(2*n) - a^4*b^6*d^2*n^2*x^(2*n) - 3*a^6*b^4*d^2*n^2*x^(2*n) - 3*a^8*b^2*d^2*n^2*x^(2*n))^(1/2) + 2*a^2*b*x*(e*x)^(n - 1)*(- a^10*d^2*n^2*x^(2*n) - a^4*b^6*d^2*n^2*x^(2*n) - 3*a^6*b^4*d^2*n^2*x^(2*n) - 3*a^8*b^2*d^2*n^2*x^(2*n))^(1/2)))/(a^4*d*n*x^n*(a^4 + a^2*b^2)*(a^2 + b^2)*(b^2*x^2*(e*x)^(2*n - 2)*(2*a^2 + b^2)^2)^(1/2)*(- a^10*d^2*n^2*x^(2*n) - a^4*b^6*d^2*n^2*x^(2*n) - 3*a^6*b^4*d^2*n^2*x^(2*n) - 3*a^8*b^2*d^2*n^2*x^(2*n))^(1/2))) - (2*(e*x)^(1 - n)*(a^5*d*n*x^n*(b^6*x^2*(e*x)^(2*n - 2) + 4*a^2*b^4*x^2*(e*x)^(2*n - 2) + 4*a^4*b^2*x^2*(e*x)^(2*n - 2))^(1/2) + a^3*b^2*d*n*x^n*(b^6*x^2*(e*x)^(2*n - 2) + 4*a^2*b^4*x^2*(e*x)^(2*n - 2) + 4*a^4*b^2*x^2*(e*x)^(2*n - 2))^(1/2)))/(a^2*x*(a^4 + a^2*b^2)*(2*a^2 + ...

```

Reduce [B] (verification not implemented)

Time = 0.22 (sec) , antiderivative size = 645, normalized size of antiderivative = 4.33

$$\int \frac{(ex)^{-1+n}}{(a + bcsch(c + dx^n))^2} dx$$

$$= \frac{e^n \left(-4e^{2x^nd+2c} \sqrt{a^2 + b^2} \operatorname{atan} \left(\frac{e^{x^nd+c} ai + bi}{\sqrt{a^2 + b^2}} \right) a^3 bi - 2e^{2x^nd+2c} \sqrt{a^2 + b^2} \operatorname{atan} \left(\frac{e^{x^nd+c} ai + bi}{\sqrt{a^2 + b^2}} \right) a b^3 i - 8e^{x^nd+c} \sqrt{a^2 + b^2} \operatorname{atan} \left(\frac{e^{x^nd+c} ai + bi}{\sqrt{a^2 + b^2}} \right) a^3 bi \right)}{\dots}$$

input

```
int((e*x)^(-1+n)/(a+b*csch(c+d*x^n))^2,x)
```


output

```
(e**n*( - 4*e**(2*x**n*d + 2*c)*sqrt(a**2 + b**2)*atan((e**(x**n*d + c)*a*
i + b*i)/sqrt(a**2 + b**2))*a**3*b**i - 2*e**(2*x**n*d + 2*c)*sqrt(a**2 + b
**2)*atan((e**(x**n*d + c)*a*i + b*i)/sqrt(a**2 + b**2))*a*b**3*i - 8*e**(
x**n*d + c)*sqrt(a**2 + b**2)*atan((e**(x**n*d + c)*a*i + b*i)/sqrt(a**2 +
b**2))*a**2*b**2*i - 4*e**(x**n*d + c)*sqrt(a**2 + b**2)*atan((e**(x**n*d
+ c)*a*i + b*i)/sqrt(a**2 + b**2))*b**4*i + 4*sqrt(a**2 + b**2)*atan((e**
(x**n*d + c)*a*i + b*i)/sqrt(a**2 + b**2))*a**3*b**i + 2*sqrt(a**2 + b**2)*
atan((e**(x**n*d + c)*a*i + b*i)/sqrt(a**2 + b**2))*a*b**3*i + x**n*e**(2*
x**n*d + 2*c)*a**5*d + 2*x**n*e**(2*x**n*d + 2*c)*a**3*b**2*d + x**n*e**(2
*x**n*d + 2*c)*a*b**4*d - e**(2*x**n*d + 2*c)*a**3*b**2 - e**(2*x**n*d + 2
*c)*a*b**4 + 2*x**n*e**(x**n*d + c)*a**4*b*d + 4*x**n*e**(x**n*d + c)*a**2
*b**3*d + 2*x**n*e**(x**n*d + c)*b**5*d - x**n*a**5*d - 2*x**n*a**3*b**2*d
- x**n*a*b**4*d - a**3*b**2 - a*b**4))/(a**2*d*e**n*(e**(2*x**n*d + 2*c)*a
**5 + 2*e**(2*x**n*d + 2*c)*a**3*b**2 + e**(2*x**n*d + 2*c)*a*b**4 + 2*e**
(x**n*d + c)*a**4*b + 4*e**(x**n*d + c)*a**2*b**3 + 2*e**(x**n*d + c)*b**5
- a**5 - 2*a**3*b**2 - a*b**4))
```

$$3.89 \quad \int \frac{(ex)^{-1+2n}}{(a+b\mathbf{csch}(c+dx^n))^2} dx$$

Optimal result	610
Mathematica [C] (warning: unable to verify)	611
Rubi [A] (verified)	612
Maple [F]	614
Fricas [B] (verification not implemented)	615
Sympy [F]	615
Maxima [F]	615
Giac [F]	616
Mupad [F(-1)]	616
Reduce [F]	617

Optimal result

Integrand size = 24, antiderivative size = 681

$$\begin{aligned}
 \int \frac{(ex)^{-1+2n}}{(a + b \operatorname{csch}(c + dx^n))^2} dx &= \frac{(ex)^{2n}}{2a^2 en} + \frac{b^3 x^{-n} (ex)^{2n} \log\left(1 + \frac{ae^{c+dx^n}}{b - \sqrt{a^2 + b^2}}\right)}{a^2 (a^2 + b^2)^{3/2} den} \\
 &\quad - \frac{2bx^{-n} (ex)^{2n} \log\left(1 + \frac{ae^{c+dx^n}}{b - \sqrt{a^2 + b^2}}\right)}{a^2 \sqrt{a^2 + b^2} den} \\
 &\quad - \frac{b^3 x^{-n} (ex)^{2n} \log\left(1 + \frac{ae^{c+dx^n}}{b + \sqrt{a^2 + b^2}}\right)}{a^2 (a^2 + b^2)^{3/2} den} \\
 &\quad + \frac{2bx^{-n} (ex)^{2n} \log\left(1 + \frac{ae^{c+dx^n}}{b + \sqrt{a^2 + b^2}}\right)}{a^2 \sqrt{a^2 + b^2} den} \\
 &\quad + \frac{b^2 x^{-2n} (ex)^{2n} \log(b + a \sinh(c + dx^n))}{a^2 (a^2 + b^2) d^2 en} \\
 &\quad + \frac{b^3 x^{-2n} (ex)^{2n} \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^n}}{b - \sqrt{a^2 + b^2}}\right)}{a^2 (a^2 + b^2)^{3/2} d^2 en} \\
 &\quad - \frac{2bx^{-2n} (ex)^{2n} \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^n}}{b - \sqrt{a^2 + b^2}}\right)}{a^2 \sqrt{a^2 + b^2} d^2 en} \\
 &\quad - \frac{b^3 x^{-2n} (ex)^{2n} \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^n}}{b + \sqrt{a^2 + b^2}}\right)}{a^2 (a^2 + b^2)^{3/2} d^2 en} \\
 &\quad + \frac{2bx^{-2n} (ex)^{2n} \operatorname{PolyLog}\left(2, -\frac{ae^{c+dx^n}}{b + \sqrt{a^2 + b^2}}\right)}{a^2 \sqrt{a^2 + b^2} d^2 en} \\
 &\quad - \frac{b^2 x^{-n} (ex)^{2n} \cosh(c + dx^n)}{a (a^2 + b^2) den (b + a \sinh(c + dx^n))}
 \end{aligned}$$

output

```

1/2*(e*x)^(2*n)/a^2/e/n+b^3*(e*x)^(2*n)*ln(1+a*exp(c+d*x^n)/(b-(a^2+b^2)^(
1/2)))/a^2/(a^2+b^2)^(3/2)/d/e/n/(x^n)-2*b*(e*x)^(2*n)*ln(1+a*exp(c+d*x^n)
/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(1/2)/d/e/n/(x^n)-b^3*(e*x)^(2*n)*ln(1
+a*exp(c+d*x^n)/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d/e/n/(x^n)+2*b*(
e*x)^(2*n)*ln(1+a*exp(c+d*x^n)/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(1/2)/d/
e/n/(x^n)+b^2*(e*x)^(2*n)*ln(b+a*sinh(c+d*x^n))/a^2/(a^2+b^2)/d^2/e/n/(x^(
2*n))+b^3*(e*x)^(2*n)*polylog(2,-a*exp(c+d*x^n)/(b-(a^2+b^2)^(1/2)))/a^2/(
a^2+b^2)^(3/2)/d^2/e/n/(x^(2*n))-2*b*(e*x)^(2*n)*polylog(2,-a*exp(c+d*x^n)
/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(1/2)/d^2/e/n/(x^(2*n))-b^3*(e*x)^(2*n
)*polylog(2,-a*exp(c+d*x^n)/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d^2/e
/n/(x^(2*n))+2*b*(e*x)^(2*n)*polylog(2,-a*exp(c+d*x^n)/(b+(a^2+b^2)^(1/2))
)/a^2/(a^2+b^2)^(1/2)/d^2/e/n/(x^(2*n))-b^2*(e*x)^(2*n)*cosh(c+d*x^n)/a/(a
^2+b^2)/d/e/n/(x^n)/(b+a*sinh(c+d*x^n))

```

Mathematica [C] (warning: unable to verify)

Result contains complex when optimal does not.

Time = 19.27 (sec) , antiderivative size = 3219, normalized size of antiderivative = 4.73

$$\int \frac{(ex)^{-1+2n}}{(a + bcsch(c + dx^n))^2} dx = \text{Result too large to show}$$

input

```
Integrate[(e*x)^(-1 + 2*n)/(a + b*Csch[c + d*x^n])^2,x]
```

output

```
(b^2*x^(1 - n)*(e*x)^(-1 + 2*n)*Csch[c/2]*Csch[c + d*x^n]^2*Sech[c/2]*(b*Cosh[c] + a*Sinh[d*x^n])*(b + a*Sinh[c + d*x^n]))/(2*a^2*(a^2 + b^2)*d*n*(a + b*Csch[c + d*x^n]^2) + (b^2*x^(1 - n)*(e*x)^(-1 + 2*n)*Coth[c]*Csch[c + d*x^n]^2*(b + a*Sinh[c + d*x^n])^2)/(a^2*(a^2 + b^2)*d*n*(a + b*Csch[c + d*x^n]^2) + (2*b^3*x^(1 - 2*n)*(e*x)^(-1 + 2*n)*ArcTanh[(b + a*E^(c + d*x^n))/Sqrt[a^2 + b^2]]*Coth[c]*Csch[c + d*x^n]^2*(b + a*Sinh[c + d*x^n])^2)/(a^2*(a^2 + b^2)^(3/2)*d^2*n*(a + b*Csch[c + d*x^n])^2) - (b^2*E^c*x^(1 - 2*n)*(e*x)^(-1 + 2*n)*Csch[c]*Csch[c + d*x^n]^2*((d*x^n)/a + (b*(1 + E^(2*c))*ArcTanh[(b*E^c + a*E^(2*c + d*x^n))/(Sqrt[a^2 + b^2]*E^c)])/(a*Sqrt[a^2 + b^2]*E^(2*c)) - ((1 - E^(-2*c))*Log[a - 2*b*E^(c + d*x^n) - a*E^(2*c + 2*d*x^n)])/(2*a)*(b + a*Sinh[c + d*x^n])^2)/(a*(a^2 + b^2)*d^2*n*(a + b*Csch[c + d*x^n])^2) - (2*b*x^(1 - 2*n)*(e*x)^(-1 + 2*n)*Csch[c + d*x^n]^2*(((-I)*Pi*ArcTanh[(-a + b*Tanh[(c + d*x^n)/2])/Sqrt[a^2 + b^2]])/Sqrt[a^2 + b^2] - (2*((-I)*c + Pi/2 - I*d*x^n)*ArcTanh[(((I)*a + b)*Cot[(-I)*c + Pi/2 - I*d*x^n]/2])/Sqrt[-a^2 - b^2]] - 2*((-I)*c + ArcCos[(-I)*b/a])*ArcTanh[(((I)*a - b)*Tan[(-I)*c + Pi/2 - I*d*x^n]/2])/Sqrt[-a^2 - b^2]] + (ArcCos[(-I)*b/a] - (2*I)*(ArcTanh[(((I)*a + b)*Cot[(-I)*c + Pi/2 - I*d*x^n]/2])/Sqrt[-a^2 - b^2]] - ArcTanh[(((I)*a - b)*Tan[(-I)*c + Pi/2 - I*d*x^n]/2])/Sqrt[-a^2 - b^2]))*Log[Sqrt[-a^2 - b^2]/(Sqrt[2]*Sqrt[(-I)*a])*E^((I/2)*((-I)*c + Pi/2 - I*d*x^n))*Sqrt[b + a*Sinh[c + d*x^n]]] + ...
```

Rubi [A] (verified)

Time = 1.56 (sec) , antiderivative size = 527, normalized size of antiderivative = 0.77, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {5964, 5960, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ex)^{2n-1}}{(a + bcsch(c + dx^n))^2} dx$$

$$\downarrow \text{5964}$$

$$x^{-2n}(ex)^{2n} \int \frac{x^{2n-1}}{(a + bcsch(dx^n + c))^2} dx$$

$$e$$

$$\downarrow \text{5960}$$

$$\begin{array}{c}
\frac{x^{-2n}(ex)^{2n} \int \frac{x^n}{(a+b\operatorname{csch}(dx^n+c))^2} dx^n}{en} \\
\downarrow 3042 \\
\frac{x^{-2n}(ex)^{2n} \int \frac{x^n}{(a+ib\operatorname{csc}(idx^n+ic))^2} dx^n}{en} \\
\downarrow 4679 \\
\frac{x^{-2n}(ex)^{2n} \int \left(-\frac{2bx^n}{a^2(b+a\sinh(dx^n+c))} + \frac{x^n}{a^2} + \frac{b^2x^n}{a^2(b+a\sinh(dx^n+c))^2} \right) dx^n}{en} \\
\downarrow 2009 \\
x^{-2n}(ex)^{2n} \left(-\frac{2b\operatorname{PolyLog}\left(2, -\frac{ae^{dx^n+c}}{b-\sqrt{a^2+b^2}}\right)}{a^2d^2\sqrt{a^2+b^2}} + \frac{2b\operatorname{PolyLog}\left(2, -\frac{ae^{dx^n+c}}{b+\sqrt{a^2+b^2}}\right)}{a^2d^2\sqrt{a^2+b^2}} + \frac{b^2\log(a\sinh(c+dx^n)+b)}{a^2d^2(a^2+b^2)} - \frac{2bx^n\log\left(\frac{ae^{c+dx^n}}{b-\sqrt{a^2+b^2}}+1\right)}{a^2d\sqrt{a^2+b^2}} \right)
\end{array}$$

input `Int[(e*x)^(-1 + 2*n)/(a + b*Csch[c + d*x^n])^2,x]`

output `((e*x)^(2*n)*(x^(2*n)/(2*a^2) + (b^3*x^n*Log[1 + (a*E^(c + d*x^n))/(b - Sqrt[a^2 + b^2]])/(a^2*(a^2 + b^2)^(3/2)*d) - (2*b*x^n*Log[1 + (a*E^(c + d*x^n))/(b - Sqrt[a^2 + b^2]])/(a^2*Sqrt[a^2 + b^2]*d) - (b^3*x^n*Log[1 + (a*E^(c + d*x^n))/(b + Sqrt[a^2 + b^2]])/(a^2*(a^2 + b^2)^(3/2)*d) + (2*b*x^n*Log[1 + (a*E^(c + d*x^n))/(b + Sqrt[a^2 + b^2]])/(a^2*Sqrt[a^2 + b^2]*d) + (b^2*Log[b + a*Sinh[c + d*x^n]])/(a^2*(a^2 + b^2)*d^2) + (b^3*PolyLog[2, -((a*E^(c + d*x^n))/(b - Sqrt[a^2 + b^2]])]/(a^2*(a^2 + b^2)^(3/2)*d^2) - (2*b*PolyLog[2, -((a*E^(c + d*x^n))/(b - Sqrt[a^2 + b^2]])]/(a^2*Sqrt[a^2 + b^2]*d^2) - (b^3*PolyLog[2, -((a*E^(c + d*x^n))/(b + Sqrt[a^2 + b^2]])]/(a^2*(a^2 + b^2)^(3/2)*d^2) + (2*b*PolyLog[2, -((a*E^(c + d*x^n))/(b + Sqrt[a^2 + b^2]])]/(a^2*Sqrt[a^2 + b^2]*d^2) - (b^2*x^n*Cosh[c + d*x^n])/(a*(a^2 + b^2)*d*(b + a*Sinh[c + d*x^n])))/(e*n*x^(2*n))`

Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4679 `Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Sin[e + f*x]^n)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]`

rule 5960 `Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_)]*(b_.))^(p_.)*(x_)^(m_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]`

rule 5964 `Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_)]*(b_.))^(p_.)*((e_.)*(x_)^(m_.), x_Symbol] := Simp[e^IntPart[m]*((e*x)^FracPart[m]/x^FracPart[m]) Int[x^m*(a + b*Csch[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x]`

Maple [F]

$$\int \frac{(ex)^{-1+2n}}{(a + b \operatorname{csch}(c + dx^n))^2} dx$$

input `int((e*x)^(-1+2*n)/(a+b*csch(c+d*x^n))^2,x)`

output `int((e*x)^(-1+2*n)/(a+b*csch(c+d*x^n))^2,x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 8453 vs. $2(645) = 1290$.

Time = 0.22 (sec) , antiderivative size = 8453, normalized size of antiderivative = 12.41

$$\int \frac{(ex)^{-1+2n}}{(a + b \operatorname{csch}(c + dx^n))^2} dx = \text{Too large to display}$$

input `integrate((e*x)^(-1+2*n)/(a+b*csch(c+d*x^n))^2,x, algorithm="fricas")`

output Too large to include

Sympy [F]

$$\int \frac{(ex)^{-1+2n}}{(a + b \operatorname{csch}(c + dx^n))^2} dx = \int \frac{(ex)^{2n-1}}{(a + b \operatorname{csch}(c + dx^n))^2} dx$$

input `integrate((e*x)**(-1+2*n)/(a+b*csch(c+d*x**n))**2,x)`

output `Integral((e*x)**(2*n - 1)/(a + b*csch(c + d*x**n))**2, x)`

Maxima [F]

$$\int \frac{(ex)^{-1+2n}}{(a + b \operatorname{csch}(c + dx^n))^2} dx = \int \frac{(ex)^{2n-1}}{(b \operatorname{csch}(dx^n + c) + a)^2} dx$$

input `integrate((e*x)^(-1+2*n)/(a+b*csch(c+d*x^n))^2,x, algorithm="maxima")`

output

```
1/2*(4*a*b^2*e^(2*n)*x^n + (a^3*d*e^(2*n) + a*b^2*d*e^(2*n))*x^(2*n) - (a^3*d*e^(2*n)*e^(2*c) + a*b^2*d*e^(2*n)*e^(2*c))*e^(2*d*x^n + 2*n*log(x)) - 2*(2*b^3*e^(2*n)*e^(n*log(x) + c) + (a^2*b*d*e^(2*n)*e^c + b^3*d*e^(2*n)*e^c)*x^(2*n))*e^(d*x^n))/(a^5*d*e^n + a^3*b^2*d*e^n - (a^5*d*e^n*e^(2*c) + a^3*b^2*d*e^n*e^(2*c))*e^(2*d*x^n) - 2*(a^4*b*d*e^n*e^c + a^2*b^3*d*e^n*e^c)*e^(d*x^n)) - integrate(-2*(a*b^2*e^(2*n)*x^n - (b^3*e^(2*n)*e^(n*log(x) + c) + (2*a^2*b*d*e^(2*n)*e^c + b^3*d*e^(2*n)*e^c)*x^(2*n))*e^(d*x^n))/(a^5*d*e^n*e^(2*c) + a^3*b^2*d*e^n*e^(2*c))*x*e^(2*d*x^n) + 2*(a^4*b*d*e^n*e^c + a^2*b^3*d*e^n*e^c)*x*e^(d*x^n) - (a^5*d*e + a^3*b^2*d*e)*x), x)
```

Giac [F]

$$\int \frac{(ex)^{-1+2n}}{(a + b \operatorname{csch}(c + dx^n))^2} dx = \int \frac{(ex)^{2n-1}}{(b \operatorname{csch}(dx^n + c) + a)^2} dx$$

input

```
integrate((e*x)^(-1+2*n)/(a+b*csch(c+d*x^n))^2,x, algorithm="giac")
```

output

```
integrate((e*x)^(2*n - 1)/(b*csch(d*x^n + c) + a)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ex)^{-1+2n}}{(a + b \operatorname{csch}(c + dx^n))^2} dx = \int \frac{(ex)^{2n-1}}{\left(a + \frac{b}{\sinh(c+dx^n)}\right)^2} dx$$

input

```
int((e*x)^(2*n - 1)/(a + b/sinh(c + d*x^n))^2,x)
```

output

```
int((e*x)^(2*n - 1)/(a + b/sinh(c + d*x^n))^2, x)
```

Reduce [F]

$$\int \frac{(ex)^{-1+2n}}{(a + b \operatorname{csch}(c + dx^n))^2} dx = \text{too large to display}$$

input `int((e*x)^(-1+2*n)/(a+b*csch(c+d*x^n))^2,x)`

output

```
(e**(2*n)*(- 8*e**(2*x**n*d + 2*c)*sqrt(a**2 + b**2)*atan((e**(x**n*d + c)
)*a*i + b*i)/sqrt(a**2 + b**2))*a**3*b*i - 4*e**(2*x**n*d + 2*c)*sqrt(a**2
+ b**2)*atan((e**(x**n*d + c)*a*i + b*i)/sqrt(a**2 + b**2))*a*b**3*i - 16
*e**(x**n*d + c)*sqrt(a**2 + b**2)*atan((e**(x**n*d + c)*a*i + b*i)/sqrt(a
**2 + b**2))*a**2*b**2*i - 8*e**(x**n*d + c)*sqrt(a**2 + b**2)*atan((e**(x
**n*d + c)*a*i + b*i)/sqrt(a**2 + b**2))*b**4*i + 8*sqrt(a**2 + b**2)*atan
((e**(x**n*d + c)*a*i + b*i)/sqrt(a**2 + b**2))*a**3*b*i + 4*sqrt(a**2 + b
**2)*atan((e**(x**n*d + c)*a*i + b*i)/sqrt(a**2 + b**2))*a*b**3*i + 16*e**
(2*x**n*d + 3*c)*int((x**(2*n)*e**(x**n*d))/(e**(4*x**n*d + 4*c)*a**2*x +
4*e**(3*x**n*d + 3*c)*a*b*x - 2*e**(2*x**n*d + 2*c)*a**2*x + 4*e**(2*x**n*
d + 2*c)*b**2*x - 4*e**(x**n*d + c)*a*b*x + a**2*x),x)*a**6*b*d**2*n + 24*
e**(2*x**n*d + 3*c)*int((x**(2*n)*e**(x**n*d))/(e**(4*x**n*d + 4*c)*a**2*x
+ 4*e**(3*x**n*d + 3*c)*a*b*x - 2*e**(2*x**n*d + 2*c)*a**2*x + 4*e**(2*x*
n*d + 2*c)*b**2*x - 4*e**(x**n*d + c)*a*b*x + a**2*x),x)*a**4*b**3*d**2*n
+ 8*e**(2*x**n*d + 3*c)*int((x**(2*n)*e**(x**n*d))/(e**(4*x**n*d + 4*c)*a
**2*x + 4*e**(3*x**n*d + 3*c)*a*b*x - 2*e**(2*x**n*d + 2*c)*a**2*x + 4*e**
(2*x**n*d + 2*c)*b**2*x - 4*e**(x**n*d + c)*a*b*x + a**2*x),x)*a**2*b**5*d
**2*n + x**(2*n)*e**(2*x**n*d + 2*c)*a**5*d**2 + x**(2*n)*e**(2*x**n*d + 2
*c)*a**3*b**2*d**2 + 4*x**n*e**(2*x**n*d + 2*c)*a**3*b**2*d + 4*x**n*e**(2
*x**n*d + 2*c)*a*b**4*d - 2*e**(2*x**n*d + 2*c)*log(e**(2*x**n*d + 2*c))...
```

3.90
$$\int \frac{(ex)^{-1+3n}}{(a+b\mathbf{csch}(c+dx^n))^2} dx$$

Optimal result	618
Mathematica [F]	619
Rubi [A] (verified)	620
Maple [F]	622
Fricas [B] (verification not implemented)	622
Sympy [F]	623
Maxima [F]	623
Giac [F]	624
Mupad [F(-1)]	624
Reduce [F]	624

Optimal result

Integrand size = 24, antiderivative size = 1218

$$\int \frac{(ex)^{-1+3n}}{(a + b\mathbf{csch}(c + dx^n))^2} dx = \text{Too large to display}$$

output

```

1/3*(e*x)^(3*n)/a^2/e/n-b^2*(e*x)^(3*n)/a^2/(a^2+b^2)/d/e/n/(x^n)+2*b^2*(e
*x)^(3*n)*ln(1+a*exp(c+d*x^n)/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)/d^2/e/n/(
x^(2*n))+b^3*(e*x)^(3*n)*ln(1+a*exp(c+d*x^n)/(b-(a^2+b^2)^(1/2)))/a^2/(a^2
+b^2)^(3/2)/d/e/n/(x^n)-2*b*(e*x)^(3*n)*ln(1+a*exp(c+d*x^n)/(b-(a^2+b^2)^(
1/2)))/a^2/(a^2+b^2)^(1/2)/d/e/n/(x^n)+2*b^2*(e*x)^(3*n)*ln(1+a*exp(c+d*x^
n)/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)/d^2/e/n/(x^(2*n))-b^3*(e*x)^(3*n)*ln
(1+a*exp(c+d*x^n)/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d/e/n/(x^n)+2*b
*(e*x)^(3*n)*ln(1+a*exp(c+d*x^n)/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(1/2)/
d/e/n/(x^n)+2*b^2*(e*x)^(3*n)*polylog(2,-a*exp(c+d*x^n)/(b-(a^2+b^2)^(1/2)
))/a^2/(a^2+b^2)/d^3/e/n/(x^(3*n))+2*b^3*(e*x)^(3*n)*polylog(2,-a*exp(c+d*
x^n)/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d^2/e/n/(x^(2*n))-4*b*(e*x)^(
3*n)*polylog(2,-a*exp(c+d*x^n)/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(1/2)/d
^2/e/n/(x^(2*n))+2*b^2*(e*x)^(3*n)*polylog(2,-a*exp(c+d*x^n)/(b+(a^2+b^2)^(
1/2)))/a^2/(a^2+b^2)/d^3/e/n/(x^(3*n))-2*b^3*(e*x)^(3*n)*polylog(2,-a*exp
(c+d*x^n)/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d^2/e/n/(x^(2*n))+4*b*(
e*x)^(3*n)*polylog(2,-a*exp(c+d*x^n)/(b+(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(1
/2)/d^2/e/n/(x^(2*n))-2*b^3*(e*x)^(3*n)*polylog(3,-a*exp(c+d*x^n)/(b-(a^2+
b^2)^(1/2)))/a^2/(a^2+b^2)^(3/2)/d^3/e/n/(x^(3*n))+4*b*(e*x)^(3*n)*polylog
(3,-a*exp(c+d*x^n)/(b-(a^2+b^2)^(1/2)))/a^2/(a^2+b^2)^(1/2)/d^3/e/n/(x^(3*
n))+2*b^3*(e*x)^(3*n)*polylog(3,-a*exp(c+d*x^n)/(b+(a^2+b^2)^(1/2)))/a^...

```

Mathematica [F]

$$\int \frac{(ex)^{-1+3n}}{(a + b \operatorname{csch}(c + dx^n))^2} dx = \int \frac{(ex)^{-1+3n}}{(a + b \operatorname{csch}(c + dx^n))^2} dx$$

input

```
Integrate[(e*x)^(-1 + 3*n)/(a + b*Csch[c + d*x^n])^2,x]
```

output

```
Integrate[(e*x)^(-1 + 3*n)/(a + b*Csch[c + d*x^n])^2, x]
```

Rubi [A] (verified)

Time = 2.38 (sec) , antiderivative size = 953, normalized size of antiderivative = 0.78, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {5964, 5960, 3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{(ex)^{3n-1}}{(a + b\operatorname{csch}(c + dx^n))^2} dx \\
 & \quad \downarrow \text{5964} \\
 & \frac{x^{-3n}(ex)^{3n} \int \frac{x^{3n-1}}{(a+b\operatorname{csch}(dx^n+c))^2} dx}{e} \\
 & \quad \downarrow \text{5960} \\
 & \frac{x^{-3n}(ex)^{3n} \int \frac{x^{2n}}{(a+b\operatorname{csch}(dx^n+c))^2} dx^n}{en} \\
 & \quad \downarrow \text{3042} \\
 & \frac{x^{-3n}(ex)^{3n} \int \frac{x^{2n}}{(a+ib\operatorname{csc}(idx^n+ic))^2} dx^n}{en} \\
 & \quad \downarrow \text{4679} \\
 & \frac{x^{-3n}(ex)^{3n} \int \left(-\frac{2bx^{2n}}{a^2(b+a\sinh(dx^n+c))} + \frac{x^{2n}}{a^2} + \frac{b^2x^{2n}}{a^2(b+a\sinh(dx^n+c))^2} \right) dx^n}{en} \\
 & \quad \downarrow \text{2009} \\
 & x^{-3n}(ex)^{3n} \left(\frac{2b^2 \log\left(\frac{e^{dx^n+c}a}{b-\sqrt{a^2+b^2}}+1\right)x^n}{a^2(a^2+b^2)d^2} + \frac{2b^2 \log\left(\frac{e^{dx^n+c}a}{b+\sqrt{a^2+b^2}}+1\right)x^n}{a^2(a^2+b^2)d^2} - \frac{4b \operatorname{PolyLog}\left(2, -\frac{ae^{dx^n+c}}{b-\sqrt{a^2+b^2}}\right)x^n}{a^2\sqrt{a^2+b^2}d^2} + \frac{2b^3 \operatorname{PolyLog}\left(2, -\frac{ae^{dx^n+c}}{b-\sqrt{a^2+b^2}}\right)x^n}{a^2(a^2+b^2)^{3/2}d^2} \right)
 \end{aligned}$$

input

```
Int[(e*x)^(-1 + 3*n)/(a + b*Csch[c + d*x^n])^2,x]
```

output

```

((e*x)^(3*n)*(-(b^2*x^(2*n))/(a^2*(a^2 + b^2)*d)) + x^(3*n)/(3*a^2) + (2*
b^2*x^n*Log[1 + (a*E^(c + d*x^n))/(b - Sqrt[a^2 + b^2]]))/(a^2*(a^2 + b^2)
*d^2) + (b^3*x^(2*n)*Log[1 + (a*E^(c + d*x^n))/(b - Sqrt[a^2 + b^2]]))/(a^
2*(a^2 + b^2)^(3/2)*d) - (2*b*x^(2*n)*Log[1 + (a*E^(c + d*x^n))/(b - Sqrt[
a^2 + b^2]]))/(a^2*Sqrt[a^2 + b^2]*d) + (2*b^2*x^n*Log[1 + (a*E^(c + d*x^n
)))/(b + Sqrt[a^2 + b^2]]))/(a^2*(a^2 + b^2)*d^2) - (b^3*x^(2*n)*Log[1 + (a
*E^(c + d*x^n))/(b + Sqrt[a^2 + b^2]]))/(a^2*(a^2 + b^2)^(3/2)*d) + (2*b*x
^(2*n)*Log[1 + (a*E^(c + d*x^n))/(b + Sqrt[a^2 + b^2]]))/(a^2*Sqrt[a^2 + b
^2]*d) + (2*b^2*PolyLog[2, -((a*E^(c + d*x^n))/(b - Sqrt[a^2 + b^2]))))/(a
^2*(a^2 + b^2)*d^3) + (2*b^3*x^n*PolyLog[2, -((a*E^(c + d*x^n))/(b - Sqrt[
a^2 + b^2]))))/(a^2*(a^2 + b^2)^(3/2)*d^2) - (4*b*x^n*PolyLog[2, -((a*E^(c
+ d*x^n))/(b - Sqrt[a^2 + b^2]))))/(a^2*Sqrt[a^2 + b^2]*d^2) + (2*b^2*Pol
yLog[2, -((a*E^(c + d*x^n))/(b + Sqrt[a^2 + b^2]))))/(a^2*(a^2 + b^2)*d^3)
- (2*b^3*x^n*PolyLog[2, -((a*E^(c + d*x^n))/(b + Sqrt[a^2 + b^2]))))/(a^2
*(a^2 + b^2)^(3/2)*d^2) + (4*b*x^n*PolyLog[2, -((a*E^(c + d*x^n))/(b + Sqr
t[a^2 + b^2]))))/(a^2*Sqrt[a^2 + b^2]*d^2) - (2*b^3*PolyLog[3, -((a*E^(c +
d*x^n))/(b - Sqrt[a^2 + b^2]))))/(a^2*(a^2 + b^2)^(3/2)*d^3) + (4*b*PolyL
og[3, -((a*E^(c + d*x^n))/(b - Sqrt[a^2 + b^2]))))/(a^2*Sqrt[a^2 + b^2]*d^
3) + (2*b^3*PolyLog[3, -((a*E^(c + d*x^n))/(b + Sqrt[a^2 + b^2]))))/(a^2*(
a^2 + b^2)^(3/2)*d^3) - (4*b*PolyLog[3, -((a*E^(c + d*x^n))/(b + Sqrt[a...

```

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4679 `Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)
, x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Si
n[e + f*x])^n), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGt
Q[m, 0]`

rule 5960

```
Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_.)]*(b_.))^(p_.)*(x_)^(m_.), x_Symbol]
  := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Csch[c + d*x])^p, x], x, x^n], x]
  /; FreeQ[{a, b, c, d, m, n, p}, x] && IGtQ[Simplify[(m + 1)/n], 0] && IntegerQ[p]
```

rule 5964

```
Int[((a_.) + Csch[(c_.) + (d_.)*(x_)^(n_.)]*(b_.))^(p_.)*((e.)*(x_)^(m_.), x_Symbol]
  := Simp[e^IntPart[m]*((e*x)^FracPart[m]/x^FracPart[m]) Int[x^m*(a + b*Csch[c + d*x^n])^p, x], x]
  /; FreeQ[{a, b, c, d, e, m, n, p}, x]
```

Maple [F]

$$\int \frac{(ex)^{-1+3n}}{(a + b \operatorname{csch}(c + dx^n))^2} dx$$

input

```
int((e*x)^(-1+3*n)/(a+b*csch(c+d*x^n))^2,x)
```

output

```
int((e*x)^(-1+3*n)/(a+b*csch(c+d*x^n))^2,x)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 15187 vs. 2(1162) = 2324.

Time = 0.36 (sec) , antiderivative size = 15187, normalized size of antiderivative = 12.47

$$\int \frac{(ex)^{-1+3n}}{(a + b \operatorname{csch}(c + dx^n))^2} dx = \text{Too large to display}$$

input

```
integrate((e*x)^(-1+3*n)/(a+b*csch(c+d*x^n))^2,x, algorithm="fricas")
```

output

```
Too large to include
```

Sympy [F]

$$\int \frac{(ex)^{-1+3n}}{(a + b \operatorname{csch}(c + dx^n))^2} dx = \int \frac{(ex)^{3n-1}}{(a + b \operatorname{csch}(c + dx^n))^2} dx$$

input `integrate((e*x)**(-1+3*n)/(a+b*csch(c+d*x**n))**2,x)`

output `Integral((e*x)**(3*n - 1)/(a + b*csch(c + d*x**n))**2, x)`

Maxima [F]

$$\int \frac{(ex)^{-1+3n}}{(a + b \operatorname{csch}(c + dx^n))^2} dx = \int \frac{(ex)^{3n-1}}{(b \operatorname{csch}(dx^n + c) + a)^2} dx$$

input `integrate((e*x)^(-1+3*n)/(a+b*csch(c+d*x^n))^2,x, algorithm="maxima")`

output `1/3*(6*a*b^2*e^(3*n)*x^(2*n) + (a^3*d*e^(3*n) + a*b^2*d*e^(3*n))*x^(3*n) - (a^3*d*e^(3*n)*e^(2*c) + a*b^2*d*e^(3*n)*e^(2*c))*e^(2*d*x^n + 3*n*log(x)) - 2*(3*b^3*e^(3*n)*e^(2*n*log(x) + c) + (a^2*b*d*e^(3*n)*e^c + b^3*d*e^(3*n)*e^c)*x^(3*n))*e^(d*x^n)/(a^5*d*e*n + a^3*b^2*d*e*n - (a^5*d*e*n*e^(2*c) + a^3*b^2*d*e*n*e^(2*c))*e^(2*d*x^n) - 2*(a^4*b*d*e*n*e^c + a^2*b^3*d*e*n*e^c)*e^(d*x^n) - integrate(-2*(2*a*b^2*e^(3*n)*x^(2*n) - (2*b^3*e^(3*n)*e^(2*n*log(x) + c) + (2*a^2*b*d*e^(3*n)*e^c + b^3*d*e^(3*n)*e^c)*x^(3*n))*e^(d*x^n)/((a^5*d*e*e^(2*c) + a^3*b^2*d*e*e^(2*c))*x*e^(2*d*x^n) + 2*(a^4*b*d*e*e^c + a^2*b^3*d*e*e^c)*x*e^(d*x^n) - (a^5*d*e + a^3*b^2*d*e)*x), x)`

Giac [F]

$$\int \frac{(ex)^{-1+3n}}{(a + b \operatorname{csch}(c + dx^n))^2} dx = \int \frac{(ex)^{3n-1}}{(b \operatorname{csch}(dx^n + c) + a)^2} dx$$

input `integrate((e*x)^(-1+3*n)/(a+b*csch(c+d*x^n))^2,x, algorithm="giac")`

output `integrate((e*x)^(3*n - 1)/(b*csch(d*x^n + c) + a)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{(ex)^{-1+3n}}{(a + b \operatorname{csch}(c + dx^n))^2} dx = \int \frac{(ex)^{3n-1}}{\left(a + \frac{b}{\sinh(c+dx^n)}\right)^2} dx$$

input `int((e*x)^(3*n - 1)/(a + b/sinh(c + d*x^n))^2,x)`

output `int((e*x)^(3*n - 1)/(a + b/sinh(c + d*x^n))^2, x)`

Reduce [F]

$$\int \frac{(ex)^{-1+3n}}{(a + b \operatorname{csch}(c + dx^n))^2} dx = \text{too large to display}$$

input `int((e*x)^(-1+3*n)/(a+b*csch(c+d*x^n))^2,x)`

output

```
(e**(3*n)*(-24*e**(2*x**n*d + 2*c)*sqrt(a**2 + b**2)*atan((e**(x**n*d +
c)*a*i + b*i)/sqrt(a**2 + b**2))*a**3*b*i - 30*e**(2*x**n*d + 2*c)*sqrt(a*
*2 + b**2)*atan((e**(x**n*d + c)*a*i + b*i)/sqrt(a**2 + b**2))*a*b**3*i -
48*e**(x**n*d + c)*sqrt(a**2 + b**2)*atan((e**(x**n*d + c)*a*i + b*i)/sqrt
(a**2 + b**2))*a**2*b**2*i - 60*e**(x**n*d + c)*sqrt(a**2 + b**2)*atan((e*
*(x**n*d + c)*a*i + b*i)/sqrt(a**2 + b**2))*b**4*i + 24*sqrt(a**2 + b**2)*
atan((e**(x**n*d + c)*a*i + b*i)/sqrt(a**2 + b**2))*a**3*b*i + 30*sqrt(a**
2 + b**2)*atan((e**(x**n*d + c)*a*i + b*i)/sqrt(a**2 + b**2))*a*b**3*i + 2
4*e**(2*x**n*d + 3*c)*int((x**(3*n)*e**(x**n*d))/(e**(4*x**n*d + 4*c)*a**2
*x + 4*e**(3*x**n*d + 3*c)*a*b*x - 2*e**(2*x**n*d + 2*c)*a**2*x + 4*e**(2*
x**n*d + 2*c)*b**2*x - 4*e**(x**n*d + c)*a*b*x + a**2*x),x)*a**6*b*d**3*n
+ 36*e**(2*x**n*d + 3*c)*int((x**(3*n)*e**(x**n*d))/(e**(4*x**n*d + 4*c)*a
**2*x + 4*e**(3*x**n*d + 3*c)*a*b*x - 2*e**(2*x**n*d + 2*c)*a**2*x + 4*e**
(2*x**n*d + 2*c)*b**2*x - 4*e**(x**n*d + c)*a*b*x + a**2*x),x)*a**4*b**3*d
**3*n + 12*e**(2*x**n*d + 3*c)*int((x**(3*n)*e**(x**n*d))/(e**(4*x**n*d +
4*c)*a**2*x + 4*e**(3*x**n*d + 3*c)*a*b*x - 2*e**(2*x**n*d + 2*c)*a**2*x +
4*e**(2*x**n*d + 2*c)*b**2*x - 4*e**(x**n*d + c)*a*b*x + a**2*x),x)*a**2*
b**5*d**3*n + 48*e**(2*x**n*d + 3*c)*int((x**(2*n)*e**(x**n*d))/(e**(4*x**
n*d + 4*c)*a**2*x + 4*e**(3*x**n*d + 3*c)*a*b*x - 2*e**(2*x**n*d + 2*c)*a*
**2*x + 4*e**(2*x**n*d + 2*c)*b**2*x - 4*e**(x**n*d + c)*a*b*x + a**2*x)...
```

CHAPTER 4

APPENDIX

4.1	Listing of Grading functions	626
4.2	Links to plain text integration problems used in this report for each CAS .	644

4.1 Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* Nasser: April 7, 2022. add second output which gives reason for the grade *)
(*                               Small rewrite of logic in main function to make it*)
(*                               match Maple's logic. No change in functionality otherwise*)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)
```

```

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] := Module[{expnResult,expnOptimal,leafCountResult,leafCountOptimal},
  expnResult = ExpnType[result];
  expnOptimal = ExpnType[optimal];
  leafCountResult = LeafCount[result];
  leafCountOptimal = LeafCount[optimal];

  (*Print["expnResult=",expnResult," expnOptimal=",expnOptimal];*)
  If[expnResult<=expnOptimal,
    If[Not[FreeQ[result,Complex]], (*result contains complex*)
      If[Not[FreeQ[optimal,Complex]], (*optimal contains complex*)
        If[leafCountResult<=2*leafCountOptimal,
          finalresult={"A",""}
          ,(*ELSE*)
          finalresult={"B","Both result and optimal contain complex but leaf count
          ]
        ,(*ELSE*)
        finalresult={"C","Result contains complex when optimal does not."}
      ]
    ,(*ELSE*)(*result does not contains complex*)
    If[leafCountResult<=2*leafCountOptimal,
      finalresult={"A",""}
      ,(*ELSE*)
      finalresult={"B","Leaf count is larger than twice the leaf count of optimal.
    ]
  ]
  ,(*ELSE*)(*expnResult>expnOptimal*)
  If[FreeQ[result,Integrate] && FreeQ[result,Int],
    finalresult={"C","Result contains higher order function than in optimal. Order "
  ,

```

```

        finalresult={"F","Contains unresolved integral."}
    ]
];

finalresult
]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
  If[ListQ[expn],
    Max[Map[ExpnType, expn]],
  If[Head[expn]===Power,
    If[IntegerQ[expn[[2]]],
      ExpnType[expn[[1]]],
    If[Head[expn[[2]]]===Rational,
      If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
        1,
        Max[ExpnType[expn[[1]], 2]],
      Max[ExpnType[expn[[1]], ExpnType[expn[[2]], 3]],
    If[Head[expn]===Plus || Head[expn]===Times,
      Max[ExpnType[First[expn]], ExpnType[Rest[expn]]],
    If[ElementaryFunctionQ[Head[expn]],
      Max[3, ExpnType[expn[[1]]]],
    If[SpecialFunctionQ[Head[expn]],
      Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 4]],
    If[HypergeometricFunctionQ[Head[expn]],

```

```

    Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 5]],
    If [AppellFunctionQ [Head [expn]],
        Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 6]],
        If [Head [expn] === RootSum,
            Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 7]],
            If [Head [expn] === Integrate || Head [expn] === Int,
                Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 8]],
                9]]]]]]]]]]]

```

```

ElementaryFunctionQ [func_] :=

```

```

    MemberQ [{
        Exp, Log,
        Sin, Cos, Tan, Cot, Sec, Csc,
        ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,
        Sinh, Cosh, Tanh, Coth, Sech, Csch,
        ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
    }, func]

```

```

SpecialFunctionQ [func_] :=

```

```

    MemberQ [{
        Erf, Erfc, Erfi,
        FresnelS, FresnelC,
        ExpIntegralE, ExpIntegralEi, LogIntegral,
        SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
        Gamma, LogGamma, PolyGamma,
        Zeta, PolyLog, ProductLog,
        EllipticF, EllipticE, EllipticPi
    }, func]

```

```

HypergeometricFunctionQ [func_] :=

```

```

    MemberQ [{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]

```

```

AppellFunctionQ [func_] :=

```

```

    MemberQ [{AppellF1}, func]

```

Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#                    if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
#                    see problem 156, file Apostol_Problems
#Nasser 4/07/2022  add second output which gives reason for the grade

GradeAntiderivative := proc(result,optimal)
local leaf_count_result,
      leaf_count_optimal,
      ExpnType_result,
      ExpnType_optimal,
      debug:=false;

      leaf_count_result:=leafcount(result);
      #do NOT call ExpnType() if leaf size is too large. Recursion problem
      if leaf_count_result > 500000 then
          return "B","result has leaf size over 500,000. Avoiding possible recursion issue";
      fi;

      leaf_count_optimal := leafcount(optimal);
      ExpnType_result    := ExpnType(result);
      ExpnType_optimal   := ExpnType(optimal);

      if debug then
          print("ExpnType_result",ExpnType_result," ExpnType_optimal=",ExpnType_optimal);
      fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
#     is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal

```

```

#   antiderivative
#   "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F","Result contains unresolved integral";
fi;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;
    if is_contains_complex(result) then
        if is_contains_complex(optimal) then
            if debug then
                print("both result and optimal complex");
            fi;
            if leaf_count_result<=2*leaf_count_optimal then
                return "A"," ";
            else
                return "B",cat("Both result and optimal contain complex but leaf count of
                                convert(leaf_count_result,string)," vs. $2 (" ,
                                convert(leaf_count_optimal,string)," ) = ",convert(2*leaf

            end if
        else #result contains complex but optimal is not
            if debug then
                print("result contains complex but optimal is not");
            fi;
            return "C","Result contains complex when optimal does not.";
        fi;
    else # result do not contain complex
        # this assumes optimal do not as well. No check is needed here.
        if debug then
            print("result do not contain complex, this assumes optimal do not as well
        fi;

```



```

        if leaf_count_result<=2*leaf_count_optimal then
            if debug then
                print("leaf_count_result<=2*leaf_count_optimal");
            fi;
            return "A"," ";
        else
            if debug then
                print("leaf_count_result>2*leaf_count_optimal");
            fi;
            return "B",cat("Leaf count of result is larger than twice the leaf count of
                            convert(leaf_count_result,string)," $ vs. $2(",
                            convert(leaf_count_optimal,string),")=",convert(2*leaf_co
            fi;
        fi;
    else #ExpnType(result) > ExpnType(optimal)
        if debug then
            print("ExpnType(result) > ExpnType(optimal)");
        fi;
        return "C",cat("Result contains higher order function than in optimal. Order ",
                        convert(ExpnType_result,string)," vs. order ",
                        convert(ExpnType_optimal,string),".");
    fi;
end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false
#
#Nasser 032417
is_contains_complex:= proc(expression)
    return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function

```

```

# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'+'') or type(expn,'*') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  elif HypergeometricFunctionQ(op(0,expn)) then
    max(5,apply(max,map(ExpnType,[op(expn)])))
  elif AppellFunctionQ(op(0,expn)) then
    max(6,apply(max,map(ExpnType,[op(expn)])))
  elif op(0,expn)='int' then
    max(8,apply(max,map(ExpnType,[op(expn)]))) else
    9

```

```

    end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func, [
    exp, log, ln,
    sin, cos, tan, cot, sec, csc,
    arcsin, arccos, arctan, arccot, arcsec, arccsc,
    sinh, cosh, tanh, coth, sech, csch,
    arcsinh, arccosh, arctanh, arccoth, arcsech, arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func, [
    erf, erfc, erfi,
    FresnelS, FresnelC,
    Ei, Ei, Li, Si, Ci, Shi, Chi,
    GAMMA, lnGAMMA, Psi, Zeta, polylog, dilog, LambertW,
    EllipticF, EllipticE, EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func, [Hypergeometric1F1, hypergeom, HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func, [AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u), op(2..nops(u),u))
  end if
end proc:

#leafcount(u) returns the number of nodes in u.

```

```
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc;
```

Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
#      Port of original Maple grading function by
#      Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#      added 'exp_polar'
from sympy import *

def leaf_count(expr):
  #sympy do not have leaf count function. This is approximation
  return round(1.7*count_ops(expr))

def is_sqrt(expr):
  if isinstance(expr,Pow):
    if expr.args[1] == Rational(1,2):
      return True
    else:
      return False
  else:
    return False

def is_elementary_function(func):
  return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
    asinh,acosh,atanh,acoth,asech,acsch
  ]

def is_special_function(func):
  return func in [ erf,erfc,erfi,
    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
    gamma,loggamma,digamma,zeta,polylog,LambertW,
    elliptic_f,elliptic_e,elliptic_pi,exp_polar
  ]
```

```

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
        else:
            return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+') or type(expn,'*')

```

```

    m1 = expnType(expn.args[0])
    m2 = expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
    return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif is_appell_function(expn.func):
    m1 = max(map(expnType, list(expn.args)))
    return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif isinstance(expn,RootSum):
    m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
    return max(7,m1)
elif str(expn).find("Integral") != -1:
    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    #print("Enter grade_antiderivative for sagemath")
    #print("Enter grade_antiderivative, result=",result," optimal=",optimal)

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    #print("leaf_count_result=",leaf_count_result)
    #print("leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        grade = "F"
        grade_annotation = ""

```

```

else:
    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    grade = "A"
                    grade_annotation = ""
                else:
                    grade = "B"
                    grade_annotation = "Both result and optimal contain complex but leaf count of result is lar
            else: #result contains complex but optimal is not
                grade = "C"
                grade_annotation = "Result contains complex when optimal does not."
        else: # result do not contain complex, this assumes optimal do not as well
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = ""
            else:
                grade = "B"
                grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(
        else:
            grade = "C"
            grade_annotation = "Result contains higher order function than in optimal. Order "+str(ExpnType

#print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```

SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#       Albert Rich to use with Sagemath. This is used to
#       grade Fracas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#       'arctan2', 'floor', 'abs', 'log_integral'
#June 4, 2022 Made default grade_annotation "none" instead of "" due
#       issue later when reading the file.
#July 14, 2022. Added ellipticF. This is until they fix sagemath, then remove it.

```

```

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    #print("Enter tree_size, expr is ",expr)

    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    #debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arcoth','arcsech','arcsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:

```



```

    if m:
        print ("func ", func , " is elementary_function")
    else:
        print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    #debug=False
    if debug:
        print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','sinh_integral',
        'Chi','cosh_integral','gamma','log_gamma','psi','zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e','ellipticF',
        'elliptic_pi','exp_integral_e','log_integral',
        'weierstrassPInverse','weierstrass','weierstrassP','weierstrassZeta',
        'weierstrassPPrime','weierstrassSigma']

    if debug:
        print ("m=",m)
    if m:
        print ("func ", func , " is special_function")
    else:
        print ("func ", func , " is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U']

def is_appell_function(func):
    return func.name() in ['hypergeometric'] #[appellf1] can't find this in sagemath

def is_atom(expn):

    #debug=False

```

```

if debug:
    print ("Enter is_atom, expn=",expn)

if not hasattr(expn, 'parent'):
    return False

#thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic
try:
    if expn.parent() is SR:
        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().gens()

    return False

except AttributeError as error:
    print ("Exception,AttributeError in is_atom")
    print ("caught exception" , type(error).__name__ )
    return False

def expnType(expn):

    if debug:
        print (">>>>>Enter expnType, expn=", expn)
        print (">>>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #instance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
    elif expn.operator() == operator.pow: #instance(expn,Pow)
        if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer)

```

```

    return expnType(expn.operands()[0]) #expnType(expn.args[0])
elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],Rational)
    if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],Rational)
        return 1
    else:
        return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
else:
    return max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1])) #max(3,expnType(expn
elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #isinstance(expn,Add) or isins
    m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
    m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
    #is checked before calling the grading function that is passed.
    #but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

if debug:
    print ("Enter grade_antiderivative for sagemath")
    print ("Enter grade_antiderivative, result=",result)
    print ("Enter grade_antiderivative, optimal=",optimal)
    print ("type(anti)=", type(result))
    print ("type(optimal)=", type(optimal))

```

```

leaf_count_result = tree_size(result) #leaf_count(result)
leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

#if debug: print ("leaf_count_result=", leaf_count_result, "leaf_count_optimal=",leaf_count_optimal)

expnType_result = expnType(result)
expnType_optimal = expnType(optimal)

if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",expnType_optimal)

if expnType_result <= expnType_optimal:
    if result.has(I):
        if optimal.has(I): #both result and optimal complex
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = "none"
            else:
                grade = "B"
                grade_annotation = "Both result and optimal contain complex but leaf count of result is larger"
        else: #result contains complex but optimal is not
            grade = "C"
            grade_annotation = "Result contains complex when optimal does not."
    else: # result do not contain complex, this assumes optimal do not as well
        if leaf_count_result <= 2*leaf_count_optimal:
            grade = "A"
            grade_annotation = "none"
        else:
            grade = "B"
            grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(leaf_count_result - 2*leaf_count_optimal)
    else:
        grade = "C"
        grade_annotation = "Result contains higher order function than in optimal. Order "+str(expnType_result - expnType_optimal)

print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```

4.2 Links to plain text integration problems used in this report for each CAS

1. Mathematica integration problems as .m file
2. Maple integration problems as .txt file
3. Sagemath integration problems as .sage file
4. Reduce integration problems as .txt file
5. Mupad integration problems as .txt file
6. Sympy integration problems as .py file