

Computer Algebra Independent Integration Tests

Summer 2024

7-Inverse-hyperbolic-functions/7.4-Inverse-hyperbolic-
cotangent/344-7.4.4

Nasser M. Abbasi

May 18, 2024

Compiled on May 18, 2024 at 10:04am

Contents

1	Introduction	3
1.1	Listing of CAS systems tested	4
1.2	Results	5
1.3	Time and leaf size Performance	9
1.4	Performance based on number of rules Rubi used	11
1.5	Performance based on number of steps Rubi used	12
1.6	Solved integrals histogram based on leaf size of result	13
1.7	Solved integrals histogram based on CPU time used	14
1.8	Leaf size vs. CPU time used	15
1.9	list of integrals with no known antiderivative	16
1.10	List of integrals solved by CAS but has no known antiderivative	16
1.11	list of integrals solved by CAS but failed verification	16
1.12	Timing	17
1.13	Verification	17
1.14	Important notes about some of the results	18
1.15	Current tree layout of integration tests	21
1.16	Design of the test system	22
2	detailed summary tables of results	23
2.1	List of integrals sorted by grade for each CAS	24
2.2	Detailed conclusion table per each integral for all CAS systems	28
2.3	Detailed conclusion table specific for Rubi results	35
3	Listing of integrals	37
3.1	$\int (c + dx^2)^4 \coth^{-1}(ax) dx$	39
3.2	$\int (c + dx^2)^3 \coth^{-1}(ax) dx$	48
3.3	$\int (c + dx^2)^2 \coth^{-1}(ax) dx$	56
3.4	$\int (c + dx^2) \coth^{-1}(ax) dx$	63
3.5	$\int \frac{\coth^{-1}(ax)}{c+dx^2} dx$	70
3.6	$\int \frac{\coth^{-1}(ax)}{(c+dx^2)^2} dx$	79

3.7	$\int \frac{\coth^{-1}(ax)}{(c+dx^2)^3} dx$	88
3.8	$\int \sqrt{a-ax^2} \coth^{-1}(x) dx$	98
3.9	$\int \frac{\coth^{-1}(x)}{\sqrt{a-ax^2}} dx$	104
3.10	$\int \frac{\coth^{-1}(x)}{(a-ax^2)^{3/2}} dx$	109
3.11	$\int \frac{\coth^{-1}(x)}{(a-ax^2)^{5/2}} dx$	114
3.12	$\int \frac{\coth^{-1}(x)}{(a-ax^2)^{7/2}} dx$	119
3.13	$\int \sqrt{c+dx^2} \coth^{-1}(ax) dx$	125
3.14	$\int \frac{\coth^{-1}(ax)}{\sqrt{c+dx^2}} dx$	130
3.15	$\int \frac{\coth^{-1}(ax)}{(c+dx^2)^{3/2}} dx$	135
3.16	$\int \frac{\coth^{-1}(ax)}{(c+dx^2)^{5/2}} dx$	141
3.17	$\int \frac{\coth^{-1}(ax)}{(c+dx^2)^{7/2}} dx$	148
3.18	$\int \frac{\coth^{-1}(ax)}{(c+dx^2)^{9/2}} dx$	156
3.19	$\int \frac{1}{(1-x^2) \coth^{-1}(x)} dx$	164
3.20	$\int \frac{\coth^{-1}(x)^2}{(1-x^2)^2} dx$	169
3.21	$\int \frac{\coth^{-1}(x)^n}{1-x^2} dx$	176
3.22	$\int \frac{x \coth^{-1}(x)}{1-x^2} dx$	181
3.23	$\int \frac{\coth^{-1}(x)}{1-x^2} dx$	186
3.24	$\int \frac{x \coth^{-1}(x)}{(1-x^2)^2} dx$	191
3.25	$\int \frac{\coth^{-1}(x)}{(1-x^2)^2} dx$	197
3.26	$\int \frac{x \coth^{-1}(x)}{(1-x^2)^3} dx$	203
3.27	$\int \frac{\coth^{-1}(x)}{(1-x^2)^3} dx$	209
4	Appendix	215
4.1	Listing of Grading functions	215
4.2	Links to plain text integration problems used in this report for each CAS233	

CHAPTER 1

INTRODUCTION

1.1	Listing of CAS systems tested	4
1.2	Results	5
1.3	Time and leaf size Performance	9
1.4	Performance based on number of rules Rubi used	11
1.5	Performance based on number of steps Rubi used	12
1.6	Solved integrals histogram based on leaf size of result	13
1.7	Solved integrals histogram based on CPU time used	14
1.8	Leaf size vs. CPU time used	15
1.9	list of integrals with no known antiderivative	16
1.10	List of integrals solved by CAS but has no known antiderivative	16
1.11	list of integrals solved by CAS but failed verification	16
1.12	Timing	17
1.13	Verification	17
1.14	Important notes about some of the results	18
1.15	Current tree layout of integration tests	21
1.16	Design of the test system	22

This report gives the result of running the computer algebra independent integration test. The download section in on the main webpage contains links to download the problems in plain text format used for all CAS systems. The number of integrals in this report is [27]. This is test number [344].

1.1 Listing of CAS systems tested

The following are the CAS systems tested:

1. Mathematica 14 (January 9, 2024) on windows 10 pro.
2. Rubi 4.17.3 (Sept 25, 2023) on Mathematica 14 on windows 10m pro.
3. Maple 2024 (March 1, 2024) on windows 10 pro.
4. Maxima 5.47 (June 1, 2023) using Lisp SBCL 2.4.0 on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
5. FriCAS 1.3.10 built with sbcl 2.3.11 (January 10, 2024) on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
6. Giac/Xcas 1.9.0-99 on Linux via sagemath 10.3.
7. Sympy 1.12 using Python 3.11.6 (Nov 14 2023, 09:36:21) [GCC 13.2.1 20230801] on Linux Manjaro 23.1.2 KDE.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 on windows 10.
9. Reduce CSL rev 6687 (January 9, 2024) on Linux Manjaro 23.1.2 KDE.

Maxima and Fricas and Giac are called using Sagemath. This was done using Sagemath `integrate` command by changing the name of the algorithm to use the different CAS systems.

Sympy was run directly in Python not via sagemath.

Reduce was called directly.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed. If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	% solved	% Failed
Rubi	100.00 (27)	0.00 (0)
Mathematica	100.00 (27)	0.00 (0)
Maxima	92.59 (25)	7.41 (2)
Maple	85.19 (23)	14.81 (4)
Fricas	77.78 (21)	22.22 (6)
Giac	74.07 (20)	25.93 (7)
Mupad	51.85 (14)	48.15 (13)
Reduce	51.85 (14)	48.15 (13)
Sympy	40.74 (11)	59.26 (16)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	92.593	0.000	0.000	7.407
Mathematica	88.889	3.704	0.000	7.407
Maple	59.259	18.519	0.000	22.222
Maxima	51.852	33.333	0.000	14.815
Fricas	44.444	25.926	0.000	29.630
Giac	33.333	33.333	0.000	33.333
Sympy	14.815	3.704	14.815	66.667
Mupad	0.000	44.444	0.000	55.556
Reduce	0.000	44.444	0.000	55.556

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the grades of the CAS systems.



The following table shows the distribution of the different types of failures for each CAS. There are 3 types failures. The first is when CAS returns the input within the time limit, which means it could not solve it. This is the typical failure and given as **F**.

The second failure is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned. This is assigned **F(-1)**.

The third is due to an exception generated, indicated as **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in the CAS itself. This type of error requires more investigation to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00	0.00	0.00
Mathematica	0	0.00	0.00	0.00
Maxima	2	100.00	0.00	0.00
Maple	4	100.00	0.00	0.00
Fricas	6	100.00	0.00	0.00
Giac	7	100.00	0.00	0.00
Mupad	13	0.00	100.00	0.00
Reduce	13	100.00	0.00	0.00
Sympy	16	93.75	6.25	0.00

Table 1.4: Failure statistics for each CAS

1.3 Time and leaf size Performance

The table below summarizes the performance of each CAS system in terms of time used and leaf size of results.

Mean size is the average leaf size produced by the CAS (before any normalization). The Normalized mean is relative to the mean size of the optimal anti-derivative given in the input files.

For example, if CAS has **Normalized mean** of 3, then the mean size of its leaf size is 3 times as large as the mean size of the optimal leaf size.

Median size is value of leaf size where half the values are larger than this and half are smaller (before any normalization). i.e. The Middle value.

Similarly the **Normalized median** is relative to the median leaf size of the optimal.

For example, if a CAS has Normalized median of 1.2, then its median is 1.2 as large as the median leaf size of the optimal.

System	Mean time (sec)
Maxima	0.10
Fricas	0.11
Giac	0.14
Reduce	0.17
Maple	0.41
Sympy	0.42
Rubi	0.48
Mathematica	0.92
Mupad	3.37

Table 1.5: Time performance for each CAS

System	Mean size	Normalized mean	Median size	Normalized median
Mupad	84.86	1.44	47.00	1.09
Reduce	86.64	1.24	53.00	1.26
Sympy	104.55	1.27	31.00	1.25
Rubi	149.67	1.03	72.00	1.01
Mathematica	195.26	1.10	61.00	1.00
Maxima	197.32	1.40	99.00	1.14
Giac	237.25	2.39	95.50	1.66
Fricas	262.81	2.34	63.00	1.07
Maple	339.04	1.49	81.00	1.07

Table 1.6: Leaf size performance for each CAS

1.4 Performance based on number of rules Rubi used

This section shows how each CAS performed based on the number of rules Rubi needed to solve the same integral. One diagram is given for each CAS.

On the y axis is the percentage solved which Rubi itself needed the number of rules given the x axis. These plots show that as more rules are needed then most CAS system percentage of solving decreases which indicates the integral is becoming more complicated to solve.




Figure 1.1: Solving statistics per number of Rubi rules used

1.5 Performance based on number of steps Rubi used

This section shows how each CAS performed based on the number of steps Rubi needed to solve the same integral. Note that the number of steps Rubi needed can be much higher than the number of rules, as the same rule could be used more than once.




Figure 1.2: Solving statistics per number of Rubi steps used

The above diagram show that the percentage of solved intergals decreases for most CAS systems as the number of steps increases. As expected, for integrals that required less steps by Rubi, CAS systems had more success which indicates the integral was not as hard to solve. As Rubi needed more steps to solve the integral, the solved percentage decreased for most CAS systems which indicates the integral is becoming harder to solve.

1.6 Solved integrals histogram based on leaf size of result

The following shows the distribution of solved integrals for each CAS system based on leaf size of the antiderivatives produced by each CAS. It shows that most integrals solved produced leaf size less than about 100 to 150. The bin size used is 40.




Figure 1.3: Solved integrals based on leaf size distribution

1.7 Solved integrals histogram based on CPU time used

The following shows the distribution of solved integrals for each CAS system based on CPU time used in seconds. The bin size used is 0.1 second.




Figure 1.4: Solved integrals histogram based on CPU time used

1.8 Leaf size vs. CPU time used

The following shows the relation between the CPU time used to solve an integral and the leaf size of the antiderivative.

The result for Fracas, Maxima and Giac is shifted more to the right than the other CAS system due to the use of sagemath to call them, which causes an initial slight delay in the timing to start the integration due to overhead of starting a new process each time. This should also be taken into account when looking at the timing of these three CAS systems. Direct calls not using sagemath would result in faster timings, but current implementation uses sagemath as this makes testing much easier to do.




Figure 1.5: Leaf size vs. CPU time. Full range

1.9 list of integrals with no known antiderivative

{13, 14}

1.10 List of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Reduce {}

Mupad {}

1.11 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not necessarily mean that the anti-derivative is wrong as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it possible to do further investigation to determine why the result could not be verified.

Rubi {17}

Mathematica {5, 6, 7}

Maple {}

Maxima Verification phase not currently implemented.

Fricas Verification phase not currently implemented.

Sympy Verification phase not currently implemented.

Giac Verification phase not currently implemented.

Reduce Verification phase not currently implemented.

Mupad Verification phase not currently implemented.

1.12 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of_int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 CPU minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out was not counted in the final statistics.

1.13 Verification

A verification phase was applied on the result of integration for **Rubi** and **Mathematica**.

Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative was correct.

Verification phase also had 3 minutes time out. An integral whose result was not verified could still be correct, but further investigation is needed on those integrals. These integrals were marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.14 Important notes about some of the results

Important note about Maxima results

Since tests were run in a batch mode, and using an automated script, then any integral where Maxima needed an interactive response from the user to answer a question during the evaluation of the integral will fail.

The exception raised is `ValueError`. Therefore Maxima results is lower than what would result if Maxima was run directly and each question was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the `Timofeev` test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate the cause of error.

Maxima `integrate` was run using SageMath with the following settings set by default

```
'besselexpand : true'  
'display2d : false'  
'domain : complex'  
'keepfloat : true'  
'load(to_poly_solve)'  
'load(simplify_sum)'  
'load(abs_integrate)' 'load(diag)'
```

SageMath automatic loading of Maxima `abs_integrate` was found to cause some problems. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib  
maxima_lib.set('extra_definite_integration_methods', '[]')  
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

Important note about FriCAS result

There were few integrals which failed due to SageMath interface and not because FriCAS system could not do the integration.

These will fail With error `Exception raised: NotImplementedError`.

The number of such cases seems to be very small. About 1 or 2 percent of all integrals. These can be identified by looking at the exception message given in the result.

Important note about finding leaf size of antiderivative

For Mathematica, Rubi, and Maple, the builtin system function `LeafSize` was used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy antiderivative was determined using the following function, thanks to user `slelievre` at https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which was called directly from Python, the following code was used to obtain the leafsize of its result

```
try:  
    # 1.7 is a fudge factor since it is low side from actual leaf count  
    leafCount = round(1.7*count_ops(anti))  
  
except Exception as ee:  
    leafCount = 1
```

Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative. Maple was used to determine the leaf size of Mupad output by post processing Mupad result.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.

The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')  
the_variable = evalin(symengine, 'x')  
anti = int(integrand,the_variable)
```

Which gives $\sin(x)^2/2$

1.15 Current tree layout of integration tests





Figure 1.6: CAS integration tests tree

1.16 Design of the test system

The following diagram gives a high level view of the current test build system.



High level overview of the CAS independent integration test build system

One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer, the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "E"
13. String. Small string description of why the grade was given.
14. integer. 1 if result was verified or 0 if not verified. (For mma, rubi and maple only)

The following fields are present only in Rubi Table file

15. integer. Number of steps used.
16. integer. Number of rules used.
17. integer. Integrand leaf size.
18. real number. Ratio. Field 16 over field 17
19. String of form "{n,n,...}" which is list of the rules used by Rubi
20. String. The optimal antiderivative in Mathematica syntax

Nasser M. Abbasi
January 13, 2024
Design note

CHAPTER 2

DETAILED SUMMARY TABLES OF RESULTS

2.1	List of integrals sorted by grade for each CAS	24
2.2	Detailed conclusion table per each integral for all CAS systems	28
2.3	Detailed conclusion table specific for Rubi results	35

2.1 List of integrals sorted by grade for each CAS

Rubi	24
Mma	24
Maple	25
Fricas	25
Maxima	25
Giac	26
Mupad	26
Sympy	26
Reduce	27

Rubi

A grade { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27 }

B grade { }

C grade { }

F normal fail { }

F(-1) timeout fail { }

F(-2) exception fail { }

Mma

A grade { 1, 2, 3, 4, 5, 6, 8, 9, 10, 11, 12, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27 }

B grade { 7 }

C grade { }

F normal fail { }

F(-1) timeout fail { }

F(-2) exception fail { }

Maple

A grade { 1, 2, 3, 4, 5, 8, 9, 10, 11, 12, 19, 21, 22, 23, 24, 26 }

B grade { 6, 7, 20, 25, 27 }

C grade { }

F normal fail { 15, 16, 17, 18 }

F(-1) timedout fail { }

F(-2) exception fail { }

Fricas

A grade { 1, 2, 3, 4, 10, 11, 12, 20, 24, 25, 26, 27 }

B grade { 15, 16, 17, 18, 19, 21, 23 }

C grade { }

F normal fail { 5, 6, 7, 8, 9, 22 }

F(-1) timedout fail { }

F(-2) exception fail { }

Maxima

A grade { 1, 2, 3, 4, 5, 6, 10, 11, 12, 19, 21, 23, 24, 26 }

B grade { 7, 15, 16, 17, 18, 20, 22, 25, 27 }

C grade { }

F normal fail { 8, 9 }

F(-1) timedout fail { }

F(-2) exception fail { }

Giac

A grade { 10, 11, 12, 15, 16, 17, 18, 20, 21 }

B grade { 1, 2, 3, 4, 19, 23, 24, 25, 26 }

C grade { }

F normal fail { 5, 6, 7, 8, 9, 22, 27 }

F(-1) timeout fail { }

F(-2) exception fail { }

Mupad

A grade { }

B grade { 1, 2, 3, 4, 19, 20, 21, 23, 24, 25, 26, 27 }

C grade { }

F normal fail { }

F(-1) timeout fail { 5, 6, 7, 8, 9, 10, 11, 12, 15, 16, 17, 18, 22 }

F(-2) exception fail { }

Sympy

A grade { 19, 21, 23, 24 }

B grade { 26 }

C grade { 1, 2, 3, 4 }

F normal fail { 5, 6, 8, 9, 10, 11, 12, 15, 16, 17, 18, 20, 22, 25, 27 }

F(-1) timeout fail { 7 }

F(-2) exception fail { }

Reduce

A grade { }

B grade { 1, 2, 3, 4, 19, 20, 21, 23, 24, 25, 26, 27 }

C grade { }

F normal fail { 5, 6, 7, 8, 9, 10, 11, 12, 15, 16, 17, 18, 22 }

F(-1) timedout fail { }

F(-2) exception fail { }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by the table below. The elapsed time is in seconds. For failed result it is given as **F(-1)** if the failure was due to timeout. It is given as **F(-2)** if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given as **F**.

In this table, the column **N.S.** means **normalized size** and is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$. To make the table fit the page, the name **Mathematica** was abbreviated to **MMA**.

Problem 1	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	C	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	245	247	213	245	276	247	427	1473	358	296
N.S.	1	1.01	0.87	1.00	1.13	1.01	1.74	6.01	1.46	1.21
time (sec)	N/A	0.685	0.055	0.372	0.031	0.091	0.698	0.161	0.171	4.047

Problem 2	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	C	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	169	171	150	167	198	177	282	932	253	190
N.S.	1	1.01	0.89	0.99	1.17	1.05	1.67	5.51	1.50	1.12
time (sec)	N/A	0.565	0.039	0.376	0.034	0.103	0.513	0.143	0.186	4.137

Problem 3	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	C	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	110	112	98	105	131	118	182	529	162	115
N.S.	1	1.02	0.89	0.95	1.19	1.07	1.65	4.81	1.47	1.05
time (sec)	N/A	0.390	0.030	0.264	0.029	0.081	0.398	0.133	0.161	3.916

Problem 4	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	C	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	57	59	69	55	65	64	87	268	85	60
N.S.	1	1.04	1.21	0.96	1.14	1.12	1.53	4.70	1.49	1.05
time (sec)	N/A	0.290	0.017	0.125	0.029	0.103	0.278	0.119	0.169	3.930

Problem 5	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	390	617	671	358	406	0	0	0	93	0
N.S.	1	1.58	1.72	0.92	1.04	0.00	0.00	0.00	0.24	0.00
time (sec)	N/A	1.076	1.196	0.914	0.201	0.000	0.000	0.000	0.166	0.000

Problem 6	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	A	F	F	F	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	590	618	755	1926	550	0	0	0	1169	0
N.S.	1	1.05	1.28	3.26	0.93	0.00	0.00	0.00	1.98	0.00
time (sec)	N/A	1.292	5.037	0.865	0.178	0.000	0.000	0.000	0.189	0.000

Problem 7	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	B	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	657	682	1559	3791	1087	0	0	0	0	0
N.S.	1	1.04	2.37	5.77	1.65	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	1.350	9.154	1.195	0.215	0.000	0.000	0.000	0.239	0.000

Problem 8	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	186	139	125	199	0	0	0	0	16	0
N.S.	1	0.75	0.67	1.07	0.00	0.00	0.00	0.00	0.09	0.00
time (sec)	N/A	0.427	0.710	0.488	0.000	0.000	0.000	0.000	0.171	0.000

Problem 9	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	144	99	77	190	0	0	0	0	20	0
N.S.	1	0.69	0.53	1.32	0.00	0.00	0.00	0.00	0.14	0.00
time (sec)	N/A	0.301	0.130	0.432	0.000	0.000	0.000	0.000	0.177	0.000

Problem 10	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	37	37	30	45	63	41	0	58	39	0
N.S.	1	1.00	0.81	1.22	1.70	1.11	0.00	1.57	1.05	0.00
time (sec)	N/A	0.221	0.046	0.425	0.119	0.091	0.000	0.141	0.167	0.000

Problem 11	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	86	45	81	67	61	0	90	49	0
N.S.	1	1.04	0.54	0.98	0.81	0.73	0.00	1.08	0.59	0.00
time (sec)	N/A	0.331	0.050	0.480	0.033	0.137	0.000	0.150	0.167	0.000

Problem 12	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	124	135	55	94	99	81	0	122	65	0
N.S.	1	1.09	0.44	0.76	0.80	0.65	0.00	0.98	0.52	0.00
time (sec)	N/A	0.487	0.057	0.517	0.037	0.091	0.000	0.146	0.168	0.000

Problem 13	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	16	16	18	14	16	16	15	16	15	16
N.S.	1	1.00	1.12	0.88	1.00	1.00	0.94	1.00	0.94	1.00
time (sec)	N/A	0.200	3.935	0.316	0.398	0.090	0.559	0.144	0.188	3.869

Problem 14	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	16	16	18	14	16	16	15	16	17	16
N.S.	1	1.00	1.12	0.88	1.00	1.00	0.94	1.00	1.06	1.00
time (sec)	N/A	0.206	2.853	0.194	0.424	0.114	0.411	0.139	0.182	4.115

Problem 15	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	B	F	A	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	62	62	119	0	153	354	0	79	33	0
N.S.	1	1.00	1.92	0.00	2.47	5.71	0.00	1.27	0.53	0.00
time (sec)	N/A	0.295	0.081	0.000	0.059	0.127	0.000	0.153	0.194	0.000

Problem 16	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	B	F	A	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	128	130	226	0	223	728	0	143	52	0
N.S.	1	1.02	1.77	0.00	1.74	5.69	0.00	1.12	0.41	0.00
time (sec)	N/A	0.358	0.186	0.000	0.121	0.143	0.000	0.147	0.209	0.000

Problem 17	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	B	F	A	F	F(-1)
verified	N/A	No	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	200	194	329	0	401	1278	0	226	71	0
N.S.	1	0.97	1.64	0.00	2.00	6.39	0.00	1.13	0.36	0.00
time (sec)	N/A	1.098	0.365	0.000	0.125	0.190	0.000	0.159	0.213	0.000

Problem 18	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	B	F	A	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	283	281	431	0	639	2004	0	357	90	0
N.S.	1	0.99	1.52	0.00	2.26	7.08	0.00	1.26	0.32	0.00
time (sec)	N/A	1.296	0.553	0.000	0.139	0.265	0.000	0.160	0.234	0.000

Problem 19	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	B	A	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	3	3	3	4	3	11	3	12	5	3
N.S.	1	1.00	1.00	1.33	1.00	3.67	1.00	4.00	1.67	1.00
time (sec)	N/A	0.186	0.059	0.109	0.023	0.090	0.105	0.115	0.173	0.301

Problem 20	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	A	F	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	62	67	61	158	171	63	0	53	73	201
N.S.	1	1.08	0.98	2.55	2.76	1.02	0.00	0.85	1.18	3.24
time (sec)	N/A	0.306	0.044	1.144	0.032	0.101	0.000	0.172	0.171	5.761

Problem 21	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	B	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	12	12	12	13	12	62	15	22	13	22
N.S.	1	1.00	1.00	1.08	1.00	5.17	1.25	1.83	1.08	1.83
time (sec)	N/A	0.195	0.008	0.347	0.027	0.096	0.864	0.115	0.169	4.359

Problem 22	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	40	39	35	59	76	0	0	0	15	0
N.S.	1	0.98	0.88	1.48	1.90	0.00	0.00	0.00	0.38	0.00
time (sec)	N/A	0.330	0.051	0.128	0.025	0.000	0.000	0.000	0.172	0.000

Problem 23	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	B	A	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	8	8	8	13	6	14	5	14	6	21
N.S.	1	1.00	1.00	1.62	0.75	1.75	0.62	1.75	0.75	2.62
time (sec)	N/A	0.178	0.004	0.145	0.022	0.085	0.319	0.113	0.171	4.259

Problem 24	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	36	41	44	22	34	29	31	101	48	21
N.S.	1	1.14	1.22	0.61	0.94	0.81	0.86	2.81	1.33	0.58
time (sec)	N/A	0.214	0.025	0.153	0.023	0.086	0.198	0.114	0.164	0.110

Problem 25	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	A	F	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	38	38	28	80	76	42	0	80	34	81
N.S.	1	1.00	0.74	2.11	2.00	1.11	0.00	2.11	0.89	2.13
time (sec)	N/A	0.196	0.025	0.162	0.025	0.080	0.000	0.161	0.162	4.164

Problem 26	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	B	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	50	60	50	37	47	47	88	154	86	34
N.S.	1	1.20	1.00	0.74	0.94	0.94	1.76	3.08	1.72	0.68
time (sec)	N/A	0.222	0.040	0.178	0.024	0.089	0.279	0.114	0.161	0.196

Problem 27	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	A	F	F	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	67	72	43	128	118	66	0	0	58	112
N.S.	1	1.07	0.64	1.91	1.76	0.99	0.00	0.00	0.87	1.67
time (sec)	N/A	0.317	0.036	0.156	0.030	0.085	0.000	0.000	0.167	4.050

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi only. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is also given. The larger this ratio is, the harder the integral is to solve. In this test file, problem number [5] had the largest ratio of [.42857099999999980]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	6	5	1.01	14	0.357
2	A	6	5	1.01	14	0.357
3	A	6	5	1.02	14	0.357
4	A	6	5	1.04	12	0.417
5	A	6	6	1.58	14	0.429
6	A	4	4	1.05	14	0.286
7	A	4	4	1.04	14	0.286
8	A	3	3	0.75	15	0.200
9	A	2	2	0.69	15	0.133
10	A	1	1	1.00	15	0.067
11	A	2	2	1.04	15	0.133
12	A	3	3	1.09	15	0.200
13	N/A	1	0	1.00	16	0.000
14	N/A	1	0	1.00	16	0.000
15	A	6	5	1.00	16	0.312
16	A	7	6	1.02	16	0.375
17	A	7	6	0.97	16	0.375
18	A	6	5	0.99	16	0.312
19	A	1	1	1.00	14	0.071
20	A	4	4	1.08	14	0.286
21	A	1	1	1.00	14	0.071

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
22	A	5	4	0.98	13	0.308
23	A	1	1	1.00	12	0.083
24	A	3	3	1.14	13	0.231
25	A	2	2	1.00	12	0.167
26	A	4	4	1.20	13	0.308
27	A	3	3	1.07	12	0.250

CHAPTER 3

LISTING OF INTEGRALS

3.1	$\int (c + dx^2)^4 \coth^{-1}(ax) dx$	39
3.2	$\int (c + dx^2)^3 \coth^{-1}(ax) dx$	48
3.3	$\int (c + dx^2)^2 \coth^{-1}(ax) dx$	56
3.4	$\int (c + dx^2) \coth^{-1}(ax) dx$	63
3.5	$\int \frac{\coth^{-1}(ax)}{c+dx^2} dx$	70
3.6	$\int \frac{\coth^{-1}(ax)}{(c+dx^2)^2} dx$	79
3.7	$\int \frac{\coth^{-1}(ax)}{(c+dx^2)^3} dx$	88
3.8	$\int \sqrt{a - ax^2} \coth^{-1}(x) dx$	98
3.9	$\int \frac{\coth^{-1}(x)}{\sqrt{a-ax^2}} dx$	104
3.10	$\int \frac{\coth^{-1}(x)}{(a-ax^2)^{3/2}} dx$	109
3.11	$\int \frac{\coth^{-1}(x)}{(a-ax^2)^{5/2}} dx$	114
3.12	$\int \frac{\coth^{-1}(x)}{(a-ax^2)^{7/2}} dx$	119
3.13	$\int \sqrt{c + dx^2} \coth^{-1}(ax) dx$	125
3.14	$\int \frac{\coth^{-1}(ax)}{\sqrt{c+dx^2}} dx$	130
3.15	$\int \frac{\coth^{-1}(ax)}{(c+dx^2)^{3/2}} dx$	135
3.16	$\int \frac{\coth^{-1}(ax)}{(c+dx^2)^{5/2}} dx$	141
3.17	$\int \frac{\coth^{-1}(ax)}{(c+dx^2)^{7/2}} dx$	148
3.18	$\int \frac{\coth^{-1}(ax)}{(c+dx^2)^{9/2}} dx$	156
3.19	$\int \frac{1}{(1-x^2) \coth^{-1}(x)} dx$	164
3.20	$\int \frac{\coth^{-1}(x)^2}{(1-x^2)^2} dx$	169
3.21	$\int \frac{\coth^{-1}(x)^n}{1-x^2} dx$	176
3.22	$\int \frac{x \coth^{-1}(x)}{1-x^2} dx$	181

3.23	$\int \frac{\coth^{-1}(x)}{1-x^2} dx$	186
3.24	$\int \frac{x \coth^{-1}(x)}{(1-x^2)^2} dx$	191
3.25	$\int \frac{\coth^{-1}(x)}{(1-x^2)^2} dx$	197
3.26	$\int \frac{x \coth^{-1}(x)}{(1-x^2)^3} dx$	203
3.27	$\int \frac{\coth^{-1}(x)}{(1-x^2)^3} dx$	209

3.1 $\int (c + dx^2)^4 \coth^{-1}(ax) dx$

Optimal result	39
Mathematica [A] (verified)	40
Rubi [A] (verified)	40
Maple [A] (verified)	42
Fricas [A] (verification not implemented)	43
Sympy [C] (verification not implemented)	43
Maxima [A] (verification not implemented)	44
Giac [B] (verification not implemented)	45
Mupad [B] (verification not implemented)	46
Reduce [B] (verification not implemented)	47

Optimal result

Integrand size = 14, antiderivative size = 245

$$\int (c + dx^2)^4 \coth^{-1}(ax) dx$$

$$= \frac{d(420a^6c^3 + 378a^4c^2d + 180a^2cd^2 + 35d^3)x^2}{630a^7} + \frac{d^2(378a^4c^2 + 180a^2cd + 35d^2)x^4}{1260a^5}$$

$$+ \frac{d^3(36a^2c + 7d)x^6}{378a^3} + \frac{d^4x^8}{72a} + c^4x \coth^{-1}(ax) + \frac{4}{3}c^3dx^3 \coth^{-1}(ax)$$

$$+ \frac{6}{5}c^2d^2x^5 \coth^{-1}(ax) + \frac{4}{7}cd^3x^7 \coth^{-1}(ax) + \frac{1}{9}d^4x^9 \coth^{-1}(ax)$$

$$+ \frac{(315a^8c^4 + 420a^6c^3d + 378a^4c^2d^2 + 180a^2cd^3 + 35d^4) \log(1 - a^2x^2)}{630a^9}$$

output

```
1/630*d*(420*a^6*c^3+378*a^4*c^2*d+180*a^2*c*d^2+35*d^3)*x^2/a^7+1/1260*d^2*(378*a^4*c^2+180*a^2*c*d+35*d^2)*x^4/a^5+1/378*d^3*(36*a^2*c+7*d)*x^6/a^3+1/72*d^4*x^8/a+c^4*x*arccoth(a*x)+4/3*c^3*d*x^3*arccoth(a*x)+6/5*c^2*d^2*x^5*arccoth(a*x)+4/7*c*d^3*x^7*arccoth(a*x)+1/9*d^4*x^9*arccoth(a*x)+1/630*(315*a^8*c^4+420*a^6*c^3*d+378*a^4*c^2*d^2+180*a^2*c*d^3+35*d^4)*ln(-a^2*x^2+1)/a^9
```


Mathematica [A] (verified)

Time = 0.06 (sec) , antiderivative size = 213, normalized size of antiderivative = 0.87

$$\int (c + dx^2)^4 \coth^{-1}(ax) dx$$

$$= \frac{a^2 dx^2 (420d^3 + 30a^2 d^2 (72c + 7dx^2)) + 4a^4 d (1134c^2 + 270cdx^2 + 35d^2 x^4) + 3a^6 (1680c^3 + 756c^2 dx^2 + 240c d^2 x^4 + 35d^3 x^6) + 24a^9 x (315c^4 + 420c^3 dx^2 + 378c^2 d^2 x^4 + 180c d^3 x^6 + 35d^4 x^8) \operatorname{ArcCoth}[ax] + 12(315a^8 c^4 + 420a^6 c^3 d + 378a^4 c^2 d^2 + 180a^2 c d^3 + 35d^4) \operatorname{Log}[1 - a^2 x^2]}{(7560a^9)}$$

input `Integrate[(c + d*x^2)^4*ArcCoth[a*x],x]`

output $(a^2 d x^2 (420 d^3 + 30 a^2 d^2 (72 c + 7 d x^2)) + 4 a^4 d (1134 c^2 + 270 c d x^2 + 35 d^2 x^4) + 3 a^6 (1680 c^3 + 756 c^2 d x^2 + 240 c d^2 x^4 + 35 d^3 x^6)) + 24 a^9 x (315 c^4 + 420 c^3 d x^2 + 378 c^2 d^2 x^4 + 180 c d^3 x^6 + 35 d^4 x^8) \operatorname{ArcCoth}[a x] + 12 (315 a^8 c^4 + 420 a^6 c^3 d + 378 a^4 c^2 d^2 + 180 a^2 c d^3 + 35 d^4) \operatorname{Log}[1 - a^2 x^2] / (7560 a^9)$

Rubi [A] (verified)

Time = 0.68 (sec) , antiderivative size = 247, normalized size of antiderivative = 1.01, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {6539, 27, 2331, 2389, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \coth^{-1}(ax) (c + dx^2)^4 dx$$

$$\downarrow 6539$$

$$-a \int \frac{x(35d^4 x^8 + 180cd^3 x^6 + 378c^2 d^2 x^4 + 420c^3 dx^2 + 315c^4)}{315(1 - a^2 x^2)} dx + c^4 x \coth^{-1}(ax) + \frac{4}{3} c^3 dx^3 \coth^{-1}(ax) + \frac{6}{5} c^2 d^2 x^5 \coth^{-1}(ax) + \frac{4}{7} cd^3 x^7 \coth^{-1}(ax) + \frac{1}{9} d^4 x^9 \coth^{-1}(ax)$$

$$\downarrow 27$$

$$\begin{aligned}
& -\frac{1}{315}a \int \frac{x(35d^4x^8 + 180cd^3x^6 + 378c^2d^2x^4 + 420c^3dx^2 + 315c^4)}{1 - a^2x^2} dx + c^4x \coth^{-1}(ax) + \\
& \frac{4}{3}c^3dx^3 \coth^{-1}(ax) + \frac{6}{5}c^2d^2x^5 \coth^{-1}(ax) + \frac{4}{7}cd^3x^7 \coth^{-1}(ax) + \frac{1}{9}d^4x^9 \coth^{-1}(ax) \\
& \quad \downarrow \text{2331} \\
& -\frac{1}{630}a \int \frac{35d^4x^8 + 180cd^3x^6 + 378c^2d^2x^4 + 420c^3dx^2 + 315c^4}{1 - a^2x^2} dx^2 + c^4x \coth^{-1}(ax) + \\
& \frac{4}{3}c^3dx^3 \coth^{-1}(ax) + \frac{6}{5}c^2d^2x^5 \coth^{-1}(ax) + \frac{4}{7}cd^3x^7 \coth^{-1}(ax) + \frac{1}{9}d^4x^9 \coth^{-1}(ax) \\
& \quad \downarrow \text{2389} \\
& -\frac{1}{630}a \int \left(-\frac{35d^4x^6}{a^2} - \frac{5d^3(36ca^2 + 7d)x^4}{a^4} - \frac{d^2(378c^2a^4 + 180cda^2 + 35d^2)x^2}{a^6} - \frac{d(420c^3a^6 + 378c^2da^4 + 180c^4a^2)}{a^8} \right. \\
& \quad \left. c^4x \coth^{-1}(ax) + \frac{4}{3}c^3dx^3 \coth^{-1}(ax) + \frac{6}{5}c^2d^2x^5 \coth^{-1}(ax) + \frac{4}{7}cd^3x^7 \coth^{-1}(ax) + \frac{1}{9}d^4x^9 \coth^{-1}(ax) \right) \\
& \quad \downarrow \text{2009} \\
& -\frac{1}{630}a \left(-\frac{35d^4x^8}{4a^2} - \frac{5d^3x^6(36a^2c + 7d)}{3a^4} - \frac{d^2x^4(378a^4c^2 + 180a^2cd + 35d^2)}{2a^6} - \frac{dx^2(420a^6c^3 + 378a^4c^2d + 180a^2c^4)}{a^8} \right. \\
& \quad \left. c^4x \coth^{-1}(ax) + \frac{4}{3}c^3dx^3 \coth^{-1}(ax) + \frac{6}{5}c^2d^2x^5 \coth^{-1}(ax) + \frac{4}{7}cd^3x^7 \coth^{-1}(ax) + \frac{1}{9}d^4x^9 \coth^{-1}(ax) \right)
\end{aligned}$$

input `Int[(c + d*x^2)^4*ArcCoth[a*x],x]`

output `c^4*x*ArcCoth[a*x] + (4*c^3*d*x^3*ArcCoth[a*x])/3 + (6*c^2*d^2*x^5*ArcCoth[a*x])/5 + (4*c*d^3*x^7*ArcCoth[a*x])/7 + (d^4*x^9*ArcCoth[a*x])/9 - (a*(-((d*(420*a^6*c^3 + 378*a^4*c^2*d + 180*a^2*c*d^2 + 35*d^3)*x^2)/a^8) - (d^2*(378*a^4*c^2 + 180*a^2*c*d + 35*d^2)*x^4)/(2*a^6) - (5*d^3*(36*a^2*c + 7*d)*x^6)/(3*a^4) - (35*d^4*x^8)/(4*a^2) - ((315*a^8*c^4 + 420*a^6*c^3*d + 378*a^4*c^2*d^2 + 180*a^2*c*d^3 + 35*d^4)*Log[1 - a^2*x^2])/a^10))/630`

Defintions of rubi rules used

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2331 `Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Simp[1/2 Subst[Int[x^((m - 1)/2)*SubstFor[x^2, Pq, x]*(a + b*x)^p, x], x, x^2], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]`

rule 2389 `Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])`

rule 6539 `Int[((a_) + ArcCoth[(c_)*(x_)])*(b_))*((d_) + (e_)*(x_)^2)^(q_), x_Symbol] := With[{u = IntHide[(d + e*x^2)^q, x]}, Simp[(a + b*ArcCoth[c*x]) u, x] - Simp[b*c Int[SimplifyIntegrand[u/(1 - c^2*x^2), x], x], x] /; FreeQ[{a, b, c, d, e}, x] && (IntegerQ[q] || ILtQ[q + 1/2, 0])`

Maple [A] (verified)

Time = 0.37 (sec) , antiderivative size = 245, normalized size of antiderivative = 1.00

method	result
parts	$\frac{d^4 x^9 \operatorname{arccoth}(xa)}{9} + \frac{4c d^3 x^7 \operatorname{arccoth}(xa)}{7} + \frac{6c^2 d^2 x^5 \operatorname{arccoth}(xa)}{5} + \frac{4c^3 d x^3 \operatorname{arccoth}(xa)}{3} + c^4 x \operatorname{arccoth}(xa)$
derivativeldivides	$\frac{\operatorname{arccoth}(xa)c^4 xa + \frac{4a \operatorname{arccoth}(xa)c^3 d x^3}{3} + \frac{6a \operatorname{arccoth}(xa)c^2 d^2 x^5}{5} + \frac{4a \operatorname{arccoth}(xa)c d^3 x^7}{7} + \frac{a \operatorname{arccoth}(xa)d^4 x^9}{9} + \frac{35d^4 x^8 a^8 + 30d^4 x^7 a^8 + 21d^4 x^6 a^8 + 10d^4 x^5 a^8 + 5d^4 x^4 a^8 + d^4 x^3 a^8}{8}}{\dots}$
default	$\frac{\operatorname{arccoth}(xa)c^4 xa + \frac{4a \operatorname{arccoth}(xa)c^3 d x^3}{3} + \frac{6a \operatorname{arccoth}(xa)c^2 d^2 x^5}{5} + \frac{4a \operatorname{arccoth}(xa)c d^3 x^7}{7} + \frac{a \operatorname{arccoth}(xa)d^4 x^9}{9} + \frac{35d^4 x^8 a^8 + 30d^4 x^7 a^8 + 21d^4 x^6 a^8 + 10d^4 x^5 a^8 + 5d^4 x^4 a^8 + d^4 x^3 a^8}{8}}{\dots}$
parallelrisc	$-\frac{-140d^4 x^6 a^6 - 105d^4 x^8 a^8 - 720c a^8 d^3 x^6 - 2268c^2 a^8 d^2 x^4 - 210d^4 x^4 a^4 - 420d^4 x^2 a^2 - 4536c^2 a^6 d^2 x^2 - 2160a^4 c d^3 x^2 - 1440a^4 c^2 d^3 x^2 - 1440a^4 c^3 d^3 x^2 - 1440a^4 c^4 d^3 x^2}{\dots}$
risc	$(\frac{1}{18}d^4 x^9 + \frac{2}{7}c d^3 x^7 + \frac{3}{5}c^2 d^2 x^5 + \frac{2}{3}c^3 d x^3 + \frac{1}{2}c^4 x) \ln(xa + 1) - \frac{d^4 x^9 \ln(xa-1)}{18} - \frac{2c d^3 x^7 \ln(xa-1)}{7}$

input `int((d*x^2+c)^4*arccoth(x*a),x,method=_RETURNVERBOSE)`

output
$$\frac{1}{9}d^4x^9\operatorname{arccoth}(xa)+\frac{4}{7}c^3d^3x^7\operatorname{arccoth}(xa)+\frac{6}{5}c^2d^2x^5\operatorname{arccoth}(xa)+\frac{4}{3}c^3d^3x^3\operatorname{arccoth}(xa)+c^4x\operatorname{arccoth}(xa)+\frac{1}{315}a\left(\frac{1}{2}d/a^8\left(\frac{5}{4}a^6d^3x^8+60a^6c^2d^2x^6+189a^6c^2d^2x^4+420a^6c^3x^2+35/3a^4d^3x^6+90a^4c^2d^2x^4+378a^4c^2d^2x^2+35/2a^2d^3x^4+180a^2c^2d^2x^2+35d^3x^2\right)+\frac{1}{2}\left(315a^8c^4+420a^6c^3d+378a^4c^2d^2+180a^2c^2d^3+35d^4\right)/a^{10}\ln(a^2x^2-1)\right)$$

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 247, normalized size of antiderivative = 1.01

$$\int (c + dx^2)^4 \operatorname{coth}^{-1}(ax) dx$$

$$= \frac{105 a^8 d^4 x^8 + 20 (36 a^8 c d^3 + 7 a^6 d^4) x^6 + 6 (378 a^8 c^2 d^2 + 180 a^6 c d^3 + 35 a^4 d^4) x^4 + 12 (420 a^8 c^3 d + 378 a^6 c^2 d^2 + 180 a^4 c^2 d^3 + 35 a^2 d^4) x^2 + 12 (315 a^8 c^4 + 420 a^6 c^3 d + 378 a^4 c^2 d^2 + 180 a^2 c^2 d^3 + 35 d^4) \log(a^2 x^2 - 1) + 12 (35 a^9 d^4 x^9 + 180 a^9 c^2 d^3 x^7 + 378 a^9 c^2 d^2 x^5 + 420 a^9 c^3 d x^3 + 315 a^9 c^4 x) \log((a x + 1)/(a x - 1))}{a^9}$$

input `integrate((d*x^2+c)^4*arccoth(a*x),x, algorithm="fricas")`

output
$$\frac{1}{7560} \left(105 a^8 d^4 x^8 + 20 (36 a^8 c d^3 + 7 a^6 d^4) x^6 + 6 (378 a^8 c^2 d^2 + 180 a^6 c^2 d^3 + 35 a^4 d^4) x^4 + 12 (420 a^8 c^3 d + 378 a^6 c^2 d^2 + 180 a^4 c^2 d^3 + 35 a^2 d^4) x^2 + 12 (315 a^8 c^4 + 420 a^6 c^3 d + 378 a^4 c^2 d^2 + 180 a^2 c^2 d^3 + 35 d^4) \log(a^2 x^2 - 1) + 12 (35 a^9 d^4 x^9 + 180 a^9 c^2 d^3 x^7 + 378 a^9 c^2 d^2 x^5 + 420 a^9 c^3 d x^3 + 315 a^9 c^4 x) \log((a x + 1)/(a x - 1)) \right) / a^9$$

Sympy [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.70 (sec) , antiderivative size = 427, normalized size of antiderivative = 1.74

$$\int (c + dx^2)^4 \coth^{-1}(ax) dx$$

$$= \begin{cases} c^4 x \operatorname{acoth}(ax) + \frac{4c^3 dx^3 \operatorname{acoth}(ax)}{3} + \frac{6c^2 d^2 x^5 \operatorname{acoth}(ax)}{5} + \frac{4cd^3 x^7 \operatorname{acoth}(ax)}{7} + \frac{d^4 x^9 \operatorname{acoth}(ax)}{9} + \frac{c^4 \log(x - \frac{1}{a})}{a} + \frac{c^4 \operatorname{acoth}(ax)}{a} \\ \frac{i\pi(c^4 x + \frac{4c^3 dx^3}{3} + \frac{6c^2 d^2 x^5}{5} + \frac{4cd^3 x^7}{7} + \frac{d^4 x^9}{9})}{2} \end{cases}$$

input `integrate((d*x**2+c)**4*acoth(a*x),x)`

output `Piecewise((c**4*x*acoth(a*x) + 4*c**3*d*x**3*acoth(a*x)/3 + 6*c**2*d**2*x**5*acoth(a*x)/5 + 4*c*d**3*x**7*acoth(a*x)/7 + d**4*x**9*acoth(a*x)/9 + c**4*log(x - 1/a)/a + c**4*acoth(a*x)/a + 2*c**3*d*x**2/(3*a) + 3*c**2*d**2*x**4/(10*a) + 2*c*d**3*x**6/(21*a) + d**4*x**8/(72*a) + 4*c**3*d*log(x - 1/a)/(3*a**3) + 4*c**3*d*acoth(a*x)/(3*a**3) + 3*c**2*d**2*x**2/(5*a**3) + c*d**3*x**4/(7*a**3) + d**4*x**6/(54*a**3) + 6*c**2*d**2*log(x - 1/a)/(5*a**5) + 6*c**2*d**2*acoth(a*x)/(5*a**5) + 2*c*d**3*x**2/(7*a**5) + d**4*x**4/(36*a**5) + 4*c*d**3*log(x - 1/a)/(7*a**7) + 4*c*d**3*acoth(a*x)/(7*a**7) + d**4*x**2/(18*a**7) + d**4*log(x - 1/a)/(9*a**9) + d**4*acoth(a*x)/(9*a**9), Ne(a, 0)), (I*pi*(c**4*x + 4*c**3*d*x**3/3 + 6*c**2*d**2*x**5/5 + 4*c*d**3*x**7/7 + d**4*x**9/9)/2, True))`

Maxima [A] (verification not implemented)

Time = 0.03 (sec) , antiderivative size = 276, normalized size of antiderivative = 1.13

$$\int (c + dx^2)^4 \coth^{-1}(ax) dx$$

$$= \frac{1}{7560} a \left(\frac{105 a^6 d^4 x^8 + 20 (36 a^6 c d^3 + 7 a^4 d^4) x^6 + 6 (378 a^6 c^2 d^2 + 180 a^4 c d^3 + 35 a^2 d^4) x^4 + 12 (420 a^6 c^3 d + 315 a^4 c^2 d^2 + 180 a^2 c d^3 + 378 c^2 d^2 x^5 + 420 c^3 d x^3 + 315 c^4 x) \operatorname{arccoth}(ax)}{a^8} \right)$$

input `integrate((d*x^2+c)^4*arccoth(a*x),x, algorithm="maxima")`

output

```
1/7560*a*((105*a^6*d^4*x^8 + 20*(36*a^6*c*d^3 + 7*a^4*d^4)*x^6 + 6*(378*a^6*c^2*d^2 + 180*a^4*c*d^3 + 35*a^2*d^4)*x^4 + 12*(420*a^6*c^3*d + 378*a^4*c^2*d^2 + 180*a^2*c*d^3 + 35*d^4)*x^2)/a^8 + 12*(315*a^8*c^4 + 420*a^6*c^3*d + 378*a^4*c^2*d^2 + 180*a^2*c*d^3 + 35*d^4)*log(a*x + 1)/a^10 + 12*(315*a^8*c^4 + 420*a^6*c^3*d + 378*a^4*c^2*d^2 + 180*a^2*c*d^3 + 35*d^4)*log(a*x - 1)/a^10) + 1/315*(35*d^4*x^9 + 180*c*d^3*x^7 + 378*c^2*d^2*x^5 + 420*c^3*d*x^3 + 315*c^4*x)*arccoth(a*x)
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1473 vs. $2(227) = 454$.

Time = 0.16 (sec) , antiderivative size = 1473, normalized size of antiderivative = 6.01

$$\int (c + dx^2)^4 \coth^{-1}(ax) dx = \text{Too large to display}$$

input

```
integrate((d*x^2+c)^4*arccoth(a*x),x, algorithm="giac")
```

output

```

1/945*a*(3*(315*a^8*c^4 + 420*a^6*c^3*d + 378*a^4*c^2*d^2 + 180*a^2*c*d^3
+ 35*d^4)*log(abs(a*x + 1)/abs(a*x - 1))/a^10 - 3*(315*a^8*c^4 + 420*a^6*c
^3*d + 378*a^4*c^2*d^2 + 180*a^2*c*d^3 + 35*d^4)*log(abs((a*x + 1)/(a*x -
1) - 1))/a^10 + 8*(3*(105*a^6*c^3*d + 189*a^4*c^2*d^2 + 135*a^2*c*d^3 + 35
*d^4)*(a*x + 1)^7/(a*x - 1)^7 - 45*(42*a^6*c^3*d + 63*a^4*c^2*d^2 + 36*a^2
*c*d^3 + 7*d^4)*(a*x + 1)^6/(a*x - 1)^6 + (4725*a^6*c^3*d + 6237*a^4*c^2*d
^2 + 3555*a^2*c*d^3 + 875*d^4)*(a*x + 1)^5/(a*x - 1)^5 - 2*(3150*a^6*c^3*d
+ 3969*a^4*c^2*d^2 + 2340*a^2*c*d^3 + 455*d^4)*(a*x + 1)^4/(a*x - 1)^4 +
(4725*a^6*c^3*d + 6237*a^4*c^2*d^2 + 3555*a^2*c*d^3 + 875*d^4)*(a*x + 1)^3
/(a*x - 1)^3 - 45*(42*a^6*c^3*d + 63*a^4*c^2*d^2 + 36*a^2*c*d^3 + 7*d^4)*(
a*x + 1)^2/(a*x - 1)^2 + 3*(105*a^6*c^3*d + 189*a^4*c^2*d^2 + 135*a^2*c*d^
3 + 35*d^4)*(a*x + 1)/(a*x - 1))/(a^10*((a*x + 1)/(a*x - 1) - 1)^8) + 3*(3
15*(a*x + 1)^8*a^8*c^4/(a*x - 1)^8 - 2520*(a*x + 1)^7*a^8*c^4/(a*x - 1)^7
+ 8820*(a*x + 1)^6*a^8*c^4/(a*x - 1)^6 - 17640*(a*x + 1)^5*a^8*c^4/(a*x -
1)^5 + 22050*(a*x + 1)^4*a^8*c^4/(a*x - 1)^4 - 17640*(a*x + 1)^3*a^8*c^4/(
a*x - 1)^3 + 8820*(a*x + 1)^2*a^8*c^4/(a*x - 1)^2 - 2520*(a*x + 1)*a^8*c^4
/(a*x - 1) + 315*a^8*c^4 + 1260*(a*x + 1)^8*a^6*c^3*d/(a*x - 1)^8 - 7560*(
a*x + 1)^7*a^6*c^3*d/(a*x - 1)^7 + 19320*(a*x + 1)^6*a^6*c^3*d/(a*x - 1)^6
- 27720*(a*x + 1)^5*a^6*c^3*d/(a*x - 1)^5 + 25200*(a*x + 1)^4*a^6*c^3*d/(
a*x - 1)^4 - 15960*(a*x + 1)^3*a^6*c^3*d/(a*x - 1)^3 + 7560*(a*x + 1)^2...

```

Mupad [B] (verification not implemented)

Time = 4.05 (sec) , antiderivative size = 296, normalized size of antiderivative = 1.21

$$\begin{aligned}
& \int (c + dx^2)^4 \coth^{-1}(ax) dx \\
&= \ln\left(\frac{1}{ax} + 1\right) \left(\frac{c^4 x}{2} + \frac{2c^3 dx^3}{3} + \frac{3c^2 d^2 x^5}{5} + \frac{2cd^3 x^7}{7} + \frac{d^4 x^9}{18}\right) \\
&\quad - \ln\left(1 - \frac{1}{ax}\right) \left(\frac{c^4 x}{2} + \frac{2c^3 dx^3}{3} + \frac{3c^2 d^2 x^5}{5} + \frac{2cd^3 x^7}{7} + \frac{d^4 x^9}{18}\right) \\
&\quad + x^2 \left(\frac{\frac{d^4}{9a^3} + \frac{4cd^3}{7a}}{2a^2} + \frac{6c^2 d^2}{5a} + \frac{2c^3 d}{3a}\right) + x^6 \left(\frac{d^4}{54a^3} + \frac{2cd^3}{21a}\right) + x^4 \left(\frac{\frac{d^4}{9a^3} + \frac{4cd^3}{7a}}{4a^2} + \frac{3c^2 d^2}{10a}\right) \\
&\quad + \frac{\ln(a^2 x^2 - 1) (315 a^8 c^4 + 420 a^6 c^3 d + 378 a^4 c^2 d^2 + 180 a^2 c d^3 + 35 d^4)}{630 a^9} + \frac{d^4 x^8}{72 a}
\end{aligned}$$

input

```
int(acoath(a*x)*(c + d*x^2)^4,x)
```

output

```
log(1/(a*x) + 1)*((c^4*x)/2 + (d^4*x^9)/18 + (2*c^3*d*x^3)/3 + (2*c*d^3*x^7)/7 + (3*c^2*d^2*x^5)/5) - log(1 - 1/(a*x))*((c^4*x)/2 + (d^4*x^9)/18 + (2*c^3*d*x^3)/3 + (2*c*d^3*x^7)/7 + (3*c^2*d^2*x^5)/5) + x^2*(((d^4/(9*a^3) + (4*c*d^3)/(7*a))/a^2 + (6*c^2*d^2)/(5*a))/(2*a^2) + (2*c^3*d)/(3*a)) + x^6*(d^4/(54*a^3) + (2*c*d^3)/(21*a)) + x^4*((d^4/(9*a^3) + (4*c*d^3)/(7*a)))/(4*a^2) + (3*c^2*d^2)/(10*a)) + (log(a^2*x^2 - 1)*(35*d^4 + 315*a^8*c^4 + 180*a^2*c*d^3 + 420*a^6*c^3*d + 378*a^4*c^2*d^2))/(630*a^9) + (d^4*x^8)/(72*a)
```

Reduce [B] (verification not implemented)

Time = 0.17 (sec) , antiderivative size = 358, normalized size of antiderivative = 1.46

$$\int (c + dx^2)^4 \coth^{-1}(ax) dx$$

$$= \frac{-7560 \log(a^2x - a) a^8 c^4 - 105 a^8 d^4 x^8 - 140 a^6 d^4 x^6 - 210 a^4 d^4 x^4 - 420 a^2 d^4 x^2 - 840 \log(a^2x - a) d^4 + 7560 \log(a^2x + a) a^8 c^4 + 105 a^8 d^4 x^8 + 140 a^6 d^4 x^6 + 210 a^4 d^4 x^4 + 420 a^2 d^4 x^2 + 840 \log(a^2x + a) d^4}{(72 a^9)}$$

input

```
int((d*x^2+c)^4*acoth(a*x),x)
```

output

```
(7560*acoth(a*x)*a**9*c**4*x + 10080*acoth(a*x)*a**9*c**3*d*x**3 + 9072*acoth(a*x)*a**9*c**2*d**2*x**5 + 4320*acoth(a*x)*a**9*c*d**3*x**7 + 840*acoth(a*x)*a**9*d**4*x**9 + 7560*acoth(a*x)*a**8*c**4 + 10080*acoth(a*x)*a**6*c**3*d + 9072*acoth(a*x)*a**4*c**2*d**2 + 4320*acoth(a*x)*a**2*c*d**3 + 840*acoth(a*x)*d**4 - 7560*log(a**2*x - a)*a**8*c**4 - 10080*log(a**2*x - a)*a**6*c**3*d - 9072*log(a**2*x - a)*a**4*c**2*d**2 - 4320*log(a**2*x - a)*a**2*c*d**3 - 840*log(a**2*x - a)*d**4 - 5040*a**8*c**3*d*x**2 - 2268*a**8*c**2*d**2*x**4 - 720*a**8*c*d**3*x**6 - 105*a**8*d**4*x**8 - 4536*a**6*c**2*d**2*x**2 - 1080*a**6*c*d**3*x**4 - 140*a**6*d**4*x**6 - 2160*a**4*c*d**3*x**2 - 210*a**4*d**4*x**4 - 420*a**2*d**4*x**2)/(7560*a**9)
```


3.2 $\int (c + dx^2)^3 \coth^{-1}(ax) dx$

Optimal result	48
Mathematica [A] (verified)	49
Rubi [A] (verified)	49
Maple [A] (verified)	51
Fricas [A] (verification not implemented)	52
Sympy [C] (verification not implemented)	52
Maxima [A] (verification not implemented)	53
Giac [B] (verification not implemented)	53
Mupad [B] (verification not implemented)	54
Reduce [B] (verification not implemented)	55

Optimal result

Integrand size = 14, antiderivative size = 169

$$\int (c + dx^2)^3 \coth^{-1}(ax) dx = \frac{d(35a^4c^2 + 21a^2cd + 5d^2)x^2}{70a^5} + \frac{d^2(21a^2c + 5d)x^4}{140a^3} + \frac{d^3x^6}{42a} + c^3x \coth^{-1}(ax) + c^2dx^3 \coth^{-1}(ax) + \frac{3}{5}cd^2x^5 \coth^{-1}(ax) + \frac{1}{7}d^3x^7 \coth^{-1}(ax) + \frac{(35a^6c^3 + 35a^4c^2d + 21a^2cd^2 + 5d^3) \log(1 - a^2x^2)}{70a^7}$$

output

```
1/70*d*(35*a^4*c^2+21*a^2*c*d+5*d^2)*x^2/a^5+1/140*d^2*(21*a^2*c+5*d)*x^4/a^3+1/42*d^3*x^6/a+c^3*x*arccoth(a*x)+c^2*d*x^3*arccoth(a*x)+3/5*c*d^2*x^5*arccoth(a*x)+1/7*d^3*x^7*arccoth(a*x)+1/70*(35*a^6*c^3+35*a^4*c^2*d+21*a^2*c*d^2+5*d^3)*ln(-a^2*x^2+1)/a^7
```

Mathematica [A] (verified)

Time = 0.04 (sec) , antiderivative size = 150, normalized size of antiderivative = 0.89

$$\int (c + dx^2)^3 \coth^{-1}(ax) dx$$

$$= \frac{a^2 dx^2 (30d^2 + 3a^2 d(42c + 5dx^2) + a^4(210c^2 + 63cdx^2 + 10d^2x^4)) + 12a^7 x(35c^3 + 35c^2 dx^2 + 21cd^2 x^4 + 5d^3 x^6) \operatorname{ArcCoth}[a*x] + 6*(35*a^6*c^3 + 35*a^4*c^2*d + 21*a^2*c*d^2 + 5*d^3)*\operatorname{Log}[1 - a^2*x^2]}{420a^7}$$

input `Integrate[(c + d*x^2)^3*ArcCoth[a*x],x]`

output $(a^2*d*x^2*(30*d^2 + 3*a^2*d*(42*c + 5*d*x^2) + a^4*(210*c^2 + 63*c*d*x^2 + 10*d^2*x^4)) + 12*a^7*x*(35*c^3 + 35*c^2*d*x^2 + 21*c*d^2*x^4 + 5*d^3*x^6)*\operatorname{ArcCoth}[a*x] + 6*(35*a^6*c^3 + 35*a^4*c^2*d + 21*a^2*c*d^2 + 5*d^3)*\operatorname{Log}[1 - a^2*x^2])/(420*a^7)$

Rubi [A] (verified)

Time = 0.57 (sec) , antiderivative size = 171, normalized size of antiderivative = 1.01, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {6539, 27, 2331, 2389, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \coth^{-1}(ax) (c + dx^2)^3 dx$$

$$\downarrow 6539$$

$$-a \int \frac{x(5d^3x^6 + 21cd^2x^4 + 35c^2dx^2 + 35c^3)}{35(1 - a^2x^2)} dx + c^3x \coth^{-1}(ax) + c^2dx^3 \coth^{-1}(ax) + \frac{3}{5}cd^2x^5 \coth^{-1}(ax) + \frac{1}{7}d^3x^7 \coth^{-1}(ax)$$

$$\downarrow 27$$

$$-\frac{1}{35}a \int \frac{x(5d^3x^6 + 21cd^2x^4 + 35c^2dx^2 + 35c^3)}{1 - a^2x^2} dx + c^3x \coth^{-1}(ax) + c^2dx^3 \coth^{-1}(ax) + \frac{3}{5}cd^2x^5 \coth^{-1}(ax) + \frac{1}{7}d^3x^7 \coth^{-1}(ax)$$

$$\begin{aligned} & \downarrow \text{2331} \\ & -\frac{1}{70}a \int \frac{5d^3x^6 + 21cd^2x^4 + 35c^2dx^2 + 35c^3}{1 - a^2x^2} dx^2 + c^3x \coth^{-1}(ax) + c^2dx^3 \coth^{-1}(ax) + \\ & \quad \frac{3}{5}cd^2x^5 \coth^{-1}(ax) + \frac{1}{7}d^3x^7 \coth^{-1}(ax) \end{aligned}$$

$$\begin{aligned} & \downarrow \text{2389} \\ & -\frac{1}{70}a \int \left(-\frac{5d^3x^4}{a^2} - \frac{d^2(21ca^2 + 5d)x^2}{a^4} - \frac{d(35c^2a^4 + 21cda^2 + 5d^2)}{a^6} + \frac{-35c^3a^6 - 35c^2da^4 - 21cd^2a^2 - 5d^3}{a^6(a^2x^2 - 1)} \right) \\ & \quad c^3x \coth^{-1}(ax) + c^2dx^3 \coth^{-1}(ax) + \frac{3}{5}cd^2x^5 \coth^{-1}(ax) + \frac{1}{7}d^3x^7 \coth^{-1}(ax) \end{aligned}$$

$$\begin{aligned} & \downarrow \text{2009} \\ & -\frac{1}{70}a \left(-\frac{5d^3x^6}{3a^2} - \frac{d^2x^4(21a^2c + 5d)}{2a^4} - \frac{dx^2(35a^4c^2 + 21a^2cd + 5d^2)}{a^6} - \frac{(35a^6c^3 + 35a^4c^2d + 21a^2cd^2 + 5d^3) \log}{a^8} \right) \\ & \quad c^3x \coth^{-1}(ax) + c^2dx^3 \coth^{-1}(ax) + \frac{3}{5}cd^2x^5 \coth^{-1}(ax) + \frac{1}{7}d^3x^7 \coth^{-1}(ax) \end{aligned}$$

input `Int[(c + d*x^2)^3*ArcCoth[a*x], x]`

output `c^3*x*ArcCoth[a*x] + c^2*d*x^3*ArcCoth[a*x] + (3*c*d^2*x^5*ArcCoth[a*x])/5 + (d^3*x^7*ArcCoth[a*x])/7 - (a*(-((d*(35*a^4*c^2 + 21*a^2*c*d + 5*d^2)*x^2)/a^6) - (d^2*(21*a^2*c + 5*d)*x^4)/(2*a^4) - (5*d^3*x^6)/(3*a^2) - ((35*a^6*c^3 + 35*a^4*c^2*d + 21*a^2*c*d^2 + 5*d^3)*Log[1 - a^2*x^2])/a^8))/70`

Defintions of rubi rules used

rule 27 `Int[(a_)*(F_x_), x_Symbol] :> Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_)] /; FreeQ[b, x]`

rule 2009 `Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2331 `Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Simp[1/2 Subst[Int[x^((m - 1)/2)*SubstFor[x^2, Pq, x]*(a + b*x)^p, x], x, x^2], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]`

rule 2389 `Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])`

rule 6539 `Int[((a_) + ArcCoth[(c_)*(x_)])*(b_))*((d_) + (e_)*(x_)^2)^(q_), x_Symbol] := With[{u = IntHide[(d + e*x^2)^q, x]}, Simp[(a + b*ArcCoth[c*x]) u, x] - Simp[b*c Int[SimplifyIntegrand[u/(1 - c^2*x^2), x], x], x] /; FreeQ[{a, b, c, d, e}, x] && (IntegerQ[q] || ILtQ[q + 1/2, 0])`

Maple [A] (verified)

Time = 0.38 (sec) , antiderivative size = 167, normalized size of antiderivative = 0.99

method	result
parts	$\frac{d^3 x^7 \operatorname{arccoth}(xa)}{7} + \frac{3c d^2 x^5 \operatorname{arccoth}(xa)}{5} + c^2 d x^3 \operatorname{arccoth}(xa) + c^3 x \operatorname{arccoth}(xa) + \frac{a \left(\frac{5}{3} d^2 a^4 x^6 \right)}{2}$
derivativedivides	$\frac{\operatorname{arccoth}(xa)c^3 xa + a \operatorname{arccoth}(xa)c^2 d x^3 + \frac{3a \operatorname{arccoth}(xa)c d^2 x^5}{5} + \frac{a \operatorname{arccoth}(xa)d^3 x^7}{7} + \frac{5d^3 x^6 a^6}{6} - \frac{(-35a^6 c^3 - 35a^4 c^2 d - 21a^2 d^2)}{2}}{2}$
default	$\frac{\operatorname{arccoth}(xa)c^3 xa + a \operatorname{arccoth}(xa)c^2 d x^3 + \frac{3a \operatorname{arccoth}(xa)c d^2 x^5}{5} + \frac{a \operatorname{arccoth}(xa)d^3 x^7}{7} + \frac{5d^3 x^6 a^6}{6} - \frac{(-35a^6 c^3 - 35a^4 c^2 d - 21a^2 d^2)}{2}}{2}$
parallelrisch	$-\frac{60x^7 \operatorname{arccoth}(xa)a^7 d^3 - 252x^5 \operatorname{arccoth}(xa)a^7 c d^2 - 10d^3 x^6 a^6 - 420x^3 \operatorname{arccoth}(xa)a^7 c^2 d - 63c a^6 d^2 x^4 - 420c^3 x \operatorname{arccoth}(xa)a^7}{2}$
risch	$\left(\frac{1}{14} d^3 x^7 + \frac{3}{10} d^2 c x^5 + \frac{1}{2} c^2 d x^3 + \frac{1}{2} c^3 x \right) \ln(xa + 1) - \frac{d^3 x^7 \ln(xa-1)}{14} - \frac{3c d^2 x^5 \ln(xa-1)}{10} + \frac{d^3 x^6}{42a}$

input `int((d*x^2+c)^3*arccoth(x*a),x,method=_RETURNVERBOSE)`

output `1/7*d^3*x^7*arccoth(x*a)+3/5*c*d^2*x^5*arccoth(x*a)+c^2*d*x^3*arccoth(x*a)+c^3*x*arccoth(x*a)+1/35*a*(1/2*d/a^6*(5/3*d^2*a^4*x^6+21/2*a^4*c*d*x^4+35*a^4*c^2*x^2+5/2*a^2*d^2*x^4+21*a^2*c*d*x^2+5*x^2*d^2))+1/2*(35*a^6*c^3+35*a^4*c^2*d+21*a^2*c*d^2+5*d^3)/a^8*ln(a^2*x^2-1))`

Fricas [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 177, normalized size of antiderivative = 1.05

$$\int (c + dx^2)^3 \coth^{-1}(ax) dx$$

$$= \frac{10 a^6 d^3 x^6 + 3 (21 a^6 c d^2 + 5 a^4 d^3) x^4 + 6 (35 a^6 c^2 d + 21 a^4 c d^2 + 5 a^2 d^3) x^2 + 6 (35 a^6 c^3 + 35 a^4 c^2 d + 21 a^2 c d^2 + 5 d^3) \log(a^2 x^2 - 1) + 6 (5 a^7 d^3 x^7 + 21 a^7 c d^2 x^5 + 35 a^7 c^2 d x^3 + 35 a^7 c^3 x) \log((a x + 1)/(a x - 1))}{420 a^7}$$

input `integrate((d*x^2+c)^3*arccoth(a*x),x, algorithm="fricas")`

output `1/420*(10*a^6*d^3*x^6 + 3*(21*a^6*c*d^2 + 5*a^4*d^3)*x^4 + 6*(35*a^6*c^2*d + 21*a^4*c*d^2 + 5*a^2*d^3)*x^2 + 6*(35*a^6*c^3 + 35*a^4*c^2*d + 21*a^2*c*d^2 + 5*d^3)*log(a^2*x^2 - 1) + 6*(5*a^7*d^3*x^7 + 21*a^7*c*d^2*x^5 + 35*a^7*c^2*d*x^3 + 35*a^7*c^3*x)*log((a*x + 1)/(a*x - 1)))/a^7`

Sympy [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.51 (sec) , antiderivative size = 282, normalized size of antiderivative = 1.67

$$\int (c + dx^2)^3 \coth^{-1}(ax) dx$$

$$= \begin{cases} c^3 x \operatorname{acoth}(ax) + c^2 dx^3 \operatorname{acoth}(ax) + \frac{3cd^2 x^5 \operatorname{acoth}(ax)}{5} + \frac{d^3 x^7 \operatorname{acoth}(ax)}{7} + \frac{c^3 \log\left(\frac{x-\frac{1}{a}}{a}\right)}{a} + \frac{c^3 \operatorname{acoth}(ax)}{a} + \frac{c^2 dx^2}{2a} + 3 \\ \frac{i\pi\left(c^3 x + c^2 dx^3 + \frac{3cd^2 x^5}{5} + \frac{d^3 x^7}{7}\right)}{2} \end{cases}$$

input `integrate((d*x**2+c)**3*acoth(a*x),x)`

output

```
Piecewise((c**3*x*acoth(a*x) + c**2*d*x**3*acoth(a*x) + 3*c*d**2*x**5*acot
h(a*x)/5 + d**3*x**7*acoth(a*x)/7 + c**3*log(x - 1/a)/a + c**3*acoth(a*x)/
a + c**2*d*x**2/(2*a) + 3*c*d**2*x**4/(20*a) + d**3*x**6/(42*a) + c**2*d*log(x - 1/a)/a**3 + c**2*d*acoth(a*x)/a**3 + 3*c*d**2*x**2/(10*a**3) + d**3*x**4/(28*a**3) + 3*c*d**2*log(x - 1/a)/(5*a**5) + 3*c*d**2*acoth(a*x)/(5*a**5) + d**3*x**2/(14*a**5) + d**3*log(x - 1/a)/(7*a**7) + d**3*acoth(a*x)/(7*a**7), Ne(a, 0)), (I*pi*(c**3*x + c**2*d*x**3 + 3*c*d**2*x**5/5 + d**3*x**7/7)/2, True))
```

Maxima [A] (verification not implemented)

Time = 0.03 (sec) , antiderivative size = 198, normalized size of antiderivative = 1.17

$$\int (c + dx^2)^3 \coth^{-1}(ax) dx$$

$$= \frac{1}{420} a \left(\frac{10 a^4 d^3 x^6 + 3 (21 a^4 c d^2 + 5 a^2 d^3) x^4 + 6 (35 a^4 c^2 d + 21 a^2 c d^2 + 5 d^3) x^2}{a^6} + \frac{6 (35 a^6 c^3 + 35 a^4 c^2 d + 21 a^2 c d^2 + 5 d^3) x^2}{a^6} \right) + \frac{1}{35} (5 d^3 x^7 + 21 c d^2 x^5 + 35 c^2 d x^3 + 35 c^3 x) \operatorname{arccoth}(ax)$$

input

```
integrate((d*x^2+c)^3*arccoth(a*x),x, algorithm="maxima")
```

output

```
1/420*a*((10*a^4*d^3*x^6 + 3*(21*a^4*c*d^2 + 5*a^2*d^3)*x^4 + 6*(35*a^4*c^2*d + 21*a^2*c*d^2 + 5*d^3)*x^2)/a^6 + 6*(35*a^6*c^3 + 35*a^4*c^2*d + 21*a^2*c*d^2 + 5*d^3)*log(a*x + 1)/a^8 + 6*(35*a^6*c^3 + 35*a^4*c^2*d + 21*a^2*c*d^2 + 5*d^3)*log(a*x - 1)/a^8) + 1/35*(5*d^3*x^7 + 21*c*d^2*x^5 + 35*c^2*d*x^3 + 35*c^3*x)*arccoth(a*x)
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 932 vs. $2(157) = 314$.

Time = 0.14 (sec) , antiderivative size = 932, normalized size of antiderivative = 5.51

$$\int (c + dx^2)^3 \coth^{-1}(ax) dx = \text{Too large to display}$$

input `integrate((d*x^2+c)^3*arccoth(a*x),x, algorithm="giac")`

output

```

1/105*a*(3*(35*a^6*c^3 + 35*a^4*c^2*d + 21*a^2*c*d^2 + 5*d^3)*log(abs(a*x
+ 1)/abs(a*x - 1))/a^8 - 3*(35*a^6*c^3 + 35*a^4*c^2*d + 21*a^2*c*d^2 + 5*d
^3)*log(abs((a*x + 1)/(a*x - 1) - 1))/a^8 + 2*(3*(35*a^4*c^2*d + 42*a^2*c*
d^2 + 15*d^3)*(a*x + 1)^5/(a*x - 1)^5 - 6*(70*a^4*c^2*d + 63*a^2*c*d^2 + 1
5*d^3)*(a*x + 1)^4/(a*x - 1)^4 + 2*(315*a^4*c^2*d + 252*a^2*c*d^2 + 85*d^3
)*(a*x + 1)^3/(a*x - 1)^3 - 6*(70*a^4*c^2*d + 63*a^2*c*d^2 + 15*d^3)*(a*x
+ 1)^2/(a*x - 1)^2 + 3*(35*a^4*c^2*d + 42*a^2*c*d^2 + 15*d^3)*(a*x + 1)/(a
*x - 1))/(a^8*((a*x + 1)/(a*x - 1) - 1)^6) + 3*(35*(a*x + 1)^6*a^6*c^3/(a*
x - 1)^6 - 210*(a*x + 1)^5*a^6*c^3/(a*x - 1)^5 + 525*(a*x + 1)^4*a^6*c^3/(
a*x - 1)^4 - 700*(a*x + 1)^3*a^6*c^3/(a*x - 1)^3 + 525*(a*x + 1)^2*a^6*c^3
/(a*x - 1)^2 - 210*(a*x + 1)*a^6*c^3/(a*x - 1) + 35*a^6*c^3 + 105*(a*x + 1
)^6*a^4*c^2*d/(a*x - 1)^6 - 420*(a*x + 1)^5*a^4*c^2*d/(a*x - 1)^5 + 665*(a
*x + 1)^4*a^4*c^2*d/(a*x - 1)^4 - 560*(a*x + 1)^3*a^4*c^2*d/(a*x - 1)^3 +
315*(a*x + 1)^2*a^4*c^2*d/(a*x - 1)^2 - 140*(a*x + 1)*a^4*c^2*d/(a*x - 1)
+ 35*a^4*c^2*d + 105*(a*x + 1)^6*a^2*c*d^2/(a*x - 1)^6 - 210*(a*x + 1)^5*a
^2*c*d^2/(a*x - 1)^5 + 315*(a*x + 1)^4*a^2*c*d^2/(a*x - 1)^4 - 420*(a*x +
1)^3*a^2*c*d^2/(a*x - 1)^3 + 231*(a*x + 1)^2*a^2*c*d^2/(a*x - 1)^2 - 42*(a
*x + 1)*a^2*c*d^2/(a*x - 1) + 21*a^2*c*d^2 + 35*(a*x + 1)^6*d^3/(a*x - 1)^
6 + 175*(a*x + 1)^4*d^3/(a*x - 1)^4 + 105*(a*x + 1)^2*d^3/(a*x - 1)^2 + 5*
d^3)*log(-(((a*x + 1)*a/(a*x - 1) - a)/(a*((a*x + 1)/(a*x - 1) + 1)) + ...

```

Mupad [B] (verification not implemented)

Time = 4.14 (sec) , antiderivative size = 190, normalized size of antiderivative = 1.12

$$\begin{aligned}
\int (c + dx^2)^3 \coth^{-1}(ax) dx &= c^3 x \operatorname{acoth}(ax) + \frac{d^3 x^7 \operatorname{acoth}(ax)}{7} \\
&+ \frac{c^3 \ln(a^2 x^2 - 1)}{2a} + \frac{d^3 \ln(a^2 x^2 - 1)}{14a^7} \\
&+ \frac{d^3 x^6}{42a} + \frac{d^3 x^4}{28a^3} + \frac{d^3 x^2}{14a^5} + \frac{c^2 d \ln(a^2 x^2 - 1)}{2a^3} \\
&+ \frac{3cd^2 \ln(a^2 x^2 - 1)}{10a^5} + \frac{c^2 dx^2}{2a} + \frac{3cd^2 x^4}{20a} \\
&+ \frac{3cd^2 x^2}{10a^3} + c^2 dx^3 \operatorname{acoth}(ax) + \frac{3cd^2 x^5 \operatorname{acoth}(ax)}{5}
\end{aligned}$$

3.3 $\int (c + dx^2)^2 \coth^{-1}(ax) dx$

Optimal result	56
Mathematica [A] (verified)	56
Rubi [A] (verified)	57
Maple [A] (verified)	59
Fricas [A] (verification not implemented)	59
Sympy [C] (verification not implemented)	60
Maxima [A] (verification not implemented)	60
Giac [B] (verification not implemented)	61
Mupad [B] (verification not implemented)	62
Reduce [B] (verification not implemented)	62

Optimal result

Integrand size = 14, antiderivative size = 110

$$\int (c + dx^2)^2 \coth^{-1}(ax) dx = \frac{d(10a^2c + 3d)x^2}{30a^3} + \frac{d^2x^4}{20a} + c^2x \coth^{-1}(ax) + \frac{2}{3}cdx^3 \coth^{-1}(ax) + \frac{1}{5}d^2x^5 \coth^{-1}(ax) + \frac{(15a^4c^2 + 10a^2cd + 3d^2) \log(1 - a^2x^2)}{30a^5}$$

```
output 1/30*d*(10*a^2*c+3*d)*x^2/a^3+1/20*d^2*x^4/a+c^2*x*arccoth(a*x)+2/3*c*d*x^3*arccoth(a*x)+1/5*d^2*x^5*arccoth(a*x)+1/30*(15*a^4*c^2+10*a^2*c*d+3*d^2)*ln(-a^2*x^2+1)/a^5
```

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 98, normalized size of antiderivative = 0.89

$$\int (c + dx^2)^2 \coth^{-1}(ax) dx = \frac{a^2dx^2(6d + a^2(20c + 3dx^2)) + 4a^5x(15c^2 + 10cdx^2 + 3d^2x^4) \coth^{-1}(ax) + (30a^4c^2 + 20a^2cd + 6d^2) \log(1 - a^2x^2)}{60a^5}$$

```
input Integrate[(c + d*x^2)^2*ArcCoth[a*x], x]
```

output

```
(a^2*d*x^2*(6*d + a^2*(20*c + 3*d*x^2)) + 4*a^5*x*(15*c^2 + 10*c*d*x^2 + 3
*d^2*x^4)*ArcCoth[a*x] + (30*a^4*c^2 + 20*a^2*c*d + 6*d^2)*Log[1 - a^2*x^2
])/ (60*a^5)
```

Rubi [A] (verified)

Time = 0.39 (sec) , antiderivative size = 112, normalized size of antiderivative = 1.02, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {6539, 27, 1576, 1140, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \coth^{-1}(ax) (c + dx^2)^2 dx$$

$$\downarrow 6539$$

$$-a \int \frac{x(3d^2x^4 + 10cdx^2 + 15c^2)}{15(1 - a^2x^2)} dx + c^2x \coth^{-1}(ax) + \frac{2}{3}cdx^3 \coth^{-1}(ax) + \frac{1}{5}d^2x^5 \coth^{-1}(ax)$$

$$\downarrow 27$$

$$-\frac{1}{15}a \int \frac{x(3d^2x^4 + 10cdx^2 + 15c^2)}{1 - a^2x^2} dx + c^2x \coth^{-1}(ax) + \frac{2}{3}cdx^3 \coth^{-1}(ax) + \frac{1}{5}d^2x^5 \coth^{-1}(ax)$$

$$\downarrow 1576$$

$$-\frac{1}{30}a \int \frac{3d^2x^4 + 10cdx^2 + 15c^2}{1 - a^2x^2} dx^2 + c^2x \coth^{-1}(ax) + \frac{2}{3}cdx^3 \coth^{-1}(ax) + \frac{1}{5}d^2x^5 \coth^{-1}(ax)$$

$$\downarrow 1140$$

$$-\frac{1}{30}a \int \left(-\frac{3d^2x^2}{a^2} - \frac{d(10ca^2 + 3d)}{a^4} + \frac{-15c^2a^4 - 10cda^2 - 3d^2}{a^4(a^2x^2 - 1)} \right) dx^2 + c^2x \coth^{-1}(ax) + \frac{2}{3}cdx^3 \coth^{-1}(ax) + \frac{1}{5}d^2x^5 \coth^{-1}(ax)$$

$$\downarrow 2009$$

$$-\frac{1}{30}a\left(-\frac{3d^2x^4}{2a^2}-\frac{dx^2(10a^2c+3d)}{a^4}-\frac{(15a^4c^2+10a^2cd+3d^2)\log(1-a^2x^2)}{a^6}\right)+c^2x\coth^{-1}(ax)+\frac{2}{3}cdx^3\coth^{-1}(ax)+\frac{1}{5}d^2x^5\coth^{-1}(ax)$$

input `Int[(c + d*x^2)^2*ArcCoth[a*x], x]`

output `c^2*x*ArcCoth[a*x] + (2*c*d*x^3*ArcCoth[a*x])/3 + (d^2*x^5*ArcCoth[a*x])/5 - (a*(-((d*(10*a^2*c + 3*d)*x^2)/a^4) - (3*d^2*x^4)/(2*a^2) - ((15*a^4*c^2 + 10*a^2*c*d + 3*d^2)*Log[1 - a^2*x^2])/a^6))/30`

Defintions of rubi rules used

rule 27 `Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_) /; FreeQ[b, x]]`

rule 1140 `Int[((d_) + (e_)*(x_)^(m_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 0]`

rule 1576 `Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[1/2 Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 6539 `Int[((a_) + ArcCoth[(c_)*(x_)])*(b_))*((d_) + (e_)*(x_)^2)^(q_), x_Symbol] := With[{u = IntHide[(d + e*x^2)^q, x]}, Simp[(a + b*ArcCoth[c*x]) u, x] - Simp[b*c Int[SimplifyIntegrand[u/(1 - c^2*x^2), x], x], x] /; FreeQ[{a, b, c, d, e}, x] && (IntegerQ[q] || ILtQ[q + 1/2, 0])`

Maple [A] (verified)

Time = 0.26 (sec) , antiderivative size = 105, normalized size of antiderivative = 0.95

method	result
parts	$\frac{d^2 x^5 \operatorname{arccoth}(xa)}{5} + \frac{2cdx^3 \operatorname{arccoth}(xa)}{3} + c^2 x \operatorname{arccoth}(xa) + \frac{a \left(\frac{d \left(\frac{3}{2} a^2 d x^4 + 10 a^2 c x^2 + 3 d x^2 \right)}{2 a^4} + \frac{(15 a^4 c^2 + 10 a^2 c d + 3 d^2) \ln(xa-1)}{15 a^4} \right)}{15}$
derivativedivides	$\frac{\operatorname{arccoth}(xa) c^2 xa + \frac{2a \operatorname{arccoth}(xa) cd x^3}{3} + \frac{a \operatorname{arccoth}(xa) d^2 x^5}{5} + \frac{5c a^4 d x^2 + \frac{3d^2 x^4 a^4}{4} + \frac{3d^2 x^2 a^2}{2} + \frac{(15a^4 c^2 + 10a^2 cd + 3d^2) \ln(xa-1)}{2}}{15a^4}}{a}$
default	$\frac{\operatorname{arccoth}(xa) c^2 xa + \frac{2a \operatorname{arccoth}(xa) cd x^3}{3} + \frac{a \operatorname{arccoth}(xa) d^2 x^5}{5} + \frac{5c a^4 d x^2 + \frac{3d^2 x^4 a^4}{4} + \frac{3d^2 x^2 a^2}{2} + \frac{(15a^4 c^2 + 10a^2 cd + 3d^2) \ln(xa-1)}{2}}{15a^4}}{a}$
parallelrisch	$-\frac{-12x^5 \operatorname{arccoth}(xa) a^5 d^2 - 40x^3 \operatorname{arccoth}(xa) a^5 cd - 3d^2 x^4 a^4 - 60c^2 x \operatorname{arccoth}(xa) a^5 - 20c a^4 d x^2 - 60 \ln(xa-1) a^4 c^2 - 60 \ln(xa-1) a^4 c d}{a^6}$
risch	$\left(\frac{1}{10} d^2 x^5 + \frac{1}{3} cd x^3 + \frac{1}{2} c^2 x \right) \ln(xa + 1) - \frac{d^2 x^5 \ln(xa-1)}{10} - \frac{cd x^3 \ln(xa-1)}{3} + \frac{d^2 x^4}{20a} - \frac{c^2 x \ln(xa-1)}{2}$

input `int((d*x^2+c)^2*arccoth(x*a),x,method=_RETURNVERBOSE)`output `1/5*d^2*x^5*arccoth(x*a)+2/3*c*d*x^3*arccoth(x*a)+c^2*x*arccoth(x*a)+1/15*a*(1/2*d/a^4*(3/2*a^2*d*x^4+10*a^2*c*x^2+3*d*x^2)+1/2*(15*a^4*c^2+10*a^2*c*d+3*d^2)/a^6*ln(a^2*x^2-1))`**Fricas [A] (verification not implemented)**

Time = 0.08 (sec) , antiderivative size = 118, normalized size of antiderivative = 1.07

$$\int (c + dx^2)^2 \operatorname{coth}^{-1}(ax) dx = \frac{3a^4 d^2 x^4 + 2(10a^4 cd + 3a^2 d^2)x^2 + 2(15a^4 c^2 + 10a^2 cd + 3d^2) \log(a^2 x^2 - 1) + 2(3a^5 d^2 x^5 + 10a^5 cd x^3 + 15a^5 c^2 x) \log((ax + 1)/(ax - 1))}{60a^5}$$

input `integrate((d*x^2+c)^2*arccoth(a*x),x, algorithm="fricas")`output `1/60*(3*a^4*d^2*x^4 + 2*(10*a^4*c*d + 3*a^2*d^2)*x^2 + 2*(15*a^4*c^2 + 10*a^2*c*d + 3*d^2)*log(a^2*x^2 - 1) + 2*(3*a^5*d^2*x^5 + 10*a^5*c*d*x^3 + 15*a^5*c^2*x)*log((a*x + 1)/(a*x - 1)))/a^5`

Sympy [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.40 (sec) , antiderivative size = 182, normalized size of antiderivative = 1.65

$$\int (c + dx^2)^2 \coth^{-1}(ax) dx$$

$$= \begin{cases} c^2 x \operatorname{acoth}(ax) + \frac{2cdx^3 \operatorname{acoth}(ax)}{3} + \frac{d^2 x^5 \operatorname{acoth}(ax)}{5} + \frac{c^2 \log(x - \frac{1}{a})}{a} + \frac{c^2 \operatorname{acoth}(ax)}{a} + \frac{cdx^2}{3a} + \frac{d^2 x^4}{20a} + \frac{2cd \log(x - \frac{1}{a})}{3a^3} + \frac{2i\pi(c^2 x + \frac{2cdx^3}{3} + \frac{d^2 x^5}{5})}{2} \end{cases}$$

input `integrate((d*x**2+c)**2*acoth(a*x),x)`

output `Piecewise((c**2*x*acoth(a*x) + 2*c*d*x**3*acoth(a*x)/3 + d**2*x**5*acoth(a*x)/5 + c**2*log(x - 1/a)/a + c**2*acoth(a*x)/a + c*d*x**2/(3*a) + d**2*x**4/(20*a) + 2*c*d*log(x - 1/a)/(3*a**3) + 2*c*d*acoth(a*x)/(3*a**3) + d**2*x**2/(10*a**3) + d**2*log(x - 1/a)/(5*a**5) + d**2*acoth(a*x)/(5*a**5), Ne(a, 0)), (I*pi*(c**2*x + 2*c*d*x**3/3 + d**2*x**5/5)/2, True))`

Maxima [A] (verification not implemented)

Time = 0.03 (sec) , antiderivative size = 131, normalized size of antiderivative = 1.19

$$\int (c + dx^2)^2 \coth^{-1}(ax) dx$$

$$= \frac{1}{60} a \left(\frac{3 a^2 d^2 x^4 + 2 (10 a^2 c d + 3 d^2) x^2}{a^4} + \frac{2 (15 a^4 c^2 + 10 a^2 c d + 3 d^2) \log(ax + 1)}{a^6} + \frac{2 (15 a^4 c^2 + 10 a^2 c d + 3 d^2) \log(ax - 1)}{a^6} \right) + \frac{1}{15} (3 d^2 x^5 + 10 c d x^3 + 15 c^2 x) \operatorname{arccoth}(ax)$$

input `integrate((d*x^2+c)^2*arccoth(a*x),x, algorithm="maxima")`

output `1/60*a*((3*a^2*d^2*x^4 + 2*(10*a^2*c*d + 3*d^2)*x^2)/a^4 + 2*(15*a^4*c^2 + 10*a^2*c*d + 3*d^2)*log(a*x + 1)/a^6 + 2*(15*a^4*c^2 + 10*a^2*c*d + 3*d^2)*log(a*x - 1)/a^6) + 1/15*(3*d^2*x^5 + 10*c*d*x^3 + 15*c^2*x)*arccoth(a*x)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 529 vs. $2(100) = 200$.

Time = 0.13 (sec) , antiderivative size = 529, normalized size of antiderivative = 4.81

$$\int (c + dx^2)^2 \coth^{-1}(ax) dx$$

$$= \frac{1}{15} a \left(\frac{(15a^4c^2 + 10a^2cd + 3d^2) \log\left(\frac{|ax+1|}{|ax-1|}\right)}{a^6} - \frac{(15a^4c^2 + 10a^2cd + 3d^2) \log\left(\left|\frac{ax+1}{ax-1} - 1\right|\right)}{a^6} + \frac{4\left(\frac{5a^2cd+3d^2}{(ax+1)^2} - \frac{5a^2cd+3d^2}{(ax-1)^2}\right)}{a^6} \right)$$

input `integrate((d*x^2+c)^2*arccoth(a*x),x, algorithm="giac")`

output

```
1/15*a*((15*a^4*c^2 + 10*a^2*c*d + 3*d^2)*log(abs(a*x + 1)/abs(a*x - 1))/a
^6 - (15*a^4*c^2 + 10*a^2*c*d + 3*d^2)*log(abs((a*x + 1)/(a*x - 1) - 1))/a
^6 + 4*((5*a^2*c*d + 3*d^2)*(a*x + 1)^3/(a*x - 1)^3 - (10*a^2*c*d + 3*d^2)
*(a*x + 1)^2/(a*x - 1)^2 + (5*a^2*c*d + 3*d^2)*(a*x + 1)/(a*x - 1))/(a^6*(
(a*x + 1)/(a*x - 1) - 1)^4) + (15*(a*x + 1)^4*a^4*c^2/(a*x - 1)^4 - 60*(a*
x + 1)^3*a^4*c^2/(a*x - 1)^3 + 90*(a*x + 1)^2*a^4*c^2/(a*x - 1)^2 - 60*(a*
x + 1)*a^4*c^2/(a*x - 1) + 15*a^4*c^2 + 30*(a*x + 1)^4*a^2*c*d/(a*x - 1)^4
- 60*(a*x + 1)^3*a^2*c*d/(a*x - 1)^3 + 40*(a*x + 1)^2*a^2*c*d/(a*x - 1)^2
- 20*(a*x + 1)*a^2*c*d/(a*x - 1) + 10*a^2*c*d + 15*(a*x + 1)^4*d^2/(a*x -
1)^4 + 30*(a*x + 1)^2*d^2/(a*x - 1)^2 + 3*d^2)*log(-(((a*x + 1)*a/(a*x -
1) - a)/(a*((a*x + 1)/(a*x - 1) + 1)) + 1)/(((a*x + 1)*a/(a*x - 1) - a)/(a
*((a*x + 1)/(a*x - 1) + 1)) - 1))/(a^6*((a*x + 1)/(a*x - 1) - 1)^5))
```

Mupad [B] (verification not implemented)

Time = 3.92 (sec) , antiderivative size = 115, normalized size of antiderivative = 1.05

$$\int (c + dx^2)^2 \coth^{-1}(ax) dx$$

$$= \frac{a^4 \left(\frac{c^2 \ln(a^2 x^2 - 1)}{2} + \frac{d^2 x^4}{20} + \frac{cdx^2}{3} \right) + a^2 \left(\frac{d^2 x^2}{10} + \frac{cd \ln(a^2 x^2 - 1)}{3} \right) + \frac{d^2 \ln(a^2 x^2 - 1)}{10}}{a^5} + c^2 x \operatorname{acoth}(ax) + \frac{d^2 x^5 \operatorname{acoth}(ax)}{5} + \frac{2cdx^3 \operatorname{acoth}(ax)}{3}$$

input `int(acoth(a*x)*(c + d*x^2)^2,x)`output `(a^4*((c^2*log(a^2*x^2 - 1))/2 + (d^2*x^4)/20 + (c*d*x^2)/3) + a^2*((d^2*x^2)/10 + (c*d*log(a^2*x^2 - 1))/3) + (d^2*log(a^2*x^2 - 1))/10)/a^5 + c^2*x*acoth(a*x) + (d^2*x^5*acoth(a*x))/5 + (2*c*d*x^3*acoth(a*x))/3`**Reduce [B] (verification not implemented)**

Time = 0.16 (sec) , antiderivative size = 162, normalized size of antiderivative = 1.47

$$\int (c + dx^2)^2 \coth^{-1}(ax) dx$$

$$= \frac{60 \operatorname{acoth}(ax) a^5 c^2 x + 40 \operatorname{acoth}(ax) a^5 cd x^3 + 12 \operatorname{acoth}(ax) a^5 d^2 x^5 + 60 \operatorname{acoth}(ax) a^4 c^2 + 40 \operatorname{acoth}(ax) a^2 cd}{a^5}$$

input `int((d*x^2+c)^2*acoth(a*x),x)`output `(60*acoth(a*x)*a**5*c**2*x + 40*acoth(a*x)*a**5*c*d*x**3 + 12*acoth(a*x)*a**5*d**2*x**5 + 60*acoth(a*x)*a**4*c**2 + 40*acoth(a*x)*a**2*c*d + 12*acoth(a*x)*d**2 - 60*log(a**2*x - a)*a**4*c**2 - 40*log(a**2*x - a)*a**2*c*d - 12*log(a**2*x - a)*d**2 - 20*a**4*c*d*x**2 - 3*a**4*d**2*x**4 - 6*a**2*d*x**2)/(60*a**5)`

3.4 $\int (c + dx^2) \coth^{-1}(ax) dx$

Optimal result	63
Mathematica [A] (verified)	63
Rubi [A] (verified)	64
Maple [A] (verified)	66
Fricas [A] (verification not implemented)	66
Sympy [C] (verification not implemented)	67
Maxima [A] (verification not implemented)	67
Giac [B] (verification not implemented)	68
Mupad [B] (verification not implemented)	68
Reduce [B] (verification not implemented)	69

Optimal result

Integrand size = 12, antiderivative size = 57

$$\int (c + dx^2) \coth^{-1}(ax) dx = \frac{dx^2}{6a} + cx \coth^{-1}(ax) + \frac{1}{3} dx^3 \coth^{-1}(ax) + \frac{(3a^2c + d) \log(1 - a^2x^2)}{6a^3}$$

output `1/6*d*x^2/a+c*x*arccoth(a*x)+1/3*d*x^3*arccoth(a*x)+1/6*(3*a^2*c+d)*ln(-a^2*x^2+1)/a^3`

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 69, normalized size of antiderivative = 1.21

$$\int (c + dx^2) \coth^{-1}(ax) dx = \frac{dx^2}{6a} + cx \coth^{-1}(ax) + \frac{1}{3} dx^3 \coth^{-1}(ax) + \frac{c \log(1 - a^2x^2)}{2a} + \frac{d \log(1 - a^2x^2)}{6a^3}$$

input `Integrate[(c + d*x^2)*ArcCoth[a*x], x]`

output

$$\frac{(d*x^2)/(6*a) + c*x*ArcCoth[a*x] + (d*x^3*ArcCoth[a*x])/3 + (c*Log[1 - a^2*x^2])/(2*a) + (d*Log[1 - a^2*x^2])/(6*a^3)}$$

Rubi [A] (verified)

Time = 0.29 (sec) , antiderivative size = 59, normalized size of antiderivative = 1.04, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {6539, 27, 353, 49, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \coth^{-1}(ax) (c + dx^2) dx \\ & \quad \downarrow \text{6539} \\ & -a \int \frac{x(dx^2 + 3c)}{3(1 - a^2x^2)} dx + cx \coth^{-1}(ax) + \frac{1}{3} dx^3 \coth^{-1}(ax) \\ & \quad \downarrow \text{27} \\ & -\frac{1}{3}a \int \frac{x(dx^2 + 3c)}{1 - a^2x^2} dx + cx \coth^{-1}(ax) + \frac{1}{3} dx^3 \coth^{-1}(ax) \\ & \quad \downarrow \text{353} \\ & -\frac{1}{6}a \int \frac{dx^2 + 3c}{1 - a^2x^2} dx^2 + cx \coth^{-1}(ax) + \frac{1}{3} dx^3 \coth^{-1}(ax) \\ & \quad \downarrow \text{49} \\ & -\frac{1}{6}a \int \left(\frac{-3ca^2 - d}{a^2(a^2x^2 - 1)} - \frac{d}{a^2} \right) dx^2 + cx \coth^{-1}(ax) + \frac{1}{3} dx^3 \coth^{-1}(ax) \\ & \quad \downarrow \text{2009} \\ & -\frac{1}{6}a \left(-\frac{dx^2}{a^2} - \frac{(3a^2c + d) \log(1 - a^2x^2)}{a^4} \right) + cx \coth^{-1}(ax) + \frac{1}{3} dx^3 \coth^{-1}(ax) \end{aligned}$$

input

$$\text{Int}[(c + d*x^2)*ArcCoth[a*x], x]$$

output

```
c*x*ArcCoth[a*x] + (d*x^3*ArcCoth[a*x])/3 - (a*(-((d*x^2)/a^2) - ((3*a^2*c
+ d)*Log[1 - a^2*x^2])/a^4))/6
```

Defintions of rubi rules used

rule 27

```
Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !Ma
tchQ[F_x, (b_)*(G_x_)] /; FreeQ[b, x]
```

rule 49

```
Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 353

```
Int[(x_)*((a_) + (b_.)*(x_)^2)^(p_.)*((c_) + (d_.)*(x_)^2)^(q_.), x_Symbol]
:= Simp[1/2 Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^2], x] /; FreeQ[
{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0]
```

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 6539

```
Int[((a_.) + ArcCoth[(c_.)*(x_)])*(b_.))*((d_.) + (e_.)*(x_)^2)^(q_.), x_Sym
bol] := With[{u = IntHide[(d + e*x^2)^q, x]}, Simp[(a + b*ArcCoth[c*x]) u
, x] - Simp[b*c Int[SimplifyIntegrand[u/(1 - c^2*x^2), x], x], x] /; Fre
eQ[{a, b, c, d, e}, x] && (IntegerQ[q] || ILtQ[q + 1/2, 0])
```

Maple [A] (verified)

Time = 0.12 (sec) , antiderivative size = 55, normalized size of antiderivative = 0.96

method	result
parts	$\frac{dx^3 \operatorname{arccoth}(xa)}{3} + cx \operatorname{arccoth}(xa) + \frac{a \left(\frac{dx^2}{2a^2} + \frac{(3a^2c+d) \ln(a^2x^2-1)}{2a^4} \right)}{3}$
derivativdivides	$\frac{\operatorname{arccoth}(xa)cxa + \frac{a \operatorname{arccoth}(xa)dx^3}{3} + \frac{dx^2a^2}{2} + \frac{(3a^2c+d) \ln(xa-1)}{2} - \frac{(-3a^2c-d) \ln(xa+1)}{2}}{3a^2}$
default	$\frac{\operatorname{arccoth}(xa)cxa + \frac{a \operatorname{arccoth}(xa)dx^3}{3} + \frac{dx^2a^2}{2} + \frac{(3a^2c+d) \ln(xa-1)}{2} - \frac{(-3a^2c-d) \ln(xa+1)}{2}}{a}$
parallelrisc	$-\frac{2x^3 \operatorname{arccoth}(xa)a^3d - 6c \operatorname{arccoth}(xa)xa^3 - dx^2a^2 - 6 \ln(xa-1)a^2c - 6 \operatorname{arccoth}(xa)a^2c - 2 \ln(xa-1)d - 2 \operatorname{arccoth}(xa)}{6a^3}$
risc	$\left(\frac{1}{6}dx^3 + \frac{1}{2}cx\right) \ln(xa+1) - \frac{dx^3 \ln(xa-1)}{6} - \frac{cx \ln(xa-1)}{2} + \frac{dx^2}{6a} + \frac{\ln(a^2x^2-1)c}{2a} + \frac{\ln(a^2x^2-1)d}{6a^3}$

input `int((d*x^2+c)*arccoth(x*a),x,method=_RETURNVERBOSE)`output `1/3*d*x^3*arccoth(x*a)+c*x*arccoth(x*a)+1/3*a*(1/2*d/a^2*x^2+1/2*(3*a^2*c+d)/a^4*ln(a^2*x^2-1))`**Fricas [A] (verification not implemented)**

Time = 0.10 (sec) , antiderivative size = 64, normalized size of antiderivative = 1.12

$$\int (c + dx^2) \coth^{-1}(ax) dx$$

$$= \frac{a^2 dx^2 + (3a^2c + d) \log(a^2x^2 - 1) + (a^3 dx^3 + 3a^3 cx) \log\left(\frac{ax+1}{ax-1}\right)}{6a^3}$$

input `integrate((d*x^2+c)*arccoth(a*x),x, algorithm="fricas")`output `1/6*(a^2*d*x^2 + (3*a^2*c + d)*log(a^2*x^2 - 1) + (a^3*d*x^3 + 3*a^3*c*x)*log((a*x + 1)/(a*x - 1)))/a^3`

Sympy [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.28 (sec) , antiderivative size = 87, normalized size of antiderivative = 1.53

$$\int (c + dx^2) \coth^{-1}(ax) dx$$

$$= \begin{cases} cx \operatorname{acoth}(ax) + \frac{dx^3 \operatorname{acoth}(ax)}{3} + \frac{c \log(x - \frac{1}{a})}{a} + \frac{c \operatorname{acoth}(ax)}{a} + \frac{dx^2}{6a} + \frac{d \log(x - \frac{1}{a})}{3a^3} + \frac{d \operatorname{acoth}(ax)}{3a^3} & \text{for } a \neq 0 \\ \frac{i\pi(cx + \frac{dx^3}{3})}{2} & \text{otherwise} \end{cases}$$

input `integrate((d*x**2+c)*acoth(a*x),x)`

output `Piecewise((c*x*acoth(a*x) + d*x**3*acoth(a*x)/3 + c*log(x - 1/a)/a + c*acoth(a*x)/a + d*x**2/(6*a) + d*log(x - 1/a)/(3*a**3) + d*acoth(a*x)/(3*a**3), Ne(a, 0)), (I*pi*(c*x + d*x**3/3)/2, True))`

Maxima [A] (verification not implemented)

Time = 0.03 (sec) , antiderivative size = 65, normalized size of antiderivative = 1.14

$$\int (c + dx^2) \coth^{-1}(ax) dx$$

$$= \frac{1}{6} a \left(\frac{dx^2}{a^2} + \frac{(3a^2c + d) \log(ax + 1)}{a^4} + \frac{(3a^2c + d) \log(ax - 1)}{a^4} \right) + \frac{1}{3} (dx^3 + 3cx) \operatorname{arccoth}(ax)$$

input `integrate((d*x^2+c)*arccoth(a*x),x, algorithm="maxima")`

output `1/6*a*(d*x^2/a^2 + (3*a^2*c + d)*log(a*x + 1)/a^4 + (3*a^2*c + d)*log(a*x - 1)/a^4) + 1/3*(d*x^3 + 3*c*x)*arccoth(a*x)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 268 vs. $2(51) = 102$.

Time = 0.12 (sec) , antiderivative size = 268, normalized size of antiderivative = 4.70

$$\int (c + dx^2) \coth^{-1}(ax) dx$$

$$= \frac{1}{3} a \left(\frac{(3a^2c + d) \log\left(\frac{|ax+1|}{|ax-1|}\right)}{a^4} - \frac{(3a^2c + d) \log\left(\left|\frac{ax+1}{ax-1} - 1\right|\right)}{a^4} + \frac{2(ax+1)d}{(ax-1)a^4\left(\frac{ax+1}{ax-1} - 1\right)^2} + \frac{\left(\frac{3(ax+1)^2a^2c}{(ax-1)^2} - \dots\right)}{\dots} \right)$$

input `integrate((d*x^2+c)*arccoth(a*x),x, algorithm="giac")`

output `1/3*a*((3*a^2*c + d)*log(abs(a*x + 1)/abs(a*x - 1))/a^4 - (3*a^2*c + d)*log(abs((a*x + 1)/(a*x - 1) - 1))/a^4 + 2*(a*x + 1)*d/((a*x - 1)*a^4*((a*x + 1)/(a*x - 1) - 1)^2) + (3*(a*x + 1)^2*a^2*c/(a*x - 1)^2 - 6*(a*x + 1)*a^2*c/(a*x - 1) + 3*a^2*c + 3*(a*x + 1)^2*d/(a*x - 1)^2 + d)*log(-(((a*x + 1)*a/(a*x - 1) - a)/(a*((a*x + 1)/(a*x - 1) + 1)) + 1)/(((a*x + 1)*a/(a*x - 1) - a)/(a*((a*x + 1)/(a*x - 1) + 1)) - 1))/a^4*((a*x + 1)/(a*x - 1) - 1)^3))`

Mupad [B] (verification not implemented)

Time = 3.93 (sec) , antiderivative size = 60, normalized size of antiderivative = 1.05

$$\int (c + dx^2) \coth^{-1}(ax) dx = \frac{\frac{d \ln(a^2 x^2 - 1)}{6} + a^2 \left(\frac{c \ln(a^2 x^2 - 1)}{2} + \frac{dx^2}{6} \right)}{a^3} + \frac{dx^3 \operatorname{acoth}(ax)}{3} + cx \operatorname{acoth}(ax)$$

input `int(acoth(a*x)*(c + d*x^2),x)`

output $((d \log(a^2 x^2 - 1))/6 + a^2((c \log(a^2 x^2 - 1))/2 + (d x^2)/6))/a^3 + (d x^3 \operatorname{acoth}(a x))/3 + c x \operatorname{acoth}(a x)$

Reduce [B] (verification not implemented)

Time = 0.17 (sec) , antiderivative size = 85, normalized size of antiderivative = 1.49

$$\int (c + dx^2) \operatorname{coth}^{-1}(ax) dx$$

$$= \frac{6 \operatorname{acoth}(ax) a^3 cx + 2 \operatorname{acoth}(ax) a^3 d x^3 + 6 \operatorname{acoth}(ax) a^2 c + 2 \operatorname{acoth}(ax) d - 6 \log(a^2 x - a) a^2 c - 2 \log(a^2 x - a) d}{6 a^3}$$

input `int((d*x^2+c)*acoth(a*x),x)`

output $(6 \operatorname{acoth}(a x) a^3 c x + 2 \operatorname{acoth}(a x) a^3 d x^3 + 6 \operatorname{acoth}(a x) a^2 c + 2 \operatorname{acoth}(a x) d - 6 \log(a^2 x - a) a^2 c - 2 \log(a^2 x - a) d - a^2 d x^2)/(6 a^3)$

3.5 $\int \frac{\coth^{-1}(ax)}{c+dx^2} dx$

Optimal result	70
Mathematica [A] (warning: unable to verify)	71
Rubi [A] (verified)	72
Maple [A] (verified)	75
Fricas [F]	76
Sympy [F]	76
Maxima [A] (verification not implemented)	76
Giac [F]	77
Mupad [F(-1)]	77
Reduce [F]	78

Optimal result

Integrand size = 14, antiderivative size = 390

$$\int \frac{\coth^{-1}(ax)}{c+dx^2} dx = -\frac{\arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) \log\left(1 - \frac{1}{ax}\right)}{2\sqrt{c}\sqrt{d}} + \frac{\arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) \log\left(1 + \frac{1}{ax}\right)}{2\sqrt{c}\sqrt{d}}$$

$$+ \frac{\arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) \log\left(-\frac{2\sqrt{c}\sqrt{d}(1-ax)}{(ia\sqrt{c}-\sqrt{d})(\sqrt{c}-i\sqrt{dx})}\right)}{2\sqrt{c}\sqrt{d}}$$

$$- \frac{\arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) \log\left(\frac{2\sqrt{c}\sqrt{d}(1+ax)}{(ia\sqrt{c}+\sqrt{d})(\sqrt{c}-i\sqrt{dx})}\right)}{2\sqrt{c}\sqrt{d}}$$

$$- \frac{i \operatorname{PolyLog}\left(2, 1 + \frac{2\sqrt{c}\sqrt{d}(1-ax)}{(ia\sqrt{c}-\sqrt{d})(\sqrt{c}-i\sqrt{dx})}\right)}{4\sqrt{c}\sqrt{d}}$$

$$+ \frac{i \operatorname{PolyLog}\left(2, 1 - \frac{2\sqrt{c}\sqrt{d}(1+ax)}{(ia\sqrt{c}+\sqrt{d})(\sqrt{c}-i\sqrt{dx})}\right)}{4\sqrt{c}\sqrt{d}}$$

output

```
-1/2*arctan(d^(1/2)*x/c^(1/2))*ln(1-1/a/x)/c^(1/2)/d^(1/2)+1/2*arctan(d^(1/2)*x/c^(1/2))*ln(1+1/a/x)/c^(1/2)/d^(1/2)+1/2*arctan(d^(1/2)*x/c^(1/2))*ln(-2*c^(1/2)*d^(1/2)*(-a*x+1)/(I*a*c^(1/2)-d^(1/2))/(c^(1/2)-I*d^(1/2)*x))/c^(1/2)/d^(1/2)-1/2*arctan(d^(1/2)*x/c^(1/2))*ln(2*c^(1/2)*d^(1/2)*(a*x+1)/(I*a*c^(1/2)+d^(1/2))/(c^(1/2)-I*d^(1/2)*x))/c^(1/2)/d^(1/2)-1/4*I*polylog(2,1+2*c^(1/2)*d^(1/2)*(-a*x+1)/(I*a*c^(1/2)-d^(1/2))/(c^(1/2)-I*d^(1/2)*x))/c^(1/2)/d^(1/2)+1/4*I*polylog(2,1-2*c^(1/2)*d^(1/2)*(a*x+1)/(I*a*c^(1/2)+d^(1/2))/(c^(1/2)-I*d^(1/2)*x))/c^(1/2)/d^(1/2)
```

Mathematica [A] (warning: unable to verify)

Time = 1.20 (sec) , antiderivative size = 671, normalized size of antiderivative = 1.72

$$\int \frac{\coth^{-1}(ax)}{c + dx^2} dx$$

$$= a \left(-2i \arccos \left(\frac{a^2c-d}{a^2c+d} \right) \arctan \left(\frac{ac}{\sqrt{a^2cd}} \right) + 4 \coth^{-1}(ax) \arctan \left(\frac{adx}{\sqrt{a^2cd}} \right) - \left(\arccos \left(\frac{a^2c-d}{a^2c+d} \right) + 2 \arctan \left(\frac{ac}{\sqrt{a^2cd}} \right) \right) \right)$$

input

```
Integrate[ArcCoth[a*x]/(c + d*x^2),x]
```

output

```
(a*((-2*I)*ArcCos[(a^2*c - d)/(a^2*c + d)]*ArcTan[(a*c)/(Sqrt[a^2*c*d]*x)] + 4*ArcCoth[a*x]*ArcTan[(a*d*x)/Sqrt[a^2*c*d]] - (ArcCos[(a^2*c - d)/(a^2*c + d)] + 2*ArcTan[(a*c)/(Sqrt[a^2*c*d]*x)])*Log[(2*d*(a^2*c - I*Sqrt[a^2*c*d])*(-1 + a*x))/((a^2*c + d)*(I*Sqrt[a^2*c*d] + a*d*x))] - (ArcCos[(a^2*c - d)/(a^2*c + d)] - 2*ArcTan[(a*c)/(Sqrt[a^2*c*d]*x)])*Log[(2*d*(a^2*c + I*Sqrt[a^2*c*d])*(1 + a*x))/((a^2*c + d)*(I*Sqrt[a^2*c*d] + a*d*x))] + (ArcCos[(a^2*c - d)/(a^2*c + d)] + 2*(ArcTan[(a*c)/(Sqrt[a^2*c*d]*x)] + ArcTan[(a*d*x)/Sqrt[a^2*c*d]]))*Log[(Sqrt[2]*Sqrt[a^2*c*d])/(Sqrt[a^2*c + d]*E^ArcCoth[a*x]*Sqrt[-(a^2*c) + d + (a^2*c + d)*Cosh[2*ArcCoth[a*x]])]) + (ArcCos[(a^2*c - d)/(a^2*c + d)] - 2*(ArcTan[(a*c)/(Sqrt[a^2*c*d]*x)] + ArcTan[(a*d*x)/Sqrt[a^2*c*d]]))*Log[(Sqrt[2]*Sqrt[a^2*c*d]*E^ArcCoth[a*x])/(Sqrt[a^2*c + d]*Sqrt[-(a^2*c) + d + (a^2*c + d)*Cosh[2*ArcCoth[a*x]])]) + I*(-PolyLog[2, ((a^2*c - d - (2*I)*Sqrt[a^2*c*d])*(Sqrt[a^2*c*d] + I*a*d*x))/((a^2*c + d)*(Sqrt[a^2*c*d] - I*a*d*x))] + PolyLog[2, ((a^2*c - d + (2*I)*Sqrt[a^2*c*d])*(Sqrt[a^2*c*d] + I*a*d*x))/((a^2*c + d)*(Sqrt[a^2*c*d] - I*a*d*x))]))/(4*Sqrt[a^2*c*d])
```


Rubi [A] (verified)

Time = 1.08 (sec) , antiderivative size = 617, normalized size of antiderivative = 1.58, number of steps used = 6, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {6535, 2920, 27, 2005, 5411, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\coth^{-1}(ax)}{c + dx^2} dx \\
 & \quad \downarrow \text{6535} \\
 & \frac{1}{2} \int \frac{\log\left(1 + \frac{1}{ax}\right)}{dx^2 + c} dx - \frac{1}{2} \int \frac{\log\left(1 - \frac{1}{ax}\right)}{dx^2 + c} dx \\
 & \quad \downarrow \text{2920} \\
 & \frac{1}{2} \left(\frac{\int \frac{a \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{\sqrt{c}\sqrt{d}\left(a - \frac{1}{x}\right)x^2} dx}{a} - \frac{\log\left(1 - \frac{1}{ax}\right) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{\sqrt{c}\sqrt{d}} \right) + \\
 & \frac{1}{2} \left(\frac{\int \frac{a \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{\sqrt{c}\sqrt{d}\left(a + \frac{1}{x}\right)x^2} dx}{a} + \frac{\log\left(\frac{1}{ax} + 1\right) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{\sqrt{c}\sqrt{d}} \right) \\
 & \quad \downarrow \text{27} \\
 & \frac{1}{2} \left(\frac{\int \frac{\arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{\left(a - \frac{1}{x}\right)x^2} dx}{\sqrt{c}\sqrt{d}} - \frac{\log\left(1 - \frac{1}{ax}\right) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{\sqrt{c}\sqrt{d}} \right) + \\
 & \frac{1}{2} \left(\frac{\int \frac{\arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{\left(a + \frac{1}{x}\right)x^2} dx}{\sqrt{c}\sqrt{d}} + \frac{\log\left(\frac{1}{ax} + 1\right) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{\sqrt{c}\sqrt{d}} \right) \\
 & \quad \downarrow \text{2005}
 \end{aligned}$$

$$\frac{1}{2} \left(\frac{\int \frac{\arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) dx}{x(ax-1)\sqrt{c}\sqrt{d}} - \frac{\log\left(1 - \frac{1}{ax}\right) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{\sqrt{c}\sqrt{d}} \right) + \frac{1}{2} \left(\frac{\int \frac{\arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) dx}{x(ax+1)\sqrt{c}\sqrt{d}} + \frac{\log\left(\frac{1}{ax} + 1\right) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{\sqrt{c}\sqrt{d}} \right)$$

↓ 5411

$$\frac{1}{2} \left(\frac{\int \left(\frac{a \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{ax-1} - \frac{\arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{x} \right) dx}{\sqrt{c}\sqrt{d}} - \frac{\log\left(1 - \frac{1}{ax}\right) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{\sqrt{c}\sqrt{d}} \right) + \frac{1}{2} \left(\frac{\int \left(\frac{\arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{x} - \frac{a \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{ax+1} \right) dx}{\sqrt{c}\sqrt{d}} + \frac{\log\left(\frac{1}{ax} + 1\right) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{\sqrt{c}\sqrt{d}} \right)$$

↓ 2009

$$\frac{1}{2} \left(-\frac{\log\left(1 - \frac{1}{ax}\right) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{\sqrt{c}\sqrt{d}} + \frac{\arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) \log\left(-\frac{2\sqrt{c}\sqrt{d}(1-ax)}{(-\sqrt{d}+ia\sqrt{c})(\sqrt{c}-i\sqrt{dx})}\right) - \frac{1}{2}i \operatorname{PolyLog}\left(2, \frac{2\sqrt{c}\sqrt{d}(1-ax)}{(ia\sqrt{c}-\sqrt{d})(\sqrt{c}-i\sqrt{dx})}\right)}{\sqrt{c}\sqrt{d}} \right) + \frac{1}{2} \left(\frac{\log\left(\frac{1}{ax} + 1\right) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{\sqrt{c}\sqrt{d}} + \frac{-\arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) \log\left(\frac{2\sqrt{c}\sqrt{d}(ax+1)}{(\sqrt{d}+ia\sqrt{c})(\sqrt{c}-i\sqrt{dx})}\right) + \frac{1}{2}i \operatorname{PolyLog}\left(2, 1 - \frac{2\sqrt{c}\sqrt{d}(ax+1)}{(i\sqrt{ca}+\sqrt{d})(\sqrt{c}-i\sqrt{dx})}\right)}{\sqrt{c}\sqrt{d}} \right)$$

input

```
Int[ArcCoth[a*x]/(c + d*x^2), x]
```

output

$$\begin{aligned} & \left(-\left(\text{ArcTan}\left[\frac{\sqrt{d}x}{\sqrt{c}}\right] \cdot \text{Log}\left[1 - \frac{1}{ax}\right]\right) / \left(\sqrt{c}\sqrt{d}\right) \right) + \left(-\left(\text{ArcTan}\left[\frac{\sqrt{d}x}{\sqrt{c}}\right] \cdot \text{Log}\left[\frac{2\sqrt{c}}{\sqrt{c} - I\sqrt{d}x}\right] \right) + \text{ArcTan}\left[\frac{\sqrt{d}x}{\sqrt{c}}\right] \cdot \text{Log}\left[\frac{-2\sqrt{c}\sqrt{d}(1 - ax)}{(Ia\sqrt{c} - \sqrt{d})(\sqrt{c} - I\sqrt{d}x)}\right] \right) - \left(\frac{I}{2} \right) \cdot \text{PolyLog}\left[2, \frac{(-I)\sqrt{d}x}{\sqrt{c}}\right] + \left(\frac{I}{2} \right) \cdot \text{PolyLog}\left[2, \frac{I\sqrt{d}x}{\sqrt{c}}\right] + \left(\frac{I}{2} \right) \cdot \text{PolyLog}\left[2, 1 - \frac{2\sqrt{c}}{\sqrt{c} - I\sqrt{d}x}\right] - \left(\frac{I}{2} \right) \cdot \text{PolyLog}\left[2, 1 + \frac{2\sqrt{c}\sqrt{d}(1 - ax)}{(Ia\sqrt{c} - \sqrt{d})(\sqrt{c} - I\sqrt{d}x)}\right] \right) / \left(\sqrt{c}\sqrt{d}\right) \Big/ 2 + \left(\left(\text{ArcTan}\left[\frac{\sqrt{d}x}{\sqrt{c}}\right] \cdot \text{Log}\left[1 + \frac{1}{ax}\right]\right) / \left(\sqrt{c}\sqrt{d}\right) + \left(\text{ArcTan}\left[\frac{\sqrt{d}x}{\sqrt{c}}\right] \cdot \text{Log}\left[\frac{2\sqrt{c}}{\sqrt{c} - I\sqrt{d}x}\right] \right) - \text{ArcTan}\left[\frac{\sqrt{d}x}{\sqrt{c}}\right] \cdot \text{Log}\left[\frac{2\sqrt{c}\sqrt{d}(1 + ax)}{(Ia\sqrt{c} + \sqrt{d})(\sqrt{c} - I\sqrt{d}x)}\right] + \left(\frac{I}{2} \right) \cdot \text{PolyLog}\left[2, \frac{(-I)\sqrt{d}x}{\sqrt{c}}\right] - \left(\frac{I}{2} \right) \cdot \text{PolyLog}\left[2, \frac{I\sqrt{d}x}{\sqrt{c}}\right] - \left(\frac{I}{2} \right) \cdot \text{PolyLog}\left[2, 1 - \frac{2\sqrt{c}}{\sqrt{c} - I\sqrt{d}x}\right] + \left(\frac{I}{2} \right) \cdot \text{PolyLog}\left[2, 1 - \frac{2\sqrt{c}\sqrt{d}(1 + ax)}{(Ia\sqrt{c} + \sqrt{d})(\sqrt{c} - I\sqrt{d}x)}\right] \right) / \left(\sqrt{c}\sqrt{d}\right) \Big/ 2 \end{aligned}$$
Defintions of rubi rules used

rule 27

$$\text{Int}[(a_*)(Fx_), x_Symbol] \rightarrow \text{Simp}[a \text{ Int}[Fx, x], x] \text{ /; FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[Fx, (b_*)(Gx_)] \text{ /; FreeQ}[b, x]$$

rule 2005

$$\text{Int}[(Fx_)*(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Int}[x^{(m+n*p)}*(b + a/x^n)^p * Fx, x] \text{ /; FreeQ}[\{a, b, m, n\}, x] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{NegQ}[n]$$

rule 2009

$$\text{Int}[u_, x_Symbol] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] \text{ /; SumQ}[u]$$

rule 2920

$$\text{Int}[(a_.) + \text{Log}[(c_.)*((d_) + (e_)*(x_)^{(n_)})^{(p_)}]*(b_.)]/((f_) + (g_)*(x_)^2), x_Symbol] \rightarrow \text{With}[\{u = \text{IntHide}[1/(f + g*x^2), x]\}, \text{Simp}[u*(a + b*\text{Log}[c*(d + e*x^n)^p]), x] - \text{Simp}[b*e*n*p \text{ Int}[u*(x^{(n-1)})/(d + e*x^n), x], x]] \text{ /; FreeQ}[\{a, b, c, d, e, f, g, n, p\}, x] \ \&\& \ \text{IntegerQ}[n]$$

rule 5411

```
Int[((a_.) + ArcTan[(c_.)*(x_)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_))^(q_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcTan[c*x])^p, (f*x)^m*(d + e*x)^q, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[p, 0] && IntegerQ[q] && (GtQ[q, 0] || NeQ[a, 0] || IntegerQ[m])
```

rule 6535

```
Int[ArcCoth[(c_.)*(x_)]/((d_.) + (e_.)*(x_)^2), x_Symbol] := Simp[1/2 Int[Log[1 + 1/(c*x)]/(d + e*x^2), x], x] - Simp[1/2 Int[Log[1 - 1/(c*x)]/(d + e*x^2), x], x] /; FreeQ[{c, d, e}, x]
```

Maple [A] (verified)

Time = 0.91 (sec) , antiderivative size = 358, normalized size of antiderivative = 0.92

method	result
risch	$-\frac{\ln(xa-1) \ln\left(\frac{a\sqrt{-cd}-(xa-1)d-d}{a\sqrt{-cd}-d}\right)}{4\sqrt{-cd}} + \frac{\ln(xa-1) \ln\left(\frac{a\sqrt{-cd}+(xa-1)d+d}{a\sqrt{-cd}+d}\right)}{4\sqrt{-cd}} - \frac{\operatorname{dilog}\left(\frac{a\sqrt{-cd}-(xa-1)d-d}{a\sqrt{-cd}-d}\right)}{4\sqrt{-cd}} + \frac{\operatorname{dilog}\left(\frac{a\sqrt{-cd}+(xa-1)d+d}{a\sqrt{-cd}+d}\right)}{4\sqrt{-cd}}$
derivativedivides	$\frac{(-\sqrt{-a^2cd}a^2c+2a^2cd+\sqrt{-a^2cd}d)a^2 \ln\left(1-\frac{(a^2c+d)(xa+1)}{(xa-1)(a^2c-2\sqrt{-a^2cd}-d)}\right) \operatorname{arccoth}(xa)}{2d(a^4c^2+2a^2cd+d^2)} - \frac{(-\sqrt{-a^2cd}a^2c+2a^2cd+\sqrt{-a^2cd}d)a^2}{2d(a^4c^2+2a^2cd+d^2)}$
default	$\frac{(-\sqrt{-a^2cd}a^2c+2a^2cd+\sqrt{-a^2cd}d)a^2 \ln\left(1-\frac{(a^2c+d)(xa+1)}{(xa-1)(a^2c-2\sqrt{-a^2cd}-d)}\right) \operatorname{arccoth}(xa)}{2d(a^4c^2+2a^2cd+d^2)} - \frac{(-\sqrt{-a^2cd}a^2c+2a^2cd+\sqrt{-a^2cd}d)a^2}{2d(a^4c^2+2a^2cd+d^2)}$

input

```
int(arccoth(x*a)/(d*x^2+c), x, method=_RETURNVERBOSE)
```

output

```
-1/4*ln(a*x-1)/(-c*d)^(1/2)*ln((a*(-c*d)^(1/2)-(a*x-1)*d-d)/(a*(-c*d)^(1/2)-d))+1/4*ln(a*x-1)/(-c*d)^(1/2)*ln((a*(-c*d)^(1/2)+(a*x-1)*d+d)/(a*(-c*d)^(1/2)+d))-1/4/(-c*d)^(1/2)*dilog((a*(-c*d)^(1/2)-(a*x-1)*d-d)/(a*(-c*d)^(1/2)-d))+1/4/(-c*d)^(1/2)*dilog((a*(-c*d)^(1/2)+(a*x-1)*d+d)/(a*(-c*d)^(1/2)+d))+1/4*ln(a*x+1)/(-c*d)^(1/2)*ln((a*(-c*d)^(1/2)-(a*x+1)*d+d)/(a*(-c*d)^(1/2)+d))-1/4*ln(a*x+1)/(-c*d)^(1/2)*ln((a*(-c*d)^(1/2)+(a*x+1)*d-d)/(a*(-c*d)^(1/2)-d))+1/4/(-c*d)^(1/2)*dilog((a*(-c*d)^(1/2)-(a*x+1)*d+d)/(a*(-c*d)^(1/2)+d))-1/4/(-c*d)^(1/2)*dilog((a*(-c*d)^(1/2)+(a*x+1)*d-d)/(a*(-c*d)^(1/2)-d))
```

Fricas [F]

$$\int \frac{\coth^{-1}(ax)}{c + dx^2} dx = \int \frac{\operatorname{arcoth}(ax)}{dx^2 + c} dx$$

input `integrate(arccoth(a*x)/(d*x^2+c),x, algorithm="fricas")`

output `integral(arccoth(a*x)/(d*x^2 + c), x)`

Sympy [F]

$$\int \frac{\coth^{-1}(ax)}{c + dx^2} dx = \int \frac{\operatorname{acoth}(ax)}{c + dx^2} dx$$

input `integrate(acoth(a*x)/(d*x**2+c),x)`

output `Integral(acoth(a*x)/(c + d*x**2), x)`

Maxima [A] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 406, normalized size of antiderivative = 1.04

$$\int \frac{\coth^{-1}(ax)}{c + dx^2} dx = \frac{\operatorname{arcoth}(ax) \arctan\left(\frac{dx}{\sqrt{cd}}\right)}{\sqrt{cd}} + \frac{\left(\arctan\left(\frac{(a^2x+a)\sqrt{c}\sqrt{d}}{a^2c+d}, \frac{adx+d}{a^2c+d}\right) - \arctan\left(\frac{(a^2x-a)\sqrt{c}\sqrt{d}}{a^2c+d}, -\frac{adx-d}{a^2c+d}\right)\right) \log(dx^2 + c) - \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) \log\left(\frac{a^2d}{c}\right)}{\sqrt{cd}}$$

input `integrate(arccoth(a*x)/(d*x^2+c),x, algorithm="maxima")`

output

```

arccoth(a*x)*arctan(d*x/sqrt(c*d))/sqrt(c*d) + 1/4*((arctan2((a^2*x + a)*
sqrt(c)*sqrt(d)/(a^2*c + d), (a*d*x + d)/(a^2*c + d)) - arctan2((a^2*x - a)
*sqrt(c)*sqrt(d)/(a^2*c + d), -(a*d*x - d)/(a^2*c + d)))*log(d*x^2 + c) -
arctan(sqrt(d)*x/sqrt(c))*log((a^2*d*x^2 + 2*a*d*x + d)/(a^2*c + d)) + arc
tan(sqrt(d)*x/sqrt(c))*log((a^2*d*x^2 - 2*a*d*x + d)/(a^2*c + d)) - I*dilo
g((a^2*c + a*d*x - (I*a^2*x - I*a)*sqrt(c)*sqrt(d))/(a^2*c + 2*I*a*sqrt(c)
*sqrt(d) - d)) - I*dilog((a^2*c - a*d*x + (I*a^2*x + I*a)*sqrt(c)*sqrt(d)
)/(a^2*c + 2*I*a*sqrt(c)*sqrt(d) - d)) + I*dilog((a^2*c + a*d*x + (I*a^2*x
- I*a)*sqrt(c)*sqrt(d))/(a^2*c - 2*I*a*sqrt(c)*sqrt(d) - d)) + I*dilog((a^
2*c - a*d*x - (I*a^2*x + I*a)*sqrt(c)*sqrt(d))/(a^2*c - 2*I*a*sqrt(c)*sqrt
(d) - d)))/sqrt(c*d)

```

Giac [F]

$$\int \frac{\coth^{-1}(ax)}{c + dx^2} dx = \int \frac{\operatorname{arccoth}(ax)}{dx^2 + c} dx$$

input

```
integrate(arccoth(a*x)/(d*x^2+c),x, algorithm="giac")
```

output

```
integrate(arccoth(a*x)/(d*x^2 + c), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\coth^{-1}(ax)}{c + dx^2} dx = \int \frac{\operatorname{acoth}(ax)}{dx^2 + c} dx$$

input

```
int(acoth(a*x)/(c + d*x^2),x)
```

output

```
int(acoth(a*x)/(c + d*x^2), x)
```

Reduce [F]

$$\int \frac{\coth^{-1}(ax)}{c + dx^2} dx$$

$$= \frac{a \operatorname{coth}(ax)^2 a - 2 \left(\int \frac{a \operatorname{coth}(ax)}{a^2 dx^4 + a^2 c x^2 - dx^2 - c} dx \right) a^2 c - 2 \left(\int \frac{a \operatorname{coth}(ax)}{a^2 dx^4 + a^2 c x^2 - dx^2 - c} dx \right) d}{2d}$$

input

```
int(acoth(a*x)/(d*x^2+c),x)
```

output

```
(acoth(a*x)**2*a - 2*int(acoth(a*x)/(a**2*c*x**2 + a**2*d*x**4 - c - d*x**2),x)*a**2*c - 2*int(acoth(a*x)/(a**2*c*x**2 + a**2*d*x**4 - c - d*x**2),x)*d)/(2*d)
```

3.6 $\int \frac{\coth^{-1}(ax)}{(c+dx^2)^2} dx$

Optimal result	79
Mathematica [A] (warning: unable to verify)	80
Rubi [A] (verified)	81
Maple [B] (verified)	83
Fricas [F]	84
Sympy [F]	85
Maxima [A] (verification not implemented)	85
Giac [F]	86
Mupad [F(-1)]	86
Reduce [F]	86

Optimal result

Integrand size = 14, antiderivative size = 590

$$\begin{aligned}
 \int \frac{\coth^{-1}(ax)}{(c+dx^2)^2} dx &= \frac{x \coth^{-1}(ax)}{2c(c+dx^2)} + \frac{\coth^{-1}(ax) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{2c^{3/2}\sqrt{d}} \\
 &+ \frac{i \log\left(\frac{\sqrt{d}(1-ax)}{ia\sqrt{c}+\sqrt{d}}\right) \log\left(1 - \frac{i\sqrt{dx}}{\sqrt{c}}\right)}{8c^{3/2}\sqrt{d}} \\
 &- \frac{i \log\left(-\frac{\sqrt{d}(1+ax)}{ia\sqrt{c}-\sqrt{d}}\right) \log\left(1 - \frac{i\sqrt{dx}}{\sqrt{c}}\right)}{8c^{3/2}\sqrt{d}} \\
 &- \frac{i \log\left(-\frac{\sqrt{d}(1-ax)}{ia\sqrt{c}-\sqrt{d}}\right) \log\left(1 + \frac{i\sqrt{dx}}{\sqrt{c}}\right)}{8c^{3/2}\sqrt{d}} \\
 &+ \frac{i \log\left(\frac{\sqrt{d}(1+ax)}{ia\sqrt{c}+\sqrt{d}}\right) \log\left(1 + \frac{i\sqrt{dx}}{\sqrt{c}}\right)}{8c^{3/2}\sqrt{d}} \\
 &+ \frac{a \log(1-a^2x^2)}{4c(a^2c+d)} - \frac{a \log(c+dx^2)}{4c(a^2c+d)} \\
 &+ \frac{i \operatorname{PolyLog}\left(2, \frac{a(\sqrt{c}-i\sqrt{dx})}{a\sqrt{c}-i\sqrt{d}}\right)}{8c^{3/2}\sqrt{d}} - \frac{i \operatorname{PolyLog}\left(2, \frac{a(\sqrt{c}-i\sqrt{dx})}{a\sqrt{c}+i\sqrt{d}}\right)}{8c^{3/2}\sqrt{d}} \\
 &+ \frac{i \operatorname{PolyLog}\left(2, \frac{a(\sqrt{c}+i\sqrt{dx})}{a\sqrt{c}-i\sqrt{d}}\right)}{8c^{3/2}\sqrt{d}} - \frac{i \operatorname{PolyLog}\left(2, \frac{a(\sqrt{c}+i\sqrt{dx})}{a\sqrt{c}+i\sqrt{d}}\right)}{8c^{3/2}\sqrt{d}}
 \end{aligned}$$

output

```

1/2*x*arccoth(a*x)/c/(d*x^2+c)+1/2*arccoth(a*x)*arctan(d^(1/2)*x/c^(1/2))/
c^(3/2)/d^(1/2)+1/8*I*ln(d^(1/2)*(-a*x+1)/(I*a*c^(1/2)+d^(1/2)))*ln(1-I*d^(
1/2)*x/c^(1/2))/c^(3/2)/d^(1/2)-1/8*I*ln(-d^(1/2)*(a*x+1)/(I*a*c^(1/2)-d^(
1/2)))*ln(1-I*d^(1/2)*x/c^(1/2))/c^(3/2)/d^(1/2)-1/8*I*ln(-d^(1/2)*(-a*x+
1)/(I*a*c^(1/2)-d^(1/2)))*ln(1+I*d^(1/2)*x/c^(1/2))/c^(3/2)/d^(1/2)+1/8*I*
ln(d^(1/2)*(a*x+1)/(I*a*c^(1/2)+d^(1/2)))*ln(1+I*d^(1/2)*x/c^(1/2))/c^(3/2
)/d^(1/2)+1/4*a*ln(-a^2*x^2+1)/c/(a^2*c+d)-1/4*a*ln(d*x^2+c)/c/(a^2*c+d)+1
/8*I*polylog(2,a*(c^(1/2)-I*d^(1/2)*x)/(a*c^(1/2)-I*d^(1/2)))/c^(3/2)/d^(1
/2)-1/8*I*polylog(2,a*(c^(1/2)-I*d^(1/2)*x)/(a*c^(1/2)+I*d^(1/2)))/c^(3/2
)/d^(1/2)+1/8*I*polylog(2,a*(c^(1/2)+I*d^(1/2)*x)/(a*c^(1/2)-I*d^(1/2)))/c^(
3/2)/d^(1/2)-1/8*I*polylog(2,a*(c^(1/2)+I*d^(1/2)*x)/(a*c^(1/2)+I*d^(1/2
)))/c^(3/2)/d^(1/2)

```

Mathematica [A] (warning: unable to verify)

Time = 5.04 (sec) , antiderivative size = 755, normalized size of antiderivative = 1.28

$$\int \frac{\coth^{-1}(ax)}{(c+dx^2)^2} dx =$$

$$a \left(\frac{2 \log \left(1 - \frac{(a^2c+d) \cosh(2 \coth^{-1}(ax))}{a^2c-d} \right)}{a^2c+d} + \frac{2i \arccos\left(\frac{a^2c-d}{a^2c+d}\right) \arctan\left(\frac{ac}{\sqrt{a^2cdx}}\right) - 4 \coth^{-1}(ax) \arctan\left(\frac{adx}{\sqrt{a^2cd}}\right) + \left(\arccos\left(\frac{a^2c-d}{a^2c+d}\right) + 2\right)}{\dots} \right)$$

input

```
Integrate[ArcCoth[a*x]/(c + d*x^2)^2,x]
```

output

```

-1/8*(a*((2*Log[1 - ((a^2*c + d)*Cosh[2*ArcCoth[a*x]])/(a^2*c - d)]/(a^2*
c + d) + ((2*I)*ArcCos[(a^2*c - d)/(a^2*c + d)]*ArcTan[(a*c)/(Sqrt[a^2*c*d
]*x]) - 4*ArcCoth[a*x]*ArcTan[(a*d*x)/Sqrt[a^2*c*d]] + (ArcCos[(a^2*c - d)
/(a^2*c + d)] + 2*ArcTan[(a*c)/(Sqrt[a^2*c*d]*x]))*Log[(2*d*(a^2*c - I*Sqr
t[a^2*c*d])*(-1 + a*x))/((a^2*c + d)*(I*Sqrt[a^2*c*d] + a*d*x))] + (ArcCos
[(a^2*c - d)/(a^2*c + d)] - 2*ArcTan[(a*c)/(Sqrt[a^2*c*d]*x]))*Log[(2*d*(a
^2*c + I*Sqrt[a^2*c*d])*(1 + a*x))/((a^2*c + d)*(I*Sqrt[a^2*c*d] + a*d*x))
] - (ArcCos[(a^2*c - d)/(a^2*c + d)] + 2*(ArcTan[(a*c)/(Sqrt[a^2*c*d]*x)]
+ ArcTan[(a*d*x)/Sqrt[a^2*c*d]])*Log[(Sqrt[2]*Sqrt[a^2*c*d])/(Sqrt[a^2*c
+ d]*E^ArcCoth[a*x]*Sqrt[-(a^2*c) + d + (a^2*c + d)*Cosh[2*ArcCoth[a*x]]])
] - (ArcCos[(a^2*c - d)/(a^2*c + d)] - 2*(ArcTan[(a*c)/(Sqrt[a^2*c*d]*x)]
+ ArcTan[(a*d*x)/Sqrt[a^2*c*d]])*Log[(Sqrt[2]*Sqrt[a^2*c*d]*E^ArcCoth[a*x
])/(Sqrt[a^2*c + d]*Sqrt[-(a^2*c) + d + (a^2*c + d)*Cosh[2*ArcCoth[a*x]]])
] + I*(PolyLog[2, ((a^2*c - d - (2*I)*Sqrt[a^2*c*d])*(Sqrt[a^2*c*d] + I*a*
d*x))/((a^2*c + d)*(Sqrt[a^2*c*d] - I*a*d*x))] - PolyLog[2, ((a^2*c - d +
(2*I)*Sqrt[a^2*c*d])*(Sqrt[a^2*c*d] + I*a*d*x))/((a^2*c + d)*(Sqrt[a^2*c*d
] - I*a*d*x))]))/Sqrt[a^2*c*d] - (4*ArcCoth[a*x]*Sinh[2*ArcCoth[a*x]])/(-(
a^2*c) + d + (a^2*c + d)*Cosh[2*ArcCoth[a*x]])))/c

```

Rubi [A] (verified)

Time = 1.29 (sec) , antiderivative size = 618, normalized size of antiderivative = 1.05, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {6539, 27, 7276, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
& \int \frac{\coth^{-1}(ax)}{(c + dx^2)^2} dx \\
& \quad \downarrow \text{6539} \\
& -a \int \frac{\frac{x}{c(dx^2+c)} + \frac{\arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{c^{3/2}\sqrt{d}}}{2(1 - a^2x^2)} dx + \frac{\coth^{-1}(ax) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{2c^{3/2}\sqrt{d}} + \frac{x \coth^{-1}(ax)}{2c(c + dx^2)} \\
& \quad \downarrow \text{27} \\
& -\frac{1}{2}a \int \frac{\frac{x}{c(dx^2+c)} + \frac{\arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{c^{3/2}\sqrt{d}}}{1 - a^2x^2} dx + \frac{\coth^{-1}(ax) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{2c^{3/2}\sqrt{d}} + \frac{x \coth^{-1}(ax)}{2c(c + dx^2)}
\end{aligned}$$

$$\begin{aligned}
& \downarrow 7276 \\
& -\frac{1}{2}a \int \left(-\frac{x}{c(ax-1)(ax+1)(dx^2+c)} - \frac{\arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{c^{3/2}\sqrt{d}(a^2x^2-1)} \right) dx + \\
& \quad \frac{\coth^{-1}(ax) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{2c^{3/2}\sqrt{d}} + \frac{x \coth^{-1}(ax)}{2c(c+dx^2)} \\
& \quad \downarrow 2009 \\
& -\frac{1}{2}a \left(-\frac{\log(1-a^2x^2)}{2c(a^2c+d)} + \frac{\log(c+dx^2)}{2c(a^2c+d)} - \frac{i \operatorname{PolyLog}\left(2, \frac{a(\sqrt{c}-i\sqrt{dx})}{a\sqrt{c}-i\sqrt{d}}\right)}{4ac^{3/2}\sqrt{d}} + \frac{i \operatorname{PolyLog}\left(2, \frac{a(\sqrt{c}-i\sqrt{dx})}{\sqrt{ca}+i\sqrt{d}}\right)}{4ac^{3/2}\sqrt{d}} - \frac{i \operatorname{PolyLog}\left(2, \frac{a(\sqrt{c}+i\sqrt{dx})}{a\sqrt{c}+i\sqrt{d}}\right)}{4ac^{3/2}\sqrt{d}} + \frac{i \operatorname{PolyLog}\left(2, \frac{a(\sqrt{c}+i\sqrt{dx})}{\sqrt{ca}-i\sqrt{d}}\right)}{4ac^{3/2}\sqrt{d}} \right) \\
& \quad \frac{\coth^{-1}(ax) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{2c^{3/2}\sqrt{d}} + \frac{x \coth^{-1}(ax)}{2c(c+dx^2)}
\end{aligned}$$

input `Int[ArcCoth[a*x]/(c + d*x^2)^2,x]`

output `(x*ArcCoth[a*x])/(2*c*(c + d*x^2)) + (ArcCoth[a*x]*ArcTan[(Sqrt[d]*x)/Sqrt[c]])/(2*c^(3/2)*Sqrt[d]) - (a*((-1/4*I)*Log[(Sqrt[d]*(1 - a*x))/(I*a*Sqrt[c] + Sqrt[d])]*Log[1 - (I*Sqrt[d]*x)/Sqrt[c]])/(a*c^(3/2)*Sqrt[d]) + ((I/4)*Log[-((Sqrt[d]*(1 + a*x))/(I*a*Sqrt[c] - Sqrt[d]))]*Log[1 - (I*Sqrt[d]*x)/Sqrt[c]])/(a*c^(3/2)*Sqrt[d]) + ((I/4)*Log[-((Sqrt[d]*(1 - a*x))/(I*a*Sqrt[c] - Sqrt[d]))]*Log[1 + (I*Sqrt[d]*x)/Sqrt[c]])/(a*c^(3/2)*Sqrt[d]) - ((I/4)*Log[(Sqrt[d]*(1 + a*x))/(I*a*Sqrt[c] + Sqrt[d])]*Log[1 + (I*Sqrt[d]*x)/Sqrt[c]])/(a*c^(3/2)*Sqrt[d]) - Log[1 - a^2*x^2]/(2*c*(a^2*c + d)) + Log[c + d*x^2]/(2*c*(a^2*c + d)) - ((I/4)*PolyLog[2, (a*(Sqrt[c] - I*Sqrt[d]*x))/(a*Sqrt[c] - I*Sqrt[d])])/(a*c^(3/2)*Sqrt[d]) + ((I/4)*PolyLog[2, (a*(Sqrt[c] - I*Sqrt[d]*x))/(a*Sqrt[c] + I*Sqrt[d])])/(a*c^(3/2)*Sqrt[d]) - ((I/4)*PolyLog[2, (a*(Sqrt[c] + I*Sqrt[d]*x))/(a*Sqrt[c] - I*Sqrt[d])])/(a*c^(3/2)*Sqrt[d]) + ((I/4)*PolyLog[2, (a*(Sqrt[c] + I*Sqrt[d]*x))/(a*Sqrt[c] + I*Sqrt[d])])/(a*c^(3/2)*Sqrt[d]))/2`

Defintions of rubi rules used

rule 27 `Int[(a_)*(Fx), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx) /; FreeQ[b, x]]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 6539 `Int[((a_.) + ArcCoth[(c_.)*(x_)]*(b_.))*((d_.) + (e_.)*(x_)^2)^(q_.), x_Symbol] := With[{u = IntHide[(d + e*x^2)^q, x]}, Simp[(a + b*ArcCoth[c*x]) u, x] - Simp[b*c Int[SimplifyIntegrand[u/(1 - c^2*x^2), x], x], x] /; FreeQ[{a, b, c, d, e}, x] && (IntegerQ[q] || ILtQ[q + 1/2, 0])`

rule 7276 `Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ[n, 0]`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1925 vs. 2(430) = 860.

Time = 0.86 (sec) , antiderivative size = 1926, normalized size of antiderivative = 3.26

method	result	size
risch	Expression too large to display	1926
derivativdivides	Expression too large to display	2071
default	Expression too large to display	2071

input `int(arccoth(x*a)/(d*x^2+c)^2,x,method=_RETURNVERBOSE)`

Sympy [F]

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^2} dx = \int \frac{\operatorname{acoth}(ax)}{(c + dx^2)^2} dx$$

input `integrate(acoth(a*x)/(d*x**2+c)**2,x)`

output `Integral(acoth(a*x)/(c + d*x**2)**2, x)`

Maxima [A] (verification not implemented)

Time = 0.18 (sec) , antiderivative size = 550, normalized size of antiderivative = 0.93

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^2} dx = \frac{1}{2} \left(\frac{x}{cdx^2 + c^2} + \frac{\arctan\left(\frac{dx}{\sqrt{cd}}\right)}{\sqrt{cd}} \right) \operatorname{arccoth}(ax) \\ - \frac{(2acd \log(dx^2 + c) - 2acd \log(ax + 1) - 2acd \log(ax - 1) + ((a^2c + d) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) \log\left(\frac{a^2dx^2 + 2a}{a^2c + d}\right))}{2}$$

input `integrate(arccoth(a*x)/(d*x^2+c)^2,x, algorithm="maxima")`

output

```
1/2*(x/(c*d*x^2 + c^2) + arctan(d*x/sqrt(c*d))/(sqrt(c*d)*c))*arccoth(a*x)
- 1/8*(2*a*c*d*log(d*x^2 + c) - 2*a*c*d*log(a*x + 1) - 2*a*c*d*log(a*x -
1) + ((a^2*c + d)*arctan(sqrt(d)*x/sqrt(c))*log((a^2*d*x^2 + 2*a*d*x + d)/
(a^2*c + d)) - (a^2*c + d)*arctan(sqrt(d)*x/sqrt(c))*log((a^2*d*x^2 - 2*a*
d*x + d)/(a^2*c + d)) + (I*a^2*c + I*d)*dilog((a^2*c + a*d*x - (I*a^2*x -
I*a)*sqrt(c)*sqrt(d))/(a^2*c + 2*I*a*sqrt(c)*sqrt(d) - d)) + (I*a^2*c + I*
d)*dilog((a^2*c - a*d*x + (I*a^2*x + I*a)*sqrt(c)*sqrt(d))/(a^2*c + 2*I*a*
sqrt(c)*sqrt(d) - d)) + (-I*a^2*c - I*d)*dilog((a^2*c + a*d*x + (I*a^2*x -
I*a)*sqrt(c)*sqrt(d))/(a^2*c - 2*I*a*sqrt(c)*sqrt(d) - d)) + (-I*a^2*c -
I*d)*dilog((a^2*c - a*d*x - (I*a^2*x + I*a)*sqrt(c)*sqrt(d))/(a^2*c - 2*I*
a*sqrt(c)*sqrt(d) - d)) - ((a^2*c + d)*arctan2((a^2*x + a)*sqrt(c)*sqrt(d)
/(a^2*c + d), (a*d*x + d)/(a^2*c + d)) - (a^2*c + d)*arctan2((a^2*x - a)*s
qrt(c)*sqrt(d)/(a^2*c + d), -(a*d*x - d)/(a^2*c + d)))*log(d*x^2 + c))*sq
rt(c)*sqrt(d)*a/(a^3*c^3*d + a*c^2*d^2)
```

Giac [F]

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^2} dx = \int \frac{\operatorname{arccoth}(ax)}{(dx^2 + c)^2} dx$$

input `integrate(arccoth(a*x)/(d*x^2+c)^2,x, algorithm="giac")`

output `integrate(arccoth(a*x)/(d*x^2 + c)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^2} dx = \int \frac{\operatorname{acoth}(ax)}{(dx^2 + c)^2} dx$$

input `int(acoth(a*x)/(c + d*x^2)^2,x)`

output `int(acoth(a*x)/(c + d*x^2)^2, x)`

Reduce [F]

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^2} dx = \text{Too large to display}$$

input `int(acoth(a*x)/(d*x^2+c)^2,x)`

output

```
( - acoth(a*x)**2*a**3*c**2 - acoth(a*x)**2*a**3*c*d*x**2 - acoth(a*x)**2*
a*c*d - acoth(a*x)**2*a*d**2*x**2 - 2*acoth(a*x)*a**2*c*d*x - 2*acoth(a*x)
*d**2*x + 2*int((acoth(a*x)*x**2)/(a**4*c**3*x**2 + 2*a**4*c**2*d*x**4 + a
**4*c*d**2*x**6 - a**2*c**3 - 3*a**2*c**2*d*x**2 - 3*a**2*c*d**2*x**4 - a
**2*d**3*x**6 + c**2*d + 2*c*d**2*x**2 + d**3*x**4),x)*a**8*c**5 + 2*int((a
coth(a*x)*x**2)/(a**4*c**3*x**2 + 2*a**4*c**2*d*x**4 + a**4*c*d**2*x**6 -
a**2*c**3 - 3*a**2*c**2*d*x**2 - 3*a**2*c*d**2*x**4 - a**2*d**3*x**6 + c**
2*d + 2*c*d**2*x**2 + d**3*x**4),x)*a**8*c**4*d*x**2 + 4*int((acoth(a*x)*x
**2)/(a**4*c**3*x**2 + 2*a**4*c**2*d*x**4 + a**4*c*d**2*x**6 - a**2*c**3 -
3*a**2*c**2*d*x**2 - 3*a**2*c*d**2*x**4 - a**2*d**3*x**6 + c**2*d + 2*c*d
**2*x**2 + d**3*x**4),x)*a**6*c**4*d + 4*int((acoth(a*x)*x**2)/(a**4*c**3*
x**2 + 2*a**4*c**2*d*x**4 + a**4*c*d**2*x**6 - a**2*c**3 - 3*a**2*c**2*d*x
**2 - 3*a**2*c*d**2*x**4 - a**2*d**3*x**6 + c**2*d + 2*c*d**2*x**2 + d**3*
x**4),x)*a**6*c**3*d**2*x**2 - 4*int((acoth(a*x)*x**2)/(a**4*c**3*x**2 + 2
*a**4*c**2*d*x**4 + a**4*c*d**2*x**6 - a**2*c**3 - 3*a**2*c**2*d*x**2 - 3*
a**2*c*d**2*x**4 - a**2*d**3*x**6 + c**2*d + 2*c*d**2*x**2 + d**3*x**4),x)
*a**2*c**2*d**3 - 4*int((acoth(a*x)*x**2)/(a**4*c**3*x**2 + 2*a**4*c**2*d*
x**4 + a**4*c*d**2*x**6 - a**2*c**3 - 3*a**2*c**2*d*x**2 - 3*a**2*c*d**2*x
**4 - a**2*d**3*x**6 + c**2*d + 2*c*d**2*x**2 + d**3*x**4),x)*a**2*c*d**4*
x**2 - 2*int((acoth(a*x)*x**2)/(a**4*c**3*x**2 + 2*a**4*c**2*d*x**4 + a...
```


3.7 $\int \frac{\coth^{-1}(ax)}{(c+dx^2)^3} dx$

Optimal result	88
Mathematica [B] (warning: unable to verify)	89
Rubi [A] (verified)	90
Maple [B] (verified)	93
Fricas [F]	94
Sympy [F(-1)]	94
Maxima [B] (verification not implemented)	94
Giac [F]	95
Mupad [F(-1)]	96
Reduce [F]	96

Optimal result

Integrand size = 14, antiderivative size = 657

$$\begin{aligned} \int \frac{\coth^{-1}(ax)}{(c+dx^2)^3} dx = & \frac{a}{8c(a^2c+d)(c+dx^2)} + \frac{x \coth^{-1}(ax)}{4c(c+dx^2)^2} + \frac{3x \coth^{-1}(ax)}{8c^2(c+dx^2)} \\ & + \frac{3 \coth^{-1}(ax) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{8c^{5/2}\sqrt{d}} + \frac{3i \log\left(\frac{\sqrt{d}(1-ax)}{ia\sqrt{c}+\sqrt{d}}\right) \log\left(1 - \frac{i\sqrt{dx}}{\sqrt{c}}\right)}{32c^{5/2}\sqrt{d}} \\ & - \frac{3i \log\left(-\frac{\sqrt{d}(1+ax)}{ia\sqrt{c}-\sqrt{d}}\right) \log\left(1 - \frac{i\sqrt{dx}}{\sqrt{c}}\right)}{32c^{5/2}\sqrt{d}} \\ & - \frac{3i \log\left(-\frac{\sqrt{d}(1-ax)}{ia\sqrt{c}-\sqrt{d}}\right) \log\left(1 + \frac{i\sqrt{dx}}{\sqrt{c}}\right)}{32c^{5/2}\sqrt{d}} \\ & + \frac{3i \log\left(\frac{\sqrt{d}(1+ax)}{ia\sqrt{c}+\sqrt{d}}\right) \log\left(1 + \frac{i\sqrt{dx}}{\sqrt{c}}\right)}{32c^{5/2}\sqrt{d}} \\ & + \frac{a(5a^2c+3d) \log(1-a^2x^2)}{16c^2(a^2c+d)^2} - \frac{a(5a^2c+3d) \log(c+dx^2)}{16c^2(a^2c+d)^2} \\ & + \frac{3i \operatorname{PolyLog}\left(2, \frac{a(\sqrt{c}-i\sqrt{dx})}{a\sqrt{c}-i\sqrt{d}}\right)}{32c^{5/2}\sqrt{d}} - \frac{3i \operatorname{PolyLog}\left(2, \frac{a(\sqrt{c}-i\sqrt{dx})}{a\sqrt{c}+i\sqrt{d}}\right)}{32c^{5/2}\sqrt{d}} \\ & + \frac{3i \operatorname{PolyLog}\left(2, \frac{a(\sqrt{c}+i\sqrt{dx})}{a\sqrt{c}-i\sqrt{d}}\right)}{32c^{5/2}\sqrt{d}} - \frac{3i \operatorname{PolyLog}\left(2, \frac{a(\sqrt{c}+i\sqrt{dx})}{a\sqrt{c}+i\sqrt{d}}\right)}{32c^{5/2}\sqrt{d}} \end{aligned}$$

output

```

1/8*a/c/(a^2*c+d)/(d*x^2+c)+1/4*x*arccoth(a*x)/c/(d*x^2+c)^2+3/8*x*arccoth
(a*x)/c^2/(d*x^2+c)+3/8*arccoth(a*x)*arctan(d^(1/2)*x/c^(1/2))/c^(5/2)/d^(
1/2)+3/32*I*ln(d^(1/2)*(-a*x+1)/(I*a*c^(1/2)+d^(1/2)))*ln(1-I*d^(1/2)*x/c^
(1/2))/c^(5/2)/d^(1/2)-3/32*I*ln(-d^(1/2)*(a*x+1)/(I*a*c^(1/2)-d^(1/2)))*l
n(1-I*d^(1/2)*x/c^(1/2))/c^(5/2)/d^(1/2)-3/32*I*ln(-d^(1/2)*(-a*x+1)/(I*a*
c^(1/2)-d^(1/2)))*ln(1+I*d^(1/2)*x/c^(1/2))/c^(5/2)/d^(1/2)+3/32*I*ln(d^(1
/2)*(a*x+1)/(I*a*c^(1/2)+d^(1/2)))*ln(1+I*d^(1/2)*x/c^(1/2))/c^(5/2)/d^(1/
2)+1/16*a*(5*a^2*c+3*d)*ln(-a^2*x^2+1)/c^2/(a^2*c+d)^2-1/16*a*(5*a^2*c+3*d
)*ln(d*x^2+c)/c^2/(a^2*c+d)^2+3/32*I*polylog(2,a*(c^(1/2)-I*d^(1/2)*x)/(a*
c^(1/2)-I*d^(1/2)))/c^(5/2)/d^(1/2)-3/32*I*polylog(2,a*(c^(1/2)-I*d^(1/2)*
x)/(a*c^(1/2)+I*d^(1/2)))/c^(5/2)/d^(1/2)+3/32*I*polylog(2,a*(c^(1/2)+I*d^
(1/2)*x)/(a*c^(1/2)-I*d^(1/2)))/c^(5/2)/d^(1/2)-3/32*I*polylog(2,a*(c^(1/2
)+I*d^(1/2)*x)/(a*c^(1/2)+I*d^(1/2)))/c^(5/2)/d^(1/2)

```

Mathematica [B] (warning: unable to verify)

Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 1559 vs. $2(657) = 1314$.

Time = 9.15 (sec) , antiderivative size = 1559, normalized size of antiderivative = 2.37

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^3} dx = \text{Too large to display}$$

input

```
Integrate[ArcCoth[a*x]/(c + d*x^2)^3,x]
```

output

```

-1/32*(a*(10*a^2*c*Log[1 - ((a^2*c + d)*Cosh[2*ArcCoth[a*x]])/(a^2*c - d)]
+ 6*d*Log[1 - ((a^2*c + d)*Cosh[2*ArcCoth[a*x]])/(a^2*c - d)] - (3*d*(a^2
*c + d)*((-2*I)*ArcCos[(a^2*c - d)/(a^2*c + d)]*ArcTan[(a*c)/(Sqrt[a^2*c*d
]*x)] + 4*ArcCoth[a*x]*ArcTan[(a*d*x)/Sqrt[a^2*c*d]] - (ArcCos[(a^2*c - d)
/(a^2*c + d)] + 2*ArcTan[(a*c)/(Sqrt[a^2*c*d]*x)])*Log[(2*d*(a^2*c - I*Sqr
t[a^2*c*d])*(-1 + a*x))/((a^2*c + d)*(I*Sqrt[a^2*c*d] + a*d*x))] - (ArcCos
[(a^2*c - d)/(a^2*c + d)] - 2*ArcTan[(a*c)/(Sqrt[a^2*c*d]*x)])*Log[(2*d*(a
^2*c + I*Sqrt[a^2*c*d])*(1 + a*x))/((a^2*c + d)*(I*Sqrt[a^2*c*d] + a*d*x))
] + (ArcCos[(a^2*c - d)/(a^2*c + d)] + 2*(ArcTan[(a*c)/(Sqrt[a^2*c*d]*x)]
+ ArcTan[(a*d*x)/Sqrt[a^2*c*d]])*Log[(Sqrt[2]*Sqrt[a^2*c*d])/(Sqrt[a^2*c
+ d]*E^ArcCoth[a*x]*Sqrt[-(a^2*c) + d + (a^2*c + d)*Cosh[2*ArcCoth[a*x]])]
] + (ArcCos[(a^2*c - d)/(a^2*c + d)] - 2*(ArcTan[(a*c)/(Sqrt[a^2*c*d]*x)]
+ ArcTan[(a*d*x)/Sqrt[a^2*c*d]])*Log[(Sqrt[2]*Sqrt[a^2*c*d]*E^ArcCoth[a*x
])/(Sqrt[a^2*c + d]*Sqrt[-(a^2*c) + d + (a^2*c + d)*Cosh[2*ArcCoth[a*x]])]
] + I*(-PolyLog[2, ((a^2*c - d - (2*I)*Sqrt[a^2*c*d])*(Sqrt[a^2*c*d] + I*a
*d*x))/((a^2*c + d)*(Sqrt[a^2*c*d] - I*a*d*x))] + PolyLog[2, ((a^2*c - d +
(2*I)*Sqrt[a^2*c*d])*(Sqrt[a^2*c*d] + I*a*d*x))/((a^2*c + d)*(Sqrt[a^2*c*
d] - I*a*d*x))]))/Sqrt[a^2*c*d] - (3*Sqrt[a^2*c*d]*(a^2*c + d)*((-2*I)*Ar
cCos[(a^2*c - d)/(a^2*c + d)]*ArcTan[(a*c)/(Sqrt[a^2*c*d]*x)] + 4*ArcCoth[
a*x]*ArcTan[(a*d*x)/Sqrt[a^2*c*d]] - (ArcCos[(a^2*c - d)/(a^2*c + d)] + ...

```

Rubi [A] (verified)

Time = 1.35 (sec) , antiderivative size = 682, normalized size of antiderivative = 1.04, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {6539, 27, 7276, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^3} dx$$

↓ 6539

$$-a \int \frac{\frac{3dx^3+5cx}{c^2(dx^2+c)^2} + \frac{3 \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{c^{5/2}\sqrt{d}}}{8(1-a^2x^2)} dx + \frac{3 \coth^{-1}(ax) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{8c^{5/2}\sqrt{d}} + \frac{3x \coth^{-1}(ax)}{8c^2(c + dx^2)} + \frac{x \coth^{-1}(ax)}{4c(c + dx^2)^2}$$

$$\begin{aligned}
& \downarrow 27 \\
& -\frac{1}{8}a \int \frac{\frac{3dx^3+5cx}{c^2(dx^2+c)^2} + \frac{3 \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{c^{5/2}\sqrt{d}}}{1-a^2x^2} dx + \frac{3 \coth^{-1}(ax) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{8c^{5/2}\sqrt{d}} + \frac{3x \coth^{-1}(ax)}{8c^2(c+dx^2)} + \\
& \quad \frac{x \coth^{-1}(ax)}{4c(c+dx^2)^2} \\
& \downarrow 7276 \\
& -\frac{1}{8}a \int \left(-\frac{x(3dx^2+5c)}{c^2(a^2x^2-1)(dx^2+c)^2} - \frac{3 \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{c^{5/2}\sqrt{d}(a^2x^2-1)} \right) dx + \frac{3 \coth^{-1}(ax) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{8c^{5/2}\sqrt{d}} + \\
& \quad \frac{3x \coth^{-1}(ax)}{8c^2(c+dx^2)} + \frac{x \coth^{-1}(ax)}{4c(c+dx^2)^2} \\
& \downarrow 2009 \\
& -\frac{1}{8}a \left(-\frac{(5a^2c+3d) \log(1-a^2x^2)}{2c^2(a^2c+d)^2} + \frac{(5a^2c+3d) \log(c+dx^2)}{2c^2(a^2c+d)^2} - \frac{1}{c(a^2c+d)(c+dx^2)} - \frac{3i \operatorname{PolyLog}\left(2, \frac{a(\sqrt{c}-\sqrt{dx})}{a\sqrt{c}}\right)}{4ac^{5/2}\sqrt{d}} \right) \\
& \quad \frac{3 \coth^{-1}(ax) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{8c^{5/2}\sqrt{d}} + \frac{3x \coth^{-1}(ax)}{8c^2(c+dx^2)} + \frac{x \coth^{-1}(ax)}{4c(c+dx^2)^2}
\end{aligned}$$

input `Int[ArcCoth[a*x]/(c + d*x^2)^3,x]`

output

$$\begin{aligned} & (x \operatorname{ArcCoth}[a x]) / (4 c (c + d x^2)^2) + (3 x \operatorname{ArcCoth}[a x]) / (8 c^2 (c + d x^2)) \\ & + (3 \operatorname{ArcCoth}[a x] \operatorname{ArcTan}[(\sqrt{d} x) / \sqrt{c}]) / (8 c^{5/2} \sqrt{d}) - (a (-1 / (c (a^2 c + d) (c + d x^2))) - ((3 I) / 4) \operatorname{Log}[(\sqrt{d} (1 - a x)) / (I a \sqrt{c} + \sqrt{d})]) \operatorname{Log}[1 - (I \sqrt{d} x) / \sqrt{c}]) / (a c^{5/2} \sqrt{d}) \\ & + (((3 I) / 4) \operatorname{Log}[-(\sqrt{d} (1 + a x)) / (I a \sqrt{c} - \sqrt{d})]) \operatorname{Log}[1 - (I \sqrt{d} x) / \sqrt{c}]) / (a c^{5/2} \sqrt{d}) + (((3 I) / 4) \operatorname{Log}[-(\sqrt{d} (1 - a x)) / (I a \sqrt{c} - \sqrt{d})]) \operatorname{Log}[1 + (I \sqrt{d} x) / \sqrt{c}]) / (a c^{5/2} \sqrt{d}) \\ & - (((3 I) / 4) \operatorname{Log}[(\sqrt{d} (1 + a x)) / (I a \sqrt{c} + \sqrt{d})]) \operatorname{Log}[1 + (I \sqrt{d} x) / \sqrt{c}]) / (a c^{5/2} \sqrt{d}) - ((5 a^2 c + 3 d) \operatorname{Log}[1 - a^2 x^2]) / (2 c^2 (a^2 c + d)^2) + ((5 a^2 c + 3 d) \operatorname{Log}[c + d x^2]) / (2 c^2 (a^2 c + d)^2) - ((3 I) / 4) \operatorname{PolyLog}[2, (a (\sqrt{c} - I \sqrt{d} x)) / (a \sqrt{c} - I \sqrt{d} x)] / (a c^{5/2} \sqrt{d}) \\ & + (((3 I) / 4) \operatorname{PolyLog}[2, (a (\sqrt{c} - I \sqrt{d} x)) / (a \sqrt{c} + I \sqrt{d} x)] / (a c^{5/2} \sqrt{d}) - ((3 I) / 4) \operatorname{PolyLog}[2, (a (\sqrt{c} + I \sqrt{d} x)) / (a \sqrt{c} - I \sqrt{d} x)] / (a c^{5/2} \sqrt{d}) + ((3 I) / 4) \operatorname{PolyLog}[2, (a (\sqrt{c} + I \sqrt{d} x)) / (a \sqrt{c} + I \sqrt{d} x)] / (a c^{5/2} \sqrt{d})) / 8 \end{aligned}$$

Defintions of rubi rules used

rule 27

$$\operatorname{Int}[(a_*) (F x_*) , x_Symbol] \rightarrow \operatorname{Simp}[a \operatorname{Int}[F x, x], x] / ; \operatorname{FreeQ}[a, x] \&\& ! \operatorname{MatchQ}[F x, (b_*) (G x_*) / ; \operatorname{FreeQ}[b, x]]$$

rule 2009

$$\operatorname{Int}[u_*, x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{IntSum}[u, x], x] / ; \operatorname{SumQ}[u]$$

rule 6539

$$\operatorname{Int}[(a_*) + \operatorname{ArcCoth}[(c_*) (x_*)] (b_*) ((d_*) + (e_*) (x_*)^2)^{(q_*)}, x_Symbol] \rightarrow \operatorname{With}[\{u = \operatorname{IntHide}[(d + e x^2)^q, x]\}, \operatorname{Simp}[(a + b \operatorname{ArcCoth}[c x]) u, x] - \operatorname{Simp}[b c \operatorname{Int}[\operatorname{SimplifyIntegrand}[u / (1 - c^2 x^2), x], x], x] / ; \operatorname{FreeQ}[\{a, b, c, d, e\}, x] \&\& (\operatorname{IntegerQ}[q] \parallel \operatorname{ILtQ}[q + 1/2, 0])$$

rule 7276

$$\operatorname{Int}[(u_*) / ((a_*) + (b_*) (x_*)^n), x_Symbol] \rightarrow \operatorname{With}[\{v = \operatorname{RationalFunctionExpand}[u / (a + b x^n), x]\}, \operatorname{Int}[v, x] / ; \operatorname{SumQ}[v] / ; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{IGtQ}[n, 0]$$

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 3790 vs. $2(493) = 986$.

Time = 1.20 (sec) , antiderivative size = 3791, normalized size of antiderivative = 5.77

method	result	size
derivativedivides	Expression too large to display	3791
default	Expression too large to display	3791
risch	Expression too large to display	4508

input `int(arccoth(x*a)/(d*x^2+c)^3,x,method=_RETURNVERBOSE)`

output

$$\begin{aligned} & 1/a*(-3/8*(a^2*c+2*(-a^2*c*d)^{(1/2)}-d)*a^4*d*\text{polylog}(2,(a^2*c+d)/(a*x-1)*(\\ & a*x+1)/(a^2*c-2*(-a^2*c*d)^{(1/2)}-d))/c/(a^4*c^2+2*a^2*c*d+d^2)^2+3/16*(c*d \\ &)^{(1/2)}/c*a^5*\arctan(1/4*(2*(a^2*c+d)/(a*x-1)*(a*x+1)-2*a^2*c+2*d)/a/(c*d) \\ &)^{(1/2)})/(a^4*c^2+2*a^2*c*d+d^2)/(a^2*c+d)+3/16*(c*d)^{(1/2)}/c^3*d*a*\arctan(\\ & 1/4*(2*(a^2*c+d)/(a*x-1)*(a*x+1)-2*a^2*c+2*d)/a/(c*d)^{(1/2)})/(a^4*c^2+2*a^ \\ & 2*c*d+d^2)+3/16*(-(a^2*c*d)^{(1/2)}*a^2*c+2*a^2*c*d+(-a^2*c*d)^{(1/2)}*d)/c*a \\ & ^4/(a^4*c^2+2*a^2*c*d+d^2)^2*\ln(1-(a^2*c+d)/(a*x-1)*(a*x+1)/(a^2*c-2*(-a^2 \\ & *c*d)^{(1/2)}-d))*\arccoth(x*a)-3/32*(-(a^2*c*d)^{(1/2)}*a^2*c+2*a^2*c*d+(-a^2 \\ & *c*d)^{(1/2)}*d)/c^2*a^2*d/(a^4*c^2+2*a^2*c*d+d^2)^2*\text{polylog}(2,(a^2*c+d)/(a* \\ & x-1)*(a*x+1)/(a^2*c-2*(-a^2*c*d)^{(1/2)}-d))+3/16*(-(a^2*c*d)^{(1/2)}*a^2*c+2 \\ & *a^2*c*d+(-a^2*c*d)^{(1/2)}*d)/c^2*a^2*d/(a^4*c^2+2*a^2*c*d+d^2)^2*\arccoth(x \\ & *a)^2+3/8*(-a^2*c*d)^{(1/2)}/c^2*a^2/(a^4*c^2+2*a^2*c*d+d^2)*\arccoth(x*a)*\ln \\ & (1-(a^2*c+d)/(a*x-1)*(a*x+1)/(a^2*c+2*(-a^2*c*d)^{(1/2)}-d))-3/16*(a^2*c+2*(\\ & -a^2*c*d)^{(1/2)}-d)*a^2*d^2*\text{polylog}(2,(a^2*c+d)/(a*x-1)*(a*x+1)/(a^2*c-2*(- \\ & a^2*c*d)^{(1/2)}-d))/c^2/(a^4*c^2+2*a^2*c*d+d^2)^2+3/8*(a^2*c+2*(-a^2*c*d)^{(\\ & 1/2)}-d)*a^2*d^2*\arccoth(x*a)^2/c^2/(a^4*c^2+2*a^2*c*d+d^2)^2-3/16*(-a^2*c* \\ & d)^{(1/2)}/c*a^4/d/(a^4*c^2+2*a^2*c*d+d^2)*\arccoth(x*a)^2-3/4*(a^2*c+2*(-a^2 \\ & *c*d)^{(1/2)}-d)*a^4*d*\ln(1-(a^2*c+d)/(a*x-1)*(a*x+1)/(a^2*c-2*(-a^2*c*d)^{(1 \\ & /2)}-d))*\arccoth(x*a)/c/(a^4*c^2+2*a^2*c*d+d^2)^2-5/16*(c*d)^{(1/2)}/c^2*d*a^ \\ & 3*\arctan(1/4*(2*(a^2*c+d)/(a*x-1)*(a*x+1)-2*a^2*c+2*d)/a/(c*d)^{(1/2)})/(... \end{aligned}$$

Fricas [F]

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^3} dx = \int \frac{\operatorname{arccoth}(ax)}{(dx^2 + c)^3} dx$$

input `integrate(arccoth(a*x)/(d*x^2+c)^3,x, algorithm="fricas")`

output `integral(arccoth(a*x)/(d^3*x^6 + 3*c*d^2*x^4 + 3*c^2*d*x^2 + c^3), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^3} dx = \text{Timed out}$$

input `integrate(acoth(a*x)/(d*x**2+c)**3,x)`

output `Timed out`

Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1087 vs. $2(463) = 926$.

Time = 0.21 (sec) , antiderivative size = 1087, normalized size of antiderivative = 1.65

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^3} dx = \text{Too large to display}$$

input `integrate(arccoth(a*x)/(d*x^2+c)^3,x, algorithm="maxima")`

output

```

1/8*((3*d*x^3 + 5*c*x)/(c^2*d^2*x^4 + 2*c^3*d*x^2 + c^4) + 3*arctan(d*x/sq
rt(c*d))/(sqrt(c*d)*c^2))*arccoth(a*x) + 1/32*(4*a^3*c^3*d + 4*a*c^2*d^2 -
3*((a^4*c^3 + 2*a^2*c^2*d + c*d^2 + (a^4*c^2*d + 2*a^2*c*d^2 + d^3)*x^2)*
arctan(sqrt(d)*x/sqrt(c))*log((a^2*d*x^2 + 2*a*d*x + d)/(a^2*c + d)) - (a^
4*c^3 + 2*a^2*c^2*d + c*d^2 + (a^4*c^2*d + 2*a^2*c*d^2 + d^3)*x^2)*arctan(
sqrt(d)*x/sqrt(c))*log((a^2*d*x^2 - 2*a*d*x + d)/(a^2*c + d)) - (-I*a^4*c^
3 - 2*I*a^2*c^2*d - I*c*d^2 + (-I*a^4*c^2*d - 2*I*a^2*c*d^2 - I*d^3)*x^2)*
dilog((a^2*c + a*d*x - (I*a^2*x - I*a)*sqrt(c)*sqrt(d))/(a^2*c + 2*I*a*sq
rt(c)*sqrt(d) - d)) - (-I*a^4*c^3 - 2*I*a^2*c^2*d - I*c*d^2 + (-I*a^4*c^2*d
- 2*I*a^2*c*d^2 - I*d^3)*x^2)*dilog((a^2*c - a*d*x + (I*a^2*x + I*a)*sqrt
(c)*sqrt(d))/(a^2*c + 2*I*a*sqrt(c)*sqrt(d) - d)) - (I*a^4*c^3 + 2*I*a^2*c
^2*d + I*c*d^2 + (I*a^4*c^2*d + 2*I*a^2*c*d^2 + I*d^3)*x^2)*dilog((a^2*c +
a*d*x + (I*a^2*x - I*a)*sqrt(c)*sqrt(d))/(a^2*c - 2*I*a*sqrt(c)*sqrt(d) -
d)) - (I*a^4*c^3 + 2*I*a^2*c^2*d + I*c*d^2 + (I*a^4*c^2*d + 2*I*a^2*c*d^2
+ I*d^3)*x^2)*dilog((a^2*c - a*d*x - (I*a^2*x + I*a)*sqrt(c)*sqrt(d))/(a^
2*c - 2*I*a*sqrt(c)*sqrt(d) - d)) - ((a^4*c^3 + 2*a^2*c^2*d + c*d^2 + (a^4
*c^2*d + 2*a^2*c*d^2 + d^3)*x^2)*arctan2((a^2*x + a)*sqrt(c)*sqrt(d)/(a^2*
c + d), (a*d*x + d)/(a^2*c + d)) - (a^4*c^3 + 2*a^2*c^2*d + c*d^2 + (a^4*
c^2*d + 2*a^2*c*d^2 + d^3)*x^2)*arctan2((a^2*x - a)*sqrt(c)*sqrt(d)/(a^2*c
+ d), -(a*d*x - d)/(a^2*c + d)))*log(d*x^2 + c))*sqrt(c)*sqrt(d) - 2*(5...

```

Giac [F]

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^3} dx = \int \frac{\operatorname{arccoth}(ax)}{(dx^2 + c)^3} dx$$

input

```
integrate(arccoth(a*x)/(d*x^2+c)^3,x, algorithm="giac")
```

output

```
integrate(arccoth(a*x)/(d*x^2 + c)^3, x)
```


Mupad [F(-1)]

Timed out.

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^3} dx = \int \frac{\operatorname{acoth}(ax)}{(dx^2 + c)^3} dx$$

input `int(acoth(a*x)/(c + d*x^2)^3,x)`output `int(acoth(a*x)/(c + d*x^2)^3, x)`**Reduce [F]**

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^3} dx = \text{too large to display}$$

input `int(acoth(a*x)/(d*x^2+c)^3,x)`

output

```
( - 6*acoth(a*x)**2*a**7*c**5 - 12*acoth(a*x)**2*a**7*c**4*d*x**2 - 6*acot
h(a*x)**2*a**7*c**3*d**2*x**4 - 12*acoth(a*x)**2*a**5*c**4*d - 24*acoth(a*
x)**2*a**5*c**3*d**2*x**2 - 12*acoth(a*x)**2*a**5*c**2*d**3*x**4 - 6*acoth
(a*x)**2*a**3*c**3*d**2 - 12*acoth(a*x)**2*a**3*c**2*d**3*x**2 - 6*acoth(a
*x)**2*a**3*c*d**4*x**4 - 24*acoth(a*x)*a**6*c**4*d*x - 12*acoth(a*x)*a**6
*c**3*d**2*x**3 - 52*acoth(a*x)*a**4*c**3*d**2*x - 24*acoth(a*x)*a**4*c**2
*d**3*x**3 - 32*acoth(a*x)*a**2*c**2*d**3*x - 12*acoth(a*x)*a**2*c*d**4*x*
*3 - 4*acoth(a*x)*c*d**4*x + 36*int((acoth(a*x)*x**2)/(3*a**6*c**5*x**2 +
9*a**6*c**4*d*x**4 + 9*a**6*c**3*d**2*x**6 + 3*a**6*c**2*d**3*x**8 - 3*a**
4*c**5 - 15*a**4*c**4*d*x**2 - 27*a**4*c**3*d**2*x**4 - 21*a**4*c**2*d**3*
x**6 - 6*a**4*c*d**4*x**8 + 6*a**2*c**4*d + 17*a**2*c**3*d**2*x**2 + 15*a*
*2*c**2*d**3*x**4 + 3*a**2*c*d**4*x**6 - a**2*d**5*x**8 + c**3*d**2 + 3*c*
*2*d**3*x**2 + 3*c*d**4*x**4 + d**5*x**6),x)*a**14*c**10 + 72*int((acoth(a
*x)*x**2)/(3*a**6*c**5*x**2 + 9*a**6*c**4*d*x**4 + 9*a**6*c**3*d**2*x**6 +
3*a**6*c**2*d**3*x**8 - 3*a**4*c**5 - 15*a**4*c**4*d*x**2 - 27*a**4*c**3*
d**2*x**4 - 21*a**4*c**2*d**3*x**6 - 6*a**4*c*d**4*x**8 + 6*a**2*c**4*d +
17*a**2*c**3*d**2*x**2 + 15*a**2*c**2*d**3*x**4 + 3*a**2*c*d**4*x**6 - a**
2*d**5*x**8 + c**3*d**2 + 3*c**2*d**3*x**2 + 3*c*d**4*x**4 + d**5*x**6),x)
*a**14*c**9*d*x**2 + 36*int((acoth(a*x)*x**2)/(3*a**6*c**5*x**2 + 9*a**6*c
**4*d*x**4 + 9*a**6*c**3*d**2*x**6 + 3*a**6*c**2*d**3*x**8 - 3*a**4*c**...
```

3.8 $\int \sqrt{a - ax^2} \coth^{-1}(x) dx$

Optimal result	98
Mathematica [A] (verified)	99
Rubi [A] (verified)	99
Maple [A] (verified)	101
Fricas [F]	101
Sympy [F]	102
Maxima [F]	102
Giac [F]	102
Mupad [F(-1)]	103
Reduce [F]	103

Optimal result

Integrand size = 15, antiderivative size = 186

$$\int \sqrt{a - ax^2} \coth^{-1}(x) dx = \frac{1}{2}\sqrt{a - ax^2} + \frac{1}{2}x\sqrt{a - ax^2} \coth^{-1}(x) - \frac{a\sqrt{1 - x^2} \coth^{-1}(x) \arctan\left(\frac{\sqrt{1-x}}{\sqrt{1+x}}\right)}{\sqrt{a - ax^2}} - \frac{ia\sqrt{1 - x^2} \text{PolyLog}\left(2, -\frac{i\sqrt{1-x}}{\sqrt{1+x}}\right)}{2\sqrt{a - ax^2}} + \frac{ia\sqrt{1 - x^2} \text{PolyLog}\left(2, \frac{i\sqrt{1-x}}{\sqrt{1+x}}\right)}{2\sqrt{a - ax^2}}$$

output

```
1/2*(-a*x^2+a)^(1/2)+1/2*x*(-a*x^2+a)^(1/2)*arccoth(x)-a*(-x^2+1)^(1/2)*arccoth(x)*arctan((1-x)^(1/2)/(1+x)^(1/2))/(-a*x^2+a)^(1/2)-1/2*I*a*(-x^2+1)^(1/2)*polylog(2,-I*(1-x)^(1/2)/(1+x)^(1/2))/(-a*x^2+a)^(1/2)+1/2*I*a*(-x^2+1)^(1/2)*polylog(2,I*(1-x)^(1/2)/(1+x)^(1/2))/(-a*x^2+a)^(1/2)
```

Mathematica [A] (verified)

Time = 0.71 (sec) , antiderivative size = 125, normalized size of antiderivative = 0.67

$$\int \sqrt{a - ax^2} \coth^{-1}(x) dx = \frac{\sqrt{a - ax^2} \left(-2 \coth \left(\frac{1}{2} \coth^{-1}(x) \right) - \coth^{-1}(x) \operatorname{csch}^2 \left(\frac{1}{2} \coth^{-1}(x) \right) - 4 \coth^{-1}(x) \log \left(1 - e^{-\coth^{-1}(x)} \right) \right)}{1}$$

input `Integrate[Sqrt[a - a*x^2]*ArcCoth[x], x]`

output `-1/8*(Sqrt[a - a*x^2]*(-2*Coth[ArcCoth[x]/2] - ArcCoth[x]*Csch[ArcCoth[x]/2]^2 - 4*ArcCoth[x]*Log[1 - E^(-ArcCoth[x])] + 4*ArcCoth[x]*Log[1 + E^(-ArcCoth[x])]) - 4*PolyLog[2, -E^(-ArcCoth[x])] + 4*PolyLog[2, E^(-ArcCoth[x])]) - ArcCoth[x]*Sech[ArcCoth[x]/2]^2 + 2*Tanh[ArcCoth[x]/2]))/(Sqrt[1 - x^(-2)]*x)`

Rubi [A] (verified)

Time = 0.43 (sec) , antiderivative size = 139, normalized size of antiderivative = 0.75, number of steps used = 3, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {6505, 6517, 6513}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sqrt{a - ax^2} \coth^{-1}(x) dx$$

$$\downarrow \text{6505}$$

$$\frac{1}{2}a \int \frac{\coth^{-1}(x)}{\sqrt{a - ax^2}} dx + \frac{1}{2}\sqrt{a - ax^2} + \frac{1}{2}x\sqrt{a - ax^2} \coth^{-1}(x)$$

$$\downarrow \text{6517}$$

$$\frac{a\sqrt{1 - x^2} \int \frac{\coth^{-1}(x)}{\sqrt{1 - x^2}} dx}{2\sqrt{a - ax^2}} + \frac{1}{2}\sqrt{a - ax^2} + \frac{1}{2}x\sqrt{a - ax^2} \coth^{-1}(x)$$

$$\frac{a\sqrt{1-x^2}\left(-2\arctan\left(\frac{\sqrt{1-x}}{\sqrt{x+1}}\right)\coth^{-1}(x) - i\operatorname{PolyLog}\left(2, -\frac{i\sqrt{1-x}}{\sqrt{x+1}}\right) + i\operatorname{PolyLog}\left(2, \frac{i\sqrt{1-x}}{\sqrt{x+1}}\right)\right)}{\frac{1}{2}\sqrt{a-ax^2} + \frac{1}{2}x\sqrt{a-ax^2}\coth^{-1}(x)} +$$

input `Int[Sqrt[a - a*x^2]*ArcCoth[x], x]`

output `Sqrt[a - a*x^2]/2 + (x*Sqrt[a - a*x^2]*ArcCoth[x])/2 + (a*Sqrt[1 - x^2]*(-2*ArcCoth[x]*ArcTan[Sqrt[1 - x]/Sqrt[1 + x]] - I*PolyLog[2, ((-I)*Sqrt[1 - x])/Sqrt[1 + x]] + I*PolyLog[2, (I*Sqrt[1 - x])/Sqrt[1 + x]]))/(2*Sqrt[a - a*x^2])`

Defintions of rubi rules used

rule 6505 `Int[((a_.) + ArcCoth[(c_.)*(x_)])*(b_.))*((d_) + (e_.)*(x_)^2)^(q_.), x_Symbol] := Simp[b*((d + e*x^2)^q/(2*c*q*(2*q + 1))), x] + (Simp[x*(d + e*x^2)^q*((a + b*ArcCoth[c*x])/(2*q + 1)), x] + Simp[2*d*(q/(2*q + 1)) Int[(d + e*x^2)^(q - 1)*(a + b*ArcCoth[c*x]), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[q, 0]`

rule 6513 `Int[((a_.) + ArcCoth[(c_.)*(x_)])*(b_.))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := Simp[-2*(a + b*ArcCoth[c*x])*(ArcTan[Sqrt[1 - c*x]/Sqrt[1 + c*x]]/(c*Sqrt[d])), x] + (-Simp[I*b*(PolyLog[2, (-I)*(Sqrt[1 - c*x]/Sqrt[1 + c*x])])/(c*Sqrt[d])), x] + Simp[I*b*(PolyLog[2, I*(Sqrt[1 - c*x]/Sqrt[1 + c*x])])/(c*Sqrt[d])), x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0]`

rule 6517 `Int[((a_.) + ArcCoth[(c_.)*(x_)])*(b_.))^(p_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2] Int[(a + b*ArcCoth[c*x])^p/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[p, 0] && !GtQ[d, 0]`

Maple [A] (verified)

Time = 0.49 (sec) , antiderivative size = 199, normalized size of antiderivative = 1.07

method	result
default	$\frac{(\operatorname{arccoth}(x)x+1)\sqrt{-(x-1)(x+1)a}}{2} - \frac{\sqrt{-(x-1)(x+1)a} \sqrt{\frac{x-1}{x+1}} \operatorname{arccoth}(x) \ln\left(\frac{1}{\sqrt{\frac{x-1}{x+1}}} + 1\right)}{2(x-1)} - \frac{\sqrt{-(x-1)(x+1)a} \sqrt{\frac{x-1}{x+1}} \operatorname{polylog}\left(2, \frac{1}{\sqrt{\frac{x-1}{x+1}}}\right)}{2(x-1)}$

input `int((-a*x^2+a)^(1/2)*arccoth(x),x,method=_RETURNVERBOSE)`

output `1/2*(arccoth(x)*x+1)*(-(x-1)*(x+1)*a)^(1/2)-1/2*(-(x-1)*(x+1)*a)^(1/2)*((x-1)/(x+1))^(1/2)/(x-1)*arccoth(x)*ln(1/((x-1)/(x+1))^(1/2)+1)-1/2*(-(x-1)*(x+1)*a)^(1/2)*((x-1)/(x+1))^(1/2)/(x-1)*polylog(2,-1/((x-1)/(x+1))^(1/2))+1/2*(-(x-1)*(x+1)*a)^(1/2)*((x-1)/(x+1))^(1/2)/(x-1)*arccoth(x)*ln(1-1/((x-1)/(x+1))^(1/2))+1/2*(-(x-1)*(x+1)*a)^(1/2)*((x-1)/(x+1))^(1/2)/(x-1)*polylog(2,1/((x-1)/(x+1))^(1/2))`

Fricas [F]

$$\int \sqrt{a - ax^2} \operatorname{coth}^{-1}(x) dx = \int \sqrt{-ax^2 + a} \operatorname{arccoth}(x) dx$$

input `integrate((-a*x^2+a)^(1/2)*arccoth(x),x, algorithm="fricas")`

output `integral(sqrt(-a*x^2 + a)*arccoth(x), x)`

Sympy [F]

$$\int \sqrt{a - ax^2} \coth^{-1}(x) dx = \int \sqrt{-a(x-1)(x+1)} \operatorname{arccoth}(x) dx$$

input `integrate((-a*x**2+a)**(1/2)*acoth(x), x)`

output `Integral(sqrt(-a*(x - 1)*(x + 1))*acoth(x), x)`

Maxima [F]

$$\int \sqrt{a - ax^2} \coth^{-1}(x) dx = \int \sqrt{-ax^2 + a} \operatorname{arccoth}(x) dx$$

input `integrate((-a*x^2+a)^(1/2)*arccoth(x), x, algorithm="maxima")`

output `integrate(sqrt(-a*x^2 + a)*arccoth(x), x)`

Giac [F]

$$\int \sqrt{a - ax^2} \coth^{-1}(x) dx = \int \sqrt{-ax^2 + a} \operatorname{arccoth}(x) dx$$

input `integrate((-a*x^2+a)^(1/2)*arccoth(x), x, algorithm="giac")`

output `integrate(sqrt(-a*x^2 + a)*arccoth(x), x)`

Mupad [F(-1)]

Timed out.

$$\int \sqrt{a - ax^2} \coth^{-1}(x) dx = \int \operatorname{acoth}(x) \sqrt{a - ax^2} dx$$

input `int(acoth(x)*(a - a*x^2)^(1/2),x)`output `int(acoth(x)*(a - a*x^2)^(1/2), x)`**Reduce [F]**

$$\int \sqrt{a - ax^2} \coth^{-1}(x) dx = \sqrt{a} \left(\int \sqrt{-x^2 + 1} \operatorname{acoth}(x) dx \right)$$

input `int((-a*x^2+a)^(1/2)*acoth(x),x)`output `sqrt(a)*int(sqrt(-x**2 + 1)*acoth(x),x)`

3.9 $\int \frac{\coth^{-1}(x)}{\sqrt{a-ax^2}} dx$

Optimal result	104
Mathematica [A] (verified)	104
Rubi [A] (verified)	105
Maple [A] (verified)	106
Fricas [F]	107
Sympy [F]	107
Maxima [F]	107
Giac [F]	108
Mupad [F(-1)]	108
Reduce [F]	108

Optimal result

Integrand size = 15, antiderivative size = 144

$$\int \frac{\coth^{-1}(x)}{\sqrt{a-ax^2}} dx = -\frac{2\sqrt{1-x^2} \coth^{-1}(x) \arctan\left(\frac{\sqrt{1-x}}{\sqrt{1+x}}\right)}{\sqrt{a-ax^2}} - \frac{i\sqrt{1-x^2} \operatorname{PolyLog}\left(2, -\frac{i\sqrt{1-x}}{\sqrt{1+x}}\right)}{\sqrt{a-ax^2}} + \frac{i\sqrt{1-x^2} \operatorname{PolyLog}\left(2, \frac{i\sqrt{1-x}}{\sqrt{1+x}}\right)}{\sqrt{a-ax^2}}$$

output

```
-2*(-x^2+1)^(1/2)*arccoth(x)*arctan((1-x)^(1/2)/(1+x)^(1/2))/(-a*x^2+a)^(1/2)-I*(-x^2+1)^(1/2)*polylog(2,-I*(1-x)^(1/2)/(1+x)^(1/2))/(-a*x^2+a)^(1/2)+I*(-x^2+1)^(1/2)*polylog(2,I*(1-x)^(1/2)/(1+x)^(1/2))/(-a*x^2+a)^(1/2)
```

Mathematica [A] (verified)

Time = 0.13 (sec) , antiderivative size = 77, normalized size of antiderivative = 0.53

$$\int \frac{\coth^{-1}(x)}{\sqrt{a-ax^2}} dx = \frac{\sqrt{a-ax^2} \left(\coth^{-1}(x) \left(\log\left(1 - e^{-\coth^{-1}(x)}\right) - \log\left(1 + e^{-\coth^{-1}(x)}\right)\right) + \operatorname{PolyLog}\left(2, -e^{-\coth^{-1}(x)}\right) - \operatorname{PolyLog}\left(2, e^{-\coth^{-1}(x)}\right) \right)}{a\sqrt{1-\frac{1}{x^2}}x}$$

input `Integrate[ArcCoth[x]/Sqrt[a - a*x^2], x]`

output `(Sqrt[a - a*x^2]*(ArcCoth[x]*(Log[1 - E^(-ArcCoth[x])] - Log[1 + E^(-ArcCoth[x])]) + PolyLog[2, -E^(-ArcCoth[x])] - PolyLog[2, E^(-ArcCoth[x])]))/(a*Sqrt[1 - x^(-2)]*x)`

Rubi [A] (verified)

Time = 0.30 (sec) , antiderivative size = 99, normalized size of antiderivative = 0.69, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {6517, 6513}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\coth^{-1}(x)}{\sqrt{a - ax^2}} dx$$

$$\downarrow \text{6517}$$

$$\frac{\sqrt{1 - x^2} \int \frac{\coth^{-1}(x)}{\sqrt{1 - x^2}} dx}{\sqrt{a - ax^2}}$$

$$\downarrow \text{6513}$$

$$\frac{\sqrt{1 - x^2} \left(-2 \arctan \left(\frac{\sqrt{1-x}}{\sqrt{x+1}} \right) \coth^{-1}(x) - i \text{PolyLog} \left(2, -\frac{i\sqrt{1-x}}{\sqrt{x+1}} \right) + i \text{PolyLog} \left(2, \frac{i\sqrt{1-x}}{\sqrt{x+1}} \right) \right)}{\sqrt{a - ax^2}}$$

input `Int[ArcCoth[x]/Sqrt[a - a*x^2], x]`

output `(Sqrt[1 - x^2]*(-2*ArcCoth[x]*ArcTan[Sqrt[1 - x]/Sqrt[1 + x]] - I*PolyLog[2, ((-I)*Sqrt[1 - x])/Sqrt[1 + x]] + I*PolyLog[2, (I*Sqrt[1 - x])/Sqrt[1 + x]]))/Sqrt[a - a*x^2]`

Definitions of rubi rules used

rule 6513

```
Int[((a_.) + ArcCoth[(c_.)*(x_.)]*(b_.))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
  := Simp[-2*(a + b*ArcCoth[c*x])*(ArcTan[Sqrt[1 - c*x]/Sqrt[1 + c*x]]/(c*Sqrt[d])), x]
  + (-Simp[I*b*(PolyLog[2, (-I)*(Sqrt[1 - c*x]/Sqrt[1 + c*x])])/(c*Sqrt[d])), x]
  + Simp[I*b*(PolyLog[2, I*(Sqrt[1 - c*x]/Sqrt[1 + c*x])])/(c*Sqrt[d])), x]
  /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0]
```

rule 6517

```
Int[((a_.) + ArcCoth[(c_.)*(x_.)]*(b_.))^(p_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
  := Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2] Int[(a + b*ArcCoth[c*x])^p/Sqrt[1 - c^2*x^2], x], x]
  /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[p, 0] && !GtQ[d, 0]
```

Maple [A] (verified)

Time = 0.43 (sec) , antiderivative size = 190, normalized size of antiderivative = 1.32

method	result
default	$-\frac{\ln\left(\frac{1}{\sqrt{\frac{x-1}{x+1}}}+1\right) \operatorname{arccoth}(x) \sqrt{\frac{x-1}{x+1}} \sqrt{-(x-1)(x+1)a}}{a(x-1)} - \frac{\operatorname{polylog}\left(2, -\frac{1}{\sqrt{\frac{x-1}{x+1}}}\right) \sqrt{\frac{x-1}{x+1}} \sqrt{-(x-1)(x+1)a}}{a(x-1)} + \frac{\ln\left(1 - \frac{1}{\sqrt{\frac{x-1}{x+1}}}\right) \operatorname{arccoth}(x) \sqrt{\frac{x-1}{x+1}} \sqrt{-(x-1)(x+1)a}}{a(x-1)}$

input

```
int(arccoth(x)/(-a*x^2+a)^(1/2),x,method=_RETURNVERBOSE)
```

output

```
-ln(1/((x-1)/(x+1))^(1/2)+1)*arccoth(x)*((x-1)/(x+1))^(1/2)*(-(x-1)*(x+1)*a)^(1/2)/a/(x-1)-polylog(2,-1/((x-1)/(x+1))^(1/2))*((x-1)/(x+1))^(1/2)*(-(x-1)*(x+1)*a)^(1/2)/a/(x-1)+ln(1-1/((x-1)/(x+1))^(1/2))*arccoth(x)*((x-1)/(x+1))^(1/2)*(-(x-1)*(x+1)*a)^(1/2)/a/(x-1)+polylog(2,1/((x-1)/(x+1))^(1/2))*((x-1)/(x+1))^(1/2)*(-(x-1)*(x+1)*a)^(1/2)/a/(x-1)
```

Fricas [F]

$$\int \frac{\coth^{-1}(x)}{\sqrt{a-ax^2}} dx = \int \frac{\operatorname{arccoth}(x)}{\sqrt{-ax^2+a}} dx$$

input `integrate(arccoth(x)/(-a*x^2+a)^(1/2),x, algorithm="fricas")`

output `integral(-sqrt(-a*x^2 + a)*arccoth(x)/(a*x^2 - a), x)`

Sympy [F]

$$\int \frac{\coth^{-1}(x)}{\sqrt{a-ax^2}} dx = \int \frac{\operatorname{acoth}(x)}{\sqrt{-a(x-1)(x+1)}} dx$$

input `integrate(acoth(x)/(-a*x**2+a)**(1/2),x)`

output `Integral(acoth(x)/sqrt(-a*(x - 1)*(x + 1)), x)`

Maxima [F]

$$\int \frac{\coth^{-1}(x)}{\sqrt{a-ax^2}} dx = \int \frac{\operatorname{arccoth}(x)}{\sqrt{-ax^2+a}} dx$$

input `integrate(arccoth(x)/(-a*x^2+a)^(1/2),x, algorithm="maxima")`

output `integrate(arccoth(x)/sqrt(-a*x^2 + a), x)`

Giac [F]

$$\int \frac{\coth^{-1}(x)}{\sqrt{a - ax^2}} dx = \int \frac{\operatorname{arccoth}(x)}{\sqrt{-ax^2 + a}} dx$$

input `integrate(arccoth(x)/(-a*x^2+a)^(1/2),x, algorithm="giac")`

output `integrate(arccoth(x)/sqrt(-a*x^2 + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\coth^{-1}(x)}{\sqrt{a - ax^2}} dx = \int \frac{\operatorname{acoth}(x)}{\sqrt{a - ax^2}} dx$$

input `int(acoth(x)/(a - a*x^2)^(1/2),x)`

output `int(acoth(x)/(a - a*x^2)^(1/2), x)`

Reduce [F]

$$\int \frac{\coth^{-1}(x)}{\sqrt{a - ax^2}} dx = \frac{\int \frac{\operatorname{acoth}(x)}{\sqrt{-x^2+1}} dx}{\sqrt{a}}$$

input `int(acoth(x)/(-a*x^2+a)^(1/2),x)`

output `int(acoth(x)/sqrt(-x**2 + 1),x)/sqrt(a)`

3.10 $\int \frac{\coth^{-1}(x)}{(a-ax^2)^{3/2}} dx$

Optimal result	109
Mathematica [A] (verified)	109
Rubi [A] (verified)	110
Maple [A] (verified)	110
Fricas [A] (verification not implemented)	111
Sympy [F]	111
Maxima [A] (verification not implemented)	112
Giac [A] (verification not implemented)	112
Mupad [F(-1)]	112
Reduce [F]	113

Optimal result

Integrand size = 15, antiderivative size = 37

$$\int \frac{\coth^{-1}(x)}{(a-ax^2)^{3/2}} dx = -\frac{1}{a\sqrt{a-ax^2}} + \frac{x \coth^{-1}(x)}{a\sqrt{a-ax^2}}$$

output $-1/a/(-a*x^2+a)^{(1/2)}+x*\operatorname{arccoth}(x)/a/(-a*x^2+a)^{(1/2)}$

Mathematica [A] (verified)

Time = 0.05 (sec) , antiderivative size = 30, normalized size of antiderivative = 0.81

$$\int \frac{\coth^{-1}(x)}{(a-ax^2)^{3/2}} dx = \frac{\sqrt{a-ax^2}(1-x \coth^{-1}(x))}{a^2(-1+x^2)}$$

input $\operatorname{Integrate}[\operatorname{ArcCoth}[x]/(a-a*x^2)^{(3/2)},x]$

output $(\operatorname{Sqrt}[a-a*x^2]*(1-x*\operatorname{ArcCoth}[x]))/(a^2*(-1+x^2))$

Rubi [A] (verified)

Time = 0.22 (sec) , antiderivative size = 37, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {6521}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\coth^{-1}(x)}{(a - ax^2)^{3/2}} dx$$

↓ 6521

$$\frac{x \coth^{-1}(x)}{a\sqrt{a - ax^2}} - \frac{1}{a\sqrt{a - ax^2}}$$

input `Int[ArcCoth[x]/(a - a*x^2)^(3/2), x]`

output `-(1/(a*Sqrt[a - a*x^2])) + (x*ArcCoth[x])/(a*Sqrt[a - a*x^2])`

Defintions of rubi rules used

rule 6521 `Int[((a_.) + ArcCoth[(c_.)*(x_)])*(b_.))/((d_) + (e_.)*(x_)^2)^(3/2), x_Symbol] :> Simp[-b/(c*d*Sqrt[d + e*x^2]), x] + Simp[x*((a + b*ArcCoth[c*x])/(d*Sqrt[d + e*x^2])), x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0]`

Maple [A] (verified)

Time = 0.42 (sec) , antiderivative size = 45, normalized size of antiderivative = 1.22

method	result	size
risch	$\frac{x \ln(x+1)}{2a\sqrt{-a(x^2-1)}} - \frac{\ln(x-1)x+2}{2a\sqrt{-a(x^2-1)}}$	45
default	$-\frac{(-1+\operatorname{arccoth}(x))\sqrt{-(x-1)(x+1)a}}{2(x-1)a^2} - \frac{(1+\operatorname{arccoth}(x))\sqrt{-(x-1)(x+1)a}}{2(x+1)a^2}$	52
orering	$\frac{(-4x^3+4x) \operatorname{arccoth}(x)}{(-ax^2+a)^{\frac{3}{2}}} - (x-1)^2(x+1)^2 \left(-\frac{1}{(x^2-1)(-ax^2+a)^{\frac{3}{2}}} + \frac{3 \operatorname{arccoth}(x)xa}{(-ax^2+a)^{\frac{5}{2}}} \right)$	72

input `int(arccoth(x)/(-a*x^2+a)^(3/2),x,method=_RETURNVERBOSE)`

output `1/2/a*x/(-a*(x^2-1))^(1/2)*ln(x+1)-1/2/a*(ln(x-1)*x+2)/(-a*(x^2-1))^(1/2)`

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 41, normalized size of antiderivative = 1.11

$$\int \frac{\coth^{-1}(x)}{(a - ax^2)^{3/2}} dx = -\frac{\sqrt{-ax^2 + a}(x \log(\frac{x+1}{x-1}) - 2)}{2(a^2x^2 - a^2)}$$

input `integrate(arccoth(x)/(-a*x^2+a)^(3/2),x, algorithm="fricas")`

output `-1/2*sqrt(-a*x^2 + a)*(x*log((x + 1)/(x - 1)) - 2)/(a^2*x^2 - a^2)`

Sympy [F]

$$\int \frac{\coth^{-1}(x)}{(a - ax^2)^{3/2}} dx = \int \frac{\operatorname{acoth}(x)}{(-a(x-1)(x+1))^{\frac{3}{2}}} dx$$

input `integrate(acoath(x)/(-a*x**2+a)**(3/2),x)`

output `Integral(acoath(x)/(-a*(x - 1)*(x + 1))**(3/2), x)`

Maxima [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 63, normalized size of antiderivative = 1.70

$$\int \frac{\coth^{-1}(x)}{(a - ax^2)^{3/2}} dx = \frac{x \operatorname{arccoth}(x)}{\sqrt{-ax^2 + aa}} - \frac{\sqrt{-ax^2 + a}}{ax + a} - \frac{\sqrt{-ax^2 + a}}{ax - a} 2a$$

input `integrate(arccoth(x)/(-a*x^2+a)^(3/2),x, algorithm="maxima")`

output `x*arccoth(x)/(sqrt(-a*x^2 + a)*a) - 1/2*(sqrt(-a*x^2 + a)/(a*x + a) - sqrt(-a*x^2 + a)/(a*x - a))/a`

Giac [A] (verification not implemented)

Time = 0.14 (sec) , antiderivative size = 58, normalized size of antiderivative = 1.57

$$\int \frac{\coth^{-1}(x)}{(a - ax^2)^{3/2}} dx = -\frac{\sqrt{-ax^2 + ax} \log\left(-\frac{\frac{1}{x}+1}{\frac{1}{x}-1}\right)}{2(ax^2 - a)a} - \frac{1}{\sqrt{-ax^2 + aa}}$$

input `integrate(arccoth(x)/(-a*x^2+a)^(3/2),x, algorithm="giac")`

output `-1/2*sqrt(-a*x^2 + a)*x*log(-(1/x + 1)/(1/x - 1))/((a*x^2 - a)*a) - 1/(sqrt(-a*x^2 + a)*a)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\coth^{-1}(x)}{(a - ax^2)^{3/2}} dx = \int \frac{\operatorname{acoth}(x)}{(a - ax^2)^{3/2}} dx$$

input `int(acoth(x)/(a - a*x^2)^(3/2),x)`

output `int(acoth(x)/(a - a*x^2)^(3/2), x)`

Reduce [F]

$$\int \frac{\coth^{-1}(x)}{(a - ax^2)^{3/2}} dx = -\frac{\int \frac{\operatorname{acoth}(x)}{\sqrt{-x^2+1}x^2-\sqrt{-x^2+1}} dx}{\sqrt{a}a}$$

input `int(acoth(x)/(-a*x^2+a)^(3/2),x)`

output `(- int(acoth(x)/(sqrt(- x**2 + 1)*x**2 - sqrt(- x**2 + 1)),x))/(sqrt(a)*a)`

3.11 $\int \frac{\operatorname{coth}^{-1}(x)}{(a-ax^2)^{5/2}} dx$

Optimal result	114
Mathematica [A] (verified)	114
Rubi [A] (verified)	115
Maple [A] (verified)	116
Fricas [A] (verification not implemented)	116
Sympy [F]	117
Maxima [A] (verification not implemented)	117
Giac [A] (verification not implemented)	117
Mupad [F(-1)]	118
Reduce [F]	118

Optimal result

Integrand size = 15, antiderivative size = 83

$$\int \frac{\operatorname{coth}^{-1}(x)}{(a-ax^2)^{5/2}} dx = -\frac{1}{9a(a-ax^2)^{3/2}} - \frac{2}{3a^2\sqrt{a-ax^2}} + \frac{x \operatorname{coth}^{-1}(x)}{3a(a-ax^2)^{3/2}} + \frac{2x \operatorname{coth}^{-1}(x)}{3a^2\sqrt{a-ax^2}}$$

output

$$-1/9/a/(-a*x^2+a)^{(3/2)}-2/3/a^2/(-a*x^2+a)^{(1/2)}+1/3*x*\operatorname{arccoth}(x)/a/(-a*x^2+a)^{(3/2)}+2/3*x*\operatorname{arccoth}(x)/a^2/(-a*x^2+a)^{(1/2)}$$

Mathematica [A] (verified)

Time = 0.05 (sec) , antiderivative size = 45, normalized size of antiderivative = 0.54

$$\int \frac{\operatorname{coth}^{-1}(x)}{(a-ax^2)^{5/2}} dx = -\frac{\sqrt{a-ax^2}(7-6x^2+(-9x+6x^3)\operatorname{coth}^{-1}(x))}{9a^3(-1+x^2)^2}$$

input

`Integrate[ArcCoth[x]/(a - a*x^2)^(5/2), x]`

output

$$-1/9*(\operatorname{Sqrt}[a - a*x^2]*(7 - 6*x^2 + (-9*x + 6*x^3)*\operatorname{ArcCoth}[x]))/(a^3*(-1 + x^2)^2)$$

Rubi [A] (verified)

Time = 0.33 (sec) , antiderivative size = 86, normalized size of antiderivative = 1.04, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {6523, 6521}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\coth^{-1}(x)}{(a - ax^2)^{5/2}} dx$$

↓ 6523

$$\frac{2 \int \frac{\coth^{-1}(x)}{(a - ax^2)^{3/2}} dx}{3a} - \frac{1}{9a(a - ax^2)^{3/2}} + \frac{x \coth^{-1}(x)}{3a(a - ax^2)^{3/2}}$$

↓ 6521

$$-\frac{1}{9a(a - ax^2)^{3/2}} + \frac{x \coth^{-1}(x)}{3a(a - ax^2)^{3/2}} + \frac{2 \left(\frac{x \coth^{-1}(x)}{a\sqrt{a - ax^2}} - \frac{1}{a\sqrt{a - ax^2}} \right)}{3a}$$

input `Int[ArcCoth[x]/(a - a*x^2)^(5/2), x]`

output `-1/9*1/(a*(a - a*x^2)^(3/2)) + (x*ArcCoth[x])/(3*a*(a - a*x^2)^(3/2)) + (2*(-1/(a*Sqrt[a - a*x^2])) + (x*ArcCoth[x])/(a*Sqrt[a - a*x^2]))/(3*a)`

Defintions of rubi rules used

rule 6521 `Int[((a_.) + ArcCoth[(c_.)*(x_)]*(b_.))/((d_) + (e_.)*(x_)^2)^(3/2), x_Symbol] := Simp[-b/(c*d*Sqrt[d + e*x^2]), x] + Simp[x*((a + b*ArcCoth[c*x])/(d*Sqrt[d + e*x^2])), x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0]`

rule 6523

```
Int[((a_.) + ArcCoth[(c_.)*(x_.)]*(b_.))*((d_.) + (e_.)*(x_)^2)^(q_), x_Symbol]
:= Simp[(-b)*((d + e*x^2)^(q + 1)/(4*c*d*(q + 1)^2)), x] + (-Simp[x*(d +
e*x^2)^(q + 1)*((a + b*ArcCoth[c*x])/(2*d*(q + 1))), x] + Simp[(2*q + 3)/(
2*d*(q + 1)) Int[(d + e*x^2)^(q + 1)*(a + b*ArcCoth[c*x]), x], x]) /; Fre
eQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && LtQ[q, -1] && NeQ[q, -3/2]
```

Maple [A] (verified)

Time = 0.48 (sec) , antiderivative size = 81, normalized size of antiderivative = 0.98

method	result
risch	$\frac{x(2x^2-3)\ln(x+1)}{6a^2(x^2-1)\sqrt{-a(x^2-1)}} - \frac{6x^3\ln(x-1)+12x^2-9\ln(x-1)x-14}{18a^2(x^2-1)\sqrt{-a(x^2-1)}}$
orering	$\frac{(4x^5 - \frac{80}{9}x^3 + \frac{44}{9}x)\operatorname{arccoth}(x)}{(-ax^2+a)^{\frac{5}{2}}} + \frac{(6x^2-7)(x-1)^2(x+1)^2 \left(-\frac{1}{(x^2-1)(-ax^2+a)^{\frac{5}{2}}} + \frac{5\operatorname{arccoth}(x)xa}{(-ax^2+a)^{\frac{7}{2}}} \right)}{9}$
default	$\frac{(x+1)(-1+3\operatorname{arccoth}(x))\sqrt{-(x-1)(x+1)a}}{72(x-1)^2a^3} - \frac{3(-1+\operatorname{arccoth}(x))\sqrt{-(x-1)(x+1)a}}{8a^3(x-1)} - \frac{3(1+\operatorname{arccoth}(x))\sqrt{-(x-1)(x+1)a}}{8(x+1)a^3} + \dots$

input

```
int(arccoth(x)/(-a*x^2+a)^(5/2),x,method=_RETURNVERBOSE)
```

output

```
1/6/a^2*x*(2*x^2-3)/(x^2-1)/(-a*(x^2-1))^(1/2)*ln(x+1)-1/18/a^2*(6*x^3*ln(x-1)+12*x^2-9*ln(x-1)*x-14)/(x^2-1)/(-a*(x^2-1))^(1/2)
```

Fricas [A] (verification not implemented)

Time = 0.14 (sec) , antiderivative size = 61, normalized size of antiderivative = 0.73

$$\int \frac{\coth^{-1}(x)}{(a-ax^2)^{5/2}} dx = \frac{\sqrt{-ax^2+a}(12x^2-3(2x^3-3x)\log(\frac{x+1}{x-1})-14)}{18(a^3x^4-2a^3x^2+a^3)}$$

input

```
integrate(arccoth(x)/(-a*x^2+a)^(5/2),x, algorithm="fricas")
```

output

```
1/18*sqrt(-a*x^2+a)*(12*x^2-3*(2*x^3-3*x)*log((x+1)/(x-1))-14)/(a^3*x^4-2*a^3*x^2+a^3)
```

Sympy [F]

$$\int \frac{\coth^{-1}(x)}{(a - ax^2)^{5/2}} dx = \int \frac{\operatorname{acoth}(x)}{(-a(x-1)(x+1))^{5/2}} dx$$

input `integrate(acoath(x)/(-a*x**2+a)**(5/2),x)`

output `Integral(acoath(x)/(-a*(x - 1)*(x + 1))**(5/2), x)`

Maxima [A] (verification not implemented)

Time = 0.03 (sec) , antiderivative size = 67, normalized size of antiderivative = 0.81

$$\int \frac{\coth^{-1}(x)}{(a - ax^2)^{5/2}} dx = \frac{1}{3} \left(\frac{2x}{\sqrt{-ax^2 + aa^2}} + \frac{x}{(-ax^2 + a)^{3/2}a} \right) \operatorname{arccoth}(x) - \frac{2}{3\sqrt{-ax^2 + aa^2}} - \frac{1}{9(-ax^2 + a)^{3/2}a}$$

input `integrate(arccoath(x)/(-a*x^2+a)^(5/2),x, algorithm="maxima")`

output `1/3*(2*x/(sqrt(-a*x^2 + a)*a^2) + x/((-a*x^2 + a)^(3/2)*a))*arccoath(x) - 2/3/(sqrt(-a*x^2 + a)*a^2) - 1/9/((-a*x^2 + a)^(3/2)*a)`

Giac [A] (verification not implemented)

Time = 0.15 (sec) , antiderivative size = 90, normalized size of antiderivative = 1.08

$$\int \frac{\coth^{-1}(x)}{(a - ax^2)^{5/2}} dx = -\frac{\sqrt{-ax^2 + ax} \left(\frac{2x^2}{a} - \frac{3}{a} \right) \log \left(-\frac{\frac{1}{x}+1}{\frac{1}{x}-1} \right)}{6(ax^2 - a)^2} - \frac{6ax^2 - 7a}{9(ax^2 - a)\sqrt{-ax^2 + aa^2}}$$

input `integrate(arccoath(x)/(-a*x^2+a)^(5/2),x, algorithm="giac")`

output
$$-1/6*\sqrt{-a*x^2 + a}*x*(2*x^2/a - 3/a)*\log(-(1/x + 1)/(1/x - 1))/(a*x^2 - a)^2 - 1/9*(6*a*x^2 - 7*a)/((a*x^2 - a)*\sqrt{-a*x^2 + a}*a^2)$$

Mupad [F(-1)]

Timed out.

$$\int \frac{\coth^{-1}(x)}{(a - ax^2)^{5/2}} dx = \int \frac{\operatorname{acoth}(x)}{(a - ax^2)^{5/2}} dx$$

input $\operatorname{int}(\operatorname{acoth}(x)/(a - a*x^2)^{(5/2)}, x)$

output $\operatorname{int}(\operatorname{acoth}(x)/(a - a*x^2)^{(5/2)}, x)$

Reduce [F]

$$\int \frac{\coth^{-1}(x)}{(a - ax^2)^{5/2}} dx = \frac{\int \frac{\operatorname{acoth}(x)}{\sqrt{-x^2+1}x^4 - 2\sqrt{-x^2+1}x^2 + \sqrt{-x^2+1}} dx}{\sqrt{a}a^2}$$

input $\operatorname{int}(\operatorname{acoth}(x)/(-a*x^2+a)^{(5/2)}, x)$

output $\operatorname{int}(\operatorname{acoth}(x)/(\sqrt{-x^2+1}*x^4 - 2*\sqrt{-x^2+1}*x^2 + \sqrt{-x^2+1}), x)/(\sqrt{a}*a^2)$

3.12 $\int \frac{\coth^{-1}(x)}{(a-ax^2)^{7/2}} dx$

Optimal result	119
Mathematica [A] (verified)	119
Rubi [A] (verified)	120
Maple [A] (verified)	121
Fricas [A] (verification not implemented)	122
Sympy [F]	122
Maxima [A] (verification not implemented)	122
Giac [A] (verification not implemented)	123
Mupad [F(-1)]	123
Reduce [F]	124

Optimal result

Integrand size = 15, antiderivative size = 124

$$\int \frac{\coth^{-1}(x)}{(a-ax^2)^{7/2}} dx = -\frac{1}{25a(a-ax^2)^{5/2}} - \frac{4}{45a^2(a-ax^2)^{3/2}} - \frac{8}{15a^3\sqrt{a-ax^2}} + \frac{x \coth^{-1}(x)}{5a(a-ax^2)^{5/2}} + \frac{4x \coth^{-1}(x)}{15a^2(a-ax^2)^{3/2}} + \frac{8x \coth^{-1}(x)}{15a^3\sqrt{a-ax^2}}$$

output
$$-1/25/a/(-a*x^2+a)^{(5/2)}-4/45/a^2/(-a*x^2+a)^{(3/2)}-8/15/a^3/(-a*x^2+a)^{(1/2)}+1/5*x*\operatorname{arccoth}(x)/a/(-a*x^2+a)^{(5/2)}+4/15*x*\operatorname{arccoth}(x)/a^2/(-a*x^2+a)^{(3/2)}+8/15*x*\operatorname{arccoth}(x)/a^3/(-a*x^2+a)^{(1/2)}$$

Mathematica [A] (verified)

Time = 0.06 (sec) , antiderivative size = 55, normalized size of antiderivative = 0.44

$$\int \frac{\coth^{-1}(x)}{(a-ax^2)^{7/2}} dx = \frac{\sqrt{a-ax^2}(149-260x^2+120x^4-15x(15-20x^2+8x^4)\coth^{-1}(x))}{225a^4(-1+x^2)^3}$$

input `Integrate[ArcCoth[x]/(a - a*x^2)^(7/2), x]`

output

```
(Sqrt[a - a*x^2]*(149 - 260*x^2 + 120*x^4 - 15*x*(15 - 20*x^2 + 8*x^4)*Arc
Coth[x]))/(225*a^4*(-1 + x^2)^3)
```

Rubi [A] (verified)

Time = 0.49 (sec) , antiderivative size = 135, normalized size of antiderivative = 1.09, number of steps used = 3, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {6523, 6523, 6521}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\coth^{-1}(x)}{(a - ax^2)^{7/2}} dx \\
 & \quad \downarrow \text{6523} \\
 & \frac{4 \int \frac{\coth^{-1}(x)}{(a - ax^2)^{5/2}} dx}{5a} - \frac{1}{25a(a - ax^2)^{5/2}} + \frac{x \coth^{-1}(x)}{5a(a - ax^2)^{5/2}} \\
 & \quad \downarrow \text{6523} \\
 & \frac{4 \left(\frac{2 \int \frac{\coth^{-1}(x)}{(a - ax^2)^{3/2}} dx}{3a} - \frac{1}{9a(a - ax^2)^{3/2}} + \frac{x \coth^{-1}(x)}{3a(a - ax^2)^{3/2}} \right)}{5a} - \frac{1}{25a(a - ax^2)^{5/2}} + \frac{x \coth^{-1}(x)}{5a(a - ax^2)^{5/2}} \\
 & \quad \downarrow \text{6521} \\
 & -\frac{1}{25a(a - ax^2)^{5/2}} + \frac{x \coth^{-1}(x)}{5a(a - ax^2)^{5/2}} + \\
 & \frac{4 \left(-\frac{1}{9a(a - ax^2)^{3/2}} + \frac{x \coth^{-1}(x)}{3a(a - ax^2)^{3/2}} + \frac{2 \left(\frac{x \coth^{-1}(x)}{a\sqrt{a - ax^2}} - \frac{1}{a\sqrt{a - ax^2}} \right)}{3a} \right)}{5a}
 \end{aligned}$$

input

```
Int[ArcCoth[x]/(a - a*x^2)^(7/2), x]
```

output

$$-1/25*1/(a*(a - a*x^2)^{(5/2)}) + (x*ArcCoth[x])/(5*a*(a - a*x^2)^{(5/2)}) + (4*(-1/9*1/(a*(a - a*x^2)^{(3/2)}) + (x*ArcCoth[x])/(3*a*(a - a*x^2)^{(3/2)}) + (2*(-1/(a*Sqrt[a - a*x^2])) + (x*ArcCoth[x])/(a*Sqrt[a - a*x^2])))/(3*a)))/(5*a)$$

Defintions of rubi rules used

rule 6521

$$\text{Int}[(a_.) + \text{ArcCoth}[(c_.)*(x_.)]*(b_.)]/((d_.) + (e_.)*(x_.)^2)^{(3/2)}, x_Symbol] \rightarrow \text{Simp}[-b/(c*d*\text{Sqrt}[d + e*x^2]), x] + \text{Simp}[x*((a + b*\text{ArcCoth}[c*x])/(d*\text{Sqrt}[d + e*x^2])), x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{EqQ}[c^2*d + e, 0]$$

rule 6523

$$\text{Int}[(a_.) + \text{ArcCoth}[(c_.)*(x_.)]*(b_.)]*((d_.) + (e_.)*(x_.)^2)^{(q_.)}, x_Symbol] \rightarrow \text{Simp}[(b)*((d + e*x^2)^{(q+1})/(4*c*d*(q+1)^2)), x] + (-\text{Simp}[x*(d + e*x^2)^{(q+1)}*((a + b*\text{ArcCoth}[c*x])/(2*d*(q+1))), x] + \text{Simp}[(2*q+3)/(2*d*(q+1)) \text{Int}[(d + e*x^2)^{(q+1)}*(a + b*\text{ArcCoth}[c*x]), x], x]) /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{LtQ}[q, -1] \&\& \text{NeQ}[q, -3/2]$$

Maple [A] (verified)

Time = 0.52 (sec) , antiderivative size = 94, normalized size of antiderivative = 0.76

method	result
orering	$\frac{(-\frac{64}{15}x^7 + \frac{616}{45}x^5 - \frac{3388}{225}x^3 + \frac{1268}{225}x) \operatorname{arccoth}(x)}{(-ax^2+a)^{\frac{7}{2}}} - \frac{(120x^4 - 260x^2 + 149)(x-1)^2(x+1)^2 \left(-\frac{1}{(x^2-1)(-ax^2+a)^{\frac{7}{2}}} + \frac{7 \operatorname{arccoth}(x)xa}{(-ax^2+a)^{\frac{9}{2}}} \right)}{225}$
risch	$\frac{x(8x^4 - 20x^2 + 15) \ln(x+1)}{30a^3(x^2-1)^2 \sqrt{-a(x^2-1)}} - \frac{120x^5 \ln(x-1) + 240x^4 - 300x^3 \ln(x-1) - 520x^2 + 225 \ln(x-1)x + 298}{450a^3(x^2-1)^2 \sqrt{-a(x^2-1)}}$
default	$-\frac{(x+1)^2(-1+5 \operatorname{arccoth}(x))\sqrt{-(x-1)(x+1)a}}{800(x-1)^3 a^4} + \frac{5(x+1)(-1+3 \operatorname{arccoth}(x))\sqrt{-(x-1)(x+1)a}}{288a^4(x-1)^2} - \frac{5(-1+\operatorname{arccoth}(x))\sqrt{-(x-1)}}{16(x-1)a^4}$

input

$$\text{int}(\operatorname{arccoth}(x)/(-a*x^2+a)^{(7/2)}, x, \text{method}=_RETURNVERBOSE)$$

output

$$(-64/15*x^7+616/45*x^5-3388/225*x^3+1268/225*x)*\operatorname{arccoth}(x)/(-a*x^2+a)^{(7/2)} - 1/225*(120*x^4-260*x^2+149)*(x-1)^2*(x+1)^2*(-1/(x^2-1)/(-a*x^2+a)^{(7/2)} + 7*\operatorname{arccoth}(x)/(-a*x^2+a)^{(9/2)}*x*a)$$

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 81, normalized size of antiderivative = 0.65

$$\int \frac{\coth^{-1}(x)}{(a - ax^2)^{7/2}} dx = \frac{(240x^4 - 520x^2 - 15(8x^5 - 20x^3 + 15x)\log\left(\frac{x+1}{x-1}\right) + 298)\sqrt{-ax^2 + a}}{450(a^4x^6 - 3a^4x^4 + 3a^4x^2 - a^4)}$$

input `integrate(arccoth(x)/(-a*x^2+a)^(7/2),x, algorithm="fricas")`

output `1/450*(240*x^4 - 520*x^2 - 15*(8*x^5 - 20*x^3 + 15*x)*log((x + 1)/(x - 1)) + 298)*sqrt(-a*x^2 + a)/(a^4*x^6 - 3*a^4*x^4 + 3*a^4*x^2 - a^4)`

Sympy [F]

$$\int \frac{\coth^{-1}(x)}{(a - ax^2)^{7/2}} dx = \int \frac{\operatorname{acoth}(x)}{(-a(x-1)(x+1))^{7/2}} dx$$

input `integrate(acoth(x)/(-a*x**2+a)**(7/2),x)`

output `Integral(acoth(x)/(-a*(x - 1)*(x + 1))**(7/2), x)`

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 99, normalized size of antiderivative = 0.80

$$\int \frac{\coth^{-1}(x)}{(a - ax^2)^{7/2}} dx = \frac{1}{15} \left(\frac{8x}{\sqrt{-ax^2 + aa^3}} + \frac{4x}{(-ax^2 + a)^{\frac{3}{2}}a^2} + \frac{3x}{(-ax^2 + a)^{\frac{5}{2}}a} \right) \operatorname{arccoth}(x) - \frac{8}{15\sqrt{-ax^2 + aa^3}} - \frac{4}{45(-ax^2 + a)^{\frac{3}{2}}a^2} - \frac{1}{25(-ax^2 + a)^{\frac{5}{2}}a}$$

input `integrate(arccoth(x)/(-a*x^2+a)^(7/2),x, algorithm="maxima")`

output

$$\frac{1}{15} \cdot \frac{8x}{\sqrt{-ax^2 + a}} \cdot a^3 + \frac{4x}{((-ax^2 + a)^{3/2}) \cdot a^2} + \frac{3x}{((-ax^2 + a)^{5/2}) \cdot a} \cdot \operatorname{arccoth}(x) - \frac{8}{15} \cdot \frac{1}{\sqrt{-ax^2 + a}} \cdot a^3 - \frac{4}{45} \cdot \frac{1}{((-ax^2 + a)^{3/2}) \cdot a^2} - \frac{1}{25} \cdot \frac{1}{((-ax^2 + a)^{5/2}) \cdot a}$$
Giac [A] (verification not implemented)

Time = 0.15 (sec) , antiderivative size = 122, normalized size of antiderivative = 0.98

$$\int \frac{\operatorname{coth}^{-1}(x)}{(a - ax^2)^{7/2}} dx = -\frac{\sqrt{-ax^2 + a} \left(4x^2 \left(\frac{2x^2}{a} - \frac{5}{a} \right) + \frac{15}{a} \right) x \log \left(-\frac{\frac{1}{x} + 1}{\frac{1}{x} - 1} \right) - \frac{120(ax^2 - a)^2 - 20(ax^2 - a)a + 9a^2}{225(ax^2 - a)^2 \sqrt{-ax^2 + a} a^3}$$

input

```
integrate(arccoth(x)/(-a*x^2+a)^(7/2),x, algorithm="giac")
```

output

$$-\frac{1}{30} \cdot \frac{\sqrt{-ax^2 + a} \cdot \left(4x^2 \cdot \left(\frac{2x^2}{a} - \frac{5}{a} \right) + \frac{15}{a} \right) \cdot x \cdot \log \left(-\frac{1/x + 1}{1/x - 1} \right)}{(ax^2 - a)^3} - \frac{1}{225} \cdot \frac{120 \cdot (ax^2 - a)^2 - 20 \cdot (ax^2 - a) \cdot a + 9 \cdot a^2}{(ax^2 - a)^2 \cdot \sqrt{-ax^2 + a} \cdot a^3}$$
Mupad [F(-1)]

Timed out.

$$\int \frac{\operatorname{coth}^{-1}(x)}{(a - ax^2)^{7/2}} dx = \int \frac{\operatorname{acoth}(x)}{(a - ax^2)^{7/2}} dx$$

input

```
int(acoth(x)/(a - a*x^2)^(7/2),x)
```

output

```
int(acoth(x)/(a - a*x^2)^(7/2), x)
```

Reduce [F]

$$\int \frac{\coth^{-1}(x)}{(a - ax^2)^{7/2}} dx = - \frac{\int \frac{\operatorname{acoth}(x)}{\sqrt{-x^2+1}x^6 - 3\sqrt{-x^2+1}x^4 + 3\sqrt{-x^2+1}x^2 - \sqrt{-x^2+1}}{\sqrt{a}a^3} dx$$

input `int(acoth(x)/(-a*x^2+a)^(7/2),x)`

output `(- int(acoth(x)/(sqrt(- x**2 + 1)*x**6 - 3*sqrt(- x**2 + 1)*x**4 + 3*sqrt(- x**2 + 1)*x**2 - sqrt(- x**2 + 1)),x))/(sqrt(a)*a**3)`

3.13 $\int \sqrt{c + dx^2} \coth^{-1}(ax) dx$

Optimal result	125
Mathematica [N/A]	125
Rubi [N/A]	126
Maple [N/A]	126
Fricas [N/A]	127
Sympy [N/A]	127
Maxima [N/A]	127
Giac [N/A]	128
Mupad [N/A]	128
Reduce [N/A]	129

Optimal result

Integrand size = 16, antiderivative size = 16

$$\int \sqrt{c + dx^2} \coth^{-1}(ax) dx = \text{Int}\left(\sqrt{c + dx^2} \coth^{-1}(ax), x\right)$$

output `Defer(Int)((d*x^2+c)^(1/2)*arcCoth(a*x), x)`

Mathematica [N/A]

Not integrable

Time = 3.93 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \sqrt{c + dx^2} \coth^{-1}(ax) dx = \int \sqrt{c + dx^2} \coth^{-1}(ax) dx$$

input `Integrate[Sqrt[c + d*x^2]*ArcCoth[a*x], x]`

output `Integrate[Sqrt[c + d*x^2]*ArcCoth[a*x], x]`

Rubi [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \coth^{-1}(ax) \sqrt{c + dx^2} dx$$

↓ 6652

$$\int \coth^{-1}(ax) \sqrt{c + dx^2} dx$$

input `Int[Sqrt[c + d*x^2]*ArcCoth[a*x],x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.32 (sec) , antiderivative size = 14, normalized size of antiderivative = 0.88

$$\int \sqrt{dx^2 + c} \operatorname{arccoth}(xa) dx$$

input `int((d*x^2+c)^(1/2)*arccoth(x*a),x)`

output `int((d*x^2+c)^(1/2)*arccoth(x*a),x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int \sqrt{c + dx^2} \coth^{-1}(ax) dx = \int \sqrt{dx^2 + c} \operatorname{arccoth}(ax) dx$$

input `integrate((d*x^2+c)^(1/2)*arccoth(a*x),x, algorithm="fricas")`

output `integral(sqrt(d*x^2 + c)*arccoth(a*x), x)`

Sympy [N/A]

Not integrable

Time = 0.56 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.94

$$\int \sqrt{c + dx^2} \coth^{-1}(ax) dx = \int \sqrt{c + dx^2} \operatorname{acoth}(ax) dx$$

input `integrate((d*x**2+c)**(1/2)*acoth(a*x),x)`

output `Integral(sqrt(c + d*x**2)*acoth(a*x), x)`

Maxima [N/A]

Not integrable

Time = 0.40 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int \sqrt{c + dx^2} \coth^{-1}(ax) dx = \int \sqrt{dx^2 + c} \operatorname{arccoth}(ax) dx$$

input `integrate((d*x^2+c)^(1/2)*arccoth(a*x),x, algorithm="maxima")`

output `integrate(sqrt(d*x^2 + c)*arccoth(a*x), x)`

Giac [N/A]

Not integrable

Time = 0.14 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int \sqrt{c + dx^2} \coth^{-1}(ax) dx = \int \sqrt{dx^2 + c} \operatorname{arccoth}(ax) dx$$

input `integrate((d*x^2+c)^(1/2)*arccoth(a*x),x, algorithm="giac")`

output `integrate(sqrt(d*x^2 + c)*arccoth(a*x), x)`

Mupad [N/A]

Not integrable

Time = 3.87 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int \sqrt{c + dx^2} \coth^{-1}(ax) dx = \int \operatorname{acoth}(ax) \sqrt{dx^2 + c} dx$$

input `int(acoth(a*x)*(c + d*x^2)^(1/2),x)`

output `int(acoth(a*x)*(c + d*x^2)^(1/2), x)`

Reduce [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.94

$$\int \sqrt{c + dx^2} \coth^{-1}(ax) dx = \int \sqrt{dx^2 + c} \operatorname{acoth}(ax) dx$$

input `int((d*x^2+c)^(1/2)*acoth(a*x),x)`output `int(sqrt(c + d*x**2)*acoth(a*x),x)`

3.14 $\int \frac{\coth^{-1}(ax)}{\sqrt{c+dx^2}} dx$

Optimal result	130
Mathematica [N/A]	130
Rubi [N/A]	131
Maple [N/A]	131
Fricas [N/A]	132
Sympy [N/A]	132
Maxima [N/A]	132
Giac [N/A]	133
Mupad [N/A]	133
Reduce [N/A]	134

Optimal result

Integrand size = 16, antiderivative size = 16

$$\int \frac{\coth^{-1}(ax)}{\sqrt{c+dx^2}} dx = \text{Int}\left(\frac{\coth^{-1}(ax)}{\sqrt{c+dx^2}}, x\right)$$

output `Defer(Int)(arccoth(a*x)/(d*x^2+c)^(1/2), x)`

Mathematica [N/A]

Not integrable

Time = 2.85 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{\coth^{-1}(ax)}{\sqrt{c+dx^2}} dx = \int \frac{\coth^{-1}(ax)}{\sqrt{c+dx^2}} dx$$

input `Integrate[ArcCoth[a*x]/Sqrt[c + d*x^2], x]`

output `Integrate[ArcCoth[a*x]/Sqrt[c + d*x^2], x]`

Rubi [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\coth^{-1}(ax)}{\sqrt{c+dx^2}} dx$$

↓ 6652

$$\int \frac{\coth^{-1}(ax)}{\sqrt{c+dx^2}} dx$$

input `Int[ArcCoth[a*x]/Sqrt[c + d*x^2],x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 14, normalized size of antiderivative = 0.88

$$\int \frac{\operatorname{arccoth}(xa)}{\sqrt{dx^2+c}} dx$$

input `int(arccoth(x*a)/(d*x^2+c)^(1/2),x)`

output `int(arccoth(x*a)/(d*x^2+c)^(1/2),x)`

Fricas [N/A]

Not integrable

Time = 0.11 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int \frac{\coth^{-1}(ax)}{\sqrt{c+dx^2}} dx = \int \frac{\operatorname{arccoth}(ax)}{\sqrt{dx^2+c}} dx$$

input `integrate(arccoth(a*x)/(d*x^2+c)^(1/2),x, algorithm="fricas")`

output `integral(arccoth(a*x)/sqrt(d*x^2 + c), x)`

Sympy [N/A]

Not integrable

Time = 0.41 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.94

$$\int \frac{\coth^{-1}(ax)}{\sqrt{c+dx^2}} dx = \int \frac{\operatorname{acoth}(ax)}{\sqrt{c+dx^2}} dx$$

input `integrate(acoth(a*x)/(d*x**2+c)**(1/2),x)`

output `Integral(acoth(a*x)/sqrt(c + d*x**2), x)`

Maxima [N/A]

Not integrable

Time = 0.42 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int \frac{\coth^{-1}(ax)}{\sqrt{c+dx^2}} dx = \int \frac{\operatorname{arccoth}(ax)}{\sqrt{dx^2+c}} dx$$

input `integrate(arccoth(a*x)/(d*x^2+c)^(1/2),x, algorithm="maxima")`

output `integrate(arccoth(a*x)/sqrt(d*x^2 + c), x)`

Giac [N/A]

Not integrable

Time = 0.14 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int \frac{\coth^{-1}(ax)}{\sqrt{c+dx^2}} dx = \int \frac{\operatorname{arccoth}(ax)}{\sqrt{dx^2+c}} dx$$

input `integrate(arccoth(a*x)/(d*x^2+c)^(1/2),x, algorithm="giac")`

output `integrate(arccoth(a*x)/sqrt(d*x^2 + c), x)`

Mupad [N/A]

Not integrable

Time = 4.11 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int \frac{\coth^{-1}(ax)}{\sqrt{c+dx^2}} dx = \int \frac{\operatorname{acoth}(ax)}{\sqrt{dx^2+c}} dx$$

input `int(acoth(a*x)/(c + d*x^2)^(1/2),x)`

output `int(acoth(a*x)/(c + d*x^2)^(1/2), x)`

Reduce [N/A]

Not integrable

Time = 0.18 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.06

$$\int \frac{\coth^{-1}(ax)}{\sqrt{c+dx^2}} dx = \int \frac{\operatorname{acoth}(ax)}{\sqrt{dx^2+c}} dx$$

input `int(acoth(a*x)/(d*x^2+c)^(1/2),x)`output `int(acoth(a*x)/sqrt(c + d*x**2),x)`

3.15 $\int \frac{\coth^{-1}(ax)}{(c+dx^2)^{3/2}} dx$

Optimal result	135
Mathematica [A] (verified)	135
Rubi [A] (verified)	136
Maple [F]	138
Fricas [B] (verification not implemented)	138
Sympy [F]	139
Maxima [B] (verification not implemented)	139
Giac [A] (verification not implemented)	140
Mupad [F(-1)]	140
Reduce [F]	140

Optimal result

Integrand size = 16, antiderivative size = 62

$$\int \frac{\coth^{-1}(ax)}{(c+dx^2)^{3/2}} dx = \frac{x \coth^{-1}(ax)}{c\sqrt{c+dx^2}} - \frac{\operatorname{arctanh}\left(\frac{a\sqrt{c+dx^2}}{\sqrt{a^2c+d}}\right)}{c\sqrt{a^2c+d}}$$

output

```
x*arccoth(a*x)/c/(d*x^2+c)^(1/2)-arctanh(a*(d*x^2+c)^(1/2)/(a^2*c+d)^(1/2))/c/(a^2*c+d)^(1/2)
```

Mathematica [A] (verified)

Time = 0.08 (sec) , antiderivative size = 119, normalized size of antiderivative = 1.92

$$\int \frac{\coth^{-1}(ax)}{(c+dx^2)^{3/2}} dx = \frac{2x \coth^{-1}(ax)}{\sqrt{c+dx^2}} + \frac{\log(1-ax)+\log(1+ax)-\log(ac-dx+\sqrt{a^2c+d}\sqrt{c+dx^2})-\log(ac+dx+\sqrt{a^2c+d}\sqrt{c+dx^2})}{2c\sqrt{a^2c+d}}$$

input

```
Integrate[ArcCoth[a*x]/(c + d*x^2)^(3/2), x]
```


output

```
((2*x*ArcCoth[a*x])/Sqrt[c + d*x^2] + (Log[1 - a*x] + Log[1 + a*x] - Log[a
*c - d*x + Sqrt[a^2*c + d]*Sqrt[c + d*x^2]] - Log[a*c + d*x + Sqrt[a^2*c +
d]*Sqrt[c + d*x^2]])/Sqrt[a^2*c + d])/(2*c)
```

Rubi [A] (verified)

Time = 0.29 (sec) , antiderivative size = 62, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {6539, 27, 353, 73, 221}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\coth^{-1}(ax)}{(c + dx^2)^{3/2}} dx \\
 & \quad \downarrow \text{6539} \\
 & \frac{x \coth^{-1}(ax)}{c\sqrt{c + dx^2}} - a \int \frac{x}{c(1 - a^2x^2)\sqrt{dx^2 + c}} dx \\
 & \quad \downarrow \text{27} \\
 & \frac{x \coth^{-1}(ax)}{c\sqrt{c + dx^2}} - \frac{a \int \frac{x}{(1 - a^2x^2)\sqrt{dx^2 + c}} dx}{c} \\
 & \quad \downarrow \text{353} \\
 & \frac{x \coth^{-1}(ax)}{c\sqrt{c + dx^2}} - \frac{a \int \frac{1}{(1 - a^2x^2)\sqrt{dx^2 + c}} dx^2}{2c} \\
 & \quad \downarrow \text{73} \\
 & \frac{x \coth^{-1}(ax)}{c\sqrt{c + dx^2}} - \frac{a \int \frac{1}{-\frac{a^2x^4}{d} + \frac{a^2c}{d} + 1} d\sqrt{dx^2 + c}}{cd} \\
 & \quad \downarrow \text{221} \\
 & \frac{x \coth^{-1}(ax)}{c\sqrt{c + dx^2}} - \frac{\operatorname{arctanh}\left(\frac{a\sqrt{c+dx^2}}{\sqrt{a^2c+d}}\right)}{c\sqrt{a^2c+d}}
 \end{aligned}$$

input `Int[ArcCoth[a*x]/(c + d*x^2)^(3/2),x]`

output `(x*ArcCoth[a*x])/(c*Sqrt[c + d*x^2]) - ArcTanh[(a*Sqrt[c + d*x^2])/Sqrt[a^2*c + d]]/(c*Sqrt[a^2*c + d])`

Defintions of rubi rules used

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`

rule 73 `Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Simp[p/b Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

rule 221 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

rule 353 `Int[(x_)*((a_) + (b_.)*(x_)^2)^(p_.)*((c_) + (d_.)*(x_)^2)^(q_.), x_Symbol] := Simp[1/2 Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^2], x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0]`

rule 6539 `Int[((a_.) + ArcCoth[(c_.)*(x_)])*(b_.)*((d_.) + (e_.)*(x_)^2)^(q_.), x_Symbol] := With[{u = IntHide[(d + e*x^2)^q, x]}, Simp[(a + b*ArcCoth[c*x]) u, x] - Simp[b*c Int[SimplifyIntegrand[u/(1 - c^2*x^2), x], x], x] /; FreeQ[{a, b, c, d, e}, x] && (IntegerQ[q] || ILtQ[q + 1/2, 0])`

Maple [F]

$$\int \frac{\operatorname{arccoth}(xa)}{(dx^2 + c)^{\frac{3}{2}}} dx$$

input `int(arccoth(x*a)/(d*x^2+c)^(3/2),x)`

output `int(arccoth(x*a)/(d*x^2+c)^(3/2),x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 158 vs. 2(54) = 108.

Time = 0.13 (sec) , antiderivative size = 354, normalized size of antiderivative = 5.71

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^{3/2}} dx = \left[\frac{2(a^2c + d)\sqrt{dx^2 + c}x \log\left(\frac{ax+1}{ax-1}\right) + \sqrt{a^2c + d}(dx^2 + c) \log\left(\frac{a^4d^2x^4 + 8a^4c^2 + 8a^2cd + 2(4a^4cd + 3a^2d^2)x^2 - 4(a^3d^2x^2 + 2a^3c + ad)\sqrt{a^2c + d}\sqrt{dx^2 + c} + d^2}{a^4x^4 - 2a^2x^2 + 1}\right)}{4(a^2c^3 + c^2d + (a^2c^2d + cd^2)x^2)} \right]$$

input `integrate(arccoth(a*x)/(d*x^2+c)^(3/2),x, algorithm="fricas")`

output `[1/4*(2*(a^2*c + d)*sqrt(d*x^2 + c)*x*log((a*x + 1)/(a*x - 1)) + sqrt(a^2*c + d)*(d*x^2 + c)*log((a^4*d^2*x^4 + 8*a^4*c^2 + 8*a^2*c*d + 2*(4*a^4*c*d + 3*a^2*d^2)*x^2 - 4*(a^3*d^2*x^2 + 2*a^3*c + a*d)*sqrt(a^2*c + d)*sqrt(d*x^2 + c) + d^2)/(a^4*x^4 - 2*a^2*x^2 + 1)))/(a^2*c^3 + c^2*d + (a^2*c^2*d + c*d^2)*x^2), 1/2*((a^2*c + d)*sqrt(d*x^2 + c)*x*log((a*x + 1)/(a*x - 1)) + sqrt(-a^2*c - d)*(d*x^2 + c)*arctan(1/2*(a^2*d*x^2 + 2*a^2*c + d)*sqrt(-a^2*c - d)*sqrt(d*x^2 + c)/(a^3*c^2 + a*c*d + (a^3*c*d + a*d^2)*x^2)))/(a^2*c^3 + c^2*d + (a^2*c^2*d + c*d^2)*x^2)]`

Sympy [F]

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^{3/2}} dx = \int \frac{\operatorname{acoth}(ax)}{(c + dx^2)^{\frac{3}{2}}} dx$$

input `integrate(acoath(a*x)/(d*x**2+c)**(3/2),x)`

output `Integral(acoath(a*x)/(c + d*x**2)**(3/2), x)`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 153 vs. 2(54) = 108.

Time = 0.06 (sec) , antiderivative size = 153, normalized size of antiderivative = 2.47

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^{3/2}} dx = \frac{a^2 \left(\frac{\operatorname{arsinh}\left(-\frac{2a^2c}{\sqrt{cd}|2a^2x+2a|} + \frac{2adx}{\sqrt{cd}|2a^2x+2a|}\right)}{a^3\sqrt{c+\frac{d}{a^2}}} - \frac{\operatorname{arsinh}\left(\frac{2a^2c}{\sqrt{cd}|2a^2x-2a|} + \frac{2adx}{\sqrt{cd}|2a^2x-2a|}\right)}{a^3\sqrt{c+\frac{d}{a^2}}}\right)}{2c} + \frac{x \operatorname{arccoth}(ax)}{\sqrt{dx^2 + cc}}$$

input `integrate(arccoath(a*x)/(d*x^2+c)^(3/2),x, algorithm="maxima")`

output `1/2*a^2*(arcsinh(-2*a^2*c/(sqrt(c*d)*abs(2*a^2*x + 2*a)) + 2*a*d*x/(sqrt(c*d)*abs(2*a^2*x + 2*a)))/(a^3*sqrt(c + d/a^2)) - arcsinh(2*a^2*c/(sqrt(c*d)*abs(2*a^2*x - 2*a)) + 2*a*d*x/(sqrt(c*d)*abs(2*a^2*x - 2*a)))/(a^3*sqrt(c + d/a^2)))/c + x*arccoath(a*x)/(sqrt(d*x^2 + c)*c)`

Giac [A] (verification not implemented)

Time = 0.15 (sec) , antiderivative size = 79, normalized size of antiderivative = 1.27

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^{3/2}} dx = \frac{x \log\left(-\frac{\frac{1}{ax}+1}{\frac{1}{ax}-1}\right)}{2\sqrt{dx^2+cc}} + \frac{\arctan\left(\frac{\sqrt{dx^2+ca}}{\sqrt{-a^2c-d}}\right)}{\sqrt{-a^2c-d}}$$

input `integrate(arccoth(a*x)/(d*x^2+c)^(3/2),x, algorithm="giac")`output `1/2*x*log(-(1/(a*x) + 1)/(1/(a*x) - 1))/(sqrt(d*x^2 + c)*c) + arctan(sqrt(d*x^2 + c)*a/sqrt(-a^2*c - d))/(sqrt(-a^2*c - d)*c)`**Mupad [F(-1)]**

Timed out.

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^{3/2}} dx = \int \frac{\operatorname{acoth}(ax)}{(dx^2 + c)^{3/2}} dx$$

input `int(acoth(a*x)/(c + d*x^2)^(3/2),x)`output `int(acoth(a*x)/(c + d*x^2)^(3/2), x)`**Reduce [F]**

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^{3/2}} dx = \int \frac{\operatorname{acoth}(ax)}{\sqrt{dx^2+cc} + \sqrt{dx^2+c} dx^2} dx$$

input `int(acoth(a*x)/(d*x^2+c)^(3/2),x)`output `int(acoth(a*x)/(sqrt(c + d*x**2)*c + sqrt(c + d*x**2)*d*x**2),x)`

3.16 $\int \frac{\coth^{-1}(ax)}{(c+dx^2)^{5/2}} dx$

Optimal result	141
Mathematica [A] (verified)	141
Rubi [A] (verified)	142
Maple [F]	144
Fricas [B] (verification not implemented)	144
Sympy [F]	145
Maxima [B] (verification not implemented)	146
Giac [A] (verification not implemented)	146
Mupad [F(-1)]	147
Reduce [F]	147

Optimal result

Integrand size = 16, antiderivative size = 128

$$\int \frac{\coth^{-1}(ax)}{(c+dx^2)^{5/2}} dx = \frac{a}{3c(a^2c+d)\sqrt{c+dx^2}} + \frac{x \coth^{-1}(ax)}{3c(c+dx^2)^{3/2}} + \frac{2x \coth^{-1}(ax)}{3c^2\sqrt{c+dx^2}} - \frac{(3a^2c+2d) \operatorname{arctanh}\left(\frac{a\sqrt{c+dx^2}}{\sqrt{a^2c+d}}\right)}{3c^2(a^2c+d)^{3/2}}$$

output

```
1/3*a/c/(a^2*c+d)/(d*x^2+c)^(1/2)+1/3*x*arccoth(a*x)/c/(d*x^2+c)^(3/2)+2/3*x*arccoth(a*x)/c^2/(d*x^2+c)^(1/2)-1/3*(3*a^2*c+2*d)*arctanh(a*(d*x^2+c)^(1/2)/(a^2*c+d)^(1/2))/c^2/(a^2*c+d)^(3/2)
```

Mathematica [A] (verified)

Time = 0.19 (sec) , antiderivative size = 226, normalized size of antiderivative = 1.77

$$\int \frac{\coth^{-1}(ax)}{(c+dx^2)^{5/2}} dx = \frac{2ac}{(a^2c+d)\sqrt{c+dx^2}} + \frac{2x(3c+2dx^2) \coth^{-1}(ax)}{(c+dx^2)^{3/2}} + \frac{(3a^2c+2d) \log(1-ax)}{(a^2c+d)^{3/2}} + \frac{(3a^2c+2d) \log(1+ax)}{(a^2c+d)^{3/2}} - \frac{(3a^2c+2d)}{6c^2}$$

input

```
Integrate[ArcCoth[a*x]/(c + d*x^2)^(5/2), x]
```

output

```

((2*a*c)/((a^2*c + d)*Sqrt[c + d*x^2]) + (2*x*(3*c + 2*d*x^2)*ArcCoth[a*x]
)/(c + d*x^2)^(3/2) + ((3*a^2*c + 2*d)*Log[1 - a*x])/((a^2*c + d)^(3/2) + (
(3*a^2*c + 2*d)*Log[1 + a*x])/((a^2*c + d)^(3/2) - ((3*a^2*c + 2*d)*Log[a*c
- d*x + Sqrt[a^2*c + d]*Sqrt[c + d*x^2]])/((a^2*c + d)^(3/2) - ((3*a^2*c +
2*d)*Log[a*c + d*x + Sqrt[a^2*c + d]*Sqrt[c + d*x^2]])/((a^2*c + d)^(3/2))
)/(6*c^2)

```

Rubi [A] (verified)

Time = 0.36 (sec) , antiderivative size = 130, normalized size of antiderivative = 1.02, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {6539, 27, 435, 87, 73, 221}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
& \int \frac{\coth^{-1}(ax)}{(c + dx^2)^{5/2}} dx \\
& \quad \downarrow \text{6539} \\
& -a \int \frac{x(2dx^2 + 3c)}{3c^2(1 - a^2x^2)(dx^2 + c)^{3/2}} dx + \frac{2x \coth^{-1}(ax)}{3c^2\sqrt{c + dx^2}} + \frac{x \coth^{-1}(ax)}{3c(c + dx^2)^{3/2}} \\
& \quad \downarrow \text{27} \\
& -\frac{a \int \frac{x(2dx^2 + 3c)}{(1 - a^2x^2)(dx^2 + c)^{3/2}} dx}{3c^2} + \frac{2x \coth^{-1}(ax)}{3c^2\sqrt{c + dx^2}} + \frac{x \coth^{-1}(ax)}{3c(c + dx^2)^{3/2}} \\
& \quad \downarrow \text{435} \\
& -\frac{a \int \frac{2dx^2 + 3c}{(1 - a^2x^2)(dx^2 + c)^{3/2}} dx^2}{6c^2} + \frac{2x \coth^{-1}(ax)}{3c^2\sqrt{c + dx^2}} + \frac{x \coth^{-1}(ax)}{3c(c + dx^2)^{3/2}} \\
& \quad \downarrow \text{87} \\
& -\frac{a \left(\frac{(3a^2c + 2d) \int \frac{1}{(1 - a^2x^2)\sqrt{dx^2 + c}} dx^2}{a^2c + d} - \frac{2c}{(a^2c + d)\sqrt{c + dx^2}} \right)}{6c^2} + \frac{2x \coth^{-1}(ax)}{3c^2\sqrt{c + dx^2}} + \frac{x \coth^{-1}(ax)}{3c(c + dx^2)^{3/2}} \\
& \quad \downarrow \text{73}
\end{aligned}$$

$$\begin{aligned}
 & - \frac{a \left(\frac{2(3a^2c+2d) \int \frac{-\frac{2x^4}{d} + \frac{a^2c}{d} + 1}{d(a^2c+d)} dx \sqrt{dx^2+c}}{6c^2} - \frac{2c}{(a^2c+d)\sqrt{c+dx^2}} \right) + \frac{2x \coth^{-1}(ax)}{3c^2\sqrt{c+dx^2}} + \frac{x \coth^{-1}(ax)}{3c(c+dx^2)^{3/2}}}{6c^2} \\
 & \quad \downarrow \text{221} \\
 & - \frac{a \left(\frac{2(3a^2c+2d) \operatorname{arctanh}\left(\frac{a\sqrt{c+dx^2}}{\sqrt{a^2c+d}}\right)}{a(a^2c+d)^{3/2}} - \frac{2c}{(a^2c+d)\sqrt{c+dx^2}} \right) + \frac{2x \coth^{-1}(ax)}{3c^2\sqrt{c+dx^2}} + \frac{x \coth^{-1}(ax)}{3c(c+dx^2)^{3/2}}}{6c^2}
 \end{aligned}$$

input `Int[ArcCoth[a*x]/(c + d*x^2)^(5/2), x]`

output `(x*ArcCoth[a*x])/(3*c*(c + d*x^2)^(3/2)) + (2*x*ArcCoth[a*x])/(3*c^2*Sqrt[c + d*x^2]) - (a*((-2*c)/((a^2*c + d)*Sqrt[c + d*x^2]) + (2*(3*a^2*c + 2*d)*ArcTanh[(a*Sqrt[c + d*x^2])/Sqrt[a^2*c + d]])/(a*(a^2*c + d)^(3/2)))/(6*c^2)`

Defintions of rubi rules used

rule 27 `Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_)] /; FreeQ[b, x]`

rule 73 `Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Simp[p/b Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntegerQ[a, b, c, d, m, n, x]`

rule 87 `Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_] := Simp[(-b*e - a*f)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(f*(p + 1)*(c*f - d*e))), x] - Simp[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)) Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))`

rule 221 `Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

rule 435 `Int[(x_)^(m_)*((a_) + (b_)*(x_)^2)^(p_)*((c_) + (d_)*(x_)^2)^(q_)*((e_) + (f_)*(x_)^2)^(r_), x_Symbol] := Simp[1/2 Subst[Int[x^((m - 1)/2)*(a + b*x)^p*(c + d*x)^q*(e + f*x)^r, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, f, p, q, r}, x] && IntegerQ[(m - 1)/2]`

rule 6539 `Int[((a_) + ArcCoth[(c_)*(x_)])*(b_))*((d_) + (e_)*(x_)^2)^(q_), x_Symbol] := With[{u = IntHide[(d + e*x^2)^q, x]}, Simp[(a + b*ArcCoth[c*x]) u, x] - Simp[b*c Int[SimplifyIntegrand[u/(1 - c^2*x^2), x], x], x] /; FreeQ[{a, b, c, d, e}, x] && (IntegerQ[q] || ILtQ[q + 1/2, 0])`

Maple [F]

$$\int \frac{\operatorname{arccoth}(xa)}{(dx^2 + c)^{\frac{5}{2}}} dx$$

input `int(arccoth(x*a)/(d*x^2+c)^(5/2),x)`

output `int(arccoth(x*a)/(d*x^2+c)^(5/2),x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 345 vs. $2(108) = 216$.

Time = 0.14 (sec) , antiderivative size = 728, normalized size of antiderivative = 5.69

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^{5/2}} dx = \left[\frac{(3a^2c^3 + (3a^2cd^2 + 2d^3)x^4 + 2c^2d + 2(3a^2c^2d + 2cd^2)x^2)\sqrt{a^2c + d} \log\left(\frac{a^4d^2x^4 + 8a^4}{\dots}\right)}{\dots} \right]$$

input `integrate(arccoth(a*x)/(d*x^2+c)^(5/2),x, algorithm="fricas")`

output

```
[1/12*((3*a^2*c^3 + (3*a^2*c*d^2 + 2*d^3)*x^4 + 2*c^2*d + 2*(3*a^2*c^2*d +
2*c*d^2)*x^2)*sqrt(a^2*c + d)*log((a^4*d^2*x^4 + 8*a^4*c^2 + 8*a^2*c*d +
2*(4*a^4*c*d + 3*a^2*d^2)*x^2 - 4*(a^3*d*x^2 + 2*a^3*c + a*d)*sqrt(a^2*c +
d)*sqrt(d*x^2 + c) + d^2)/(a^4*x^4 - 2*a^2*x^2 + 1)) + 2*(2*a^3*c^3 + 2*a
*c^2*d + 2*(a^3*c^2*d + a*c*d^2)*x^2 + (2*(a^4*c^2*d + 2*a^2*c*d^2 + d^3)*
x^3 + 3*(a^4*c^3 + 2*a^2*c^2*d + c*d^2)*x)*log((a*x + 1)/(a*x - 1)))*sqrt(
d*x^2 + c)/(a^4*c^6 + 2*a^2*c^5*d + c^4*d^2 + (a^4*c^4*d^2 + 2*a^2*c^3*d^
3 + c^2*d^4)*x^4 + 2*(a^4*c^5*d + 2*a^2*c^4*d^2 + c^3*d^3)*x^2), 1/6*((3*a
^2*c^3 + (3*a^2*c*d^2 + 2*d^3)*x^4 + 2*c^2*d + 2*(3*a^2*c^2*d + 2*c*d^2)*x
^2)*sqrt(-a^2*c - d)*arctan(1/2*(a^2*d*x^2 + 2*a^2*c + d)*sqrt(-a^2*c - d)
*sqrt(d*x^2 + c)/(a^3*c^2 + a*c*d + (a^3*c*d + a*d^2)*x^2)) + (2*a^3*c^3 +
2*a*c^2*d + 2*(a^3*c^2*d + a*c*d^2)*x^2 + (2*(a^4*c^2*d + 2*a^2*c*d^2 + d
^3)*x^3 + 3*(a^4*c^3 + 2*a^2*c^2*d + c*d^2)*x)*log((a*x + 1)/(a*x - 1)))*s
qrt(d*x^2 + c)/(a^4*c^6 + 2*a^2*c^5*d + c^4*d^2 + (a^4*c^4*d^2 + 2*a^2*c^
3*d^3 + c^2*d^4)*x^4 + 2*(a^4*c^5*d + 2*a^2*c^4*d^2 + c^3*d^3)*x^2)]
```

Sympy [F]

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^{5/2}} dx = \int \frac{\operatorname{acoth}(ax)}{(c + dx^2)^{5/2}} dx$$

input

```
integrate(acoath(a*x)/(d*x**2+c)**(5/2), x)
```

output

```
Integral(acoath(a*x)/(c + d*x**2)**(5/2), x)
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 223 vs. $2(108) = 216$.

Time = 0.12 (sec) , antiderivative size = 223, normalized size of antiderivative = 1.74

$$\int \frac{\coth^{-1}(ax)}{(c+dx^2)^{5/2}} dx = \frac{1}{6} a \left(\frac{ad \log\left(\frac{\sqrt{dx^2+ca^2}-\sqrt{a^2c+da}}{\sqrt{dx^2+ca^2}+\sqrt{a^2c+da}}\right)}{(a^2c^2+cd)\sqrt{a^2c+d}} + \frac{2d}{(a^2c^2+cd)\sqrt{dx^2+c}} + \frac{2 \log\left(\frac{\sqrt{dx^2+ca^2}-\sqrt{a^2c+da}}{\sqrt{dx^2+ca^2}+\sqrt{a^2c+da}}\right)}{\sqrt{a^2c+da}c^2} \right) \\ + \frac{1}{3} \left(\frac{2x}{\sqrt{dx^2+cc^2}} + \frac{x}{(dx^2+c)^{\frac{3}{2}}c} \right) \operatorname{arccoth}(ax)$$

input `integrate(arccoth(a*x)/(d*x^2+c)^(5/2),x, algorithm="maxima")`

output `1/6*a*((a*d*log((sqrt(d*x^2 + c)*a^2 - sqrt(a^2*c + d)*a)/(sqrt(d*x^2 + c)*a^2 + sqrt(a^2*c + d)*a))/((a^2*c^2 + c*d)*sqrt(a^2*c + d)) + 2*d/((a^2*c^2 + c*d)*sqrt(d*x^2 + c)))/d + 2*log((sqrt(d*x^2 + c)*a^2 - sqrt(a^2*c + d)*a)/(sqrt(d*x^2 + c)*a^2 + sqrt(a^2*c + d)*a))/(sqrt(a^2*c + d)*a*c^2) + 1/3*(2*x/(sqrt(d*x^2 + c)*c^2) + x/((d*x^2 + c)^(3/2)*c))*arccoth(a*x)`

Giac [A] (verification not implemented)

Time = 0.15 (sec) , antiderivative size = 143, normalized size of antiderivative = 1.12

$$\int \frac{\coth^{-1}(ax)}{(c+dx^2)^{5/2}} dx = \frac{1}{3} a \left(\frac{(3a^2c + 2d) \arctan\left(\frac{\sqrt{dx^2+ca}}{\sqrt{-a^2c-d}}\right)}{(a^2c^3 + c^2d)\sqrt{-a^2c-d}} + \frac{1}{(a^2c^2 + cd)\sqrt{dx^2+c}} \right) \\ + \frac{x \left(\frac{2dx^2}{c^2} + \frac{3}{c} \right) \log\left(-\frac{\frac{1}{ax}+1}{\frac{1}{ax}-1}\right)}{6(dx^2+c)^{\frac{3}{2}}}$$

input `integrate(arccoth(a*x)/(d*x^2+c)^(5/2),x, algorithm="giac")`

output

```
1/3*a*((3*a^2*c + 2*d)*arctan(sqrt(d*x^2 + c)*a/sqrt(-a^2*c - d))/((a^2*c^3 + c^2*d)*sqrt(-a^2*c - d)*a) + 1/((a^2*c^2 + c*d)*sqrt(d*x^2 + c))) + 1/6*x*(2*d*x^2/c^2 + 3/c)*log(-(1/(a*x) + 1)/(1/(a*x) - 1))/(d*x^2 + c)^(3/2)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^{5/2}} dx = \int \frac{\operatorname{acoth}(ax)}{(dx^2 + c)^{5/2}} dx$$

input

```
int(acoth(a*x)/(c + d*x^2)^(5/2), x)
```

output

```
int(acoth(a*x)/(c + d*x^2)^(5/2), x)
```

Reduce [F]

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^{5/2}} dx = \int \frac{\operatorname{acoth}(ax)}{\sqrt{dx^2 + c}c^2 + 2\sqrt{dx^2 + c}cdx^2 + \sqrt{dx^2 + c}d^2x^4} dx$$

input

```
int(acoth(a*x)/(d*x^2+c)^(5/2), x)
```

output

```
int(acoth(a*x)/(sqrt(c + d*x**2)*c**2 + 2*sqrt(c + d*x**2)*c*d*x**2 + sqrt(c + d*x**2)*d**2*x**4), x)
```

3.17 $\int \frac{\coth^{-1}(ax)}{(c+dx^2)^{7/2}} dx$

Optimal result	148
Mathematica [A] (verified)	149
Rubi [A] (warning: unable to verify)	149
Maple [F]	152
Fricas [B] (verification not implemented)	152
Sympy [F]	153
Maxima [B] (verification not implemented)	154
Giac [A] (verification not implemented)	154
Mupad [F(-1)]	155
Reduce [F]	155

Optimal result

Integrand size = 16, antiderivative size = 200

$$\int \frac{\coth^{-1}(ax)}{(c+dx^2)^{7/2}} dx = \frac{a}{15c(a^2c+d)(c+dx^2)^{3/2}} + \frac{a(7a^2c+4d)}{15c^2(a^2c+d)^2\sqrt{c+dx^2}} + \frac{x\coth^{-1}(ax)}{5c(c+dx^2)^{5/2}} + \frac{4x\coth^{-1}(ax)}{15c^2(c+dx^2)^{3/2}} + \frac{8x\coth^{-1}(ax)}{15c^3\sqrt{c+dx^2}} - \frac{(15a^4c^2+20a^2cd+8d^2)\operatorname{arctanh}\left(\frac{a\sqrt{c+dx^2}}{\sqrt{a^2c+d}}\right)}{15c^3(a^2c+d)^{5/2}}$$

output

```
1/15*a/c/(a^2*c+d)/(d*x^2+c)^(3/2)+1/15*a*(7*a^2*c+4*d)/c^2/(a^2*c+d)^(d
*x^2+c)^(1/2)+1/5*x*arccoth(a*x)/c/(d*x^2+c)^(5/2)+4/15*x*arccoth(a*x)/c^2
/(d*x^2+c)^(3/2)+8/15*x*arccoth(a*x)/c^3/(d*x^2+c)^(1/2)-1/15*(15*a^4*c^2+
20*a^2*c*d+8*d^2)*arctanh(a*(d*x^2+c)^(1/2)/(a^2*c+d)^(1/2))/c^3/(a^2*c+d)
^(5/2)
```

Mathematica [A] (verified)

Time = 0.36 (sec) , antiderivative size = 329, normalized size of antiderivative = 1.64

$$\int \frac{\coth^{-1}(ax)}{(c+dx^2)^{7/2}} dx = \frac{2ac\sqrt{a^2c+d}(c+dx^2)(d(5c+4dx^2)+a^2c(8c+7dx^2))+2(a^2c+d)^{5/2}x(15c^2+20cd+8d^2x^2)\operatorname{ArcCoth}\left[\frac{ax}{\sqrt{c+dx^2}}\right]+(15a^4c^2+20a^2cd+8d^2)(c+dx^2)^{5/2}\operatorname{Log}\left[\frac{1-ax}{1+ax}\right]+(15a^4c^2+20a^2cd+8d^2)(c+dx^2)^{5/2}\operatorname{Log}\left[\frac{a\sqrt{c+dx^2}-d}{a\sqrt{c+dx^2}+d}\right]}{(30c^3(a^2c+d)^{5/2}(c+dx^2)^{5/2})}$$

input `Integrate[ArcCoth[a*x]/(c + d*x^2)^(7/2),x]`

output

```
(2*a*c*Sqrt[a^2*c + d]*(c + d*x^2)*(d*(5*c + 4*d*x^2) + a^2*c*(8*c + 7*d*x^2)) + 2*(a^2*c + d)^(5/2)*x*(15*c^2 + 20*c*d*x^2 + 8*d^2*x^4)*ArcCoth[a*x] + (15*a^4*c^2 + 20*a^2*c*d + 8*d^2)*(c + d*x^2)^(5/2)*Log[1 - a*x] + (15*a^4*c^2 + 20*a^2*c*d + 8*d^2)*(c + d*x^2)^(5/2)*Log[1 + a*x] - (15*a^4*c^2 + 20*a^2*c*d + 8*d^2)*(c + d*x^2)^(5/2)*Log[a*c - d*x + Sqrt[a^2*c + d]*Sqrt[c + d*x^2]] - (15*a^4*c^2 + 20*a^2*c*d + 8*d^2)*(c + d*x^2)^(5/2)*Log[a*c + d*x + Sqrt[a^2*c + d]*Sqrt[c + d*x^2]]/(30*c^3*(a^2*c + d)^(5/2)*(c + d*x^2)^(5/2))
```

Rubi [A] (warning: unable to verify)

Time = 1.10 (sec) , antiderivative size = 194, normalized size of antiderivative = 0.97, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {6539, 27, 7266, 1192, 1584, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\coth^{-1}(ax)}{(c+dx^2)^{7/2}} dx$$

↓ 6539

$$-a \int \frac{x(8d^2x^4 + 20cdx^2 + 15c^2)}{15c^3(1 - a^2x^2)(dx^2 + c)^{5/2}} dx + \frac{8x \coth^{-1}(ax)}{15c^3\sqrt{c+dx^2}} + \frac{4x \coth^{-1}(ax)}{15c^2(c+dx^2)^{3/2}} + \frac{x \coth^{-1}(ax)}{5c(c+dx^2)^{5/2}}$$

↓ 27

$$\begin{aligned}
& -\frac{a \int \frac{x(8d^2x^4+20cdx^2+15c^2)}{(1-a^2x^2)(dx^2+c)^{5/2}} dx}{15c^3} + \frac{8x \coth^{-1}(ax)}{15c^3\sqrt{c+dx^2}} + \frac{4x \coth^{-1}(ax)}{15c^2(c+dx^2)^{3/2}} + \frac{x \coth^{-1}(ax)}{5c(c+dx^2)^{5/2}} \\
& \quad \downarrow 7266 \\
& -\frac{a \int \frac{8d^2x^4+20cdx^2+15c^2}{(1-a^2x^2)(dx^2+c)^{5/2}} dx^2}{30c^3} + \frac{8x \coth^{-1}(ax)}{15c^3\sqrt{c+dx^2}} + \frac{4x \coth^{-1}(ax)}{15c^2(c+dx^2)^{3/2}} + \frac{x \coth^{-1}(ax)}{5c(c+dx^2)^{5/2}} \\
& \quad \downarrow 1192 \\
& -\frac{a \int \frac{8d^2x^8+4cd^2x^4+3c^2d^2}{x^8(-a^2x^4+a^2c+d)} d\sqrt{dx^2+c}}{15c^3d^2} + \frac{8x \coth^{-1}(ax)}{15c^3\sqrt{c+dx^2}} + \frac{4x \coth^{-1}(ax)}{15c^2(c+dx^2)^{3/2}} + \frac{x \coth^{-1}(ax)}{5c(c+dx^2)^{5/2}} \\
& \quad \downarrow 1584 \\
& -\frac{a \int \left(\frac{(15c^2a^4+20cda^2+8d^2)d^2}{(ca^2+d)^2(-a^2x^4+a^2c+d)} + \frac{c(7ca^2+4d)d^2}{(ca^2+d)^2x^4} + \frac{3c^2d^2}{(ca^2+d)x^8} \right) d\sqrt{dx^2+c}}{15c^3d^2} + \frac{8x \coth^{-1}(ax)}{15c^3\sqrt{c+dx^2}} + \\
& \quad \frac{4x \coth^{-1}(ax)}{15c^2(c+dx^2)^{3/2}} + \frac{x \coth^{-1}(ax)}{5c(c+dx^2)^{5/2}} \\
& \quad \downarrow 2009 \\
& -\frac{a \left(-\frac{c^2d^2}{x^6(a^2c+d)} - \frac{cd^2(7a^2c+4d)}{x^2(a^2c+d)^2} + \frac{d^2(15a^4c^2+20a^2cd+8d^2)\operatorname{arctanh}\left(\frac{a\sqrt{c+dx^2}}{\sqrt{a^2c+d}}\right)}{a(a^2c+d)^{5/2}} \right)}{15c^3d^2} + \frac{8x \coth^{-1}(ax)}{15c^3\sqrt{c+dx^2}} + \\
& \quad \frac{4x \coth^{-1}(ax)}{15c^2(c+dx^2)^{3/2}} + \frac{x \coth^{-1}(ax)}{5c(c+dx^2)^{5/2}}
\end{aligned}$$

input `Int[ArcCoth[a*x]/(c + d*x^2)^(7/2), x]`

output `(x*ArcCoth[a*x])/(5*c*(c + d*x^2)^(5/2)) + (4*x*ArcCoth[a*x])/(15*c^2*(c + d*x^2)^(3/2)) + (8*x*ArcCoth[a*x])/(15*c^3*sqrt[c + d*x^2]) - (a*(-((c^2*d^2)/((a^2*c + d)*x^6)) - (c*d^2*(7*a^2*c + 4*d))/((a^2*c + d)^2*x^2) + (d^2*(15*a^4*c^2 + 20*a^2*c*d + 8*d^2)*ArcTanh[(a*sqrt[c + d*x^2])/sqrt[a^2*c + d]])/(a*(a^2*c + d)^(5/2))))/(15*c^3*d^2)`

Definitions of rubi rules used

- rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`
- rule 1192 `Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_)^(n_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[2/e^(n + 2*p + 1) Subst[Int[x^(2*m + 1)*(e*f - d*g + g*x^2)^n*(c*d^2 - b*d*e + a*e^2 - (2*c*d - b*e)*x^2 + c*x^4)^p, x], x, Sqrt[d + e*x]], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && IGtQ[p, 0] && ILtQ[n, 0] && IntegerQ[m + 1/2]`
- rule 1584 `Int[((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)^(q_))*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && IGtQ[q, -2]`
- rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`
- rule 6539 `Int[((a_) + ArcCoth[(c_)*(x_)])*(b_))*((d_) + (e_)*(x_)^2)^(q_), x_Symbol] := With[{u = IntHide[(d + e*x^2)^q, x]}, Simp[(a + b*ArcCoth[c*x]) u, x] - Simp[b*c Int[SimplifyIntegrand[u/(1 - c^2*x^2), x], x], x] /; FreeQ[{a, b, c, d, e}, x] && (IntegerQ[q] || ILtQ[q + 1/2, 0])`
- rule 7266 `Int[(u_)*(x_)^(m_), x_Symbol] := Simp[1/(m + 1) Subst[Int[SubstFor[x^(m + 1), u, x], x, x^(m + 1)], x] /; FreeQ[m, x] && NeQ[m, -1] && FunctionOfQ[x^(m + 1), u, x]`

Maple [F]

$$\int \frac{\operatorname{arccoth}(xa)}{(dx^2 + c)^{\frac{7}{2}}} dx$$

input `int(arccoth(x*a)/(d*x^2+c)^(7/2),x)`

output `int(arccoth(x*a)/(d*x^2+c)^(7/2),x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 620 vs. $2(172) = 344$.

Time = 0.19 (sec) , antiderivative size = 1278, normalized size of antiderivative = 6.39

$$\int \frac{\operatorname{coth}^{-1}(ax)}{(c + dx^2)^{7/2}} dx = \text{Too large to display}$$

input `integrate(arccoth(a*x)/(d*x^2+c)^(7/2),x, algorithm="fricas")`

output

```
[1/60*((15*a^4*c^5 + 20*a^2*c^4*d + (15*a^4*c^2*d^3 + 20*a^2*c*d^4 + 8*d^5)
)*x^6 + 8*c^3*d^2 + 3*(15*a^4*c^3*d^2 + 20*a^2*c^2*d^3 + 8*c*d^4)*x^4 + 3*
(15*a^4*c^4*d + 20*a^2*c^3*d^2 + 8*c^2*d^3)*x^2)*sqrt(a^2*c + d)*log((a^4*
d^2*x^4 + 8*a^4*c^2 + 8*a^2*c*d + 2*(4*a^4*c*d + 3*a^2*d^2)*x^2 - 4*(a^3*d
*x^2 + 2*a^3*c + a*d)*sqrt(a^2*c + d)*sqrt(d*x^2 + c) + d^2)/(a^4*x^4 - 2*
a^2*x^2 + 1)) + 2*(16*a^5*c^5 + 26*a^3*c^4*d + 10*a*c^3*d^2 + 2*(7*a^5*c^3
*d^2 + 11*a^3*c^2*d^3 + 4*a*c*d^4)*x^4 + 6*(5*a^5*c^4*d + 8*a^3*c^3*d^2 +
3*a*c^2*d^3)*x^2 + (8*(a^6*c^3*d^2 + 3*a^4*c^2*d^3 + 3*a^2*c*d^4 + d^5)*x^
5 + 20*(a^6*c^4*d + 3*a^4*c^3*d^2 + 3*a^2*c^2*d^3 + c*d^4)*x^3 + 15*(a^6*c
^5 + 3*a^4*c^4*d + 3*a^2*c^3*d^2 + c^2*d^3)*x)*log((a*x + 1)/(a*x - 1)))*s
qrt(d*x^2 + c))/(a^6*c^9 + 3*a^4*c^8*d + 3*a^2*c^7*d^2 + c^6*d^3 + (a^6*c^
6*d^3 + 3*a^4*c^5*d^4 + 3*a^2*c^4*d^5 + c^3*d^6)*x^6 + 3*(a^6*c^7*d^2 + 3*
a^4*c^6*d^3 + 3*a^2*c^5*d^4 + c^4*d^5)*x^4 + 3*(a^6*c^8*d + 3*a^4*c^7*d^2
+ 3*a^2*c^6*d^3 + c^5*d^4)*x^2), 1/30*((15*a^4*c^5 + 20*a^2*c^4*d + (15*a^
4*c^2*d^3 + 20*a^2*c*d^4 + 8*d^5)*x^6 + 8*c^3*d^2 + 3*(15*a^4*c^3*d^2 + 20
*a^2*c^2*d^3 + 8*c*d^4)*x^4 + 3*(15*a^4*c^4*d + 20*a^2*c^3*d^2 + 8*c^2*d^3
)*x^2)*sqrt(-a^2*c - d)*arctan(1/2*(a^2*d*x^2 + 2*a^2*c + d)*sqrt(-a^2*c -
d)*sqrt(d*x^2 + c)/(a^3*c^2 + a*c*d + (a^3*c*d + a*d^2)*x^2)) + (16*a^5*c
^5 + 26*a^3*c^4*d + 10*a*c^3*d^2 + 2*(7*a^5*c^3*d^2 + 11*a^3*c^2*d^3 + 4*a
*c*d^4)*x^4 + 6*(5*a^5*c^4*d + 8*a^3*c^3*d^2 + 3*a*c^2*d^3)*x^2 + (8*(a...
```

Sympy [F]

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^{7/2}} dx = \int \frac{\operatorname{acoth}(ax)}{(c + dx^2)^{7/2}} dx$$

input

```
integrate(acoath(a*x)/(d*x**2+c)**(7/2),x)
```

output

```
Integral(acoath(a*x)/(c + d*x**2)**(7/2), x)
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 401 vs. $2(172) = 344$.

Time = 0.13 (sec) , antiderivative size = 401, normalized size of antiderivative = 2.00

$$\int \frac{\coth^{-1}(ax)}{(c+dx^2)^{7/2}} dx = \frac{1}{30} a \left(\frac{3a^3 d \log\left(\frac{\sqrt{dx^2+ca^2}-\sqrt{a^2c+da}}{\sqrt{dx^2+ca^2}+\sqrt{a^2c+da}}\right) + \frac{2(3(dx^2+c)a^2d+a^2cd+d^2)}{(a^4c^3+2a^2c^2d+cd^2)\sqrt{a^2c+d}}}{d} + \frac{4\left(\frac{ad \log\left(\frac{\sqrt{dx^2+ca^2}-\sqrt{a^2c+da}}{\sqrt{dx^2+ca^2}+\sqrt{a^2c+da}}\right)}{(a^2c^3+c^2d)\sqrt{a^2c+d}}\right)}{d} \right) + \frac{1}{15} \left(\frac{8x}{\sqrt{dx^2+cc^3}} + \frac{4x}{(dx^2+c)^{3/2}c^2} + \frac{3x}{(dx^2+c)^{5/2}c} \right) \operatorname{arccoth}(ax)$$

input `integrate(arccoth(a*x)/(d*x^2+c)^(7/2),x, algorithm="maxima")`

output $\frac{1}{30}a*((3*a^3*d*\log((\sqrt{d*x^2+c})*a^2-\sqrt{a^2*c+d})*a)/(\sqrt{d*x^2+c})*a^2+\sqrt{a^2*c+d})*a)/((a^4*c^3+2*a^2*c^2*d+c*d^2)*\sqrt{a^2*c+d})+2*(3*(d*x^2+c)*a^2*d+a^2*c*d+d^2)/((a^4*c^3+2*a^2*c^2*d+c*d^2)*(d*x^2+c)^{(3/2)))/d+4*(a*d*\log((\sqrt{d*x^2+c})*a^2-\sqrt{a^2*c+d})*a)/(\sqrt{d*x^2+c})*a^2+\sqrt{a^2*c+d})*a)/((a^2*c^3+c^2*d)*\sqrt{a^2*c+d})+2*d/((a^2*c^3+c^2*d)*\sqrt{d*x^2+c}))/d+8*\log((\sqrt{d*x^2+c})*a^2-\sqrt{a^2*c+d})*a)/(\sqrt{d*x^2+c})*a^2+\sqrt{a^2*c+d})*a)/(\sqrt{a^2*c+d})*a*c^3)+1/15*(8*x/(\sqrt{d*x^2+c})*c^3)+4*x/((d*x^2+c)^{(3/2})*c^2)+3*x/((d*x^2+c)^{(5/2})*c))*\operatorname{arccoth}(a*x)$

Giac [A] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 226, normalized size of antiderivative = 1.13

$$\int \frac{\coth^{-1}(ax)}{(c+dx^2)^{7/2}} dx = \frac{1}{15} a \left(\frac{(15a^4c^2+20a^2cd+8d^2)\arctan\left(\frac{\sqrt{dx^2+ca}}{\sqrt{-a^2c-d}}\right)}{(a^4c^5+2a^2c^4d+c^3d^2)\sqrt{-a^2c-d}} + \frac{7(dx^2+c)a^2c+a^2c^2+4(dx^2-c)}{(a^4c^4+2a^2c^3d+c^2d^2)(dx^2-c)} \right) + \frac{\left(4x^2\left(\frac{2d^2x^2}{c^3}+\frac{5d}{c^2}\right)+\frac{15d}{c}\right)x \log\left(-\frac{\frac{1}{ax}+1}{\frac{1}{ax}-1}\right)}{30(dx^2+c)^{5/2}}$$

input `integrate(arccoth(a*x)/(d*x^2+c)^(7/2),x, algorithm="giac")`

output

```
1/15*a*((15*a^4*c^2 + 20*a^2*c*d + 8*d^2)*arctan(sqrt(d*x^2 + c)*a/sqrt(-a
^2*c - d))/((a^4*c^5 + 2*a^2*c^4*d + c^3*d^2)*sqrt(-a^2*c - d)*a) + (7*(d*
x^2 + c)*a^2*c + a^2*c^2 + 4*(d*x^2 + c)*d + c*d)/((a^4*c^4 + 2*a^2*c^3*d
+ c^2*d^2)*(d*x^2 + c)^(3/2))) + 1/30*(4*x^2*(2*d^2*x^2/c^3 + 5*d/c^2) + 1
5/c)*x*log(-(1/(a*x) + 1)/(1/(a*x) - 1))/(d*x^2 + c)^(5/2)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^{7/2}} dx = \int \frac{\operatorname{acoth}(ax)}{(dx^2 + c)^{7/2}} dx$$

input

```
int(acoth(a*x)/(c + d*x^2)^(7/2), x)
```

output

```
int(acoth(a*x)/(c + d*x^2)^(7/2), x)
```

Reduce [F]

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^{7/2}} dx = \int \frac{\operatorname{acoth}(ax)}{\sqrt{dx^2 + c}c^3 + 3\sqrt{dx^2 + c}c^2dx^2 + 3\sqrt{dx^2 + c}cd^2x^4 + \sqrt{dx^2 + c}d^3x^6} dx$$

input

```
int(acoth(a*x)/(d*x^2+c)^(7/2), x)
```

output

```
int(acoth(a*x)/(sqrt(c + d*x**2)*c**3 + 3*sqrt(c + d*x**2)*c**2*d*x**2 + 3
*sqrt(c + d*x**2)*c*d**2*x**4 + sqrt(c + d*x**2)*d**3*x**6), x)
```

3.18 $\int \frac{\coth^{-1}(ax)}{(c+dx^2)^{9/2}} dx$

Optimal result	156
Mathematica [A] (verified)	157
Rubi [A] (verified)	157
Maple [F]	159
Fricas [B] (verification not implemented)	160
Sympy [F]	161
Maxima [B] (verification not implemented)	161
Giac [A] (verification not implemented)	162
Mupad [F(-1)]	163
Reduce [F]	163

Optimal result

Integrand size = 16, antiderivative size = 283

$$\int \frac{\coth^{-1}(ax)}{(c+dx^2)^{9/2}} dx = \frac{a}{35c(a^2c+d)(c+dx^2)^{5/2}} + \frac{a(11a^2c+6d)}{105c^2(a^2c+d)^2(c+dx^2)^{3/2}} + \frac{a(19a^4c^2+22a^2cd+8d^2)}{35c^3(a^2c+d)^3\sqrt{c+dx^2}} + \frac{x \coth^{-1}(ax)}{7c(c+dx^2)^{7/2}} + \frac{6x \coth^{-1}(ax)}{35c^2(c+dx^2)^{5/2}} + \frac{8x \coth^{-1}(ax)}{35c^3(c+dx^2)^{3/2}} + \frac{16x \coth^{-1}(ax)}{35c^4\sqrt{c+dx^2}} - \frac{(35a^6c^3+70a^4c^2d+56a^2cd^2+16d^3) \operatorname{arctanh}\left(\frac{a\sqrt{c+dx^2}}{\sqrt{a^2c+d}}\right)}{35c^4(a^2c+d)^{7/2}}$$

output

```
1/35*a/c/(a^2*c+d)/(d*x^2+c)^(5/2)+1/105*a*(11*a^2*c+6*d)/c^2/(a^2*c+d)^2/
(d*x^2+c)^(3/2)+1/35*a*(19*a^4*c^2+22*a^2*c*d+8*d^2)/c^3/(a^2*c+d)^3/(d*x^
2+c)^(1/2)+1/7*x*arccoth(a*x)/c/(d*x^2+c)^(7/2)+6/35*x*arccoth(a*x)/c^2/(d
*x^2+c)^(5/2)+8/35*x*arccoth(a*x)/c^3/(d*x^2+c)^(3/2)+16/35*x*arccoth(a*x)
/c^4/(d*x^2+c)^(1/2)-1/35*(35*a^6*c^3+70*a^4*c^2*d+56*a^2*c*d^2+16*d^3)*ar
ctanh(a*(d*x^2+c)^(1/2)/(a^2*c+d)^(1/2))/c^4/(a^2*c+d)^(7/2)
```

Mathematica [A] (verified)

Time = 0.55 (sec) , antiderivative size = 431, normalized size of antiderivative = 1.52

$$\int \frac{\coth^{-1}(ax)}{(c+dx^2)^{9/2}} dx = \frac{2ac\sqrt{a^2c+d}(c+dx^2) \left(3c^2(a^2c+d)^2 + c(a^2c+d)(11a^2c+6d)(c+dx^2) + 3(19a^4c^2 \right)}{(c+dx^2)^{9/2}}$$

input `Integrate[ArcCoth[a*x]/(c + d*x^2)^(9/2),x]`

output $(2*a*c*\text{Sqrt}[a^2*c + d]*(c + d*x^2)*(3*c^2*(a^2*c + d)^2 + c*(a^2*c + d)*(11*a^2*c + 6*d)*(c + d*x^2) + 3*(19*a^4*c^2 + 22*a^2*c*d + 8*d^2)*(c + d*x^2)^2) + 6*(a^2*c + d)^(7/2)*x*(35*c^3 + 70*c^2*d*x^2 + 56*c*d^2*x^4 + 16*d^3*x^6)*\text{ArcCoth}[a*x] + 3*(35*a^6*c^3 + 70*a^4*c^2*d + 56*a^2*c*d^2 + 16*d^3)*(c + d*x^2)^(7/2)*\text{Log}[1 - a*x] + 3*(35*a^6*c^3 + 70*a^4*c^2*d + 56*a^2*c*d^2 + 16*d^3)*(c + d*x^2)^(7/2)*\text{Log}[1 + a*x] - 3*(35*a^6*c^3 + 70*a^4*c^2*d + 56*a^2*c*d^2 + 16*d^3)*(c + d*x^2)^(7/2)*\text{Log}[a*c - d*x + \text{Sqrt}[a^2*c + d]*\text{Sqrt}[c + d*x^2]] - 3*(35*a^6*c^3 + 70*a^4*c^2*d + 56*a^2*c*d^2 + 16*d^3)*(c + d*x^2)^(7/2)*\text{Log}[a*c + d*x + \text{Sqrt}[a^2*c + d]*\text{Sqrt}[c + d*x^2]])/(20*c^4*(a^2*c + d)^(7/2)*(c + d*x^2)^(7/2))$

Rubi [A] (verified)

Time = 1.30 (sec) , antiderivative size = 281, normalized size of antiderivative = 0.99, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {6539, 27, 7266, 2122, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\coth^{-1}(ax)}{(c+dx^2)^{9/2}} dx$$

↓ 6539

$$-a \int \frac{x(16d^3x^6 + 56cd^2x^4 + 70c^2dx^2 + 35c^3)}{35c^4(1-a^2x^2)(dx^2+c)^{7/2}} dx + \frac{16x \coth^{-1}(ax)}{35c^4\sqrt{c+dx^2}} + \frac{8x \coth^{-1}(ax)}{35c^3(c+dx^2)^{3/2}} + \frac{6x \coth^{-1}(ax)}{35c^2(c+dx^2)^{5/2}} + \frac{x \coth^{-1}(ax)}{7c(c+dx^2)^{7/2}}$$

$$\begin{aligned}
 & \downarrow 27 \\
 & - \frac{a \int \frac{x(16d^3x^6+56cd^2x^4+70c^2dx^2+35c^3)}{(1-a^2x^2)(dx^2+c)^{7/2}} dx}{35c^4} + \frac{16x \operatorname{coth}^{-1}(ax)}{35c^4\sqrt{c+dx^2}} + \frac{8x \operatorname{coth}^{-1}(ax)}{35c^3(c+dx^2)^{3/2}} + \\
 & \quad \frac{6x \operatorname{coth}^{-1}(ax)}{35c^2(c+dx^2)^{5/2}} + \frac{x \operatorname{coth}^{-1}(ax)}{7c(c+dx^2)^{7/2}} \\
 & \downarrow 7266 \\
 & - \frac{a \int \frac{16d^3x^6+56cd^2x^4+70c^2dx^2+35c^3}{(1-a^2x^2)(dx^2+c)^{7/2}} dx^2}{70c^4} + \frac{16x \operatorname{coth}^{-1}(ax)}{35c^4\sqrt{c+dx^2}} + \frac{8x \operatorname{coth}^{-1}(ax)}{35c^3(c+dx^2)^{3/2}} + \\
 & \quad \frac{6x \operatorname{coth}^{-1}(ax)}{35c^2(c+dx^2)^{5/2}} + \frac{x \operatorname{coth}^{-1}(ax)}{7c(c+dx^2)^{7/2}} \\
 & \downarrow 2122 \\
 & - \frac{a \int \left(\frac{5dc^3}{(ca^2+d)(dx^2+c)^{7/2}} + \frac{d(11ca^2+6d)c^2}{(ca^2+d)^2(dx^2+c)^{5/2}} + \frac{d(19c^2a^4+22cda^2+8d^2)c}{(ca^2+d)^3(dx^2+c)^{3/2}} + \frac{-35c^3a^6-70c^2da^4-56cd^2a^2-16d^3}{(ca^2+d)^3(a^2x^2-1)\sqrt{dx^2+c}} \right) dx^2}{70c^4} + \\
 & \quad \frac{16x \operatorname{coth}^{-1}(ax)}{35c^4\sqrt{c+dx^2}} + \frac{8x \operatorname{coth}^{-1}(ax)}{35c^3(c+dx^2)^{3/2}} + \frac{6x \operatorname{coth}^{-1}(ax)}{35c^2(c+dx^2)^{5/2}} + \frac{x \operatorname{coth}^{-1}(ax)}{7c(c+dx^2)^{7/2}} \\
 & \downarrow 2009 \\
 & - \frac{a \left(-\frac{2c^3}{(a^2c+d)(c+dx^2)^{5/2}} - \frac{2c^2(11a^2c+6d)}{3(a^2c+d)^2(c+dx^2)^{3/2}} - \frac{2c(19a^4c^2+22a^2cd+8d^2)}{(a^2c+d)^3\sqrt{c+dx^2}} + \frac{2(35a^6c^3+70a^4c^2d+56a^2cd^2+16d^3)\operatorname{arctanh}\left(\frac{a\sqrt{c+dx^2}}{\sqrt{a^2c+d}}\right)}{a(a^2c+d)^{7/2}} \right)}{70c^4} + \\
 & \quad \frac{16x \operatorname{coth}^{-1}(ax)}{35c^4\sqrt{c+dx^2}} + \frac{8x \operatorname{coth}^{-1}(ax)}{35c^3(c+dx^2)^{3/2}} + \frac{6x \operatorname{coth}^{-1}(ax)}{35c^2(c+dx^2)^{5/2}} + \frac{x \operatorname{coth}^{-1}(ax)}{7c(c+dx^2)^{7/2}}
 \end{aligned}$$

input `Int[ArcCoth[a*x]/(c + d*x^2)^(9/2), x]`

output `(x*ArcCoth[a*x])/(7*c*(c + d*x^2)^(7/2)) + (6*x*ArcCoth[a*x])/(35*c^2*(c + d*x^2)^(5/2)) + (8*x*ArcCoth[a*x])/(35*c^3*(c + d*x^2)^(3/2)) + (16*x*ArcCoth[a*x])/(35*c^4*sqrt[c + d*x^2]) - (a*((-2*c^3)/((a^2*c + d)*(c + d*x^2)^(5/2)) - (2*c^2*(11*a^2*c + 6*d))/(3*(a^2*c + d)^2*(c + d*x^2)^(3/2)) - (2*c*(19*a^4*c^2 + 22*a^2*c*d + 8*d^2))/((a^2*c + d)^3*sqrt[c + d*x^2]) + (2*(35*a^6*c^3 + 70*a^4*c^2*d + 56*a^2*c*d^2 + 16*d^3)*ArcTanh[(a*sqrt[c + d*x^2])/sqrt[a^2*c + d]])/(a*(a^2*c + d)^(7/2))))/(70*c^4)`

Definitions of rubi rules used

- rule 27 `Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_)] /; FreeQ[b, x]`
- rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`
- rule 2122 `Int[((P_x_)*((c_) + (d_)*(x_)^(n_)))/((a_) + (b_)*(x_)), x_Symbol] := Int[ExpandIntegrand[1/Sqrt[c + d*x], P_x*((c + d*x)^(n + 1/2)/(a + b*x)), x], x] /; FreeQ[{a, b, c, d, n}, x] && PolyQ[P_x, x] && ILtQ[n + 1/2, 0]`
- rule 6539 `Int[((a_) + ArcCoth[(c_)*(x_)])*(b_)*((d_) + (e_)*(x_)^2)^(q_), x_Symbol] := With[{u = IntHide[(d + e*x^2)^q, x]}, Simp[(a + b*ArcCoth[c*x]) u, x] - Simp[b*c Int[SimplifyIntegrand[u/(1 - c^2*x^2), x], x], x] /; FreeQ[{a, b, c, d, e}, x] && (IntegerQ[q] || ILtQ[q + 1/2, 0])`
- rule 7266 `Int[(u_)*(x_)^(m_), x_Symbol] := Simp[1/(m + 1) Subst[Int[SubstFor[x^(m + 1), u, x], x, x^(m + 1)], x] /; FreeQ[m, x] && NeQ[m, -1] && FunctionOfQ[x^(m + 1), u, x]`

Maple [F]

$$\int \frac{\operatorname{arccoth}(xa)}{(dx^2 + c)^{\frac{9}{2}}} dx$$

input `int(arccoth(x*a)/(d*x^2+c)^(9/2),x)`

output `int(arccoth(x*a)/(d*x^2+c)^(9/2),x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 983 vs. $2(247) = 494$.

Time = 0.27 (sec) , antiderivative size = 2004, normalized size of antiderivative = 7.08

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^{9/2}} dx = \text{Too large to display}$$

input `integrate(arccoth(a*x)/(d*x^2+c)^(9/2),x, algorithm="fricas")`

output

```
[1/420*(3*(35*a^6*c^7 + 70*a^4*c^6*d + 56*a^2*c^5*d^2 + (35*a^6*c^3*d^4 +
70*a^4*c^2*d^5 + 56*a^2*c*d^6 + 16*d^7)*x^8 + 16*c^4*d^3 + 4*(35*a^6*c^4*d^
^3 + 70*a^4*c^3*d^4 + 56*a^2*c^2*d^5 + 16*c*d^6)*x^6 + 6*(35*a^6*c^5*d^2 +
70*a^4*c^4*d^3 + 56*a^2*c^3*d^4 + 16*c^2*d^5)*x^4 + 4*(35*a^6*c^6*d + 70*
a^4*c^5*d^2 + 56*a^2*c^4*d^3 + 16*c^3*d^4)*x^2)*sqrt(a^2*c + d)*log((a^4*d
^2*x^4 + 8*a^4*c^2 + 8*a^2*c*d + 2*(4*a^4*c*d + 3*a^2*d^2)*x^2 - 4*(a^3*d*
x^2 + 2*a^3*c + a*d)*sqrt(a^2*c + d)*sqrt(d*x^2 + c) + d^2)/(a^4*x^4 - 2*a
^2*x^2 + 1)) + 2*(142*a^7*c^7 + 320*a^5*c^6*d + 244*a^3*c^5*d^2 + 66*a*c^4
*d^3 + 6*(19*a^7*c^4*d^3 + 41*a^5*c^3*d^4 + 30*a^3*c^2*d^5 + 8*a*c*d^6)*x^
6 + 2*(182*a^7*c^5*d^2 + 397*a^5*c^4*d^3 + 293*a^3*c^3*d^4 + 78*a*c^2*d^5)
*x^4 + 2*(196*a^7*c^6*d + 434*a^5*c^5*d^2 + 325*a^3*c^4*d^3 + 87*a*c^3*d^4
)*x^2 + 3*(16*(a^8*c^4*d^3 + 4*a^6*c^3*d^4 + 6*a^4*c^2*d^5 + 4*a^2*c*d^6 +
d^7)*x^7 + 56*(a^8*c^5*d^2 + 4*a^6*c^4*d^3 + 6*a^4*c^3*d^4 + 4*a^2*c^2*d^
5 + c*d^6)*x^5 + 70*(a^8*c^6*d + 4*a^6*c^5*d^2 + 6*a^4*c^4*d^3 + 4*a^2*c^3
*d^4 + c^2*d^5)*x^3 + 35*(a^8*c^7 + 4*a^6*c^6*d + 6*a^4*c^5*d^2 + 4*a^2*c^
4*d^3 + c^3*d^4)*x)*log((a*x + 1)/(a*x - 1)))*sqrt(d*x^2 + c))/(a^8*c^12 +
4*a^6*c^11*d + 6*a^4*c^10*d^2 + 4*a^2*c^9*d^3 + c^8*d^4 + (a^8*c^8*d^4 +
4*a^6*c^7*d^5 + 6*a^4*c^6*d^6 + 4*a^2*c^5*d^7 + c^4*d^8)*x^8 + 4*(a^8*c^9*
d^3 + 4*a^6*c^8*d^4 + 6*a^4*c^7*d^5 + 4*a^2*c^6*d^6 + c^5*d^7)*x^6 + 6*(a^
8*c^10*d^2 + 4*a^6*c^9*d^3 + 6*a^4*c^8*d^4 + 4*a^2*c^7*d^5 + c^6*d^6)*x...
```

Sympy [F]

$$\int \frac{\coth^{-1}(ax)}{(c+dx^2)^{9/2}} dx = \int \frac{\operatorname{acoth}(ax)}{(c+dx^2)^{9/2}} dx$$

input `integrate(acoath(a*x)/(d*x**2+c)**(9/2), x)`

output `Integral(acoath(a*x)/(c + d*x**2)**(9/2), x)`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 639 vs. $2(247) = 494$.

Time = 0.14 (sec) , antiderivative size = 639, normalized size of antiderivative = 2.26

$$\int \frac{\coth^{-1}(ax)}{(c+dx^2)^{9/2}} dx = \frac{1}{210} a \left(\frac{15 a^5 d \log\left(\frac{\sqrt{dx^2+ca^2}-\sqrt{a^2c+da}}{\sqrt{dx^2+ca^2}+\sqrt{a^2c+da}}\right)}{(a^6 c^4+3 a^4 c^3 d+3 a^2 c^2 d^2+cd^3)\sqrt{a^2c+d}} + \frac{2(15(dx^2+c)^2 a^4 d+3 a^4 c^2 d+6 a^2 c d^2+3 d^3+5(a^4 cd+a^2 d^2))(a^6 c^4+3 a^4 c^3 d+3 a^2 c^2 d^2+cd^3)(dx^2+c)^{5/2}}{d} \right) \\ + \frac{1}{35} \left(\frac{16x}{\sqrt{dx^2+cc^4}} + \frac{8x}{(dx^2+c)^{3/2}c^3} + \frac{6x}{(dx^2+c)^{5/2}c^2} + \frac{5x}{(dx^2+c)^{7/2}c} \right) \operatorname{arccoth}(ax)$$

input `integrate(arccoath(a*x)/(d*x^2+c)^(9/2), x, algorithm="maxima")`

output

```

1/210*a*((15*a^5*d*log((sqrt(d*x^2 + c)*a^2 - sqrt(a^2*c + d)*a)/(sqrt(d*x
^2 + c)*a^2 + sqrt(a^2*c + d)*a))/((a^6*c^4 + 3*a^4*c^3*d + 3*a^2*c^2*d^2
+ c*d^3)*sqrt(a^2*c + d)) + 2*(15*(d*x^2 + c)^2*a^4*d + 3*a^4*c^2*d + 6*a^
2*c*d^2 + 3*d^3 + 5*(a^4*c*d + a^2*d^2)*(d*x^2 + c))/((a^6*c^4 + 3*a^4*c^3
*d + 3*a^2*c^2*d^2 + c*d^3)*(d*x^2 + c)^(5/2)))/d + 6*(3*a^3*d*log((sqrt(d
*x^2 + c)*a^2 - sqrt(a^2*c + d)*a)/(sqrt(d*x^2 + c)*a^2 + sqrt(a^2*c + d)*
a))/((a^4*c^4 + 2*a^2*c^3*d + c^2*d^2)*sqrt(a^2*c + d)) + 2*(3*(d*x^2 + c)
*a^2*d + a^2*c*d + d^2)/((a^4*c^4 + 2*a^2*c^3*d + c^2*d^2)*(d*x^2 + c)^(3/
2)))/d + 24*(a*d*log((sqrt(d*x^2 + c)*a^2 - sqrt(a^2*c + d)*a)/(sqrt(d*x^2
+ c)*a^2 + sqrt(a^2*c + d)*a))/((a^2*c^4 + c^3*d)*sqrt(a^2*c + d)) + 2*d/
((a^2*c^4 + c^3*d)*sqrt(d*x^2 + c))/d + 48*log((sqrt(d*x^2 + c)*a^2 - sqr
t(a^2*c + d)*a)/(sqrt(d*x^2 + c)*a^2 + sqrt(a^2*c + d)*a))/(sqrt(a^2*c + d)
*a*c^4)) + 1/35*(16*x/(sqrt(d*x^2 + c)*c^4) + 8*x/((d*x^2 + c)^(3/2)*c^3)
+ 6*x/((d*x^2 + c)^(5/2)*c^2) + 5*x/((d*x^2 + c)^(7/2)*c))*arccoth(a*x)

```

Giac [A] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 357, normalized size of antiderivative = 1.26

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^{9/2}} dx = \frac{1}{105} a \left(\frac{3(35a^6c^3 + 70a^4c^2d + 56a^2cd^2 + 16d^3) \arctan\left(\frac{\sqrt{dx^2+ca}}{\sqrt{-a^2c-d}}\right)}{(a^6c^7 + 3a^4c^6d + 3a^2c^5d^2 + c^4d^3)\sqrt{-a^2c-d}} + \frac{57(dx^2 + c)^2 a^4}{70(dx^2 + c)^{7/2}} \right) + \frac{\left(2\left(4x^2\left(\frac{2d^3x^2}{c^4} + \frac{7d^2}{c^3}\right) + \frac{35d}{c^2}\right)x^2 + \frac{35}{c}\right)x \log\left(-\frac{\frac{1}{ax}+1}{\frac{1}{ax}-1}\right)}{70(dx^2 + c)^{7/2}}$$

input

```
integrate(arccoth(a*x)/(d*x^2+c)^(9/2),x, algorithm="giac")
```

output

```

1/105*a*(3*(35*a^6*c^3 + 70*a^4*c^2*d + 56*a^2*c*d^2 + 16*d^3)*arctan(sqrt
(d*x^2 + c)*a/sqrt(-a^2*c - d))/((a^6*c^7 + 3*a^4*c^6*d + 3*a^2*c^5*d^2 +
c^4*d^3)*sqrt(-a^2*c - d)*a) + (57*(d*x^2 + c)^2*a^4*c^2 + 11*(d*x^2 + c)*
a^4*c^3 + 3*a^4*c^4 + 66*(d*x^2 + c)^2*a^2*c*d + 17*(d*x^2 + c)*a^2*c^2*d
+ 6*a^2*c^3*d + 24*(d*x^2 + c)^2*d^2 + 6*(d*x^2 + c)*c*d^2 + 3*c^2*d^2)/((
a^6*c^6 + 3*a^4*c^5*d + 3*a^2*c^4*d^2 + c^3*d^3)*(d*x^2 + c)^(5/2))) + 1/7
0*(2*(4*x^2*(2*d^3*x^2/c^4 + 7*d^2/c^3) + 35*d/c^2)*x^2 + 35/c)*x*log(-(1/
(a*x) + 1)/(1/(a*x) - 1))/(d*x^2 + c)^(7/2)

```

Mupad [F(-1)]

Timed out.

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^{9/2}} dx = \int \frac{\operatorname{acoth}(ax)}{(dx^2 + c)^{9/2}} dx$$

input `int(acoth(a*x)/(c + d*x^2)^(9/2), x)`output `int(acoth(a*x)/(c + d*x^2)^(9/2), x)`**Reduce [F]**

$$\int \frac{\coth^{-1}(ax)}{(c + dx^2)^{9/2}} dx = \int \frac{\operatorname{acoth}(ax)}{\sqrt{dx^2 + c}c^4 + 4\sqrt{dx^2 + c}c^3dx^2 + 6\sqrt{dx^2 + c}c^2d^2x^4 + 4\sqrt{dx^2 + c}cd^3x^6 + \sqrt{dx^2 + c}d^4x^8} dx$$

input `int(acoth(a*x)/(d*x^2+c)^(9/2), x)`output `int(acoth(a*x)/(sqrt(c + d*x**2)*c**4 + 4*sqrt(c + d*x**2)*c**3*d*x**2 + 6*sqrt(c + d*x**2)*c**2*d**2*x**4 + 4*sqrt(c + d*x**2)*c*d**3*x**6 + sqrt(c + d*x**2)*d**4*x**8), x)`

$$3.19 \quad \int \frac{1}{(1-x^2) \coth^{-1}(x)} dx$$

Optimal result	164
Mathematica [A] (verified)	164
Rubi [A] (verified)	165
Maple [A] (verified)	165
Fricas [B] (verification not implemented)	166
Sympy [A] (verification not implemented)	166
Maxima [A] (verification not implemented)	167
Giac [B] (verification not implemented)	167
Mupad [B] (verification not implemented)	167
Reduce [B] (verification not implemented)	168

Optimal result

Integrand size = 14, antiderivative size = 3

$$\int \frac{1}{(1-x^2) \coth^{-1}(x)} dx = \log(\coth^{-1}(x))$$

output `ln(arccoth(x))`

Mathematica [A] (verified)

Time = 0.06 (sec) , antiderivative size = 3, normalized size of antiderivative = 1.00

$$\int \frac{1}{(1-x^2) \coth^{-1}(x)} dx = \log(\coth^{-1}(x))$$

input `Integrate[1/((1 - x^2)*ArcCoth[x]),x]`

output `Log[ArcCoth[x]]`

Rubi [A] (verified)

Time = 0.19 (sec) , antiderivative size = 3, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {6509}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{(1-x^2) \coth^{-1}(x)} dx$$

↓ 6509

$$\log(\coth^{-1}(x))$$

input `Int[1/((1 - x^2)*ArcCoth[x]),x]`

output `Log[ArcCoth[x]]`

Defintions of rubi rules used

rule 6509 `Int[1/(((a_.) + ArcCoth[(c_.)*(x_)]*(b_.))*((d_) + (e_.)*(x_)^2)), x_Symbol] :> Simp[Log[RemoveContent[a + b*ArcCoth[c*x], x]]/(b*c*d), x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0]`

Maple [A] (verified)

Time = 0.11 (sec) , antiderivative size = 4, normalized size of antiderivative = 1.33

method	result	size
default	$\ln(\operatorname{arccoth}(x))$	4
parallelrisc	$\ln(\operatorname{arccoth}(x))$	4
risc	$\ln(\ln(x+1) - \ln(x-1))$	13

input `int(1/(-x^2+1)/arccoth(x),x,method=_RETURNVERBOSE)`

output `ln(arccoth(x))`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 11 vs. $2(3) = 6$.

Time = 0.09 (sec) , antiderivative size = 11, normalized size of antiderivative = 3.67

$$\int \frac{1}{(1-x^2)\coth^{-1}(x)} dx = \log\left(\log\left(\frac{x+1}{x-1}\right)\right)$$

input `integrate(1/(-x^2+1)/arccoth(x),x, algorithm="fricas")`

output `log(log((x + 1)/(x - 1)))`

Sympy [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 3, normalized size of antiderivative = 1.00

$$\int \frac{1}{(1-x^2)\coth^{-1}(x)} dx = \log(\operatorname{acoth}(x))$$

input `integrate(1/(-x**2+1)/acoth(x),x)`

output `log(acoth(x))`

Maxima [A] (verification not implemented)

Time = 0.02 (sec) , antiderivative size = 3, normalized size of antiderivative = 1.00

$$\int \frac{1}{(1-x^2)\coth^{-1}(x)} dx = \log(\operatorname{arccoth}(x))$$

input `integrate(1/(-x^2+1)/arccoth(x),x, algorithm="maxima")`

output `log(arccoth(x))`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 12 vs. $2(3) = 6$.

Time = 0.11 (sec) , antiderivative size = 12, normalized size of antiderivative = 4.00

$$\int \frac{1}{(1-x^2)\coth^{-1}(x)} dx = \log\left(\left|\log\left(\frac{x+1}{x-1}\right)\right|\right)$$

input `integrate(1/(-x^2+1)/arccoth(x),x, algorithm="giac")`

output `log(abs(log((x + 1)/(x - 1))))`

Mupad [B] (verification not implemented)

Time = 0.30 (sec) , antiderivative size = 3, normalized size of antiderivative = 1.00

$$\int \frac{1}{(1-x^2)\coth^{-1}(x)} dx = \ln(\operatorname{acoth}(x))$$

input `int(-1/(acoth(x)*(x^2 - 1)),x)`

output `log(acoth(x))`

Reduce [B] (verification not implemented)

Time = 0.17 (sec) , antiderivative size = 5, normalized size of antiderivative = 1.67

$$\int \frac{1}{(1-x^2)\coth^{-1}(x)} dx = -\log(\operatorname{acoth}(x))$$

input

```
int(1/(-x^2+1)/acoth(x),x)
```

output

```
- log(acoth(x))
```

3.20 $\int \frac{\coth^{-1}(x)^2}{(1-x^2)^2} dx$

Optimal result	169
Mathematica [A] (verified)	169
Rubi [A] (verified)	170
Maple [B] (verified)	171
Fricas [A] (verification not implemented)	172
Sympy [F]	173
Maxima [B] (verification not implemented)	173
Giac [A] (verification not implemented)	174
Mupad [B] (verification not implemented)	174
Reduce [B] (verification not implemented)	175

Optimal result

Integrand size = 14, antiderivative size = 62

$$\int \frac{\coth^{-1}(x)^2}{(1-x^2)^2} dx = \frac{x}{4(1-x^2)} - \frac{\coth^{-1}(x)}{2(1-x^2)} + \frac{x \coth^{-1}(x)^2}{2(1-x^2)} + \frac{1}{6} \coth^{-1}(x)^3 + \frac{\operatorname{arctanh}(x)}{4}$$

output

```
x/(-4*x^2+4)-arccoth(x)/(-2*x^2+2)+x*arccoth(x)^2/(-2*x^2+2)+1/6*arccoth(x)^3+1/4*arctanh(x)
```

Mathematica [A] (verified)

Time = 0.04 (sec) , antiderivative size = 61, normalized size of antiderivative = 0.98

$$\int \frac{\coth^{-1}(x)^2}{(1-x^2)^2} dx = \frac{-6x + 12 \coth^{-1}(x) - 12x \coth^{-1}(x)^2 + 4(-1+x^2) \coth^{-1}(x)^3 - 3(-1+x^2) \log(1-x) + 3(-1+x^2) \log(1+x)}{24(-1+x^2)}$$

input

```
Integrate[ArcCoth[x]^2/(1-x^2)^2,x]
```

output

$$\frac{(-6*x + 12*\text{ArcCoth}[x] - 12*x*\text{ArcCoth}[x]^2 + 4*(-1 + x^2)*\text{ArcCoth}[x]^3 - 3*(-1 + x^2)*\text{Log}[1 - x] + 3*(-1 + x^2)*\text{Log}[1 + x])}{(24*(-1 + x^2))}$$

Rubi [A] (verified)

Time = 0.31 (sec) , antiderivative size = 67, normalized size of antiderivative = 1.08, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {6519, 6557, 215, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{\coth^{-1}(x)^2}{(1-x^2)^2} dx \\ & \quad \downarrow \text{6519} \\ & - \int \frac{x \coth^{-1}(x)}{(1-x^2)^2} dx + \frac{x \coth^{-1}(x)^2}{2(1-x^2)} + \frac{1}{6} \coth^{-1}(x)^3 \\ & \quad \downarrow \text{6557} \\ & \frac{1}{2} \int \frac{1}{(1-x^2)^2} dx + \frac{x \coth^{-1}(x)^2}{2(1-x^2)} - \frac{\coth^{-1}(x)}{2(1-x^2)} + \frac{1}{6} \coth^{-1}(x)^3 \\ & \quad \downarrow \text{215} \\ & \frac{1}{2} \left(\frac{1}{2} \int \frac{1}{1-x^2} dx + \frac{x}{2(1-x^2)} \right) + \frac{x \coth^{-1}(x)^2}{2(1-x^2)} - \frac{\coth^{-1}(x)}{2(1-x^2)} + \frac{1}{6} \coth^{-1}(x)^3 \\ & \quad \downarrow \text{219} \\ & \frac{1}{2} \left(\frac{\text{arctanh}(x)}{2} + \frac{x}{2(1-x^2)} \right) + \frac{x \coth^{-1}(x)^2}{2(1-x^2)} - \frac{\coth^{-1}(x)}{2(1-x^2)} + \frac{1}{6} \coth^{-1}(x)^3 \end{aligned}$$

input

$$\text{Int}[\text{ArcCoth}[x]^2/(1-x^2)^2, x]$$

output

$$\frac{-1/2*\text{ArcCoth}[x]/(1-x^2) + (x*\text{ArcCoth}[x]^2)/(2*(1-x^2)) + \text{ArcCoth}[x]^3/6 + (x/(2*(1-x^2)) + \text{ArcTanh}[x]/2)/2}{1}$$

Defintions of rubi rules used

rule 215 $\text{Int}[(a_ + (b_ \cdot x)^2)^{p_}, x_Symbol] \rightarrow \text{Simp}[(-x) \cdot ((a + b \cdot x^2)^{p+1}) / (2 \cdot a \cdot (p+1)), x] + \text{Simp}[(2 \cdot p + 3) / (2 \cdot a \cdot (p+1)) \text{Int}[(a + b \cdot x^2)^{p+1}], x], x] /;$ FreeQ[{a, b}, x] && LtQ[p, -1] && (IntegerQ[4*p] || IntegerQ[6*p])

rule 219 $\text{Int}[(a_ + (b_ \cdot x)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1 / (\text{Rt}[a, 2] \cdot \text{Rt}[-b, 2])) \cdot \text{ArcTanh}[\text{Rt}[-b, 2] \cdot (x / \text{Rt}[a, 2])], x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

rule 6519 $\text{Int}[(a_ + \text{ArcCoth}[(c_ \cdot x)] \cdot (b_))^{p_} / ((d_ + (e_ \cdot x)^2)^2, x_Symbol] \rightarrow \text{Simp}[x \cdot ((a + b \cdot \text{ArcCoth}[c \cdot x])^p / (2 \cdot d \cdot (d + e \cdot x^2))), x] + (\text{Simp}[(a + b \cdot \text{ArcCoth}[c \cdot x])^{p+1} / (2 \cdot b \cdot c \cdot d^2 \cdot (p+1)), x] - \text{Simp}[b \cdot c \cdot (p/2) \text{Int}[x \cdot (a + b \cdot \text{ArcCoth}[c \cdot x])^{p-1} / (d + e \cdot x^2)^2], x], x] /;$ FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[p, 0]

rule 6557 $\text{Int}[(a_ + \text{ArcCoth}[(c_ \cdot x)] \cdot (b_))^{p_} \cdot (x) \cdot ((d_ + (e_ \cdot x)^2)^q), x_Symbol] \rightarrow \text{Simp}[(d + e \cdot x^2)^{q+1} \cdot ((a + b \cdot \text{ArcCoth}[c \cdot x])^p / (2 \cdot e \cdot (q+1))), x] + \text{Simp}[b \cdot (p / (2 \cdot c \cdot (q+1))) \text{Int}[(d + e \cdot x^2)^q \cdot (a + b \cdot \text{ArcCoth}[c \cdot x])^{p-1}], x], x] /;$ FreeQ[{a, b, c, d, e, q}, x] && EqQ[c^2*d + e, 0] && GtQ[p, 0] && NeQ[q, -1]

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 157 vs. $2(50) = 100$.

Time = 1.14 (sec) , antiderivative size = 158, normalized size of antiderivative = 2.55

method	result
risch	$\frac{\ln(x+1)^3}{48} - \frac{(x^2 \ln(x-1) + 2x - \ln(x-1)) \ln(x+1)^2}{16(x^2-1)} + \frac{(x^2 \ln(x-1)^2 + 4 \ln(x-1)x - \ln(x-1)^2 + 4) \ln(x+1)}{16(x-1)(x+1)} + \frac{-x^2 \ln(x-1)^3 + 6 \ln(x-1)}{16(x-1)(x+1)}$
default	$-\frac{\operatorname{arccoth}(x)^2}{4(x+1)} + \frac{\operatorname{arccoth}(x)^2 \ln(x+1)}{4} - \frac{\operatorname{arccoth}(x)^2}{4(x-1)} - \frac{\operatorname{arccoth}(x)^2 \ln(x-1)}{4} + \frac{\operatorname{arccoth}(x)^2 \ln\left(\frac{x-1}{x+1}\right)}{4} + \frac{i \operatorname{arccoth}(x)^2 \operatorname{csgn}(x)}{4}$
parts	$-\frac{\operatorname{arccoth}(x)^2}{4(x+1)} + \frac{\operatorname{arccoth}(x)^2 \ln(x+1)}{4} - \frac{\operatorname{arccoth}(x)^2}{4(x-1)} - \frac{\operatorname{arccoth}(x)^2 \ln(x-1)}{4} + \frac{\operatorname{arccoth}(x)^2 \ln\left(\frac{x-1}{x+1}\right)}{4} + \frac{i \operatorname{arccoth}(x)^2 \operatorname{csgn}(x)}{4}$

input `int(arccoth(x)^2/(-x^2+1)^2,x,method=_RETURNVERBOSE)`

output
$$\frac{1}{48} \ln(x+1)^3 - \frac{1}{16} \frac{(x^2 \ln(x-1) + 2x - \ln(x-1)) \ln(x+1)^2}{x^2 - 1} + \frac{1}{16} \frac{(x^2 \ln(x-1)^2 + 4 \ln(x-1)x - \ln(x-1)^2 + 4) \ln(x+1)}{(x-1)(x+1)} + \frac{-x^2 \ln(x-1)^3 + 6 \ln(x-1)}{16(x-1)(x+1)}$$

Fricas [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 63, normalized size of antiderivative = 1.02

$$\int \frac{\coth^{-1}(x)^2}{(1-x^2)^2} dx = \frac{(x^2-1) \log\left(\frac{x+1}{x-1}\right)^3 - 6x \log\left(\frac{x+1}{x-1}\right)^2 + 6(x^2+1) \log\left(\frac{x+1}{x-1}\right) - 12x}{48(x^2-1)}$$

input `integrate(arccoth(x)^2/(-x^2+1)^2,x, algorithm="fricas")`

output
$$\frac{1}{48} \frac{(x^2-1) \log\left(\frac{x+1}{x-1}\right)^3 - 6x \log\left(\frac{x+1}{x-1}\right)^2 + 6(x^2+1) \log\left(\frac{x+1}{x-1}\right) - 12x}{x^2-1}$$

Sympy [F]

$$\int \frac{\coth^{-1}(x)^2}{(1-x^2)^2} dx = \int \frac{\operatorname{acoth}^2(x)}{(x-1)^2(x+1)^2} dx$$

input `integrate(acoath(x)**2/(-x**2+1)**2,x)`

output `Integral(acoath(x)**2/((x - 1)**2*(x + 1)**2), x)`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 171 vs. 2(46) = 92.

Time = 0.03 (sec) , antiderivative size = 171, normalized size of antiderivative = 2.76

$$\int \frac{\coth^{-1}(x)^2}{(1-x^2)^2} dx = -\frac{1}{4} \left(\frac{2x}{x^2-1} - \log(x+1) + \log(x-1) \right) \operatorname{arccoth}(x)^2$$

$$- \frac{((x^2-1)\log(x+1))^2 - 2(x^2-1)\log(x+1)\log(x-1) + (x^2-1)\log(x-1)^2 - 4}{8(x^2-1)} \operatorname{arccoth}(x)$$

$$+ \frac{(x^2-1)\log(x+1)^3 - 3(x^2-1)\log(x+1)^2\log(x-1) - (x^2-1)\log(x-1)^3 + 3((x^2-1)\log(x-1)\log(x+1) - (x^2-1)\log(x+1)^2\log(x-1) - 6(x^2-1)\log(x-1) - 12x)/(x^2-1)}{48(x^2-1)}$$

input `integrate(arccoath(x)^2/(-x^2+1)^2,x, algorithm="maxima")`

output `-1/4*(2*x/(x^2 - 1) - log(x + 1) + log(x - 1))*arccoath(x)^2 - 1/8*((x^2 - 1)*log(x + 1)^2 - 2*(x^2 - 1)*log(x + 1)*log(x - 1) + (x^2 - 1)*log(x - 1)^2 - 4)*arccoath(x)/(x^2 - 1) + 1/48*((x^2 - 1)*log(x + 1)^3 - 3*(x^2 - 1)*log(x + 1)^2*log(x - 1) - (x^2 - 1)*log(x - 1)^3 + 3*((x^2 - 1)*log(x - 1)*log(x + 1) - (x^2 - 1)*log(x + 1)^2*log(x - 1) - 6*(x^2 - 1)*log(x - 1) - 12*x)/(x^2 - 1)`

Giac [A] (verification not implemented)

Time = 0.17 (sec) , antiderivative size = 53, normalized size of antiderivative = 0.85

$$\int \frac{\coth^{-1}(x)^2}{(1-x^2)^2} dx = -\frac{(x-1)\log\left(\frac{x+1}{x-1}\right)^2}{16(x+1)} - \frac{(x-1)\log\left(\frac{x+1}{x-1}\right)}{8(x+1)} - \frac{x-1}{8(x+1)}$$

input `integrate(arccoth(x)^2/(-x^2+1)^2,x, algorithm="giac")`output `-1/16*(x - 1)*log((x + 1)/(x - 1))^2/(x + 1) - 1/8*(x - 1)*log((x + 1)/(x - 1))/(x + 1) - 1/8*(x - 1)/(x + 1)`**Mupad [B] (verification not implemented)**

Time = 5.76 (sec) , antiderivative size = 201, normalized size of antiderivative = 3.24

$$\begin{aligned} \int \frac{\coth^{-1}(x)^2}{(1-x^2)^2} dx &= \frac{\ln\left(\frac{1}{x}+1\right)^3}{48} - \frac{\ln\left(1-\frac{1}{x}\right)^3}{48} - \frac{x}{4(x^2-1)} \\ &+ \ln\left(1-\frac{1}{x}\right) \left(\frac{\frac{3x}{32}-\frac{1}{8}}{x^2-1} - \frac{\frac{x}{8}+\frac{1}{8}}{x^2-1} - \frac{\ln\left(\frac{1}{x}+1\right)^2}{16} + \frac{x}{32(x^2-1)} \right. \\ &\quad \left. + \ln\left(\frac{1}{x}+1\right) \left(\frac{\frac{x}{4}+\frac{1}{16}}{x^2-1} - \frac{1}{16(x^2-1)} \right) \right) \\ &+ \ln\left(1-\frac{1}{x}\right)^2 \left(\frac{\ln\left(\frac{1}{x}+1\right)}{16} - \frac{x}{8(x^2-1)} \right) \\ &+ \frac{\ln\left(\frac{1}{x}+1\right)}{4(x^2-1)} - \frac{x \ln\left(\frac{1}{x}+1\right)^2}{8(x^2-1)} - \frac{\operatorname{atan}(x \operatorname{li} 1) \operatorname{li} 1}{4} \end{aligned}$$

input `int(acoth(x)^2/(x^2 - 1)^2,x)`output `log(1/x + 1)^3/48 - (atan(x*li)*li)/4 - log(1 - 1/x)^3/48 - x/(4*(x^2 - 1)) + log(1 - 1/x)*(((3*x)/32 - 1/8)/(x^2 - 1) - (x/8 + 1/8)/(x^2 - 1) - log(1/x + 1)^2/16 + x/(32*(x^2 - 1)) + log(1/x + 1)*((x/4 + 1/16)/(x^2 - 1) - 1/(16*(x^2 - 1)))) + log(1 - 1/x)^2*(log(1/x + 1)/16 - x/(8*(x^2 - 1))) + log(1/x + 1)/(4*(x^2 - 1)) - (x*log(1/x + 1)^2)/(8*(x^2 - 1))`

Reduce [B] (verification not implemented)

Time = 0.17 (sec) , antiderivative size = 73, normalized size of antiderivative = 1.18

$$\int \frac{\coth^{-1}(x)^2}{(1-x^2)^2} dx$$

$$= \frac{-4\operatorname{acoth}(x)^3 x^2 + 4\operatorname{acoth}(x)^3 - 12\operatorname{acoth}(x)^2 x - 12\operatorname{acoth}(x) x^2 + 3\log(x-1) x^2 - 3\log(x-1) - 3\log(x+1) x^2 + 3\log(x+1) + 6x}{24x^2 - 24}$$

input `int(acoth(x)^2/(-x^2+1)^2,x)`output `(- 4*acoth(x)**3*x**2 + 4*acoth(x)**3 - 12*acoth(x)**2*x - 12*acoth(x)*x**2 + 3*log(x - 1)*x**2 - 3*log(x - 1) - 3*log(x + 1)*x**2 + 3*log(x + 1) - 6*x)/(24*(x**2 - 1))`

3.21 $\int \frac{\coth^{-1}(x)^n}{1-x^2} dx$

Optimal result	176
Mathematica [A] (verified)	176
Rubi [A] (verified)	177
Maple [A] (verified)	177
Fricas [B] (verification not implemented)	178
Sympy [A] (verification not implemented)	178
Maxima [A] (verification not implemented)	179
Giac [A] (verification not implemented)	179
Mupad [B] (verification not implemented)	179
Reduce [B] (verification not implemented)	180

Optimal result

Integrand size = 14, antiderivative size = 12

$$\int \frac{\coth^{-1}(x)^n}{1-x^2} dx = \frac{\coth^{-1}(x)^{1+n}}{1+n}$$

output `arccoth(x)^(1+n)/(1+n)`

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{\coth^{-1}(x)^n}{1-x^2} dx = \frac{\coth^{-1}(x)^{1+n}}{1+n}$$

input `Integrate[ArcCoth[x]^n/(1 - x^2), x]`

output `ArcCoth[x]^(1 + n)/(1 + n)`

Rubi [A] (verified)

Time = 0.19 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {6511}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\coth^{-1}(x)^n}{1-x^2} dx$$

↓ 6511

$$\frac{\coth^{-1}(x)^{n+1}}{n+1}$$

input `Int[ArcCoth[x]^n/(1 - x^2),x]`

output `ArcCoth[x]^(1 + n)/(1 + n)`

Defintions of rubi rules used

rule 6511

```
Int[((a_.) + ArcCoth[(c_.)*(x_)]*(b_.))^ (p_.)/((d_) + (e_.)*(x_)^2), x_Symbol]
:> Simp[(a + b*ArcCoth[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x]
&& EqQ[c^2*d + e, 0] && NeQ[p, -1]
```

Maple [A] (verified)

Time = 0.35 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.08

method	result	size
default	$\frac{\operatorname{arccoth}(x)^{1+n}}{1+n}$	13

input `int(arccoth(x)^n/(-x^2+1),x,method=_RETURNVERBOSE)`

output `arcoth(x)^(1+n)/(1+n)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 62 vs. $2(12) = 24$.

Time = 0.10 (sec) , antiderivative size = 62, normalized size of antiderivative = 5.17

$$\int \frac{\coth^{-1}(x)^n}{1-x^2} dx = \frac{\cosh\left(n \log\left(\frac{1}{2} \log\left(\frac{x+1}{x-1}\right)\right)\right) \log\left(\frac{x+1}{x-1}\right) + \log\left(\frac{x+1}{x-1}\right) \sinh\left(n \log\left(\frac{1}{2} \log\left(\frac{x+1}{x-1}\right)\right)\right)}{2(n+1)}$$

input `integrate(arcoth(x)^n/(-x^2+1),x, algorithm="fricas")`

output `1/2*(cosh(n*log(1/2*log((x + 1)/(x - 1))))*log((x + 1)/(x - 1)) + log((x + 1)/(x - 1))*sinh(n*log(1/2*log((x + 1)/(x - 1)))))/(n + 1)`

Sympy [A] (verification not implemented)

Time = 0.86 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.25

$$\int \frac{\coth^{-1}(x)^n}{1-x^2} dx = \begin{cases} \frac{\operatorname{acoth}^{n+1}(x)}{n+1} & \text{for } n \neq -1 \\ \log(\operatorname{acoth}(x)) & \text{otherwise} \end{cases}$$

input `integrate(acoth(x)**n/(-x**2+1),x)`

output `Piecewise((acoth(x)**(n + 1)/(n + 1), Ne(n, -1)), (log(acoth(x)), True))`

Maxima [A] (verification not implemented)

Time = 0.03 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{\coth^{-1}(x)^n}{1-x^2} dx = \frac{\operatorname{arccoth}(x)^{n+1}}{n+1}$$

input `integrate(arccoth(x)^n/(-x^2+1),x, algorithm="maxima")`output `arccoth(x)^(n + 1)/(n + 1)`**Giac [A] (verification not implemented)**

Time = 0.12 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.83

$$\int \frac{\coth^{-1}(x)^n}{1-x^2} dx = \frac{\left(\frac{1}{2} \log\left(\frac{x+1}{x-1}\right)\right)^{n+1}}{n+1}$$

input `integrate(arccoth(x)^n/(-x^2+1),x, algorithm="giac")`output `(1/2*log((x + 1)/(x - 1)))^(n + 1)/(n + 1)`**Mupad [B] (verification not implemented)**

Time = 4.36 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.83

$$\int \frac{\coth^{-1}(x)^n}{1-x^2} dx = \begin{cases} \ln(\operatorname{acoth}(x)) & \text{if } n = -1 \\ \frac{\operatorname{acoth}(x)^{n+1}}{n+1} & \text{if } n \neq -1 \end{cases}$$

input `int(-acoth(x)^n/(x^2 - 1),x)`output `piecewise(n == -1, log(acoth(x)), n ~= -1, acoth(x)^(n + 1)/(n + 1))`

Reduce [B] (verification not implemented)

Time = 0.17 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.08

$$\int \frac{\coth^{-1}(x)^n}{1-x^2} dx = -\frac{\operatorname{acoth}(x)^n \operatorname{acoth}(x)}{n+1}$$

input `int(acoth(x)^n/(-x^2+1),x)`

output `(- acoth(x)**n*acoth(x))/(n + 1)`

3.22 $\int \frac{x \coth^{-1}(x)}{1-x^2} dx$

Optimal result	181
Mathematica [A] (verified)	181
Rubi [A] (verified)	182
Maple [A] (verified)	183
Fricas [F]	184
Sympy [F]	184
Maxima [B] (verification not implemented)	184
Giac [F]	185
Mupad [F(-1)]	185
Reduce [F]	185

Optimal result

Integrand size = 13, antiderivative size = 40

$$\int \frac{x \coth^{-1}(x)}{1-x^2} dx = -\frac{1}{2} \coth^{-1}(x)^2 + \coth^{-1}(x) \log\left(\frac{2}{1-x}\right) + \frac{1}{2} \text{PolyLog}\left(2, -\frac{1+x}{1-x}\right)$$

output

```
-1/2*arccoth(x)^2+arccoth(x)*ln(2/(1-x))+1/2*polylog(2,-(1+x)/(1-x))
```

Mathematica [A] (verified)

Time = 0.05 (sec) , antiderivative size = 35, normalized size of antiderivative = 0.88

$$\int \frac{x \coth^{-1}(x)}{1-x^2} dx = -\frac{1}{2} \coth^{-1}(x)^2 + \coth^{-1}(x) \log\left(1 - e^{2 \coth^{-1}(x)}\right) + \frac{1}{2} \text{PolyLog}\left(2, e^{2 \coth^{-1}(x)}\right)$$

input

```
Integrate[(x*ArcCoth[x])/(1 - x^2), x]
```

output

```
-1/2*ArcCoth[x]^2 + ArcCoth[x]*Log[1 - E^(2*ArcCoth[x])] + PolyLog[2, E^(2*ArcCoth[x])]/2
```

Rubi [A] (verified)

Time = 0.33 (sec) , antiderivative size = 39, normalized size of antiderivative = 0.98, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$, Rules used = {6547, 6471, 2849, 2752}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{x \coth^{-1}(x)}{1-x^2} dx \\
 & \quad \downarrow \text{6547} \\
 & \int \frac{\coth^{-1}(x)}{1-x} dx - \frac{1}{2} \coth^{-1}(x)^2 \\
 & \quad \downarrow \text{6471} \\
 & - \int \frac{\log\left(\frac{2}{1-x}\right)}{1-x^2} dx - \frac{1}{2} \coth^{-1}(x)^2 + \log\left(\frac{2}{1-x}\right) \coth^{-1}(x) \\
 & \quad \downarrow \text{2849} \\
 & \int \frac{\log\left(\frac{2}{1-x}\right)}{1-\frac{2}{1-x}} d\frac{1}{1-x} - \frac{1}{2} \coth^{-1}(x)^2 + \log\left(\frac{2}{1-x}\right) \coth^{-1}(x) \\
 & \quad \downarrow \text{2752} \\
 & \frac{1}{2} \text{PolyLog}\left(2, 1 - \frac{2}{1-x}\right) - \frac{1}{2} \coth^{-1}(x)^2 + \log\left(\frac{2}{1-x}\right) \coth^{-1}(x)
 \end{aligned}$$

input `Int[(x*ArcCoth[x])/(1 - x^2),x]`

output `-1/2*ArcCoth[x]^2 + ArcCoth[x]*Log[2/(1 - x)] + PolyLog[2, 1 - 2/(1 - x)]/2`

Defintions of rubi rules used

rule 2752 $\text{Int}[\text{Log}[(c_)*(x_)]/((d_)+(e_)*(x_)), x_Symbol] \rightarrow \text{Simp}[(-e^{(-1)})*\text{PolyLog}[2, 1 - c*x], x] /; \text{FreeQ}\{c, d, e, x\} \ \&\& \ \text{EqQ}[e + c*d, 0]$

rule 2849 $\text{Int}[\text{Log}[(c_)/((d_)+(e_)*(x_))]/((f_)+(g_)*(x_)^2), x_Symbol] \rightarrow \text{Simp}[-e/g \ \text{Subst}[\text{Int}[\text{Log}[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; \text{FreeQ}\{c, d, e, f, g, x\} \ \&\& \ \text{EqQ}[c, 2*d] \ \&\& \ \text{EqQ}[e^2*f + d^2*g, 0]$

rule 6471 $\text{Int}[(a_ + \text{ArcCoth}[(c_)*(x_)]*(b_))^{(p_)} / ((d_)+(e_)*(x_)), x_Symbol] \rightarrow \text{Simp}[(-a + b*\text{ArcCoth}[c*x])^{(p)}*(\text{Log}[2/(1 + e*(x/d))]/e), x] + \text{Simp}[b*c*(p/e) \ \text{Int}[(a + b*\text{ArcCoth}[c*x])^{(p - 1)}*(\text{Log}[2/(1 + e*(x/d))]/(1 - c^2*x^2)), x], x] /; \text{FreeQ}\{a, b, c, d, e, x\} \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ \text{EqQ}[c^2*d^2 - e^2, 0]$

rule 6547 $\text{Int}[(a_ + \text{ArcCoth}[(c_)*(x_)]*(b_))^{(p_)}*(x_) / ((d_)+(e_)*(x_)^2), x_Symbol] \rightarrow \text{Simp}[(a + b*\text{ArcCoth}[c*x])^{(p + 1)} / (b*e*(p + 1)), x] + \text{Simp}[1/(c*d) \ \text{Int}[(a + b*\text{ArcCoth}[c*x])^{(p)} / (1 - c*x), x], x] /; \text{FreeQ}\{a, b, c, d, e, x\} \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{IGtQ}[p, 0]$

Maple [A] (verified)

Time = 0.13 (sec) , antiderivative size = 59, normalized size of antiderivative = 1.48

method	result
risch	$\frac{\ln(x-1)^2}{8} + \frac{\text{dilog}(\frac{x}{2} + \frac{1}{2})}{2} + \frac{\ln(x-1)\ln(\frac{x}{2} + \frac{1}{2})}{4} - \frac{(\ln(x+1) - \ln(\frac{x}{2} + \frac{1}{2}))\ln(-\frac{x}{2} + \frac{1}{2})}{4} - \frac{\ln(x+1)^2}{8}$
default	$-\frac{\text{arccoth}(x)\ln(x-1)}{2} - \frac{\text{arccoth}(x)\ln(x+1)}{2} - \frac{\ln(x-1)^2}{8} + \frac{\text{dilog}(\frac{x}{2} + \frac{1}{2})}{2} + \frac{\ln(x-1)\ln(\frac{x}{2} + \frac{1}{2})}{4} + \frac{\ln(x+1)^2}{8} - \frac{(\ln(x+1) - \ln(\frac{x}{2} + \frac{1}{2}))\ln(-\frac{x}{2} + \frac{1}{2})}{4}$
parts	$-\frac{\text{arccoth}(x)\ln(x-1)}{2} - \frac{\text{arccoth}(x)\ln(x+1)}{2} - \frac{\ln(x-1)^2}{8} + \frac{\text{dilog}(\frac{x}{2} + \frac{1}{2})}{2} + \frac{\ln(x-1)\ln(\frac{x}{2} + \frac{1}{2})}{4} + \frac{\ln(x+1)^2}{8} - \frac{(\ln(x+1) - \ln(\frac{x}{2} + \frac{1}{2}))\ln(-\frac{x}{2} + \frac{1}{2})}{4}$

input $\text{int}(x*\text{arccoth}(x)/(-x^2+1), x, \text{method}=_RETURNVERBOSE)$

output $1/8*\ln(x-1)^2 + 1/2*\text{dilog}(1/2*x+1/2) + 1/4*\ln(x-1)*\ln(1/2*x+1/2) - 1/4*(\ln(x+1) - \ln(1/2*x+1/2))*\ln(-1/2*x+1/2) - 1/8*\ln(x+1)^2$

Fricas [F]

$$\int \frac{x \coth^{-1}(x)}{1-x^2} dx = \int -\frac{x \operatorname{arccoth}(x)}{x^2-1} dx$$

input `integrate(x*arccoth(x)/(-x^2+1),x, algorithm="fricas")`

output `integral(-x*arccoth(x)/(x^2 - 1), x)`

Sympy [F]

$$\int \frac{x \coth^{-1}(x)}{1-x^2} dx = -\int \frac{x \operatorname{acoth}(x)}{x^2-1} dx$$

input `integrate(x*acoth(x)/(-x**2+1),x)`

output `-Integral(x*acoth(x)/(x**2 - 1), x)`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 76 vs. $2(30) = 60$.

Time = 0.02 (sec) , antiderivative size = 76, normalized size of antiderivative = 1.90

$$\begin{aligned} \int \frac{x \coth^{-1}(x)}{1-x^2} dx &= \frac{1}{4} (\log(x+1) - \log(x-1)) \log(x^2-1) - \frac{1}{2} \operatorname{arccoth}(x) \log(x^2-1) \\ &\quad - \frac{1}{8} \log(x+1)^2 - \frac{1}{4} \log(x+1) \log(x-1) + \frac{1}{8} \log(x-1)^2 \\ &\quad + \frac{1}{2} \log(x-1) \log\left(\frac{1}{2}x + \frac{1}{2}\right) + \frac{1}{2} \operatorname{Li}_2\left(-\frac{1}{2}x + \frac{1}{2}\right) \end{aligned}$$

input `integrate(x*arccoth(x)/(-x^2+1),x, algorithm="maxima")`

output $1/4*(\log(x + 1) - \log(x - 1))*\log(x^2 - 1) - 1/2*\operatorname{arccoth}(x)*\log(x^2 - 1) - 1/8*\log(x + 1)^2 - 1/4*\log(x + 1)*\log(x - 1) + 1/8*\log(x - 1)^2 + 1/2*\log(x - 1)*\log(1/2*x + 1/2) + 1/2*\operatorname{dilog}(-1/2*x + 1/2)$

Giac [F]

$$\int \frac{x \operatorname{coth}^{-1}(x)}{1 - x^2} dx = \int -\frac{x \operatorname{arccoth}(x)}{x^2 - 1} dx$$

input `integrate(x*arccoth(x)/(-x^2+1),x, algorithm="giac")`

output `integrate(-x*arccoth(x)/(x^2 - 1), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x \operatorname{coth}^{-1}(x)}{1 - x^2} dx = -\int \frac{x \operatorname{acoth}(x)}{x^2 - 1} dx$$

input `int(-(x*acoth(x))/(x^2 - 1),x)`

output `-int((x*acoth(x))/(x^2 - 1), x)`

Reduce [F]

$$\int \frac{x \operatorname{coth}^{-1}(x)}{1 - x^2} dx = -\left(\int \frac{\operatorname{acoth}(x) x}{x^2 - 1} dx\right)$$

input `int(x*acoth(x)/(-x^2+1),x)`

output `- int((acoth(x)*x)/(x**2 - 1),x)`

3.23 $\int \frac{\coth^{-1}(x)}{1-x^2} dx$

Optimal result	186
Mathematica [A] (verified)	186
Rubi [A] (verified)	187
Maple [A] (verified)	187
Fricas [B] (verification not implemented)	188
Sympy [A] (verification not implemented)	188
Maxima [A] (verification not implemented)	189
Giac [B] (verification not implemented)	189
Mupad [B] (verification not implemented)	189
Reduce [B] (verification not implemented)	190

Optimal result

Integrand size = 12, antiderivative size = 8

$$\int \frac{\coth^{-1}(x)}{1-x^2} dx = \frac{1}{2} \coth^{-1}(x)^2$$

output `1/2*arccoth(x)^2`

Mathematica [A] (verified)

Time = 0.00 (sec) , antiderivative size = 8, normalized size of antiderivative = 1.00

$$\int \frac{\coth^{-1}(x)}{1-x^2} dx = \frac{1}{2} \coth^{-1}(x)^2$$

input `Integrate[ArcCoth[x]/(1 - x^2), x]`

output `ArcCoth[x]^2/2`

Rubi [A] (verified)

Time = 0.18 (sec) , antiderivative size = 8, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$, Rules used = {6511}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\coth^{-1}(x)}{1-x^2} dx$$

↓ 6511

$$\frac{1}{2} \coth^{-1}(x)^2$$

input `Int[ArcCoth[x]/(1 - x^2), x]`

output `ArcCoth[x]^2/2`

Defintions of rubi rules used

rule 6511 `Int[((a_.) + ArcCoth[(c_.)*(x_)]*(b_.))^ (p_.)/((d_.) + (e_.)*(x_)^2), x_Symbol] :> Simp[(a + b*ArcCoth[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && NeQ[p, -1]`

Maple [A] (verified)

Time = 0.14 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.62

method	result	size
default	$\operatorname{arctanh}(x) \operatorname{arccoth}(x) - \frac{\operatorname{arctanh}(x)^2}{2}$	13
parts	$\operatorname{arctanh}(x) \operatorname{arccoth}(x) - \frac{\operatorname{arctanh}(x)^2}{2}$	13
risch	$\frac{\ln(x+1)^2}{8} - \frac{\ln(x-1)\ln(x+1)}{4} + \frac{\ln(x-1)^2}{8}$	28

input `int(arccoth(x)/(-x^2+1),x,method=_RETURNVERBOSE)`

output `arctanh(x)*arccoth(x)-1/2*arctanh(x)^2`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 14 vs. $2(6) = 12$.

Time = 0.09 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.75

$$\int \frac{\coth^{-1}(x)}{1-x^2} dx = \frac{1}{8} \log\left(\frac{x+1}{x-1}\right)^2$$

input `integrate(arccoth(x)/(-x^2+1),x, algorithm="fricas")`

output `1/8*log((x + 1)/(x - 1))^2`

Sympy [A] (verification not implemented)

Time = 0.32 (sec) , antiderivative size = 5, normalized size of antiderivative = 0.62

$$\int \frac{\coth^{-1}(x)}{1-x^2} dx = \frac{\operatorname{acoth}^2(x)}{2}$$

input `integrate(acoath(x)/(-x**2+1),x)`

output `acoath(x)**2/2`

Maxima [A] (verification not implemented)

Time = 0.02 (sec) , antiderivative size = 6, normalized size of antiderivative = 0.75

$$\int \frac{\coth^{-1}(x)}{1-x^2} dx = \frac{1}{2} \operatorname{arccoth}(x)^2$$

input `integrate(arccoth(x)/(-x^2+1),x, algorithm="maxima")`

output `1/2*arccoth(x)^2`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 14 vs. 2(6) = 12.

Time = 0.11 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.75

$$\int \frac{\coth^{-1}(x)}{1-x^2} dx = \frac{1}{8} \log\left(\frac{x+1}{x-1}\right)^2$$

input `integrate(arccoth(x)/(-x^2+1),x, algorithm="giac")`

output `1/8*log((x + 1)/(x - 1))^2`

Mupad [B] (verification not implemented)

Time = 4.26 (sec) , antiderivative size = 21, normalized size of antiderivative = 2.62

$$\int \frac{\coth^{-1}(x)}{1-x^2} dx = \frac{(\ln(1 - \frac{1}{x}) - \ln(\frac{1}{x} + 1))^2}{8}$$

input `int(-acoth(x)/(x^2 - 1),x)`

output `(log(1 - 1/x) - log(1/x + 1))^2/8`

Reduce [B] (verification not implemented)

Time = 0.17 (sec) , antiderivative size = 6, normalized size of antiderivative = 0.75

$$\int \frac{\coth^{-1}(x)}{1-x^2} dx = -\frac{\operatorname{acoth}(x)^2}{2}$$

input `int(acoth(x)/(-x^2+1),x)`

output `(- acoth(x)**2)/2`

3.24 $\int \frac{x \coth^{-1}(x)}{(1-x^2)^2} dx$

Optimal result	191
Mathematica [A] (verified)	191
Rubi [A] (verified)	192
Maple [A] (verified)	193
Fricas [A] (verification not implemented)	194
Sympy [A] (verification not implemented)	194
Maxima [A] (verification not implemented)	194
Giac [B] (verification not implemented)	195
Mupad [B] (verification not implemented)	195
Reduce [B] (verification not implemented)	196

Optimal result

Integrand size = 13, antiderivative size = 36

$$\int \frac{x \coth^{-1}(x)}{(1-x^2)^2} dx = -\frac{x}{4(1-x^2)} + \frac{\coth^{-1}(x)}{2(1-x^2)} - \frac{\operatorname{arctanh}(x)}{4}$$

output `-1/4*x/(-x^2+1)+arccoth(x)/(-2*x^2+2)-1/4*arctanh(x)`

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 44, normalized size of antiderivative = 1.22

$$\int \frac{x \coth^{-1}(x)}{(1-x^2)^2} dx = \frac{x}{4(-1+x^2)} - \frac{\coth^{-1}(x)}{2(-1+x^2)} + \frac{1}{8} \log(1-x) - \frac{1}{8} \log(1+x)$$

input `Integrate[(x*ArcCoth[x])/(1-x^2)^2,x]`

output `x/(4*(-1+x^2)) - ArcCoth[x]/(2*(-1+x^2)) + Log[1-x]/8 - Log[1+x]/8`

Rubi [A] (verified)

Time = 0.21 (sec) , antiderivative size = 41, normalized size of antiderivative = 1.14, number of steps used = 3, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {6557, 215, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x \coth^{-1}(x)}{(1-x^2)^2} dx$$

$$\downarrow \text{6557}$$

$$\frac{\coth^{-1}(x)}{2(1-x^2)} - \frac{1}{2} \int \frac{1}{(1-x^2)^2} dx$$

$$\downarrow \text{215}$$

$$\frac{1}{2} \left(-\frac{1}{2} \int \frac{1}{1-x^2} dx - \frac{x}{2(1-x^2)} \right) + \frac{\coth^{-1}(x)}{2(1-x^2)}$$

$$\downarrow \text{219}$$

$$\frac{1}{2} \left(-\frac{\operatorname{arctanh}(x)}{2} - \frac{x}{2(1-x^2)} \right) + \frac{\coth^{-1}(x)}{2(1-x^2)}$$

input `Int[(x*ArcCoth[x])/(1 - x^2)^2,x]`

output `ArcCoth[x]/(2*(1 - x^2)) + (-1/2*x/(1 - x^2) - ArcTanh[x]/2)/2`

Defintions of rubi rules used

rule 215 `Int[((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := Simp[(-x)*((a + b*x^2)^(p + 1) / (2*a*(p + 1))), x] + Simp[(2*p + 3)/(2*a*(p + 1)) Int[(a + b*x^2)^(p + 1), x], x] /; FreeQ[{a, b}, x] && LtQ[p, -1] && (IntegerQ[4*p] || IntegerQ[6*p])`

rule 219

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*
ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

rule 6557

```
Int[((a_) + ArcCoth[(c_)*(x_)]*(b_))^(p_)*(x_)*((d_) + (e_)*(x_)^2)^(q
_), x_Symbol] := Simp[(d + e*x^2)^(q + 1)*((a + b*ArcCoth[c*x])^p/(2*e*(q
+ 1))), x] + Simp[b*(p/(2*c*(q + 1))) Int[(d + e*x^2)^q*(a + b*ArcCoth[c*
x])^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, q}, x] && EqQ[c^2*d + e, 0] &&
GtQ[p, 0] && NeQ[q, -1]
```

Maple [A] (verified)

Time = 0.15 (sec) , antiderivative size = 22, normalized size of antiderivative = 0.61

method	result	size
parallelrisch	$-\frac{x^2 \operatorname{arccoth}(x) - x + \operatorname{arccoth}(x)}{4(x^2 - 1)}$	22
default	$-\frac{\operatorname{arccoth}(x)}{2(x^2 - 1)} + \frac{1}{8x + 8} - \frac{\ln(x + 1)}{8} + \frac{1}{8x - 8} + \frac{\ln(x - 1)}{8}$	39
parts	$-\frac{\operatorname{arccoth}(x)}{2(x^2 - 1)} + \frac{1}{8x + 8} - \frac{\ln(x + 1)}{8} + \frac{1}{8x - 8} + \frac{\ln(x - 1)}{8}$	39
risch	$-\frac{\ln(x + 1)}{4(x^2 - 1)} + \frac{x^2 \ln(x - 1) - \ln(x + 1)x^2 + \ln(x - 1) + \ln(x + 1) + 2x}{8(x - 1)(x + 1)}$	56
orering	$-\frac{(2x^4 - x^2 - 1) \operatorname{arccoth}(x)}{2(-x^2 + 1)^2} - \frac{(x - 1)^2 (x + 1)^2 \left(\frac{\operatorname{arccoth}(x)}{(-x^2 + 1)^2} - \frac{x}{(x^2 - 1)(-x^2 + 1)^2} + \frac{4x^2 \operatorname{arccoth}(x)}{(-x^2 + 1)^3} \right)}{4}$	87

input

```
int(x*arccoth(x)/(-x^2+1)^2,x,method=_RETURNVERBOSE)
```

output

```
-1/4*(x^2*arccoth(x)-x+arccoth(x))/(x^2-1)
```

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 29, normalized size of antiderivative = 0.81

$$\int \frac{x \coth^{-1}(x)}{(1-x^2)^2} dx = -\frac{(x^2+1) \log\left(\frac{x+1}{x-1}\right) - 2x}{8(x^2-1)}$$

input `integrate(x*arccoth(x)/(-x^2+1)^2,x, algorithm="fricas")`output `-1/8*((x^2 + 1)*log((x + 1)/(x - 1)) - 2*x)/(x^2 - 1)`**Sympy [A] (verification not implemented)**

Time = 0.20 (sec) , antiderivative size = 31, normalized size of antiderivative = 0.86

$$\int \frac{x \coth^{-1}(x)}{(1-x^2)^2} dx = -\frac{x^2 \operatorname{acoth}(x)}{4x^2-4} + \frac{x}{4x^2-4} - \frac{\operatorname{acoth}(x)}{4x^2-4}$$

input `integrate(x*acoth(x)/(-x**2+1)**2,x)`output `-x**2*acoth(x)/(4*x**2 - 4) + x/(4*x**2 - 4) - acoth(x)/(4*x**2 - 4)`**Maxima [A] (verification not implemented)**

Time = 0.02 (sec) , antiderivative size = 34, normalized size of antiderivative = 0.94

$$\int \frac{x \coth^{-1}(x)}{(1-x^2)^2} dx = \frac{x}{4(x^2-1)} - \frac{\operatorname{arccoth}(x)}{2(x^2-1)} - \frac{1}{8} \log(x+1) + \frac{1}{8} \log(x-1)$$

input `integrate(x*arccoth(x)/(-x^2+1)^2,x, algorithm="maxima")`output `1/4*x/(x^2 - 1) - 1/2*arccoth(x)/(x^2 - 1) - 1/8*log(x + 1) + 1/8*log(x - 1)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 101 vs. $2(26) = 52$.

Time = 0.11 (sec) , antiderivative size = 101, normalized size of antiderivative = 2.81

$$\int \frac{x \coth^{-1}(x)}{(1-x^2)^2} dx$$

$$= -\frac{1}{16} \left(\frac{x+1}{x-1} + \frac{x-1}{x+1} \right) \log \left(-\frac{\frac{\frac{x+1}{x-1}-1}{\frac{x+1}{x-1}+1} + 1}{\frac{\frac{x+1}{x-1}-1}{\frac{x+1}{x-1}+1} - 1} \right) + \frac{x+1}{16(x-1)} - \frac{x-1}{16(x+1)}$$

input `integrate(x*arccoth(x)/(-x^2+1)^2,x, algorithm="giac")`

output `-1/16*((x + 1)/(x - 1) + (x - 1)/(x + 1))*log(-(((x + 1)/(x - 1) - 1)/((x + 1)/(x - 1) + 1) + 1)/(((x + 1)/(x - 1) - 1)/((x + 1)/(x - 1) + 1) - 1)) + 1/16*(x + 1)/(x - 1) - 1/16*(x - 1)/(x + 1)`

Mupad [B] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 21, normalized size of antiderivative = 0.58

$$\int \frac{x \coth^{-1}(x)}{(1-x^2)^2} dx = \frac{x}{4} - \frac{\operatorname{acoth}(x)}{2} - \frac{\operatorname{acoth}(x)}{4}$$

input `int((x*acoth(x))/(x^2 - 1)^2,x)`

output `(x/4 - acoth(x)/2)/(x^2 - 1) - acoth(x)/4`

Reduce [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.33

$$\int \frac{x \coth^{-1}(x)}{(1-x^2)^2} dx$$

$$= \frac{-4 \operatorname{acoth}(x) x^2 + \log(x-1) x^2 - \log(x-1) - \log(x+1) x^2 + \log(x+1) - 2x}{8x^2 - 8}$$

input `int(x*acoth(x)/(-x^2+1)^2,x)`output `(- 4*acoth(x)*x**2 + log(x - 1)*x**2 - log(x - 1) - log(x + 1)*x**2 + log(x + 1) - 2*x)/(8*(x**2 - 1))`

3.25 $\int \frac{\coth^{-1}(x)}{(1-x^2)^2} dx$

Optimal result	197
Mathematica [A] (verified)	197
Rubi [A] (verified)	198
Maple [B] (verified)	199
Fricas [A] (verification not implemented)	199
Sympy [F]	200
Maxima [B] (verification not implemented)	200
Giac [B] (verification not implemented)	201
Mupad [B] (verification not implemented)	201
Reduce [B] (verification not implemented)	202

Optimal result

Integrand size = 12, antiderivative size = 38

$$\int \frac{\coth^{-1}(x)}{(1-x^2)^2} dx = -\frac{1}{4(1-x^2)} + \frac{x \coth^{-1}(x)}{2(1-x^2)} + \frac{1}{4} \coth^{-1}(x)^2$$

output `-1/4/(-x^2+1)+x*arccoth(x)/(-2*x^2+2)+1/4*arccoth(x)^2`

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 28, normalized size of antiderivative = 0.74

$$\int \frac{\coth^{-1}(x)}{(1-x^2)^2} dx = \frac{1 - 2x \coth^{-1}(x) + (-1 + x^2) \coth^{-1}(x)^2}{4(-1 + x^2)}$$

input `Integrate[ArcCoth[x]/(1 - x^2)^2,x]`

output `(1 - 2*x*ArcCoth[x] + (-1 + x^2)*ArcCoth[x]^2)/(4*(-1 + x^2))`

Rubi [A] (verified)

Time = 0.20 (sec) , antiderivative size = 38, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {6519, 241}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\coth^{-1}(x)}{(1-x^2)^2} dx$$

↓ 6519

$$-\frac{1}{2} \int \frac{x}{(1-x^2)^2} dx + \frac{x \coth^{-1}(x)}{2(1-x^2)} + \frac{1}{4} \coth^{-1}(x)^2$$

↓ 241

$$-\frac{1}{4(1-x^2)} + \frac{x \coth^{-1}(x)}{2(1-x^2)} + \frac{1}{4} \coth^{-1}(x)^2$$

input `Int[ArcCoth[x]/(1 - x^2)^2,x]`

output `-1/4*1/(1 - x^2) + (x*ArcCoth[x])/(2*(1 - x^2)) + ArcCoth[x]^2/4`

Defintions of rubi rules used

rule 241 `Int[(x_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Simp[(a + b*x^2)^(p + 1)/(2*b*(p + 1)), x] /; FreeQ[{a, b, p}, x] && NeQ[p, -1]`

rule 6519 `Int[((a_) + ArcCoth[(c_)*(x_)])*(b_)^(p_)/((d_) + (e_)*(x_)^2)^2, x_Symbol] := Simp[x*((a + b*ArcCoth[c*x])^p/(2*d*(d + e*x^2))), x] + (Simp[(a + b*ArcCoth[c*x])^(p + 1)/(2*b*c*d^2*(p + 1)), x] - Simp[b*c*(p/2) Int[x*(a + b*ArcCoth[c*x])^(p - 1)/(d + e*x^2)^2, x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[p, 0]`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 79 vs. $2(31) = 62$.

Time = 0.16 (sec) , antiderivative size = 80, normalized size of antiderivative = 2.11

method	result
risch	$\frac{\ln(x+1)^2}{16} - \frac{(x^2 \ln(x-1) + 2x - \ln(x-1)) \ln(x+1)}{8(x^2-1)} + \frac{x^2 \ln(x-1)^2 + 4 \ln(x-1)x - \ln(x-1)^2 + 4}{16(x-1)(x+1)}$
default	$-\frac{\operatorname{arccoth}(x)}{4(x+1)} + \frac{\operatorname{arccoth}(x) \ln(x+1)}{4} - \frac{\operatorname{arccoth}(x)}{4(x-1)} - \frac{\operatorname{arccoth}(x) \ln(x-1)}{4} - \frac{\ln(x+1)^2}{16} + \frac{(\ln(x+1) - \ln(\frac{x}{2} + \frac{1}{2})) \ln(-\frac{x}{2} + \frac{1}{2})}{8}$
parts	$-\frac{\operatorname{arccoth}(x)}{4(x+1)} + \frac{\operatorname{arccoth}(x) \ln(x+1)}{4} - \frac{\operatorname{arccoth}(x)}{4(x-1)} - \frac{\operatorname{arccoth}(x) \ln(x-1)}{4} - \frac{\ln(x+1)^2}{16} + \frac{(\ln(x+1) - \ln(\frac{x}{2} + \frac{1}{2})) \ln(-\frac{x}{2} + \frac{1}{2})}{8}$

input `int(arccoth(x)/(-x^2+1)^2,x,method=_RETURNVERBOSE)`

output
$$\frac{1}{16} \ln(x+1)^2 - \frac{1}{8} \frac{(x^2 \ln(x-1) + 2x - \ln(x-1)) \ln(x+1)}{x^2 - 1} + \frac{1}{16} \frac{(x^2 \ln(x-1)^2 + 4 \ln(x-1)x - \ln(x-1)^2 + 4)}{(x-1)(x+1)}$$

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 42, normalized size of antiderivative = 1.11

$$\int \frac{\coth^{-1}(x)}{(1-x^2)^2} dx = \frac{(x^2-1) \log\left(\frac{x+1}{x-1}\right)^2 - 4x \log\left(\frac{x+1}{x-1}\right) + 4}{16(x^2-1)}$$

input `integrate(arccoth(x)/(-x^2+1)^2,x, algorithm="fricas")`

output
$$\frac{1}{16} \frac{(x^2-1) \log\left(\frac{x+1}{x-1}\right)^2 - 4x \log\left(\frac{x+1}{x-1}\right) + 4}{x^2-1}$$

Sympy [F]

$$\int \frac{\coth^{-1}(x)}{(1-x^2)^2} dx = \int \frac{\operatorname{acoth}(x)}{(x-1)^2(x+1)^2} dx$$

input `integrate(acoath(x)/(-x**2+1)**2,x)`

output `Integral(acoath(x)/((x - 1)**2*(x + 1)**2), x)`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 76 vs. $2(28) = 56$.

Time = 0.03 (sec) , antiderivative size = 76, normalized size of antiderivative = 2.00

$$\begin{aligned} & \int \frac{\coth^{-1}(x)}{(1-x^2)^2} dx \\ &= -\frac{1}{4} \left(\frac{2x}{x^2-1} - \log(x+1) + \log(x-1) \right) \operatorname{arccoth}(x) \\ & \quad - \frac{(x^2-1)\log(x+1)^2 - 2(x^2-1)\log(x+1)\log(x-1) + (x^2-1)\log(x-1)^2 - 4}{16(x^2-1)} \end{aligned}$$

input `integrate(arccoath(x)/(-x^2+1)^2,x, algorithm="maxima")`

output `-1/4*(2*x/(x^2 - 1) - log(x + 1) + log(x - 1))*arccoath(x) - 1/16*((x^2 - 1)*log(x + 1)^2 - 2*(x^2 - 1)*log(x + 1)*log(x - 1) + (x^2 - 1)*log(x - 1)^2 - 4)/(x^2 - 1)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 80 vs. $2(28) = 56$.

Time = 0.16 (sec) , antiderivative size = 80, normalized size of antiderivative = 2.11

$$\int \frac{\coth^{-1}(x)}{(1-x^2)^2} dx = -\frac{(x-1) \log\left(-\frac{\frac{\frac{x+1}{x-1}-1}{\frac{x+1}{x-1}+1}+1}{\frac{\frac{x+1}{x-1}-1}{\frac{x+1}{x-1}+1}-1}\right)}{8(x+1)} - \frac{x-1}{8(x+1)}$$

input `integrate(arccoth(x)/(-x^2+1)^2,x, algorithm="giac")`

output `-1/8*(x - 1)*log(-(((x + 1)/(x - 1) - 1)/((x + 1)/(x - 1) + 1) + 1)/(((x + 1)/(x - 1) - 1)/((x + 1)/(x - 1) + 1) - 1))/(x + 1) - 1/8*(x - 1)/(x + 1)`

Mupad [B] (verification not implemented)

Time = 4.16 (sec) , antiderivative size = 81, normalized size of antiderivative = 2.13

$$\int \frac{\coth^{-1}(x)}{(1-x^2)^2} dx = \frac{\ln\left(\frac{1}{x} + 1\right)^2}{16} - \ln\left(1 - \frac{1}{x}\right) \left(\frac{\ln\left(\frac{1}{x} + 1\right)}{8} - \frac{x}{4(x^2 - 1)}\right) + \frac{\ln\left(1 - \frac{1}{x}\right)^2}{16} + \frac{1}{4(x^2 - 1)} - \frac{x \ln\left(\frac{1}{x} + 1\right)}{4(x^2 - 1)}$$

input `int(acoth(x)/(x^2 - 1)^2,x)`

output `log(1/x + 1)^2/16 - log(1 - 1/x)*(log(1/x + 1)/8 - x/(4*(x^2 - 1))) + log(1 - 1/x)^2/16 + 1/(4*(x^2 - 1)) - (x*log(1/x + 1))/(4*(x^2 - 1))`

Reduce [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 34, normalized size of antiderivative = 0.89

$$\int \frac{\coth^{-1}(x)}{(1-x^2)^2} dx = \frac{-\operatorname{acoth}(x)^2 x^2 + \operatorname{acoth}(x)^2 - 2\operatorname{acoth}(x)x - x^2}{4x^2 - 4}$$

input `int(acoth(x)/(-x^2+1)^2,x)`

output `(- acoth(x)**2*x**2 + acoth(x)**2 - 2*acoth(x)*x - x**2)/(4*(x**2 - 1))`

3.26 $\int \frac{x \coth^{-1}(x)}{(1-x^2)^3} dx$

Optimal result	203
Mathematica [A] (verified)	203
Rubi [A] (verified)	204
Maple [A] (verified)	205
Fricas [A] (verification not implemented)	206
Sympy [B] (verification not implemented)	206
Maxima [A] (verification not implemented)	207
Giac [B] (verification not implemented)	207
Mupad [B] (verification not implemented)	208
Reduce [B] (verification not implemented)	208

Optimal result

Integrand size = 13, antiderivative size = 50

$$\int \frac{x \coth^{-1}(x)}{(1-x^2)^3} dx = -\frac{x}{16(1-x^2)^2} - \frac{3x}{32(1-x^2)} + \frac{\coth^{-1}(x)}{4(1-x^2)^2} - \frac{3\operatorname{arctanh}(x)}{32}$$

output

```
-1/16*x/(-x^2+1)^2-3*x/(-32*x^2+32)+1/4*arccoth(x)/(-x^2+1)^2-3/32*arctanh(x)
```

Mathematica [A] (verified)

Time = 0.04 (sec) , antiderivative size = 50, normalized size of antiderivative = 1.00

$$\int \frac{x \coth^{-1}(x)}{(1-x^2)^3} dx = \frac{1}{64} \left(-\frac{4x}{(-1+x^2)^2} + \frac{6x}{-1+x^2} + \frac{16 \coth^{-1}(x)}{(-1+x^2)^2} + 3 \log(1-x) - 3 \log(1+x) \right)$$

input

```
Integrate[(x*ArcCoth[x])/(1 - x^2)^3,x]
```

output

$$\frac{((-4*x)/(-1 + x^2)^2 + (6*x)/(-1 + x^2) + (16*ArcCoth[x])/(-1 + x^2)^2 + 3*Log[1 - x] - 3*Log[1 + x])/64}$$
Rubi [A] (verified)

Time = 0.22 (sec) , antiderivative size = 60, normalized size of antiderivative = 1.20, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$, Rules used = {6557, 215, 215, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{x \coth^{-1}(x)}{(1-x^2)^3} dx \\ & \quad \downarrow \text{6557} \\ & \frac{\coth^{-1}(x)}{4(1-x^2)^2} - \frac{1}{4} \int \frac{1}{(1-x^2)^3} dx \\ & \quad \downarrow \text{215} \\ & \frac{1}{4} \left(-\frac{3}{4} \int \frac{1}{(1-x^2)^2} dx - \frac{x}{4(1-x^2)^2} \right) + \frac{\coth^{-1}(x)}{4(1-x^2)^2} \\ & \quad \downarrow \text{215} \\ & \frac{1}{4} \left(-\frac{3}{4} \left(\frac{1}{2} \int \frac{1}{1-x^2} dx + \frac{x}{2(1-x^2)} \right) - \frac{x}{4(1-x^2)^2} \right) + \frac{\coth^{-1}(x)}{4(1-x^2)^2} \\ & \quad \downarrow \text{219} \\ & \frac{1}{4} \left(-\frac{3}{4} \left(\frac{\operatorname{arctanh}(x)}{2} + \frac{x}{2(1-x^2)} \right) - \frac{x}{4(1-x^2)^2} \right) + \frac{\coth^{-1}(x)}{4(1-x^2)^2} \end{aligned}$$

input

$$\text{Int}[(x*ArcCoth[x])/(1 - x^2)^3, x]$$

output

$$\frac{\text{ArcCoth}[x]/(4*(1 - x^2)^2) + (-1/4*x/(1 - x^2)^2 - (3*(x/(2*(1 - x^2))) + \text{ArcTanh}[x/2])/4)/4}$$

Definitions of rubi rules used

rule 215 $\text{Int}[(a_ + (b_ \cdot)(x_)^2)^{p_ }, x_Symbol] \rightarrow \text{Simp}[(-x) \cdot ((a + b \cdot x^2)^{p+1} / (2 \cdot a \cdot (p+1))), x] + \text{Simp}[(2 \cdot p + 3) / (2 \cdot a \cdot (p+1)) \text{Int}[(a + b \cdot x^2)^{p+1}, x], x] /;$ FreeQ[{a, b}, x] && LtQ[p, -1] && (IntegerQ[4*p] || IntegerQ[6*p])

rule 219 $\text{Int}[(a_ + (b_ \cdot)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1 / (\text{Rt}[a, 2] \cdot \text{Rt}[-b, 2])) \cdot \text{ArcTanh}[\text{Rt}[-b, 2] \cdot (x / \text{Rt}[a, 2])], x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

rule 6557 $\text{Int}[(a_ \cdot + \text{ArcCoth}[(c_ \cdot)(x_)] \cdot (b_ \cdot))^{p_ \cdot} \cdot (x_) \cdot ((d_) + (e_ \cdot)(x_)^2)^{q_ \cdot} \cdot (x_)^p, x_Symbol] \rightarrow \text{Simp}[(d + e \cdot x^2)^{q+1} \cdot ((a + b \cdot \text{ArcCoth}[c \cdot x])^p / (2 \cdot e \cdot (q+1))), x] + \text{Simp}[b \cdot (p / (2 \cdot c \cdot (q+1))) \text{Int}[(d + e \cdot x^2)^q \cdot (a + b \cdot \text{ArcCoth}[c \cdot x])^{p-1}, x], x] /;$ FreeQ[{a, b, c, d, e, q}, x] && EqQ[c^2*d + e, 0] && GtQ[p, 0] && NeQ[q, -1]

Maple [A] (verified)

Time = 0.18 (sec) , antiderivative size = 37, normalized size of antiderivative = 0.74

method	result	size
paralelrisch	$-\frac{3 \operatorname{arccoth}(x)x^4 - 3x^3 - 6x^2 \operatorname{arccoth}(x) + 5x - 5 \operatorname{arccoth}(x)}{32(x^2-1)^2}$	37
default	$\frac{\operatorname{arccoth}(x)}{4(x^2-1)^2} + \frac{1}{64(x+1)^2} + \frac{3}{64(x+1)} - \frac{3 \ln(x+1)}{64} - \frac{1}{64(x-1)^2} + \frac{3}{64(x-1)} + \frac{3 \ln(x-1)}{64}$	53
parts	$\frac{\operatorname{arccoth}(x)}{4(x^2-1)^2} + \frac{1}{64(x+1)^2} + \frac{3}{64(x+1)} - \frac{3 \ln(x+1)}{64} - \frac{1}{64(x-1)^2} + \frac{3}{64(x-1)} + \frac{3 \ln(x-1)}{64}$	53
risch	$\frac{\ln(x+1)}{8(x^2-1)^2} - \frac{3 \ln(x+1)x^4 - 3 \ln(x-1)x^4 - 6 \ln(x+1)x^2 + 6x^2 \ln(x-1) - 6x^3 + 3 \ln(x+1) + 5 \ln(x-1) + 10x}{64(x+1)(x-1)(x^2-1)}$	91
oring	$\frac{(9x^6 - 23x^4 + 9x^2 + 5) \operatorname{arccoth}(x)}{16(-x^2+1)^3} + \frac{(3x^2-5)(x+1)^2(x-1)^2 \left(\frac{\operatorname{arccoth}(x)}{(-x^2+1)^3} - \frac{x}{(x^2-1)(-x^2+1)^3} + \frac{6x^2 \operatorname{arccoth}(x)}{(-x^2+1)^4} \right)}{32}$	99

input `int(x*arccoth(x)/(-x^2+1)^3,x,method=_RETURNVERBOSE)`

output `-1/32*(3*arccoth(x)*x^4-3*x^3-6*x^2*arccoth(x)+5*x-5*arccoth(x))/(x^2-1)^2`

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 47, normalized size of antiderivative = 0.94

$$\int \frac{x \coth^{-1}(x)}{(1-x^2)^3} dx = \frac{6x^3 - (3x^4 - 6x^2 - 5) \log\left(\frac{x+1}{x-1}\right) - 10x}{64(x^4 - 2x^2 + 1)}$$

input `integrate(x*arccoth(x)/(-x^2+1)^3,x, algorithm="fricas")`

output `1/64*(6*x^3 - (3*x^4 - 6*x^2 - 5)*log((x + 1)/(x - 1)) - 10*x)/(x^4 - 2*x^2 + 1)`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 88 vs. 2(37) = 74.

Time = 0.28 (sec) , antiderivative size = 88, normalized size of antiderivative = 1.76

$$\int \frac{x \coth^{-1}(x)}{(1-x^2)^3} dx = -\frac{3x^4 \operatorname{acoth}(x)}{32x^4 - 64x^2 + 32} + \frac{3x^3}{32x^4 - 64x^2 + 32} + \frac{6x^2 \operatorname{acoth}(x)}{32x^4 - 64x^2 + 32} - \frac{5x}{32x^4 - 64x^2 + 32} + \frac{5 \operatorname{acoth}(x)}{32x^4 - 64x^2 + 32}$$

input `integrate(x*acoth(x)/(-x**2+1)**3,x)`

output `-3*x**4*acoth(x)/(32*x**4 - 64*x**2 + 32) + 3*x**3/(32*x**4 - 64*x**2 + 32) + 6*x**2*acoth(x)/(32*x**4 - 64*x**2 + 32) - 5*x/(32*x**4 - 64*x**2 + 32) + 5*acoth(x)/(32*x**4 - 64*x**2 + 32)`

Maxima [A] (verification not implemented)

Time = 0.02 (sec) , antiderivative size = 47, normalized size of antiderivative = 0.94

$$\int \frac{x \coth^{-1}(x)}{(1-x^2)^3} dx = \frac{3x^3 - 5x}{32(x^4 - 2x^2 + 1)} + \frac{\operatorname{arccoth}(x)}{4(x^2 - 1)^2} - \frac{3}{64} \log(x+1) + \frac{3}{64} \log(x-1)$$

input `integrate(x*arccoth(x)/(-x^2+1)^3,x, algorithm="maxima")`

output `1/32*(3*x^3 - 5*x)/(x^4 - 2*x^2 + 1) + 1/4*arccoth(x)/(x^2 - 1)^2 - 3/64*log(x + 1) + 3/64*log(x - 1)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 154 vs. 2(36) = 72.

Time = 0.11 (sec) , antiderivative size = 154, normalized size of antiderivative = 3.08

$$\begin{aligned} & \int \frac{x \coth^{-1}(x)}{(1-x^2)^3} dx \\ &= -\frac{1}{128} \left(\frac{(x-1)^2 \left(\frac{4(x+1)}{x-1} - 1 \right)}{(x+1)^2} - \frac{(x+1)^2}{(x-1)^2} + \frac{4(x+1)}{x-1} \right) \log \left(-\frac{\frac{x+1}{x-1} - 1}{\frac{x+1}{x-1} + 1} + 1 \right) \\ & \quad - \frac{(x-1)^2 \left(\frac{8(x+1)}{x-1} - 1 \right)}{256(x+1)^2} - \frac{(x+1)^2}{256(x-1)^2} + \frac{x+1}{32(x-1)} \end{aligned}$$

input `integrate(x*arccoth(x)/(-x^2+1)^3,x, algorithm="giac")`

output `-1/128*((x - 1)^2*(4*(x + 1)/(x - 1) - 1)/(x + 1)^2 - (x + 1)^2/(x - 1)^2 + 4*(x + 1)/(x - 1))*log(-(((x + 1)/(x - 1) - 1)/((x + 1)/(x - 1) + 1) + 1)/(((x + 1)/(x - 1) - 1)/((x + 1)/(x - 1) + 1) - 1)) - 1/256*(x - 1)^2*(8*(x + 1)/(x - 1) - 1)/(x + 1)^2 - 1/256*(x + 1)^2/(x - 1)^2 + 1/32*(x + 1)/(x - 1)`

Mupad [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 34, normalized size of antiderivative = 0.68

$$\int \frac{x \coth^{-1}(x)}{(1-x^2)^3} dx = \frac{3 \ln(x-1)}{64} - \frac{3 \ln(x+1)}{64} + \frac{\frac{\operatorname{acoth}(x)}{4} - \frac{5x}{32} + \frac{3x^3}{32}}{(x^2-1)^2}$$

input `int(-(x*acoth(x))/(x^2 - 1)^3,x)`output `(3*log(x - 1))/64 - (3*log(x + 1))/64 + (acoth(x)/4 - (5*x)/32 + (3*x^3)/32)/(x^2 - 1)^2`**Reduce [B] (verification not implemented)**

Time = 0.16 (sec) , antiderivative size = 86, normalized size of antiderivative = 1.72

$$\int \frac{x \coth^{-1}(x)}{(1-x^2)^3} dx = \frac{-16 \operatorname{acoth}(x) x^4 + 32 \operatorname{acoth}(x) x^2 + 5 \log(x-1) x^4 - 10 \log(x-1) x^2 + 5 \log(x-1) - 5 \log(x+1) x^4 + 10 \log(x+1) x^2 - 5 \log(x+1) - 6x^3 + 10x}{64x^4 - 128x^2 + 64}$$

input `int(x*acoth(x)/(-x^2+1)^3,x)`output `(- 16*acoth(x)*x**4 + 32*acoth(x)*x**2 + 5*log(x - 1)*x**4 - 10*log(x - 1)*x**2 + 5*log(x - 1) - 5*log(x + 1)*x**4 + 10*log(x + 1)*x**2 - 5*log(x + 1) - 6*x**3 + 10*x)/(64*(x**4 - 2*x**2 + 1))`

3.27 $\int \frac{\coth^{-1}(x)}{(1-x^2)^3} dx$

Optimal result	209
Mathematica [A] (verified)	209
Rubi [A] (verified)	210
Maple [B] (verified)	211
Fricas [A] (verification not implemented)	212
Sympy [F]	212
Maxima [B] (verification not implemented)	212
Giac [F]	213
Mupad [B] (verification not implemented)	213
Reduce [B] (verification not implemented)	214

Optimal result

Integrand size = 12, antiderivative size = 67

$$\int \frac{\coth^{-1}(x)}{(1-x^2)^3} dx = -\frac{1}{16(1-x^2)^2} - \frac{3}{16(1-x^2)} + \frac{x \coth^{-1}(x)}{4(1-x^2)^2} + \frac{3x \coth^{-1}(x)}{8(1-x^2)} + \frac{3}{16} \coth^{-1}(x)^2$$

output

```
-1/16/(-x^2+1)^2-3/(-16*x^2+16)+1/4*x*arccoth(x)/(-x^2+1)^2+3*x*arccoth(x)
/(-8*x^2+8)+3/16*arccoth(x)^2
```

Mathematica [A] (verified)

Time = 0.04 (sec) , antiderivative size = 43, normalized size of antiderivative = 0.64

$$\int \frac{\coth^{-1}(x)}{(1-x^2)^3} dx = -\frac{4-3x^2+2x(-5+3x^2)\coth^{-1}(x)-3(-1+x^2)^2\coth^{-1}(x)^2}{16(-1+x^2)^2}$$

input

```
Integrate[ArcCoth[x]/(1-x^2)^3,x]
```

output

$$-1/16*(4 - 3*x^2 + 2*x*(-5 + 3*x^2)*ArcCoth[x] - 3*(-1 + x^2)^2*ArcCoth[x]^2)/(-1 + x^2)^2$$

Rubi [A] (verified)

Time = 0.32 (sec) , antiderivative size = 72, normalized size of antiderivative = 1.07, number of steps used = 3, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {6523, 6519, 241}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{\coth^{-1}(x)}{(1-x^2)^3} dx \\ & \quad \downarrow \text{6523} \\ & \frac{3}{4} \int \frac{\coth^{-1}(x)}{(1-x^2)^2} dx - \frac{1}{16(1-x^2)^2} + \frac{x \coth^{-1}(x)}{4(1-x^2)^2} \\ & \quad \downarrow \text{6519} \\ & \frac{3}{4} \left(-\frac{1}{2} \int \frac{x}{(1-x^2)^2} dx + \frac{x \coth^{-1}(x)}{2(1-x^2)} + \frac{1}{4} \coth^{-1}(x)^2 \right) - \frac{1}{16(1-x^2)^2} + \frac{x \coth^{-1}(x)}{4(1-x^2)^2} \\ & \quad \downarrow \text{241} \\ & -\frac{1}{16(1-x^2)^2} + \frac{x \coth^{-1}(x)}{4(1-x^2)^2} + \frac{3}{4} \left(-\frac{1}{4(1-x^2)} + \frac{x \coth^{-1}(x)}{2(1-x^2)} + \frac{1}{4} \coth^{-1}(x)^2 \right) \end{aligned}$$

input

$$\text{Int}[ArcCoth[x]/(1 - x^2)^3, x]$$

output

$$-1/16*1/(1 - x^2)^2 + (x*ArcCoth[x])/(4*(1 - x^2)^2) + (3*(-1/4*1/(1 - x^2) + (x*ArcCoth[x])/(2*(1 - x^2)) + ArcCoth[x]^2/4))/4$$

Definitions of rubi rules used

rule 241 $\text{Int}[(x_*)*((a_*) + (b_*)*(x_*)^2)^{(p_*)}, x_Symbol] \rightarrow \text{Simp}[(a + b*x^2)^{(p + 1)}/(2*b*(p + 1)), x] \text{ ; FreeQ}\{a, b, p\}, x] \ \&\& \ \text{NeQ}\{p, -1\}$

rule 6519 $\text{Int}[((a_*) + \text{ArcCoth}[(c_*)*(x_*)]*(b_*))^{(p_*)}/((d_*) + (e_*)*(x_*)^2)^2, x_Symbol] \rightarrow \text{Simp}[x*((a + b*\text{ArcCoth}[c*x])^p/(2*d*(d + e*x^2))), x] + (\text{Simp}[(a + b*\text{ArcCoth}[c*x])^{(p + 1)}/(2*b*c*d^2*(p + 1)), x] - \text{Simp}[b*c*(p/2) \ \text{Int}[x*((a + b*\text{ArcCoth}[c*x])^{(p - 1)}/(d + e*x^2)^2), x], x]) \text{ ; FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[p, 0]$

rule 6523 $\text{Int}[((a_*) + \text{ArcCoth}[(c_*)*(x_*)]*(b_*))*((d_*) + (e_*)*(x_*)^2)^{(q_*)}, x_Symbol] \rightarrow \text{Simp}[(-b)*((d + e*x^2)^{(q + 1)}/(4*c*d*(q + 1)^2)), x] + (-\text{Simp}[x*(d + e*x^2)^{(q + 1)}*((a + b*\text{ArcCoth}[c*x])/(2*d*(q + 1))), x] + \text{Simp}[(2*q + 3)/(2*d*(q + 1)) \ \text{Int}[(d + e*x^2)^{(q + 1)}*(a + b*\text{ArcCoth}[c*x]), x], x]) \text{ ; FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{LtQ}[q, -1] \ \&\& \ \text{NeQ}[q, -3/2]$

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 127 vs. $2(57) = 114$.

Time = 0.16 (sec) , antiderivative size = 128, normalized size of antiderivative = 1.91

method	result
risch	$\frac{3 \ln(x+1)^2}{64} - \frac{(3 \ln(x-1)x^4 + 6x^3 - 6x^2 \ln(x-1) - 10x + 3 \ln(x-1)) \ln(x+1)}{32(x^2-1)^2} + \frac{3x^4 \ln(x-1)^2 + 12x^3 \ln(x-1) - 6x^2 \ln(x-1)^2 + 12x^2}{64(x+1)(x-1)(x^2-1)}$
default	$-\frac{\operatorname{arccoth}(x)}{16(x+1)^2} - \frac{3 \operatorname{arccoth}(x)}{16(x+1)} + \frac{3 \operatorname{arccoth}(x) \ln(x+1)}{16} + \frac{\operatorname{arccoth}(x)}{16(x-1)^2} - \frac{3 \operatorname{arccoth}(x)}{16(x-1)} - \frac{3 \operatorname{arccoth}(x) \ln(x-1)}{16} - \frac{3 \ln(x-1)}{64}$
parts	$-\frac{\operatorname{arccoth}(x)}{16(x+1)^2} - \frac{3 \operatorname{arccoth}(x)}{16(x+1)} + \frac{3 \operatorname{arccoth}(x) \ln(x+1)}{16} + \frac{\operatorname{arccoth}(x)}{16(x-1)^2} - \frac{3 \operatorname{arccoth}(x)}{16(x-1)} - \frac{3 \operatorname{arccoth}(x) \ln(x-1)}{16} - \frac{3 \ln(x-1)}{64}$

input $\text{int}(\operatorname{arccoth}(x)/(-x^2+1)^3, x, \text{method}=_RETURNVERBOSE)$

output $\frac{3}{64}*\ln(x+1)^2 - \frac{1}{32}*(3*\ln(x-1)*x^4 + 6*x^3 - 6*x^2*\ln(x-1) - 10*x + 3*\ln(x-1))/(x^2 - 1)^2*\ln(x+1) + \frac{1}{64}*(3*x^4*\ln(x-1)^2 + 12*x^3*\ln(x-1) - 6*x^2*\ln(x-1)^2 + 12*x^2 - 20*\ln(x-1)*x + 3*\ln(x-1)^2 - 16)/(x+1)/(x-1)/(x^2-1)$

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 66, normalized size of antiderivative = 0.99

$$\int \frac{\coth^{-1}(x)}{(1-x^2)^3} dx = \frac{3(x^4 - 2x^2 + 1) \log\left(\frac{x+1}{x-1}\right)^2 + 12x^2 - 4(3x^3 - 5x) \log\left(\frac{x+1}{x-1}\right) - 16}{64(x^4 - 2x^2 + 1)}$$

input `integrate(arccoth(x)/(-x^2+1)^3,x, algorithm="fricas")`

output `1/64*(3*(x^4 - 2*x^2 + 1)*log((x + 1)/(x - 1))^2 + 12*x^2 - 4*(3*x^3 - 5*x)*log((x + 1)/(x - 1)) - 16)/(x^4 - 2*x^2 + 1)`

Sympy [F]

$$\int \frac{\coth^{-1}(x)}{(1-x^2)^3} dx = - \int \frac{\operatorname{acoth}(x)}{x^6 - 3x^4 + 3x^2 - 1} dx$$

input `integrate(acoth(x)/(-x**2+1)**3,x)`

output `-Integral(acoth(x)/(x**6 - 3*x**4 + 3*x**2 - 1), x)`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 118 vs. $2(49) = 98$.

Time = 0.03 (sec) , antiderivative size = 118, normalized size of antiderivative = 1.76

$$\int \frac{\coth^{-1}(x)}{(1-x^2)^3} dx = -\frac{1}{16} \left(\frac{2(3x^3 - 5x)}{x^4 - 2x^2 + 1} - 3 \log(x+1) + 3 \log(x-1) \right) \operatorname{arccoth}(x) - \frac{3(x^4 - 2x^2 + 1) \log(x+1)^2 - 6(x^4 - 2x^2 + 1) \log(x+1) \log(x-1) + 3(x^4 - 2x^2 + 1) \log(x-1)}{64(x^4 - 2x^2 + 1)}$$

input `integrate(arccoth(x)/(-x^2+1)^3,x, algorithm="maxima")`

output

```
-1/16*(2*(3*x^3 - 5*x)/(x^4 - 2*x^2 + 1) - 3*log(x + 1) + 3*log(x - 1))*arccoth(x) - 1/64*(3*(x^4 - 2*x^2 + 1)*log(x + 1)^2 - 6*(x^4 - 2*x^2 + 1)*log(x + 1)*log(x - 1) + 3*(x^4 - 2*x^2 + 1)*log(x - 1)^2 - 12*x^2 + 16)/(x^4 - 2*x^2 + 1)
```

Giac [F]

$$\int \frac{\coth^{-1}(x)}{(1-x^2)^3} dx = \int -\frac{\operatorname{arccoth}(x)}{(x^2-1)^3} dx$$

input

```
integrate(arccoth(x)/(-x^2+1)^3,x, algorithm="giac")
```

output

```
integrate(-arccoth(x)/(x^2 - 1)^3, x)
```

Mupad [B] (verification not implemented)

Time = 4.05 (sec) , antiderivative size = 112, normalized size of antiderivative = 1.67

$$\begin{aligned} \int \frac{\coth^{-1}(x)}{(1-x^2)^3} dx &= \frac{3 \ln\left(\frac{1}{x} + 1\right)^2}{64} - \ln\left(1 - \frac{1}{x}\right) \left(\frac{3 \ln\left(\frac{1}{x} + 1\right)}{32} + \frac{\frac{5x}{16} - \frac{3x^3}{16}}{x^4 - 2x^2 + 1} \right) \\ &+ \frac{3 \ln\left(1 - \frac{1}{x}\right)^2}{64} + \frac{\frac{3x^2}{16} - \frac{1}{4}}{x^4 - 2x^2 + 1} + \frac{\ln\left(\frac{1}{x} + 1\right) \left(\frac{5x}{16} - \frac{3x^3}{16}\right)}{x^4 - 2x^2 + 1} \end{aligned}$$

input

```
int(-acoth(x)/(x^2 - 1)^3,x)
```

output

```
(3*log(1/x + 1)^2)/64 - log(1 - 1/x)*((3*log(1/x + 1))/32 + ((5*x)/16 - (3*x^3)/16)/(x^4 - 2*x^2 + 1)) + (3*log(1 - 1/x)^2)/64 + ((3*x^2)/16 - 1/4)/(x^4 - 2*x^2 + 1) + (log(1/x + 1)*((5*x)/16 - (3*x^3)/16))/(x^4 - 2*x^2 + 1)
```

Reduce [B] (verification not implemented)

Time = 0.17 (sec) , antiderivative size = 58, normalized size of antiderivative = 0.87

$$\int \frac{\coth^{-1}(x)}{(1-x^2)^3} dx$$

$$= \frac{-6\operatorname{acoth}(x)^2 x^4 + 12\operatorname{acoth}(x)^2 x^2 - 6\operatorname{acoth}(x)^2 - 12\operatorname{acoth}(x) x^3 + 20\operatorname{acoth}(x) x - 3x^4 + 5}{32x^4 - 64x^2 + 32}$$

input `int(acoth(x)/(-x^2+1)^3,x)`output `(- 6*acoth(x)**2*x**4 + 12*acoth(x)**2*x**2 - 6*acoth(x)**2 - 12*acoth(x)*x**3 + 20*acoth(x)*x - 3*x**4 + 5)/(32*(x**4 - 2*x**2 + 1))`

CHAPTER 4

APPENDIX

4.1	Listing of Grading functions	215
4.2	Links to plain text integration problems used in this report for each CAS .	233

4.1 Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* Nasser: April 7, 2022. add second output which gives reason for the grade *)
(*                               Small rewrite of logic in main function to make it*)
(*                               match Maple's logic. No change in functionality otherwise*)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)
```



```

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] := Module[{expnResult,expnOptimal,leafCountResult,leafCountOptimal},
  expnResult = ExpnType[result];
  expnOptimal = ExpnType[optimal];
  leafCountResult = LeafCount[result];
  leafCountOptimal = LeafCount[optimal];

  (*Print["expnResult=",expnResult," expnOptimal=",expnOptimal];*)
  If[expnResult<=expnOptimal,
    If[Not[FreeQ[result,Complex]], (*result contains complex*)
      If[Not[FreeQ[optimal,Complex]], (*optimal contains complex*)
        If[leafCountResult<=2*leafCountOptimal,
          finalresult={"A",""}
          ,(*ELSE*)
          finalresult={"B","Both result and optimal contain complex but leaf count
          ]
        ,(*ELSE*)
        finalresult={"C","Result contains complex when optimal does not."}
      ]
    ,(*ELSE*)(*result does not contains complex*)
    If[leafCountResult<=2*leafCountOptimal,
      finalresult={"A",""}
      ,(*ELSE*)
      finalresult={"B","Leaf count is larger than twice the leaf count of optimal.
    ]
  ]
  ,(*ELSE*)(*expnResult>expnOptimal*)
  If[FreeQ[result,Integrate] && FreeQ[result,Int],
    finalresult={"C","Result contains higher order function than in optimal. Order "
  ,

```

```

        finalresult={"F","Contains unresolved integral."}
    ]
];

finalresult
]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
  If[ListQ[expn],
    Max[Map[ExpnType,expn]],
  If[Head[expn]==Power,
    If[IntegerQ[expn[[2]]],
      ExpnType[expn[[1]]],
    If[Head[expn[[2]]]==Rational,
      If[IntegerQ[expn[[1]]] || Head[expn[[1]]]==Rational,
        1,
        Max[ExpnType[expn[[1]],2]],
      Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
    If[Head[expn]==Plus || Head[expn]==Times,
      Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
    If[ElementaryFunctionQ[Head[expn]],
      Max[3,ExpnType[expn[[1]]]],
    If[SpecialFunctionQ[Head[expn]],
      Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
    If[HypergeometricFunctionQ[Head[expn]],

```

```

    Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 5]],
    If [AppellFunctionQ [Head [expn]],
        Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 6]],
        If [Head [expn] === RootSum,
            Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 7]],
            If [Head [expn] === Integrate || Head [expn] === Int,
                Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 8]],
                9]]]]]]]]]]]

```

```

ElementaryFunctionQ [func_] :=
  MemberQ [{
    Exp, Log,
    Sin, Cos, Tan, Cot, Sec, Csc,
    ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,
    Sinh, Cosh, Tanh, Coth, Sech, Csch,
    ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
  }, func]

```

```

SpecialFunctionQ [func_] :=
  MemberQ [{
    Erf, Erfc, Erfi,
    FresnelS, FresnelC,
    ExpIntegralE, ExpIntegralEi, LogIntegral,
    SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
    Gamma, LogGamma, PolyGamma,
    Zeta, PolyLog, ProductLog,
    EllipticF, EllipticE, EllipticPi
  }, func]

```

```

HypergeometricFunctionQ [func_] :=
  MemberQ [{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]

```

```

AppellFunctionQ [func_] :=
  MemberQ [{AppellF1}, func]

```

Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
#                   if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
#
#                   see problem 156, file Apostol_Problems
#Nasser 4/07/2022  add second output which gives reason for the grade

GradeAntiderivative := proc(result,optimal)
local leaf_count_result,
      leaf_count_optimal,
      ExpnType_result,
      ExpnType_optimal,
      debug:=false;

      leaf_count_result:=leafcount(result);
      #do NOT call ExpnType() if leaf size is too large. Recursion problem
      if leaf_count_result > 500000 then
          return "B","result has leaf size over 500,000. Avoiding possible recursion issue";
      fi;

      leaf_count_optimal := leafcount(optimal);
      ExpnType_result    := ExpnType(result);
      ExpnType_optimal   := ExpnType(optimal);

      if debug then
          print("ExpnType_result",ExpnType_result," ExpnType_optimal=",ExpnType_optimal);
      fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
#     is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal

```

```

#   antiderivative
#   "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F","Result contains unresolved integral";
fi;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;
    if is_contains_complex(result) then
        if is_contains_complex(optimal) then
            if debug then
                print("both result and optimal complex");
            fi;
            if leaf_count_result<=2*leaf_count_optimal then
                return "A"," ";
            else
                return "B",cat("Both result and optimal contain complex but leaf count of
                                convert(leaf_count_result,string)," vs. $2 (" ,
                                convert(leaf_count_optimal,string)," ) = ",convert(2*leaf

        end if
    else #result contains complex but optimal is not
        if debug then
            print("result contains complex but optimal is not");
        fi;
        return "C","Result contains complex when optimal does not.";
    fi;
else # result do not contain complex
    # this assumes optimal do not as well. No check is needed here.
    if debug then
        print("result do not contain complex, this assumes optimal do not as well
    fi;

```

```

        if leaf_count_result<=2*leaf_count_optimal then
            if debug then
                print("leaf_count_result<=2*leaf_count_optimal");
            fi;
            return "A"," ";
        else
            if debug then
                print("leaf_count_result>2*leaf_count_optimal");
            fi;
            return "B",cat("Leaf count of result is larger than twice the leaf count of
                            convert(leaf_count_result,string)," $ vs. $2(",
                            convert(leaf_count_optimal,string),")=",convert(2*leaf_co
            fi;
        fi;
    else #ExpnType(result) > ExpnType(optimal)
        if debug then
            print("ExpnType(result) > ExpnType(optimal)");
        fi;
        return "C",cat("Result contains higher order function than in optimal. Order ",
                        convert(ExpnType_result,string)," vs. order ",
                        convert(ExpnType_optimal,string),".");
    fi;
end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false
#
#Nasser 032417
is_contains_complex:= proc(expression)
    return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function

```

```
# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'+'') or type(expn,'*') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  elif HypergeometricFunctionQ(op(0,expn)) then
    max(5,apply(max,map(ExpnType,[op(expn)])))
  elif AppellFunctionQ(op(0,expn)) then
    max(6,apply(max,map(ExpnType,[op(expn)])))
  elif op(0,expn)='int' then
    max(8,apply(max,map(ExpnType,[op(expn)]))) else
    9
  end if
end proc
```

```

    end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func, [
    exp, log, ln,
    sin, cos, tan, cot, sec, csc,
    arcsin, arccos, arctan, arccot, arcsec, arccsc,
    sinh, cosh, tanh, coth, sech, csch,
    arcsinh, arccosh, arctanh, arccoth, arcsech, arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func, [
    erf, erfc, erfi,
    FresnelS, FresnelC,
    Ei, Ei, Li, Si, Ci, Shi, Chi,
    GAMMA, lnGAMMA, Psi, Zeta, polylog, dilog, LambertW,
    EllipticF, EllipticE, EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func, [Hypergeometric1F1, hypergeom, HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func, [AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u), op(2..nops(u),u))
  end if
end proc:

#leafcount(u) returns the number of nodes in u.

```



```
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc;
```

Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
#      Port of original Maple grading function by
#      Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#      added 'exp_polar'
from sympy import *

def leaf_count(expr):
  #sympy do not have leaf count function. This is approximation
  return round(1.7*count_ops(expr))

def is_sqrt(expr):
  if isinstance(expr,Pow):
    if expr.args[1] == Rational(1,2):
      return True
    else:
      return False
  else:
    return False

def is_elementary_function(func):
  return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
    asinh,acosh,atanh,acoth,asech,acsch
  ]

def is_special_function(func):
  return func in [ erf,erfc,erfi,
    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
    gamma,loggamma,digamma,zeta,polylog,LambertW,
    elliptic_f,elliptic_e,elliptic_pi,exp_polar
  ]
```

```

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
        else:
            return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+') or type(expn,'*')

```

```

    m1 = expnType(expn.args[0])
    m2 = expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
    return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif is_appell_function(expn.func):
    m1 = max(map(expnType, list(expn.args)))
    return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif isinstance(expn,RootSum):
    m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
    return max(7,m1)
elif str(expn).find("Integral") != -1:
    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    #print("Enter grade_antiderivative for sagemath")
    #print("Enter grade_antiderivative, result=",result," optimal=",optimal)

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    #print("leaf_count_result=",leaf_count_result)
    #print("leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        grade = "F"
        grade_annotation = ""

```

```

else:
    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    grade = "A"
                    grade_annotation = ""
                else:
                    grade = "B"
                    grade_annotation = "Both result and optimal contain complex but leaf count of result is lar
            else: #result contains complex but optimal is not
                grade = "C"
                grade_annotation = "Result contains complex when optimal does not."
        else: # result do not contain complex, this assumes optimal do not as well
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = ""
            else:
                grade = "B"
                grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(
        else:
            grade = "C"
            grade_annotation = "Result contains higher order function than in optimal. Order "+str(ExpnType

#print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```

SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#      Albert Rich to use with Sagemath. This is used to
#      grade Fricas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#      'arctan2', 'floor', 'abs', 'log_integral'
#June 4, 2022 Made default grade_annotation "none" instead of "" due
#      issue later when reading the file.
#July 14, 2022. Added ellipticF. This is until they fix sagemath, then remove it.

```

```

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    #print("Enter tree_size, expr is ",expr)

    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    #debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arcoth','arcsech','arcsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:

```

```

    if m:
        print ("func ", func , " is elementary_function")
    else:
        print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    #debug=False
    if debug:
        print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','sinh_integral',
        'Chi','cosh_integral','gamma','log_gamma','psi','zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e','ellipticF',
        'elliptic_pi','exp_integral_e','log_integral',
        'weierstrassPInverse','weierstrass','weierstrassP','weierstrassZeta',
        'weierstrassPPrime','weierstrassSigma']

    if debug:
        print ("m=",m)
    if m:
        print ("func ", func , " is special_function")
    else:
        print ("func ", func , " is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U']

def is_appell_function(func):
    return func.name() in ['hypergeometric'] #[appellf1] can't find this in sagemath

def is_atom(expn):

    #debug=False

```

```

if debug:
    print ("Enter is_atom, expn=",expn)

if not hasattr(expn, 'parent'):
    return False

#thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic
try:
    if expn.parent() is SR:
        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().gens()

    return False

except AttributeError as error:
    print ("Exception,AttributeError in is_atom")
    print ("caught exception" , type(error).__name__ )
    return False

def expnType(expn):

    if debug:
        print (">>>>>Enter expnType, expn=", expn)
        print (">>>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #instance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
    elif expn.operator() == operator.pow: #instance(expn,Pow)
        if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer)

```

```

    return expnType(expn.operands()[0]) #expnType(expn.args[0])
elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],Rational)
    if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],Rational)
        return 1
    else:
        return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
else:
    return max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1])) #max(3,expnType(expn
elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #isinstance(expn,Add) or isins
    m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
    m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
    #is checked before calling the grading function that is passed.
    #but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

if debug:
    print ("Enter grade_antiderivative for sagemath")
    print ("Enter grade_antiderivative, result=",result)
    print ("Enter grade_antiderivative, optimal=",optimal)
    print ("type(anti)=", type(result))
    print ("type(optimal)=", type(optimal))

```



```

leaf_count_result = tree_size(result) #leaf_count(result)
leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

#if debug: print ("leaf_count_result=", leaf_count_result, "leaf_count_optimal=",leaf_count_optimal)

expnType_result = expnType(result)
expnType_optimal = expnType(optimal)

if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",expnType_optimal)

if expnType_result <= expnType_optimal:
    if result.has(I):
        if optimal.has(I): #both result and optimal complex
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = "none"
            else:
                grade = "B"
                grade_annotation = "Both result and optimal contain complex but leaf count of result is larger"
        else: #result contains complex but optimal is not
            grade = "C"
            grade_annotation = "Result contains complex when optimal does not."
    else: # result do not contain complex, this assumes optimal do not as well
        if leaf_count_result <= 2*leaf_count_optimal:
            grade = "A"
            grade_annotation = "none"
        else:
            grade = "B"
            grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(leaf_count_result - 2*leaf_count_optimal)
    else:
        grade = "C"
        grade_annotation = "Result contains higher order function than in optimal. Order "+str(expnType_result - expnType_optimal)

print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```

4.2 Links to plain text integration problems used in this report for each CAS

1. Mathematica integration problems as .m file
2. Maple integration problems as .txt file
3. Sagemath integration problems as .sage file
4. Reduce integration problems as .txt file
5. Mupad integration problems as .txt file
6. Sympy integration problems as .py file