

Computer Algebra Independent Integration Tests

Summer 2024

7-Inverse-hyperbolic-functions/7.4-Inverse-hyperbolic-
cotangent/345-7.4.5

Nasser M. Abbasi

May 18, 2024

Compiled on May 18, 2024 at 10:10am

Contents

1	Introduction	4
1.1	Listing of CAS systems tested	5
1.2	Results	6
1.3	Time and leaf size Performance	10
1.4	Performance based on number of rules Rubi used	12
1.5	Performance based on number of steps Rubi used	13
1.6	Solved integrals histogram based on leaf size of result	14
1.7	Solved integrals histogram based on CPU time used	15
1.8	Leaf size vs. CPU time used	16
1.9	list of integrals with no known antiderivative	17
1.10	List of integrals solved by CAS but has no known antiderivative	17
1.11	list of integrals solved by CAS but failed verification	17
1.12	Timing	18
1.13	Verification	18
1.14	Important notes about some of the results	19
1.15	Current tree layout of integration tests	22
1.16	Design of the test system	23
2	detailed summary tables of results	24
2.1	List of integrals sorted by grade for each CAS	25
2.2	Detailed conclusion table per each integral for all CAS systems	29
2.3	Detailed conclusion table specific for Rubi results	42
3	Listing of integrals	44
3.1	$\int x^3 \coth^{-1}(a + bx) dx$	46
3.2	$\int x^2 \coth^{-1}(a + bx) dx$	53
3.3	$\int x \coth^{-1}(a + bx) dx$	60
3.4	$\int \coth^{-1}(a + bx) dx$	67
3.5	$\int \frac{\coth^{-1}(a+bx)}{x} dx$	73
3.6	$\int \frac{\coth^{-1}(a+bx)}{x^2} dx$	81

3.7	$\int \frac{\coth^{-1}(a+bx)}{x^3} dx$	88
3.8	$\int x^3 \coth^{-1}(a+bx)^2 dx$	96
3.9	$\int x^2 \coth^{-1}(a+bx)^2 dx$	103
3.10	$\int x \coth^{-1}(a+bx)^2 dx$	110
3.11	$\int \coth^{-1}(a+bx)^2 dx$	117
3.12	$\int \frac{\coth^{-1}(a+bx)^2}{x} dx$	123
3.13	$\int \frac{\coth^{-1}(a+bx)^2}{x^2} dx$	130
3.14	$\int \frac{\coth^{-1}(a+bx)^2}{x^3} dx$	138
3.15	$\int (a+bx) \coth^{-1}(a+bx) dx$	146
3.16	$\int (a+bx)^2 \coth^{-1}(a+bx) dx$	153
3.17	$\int \frac{\coth^{-1}(a+bx)}{a+bx} dx$	160
3.18	$\int \frac{\coth^{-1}(a+bx)}{(a+bx)^2} dx$	165
3.19	$\int \frac{\coth^{-1}(1+x)}{2+2x} dx$	172
3.20	$\int \frac{\coth^{-1}(a+bx)}{\frac{a^d}{b}+dx} dx$	177
3.21	$\int (e+fx)^3 (a+b \coth^{-1}(c+dx)) dx$	183
3.22	$\int (e+fx)^2 (a+b \coth^{-1}(c+dx)) dx$	194
3.23	$\int (e+fx) (a+b \coth^{-1}(c+dx)) dx$	203
3.24	$\int (a+b \coth^{-1}(c+dx)) dx$	210
3.25	$\int \frac{a+b \coth^{-1}(c+dx)}{e+fx} dx$	216
3.26	$\int \frac{a+b \coth^{-1}(c+dx)}{(e+fx)^2} dx$	223
3.27	$\int \frac{a+b \coth^{-1}(c+dx)}{(e+fx)^3} dx$	231
3.28	$\int (e+fx)^2 (a+b \coth^{-1}(c+dx))^2 dx$	241
3.29	$\int (e+fx) (a+b \coth^{-1}(c+dx))^2 dx$	251
3.30	$\int (a+b \coth^{-1}(c+dx))^2 dx$	258
3.31	$\int \frac{(a+b \coth^{-1}(c+dx))^2}{e+fx} dx$	265
3.32	$\int \frac{(a+b \coth^{-1}(c+dx))^2}{(e+fx)^2} dx$	272
3.33	$\int (e+fx)^2 (a+b \coth^{-1}(c+dx))^3 dx$	281
3.34	$\int (e+fx) (a+b \coth^{-1}(c+dx))^3 dx$	291
3.35	$\int (a+b \coth^{-1}(c+dx))^3 dx$	299
3.36	$\int \frac{(a+b \coth^{-1}(c+dx))^3}{e+fx} dx$	307
3.37	$\int \frac{(a+b \coth^{-1}(c+dx))^3}{(e+fx)^2} dx$	315
3.38	$\int (e+fx)^m (a+b \coth^{-1}(c+dx)) dx$	326
3.39	$\int (e+fx)^m (a+b \coth^{-1}(c+dx))^2 dx$	332
3.40	$\int (e+fx)^m (a+b \coth^{-1}(c+dx))^3 dx$	337

3.41	$\int \frac{\coth^{-1}(a+bx)}{c+dx^3} dx$	342
3.42	$\int \frac{\coth^{-1}(a+bx)}{c+dx^2} dx$	357
3.43	$\int \frac{\coth^{-1}(a+bx)}{c+dx} dx$	366
3.44	$\int \frac{\coth^{-1}(a+bx)}{c+\frac{d}{x}} dx$	373
3.45	$\int \frac{\coth^{-1}(a+bx)}{c+\frac{d}{x^2}} dx$	381
3.46	$\int \frac{\coth^{-1}(a+bx)}{c+d\sqrt{x}} dx$	392
3.47	$\int \frac{\coth^{-1}(a+bx)}{c+\frac{d}{\sqrt{x}}} dx$	400
3.48	$\int \frac{a+b \coth^{-1}(c+dx)}{e+f\sqrt{x}} dx$	410
3.49	$\int \frac{a+b \coth^{-1}(c+dx)}{e+fx+gx^2} dx$	418
3.50	$\int \frac{a+b \coth^{-1}(c+dx)}{e+fx^2+gx^4} dx$	426
4	Appendix	435
4.1	Listing of Grading functions	435
4.2	Links to plain text integration problems used in this report for each CAS453	

CHAPTER 1

INTRODUCTION

1.1	Listing of CAS systems tested	5
1.2	Results	6
1.3	Time and leaf size Performance	10
1.4	Performance based on number of rules Rubi used	12
1.5	Performance based on number of steps Rubi used	13
1.6	Solved integrals histogram based on leaf size of result	14
1.7	Solved integrals histogram based on CPU time used	15
1.8	Leaf size vs. CPU time used	16
1.9	list of integrals with no known antiderivative	17
1.10	List of integrals solved by CAS but has no known antiderivative	17
1.11	list of integrals solved by CAS but failed verification	17
1.12	Timing	18
1.13	Verification	18
1.14	Important notes about some of the results	19
1.15	Current tree layout of integration tests	22
1.16	Design of the test system	23

This report gives the result of running the computer algebra independent integration test. The download section in on the main webpage contains links to download the problems in plain text format used for all CAS systems. The number of integrals in this report is [50]. This is test number [345].

1.1 Listing of CAS systems tested

The following are the CAS systems tested:

1. Mathematica 14 (January 9, 2024) on windows 10 pro.
2. Rubi 4.17.3 (Sept 25, 2023) on Mathematica 14 on windows 10m pro.
3. Maple 2024 (March 1, 2024) on windows 10 pro.
4. Maxima 5.47 (June 1, 2023) using Lisp SBCL 2.4.0 on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
5. FriCAS 1.3.10 built with sbcl 2.3.11 (January 10, 2024) on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
6. Giac/Xcas 1.9.0-99 on Linux via sagemath 10.3.
7. Sympy 1.12 using Python 3.11.6 (Nov 14 2023, 09:36:21) [GCC 13.2.1 20230801] on Linux Manjaro 23.1.2 KDE.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 on windows 10.
9. Reduce CSL rev 6687 (January 9, 2024) on Linux Manjaro 23.1.2 KDE.

Maxima and Fricas and Giac are called using Sagemath. This was done using Sagemath `integrate` command by changing the name of the algorithm to use the different CAS systems.

Sympy was run directly in Python not via sagemath.

Reduce was called directly.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed. If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	% solved	% Failed
Rubi	98.00 (49)	2.00 (1)
Mathematica	98.00 (49)	2.00 (1)
Maple	98.00 (49)	2.00 (1)
Maxima	66.00 (33)	34.00 (17)
Fricas	34.00 (17)	66.00 (33)
Mupad	34.00 (17)	66.00 (33)
Giac	34.00 (17)	66.00 (33)
Reduce	34.00 (17)	66.00 (33)
Sympy	30.00 (15)	70.00 (35)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	88.000	6.000	0.000	6.000
Maple	66.000	12.000	16.000	6.000
Mathematica	58.000	12.000	24.000	6.000
Maxima	48.000	10.000	4.000	38.000
Fricas	22.000	8.000	0.000	70.000
Sympy	12.000	18.000	0.000	70.000
Giac	0.000	30.000	0.000	70.000
Mupad	0.000	30.000	0.000	70.000
Reduce	0.000	30.000	0.000	70.000

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the grades of the CAS systems.



The following table shows the distribution of the different types of failures for each CAS. There are 3 types failures. The first is when CAS returns the input within the time limit, which means it could not solve it. This is the typical failure and given as **F**.

The second failure is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned. This is assigned **F(-1)**.

The third is due to an exception generated, indicated as **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in the CAS itself. This type of error requires more investigation to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	1	100.00	0.00	0.00
Mathematica	1	100.00	0.00	0.00
Maple	1	100.00	0.00	0.00
Maxima	17	94.12	0.00	5.88
Fricas	33	100.00	0.00	0.00
Mupad	33	0.00	100.00	0.00
Giac	33	100.00	0.00	0.00
Reduce	33	100.00	0.00	0.00
Sympy	35	71.43	28.57	0.00

Table 1.4: Failure statistics for each CAS

1.3 Time and leaf size Performance

The table below summarizes the performance of each CAS system in terms of time used and leaf size of results.

Mean size is the average leaf size produced by the CAS (before any normalization). The Normalized mean is relative to the mean size of the optimal anti-derivative given in the input files.

For example, if CAS has **Normalized mean** of 3, then the mean size of its leaf size is 3 times as large as the mean size of the optimal leaf size.

Median size is value of leaf size where half the values are larger than this and half are smaller (before any normalization). i.e. The Middle value.

Similarly the **Normalized median** is relative to the median leaf size of the optimal.

For example, if a CAS has Normalized median of 1.2, then its median is 1.2 as large as the median leaf size of the optimal.

System	Mean time (sec)
Fricas	0.15
Giac	0.15
Reduce	0.19
Maxima	0.24
Rubi	0.92
Sympy	1.69
Maple	2.15
Mathematica	2.23
Mupad	4.21

Table 1.5: Time performance for each CAS

System	Mean size	Normalized mean	Median size	Normalized median
Fricas	158.12	1.76	84.00	1.40
Mupad	167.94	1.78	98.00	1.33
Maxima	216.70	2.41	139.00	1.39
Rubi	325.31	1.15	148.00	1.02
Mathematica	522.71	2.05	206.00	1.33
Giac	559.53	5.48	259.00	4.62
Maple	788.04	2.63	259.00	1.20
Sympy	1595.07	10.74	144.00	1.80
Reduce	4846.06	231.67	129.00	1.43

Table 1.6: Leaf size performance for each CAS

1.4 Performance based on number of rules Rubi used

This section shows how each CAS performed based on the number of rules Rubi needed to solve the same integral. One diagram is given for each CAS.

On the y axis is the percentage solved which Rubi itself needed the number of rules given the x axis. These plots show that as more rules are needed then most CAS system percentage of solving decreases which indicates the integral is becoming more complicated to solve.




Figure 1.1: Solving statistics per number of Rubi rules used

1.5 Performance based on number of steps Rubi used

This section shows how each CAS performed based on the number of steps Rubi needed to solve the same integral. Note that the number of steps Rubi needed can be much higher than the number of rules, as the same rule could be used more than once.




Figure 1.2: Solving statistics per number of Rubi steps used

The above diagram shows that the percentage of solved integrals decreases for most CAS systems as the number of steps increases. As expected, for integrals that required less steps by Rubi, CAS systems had more success which indicates the integral was not as hard to solve. As Rubi needed more steps to solve the integral, the solved percentage decreased for most CAS systems which indicates the integral is becoming harder to solve.

1.6 Solved integrals histogram based on leaf size of result

The following shows the distribution of solved integrals for each CAS system based on leaf size of the antiderivatives produced by each CAS. It shows that most integrals solved produced leaf size less than about 100 to 150. The bin size used is 40.




Figure 1.3: Solved integrals based on leaf size distribution

1.7 Solved integrals histogram based on CPU time used

The following shows the distribution of solved integrals for each CAS system based on CPU time used in seconds. The bin size used is 0.1 second.




Figure 1.4: Solved integrals histogram based on CPU time used

1.8 Leaf size vs. CPU time used

The following shows the relation between the CPU time used to solve an integral and the leaf size of the antiderivative.

The result for Fracas, Maxima and Giac is shifted more to the right than the other CAS system due to the use of sagemath to call them, which causes an initial slight delay in the timing to start the integration due to overhead of starting a new process each time. This should also be taken into account when looking at the timing of these three CAS systems. Direct calls not using sagemath would result in faster timings, but current implementation uses sagemath as this makes testing much easier to do.




Figure 1.5: Leaf size vs. CPU time. Full range

1.9 list of integrals with no known antiderivative

{39, 40}

1.10 List of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Reduce {}

Mupad {}

1.11 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not necessarily mean that the anti-derivative is wrong as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it possible to do further investigation to determine why the result could not be verified.

Rubi {16, 18, 50}

Mathematica {9, 12, 13, 14, 28, 31, 32, 33, 36, 37, 44, 50}

Maple {12, 31, 33, 34, 36, 37, 41, 50}

Maxima Verification phase not currently implemented.

Fricas Verification phase not currently implemented.

Sympy Verification phase not currently implemented.

Giac Verification phase not currently implemented.

Reduce Verification phase not currently implemented.

Mupad Verification phase not currently implemented.

1.12 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of_int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 CPU minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out was not counted in the final statistics.

1.13 Verification

A verification phase was applied on the result of integration for **Rubi** and **Mathematica**.

Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative was correct.

Verification phase also had 3 minutes time out. An integral whose result was not verified could still be correct, but further investigation is needed on those integrals. These integrals were marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.14 Important notes about some of the results

Important note about Maxima results

Since tests were run in a batch mode, and using an automated script, then any integral where Maxima needed an interactive response from the user to answer a question during the evaluation of the integral will fail.

The exception raised is `ValueError`. Therefore Maxima results is lower than what would result if Maxima was run directly and each question was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the `Timofeev` test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate the cause of error.

Maxima `integrate` was run using SageMath with the following settings set by default

```
'besselexpand : true'  
'display2d : false'  
'domain : complex'  
'keepfloat : true'  
'load(to_poly_solve)'  
'load(simplify_sum)'  
'load(abs_integrate)' 'load(diag)'
```

SageMath automatic loading of Maxima `abs_integrate` was found to cause some problems. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib  
maxima_lib.set('extra_definite_integration_methods', '[]')  
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

Important note about FriCAS result

There were few integrals which failed due to SageMath interface and not because FriCAS system could not do the integration.

These will fail With error `Exception raised: NotImplementedError`.

The number of such cases seems to be very small. About 1 or 2 percent of all integrals. These can be identified by looking at the exception message given in the result.

Important note about finding leaf size of antiderivative

For Mathematica, Rubi, and Maple, the builtin system function `LeafSize` was used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy antiderivative was determined using the following function, thanks to user `slelievre` at https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which was called directly from Python, the following code was used to obtain the leafsize of its result

```
try:  
    # 1.7 is a fudge factor since it is low side from actual leaf count  
    leafCount = round(1.7*count_ops(anti))  
  
except Exception as ee:  
    leafCount = 1
```

Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative. Maple was used to determine the leaf size of Mupad output by post processing Mupad result.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.

The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')  
the_variable = evalin(symengine, 'x')  
anti = int(integrand, the_variable)
```

Which gives $\sin(x)^2/2$

1.15 Current tree layout of integration tests





Figure 1.6: CAS integration tests tree

1.16 Design of the test system

The following diagram gives a high level view of the current test build system.



High level overview of the CAS independent integration test build system

One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer, the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "E"
13. String. Small string description of why the grade was given.
14. integer. 1 if result was verified or 0 if not verified. (For mma, rubi and maple only)

The following fields are present only in Rubi Table file

15. integer. Number of steps used.
16. integer. Number of rules used.
17. integer. Integrand leaf size.
18. real number. Ratio. Field 16 over field 17
19. String of form "{n,n,...}" which is list of the rules used by Rubi
20. String. The optimal antiderivative in Mathematica syntax

Nasser M. Abbasi
January 13, 2024
Design note

CHAPTER 2

DETAILED SUMMARY TABLES OF RESULTS

2.1	List of integrals sorted by grade for each CAS	25
2.2	Detailed conclusion table per each integral for all CAS systems	29
2.3	Detailed conclusion table specific for Rubi results	42

2.1 List of integrals sorted by grade for each CAS

Rubi	25
Mma	25
Maple	26
Fricas	26
Maxima	26
Giac	27
Mupad	27
Sympy	27
Reduce	28

Rubi

A grade { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 43, 44, 45, 46, 47, 49 }

B grade { 41, 42, 50 }

C grade { }

F normal fail { 48 }

F(-1) timedout fail { }

F(-2) exception fail { }

Mma

A grade { 1, 2, 3, 4, 6, 7, 8, 10, 11, 15, 16, 18, 21, 22, 23, 24, 25, 26, 27, 29, 30, 41, 42, 43, 45, 46, 47, 48, 49 }

B grade { 9, 17, 19, 20, 28, 50 }

C grade { 5, 12, 13, 14, 31, 32, 33, 34, 35, 36, 37, 44 }

F normal fail { 38 }

F(-1) timedout fail { }

F(-2) exception fail { }

Maple

A grade { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 13, 14, 15, 16, 17, 18, 19, 20, 23, 24, 25, 26, 27, 30, 32, 42, 43, 44, 45, 46, 47, 48 }

B grade { 21, 22, 28, 29, 35, 49 }

C grade { 12, 31, 33, 34, 36, 37, 41, 50 }

F normal fail { 38 }

F(-1) timedout fail { }

F(-2) exception fail { }

Fricas

A grade { 1, 2, 3, 4, 6, 7, 15, 16, 18, 23, 24 }

B grade { 21, 22, 26, 27 }

C grade { }

F normal fail { 5, 8, 9, 10, 11, 12, 13, 14, 17, 19, 20, 25, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50 }

F(-1) timedout fail { }

F(-2) exception fail { }

Maxima

A grade { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 13, 14, 15, 16, 18, 22, 23, 24, 26, 27, 29, 43, 44 }

B grade { 17, 19, 20, 21, 28 }

C grade { 42, 45 }

F normal fail { 12, 25, 30, 31, 32, 33, 34, 35, 36, 37, 38, 41, 46, 47, 48, 50 }

F(-1) timedout fail { }

F(-2) exception fail { 49 }

Giac

A grade { }

B grade { 1, 2, 3, 4, 6, 7, 15, 16, 18, 21, 22, 23, 24, 26, 27 }

C grade { }

F normal fail { 5, 8, 9, 10, 11, 12, 13, 14, 17, 19, 20, 25, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50 }

F(-1) timedout fail { }

F(-2) exception fail { }

Mupad

A grade { }

B grade { 1, 2, 3, 4, 6, 7, 15, 16, 18, 21, 22, 23, 24, 26, 27 }

C grade { }

F normal fail { }

F(-1) timedout fail { 5, 8, 9, 10, 11, 12, 13, 14, 17, 19, 20, 25, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50 }

F(-2) exception fail { }

Sympy

A grade { 1, 2, 3, 4, 15, 24 }

B grade { 6, 7, 16, 18, 21, 22, 23, 26, 27 }

C grade { }

F normal fail { 5, 8, 9, 10, 11, 12, 13, 14, 17, 19, 20, 25, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 43, 44 }

F(-1) timedout fail { 39, 40, 41, 42, 45, 46, 47, 48, 49, 50 }

F(-2) exception fail { }

Reduce

A grade { }

B grade { 1, 2, 3, 4, 6, 7, 15, 16, 18, 21, 22, 23, 24, 26, 27 }

C grade { }

F normal fail { 5, 8, 9, 10, 11, 12, 13, 14, 17, 19, 20, 25, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50 }

F(-1) timedout fail { }

F(-2) exception fail { }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by the table below. The elapsed time is in seconds. For failed result it is given as **F(-1)** if the failure was due to timeout. It is given as **F(-2)** if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given as **F**.

In this table, the column **N.S.** means **normalized size** and is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$. To make the table fit the page, the name **Mathematica** was abbreviated to **MMA**.

Problem 1	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	101	99	81	106	106	112	153	512	120	134
N.S.	1	0.98	0.80	1.05	1.05	1.11	1.51	5.07	1.19	1.33
time (sec)	N/A	0.358	0.029	0.183	0.028	0.089	0.885	0.140	0.167	4.402

Problem 2	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	78	82	92	85	79	84	117	360	93	98
N.S.	1	1.05	1.18	1.09	1.01	1.08	1.50	4.62	1.19	1.26
time (sec)	N/A	0.332	0.017	0.141	0.029	0.097	0.713	0.130	0.178	4.221

Problem 3	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	65	71	56	63	61	66	76	259	61	62
N.S.	1	1.09	0.86	0.97	0.94	1.02	1.17	3.98	0.94	0.95
time (sec)	N/A	0.318	0.016	0.134	0.029	0.100	0.506	0.127	0.159	4.632

Problem 4	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	35	33	43	30	31	48	41	197	37	42
N.S.	1	0.94	1.23	0.86	0.89	1.37	1.17	5.63	1.06	1.20
time (sec)	N/A	0.217	0.010	0.108	0.025	0.083	0.239	0.119	0.177	4.338

Problem 5	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	92	92	259	68	128	0	0	0	12	0
N.S.	1	1.00	2.82	0.74	1.39	0.00	0.00	0.00	0.13	0.00
time (sec)	N/A	0.475	0.109	0.391	0.031	0.000	0.000	0.000	0.169	0.000

Problem 6	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	B	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	64	67	55	61	54	68	144	259	65	62
N.S.	1	1.05	0.86	0.95	0.84	1.06	2.25	4.05	1.02	0.97
time (sec)	N/A	0.300	0.039	0.134	0.027	0.093	0.672	0.139	0.161	4.349

Problem 7	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	B	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	90	93	76	78	85	111	410	360	129	247
N.S.	1	1.03	0.84	0.87	0.94	1.23	4.56	4.00	1.43	2.74
time (sec)	N/A	0.316	0.075	0.164	0.030	0.097	0.932	0.132	0.171	4.893

Problem 8	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	263	244	203	448	320	0	0	0	257	0
N.S.	1	0.93	0.77	1.70	1.22	0.00	0.00	0.00	0.98	0.00
time (sec)	N/A	0.576	1.228	0.436	0.036	0.000	0.000	0.000	0.165	0.000

Problem 9	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	204	193	607	350	259	0	0	0	231	0
N.S.	1	0.95	2.98	1.72	1.27	0.00	0.00	0.00	1.13	0.00
time (sec)	N/A	0.508	2.730	0.405	0.036	0.000	0.000	0.000	0.182	0.000

Problem 10	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	136	127	106	244	202	0	0	0	48	0
N.S.	1	0.93	0.78	1.79	1.49	0.00	0.00	0.00	0.35	0.00
time (sec)	N/A	0.472	0.212	0.368	0.036	0.000	0.000	0.000	0.174	0.000

Problem 11	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	81	76	55	133	139	0	0	0	116	0
N.S.	1	0.94	0.68	1.64	1.72	0.00	0.00	0.00	1.43	0.00
time (sec)	N/A	0.488	0.062	0.302	0.032	0.000	0.000	0.000	0.170	0.000

Problem 12	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	C	F	F	F	F	F	F(-1)
verified	N/A	Yes	No	No	TBD	TBD	TBD	TBD	TBD	TBD
size	148	148	777	866	0	0	0	0	14	0
N.S.	1	1.00	5.25	5.85	0.00	0.00	0.00	0.00	0.09	0.00
time (sec)	N/A	0.334	2.248	6.325	0.000	0.000	0.000	0.000	0.168	0.000

Problem 13	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	251	257	206	299	244	0	0	0	252	0
N.S.	1	1.02	0.82	1.19	0.97	0.00	0.00	0.00	1.00	0.00
time (sec)	N/A	1.033	0.712	0.552	0.035	0.000	0.000	0.000	0.163	0.000

Problem 14	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	370	347	291	386	360	0	0	0	605	0
N.S.	1	0.94	0.79	1.04	0.97	0.00	0.00	0.00	1.64	0.00
time (sec)	N/A	1.125	1.543	0.617	0.041	0.000	0.000	0.000	0.164	0.000

Problem 15	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	39	39	66	46	62	44	56	188	52	50
N.S.	1	1.00	1.69	1.18	1.59	1.13	1.44	4.82	1.33	1.28
time (sec)	N/A	0.240	0.034	0.171	0.030	0.078	0.410	0.127	0.154	4.647

Problem 16	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	B	B	B	B
verified	N/A	No	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	54	41	42	48	81	86	97	255	89	114
N.S.	1	0.76	0.78	0.89	1.50	1.59	1.80	4.72	1.65	2.11
time (sec)	N/A	0.277	0.029	0.227	0.024	0.085	0.643	0.131	0.161	4.118

Problem 17	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	A	B	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	35	33	144	43	112	0	0	0	16	0
N.S.	1	0.94	4.11	1.23	3.20	0.00	0.00	0.00	0.46	0.00
time (sec)	N/A	0.246	0.029	0.316	0.032	0.000	0.000	0.000	0.165	0.000

Problem 18	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	B	B	B	B
verified	N/A	No	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	48	45	43	45	53	67	136	198	132	93
N.S.	1	0.94	0.90	0.94	1.10	1.40	2.83	4.12	2.75	1.94
time (sec)	N/A	0.253	0.030	0.289	0.029	0.088	0.789	0.125	0.167	4.166

Problem 19	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	A	B	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	25	29	117	22	58	0	0	0	14	0
N.S.	1	1.16	4.68	0.88	2.32	0.00	0.00	0.00	0.56	0.00
time (sec)	N/A	0.232	0.011	0.157	0.024	0.000	0.000	0.000	0.154	0.000

Problem 20	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	A	B	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	35	33	144	43	132	0	0	0	21	0
N.S.	1	0.94	4.11	1.23	3.77	0.00	0.00	0.00	0.60	0.00
time (sec)	N/A	0.273	0.029	0.270	0.033	0.000	0.000	0.000	0.164	0.000

Problem 21	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	B	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	168	167	270	599	333	385	644	2333	519	742
N.S.	1	0.99	1.61	3.57	1.98	2.29	3.83	13.89	3.09	4.42
time (sec)	N/A	0.483	0.135	0.396	0.033	0.137	2.029	0.188	0.163	4.540

Problem 22	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	A	B	B	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	120	128	174	351	207	241	369	973	305	386
N.S.	1	1.07	1.45	2.92	1.72	2.01	3.08	8.11	2.54	3.22
time (sec)	N/A	0.422	0.084	0.292	0.028	0.115	1.335	0.159	0.157	4.290

Problem 23	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	B	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	97	106	138	121	109	133	173	338	139	136
N.S.	1	1.09	1.42	1.25	1.12	1.37	1.78	3.48	1.43	1.40
time (sec)	N/A	0.358	0.037	0.252	0.025	0.112	0.875	0.128	0.154	4.793

Problem 24	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	40	40	48	35	36	60	46	202	46	48
N.S.	1	1.00	1.20	0.88	0.90	1.50	1.15	5.05	1.15	1.20
time (sec)	N/A	0.192	0.009	0.148	0.025	0.093	0.262	0.121	0.159	0.693

Problem 25	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	130	148	206	191	0	0	0	0	32	0
N.S.	1	1.14	1.58	1.47	0.00	0.00	0.00	0.00	0.25	0.00
time (sec)	N/A	0.579	0.072	1.306	0.000	0.000	0.000	0.000	0.177	0.000

Problem 26	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	B	B	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	114	121	125	137	121	262	1605	472	416	175
N.S.	1	1.06	1.10	1.20	1.06	2.30	14.08	4.14	3.65	1.54
time (sec)	N/A	0.418	0.115	0.586	0.032	0.203	4.631	0.141	0.174	4.452

Problem 27	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	B	B	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	167	170	174	198	291	833	19859	2562	2159	422
N.S.	1	1.02	1.04	1.19	1.74	4.99	118.92	15.34	12.93	2.53
time (sec)	N/A	0.498	0.200	0.999	0.039	0.822	10.380	0.198	0.175	5.722

Problem 28	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	B	F	F	F	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	374	374	1078	1411	791	0	0	0	793	0
N.S.	1	1.00	2.88	3.77	2.11	0.00	0.00	0.00	2.12	0.00
time (sec)	N/A	0.823	6.910	0.846	0.243	0.000	0.000	0.000	0.174	0.000

Problem 29	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	221	231	295	450	400	0	0	0	350	0
N.S.	1	1.05	1.33	2.04	1.81	0.00	0.00	0.00	1.58	0.00
time (sec)	N/A	0.659	0.846	0.618	0.243	0.000	0.000	0.000	0.164	0.000

Problem 30	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	97	93	111	174	0	0	0	0	106	0
N.S.	1	0.96	1.14	1.79	0.00	0.00	0.00	0.00	1.09	0.00
time (sec)	N/A	0.524	0.136	0.527	0.000	0.000	0.000	0.000	0.173	0.000

Problem 31	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	C	F	F	F	F	F	F(-1)
verified	N/A	Yes	No	No	TBD	TBD	TBD	TBD	TBD	TBD
size	214	241	1767	1603	0	0	0	0	59	0
N.S.	1	1.13	8.26	7.49	0.00	0.00	0.00	0.00	0.28	0.00
time (sec)	N/A	0.442	12.996	11.076	0.000	0.000	0.000	0.000	0.169	0.000

Problem 32	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	A	F	F	F	F	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	401	491	470	590	0	0	0	0	0	0
N.S.	1	1.22	1.17	1.47	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	1.903	5.568	2.020	0.000	0.000	0.000	0.000	0.235	0.000

Problem 33	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	C	F	F	F	F	F	F(-1)
verified	N/A	Yes	No	No	TBD	TBD	TBD	TBD	TBD	TBD
size	546	533	2574	8597	0	0	0	0	1397	0
N.S.	1	0.98	4.71	15.75	0.00	0.00	0.00	0.00	2.56	0.00
time (sec)	N/A	1.198	8.787	26.435	0.000	0.000	0.000	0.000	0.377	0.000

Problem 34	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	C	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	326	324	600	7658	0	0	0	0	584	0
N.S.	1	0.99	1.84	23.49	0.00	0.00	0.00	0.00	1.79	0.00
time (sec)	N/A	0.911	3.584	6.741	0.000	0.000	0.000	0.000	0.176	0.000

Problem 35	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	132	130	208	372	0	0	0	0	170	0
N.S.	1	0.98	1.58	2.82	0.00	0.00	0.00	0.00	1.29	0.00
time (sec)	N/A	0.753	0.233	1.006	0.000	0.000	0.000	0.000	0.168	0.000

Problem 36	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	C	F	F	F	F	F	F(-1)
verified	N/A	Yes	No	No	TBD	TBD	TBD	TBD	TBD	TBD
size	308	344	3317	3250	0	0	0	0	86	0
N.S.	1	1.12	10.77	10.55	0.00	0.00	0.00	0.00	0.28	0.00
time (sec)	N/A	0.513	22.972	13.082	0.000	0.000	0.000	0.000	0.194	0.000

Problem 37	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	C	F	F	F	F	F	F(-1)
verified	N/A	Yes	No	No	TBD	TBD	TBD	TBD	TBD	TBD
size	634	1085	1945	4101	0	0	0	0	0	0
N.S.	1	1.71	3.07	6.47	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	2.880	13.127	13.832	0.000	0.000	0.000	0.000	0.654	0.000

Problem 38	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	F	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	162	222	0	0	0	0	0	0	1361	0
N.S.	1	1.37	0.00	0.00	0.00	0.00	0.00	0.00	8.40	0.00
time (sec)	N/A	0.499	0.000	0.000	0.000	0.000	0.000	0.000	0.209	0.000

Problem 39	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	253	36	0	22	22801	22
N.S.	1	1.00	1.10	1.00	12.65	1.80	0.00	1.10	1140.05	1.10
time (sec)	N/A	0.319	2.007	0.250	2.178	0.099	0.000	0.181	0.286	3.656

Problem 40	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	418	52	0	22	55220	22
N.S.	1	1.00	1.10	1.00	20.90	2.60	0.00	1.10	2761.00	1.10
time (sec)	N/A	0.328	0.292	0.249	3.881	0.088	0.000	0.224	0.415	3.728

Problem 41	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	B	A	C	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	649	1811	931	260	0	0	0	0	18	0
N.S.	1	2.79	1.43	0.40	0.00	0.00	0.00	0.00	0.03	0.00
time (sec)	N/A	2.977	0.747	1.046	0.000	0.000	0.000	0.000	40.838	0.000

Problem 42	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	B	A	A	C	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	287	709	529	426	591	0	0	0	18	0
N.S.	1	2.47	1.84	1.48	2.06	0.00	0.00	0.00	0.06	0.00
time (sec)	N/A	1.465	0.364	0.813	0.239	0.000	0.000	0.000	0.167	0.000

Problem 43	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	120	138	185	164	192	0	0	0	16	0
N.S.	1	1.15	1.54	1.37	1.60	0.00	0.00	0.00	0.13	0.00
time (sec)	N/A	0.524	0.045	1.876	0.037	0.000	0.000	0.000	0.175	0.000

Problem 44	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	292	436	502	259	192	0	0	0	17	0
N.S.	1	1.49	1.72	0.89	0.66	0.00	0.00	0.00	0.06	0.00
time (sec)	N/A	1.037	3.507	1.891	0.041	0.000	0.000	0.000	0.167	0.000

Problem 45	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	C	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	742	1165	843	554	651	0	0	0	21	0
N.S.	1	1.57	1.14	0.75	0.88	0.00	0.00	0.00	0.03	0.00
time (sec)	N/A	2.112	0.575	1.806	0.199	0.000	0.000	0.000	0.179	0.000

Problem 46	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	619	619	575	646	0	0	0	0	17	0
N.S.	1	1.00	0.93	1.04	0.00	0.00	0.00	0.00	0.03	0.00
time (sec)	N/A	2.275	0.426	0.423	0.000	0.000	0.000	0.000	0.188	0.000

Problem 47	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	725	738	719	752	0	0	0	0	19	0
N.S.	1	1.02	0.99	1.04	0.00	0.00	0.00	0.00	0.03	0.00
time (sec)	N/A	2.654	0.445	0.417	0.000	0.000	0.000	0.000	0.178	0.000

Problem 48	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	A	A	F	F	F(-1)	F	F	F(-1)
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	652	0	602	673	0	0	0	0	44	0
N.S.	1	0.00	0.92	1.03	0.00	0.00	0.00	0.00	0.07	0.00
time (sec)	N/A	0.000	10.343	0.579	0.000	0.000	0.000	0.000	0.197	0.000

Problem 49	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F(-2)	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	366	395	633	820	0	0	0	0	1077	0
N.S.	1	1.08	1.73	2.24	0.00	0.00	0.00	0.00	2.94	0.00
time (sec)	N/A	1.152	0.627	1.819	0.000	0.000	0.000	0.000	0.210	0.000

Problem 50	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	B	B	C	F	F	F(-1)	F	F	F(-1)
verified	N/A	No	No	No	TBD	TBD	TBD	TBD	TBD	TBD
size	1135	2792	3087	718	0	0	0	0	419	0
N.S.	1	2.46	2.72	0.63	0.00	0.00	0.00	0.00	0.37	0.00
time (sec)	N/A	7.812	4.760	2.187	0.000	0.000	0.000	0.000	0.292	0.000

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi only. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is also given. The larger this ratio is, the harder the integral is to solve. In this test file, problem number [3] had the largest ratio of [.750000000000000000]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	7	6	0.98	10	0.600
2	A	6	5	1.05	10	0.500
3	A	7	6	1.09	8	0.750
4	A	4	3	0.94	6	0.500
5	A	8	7	1.00	10	0.700
6	A	6	5	1.05	10	0.500
7	A	5	4	1.03	10	0.400
8	A	6	5	0.93	12	0.417
9	A	5	4	0.95	12	0.333
10	A	6	5	0.93	10	0.500
11	A	7	6	0.94	8	0.750
12	A	5	4	1.00	12	0.333
13	A	8	7	1.02	12	0.583
14	A	7	6	0.94	12	0.500
15	A	5	4	1.00	12	0.333
16	A	6	5	0.76	14	0.357
17	A	3	2	0.94	14	0.143
18	A	7	6	0.94	14	0.429
19	A	4	3	1.16	12	0.250
20	A	4	3	0.94	19	0.158
21	A	6	5	0.99	18	0.278

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
22	A	6	5	1.07	18	0.278
23	A	6	5	1.09	16	0.312
24	A	1	1	1.00	10	0.100
25	A	7	6	1.14	18	0.333
26	A	4	4	1.06	18	0.222
27	A	4	4	1.02	18	0.222
28	A	5	4	1.00	20	0.200
29	A	5	4	1.05	18	0.222
30	A	7	6	0.96	12	0.500
31	A	4	3	1.13	20	0.150
32	A	7	6	1.22	20	0.300
33	A	5	4	0.98	20	0.200
34	A	5	4	0.99	18	0.222
35	A	7	6	0.98	12	0.500
36	A	4	3	1.12	20	0.150
37	A	7	6	1.71	20	0.300
38	A	5	4	1.37	18	0.222
39	N/A	3	0	1.00	20	0.000
40	N/A	3	0	1.00	20	0.000
41	B	13	12	2.79	16	0.750
42	B	8	7	2.47	16	0.438
43	A	7	6	1.15	14	0.429
44	A	7	7	1.49	16	0.438
45	A	7	7	1.57	16	0.438
46	A	5	4	1.00	18	0.222
47	A	5	4	1.02	18	0.222
48	F	0	0	N/A	0.000	N/A
49	A	2	2	1.08	23	0.087
50	B	2	2	2.46	25	0.080

CHAPTER 3

LISTING OF INTEGRALS

3.1	$\int x^3 \coth^{-1}(a + bx) dx$	46
3.2	$\int x^2 \coth^{-1}(a + bx) dx$	53
3.3	$\int x \coth^{-1}(a + bx) dx$	60
3.4	$\int \coth^{-1}(a + bx) dx$	67
3.5	$\int \frac{\coth^{-1}(a+bx)}{x} dx$	73
3.6	$\int \frac{\coth^{-1}(a+bx)}{x^2} dx$	81
3.7	$\int \frac{\coth^{-1}(a+bx)}{x^3} dx$	88
3.8	$\int x^3 \coth^{-1}(a + bx)^2 dx$	96
3.9	$\int x^2 \coth^{-1}(a + bx)^2 dx$	103
3.10	$\int x \coth^{-1}(a + bx)^2 dx$	110
3.11	$\int \coth^{-1}(a + bx)^2 dx$	117
3.12	$\int \frac{\coth^{-1}(a+bx)^2}{x} dx$	123
3.13	$\int \frac{\coth^{-1}(a+bx)^2}{x^2} dx$	130
3.14	$\int \frac{\coth^{-1}(a+bx)^2}{x^3} dx$	138
3.15	$\int (a + bx) \coth^{-1}(a + bx) dx$	146
3.16	$\int (a + bx)^2 \coth^{-1}(a + bx) dx$	153
3.17	$\int \frac{\coth^{-1}(a+bx)}{a+bx} dx$	160
3.18	$\int \frac{\coth^{-1}(a+bx)}{(a+bx)^2} dx$	165
3.19	$\int \frac{\coth^{-1}(1+x)}{2+2x} dx$	172
3.20	$\int \frac{\coth^{-1}(a+bx)}{\frac{a}{b}+dx} dx$	177
3.21	$\int (e + fx)^3 (a + b \coth^{-1}(c + dx)) dx$	183
3.22	$\int (e + fx)^2 (a + b \coth^{-1}(c + dx)) dx$	194
3.23	$\int (e + fx) (a + b \coth^{-1}(c + dx)) dx$	203
3.24	$\int (a + b \coth^{-1}(c + dx)) dx$	210
3.25	$\int \frac{a+b \coth^{-1}(c+dx)}{e+fx} dx$	216

3.26	$\int \frac{a+b \coth^{-1}(c+dx)}{(e+fx)^2} dx$	223
3.27	$\int \frac{a+b \coth^{-1}(c+dx)}{(e+fx)^3} dx$	231
3.28	$\int (e+fx)^2 (a+b \coth^{-1}(c+dx))^2 dx$	241
3.29	$\int (e+fx) (a+b \coth^{-1}(c+dx))^2 dx$	251
3.30	$\int (a+b \coth^{-1}(c+dx))^2 dx$	258
3.31	$\int \frac{(a+b \coth^{-1}(c+dx))^2}{e+fx} dx$	265
3.32	$\int \frac{(a+b \coth^{-1}(c+dx))^2}{(e+fx)^2} dx$	272
3.33	$\int (e+fx)^2 (a+b \coth^{-1}(c+dx))^3 dx$	281
3.34	$\int (e+fx) (a+b \coth^{-1}(c+dx))^3 dx$	291
3.35	$\int (a+b \coth^{-1}(c+dx))^3 dx$	299
3.36	$\int \frac{(a+b \coth^{-1}(c+dx))^3}{e+fx} dx$	307
3.37	$\int \frac{(a+b \coth^{-1}(c+dx))^3}{(e+fx)^2} dx$	315
3.38	$\int (e+fx)^m (a+b \coth^{-1}(c+dx)) dx$	326
3.39	$\int (e+fx)^m (a+b \coth^{-1}(c+dx))^2 dx$	332
3.40	$\int (e+fx)^m (a+b \coth^{-1}(c+dx))^3 dx$	337
3.41	$\int \frac{\coth^{-1}(a+bx)}{c+dx^3} dx$	342
3.42	$\int \frac{\coth^{-1}(a+bx)}{c+dx^2} dx$	357
3.43	$\int \frac{\coth^{-1}(a+bx)}{c+dx} dx$	366
3.44	$\int \frac{\coth^{-1}(a+bx)}{c+\frac{d}{x}} dx$	373
3.45	$\int \frac{\coth^{-1}(a+bx)}{c+\frac{d}{x^2}} dx$	381
3.46	$\int \frac{\coth^{-1}(a+bx)}{c+d\sqrt{x}} dx$	392
3.47	$\int \frac{\coth^{-1}(a+bx)}{c+\frac{d}{\sqrt{x}}} dx$	400
3.48	$\int \frac{a+b \coth^{-1}(c+dx)}{e+f\sqrt{x}} dx$	410
3.49	$\int \frac{a+b \coth^{-1}(c+dx)}{e+fx+gx^2} dx$	418
3.50	$\int \frac{a+b \coth^{-1}(c+dx)}{e+fx^2+gx^4} dx$	426

3.1 $\int x^3 \coth^{-1}(a + bx) dx$

Optimal result	46
Mathematica [A] (verified)	46
Rubi [A] (verified)	47
Maple [A] (verified)	49
Fricas [A] (verification not implemented)	49
Sympy [A] (verification not implemented)	50
Maxima [A] (verification not implemented)	50
Giac [B] (verification not implemented)	51
Mupad [B] (verification not implemented)	52
Reduce [B] (verification not implemented)	52

Optimal result

Integrand size = 10, antiderivative size = 101

$$\int x^3 \coth^{-1}(a + bx) dx = \frac{(1 + 6a^2)x}{4b^3} - \frac{a(a + bx)^2}{2b^4} + \frac{(a + bx)^3}{12b^4} + \frac{1}{4}x^4 \coth^{-1}(a + bx) + \frac{(1 - a)^4 \log(1 - a - bx)}{8b^4} - \frac{(1 + a)^4 \log(1 + a + bx)}{8b^4}$$

output $\frac{1}{4}*(6*a^2+1)*x/b^3-1/2*a*(b*x+a)^2/b^4+1/12*(b*x+a)^3/b^4+1/4*x^4*\operatorname{arccoth}(b*x+a)+1/8*(1-a)^4*\ln(-b*x-a+1)/b^4-1/8*(1+a)^4*\ln(b*x+a+1)/b^4$

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 81, normalized size of antiderivative = 0.80

$$\int x^3 \coth^{-1}(a + bx) dx = \frac{6(1 + 3a^2)bx - 6ab^2x^2 + 2b^3x^3 + 6b^4x^4 \coth^{-1}(a + bx) + 3(-1 + a)^4 \log(1 - a - bx) - 3(1 + a)^4 \log(1 + a + bx)}{24b^4}$$

input `Integrate[x^3*ArcCoth[a + b*x],x]`

output

$$(6*(1 + 3*a^2)*b*x - 6*a*b^2*x^2 + 2*b^3*x^3 + 6*b^4*x^4*ArcCoth[a + b*x] + 3*(-1 + a)^4*Log[1 - a - b*x] - 3*(1 + a)^4*Log[1 + a + b*x])/(24*b^4)$$

Rubi [A] (verified)

Time = 0.36 (sec) , antiderivative size = 99, normalized size of antiderivative = 0.98, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {6662, 25, 27, 6479, 477, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int x^3 \coth^{-1}(a + bx) dx \\ & \quad \downarrow 6662 \\ & \frac{\int x^3 \coth^{-1}(a + bx) d(a + bx)}{b} \\ & \quad \downarrow 25 \\ & -\frac{\int -x^3 \coth^{-1}(a + bx) d(a + bx)}{b} \\ & \quad \downarrow 27 \\ & -\frac{\int -b^3 x^3 \coth^{-1}(a + bx) d(a + bx)}{b^4} \\ & \quad \downarrow 6479 \\ & -\frac{\frac{1}{4} \int \frac{b^4 x^4}{1-(a+bx)^2} d(a + bx) - \frac{1}{4} b^4 x^4 \coth^{-1}(a + bx)}{b^4} \\ & \quad \downarrow 477 \\ & -\frac{\frac{1}{4} \int \left(\frac{(1-a)^4}{2(-a-bx+1)} - 6a^2 - (a + bx)^2 + 4a(a + bx) + \frac{(a+1)^4}{2(a+bx+1)} - 1 \right) d(a + bx) - \frac{1}{4} b^4 x^4 \coth^{-1}(a + bx)}{b^4} \\ & \quad \downarrow 2009 \\ & -\frac{\frac{1}{4} (-(6a^2 + 1)(a + bx) - \frac{1}{3}(a + bx)^3 + 2a(a + bx)^2 - \frac{1}{2}(1 - a)^4 \log(-a - bx + 1) + \frac{1}{2}(a + 1)^4 \log(a + bx + 1))}{b^4} \end{aligned}$$

input `Int[x^3*ArcCoth[a + b*x],x]`

output
$$-\left(\frac{-1/4(b^4x^4\text{ArcCoth}[a + bx]) + (-((1 + 6a^2)(a + bx)) + 2a(a + bx)^2 - (a + bx)^3/3 - ((1 - a)^4\text{Log}[1 - a - bx])/2 + ((1 + a)^4\text{Log}[1 + a + bx])/2)/4}{b^4}\right)$$

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`

rule 477 `Int[((c_) + (d_)*(x_))^(n_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Simp[a^p Int[ExpandIntegrand[(c + d*x)^n*(1 - Rt[-b/a, 2]*x)^p*(1 + Rt[-b/a, 2]*x)^p, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[p, 0] && IntegerQ[n] && NiceSqrtQ[-b/a] && !FractionalPowerFactorQ[Rt[-b/a, 2]]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 6479 `Int[((a_) + ArcCoth[(c_)*(x_)])*(b_))*((d_) + (e_)*(x_)^(q_)), x_Symbol] := Simp[(d + e*x)^(q + 1)*((a + b*ArcCoth[c*x])/(e*(q + 1))), x] - Simp[b*(c/(e*(q + 1))) Int[(d + e*x)^(q + 1)/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[q, -1]`

rule 6662 `Int[((a_) + ArcCoth[(c_) + (d_)*(x_)])*(b_))^(p_)*((e_) + (f_)*(x_)^(m_)), x_Symbol] := Simp[1/d Subst[Int[((d*e - c*f)/d + f*(x/d))^m*(a + b*ArcCoth[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[p, 0]`

Maple [A] (verified)

Time = 0.18 (sec) , antiderivative size = 106, normalized size of antiderivative = 1.05

method	result
parts	$\frac{x^4 \operatorname{arccoth}(bx+a)}{4} + \frac{b \left(\frac{\frac{1}{3}b^2x^3 - x^2ab + 3a^2x + x}{b^4} + \frac{(a^4 - 4a^3 + 6a^2 - 4a + 1) \ln(bx+a-1)}{2b^5} + \frac{(-a^4 - 4a^3 - 6a^2 - 4a - 1) \ln(bx+a+1)}{2b^5} \right)}{4}$
parallelrisch	$- \frac{-3 \operatorname{arccoth}(bx+a)x^4b^4 - b^3x^3 + 3ab^2x^2 + 3 \operatorname{arccoth}(bx+a)a^4 + 12 \ln(bx+a-1)a^3 - 9a^2bx + 12 \operatorname{arccoth}(bx+a)a^3 + 18}{12b^4}$
derivativedivides	$\frac{\frac{\operatorname{arccoth}(bx+a)a^4}{4} - \operatorname{arccoth}(bx+a)a^3(bx+a) + \frac{3 \operatorname{arccoth}(bx+a)a^2(bx+a)^2}{2} - \operatorname{arccoth}(bx+a)a(bx+a)^3 + \frac{\operatorname{arccoth}(bx+a)(bx+a)}{4}}{b^4}$
default	$\frac{\frac{\operatorname{arccoth}(bx+a)a^4}{4} - \operatorname{arccoth}(bx+a)a^3(bx+a) + \frac{3 \operatorname{arccoth}(bx+a)a^2(bx+a)^2}{2} - \operatorname{arccoth}(bx+a)a(bx+a)^3 + \frac{\operatorname{arccoth}(bx+a)(bx+a)}{4}}{b^4}$
risch	$\frac{x^4 \ln(bx+a+1)}{8} - \frac{x^4 \ln(bx+a-1)}{8} + \frac{x^3}{12b} - \frac{\ln(bx+a+1)a^4}{8b^4} + \frac{\ln(-bx-a+1)a^4}{8b^4} - \frac{ax^2}{4b^2} - \frac{\ln(bx+a+1)a^3}{2b^4} - \dots$

input `int(x^3*arccoth(b*x+a),x,method=_RETURNVERBOSE)`output
$$\frac{1}{4}x^4 \operatorname{arccoth}(bx+a) + \frac{1}{4}b \left(\frac{1}{b^4} \left(\frac{1}{3}b^2x^3 - x^2ab + 3a^2x + x \right) + \frac{1}{2} \left(\frac{a^4 - 4a^3 + 6a^2 - 4a + 1}{b^5} \ln(bx+a-1) + \frac{-a^4 - 4a^3 - 6a^2 - 4a - 1}{b^5} \ln(bx+a+1) \right) \right)$$
Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 112, normalized size of antiderivative = 1.11

$$\int x^3 \coth^{-1}(a+bx) dx = \frac{3b^4x^4 \log\left(\frac{bx+a+1}{bx+a-1}\right) + 2b^3x^3 - 6ab^2x^2 + 6(3a^2+1)bx - 3(a^4+4a^3+6a^2+4a+1)\log(bx+a+1)}{24b^4}$$

input `integrate(x^3*arccoth(b*x+a),x, algorithm="fricas")`output
$$\frac{1}{24} \left(3b^4x^4 \log\left(\frac{bx+a+1}{bx+a-1}\right) + 2b^3x^3 - 6a^2b^2x^2 + 6(3a^2+1)b^2x - 3(a^4+4a^3+6a^2+4a+1)\log(bx+a+1) + 3(a^4-4a^3+6a^2-4a+1)\log(bx+a-1) \right) / b^4$$

Sympy [A] (verification not implemented)

Time = 0.89 (sec) , antiderivative size = 153, normalized size of antiderivative = 1.51

$$\int x^3 \coth^{-1}(a + bx) dx$$

$$= \begin{cases} -\frac{a^4 \operatorname{acoth}(a+bx)}{4b^4} - \frac{a^3 \log(a+bx+1)}{b^4} + \frac{a^3 \operatorname{acoth}(a+bx)}{b^4} + \frac{3a^2 x}{4b^3} - \frac{3a^2 \operatorname{acoth}(a+bx)}{2b^4} - \frac{ax^2}{4b^2} - \frac{a \log(a+bx+1)}{b^4} + \frac{a \operatorname{acoth}(a+bx)}{b^4} \\ \frac{x^4 \operatorname{acoth}(a)}{4} \end{cases}$$

input `integrate(x**3*acoth(b*x+a),x)`output `Piecewise((-a**4*acoth(a + b*x)/(4*b**4) - a**3*log(a + b*x + 1)/b**4 + a*
*3*acoth(a + b*x)/b**4 + 3*a**2*x/(4*b**3) - 3*a**2*acoth(a + b*x)/(2*b**4
) - a*x**2/(4*b**2) - a*log(a + b*x + 1)/b**4 + a*acoth(a + b*x)/b**4 + x*
*4*acoth(a + b*x)/4 + x**3/(12*b) + x/(4*b**3) - acoth(a + b*x)/(4*b**4),
Ne(b, 0)), (x**4*acoth(a)/4, True))`**Maxima [A] (verification not implemented)**

Time = 0.03 (sec) , antiderivative size = 106, normalized size of antiderivative = 1.05

$$\int x^3 \coth^{-1}(a + bx) dx = \frac{1}{4} x^4 \operatorname{arccoth}(bx + a)$$

$$+ \frac{1}{24} b \left(\frac{2(b^2 x^3 - 3abx^2 + 3(3a^2 + 1)x)}{b^4} - \frac{3(a^4 + 4a^3 + 6a^2 + 4a + 1) \log(bx + a + 1)}{b^5} + \frac{3(a^4 - 4a^3}{b^5} \right)$$

input `integrate(x^3*arccoth(b*x+a),x, algorithm="maxima")`output `1/4*x^4*arccoth(b*x + a) + 1/24*b*(2*(b^2*x^3 - 3*a*b*x^2 + 3*(3*a^2 + 1)*
x)/b^4 - 3*(a^4 + 4*a^3 + 6*a^2 + 4*a + 1)*log(b*x + a + 1)/b^5 + 3*(a^4 -
4*a^3 + 6*a^2 - 4*a + 1)*log(b*x + a - 1)/b^5)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 512 vs. $2(87) = 174$.

Time = 0.14 (sec) , antiderivative size = 512, normalized size of antiderivative = 5.07

$$\int x^3 \coth^{-1}(a + bx) dx =$$

$$-\frac{1}{6}((a+1)b - (a-1)b) \left(\frac{3(a^3 + a) \log\left(\frac{|bx+a+1|}{|bx+a-1|}\right)}{b^5} - \frac{3(a^3 + a) \log\left(\left|\frac{bx+a+1}{bx+a-1} - 1\right|\right)}{b^5} - \frac{9a^2 + \frac{3(3a^2-2a+1)(bx+a+1)}{(bx+a-1)^2}}{b^5} \right)$$

input `integrate(x^3*arccoth(b*x+a),x, algorithm="giac")`

output `-1/6*((a + 1)*b - (a - 1)*b)*(3*(a^3 + a)*log(abs(b*x + a + 1)/abs(b*x + a - 1))/b^5 - 3*(a^3 + a)*log(abs((b*x + a + 1)/(b*x + a - 1) - 1))/b^5 - (9*a^2 + 3*(3*a^2 - 2*a + 1)*(b*x + a + 1)^2/(b*x + a - 1)^2 - 3*(6*a^2 - 2*a + 1)*(b*x + a + 1)/(b*x + a - 1) + 2)/(b^5*((b*x + a + 1)/(b*x + a - 1) - 1)^3) + 3*((b*x + a + 1)^3*a^3/(b*x + a - 1)^3 - 3*(b*x + a + 1)^2*a^3/(b*x + a - 1)^2 + 3*(b*x + a + 1)*a^3/(b*x + a - 1) - a^3 - 3*(b*x + a + 1)^3*a^2/(b*x + a - 1)^3 + 6*(b*x + a + 1)^2*a^2/(b*x + a - 1)^2 - 3*(b*x + a + 1)*a^2/(b*x + a - 1) + 3*(b*x + a + 1)^3*a/(b*x + a - 1)^3 - 3*(b*x + a + 1)^2*a/(b*x + a - 1)^2 + (b*x + a + 1)*a/(b*x + a - 1) - a - (b*x + a + 1)^3/(b*x + a - 1)^3 - (b*x + a + 1)/(b*x + a - 1))*log(-(1/(a - ((b*x + a + 1)*(a - 1)/(b*x + a - 1) - a - 1)*b/((b*x + a + 1)*b/(b*x + a - 1) - b)) + 1)/(1/(a - ((b*x + a + 1)*(a - 1)/(b*x + a - 1) - a - 1)*b/((b*x + a + 1)*b/(b*x + a - 1) - b)) - 1))/b^5*((b*x + a + 1)/(b*x + a - 1) - 1)^4)`

Mupad [B] (verification not implemented)

Time = 4.40 (sec) , antiderivative size = 134, normalized size of antiderivative = 1.33

$$\int x^3 \coth^{-1}(a + bx) dx = \frac{x^4 \ln\left(\frac{1}{a+bx} + 1\right)}{8} - x \left(\frac{4a^2 - 4}{16b^3} - \frac{a^2}{b^3} \right) - \frac{x^4 \ln\left(1 - \frac{1}{a+bx}\right)}{8} + \frac{x^3}{12b} - \frac{ax^2}{4b^2} + \frac{\ln(a + bx - 1)(a^4 - 4a^3 + 6a^2 - 4a + 1)}{8b^4} - \frac{\ln(a + bx + 1)(a^4 + 4a^3 + 6a^2 + 4a + 1)}{8b^4}$$

input `int(x^3*acoth(a + b*x),x)`output $(x^4 \cdot \log(1/(a + b \cdot x) + 1))/8 - x \cdot ((4 \cdot a^2 - 4)/(16 \cdot b^3) - a^2/b^3) - (x^4 \cdot \log(1 - 1/(a + b \cdot x)))/8 + x^3/(12 \cdot b) - (a \cdot x^2)/(4 \cdot b^2) + (\log(a + b \cdot x - 1) \cdot (6 \cdot a^2 - 4 \cdot a - 4 \cdot a^3 + a^4 + 1))/(8 \cdot b^4) - (\log(a + b \cdot x + 1) \cdot (4 \cdot a + 6 \cdot a^2 + 4 \cdot a^3 + a^4 + 1))/(8 \cdot b^4)$ **Reduce [B] (verification not implemented)**

Time = 0.17 (sec) , antiderivative size = 120, normalized size of antiderivative = 1.19

$$\int x^3 \coth^{-1}(a + bx) dx = \frac{-3 \operatorname{acoth}(bx + a) a^4 - 12 \operatorname{acoth}(bx + a) a^3 - 18 \operatorname{acoth}(bx + a) a^2 - 12 \operatorname{acoth}(bx + a) a + 3 \operatorname{acoth}(bx + a) b^4}{12b^4}$$

input `int(x^3*acoth(b*x+a),x)`output $(-3 \cdot \operatorname{acoth}(a + b \cdot x) \cdot a^{**4} - 12 \cdot \operatorname{acoth}(a + b \cdot x) \cdot a^{**3} - 18 \cdot \operatorname{acoth}(a + b \cdot x) \cdot a^{**2} - 12 \cdot \operatorname{acoth}(a + b \cdot x) \cdot a + 3 \cdot \operatorname{acoth}(a + b \cdot x) \cdot b^{**4} \cdot x^{**4} - 3 \cdot \operatorname{acoth}(a + b \cdot x) + 12 \cdot \log(a + b \cdot x - 1) \cdot a^{**3} + 12 \cdot \log(a + b \cdot x - 1) \cdot a - 9 \cdot a^{**2} \cdot b \cdot x + 3 \cdot a \cdot b^{**2} \cdot x^{**2} - b^{**3} \cdot x^{**3} - 3 \cdot b \cdot x)/(12 \cdot b^{**4})$

3.2 $\int x^2 \coth^{-1}(a + bx) dx$

Optimal result	53
Mathematica [A] (verified)	53
Rubi [A] (verified)	54
Maple [A] (verified)	56
Fricas [A] (verification not implemented)	56
Sympy [A] (verification not implemented)	57
Maxima [A] (verification not implemented)	57
Giac [B] (verification not implemented)	58
Mupad [B] (verification not implemented)	59
Reduce [B] (verification not implemented)	59

Optimal result

Integrand size = 10, antiderivative size = 78

$$\int x^2 \coth^{-1}(a + bx) dx = -\frac{ax}{b^2} + \frac{(a + bx)^2}{6b^3} + \frac{1}{3}x^3 \coth^{-1}(a + bx) \\ + \frac{(1 - a)^3 \log(1 - a - bx)}{6b^3} + \frac{(1 + a)^3 \log(1 + a + bx)}{6b^3}$$

output

```
-a*x/b^2+1/6*(b*x+a)^2/b^3+1/3*x^3*arccoth(b*x+a)+1/6*(1-a)^3*ln(-b*x-a+1)
/b^3+1/6*(1+a)^3*ln(b*x+a+1)/b^3
```

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 92, normalized size of antiderivative = 1.18

$$\int x^2 \coth^{-1}(a + bx) dx = -\frac{2ax}{3b^2} + \frac{x^2}{6b} + \frac{1}{3}x^3 \coth^{-1}(a + bx) \\ + \frac{(1 - 3a + 3a^2 - a^3) \log(1 - a - bx)}{6b^3} \\ + \frac{(1 + 3a + 3a^2 + a^3) \log(1 + a + bx)}{6b^3}$$

input

```
Integrate[x^2*ArcCoth[a + b*x],x]
```

output

$$\frac{(-2ax)/(3b^2) + x^2/(6b) + (x^3 \operatorname{ArcCoth}[a + bx])/3 + ((1 - 3a + 3a^2 - a^3) \operatorname{Log}[1 - a - bx])/(6b^3) + ((1 + 3a + 3a^2 + a^3) \operatorname{Log}[1 + a + bx])/(6b^3)}$$

Rubi [A] (verified)

Time = 0.33 (sec) , antiderivative size = 82, normalized size of antiderivative = 1.05, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {6662, 27, 6479, 477, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int x^2 \coth^{-1}(a + bx) dx \\ & \quad \downarrow 6662 \\ & \frac{\int x^2 \coth^{-1}(a + bx) d(a + bx)}{b} \\ & \quad \downarrow 27 \\ & \frac{\int b^2 x^2 \coth^{-1}(a + bx) d(a + bx)}{b^3} \\ & \quad \downarrow 6479 \\ & \frac{\frac{1}{3} \int -\frac{b^3 x^3}{1-(a+bx)^2} d(a + bx) + \frac{1}{3} b^3 x^3 \coth^{-1}(a + bx)}{b^3} \\ & \quad \downarrow 477 \\ & \frac{\frac{1}{3} \int \left(-\frac{(1-a)^3}{2(-a-bx+1)} - 2a + bx + \frac{(a+1)^3}{2(a+bx+1)} \right) d(a + bx) + \frac{1}{3} b^3 x^3 \coth^{-1}(a + bx)}{b^3} \\ & \quad \downarrow 2009 \\ & \frac{\frac{1}{3} b^3 x^3 \coth^{-1}(a + bx) + \frac{1}{3} \left(\frac{1}{2} (a + bx)^2 - 3a(a + bx) + \frac{1}{2} (1 - a)^3 \log(-a - bx + 1) + \frac{1}{2} (a + 1)^3 \log(a + bx + 1) \right)}{b^3} \end{aligned}$$

input

$$\operatorname{Int}[x^2 \operatorname{ArcCoth}[a + bx], x]$$

output
$$\frac{((b^3 x^3 \operatorname{ArcCoth}[a + b x])/3 + (-3 a (a + b x) + (a + b x)^2/2 + ((1 - a)^3 \operatorname{Log}[1 - a - b x])/2 + ((1 + a)^3 \operatorname{Log}[1 + a + b x])/2)/3}{b^3}$$

Defintions of rubi rules used

rule 27
$$\operatorname{Int}[(a_*)(F x_), x_Symbol] \rightarrow \operatorname{Simp}[a \operatorname{Int}[F x, x], x] /; \operatorname{FreeQ}[a, x] \ \&\& \ !\operatorname{MatchQ}[F x, (b_*)(G x_)] /; \operatorname{FreeQ}[b, x]$$

rule 477
$$\operatorname{Int}[((c_*) + (d_*)(x_))^{(n_*)}((a_*) + (b_*)(x_)^2)^{(p_*)}, x_Symbol] \rightarrow \operatorname{Simp}[a^p \operatorname{Int}[\operatorname{ExpandIntegrand}[(c + d x)^n (1 - \operatorname{Rt}[-b/a, 2] x)^p (1 + \operatorname{Rt}[-b/a, 2] x)^p, x], x] /; \operatorname{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \operatorname{ILtQ}[p, 0] \ \&\& \ \operatorname{IntegerQ}[n] \ \&\& \ \operatorname{NiceSqrtQ}[-b/a] \ \&\& \ !\operatorname{FractionalPowerFactorQ}[\operatorname{Rt}[-b/a, 2]]$$

rule 2009
$$\operatorname{Int}[u_, x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{IntSum}[u, x], x] /; \operatorname{SumQ}[u]$$

rule 6479
$$\operatorname{Int}[((a_*) + \operatorname{ArcCoth}[(c_*)(x_)]*(b_*))((d_*) + (e_*)(x_))^{(q_*)}, x_Symbol] \rightarrow \operatorname{Simp}[(d + e x)^{(q + 1)}((a + b \operatorname{ArcCoth}[c x])/(e (q + 1))), x] - \operatorname{Simp}[b (c/(e (q + 1))) \operatorname{Int}[(d + e x)^{(q + 1)}/(1 - c^2 x^2), x], x] /; \operatorname{FreeQ}[\{a, b, c, d, e, q\}, x] \ \&\& \ \operatorname{NeQ}[q, -1]$$

rule 6662
$$\operatorname{Int}[((a_*) + \operatorname{ArcCoth}[(c_*) + (d_*)(x_)]*(b_*))^{(p_*)}((e_*) + (f_*)(x_))^{(m_*)}, x_Symbol] \rightarrow \operatorname{Simp}[1/d \operatorname{Subst}[\operatorname{Int}[(d e - c f)/d + f (x/d)]^m (a + b \operatorname{ArcCoth}[x])^p, x], x, c + d x], x] /; \operatorname{FreeQ}[\{a, b, c, d, e, f, m\}, x] \ \&\& \ \operatorname{IGtQ}[p, 0]$$

Maple [A] (verified)

Time = 0.14 (sec) , antiderivative size = 85, normalized size of antiderivative = 1.09

method	result
parts	$\frac{x^3 \operatorname{arccoth}(bx+a)}{3} + \frac{b \left(-\frac{1}{2} \frac{bx^2+2xa}{b^3} + \frac{(-a^3+3a^2-3a+1) \ln(bx+a-1)}{2b^4} + \frac{(a^3+3a^2+3a+1) \ln(bx+a+1)}{2b^4} \right)}{3}$
parallelrisch	$\frac{2 \operatorname{arccoth}(bx+a)x^3b^3+1+b^2x^2+2 \operatorname{arccoth}(bx+a)a^3+6 \ln(bx+a-1)a^2-4bxa+6 \operatorname{arccoth}(bx+a)a^2+6 \operatorname{arccoth}(bx+a)a}{6b^3}$
derivativedivides	$\frac{-\frac{\operatorname{arccoth}(bx+a)a^3}{3} + \operatorname{arccoth}(bx+a)a^2(bx+a) - \operatorname{arccoth}(bx+a)a(bx+a)^2 + \frac{\operatorname{arccoth}(bx+a)(bx+a)^3}{3} - (bx+a)a + \frac{(bx+a)^2}{6}}{b^3}$
default	$\frac{-\frac{\operatorname{arccoth}(bx+a)a^3}{3} + \operatorname{arccoth}(bx+a)a^2(bx+a) - \operatorname{arccoth}(bx+a)a(bx+a)^2 + \frac{\operatorname{arccoth}(bx+a)(bx+a)^3}{3} - (bx+a)a + \frac{(bx+a)^2}{6}}{b^3}$
risch	$\frac{x^3 \ln(bx+a+1)}{6} - \frac{x^3 \ln(bx+a-1)}{6} - \frac{\ln(bx+a-1)a^3}{6b^3} + \frac{\ln(-bx-a-1)a^3}{6b^3} + \frac{x^2}{6b} + \frac{\ln(bx+a-1)a^2}{2b^3} + \frac{\ln(-bx-a-1)a^2}{2b^3}$

input `int(x^2*arccoth(b*x+a),x,method=_RETURNVERBOSE)`output
$$\frac{1}{3}x^3 \operatorname{arccoth}(bx+a) + \frac{1}{3}b \left(-\frac{1}{b^3} \left(-\frac{1}{2}bx^2 + 2xa \right) + \frac{1}{2} \left(-a^3 + 3a^2 - 3a + 1 \right) \frac{\ln(bx+a-1)}{b^4} + \frac{1}{2} \left(a^3 + 3a^2 + 3a + 1 \right) \frac{\ln(bx+a+1)}{b^4} \right)$$
Fricas [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 84, normalized size of antiderivative = 1.08

$$\int x^2 \coth^{-1}(a+bx) dx$$

$$= \frac{b^3 x^3 \log\left(\frac{bx+a+1}{bx+a-1}\right) + b^2 x^2 - 4abx + (a^3 + 3a^2 + 3a + 1) \log(bx+a+1) - (a^3 - 3a^2 + 3a - 1) \log(bx+a-1)}{6b^3}$$

input `integrate(x^2*arccoth(b*x+a),x, algorithm="fricas")`output
$$\frac{1}{6} \left(b^3 x^3 \log\left(\frac{bx+a+1}{bx+a-1}\right) + b^2 x^2 - 4abx + (a^3 + 3a^2 + 3a + 1) \log(bx+a+1) - (a^3 - 3a^2 + 3a - 1) \log(bx+a-1) \right) / b^3$$

Sympy [A] (verification not implemented)

Time = 0.71 (sec) , antiderivative size = 117, normalized size of antiderivative = 1.50

$$\int x^2 \coth^{-1}(a + bx) dx$$

$$= \begin{cases} \frac{a^3 \operatorname{acoth}(a+bx)}{3b^3} + \frac{a^2 \log(a+bx+1)}{b^3} - \frac{a^2 \operatorname{acoth}(a+bx)}{b^3} - \frac{2ax}{3b^2} + \frac{a \operatorname{acoth}(a+bx)}{b^3} + \frac{x^3 \operatorname{acoth}(a+bx)}{3} + \frac{x^2}{6b} + \frac{\log(a+bx+1)}{3b^3} - \operatorname{acoth}(a+bx)/3 \\ \frac{x^3 \operatorname{acoth}(a)}{3} \end{cases}$$

input `integrate(x**2*acoth(b*x+a),x)`output `Piecewise((a**3*acoth(a + b*x)/(3*b**3) + a**2*log(a + b*x + 1)/b**3 - a**2*acoth(a + b*x)/b**3 - 2*a*x/(3*b**2) + a*acoth(a + b*x)/b**3 + x**3*acoth(a + b*x)/3 + x**2/(6*b) + log(a + b*x + 1)/(3*b**3) - acoth(a + b*x)/(3*b**3), Ne(b, 0)), (x**3*acoth(a)/3, True))`**Maxima [A] (verification not implemented)**

Time = 0.03 (sec) , antiderivative size = 79, normalized size of antiderivative = 1.01

$$\int x^2 \coth^{-1}(a + bx) dx = \frac{1}{3} x^3 \operatorname{arccoth}(bx + a)$$

$$+ \frac{1}{6} b \left(\frac{bx^2 - 4ax}{b^3} + \frac{(a^3 + 3a^2 + 3a + 1) \log(bx + a + 1)}{b^4} - \frac{(a^3 - 3a^2 + 3a - 1) \log(bx + a - 1)}{b^4} \right)$$

input `integrate(x^2*arccoth(b*x+a),x, algorithm="maxima")`output `1/3*x^3*arccoth(b*x + a) + 1/6*b*((b*x^2 - 4*a*x)/b^3 + (a^3 + 3*a^2 + 3*a + 1)*log(b*x + a + 1)/b^4 - (a^3 - 3*a^2 + 3*a - 1)*log(b*x + a - 1)/b^4)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 360 vs. $2(68) = 136$.

Time = 0.13 (sec) , antiderivative size = 360, normalized size of antiderivative = 4.62

$$\int x^2 \coth^{-1}(a + bx) dx$$

$$= \frac{1}{6} ((a + 1)b - (a - 1)b) \left(\frac{(3a^2 + 1) \log\left(\frac{|bx+a+1|}{|bx+a-1|}\right)}{b^4} - \frac{(3a^2 + 1) \log\left(\left|\frac{bx+a+1}{bx+a-1} - 1\right|\right)}{b^4} - \frac{2\left(\frac{(bx+a+1)(3a-1)}{bx+a-1} - \frac{(bx+a+1)(3a+1)}{bx+a-1}\right)}{b^4\left(\frac{bx+a+1}{bx+a-1} - 1\right)^2} \right)$$

input `integrate(x^2*arccoth(b*x+a),x, algorithm="giac")`

output

```
1/6*((a + 1)*b - (a - 1)*b)*((3*a^2 + 1)*log(abs(b*x + a + 1)/abs(b*x + a - 1))/b^4 - (3*a^2 + 1)*log(abs((b*x + a + 1)/(b*x + a - 1) - 1))/b^4 - 2*((b*x + a + 1)*(3*a - 1)/(b*x + a - 1) - 3*a)/(b^4*((b*x + a + 1)/(b*x + a - 1) - 1)^2) + (3*(b*x + a + 1)^2*a^2/(b*x + a - 1)^2 - 6*(b*x + a + 1)*a^2/(b*x + a - 1) + 3*a^2 - 6*(b*x + a + 1)^2*a/(b*x + a - 1)^2 + 6*(b*x + a + 1)*a/(b*x + a - 1) + 3*(b*x + a + 1)^2/(b*x + a - 1)^2 + 1)*log(-1/(a - ((b*x + a + 1)*(a - 1)/(b*x + a - 1) - a - 1)*b/((b*x + a + 1)*b/(b*x + a - 1) - b)) + 1)/(1/(a - ((b*x + a + 1)*(a - 1)/(b*x + a - 1) - a - 1)*b/((b*x + a + 1)*b/(b*x + a - 1) - b)) - 1))/(b^4*((b*x + a + 1)/(b*x + a - 1) - 1)^3))
```

Mupad [B] (verification not implemented)

Time = 4.22 (sec) , antiderivative size = 98, normalized size of antiderivative = 1.26

$$\int x^2 \coth^{-1}(a + bx) dx = \frac{x^3 \ln\left(\frac{1}{a+bx} + 1\right)}{6} - \frac{x^3 \ln\left(1 - \frac{1}{a+bx}\right)}{6} + \frac{x^2}{6b} - \frac{\ln(a + bx - 1)(a^3 - 3a^2 + 3a - 1)}{6b^3} + \frac{\ln(a + bx + 1)(a^3 + 3a^2 + 3a + 1)}{6b^3} - \frac{2ax}{3b^2}$$

input `int(x^2*acoth(a + b*x),x)`output `(x^3*log(1/(a + b*x) + 1))/6 - (x^3*log(1 - 1/(a + b*x)))/6 + x^2/(6*b) - (log(a + b*x - 1)*(3*a - 3*a^2 + a^3 - 1))/(6*b^3) + (log(a + b*x + 1)*(3*a + 3*a^2 + a^3 + 1))/(6*b^3) - (2*a*x)/(3*b^2)`**Reduce [B] (verification not implemented)**

Time = 0.18 (sec) , antiderivative size = 93, normalized size of antiderivative = 1.19

$$\int x^2 \coth^{-1}(a + bx) dx = \frac{2a \coth(bx + a) a^3 + 6a \coth(bx + a) a^2 + 6a \coth(bx + a) a + 2a \coth(bx + a) b^3 x^3 + 2a \coth(bx + a) - 6 \log(a + bx - 1) a^2 - 2 \log(a + bx - 1) + 4a b x - b^2 x^2}{6b^3}$$

input `int(x^2*acoth(b*x+a),x)`output `(2*acoth(a + b*x)*a**3 + 6*acoth(a + b*x)*a**2 + 6*acoth(a + b*x)*a + 2*acoth(a + b*x)*b**3*x**3 + 2*acoth(a + b*x) - 6*log(a + b*x - 1)*a**2 - 2*log(a + b*x - 1) + 4*a*b*x - b**2*x**2)/(6*b**3)`

3.3 $\int x \coth^{-1}(a + bx) dx$

Optimal result	60
Mathematica [A] (verified)	60
Rubi [A] (verified)	61
Maple [A] (verified)	63
Fricas [A] (verification not implemented)	63
Sympy [A] (verification not implemented)	64
Maxima [A] (verification not implemented)	64
Giac [B] (verification not implemented)	65
Mupad [B] (verification not implemented)	65
Reduce [B] (verification not implemented)	66

Optimal result

Integrand size = 8, antiderivative size = 65

$$\int x \coth^{-1}(a + bx) dx = \frac{x}{2b} + \frac{1}{2}x^2 \coth^{-1}(a + bx) + \frac{(1 - a)^2 \log(1 - a - bx)}{4b^2} - \frac{(1 + a)^2 \log(1 + a + bx)}{4b^2}$$

output 1/2*x/b+1/2*x^2*arccoth(b*x+a)+1/4*(1-a)^2*ln(-b*x-a+1)/b^2-1/4*(1+a)^2*ln(b*x+a+1)/b^2

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 56, normalized size of antiderivative = 0.86

$$\int x \coth^{-1}(a + bx) dx = \frac{2bx + 2b^2x^2 \coth^{-1}(a + bx) + (-1 + a)^2 \log(1 - a - bx) - (1 + a)^2 \log(1 + a + bx)}{4b^2}$$

input Integrate[x*ArcCoth[a + b*x],x]

output

$$(2*b*x + 2*b^2*x^2*ArcCoth[a + b*x] + (-1 + a)^2*Log[1 - a - b*x] - (1 + a)^2*Log[1 + a + b*x])/(4*b^2)$$

Rubi [A] (verified)

Time = 0.32 (sec) , antiderivative size = 71, normalized size of antiderivative = 1.09, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.750$, Rules used = {6662, 25, 27, 6479, 477, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int x \coth^{-1}(a + bx) dx \\ & \quad \downarrow 6662 \\ & \frac{\int x \coth^{-1}(a + bx) d(a + bx)}{b} \\ & \quad \downarrow 25 \\ & -\frac{\int -x \coth^{-1}(a + bx) d(a + bx)}{b} \\ & \quad \downarrow 27 \\ & -\frac{\int -bx \coth^{-1}(a + bx) d(a + bx)}{b^2} \\ & \quad \downarrow 6479 \\ & -\frac{\frac{1}{2} \int \frac{b^2 x^2}{1-(a+bx)^2} d(a + bx) - \frac{1}{2} b^2 x^2 \coth^{-1}(a + bx)}{b^2} \\ & \quad \downarrow 477 \\ & -\frac{\frac{1}{2} \int \left(\frac{(1-a)^2}{2(-a-bx+1)} + \frac{(a+1)^2}{2(a+bx+1)} - 1 \right) d(a + bx) - \frac{1}{2} b^2 x^2 \coth^{-1}(a + bx)}{b^2} \\ & \quad \downarrow 2009 \\ & -\frac{\frac{1}{2} \left(-\frac{1}{2} (1-a)^2 \log(-a - bx + 1) + \frac{1}{2} (a+1)^2 \log(a + bx + 1) - a - bx \right) - \frac{1}{2} b^2 x^2 \coth^{-1}(a + bx)}{b^2} \end{aligned}$$

input `Int[x*ArcCoth[a + b*x],x]`

output `-((-1/2*(b^2*x^2*ArcCoth[a + b*x]) + (-a - b*x - ((1 - a)^2*Log[1 - a - b*x])/2 + ((1 + a)^2*Log[1 + a + b*x])/2)/2)/b^2)`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]`

rule 477 `Int[((c_) + (d_)*(x_))^(n_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Simp[a^p Int[ExpandIntegrand[(c + d*x)^n*(1 - Rt[-b/a, 2]*x)^p*(1 + Rt[-b/a, 2]*x)^p, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[p, 0] && IntegerQ[n] && NiceSqrtQ[-b/a] && !FractionalPowerFactorQ[Rt[-b/a, 2]]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 6479 `Int[((a_) + ArcCoth[(c_)*(x_)])*(b_))*((d_) + (e_)*(x_))^(q_), x_Symbol] := Simp[(d + e*x)^(q + 1)*((a + b*ArcCoth[c*x])/(e*(q + 1))), x] - Simp[b*(c/(e*(q + 1))) Int[(d + e*x)^(q + 1)/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[q, -1]`

rule 6662 `Int[((a_) + ArcCoth[(c_) + (d_)*(x_)])*(b_))^(p_)*((e_) + (f_)*(x_))^(m_), x_Symbol] := Simp[1/d Subst[Int[((d*e - c*f)/d + f*(x/d))^m*(a + b*ArcCoth[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[p, 0]`

Maple [A] (verified)

Time = 0.13 (sec) , antiderivative size = 63, normalized size of antiderivative = 0.97

method	result
parallelrisc	$-\frac{-\operatorname{arccoth}(bx+a)b^2x^2+\operatorname{arccoth}(bx+a)a^2+2\ln(bx+a-1)a-bx+2\operatorname{arccoth}(bx+a)a+\operatorname{arccoth}(bx+a)+2a}{2b^2}$
parts	$\frac{x^2\operatorname{arccoth}(bx+a)}{2} + \frac{b\left(\frac{x}{b^2} + \frac{(a^2-2a+1)\ln(bx+a-1)}{2b^3} + \frac{(-a^2-2a-1)\ln(bx+a+1)}{2b^3}\right)}{2}$
derivativedivides	$\frac{(bx+a)^2\operatorname{arccoth}(bx+a)}{2} - \operatorname{arccoth}(bx+a)a(bx+a) + \frac{bx}{2} + \frac{a}{2} - \frac{(2a-1)\ln(bx+a-1)}{4} + \frac{(-2a-1)\ln(bx+a+1)}{4}$
default	$\frac{(bx+a)^2\operatorname{arccoth}(bx+a)}{2} - \operatorname{arccoth}(bx+a)a(bx+a) + \frac{bx}{2} + \frac{a}{2} - \frac{(2a-1)\ln(bx+a-1)}{4} + \frac{(-2a-1)\ln(bx+a+1)}{4}$
risc	$\frac{x^2\ln(bx+a+1)}{4} - \frac{x^2\ln(bx+a-1)}{4} - \frac{\ln(bx+a+1)a^2}{4b^2} + \frac{\ln(-bx-a+1)a^2}{4b^2} - \frac{\ln(bx+a+1)a}{2b^2} - \frac{\ln(-bx-a+1)a}{2b^2} +$

input `int(x*arccoth(b*x+a),x,method=_RETURNVERBOSE)`output `-1/2*(-arccoth(b*x+a)*b^2*x^2+arccoth(b*x+a)*a^2+2*ln(b*x+a-1)*a-b*x+2*arccoth(b*x+a)*a+arccoth(b*x+a)+2*a)/b^2`**Fricas [A] (verification not implemented)**

Time = 0.10 (sec) , antiderivative size = 66, normalized size of antiderivative = 1.02

$$\int x \coth^{-1}(a + bx) dx$$

$$= \frac{b^2x^2 \log\left(\frac{bx+a+1}{bx+a-1}\right) + 2bx - (a^2 + 2a + 1) \log(bx + a + 1) + (a^2 - 2a + 1) \log(bx + a - 1)}{4b^2}$$

input `integrate(x*arccoth(b*x+a),x, algorithm="fricas")`output `1/4*(b^2*x^2*log((b*x + a + 1)/(b*x + a - 1)) + 2*b*x - (a^2 + 2*a + 1)*log(b*x + a + 1) + (a^2 - 2*a + 1)*log(b*x + a - 1))/b^2`

Sympy [A] (verification not implemented)

Time = 0.51 (sec) , antiderivative size = 76, normalized size of antiderivative = 1.17

$$\int x \coth^{-1}(a + bx) dx$$

$$= \begin{cases} -\frac{a^2 \operatorname{acoth}(a+bx)}{2b^2} - \frac{a \log(a+bx+1)}{b^2} + \frac{a \operatorname{acoth}(a+bx)}{b^2} + \frac{x^2 \operatorname{acoth}(a+bx)}{2} + \frac{x}{2b} - \frac{\operatorname{acoth}(a+bx)}{2b^2} & \text{for } b \neq 0 \\ \frac{x^2 \operatorname{acoth}(a)}{2} & \text{otherwise} \end{cases}$$

input `integrate(x*acoth(b*x+a),x)`output `Piecewise((-a**2*acoth(a + b*x)/(2*b**2) - a*log(a + b*x + 1)/b**2 + a*acoth(a + b*x)/b**2 + x**2*acoth(a + b*x)/2 + x/(2*b) - acoth(a + b*x)/(2*b**2), Ne(b, 0)), (x**2*acoth(a)/2, True))`**Maxima [A] (verification not implemented)**

Time = 0.03 (sec) , antiderivative size = 61, normalized size of antiderivative = 0.94

$$\int x \coth^{-1}(a + bx) dx$$

$$= \frac{1}{2} x^2 \operatorname{arccoth}(bx + a)$$

$$+ \frac{1}{4} b \left(\frac{2x}{b^2} - \frac{(a^2 + 2a + 1) \log(bx + a + 1)}{b^3} + \frac{(a^2 - 2a + 1) \log(bx + a - 1)}{b^3} \right)$$

input `integrate(x*arccoth(b*x+a),x, algorithm="maxima")`output `1/2*x^2*arccoth(b*x + a) + 1/4*b*(2*x/b^2 - (a^2 + 2*a + 1)*log(b*x + a + 1)/b^3 + (a^2 - 2*a + 1)*log(b*x + a - 1)/b^3)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 259 vs. $2(55) = 110$.

Time = 0.13 (sec) , antiderivative size = 259, normalized size of antiderivative = 3.98

$$\int x \coth^{-1}(a + bx) dx =$$

$$-\frac{1}{2}((a+1)b - (a-1)b) \left(\frac{a \log\left(\frac{|bx+a+1|}{|bx+a-1|}\right)}{b^3} - \frac{a \log\left(\left|\frac{bx+a+1}{bx+a-1} - 1\right|\right)}{b^3} + \frac{\left(\frac{(bx+a+1)a}{bx+a-1} - a - \frac{bx+a+1}{bx+a-1}\right) \log\left(\frac{bx+a+1}{bx+a-1}\right)}{b^3 \left(\frac{bx+a+1}{bx+a-1} - 1\right)} \right)$$

input `integrate(x*arccoth(b*x+a),x, algorithm="giac")`

output `-1/2*((a+1)*b - (a-1)*b)*(a*log(abs(b*x+a+1)/abs(b*x+a-1))/b^3 - a*log(abs((b*x+a+1)/(b*x+a-1)-1))/b^3 + ((b*x+a+1)*a/(b*x+a-1) - a - (b*x+a+1)/(b*x+a-1))*log(-(1/(a-((b*x+a+1)*(a-1)/(b*x+a-1)-a-1)*b/((b*x+a+1)*b/(b*x+a-1)-b))+1)/(1/(a-((b*x+a+1)*(a-1)/(b*x+a-1)-a-1)*b/((b*x+a+1)*b/(b*x+a-1)-b))-1))/(b^3*((b*x+a+1)/(b*x+a-1)-1)^2) - 1/(b^3*((b*x+a+1)/(b*x+a-1)-1)))`

Mupad [B] (verification not implemented)

Time = 4.63 (sec) , antiderivative size = 62, normalized size of antiderivative = 0.95

$$\int x \coth^{-1}(a + bx) dx = \frac{x^2 \operatorname{acoth}(a + bx)}{2} - \frac{\frac{\operatorname{acoth}(a+bx)}{2} - \frac{bx}{2} + \frac{a^2 \operatorname{acoth}(a+bx)}{2} + \frac{a \ln(a^2 + 2abx + b^2x^2 - 1)}{2}}{b^2}$$

input `int(x*acoth(a+b*x),x)`

output $(x^2 \operatorname{acoth}(a + b*x))/2 - (\operatorname{acoth}(a + b*x))/2 - (b*x)/2 + (a^2 \operatorname{acoth}(a + b*x))/2 + (a \log(a^2 + b^2*x^2 + 2*a*b*x - 1))/2)/b^2$

Reduce [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 61, normalized size of antiderivative = 0.94

$$\int x \operatorname{coth}^{-1}(a + bx) dx$$

$$= \frac{-\operatorname{acoth}(bx + a) a^2 - 2\operatorname{acoth}(bx + a) a + \operatorname{acoth}(bx + a) b^2 x^2 - \operatorname{acoth}(bx + a) + 2 \log(bx + a - 1) a - bx}{2b^2}$$

input `int(x*acoth(b*x+a),x)`

output $(- \operatorname{acoth}(a + b*x)*a**2 - 2*\operatorname{acoth}(a + b*x)*a + \operatorname{acoth}(a + b*x)*b**2*x**2 - \operatorname{acoth}(a + b*x) + 2*\log(a + b*x - 1)*a - b*x)/(2*b**2)$

3.4 $\int \coth^{-1}(a + bx) dx$

Optimal result	67
Mathematica [A] (verified)	67
Rubi [A] (verified)	68
Maple [A] (verified)	69
Fricas [A] (verification not implemented)	69
Sympy [A] (verification not implemented)	70
Maxima [A] (verification not implemented)	70
Giac [B] (verification not implemented)	70
Mupad [B] (verification not implemented)	71
Reduce [B] (verification not implemented)	72

Optimal result

Integrand size = 6, antiderivative size = 35

$$\int \coth^{-1}(a + bx) dx = \frac{(a + bx) \coth^{-1}(a + bx)}{b} + \frac{\log(1 - (a + bx)^2)}{2b}$$

output

```
(b*x+a)*arccoth(b*x+a)/b+1/2*ln(1-(b*x+a)^2)/b
```

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 43, normalized size of antiderivative = 1.23

$$\int \coth^{-1}(a + bx) dx = x \coth^{-1}(a + bx) + \frac{-((-1 + a) \log(1 - a - bx)) + (1 + a) \log(1 + a + bx)}{2b}$$

input

```
Integrate[ArcCoth[a + b*x],x]
```

output

```
x*ArcCoth[a + b*x] + (-((-1 + a)*Log[1 - a - b*x]) + (1 + a)*Log[1 + a + b*x])/(2*b)
```

Rubi [A] (verified)

Time = 0.22 (sec) , antiderivative size = 33, normalized size of antiderivative = 0.94, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {6654, 6437, 240}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \coth^{-1}(a + bx) dx \\ & \quad \downarrow \text{6654} \\ & \frac{\int \coth^{-1}(a + bx) d(a + bx)}{b} \\ & \quad \downarrow \text{6437} \\ & \frac{(a + bx) \coth^{-1}(a + bx) - \int \frac{a+bx}{1-(a+bx)^2} d(a + bx)}{b} \\ & \quad \downarrow \text{240} \\ & \frac{\frac{1}{2} \log(1 - (a + bx)^2) + (a + bx) \coth^{-1}(a + bx)}{b} \end{aligned}$$

input `Int[ArcCoth[a + b*x], x]`

output `((a + b*x)*ArcCoth[a + b*x] + Log[1 - (a + b*x)^2]/2)/b`

Defintions of rubi rules used

rule 240 `Int[(x_)/((a_) + (b_.)*(x_)^2), x_Symbol] := Simp[Log[RemoveContent[a + b*x^2, x]]/(2*b), x] /; FreeQ[{a, b}, x]`

rule 6437 `Int[((a_.) + ArcCoth[(c_.)*(x_)^(n_.)]*(b_.))^(p_.), x_Symbol] := Simp[x*(a + b*ArcCoth[c*x^n])^p, x] - Simp[b*c*n*p Int[x^n*((a + b*ArcCoth[c*x^n])^(p - 1)/(1 - c^2*x^(2*n))), x], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[p, 0] && (EqQ[n, 1] || EqQ[p, 1])`

rule 6654

```
Int[((a_.) + ArcCoth[(c_) + (d_.)*(x_)]*(b_.))^(p_.), x_Symbol] :> Simp[1/d
  Subst[Int[(a + b*ArcCoth[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d
}, x] && IGtQ[p, 0]
```

Maple [A] (verified)

Time = 0.11 (sec) , antiderivative size = 30, normalized size of antiderivative = 0.86

method	result	size
derivativedivides	$\frac{(bx+a) \operatorname{arccoth}(bx+a) + \frac{\ln((bx+a)^2-1)}{2}}{b}$	30
default	$\frac{(bx+a) \operatorname{arccoth}(bx+a) + \frac{\ln((bx+a)^2-1)}{2}}{b}$	30
parts	$x \operatorname{arccoth}(bx+a) + b \left(\frac{(1-a) \ln(bx+a-1)}{2b^2} + \frac{(1+a) \ln(bx+a+1)}{2b^2} \right)$	45
parallelrisc	$-\frac{\operatorname{arccoth}(bx+a)b^2x - \operatorname{arccoth}(bx+a)ab - \ln(bx+a-1)b - \operatorname{arccoth}(bx+a)b}{b^2}$	48
risc	$\frac{x \ln(bx+a+1)}{2} - \frac{x \ln(bx+a-1)}{2} + \frac{\ln(-bx-a-1)a}{2b} - \frac{\ln(bx+a-1)a}{2b} + \frac{\ln(-bx-a-1)}{2b} + \frac{\ln(bx+a-1)}{2b}$	78

input

```
int(arccoth(b*x+a), x, method=_RETURNVERBOSE)
```

output

```
1/b*((b*x+a)*arccoth(b*x+a)+1/2*ln((b*x+a)^2-1))
```

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.37

$$\int \coth^{-1}(a + bx) dx$$

$$= \frac{bx \log\left(\frac{bx+a+1}{bx+a-1}\right) + (a+1) \log(bx+a+1) - (a-1) \log(bx+a-1)}{2b}$$

input

```
integrate(arccoth(b*x+a), x, algorithm="fricas")
```

output

```
1/2*(b*x*log((b*x + a + 1)/(b*x + a - 1)) + (a + 1)*log(b*x + a + 1) - (a
- 1)*log(b*x + a - 1))/b
```

Sympy [A] (verification not implemented)

Time = 0.24 (sec) , antiderivative size = 41, normalized size of antiderivative = 1.17

$$\int \coth^{-1}(a + bx) dx = \begin{cases} \frac{a \operatorname{acoth}(a+bx)}{b} + x \operatorname{acoth}(a + bx) + \frac{\log(a+bx+1)}{b} - \frac{\operatorname{acoth}(a+bx)}{b} & \text{for } b \neq 0 \\ x \operatorname{acoth}(a) & \text{otherwise} \end{cases}$$

input `integrate(acoth(b*x+a),x)`

output `Piecewise((a*acoth(a + b*x)/b + x*acoth(a + b*x) + log(a + b*x + 1)/b - acoth(a + b*x)/b, Ne(b, 0)), (x*acoth(a), True))`

Maxima [A] (verification not implemented)

Time = 0.02 (sec) , antiderivative size = 31, normalized size of antiderivative = 0.89

$$\int \coth^{-1}(a + bx) dx = \frac{2(bx + a) \operatorname{arccoth}(bx + a) + \log(-(bx + a)^2 + 1)}{2b}$$

input `integrate(arccoth(b*x+a),x, algorithm="maxima")`

output `1/2*(2*(b*x + a)*arccoth(b*x + a) + log(-(b*x + a)^2 + 1))/b`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 197 vs. $2(33) = 66$.

Time = 0.12 (sec) , antiderivative size = 197, normalized size of antiderivative = 5.63

$$\int \coth^{-1}(a + bx) dx$$

$$= \frac{1}{2} ((a + 1)b - (a - 1)b) \left(\frac{\log\left(\frac{|bx+a+1|}{|bx+a-1|}\right)}{b^2} - \frac{\log\left(\left|\frac{bx+a+1}{bx+a-1} - 1\right|\right)}{b^2} + \frac{\log\left(-\frac{\frac{1}{a - \frac{\frac{1}{\left(\frac{bx+a+1}{bx+a-1}\right) - a - 1} b} + 1}}{\frac{1}{a - \frac{\frac{1}{\left(\frac{bx+a+1}{bx+a-1}\right) - a - 1} b} - 1}}}\right)}{b^2 \left(\frac{bx+a+1}{bx+a-1} - 1\right)} \right)$$

input `integrate(arccoth(b*x+a),x, algorithm="giac")`

output `1/2*((a + 1)*b - (a - 1)*b)*(log(abs(b*x + a + 1)/abs(b*x + a - 1))/b^2 - log(abs((b*x + a + 1)/(b*x + a - 1) - 1))/b^2 + log(-1/(a - ((b*x + a + 1)*(a - 1)/(b*x + a - 1) - a - 1)*b/((b*x + a + 1)*b/(b*x + a - 1) - b)) + 1)/(1/(a - ((b*x + a + 1)*(a - 1)/(b*x + a - 1) - a - 1)*b/((b*x + a + 1)*b/(b*x + a - 1) - b)) - 1))/(b^2*((b*x + a + 1)/(b*x + a - 1) - 1))`

Mupad [B] (verification not implemented)

Time = 4.34 (sec) , antiderivative size = 42, normalized size of antiderivative = 1.20

$$\int \coth^{-1}(a + bx) dx = \frac{\ln(a^2 + 2abx + b^2x^2 - 1)}{2b} + a \operatorname{acoth}(a + bx) + x \operatorname{acoth}(a + bx)$$

input `int(acoth(a + b*x),x)`

output `(log(a^2 + b^2*x^2 + 2*a*b*x - 1)/2 + a*acoth(a + b*x))/b + x*acoth(a + b*x)`

Reduce [B] (verification not implemented)

Time = 0.18 (sec) , antiderivative size = 37, normalized size of antiderivative = 1.06

$$\int \coth^{-1}(a + bx) dx$$
$$= \frac{\operatorname{acoth}(bx + a) a + \operatorname{acoth}(bx + a) bx + \operatorname{acoth}(bx + a) - \log(bx + a - 1)}{b}$$

input `int(acoth(b*x+a), x)`

output `(acoth(a + b*x)*a + acoth(a + b*x)*b*x + acoth(a + b*x) - log(a + b*x - 1))/b`

3.5 $\int \frac{\coth^{-1}(a+bx)}{x} dx$

Optimal result	73
Mathematica [C] (verified)	74
Rubi [A] (verified)	75
Maple [A] (verified)	77
Fricas [F]	78
Sympy [F]	78
Maxima [A] (verification not implemented)	78
Giac [F]	79
Mupad [F(-1)]	79
Reduce [F]	79

Optimal result

Integrand size = 10, antiderivative size = 92

$$\begin{aligned} \int \frac{\coth^{-1}(a+bx)}{x} dx = & -\coth^{-1}(a+bx) \log\left(\frac{2}{1+a+bx}\right) \\ & + \coth^{-1}(a+bx) \log\left(\frac{2bx}{(1-a)(1+a+bx)}\right) \\ & + \frac{1}{2} \text{PolyLog}\left(2, 1 - \frac{2}{1+a+bx}\right) \\ & - \frac{1}{2} \text{PolyLog}\left(2, 1 - \frac{2bx}{(1-a)(1+a+bx)}\right) \end{aligned}$$

output

```
-arccoth(b*x+a)*ln(2/(b*x+a+1))+arccoth(b*x+a)*ln(2*b*x/(1-a)/(b*x+a+1))+1/2*polylog(2,1-2/(b*x+a+1))-1/2*polylog(2,1-2*b*x/(1-a)/(b*x+a+1))
```

Mathematica [C] (verified)

Result contains complex when optimal does not.

Time = 0.11 (sec) , antiderivative size = 259, normalized size of antiderivative = 2.82

$$\int \frac{\coth^{-1}(a+bx)}{x} dx = (\coth^{-1}(a+bx) - \operatorname{arctanh}(a+bx)) \log(x) + \operatorname{arctanh}(a+bx) \left(-\log\left(\frac{1}{\sqrt{1-(a+bx)^2}}\right) + \log(-i \sinh(\operatorname{arctanh}(a) - \operatorname{arctanh}(a+bx))) \right) + \frac{1}{8} \left(4(\operatorname{arctanh}(a) - \operatorname{arctanh}(a+bx))^2 - (\pi - 2i \operatorname{arctanh}(a+bx))^2 - 8(\operatorname{arctanh}(a) - \operatorname{arctanh}(a+bx)) \log(1 - e^{2\operatorname{arctanh}(a) - 2\operatorname{arctanh}(a+bx)}) - 4i(\pi - 2i \operatorname{arctanh}(a+bx)) \log(1 + e^{2\operatorname{arctanh}(a+bx)}) + 4(i\pi + 2\operatorname{arctanh}(a+bx)) \log\left(\frac{2}{\sqrt{1-(a+bx)^2}}\right) + 8(\operatorname{arctanh}(a) - \operatorname{arctanh}(a+bx)) \log(-2i \sinh(\operatorname{arctanh}(a) - \operatorname{arctanh}(a+bx))) - 4 \operatorname{PolyLog}(2, e^{2\operatorname{arctanh}(a) - 2\operatorname{arctanh}(a+bx)}) - 4 \operatorname{PolyLog}(2, -e^{2\operatorname{arctanh}(a+bx)}) \right)$$

input `Integrate[ArcCoth[a + b*x]/x,x]`

output

```
(ArcCoth[a + b*x] - ArcTanh[a + b*x])*Log[x] + ArcTanh[a + b*x]*(-Log[1/Sqrt[1 - (a + b*x)^2]] + Log[(-I)*Sinh[ArcTanh[a] - ArcTanh[a + b*x]])] + (4*(ArcTanh[a] - ArcTanh[a + b*x])^2 - (Pi - (2*I)*ArcTanh[a + b*x])^2 - 8*(ArcTanh[a] - ArcTanh[a + b*x])*Log[1 - E^(2*ArcTanh[a] - 2*ArcTanh[a + b*x])]) - (4*I)*(Pi - (2*I)*ArcTanh[a + b*x])*Log[1 + E^(2*ArcTanh[a + b*x])] + 4*(I*Pi + 2*ArcTanh[a + b*x])*Log[2/Sqrt[1 - (a + b*x)^2]] + 8*(ArcTanh[a] - ArcTanh[a + b*x])*Log[(-2*I)*Sinh[ArcTanh[a] - ArcTanh[a + b*x]]] - 4*PolyLog[2, E^(2*ArcTanh[a] - 2*ArcTanh[a + b*x])] - 4*PolyLog[2, -E^(2*ArcTanh[a + b*x])])/8
```

Rubi [A] (verified)

Time = 0.47 (sec) , antiderivative size = 92, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$, Rules used = {6662, 25, 27, 6473, 2849, 2752, 2897}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\coth^{-1}(a+bx)}{x} dx \\
 & \quad \downarrow \text{6662} \\
 & \int \frac{\coth^{-1}(a+bx)}{x} d(a+bx) \\
 & \quad \downarrow \text{25} \\
 & - \int \frac{\coth^{-1}(a+bx)}{x} d(a+bx) \\
 & \quad \downarrow \text{27} \\
 & - \int \frac{\coth^{-1}(a+bx)}{bx} d(a+bx) \\
 & \quad \downarrow \text{6473} \\
 & \int \frac{\log\left(\frac{2}{a+bx+1}\right)}{1-(a+bx)^2} d(a+bx) - \int \frac{\log\left(\frac{2bx}{(1-a)(a+bx+1)}\right)}{1-(a+bx)^2} d(a+bx) + \\
 & \log\left(\frac{2}{a+bx+1}\right) (-\coth^{-1}(a+bx)) + \log\left(\frac{2bx}{(1-a)(a+bx+1)}\right) \coth^{-1}(a+bx) \\
 & \quad \downarrow \text{2849} \\
 & \int \frac{\log\left(\frac{2}{a+bx+1}\right)}{1-\frac{2}{a+bx+1}} d\frac{1}{a+bx+1} - \int \frac{\log\left(\frac{2bx}{(1-a)(a+bx+1)}\right)}{1-(a+bx)^2} d(a+bx) + \\
 & \log\left(\frac{2}{a+bx+1}\right) (-\coth^{-1}(a+bx)) + \log\left(\frac{2bx}{(1-a)(a+bx+1)}\right) \coth^{-1}(a+bx) \\
 & \quad \downarrow \text{2752}
 \end{aligned}$$

$$\begin{aligned}
& - \int \frac{\log\left(\frac{2bx}{(1-a)(a+bx+1)}\right)}{1-(a+bx)^2} d(a+bx) + \frac{1}{2} \text{PolyLog}\left(2, 1 - \frac{2}{a+bx+1}\right) + \\
& \log\left(\frac{2}{a+bx+1}\right) (-\coth^{-1}(a+bx)) + \log\left(\frac{2bx}{(1-a)(a+bx+1)}\right) \coth^{-1}(a+bx) \\
& \quad \downarrow \text{2897} \\
& \frac{1}{2} \text{PolyLog}\left(2, 1 - \frac{2}{a+bx+1}\right) - \frac{1}{2} \text{PolyLog}\left(2, 1 - \frac{2bx}{(1-a)(a+bx+1)}\right) + \\
& \log\left(\frac{2}{a+bx+1}\right) (-\coth^{-1}(a+bx)) + \log\left(\frac{2bx}{(1-a)(a+bx+1)}\right) \coth^{-1}(a+bx)
\end{aligned}$$

input `Int[ArcCoth[a + b*x]/x,x]`

output `-(ArcCoth[a + b*x]*Log[2/(1 + a + b*x)]) + ArcCoth[a + b*x]*Log[(2*b*x)/((1 - a)*(1 + a + b*x))] + PolyLog[2, 1 - 2/(1 + a + b*x)]/2 - PolyLog[2, 1 - (2*b*x)/((1 - a)*(1 + a + b*x))]/2`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`

rule 2752 `Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] := Simp[(-e^(-1))*PolyLog[2, 1 - c*x], x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]`

rule 2849 `Int[Log[(c_.)/((d_) + (e_.)*(x_))]/((f_) + (g_.)*(x_)^2), x_Symbol] := Simp[-e/g Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]`

rule 2897 `Int[Log[u_]*(Pq_)^(m_), x_Symbol] := With[{C = FullSimplify[Pq^m*((1 - u)/D[u, x])]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] && PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u, x][[2]], Expon[Pq, x]]`

rule 6473 `Int[((a_) + ArcCoth[(c_)*(x_)]*(b_))/((d_) + (e_)*(x_)), x_Symbol] := Simp[(-a + b*ArcCoth[c*x])*(Log[2/(1 + c*x)]/e), x] + (Simp[(a + b*ArcCoth[c*x])*(Log[2*c*((d + e*x)/((c*d + e)*(1 + c*x)))]/e), x] + Simp[b*(c/e) Int[Log[2/(1 + c*x)]/(1 - c^2*x^2), x], x] - Simp[b*(c/e) Int[Log[2*c*((d + e*x)/((c*d + e)*(1 + c*x)))]/(1 - c^2*x^2), x], x]) /; FreeQ[{a, b, c, d, e}, x] && NeQ[c^2*d^2 - e^2, 0]`

rule 6662 `Int[((a_) + ArcCoth[(c_) + (d_)*(x_)]*(b_))^(p_)*((e_) + (f_)*(x_))^(m_), x_Symbol] := Simp[1/d Subst[Int[((d*e - c*f)/d + f*(x/d))^m*(a + b*ArcCoth[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[p, 0]`

Maple [A] (verified)

Time = 0.39 (sec) , antiderivative size = 68, normalized size of antiderivative = 0.74

method	result
risch	$\frac{\operatorname{dilog}\left(\frac{bx}{-a-1}\right)}{2} + \frac{\ln(bx+a+1)\ln\left(\frac{bx}{-a-1}\right)}{2} - \frac{\operatorname{dilog}\left(\frac{bx}{1-a}\right)}{2} - \frac{\ln(bx+a-1)\ln\left(\frac{bx}{1-a}\right)}{2}$
parts	$\ln(x) \operatorname{arccoth}(bx+a) + b \left(\frac{\operatorname{dilog}\left(\frac{bx+a-1}{a-1}\right)}{2b} + \frac{\ln(x)\ln\left(\frac{bx+a-1}{a-1}\right)}{2b} - \frac{\operatorname{dilog}\left(\frac{bx+a+1}{1+a}\right)}{2b} - \frac{\ln(x)\ln\left(\frac{bx+a+1}{1+a}\right)}{2b} \right)$
derivativedivides	$\ln(-bx) \operatorname{arccoth}(bx+a) - \frac{\operatorname{dilog}\left(\frac{-bx-a-1}{-a-1}\right)}{2} - \frac{\ln(-bx)\ln\left(\frac{-bx-a-1}{-a-1}\right)}{2} + \frac{\operatorname{dilog}\left(\frac{-bx-a+1}{1-a}\right)}{2} + \frac{\ln(-bx)\ln\left(\frac{-bx-a+1}{1-a}\right)}{2}$
default	$\ln(-bx) \operatorname{arccoth}(bx+a) - \frac{\operatorname{dilog}\left(\frac{-bx-a-1}{-a-1}\right)}{2} - \frac{\ln(-bx)\ln\left(\frac{-bx-a-1}{-a-1}\right)}{2} + \frac{\operatorname{dilog}\left(\frac{-bx-a+1}{1-a}\right)}{2} + \frac{\ln(-bx)\ln\left(\frac{-bx-a+1}{1-a}\right)}{2}$

input `int(arccoth(b*x+a)/x,x,method=_RETURNVERBOSE)`

output `1/2*dilog(b*x/(-a-1))+1/2*ln(b*x+a+1)*ln(b*x/(-a-1))-1/2*dilog(b/(1-a)*x)-1/2*ln(b*x+a-1)*ln(b/(1-a)*x)`

Fricas [F]

$$\int \frac{\coth^{-1}(a + bx)}{x} dx = \int \frac{\operatorname{arccoth}(bx + a)}{x} dx$$

input `integrate(arccoth(b*x+a)/x,x, algorithm="fricas")`

output `integral(arccoth(b*x + a)/x, x)`

Sympy [F]

$$\int \frac{\coth^{-1}(a + bx)}{x} dx = \int \frac{\operatorname{acoth}(a + bx)}{x} dx$$

input `integrate(acoth(b*x+a)/x,x)`

output `Integral(acoth(a + b*x)/x, x)`

Maxima [A] (verification not implemented)

Time = 0.03 (sec) , antiderivative size = 128, normalized size of antiderivative = 1.39

$$\begin{aligned} \int \frac{\coth^{-1}(a + bx)}{x} dx &= -\frac{1}{2} b \left(\frac{\log(bx + a + 1)}{b} - \frac{\log(bx + a - 1)}{b} \right) \log(x) \\ &+ \frac{1}{2} b \left(\frac{\log(bx + a + 1) \log\left(-\frac{bx+a+1}{a+1} + 1\right) + \operatorname{Li}_2\left(\frac{bx+a+1}{a+1}\right)}{b} - \frac{\log(bx + a - 1) \log\left(-\frac{bx+a-1}{a-1} + 1\right) + \operatorname{Li}_2\left(\frac{bx+a-1}{a-1}\right)}{b} \right) \\ &+ \operatorname{arccoth}(bx + a) \log(x) \end{aligned}$$

input `integrate(arccoth(b*x+a)/x,x, algorithm="maxima")`

output

```
-1/2*b*(log(b*x + a + 1)/b - log(b*x + a - 1)/b)*log(x) + 1/2*b*((log(b*x
+ a + 1)*log(-(b*x + a + 1)/(a + 1) + 1) + dilog((b*x + a + 1)/(a + 1)))/b
- (log(b*x + a - 1)*log(-(b*x + a - 1)/(a - 1) + 1) + dilog((b*x + a - 1)
/(a - 1)))/b) + arccoth(b*x + a)*log(x)
```

Giac [F]

$$\int \frac{\coth^{-1}(a + bx)}{x} dx = \int \frac{\operatorname{arccoth}(bx + a)}{x} dx$$

input

```
integrate(arccoth(b*x+a)/x,x, algorithm="giac")
```

output

```
integrate(arccoth(b*x + a)/x, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\coth^{-1}(a + bx)}{x} dx = \int \frac{\operatorname{acoth}(a + bx)}{x} dx$$

input

```
int(acoth(a + b*x)/x,x)
```

output

```
int(acoth(a + b*x)/x, x)
```

Reduce [F]

$$\int \frac{\coth^{-1}(a + bx)}{x} dx = \int \frac{\operatorname{acoth}(bx + a)}{x} dx$$

input

```
int(acoth(b*x+a)/x,x)
```


output `int(acoth(a + b*x)/x,x)`

3.6 $\int \frac{\coth^{-1}(a+bx)}{x^2} dx$

Optimal result	81
Mathematica [A] (verified)	81
Rubi [A] (verified)	82
Maple [A] (verified)	84
Fricas [A] (verification not implemented)	84
Sympy [B] (verification not implemented)	85
Maxima [A] (verification not implemented)	85
Giac [B] (verification not implemented)	86
Mupad [B] (verification not implemented)	86
Reduce [B] (verification not implemented)	87

Optimal result

Integrand size = 10, antiderivative size = 64

$$\int \frac{\coth^{-1}(a+bx)}{x^2} dx = -\frac{\coth^{-1}(a+bx)}{x} + \frac{b \log(x)}{1-a^2} - \frac{b \log(1-a-bx)}{2(1-a)} - \frac{b \log(1+a+bx)}{2(1+a)}$$

output `-arccoth(b*x+a)/x+b*ln(x)/(-a^2+1)-b*ln(-b*x-a+1)/(2-2*a)-b*ln(b*x+a+1)/(2+2*a)`

Mathematica [A] (verified)

Time = 0.04 (sec) , antiderivative size = 55, normalized size of antiderivative = 0.86

$$\int \frac{\coth^{-1}(a+bx)}{x^2} dx = -\frac{\coth^{-1}(a+bx)}{x} + \frac{b(-2 \log(x) + (1+a) \log(1-a-bx) - (-1+a) \log(1+a+bx))}{2(-1+a^2)}$$

input `Integrate[ArcCoth[a + b*x]/x^2,x]`

output

$$-(\text{ArcCoth}[a + b*x]/x) + (b*(-2*\text{Log}[x] + (1 + a)*\text{Log}[1 - a - b*x] - (-1 + a)*\text{Log}[1 + a + b*x]))/(2*(-1 + a^2))$$

Rubi [A] (verified)

Time = 0.30 (sec) , antiderivative size = 67, normalized size of antiderivative = 1.05, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {6660, 896, 25, 477, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\coth^{-1}(a + bx)}{x^2} dx$$

$$\downarrow 6660$$

$$b \int \frac{1}{x(1 - (a + bx)^2)} dx - \frac{\coth^{-1}(a + bx)}{x}$$

$$\downarrow 896$$

$$b \int \frac{1}{bx(1 - (a + bx)^2)} d(a + bx) - \frac{\coth^{-1}(a + bx)}{x}$$

$$\downarrow 25$$

$$-b \int -\frac{1}{bx(1 - (a + bx)^2)} d(a + bx) - \frac{\coth^{-1}(a + bx)}{x}$$

$$\downarrow 477$$

$$-b \int \left(-\frac{1}{2(1-a)(-a-bx+1)} + \frac{1}{2(a+1)(a+bx+1)} - \frac{1}{(1-a^2)bx} \right) d(a + bx) - \frac{\coth^{-1}(a + bx)}{x}$$

$$\downarrow 2009$$

$$b \left(\frac{\log(-bx)}{1-a^2} - \frac{\log(-a-bx+1)}{2(1-a)} - \frac{\log(a+bx+1)}{2(a+1)} \right) - \frac{\coth^{-1}(a + bx)}{x}$$

input

$$\text{Int}[\text{ArcCoth}[a + b*x]/x^2, x]$$

output $-(\text{ArcCoth}[a + b*x]/x) + b*(\text{Log}[-(b*x)]/(1 - a^2) - \text{Log}[1 - a - b*x]/(2*(1 - a)) - \text{Log}[1 + a + b*x]/(2*(1 + a)))$

Defintions of rubi rules used

rule 25 $\text{Int}[-(F_x), x_Symbol] \rightarrow \text{Simp}[\text{Identity}[-1] \text{ Int}[F_x, x], x]$

rule 477 $\text{Int}[((c_) + (d_)*(x_))^{(n_)}*((a_) + (b_)*(x_)^2)^{(p_)}, x_Symbol] \rightarrow \text{Simp}[a^p \text{ Int}[\text{ExpandIntegrand}[(c + d*x)^n*(1 - \text{Rt}[-b/a, 2]*x)^p*(1 + \text{Rt}[-b/a, 2]*x)^p, x], x] /; \text{FreeQ}\{a, b, c, d\}, x\} \ \&\& \ \text{ILtQ}[p, 0] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ \text{NiceSqrtQ}[-b/a] \ \&\& \ \text{!FractionalPowerFactorQ}[\text{Rt}[-b/a, 2]]$

rule 896 $\text{Int}(((a_) + (b_)*(v_)^{(n_)})^{(p_)}*(x_)^{(m_.)}, x_Symbol] \rightarrow \text{With}\{c = \text{Coefficient}[v, x, 0], d = \text{Coefficient}[v, x, 1]\}, \text{Simp}[1/d^{(m + 1)} \text{ Subst}[\text{Int}[\text{SimplifyIntegrand}[(x - c)^m*(a + b*x^n)^p, x], x], x, v], x] /; \text{NeQ}[c, 0] /; \text{FreeQ}\{a, b, n, p\}, x\} \ \&\& \ \text{LinearQ}[v, x] \ \&\& \ \text{IntegerQ}[m]$

rule 2009 $\text{Int}[u_, x_Symbol] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] /; \text{SumQ}[u]$

rule 6660 $\text{Int}(((a_.) + \text{ArcCoth}[(c_) + (d_)*(x_)]*(b_.))^{(p_.)}*((e_.) + (f_.)*(x_))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(e + f*x)^{(m + 1)}*((a + b*\text{ArcCoth}[c + d*x])^p/(f*(m + 1))), x] - \text{Simp}[b*d*(p/(f*(m + 1))) \text{ Int}[(e + f*x)^{(m + 1)}*((a + b*\text{ArcCoth}[c + d*x])^{(p - 1)/(1 - (c + d*x)^2)}), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ \text{ILtQ}[m, -1]$

Maple [A] (verified)

Time = 0.13 (sec) , antiderivative size = 61, normalized size of antiderivative = 0.95

method	result
parts	$-\frac{\operatorname{arccoth}(bx+a)}{x} - b\left(-\frac{\ln(bx+a-1)}{2a-2} + \frac{\ln(x)}{(1+a)(a-1)} + \frac{\ln(bx+a+1)}{2+2a}\right)$
derivativedivides	$b\left(-\frac{\operatorname{arccoth}(bx+a)}{bx} - \frac{\ln(bx+a+1)}{2+2a} - \frac{\ln(-bx)}{(a-1)(1+a)} + \frac{\ln(bx+a-1)}{2a-2}\right)$
default	$b\left(-\frac{\operatorname{arccoth}(bx+a)}{bx} - \frac{\ln(bx+a+1)}{2+2a} - \frac{\ln(-bx)}{(a-1)(1+a)} + \frac{\ln(bx+a-1)}{2a-2}\right)$
parallelrisc	$-\frac{x \operatorname{arccoth}(bx+a)a b^3 + \ln(x)x b^3 - \ln(bx+a-1)x b^3 - x \operatorname{arccoth}(bx+a)b^3 + \operatorname{arccoth}(bx+a)a^2 b^2 - \operatorname{arccoth}(bx+a)b^2}{(a^2-1)x b^2}$
risc	$-\frac{\ln(bx+a+1)}{2x} - \frac{-\ln(-bx-a+1)abx + \ln(bx+a+1)abx + 2\ln(-x)bx - \ln(-bx-a+1)bx - \ln(bx+a+1)bx - \ln(bx+a-1)bx}{2x(1+a)(a-1)}$

input `int(arccoth(b*x+a)/x^2,x,method=_RETURNVERBOSE)`output `-arccoth(b*x+a)/x-b*(-1/(2*a-2)*ln(b*x+a-1)+1/(1+a)/(a-1)*ln(x)+1/(2+2*a)*ln(b*x+a+1))`**Fricas [A] (verification not implemented)**

Time = 0.09 (sec) , antiderivative size = 68, normalized size of antiderivative = 1.06

$$\int \frac{\coth^{-1}(a+bx)}{x^2} dx = \frac{(a-1)bx \log(bx+a+1) - (a+1)bx \log(bx+a-1) + 2bx \log(x) + (a^2-1) \log\left(\frac{bx+a+1}{bx+a-1}\right)}{2(a^2-1)x}$$

input `integrate(arccoth(b*x+a)/x^2,x, algorithm="fricas")`output `-1/2*((a-1)*b*x*log(b*x+a+1) - (a+1)*b*x*log(b*x+a-1) + 2*b*x*log(x) + (a^2-1)*log((b*x+a+1)/(b*x+a-1)))/((a^2-1)*x)`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 144 vs. $2(48) = 96$.

Time = 0.67 (sec) , antiderivative size = 144, normalized size of antiderivative = 2.25

$$\int \frac{\coth^{-1}(a + bx)}{x^2} dx = \begin{cases} \frac{b \operatorname{acoth}(bx-1)}{2} - \frac{\operatorname{acoth}(bx-1)}{x} - \frac{1}{2x} & \text{for } a = -1 \\ -\frac{b \operatorname{acoth}(bx+1)}{2} - \frac{\operatorname{acoth}(bx+1)}{x} + \frac{1}{2x} & \text{for } a = 1 \\ -\frac{a^2 \operatorname{acoth}(a+bx)}{a^2x-x} - \frac{abx \operatorname{acoth}(a+bx)}{a^2x-x} - \frac{bx \log(x)}{a^2x-x} + \frac{bx \log(a+bx+1)}{a^2x-x} - \frac{bx \operatorname{acoth}(a+bx)}{a^2x-x} + \frac{\operatorname{acoth}(a+bx)}{a^2x-x} & \text{otherwise} \end{cases}$$

input `integrate(acoth(b*x+a)/x**2,x)`

output `Piecewise((b*acoth(b*x - 1)/2 - acoth(b*x - 1)/x - 1/(2*x), Eq(a, -1)), (-b*acoth(b*x + 1)/2 - acoth(b*x + 1)/x + 1/(2*x), Eq(a, 1)), (-a**2*acoth(a + b*x)/(a**2*x - x) - a*b*x*acoth(a + b*x)/(a**2*x - x) - b*x*log(x)/(a**2*x - x) + b*x*log(a + b*x + 1)/(a**2*x - x) - b*x*acoth(a + b*x)/(a**2*x - x) + acoth(a + b*x)/(a**2*x - x), True))`

Maxima [A] (verification not implemented)

Time = 0.03 (sec) , antiderivative size = 54, normalized size of antiderivative = 0.84

$$\int \frac{\coth^{-1}(a + bx)}{x^2} dx = -\frac{1}{2}b \left(\frac{\log(bx + a + 1)}{a + 1} - \frac{\log(bx + a - 1)}{a - 1} + \frac{2 \log(x)}{a^2 - 1} \right) - \frac{\operatorname{arccoth}(bx + a)}{x}$$

input `integrate(arccoth(b*x+a)/x^2,x, algorithm="maxima")`

output `-1/2*b*(log(b*x + a + 1)/(a + 1) - log(b*x + a - 1)/(a - 1) + 2*log(x)/(a^2 - 1)) - arccoth(b*x + a)/x`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 259 vs. $2(57) = 114$.

Time = 0.14 (sec) , antiderivative size = 259, normalized size of antiderivative = 4.05

$$\int \frac{\coth^{-1}(a + bx)}{x^2} dx =$$

$$-\frac{1}{2}((a+1)b - (a-1)b) \left(\frac{(a-1) \log\left(\left|\frac{(bx+a+1)a}{bx+a-1} - a - \frac{bx+a+1}{bx+a-1} - 1\right|\right)}{a^3 - a^2 - a + 1} - \frac{\log\left(\frac{|bx+a+1|}{|bx+a-1|}\right)}{a^2 - 1} - \frac{\log\left(\frac{\frac{bx+a+1}{bx+a-1}}{\frac{bx+a+1}{bx+a-1}}\right)}{\left(\frac{(bx+a+1)a}{bx+a-1} - a - \frac{bx+a+1}{bx+a-1} - 1\right)} \right)$$

input `integrate(arccoth(b*x+a)/x^2,x, algorithm="giac")`

output `-1/2*((a + 1)*b - (a - 1)*b)*((a - 1)*log(abs((b*x + a + 1)*a/(b*x + a - 1) - a - (b*x + a + 1)/(b*x + a - 1) - 1))/(a^3 - a^2 - a + 1) - log(abs(b*x + a + 1)/abs(b*x + a - 1))/(a^2 - 1) - log(-(1/(a - ((b*x + a + 1)*(a - 1)/(b*x + a - 1) - a - 1)*b/((b*x + a + 1)*b/(b*x + a - 1) - b)) + 1)/(1/(a - ((b*x + a + 1)*(a - 1)/(b*x + a - 1) - a - 1)*b/((b*x + a + 1)*b/(b*x + a - 1) - b)) - 1))/((b*x + a + 1)*a/(b*x + a - 1) - a - (b*x + a + 1)/(b*x + a - 1) - 1)*(a - 1)))`

Mupad [B] (verification not implemented)

Time = 4.35 (sec) , antiderivative size = 62, normalized size of antiderivative = 0.97

$$\int \frac{\coth^{-1}(a + bx)}{x^2} dx = -\frac{\operatorname{acoth}(a + bx)}{x} - \frac{bx \ln(x) - \frac{bx \ln(a^2 + 2abx + b^2x^2 - 1)}{2} + abx \operatorname{acoth}(a + bx)}{x(a^2 - 1)}$$

input `int(acoth(a + b*x)/x^2,x)`

output

```
- acoth(a + b*x)/x - (b*x*log(x) - (b*x*log(a^2 + b^2*x^2 + 2*a*b*x - 1))/
2 + a*b*x*acoth(a + b*x))/(x*(a^2 - 1))
```

Reduce [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 65, normalized size of antiderivative = 1.02

$$\int \frac{\coth^{-1}(a + bx)}{x^2} dx$$

$$= \frac{-\operatorname{acoth}(bx + a) a^2 - \operatorname{acoth}(bx + a) abx + \operatorname{acoth}(bx + a) bx + \operatorname{acoth}(bx + a) - \log(bx + a - 1) bx + \log(bx + a + 1) bx}{x(a^2 - 1)}$$

input

```
int(acoth(b*x+a)/x^2,x)
```

output

```
( - acoth(a + b*x)*a**2 - acoth(a + b*x)*a*b*x + acoth(a + b*x)*b*x + acot
h(a + b*x) - log(a + b*x - 1)*b*x + log(x)*b*x)/(x*(a**2 - 1))
```


3.7 $\int \frac{\coth^{-1}(a+bx)}{x^3} dx$

Optimal result	88
Mathematica [A] (verified)	88
Rubi [A] (verified)	89
Maple [A] (verified)	91
Fricas [A] (verification not implemented)	91
Sympy [B] (verification not implemented)	92
Maxima [A] (verification not implemented)	92
Giac [B] (verification not implemented)	93
Mupad [B] (verification not implemented)	94
Reduce [B] (verification not implemented)	94

Optimal result

Integrand size = 10, antiderivative size = 90

$$\int \frac{\coth^{-1}(a+bx)}{x^3} dx = -\frac{b}{2(1-a^2)x} - \frac{\coth^{-1}(a+bx)}{2x^2} + \frac{ab^2 \log(x)}{(1-a^2)^2} - \frac{b^2 \log(1-a-bx)}{4(1-a)^2} + \frac{b^2 \log(1+a+bx)}{4(1+a)^2}$$

```
output -1/2*b/(-a^2+1)/x-1/2*arccoth(b*x+a)/x^2+a*b^2*ln(x)/(-a^2+1)^2-1/4*b^2*ln(-b*x-a+1)/(1-a)^2+1/4*b^2*ln(b*x+a+1)/(1+a)^2
```

Mathematica [A] (verified)

Time = 0.08 (sec) , antiderivative size = 76, normalized size of antiderivative = 0.84

$$\int \frac{\coth^{-1}(a+bx)}{x^3} dx = \frac{1}{4} \left(-\frac{2 \coth^{-1}(a+bx)}{x^2} + b \left(\frac{2}{(-1+a^2)x} + \frac{4ab \log(x)}{(-1+a^2)^2} - \frac{b \log(1-a-bx)}{(-1+a)^2} + \frac{b \log(1+a+bx)}{(1+a)^2} \right) \right)$$

```
input Integrate[ArcCoth[a + b*x]/x^3,x]
```

output

$$\frac{((-2*\text{ArcCoth}[a + b*x])/x^2 + b*(2/((-1 + a^2)*x) + (4*a*b*\text{Log}[x])/(-1 + a^2)^2 - (b*\text{Log}[1 - a - b*x])/(-1 + a)^2 + (b*\text{Log}[1 + a + b*x])/(1 + a)^2))/4}$$
Rubi [A] (verified)

Time = 0.32 (sec) , antiderivative size = 93, normalized size of antiderivative = 1.03, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {6660, 896, 477, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\coth^{-1}(a + bx)}{x^3} dx$$

$$\downarrow 6660$$

$$\frac{1}{2}b \int \frac{1}{x^2(1 - (a + bx)^2)} dx - \frac{\coth^{-1}(a + bx)}{2x^2}$$

$$\downarrow 896$$

$$\frac{1}{2}b^2 \int \frac{1}{b^2x^2(1 - (a + bx)^2)} d(a + bx) - \frac{\coth^{-1}(a + bx)}{2x^2}$$

$$\downarrow 477$$

$$\frac{1}{2}b^2 \int \left(\frac{2a}{(1 - a^2)^2 bx} + \frac{1}{2(1 - a)^2(-a - bx + 1)} + \frac{1}{2(a + 1)^2(a + bx + 1)} + \frac{1}{(1 - a^2)b^2x^2} \right) d(a + bx) - \frac{\coth^{-1}(a + bx)}{2x^2}$$

$$\downarrow 2009$$

$$\frac{1}{2}b^2 \left(-\frac{1}{(1 - a^2)bx} + \frac{2a \log(-bx)}{(1 - a^2)^2} - \frac{\log(-a - bx + 1)}{2(1 - a)^2} + \frac{\log(a + bx + 1)}{2(a + 1)^2} \right) - \frac{\coth^{-1}(a + bx)}{2x^2}$$

input

$$\text{Int}[\text{ArcCoth}[a + b*x]/x^3, x]$$

output

$$\frac{-1/2 \operatorname{ArcCoth}[a + b*x]/x^2 + (b^2 * (-1/((1 - a^2) * b*x)) + (2*a * \operatorname{Log}[-(b*x)]) / ((1 - a^2)^2 - \operatorname{Log}[1 - a - b*x] / (2*(1 - a)^2) + \operatorname{Log}[1 + a + b*x] / (2*(1 + a)^2))) / 2}$$
Defintions of rubi rules used

rule 477

```
Int[((c_) + (d_)*(x_))^(n_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Simp[
a^p Int[ExpandIntegrand[(c + d*x)^n*(1 - Rt[-b/a, 2]*x)^p*(1 + Rt[-b/a, 2]
)*x]^p, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[p, 0] && IntegerQ[n] &
& NiceSqrtQ[-b/a] && !FractionalPowerFactorQ[Rt[-b/a, 2]]
```

rule 896

```
Int[((a_) + (b_)*(v_)^(n_))^(p_)*(x_)^(m_), x_Symbol] := With[{c = Coeff
icient[v, x, 0], d = Coefficient[v, x, 1]}, Simp[1/d^(m + 1) Subst[Int[Si
mplifyIntegrand[(x - c)^m*(a + b*x^n)^p, x], x], x, v], x] /; NeQ[c, 0] /;
FreeQ[{a, b, n, p}, x] && LinearQ[v, x] && IntegerQ[m]
```

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 6660

```
Int[((a_) + ArcCoth[(c_) + (d_)*(x_)]*(b_))^(p_)*((e_) + (f_)*(x_))^(
m_), x_Symbol] := Simp[(e + f*x)^(m + 1)*((a + b*ArcCoth[c + d*x])^p/(f*(m
+ 1))), x] - Simp[b*d*(p/(f*(m + 1))) Int[(e + f*x)^(m + 1)*((a + b*ArcCo
th[c + d*x])^(p - 1)/(1 - (c + d*x)^2)), x], x] /; FreeQ[{a, b, c, d, e, f}
, x] && IGtQ[p, 0] && ILtQ[m, -1]
```

Maple [A] (verified)

Time = 0.16 (sec) , antiderivative size = 78, normalized size of antiderivative = 0.87

method	result
parts	$-\frac{\operatorname{arccoth}(bx+a)}{2x^2} - \frac{b\left(\frac{b\ln(bx+a-1)}{2(a-1)^2} - \frac{1}{(1+a)(a-1)x} - \frac{2ab\ln(x)}{(a-1)^2(1+a)^2} - \frac{b\ln(bx+a+1)}{2(1+a)^2}\right)}{2}$
derivativedivides	$b^2\left(-\frac{\operatorname{arccoth}(bx+a)}{2b^2x^2} - \frac{\ln(bx+a-1)}{4(a-1)^2} + \frac{\ln(bx+a+1)}{4(1+a)^2} + \frac{1}{2(a-1)(1+a)bx} + \frac{a\ln(-bx)}{(a-1)^2(1+a)^2}\right)$
default	$b^2\left(-\frac{\operatorname{arccoth}(bx+a)}{2b^2x^2} - \frac{\ln(bx+a-1)}{4(a-1)^2} + \frac{\ln(bx+a+1)}{4(1+a)^2} + \frac{1}{2(a-1)(1+a)bx} + \frac{a\ln(-bx)}{(a-1)^2(1+a)^2}\right)$
parallelrisch	$\frac{x^2 \operatorname{arccoth}(bx+a)a^2b^2 + 2\ln(x)a b^2x^2 - 2\ln(bx+a-1)x^2a b^2 - 2x^2 \operatorname{arccoth}(bx+a)a b^2 + \operatorname{arccoth}(bx+a)b^2x^2 - 2a b^2x^2 - a}{2x^2(a^4 - 2a^2 + 1)}$
risch	$-\frac{\ln(bx+a+1)}{4x^2} - \frac{\ln(-bx-a+1)a^2b^2x^2 - \ln(-bx-a-1)a^2b^2x^2 + 2\ln(-bx-a+1)a b^2x^2 - 4\ln(x)a b^2x^2 + 2\ln(-bx-a-1)a b^2x^2}{4x^2(a^4 - 2a^2 + 1)}$

input `int(arccoth(b*x+a)/x^3,x,method=_RETURNVERBOSE)`output `-1/2*arccoth(b*x+a)/x^2-1/2*b*(1/2*b/(a-1)^2*ln(b*x+a-1)-1/(1+a)/(a-1)/x-2*a*b/(a-1)^2/(1+a)^2*ln(x)-1/2*b/(1+a)^2*ln(b*x+a+1))`**Fricas [A] (verification not implemented)**

Time = 0.10 (sec) , antiderivative size = 111, normalized size of antiderivative = 1.23

$$\int \frac{\coth^{-1}(a+bx)}{x^3} dx$$

$$= \frac{(a^2 - 2a + 1)b^2x^2 \log(bx + a + 1) - (a^2 + 2a + 1)b^2x^2 \log(bx + a - 1) + 4ab^2x^2 \log(x) + 2(a^2 - 1)bx}{4(a^4 - 2a^2 + 1)x^2}$$

input `integrate(arccoth(b*x+a)/x^3,x, algorithm="fricas")`output `1/4*((a^2 - 2*a + 1)*b^2*x^2*log(b*x + a + 1) - (a^2 + 2*a + 1)*b^2*x^2*log(b*x + a - 1) + 4*a*b^2*x^2*log(x) + 2*(a^2 - 1)*b*x - (a^4 - 2*a^2 + 1)*log((b*x + a + 1)/(b*x + a - 1)))/((a^4 - 2*a^2 + 1)*x^2)`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 410 vs. $2(73) = 146$.

Time = 0.93 (sec) , antiderivative size = 410, normalized size of antiderivative = 4.56

$$\int \frac{\coth^{-1}(a + bx)}{x^3} dx$$

$$= \begin{cases} \frac{b^2 \operatorname{acoth}(bx-1)}{8} - \frac{b}{8x} - \frac{\operatorname{acoth}(bx-1)}{2x^2} - \frac{1}{8x^2} \\ \frac{b^2 \operatorname{acoth}(bx+1)}{8} - \frac{b}{8x} - \frac{\operatorname{acoth}(bx+1)}{2x^2} + \frac{1}{8x^2} \\ -\frac{a^4 \operatorname{acoth}(a+bx)}{2a^4x^2-4a^2x^2+2x^2} + \frac{a^2b^2x^2 \operatorname{acoth}(a+bx)}{2a^4x^2-4a^2x^2+2x^2} + \frac{a^2bx}{2a^4x^2-4a^2x^2+2x^2} + \frac{2a^2 \operatorname{acoth}(a+bx)}{2a^4x^2-4a^2x^2+2x^2} + \frac{2ab^2x^2 \log(x)}{2a^4x^2-4a^2x^2+2x^2} - \frac{2ab^2x^2 \log(a+bx)}{2a^4x^2-4a^2x^2+2x^2} \end{cases}$$

input `integrate(acoth(b*x+a)/x**3,x)`

output

```
Piecewise((b**2*acoth(b*x - 1)/8 - b/(8*x) - acoth(b*x - 1)/(2*x**2) - 1/(8*x**2), Eq(a, -1)), (b**2*acoth(b*x + 1)/8 - b/(8*x) - acoth(b*x + 1)/(2*x**2) + 1/(8*x**2), Eq(a, 1)), (-a**4*acoth(a + b*x)/(2*a**4*x**2 - 4*a**2*x**2 + 2*x**2) + a**2*b**2*x**2*acoth(a + b*x)/(2*a**4*x**2 - 4*a**2*x**2 + 2*x**2) + a**2*b*x/(2*a**4*x**2 - 4*a**2*x**2 + 2*x**2) + 2*a**2*acoth(a + b*x)/(2*a**4*x**2 - 4*a**2*x**2 + 2*x**2) + 2*a*b**2*x**2*log(x)/(2*a**4*x**2 - 4*a**2*x**2 + 2*x**2) - 2*a*b**2*x**2*log(a + b*x + 1)/(2*a**4*x**2 - 4*a**2*x**2 + 2*x**2) + 2*a*b**2*x**2*acoth(a + b*x)/(2*a**4*x**2 - 4*a**2*x**2 + 2*x**2) + b**2*x**2*acoth(a + b*x)/(2*a**4*x**2 - 4*a**2*x**2 + 2*x**2) - b*x/(2*a**4*x**2 - 4*a**2*x**2 + 2*x**2) - acoth(a + b*x)/(2*a**4*x**2 - 4*a**2*x**2 + 2*x**2), True))
```

Maxima [A] (verification not implemented)

Time = 0.03 (sec) , antiderivative size = 85, normalized size of antiderivative = 0.94

$$\int \frac{\coth^{-1}(a + bx)}{x^3} dx$$

$$= \frac{1}{4} \left(\frac{4ab \log(x)}{a^4 - 2a^2 + 1} + \frac{b \log(bx + a + 1)}{a^2 + 2a + 1} - \frac{b \log(bx + a - 1)}{a^2 - 2a + 1} + \frac{2}{(a^2 - 1)x} \right) b - \frac{\operatorname{arccoth}(bx + a)}{2x^2}$$

input `integrate(arccoth(b*x+a)/x^3,x, algorithm="maxima")`

output $\frac{1}{4}(4ab \log(x)/(a^4 - 2a^2 + 1) + b \log(bx + a + 1)/(a^2 + 2a + 1) - b \log(bx + a - 1)/(a^2 - 2a + 1) + 2/((a^2 - 1)x))b - 1/2 \operatorname{arccoth}(bx + a)/x^2$

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 360 vs. $2(76) = 152$.

Time = 0.13 (sec) , antiderivative size = 360, normalized size of antiderivative = 4.00

$$\int \frac{\coth^{-1}(a + bx)}{x^3} dx =$$

$$-\frac{1}{2}((a+1)b - (a-1)b) \left(\frac{ab \log\left(\frac{|bx+a+1|}{|bx+a-1|}\right)}{a^4 - 2a^2 + 1} - \frac{ab \log\left(\left|\frac{(bx+a+1)a}{bx+a-1} - a - \frac{bx+a+1}{bx+a-1} - 1\right|\right)}{a^4 - 2a^2 + 1} \right) + \frac{\left(\frac{(bx+a+1)ab}{bx+a-1} - a\right)}{(a^2 - 1)}$$

input `integrate(arccoth(b*x+a)/x^3,x, algorithm="giac")`

output
$$-1/2*((a+1)*b - (a-1)*b)*(a*b*\log(\operatorname{abs}(bx+a+1)/\operatorname{abs}(bx+a-1)))/(a^4 - 2a^2 + 1) - a*b*\log(\operatorname{abs}((bx+a+1)*a/(bx+a-1) - a - (bx+a+1)/(bx+a-1) - 1))/(a^4 - 2a^2 + 1) + ((bx+a+1)*a*b/(bx+a-1) - a*b - (bx+a+1)*b/(bx+a-1))*\log(-1/(a - ((bx+a+1)*(a-1)/(bx+a-1) - a - 1)*b/((bx+a+1)*b/(bx+a-1) - b)) + 1)/(1/(a - ((bx+a+1)*(a-1)/(bx+a-1) - a - 1)*b/((bx+a+1)*b/(bx+a-1) - b)) - 1))/((a^2 - 2a + 1)*((bx+a+1)*a/(bx+a-1) - a - (bx+a+1)/(bx+a-1) - 1)^2) + (a*b + b)/(((bx+a+1)*a/(bx+a-1) - a - (bx+a+1)/(bx+a-1) - 1)*(a+1)^2*(a-1)^2)$$

Mupad [B] (verification not implemented)

Time = 4.89 (sec) , antiderivative size = 247, normalized size of antiderivative = 2.74

$$\int \frac{\coth^{-1}(a+bx)}{x^3} dx = \ln(x) \left(\frac{b^2}{4(a-1)^2} - \frac{b^2}{4(a+1)^2} \right) - \ln(a^2 + 2abx + b^2x^2 - 1) \left(\frac{b^2}{8(a-1)^2} - \frac{b^2}{8(a+1)^2} \right) - \frac{\operatorname{acoth}(a+bx) \left(\frac{a^2}{2} - \frac{1}{2} \right) - \frac{bx}{2} + \frac{b^2x^2 \operatorname{acoth}(a+bx)}{2} + \frac{x^3(3a^2b^3+b^3)}{2(a^2-1)^2} + \frac{ab^4x^4}{(a^2-1)^2} + abx \operatorname{acoth}(a+bx)}{a^2x^2 + 2abx^3 + b^2x^4 - x^2} - \frac{\operatorname{atan}\left(\frac{2xb^2+2ab}{2\sqrt{b^2(a^2-1)-a^2b^2}}\right) (a^2b^3 + b^3)}{\sqrt{-b^2} (2a^4 - 4a^2 + 2)}$$

input `int(acoth(a + b*x)/x^3,x)`output `log(x)*(b^2/(4*(a - 1)^2) - b^2/(4*(a + 1)^2)) - log(a^2 + b^2*x^2 + 2*a*b*x - 1)*(b^2/(8*(a - 1)^2) - b^2/(8*(a + 1)^2)) - (acoth(a + b*x)*(a^2/2 - 1/2) - (b*x)/2 + (b^2*x^2*acoth(a + b*x))/2 + (x^3*(b^3 + 3*a^2*b^3))/(2*(a^2 - 1)^2) + (a*b^4*x^4)/(a^2 - 1)^2 + a*b*x*acoth(a + b*x))/(a^2*x^2 - x^2 + b^2*x^4 + 2*a*b*x^3) - (atan((2*a*b + 2*b^2*x)/(2*(b^2*(a^2 - 1) - a^2*b^2)^(1/2))))*(b^3 + a^2*b^3)/((-b^2)^(1/2)*(2*a^4 - 4*a^2 + 2))`**Reduce [B] (verification not implemented)**

Time = 0.17 (sec) , antiderivative size = 129, normalized size of antiderivative = 1.43

$$\int \frac{\coth^{-1}(a+bx)}{x^3} dx = \frac{-\operatorname{acoth}(bx+a)a^4 + \operatorname{acoth}(bx+a)a^2b^2x^2 + 2\operatorname{acoth}(bx+a)a^2 - 2\operatorname{acoth}(bx+a)ab^2x^2 + \operatorname{acoth}(bx+a)}{2x^2(a^4 - 2a^2 + 1)}$$

input `int(acoth(b*x+a)/x^3,x)`

output

```
( - acoth(a + b*x)*a**4 + acoth(a + b*x)*a**2*b**2*x**2 + 2*acoth(a + b*x)
*a**2 - 2*acoth(a + b*x)*a*b**2*x**2 + acoth(a + b*x)*b**2*x**2 - acoth(a
+ b*x) + 2*log(a + b*x - 1)*a*b**2*x**2 - 2*log(x)*a*b**2*x**2 - a**2*b*x
+ b*x)/(2*x**2*(a**4 - 2*a**2 + 1))
```


3.8 $\int x^3 \coth^{-1}(a + bx)^2 dx$

Optimal result	96
Mathematica [A] (verified)	97
Rubi [A] (verified)	97
Maple [A] (verified)	99
Fricas [F]	100
Sympy [F]	100
Maxima [A] (verification not implemented)	101
Giac [F]	101
Mupad [F(-1)]	102
Reduce [F]	102

Optimal result

Integrand size = 12, antiderivative size = 263

$$\begin{aligned}
 \int x^3 \coth^{-1}(a + bx)^2 dx = & -\frac{ax}{b^3} + \frac{(a + bx)^2}{12b^4} + \frac{(1 + 6a^2)(a + bx) \coth^{-1}(a + bx)}{2b^4} \\
 & - \frac{a(a + bx)^2 \coth^{-1}(a + bx)}{b^4} \\
 & + \frac{(a + bx)^3 \coth^{-1}(a + bx)}{6b^4} - \frac{a(1 + a^2) \coth^{-1}(a + bx)^2}{b^4} \\
 & - \frac{(1 + 6a^2 + a^4) \coth^{-1}(a + bx)^2}{4b^4} \\
 & + \frac{1}{4}x^4 \coth^{-1}(a + bx)^2 + \frac{a \operatorname{arctanh}(a + bx)}{b^4} \\
 & + \frac{2a(1 + a^2) \coth^{-1}(a + bx) \log\left(\frac{2}{1 - a - bx}\right)}{b^4} \\
 & + \frac{\log(1 - (a + bx)^2)}{12b^4} + \frac{(1 + 6a^2) \log(1 - (a + bx)^2)}{4b^4} \\
 & + \frac{a(1 + a^2) \operatorname{PolyLog}\left(2, -\frac{1 + a + bx}{1 - a - bx}\right)}{b^4}
 \end{aligned}$$

output

```
-a*x/b^3+1/12*(b*x+a)^2/b^4+1/2*(6*a^2+1)*(b*x+a)*arccoth(b*x+a)/b^4-a*(b*x+a)^2*arccoth(b*x+a)/b^4+1/6*(b*x+a)^3*arccoth(b*x+a)/b^4-a*(a^2+1)*arccoth(b*x+a)^2/b^4-1/4*(a^4+6*a^2+1)*arccoth(b*x+a)^2/b^4+1/4*x^4*arccoth(b*x+a)^2+a*arctanh(b*x+a)/b^4+2*a*(a^2+1)*arccoth(b*x+a)*ln(2/(-b*x-a+1))/b^4+1/12*ln(1-(b*x+a)^2)/b^4+1/4*(6*a^2+1)*ln(1-(b*x+a)^2)/b^4+a*(a^2+1)*polylog(2,-(b*x+a+1)/(-b*x-a+1))/b^4
```

Mathematica [A] (verified)

Time = 1.23 (sec) , antiderivative size = 203, normalized size of antiderivative = 0.77

$$\int x^3 \coth^{-1}(a + bx)^2 dx =$$

$$\frac{1 + 11a^2 + 10abx - b^2x^2 + 3(1 - 4a + 6a^2 - 4a^3 + a^4 - b^4x^4) \coth^{-1}(a + bx)^2 - 2 \coth^{-1}(a + bx) (9$$

input

```
Integrate[x^3*ArcCoth[a + b*x]^2,x]
```

output

```
-1/12*(1 + 11*a^2 + 10*a*b*x - b^2*x^2 + 3*(1 - 4*a + 6*a^2 - 4*a^3 + a^4 - b^4*x^4)*ArcCoth[a + b*x]^2 - 2*ArcCoth[a + b*x]*(9*a + 13*a^3 + 3*b*x + 9*a^2*b*x - 3*a*b^2*x^2 + b^3*x^3 + 12*(a + a^3)*Log[1 - E^(-2*ArcCoth[a + b*x])]) + 8*Log[1/((a + b*x)*Sqrt[1 - (a + b*x)^(-2)])] + 36*a^2*Log[1/((a + b*x)*Sqrt[1 - (a + b*x)^(-2)])] + 12*(a + a^3)*PolyLog[2, E^(-2*ArcCoth[a + b*x])])/b^4
```

Rubi [A] (verified)

Time = 0.58 (sec) , antiderivative size = 244, normalized size of antiderivative = 0.93, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {6662, 25, 27, 6481, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
& \int x^3 \coth^{-1}(a + bx)^2 dx \\
& \quad \downarrow \text{6662} \\
& \frac{\int x^3 \coth^{-1}(a + bx)^2 d(a + bx)}{b} \\
& \quad \downarrow \text{25} \\
& -\frac{\int -x^3 \coth^{-1}(a + bx)^2 d(a + bx)}{b} \\
& \quad \downarrow \text{27} \\
& -\frac{\int -b^3 x^3 \coth^{-1}(a + bx)^2 d(a + bx)}{b^4} \\
& \quad \downarrow \text{6481} \\
& -\frac{\frac{1}{2} \int \left(-\coth^{-1}(a + bx)(a + bx)^2 + 4a \coth^{-1}(a + bx)(a + bx) - (6a^2 + 1) \coth^{-1}(a + bx) + \frac{(a^4 + 6a^2 - 4(a^2 + 1)(a + bx))}{1 - (a + bx)^2} \right) dx}{b^4} \\
& \quad \downarrow \text{2009} \\
& -\frac{\frac{1}{2} \left(-2a(a^2 + 1) \operatorname{PolyLog} \left(2, -\frac{a + bx + 1}{-a - bx + 1} \right) - \frac{1}{2} (6a^2 + 1) \log(1 - (a + bx)^2) - (6a^2 + 1)(a + bx) \coth^{-1}(a + bx) \right)}{b^4}
\end{aligned}$$

input `Int[x^3*ArcCoth[a + b*x]^2,x]`

output `-((-1/4*(b^4*x^4*ArcCoth[a + b*x]^2) + (2*a*(a + b*x) - (a + b*x)^2/6 - (1 + 6*a^2)*(a + b*x)*ArcCoth[a + b*x] + 2*a*(a + b*x)^2*ArcCoth[a + b*x] - ((a + b*x)^3*ArcCoth[a + b*x])/3 + 2*a*(1 + a^2)*ArcCoth[a + b*x]^2 + ((1 + 6*a^2 + a^4)*ArcCoth[a + b*x]^2)/2 - 2*a*ArcTanh[a + b*x] - 4*a*(1 + a^2)*ArcCoth[a + b*x]*Log[2/(1 - a - b*x)] - Log[1 - (a + b*x)^2]/6 - ((1 + 6*a^2)*Log[1 - (a + b*x)^2])/2 - 2*a*(1 + a^2)*PolyLog[2, -((1 + a + b*x)/(1 - a - b*x))])/2)/b^4)`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 6481 `Int[((a_.) + ArcCoth[(c_.)*(x_.)]*(b_.))^ (p_.)*((d_.) + (e_.)*(x_.))^ (q_.), x_Symbol] := Simp[(d + e*x)^(q + 1)*((a + b*ArcCoth[c*x])^p/(e*(q + 1))), x] - Simp[b*c*(p/(e*(q + 1))) Int[ExpandIntegrand[(a + b*ArcCoth[c*x])^(p - 1), (d + e*x)^(q + 1)/(1 - c^2*x^2), x], x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 1] && IntegerQ[q] && NeQ[q, -1]`

rule 6662 `Int[((a_.) + ArcCoth[(c_.) + (d_.)*(x_.)]*(b_.))^ (p_.)*((e_.) + (f_.)*(x_.))^ (m_.), x_Symbol] := Simp[1/d Subst[Int[((d*e - c*f)/d + f*(x/d))^m*(a + b*ArcCoth[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[p, 0]`

Maple [A] (verified)

Time = 0.44 (sec) , antiderivative size = 448, normalized size of antiderivative = 1.70

method	result
parts	$\frac{x^4 \operatorname{arccoth}(bx+a)^2}{4} + \frac{\operatorname{arccoth}(bx+a) \ln(bx+a-1)a^4}{2} - 2 \operatorname{arccoth}(bx+a) \ln(bx+a-1)a^3 + 3 \operatorname{arccoth}(bx+a) \ln(bx+a-1)a^2$
derivativedivides	$\frac{\operatorname{arccoth}(bx+a) \ln(bx+a-1)a^4}{4} - \operatorname{arccoth}(bx+a)a(bx+a)^2 + 3 \operatorname{arccoth}(bx+a)a^2(bx+a) + \frac{\operatorname{arccoth}(bx+a)(bx+a)^3}{6} + 3 \operatorname{arccoth}(bx+a)a^2$
default	$\frac{\operatorname{arccoth}(bx+a) \ln(bx+a-1)a^4}{4} - \operatorname{arccoth}(bx+a)a(bx+a)^2 + 3 \operatorname{arccoth}(bx+a)a^2(bx+a) + \frac{\operatorname{arccoth}(bx+a)(bx+a)^3}{6} + 3 \operatorname{arccoth}(bx+a)a^2$
risch	$-\frac{1}{12b^4} + \frac{\ln(bx+a+1)}{3b^4} + \frac{x^2}{12b^2} + \frac{a}{b^4} - \frac{11a^2}{12b^4} + \frac{\ln(bx+a-1)}{3b^4} - \frac{\ln(bx+a-1)^2}{16b^4} + \frac{\ln(bx+a-1)^2 x^4}{16} + \frac{3 \ln(bx+a-1)}{2}$

input `int(x^3*arccoth(b*x+a)^2,x,method=_RETURNVERBOSE)`

output `1/4*x^4*arccoth(b*x+a)^2+1/2/b^4*(1/2*arccoth(b*x+a)*ln(b*x+a-1)*a^4-2*arccoth(b*x+a)*ln(b*x+a-1)*a^3+3*arccoth(b*x+a)*ln(b*x+a-1)*a^2-2*arccoth(b*x+a)*ln(b*x+a-1)*a+1/2*arccoth(b*x+a)*ln(b*x+a-1)+6*arccoth(b*x+a)*a^2*(b*x+a)-2*arccoth(b*x+a)*a*(b*x+a)^2+1/3*arccoth(b*x+a)*(b*x+a)^3+(b*x+a)*arccoth(b*x+a)-1/2*arccoth(b*x+a)*ln(b*x+a+1)*a^4-2*arccoth(b*x+a)*ln(b*x+a+1)*a^3-3*arccoth(b*x+a)*ln(b*x+a+1)*a^2-2*arccoth(b*x+a)*ln(b*x+a+1)*a-1/2*arccoth(b*x+a)*ln(b*x+a+1)-2*(b*x+a)*a+1/6*(b*x+a)^2+1/6*(18*a^2-6*a+4)*ln(b*x+a-1)-1/6*(-18*a^2-6*a-4)*ln(b*x+a+1)+1/6*(3*a^4-12*a^3+18*a^2-12*a+3)*(-1/2*dilog(1/2*b*x+1/2*a+1/2)-1/2*ln(b*x+a-1)*ln(1/2*b*x+1/2*a+1/2))+1/4*ln(b*x+a-1)^2+1/6*(-3*a^4-12*a^3-18*a^2-12*a-3)*(1/2*(ln(b*x+a+1)-ln(1/2*b*x+1/2*a+1/2)))*ln(-1/2*b*x-1/2*a+1/2)-1/2*dilog(1/2*b*x+1/2*a+1/2)-1/4*ln(b*x+a+1)^2)`

Fricas [F]

$$\int x^3 \coth^{-1}(a + bx)^2 dx = \int x^3 \operatorname{arccoth}(bx + a)^2 dx$$

input `integrate(x^3*arccoth(b*x+a)^2,x, algorithm="fricas")`

output `integral(x^3*arccoth(b*x + a)^2, x)`

Sympy [F]

$$\int x^3 \coth^{-1}(a + bx)^2 dx = \int x^3 \operatorname{acoth}^2(a + bx) dx$$

input `integrate(x**3*acoth(b*x+a)**2,x)`

output `Integral(x**3*acoth(a + b*x)**2, x)`

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 320, normalized size of antiderivative = 1.22

$$\int x^3 \coth^{-1}(a + bx)^2 dx = \frac{1}{4} x^4 \operatorname{arccoth}(bx + a)^2 + \frac{1}{48} b^2 \left(\frac{48(a^3 + a) \left(\log(bx + a - 1) \log\left(\frac{1}{2}bx + \frac{1}{2}a + \frac{1}{2}\right) + \operatorname{Li}_2\left(-\frac{1}{2}bx - \frac{1}{2}a + \frac{1}{2}\right)\right)}{b^6} + \frac{4(13a^3 + 18a^2 + 9a + 4) \log(bx + a + 1)}{b^6} + \frac{(4b^2x^2 - 40abx + 3(a^4 + 4a^3 + 6a^2 + 4a + 1)) \log(bx + a + 1)^2 - 6(a^4 + 4a^3 + 6a^2 + 4a + 1) \log(bx + a + 1) \log(bx + a - 1) + 3(a^4 - 4a^3 + 6a^2 - 4a + 1) \log(bx + a - 1)^2 - 4(13a^3 - 18a^2 + 9a - 4) \log(bx + a - 1)}{b^6} \right) + \frac{1}{12} b \left(\frac{2(b^2x^3 - 3abx^2 + 3(3a^2 + 1)x)}{b^4} - \frac{3(a^4 + 4a^3 + 6a^2 + 4a + 1) \log(bx + a + 1)}{b^5} + \frac{3(a^4 - 4a^3 + 6a^2 - 4a + 1) \log(bx + a - 1)}{b^5} \operatorname{arccoth}(bx + a) \right)$$

input `integrate(x^3*arccoth(b*x+a)^2,x, algorithm="maxima")`output `1/4*x^4*arccoth(b*x + a)^2 + 1/48*b^2*(48*(a^3 + a)*(log(b*x + a - 1)*log(1/2*b*x + 1/2*a + 1/2) + dilog(-1/2*b*x - 1/2*a + 1/2))/b^6 + 4*(13*a^3 + 18*a^2 + 9*a + 4)*log(b*x + a + 1)/b^6 + (4*b^2*x^2 - 40*a*b*x + 3*(a^4 + 4*a^3 + 6*a^2 + 4*a + 1))*log(b*x + a + 1)^2 - 6*(a^4 + 4*a^3 + 6*a^2 + 4*a + 1)*log(b*x + a + 1)*log(b*x + a - 1) + 3*(a^4 - 4*a^3 + 6*a^2 - 4*a + 1)*log(b*x + a - 1)^2 - 4*(13*a^3 - 18*a^2 + 9*a - 4)*log(b*x + a - 1)/b^6) + 1/12*b*(2*(b^2*x^3 - 3*a*b*x^2 + 3*(3*a^2 + 1)*x)/b^4 - 3*(a^4 + 4*a^3 + 6*a^2 + 4*a + 1)*log(b*x + a + 1)/b^5 + 3*(a^4 - 4*a^3 + 6*a^2 - 4*a + 1)*log(b*x + a - 1)/b^5)*arccoth(b*x + a)`**Giac [F]**

$$\int x^3 \coth^{-1}(a + bx)^2 dx = \int x^3 \operatorname{arccoth}(bx + a)^2 dx$$

input `integrate(x^3*arccoth(b*x+a)^2,x, algorithm="giac")`output `integrate(x^3*arccoth(b*x + a)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int x^3 \coth^{-1}(a + bx)^2 dx = \int x^3 \operatorname{acoth}(a + bx)^2 dx$$

input `int(x^3*acoth(a + b*x)^2,x)`output `int(x^3*acoth(a + b*x)^2, x)`**Reduce [F]**

$$\int x^3 \coth^{-1}(a + bx)^2 dx$$

$$= \frac{3 \operatorname{acoth}(bx + a)^2 a^4 - 6 \operatorname{acoth}(bx + a)^2 a^2 + 3 \operatorname{acoth}(bx + a)^2 b^4 x^4 + 3 \operatorname{acoth}(bx + a)^2 - 14 \operatorname{acoth}(bx + a) a^3}{12 b^4}$$

input `int(x^3*acoth(b*x+a)^2,x)`output `(3*acoth(a + b*x)**2*a**4 - 6*acoth(a + b*x)**2*a**2 + 3*acoth(a + b*x)**2*b**4*x**4 + 3*acoth(a + b*x)**2 - 14*acoth(a + b*x)*a**3 - 6*acoth(a + b*x)*a**2*b*x - 24*acoth(a + b*x)*a**2 + 6*acoth(a + b*x)*a*b**2*x**2 - 6*acoth(a + b*x)*a - 2*acoth(a + b*x)*b**3*x**3 + 6*acoth(a + b*x)*b*x + 4*acoth(a + b*x) - 12*int((acoth(a + b*x)*x**2)/(a**2 + 2*a*b*x + b**2*x**2 - 1),x)*a**2*b**3 - 12*int((acoth(a + b*x)*x**2)/(a**2 + 2*a*b*x + b**2*x**2 - 1),x)*b**3 + 24*log(a + b*x - 1)*a**2 - 4*log(a + b*x - 1) - 10*a*b*x + b**2*x**2)/(12*b**4)`

3.9 $\int x^2 \coth^{-1}(a + bx)^2 dx$

Optimal result	103
Mathematica [B] (warning: unable to verify)	104
Rubi [A] (verified)	105
Maple [A] (verified)	106
Fricas [F]	107
Sympy [F]	107
Maxima [A] (verification not implemented)	108
Giac [F]	108
Mupad [F(-1)]	109
Reduce [F]	109

Optimal result

Integrand size = 12, antiderivative size = 204

$$\int x^2 \coth^{-1}(a + bx)^2 dx = \frac{x}{3b^2} - \frac{2a(a + bx) \coth^{-1}(a + bx)}{b^3} + \frac{(a + bx)^2 \coth^{-1}(a + bx)}{3b^3}$$

$$+ \frac{a(3 + a^2) \coth^{-1}(a + bx)^2}{3b^3} + \frac{(1 + 3a^2) \coth^{-1}(a + bx)^2}{3b^3}$$

$$+ \frac{1}{3}x^3 \coth^{-1}(a + bx)^2 - \frac{\operatorname{arctanh}(a + bx)}{3b^3}$$

$$- \frac{2(1 + 3a^2) \coth^{-1}(a + bx) \log\left(\frac{2}{1-a-bx}\right)}{3b^3}$$

$$- \frac{a \log(1 - (a + bx)^2)}{b^3} - \frac{(1 + 3a^2) \operatorname{PolyLog}\left(2, -\frac{1+a+bx}{1-a-bx}\right)}{3b^3}$$

output

```
1/3*x/b^2-2*a*(b*x+a)*arccoth(b*x+a)/b^3+1/3*(b*x+a)^2*arccoth(b*x+a)/b^3+
1/3*a*(a^2+3)*arccoth(b*x+a)^2/b^3+1/3*(3*a^2+1)*arccoth(b*x+a)^2/b^3+1/3*
x^3*arccoth(b*x+a)^2-1/3*arctanh(b*x+a)/b^3-2/3*(3*a^2+1)*arccoth(b*x+a)*l
n(2/(-b*x-a+1))/b^3-a*ln(1-(b*x+a)^2)/b^3-1/3*(3*a^2+1)*polylog(2,-(b*x+a
+1)/(-b*x-a+1))/b^3
```


Mathematica [B] (warning: unable to verify)

Leaf count is larger than twice the leaf count of optimal. 607 vs. $2(204) = 408$.

Time = 2.73 (sec) , antiderivative size = 607, normalized size of antiderivative = 2.98

$$\int x^2 \coth^{-1}(a + bx)^2 dx =$$

$$(a + bx) \sqrt{1 - \frac{1}{(a+bx)^2}} (1 - (a + bx)^2) \left(\frac{4 \coth^{-1}(a+bx)}{(a+bx) \sqrt{1 - \frac{1}{(a+bx)^2}}} + \frac{3 \coth^{-1}(a+bx)^2}{(a+bx) \sqrt{1 - \frac{1}{(a+bx)^2}}} - \frac{12a \coth^{-1}(a+bx)^2}{(a+bx) \sqrt{1 - \frac{1}{(a+bx)^2}}} + \frac{9a^2 \coth^{-1}(a+bx)^2}{(a+bx) \sqrt{1 - \frac{1}{(a+bx)^2}}} \right)$$

input `Integrate[x^2*ArcCoth[a + b*x]^2,x]`

output

```
-1/12*((a + b*x)*Sqrt[1 - (a + b*x)^(-2)]*(1 - (a + b*x)^2)*((4*ArcCoth[a + b*x])/((a + b*x)*Sqrt[1 - (a + b*x)^(-2)]) + (3*ArcCoth[a + b*x]^2)/((a + b*x)*Sqrt[1 - (a + b*x)^(-2)])) - (12*a*ArcCoth[a + b*x]^2)/((a + b*x)*Sqrt[1 - (a + b*x)^(-2)]) + (9*a^2*ArcCoth[a + b*x]^2)/((a + b*x)*Sqrt[1 - (a + b*x)^(-2)]) + (-1 + 6*a*ArcCoth[a + b*x] - 3*(-1 + a^2)*ArcCoth[a + b*x]^2)/Sqrt[1 - (a + b*x)^(-2)] + Cosh[3*ArcCoth[a + b*x]] - 6*a*ArcCoth[a + b*x]*Cosh[3*ArcCoth[a + b*x]] + ArcCoth[a + b*x]^2*Cosh[3*ArcCoth[a + b*x]] + 3*a^2*ArcCoth[a + b*x]^2*Cosh[3*ArcCoth[a + b*x]] + (6*ArcCoth[a + b*x]*Log[1 - E^(-2*ArcCoth[a + b*x])])/((a + b*x)*Sqrt[1 - (a + b*x)^(-2)]) + (18*a^2*ArcCoth[a + b*x]*Log[1 - E^(-2*ArcCoth[a + b*x])])/((a + b*x)*Sqrt[1 - (a + b*x)^(-2)]) - (18*a*Log[1/((a + b*x)*Sqrt[1 - (a + b*x)^(-2)])])/((a + b*x)*Sqrt[1 - (a + b*x)^(-2)]) + (4*(1 + 3*a^2)*PolyLog[2, E^(-2*ArcCoth[a + b*x])])/((a + b*x)^3*(1 - (a + b*x)^(-2))^(3/2)) - ArcCoth[a + b*x]^2*Sinh[3*ArcCoth[a + b*x]] - 3*a^2*ArcCoth[a + b*x]^2*Sinh[3*ArcCoth[a + b*x]] - 2*ArcCoth[a + b*x]*Log[1 - E^(-2*ArcCoth[a + b*x])]*Sinh[3*ArcCoth[a + b*x]] - 6*a^2*ArcCoth[a + b*x]*Log[1 - E^(-2*ArcCoth[a + b*x])]*Sinh[3*ArcCoth[a + b*x]] + 6*a*Log[1/((a + b*x)*Sqrt[1 - (a + b*x)^(-2)])]*Sinh[3*ArcCoth[a + b*x]]))/b^3
```

Rubi [A] (verified)

Time = 0.51 (sec) , antiderivative size = 193, normalized size of antiderivative = 0.95, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {6662, 27, 6481, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x^2 \coth^{-1}(a + bx)^2 dx \\
 & \quad \downarrow \text{6662} \\
 & \frac{\int x^2 \coth^{-1}(a + bx)^2 d(a + bx)}{b} \\
 & \quad \downarrow \text{27} \\
 & \frac{\int b^2 x^2 \coth^{-1}(a + bx)^2 d(a + bx)}{b^3} \\
 & \quad \downarrow \text{6481} \\
 & \frac{\frac{2}{3} \int \left(-3a \coth^{-1}(a + bx) + (a + bx) \coth^{-1}(a + bx) + \frac{(a(a^2+3) - (3a^2+1)(a+bx)) \coth^{-1}(a+bx)}{1-(a+bx)^2} \right) d(a + bx) + \frac{1}{3} b^3 x^3 \coth^{-1}(a + bx)^2}{b^3} \\
 & \quad \downarrow \text{2009} \\
 & \frac{2}{3} \left(-\frac{1}{2} (3a^2 + 1) \text{PolyLog} \left(2, -\frac{a+bx+1}{-a-bx+1} \right) + \frac{1}{2} a (a^2 + 3) \coth^{-1}(a + bx)^2 + \frac{1}{2} (3a^2 + 1) \coth^{-1}(a + bx)^2 - (3a^2 + 1) \coth^{-1}(a + bx) \right)
 \end{aligned}$$

input `Int[x^2*ArcCoth[a + b*x]^2,x]`

output `((b^3*x^3*ArcCoth[a + b*x]^2)/3 + (2*((a + b*x)/2 - 3*a*(a + b*x)*ArcCoth[a + b*x] + ((a + b*x)^2*ArcCoth[a + b*x])/2 + (a*(3 + a^2)*ArcCoth[a + b*x]^2)/2 + ((1 + 3*a^2)*ArcCoth[a + b*x]^2)/2 - ArcTanh[a + b*x]/2 - (1 + 3*a^2)*ArcCoth[a + b*x]*Log[2/(1 - a - b*x)] - (3*a*Log[1 - (a + b*x)^2])/2 - ((1 + 3*a^2)*PolyLog[2, -((1 + a + b*x)/(1 - a - b*x))])/2))/3/b^3`

Defintions of rubi rules used

```
rule 27 Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_)] /; FreeQ[b, x]
```

```
rule 2009 Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

```
rule 6481 Int[((a_.) + ArcCoth[(c_.)*(x_)]*(b_.))^ (p_.)*((d_.) + (e_.)*(x_))^(q_.), x_Symbol] := Simp[(d + e*x)^(q + 1)*((a + b*ArcCoth[c*x])^p/(e*(q + 1))), x] - Simp[b*c*(p/(e*(q + 1))) Int[ExpandIntegrand[(a + b*ArcCoth[c*x])^(p - 1), (d + e*x)^(q + 1)/(1 - c^2*x^2), x], x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 1] && IntegerQ[q] && NeQ[q, -1]
```

```
rule 6662 Int[((a_.) + ArcCoth[(c_) + (d_.)*(x_)]*(b_.))^ (p_.)*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := Simp[1/d Subst[Int[((d*e - c*f)/d + f*(x/d))^m*(a + b*ArcCoth[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[p, 0]
```

Maple [A] (verified)

Time = 0.40 (sec) , antiderivative size = 350, normalized size of antiderivative = 1.72

method	result
parts	$\frac{x^3 \operatorname{arccoth}(bx+a)^2}{3} + \frac{-2 \operatorname{arccoth}(bx+a)a(bx+a) + \frac{(bx+a)^2 \operatorname{arccoth}(bx+a)}{3} - \frac{\operatorname{arccoth}(bx+a) \ln(bx+a-1)a^3}{3} + \operatorname{arccoth}(bx+a)}{3}$
derivativedivides	$\frac{-\frac{\operatorname{arccoth}(bx+a)^2 a^3}{3} + \operatorname{arccoth}(bx+a)^2 a^2 (bx+a) - \operatorname{arccoth}(bx+a)^2 a (bx+a)^2 + \frac{\operatorname{arccoth}(bx+a)^2 (bx+a)^3}{3} - 2 \operatorname{arccoth}(bx+a)}{3}$
default	$\frac{-\frac{\operatorname{arccoth}(bx+a)^2 a^3}{3} + \operatorname{arccoth}(bx+a)^2 a^2 (bx+a) - \operatorname{arccoth}(bx+a)^2 a (bx+a)^2 + \frac{\operatorname{arccoth}(bx+a)^2 (bx+a)^3}{3} - 2 \operatorname{arccoth}(bx+a)}{3}$
risch	$-\frac{1}{3b^3} - \frac{\ln(bx+a-1) \ln\left(\frac{bx}{2} + \frac{a}{2} + \frac{1}{2}\right)}{3b^3} - \frac{\operatorname{dilog}\left(\frac{bx}{2} + \frac{a}{2} + \frac{1}{2}\right) a^2}{b^3} + \frac{x}{3b^2} + \frac{5 \ln(bx+a-1) a^2}{6b^3} + \frac{(b^3 x^3 + a^3 + 3a^2 + 3a)}{12b^3}$

```
input int(x^2*arccoth(b*x+a)^2,x,method=_RETURNVERBOSE)
```

output

```
1/3*x^3*arccoth(b*x+a)^2+2/3/b^3*(-3*arccoth(b*x+a)*a*(b*x+a)+1/2*(b*x+a)^
2*arccoth(b*x+a)-1/2*arccoth(b*x+a)*ln(b*x+a-1)*a^3+3/2*arccoth(b*x+a)*ln(
b*x+a-1)*a^2-3/2*arccoth(b*x+a)*ln(b*x+a-1)*a+1/2*arccoth(b*x+a)*ln(b*x+a-
1)+1/2*arccoth(b*x+a)*ln(b*x+a+1)*a^3+3/2*arccoth(b*x+a)*ln(b*x+a+1)*a^2+3
/2*arccoth(b*x+a)*ln(b*x+a+1)*a+1/2*arccoth(b*x+a)*ln(b*x+a+1)+1/2*(a^3+3*
a^2+3*a+1)*(1/2*(ln(b*x+a+1)-ln(1/2*b*x+1/2*a+1/2))*ln(-1/2*b*x-1/2*a+1/2)
-1/2*dilog(1/2*b*x+1/2*a+1/2)-1/4*ln(b*x+a+1)^2)+1/2*b*x+1/2*a-1/4*(6*a-1)
*ln(b*x+a-1)+1/4*(-6*a-1)*ln(b*x+a+1)+1/2*(-a^3+3*a^2-3*a+1)*(-1/2*dilog(1
/2*b*x+1/2*a+1/2)-1/2*ln(b*x+a-1)*ln(1/2*b*x+1/2*a+1/2)+1/4*ln(b*x+a-1)^2)
)
```

Fricas [F]

$$\int x^2 \coth^{-1}(a + bx)^2 dx = \int x^2 \operatorname{arccoth}(bx + a)^2 dx$$

input

```
integrate(x^2*arccoth(b*x+a)^2,x, algorithm="fricas")
```

output

```
integral(x^2*arccoth(b*x + a)^2, x)
```

Sympy [F]

$$\int x^2 \coth^{-1}(a + bx)^2 dx = \int x^2 \operatorname{acoth}^2(a + bx) dx$$

input

```
integrate(x**2*acoth(b*x+a)**2,x)
```

output

```
Integral(x**2*acoth(a + b*x)**2, x)
```

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 259, normalized size of antiderivative = 1.27

$$\int x^2 \coth^{-1}(a + bx)^2 dx = \frac{1}{3} x^3 \operatorname{arccoth}(bx + a)^2 - \frac{1}{12} b^2 \left(\frac{4(3a^2 + 1)(\log(bx + a - 1) \log(\frac{1}{2}bx + \frac{1}{2}a + \frac{1}{2})) + \operatorname{Li}_2(-\frac{1}{2}bx - \frac{1}{2}a + \frac{1}{2})}{b^5} + \frac{2(5a^2 + 6a + 1)}{b} \right) + \frac{1}{3} b \left(\frac{bx^2 - 4ax}{b^3} + \frac{(a^3 + 3a^2 + 3a + 1) \log(bx + a + 1)}{b^4} - \frac{(a^3 - 3a^2 + 3a - 1) \log(bx + a - 1)}{b^4} \right) \operatorname{arccoth}(bx + a)$$

input `integrate(x^2*arccoth(b*x+a)^2,x, algorithm="maxima")`output `1/3*x^3*arccoth(b*x + a)^2 - 1/12*b^2*(4*(3*a^2 + 1)*(log(b*x + a - 1)*log(1/2*b*x + 1/2*a + 1/2) + dilog(-1/2*b*x - 1/2*a + 1/2))/b^5 + 2*(5*a^2 + 6*a + 1)*log(b*x + a + 1)/b^5 + ((a^3 + 3*a^2 + 3*a + 1)*log(b*x + a + 1)^2 - 2*(a^3 + 3*a^2 + 3*a + 1)*log(b*x + a + 1)*log(b*x + a - 1) + (a^3 - 3*a^2 + 3*a - 1)*log(b*x + a - 1)^2 - 4*b*x - 2*(5*a^2 - 6*a + 1)*log(b*x + a - 1))/b^5) + 1/3*b*((b*x^2 - 4*a*x)/b^3 + (a^3 + 3*a^2 + 3*a + 1)*log(b*x + a + 1)/b^4 - (a^3 - 3*a^2 + 3*a - 1)*log(b*x + a - 1)/b^4)*arccoth(b*x + a)`**Giac [F]**

$$\int x^2 \coth^{-1}(a + bx)^2 dx = \int x^2 \operatorname{arccoth}(bx + a)^2 dx$$

input `integrate(x^2*arccoth(b*x+a)^2,x, algorithm="giac")`output `integrate(x^2*arccoth(b*x + a)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int x^2 \coth^{-1}(a + bx)^2 dx = \int x^2 \operatorname{acoth}(a + bx)^2 dx$$

input `int(x^2*acoth(a + b*x)^2,x)`

output `int(x^2*acoth(a + b*x)^2, x)`

Reduce [F]

$$\int x^2 \coth^{-1}(a + bx)^2 dx$$

$$= \frac{-\operatorname{acoth}(bx + a)^2 a^4 + 2\operatorname{acoth}(bx + a)^2 a^2 + 2\operatorname{acoth}(bx + a)^2 a b^3 x^3 - \operatorname{acoth}(bx + a)^2 + 4\operatorname{acoth}(bx + a) a^3 x^3}{1}$$

input `int(x^2*acoth(b*x+a)^2,x)`

output `(- acoth(a + b*x)**2*a**4 + 2*acoth(a + b*x)**2*a**2 + 2*acoth(a + b*x)**2*a*b**3*x**3 - acoth(a + b*x)**2 + 4*acoth(a + b*x)*a**3 + 2*acoth(a + b*x)*a**2*b*x + 6*acoth(a + b*x)*a**2 - 2*acoth(a + b*x)*a*b**2*x**2 - 2*acoth(a + b*x)*b*x - 2*acoth(a + b*x) + 6*int((acoth(a + b*x)*x**2)/(a**2 + 2*a*b*x + b**2*x**2 - 1),x)*a**2*b**3 + 2*int((acoth(a + b*x)*x**2)/(a**2 + 2*a*b*x + b**2*x**2 - 1),x)*b**3 - 6*log(a + b*x - 1)*a**2 + 2*log(a + b*x - 1) + 2*a*b*x)/(6*a*b**3)`

3.10 $\int x \coth^{-1}(a + bx)^2 dx$

Optimal result	110
Mathematica [A] (verified)	111
Rubi [A] (verified)	111
Maple [A] (verified)	113
Fricas [F]	114
Sympy [F]	114
Maxima [A] (verification not implemented)	114
Giac [F]	115
Mupad [F(-1)]	115
Reduce [F]	116

Optimal result

Integrand size = 10, antiderivative size = 136

$$\int x \coth^{-1}(a + bx)^2 dx = \frac{(a + bx) \coth^{-1}(a + bx)}{b^2} - \frac{a \coth^{-1}(a + bx)^2}{b^2} - \frac{(1 + a^2) \coth^{-1}(a + bx)^2}{2b^2} + \frac{1}{2}x^2 \coth^{-1}(a + bx)^2 + \frac{2a \coth^{-1}(a + bx) \log\left(\frac{2}{1-a-bx}\right)}{b^2} + \frac{\log(1 - (a + bx)^2)}{2b^2} + \frac{a \operatorname{PolyLog}\left(2, -\frac{1+a+bx}{1-a-bx}\right)}{b^2}$$

output

```
(b*x+a)*arccoth(b*x+a)/b^2-a*arccoth(b*x+a)^2/b^2-1/2*(a^2+1)*arccoth(b*x+a)^2/b^2+1/2*x^2*arccoth(b*x+a)^2+2*a*arccoth(b*x+a)*ln(2/(-b*x-a+1))/b^2+1/2*ln(1-(b*x+a)^2)/b^2+a*polylog(2,-(b*x+a+1)/(-b*x-a+1))/b^2
```

Mathematica [A] (verified)

Time = 0.21 (sec) , antiderivative size = 106, normalized size of antiderivative = 0.78

$$\int x \coth^{-1}(a + bx)^2 dx$$

$$= \frac{(-1 + 2a - a^2 + b^2x^2) \coth^{-1}(a + bx)^2 + 2 \coth^{-1}(a + bx) \left(a + bx + 2a \log \left(1 - e^{-2 \coth^{-1}(a + bx)} \right) \right) - 2 \operatorname{Log} \left[\frac{1}{(a + bx) \sqrt{1 - (a + bx)^{-2}}} \right] - 2a \operatorname{PolyLog} \left[2, E^{-2 \coth^{-1}(a + bx)} \right]}{2b^2}$$

input `Integrate[x*ArcCoth[a + b*x]^2,x]`

output `((-1 + 2*a - a^2 + b^2*x^2)*ArcCoth[a + b*x]^2 + 2*ArcCoth[a + b*x]*(a + b*x + 2*a*Log[1 - E^(-2*ArcCoth[a + b*x])]) - 2*Log[1/((a + b*x)*Sqrt[1 - (a + b*x)^(-2)])] - 2*a*PolyLog[2, E^(-2*ArcCoth[a + b*x])])/(2*b^2)`

Rubi [A] (verified)

Time = 0.47 (sec) , antiderivative size = 127, normalized size of antiderivative = 0.93, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {6662, 25, 27, 6481, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x \coth^{-1}(a + bx)^2 dx$$

$$\downarrow \text{6662}$$

$$\frac{\int x \coth^{-1}(a + bx)^2 d(a + bx)}{b}$$

$$\downarrow \text{25}$$

$$-\frac{\int -x \coth^{-1}(a + bx)^2 d(a + bx)}{b}$$

$$\downarrow \text{27}$$

$$-\frac{\int -bx \coth^{-1}(a + bx)^2 d(a + bx)}{b^2}$$

$$\int \frac{\left(\frac{a^2 - 2(a+bx)a + 1}{1 - (a+bx)^2} \coth^{-1}(a+bx) - \coth^{-1}(a+bx) \right) d(a+bx) - \frac{1}{2} b^2 x^2 \coth^{-1}(a+bx)^2}{b^2}$$

↓ 6481

↓ 2009

$$\frac{\frac{1}{2}(a^2 + 1) \coth^{-1}(a+bx)^2 - \frac{1}{2} b^2 x^2 \coth^{-1}(a+bx)^2 - a \operatorname{PolyLog}\left(2, -\frac{a+bx+1}{-a-bx+1}\right) - \frac{1}{2} \log(1 - (a+bx)^2) + a \coth^{-1}(a+bx)}{b^2}$$

input `Int[x*ArcCoth[a + b*x]^2,x]`

output `-((-((a + b*x)*ArcCoth[a + b*x]) + a*ArcCoth[a + b*x]^2 + ((1 + a^2)*ArcCoth[a + b*x]^2)/2 - (b^2*x^2*ArcCoth[a + b*x]^2)/2 - 2*a*ArcCoth[a + b*x]*Log[2/(1 - a - b*x)] - Log[1 - (a + b*x)^2]/2 - a*PolyLog[2, -((1 + a + b*x)/(1 - a - b*x))])/b^2)`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 6481 `Int[((a_.) + ArcCoth[(c_.)*(x_)]*(b_.))^p_)*((d_) + (e_.)*(x_))^(q_.), x_Symbol] := Simp[(d + e*x)^(q + 1)*((a + b*ArcCoth[c*x])^p/(e*(q + 1))), x] - Simp[b*c*(p/(e*(q + 1))) Int[ExpandIntegrand[(a + b*ArcCoth[c*x])^(p - 1), (d + e*x)^(q + 1)/(1 - c^2*x^2), x], x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 1] && IntegerQ[q] && NeQ[q, -1]`

rule 6662

```
Int[((a_.) + ArcCoth[(c_) + (d_.)*(x_)]*(b_.))^(p_.)*((e_.) + (f_.)*(x_))^(
m_.), x_Symbol] := Simp[1/d Subst[Int[((d*e - c*f)/d + f*(x/d))^m*(a + b*
ArcCoth[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IG
tQ[p, 0]
```

Maple [A] (verified)

Time = 0.37 (sec) , antiderivative size = 244, normalized size of antiderivative = 1.79

method	result
derivativedivides	$\frac{\operatorname{arccoth}(bx+a)^2(bx+a)^2}{2} - \operatorname{arccoth}(bx+a)^2 a(bx+a) + (bx+a) \operatorname{arccoth}(bx+a) - \operatorname{arccoth}(bx+a) \ln(bx+a-1)a + \frac{\operatorname{arccoth}(bx+a)}{2}$
default	$\frac{\operatorname{arccoth}(bx+a)^2(bx+a)^2}{2} - \operatorname{arccoth}(bx+a)^2 a(bx+a) + (bx+a) \operatorname{arccoth}(bx+a) - \operatorname{arccoth}(bx+a) \ln(bx+a-1)a + \frac{\operatorname{arccoth}(bx+a)}{2}$
risch	$-\frac{(-b^2x^2+a^2+2a+1) \ln(bx+a+1)^2}{8b^2} - \frac{\ln(bx+a-1)x}{2b} - \frac{\ln(bx+a-1)^2a^2}{8b^2} + \frac{\ln(bx+a-1)^2a}{4b^2} - \frac{\ln(bx+a-1)a}{2b^2} +$
parts	$\frac{x^2 \operatorname{arccoth}(bx+a)^2}{2} + \frac{(bx+a) \operatorname{arccoth}(bx+a) + \frac{\operatorname{arccoth}(bx+a) \ln(bx+a-1)a^2}{2} - \operatorname{arccoth}(bx+a) \ln(bx+a-1)a + \frac{\operatorname{arccoth}(bx+a)}{2}}$

input

```
int(x*arccoth(b*x+a)^2,x,method=_RETURNVERBOSE)
```

output

```
1/b^2*(1/2*arccoth(b*x+a)^2*(b*x+a)^2-arccoth(b*x+a)^2*a*(b*x+a)+(b*x+a)*a
rccoth(b*x+a)-arccoth(b*x+a)*ln(b*x+a-1)*a+1/2*arccoth(b*x+a)*ln(b*x+a-1)-
arccoth(b*x+a)*ln(b*x+a+1)*a-1/2*arccoth(b*x+a)*ln(b*x+a+1)+1/2*ln(b*x+a-1
)+1/2*ln(b*x+a+1)+1/2*(-2*a+1)*(-1/2*dilog(1/2*b*x+1/2*a+1/2)-1/2*ln(b*x+a
-1)*ln(1/2*b*x+1/2*a+1/2)+1/4*ln(b*x+a-1)^2)+1/2*(-2*a-1)*(1/2*(ln(b*x+a+1
)-ln(1/2*b*x+1/2*a+1/2))*ln(-1/2*b*x-1/2*a+1/2)-1/2*dilog(1/2*b*x+1/2*a+1/
2)-1/4*ln(b*x+a+1)^2))
```

Fricas [F]

$$\int x \coth^{-1}(a + bx)^2 dx = \int x \operatorname{arccoth}(bx + a)^2 dx$$

input `integrate(x*arccoth(b*x+a)^2,x, algorithm="fricas")`

output `integral(x*arccoth(b*x + a)^2, x)`

Sympy [F]

$$\int x \coth^{-1}(a + bx)^2 dx = \int x \operatorname{acoth}^2(a + bx) dx$$

input `integrate(x*acoth(b*x+a)**2,x)`

output `Integral(x*acoth(a + b*x)**2, x)`

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 202, normalized size of antiderivative = 1.49

$$\begin{aligned} \int x \coth^{-1}(a + bx)^2 dx &= \frac{1}{2} x^2 \operatorname{arccoth}(bx + a)^2 \\ &+ \frac{1}{8} b^2 \left(\frac{8 \left(\log(bx + a - 1) \log\left(\frac{1}{2}bx + \frac{1}{2}a + \frac{1}{2}\right) + \operatorname{Li}_2\left(-\frac{1}{2}bx - \frac{1}{2}a + \frac{1}{2}\right)\right) a}{b^4} + \frac{4(a + 1) \log(bx + a + 1)}{b^4} \right. \\ &+ \left. \frac{1}{2} b \left(\frac{2x}{b^2} - \frac{(a^2 + 2a + 1) \log(bx + a + 1)}{b^3} + \frac{(a^2 - 2a + 1) \log(bx + a - 1)}{b^3} \right) \operatorname{arccoth}(bx \right. \\ &\quad \left. + a) \right) \end{aligned}$$

input `integrate(x*arccoth(b*x+a)^2,x, algorithm="maxima")`

output

```
1/2*x^2*arccoth(b*x + a)^2 + 1/8*b^2*(8*(log(b*x + a - 1)*log(1/2*b*x + 1/
2*a + 1/2) + dilog(-1/2*b*x - 1/2*a + 1/2))*a/b^4 + 4*(a + 1)*log(b*x + a
+ 1)/b^4 + ((a^2 + 2*a + 1)*log(b*x + a + 1)^2 - 2*(a^2 + 2*a + 1)*log(b*x
+ a + 1)*log(b*x + a - 1) + (a^2 - 2*a + 1)*log(b*x + a - 1)^2 - 4*(a - 1
)*log(b*x + a - 1))/b^4) + 1/2*b*(2*x/b^2 - (a^2 + 2*a + 1)*log(b*x + a +
1)/b^3 + (a^2 - 2*a + 1)*log(b*x + a - 1)/b^3)*arccoth(b*x + a)
```

Giac [F]

$$\int x \coth^{-1}(a + bx)^2 dx = \int x \operatorname{arccoth}(bx + a)^2 dx$$

input

```
integrate(x*arccoth(b*x+a)^2,x, algorithm="giac")
```

output

```
integrate(x*arccoth(b*x + a)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int x \coth^{-1}(a + bx)^2 dx = \int x \operatorname{acoth}(a + bx)^2 dx$$

input

```
int(x*acoth(a + b*x)^2,x)
```

output

```
int(x*acoth(a + b*x)^2, x)
```

Reduce [F]

$$\int x \coth^{-1}(a + bx)^2 dx = \frac{\operatorname{acoth}(bx + a)^2 x^2}{2} - \left(\int \frac{\operatorname{acoth}(bx + a) x^2}{b^2 x^2 + 2abx + a^2 - 1} dx \right) b$$

input `int(x*acoth(b*x+a)^2,x)`

output `(acoth(a + b*x)**2*x**2 - 2*int((acoth(a + b*x)*x**2)/(a**2 + 2*a*b*x + b**2*x**2 - 1),x)*b)/2`

3.11 $\int \coth^{-1}(a + bx)^2 dx$

Optimal result	117
Mathematica [A] (verified)	117
Rubi [A] (verified)	118
Maple [A] (verified)	120
Fricas [F]	120
Sympy [F]	121
Maxima [A] (verification not implemented)	121
Giac [F]	122
Mupad [F(-1)]	122
Reduce [F]	122

Optimal result

Integrand size = 8, antiderivative size = 81

$$\int \coth^{-1}(a + bx)^2 dx = \frac{\coth^{-1}(a + bx)^2}{b} + \frac{(a + bx) \coth^{-1}(a + bx)^2}{b} - \frac{2 \coth^{-1}(a + bx) \log\left(\frac{2}{1-a-bx}\right)}{b} - \frac{\text{PolyLog}\left(2, -\frac{1+a+bx}{1-a-bx}\right)}{b}$$

output

```
arccoth(b*x+a)^2/b+(b*x+a)*arccoth(b*x+a)^2/b-2*arccoth(b*x+a)*ln(2/(-b*x-a+1))/b-polylog(2,-(b*x+a+1)/(-b*x-a+1))/b
```

Mathematica [A] (verified)

Time = 0.06 (sec) , antiderivative size = 55, normalized size of antiderivative = 0.68

$$\int \coth^{-1}(a + bx)^2 dx = \frac{\coth^{-1}(a + bx) \left((-1 + a + bx) \coth^{-1}(a + bx) - 2 \log\left(1 - e^{-2 \coth^{-1}(a+bx)}\right) \right) + \text{PolyLog}\left(2, e^{-2 \coth^{-1}(a+bx)}\right)}{b}$$

input

```
Integrate[ArcCoth[a + b*x]^2,x]
```

output

```
(ArcCoth[a + b*x]*((-1 + a + b*x)*ArcCoth[a + b*x] - 2*Log[1 - E^(-2*ArcCoth[a + b*x])]) + PolyLog[2, E^(-2*ArcCoth[a + b*x])])/b
```

Rubi [A] (verified)

Time = 0.49 (sec) , antiderivative size = 76, normalized size of antiderivative = 0.94, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.750$, Rules used = {6654, 6437, 6547, 6471, 2849, 2752}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \coth^{-1}(a + bx)^2 dx$$

$$\downarrow 6654$$

$$\frac{\int \coth^{-1}(a + bx)^2 d(a + bx)}{b}$$

$$\downarrow 6437$$

$$\frac{(a + bx) \coth^{-1}(a + bx)^2 - 2 \int \frac{(a+bx) \coth^{-1}(a+bx)}{1-(a+bx)^2} d(a + bx)}{b}$$

$$\downarrow 6547$$

$$\frac{(a + bx) \coth^{-1}(a + bx)^2 - 2 \left(\int \frac{\coth^{-1}(a+bx)}{-a-bx+1} d(a + bx) - \frac{1}{2} \coth^{-1}(a + bx)^2 \right)}{b}$$

$$\downarrow 6471$$

$$\frac{(a + bx) \coth^{-1}(a + bx)^2 - 2 \left(- \int \frac{\log\left(\frac{2}{-a-bx+1}\right)}{1-(a+bx)^2} d(a + bx) - \frac{1}{2} \coth^{-1}(a + bx)^2 + \log\left(\frac{2}{-a-bx+1}\right) \coth^{-1}(a + bx) \right)}{b}$$

$$\downarrow 2849$$

$$\frac{(a + bx) \coth^{-1}(a + bx)^2 - 2 \left(\int \frac{\log\left(\frac{2}{-a-bx+1}\right)}{1-\frac{2}{-a-bx+1}} d\frac{1}{-a-bx+1} - \frac{1}{2} \coth^{-1}(a + bx)^2 + \log\left(\frac{2}{-a-bx+1}\right) \coth^{-1}(a + bx) \right)}{b}$$

$$\downarrow 2752$$

$$\frac{(a + bx) \coth^{-1}(a + bx)^2 - 2 \left(\frac{1}{2} \text{PolyLog} \left(2, 1 - \frac{2}{-a - bx + 1} \right) - \frac{1}{2} \coth^{-1}(a + bx)^2 + \log \left(\frac{2}{-a - bx + 1} \right) \coth^{-1}(a + bx) \right)}{b}$$

input `Int[ArcCoth[a + b*x]^2,x]`

output `((a + b*x)*ArcCoth[a + b*x]^2 - 2*(-1/2*ArcCoth[a + b*x]^2 + ArcCoth[a + b*x]*Log[2/(1 - a - b*x)] + PolyLog[2, 1 - 2/(1 - a - b*x)]/2))/b`

Defintions of rubi rules used

rule 2752 `Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] := Simp[(-e^(-1))*PolyLog[2, 1 - c*x], x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]`

rule 2849 `Int[Log[(c_.)/((d_) + (e_.)*(x_))]/((f_) + (g_.)*(x_)^2), x_Symbol] := Simp[-e/g Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]`

rule 6437 `Int[((a_.) + ArcCoth[(c_.)*(x_)^(n_.)]*(b_.))^(p_.), x_Symbol] := Simp[x*(a + b*ArcCoth[c*x^n])^p, x] - Simp[b*c*n*p Int[x^n*((a + b*ArcCoth[c*x^n])^(p - 1)/(1 - c^2*x^(2*n))), x], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[p, 0] && (EqQ[n, 1] || EqQ[p, 1])`

rule 6471 `Int[((a_.) + ArcCoth[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symbol] := Simp[(-(a + b*ArcCoth[c*x])^p)*(Log[2/(1 + e*(x/d))]/e), x] + Simp[b*c*(p/e) Int[(a + b*ArcCoth[c*x])^(p - 1)*(Log[2/(1 + e*(x/d))]/(1 - c^2*x^2)), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 - e^2, 0]`

rule 6547 `Int[(((a_.) + ArcCoth[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*(x_))/((d_) + (e_.)*(x_)^2), x_Symbol] := Simp[(a + b*ArcCoth[c*x])^(p + 1)/(b*e*(p + 1)), x] + Simp[1/(c*d) Int[(a + b*ArcCoth[c*x])^p/(1 - c*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[p, 0]`

rule 6654

```
Int[((a_.) + ArcCoth[(c_) + (d_.)*(x_)]*(b_.))^(p_.), x_Symbol] := Simp[1/d
  Subst[Int[(a + b*ArcCoth[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d
}, x] && IGtQ[p, 0]
```

Maple [A] (verified)

Time = 0.30 (sec) , antiderivative size = 133, normalized size of antiderivative = 1.64

method	result
derivativedivides	$\frac{\operatorname{arccoth}(bx+a)^2(bx+a-1)+2\operatorname{arccoth}(bx+a)^2-2\operatorname{arccoth}(bx+a)\ln\left(1+\frac{1}{\sqrt{\frac{bx+a-1}{bx+a+1}}}\right)-2\operatorname{polylog}\left(2,-\frac{1}{\sqrt{\frac{bx+a-1}{bx+a+1}}}\right)-2}{b}$
default	$\frac{\operatorname{arccoth}(bx+a)^2(bx+a-1)+2\operatorname{arccoth}(bx+a)^2-2\operatorname{arccoth}(bx+a)\ln\left(1+\frac{1}{\sqrt{\frac{bx+a-1}{bx+a+1}}}\right)-2\operatorname{polylog}\left(2,-\frac{1}{\sqrt{\frac{bx+a-1}{bx+a+1}}}\right)-2}{b}$
risch	$\frac{(bx+a+1)\ln(bx+a+1)^2}{4b} + \left(-\frac{x\ln(bx+a-1)}{2} + \frac{-\ln(bx+a-1)a+\ln(bx+a-1)}{2b}\right)\ln(bx+a+1) + \frac{x\ln(bx-4}{4}$

input

```
int(arccoth(b*x+a)^2,x,method=_RETURNVERBOSE)
```

output

```
1/b*(arccoth(b*x+a)^2*(b*x+a-1)+2*arccoth(b*x+a)^2-2*arccoth(b*x+a)*ln(1+1
/((b*x+a-1)/(b*x+a+1))^(1/2))-2*polylog(2,-1/((b*x+a-1)/(b*x+a+1))^(1/2))-
2*arccoth(b*x+a)*ln(1-1/((b*x+a-1)/(b*x+a+1))^(1/2))-2*polylog(2,1/((b*x+a
-1)/(b*x+a+1))^(1/2)))
```

Fricas [F]

$$\int \coth^{-1}(a + bx)^2 dx = \int \operatorname{arccoth}(bx + a)^2 dx$$

input

```
integrate(arccoth(b*x+a)^2,x, algorithm="fricas")
```

output

```
integral(arccoth(b*x + a)^2, x)
```

Sympy [F]

$$\int \coth^{-1}(a + bx)^2 dx = \int \operatorname{acoth}^2(a + bx) dx$$

input `integrate(acoath(b*x+a)**2,x)`

output `Integral(acoath(a + b*x)**2, x)`

Maxima [A] (verification not implemented)

Time = 0.03 (sec) , antiderivative size = 139, normalized size of antiderivative = 1.72

$$\begin{aligned} \int \coth^{-1}(a + bx)^2 dx = & \\ & -\frac{1}{4} b^2 \left(\frac{(a + 1) \log(bx + a + 1)^2 - 2(a + 1) \log(bx + a + 1) \log(bx + a - 1) + (a - 1) \log(bx + a - 1)}{b^3} \right. \\ & + b \left(\frac{(a + 1) \log(bx + a + 1)}{b^2} - \frac{(a - 1) \log(bx + a - 1)}{b^2} \right) \operatorname{arcoth}(bx + a) \\ & \left. + x \operatorname{arcoth}(bx + a)^2 \right) \end{aligned}$$

input `integrate(arccoath(b*x+a)^2,x, algorithm="maxima")`

output `-1/4*b^2*(((a + 1)*log(b*x + a + 1)^2 - 2*(a + 1)*log(b*x + a + 1)*log(b*x + a - 1) + (a - 1)*log(b*x + a - 1)^2)/b^3 + 4*(log(b*x + a - 1)*log(1/2*b*x + 1/2*a + 1/2) + dilog(-1/2*b*x - 1/2*a + 1/2))/b^3) + b*((a + 1)*log(b*x + a + 1)/b^2 - (a - 1)*log(b*x + a - 1)/b^2)*arccoath(b*x + a) + x*arccoath(b*x + a)^2`

Giac [F]

$$\int \coth^{-1}(a + bx)^2 dx = \int \operatorname{arccoth}(bx + a)^2 dx$$

input `integrate(arccoth(b*x+a)^2,x, algorithm="giac")`

output `integrate(arccoth(b*x + a)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int \coth^{-1}(a + bx)^2 dx = \int \operatorname{acoth}(a + bx)^2 dx$$

input `int(acoth(a + b*x)^2,x)`

output `int(acoth(a + b*x)^2, x)`

Reduce [F]

$$\int \coth^{-1}(a + bx)^2 dx$$

$$= \frac{\operatorname{acoth}(bx + a)^2 a^2 + 2\operatorname{acoth}(bx + a)^2 abx - \operatorname{acoth}(bx + a)^2 - 2\operatorname{acoth}(bx + a) a - 2\operatorname{acoth}(bx + a) bx - 2a}{2ab}$$

input `int(acoth(b*x+a)^2,x)`

output `(acoth(a + b*x)**2*a**2 + 2*acoth(a + b*x)**2*a*b*x - acoth(a + b*x)**2 - 2*acoth(a + b*x)*a - 2*acoth(a + b*x)*b*x - 2*acoth(a + b*x) + 2*int((acoth(a + b*x)*x**2)/(a**2 + 2*a*b*x + b**2*x**2 - 1),x)*b**3 + 2*log(a + b*x - 1))/(2*a*b)`

3.12 $\int \frac{\coth^{-1}(a+bx)^2}{x} dx$

Optimal result	123
Mathematica [C] (warning: unable to verify)	124
Rubi [A] (verified)	125
Maple [C] (warning: unable to verify)	127
Fricas [F]	128
Sympy [F]	128
Maxima [F]	128
Giac [F]	129
Mupad [F(-1)]	129
Reduce [F]	129

Optimal result

Integrand size = 12, antiderivative size = 148

$$\int \frac{\coth^{-1}(a+bx)^2}{x} dx = -\coth^{-1}(a+bx)^2 \log\left(\frac{2}{1+a+bx}\right) + \coth^{-1}(a+bx)^2 \log\left(\frac{2bx}{(1-a)(1+a+bx)}\right) + \coth^{-1}(a+bx) \operatorname{PolyLog}\left(2, 1 - \frac{2}{1+a+bx}\right) - \coth^{-1}(a+bx) \operatorname{PolyLog}\left(2, 1 - \frac{2bx}{(1-a)(1+a+bx)}\right) + \frac{1}{2} \operatorname{PolyLog}\left(3, 1 - \frac{2}{1+a+bx}\right) - \frac{1}{2} \operatorname{PolyLog}\left(3, 1 - \frac{2bx}{(1-a)(1+a+bx)}\right)$$

output

```
-arccoth(b*x+a)^2*ln(2/(b*x+a+1))+arccoth(b*x+a)^2*ln(2*b*x/(1-a)/(b*x+a+1))+arccoth(b*x+a)*polylog(2,1-2/(b*x+a+1))-arccoth(b*x+a)*polylog(2,1-2*b*x/(1-a)/(b*x+a+1))+1/2*polylog(3,1-2/(b*x+a+1))-1/2*polylog(3,1-2*b*x/(1-a)/(b*x+a+1))
```

Mathematica [C] (warning: unable to verify)

Result contains complex when optimal does not.

Time = 2.25 (sec) , antiderivative size = 777, normalized size of antiderivative = 5.25

$$\int \frac{\coth^{-1}(a + bx)^2}{x} dx = \text{Too large to display}$$

input `Integrate[ArcCoth[a + b*x]^2/x,x]`

output

```
(-1/24*I)*Pi^3 - (2*ArcCoth[a + b*x]^3)/3 - (2*a*ArcCoth[a + b*x]^3)/3 + (
2*Sqrt[1 - a^(-2)]*a*E^ArcTanh[a^(-1)]*ArcCoth[a + b*x]^3)/3 - I*Pi*ArcCoth[a + b*x]*Log[(E^(-ArcCoth[a + b*x]) + E^ArcCoth[a + b*x])/2] - ArcCoth[a + b*x]^2*Log[1 - Sqrt[(-1 + a)/(1 + a)]*E^ArcCoth[a + b*x]] - ArcCoth[a + b*x]^2*Log[1 + Sqrt[(-1 + a)/(1 + a)]*E^ArcCoth[a + b*x]] - ArcCoth[a + b*x]^2*Log[1 - E^(2*ArcCoth[a + b*x])] + ArcCoth[a + b*x]^2*Log[1 - E^(2*ArcCoth[a + b*x] - 2*ArcTanh[a^(-1)])] + ArcCoth[a + b*x]^2*Log[1 - E^(ArcCoth[a + b*x] - ArcTanh[a^(-1)])] + ArcCoth[a + b*x]^2*Log[1 + E^(ArcCoth[a + b*x] - ArcTanh[a^(-1)])] - 2*ArcCoth[a + b*x]*ArcTanh[a^(-1)]*Log[(I/2)*(E^(ArcCoth[a + b*x] - ArcTanh[a^(-1)]) - E^(-ArcCoth[a + b*x] + ArcTanh[a^(-1)]))] + ArcCoth[a + b*x]^2*Log[(-1 - E^(2*ArcCoth[a + b*x]) + a*(-1 + E^(2*ArcCoth[a + b*x])))/(2*E^ArcCoth[a + b*x])] + I*Pi*ArcCoth[a + b*x]*Log[1/Sqrt[1 - (a + b*x)^(-2)]] - ArcCoth[a + b*x]^2*Log[-((b*x)/((a + b*x)*Sqrt[1 - (a + b*x)^(-2)]))] + 2*ArcCoth[a + b*x]*ArcTanh[a^(-1)]*Log[I*Sinh[ArcCoth[a + b*x] - ArcTanh[a^(-1)]]] - 2*ArcCoth[a + b*x]*PolyLog[2, - (Sqrt[(-1 + a)/(1 + a)]*E^ArcCoth[a + b*x])] - 2*ArcCoth[a + b*x]*PolyLog[2, Sqrt[(-1 + a)/(1 + a)]*E^ArcCoth[a + b*x]] - ArcCoth[a + b*x]*PolyLog[2, E^(2*ArcCoth[a + b*x])] + ArcCoth[a + b*x]*PolyLog[2, E^(2*ArcCoth[a + b*x] - 2*ArcTanh[a^(-1)])] + 2*ArcCoth[a + b*x]*PolyLog[2, -E^(ArcCoth[a + b*x] - ArcTanh[a^(-1)])] + 2*ArcCoth[a + b*x]*PolyLog[2, E^(ArcCoth[a + ...
```

Rubi [A] (verified)

Time = 0.33 (sec) , antiderivative size = 148, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {6662, 25, 27, 6475}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\coth^{-1}(a+bx)^2}{x} dx \\
 & \quad \downarrow \text{6662} \\
 & \int \frac{\coth^{-1}(a+bx)^2}{x} d(a+bx) \\
 & \quad \downarrow \text{25} \\
 & - \int \frac{\coth^{-1}(a+bx)^2}{x} d(a+bx) \\
 & \quad \downarrow \text{27} \\
 & - \int - \frac{\coth^{-1}(a+bx)^2}{bx} d(a+bx) \\
 & \quad \downarrow \text{6475} \\
 & \frac{1}{2} \text{PolyLog} \left(3, 1 - \frac{2}{a+bx+1} \right) - \frac{1}{2} \text{PolyLog} \left(3, 1 - \frac{2bx}{(1-a)(a+bx+1)} \right) + \\
 & \quad \text{PolyLog} \left(2, 1 - \frac{2}{a+bx+1} \right) \coth^{-1}(a+bx) - \\
 & \text{PolyLog} \left(2, 1 - \frac{2bx}{(1-a)(a+bx+1)} \right) \coth^{-1}(a+bx) - \log \left(\frac{2}{a+bx+1} \right) \coth^{-1}(a+bx)^2 + \\
 & \quad \log \left(\frac{2bx}{(1-a)(a+bx+1)} \right) \coth^{-1}(a+bx)^2
 \end{aligned}$$

input

Int[ArcCoth[a + b*x]^2/x,x]

output

$$\begin{aligned}
& -(\operatorname{ArcCoth}[a + b*x]^2 \operatorname{Log}[2/(1 + a + b*x)]) + \operatorname{ArcCoth}[a + b*x]^2 \operatorname{Log}[(2*b*x) \\
& /((1 - a)*(1 + a + b*x))] + \operatorname{ArcCoth}[a + b*x] \operatorname{PolyLog}[2, 1 - 2/(1 + a + b*x)] \\
& - \operatorname{ArcCoth}[a + b*x] \operatorname{PolyLog}[2, 1 - (2*b*x)/((1 - a)*(1 + a + b*x))] + \operatorname{PolyLog}[3, 1 - 2/(1 + a + b*x)]/2 \\
& - \operatorname{PolyLog}[3, 1 - (2*b*x)/((1 - a)*(1 + a + b*x))]/2
\end{aligned}$$

Defintions of rubi rules used

rule 25

$$\operatorname{Int}[-(F_x), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{Identity}[-1] \operatorname{Int}[F_x, x], x]$$

rule 27

$$\operatorname{Int}[(a_*)(F_x), x_Symbol] \rightarrow \operatorname{Simp}[a \operatorname{Int}[F_x, x], x] /; \operatorname{FreeQ}[a, x] \ \&\& \ !\operatorname{MatchQ}[F_x, (b_*)(G_x)] /; \operatorname{FreeQ}[b, x]$$

rule 6475

$$\begin{aligned}
& \operatorname{Int}[(a_*) + \operatorname{ArcCoth}[(c_*)(x_)]*(b_)]^2 / ((d_*) + (e_*)(x_)), x_Symbol] \rightarrow \\
& \operatorname{Simp}[(-a + b*\operatorname{ArcCoth}[c*x])^2 * (\operatorname{Log}[2/(1 + c*x)]/e), x] + (\operatorname{Simp}[(a + b*\operatorname{ArcCoth}[c*x])^2 * (\operatorname{Log}[2*c*((d + e*x)/((c*d + e)*(1 + c*x))]) / e), x] \\
& + \operatorname{Simp}[b*(a + b*\operatorname{ArcCoth}[c*x]) * (\operatorname{PolyLog}[2, 1 - 2/(1 + c*x)]/e), x] - \operatorname{Simp}[b*(a + b*\operatorname{ArcCoth}[c*x]) * (\operatorname{PolyLog}[2, 1 - 2*c*((d + e*x)/((c*d + e)*(1 + c*x))]) / e), x] \\
& + \operatorname{Simp}[b^2 * (\operatorname{PolyLog}[3, 1 - 2/(1 + c*x)]/(2*e)), x] - \operatorname{Simp}[b^2 * (\operatorname{PolyLog}[3, 1 - 2*c*((d + e*x)/((c*d + e)*(1 + c*x))]) / (2*e)), x]) /; \operatorname{FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \operatorname{NeQ}[c^2*d^2 - e^2, 0]
\end{aligned}$$

rule 6662

$$\operatorname{Int}[(a_*) + \operatorname{ArcCoth}[(c_*) + (d_*)(x_)]*(b_)]^{(p_*)} * ((e_*) + (f_*)(x_))^{(m_*)}, x_Symbol] \rightarrow \operatorname{Simp}[1/d \operatorname{Subst}[\operatorname{Int}[(d*e - c*f)/d + f*(x/d)]^m * (a + b*\operatorname{ArcCoth}[x])^p, x], x, c + d*x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, m\}, x] \ \&\& \ \operatorname{IGTQ}[p, 0]$$

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 6.32 (sec) , antiderivative size = 866, normalized size of antiderivative = 5.85

method	result
derivativedivides	$\ln(-bx) \operatorname{arccoth}(bx+a)^2 - \operatorname{arccoth}(bx+a)^2 \ln\left(-\frac{bx+a+1}{bx+a-1} - 1 + a\left(\frac{bx+a+1}{bx+a-1} - 1\right)\right) + \dots$
default	$\ln(-bx) \operatorname{arccoth}(bx+a)^2 - \operatorname{arccoth}(bx+a)^2 \ln\left(-\frac{bx+a+1}{bx+a-1} - 1 + a\left(\frac{bx+a+1}{bx+a-1} - 1\right)\right) + \dots$
parts	Expression too large to display

input

```
int(arccoth(b*x+a)^2/x,x,method=_RETURNVERBOSE)
```

output

```
ln(-b*x)*arccoth(b*x+a)^2-arccoth(b*x+a)^2*ln(-(b*x+a+1)/(b*x+a-1)-1+a*((b*x+a+1)/(b*x+a-1)-1))+1/2*I*Pi*csgn(I*(-(b*x+a+1)/(b*x+a-1)-1+a*((b*x+a+1)/(b*x+a-1)-1)))/(b*x+a+1)/(b*x+a-1)-1)*csgn(I*(-(b*x+a+1)/(b*x+a-1)-1+a*((b*x+a+1)/(b*x+a-1)-1)))*csgn(I/((b*x+a+1)/(b*x+a-1)-1))-csgn(I*(-(b*x+a+1)/(b*x+a-1)-1+a*((b*x+a+1)/(b*x+a-1)-1)))/(b*x+a+1)/(b*x+a-1)-1)*csgn(I/((b*x+a+1)/(b*x+a-1)-1))-csgn(I*(-(b*x+a+1)/(b*x+a-1)-1+a*((b*x+a+1)/(b*x+a-1)-1)))/(b*x+a+1)/(b*x+a-1)-1)+csgn(I*(-(b*x+a+1)/(b*x+a-1)-1+a*((b*x+a+1)/(b*x+a-1)-1)))/(b*x+a+1)/(b*x+a-1)-1)^2)*arccoth(b*x+a)^2+arccoth(b*x+a)^2*ln((b*x+a+1)/(b*x+a-1)-1)-arccoth(b*x+a)^2*ln(1+1/((b*x+a-1)/(b*x+a+1))^(1/2))-2*arccoth(b*x+a)*polylog(2,-1/((b*x+a-1)/(b*x+a+1))^(1/2))+2*polylog(3,-1/((b*x+a-1)/(b*x+a+1))^(1/2))-arccoth(b*x+a)^2*ln(1-1/((b*x+a-1)/(b*x+a+1))^(1/2))-2*arccoth(b*x+a)*polylog(2,1/((b*x+a-1)/(b*x+a+1))^(1/2))+2*polylog(3,1/((b*x+a-1)/(b*x+a+1))^(1/2))+a/(a-1)*arccoth(b*x+a)^2*ln(1-(a-1)/(b*x+a-1)*(b*x+a+1)/(1+a))+a/(a-1)*arccoth(b*x+a)*polylog(2,(a-1)/(b*x+a-1)*(b*x+a+1)/(1+a))-1/2*a/(a-1)*polylog(3,(a-1)/(b*x+a-1)*(b*x+a+1)/(1+a))-1/(a-1)*arccoth(b*x+a)^2*ln(1-(a-1)/(b*x+a-1)*(b*x+a+1)/(1+a))-1/(a-1)*arccoth(b*x+a)*polylog(2,(a-1)/(b*x+a-1)*(b*x+a+1)/(1+a))+1/2/(a-1)*polylog(3,(a-1)/(b*x+a-1)*(b*x+a+1)/(1+a))
```


Fricas [F]

$$\int \frac{\coth^{-1}(a + bx)^2}{x} dx = \int \frac{\operatorname{arccoth}(bx + a)^2}{x} dx$$

input `integrate(arccoth(b*x+a)^2/x,x, algorithm="fricas")`

output `integral(arccoth(b*x + a)^2/x, x)`

Sympy [F]

$$\int \frac{\coth^{-1}(a + bx)^2}{x} dx = \int \frac{\operatorname{acoth}^2(a + bx)}{x} dx$$

input `integrate(acoth(b*x+a)**2/x,x)`

output `Integral(acoth(a + b*x)**2/x, x)`

Maxima [F]

$$\int \frac{\coth^{-1}(a + bx)^2}{x} dx = \int \frac{\operatorname{arccoth}(bx + a)^2}{x} dx$$

input `integrate(arccoth(b*x+a)^2/x,x, algorithm="maxima")`

output `integrate(arccoth(b*x + a)^2/x, x)`

Giac [F]

$$\int \frac{\coth^{-1}(a + bx)^2}{x} dx = \int \frac{\operatorname{arccoth}(bx + a)^2}{x} dx$$

input `integrate(arccoth(b*x+a)^2/x,x, algorithm="giac")`

output `integrate(arccoth(b*x + a)^2/x, x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\coth^{-1}(a + bx)^2}{x} dx = \int \frac{\operatorname{acoth}(a + bx)^2}{x} dx$$

input `int(acoth(a + b*x)^2/x,x)`

output `int(acoth(a + b*x)^2/x, x)`

Reduce [F]

$$\int \frac{\coth^{-1}(a + bx)^2}{x} dx = \int \frac{\operatorname{acoth}(bx + a)^2}{x} dx$$

input `int(acoth(b*x+a)^2/x,x)`

output `int(acoth(a + b*x)**2/x,x)`

3.13 $\int \frac{\coth^{-1}(a+bx)^2}{x^2} dx$

Optimal result	130
Mathematica [C] (warning: unable to verify)	131
Rubi [A] (verified)	131
Maple [A] (verified)	134
Fricas [F]	134
Sympy [F]	135
Maxima [A] (verification not implemented)	135
Giac [F]	136
Mupad [F(-1)]	136
Reduce [F]	136

Optimal result

Integrand size = 12, antiderivative size = 251

$$\int \frac{\coth^{-1}(a+bx)^2}{x^2} dx = -\frac{\coth^{-1}(a+bx)^2}{x} + \frac{b \coth^{-1}(a+bx) \log\left(\frac{2}{1-a-bx}\right)}{1-a}$$

$$+ \frac{b \coth^{-1}(a+bx) \log\left(\frac{2}{1+a+bx}\right)}{1+a}$$

$$- \frac{2b \coth^{-1}(a+bx) \log\left(\frac{2}{1+a+bx}\right)}{1-a^2}$$

$$+ \frac{2b \coth^{-1}(a+bx) \log\left(\frac{2bx}{(1-a)(1+a+bx)}\right)}{1-a^2}$$

$$+ \frac{b \operatorname{PolyLog}\left(2, -\frac{1+a+bx}{1-a-bx}\right)}{2(1-a)} - \frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2}{1+a+bx}\right)}{2(1+a)}$$

$$+ \frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2}{1+a+bx}\right)}{1-a^2} - \frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2bx}{(1-a)(1+a+bx)}\right)}{1-a^2}$$

output

```
-arccoth(b*x+a)^2/x+b*arccoth(b*x+a)*ln(2/(-b*x-a+1))/(1-a)+b*arccoth(b*x+a)*ln(2/(b*x+a+1))/(1+a)-2*b*arccoth(b*x+a)*ln(2/(b*x+a+1))/(-a^2+1)+2*b*arccoth(b*x+a)*ln(2*b*x/(1-a)/(b*x+a+1))/(-a^2+1)+b*polylog(2,-(b*x+a+1)/(-b*x-a+1))/(2-2*a)-b*polylog(2,1-2/(b*x+a+1))/(2+2*a)+b*polylog(2,1-2/(b*x+a+1))/(-a^2+1)-b*polylog(2,1-2*b*x/(1-a)/(b*x+a+1))/(-a^2+1)
```

Mathematica [C] (warning: unable to verify)

Result contains complex when optimal does not.

Time = 0.71 (sec) , antiderivative size = 206, normalized size of antiderivative = 0.82

$$\int \frac{\coth^{-1}(a+bx)^2}{x^2} dx$$

$$= \frac{-\left(\left(-1+a^2+\sqrt{1-\frac{1}{a^2}}abe^{\operatorname{arctanh}\left(\frac{1}{a}\right)x}\right)\coth^{-1}(a+bx)^2\right)+bx\coth^{-1}(a+bx)\left(-i\pi+2\operatorname{arctanh}\left(\frac{1}{a}\right)-2\right)}{1}$$

input

```
Integrate[ArcCoth[a + b*x]^2/x^2,x]
```

output

```
(-((-1 + a^2 + Sqrt[1 - a^(-2)]*a*b*E^ArcTanh[a^(-1)]*x)*ArcCoth[a + b*x]^2) + b*x*ArcCoth[a + b*x]*((-I)*Pi + 2*ArcTanh[a^(-1)] - 2*Log[1 - E^(-2*ArcCoth[a + b*x] + 2*ArcTanh[a^(-1)])]) + b*x*(I*Pi*(Log[1 + E^(2*ArcCoth[a + b*x])]) - Log[1/Sqrt[1 - (a + b*x)^(-2)]]) + 2*ArcTanh[a^(-1)]*(Log[1 - E^(-2*ArcCoth[a + b*x] + 2*ArcTanh[a^(-1)])]) - Log[I*Sinh[ArcCoth[a + b*x] - ArcTanh[a^(-1)])]) + b*x*PolyLog[2, E^(-2*ArcCoth[a + b*x] + 2*ArcTanh[a^(-1)])])/((-1 + a^2)*x)
```

Rubi [A] (verified)

Time = 1.03 (sec) , antiderivative size = 257, normalized size of antiderivative = 1.02, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$, Rules used = {6660, 7292, 6672, 25, 27, 7276, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\coth^{-1}(a+bx)^2}{x^2} dx$$

$$\downarrow \text{6660}$$

$$2b \int \frac{\coth^{-1}(a+bx)}{x(1-(a+bx)^2)} dx - \frac{\coth^{-1}(a+bx)^2}{x}$$

$$\begin{aligned}
& \downarrow 7292 \\
& 2b \int \frac{\coth^{-1}(a+bx)}{x(-a^2-2bxa-b^2x^2+1)} dx - \frac{\coth^{-1}(a+bx)^2}{x} \\
& \downarrow 6672 \\
& 2 \int \frac{\coth^{-1}(a+bx)}{x(1-(a+bx)^2)} d(a+bx) - \frac{\coth^{-1}(a+bx)^2}{x} \\
& \downarrow 25 \\
& -2 \int -\frac{\coth^{-1}(a+bx)}{x(1-(a+bx)^2)} d(a+bx) - \frac{\coth^{-1}(a+bx)^2}{x} \\
& \downarrow 27 \\
& -2b \int -\frac{\coth^{-1}(a+bx)}{bx(1-(a+bx)^2)} d(a+bx) - \frac{\coth^{-1}(a+bx)^2}{x} \\
& \downarrow 7276 \\
& -2b \int \left(\frac{\coth^{-1}(a+bx)}{(a^2-1)bx} - \frac{\coth^{-1}(a+bx)}{2(a-1)(a+bx-1)} + \frac{\coth^{-1}(a+bx)}{2(a+1)(a+bx+1)} \right) d(a+bx) - \\
& \quad \frac{\coth^{-1}(a+bx)^2}{x} \\
& \downarrow 2009 \\
& -2b \left(-\frac{\text{PolyLog}\left(2, 1 - \frac{2}{a+bx+1}\right)}{2(1-a^2)} + \frac{\text{PolyLog}\left(2, 1 - \frac{2bx}{(1-a)(a+bx+1)}\right)}{2(1-a^2)} + \frac{\log\left(\frac{2}{a+bx+1}\right) \coth^{-1}(a+bx)}{1-a^2} - \frac{\log\left(\frac{2}{1-a}\right)}{1-a^2} \right) - \frac{\coth^{-1}(a+bx)^2}{x}
\end{aligned}$$

input `Int[ArcCoth[a + b*x]^2/x^2,x]`

output `-(ArcCoth[a + b*x]^2/x) - 2*b*(-1/2*(ArcCoth[a + b*x]*Log[2/(1 - a - b*x)])/(1 - a) - (ArcCoth[a + b*x]*Log[2/(1 + a + b*x)])/(2*(1 + a)) + (ArcCoth[a + b*x]*Log[2/(1 + a + b*x)])/(1 - a^2) - (ArcCoth[a + b*x]*Log[(2*b*x)/((1 - a)*(1 + a + b*x))])/(1 - a^2) - PolyLog[2, -((1 + a + b*x)/(1 - a - b*x))]/(4*(1 - a)) + PolyLog[2, 1 - 2/(1 + a + b*x)]/(4*(1 + a)) - PolyLog[2, 1 - 2/(1 + a + b*x)]/(2*(1 - a^2)) + PolyLog[2, 1 - (2*b*x)/((1 - a)*(1 + a + b*x))]/(2*(1 - a^2)))`

Definitions of rubi rules used

- rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`
- rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`
- rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`
- rule 6660 `Int[((a_.) + ArcCoth[(c_) + (d_.)*(x_)]*(b_.))^(p_.)*((e_.) + (f_.)*(x_))^(m_), x_Symbol] := Simp[(e + f*x)^(m + 1)*((a + b*ArcCoth[c + d*x])^p/(f*(m + 1))), x] - Simp[b*d*(p/(f*(m + 1))) Int[(e + f*x)^(m + 1)*((a + b*ArcCoth[c + d*x])^(p - 1)/(1 - (c + d*x)^2)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && ILtQ[m, -1]`
- rule 6672 `Int[((a_.) + ArcCoth[(c_) + (d_.)*(x_)]*(b_.))^(p_.)*((e_.) + (f_.)*(x_))^(m_.)*((A_.) + (B_.)*(x_) + (C_.)*(x_)^2)^(q_.), x_Symbol] := Simp[1/d Subst[Int[((d*e - c*f)/d + f*(x/d))^m*(-C/d^2 + (C/d^2)*x^2)^q*(a + b*ArcCoth[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, p, q}, x] && EqQ[B*(1 - c^2) + 2*A*c*d, 0] && EqQ[2*c*C - B*d, 0]`
- rule 7276 `Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ[n, 0]`
- rule 7292 `Int[u_, x_Symbol] := With[{v = NormalizeIntegrand[u, x]}, Int[v, x] /; v != u]`

Maple [A] (verified)

Time = 0.55 (sec) , antiderivative size = 299, normalized size of antiderivative = 1.19

method	result
parts	$-\frac{\operatorname{arccoth}(bx+a)^2}{x} - 2b \left(-\frac{\operatorname{arccoth}(bx+a) \ln(bx+a-1)}{2a-2} + \frac{\operatorname{arccoth}(bx+a) \ln(-bx)}{(a-1)(1+a)} + \frac{\operatorname{arccoth}(bx+a) \ln(bx+a+1)}{2+2a} \right)$
derivativedivides	$b \left(-\frac{\operatorname{arccoth}(bx+a)^2}{bx} + \frac{2 \operatorname{arccoth}(bx+a) \ln(bx+a-1)}{2a-2} - \frac{2 \operatorname{arccoth}(bx+a) \ln(-bx)}{(a-1)(1+a)} - \frac{2 \operatorname{arccoth}(bx+a) \ln(bx+a+1)}{2+2a} \right)$
default	$b \left(-\frac{\operatorname{arccoth}(bx+a)^2}{bx} + \frac{2 \operatorname{arccoth}(bx+a) \ln(bx+a-1)}{2a-2} - \frac{2 \operatorname{arccoth}(bx+a) \ln(-bx)}{(a-1)(1+a)} - \frac{2 \operatorname{arccoth}(bx+a) \ln(bx+a+1)}{2+2a} \right)$

input `int(arccoth(b*x+a)^2/x^2,x,method=_RETURNVERBOSE)`

output
$$-\operatorname{arccoth}(b*x+a)^2/x-2*b*(-\operatorname{arccoth}(b*x+a)/(2*a-2)*\ln(b*x+a-1)+\operatorname{arccoth}(b*x+a)/(a-1)/(1+a)*\ln(-b*x)+\operatorname{arccoth}(b*x+a)/(2+2*a)*\ln(b*x+a+1)-1/2/(a-1)*(-1/2*\operatorname{dilog}(1/2*b*x+1/2*a+1/2)-1/2*\ln(b*x+a-1)*\ln(1/2*b*x+1/2*a+1/2))+1/4*\ln(b*x+a-1)^2)+1/2/(1+a)*(1/2*(\ln(b*x+a+1)-\ln(1/2*b*x+1/2*a+1/2))*\ln(-1/2*b*x-1/2*a+1/2)-1/2*\operatorname{dilog}(1/2*b*x+1/2*a+1/2)-1/4*\ln(b*x+a+1)^2)+1/(a-1)/(1+a)*(1/2*\operatorname{dilog}((-b*x-a+1)/(1-a))+1/2*\ln(-b*x)*\ln((-b*x-a+1)/(1-a))-1/2*\operatorname{dilog}((-b*x-a-1)/(-a-1))-1/2*\ln(-b*x)*\ln((-b*x-a-1)/(-a-1))))$$

Fricas [F]

$$\int \frac{\operatorname{coth}^{-1}(a+bx)^2}{x^2} dx = \int \frac{\operatorname{arccoth}(bx+a)^2}{x^2} dx$$

input `integrate(arccoth(b*x+a)^2/x^2,x, algorithm="fricas")`

output `integral(arccoth(b*x + a)^2/x^2, x)`

Sympy [F]

$$\int \frac{\coth^{-1}(a + bx)^2}{x^2} dx = \int \frac{\operatorname{acoth}^2(a + bx)}{x^2} dx$$

input `integrate(acoth(b*x+a)**2/x**2,x)`

output `Integral(acoth(a + b*x)**2/x**2, x)`

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 244, normalized size of antiderivative = 0.97

$$\begin{aligned} & \int \frac{\coth^{-1}(a + bx)^2}{x^2} dx \\ &= \frac{1}{4} b^2 \left(\frac{(a - 1) \log(bx + a + 1)^2 - 2(a - 1) \log(bx + a + 1) \log(bx + a - 1) + (a + 1) \log(bx + a - 1)^2}{a^2 b - b} \right. \\ & \quad \left. - b \left(\frac{\log(bx + a + 1)}{a + 1} - \frac{\log(bx + a - 1)}{a - 1} + \frac{2 \log(x)}{a^2 - 1} \right) \operatorname{arccoth}(bx + a) \right. \\ & \quad \left. - \frac{\operatorname{arccoth}(bx + a)^2}{x} \right) \end{aligned}$$

input `integrate(arccoth(b*x+a)^2/x^2,x, algorithm="maxima")`

output `1/4*b^2*(((a - 1)*log(b*x + a + 1)^2 - 2*(a - 1)*log(b*x + a + 1)*log(b*x + a - 1) + (a + 1)*log(b*x + a - 1)^2)/(a^2*b - b) - 4*(log(b*x + a - 1)*log(1/2*b*x + 1/2*a + 1/2) + dilog(-1/2*b*x - 1/2*a + 1/2))/(a^2*b - b) + 4*(log(b*x/(a + 1) + 1)*log(x) + dilog(-b*x/(a + 1)))/(a^2*b - b) - 4*(log(b*x/(a - 1) + 1)*log(x) + dilog(-b*x/(a - 1)))/(a^2*b - b) - b*(log(b*x + a + 1)/(a + 1) - log(b*x + a - 1)/(a - 1) + 2*log(x)/(a^2 - 1))*arccoth(b*x + a) - arccoth(b*x + a)^2/x`

Giac [F]

$$\int \frac{\coth^{-1}(a + bx)^2}{x^2} dx = \int \frac{\operatorname{arccoth}(bx + a)^2}{x^2} dx$$

input `integrate(arccoth(b*x+a)^2/x^2,x, algorithm="giac")`

output `integrate(arccoth(b*x + a)^2/x^2, x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\coth^{-1}(a + bx)^2}{x^2} dx = \int \frac{\operatorname{acoth}(a + bx)^2}{x^2} dx$$

input `int(acoth(a + b*x)^2/x^2,x)`

output `int(acoth(a + b*x)^2/x^2, x)`

Reduce [F]

$$\int \frac{\coth^{-1}(a + bx)^2}{x^2} dx$$

$$= \frac{-2\operatorname{acoth}(bx + a)^2 a^3 - \operatorname{acoth}(bx + a)^2 a^2 bx + 2\operatorname{acoth}(bx + a)^2 a + \operatorname{acoth}(bx + a)^2 bx - 2\operatorname{acoth}(bx + a) a}{x^3}$$

input `int(acoth(b*x+a)^2/x^2,x)`

output

```
( - 2*acoth(a + b*x)**2*a**3 - acoth(a + b*x)**2*a**2*b*x + 2*acoth(a + b*x)**2*a + acoth(a + b*x)**2*b*x - 2*acoth(a + b*x)*a**2 - 2*acoth(a + b*x)*a*b*x + 2*acoth(a + b*x)*b*x + 2*acoth(a + b*x) - 2*int(acoth(a + b*x)/(a**2*x**2 + 2*a*b*x**3 + b**2*x**4 - x**2),x)*a**4*x + 4*int(acoth(a + b*x)/(a**2*x**2 + 2*a*b*x**3 + b**2*x**4 - x**2),x)*a**2*x - 2*int(acoth(a + b*x)/(a**2*x**2 + 2*a*b*x**3 + b**2*x**4 - x**2),x)*x - 2*log(a + b*x - 1)*b*x + 2*log(x)*b*x)/(2*a*x*(a**2 - 1))
```

3.14 $\int \frac{\coth^{-1}(a+bx)^2}{x^3} dx$

Optimal result	138
Mathematica [C] (warning: unable to verify)	139
Rubi [A] (verified)	140
Maple [A] (verified)	142
Fricas [F]	143
Sympy [F]	143
Maxima [A] (verification not implemented)	143
Giac [F]	144
Mupad [F(-1)]	144
Reduce [F]	145

Optimal result

Integrand size = 12, antiderivative size = 370

$$\begin{aligned}
 \int \frac{\coth^{-1}(a+bx)^2}{x^3} dx = & -\frac{b \coth^{-1}(a+bx)}{(1-a^2)x} - \frac{\coth^{-1}(a+bx)^2}{2x^2} \\
 & + \frac{b^2 \log(x)}{(1-a^2)^2} + \frac{b^2 \coth^{-1}(a+bx) \log\left(\frac{2}{1-a-bx}\right)}{2(1-a)^2} \\
 & - \frac{b^2 \log(1-a-bx)}{2(1-a)^2(1+a)} - \frac{b^2 \coth^{-1}(a+bx) \log\left(\frac{2}{1+a+bx}\right)}{2(1+a)^2} \\
 & - \frac{2ab^2 \coth^{-1}(a+bx) \log\left(\frac{2}{1+a+bx}\right)}{(1-a^2)^2} \\
 & + \frac{2ab^2 \coth^{-1}(a+bx) \log\left(\frac{2bx}{(1-a)(1+a+bx)}\right)}{(1-a^2)^2} \\
 & - \frac{b^2 \log(1+a+bx)}{2(1-a)(1+a)^2} + \frac{b^2 \text{PolyLog}\left(2, -\frac{1+a+bx}{1-a-bx}\right)}{4(1-a)^2} \\
 & + \frac{b^2 \text{PolyLog}\left(2, 1 - \frac{2}{1+a+bx}\right)}{4(1+a)^2} + \frac{ab^2 \text{PolyLog}\left(2, 1 - \frac{2}{1+a+bx}\right)}{(1-a^2)^2} \\
 & - \frac{ab^2 \text{PolyLog}\left(2, 1 - \frac{2bx}{(1-a)(1+a+bx)}\right)}{(1-a^2)^2}
 \end{aligned}$$

output

```
-b*arccoth(b*x+a)/(-a^2+1)/x-1/2*arccoth(b*x+a)^2/x^2+b^2*ln(x)/(-a^2+1)^2
+1/2*b^2*arccoth(b*x+a)*ln(2/(-b*x-a+1))/(1-a)^2-1/2*b^2*ln(-b*x-a+1)/(1-a
)^2/(1+a)-1/2*b^2*arccoth(b*x+a)*ln(2/(b*x+a+1))/(1+a)^2-2*a*b^2*arccoth(b
*x+a)*ln(2/(b*x+a+1))/(-a^2+1)^2+2*a*b^2*arccoth(b*x+a)*ln(2*b*x/(1-a)/(b*
x+a+1))/(-a^2+1)^2-1/2*b^2*ln(b*x+a+1)/(1-a)/(1+a)^2+1/4*b^2*polylog(2,-(b
*x+a+1)/(-b*x-a+1))/(1-a)^2+1/4*b^2*polylog(2,1-2/(b*x+a+1))/(1+a)^2+a*b^2
*polylog(2,1-2/(b*x+a+1))/(-a^2+1)^2-a*b^2*polylog(2,1-2*b*x/(1-a)/(b*x+a
1))/(-a^2+1)^2
```

Mathematica [C] (warning: unable to verify)

Result contains complex when optimal does not.

Time = 1.54 (sec) , antiderivative size = 291, normalized size of antiderivative = 0.79

$$\int \frac{\coth^{-1}(a + bx)^2}{x^3} dx$$

$$= \frac{\left(-1 - a^4 + b^2 x^2 + a^2 \left(2 + b^2 \left(-1 + 2\sqrt{1 - \frac{1}{a^2}} e^{\operatorname{arctanh}\left(\frac{1}{a}\right)}\right) x^2\right)\right) \coth^{-1}(a + bx)^2 + 2bx \coth^{-1}(a + bx)}{\dots}$$

input

```
Integrate[ArcCoth[a + b*x]^2/x^3,x]
```

output

```
((-1 - a^4 + b^2*x^2 + a^2*(2 + b^2*(-1 + 2*sqrt[1 - a^(-2)]*E^ArcTanh[a^(-1)])*x^2))*ArcCoth[a + b*x]^2 + 2*b*x*ArcCoth[a + b*x]*(-1 + a^2 + a*b*x + I*a*b*Pi*x - 2*a*b*x*ArcTanh[a^(-1)] + 2*a*b*x*Log[1 - E^(-2*ArcCoth[a + b*x] + 2*ArcTanh[a^(-1)])]) + 2*b^2*x^2*((-I)*a*Pi*Log[1 + E^(2*ArcCoth[a + b*x])] + I*a*Pi*Log[1/sqrt[1 - (a + b*x)^(-2)]] + Log[-((b*x)/((a + b*x)*sqrt[1 - (a + b*x)^(-2)])]) - 2*a*ArcTanh[a^(-1)]*(Log[1 - E^(-2*ArcCoth[a + b*x] + 2*ArcTanh[a^(-1)])]) - Log[I*Sinh[ArcCoth[a + b*x] - ArcTanh[a^(-1)])]) - 2*a*b^2*x^2*PolyLog[2, E^(-2*ArcCoth[a + b*x] + 2*ArcTanh[a^(-1)])])]/(2*(-1 + a^2)^2*x^2)
```

Rubi [A] (verified)

Time = 1.12 (sec) , antiderivative size = 347, normalized size of antiderivative = 0.94, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {6660, 7292, 6672, 27, 7276, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\coth^{-1}(a+bx)^2}{x^3} dx \\
 & \quad \downarrow \text{6660} \\
 & b \int \frac{\coth^{-1}(a+bx)}{x^2(1-(a+bx)^2)} dx - \frac{\coth^{-1}(a+bx)^2}{2x^2} \\
 & \quad \downarrow \text{7292} \\
 & b \int \frac{\coth^{-1}(a+bx)}{x^2(-a^2-2bxa-b^2x^2+1)} dx - \frac{\coth^{-1}(a+bx)^2}{2x^2} \\
 & \quad \downarrow \text{6672} \\
 & \int \frac{\coth^{-1}(a+bx)}{x^2(1-(a+bx)^2)} d(a+bx) - \frac{\coth^{-1}(a+bx)^2}{2x^2} \\
 & \quad \downarrow \text{27} \\
 & b^2 \int \frac{\coth^{-1}(a+bx)}{b^2x^2(1-(a+bx)^2)} d(a+bx) - \frac{\coth^{-1}(a+bx)^2}{2x^2} \\
 & \quad \downarrow \text{7276} \\
 & b^2 \int \left(\frac{2a \coth^{-1}(a+bx)}{(a^2-1)^2 bx} - \frac{\coth^{-1}(a+bx)}{2(a-1)^2(a+bx-1)} + \frac{\coth^{-1}(a+bx)}{2(a+1)^2(a+bx+1)} - \frac{\coth^{-1}(a+bx)}{(a^2-1)b^2x^2} \right) d(a+ \\
 & \quad \quad \quad bx) - \frac{\coth^{-1}(a+bx)^2}{2x^2} \\
 & \quad \downarrow \text{2009} \\
 & b^2 \left(\frac{a \operatorname{PolyLog}\left(2, 1 - \frac{2}{a+bx+1}\right)}{(1-a^2)^2} - \frac{a \operatorname{PolyLog}\left(2, 1 - \frac{2bx}{(1-a)(a+bx+1)}\right)}{(1-a^2)^2} + \frac{\log(-bx)}{(1-a^2)^2} - \frac{\coth^{-1}(a+bx)}{(1-a^2)bx} - \frac{2a \log\left(\frac{a+bx}{a+bx+1}\right)}{(1-a^2)^2} \right) - \frac{\coth^{-1}(a+bx)^2}{2x^2}
 \end{aligned}$$

input `Int[ArcCoth[a + b*x]^2/x^3,x]`

output
$$\begin{aligned} & -1/2*\text{ArcCoth}[a + b*x]^2/x^2 + b^2*(-(\text{ArcCoth}[a + b*x]/((1 - a^2)*b*x)) + \text{Log}[-(b*x)]/(1 - a^2)^2 + (\text{ArcCoth}[a + b*x]*\text{Log}[2/(1 - a - b*x)])/(2*(1 - a)^2) - \text{Log}[1 - a - b*x]/(2*(1 - a)^2*(1 + a)) - (\text{ArcCoth}[a + b*x]*\text{Log}[2/(1 + a + b*x)])/(2*(1 + a)^2) - (2*a*\text{ArcCoth}[a + b*x]*\text{Log}[2/(1 + a + b*x)])/(1 - a^2)^2 + (2*a*\text{ArcCoth}[a + b*x]*\text{Log}[(2*b*x)/((1 - a)*(1 + a + b*x))])/(1 - a^2)^2 - \text{Log}[1 + a + b*x]/(2*(1 - a)*(1 + a)^2) + \text{PolyLog}[2, -((1 + a + b*x)/(1 - a - b*x))]/(4*(1 - a)^2) + \text{PolyLog}[2, 1 - 2/(1 + a + b*x)]/(4*(1 + a)^2) + (a*\text{PolyLog}[2, 1 - 2/(1 + a + b*x)])/(1 - a^2)^2 - (a*\text{PolyLog}[2, 1 - (2*b*x)/((1 - a)*(1 + a + b*x))])/(1 - a^2)^2 \end{aligned}$$

Defintions of rubi rules used

rule 27 `Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_)] /; FreeQ[b, x]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 6660 `Int[((a_) + ArcCoth[(c_) + (d_)*(x_)]*(b_.))^ (p_.)*((e_) + (f_.)*(x_))^(m_), x_Symbol] := Simp[(e + f*x)^(m + 1)*((a + b*ArcCoth[c + d*x])^p/(f*(m + 1))), x] - Simp[b*d*(p/(f*(m + 1))) Int[(e + f*x)^(m + 1)*((a + b*ArcCoth[c + d*x])^(p - 1)/(1 - (c + d*x)^2)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && ILtQ[m, -1]`

rule 6672 `Int[((a_) + ArcCoth[(c_) + (d_)*(x_)]*(b_.))^ (p_.)*((e_) + (f_.)*(x_))^(m_.)*((A_.) + (B_.)*(x_) + (C_.)*(x_)^2)^(q_.), x_Symbol] := Simp[1/d Subst[Int[((d*e - c*f)/d + f*(x/d))^m*(-C/d^2 + (C/d^2)*x^2)^q*(a + b*ArcCoth[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, p, q}, x] && EqQ[B*(1 - c^2) + 2*A*c*d, 0] && EqQ[2*c*C - B*d, 0]`

rule 7276

```
Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionE
xpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ
[n, 0]
```

rule 7292

```
Int[u_, x_Symbol] := With[{v = NormalizeIntegrand[u, x]}, Int[v, x] /; v !=
= u]
```

Maple [A] (verified)

Time = 0.62 (sec) , antiderivative size = 386, normalized size of antiderivative = 1.04

method	result
parts	$-\frac{\operatorname{arccoth}(bx+a)^2}{2x^2} - b^2 \left(\frac{\operatorname{arccoth}(bx+a) \ln(bx+a-1)}{2(a-1)^2} - \frac{\operatorname{arccoth}(bx+a)}{(a-1)(1+a)bx} - \frac{2 \operatorname{arccoth}(bx+a)a \ln(-bx)}{(a-1)^2(1+a)^2} - \operatorname{arccoth}(bx+a) \right)$
derivativedivides	$b^2 \left(-\frac{\operatorname{arccoth}(bx+a)^2}{2b^2x^2} - \frac{\operatorname{arccoth}(bx+a) \ln(bx+a-1)}{2(a-1)^2} + \frac{\operatorname{arccoth}(bx+a)}{(a-1)(1+a)bx} + \frac{2 \operatorname{arccoth}(bx+a)a \ln(-bx)}{(a-1)^2(1+a)^2} + \operatorname{arccoth}(bx+a) \right)$
default	$b^2 \left(-\frac{\operatorname{arccoth}(bx+a)^2}{2b^2x^2} - \frac{\operatorname{arccoth}(bx+a) \ln(bx+a-1)}{2(a-1)^2} + \frac{\operatorname{arccoth}(bx+a)}{(a-1)(1+a)bx} + \frac{2 \operatorname{arccoth}(bx+a)a \ln(-bx)}{(a-1)^2(1+a)^2} + \operatorname{arccoth}(bx+a) \right)$

input

```
int(arccoth(b*x+a)^2/x^3,x,method=_RETURNVERBOSE)
```

output

```
-1/2*arccoth(b*x+a)^2/x^2-b^2*(1/2*arccoth(b*x+a)/(a-1)^2*ln(b*x+a-1)-arcc
oth(b*x+a)/(a-1)/(1+a)/b/x-2*arccoth(b*x+a)*a/(a-1)^2/(1+a)^2*ln(-b*x)-1/2
*arccoth(b*x+a)/(1+a)^2*ln(b*x+a+1)+1/2/(a-1)^2*(-1/2*dilog(1/2*b*x+1/2*a+
1/2)-1/2*ln(b*x+a-1)*ln(1/2*b*x+1/2*a+1/2)+1/4*ln(b*x+a-1)^2)-1/2/(1+a)^2*
(1/2*(ln(b*x+a+1)-ln(1/2*b*x+1/2*a+1/2))*ln(-1/2*b*x-1/2*a+1/2)-1/2*dilog(
1/2*b*x+1/2*a+1/2)-1/4*ln(b*x+a+1)^2)+1/(a-1)/(1+a)*(1/(2*a-2)*ln(b*x+a-1)
-1/(a-1)/(1+a)*ln(-b*x)-1/(2+2*a)*ln(b*x+a+1))-2*a/(a-1)^2/(1+a)^2*(1/2*di
log((-b*x-a+1)/(1-a))+1/2*ln(-b*x)*ln((-b*x-a+1)/(1-a))-1/2*dilog((-b*x-a-
1)/(-a-1))-1/2*ln(-b*x)*ln((-b*x-a-1)/(-a-1)))
```

Fricas [F]

$$\int \frac{\coth^{-1}(a + bx)^2}{x^3} dx = \int \frac{\operatorname{arccoth}(bx + a)^2}{x^3} dx$$

input `integrate(arccoth(b*x+a)^2/x^3,x, algorithm="fricas")`

output `integral(arccoth(b*x + a)^2/x^3, x)`

Sympy [F]

$$\int \frac{\coth^{-1}(a + bx)^2}{x^3} dx = \int \frac{\operatorname{acoth}^2(a + bx)}{x^3} dx$$

input `integrate(acoth(b*x+a)**2/x**3,x)`

output `Integral(acoth(a + b*x)**2/x**3, x)`

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 360, normalized size of antiderivative = 0.97

$$\begin{aligned} & \int \frac{\coth^{-1}(a + bx)^2}{x^3} dx \\ &= \frac{1}{8} \left(\frac{8 \left(\log(bx + a - 1) \log\left(\frac{1}{2}bx + \frac{1}{2}a + \frac{1}{2}\right) + \operatorname{Li}_2\left(-\frac{1}{2}bx - \frac{1}{2}a + \frac{1}{2}\right)\right)a}{a^4 - 2a^2 + 1} - \frac{8 \left(\log\left(\frac{bx}{a+1} + 1\right) \log(x) + \operatorname{Li}_2\left(\frac{bx}{a+1}\right)\right)}{a^4 - 2a^2 + 1} \right. \\ & \quad \left. + \frac{1}{2} \left(\frac{4ab \log(x)}{a^4 - 2a^2 + 1} + \frac{b \log(bx + a + 1)}{a^2 + 2a + 1} - \frac{b \log(bx + a - 1)}{a^2 - 2a + 1} + \frac{2}{(a^2 - 1)x} \right) b \operatorname{arccoth}(bx \right. \\ & \quad \left. + a) - \frac{\operatorname{arccoth}(bx + a)^2}{2x^2} \end{aligned}$$

input `integrate(arccoth(b*x+a)^2/x^3,x, algorithm="maxima")`

output

```

1/8*(8*(log(b*x + a - 1)*log(1/2*b*x + 1/2*a + 1/2) + dilog(-1/2*b*x - 1/2
*a + 1/2))*a/(a^4 - 2*a^2 + 1) - 8*(log(b*x/(a + 1) + 1)*log(x) + dilog(-b
*x/(a + 1)))*a/(a^4 - 2*a^2 + 1) + 8*(log(b*x/(a - 1) + 1)*log(x) + dilog(
-b*x/(a - 1)))*a/(a^4 - 2*a^2 + 1) - ((a^2 - 2*a + 1)*log(b*x + a + 1)^2 -
2*(a^2 - 2*a + 1)*log(b*x + a + 1)*log(b*x + a - 1) + (a^2 + 2*a + 1)*log
(b*x + a - 1)^2)/(a^4 - 2*a^2 + 1) + 4*log(b*x + a + 1)/(a^3 + a^2 - a - 1
) - 4*log(b*x + a - 1)/(a^3 - a^2 - a + 1) + 8*log(x)/(a^4 - 2*a^2 + 1))*b
^2 + 1/2*(4*a*b*log(x)/(a^4 - 2*a^2 + 1) + b*log(b*x + a + 1)/(a^2 + 2*a +
1) - b*log(b*x + a - 1)/(a^2 - 2*a + 1) + 2/((a^2 - 1)*x))*b*arccoth(b*x
+ a) - 1/2*arccoth(b*x + a)^2/x^2

```

Giac [F]

$$\int \frac{\coth^{-1}(a + bx)^2}{x^3} dx = \int \frac{\operatorname{arccoth}(bx + a)^2}{x^3} dx$$

input

```
integrate(arccoth(b*x+a)^2/x^3,x, algorithm="giac")
```

output

```
integrate(arccoth(b*x + a)^2/x^3, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\coth^{-1}(a + bx)^2}{x^3} dx = \int \frac{\operatorname{acoth}(a + bx)^2}{x^3} dx$$

input

```
int(acoth(a + b*x)^2/x^3,x)
```

output

```
int(acoth(a + b*x)^2/x^3, x)
```

Reduce [F]

$$\int \frac{\coth^{-1}(a + bx)^2}{x^3} dx$$

$$= \frac{-\operatorname{acoth}(bx + a)^2 - 6\operatorname{acoth}(bx + a)a^2b^2x^2 + \operatorname{acoth}(bx + a)^2a^4b^2x^2 + \operatorname{acoth}(bx + a)^2b^2x^2 + 2abx + 4aco$$

input `int(acoth(b*x+a)^2/x^3,x)`

output

```
( - 3*acoth(a + b*x)**2*a**6 + acoth(a + b*x)**2*a**4*b**2*x**2 + 5*acoth(a + b*x)**2*a**4 - 2*acoth(a + b*x)**2*a**2*b**2*x**2 - acoth(a + b*x)**2*a**2 + acoth(a + b*x)**2*b**2*x**2 - acoth(a + b*x)**2 - 2*acoth(a + b*x)*a**5 + 2*acoth(a + b*x)*a**4*b*x + 4*acoth(a + b*x)*a**3*b**2*x**2 + 4*acoth(a + b*x)*a**3 - 6*acoth(a + b*x)*a**2*b**2*x**2 - 4*acoth(a + b*x)*a**2*b*x - 2*acoth(a + b*x)*a + 2*acoth(a + b*x)*b**2*x**2 + 2*acoth(a + b*x)*b*x - 12*int(acoth(a + b*x)/(3*a**4*x**3 + 6*a**3*b*x**4 + 3*a**2*b**2*x**5 - 2*a**2*x**3 + 2*a*b*x**4 + b**2*x**5 - x**3),x)*a**9*x**2 + 32*int(acoth(a + b*x)/(3*a**4*x**3 + 6*a**3*b*x**4 + 3*a**2*b**2*x**5 - 2*a**2*x**3 + 2*a*b*x**4 + b**2*x**5 - x**3),x)*a**7*x**2 - 24*int(acoth(a + b*x)/(3*a**4*x**3 + 6*a**3*b*x**4 + 3*a**2*b**2*x**5 - 2*a**2*x**3 + 2*a*b*x**4 + b**2*x**5 - x**3),x)*a**5*x**2 + 4*int(acoth(a + b*x)/(3*a**4*x**3 + 6*a**3*b*x**4 + 3*a**2*b**2*x**5 - 2*a**2*x**3 + 2*a*b*x**4 + b**2*x**5 - x**3),x)*a*x**2 + 6*log(a + b*x - 1)*a**2*b**2*x**2 - 2*log(a + b*x - 1)*b**2*x**2 - 6*log(x)*a**2*b**2*x**2 + 2*log(x)*b**2*x**2 - 2*a**3*b*x + 2*a*b*x)/(2*x**2*(3*a**6 - 5*a**4 + a**2 + 1))
```

3.15 $\int (a + bx) \coth^{-1}(a + bx) dx$

Optimal result	146
Mathematica [A] (verified)	146
Rubi [A] (verified)	147
Maple [A] (verified)	148
Fricas [A] (verification not implemented)	149
Sympy [A] (verification not implemented)	150
Maxima [A] (verification not implemented)	150
Giac [B] (verification not implemented)	151
Mupad [B] (verification not implemented)	151
Reduce [B] (verification not implemented)	152

Optimal result

Integrand size = 12, antiderivative size = 39

$$\int (a + bx) \coth^{-1}(a + bx) dx = \frac{x}{2} + \frac{(a + bx)^2 \coth^{-1}(a + bx)}{2b} - \frac{\operatorname{arctanh}(a + bx)}{2b}$$

output

```
1/2*x+1/2*(b*x+a)^2*arccoth(b*x+a)/b-1/2*arctanh(b*x+a)/b
```

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 66, normalized size of antiderivative = 1.69

$$\int (a + bx) \coth^{-1}(a + bx) dx = \frac{2bx + 2bx(2a + bx) \coth^{-1}(a + bx) - (-1 + a^2) \log(1 - a - bx) - \log(1 + a + bx) + a^2 \log(1 + a + bx)}{4b}$$

input

```
Integrate[(a + b*x)*ArcCoth[a + b*x],x]
```

output

```
(2*b*x + 2*b*x*(2*a + b*x)*ArcCoth[a + b*x] - (-1 + a^2)*Log[1 - a - b*x] - Log[1 + a + b*x] + a^2*Log[1 + a + b*x])/(4*b)
```

Rubi [A] (verified)

Time = 0.24 (sec) , antiderivative size = 39, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {6658, 6453, 262, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (a + bx) \coth^{-1}(a + bx) dx \\
 & \quad \downarrow \text{6658} \\
 & \frac{\int (a + bx) \coth^{-1}(a + bx) d(a + bx)}{b} \\
 & \quad \downarrow \text{6453} \\
 & \frac{\frac{1}{2}(a + bx)^2 \coth^{-1}(a + bx) - \frac{1}{2} \int \frac{(a+bx)^2}{1-(a+bx)^2} d(a + bx)}{b} \\
 & \quad \downarrow \text{262} \\
 & \frac{\frac{1}{2} \left(- \int \frac{1}{1-(a+bx)^2} d(a + bx) + a + bx \right) + \frac{1}{2}(a + bx)^2 \coth^{-1}(a + bx)}{b} \\
 & \quad \downarrow \text{219} \\
 & \frac{\frac{1}{2}(-\operatorname{arctanh}(a + bx) + a + bx) + \frac{1}{2}(a + bx)^2 \coth^{-1}(a + bx)}{b}
 \end{aligned}$$

input `Int[(a + b*x)*ArcCoth[a + b*x],x]`

output `((a + b*x)^2*ArcCoth[a + b*x])/2 + (a + b*x - ArcTanh[a + b*x])/2)/b`

Definitions of rubi rules used

rule 219 $\text{Int}[\{(a_)+(b_)(x_)^2\}^{-1}, x_Symbol] \rightarrow \text{Simp}[(1/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]))*\text{ArcTanh}[\text{Rt}[-b, 2]*(x/\text{Rt}[a, 2])], x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

rule 262 $\text{Int}[\{(c_)(x_)\}^{(m_)}*\{(a_)+(b_)(x_)^2\}^{(p_)}, x_Symbol] \rightarrow \text{Simp}[c*(c*x)^{(m-1)}*((a+b*x^2)^{(p+1)}/(b*(m+2*p+1))), x] - \text{Simp}[a*c^2*((m-1)/(b*(m+2*p+1))) \text{Int}[(c*x)^{(m-2)}*(a+b*x^2)^p, x], x] /; \text{FreeQ}\{a, b, c, p\}, x\} \&\& \text{GtQ}[m, 2-1] \&\& \text{NeQ}[m+2*p+1, 0] \&\& \text{IntBinomialQ}[a, b, c, 2, m, p, x]$

rule 6453 $\text{Int}[\{(a_)+\text{ArcCoth}[c_*(x_)^{(n_)}]\}*(b_)\}^{(p_)}*(x_)^{(m_)}, x_Symbol] \rightarrow \text{Simp}[x^{(m+1)}*((a+b*\text{ArcCoth}[c*x^n])^p/(m+1)), x] - \text{Simp}[b*c*n*(p/(m+1)) \text{Int}[x^{(m+n)}*((a+b*\text{ArcCoth}[c*x^n])^{(p-1)})/(1-c^2*x^{(2*n)}), x], x] /; \text{FreeQ}\{a, b, c, m, n\}, x\} \&\& \text{IGtQ}[p, 0] \&\& (\text{EqQ}[p, 1] \parallel (\text{EqQ}[n, 1] \&\& \text{IntegerQ}[m])) \&\& \text{NeQ}[m, -1]$

rule 6658 $\text{Int}[\{(a_)+\text{ArcCoth}[c_]+(d_)(x_)\}*(b_)\}^{(p_)}*\{(e_)+(f_)(x_)\}^{(m_)}, x_Symbol] \rightarrow \text{Simp}[1/d \text{Subst}[\text{Int}[(f*(x/d))^{m*(a+b*\text{ArcCoth}[x])^p}, x], x, c+d*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x\} \&\& \text{EqQ}[d*e-c*f, 0] \&\& \text{IGtQ}[p, 0]$

Maple [A] (verified)

Time = 0.17 (sec) , antiderivative size = 46, normalized size of antiderivative = 1.18

method	result
derivativdivides	$\frac{(bx+a)^2 \operatorname{arccoth}(bx+a) + \frac{bx}{2} + \frac{a}{2} + \frac{\ln(bx+a-1)}{4} - \frac{\ln(bx+a+1)}{4}}{b}$
default	$\frac{(bx+a)^2 \operatorname{arccoth}(bx+a) + \frac{bx}{2} + \frac{a}{2} + \frac{\ln(bx+a-1)}{4} - \frac{\ln(bx+a+1)}{4}}{b}$
parallelrisch	$-\frac{-b^3 \operatorname{arccoth}(bx+a)x^2 - 2x \operatorname{arccoth}(bx+a)a b^2 - \operatorname{arccoth}(bx+a)a^2 b - b^2 x + \operatorname{arccoth}(bx+a)b + 2ab}{2b^2}$
parts	$\frac{\operatorname{arccoth}(bx+a)bx^2}{2} + \operatorname{arccoth}(bx+a)xa + \frac{b\left(\frac{x}{b} + \frac{(-a^2+1)\ln(bx+a-1)}{2b^2} + \frac{(a^2-1)\ln(bx+a+1)}{2b^2}\right)}{2}$
risch	$\left(\frac{1}{4}bx^2 + \frac{1}{2}xa\right)\ln(bx+a+1) - \frac{bx^2\ln(bx+a-1)}{4} - \frac{ax\ln(bx+a-1)}{2} - \frac{\ln(bx+a-1)a^2}{4b} + \frac{\ln(-bx-a-1)}{4b}$
oring	$\frac{(2b^3x^3 + 5ab^2x^2 + 4a^2bx + a^3 - 2bx - a) \operatorname{arccoth}(bx+a)}{2(bx+a)b} - \frac{x(bx+a-1)(bx+a+1)\left(\operatorname{arccoth}(bx+a)b - \frac{(bx+a)b}{(bx+a)^2-1}\right)}{2b(bx+a)}$

input `int((b*x+a)*arccoth(b*x+a),x,method=_RETURNVERBOSE)`

output `1/b*(1/2*(b*x+a)^2*arccoth(b*x+a)+1/2*b*x+1/2*a+1/4*ln(b*x+a-1)-1/4*ln(b*x+a+1))`

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 44, normalized size of antiderivative = 1.13

$$\int (a + bx) \operatorname{coth}^{-1}(a + bx) dx = \frac{2bx + (b^2x^2 + 2abx + a^2 - 1) \log\left(\frac{bx+a+1}{bx+a-1}\right)}{4b}$$

input `integrate((b*x+a)*arccoth(b*x+a),x, algorithm="fricas")`

output `1/4*(2*b*x + (b^2*x^2 + 2*a*b*x + a^2 - 1)*log((b*x + a + 1)/(b*x + a - 1)))/b`

Sympy [A] (verification not implemented)

Time = 0.41 (sec) , antiderivative size = 56, normalized size of antiderivative = 1.44

$$\int (a + bx) \coth^{-1}(a + bx) dx$$

$$= \begin{cases} \frac{a^2 \operatorname{acoth}(a+bx)}{2b} + ax \operatorname{acoth}(a + bx) + \frac{bx^2 \operatorname{acoth}(a+bx)}{2} + \frac{x}{2} - \frac{\operatorname{acoth}(a+bx)}{2b} & \text{for } b \neq 0 \\ ax \operatorname{acoth}(a) & \text{otherwise} \end{cases}$$

input `integrate((b*x+a)*acoth(b*x+a),x)`output `Piecewise((a**2*acoth(a + b*x)/(2*b) + a*x*acoth(a + b*x) + b*x**2*acoth(a + b*x)/2 + x/2 - acoth(a + b*x)/(2*b), Ne(b, 0)), (a*x*acoth(a), True))`**Maxima [A] (verification not implemented)**

Time = 0.03 (sec) , antiderivative size = 62, normalized size of antiderivative = 1.59

$$\int (a + bx) \coth^{-1}(a + bx) dx$$

$$= \frac{1}{4} b \left(\frac{2x}{b} + \frac{(a^2 - 1) \log(bx + a + 1)}{b^2} - \frac{(a^2 - 1) \log(bx + a - 1)}{b^2} \right) + \frac{1}{2} (bx^2 + 2ax) \operatorname{arccoth}(bx + a)$$

input `integrate((b*x+a)*arccoth(b*x+a),x, algorithm="maxima")`output `1/4*b*(2*x/b + (a^2 - 1)*log(b*x + a + 1)/b^2 - (a^2 - 1)*log(b*x + a - 1)/b^2) + 1/2*(b*x^2 + 2*a*x)*arccoth(b*x + a)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 188 vs. $2(33) = 66$.

Time = 0.13 (sec) , antiderivative size = 188, normalized size of antiderivative = 4.82

$$\int (a + bx) \coth^{-1}(a + bx) dx$$

$$= \frac{1}{2} ((a + 1)b - (a - 1)b) \left(\frac{1}{b^2 \left(\frac{bx+a+1}{bx+a-1} - 1 \right)} + \frac{(bx + a + 1) \log \left(\frac{\frac{1}{\left(\frac{(bx+a+1)(a-1) - a-1}{bx+a-1} \right)^b} + 1}}{a - \frac{\frac{(bx+a+1)b - b}{bx+a-1}}{1}} \right)}{(bx + a - 1) b^2 \left(\frac{bx+a+1}{bx+a-1} - 1 \right)^2} \right)$$

input `integrate((b*x+a)*arccoth(b*x+a),x, algorithm="giac")`

output `1/2*((a + 1)*b - (a - 1)*b)*(1/(b^2*((b*x + a + 1)/(b*x + a - 1) - 1)) + (b*x + a + 1)*log(-1/(a - ((b*x + a + 1)*(a - 1)/(b*x + a - 1) - a - 1)*b/((b*x + a + 1)*b/(b*x + a - 1) - b)) + 1)/(1/(a - ((b*x + a + 1)*(a - 1)/(b*x + a - 1) - a - 1)*b/((b*x + a + 1)*b/(b*x + a - 1) - b)) - 1))/((b*x + a - 1)*b^2*((b*x + a + 1)/(b*x + a - 1) - 1)^2))`

Mupad [B] (verification not implemented)

Time = 4.65 (sec) , antiderivative size = 50, normalized size of antiderivative = 1.28

$$\int (a + bx) \coth^{-1}(a + bx) dx = \frac{x}{2} - \frac{\frac{\operatorname{acoth}(a+bx)}{2} - \frac{a^2 \operatorname{acoth}(a+bx)}{2}}{b} + ax \operatorname{acoth}(a + bx) + \frac{bx^2 \operatorname{acoth}(a + bx)}{2}$$

input `int(acoth(a + b*x)*(a + b*x),x)`

output

$$\frac{x}{2} - \frac{\operatorname{acoth}(a + b*x)}{2} - \frac{(a^2*\operatorname{acoth}(a + b*x))/2}{b} + a*x*\operatorname{acoth}(a + b*x) + \frac{(b*x^2*\operatorname{acoth}(a + b*x))/2}{b}$$

Reduce [B] (verification not implemented)

Time = 0.15 (sec) , antiderivative size = 52, normalized size of antiderivative = 1.33

$$\int (a + bx) \operatorname{coth}^{-1}(a + bx) dx$$

$$= \frac{\operatorname{acoth}(bx + a) a^2 + 2\operatorname{acoth}(bx + a) abx + \operatorname{acoth}(bx + a) b^2 x^2 - \operatorname{acoth}(bx + a) - bx}{2b}$$

input

```
int((b*x+a)*acoth(b*x+a),x)
```

output

```
(acoth(a + b*x)*a**2 + 2*acoth(a + b*x)*a*b*x + acoth(a + b*x)*b**2*x**2 -
acoth(a + b*x) - b*x)/(2*b)
```

3.16 $\int (a + bx)^2 \coth^{-1}(a + bx) dx$

Optimal result	153
Mathematica [A] (verified)	153
Rubi [A] (warning: unable to verify)	154
Maple [A] (verified)	155
Fricas [A] (verification not implemented)	156
Sympy [B] (verification not implemented)	157
Maxima [A] (verification not implemented)	157
Giac [B] (verification not implemented)	158
Mupad [B] (verification not implemented)	158
Reduce [B] (verification not implemented)	159

Optimal result

Integrand size = 14, antiderivative size = 54

$$\int (a + bx)^2 \coth^{-1}(a + bx) dx = \frac{(a + bx)^2}{6b} + \frac{(a + bx)^3 \coth^{-1}(a + bx)}{3b} + \frac{\log(1 - (a + bx)^2)}{6b}$$

output $1/6*(b*x+a)^2/b+1/3*(b*x+a)^3*\operatorname{arccoth}(b*x+a)/b+1/6*\ln(1-(b*x+a)^2)/b$

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 42, normalized size of antiderivative = 0.78

$$\int (a + bx)^2 \coth^{-1}(a + bx) dx = \frac{(a + bx)^2 + 2(a + bx)^3 \coth^{-1}(a + bx) + \log(1 - (a + bx)^2)}{6b}$$

input $\operatorname{Integrate}[(a + b*x)^2*\operatorname{ArcCoth}[a + b*x], x]$

output $((a + b*x)^2 + 2*(a + b*x)^3*\operatorname{ArcCoth}[a + b*x] + \operatorname{Log}[1 - (a + b*x)^2])/(6*b)$

Rubi [A] (warning: unable to verify)

Time = 0.28 (sec) , antiderivative size = 41, normalized size of antiderivative = 0.76, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {6658, 6453, 243, 49, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (a + bx)^2 \coth^{-1}(a + bx) dx \\
 & \quad \downarrow \text{6658} \\
 & \frac{\int (a + bx)^2 \coth^{-1}(a + bx) d(a + bx)}{b} \\
 & \quad \downarrow \text{6453} \\
 & \frac{\frac{1}{3}(a + bx)^3 \coth^{-1}(a + bx) - \frac{1}{3} \int \frac{(a+bx)^3}{1-(a+bx)^2} d(a + bx)}{b} \\
 & \quad \downarrow \text{243} \\
 & \frac{\frac{1}{3}(a + bx)^3 \coth^{-1}(a + bx) - \frac{1}{6} \int \frac{(a+bx)^2}{-a-bx+1} d(a + bx)^2}{b} \\
 & \quad \downarrow \text{49} \\
 & \frac{\frac{1}{3}(a + bx)^3 \coth^{-1}(a + bx) - \frac{1}{6} \int \left(\frac{1}{-a-bx+1} - 1 \right) d(a + bx)^2}{b} \\
 & \quad \downarrow \text{2009} \\
 & \frac{\frac{1}{6}(\log(-a - bx + 1) + a + bx) + \frac{1}{3}(a + bx)^3 \coth^{-1}(a + bx)}{b}
 \end{aligned}$$

input `Int[(a + b*x)^2*ArcCoth[a + b*x],x]`

output `((a + b*x)^3*ArcCoth[a + b*x])/3 + (a + b*x + Log[1 - a - b*x])/6)/b`

Definitions of rubi rules used

- rule 49 $\text{Int}[(a_.) + (b_.)*(x_)^{(m_.)}*((c_.) + (d_.)*(x_))^{(n_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{IGtQ}[m, 0] \&\& \text{IGtQ}[m + n + 2, 0]$
- rule 243 $\text{Int}[(x_)^{(m_.)}*((a_) + (b_.)*(x_)^2)^{(p_.)}, x_Symbol] \rightarrow \text{Simp}[1/2 \text{ Subst}[\text{Int}[x^{(m-1)/2}*(a + b*x)^p, x], x, x^2], x] /; \text{FreeQ}[\{a, b, m, p\}, x] \&\& \text{IntegerQ}[(m-1)/2]$
- rule 2009 $\text{Int}[u_, x_Symbol] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] /; \text{SumQ}[u]$
- rule 6453 $\text{Int}[(a_.) + \text{ArcCoth}[(c_.)*(x_)^{(n_.)}]* (b_.)^{(p_.)}*(x_)^{(m_.)}, x_Symbol] : > \text{Simp}[x^{(m+1)}*((a + b*\text{ArcCoth}[c*x^n])^{p/(m+1)}), x] - \text{Simp}[b*c*n*(p/(m+1)) \text{ Int}[x^{(m+n)}*((a + b*\text{ArcCoth}[c*x^n])^{(p-1)/(1-c^2*x^{2*n})}), x], x] /; \text{FreeQ}[\{a, b, c, m, n\}, x] \&\& \text{IGtQ}[p, 0] \&\& (\text{EqQ}[p, 1] || (\text{EqQ}[n, 1] \&\& \text{IntegerQ}[m])) \&\& \text{NeQ}[m, -1]$
- rule 6658 $\text{Int}[(a_.) + \text{ArcCoth}[(c_.) + (d_.)*(x_)]*(b_.)^{(p_.)}*((e_.) + (f_.)*(x_))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[1/d \text{ Subst}[\text{Int}[(f*(x/d))^m*(a + b*\text{ArcCoth}[x])^p, x], x, c + d*x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \&\& \text{EqQ}[d*e - c*f, 0] \&\& \text{IGtQ}[p, 0]$

Maple [A] (verified)

Time = 0.23 (sec) , antiderivative size = 48, normalized size of antiderivative = 0.89

method	result
derivativedivides	$\frac{\operatorname{arccoth}(bx+a)(bx+a)^3}{3} + \frac{(bx+a)^2}{6} + \frac{\ln(bx+a-1)}{6} + \frac{\ln(bx+a+1)}{6}$
default	$\frac{\operatorname{arccoth}(bx+a)(bx+a)^3}{3} + \frac{(bx+a)^2}{6} + \frac{\ln(bx+a-1)}{6} + \frac{\ln(bx+a+1)}{6}$
parts	$\frac{\operatorname{arccoth}(bx+a)b^2x^3}{3} + \operatorname{arccoth}(bx+a)ba x^2 + \operatorname{arccoth}(bx+a)a^2x + \frac{\operatorname{arccoth}(bx+a)a^3}{3b} + \frac{bx^2}{6}$
parallelrisc	$- \frac{-2b^4 \operatorname{arccoth}(bx+a)x^3 - 6x^2 \operatorname{arccoth}(bx+a)ab^3 - 6x \operatorname{arccoth}(bx+a)a^2b^2 - b^3x^2 - 2 \operatorname{arccoth}(bx+a)a^3b - 2xa b^2 + 5a^2}{6b^2}$
risc	$\frac{(bx+a)^3 \ln(bx+a+1)}{6b} - \frac{b^2x^3 \ln(bx+a-1)}{6} - \frac{b \ln(bx+a-1)x^2a}{2} - \frac{a^2x \ln(bx+a-1)}{2} - \frac{\ln(bx+a-1)a^3}{6b} + \frac{bx^2}{6} +$

input `int((b*x+a)^2*arccoth(b*x+a),x,method=_RETURNVERBOSE)`

output `1/b*(1/3*arccoth(b*x+a)*(b*x+a)^3+1/6*(b*x+a)^2+1/6*ln(b*x+a-1)+1/6*ln(b*x+a+1))`

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 86, normalized size of antiderivative = 1.59

$$\int (a + bx)^2 \coth^{-1}(a + bx) dx$$

$$= \frac{b^2x^2 + 2abx + (a^3 + 1) \log(bx + a + 1) - (a^3 - 1) \log(bx + a - 1) + (b^3x^3 + 3ab^2x^2 + 3a^2bx) \log\left(\frac{bx+a}{bx+a-1}\right)}{6b}$$

input `integrate((b*x+a)^2*arccoth(b*x+a),x, algorithm="fricas")`

output `1/6*(b^2*x^2 + 2*a*b*x + (a^3 + 1)*log(b*x + a + 1) - (a^3 - 1)*log(b*x + a - 1) + (b^3*x^3 + 3*a*b^2*x^2 + 3*a^2*b*x)*log((b*x + a + 1)/(b*x + a - 1)))/b`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 97 vs. 2(39) = 78.

Time = 0.64 (sec) , antiderivative size = 97, normalized size of antiderivative = 1.80

$$\int (a + bx)^2 \coth^{-1}(a + bx) dx$$

$$= \begin{cases} \frac{a^3 \operatorname{acoth}(a+bx)}{3b} + a^2 x \operatorname{acoth}(a + bx) + abx^2 \operatorname{acoth}(a + bx) + \frac{ax}{3} + \frac{b^2 x^3 \operatorname{acoth}(a+bx)}{3} + \frac{bx^2}{6} + \frac{\log(\frac{a}{b} + x + \frac{1}{b})}{3b} - \operatorname{acoth}(a) \\ a^2 x \operatorname{acoth}(a) \end{cases}$$

input `integrate((b*x+a)**2*acoth(b*x+a), x)`

output `Piecewise((a**3*acoth(a + b*x)/(3*b) + a**2*x*acoth(a + b*x) + a*b*x**2*acoth(a + b*x) + a*x/3 + b**2*x**3*acoth(a + b*x)/3 + b*x**2/6 + log(a/b + x + 1/b)/(3*b) - acoth(a + b*x)/(3*b), Ne(b, 0)), (a**2*x*acoth(a), True))`

Maxima [A] (verification not implemented)

Time = 0.02 (sec) , antiderivative size = 81, normalized size of antiderivative = 1.50

$$\int (a + bx)^2 \coth^{-1}(a + bx) dx$$

$$= \frac{1}{6} b \left(\frac{bx^2 + 2ax}{b} + \frac{(a^3 + 1) \log(bx + a + 1)}{b^2} - \frac{(a^3 - 1) \log(bx + a - 1)}{b^2} \right) + \frac{1}{3} (b^2 x^3 + 3abx^2 + 3a^2 x) \operatorname{arccoth}(bx + a)$$

input `integrate((b*x+a)^2*arccoth(b*x+a), x, algorithm="maxima")`

output `1/6*b*((b*x^2 + 2*a*x)/b + (a^3 + 1)*log(b*x + a + 1)/b^2 - (a^3 - 1)*log(b*x + a - 1)/b^2) + 1/3*(b^2*x^3 + 3*a*b*x^2 + 3*a^2*x)*arccoth(b*x + a)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 255 vs. $2(48) = 96$.

Time = 0.13 (sec) , antiderivative size = 255, normalized size of antiderivative = 4.72

$$\int (a + bx)^2 \coth^{-1}(a + bx) dx$$

$$= \frac{1}{6} ((a + 1)b - (a - 1)b) \left(\frac{\log\left(\frac{|bx+a+1|}{|bx+a-1|}\right)}{b^2} - \frac{\log\left(\left|\frac{bx+a+1}{bx+a-1} - 1\right|\right)}{b^2} + \frac{\left(\frac{3(bx+a+1)^2}{(bx+a-1)^2} + 1\right) \log\left(-\frac{\frac{1}{\frac{(bx+a+1)(a-1)}{bx+a-1} - \frac{(bx+a+1)b}{bx+a-1}}{\frac{1}{\frac{(bx+a+1)(a-1)}{bx+a-1} - \frac{(bx+a+1)b}{bx+a-1}}}}{b^2 \left(\frac{bx+a+1}{bx+a-1} - 1\right)^3}\right)}{b^2 \left(\frac{bx+a+1}{bx+a-1} - 1\right)^3} \right)$$

input `integrate((b*x+a)^2*arccoth(b*x+a),x, algorithm="giac")`

output `1/6*((a + 1)*b - (a - 1)*b)*(log(abs(b*x + a + 1)/abs(b*x + a - 1))/b^2 - log(abs((b*x + a + 1)/(b*x + a - 1) - 1))/b^2 + (3*(b*x + a + 1)^2/(b*x + a - 1)^2 + 1)*log(-(1/(a - ((b*x + a + 1)*(a - 1)/(b*x + a - 1) - a - 1)*b/((b*x + a + 1)*b/(b*x + a - 1) - b)) + 1)/(1/(a - ((b*x + a + 1)*(a - 1)/(b*x + a - 1) - a - 1)*b/((b*x + a + 1)*b/(b*x + a - 1) - b)) - 1))/(b^2*((b*x + a + 1)/(b*x + a - 1) - 1)^3) + 2*(b*x + a + 1)/((b*x + a - 1)*b^2*((b*x + a + 1)/(b*x + a - 1) - 1)^2))`

Mupad [B] (verification not implemented)

Time = 4.12 (sec) , antiderivative size = 114, normalized size of antiderivative = 2.11

$$\int (a + bx)^2 \coth^{-1}(a + bx) dx = \frac{ax}{3} + \ln\left(\frac{1}{a + bx} + 1\right) \left(\frac{a^2x}{2} + \frac{abx^2}{2} + \frac{b^2x^3}{6}\right) + \frac{bx^2}{6} - \ln\left(1 - \frac{1}{a + bx}\right) \left(\frac{a^2x}{2} + \frac{abx^2}{2} + \frac{b^2x^3}{6}\right) - \frac{\ln(a + bx - 1)(a^3 - 1)}{6b} + \frac{\ln(a + bx + 1)(a^3 + 1)}{6b}$$

input `int(acoth(a + b*x)*(a + b*x)^2,x)`

output $(a*x)/3 + \log(1/(a + b*x) + 1)*((a^2*x)/2 + (b^2*x^3)/6 + (a*b*x^2)/2) + (b*x^2)/6 - \log(1 - 1/(a + b*x))*((a^2*x)/2 + (b^2*x^3)/6 + (a*b*x^2)/2) - (\log(a + b*x - 1)*(a^3 - 1))/(6*b) + (\log(a + b*x + 1)*(a^3 + 1))/(6*b)$

Reduce [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 89, normalized size of antiderivative = 1.65

$$\int (a + bx)^2 \coth^{-1}(a + bx) dx$$

$$= \frac{2a \coth(bx + a) a^3 + 6a \coth(bx + a) a^2 bx + 6a \coth(bx + a) a b^2 x^2 + 2a \coth(bx + a) b^3 x^3 + 2a \coth(bx + a) b^4 x^4}{6b}$$

input `int((b*x+a)^2*acoth(b*x+a),x)`

output $(2*a \coth(a + b*x)*a^3 + 6*a \coth(a + b*x)*a^2*b*x + 6*a \coth(a + b*x)*a*b*x^2 + 2*a \coth(a + b*x)*b^3*x^3 + 2*a \coth(a + b*x) - 2*\log(a + b*x - 1) - 2*a*b*x - b^2*x^2)/(6*b)$

3.17 $\int \frac{\coth^{-1}(a+bx)}{a+bx} dx$

Optimal result	160
Mathematica [B] (verified)	160
Rubi [A] (verified)	161
Maple [A] (verified)	162
Fricas [F]	162
Sympy [F]	163
Maxima [B] (verification not implemented)	163
Giac [F]	164
Mupad [F(-1)]	164
Reduce [F]	164

Optimal result

Integrand size = 14, antiderivative size = 35

$$\int \frac{\coth^{-1}(a + bx)}{a + bx} dx = \frac{\text{PolyLog}\left(2, -\frac{1}{a+bx}\right)}{2b} - \frac{\text{PolyLog}\left(2, \frac{1}{a+bx}\right)}{2b}$$

output `1/2*polylog(2,-1/(b*x+a))/b-1/2*polylog(2,1/(b*x+a))/b`

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 144 vs. 2(35) = 70.

Time = 0.03 (sec) , antiderivative size = 144, normalized size of antiderivative = 4.11

$$\int \frac{\coth^{-1}(a + bx)}{a + bx} dx = \frac{\log^2\left(-\frac{1}{a+bx}\right) - 2\log(1 - a - bx)\log\left(\frac{1}{a+bx}\right) - \log^2\left(\frac{1}{a+bx}\right) + 2\log\left(\frac{1}{a+bx}\right)\log\left(\frac{-1+a+bx}{a+bx}\right) + 2\log\left(-\frac{1}{a+bx}\right)\log\left(\frac{-1+a+bx}{a+bx}\right)}{4b}$$

input `Integrate[ArcCoth[a + b*x]/(a + b*x),x]`

output

```
(Log[-(a + b*x)^(-1)]^2 - 2*Log[1 - a - b*x]*Log[(a + b*x)^(-1)] - Log[(a + b*x)^(-1)]^2 + 2*Log[(a + b*x)^(-1)]*Log[(-1 + a + b*x)/(a + b*x)] + 2*Log[-(a + b*x)^(-1)]*Log[1 + a + b*x] - 2*Log[-(a + b*x)^(-1)]*Log[(1 + a + b*x)/(a + b*x)] - 2*PolyLog[2, -a - b*x] + 2*PolyLog[2, a + b*x])/(4*b)
```

Rubi [A] (verified)

Time = 0.25 (sec) , antiderivative size = 33, normalized size of antiderivative = 0.94, number of steps used = 3, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {6658, 6447}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\coth^{-1}(a + bx)}{a + bx} dx$$

$$\downarrow \text{6658}$$

$$\int \frac{\coth^{-1}(a+bx)}{a+bx} d(a + bx)$$

$$\downarrow \text{6447}$$

$$\frac{\frac{1}{2} \text{PolyLog}\left(2, -\frac{1}{a+bx}\right) - \frac{1}{2} \text{PolyLog}\left(2, \frac{1}{a+bx}\right)}{b}$$

input

```
Int[ArcCoth[a + b*x]/(a + b*x), x]
```

output

```
(PolyLog[2, -(a + b*x)^(-1)]/2 - PolyLog[2, (a + b*x)^(-1)]/2)/b
```

Definitions of rubi rules used

rule 6447 `Int[((a_.) + ArcCoth[(c_.)*(x_.)]*(b_.))/(x_), x_Symbol] := Simp[a*Log[x], x] + (Simp[(b/2)*PolyLog[2, -(c*x)^(-1)], x] - Simp[(b/2)*PolyLog[2, 1/(c*x)], x]) /; FreeQ[{a, b, c}, x]`

rule 6658 `Int[((a_.) + ArcCoth[(c_.) + (d_.)*(x_.)]*(b_.))^(p_.)*((e_.) + (f_.)*(x_.))^(m_.), x_Symbol] := Simp[1/d Subst[Int[(f*(x/d))^m*(a + b*ArcCoth[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[d*e - c*f, 0] && IGtQ[p, 0]`

Maple [A] (verified)

Time = 0.32 (sec) , antiderivative size = 43, normalized size of antiderivative = 1.23

method	result	size
risch	$-\frac{\ln(bx+a-1)\ln(bx+a)}{2b} - \frac{\operatorname{dilog}(bx+a)}{2b} - \frac{\operatorname{dilog}(bx+a+1)}{2b}$	43
derivativedivides	$\frac{\ln(bx+a)\operatorname{arccoth}(bx+a) - \frac{\operatorname{dilog}(bx+a+1)}{2} - \frac{\ln(bx+a)\ln(bx+a+1)}{2} - \frac{\operatorname{dilog}(bx+a)}{2}}{b}$	51
default	$\frac{\ln(bx+a)\operatorname{arccoth}(bx+a) - \frac{\operatorname{dilog}(bx+a+1)}{2} - \frac{\ln(bx+a)\ln(bx+a+1)}{2} - \frac{\operatorname{dilog}(bx+a)}{2}}{b}$	51
parts	$\frac{\ln(bx+a)\operatorname{arccoth}(bx+a)}{b} + \frac{-\frac{\operatorname{dilog}(bx+a+1)}{2} - \frac{\ln(bx+a)\ln(bx+a+1)}{2} - \frac{\operatorname{dilog}(bx+a)}{2}}{b}$	55

input `int(arccoth(b*x+a)/(b*x+a),x,method=_RETURNVERBOSE)`

output `-1/2/b*ln(b*x+a-1)*ln(b*x+a)-1/2/b*dilog(b*x+a)-1/2/b*dilog(b*x+a+1)`

Fricas [F]

$$\int \frac{\coth^{-1}(a+bx)}{a+bx} dx = \int \frac{\operatorname{arccoth}(bx+a)}{bx+a} dx$$

input `integrate(arccoth(b*x+a)/(b*x+a),x, algorithm="fricas")`

output `integral(arccoth(b*x + a)/(b*x + a), x)`

Sympy [F]

$$\int \frac{\coth^{-1}(a + bx)}{a + bx} dx = \int \frac{\operatorname{acoth}(a + bx)}{a + bx} dx$$

input `integrate(acoth(b*x+a)/(b*x+a), x)`

output `Integral(acoth(a + b*x)/(a + b*x), x)`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 112 vs. $2(29) = 58$.

Time = 0.03 (sec) , antiderivative size = 112, normalized size of antiderivative = 3.20

$$\int \frac{\coth^{-1}(a + bx)}{a + bx} dx =$$

$$-\frac{1}{2} b \left(\frac{\log(bx + a) \log(bx + a - 1) + \operatorname{Li}_2(-bx - a + 1)}{b^2} - \frac{\log(bx + a + 1) \log(-bx - a) + \operatorname{Li}_2(bx + a - 1)}{b^2} \right)$$

$$-\frac{1}{2} \left(\frac{\log(bx + a + 1)}{b} - \frac{\log(bx + a - 1)}{b} \right) \log(bx + a) + \frac{\operatorname{arccoth}(bx + a) \log(bx + a)}{b}$$

input `integrate(arccoth(b*x+a)/(b*x+a), x, algorithm="maxima")`

output `-1/2*b*((log(b*x + a)*log(b*x + a - 1) + dilog(-b*x - a + 1))/b^2 - (log(b*x + a + 1)*log(-b*x - a) + dilog(b*x + a + 1))/b^2) - 1/2*(log(b*x + a + 1)/b - log(b*x + a - 1)/b)*log(b*x + a) + arccoth(b*x + a)*log(b*x + a)/b`

Giac [F]

$$\int \frac{\coth^{-1}(a + bx)}{a + bx} dx = \int \frac{\operatorname{arccoth}(bx + a)}{bx + a} dx$$

input `integrate(arccoth(b*x+a)/(b*x+a),x, algorithm="giac")`

output `integrate(arccoth(b*x + a)/(b*x + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\coth^{-1}(a + bx)}{a + bx} dx = \int \frac{\operatorname{acoth}(a + bx)}{a + bx} dx$$

input `int(acoth(a + b*x)/(a + b*x),x)`

output `int(acoth(a + b*x)/(a + b*x), x)`

Reduce [F]

$$\int \frac{\coth^{-1}(a + bx)}{a + bx} dx = \int \frac{\operatorname{acoth}(bx + a)}{bx + a} dx$$

input `int(acoth(b*x+a)/(b*x+a),x)`

output `int(acoth(a + b*x)/(a + b*x),x)`

3.18 $\int \frac{\coth^{-1}(a+bx)}{(a+bx)^2} dx$

Optimal result	165
Mathematica [A] (verified)	165
Rubi [A] (warning: unable to verify)	166
Maple [A] (verified)	168
Fricas [A] (verification not implemented)	168
Sympy [B] (verification not implemented)	169
Maxima [A] (verification not implemented)	169
Giac [B] (verification not implemented)	170
Mupad [B] (verification not implemented)	170
Reduce [B] (verification not implemented)	171

Optimal result

Integrand size = 14, antiderivative size = 48

$$\int \frac{\coth^{-1}(a+bx)}{(a+bx)^2} dx = -\frac{\coth^{-1}(a+bx)}{b(a+bx)} + \frac{\log(a+bx)}{b} - \frac{\log(1-(a+bx)^2)}{2b}$$

output

```
-arccoth(b*x+a)/b/(b*x+a)+ln(b*x+a)/b-1/2*ln(1-(b*x+a)^2)/b
```

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 43, normalized size of antiderivative = 0.90

$$\int \frac{\coth^{-1}(a+bx)}{(a+bx)^2} dx = -\frac{\frac{2\coth^{-1}(a+bx)}{a+bx} - 2\log(a+bx) + \log(1-(a+bx)^2)}{2b}$$

input

```
Integrate[ArcCoth[a + b*x]/(a + b*x)^2,x]
```

output

```
-1/2*((2*ArcCoth[a + b*x])/(a + b*x) - 2*Log[a + b*x] + Log[1 - (a + b*x)^2])/b
```

Rubi [A] (warning: unable to verify)

Time = 0.25 (sec) , antiderivative size = 45, normalized size of antiderivative = 0.94, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {6658, 6453, 243, 47, 14, 16}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\coth^{-1}(a+bx)}{(a+bx)^2} dx \\
 & \quad \downarrow \text{6658} \\
 & \frac{\int \frac{\coth^{-1}(a+bx)}{(a+bx)^2} d(a+bx)}{b} \\
 & \quad \downarrow \text{6453} \\
 & \frac{\int \frac{1}{(a+bx)(1-(a+bx)^2)} d(a+bx) - \frac{\coth^{-1}(a+bx)}{a+bx}}{b} \\
 & \quad \downarrow \text{243} \\
 & \frac{\frac{1}{2} \int \frac{1}{(-a-bx+1)(a+bx)^2} d(a+bx)^2 - \frac{\coth^{-1}(a+bx)}{a+bx}}{b} \\
 & \quad \downarrow \text{47} \\
 & \frac{\frac{1}{2} \left(\int \frac{1}{-a-bx+1} d(a+bx)^2 + \int \frac{1}{(a+bx)^2} d(a+bx)^2 \right) - \frac{\coth^{-1}(a+bx)}{a+bx}}{b} \\
 & \quad \downarrow \text{14} \\
 & \frac{\frac{1}{2} \left(\int \frac{1}{-a-bx+1} d(a+bx)^2 + \log((a+bx)^2) \right) - \frac{\coth^{-1}(a+bx)}{a+bx}}{b} \\
 & \quad \downarrow \text{16} \\
 & \frac{\frac{1}{2} (\log((a+bx)^2) - \log(-a-bx+1)) - \frac{\coth^{-1}(a+bx)}{a+bx}}{b}
 \end{aligned}$$

input

```
Int[ArcCoth[a + b*x]/(a + b*x)^2,x]
```

output
$$\frac{-(\text{ArcCoth}[a + b*x]/(a + b*x)) + (-\text{Log}[1 - a - b*x] + \text{Log}[(a + b*x)^2])/2}{b}$$

Defintions of rubi rules used

rule 14
$$\text{Int}[(a_)/(x_), x_Symbol] \rightarrow \text{Simp}[a*\text{Log}[x], x] \text{ /; FreeQ}[a, x]$$

rule 16
$$\text{Int}[(c_)/((a_)+(b_)*(x_)), x_Symbol] \rightarrow \text{Simp}[c*(\text{Log}[\text{RemoveContent}[a + b*x, x]]/b), x] \text{ /; FreeQ}[\{a, b, c\}, x]$$

rule 47
$$\text{Int}[1/(((a_)+(b_)*(x_))*((c_)+(d_)*(x_))), x_Symbol] \rightarrow \text{Simp}[b/(b*c - a*d) \text{ Int}[1/(a + b*x), x], x] - \text{Simp}[d/(b*c - a*d) \text{ Int}[1/(c + d*x), x], x] \text{ /; FreeQ}[\{a, b, c, d\}, x]$$

rule 243
$$\text{Int}[(x_)^{(m_)}*((a_)+(b_)*(x_)^2)^{(p_)}, x_Symbol] \rightarrow \text{Simp}[1/2 \text{ Subst}[\text{Int}[x^{(m-1)/2}*(a + b*x)^p, x], x, x^2], x] \text{ /; FreeQ}[\{a, b, m, p\}, x] \ \&\& \ \text{IntegerQ}[(m-1)/2]$$

rule 6453
$$\text{Int}[(a_ + \text{ArcCoth}[(c_)*(x_)^{(n_)}]*(b_))^{(p_)}*(x_)^{(m_)}, x_Symbol] \rightarrow \text{Simp}[x^{(m+1)}*((a + b*\text{ArcCoth}[c*x^n])^p/(m+1)), x] - \text{Simp}[b*c*n*(p/(m+1)) \text{ Int}[x^{(m+n)}*((a + b*\text{ArcCoth}[c*x^n])^{(p-1)/(1-c^2*x^{2*n})}), x], x] \text{ /; FreeQ}[\{a, b, c, m, n\}, x] \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ (\text{EqQ}[p, 1] \ || \ (\text{EqQ}[n, 1] \ \&\& \ \text{IntegerQ}[m])) \ \&\& \ \text{NeQ}[m, -1]$$

rule 6658
$$\text{Int}[(a_ + \text{ArcCoth}[(c_)+(d_)*(x_)]*(b_))^{(p_)}*((e_)+(f_)*(x_))^{(m_)}, x_Symbol] \rightarrow \text{Simp}[1/d \text{ Subst}[\text{Int}[(f*(x/d))^m*(a + b*\text{ArcCoth}[x])^p, x], x, c + d*x], x] \text{ /; FreeQ}[\{a, b, c, d, e, f, m\}, x] \ \&\& \ \text{EqQ}[d*e - c*f, 0] \ \&\& \ \text{IGtQ}[p, 0]$$

Maple [A] (verified)

Time = 0.29 (sec) , antiderivative size = 45, normalized size of antiderivative = 0.94

method	result
derivativedivides	$\frac{-\frac{\operatorname{arccoth}(bx+a)}{bx+a} + \ln(bx+a) - \frac{\ln(bx+a+1)}{2} - \frac{\ln(bx+a-1)}{2}}{b}$
default	$\frac{-\frac{\operatorname{arccoth}(bx+a)}{bx+a} + \ln(bx+a) - \frac{\ln(bx+a+1)}{2} - \frac{\ln(bx+a-1)}{2}}{b}$
parts	$-\frac{\operatorname{arccoth}(bx+a)}{b(bx+a)} - \frac{\ln(bx+a-1)}{2b} - \frac{\ln(bx+a+1)}{2b} + \frac{\ln(bx+a)}{b}$
parallelrisc	$\frac{3 \ln(bx+a) x a b^2 - 3 \ln(bx+a-1) x a b^2 - 3 x \operatorname{arccoth}(bx+a) a b^2 + 3 \ln(bx+a) a^2 b - 3 \ln(bx+a-1) a^2 b - 3 \operatorname{arccoth}(bx+a) a^2}{3(bx+a) a b^2}$
risc	$-\frac{\ln(bx+a+1)}{2b(bx+a)} + \frac{2 \ln(-bx-a) b x - \ln(b^2 x^2 + 2 b x a + a^2 - 1) b x + 2 \ln(-bx-a) a - \ln(b^2 x^2 + 2 b x a + a^2 - 1) a + \ln(bx+a-1)}{2b(bx+a)}$

input `int(arccoth(b*x+a)/(b*x+a)^2,x,method=_RETURNVERBOSE)`output `1/b*(-arccoth(b*x+a)/(b*x+a)+ln(b*x+a)-1/2*ln(b*x+a+1)-1/2*ln(b*x+a-1))`**Fricas [A] (verification not implemented)**

Time = 0.09 (sec) , antiderivative size = 67, normalized size of antiderivative = 1.40

$$\int \frac{\coth^{-1}(a+bx)}{(a+bx)^2} dx$$

$$= -\frac{(bx+a) \log(b^2 x^2 + 2 abx + a^2 - 1) - 2(bx+a) \log(bx+a) + \log\left(\frac{bx+a+1}{bx+a-1}\right)}{2(b^2 x + ab)}$$

input `integrate(arccoth(b*x+a)/(b*x+a)^2,x, algorithm="fricas")`output `-1/2*((b*x + a)*log(b^2*x^2 + 2*a*b*x + a^2 - 1) - 2*(b*x + a)*log(b*x + a) + log((b*x + a + 1)/(b*x + a - 1)))/(b^2*x + a*b)`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 136 vs. $2(34) = 68$.

Time = 0.79 (sec) , antiderivative size = 136, normalized size of antiderivative = 2.83

$$\int \frac{\coth^{-1}(a + bx)}{(a + bx)^2} dx$$

$$= \begin{cases} \frac{a \log\left(\frac{a}{b} + x\right)}{ab + b^2x} - \frac{a \log\left(\frac{a}{b} + x + \frac{1}{b}\right)}{ab + b^2x} + \frac{a \operatorname{acoth}(a + bx)}{ab + b^2x} + \frac{bx \log\left(\frac{a}{b} + x\right)}{ab + b^2x} - \frac{bx \log\left(\frac{a}{b} + x + \frac{1}{b}\right)}{ab + b^2x} + \frac{bx \operatorname{acoth}(a + bx)}{ab + b^2x} - \frac{\operatorname{acoth}(a + bx)}{ab + b^2x} \\ \frac{x \operatorname{acoth}(a)}{a^2} \end{cases}$$

for b
othe

input `integrate(acoth(b*x+a)/(b*x+a)**2,x)`

output `Piecewise((a*log(a/b + x)/(a*b + b**2*x) - a*log(a/b + x + 1/b)/(a*b + b**2*x) + a*acoth(a + b*x)/(a*b + b**2*x) + b*x*log(a/b + x)/(a*b + b**2*x) - b*x*log(a/b + x + 1/b)/(a*b + b**2*x) + b*x*acoth(a + b*x)/(a*b + b**2*x) - acoth(a + b*x)/(a*b + b**2*x), Ne(b, 0)), (x*acoth(a)/a**2, True))`

Maxima [A] (verification not implemented)

Time = 0.03 (sec) , antiderivative size = 53, normalized size of antiderivative = 1.10

$$\int \frac{\coth^{-1}(a + bx)}{(a + bx)^2} dx = -\frac{\log(bx + a + 1)}{2b} + \frac{\log(bx + a)}{b}$$

$$- \frac{\log(bx + a - 1)}{2b} - \frac{\operatorname{arccoth}(bx + a)}{(bx + a)b}$$

input `integrate(arccoth(b*x+a)/(b*x+a)^2,x, algorithm="maxima")`

output `-1/2*log(b*x + a + 1)/b + log(b*x + a)/b - 1/2*log(b*x + a - 1)/b - arccoth(b*x + a)/((b*x + a)*b)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 198 vs. $2(46) = 92$.

Time = 0.13 (sec) , antiderivative size = 198, normalized size of antiderivative = 4.12

$$\int \frac{\coth^{-1}(a + bx)}{(a + bx)^2} dx =$$

$$-\frac{1}{2}((a + 1)b - (a - 1)b) \left(\frac{\log\left(\frac{|bx+a+1|}{|bx+a-1|}\right)}{b^2} - \frac{\log\left(\left|\frac{bx+a+1}{bx+a-1} + 1\right|\right)}{b^2} - \frac{\log\left(\frac{a - \frac{\frac{1}{\left(\frac{(bx+a+1)(a-1)}{bx+a-1} - a - 1\right)b} + 1}}{\frac{(bx+a+1)b}{bx+a-1} - b}}{a - \frac{\frac{1}{\left(\frac{(bx+a+1)(a-1)}{bx+a-1} - a - 1\right)b} - 1}}{\frac{(bx+a+1)b}{bx+a-1} - b}}\right)}{b^2 \left(\frac{bx+a+1}{bx+a-1} + 1\right)} \right)$$

input `integrate(arccoth(b*x+a)/(b*x+a)^2,x, algorithm="giac")`

output `-1/2*((a + 1)*b - (a - 1)*b)*(log(abs(b*x + a + 1)/abs(b*x + a - 1))/b^2 - log(abs((b*x + a + 1)/(b*x + a - 1) + 1))/b^2 - log(-1/(a - ((b*x + a + 1)*(a - 1)/(b*x + a - 1) - a - 1)*b/((b*x + a + 1)*b/(b*x + a - 1) - b)) + 1)/(1/(a - ((b*x + a + 1)*(a - 1)/(b*x + a - 1) - a - 1)*b/((b*x + a + 1)*b/(b*x + a - 1) - b)) - 1))/(b^2*((b*x + a + 1)/(b*x + a - 1) + 1))`

Mupad [B] (verification not implemented)

Time = 4.17 (sec) , antiderivative size = 93, normalized size of antiderivative = 1.94

$$\int \frac{\coth^{-1}(a + bx)}{(a + bx)^2} dx = \frac{\ln(a + bx)}{b} - \frac{\ln(a^2 + 2abx + b^2x^2 - 1)}{2b}$$

$$- \frac{\ln\left(\frac{a+bx+1}{a+bx}\right)}{2(xb^2 + ab)} + \frac{\ln\left(\frac{a+bx-1}{a+bx}\right)}{2xb^2 + 2ab}$$

input `int(acoth(a + b*x)/(a + b*x)^2,x)`

output

```
log(a + b*x)/b - log(a^2 + b^2*x^2 + 2*a*b*x - 1)/(2*b) - log((a + b*x + 1)
)/(a + b*x))/(2*(a*b + b^2*x)) + log((a + b*x - 1)/(a + b*x))/(2*a*b + 2*b
^2*x)
```

Reduce [B] (verification not implemented)

Time = 0.17 (sec) , antiderivative size = 132, normalized size of antiderivative = 2.75

$$\int \frac{\coth^{-1}(a + bx)}{(a + bx)^2} dx$$

$$= \frac{2a \operatorname{coth}(bx + a) bx + \log(bx + a - 1) a^2 + \log(bx + a - 1) abx - \log(bx + a - 1) a - \log(bx + a - 1) bx - \log(bx + a + 1) a^2 - \log(bx + a + 1) abx + \log(bx + a + 1) a + \log(bx + a + 1) bx}{(a + bx)^2}$$

input

```
int(acoath(b*x+a)/(b*x+a)^2,x)
```

output

```
(2*acoath(a + b*x)*b*x + log(a + b*x - 1)*a**2 + log(a + b*x - 1)*a*b*x - 1
og(a + b*x - 1)*a - log(a + b*x - 1)*b*x + log(a + b*x + 1)*a**2 + log(a +
b*x + 1)*a*b*x + log(a + b*x + 1)*a + log(a + b*x + 1)*b*x - 2*log(a + b*
x)*a**2 - 2*log(a + b*x)*a*b*x)/(2*a*b*(a + b*x))
```

3.19 $\int \frac{\coth^{-1}(1+x)}{2+2x} dx$

Optimal result	172
Mathematica [B] (verified)	172
Rubi [A] (verified)	173
Maple [A] (verified)	174
Fricas [F]	175
Sympy [F]	175
Maxima [B] (verification not implemented)	175
Giac [F]	176
Mupad [F(-1)]	176
Reduce [F]	176

Optimal result

Integrand size = 12, antiderivative size = 25

$$\int \frac{\coth^{-1}(1+x)}{2+2x} dx = \frac{1}{4} \text{PolyLog}\left(2, -\frac{1}{1+x}\right) - \frac{1}{4} \text{PolyLog}\left(2, \frac{1}{1+x}\right)$$

output `1/4*polylog(2,-1/(1+x))-1/4*polylog(2,1/(1+x))`

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 117 vs. $2(25) = 50$.

Time = 0.01 (sec) , antiderivative size = 117, normalized size of antiderivative = 4.68

$$\begin{aligned} \int \frac{\coth^{-1}(1+x)}{2+2x} dx = & \frac{1}{8} \log^2\left(-\frac{1}{1+x}\right) - \frac{1}{4} \log(-x) \log\left(\frac{1}{1+x}\right) \\ & - \frac{1}{8} \log^2\left(\frac{1}{1+x}\right) + \frac{1}{4} \log\left(\frac{1}{1+x}\right) \log\left(\frac{x}{1+x}\right) \\ & + \frac{1}{4} \log\left(-\frac{1}{1+x}\right) \log(2+x) - \frac{1}{4} \log\left(-\frac{1}{1+x}\right) \log\left(\frac{2+x}{1+x}\right) \\ & - \frac{\text{PolyLog}(2, -1-x)}{4} + \frac{\text{PolyLog}(2, 1+x)}{4} \end{aligned}$$

input `Integrate[ArcCoth[1 + x]/(2 + 2*x), x]`

output `Log[-(1 + x)^(-1)]^2/8 - (Log[-x]*Log[(1 + x)^(-1)])/4 - Log[(1 + x)^(-1)]^2/8 + (Log[(1 + x)^(-1)]*Log[x/(1 + x)])/4 + (Log[-(1 + x)^(-1)]*Log[2 + x])/4 - (Log[-(1 + x)^(-1)]*Log[(2 + x)/(1 + x)])/4 - PolyLog[2, -1 - x]/4 + PolyLog[2, 1 + x]/4`

Rubi [A] (verified)

Time = 0.23 (sec) , antiderivative size = 29, normalized size of antiderivative = 1.16, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {6658, 27, 6447}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\coth^{-1}(x+1)}{2x+2} dx \\
 & \quad \downarrow \text{6658} \\
 & \int \frac{\coth^{-1}(x+1)}{2(x+1)} d(x+1) \\
 & \quad \downarrow \text{27} \\
 & \frac{1}{2} \int \frac{\coth^{-1}(x+1)}{x+1} d(x+1) \\
 & \quad \downarrow \text{6447} \\
 & \frac{1}{2} \left(\frac{1}{2} \text{PolyLog} \left(2, -\frac{1}{x+1} \right) - \frac{1}{2} \text{PolyLog} \left(2, \frac{1}{x+1} \right) \right)
 \end{aligned}$$

input `Int[ArcCoth[1 + x]/(2 + 2*x), x]`

output `(PolyLog[2, -(1 + x)^(-1)]/2 - PolyLog[2, (1 + x)^(-1)]/2)/2`

Definitions of rubi rules used

rule 27 $\text{Int}[(a_*)(Fx_), x_Symbol] \rightarrow \text{Simp}[a \text{ Int}[Fx, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[Fx, (b_*)(Gx_)] /; \text{FreeQ}[b, x]$

rule 6447 $\text{Int}[((a_.) + \text{ArcCoth}[(c_.)*(x_)])*(b_.))/(x_), x_Symbol] \rightarrow \text{Simp}[a*\text{Log}[x], x] + (\text{Simp}[(b/2)*\text{PolyLog}[2, -(c*x)^{-1}], x] - \text{Simp}[(b/2)*\text{PolyLog}[2, 1/(c*x)], x]) /; \text{FreeQ}\{a, b, c\}, x]$

rule 6658 $\text{Int}[((a_.) + \text{ArcCoth}[(c_.) + (d_.)*(x_)])*(b_.))^{(p_.)*((e_.) + (f_.)*(x_))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[1/d \text{ Subst}[\text{Int}[(f*(x/d))^{m*}(a + b*\text{ArcCoth}[x])^p, x], x, c + d*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x \ \&\& \ \text{EqQ}[d*e - c*f, 0] \ \&\& \ \text{IGtQ}[p, 0]$

Maple [A] (verified)

Time = 0.16 (sec) , antiderivative size = 22, normalized size of antiderivative = 0.88

method	result	size
risch	$-\frac{\text{dilog}(x+1)}{4} - \frac{\ln(x)\ln(x+1)}{4} - \frac{\text{dilog}(x+2)}{4}$	22
derivativedivides	$\frac{\ln(x+1)\text{arccoth}(x+1)}{2} - \frac{\text{dilog}(x+2)}{4} - \frac{\ln(x+1)\ln(x+2)}{4} - \frac{\text{dilog}(x+1)}{4}$	34
default	$\frac{\ln(x+1)\text{arccoth}(x+1)}{2} - \frac{\text{dilog}(x+2)}{4} - \frac{\ln(x+1)\ln(x+2)}{4} - \frac{\text{dilog}(x+1)}{4}$	34
parts	$\frac{\ln(x+1)\text{arccoth}(x+1)}{2} - \frac{\text{dilog}(x+2)}{4} - \frac{\ln(x+1)\ln(x+2)}{4} - \frac{\text{dilog}(x+1)}{4}$	34

input `int(arccoth(x+1)/(2+2*x),x,method=_RETURNVERBOSE)`

output `-1/4*dilog(x+1)-1/4*ln(x)*ln(x+1)-1/4*dilog(x+2)`

Fricas [F]

$$\int \frac{\coth^{-1}(1+x)}{2+2x} dx = \int \frac{\operatorname{arccoth}(x+1)}{2(x+1)} dx$$

input `integrate(arccoth(1+x)/(2+2*x),x, algorithm="fricas")`

output `integral(1/2*arccoth(x + 1)/(x + 1), x)`

Sympy [F]

$$\int \frac{\coth^{-1}(1+x)}{2+2x} dx = \int \frac{\operatorname{acoth}(x+1)}{2} dx$$

input `integrate(acoath(1+x)/(2+2*x),x)`

output `Integral(acoath(x + 1)/(x + 1), x)/2`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 58 vs. $2(19) = 38$.

Time = 0.02 (sec) , antiderivative size = 58, normalized size of antiderivative = 2.32

$$\begin{aligned} \int \frac{\coth^{-1}(1+x)}{2+2x} dx &= -\frac{1}{4} (\log(x+2) - \log(x)) \log(x+1) \\ &\quad + \frac{1}{2} \operatorname{arccoth}(x+1) \log(x+1) - \frac{1}{4} \log(x+1) \log(x) \\ &\quad + \frac{1}{4} \log(x+2) \log(-x-1) - \frac{1}{4} \operatorname{Li}_2(-x) + \frac{1}{4} \operatorname{Li}_2(x+2) \end{aligned}$$

input `integrate(arccoth(1+x)/(2+2*x),x, algorithm="maxima")`

output `-1/4*(log(x + 2) - log(x))*log(x + 1) + 1/2*arccoth(x + 1)*log(x + 1) - 1/4*log(x + 1)*log(x) + 1/4*log(x + 2)*log(-x - 1) - 1/4*dilog(-x) + 1/4*dilog(x + 2)`

Giac [F]

$$\int \frac{\coth^{-1}(1+x)}{2+2x} dx = \int \frac{\operatorname{arccoth}(x+1)}{2(x+1)} dx$$

input `integrate(arccoth(1+x)/(2+2*x),x, algorithm="giac")`

output `integrate(1/2*arccoth(x + 1)/(x + 1), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\coth^{-1}(1+x)}{2+2x} dx = \int \frac{\operatorname{acoth}(x+1)}{2x+2} dx$$

input `int(acoth(x + 1)/(2*x + 2),x)`

output `int(acoth(x + 1)/(2*x + 2), x)`

Reduce [F]

$$\int \frac{\coth^{-1}(1+x)}{2+2x} dx = \frac{\left(\int \frac{\operatorname{acoth}(x+1)}{x+1} dx\right)}{2}$$

input `int(acoth(1+x)/(2+2*x),x)`

output `int(acoth(x + 1)/(x + 1),x)/2`

3.20 $\int \frac{\coth^{-1}(a+bx)}{\frac{ad}{b}+dx} dx$

Optimal result	177
Mathematica [B] (verified)	177
Rubi [A] (verified)	178
Maple [A] (verified)	179
Fricas [F]	180
Sympy [F]	180
Maxima [B] (verification not implemented)	180
Giac [F]	181
Mupad [F(-1)]	181
Reduce [F]	182

Optimal result

Integrand size = 19, antiderivative size = 35

$$\int \frac{\coth^{-1}(a + bx)}{\frac{ad}{b} + dx} dx = \frac{\text{PolyLog}\left(2, -\frac{1}{a+bx}\right)}{2d} - \frac{\text{PolyLog}\left(2, \frac{1}{a+bx}\right)}{2d}$$

output

```
1/2*polylog(2,-1/(b*x+a))/d-1/2*polylog(2,1/(b*x+a))/d
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 144 vs. 2(35) = 70.

Time = 0.03 (sec) , antiderivative size = 144, normalized size of antiderivative = 4.11

$$\int \frac{\coth^{-1}(a + bx)}{\frac{ad}{b} + dx} dx = \frac{\log^2\left(-\frac{1}{a+bx}\right) - 2\log(1 - a - bx)\log\left(\frac{1}{a+bx}\right) - \log^2\left(\frac{1}{a+bx}\right) + 2\log\left(\frac{1}{a+bx}\right)\log\left(\frac{-1+a+bx}{a+bx}\right) + 2\log\left(-\frac{1}{a+bx}\right)\log\left(\frac{-1+a+bx}{a+bx}\right)}{4d}$$

input

```
Integrate[ArcCoth[a + b*x]/((a*d)/b + d*x), x]
```

output

$$\begin{aligned} & (\text{Log}[-(a + b*x)^{-1}]^2 - 2*\text{Log}[1 - a - b*x]*\text{Log}[(a + b*x)^{-1}] - \text{Log}[(a \\ & + b*x)^{-1}]^2 + 2*\text{Log}[(a + b*x)^{-1}]*\text{Log}[(-1 + a + b*x)/(a + b*x)] + 2*\text{L} \\ & \text{og}[-(a + b*x)^{-1}]*\text{Log}[1 + a + b*x] - 2*\text{Log}[-(a + b*x)^{-1}]*\text{Log}[(1 + a + \\ & b*x)/(a + b*x)] - 2*\text{PolyLog}[2, -a - b*x] + 2*\text{PolyLog}[2, a + b*x])/(4*d) \end{aligned}$$
Rubi [A] (verified)

Time = 0.27 (sec) , antiderivative size = 33, normalized size of antiderivative = 0.94, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {6658, 27, 6447}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{\coth^{-1}(a + bx)}{\frac{ad}{b} + dx} dx \\ & \quad \downarrow \text{6658} \\ & \int \frac{b \coth^{-1}(a+bx)}{d(a+bx)} d(a + bx) \\ & \quad \downarrow \text{27} \\ & \int \frac{\coth^{-1}(a+bx)}{a+bx} d(a + bx) \\ & \quad \downarrow \text{6447} \\ & \frac{\frac{1}{2} \text{PolyLog}\left(2, -\frac{1}{a+bx}\right) - \frac{1}{2} \text{PolyLog}\left(2, \frac{1}{a+bx}\right)}{d} \end{aligned}$$

input

$$\text{Int}[\text{ArcCoth}[a + b*x]/((a*d)/b + d*x), x]$$

output

$$(\text{PolyLog}[2, -(a + b*x)^{-1}]/2 - \text{PolyLog}[2, (a + b*x)^{-1}]/2)/d$$

Definitions of rubi rules used

rule 27 `Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_) /; FreeQ[b, x]]`

rule 6447 `Int[((a_) + ArcCoth[(c_)*(x_)]*(b_))/(x_), x_Symbol] := Simp[a*Log[x], x] + (Simp[(b/2)*PolyLog[2, -(c*x)^(-1)], x] - Simp[(b/2)*PolyLog[2, 1/(c*x)], x]) /; FreeQ[{a, b, c}, x]`

rule 6658 `Int[((a_) + ArcCoth[(c_) + (d_)*(x_)]*(b_))^(p_)*((e_) + (f_)*(x_))^(m_), x_Symbol] := Simp[1/d Subst[Int[(f*(x/d))^m*(a + b*ArcCoth[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[d*e - c*f, 0] && IGtQ[p, 0]`

Maple [A] (verified)

Time = 0.27 (sec) , antiderivative size = 43, normalized size of antiderivative = 1.23

method	result	size
risch	$-\frac{\operatorname{dilog}(bx+a+1)}{2d} - \frac{\ln(bx+a-1)\ln(bx+a)}{2d} - \frac{\operatorname{dilog}(bx+a)}{2d}$	43
parts	$\frac{\ln(bx+a)\operatorname{arccoth}(bx+a)}{d} + \frac{-\frac{\operatorname{dilog}(bx+a+1)}{2} - \frac{\ln(bx+a)\ln(bx+a+1)}{2} - \frac{\operatorname{dilog}(bx+a)}{2}}{d}$	55
derivativeldivides	$\frac{\frac{b\ln(bx+a)\operatorname{arccoth}(bx+a)}{d} + \frac{b\left(-\frac{\operatorname{dilog}(bx+a+1)}{2} - \frac{\ln(bx+a)\ln(bx+a+1)}{2} - \frac{\operatorname{dilog}(bx+a)}{2}\right)}{d}}{b}$	61
default	$\frac{\frac{b\ln(bx+a)\operatorname{arccoth}(bx+a)}{d} + \frac{b\left(-\frac{\operatorname{dilog}(bx+a+1)}{2} - \frac{\ln(bx+a)\ln(bx+a+1)}{2} - \frac{\operatorname{dilog}(bx+a)}{2}\right)}{d}}{b}$	61

input `int(arccoth(b*x+a)/(a*d/b+d*x), x, method=_RETURNVERBOSE)`

output `-1/2/d*dilog(b*x+a+1)-1/2/d*ln(b*x+a-1)*ln(b*x+a)-1/2/d*dilog(b*x+a)`

Fricas [F]

$$\int \frac{\coth^{-1}(a + bx)}{\frac{ad}{b} + dx} dx = \int \frac{\operatorname{arccoth}(bx + a)}{dx + \frac{ad}{b}} dx$$

input `integrate(arccoth(b*x+a)/(a*d/b+d*x),x, algorithm="fricas")`

output `integral(b*arccoth(b*x + a)/(b*d*x + a*d), x)`

Sympy [F]

$$\int \frac{\coth^{-1}(a + bx)}{\frac{ad}{b} + dx} dx = \frac{b \int \frac{\operatorname{acoth}(a+bx)}{a+bx} dx}{d}$$

input `integrate(acoth(b*x+a)/(a*d/b+d*x),x)`

output `b*Integral(acoth(a + b*x)/(a + b*x), x)/d`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 132 vs. $2(29) = 58$.

Time = 0.03 (sec) , antiderivative size = 132, normalized size of antiderivative = 3.77

$$\begin{aligned} \int \frac{\coth^{-1}(a + bx)}{\frac{ad}{b} + dx} dx = & \\ & -\frac{1}{2} b \left(\frac{\log(bx + a) \log(bx + a - 1) + \operatorname{Li}_2(-bx - a + 1)}{bd} - \frac{\log(bx + a + 1) \log(-bx - a) + \operatorname{Li}_2(bx + a - 1)}{bd} \right) \\ & - \frac{b \left(\frac{\log(bx+a+1)}{b} - \frac{\log(bx+a-1)}{b} \right) \log(dx + \frac{ad}{b})}{2d} + \frac{\operatorname{arccoth}(bx + a) \log(dx + \frac{ad}{b})}{d} \end{aligned}$$

input `integrate(arccoth(b*x+a)/(a*d/b+d*x),x, algorithm="maxima")`

output

```
-1/2*b*((log(b*x + a)*log(b*x + a - 1) + dilog(-b*x - a + 1))/(b*d) - (log
(b*x + a + 1)*log(-b*x - a) + dilog(b*x + a + 1))/(b*d)) - 1/2*b*(log(b*x
+ a + 1)/b - log(b*x + a - 1)/b)*log(d*x + a*d/b)/d + arccoth(b*x + a)*log
(d*x + a*d/b)/d
```

Giac [F]

$$\int \frac{\coth^{-1}(a + bx)}{\frac{ad}{b} + dx} dx = \int \frac{\operatorname{arccoth}(bx + a)}{dx + \frac{ad}{b}} dx$$

input

```
integrate(arccoth(b*x+a)/(a*d/b+d*x),x, algorithm="giac")
```

output

```
integrate(arccoth(b*x + a)/(d*x + a*d/b), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\coth^{-1}(a + bx)}{\frac{ad}{b} + dx} dx = \int \frac{\operatorname{acoth}(a + bx)}{dx + \frac{ad}{b}} dx$$

input

```
int(acoth(a + b*x)/(d*x + (a*d)/b),x)
```

output

```
int(acoth(a + b*x)/(d*x + (a*d)/b), x)
```

Reduce [F]

$$\int \frac{\coth^{-1}(a + bx)}{\frac{ad}{b} + dx} dx = \frac{\left(\int \frac{\operatorname{acoth}(bx+a)}{bx+a} dx \right) b}{d}$$

input `int(acoth(b*x+a)/(a*d/b+d*x),x)`

output `(int(acoth(a + b*x)/(a + b*x),x)*b)/d`

3.21 $\int (e + fx)^3 (a + b \coth^{-1}(c + dx)) dx$

Optimal result	183
Mathematica [A] (verified)	184
Rubi [A] (verified)	184
Maple [B] (verified)	186
Fricas [B] (verification not implemented)	187
Sympy [B] (verification not implemented)	188
Maxima [B] (verification not implemented)	189
Giac [B] (verification not implemented)	189
Mupad [B] (verification not implemented)	191
Reduce [B] (verification not implemented)	192

Optimal result

Integrand size = 18, antiderivative size = 168

$$\int (e + fx)^3 (a + b \coth^{-1}(c + dx)) dx = \frac{bf(6d^2e^2 - 12cdef + (1 + 6c^2)f^2)x}{4d^3} + \frac{bf^2(de - cf)(c + dx)^2}{2d^4} + \frac{bf^3(c + dx)^3}{12d^4} + \frac{(e + fx)^4 (a + b \coth^{-1}(c + dx))}{4f} + \frac{b(de + f - cf)^4 \log(1 - c - dx)}{8d^4 f} - \frac{b(de - f - cf)^4 \log(1 + c + dx)}{8d^4 f}$$

output

```
1/4*b*f*(6*d^2*e^2-12*c*d*e*f+(6*c^2+1)*f^2)*x/d^3+1/2*b*f^2*(-c*f+d*e)*(d*x+c)^2/d^4+1/12*b*f^3*(d*x+c)^3/d^4+1/4*(f*x+e)^4*(a+b*arccoth(d*x+c))/f+1/8*b*(-c*f+d*e+f)^4*ln(-d*x-c+1)/d^4/f-1/8*b*(-c*f+d*e-f)^4*ln(d*x+c+1)/d^4/f
```


Mathematica [A] (verified)

Time = 0.14 (sec) , antiderivative size = 270, normalized size of antiderivative = 1.61

$$\int (e + fx)^3 (a + b \coth^{-1}(c + dx)) dx$$

$$= \frac{6d(4ad^3e^3 + bf(6d^2e^2 - 8cdef + (1 + 3c^2)f^2))x + 6d^2f(6ad^2e^2 + bf(2de - cf))x^2 + 2d^3f^2(12ade + b$$

input `Integrate[(e + f*x)^3*(a + b*ArcCoth[c + d*x]),x]`

output
$$\frac{(6*d*(4*a*d^3*e^3 + b*f*(6*d^2*e^2 - 8*c*d*e*f + (1 + 3*c^2)*f^2))*x + 6*d^2*f*(6*a*d^2*e^2 + b*f*(2*d*e - c*f))*x^2 + 2*d^3*f^2*(12*a*d*e + b*f)*x^3 + 6*a*d^4*f^3*x^4 + 6*b*d^4*x*(4*e^3 + 6*e^2*f*x + 4*e*f^2*x^2 + f^3*x^3)*ArcCoth[c + d*x] - 3*b*(-1 + c)*(4*d^3*e^3 - 6*(-1 + c)*d^2*e^2*f + 4*(-1 + c)^2*d*e*f^2 - (-1 + c)^3*f^3)*Log[1 - c - d*x] - 3*b*(1 + c)*(-4*d^3*e^3 + 6*(1 + c)*d^2*e^2*f - 4*(1 + c)^2*d*e*f^2 + (1 + c)^3*f^3)*Log[1 + c + d*x]}{(24*d^4)}$$

Rubi [A] (verified)

Time = 0.48 (sec) , antiderivative size = 167, normalized size of antiderivative = 0.99, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {6662, 27, 6479, 477, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (e + fx)^3 (a + b \coth^{-1}(c + dx)) dx$$

$$\downarrow 6662$$

$$\int \frac{\left(\frac{d(e - \frac{ef}{d}) + f(c + dx)}{d^3}\right)^3 (a + b \coth^{-1}(c + dx))}{d} d(c + dx)$$

$$\downarrow 27$$

$$\int \frac{(de - cf + f(c + dx))^3 (a + b \coth^{-1}(c + dx))}{d^4} d(c + dx)$$

$$\begin{array}{c}
 \downarrow 6479 \\
 \frac{(f(c+dx)-cf+de)^4(a+b \operatorname{coth}^{-1}(c+dx))}{4f} - \frac{b \int \frac{(de-cf+f(c+dx))^4}{1-(c+dx)^2} d(c+dx)}{4f} \\
 \hline
 d^4 \\
 \downarrow 477 \\
 \frac{(f(c+dx)-cf+de)^4(a+b \operatorname{coth}^{-1}(c+dx))}{4f} - \frac{b \int \left(-(c+dx)^2 f^4 - 4(de-cf)(c+dx)f^3 - (6d^2e^2 - 12cdf e + (6c^2+1)f^2) f^2 + \frac{(de-cf+f)^4}{2(-c-dx+1)} + \frac{(de-cf-f)^4}{2(c+dx+1)} \right) d(c+dx)}{4f} \\
 \hline
 d^4 \\
 \downarrow 2009 \\
 \frac{(f(c+dx)-cf+de)^4(a+b \operatorname{coth}^{-1}(c+dx))}{4f} - \frac{b(-f^2(c+dx)((6c^2+1)f^2 - 12cdf e + 6d^2e^2) - 2f^3(c+dx)^2(de-cf) - \frac{1}{2}(-cf+de+f)^4 \log(-c-dx+1))}{4f} \\
 \hline
 d^4
 \end{array}$$

input `Int[(e + f*x)^3*(a + b*ArcCoth[c + d*x]),x]`

output `((d*e - c*f + f*(c + d*x))^4*(a + b*ArcCoth[c + d*x]))/(4*f) - (b*(-(f^2*(6*d^2*e^2 - 12*c*d*e*f + (1 + 6*c^2)*f^2)*(c + d*x)) - 2*f^3*(d*e - c*f)*(c + d*x)^2 - (f^4*(c + d*x)^3)/3 - ((d*e + f - c*f)^4*Log[1 - c - d*x])/2 + ((d*e - f - c*f)^4*Log[1 + c + d*x])/2))/(4*f))/d^4`

Defintions of rubi rules used

rule 27 `Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_) /; FreeQ[b, x]]`

rule 477 `Int[((c_) + (d_)*(x_))^(n_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Simp[a^p Int[ExpandIntegrand[(c + d*x)^n*(1 - Rt[-b/a, 2]*x)^p*(1 + Rt[-b/a, 2]*x)^p, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[p, 0] && IntegerQ[n] && NiceSqrtQ[-b/a] && !FractionalPowerFactorQ[Rt[-b/a, 2]]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

```
rule 6479 Int[((a_.) + ArcCoth[(c_.)*(x_.)]*(b_.))*((d_.) + (e_.)*(x_.))^(q_.), x_Symbol]
  ] :-> Simp[(d + e*x)^(q + 1)*((a + b*ArcCoth[c*x])/(e*(q + 1))), x] - Simp[b
  *(c/(e*(q + 1))) Int[(d + e*x)^(q + 1)/(1 - c^2*x^2), x], x] /; FreeQ[{a,
  b, c, d, e, q}, x] && NeQ[q, -1]
```

```
rule 6662 Int[((a_.) + ArcCoth[(c_.) + (d_.)*(x_.)]*(b_.))^(p_.)*((e_.) + (f_.)*(x_.))^(
  m_.), x_Symbol] :-> Simp[1/d Subst[Int[((d*e - c*f)/d + f*(x/d))^m*(a + b*
  ArcCoth[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IG
  tQ[p, 0]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 598 vs. 2(156) = 312.

Time = 0.40 (sec) , antiderivative size = 599, normalized size of antiderivative = 3.57

method	result
parallelrisc	$-\frac{15b^3c^3f^3 - 6b^2c^2f^2d - 18abc^2f^2d^2 + 9cb^3f^3 - 42b^2c^2de f^2 + 36bc^2d^2e^2f + 36\ln(dx+c-1)bc^2d^2e^2f - 12x^3 \operatorname{arccoth}(dx+c)b^2d^4}{4d^3f}$
derivativdivides	$\frac{a(cf - de - f(dx+c))^4}{4d^3f} - \frac{b \left(-\frac{f^3 \operatorname{arccoth}(dx+c)c^4}{4} + f^2 \operatorname{arccoth}(dx+c)c^3de + f^3 \operatorname{arccoth}(dx+c)c^3(dx+c) - \frac{3f \operatorname{arccoth}(dx+c)c^2d^2e^2}{2} \right)}{4d^3f}$
default	$\frac{a(cf - de - f(dx+c))^4}{4d^3f} - \frac{b \left(-\frac{f^3 \operatorname{arccoth}(dx+c)c^4}{4} + f^2 \operatorname{arccoth}(dx+c)c^3de + f^3 \operatorname{arccoth}(dx+c)c^3(dx+c) - \frac{3f \operatorname{arccoth}(dx+c)c^2d^2e^2}{2} \right)}{4d^3f}$
parts	$\frac{a(fx+e)^4}{4f} + \frac{b \left(\frac{f^3 \operatorname{arccoth}(dx+c)(dx+c)^4}{4d^3} - \frac{f^3 \operatorname{arccoth}(dx+c)(dx+c)^3c}{d^3} + \frac{f^2 \operatorname{arccoth}(dx+c)(dx+c)^3e}{d^2} + \frac{3f^3 \operatorname{arccoth}(dx+c)(dx+c)^2}{2d^3} \right)}{4f}$
risc	$\frac{(fx+e)^4 b \ln(dx+c+1)}{8f} + \frac{f^3 a x^4}{4} + \frac{f^3 b x^3}{12d} + \frac{f^3 b x}{4d^3} - \frac{f^3 \ln(dx+c+1)b}{8d^4} + \frac{f^3 \ln(-dx-c+1)b}{8d^4} - \frac{b e^3 x \ln(dx+c)}{2}$

```
input int((f*x+e)^3*(a+b*arccoth(d*x+c)), x, method=_RETURNVERBOSE)
```

output

```
-1/12*(15*b*c^3*f^3-6*b*e*f^2*d-18*a*e^2*f*d^2+9*c*b*f^3-42*b*c^2*d*e*f^2+
36*b*c*d^2*e^2*f+36*ln(d*x+c-1)*b*c*d^2*e^2*f-12*x^3*arccoth(d*x+c)*b*d^4*
e*f^2+36*arccoth(d*x+c)*b*c*d^2*e^2*f-36*arccoth(d*x+c)*b*c*d*e*f^2-18*x^2
*arccoth(d*x+c)*b*d^4*e^2*f-12*arccoth(d*x+c)*b*c^3*d*e*f^2-36*arccoth(d*x
+c)*b*c^2*d*e*f^2+24*x*b*c*d^2*e*f^2+18*arccoth(d*x+c)*b*c^2*d^2*e^2*f-36*
ln(d*x+c-1)*b*c^2*d*e*f^2+24*a*c*d^3*e^3+3*arccoth(d*x+c)*b*f^3+12*arccoth
(d*x+c)*b*c^3*f^3+12*ln(d*x+c-1)*b*c^3*f^3-12*ln(d*x+c-1)*b*d^3*e^3+12*ln(
d*x+c-1)*b*c*f^3+18*a*c^2*d^2*e^2*f+3*x^2*b*c*d^2*f^3-6*x^2*b*d^3*e*f^2-18
*x^2*a*d^4*e^2*f-12*ln(d*x+c-1)*b*d*e*f^2-9*x*b*c^2*d*f^3-18*x*b*d^3*e^2*f
-12*x^3*a*d^4*e*f^2-12*arccoth(d*x+c)*b*c*d^3*e^3+18*arccoth(d*x+c)*b*d^2*
e^2*f-12*arccoth(d*x+c)*b*d*e*f^2-12*x*arccoth(d*x+c)*b*d^4*e^3-3*x^4*arcc
oth(d*x+c)*b*d^4*f^3-3*x^4*a*d^4*f^3-12*x*a*d^4*e^3-3*x*b*d*f^3-x^3*b*d^3*
f^3+3*arccoth(d*x+c)*b*c^4*f^3-12*arccoth(d*x+c)*b*d^3*e^3+18*arccoth(d*x+
c)*b*c^2*f^3+12*arccoth(d*x+c)*b*c*f^3)/d^4
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 385 vs. $2(156) = 312$.

Time = 0.14 (sec) , antiderivative size = 385, normalized size of antiderivative = 2.29

$$\int (e + fx)^3 (a + b \coth^{-1}(c + dx)) dx$$

$$= \frac{6ad^4f^3x^4 + 2(12ad^4ef^2 + bd^3f^3)x^3 + 6(6ad^4e^2f + 2bd^3ef^2 - bcd^2f^3)x^2 + 6(4ad^4e^3 + 6bd^3e^2f - 8bd^2ef^2 + 6ad^4e^2f^2 + 2bd^3ef^3)x + 6(4ad^4e^3 + 6bd^3e^2f - 8bd^2ef^2 + 6ad^4e^2f^2 + 2bd^3ef^3)}{d^4}$$

input

```
integrate((f*x+e)^3*(a+b*arccoth(d*x+c)),x, algorithm="fricas")
```

output

```
1/24*(6*a*d^4*f^3*x^4 + 2*(12*a*d^4*e*f^2 + b*d^3*f^3)*x^3 + 6*(6*a*d^4*e^
2*f + 2*b*d^3*e*f^2 - b*c*d^2*f^3)*x^2 + 6*(4*a*d^4*e^3 + 6*b*d^3*e^2*f -
8*b*c*d^2*e*f^2 + (3*b*c^2 + b)*d*f^3)*x + 3*(4*(b*c + b)*d^3*e^3 - 6*(b*c
^2 + 2*b*c + b)*d^2*e^2*f + 4*(b*c^3 + 3*b*c^2 + 3*b*c + b)*d*e*f^2 - (b*c
^4 + 4*b*c^3 + 6*b*c^2 + 4*b*c + b)*f^3)*log(d*x + c + 1) - 3*(4*(b*c - b)
*d^3*e^3 - 6*(b*c^2 - 2*b*c + b)*d^2*e^2*f + 4*(b*c^3 - 3*b*c^2 + 3*b*c -
b)*d*e*f^2 - (b*c^4 - 4*b*c^3 + 6*b*c^2 - 4*b*c + b)*f^3)*log(d*x + c - 1)
+ 3*(b*d^4*f^3*x^4 + 4*b*d^4*e*f^2*x^3 + 6*b*d^4*e^2*f*x^2 + 4*b*d^4*e^3*
x)*log((d*x + c + 1)/(d*x + c - 1))/d^4
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 644 vs. $2(151) = 302$.

Time = 2.03 (sec) , antiderivative size = 644, normalized size of antiderivative = 3.83

$$\int (e + fx)^3 (a + b \operatorname{coth}^{-1}(c + dx)) dx = \text{Too large to display}$$

input `integrate((f*x+e)**3*(a+b*acoth(d*x+c)),x)`

output

```
Piecewise((a*e**3*x + 3*a*e**2*f*x**2/2 + a*e*f**2*x**3 + a*f**3*x**4/4 -
b*c**4*f**3*acoth(c + d*x)/(4*d**4) + b*c**3*e*f**2*acoth(c + d*x)/d**3 -
b*c**3*f**3*log(c/d + x + 1/d)/d**4 + b*c**3*f**3*acoth(c + d*x)/d**4 - 3*
b*c**2*e**2*f*acoth(c + d*x)/(2*d**2) + 3*b*c**2*e*f**2*log(c/d + x + 1/d)
/d**3 - 3*b*c**2*e*f**2*acoth(c + d*x)/d**3 + 3*b*c**2*f**3*x/(4*d**3) - 3
*b*c**2*f**3*acoth(c + d*x)/(2*d**4) + b*c*e**3*acoth(c + d*x)/d - 3*b*c*e
**2*f*log(c/d + x + 1/d)/d**2 + 3*b*c*e**2*f*acoth(c + d*x)/d**2 - 2*b*c*e
*f**2*x/d**2 - b*c*f**3*x**2/(4*d**2) + 3*b*c*e*f**2*acoth(c + d*x)/d**3 -
b*c*f**3*log(c/d + x + 1/d)/d**4 + b*c*f**3*acoth(c + d*x)/d**4 + b*e**3*
x*acoth(c + d*x) + 3*b*e**2*f*x**2*acoth(c + d*x)/2 + b*e*f**2*x**3*acoth(
c + d*x) + b*f**3*x**4*acoth(c + d*x)/4 + b*e**3*log(c/d + x + 1/d)/d - b*
e**3*acoth(c + d*x)/d + 3*b*e**2*f*x/(2*d) + b*e*f**2*x**2/(2*d) + b*f**3*
x**3/(12*d) - 3*b*e**2*f*acoth(c + d*x)/(2*d**2) + b*e*f**2*log(c/d + x +
1/d)/d**3 - b*e*f**2*acoth(c + d*x)/d**3 + b*f**3*x/(4*d**3) - b*f**3*acot
h(c + d*x)/(4*d**4), Ne(d, 0)), ((a + b*acoth(c))*(e**3*x + 3*e**2*f*x**2/
2 + e*f**2*x**3 + f**3*x**4/4), True))
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 333 vs. $2(156) = 312$.

Time = 0.03 (sec) , antiderivative size = 333, normalized size of antiderivative = 1.98

$$\int (e + fx)^3 (a + b \coth^{-1}(c + dx)) dx = \frac{1}{4} af^3 x^4 + aef^2 x^3 + \frac{3}{2} ae^2 f x^2 + \frac{3}{4} \left(2x^2 \operatorname{arccoth}(dx + c) + d \left(\frac{2x}{d^2} - \frac{(c^2 + 2c + 1) \log(dx + c + 1)}{d^3} + \frac{(c^2 - 2c + 1) \log(dx + c - 1)}{d^3} \right) \right) + \frac{1}{2} \left(2x^3 \operatorname{arccoth}(dx + c) + d \left(\frac{dx^2 - 4cx}{d^3} + \frac{(c^3 + 3c^2 + 3c + 1) \log(dx + c + 1)}{d^4} - \frac{(c^3 - 3c^2 + 3c - 1) \log(dx + c - 1)}{d^4} \right) \right) + \frac{1}{24} \left(6x^4 \operatorname{arccoth}(dx + c) + d \left(\frac{2(d^2 x^3 - 3cdx^2 + 3(3c^2 + 1)x)}{d^4} - \frac{3(c^4 + 4c^3 + 6c^2 + 4c + 1) \log(dx + c + 1)}{d^5} - \frac{3(c^4 - 4c^3 + 6c^2 - 4c + 1) \log(dx + c - 1)}{d^5} \right) \right) + ae^3 x + \frac{(2(dx + c) \operatorname{arccoth}(dx + c) + \log(-(dx + c)^2 + 1)) be^3}{2d}$$

input `integrate((f*x+e)^3*(a+b*arccoth(d*x+c)),x, algorithm="maxima")`

output `1/4*a*f^3*x^4 + a*e*f^2*x^3 + 3/2*a*e^2*f*x^2 + 3/4*(2*x^2*arccoth(d*x + c) + d*(2*x/d^2 - (c^2 + 2*c + 1)*log(d*x + c + 1)/d^3 + (c^2 - 2*c + 1)*log(d*x + c - 1)/d^3))*b*e^2*f + 1/2*(2*x^3*arccoth(d*x + c) + d*((d*x^2 - 4*c*x)/d^3 + (c^3 + 3*c^2 + 3*c + 1)*log(d*x + c + 1)/d^4 - (c^3 - 3*c^2 + 3*c - 1)*log(d*x + c - 1)/d^4))*b*e*f^2 + 1/24*(6*x^4*arccoth(d*x + c) + d*(2*(d^2*x^3 - 3*c*d*x^2 + 3*(3*c^2 + 1)*x)/d^4 - 3*(c^4 + 4*c^3 + 6*c^2 + 4*c + 1)*log(d*x + c + 1)/d^5 + 3*(c^4 - 4*c^3 + 6*c^2 - 4*c + 1)*log(d*x + c - 1)/d^5))*b*f^3 + a*e^3*x + 1/2*(2*(d*x + c)*arccoth(d*x + c) + log(-(d*x + c)^2 + 1))*b*e^3/d`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2333 vs. $2(156) = 312$.

Time = 0.19 (sec) , antiderivative size = 2333, normalized size of antiderivative = 13.89

$$\int (e + fx)^3 (a + b \coth^{-1}(c + dx)) dx = \text{Too large to display}$$

input `integrate((f*x+e)^3*(a+b*arccoth(d*x+c)),x, algorithm="giac")`

output

```

1/6*((c + 1)*d - (c - 1)*d)*(3*((d*x + c + 1)^3*b*d^3*e^3/(d*x + c - 1)^3
- 3*(d*x + c + 1)^2*b*d^3*e^3/(d*x + c - 1)^2 + 3*(d*x + c + 1)*b*d^3*e^3/
(d*x + c - 1) - b*d^3*e^3 - 3*(d*x + c + 1)^3*b*c*d^2*e^2*f/(d*x + c - 1)^
3 + 9*(d*x + c + 1)^2*b*c*d^2*e^2*f/(d*x + c - 1)^2 - 9*(d*x + c + 1)*b*c*
d^2*e^2*f/(d*x + c - 1) + 3*b*c*d^2*e^2*f + 3*(d*x + c + 1)^3*b*c^2*d*e*f^
2/(d*x + c - 1)^3 - 9*(d*x + c + 1)^2*b*c^2*d*e*f^2/(d*x + c - 1)^2 + 9*(d
*x + c + 1)*b*c^2*d*e*f^2/(d*x + c - 1) - 3*b*c^2*d*e*f^2 - (d*x + c + 1)^
3*b*c^3*f^3/(d*x + c - 1)^3 + 3*(d*x + c + 1)^2*b*c^3*f^3/(d*x + c - 1)^2
- 3*(d*x + c + 1)*b*c^3*f^3/(d*x + c - 1) + b*c^3*f^3 + 3*(d*x + c + 1)^3*
b*d^2*e^2*f/(d*x + c - 1)^3 - 6*(d*x + c + 1)^2*b*d^2*e^2*f/(d*x + c - 1)^
2 + 3*(d*x + c + 1)*b*d^2*e^2*f/(d*x + c - 1) - 6*(d*x + c + 1)^3*b*c*d*e*
f^2/(d*x + c - 1)^3 + 12*(d*x + c + 1)^2*b*c*d*e*f^2/(d*x + c - 1)^2 - 6*(
d*x + c + 1)*b*c*d*e*f^2/(d*x + c - 1) + 3*(d*x + c + 1)^3*b*c^2*f^3/(d*x
+ c - 1)^3 - 6*(d*x + c + 1)^2*b*c^2*f^3/(d*x + c - 1)^2 + 3*(d*x + c + 1)
*b*c^2*f^3/(d*x + c - 1) + 3*(d*x + c + 1)^3*b*d*e*f^2/(d*x + c - 1)^3 - 3
*(d*x + c + 1)^2*b*d*e*f^2/(d*x + c - 1)^2 + (d*x + c + 1)*b*d*e*f^2/(d*x
+ c - 1) - b*d*e*f^2 - 3*(d*x + c + 1)^3*b*c*f^3/(d*x + c - 1)^3 + 3*(d*x
+ c + 1)^2*b*c*f^3/(d*x + c - 1)^2 - (d*x + c + 1)*b*c*f^3/(d*x + c - 1) +
b*c*f^3 + (d*x + c + 1)^3*b*f^3/(d*x + c - 1)^3 + (d*x + c + 1)*b*f^3/(d*
x + c - 1))*log((d*x + c + 1)/(d*x + c - 1))/((d*x + c + 1)^4*d^5/(d*x ...

```

Mupad [B] (verification not implemented)

Time = 4.54 (sec) , antiderivative size = 742, normalized size of antiderivative = 4.42

$$\begin{aligned}
& \int (e + fx)^3 (a + b \coth^{-1}(c + dx)) dx \\
&= x \left(\frac{e(6ac^2 f^2 + 12acdef + 2ad^2 e^2 + 3bdef - 6af^2)}{2d^2} \right. \\
&\quad \left. - \frac{(4c^2 - 4) \left(\frac{f^2(bf + 8acf + 12ade)}{4d} - \frac{2acf^3}{d} \right)}{4d^2} \right. \\
&\quad \left. + \frac{2c \left(\frac{2c \left(\frac{f^2(bf + 8acf + 12ade)}{4d} - \frac{2acf^3}{d} \right)}{d} - \frac{4ac^2 f^3 + 24acdef^2 + 12ad^2 e^2 f + 4bdef^2 - 4af^3}{4d^2} + \frac{af^3(4c^2 - 4)}{4d^2} \right)}{d} \right) \\
&\quad - \ln \left(1 - \frac{1}{c + dx} \right) \left(\frac{be^3 x}{2} + \frac{3be^2 f x^2}{4} + \frac{be f^2 x^3}{2} + \frac{bf^3 x^4}{8} \right) \\
&\quad - x^2 \left(\frac{c \left(\frac{f^2(bf + 8acf + 12ade)}{4d} - \frac{2acf^3}{d} \right)}{d} \right. \\
&\quad \left. - \frac{4ac^2 f^3 + 24acdef^2 + 12ad^2 e^2 f + 4bdef^2 - 4af^3}{8d^2} + \frac{af^3(4c^2 - 4)}{8d^2} \right) \\
&\quad + x^3 \left(\frac{f^2(bf + 8acf + 12ade)}{12d} - \frac{2acf^3}{3d} \right) \\
&\quad + \ln \left(\frac{1}{c + dx} + 1 \right) \left(\frac{be^3 x}{2} + \frac{3be^2 f x^2}{4} + \frac{be f^2 x^3}{2} + \frac{bf^3 x^4}{8} \right) + \frac{af^3 x^4}{4} \\
&\quad + \frac{\ln(c + dx - 1) (bc^4 f^3 - 4bc^3 def^2 - 4bc^3 f^3 + 6bc^2 d^2 e^2 f + 12bc^2 def^2 + 6bc^2 f^3 - 4bcd^3 e^3 - \frac{8d^4}{8d^4})}{8d^4} \\
&\quad - \frac{\ln(c + dx + 1) (bc^4 f^3 - 4bc^3 def^2 + 4bc^3 f^3 + 6bc^2 d^2 e^2 f - 12bc^2 def^2 + 6bc^2 f^3 - 4bcd^3 e^3 - \frac{8d^4}{8d^4})}{8d^4}
\end{aligned}$$

input `int((e + f*x)^3*(a + b*acoth(c + d*x)),x)`

output

```
x*((e*(6*a*c^2*f^2 - 6*a*f^2 + 2*a*d^2*e^2 + 3*b*d*e*f + 12*a*c*d*e*f))/(2
*d^2) - ((4*c^2 - 4)*((f^2*(b*f + 8*a*c*f + 12*a*d*e))/(4*d) - (2*a*c*f^3)
/d))/(4*d^2) + (2*c*((2*c*((f^2*(b*f + 8*a*c*f + 12*a*d*e))/(4*d) - (2*a*c
*f^3)/d))/d - (4*a*c^2*f^3 - 4*a*f^3 + 4*b*d*e*f^2 + 12*a*d^2*e^2*f + 24*a
*c*d*e*f^2)/(4*d^2) + (a*f^3*(4*c^2 - 4))/(4*d^2))/d - log(1 - 1/(c + d*
x))*((b*f^3*x^4)/8 + (b*e^3*x)/2 + (3*b*e^2*f*x^2)/4 + (b*e*f^2*x^3)/2) -
x^2*((c*((f^2*(b*f + 8*a*c*f + 12*a*d*e))/(4*d) - (2*a*c*f^3)/d))/d - (4*a
*c^2*f^3 - 4*a*f^3 + 4*b*d*e*f^2 + 12*a*d^2*e^2*f + 24*a*c*d*e*f^2)/(8*d^2
) + (a*f^3*(4*c^2 - 4))/(8*d^2) + x^3*((f^2*(b*f + 8*a*c*f + 12*a*d*e))/(
12*d) - (2*a*c*f^3)/(3*d)) + log(1/(c + d*x) + 1))*((b*f^3*x^4)/8 + (b*e^3*
x)/2 + (3*b*e^2*f*x^2)/4 + (b*e*f^2*x^3)/2) + (a*f^3*x^4)/4 + (log(c + d*x
- 1)*(b*f^3 + 6*b*c^2*f^3 - 4*b*c^3*f^3 + 4*b*d^3*e^3 + b*c^4*f^3 - 4*b*c
*f^3 + 4*b*d*e*f^2 - 4*b*c*d^3*e^3 + 6*b*d^2*e^2*f - 12*b*c*d^2*e^2*f + 12
*b*c^2*d*e*f^2 - 4*b*c^3*d*e*f^2 + 6*b*c^2*d^2*e^2*f - 12*b*c*d*e*f^2))/(8
*d^4) - (log(c + d*x + 1)*(b*f^3 + 6*b*c^2*f^3 + 4*b*c^3*f^3 - 4*b*d^3*e^3
+ b*c^4*f^3 + 4*b*c*f^3 - 4*b*d*e*f^2 - 4*b*c*d^3*e^3 + 6*b*d^2*e^2*f + 1
2*b*c*d^2*e^2*f - 12*b*c^2*d*e*f^2 - 4*b*c^3*d*e*f^2 + 6*b*c^2*d^2*e^2*f -
12*b*c*d*e*f^2))/(8*d^4)
```

Reduce [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 519, normalized size of antiderivative = 3.09

$$\int (e + fx)^3 (a + b \operatorname{coth}^{-1}(c + dx)) dx$$

$$= \frac{-36 \log(dx + c - 1) b c^2 d e f^2 + 36 \log(dx + c - 1) b c d^2 e^2 f + 24 b c d^2 e f^2 x + 12 a \operatorname{coth}(dx + c) b c^3 d e f^2 -$$

input

```
int((f*x+e)^3*(a+b*acoth(d*x+c)),x)
```

output

```
( - 3*acoth(c + d*x)*b*c**4*f**3 + 12*acoth(c + d*x)*b*c**3*d*e*f**2 - 12*
acoth(c + d*x)*b*c**3*f**3 - 18*acoth(c + d*x)*b*c**2*d**2*e**2*f + 36*aco
th(c + d*x)*b*c**2*d*e*f**2 - 18*acoth(c + d*x)*b*c**2*f**3 + 12*acoth(c +
d*x)*b*c*d**3*e**3 - 36*acoth(c + d*x)*b*c*d**2*e**2*f + 36*acoth(c + d*x
)*b*c*d*e*f**2 - 12*acoth(c + d*x)*b*c*f**3 + 12*acoth(c + d*x)*b*d**4*e**
3*x + 18*acoth(c + d*x)*b*d**4*e**2*f*x**2 + 12*acoth(c + d*x)*b*d**4*e*f*
*2*x**3 + 3*acoth(c + d*x)*b*d**4*f**3*x**4 + 12*acoth(c + d*x)*b*d**3*e**
3 - 18*acoth(c + d*x)*b*d**2*e**2*f + 12*acoth(c + d*x)*b*d*e*f**2 - 3*aco
th(c + d*x)*b*f**3 + 12*log(c + d*x - 1)*b*c**3*f**3 - 36*log(c + d*x - 1)
*b*c**2*d*e*f**2 + 36*log(c + d*x - 1)*b*c*d**2*e**2*f + 12*log(c + d*x -
1)*b*c*f**3 - 12*log(c + d*x - 1)*b*d**3*e**3 - 12*log(c + d*x - 1)*b*d*e*
f**2 + 12*a*d**4*e**3*x + 18*a*d**4*e**2*f*x**2 + 12*a*d**4*e*f**2*x**3 +
3*a*d**4*f**3*x**4 - 9*b*c**2*d*f**3*x + 24*b*c*d**2*e*f**2*x + 3*b*c*d**2
*f**3*x**2 - 18*b*d**3*e**2*f*x - 6*b*d**3*e*f**2*x**2 - b*d**3*f**3*x**3
- 3*b*d*f**3*x)/(12*d**4)
```

3.22 $\int (e + fx)^2 (a + b \operatorname{coth}^{-1}(c + dx)) dx$

Optimal result	194
Mathematica [A] (verified)	195
Rubi [A] (verified)	195
Maple [B] (verified)	197
Fricas [B] (verification not implemented)	198
Sympy [B] (verification not implemented)	198
Maxima [A] (verification not implemented)	199
Giac [B] (verification not implemented)	200
Mupad [B] (verification not implemented)	201
Reduce [B] (verification not implemented)	202

Optimal result

Integrand size = 18, antiderivative size = 120

$$\int (e + fx)^2 (a + b \operatorname{coth}^{-1}(c + dx)) dx = \frac{bf(de - cf)x}{d^2} + \frac{bf^2(c + dx)^2}{6d^3} + \frac{(e + fx)^3 (a + b \operatorname{coth}^{-1}(c + dx))}{3f} + \frac{b(de + f - cf)^3 \log(1 - c - dx)}{6d^3 f} - \frac{b(de - (1 + c)f)^3 \log(1 + c + dx)}{6d^3 f}$$

output

```
b*f*(-c*f+d*e)*x/d^2+1/6*b*f^2*(d*x+c)^2/d^3+1/3*(f*x+e)^3*(a+b*arccoth(d*x+c))/f+1/6*b*(-c*f+d*e+f)^3*ln(-d*x-c+1)/d^3/f-1/6*b*(d*e-(1+c)*f)^3*ln(d*x+c+1)/d^3/f
```

Mathematica [A] (verified)

Time = 0.08 (sec) , antiderivative size = 174, normalized size of antiderivative = 1.45

$$\int (e + fx)^2 (a + b \coth^{-1}(c + dx)) dx$$

$$= \frac{2d(3ad^2e^2 + bf(3de - 2cf))x + d^2f(6ade + bf)x^2 + 2ad^3f^2x^3 + 2bd^3x(3e^2 + 3efx + f^2x^2) \coth^{-1}(c + dx)}{6d^3}$$

input `Integrate[(e + f*x)^2*(a + b*ArcCoth[c + d*x]),x]`

output
$$\frac{(2*d*(3*a*d^2*e^2 + b*f*(3*d*e - 2*c*f))*x + d^2*f*(6*a*d*e + b*f)*x^2 + 2*a*d^3*f^2*x^3 + 2*b*d^3*x*(3*e^2 + 3*e*f*x + f^2*x^2)*\text{ArcCoth}[c + d*x] - b*(-1 + c)*(3*d^2*e^2 - 3*(-1 + c)*d*e*f + (-1 + c)^2*f^2)*\text{Log}[1 - c - d*x] + b*(1 + c)*(3*d^2*e^2 - 3*(1 + c)*d*e*f + (1 + c)^2*f^2)*\text{Log}[1 + c + d*x])}{(6*d^3)}$$

Rubi [A] (verified)

Time = 0.42 (sec) , antiderivative size = 128, normalized size of antiderivative = 1.07, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {6662, 27, 6479, 477, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (e + fx)^2 (a + b \coth^{-1}(c + dx)) dx$$

$$\downarrow \text{6662}$$

$$\int \frac{\left(\frac{d(e - \frac{ef}{d}) + f(c + dx)}{d}\right)^2 (a + b \coth^{-1}(c + dx))}{d^2} d(c + dx)$$

$$\downarrow \text{27}$$

$$\int \frac{(de - cf + f(c + dx))^2 (a + b \coth^{-1}(c + dx))}{d^3} d(c + dx)$$

$$\downarrow \text{6479}$$

$$\frac{\frac{(f(c+dx)-cf+de)^3(a+b \operatorname{coth}^{-1}(c+dx))}{3f} - \frac{b \int \frac{(de-cf+f(c+dx))^3}{1-(c+dx)^2} d(c+dx)}{3f}}{d^3} \xrightarrow{477} \frac{\frac{(f(c+dx)-cf+de)^3(a+b \operatorname{coth}^{-1}(c+dx))}{3f} - \frac{b \int \left(-((c+dx)f^3) - 3(de-cf)f^2 + \frac{(de-cf+f)^3}{2(-c-dx+1)} + \frac{(de-(c+1)f)^3}{2(c+dx+1)} \right) d(c+dx)}{3f}}{d^3} \xrightarrow{2009} \frac{\frac{(f(c+dx)-cf+de)^3(a+b \operatorname{coth}^{-1}(c+dx))}{3f} - \frac{b(-3f^2(c+dx)(de-cf) - \frac{1}{2}(-cf+de+f)^3 \log(-c-dx+1) + \frac{1}{2}(de-(c+1)f)^3 \log(c+dx+1) - \frac{1}{2}f^3(c+dx))}{3f}}{d^3}$$

input `Int[(e + f*x)^2*(a + b*ArcCoth[c + d*x]),x]`

output `((((d*e - c*f + f*(c + d*x))^3*(a + b*ArcCoth[c + d*x]))/(3*f) - (b*(-3*f^2*(d*e - c*f)*(c + d*x) - (f^3*(c + d*x)^2)/2 - ((d*e + f - c*f)^3*Log[1 - c - d*x])/2 + ((d*e - (1 + c)*f)^3*Log[1 + c + d*x])/2))/(3*f))/d^3`

Defintions of rubi rules used

rule 27 `Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_) /; FreeQ[b, x]]`

rule 477 `Int[((c_) + (d_)*(x_))^(n_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Simp[a^p Int[ExpandIntegrand[(c + d*x)^n*(1 - Rt[-b/a, 2]*x)^p*(1 + Rt[-b/a, 2]*x)^p, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[p, 0] && IntegerQ[n] && NiceSqrtQ[-b/a] && !FractionalPowerFactorQ[Rt[-b/a, 2]]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

```
rule 6479 Int[((a_.) + ArcCoth[(c_.)*(x_.)]*(b_.))*((d_) + (e_.)*(x_.))^(q_.), x_Symbol]
  ] :-> Simp[(d + e*x)^(q + 1)*((a + b*ArcCoth[c*x])/(e*(q + 1))), x] - Simp[b
  *(c/(e*(q + 1))) Int[(d + e*x)^(q + 1)/(1 - c^2*x^2), x], x] /; FreeQ[{a,
  b, c, d, e, q}, x] && NeQ[q, -1]
```

```
rule 6662 Int[((a_.) + ArcCoth[(c_) + (d_.)*(x_.)]*(b_.))^p*(e_. + (f_.)*(x_.))^(
  m_.), x_Symbol] :-> Simp[1/d Subst[Int[((d*e - c*f)/d + f*(x/d))^m*(a + b*
  ArcCoth[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IG
  tQ[p, 0]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 350 vs. 2(112) = 224.

Time = 0.29 (sec) , antiderivative size = 351, normalized size of antiderivative = 2.92

method	result
parallelrisch	$7b^2c^2f^2 + 6aef d + b^2f^2 - 12bcdef + 6x^2 \operatorname{arccoth}(dx+c)bd^3ef - 12 \operatorname{arccoth}(dx+c)bcdef - 12 \ln(dx+c-1)bcdef - 6 \operatorname{arccoth}(dx+c)bcdef$
parts	$\frac{a(fx+e)^3}{3f} + \frac{b \left(\frac{f^2 \operatorname{arccoth}(dx+c)(dx+c)^3}{3d^2} - \frac{f^2 \operatorname{arccoth}(dx+c)(dx+c)^2c}{d^2} + \frac{f \operatorname{arccoth}(dx+c)(dx+c)^2e}{d} + \frac{f^2 \operatorname{arccoth}(dx+c)(dx+c)}{d^2} \right)}{3f}$
derivativedivides	$-\frac{a(cf-de-f(dx+c))^3}{3d^2f} + \frac{b \left(-\frac{f^2 \operatorname{arccoth}(dx+c)c^3}{3} + f \operatorname{arccoth}(dx+c)c^2de + f^2 \operatorname{arccoth}(dx+c)c^2(dx+c) - \operatorname{arccoth}(dx+c)c d^2e^2 - 2f \operatorname{arccoth}(dx+c)c d^2e \right)}{3d^2f}$
default	$-\frac{a(cf-de-f(dx+c))^3}{3d^2f} + \frac{b \left(-\frac{f^2 \operatorname{arccoth}(dx+c)c^3}{3} + f \operatorname{arccoth}(dx+c)c^2de + f^2 \operatorname{arccoth}(dx+c)c^2(dx+c) - \operatorname{arccoth}(dx+c)c d^2e^2 - 2f \operatorname{arccoth}(dx+c)c d^2e \right)}{3d^2f}$
risch	$\frac{f \ln(dx+c-1)bc^2e}{2d^2} - \frac{f \ln(-dx-c-1)bc^2e}{2d^2} - \frac{f \ln(dx+c-1)bce}{d^2} - \frac{f \ln(-dx-c-1)bce}{d^2} + \frac{f^2 \ln(-dx-c-1)bc}{2d^3} - \frac{f^2 \ln(dx+c-1)bc}{2d^3}$

```
input int((f*x+e)^2*(a+b*arccoth(d*x+c)), x, method=_RETURNVERBOSE)
```

output

```
1/6*(7*b*c^2*f^2+6*a*e*f*d+b*f^2-12*b*c*d*e*f+6*x^2*arccoth(d*x+c)*b*d^3*
e*f-12*arccoth(d*x+c)*b*c*d*e*f-12*ln(d*x+c-1)*b*c*d*e*f-6*arccoth(d*x+c)*b
*c^2*d*e*f-6*a*c^2*e*f*d+6*arccoth(d*x+c)*b*c*d^2*e^2-6*arccoth(d*x+c)*b*d
*e*f+6*x*arccoth(d*x+c)*b*d^3*e^2+6*x^2*a*d^3*e*f-4*x*b*c*d*f^2+6*x*b*d^2*
e*f+2*x^3*arccoth(d*x+c)*b*d^3*f^2-12*a*c*e^2*d^2+x^2*b*d^2*f^2+6*ln(d*x+c
-1)*b*c^2*f^2+6*ln(d*x+c-1)*b*d^2*e^2+6*x*a*d^3*e^2+2*x^3*a*d^3*f^2+2*arcc
oth(d*x+c)*b*c^3*f^2+6*arccoth(d*x+c)*b*c^2*f^2+6*arccoth(d*x+c)*b*d^2*e^2
+6*arccoth(d*x+c)*b*c*f^2+2*arccoth(d*x+c)*b*f^2+2*ln(d*x+c-1)*b*f^2)/d^3
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 241 vs. $2(112) = 224$.

Time = 0.12 (sec) , antiderivative size = 241, normalized size of antiderivative = 2.01

$$\int (e + fx)^2 (a + b \coth^{-1}(c + dx)) dx$$

$$= \frac{2ad^3f^2x^3 + (6ad^3ef + bd^2f^2)x^2 + 2(3ad^3e^2 + 3bd^2ef - 2bcd^2f^2)x + (3(bc + b)d^2e^2 - 3(bc^2 + 2bc + b)d^2e^2)}{d^3}$$

input

```
integrate((f*x+e)^2*(a+b*arccoth(d*x+c)),x, algorithm="fricas")
```

output

```
1/6*(2*a*d^3*f^2*x^3 + (6*a*d^3*e*f + b*d^2*f^2)*x^2 + 2*(3*a*d^3*e^2 + 3*
b*d^2*e*f - 2*b*c*d*f^2)*x + (3*(b*c + b)*d^2*e^2 - 3*(b*c^2 + 2*b*c + b)*
d*e*f + (b*c^3 + 3*b*c^2 + 3*b*c + b)*f^2)*log(d*x + c + 1) - (3*(b*c - b)
*d^2*e^2 - 3*(b*c^2 - 2*b*c + b)*d*e*f + (b*c^3 - 3*b*c^2 + 3*b*c - b)*f^2
)*log(d*x + c - 1) + (b*d^3*f^2*x^3 + 3*b*d^3*e*f*x^2 + 3*b*d^3*e^2*x)*log
((d*x + c + 1)/(d*x + c - 1))/d^3
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 369 vs. $2(105) = 210$.

Time = 1.34 (sec) , antiderivative size = 369, normalized size of antiderivative = 3.08

$$\int (e + fx)^2 (a + b \coth^{-1}(c + dx)) dx$$

$$= \begin{cases} ae^2x + aefx^2 + \frac{af^2x^3}{3} + \frac{bc^3f^2 \operatorname{arccoth}(c+dx)}{3d^3} - \frac{bc^2ef \operatorname{arccoth}(c+dx)}{d^2} + \frac{bc^2f^2 \log\left(\frac{c}{d} + x + \frac{1}{d}\right)}{d^3} - \frac{bc^2f^2 \operatorname{arccoth}(c+dx)}{d^3} + \frac{bce^2 \operatorname{arccoth}(c+dx)}{d} \\ (a + b \operatorname{arccoth}(c)) \left(e^2x + efx^2 + \frac{f^2x^3}{3} \right) \end{cases}$$

input `integrate((f*x+e)**2*(a+b*acoth(d*x+c)),x)`

output `Piecewise((a*e**2*x + a*e*f*x**2 + a*f**2*x**3/3 + b*c**3*f**2*acoth(c + d*x)/(3*d**3) - b*c**2*e*f*acoth(c + d*x)/d**2 + b*c**2*f**2*log(c/d + x + 1/d)/d**3 - b*c**2*f**2*acoth(c + d*x)/d**3 + b*c*e**2*acoth(c + d*x)/d - 2*b*c*e*f*log(c/d + x + 1/d)/d**2 + 2*b*c*e*f*acoth(c + d*x)/d**2 - 2*b*c*f**2*x/(3*d**2) + b*c*f**2*acoth(c + d*x)/d**3 + b*e**2*x*acoth(c + d*x) + b*e*f*x**2*acoth(c + d*x) + b*f**2*x**3*acoth(c + d*x)/3 + b*e**2*log(c/d + x + 1/d)/d - b*e**2*acoth(c + d*x)/d + b*e*f*x/d + b*f**2*x**2/(6*d) - b*e*f*acoth(c + d*x)/d**2 + b*f**2*log(c/d + x + 1/d)/(3*d**3) - b*f**2*acoth(c + d*x)/(3*d**3), Ne(d, 0)), ((a + b*acoth(c))*(e**2*x + e*f*x**2 + f**2*x**3/3), True))`

Maxima [A] (verification not implemented)

Time = 0.03 (sec) , antiderivative size = 207, normalized size of antiderivative = 1.72

$$\int (e + fx)^2 (a + b \coth^{-1}(c + dx)) dx = \frac{1}{3} af^2x^3 + aefx^2$$

$$+ \frac{1}{2} \left(2x^2 \operatorname{arccoth}(dx + c) + d \left(\frac{2x}{d^2} - \frac{(c^2 + 2c + 1) \log(dx + c + 1)}{d^3} + \frac{(c^2 - 2c + 1) \log(dx + c - 1)}{d^3} \right) \right)$$

$$+ \frac{1}{6} \left(2x^3 \operatorname{arccoth}(dx + c) + d \left(\frac{dx^2 - 4cx}{d^3} + \frac{(c^3 + 3c^2 + 3c + 1) \log(dx + c + 1)}{d^4} - \frac{(c^3 - 3c^2 + 3c - 1) \log(dx + c - 1)}{d^4} \right) \right)$$

$$+ ae^2x + \frac{(2(dx + c) \operatorname{arccoth}(dx + c) + \log(-(dx + c)^2 + 1)) be^2}{2d}$$

input `integrate((f*x+e)^2*(a+b*arccoth(d*x+c)),x, algorithm="maxima")`

output

```
1/3*a*f^2*x^3 + a*e*f*x^2 + 1/2*(2*x^2*arccoth(d*x + c) + d*(2*x/d^2 - (c^
2 + 2*c + 1)*log(d*x + c + 1)/d^3 + (c^2 - 2*c + 1)*log(d*x + c - 1)/d^3))
*b*e*f + 1/6*(2*x^3*arccoth(d*x + c) + d*((d*x^2 - 4*c*x)/d^3 + (c^3 + 3*c
^2 + 3*c + 1)*log(d*x + c + 1)/d^4 - (c^3 - 3*c^2 + 3*c - 1)*log(d*x + c -
1)/d^4))*b*f^2 + a*e^2*x + 1/2*(2*(d*x + c)*arccoth(d*x + c) + log(-(d*x
+ c)^2 + 1))*b*e^2/d
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 973 vs. $2(112) = 224$.

Time = 0.16 (sec) , antiderivative size = 973, normalized size of antiderivative = 8.11

$$\int (e + fx)^2 (a + b \coth^{-1}(c + dx)) dx = \text{Too large to display}$$

input

```
integrate((f*x+e)^2*(a+b*arccoth(d*x+c)),x, algorithm="giac")
```

output

```
1/6*((c + 1)*d - (c - 1)*d)*((3*(d*x + c + 1)^2*b*d^2*e^2/(d*x + c - 1)^2
- 6*(d*x + c + 1)*b*d^2*e^2/(d*x + c - 1) + 3*b*d^2*e^2 - 6*(d*x + c + 1)^
2*b*c*d*e*f/(d*x + c - 1)^2 + 12*(d*x + c + 1)*b*c*d*e*f/(d*x + c - 1) - 6
*b*c*d*e*f + 3*(d*x + c + 1)^2*b*c^2*f^2/(d*x + c - 1)^2 - 6*(d*x + c + 1)
*b*c^2*f^2/(d*x + c - 1) + 3*b*c^2*f^2 + 6*(d*x + c + 1)^2*b*d*e*f/(d*x +
c - 1)^2 - 6*(d*x + c + 1)*b*d*e*f/(d*x + c - 1) - 6*(d*x + c + 1)^2*b*c*f
^2/(d*x + c - 1)^2 + 6*(d*x + c + 1)*b*c*f^2/(d*x + c - 1) + 3*(d*x + c +
1)^2*b*f^2/(d*x + c - 1)^2 + b*f^2)*log((d*x + c + 1)/(d*x + c - 1))/((d*x
+ c + 1)^3*d^4/(d*x + c - 1)^3 - 3*(d*x + c + 1)^2*d^4/(d*x + c - 1)^2 +
3*(d*x + c + 1)*d^4/(d*x + c - 1) - d^4) + 2*(3*(d*x + c + 1)^2*a*d^2*e^2/
(d*x + c - 1)^2 - 6*(d*x + c + 1)*a*d^2*e^2/(d*x + c - 1) + 3*a*d^2*e^2 -
6*(d*x + c + 1)^2*a*c*d*e*f/(d*x + c - 1)^2 + 12*(d*x + c + 1)*a*c*d*e*f/(
d*x + c - 1) - 6*a*c*d*e*f + 3*(d*x + c + 1)^2*a*c^2*f^2/(d*x + c - 1)^2 -
6*(d*x + c + 1)*a*c^2*f^2/(d*x + c - 1) + 3*a*c^2*f^2 + 6*(d*x + c + 1)^2
*a*d*e*f/(d*x + c - 1)^2 - 6*(d*x + c + 1)*a*d*e*f/(d*x + c - 1) + 3*(d*x
+ c + 1)^2*b*d*e*f/(d*x + c - 1)^2 - 6*(d*x + c + 1)*b*d*e*f/(d*x + c - 1)
+ 3*b*d*e*f - 6*(d*x + c + 1)^2*a*c*f^2/(d*x + c - 1)^2 + 6*(d*x + c + 1)
*a*c*f^2/(d*x + c - 1) - 3*(d*x + c + 1)^2*b*c*f^2/(d*x + c - 1)^2 + 6*(d*
x + c + 1)*b*c*f^2/(d*x + c - 1) - 3*b*c*f^2 + 3*(d*x + c + 1)^2*a*f^2/(d*
x + c - 1)^2 + a*f^2 + (d*x + c + 1)^2*b*f^2/(d*x + c - 1)^2 - (d*x + c...
```

Mupad [B] (verification not implemented)

Time = 4.29 (sec) , antiderivative size = 386, normalized size of antiderivative = 3.22

$$\begin{aligned}
\int (e + fx)^2 (a + b \coth^{-1}(c + dx)) dx = & x^2 \left(\frac{f(bf + 6acf + 6ade)}{6d} - \frac{acf^2}{d} \right) \\
& - \ln \left(1 - \frac{1}{c + dx} \right) \left(\frac{be^2x}{2} + \frac{befx^2}{2} + \frac{bf^2x^3}{6} \right) - x \left(\frac{2c \left(\frac{f(bf + 6acf + 6ade)}{3d} - \frac{2acf^2}{d} \right)}{d} \right. \\
& \left. - \frac{3ac^2f^2 + 12acdef + 3ad^2e^2 + 3bdef - 3af^2}{3d^2} + \frac{af^2(3c^2 - 3)}{3d^2} \right) \\
& + \ln \left(\frac{1}{c + dx} + 1 \right) \left(\frac{be^2x}{2} + \frac{befx^2}{2} + \frac{bf^2x^3}{6} \right) + \frac{af^2x^3}{3} \\
& + \frac{\ln(c + dx - 1) \left(\frac{bf^2}{6} + d \left(\frac{befc^2}{2} - bef c + \frac{bef}{2} \right) + d^2 \left(\frac{be^2}{2} - \frac{bce^2}{2} \right) + \frac{bc^2f^2}{2} - \frac{bc^3f^2}{6} - \frac{bcf^2}{2} \right)}{d^3} \\
& + \frac{\ln(c + dx + 1) \left(\frac{bf^2}{6} - d \left(\frac{befc^2}{2} + bef c + \frac{bef}{2} \right) + d^2 \left(\frac{be^2}{2} + \frac{bce^2}{2} \right) + \frac{bc^2f^2}{2} + \frac{bc^3f^2}{6} + \frac{bcf^2}{2} \right)}{d^3}
\end{aligned}$$

input `int((e + f*x)^2*(a + b*acoth(c + d*x)),x)`

output

```

x^2*((f*(b*f + 6*a*c*f + 6*a*d*e))/(6*d) - (a*c*f^2)/d) - log(1 - 1/(c + d
*x))*((b*f^2*x^3)/6 + (b*e^2*x)/2 + (b*e*f*x^2)/2) - x*((2*c*(f*(b*f + 6*
a*c*f + 6*a*d*e))/(3*d) - (2*a*c*f^2)/d))/d - (3*a*c^2*f^2 - 3*a*f^2 + 3*a
*d^2*e^2 + 3*b*d*e*f + 12*a*c*d*e*f)/(3*d^2) + (a*f^2*(3*c^2 - 3))/(3*d^2)
) + log(1/(c + d*x) + 1)*((b*f^2*x^3)/6 + (b*e^2*x)/2 + (b*e*f*x^2)/2) + (
a*f^2*x^3)/3 + (log(c + d*x - 1)*((b*f^2)/6 + d*((b*e*f)/2 + (b*c^2*e*f)/2
- b*c*e*f) + d^2*((b*e^2)/2 - (b*c*e^2)/2) + (b*c^2*f^2)/2 - (b*c^3*f^2)/
6 - (b*c*f^2)/2))/d^3 + (log(c + d*x + 1)*((b*f^2)/6 - d*((b*e*f)/2 + (b*c
^2*e*f)/2 + b*c*e*f) + d^2*((b*e^2)/2 + (b*c*e^2)/2) + (b*c^2*f^2)/2 + (b*
c^3*f^2)/6 + (b*c*f^2)/2))/d^3

```

Reduce [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 305, normalized size of antiderivative = 2.54

$$\int (e + fx)^2 (a + b \operatorname{coth}^{-1}(c + dx)) dx$$

$$= \frac{2a \operatorname{coth}(dx + c) b c^3 f^2 - 6a \operatorname{coth}(dx + c) b c^2 d e f + 6a \operatorname{coth}(dx + c) b c^2 f^2 + 6a \operatorname{coth}(dx + c) b c d^2 e^2 - 12a c d^2 e^2}{6d^3}$$

input `int((f*x+e)^2*(a+b*acoth(d*x+c)),x)`output

```
(2*acoth(c + d*x)*b*c**3*f**2 - 6*acoth(c + d*x)*b*c**2*d*e*f + 6*acoth(c + d*x)*b*c**2*f**2 + 6*acoth(c + d*x)*b*c*d**2*e**2 - 12*acoth(c + d*x)*b*c*d*e*f + 6*acoth(c + d*x)*b*c*f**2 + 6*acoth(c + d*x)*b*d**3*e**2*x + 6*acoth(c + d*x)*b*d**3*e*f*x**2 + 2*acoth(c + d*x)*b*d**3*f**2*x**3 + 6*acoth(c + d*x)*b*d**2*e**2 - 6*acoth(c + d*x)*b*d*e*f + 2*acoth(c + d*x)*b*f**2 - 6*log(c + d*x - 1)*b*c**2*f**2 + 12*log(c + d*x - 1)*b*c*d*e*f - 6*log(c + d*x - 1)*b*d**2*e**2 - 2*log(c + d*x - 1)*b*f**2 + 6*a*d**3*e**2*x + 6*a*d**3*e*f*x**2 + 2*a*d**3*f**2*x**3 + 4*b*c*d*f**2*x - 6*b*d**2*e*f*x - b*d**2*f**2*x**2)/(6*d**3)
```

3.23 $\int (e + fx) (a + b \operatorname{coth}^{-1}(c + dx)) dx$

Optimal result	203
Mathematica [A] (verified)	203
Rubi [A] (verified)	204
Maple [A] (verified)	206
Fricas [A] (verification not implemented)	206
Sympy [B] (verification not implemented)	207
Maxima [A] (verification not implemented)	207
Giac [B] (verification not implemented)	208
Mupad [B] (verification not implemented)	208
Reduce [B] (verification not implemented)	209

Optimal result

Integrand size = 16, antiderivative size = 97

$$\int (e + fx) (a + b \operatorname{coth}^{-1}(c + dx)) dx = \frac{bfx}{2d} + \frac{(e + fx)^2 (a + b \operatorname{coth}^{-1}(c + dx))}{2f} + \frac{b(de + f - cf)^2 \log(1 - c - dx)}{4d^2 f} - \frac{b(de - (1 + c)f)^2 \log(1 + c + dx)}{4d^2 f}$$

output

$$\frac{1}{2}bf*x/d + \frac{1}{2}(f*x+e)^2*(a+b*\operatorname{arccoth}(d*x+c))/f + \frac{1}{4}b*(-c*f+d*e+f)^2*\ln(-d*x-c+1)/d^2/f - \frac{1}{4}b*(d*e-(1+c)*f)^2*\ln(d*x+c+1)/d^2/f$$

Mathematica [A] (verified)

Time = 0.04 (sec) , antiderivative size = 138, normalized size of antiderivative = 1.42

$$\begin{aligned} & \int (e + fx) (a + b \operatorname{coth}^{-1}(c + dx)) dx \\ &= aex + \frac{bfx}{2d} + \frac{1}{2}afx^2 + bex \operatorname{coth}^{-1}(c + dx) + \frac{1}{2}bfx^2 \operatorname{coth}^{-1}(c + dx) \\ &+ \frac{b(1 - 2c + c^2) f \log(1 - c - dx)}{4d^2} + \frac{b(-1 - 2c - c^2) f \log(1 + c + dx)}{4d^2} \\ &+ \frac{be(-((-1 + c) \log(1 - c - dx)) + (1 + c) \log(1 + c + dx))}{2d} \end{aligned}$$

input `Integrate[(e + f*x)*(a + b*ArcCoth[c + d*x]),x]`

output `a*e*x + (b*f*x)/(2*d) + (a*f*x^2)/2 + b*e*x*ArcCoth[c + d*x] + (b*f*x^2*ArcCoth[c + d*x])/2 + (b*(1 - 2*c + c^2)*f*Log[1 - c - d*x])/(4*d^2) + (b*(-1 - 2*c - c^2)*f*Log[1 + c + d*x])/(4*d^2) + (b*e*(-((-1 + c)*Log[1 - c - d*x]) + (1 + c)*Log[1 + c + d*x]))/(2*d)`

Rubi [A] (verified)

Time = 0.36 (sec) , antiderivative size = 106, normalized size of antiderivative = 1.09, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {6662, 27, 6479, 477, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (e + fx) (a + b \coth^{-1}(c + dx)) dx \\
 & \quad \downarrow \text{6662} \\
 & \int \frac{\left(d\left(e - \frac{cf}{d}\right) + f(c + dx)\right) (a + b \coth^{-1}(c + dx))}{d} d(c + dx) \\
 & \quad \downarrow \text{27} \\
 & \frac{\int (de - cf + f(c + dx)) (a + b \coth^{-1}(c + dx)) d(c + dx)}{d^2} \\
 & \quad \downarrow \text{6479} \\
 & \frac{\frac{(f(c + dx) - cf + de)^2 (a + b \coth^{-1}(c + dx))}{2f} - \frac{b \int \frac{(de - cf + f(c + dx))^2}{1 - (c + dx)^2} d(c + dx)}{2f}}{d^2} \\
 & \quad \downarrow \text{477} \\
 & \frac{\frac{(f(c + dx) - cf + de)^2 (a + b \coth^{-1}(c + dx))}{2f} - \frac{b \int \left(-f^2 + \frac{(de - cf + f)^2}{2(-c - dx + 1)} + \frac{(de - (c + 1)f)^2}{2(c + dx + 1)}\right) d(c + dx)}{2f}}{d^2} \\
 & \quad \downarrow \text{2009}
 \end{aligned}$$

$$\frac{\frac{(f(c+dx)-cf+de)^2(a+b\coth^{-1}(c+dx))}{2f} - \frac{b(-\frac{1}{2}(-cf+de+f)^2\log(-c-dx+1)+\frac{1}{2}(de-(c+1)f)^2\log(c+dx+1)-(f^2(c+dx)))}{2f}}{d^2}$$

input `Int[(e + f*x)*(a + b*ArcCoth[c + d*x]),x]`

output `((((d*e - c*f + f*(c + d*x))^2*(a + b*ArcCoth[c + d*x]))/(2*f) - (b*(-(f^2*(c + d*x)) - ((d*e + f - c*f)^2*Log[1 - c - d*x])/2 + ((d*e - (1 + c)*f)^2*Log[1 + c + d*x])/2))/(2*f))/d^2`

Defintions of rubi rules used

rule 27 `Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_) /; FreeQ[b, x]]`

rule 477 `Int[((c_) + (d_)*(x_))^(n_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Simp[a^p Int[ExpandIntegrand[(c + d*x)^n*(1 - Rt[-b/a, 2]*x)^p*(1 + Rt[-b/a, 2]*x)^p, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[p, 0] && IntegerQ[n] && NiceSqrtQ[-b/a] && !FractionalPowerFactorQ[Rt[-b/a, 2]]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 6479 `Int[((a_) + ArcCoth[(c_)*(x_)])*(b_))*((d_) + (e_)*(x_))^(q_), x_Symbol] := Simp[(d + e*x)^(q + 1)*((a + b*ArcCoth[c*x])/(e*(q + 1))), x] - Simp[b*(c/(e*(q + 1))) Int[(d + e*x)^(q + 1)/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[q, -1]`

rule 6662 `Int[((a_) + ArcCoth[(c_) + (d_)*(x_)])*(b_))^(p_)*((e_) + (f_)*(x_))^(m_), x_Symbol] := Simp[1/d Subst[Int[((d*e - c*f)/d + f*(x/d))^m*(a + b*ArcCoth[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[p, 0]`

Maple [A] (verified)

Time = 0.25 (sec) , antiderivative size = 121, normalized size of antiderivative = 1.25

method	result
parts	$a\left(\frac{1}{2}fx^2 + ex\right) + \frac{b\left(\frac{\operatorname{arccoth}(dx+c)(dx+c)^2f}{2d} - \frac{\operatorname{arccoth}(dx+c)cf(dx+c)}{d} + \operatorname{arccoth}(dx+c)e(dx+c) + \frac{f(dx+c) + (-2cf+2e)}{d}\right)}{d}$
derivativedivides	$\frac{a\left(\frac{fc(dx+c) - ed(dx+c) - \frac{f(dx+c)^2}{2}}{d}\right) - b\left(\frac{\operatorname{arccoth}(dx+c)fc(dx+c) - \operatorname{arccoth}(dx+c)ed(dx+c) - \frac{\operatorname{arccoth}(dx+c)f(dx+c)^2}{2} - \frac{f(dx+c)}{2}}{d}\right)}{d}$
default	$\frac{a\left(\frac{fc(dx+c) - ed(dx+c) - \frac{f(dx+c)^2}{2}}{d}\right) - b\left(\frac{\operatorname{arccoth}(dx+c)fc(dx+c) - \operatorname{arccoth}(dx+c)ed(dx+c) - \frac{\operatorname{arccoth}(dx+c)f(dx+c)^2}{2} - \frac{f(dx+c)}{2}}{d}\right)}{d}$
parallelrisc	$- \operatorname{arccoth}(dx+c)b d^2 f x^2 - a d^2 f x^2 - 2x \operatorname{arccoth}(dx+c)b d^2 e - 2a d^2 e x + \operatorname{arccoth}(dx+c)b c^2 f - 2 \operatorname{arccoth}(dx+c)b c d e$
risc	$\frac{bx(fx+2e)\ln(dx+c+1)}{4} - \frac{bf x^2 \ln(dx+c-1)}{4} - \frac{bex \ln(dx+c-1)}{2} + \frac{af x^2}{2} + \frac{\ln(-dx-c+1)b c^2 f}{4d^2} - \frac{\ln(-dx-c+1)}{2d}$

input `int((f*x+e)*(a+b*arccoth(d*x+c)),x,method=_RETURNVERBOSE)`

output `a*(1/2*f*x^2+e*x)+b/d*(1/2/d*arccoth(d*x+c)*(d*x+c)^2*f-1/d*arccoth(d*x+c)*c*f*(d*x+c)+arccoth(d*x+c)*e*(d*x+c)+1/2/d*(f*(d*x+c)+1/2*(-2*c*f+2*d*e+f))*ln(d*x+c-1)-1/2*(2*c*f-2*d*e+f)*ln(d*x+c+1))`

Fricas [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 133, normalized size of antiderivative = 1.37

$$\int (e + fx) (a + b \operatorname{coth}^{-1}(c + dx)) dx$$

$$= \frac{2ad^2fx^2 + 2(2ad^2e + bdf)x + (2(bc + b)de - (bc^2 + 2bc + b)f)\log(dx + c + 1) - (2(bc - b)de - (bc^2 - 2bc + b)f)\log(dx + c - 1) + (b d^2 f x^2 + 2 b d^2 e x) \log\left(\frac{dx + c + 1}{dx + c - 1}\right)}{4d^2}$$

input `integrate((f*x+e)*(a+b*arccoth(d*x+c)),x, algorithm="fricas")`

output `1/4*(2*a*d^2*f*x^2 + 2*(2*a*d^2*e + b*d*f)*x + (2*(b*c + b)*d*e - (b*c^2 + 2*b*c + b)*f)*log(d*x + c + 1) - (2*(b*c - b)*d*e - (b*c^2 - 2*b*c + b)*f)*log(d*x + c - 1) + (b*d^2*f*x^2 + 2*b*d^2*e*x)*log((d*x + c + 1)/(d*x + c - 1))/d^2`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 173 vs. $2(82) = 164$.

Time = 0.87 (sec) , antiderivative size = 173, normalized size of antiderivative = 1.78

$$\int (e + fx) (a + b \coth^{-1}(c + dx)) dx$$

$$= \begin{cases} aex + \frac{afx^2}{2} - \frac{bc^2 f \operatorname{acoth}(c+dx)}{2d^2} + \frac{bce \operatorname{acoth}(c+dx)}{d} - \frac{bcf \log\left(\frac{c}{d} + x + \frac{1}{d}\right)}{d^2} + \frac{bcf \operatorname{acoth}(c+dx)}{d^2} + bex \operatorname{acoth}(c + dx) + \frac{bfa}{d} \\ (a + b \operatorname{acoth}(c)) \left(ex + \frac{fx^2}{2} \right) \end{cases}$$

input `integrate((f*x+e)*(a+b*acoth(d*x+c)),x)`

output `Piecewise((a*e*x + a*f*x**2/2 - b*c**2*f*acoth(c + d*x)/(2*d**2) + b*c*e*acoth(c + d*x)/d - b*c*f*log(c/d + x + 1/d)/d**2 + b*c*f*acoth(c + d*x)/d**2 + b*e*x*acoth(c + d*x) + b*f*x**2*acoth(c + d*x)/2 + b*e*log(c/d + x + 1/d)/d - b*e*acoth(c + d*x)/d + b*f*x/(2*d) - b*f*acoth(c + d*x)/(2*d**2), Ne(d, 0)), ((a + b*acoth(c))*(e*x + f*x**2/2), True))`

Maxima [A] (verification not implemented)

Time = 0.02 (sec) , antiderivative size = 109, normalized size of antiderivative = 1.12

$$\int (e + fx) (a + b \coth^{-1}(c + dx)) dx = \frac{1}{2} a f x^2$$

$$+ \frac{1}{4} \left(2 x^2 \operatorname{arccoth}(dx + c) + d \left(\frac{2x}{d^2} - \frac{(c^2 + 2c + 1) \log(dx + c + 1)}{d^3} + \frac{(c^2 - 2c + 1) \log(dx + c - 1)}{d^3} \right) \right)$$

$$+ aex + \frac{(2(dx + c) \operatorname{arccoth}(dx + c) + \log(-(dx + c)^2 + 1))be}{2d}$$

input `integrate((f*x+e)*(a+b*arccoth(d*x+c)),x, algorithm="maxima")`

output `1/2*a*f*x^2 + 1/4*(2*x^2*arccoth(d*x + c) + d*(2*x/d^2 - (c^2 + 2*c + 1)*log(d*x + c + 1)/d^3 + (c^2 - 2*c + 1)*log(d*x + c - 1)/d^3))*b*f + a*e*x + 1/2*(2*(d*x + c)*arccoth(d*x + c) + log(-(d*x + c)^2 + 1))*b*e/d`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 338 vs. $2(89) = 178$.

Time = 0.13 (sec) , antiderivative size = 338, normalized size of antiderivative = 3.48

$$\int (e + fx) (a + b \coth^{-1}(c + dx)) dx$$

$$= \frac{1}{2} ((c + 1)d - (c - 1)d) \left(\frac{\left(\frac{(dx+c+1)bde}{dx+c-1} - bde - \frac{(dx+c+1)bcf}{dx+c-1} + bcf + \frac{(dx+c+1)bf}{dx+c-1} \right) \log\left(\frac{dx+c+1}{dx+c-1}\right)}{\frac{(dx+c+1)^2 d^3}{(dx+c-1)^2} - \frac{2(dx+c+1)d^3}{dx+c-1} + d^3} + \frac{2(dx+c+1)ad}{dx+c-1} \right)$$

input `integrate((f*x+e)*(a+b*arccoth(d*x+c)),x, algorithm="giac")`

output

```
1/2*((c + 1)*d - (c - 1)*d)*(((d*x + c + 1)*b*d*e/(d*x + c - 1) - b*d*e -
(d*x + c + 1)*b*c*f/(d*x + c - 1) + b*c*f + (d*x + c + 1)*b*f/(d*x + c - 1
))*log((d*x + c + 1)/(d*x + c - 1))/((d*x + c + 1)^2*d^3/(d*x + c - 1)^2 -
2*(d*x + c + 1)*d^3/(d*x + c - 1) + d^3) + (2*(d*x + c + 1)*a*d*e/(d*x +
c - 1) - 2*a*d*e - 2*(d*x + c + 1)*a*c*f/(d*x + c - 1) + 2*a*c*f + 2*(d*x
+ c + 1)*a*f/(d*x + c - 1) + (d*x + c + 1)*b*f/(d*x + c - 1) - b*f)/((d*x
+ c + 1)^2*d^3/(d*x + c - 1)^2 - 2*(d*x + c + 1)*d^3/(d*x + c - 1) + d^3)
- (b*d*e - b*c*f)*log((d*x + c + 1)/(d*x + c - 1) - 1)/d^3 + (b*d*e - b*c*
f)*log((d*x + c + 1)/(d*x + c - 1))/d^3)
```

Mupad [B] (verification not implemented)

Time = 4.79 (sec) , antiderivative size = 136, normalized size of antiderivative = 1.40

$$\int (e + fx) (a + b \coth^{-1}(c + dx)) dx = aex + \frac{afx^2}{2} + \frac{be \ln(c^2 + 2cdx + d^2x^2 - 1)}{2d}$$

$$- \frac{bfa \coth(c + dx)}{2d^2} + \frac{bfx^2 \coth(c + dx)}{2}$$

$$+ \frac{bfx}{2d} + be x \coth(c + dx)$$

$$- \frac{bc^2 f \coth(c + dx)}{2d^2}$$

$$- \frac{bcf \ln(c^2 + 2cdx + d^2x^2 - 1)}{2d^2}$$

$$+ \frac{bce \coth(c + dx)}{d}$$

input `int((e + f*x)*(a + b*acoth(c + d*x)),x)`

output `a*e*x + (a*f*x^2)/2 + (b*e*log(c^2 + d^2*x^2 + 2*c*d*x - 1))/(2*d) - (b*f*acoth(c + d*x))/(2*d^2) + (b*f*x^2*acoth(c + d*x))/2 + (b*f*x)/(2*d) + b*e*x*acoth(c + d*x) - (b*c^2*f*acoth(c + d*x))/(2*d^2) - (b*c*f*log(c^2 + d^2*x^2 + 2*c*d*x - 1))/(2*d^2) + (b*c*e*acoth(c + d*x))/d`

Reduce [B] (verification not implemented)

Time = 0.15 (sec) , antiderivative size = 139, normalized size of antiderivative = 1.43

$$\int (e + fx) (a + b \coth^{-1}(c + dx)) dx$$

$$= \frac{-a \coth(dx + c) b c^2 f + 2 a \coth(dx + c) b c d e - 2 a \coth(dx + c) b c f + 2 a \coth(dx + c) b d^2 e x + a \coth(dx + c) b d^2 f x^2}{2 d^2}$$

input `int((f*x+e)*(a+b*acoth(d*x+c)),x)`

output `(- acoth(c + d*x)*b*c**2*f + 2*acoth(c + d*x)*b*c*d*e - 2*acoth(c + d*x)*b*c*f + 2*acoth(c + d*x)*b*d**2*e*x + acoth(c + d*x)*b*d**2*f*x**2 + 2*acoth(c + d*x)*b*d*e - acoth(c + d*x)*b*f + 2*log(c + d*x - 1)*b*c*f - 2*log(c + d*x - 1)*b*d*e + 2*a*d**2*e*x + a*d**2*f*x**2 - b*d*f*x)/(2*d**2)`

3.24 $\int (a + b \coth^{-1}(c + dx)) dx$

Optimal result	210
Mathematica [A] (verified)	210
Rubi [A] (verified)	211
Maple [A] (verified)	212
Fricas [A] (verification not implemented)	212
Sympy [A] (verification not implemented)	213
Maxima [A] (verification not implemented)	213
Giac [B] (verification not implemented)	213
Mupad [B] (verification not implemented)	214
Reduce [B] (verification not implemented)	215

Optimal result

Integrand size = 10, antiderivative size = 40

$$\int (a + b \coth^{-1}(c + dx)) dx = ax + \frac{b(c + dx) \coth^{-1}(c + dx)}{d} + \frac{b \log(1 - (c + dx)^2)}{2d}$$

output

```
a*x+b*(d*x+c)*arccoth(d*x+c)/d+1/2*b*ln(1-(d*x+c)^2)/d
```

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.20

$$\int (a + b \coth^{-1}(c + dx)) dx$$

$$= ax + bx \coth^{-1}(c + dx) + \frac{b(-((-1 + c) \log(1 - c - dx)) + (1 + c) \log(1 + c + dx))}{2d}$$

input

```
Integrate[a + b*ArcCoth[c + d*x],x]
```

output

```
a*x + b*x*ArcCoth[c + d*x] + (b*(-((-1 + c)*Log[1 - c - d*x]) + (1 + c)*Log[1 + c + d*x]))/(2*d)
```

Rubi [A] (verified)

Time = 0.19 (sec) , antiderivative size = 40, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (a + b \coth^{-1}(c + dx)) dx$$

$$\downarrow \text{2009}$$

$$ax + \frac{b \log(1 - (c + dx)^2)}{2d} + \frac{b(c + dx) \coth^{-1}(c + dx)}{d}$$

input `Int[a + b*ArcCoth[c + d*x],x]`

output `a*x + (b*(c + d*x)*ArcCoth[c + d*x])/d + (b*Log[1 - (c + d*x)^2]/(2*d)`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]`

Maple [A] (verified)

Time = 0.15 (sec) , antiderivative size = 35, normalized size of antiderivative = 0.88

method	result
default	$xa + \frac{b \left((dx+c) \operatorname{arccoth}(dx+c) + \frac{\ln((dx+c)^2-1)}{2} \right)}{d}$
parts	$xa + \frac{b \left((dx+c) \operatorname{arccoth}(dx+c) + \frac{\ln((dx+c)^2-1)}{2} \right)}{d}$
derivativedivides	$\frac{(dx+c)a+b \left((dx+c) \operatorname{arccoth}(dx+c) + \frac{\ln((dx+c)^2-1)}{2} \right)}{d}$
parallelrisc	$-\frac{b(-\operatorname{arccoth}(dx+c)x d^2 - \operatorname{arccoth}(dx+c)cd - \ln(dx+c-1)d - \operatorname{arccoth}(dx+c)d)}{d^2} + xa$
risc	$xa + \frac{bx \ln(dx+c+1)}{2} - \frac{bx \ln(dx+c-1)}{2} - \frac{b \ln(dx+c-1)c}{2d} + \frac{b \ln(-dx-c-1)c}{2d} + \frac{b \ln(dx+c-1)}{2d} + \frac{b \ln(-dx-c-1)}{2d}$

input `int(a+b*arccoth(d*x+c),x,method=_RETURNVERBOSE)`output `x*a+b/d*((d*x+c)*arccoth(d*x+c)+1/2*ln((d*x+c)^2-1))`**Fricas [A] (verification not implemented)**

Time = 0.09 (sec) , antiderivative size = 60, normalized size of antiderivative = 1.50

$$\int (a + b \coth^{-1}(c + dx)) dx$$

$$= \frac{bdx \log\left(\frac{dx+c+1}{dx+c-1}\right) + 2adx + (bc+b) \log(dx+c+1) - (bc-b) \log(dx+c-1)}{2d}$$

input `integrate(a+b*arccoth(d*x+c),x, algorithm="fricas")`output `1/2*(b*d*x*log((d*x + c + 1)/(d*x + c - 1)) + 2*a*d*x + (b*c + b)*log(d*x + c + 1) - (b*c - b)*log(d*x + c - 1))/d`

Sympy [A] (verification not implemented)

Time = 0.26 (sec) , antiderivative size = 46, normalized size of antiderivative = 1.15

$$\int (a + b \coth^{-1}(c + dx)) dx$$

$$= ax + b \left(\begin{cases} \frac{c \operatorname{acoth}(c+dx)}{d} + x \operatorname{acoth}(c + dx) + \frac{\log(c+dx+1)}{d} - \frac{\operatorname{acoth}(c+dx)}{d} & \text{for } d \neq 0 \\ x \operatorname{acoth}(c) & \text{otherwise} \end{cases} \right)$$

input `integrate(a+b*acoth(d*x+c),x)`

output `a*x + b*Piecewise((c*acoth(c + d*x)/d + x*acoth(c + d*x) + log(c + d*x + 1)/d - acoth(c + d*x)/d, Ne(d, 0)), (x*acoth(c), True))`

Maxima [A] (verification not implemented)

Time = 0.02 (sec) , antiderivative size = 36, normalized size of antiderivative = 0.90

$$\int (a + b \coth^{-1}(c + dx)) dx = ax + \frac{(2(dx + c) \operatorname{arccoth}(dx + c) + \log(-(dx + c)^2 + 1))b}{2d}$$

input `integrate(a+b*arccoth(d*x+c),x, algorithm="maxima")`

output `a*x + 1/2*(2*(d*x + c)*arccoth(d*x + c) + log(-(d*x + c)^2 + 1))*b/d`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 202 vs. 2(38) = 76.

Time = 0.12 (sec) , antiderivative size = 202, normalized size of antiderivative = 5.05

$$\int (a + b \operatorname{coth}^{-1}(c + dx)) dx$$

$$= \frac{1}{2} ((c + 1)d - (c - 1)d)b \left(\frac{\log\left(\frac{|dx+c+1|}{|dx+c-1|}\right)}{d^2} - \frac{\log\left(\left|\frac{dx+c+1}{dx+c-1} - 1\right|\right)}{d^2} + \frac{\log\left(\frac{\frac{1}{\frac{\frac{(dx+c+1)(c-1)}{dx+c-1} - c - 1}{dx+c-1} - d} + 1}}{\frac{\frac{(dx+c+1)(c-1)}{dx+c-1} - c - 1}{dx+c-1} - d} - 1\right)}{d^2 \left(\frac{dx+c+1}{dx+c-1} - 1\right)} \right) + ax$$

input `integrate(a+b*arccoth(d*x+c),x, algorithm="giac")`

output `1/2*((c + 1)*d - (c - 1)*d)*b*(log(abs(d*x + c + 1)/abs(d*x + c - 1))/d^2 - log(abs((d*x + c + 1)/(d*x + c - 1) - 1))/d^2 + log(-(1/(c - ((d*x + c + 1)*(c - 1)/(d*x + c - 1) - c - 1)*d/((d*x + c + 1)*d/(d*x + c - 1) - d)) + 1)/(1/(c - ((d*x + c + 1)*(c - 1)/(d*x + c - 1) - c - 1)*d/((d*x + c + 1)*d/(d*x + c - 1) - d)) - 1))/(d^2*((d*x + c + 1)/(d*x + c - 1) - 1))) + a*x`

Mupad [B] (verification not implemented)

Time = 0.69 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.20

$$\int (a + b \operatorname{coth}^{-1}(c + dx)) dx = ax + \frac{\frac{b \ln(c^2 + 2cdx + d^2x^2 - 1)}{2} + bc \operatorname{acoth}(c + dx)}{d} + bx \operatorname{acoth}(c + dx)$$

input `int(a + b*acoth(c + d*x),x)`

output `a*x + ((b*log(c^2 + d^2*x^2 + 2*c*d*x - 1))/2 + b*c*acoth(c + d*x))/d + b*x*acoth(c + d*x)`

Reduce [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 46, normalized size of antiderivative = 1.15

$$\int (a + b \operatorname{coth}^{-1}(c + dx)) dx$$

$$= \frac{\operatorname{acoth}(dx + c)bc + \operatorname{acoth}(dx + c)bdx + \operatorname{acoth}(dx + c)b - \log(dx + c - 1)b + adx}{d}$$

input `int(a+b*acoth(d*x+c),x)`

output `(acoth(c + d*x)*b*c + acoth(c + d*x)*b*d*x + acoth(c + d*x)*b - log(c + d*x - 1)*b + a*d*x)/d`

3.25 $\int \frac{a+b \operatorname{coth}^{-1}(c+dx)}{e+fx} dx$

Optimal result	216
Mathematica [A] (verified)	217
Rubi [A] (verified)	217
Maple [A] (verified)	220
Fricas [F]	220
Sympy [F]	221
Maxima [F]	221
Giac [F]	221
Mupad [F(-1)]	222
Reduce [F]	222

Optimal result

Integrand size = 18, antiderivative size = 130

$$\int \frac{a + b \operatorname{coth}^{-1}(c + dx)}{e + fx} dx = -\frac{(a + b \operatorname{coth}^{-1}(c + dx)) \log\left(\frac{2}{1+c+dx}\right)}{f} + \frac{(a + b \operatorname{coth}^{-1}(c + dx)) \log\left(\frac{2d(e+fx)}{(de+f-cf)(1+c+dx)}\right)}{f} + \frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2}{1+c+dx}\right)}{2f} - \frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2d(e+fx)}{(de+f-cf)(1+c+dx)}\right)}{2f}$$

output

```
-(a+b*arccoth(d*x+c))*ln(2/(d*x+c+1))/f+(a+b*arccoth(d*x+c))*ln(2*d*(f*x+e)/(-c*f+d*e+f)/(d*x+c+1))/f+1/2*b*polylog(2,1-2/(d*x+c+1))/f-1/2*b*polylog(2,1-2*d*(f*x+e)/(-c*f+d*e+f)/(d*x+c+1))/f
```

Mathematica [A] (verified)

Time = 0.07 (sec) , antiderivative size = 206, normalized size of antiderivative = 1.58

$$\int \frac{a + b \coth^{-1}(c + dx)}{e + fx} dx = \frac{a \log(e + fx)}{f} + \frac{b \log\left(\frac{f(1-c-dx)}{de+f-cf}\right) \log(e + fx)}{2f}$$

$$- \frac{b \log\left(-\frac{1-c-dx}{c+dx}\right) \log(e + fx)}{2f}$$

$$- \frac{b \log\left(-\frac{f(1+c+dx)}{de-f-cf}\right) \log(e + fx)}{2f}$$

$$+ \frac{b \log\left(\frac{1+c+dx}{c+dx}\right) \log(e + fx)}{2f}$$

$$- \frac{b \operatorname{PolyLog}\left(2, \frac{d(e+fx)}{de-f-cf}\right)}{2f} + \frac{b \operatorname{PolyLog}\left(2, \frac{d(e+fx)}{de+f-cf}\right)}{2f}$$

input

```
Integrate[(a + b*ArcCoth[c + d*x])/(e + f*x), x]
```

output

```
(a*Log[e + f*x])/f + (b*Log[(f*(1 - c - d*x))/(d*e + f - c*f)]*Log[e + f*x])/
(2*f) - (b*Log[-((1 - c - d*x)/(c + d*x))]*Log[e + f*x])/(2*f) - (b*Log
[-((f*(1 + c + d*x))/(d*e - f - c*f))]*Log[e + f*x])/(2*f) + (b*Log[(1 + c
+ d*x)/(c + d*x)]*Log[e + f*x])/(2*f) - (b*PolyLog[2, (d*(e + f*x))/(d*e
- f - c*f)])/(2*f) + (b*PolyLog[2, (d*(e + f*x))/(d*e + f - c*f)])/(2*f)
```

Rubi [A] (verified)

Time = 0.58 (sec) , antiderivative size = 148, normalized size of antiderivative = 1.14, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {6662, 27, 6473, 2849, 2752, 2897}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{a + b \coth^{-1}(c + dx)}{e + fx} dx$$

↓ 6662

$$\begin{aligned}
& \frac{\int \frac{d(a+b \coth^{-1}(c+dx))}{d\left(e-\frac{cf}{d}\right)+f(c+dx)} d(c+dx)}{d} \\
& \quad \downarrow 27 \\
& \int \frac{a+b \coth^{-1}(c+dx)}{f(c+dx)-cf+de} d(c+dx) \\
& \quad \downarrow 6473 \\
& \frac{-b \int \frac{\log\left(\frac{2(de-cf+f(c+dx))}{(de-cf+f)(c+dx+1)}\right)}{1-(c+dx)^2} d(c+dx)}{f} + \frac{b \int \frac{\log\left(\frac{2}{c+dx+1}\right)}{1-(c+dx)^2} d(c+dx)}{f} + \\
& \frac{(a+b \coth^{-1}(c+dx)) \log\left(\frac{2(f(c+dx)-cf+de)}{(c+dx+1)(-cf+de+f)}\right)}{f} - \frac{\log\left(\frac{2}{c+dx+1}\right) (a+b \coth^{-1}(c+dx))}{f} \\
& \quad \downarrow 2849 \\
& \frac{-b \int \frac{\log\left(\frac{2(de-cf+f(c+dx))}{(de-cf+f)(c+dx+1)}\right)}{1-(c+dx)^2} d(c+dx)}{f} + \frac{b \int \frac{\log\left(\frac{2}{c+dx+1}\right)}{1-\frac{2}{c+dx+1}} d\frac{1}{c+dx+1}}{f} + \\
& \frac{(a+b \coth^{-1}(c+dx)) \log\left(\frac{2(f(c+dx)-cf+de)}{(c+dx+1)(-cf+de+f)}\right)}{f} - \frac{\log\left(\frac{2}{c+dx+1}\right) (a+b \coth^{-1}(c+dx))}{f} \\
& \quad \downarrow 2752 \\
& \frac{b \int \frac{\log\left(\frac{2(de-cf+f(c+dx))}{(de-cf+f)(c+dx+1)}\right)}{1-(c+dx)^2} d(c+dx)}{f} + \frac{(a+b \coth^{-1}(c+dx)) \log\left(\frac{2(f(c+dx)-cf+de)}{(c+dx+1)(-cf+de+f)}\right)}{f} - \\
& \frac{\log\left(\frac{2}{c+dx+1}\right) (a+b \coth^{-1}(c+dx))}{f} + \frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2}{c+dx+1}\right)}{2f} \\
& \quad \downarrow 2897 \\
& \frac{(a+b \coth^{-1}(c+dx)) \log\left(\frac{2(f(c+dx)-cf+de)}{(c+dx+1)(-cf+de+f)}\right)}{f} - \frac{\log\left(\frac{2}{c+dx+1}\right) (a+b \coth^{-1}(c+dx))}{f} - \\
& \frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2(de-cf+f(c+dx))}{(de-cf+f)(c+dx+1)}\right)}{2f} + \frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2}{c+dx+1}\right)}{2f}
\end{aligned}$$

input `Int[(a + b*ArcCoth[c + d*x])/(e + f*x), x]`

output

```

-(((a + b*ArcCoth[c + d*x])*Log[2/(1 + c + d*x)]/f) + ((a + b*ArcCoth[c +
d*x])*Log[(2*(d*e - c*f + f*(c + d*x))]/((d*e + f - c*f)*(1 + c + d*x)))]
/f + (b*PolyLog[2, 1 - 2/(1 + c + d*x)]/(2*f) - (b*PolyLog[2, 1 - (2*(d*e
- c*f + f*(c + d*x))]/((d*e + f - c*f)*(1 + c + d*x)))]/(2*f)

```

Defintions of rubi rules used

rule 27

```

Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]

```

rule 2752

```

Int[Log[(c_)*(x_)]/((d_) + (e_)*(x_)), x_Symbol] := Simp[(-e^(-1))*PolyLo
g[2, 1 - c*x], x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]

```

rule 2849

```

Int[Log[(c_)/((d_) + (e_)*(x_))]/((f_) + (g_)*(x_)^2), x_Symbol] := Simp
[-e/g Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[
{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]

```

rule 2897

```

Int[Log[u_]*(Pq_)^(m_), x_Symbol] := With[{C = FullSimplify[Pq^m*((1 - u)/
D[u, x])]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] &&
PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u,
x][[2]], Expon[Pq, x]]

```

rule 6473

```

Int[((a_) + ArcCoth[(c_)*(x_)]*(b_))/((d_) + (e_)*(x_)), x_Symbol] := S
imp[(-(a + b*ArcCoth[c*x]))*(Log[2/(1 + c*x)]/e), x] + (Simp[(a + b*ArcCoth
[c*x])*(Log[2*c*((d + e*x)/((c*d + e)*(1 + c*x)))]/e), x] + Simp[b*(c/e)
Int[Log[2/(1 + c*x)]/(1 - c^2*x^2), x], x] - Simp[b*(c/e) Int[Log[2*c*((d
+ e*x)/((c*d + e)*(1 + c*x)))]/(1 - c^2*x^2), x], x]) /; FreeQ[{a, b, c, d
, e}, x] && NeQ[c^2*d^2 - e^2, 0]

```

rule 6662

```

Int[((a_) + ArcCoth[(c_) + (d_)*(x_)]*(b_))^(p_)*((e_) + (f_)*(x_))^(
m_), x_Symbol] := Simp[1/d Subst[Int[((d*e - c*f)/d + f*(x/d))^m*(a + b*
ArcCoth[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IG
tQ[p, 0]

```

Maple [A] (verified)

Time = 1.31 (sec) , antiderivative size = 191, normalized size of antiderivative = 1.47

method	result
risch	$\frac{a \ln((dx+c-1)f-cf+de+f)}{f} - \frac{b \operatorname{dilog}\left(\frac{(dx+c-1)f-cf+de+f}{-cf+de+f}\right)}{2f} - \frac{b \ln(dx+c-1) \ln\left(\frac{(dx+c-1)f-cf+de+f}{-cf+de+f}\right)}{2f} + \frac{b \operatorname{dilog}\left(\frac{f(dx+c)-cf+de-f}{cf-de-f}\right)}{2f}$
parts	$\frac{a \ln(fx+e)}{f} + \frac{b \ln(f(dx+c)-cf+de) \operatorname{arccoth}(dx+c)}{f} + \frac{b \ln(f(dx+c)-cf+de) \ln\left(\frac{f(dx+c)-f}{cf-de-f}\right)}{2f} + \frac{b \operatorname{dilog}\left(\frac{f(dx+c)-cf+de-f}{cf-de-f}\right)}{2f}$
derivativedivides	$\frac{ad \ln(cf-de-f(dx+c))}{f} - bd \left(-\frac{\ln(cf-de-f(dx+c)) \operatorname{arccoth}(dx+c)}{f} + \frac{f \left(\operatorname{dilog}\left(\frac{-f(dx+c)+f}{-cf+de+f}\right) + \ln(cf-de-f(dx+c)) \ln\left(\frac{-f(dx+c)+f}{-cf+de+f}\right) \right)}{2} \right)$
default	$\frac{ad \ln(cf-de-f(dx+c))}{f} - bd \left(-\frac{\ln(cf-de-f(dx+c)) \operatorname{arccoth}(dx+c)}{f} + \frac{f \left(\operatorname{dilog}\left(\frac{-f(dx+c)+f}{-cf+de+f}\right) + \ln(cf-de-f(dx+c)) \ln\left(\frac{-f(dx+c)+f}{-cf+de+f}\right) \right)}{2} \right)$

```
input int((a+b*arccoth(d*x+c))/(f*x+e),x,method=_RETURNVERBOSE)
```

```
output a*ln((d*x+c-1)*f-c*f+d*e+f)/f-1/2*b*dilog(((d*x+c-1)*f-c*f+d*e+f)/(-c*f+d*e+f))/f-1/2*b*ln(d*x+c-1)*ln(((d*x+c-1)*f-c*f+d*e+f)/(-c*f+d*e+f))/f+1/2*b*dilog(((d*x+c+1)*f-c*f+d*e-f)/(-c*f+d*e-f))/f+1/2*b*ln(d*x+c+1)*ln(((d*x+c+1)*f-c*f+d*e-f)/(-c*f+d*e-f))/f
```

Fricas [F]

$$\int \frac{a + b \operatorname{coth}^{-1}(c + dx)}{e + fx} dx = \int \frac{b \operatorname{arccoth}(dx + c) + a}{fx + e} dx$$

```
input integrate((a+b*arccoth(d*x+c))/(f*x+e),x, algorithm="fricas")
```

```
output integral((b*arccoth(d*x + c) + a)/(f*x + e), x)
```

Sympy [F]

$$\int \frac{a + b \coth^{-1}(c + dx)}{e + fx} dx = \int \frac{a + b \operatorname{arccoth}(c + dx)}{e + fx} dx$$

input `integrate((a+b*acoth(d*x+c))/(f*x+e),x)`

output `Integral((a + b*acoth(c + d*x))/(e + f*x), x)`

Maxima [F]

$$\int \frac{a + b \coth^{-1}(c + dx)}{e + fx} dx = \int \frac{b \operatorname{arccoth}(dx + c) + a}{fx + e} dx$$

input `integrate((a+b*arccoth(d*x+c))/(f*x+e),x, algorithm="maxima")`

output `1/2*b*integrate((log(1/(d*x + c) + 1) - log(-1/(d*x + c) + 1))/(f*x + e), x) + a*log(f*x + e)/f`

Giac [F]

$$\int \frac{a + b \coth^{-1}(c + dx)}{e + fx} dx = \int \frac{b \operatorname{arccoth}(dx + c) + a}{fx + e} dx$$

input `integrate((a+b*arccoth(d*x+c))/(f*x+e),x, algorithm="giac")`

output `integrate((b*arccoth(d*x + c) + a)/(f*x + e), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{a + b \coth^{-1}(c + dx)}{e + fx} dx = \int \frac{a + b \operatorname{acoth}(c + dx)}{e + fx} dx$$

input `int((a + b*acoth(c + d*x))/(e + f*x),x)`output `int((a + b*acoth(c + d*x))/(e + f*x), x)`**Reduce [F]**

$$\int \frac{a + b \coth^{-1}(c + dx)}{e + fx} dx = \frac{\left(\int \frac{\operatorname{acoth}(dx+c)}{fx+e} dx\right) bf + \log(fx + e) a}{f}$$

input `int((a+b*acoth(d*x+c))/(f*x+e),x)`output `(int(acoth(c + d*x)/(e + f*x),x)*b*f + log(e + f*x)*a)/f`

3.26 $\int \frac{a+b \operatorname{coth}^{-1}(c+dx)}{(e+fx)^2} dx$

Optimal result	223
Mathematica [A] (verified)	223
Rubi [A] (verified)	224
Maple [A] (verified)	226
Fricas [B] (verification not implemented)	226
Sympy [B] (verification not implemented)	227
Maxima [A] (verification not implemented)	228
Giac [B] (verification not implemented)	228
Mupad [B] (verification not implemented)	229
Reduce [B] (verification not implemented)	230

Optimal result

Integrand size = 18, antiderivative size = 114

$$\int \frac{a + b \operatorname{coth}^{-1}(c + dx)}{(e + fx)^2} dx = -\frac{a + b \operatorname{coth}^{-1}(c + dx)}{f(e + fx)} - \frac{bd \log(1 - c - dx)}{2f(de + f - cf)} + \frac{bd \log(1 + c + dx)}{2f(de - (1 + c)f)} - \frac{bd \log(e + fx)}{(de + f - cf)(de - (1 + c)f)}$$

output

```
-(a+b*arccoth(d*x+c))/f/(f*x+e)-1/2*b*d*ln(-d*x-c+1)/f/(-c*f+d*e+f)+1/2*b*d*ln(d*x+c+1)/f/(d*e-(1+c)*f)-b*d*ln(f*x+e)/(-c*f+d*e+f)/(d*e-(1+c)*f)
```

Mathematica [A] (verified)

Time = 0.12 (sec) , antiderivative size = 125, normalized size of antiderivative = 1.10

$$\int \frac{a + b \operatorname{coth}^{-1}(c + dx)}{(e + fx)^2} dx = \frac{1}{2} \left(-\frac{2a}{f(e + fx)} - \frac{2b \operatorname{coth}^{-1}(c + dx)}{f(e + fx)} + \frac{bd \log(1 - c - dx)}{f(-de + (-1 + c)f)} - \frac{bd \log(1 + c + dx)}{f(-de + f + cf)} - \frac{2bd \log(e + fx)}{d^2e^2 - 2cdef + (-1 + c^2)f^2} \right)$$

input

```
Integrate[(a + b*ArcCoth[c + d*x])/(e + f*x)^2,x]
```


output

$$\begin{aligned} &((-2*a)/(f*(e + f*x)) - (2*b*ArcCoth[c + d*x])/(f*(e + f*x)) + (b*d*Log[1 \\ &- c - d*x])/(f*(-(d*e) + (-1 + c)*f)) - (b*d*Log[1 + c + d*x])/(f*(-(d*e) \\ &+ f + c*f)) - (2*b*d*Log[e + f*x])/(d^2*e^2 - 2*c*d*e*f + (-1 + c^2)*f^2)) \\ &/2 \end{aligned}$$

Rubi [A] (verified)

Time = 0.42 (sec) , antiderivative size = 121, normalized size of antiderivative = 1.06, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {6660, 2081, 1141, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} &\int \frac{a + b \coth^{-1}(c + dx)}{(e + fx)^2} dx \\ &\quad \downarrow \text{6660} \\ &\frac{bd \int \frac{1}{(e+fx)(1-(c+dx)^2)} dx}{f} - \frac{a + b \coth^{-1}(c + dx)}{f(e + fx)} \\ &\quad \downarrow \text{2081} \\ &\frac{bd \int \frac{1}{(e+fx)(-c^2-2dxc-d^2x^2+1)} dx}{f} - \frac{a + b \coth^{-1}(c + dx)}{f(e + fx)} \\ &\quad \downarrow \text{1141} \\ &\frac{bd^3 \int \left(\frac{f^2}{d^2(de-cf+f)(de-(c+1)f)(e+fx)} - \frac{1}{2d(de-cf+f)(-c-dx+1)} - \frac{1}{2d(de-cf-f)(c+dx+1)} \right) dx}{f} - \frac{a + b \coth^{-1}(c + dx)}{f(e + fx)} \\ &\quad \downarrow \text{2009} \\ &-\frac{a + b \coth^{-1}(c + dx)}{f(e + fx)} - \frac{bd^3 \left(\frac{\log(-c-dx+1)}{2d^2(-cf+de+f)} - \frac{\log(c+dx+1)}{2d^2(de-(c+1)f)} + \frac{f \log(e+fx)}{d^2(-cf+de+f)(de-(c+1)f)} \right)}{f} \end{aligned}$$

input

$$\text{Int}[(a + b*\text{ArcCoth}[c + d*x])/(e + f*x)^2, x]$$

output

$$-\left(\frac{a + b \operatorname{ArcCoth}[c + d x]}{f(e + f x)}\right) - \frac{b d^3 (\operatorname{Log}[1 - c - d x] / (2 d^2 (d e + f - c f)) - \operatorname{Log}[1 + c + d x] / (2 d^2 (d e - (1 + c) f)) + (f \operatorname{Log}[e + f x]) / (d^2 (d e + f - c f) (d e - (1 + c) f)))}{f}$$

Defintions of rubi rules used

rule 1141

```
Int[((d_.) + (e_.)*(x_.))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_
Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[1/c^p Int[ExpandIntegrand[
(d + e*x)^m*(b/2 - q/2 + c*x)^p*(b/2 + q/2 + c*x)^p, x], x] /; EqQ[p, -
1] || !FractionalPowerFactorQ[q]] /; FreeQ[{a, b, c, d, e}, x] && ILtQ[p,
0] && IntegerQ[m] && NiceSqrtQ[b^2 - 4*a*c]
```

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2081

```
Int[(u_)^(m_.)*(v_)^(p_.), x_Symbol] := Int[ExpandToSum[u, x]^m*ExpandToSum
[v, x]^p, x] /; FreeQ[{m, p}, x] && LinearQ[u, x] && QuadraticQ[v, x] && !
(LinearMatchQ[u, x] && QuadraticMatchQ[v, x])
```

rule 6660

```
Int[((a_.) + ArcCoth[(c_) + (d_.)*(x_)])*(b_.))^(p_.)*((e_.) + (f_.)*(x_.))^(
m_), x_Symbol] := Simp[(e + f*x)^(m + 1)*((a + b*ArcCoth[c + d*x])^p/(f*(m
+ 1))), x] - Simp[b*d*(p/(f*(m + 1))) Int[(e + f*x)^(m + 1)*((a + b*ArcCo
th[c + d*x])^(p - 1)/(1 - (c + d*x)^2)), x], x] /; FreeQ[{a, b, c, d, e, f}
, x] && IGtQ[p, 0] && ILtQ[m, -1]
```

Maple [A] (verified)

Time = 0.59 (sec) , antiderivative size = 137, normalized size of antiderivative = 1.20

method	result
parts	$-\frac{a}{(fx+e)f} - \frac{bd \operatorname{arccoth}(dx+c)}{(dfx+de)f} - \frac{bd \ln(f(dx+c)-cf+de)}{(cf-de+f)(cf-de-f)} + \frac{bd \ln(dx+c-1)}{f(2cf-2de-2f)} - \frac{bd \ln(dx+c+1)}{f(2cf-2de+2f)}$
derivativedivides	$\frac{\frac{a d^2}{(cf-de-f(dx+c))f} + b d^2 \left(\frac{\operatorname{arccoth}(dx+c)}{(cf-de-f(dx+c))f} + \frac{-\frac{\ln(dx+c+1)}{2cf-2de+2f} - \frac{f \ln(cf-de-f(dx+c))}{(cf-de-f)(cf-de+f)} + \frac{\ln(dx+c-1)}{2cf-2de-2f}}{d} \right)}{d}$
default	$\frac{\frac{a d^2}{(cf-de-f(dx+c))f} + b d^2 \left(\frac{\operatorname{arccoth}(dx+c)}{(cf-de-f(dx+c))f} + \frac{-\frac{\ln(dx+c+1)}{2cf-2de+2f} - \frac{f \ln(cf-de-f(dx+c))}{(cf-de-f)(cf-de+f)} + \frac{\ln(dx+c-1)}{2cf-2de-2f}}{d} \right)}{d}$
parallelrisch	$-\frac{\operatorname{arccoth}(dx+c) b d^2 f^2 - a d^2 f^2 + x \operatorname{arccoth}(dx+c) b c d^3 f^2 - x \operatorname{arccoth}(dx+c) b d^4 e f - \operatorname{arccoth}(dx+c) b c d^3 e f + a d^4 e^2}{d}$
risch	$-\frac{b \ln(dx+c+1)}{2f(fx+e)} - \frac{\ln(dx+c+1) b c d f^2 x - \ln(dx+c+1) b d^2 e f x - \ln(-dx-c+1) b c d f^2 x + \ln(-dx-c+1) b d^2 e f x + 2 \ln(-dx-c+1) b d^2 e^2 x}{2f(fx+e)}$

```
input int((a+b*arccoth(d*x+c))/(f*x+e)^2,x,method=_RETURNVERBOSE)
```

```
output -a/(f*x+e)/f-b*d/(d*f*x+d*e)/f*arccoth(d*x+c)-b*d/(c*f-d*e+f)/(c*f-d*e-f)*
ln(f*(d*x+c)-c*f+d*e)+b*d/f/(2*c*f-2*d*e-2*f)*ln(d*x+c-1)-b*d/f/(2*c*f-2*d
*e+2*f)*ln(d*x+c+1)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 262 vs. 2(110) = 220.

Time = 0.20 (sec) , antiderivative size = 262, normalized size of antiderivative = 2.30

$$\int \frac{a + b \operatorname{coth}^{-1}(c + dx)}{(e + fx)^2} dx = \frac{2 a d^2 e^2 - 4 a c d e f + 2 (a c^2 - a) f^2 - (b d^2 e^2 - (b c - b) d e f + (b d^2 e f - (b c - b) d f^2) x) \log(dx + c + 1)}{2 (d^2 e^3 f - 2 c d e f^2)}$$

```
input integrate((a+b*arccoth(d*x+c))/(f*x+e)^2,x, algorithm="fricas")
```

output

```
-1/2*(2*a*d^2*e^2 - 4*a*c*d*e*f + 2*(a*c^2 - a)*f^2 - (b*d^2*e^2 - (b*c -
b)*d*e*f + (b*d^2*e*f - (b*c - b)*d*f^2)*x)*log(d*x + c + 1) + (b*d^2*e^2
- (b*c + b)*d*e*f + (b*d^2*e*f - (b*c + b)*d*f^2)*x)*log(d*x + c - 1) + 2*
(b*d*f^2*x + b*d*e*f)*log(f*x + e) + (b*d^2*e^2 - 2*b*c*d*e*f + (b*c^2 - b
)*f^2)*log((d*x + c + 1)/(d*x + c - 1))/(d^2*e^3*f - 2*c*d*e^2*f^2 + (c^2
- 1)*e*f^3 + (d^2*e^2*f^2 - 2*c*d*e*f^3 + (c^2 - 1)*f^4)*x)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1605 vs. $2(92) = 184$.

Time = 4.63 (sec) , antiderivative size = 1605, normalized size of antiderivative = 14.08

$$\int \frac{a + b \operatorname{coth}^{-1}(c + dx)}{(e + fx)^2} dx = \text{Too large to display}$$

input

```
integrate((a+b*acoth(d*x+c))/(f*x+e)**2,x)
```

output

```
Piecewise((- (a + b*acoth(c))/(e*f + f**2*x), Eq(d, 0)), ((a*x + b*c*acoth(
c + d*x)/d + b*x*acoth(c + d*x) + b*log(c/d + x + 1/d)/d - b*acoth(c + d*x
)/d)/e**2, Eq(f, 0)), (-2*a*f/(2*e*f**2 + 2*f**3*x) + b*d*e*acoth(d*e/f +
d*x - 1)/(2*e*f**2 + 2*f**3*x) + b*d*f*x*acoth(d*e/f + d*x - 1)/(2*e*f**2
+ 2*f**3*x) - 2*b*f*acoth(d*e/f + d*x - 1)/(2*e*f**2 + 2*f**3*x) - b*f/(2*
e*f**2 + 2*f**3*x), Eq(c, (d*e - f)/f)), (-2*a*f/(2*e*f**2 + 2*f**3*x) - b
*d*e*acoth(d*e/f + d*x + 1)/(2*e*f**2 + 2*f**3*x) - b*d*f*x*acoth(d*e/f +
d*x + 1)/(2*e*f**2 + 2*f**3*x) - 2*b*f*acoth(d*e/f + d*x + 1)/(2*e*f**2 +
2*f**3*x) + b*f/(2*e*f**2 + 2*f**3*x), Eq(c, (d*e + f)/f)), (-a*c**2*f**2/
(c**2*e*f**3 + c**2*f**4*x - 2*c*d*e**2*f**2 - 2*c*d*e*f**3*x + d**2*e**3*
f + d**2*e**2*f**2*x - e*f**3 - f**4*x) + 2*a*c*d*e*f/(c**2*e*f**3 + c**2*
f**4*x - 2*c*d*e**2*f**2 - 2*c*d*e*f**3*x + d**2*e**3*f + d**2*e**2*f**2*x
- e*f**3 - f**4*x) - a*d**2*e**2/(c**2*e*f**3 + c**2*f**4*x - 2*c*d*e**2*
f**2 - 2*c*d*e*f**3*x + d**2*e**3*f + d**2*e**2*f**2*x - e*f**3 - f**4*x)
+ a*f**2/(c**2*e*f**3 + c**2*f**4*x - 2*c*d*e**2*f**2 - 2*c*d*e*f**3*x + d
**2*e**3*f + d**2*e**2*f**2*x - e*f**3 - f**4*x) - b*c**2*f**2*acoth(c + d
*x)/(c**2*e*f**3 + c**2*f**4*x - 2*c*d*e**2*f**2 - 2*c*d*e*f**3*x + d**2*
e**3*f + d**2*e**2*f**2*x - e*f**3 - f**4*x) + b*c*d*e*f*acoth(c + d*x)/(c
**2*e*f**3 + c**2*f**4*x - 2*c*d*e**2*f**2 - 2*c*d*e*f**3*x + d**2*e**3*f
+ d**2*e**2*f**2*x - e*f**3 - f**4*x) - b*c*d*f**2*x*acoth(c + d*x)/(c**...
```

Maxima [A] (verification not implemented)

Time = 0.03 (sec) , antiderivative size = 121, normalized size of antiderivative = 1.06

$$\int \frac{a + b \operatorname{coth}^{-1}(c + dx)}{(e + fx)^2} dx$$

$$= \frac{1}{2} \left(d \left(\frac{\log(dx + c + 1)}{def - (c + 1)f^2} - \frac{\log(dx + c - 1)}{def - (c - 1)f^2} - \frac{2 \log(fx + e)}{d^2e^2 - 2cdef + (c^2 - 1)f^2} \right) - \frac{2 \operatorname{arccoth}(dx + c)}{f^2x + ef} \right) b - \frac{a}{f^2x + ef}$$

input `integrate((a+b*arccoth(d*x+c))/(f*x+e)^2,x, algorithm="maxima")`

output `1/2*(d*(log(d*x + c + 1)/(d*e*f - (c + 1)*f^2) - log(d*x + c - 1)/(d*e*f - (c - 1)*f^2) - 2*log(f*x + e)/(d^2*e^2 - 2*c*d*e*f + (c^2 - 1)*f^2)) - 2*arccoth(d*x + c)/(f^2*x + e*f))*b - a/(f^2*x + e*f)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 472 vs. 2(110) = 220.

Time = 0.14 (sec) , antiderivative size = 472, normalized size of antiderivative = 4.14

$$\int \frac{a + b \operatorname{coth}^{-1}(c + dx)}{(e + fx)^2} dx =$$

$$-\frac{1}{2} ((c + 1)d - (c - 1)d) \left(\frac{b \log \left(-\frac{(dx+c+1)de}{dx+c-1} + de + \frac{(dx+c+1)cf}{dx+c-1} - cf - \frac{(dx+c+1)f}{dx+c-1} - f \right)}{d^2e^2 - 2cdef + c^2f^2 - f^2} - \frac{(dx+c+1)d^2e^2}{dx+c-1} \right)$$

input `integrate((a+b*arccoth(d*x+c))/(f*x+e)^2,x, algorithm="giac")`

output

```
-1/2*((c + 1)*d - (c - 1)*d)*(b*log(-(d*x + c + 1)*d*e/(d*x + c - 1) + d*e
+ (d*x + c + 1)*c*f/(d*x + c - 1) - c*f - (d*x + c + 1)*f/(d*x + c - 1) -
f)/(d^2*e^2 - 2*c*d*e*f + c^2*f^2 - f^2) - b*log((d*x + c + 1)/(d*x + c -
1)))/((d*x + c + 1)*d^2*e^2/(d*x + c - 1) - d^2*e^2 - 2*(d*x + c + 1)*c*d*
e*f/(d*x + c - 1) + 2*c*d*e*f + (d*x + c + 1)*c^2*f^2/(d*x + c - 1) - c^2*
f^2 + 2*(d*x + c + 1)*d*e*f/(d*x + c - 1) - 2*(d*x + c + 1)*c*f^2/(d*x + c
- 1) + (d*x + c + 1)*f^2/(d*x + c - 1) + f^2) - b*log((d*x + c + 1)/(d*x
+ c - 1))/(d^2*e^2 - 2*c*d*e*f + c^2*f^2 - f^2) - 2*a/((d*x + c + 1)*d^2*e
^2/(d*x + c - 1) - d^2*e^2 - 2*(d*x + c + 1)*c*d*e*f/(d*x + c - 1) + 2*c*d
*e*f + (d*x + c + 1)*c^2*f^2/(d*x + c - 1) - c^2*f^2 + 2*(d*x + c + 1)*d*e
*f/(d*x + c - 1) - 2*(d*x + c + 1)*c*f^2/(d*x + c - 1) + (d*x + c + 1)*f^2
/(d*x + c - 1) + f^2))
```

Mupad [B] (verification not implemented)

Time = 4.45 (sec) , antiderivative size = 175, normalized size of antiderivative = 1.54

$$\int \frac{a + b \coth^{-1}(c + dx)}{(e + fx)^2} dx = \ln(e + fx) \left(\frac{b(c-1)}{2e(de - f(c-1))} - \frac{b(c+1)}{2e(de - f(c+1))} \right) \\ - \frac{a}{xf^2 + ef} - \frac{b \ln\left(\frac{1}{c+dx} + 1\right)}{2f(e + fx)} - \frac{bd \ln(c + dx - 1)}{2f^2 - 2cf^2 + 2def} \\ - \frac{bd \ln(c + dx + 1)}{2cf^2 + 2f^2 - 2def} + \frac{b \ln\left(1 - \frac{1}{c+dx}\right)}{f(2e + 2fx)}$$

input

```
int((a + b*acoth(c + d*x))/(e + f*x)^2,x)
```

output

```
log(e + f*x)*((b*(c - 1))/(2*e*(d*e - f*(c - 1))) - (b*(c + 1))/(2*e*(d*e
- f*(c + 1)))) - a/(e*f + f^2*x) - (b*log(1/(c + d*x) + 1))/(2*f*(e + f*x)
) - (b*d*log(c + d*x - 1))/(2*f^2 - 2*c*f^2 + 2*d*e*f) - (b*d*log(c + d*x
+ 1))/(2*c*f^2 + 2*f^2 - 2*d*e*f) + (b*log(1 - 1/(c + d*x)))/(f*(2*e + 2*f
*x))
```

Reduce [B] (verification not implemented)

Time = 0.17 (sec) , antiderivative size = 416, normalized size of antiderivative = 3.65

$$\int \frac{a + b \coth^{-1}(c + dx)}{(e + fx)^2} dx$$

$$= \frac{\log(dx + c - 1)bcdefx - \log(dx + c + 1)bcdefx - \log(dx + c + 1)bd e^2 - \log(dx + c + 1)bef - \log(dx + c + 1)bf^2}{(e + fx)^2}$$

input `int((a+b*acoth(d*x+c))/(f*x+e)^2,x)`

output

```
(2*acoth(c + d*x)*b*c**2*f**2*x - 4*acoth(c + d*x)*b*c*d*e*f*x + 2*acoth(c + d*x)*b*d**2*e**2*x - 2*acoth(c + d*x)*b*f**2*x - log(c + d*x - 1)*b*c**2*e*f - log(c + d*x - 1)*b*c**2*f**2*x + log(c + d*x - 1)*b*c*d*e**2 + log(c + d*x - 1)*b*c*d*e*f*x - log(c + d*x - 1)*b*d*e**2 - log(c + d*x - 1)*b*d*e*f*x + log(c + d*x - 1)*b*e*f + log(c + d*x - 1)*b*f**2*x + log(c + d*x + 1)*b*c**2*e*f + log(c + d*x + 1)*b*c**2*f**2*x - log(c + d*x + 1)*b*c*d*e**2 - log(c + d*x + 1)*b*c*d*e*f*x - log(c + d*x + 1)*b*d*e**2 - log(c + d*x + 1)*b*d*e*f*x - log(c + d*x + 1)*b*e*f - log(c + d*x + 1)*b*f**2*x + 2*log(e + f*x)*b*d*e**2 + 2*log(e + f*x)*b*d*e*f*x + 2*a*c**2*f**2*x - 4*a*c*d*e*f*x + 2*a*d**2*e**2*x - 2*a*f**2*x)/(2*e*(c**2*e*f**2 + c**2*f**3*x - 2*c*d*e**2*f - 2*c*d*e*f**2*x + d**2*e**3 + d**2*e**2*f*x - e*f**2 - f**3*x))
```

3.27 $\int \frac{a+b \operatorname{coth}^{-1}(c+dx)}{(e+fx)^3} dx$

Optimal result	231
Mathematica [A] (verified)	231
Rubi [A] (verified)	232
Maple [A] (verified)	234
Fricas [B] (verification not implemented)	234
Sympy [B] (verification not implemented)	235
Maxima [A] (verification not implemented)	236
Giac [B] (verification not implemented)	237
Mupad [B] (verification not implemented)	238
Reduce [B] (verification not implemented)	239

Optimal result

Integrand size = 18, antiderivative size = 167

$$\int \frac{a + b \operatorname{coth}^{-1}(c + dx)}{(e + fx)^3} dx = \frac{bd}{2(de + f - cf)(de - (1 + c)f)(e + fx)} - \frac{a + b \operatorname{coth}^{-1}(c + dx)}{2f(e + fx)^2} - \frac{bd^2 \log(1 - c - dx)}{4f(de + f - cf)^2} + \frac{bd^2 \log(1 + c + dx)}{4f(de - f - cf)^2} - \frac{bd^2(de - cf) \log(e + fx)}{(de + f - cf)^2(de - (1 + c)f)^2}$$

output

```
1/2*b*d/(-c*f+d*e+f)/(d*e-(1+c)*f)/(f*x+e)-1/2*(a+b*arccoth(d*x+c))/f/(f*x+e)^2-1/4*b*d^2*ln(-d*x-c+1)/f/(-c*f+d*e+f)^2+1/4*b*d^2*ln(d*x+c+1)/f/(-c*f+d*e+f)^2-b*d^2*(-c*f+d*e)*ln(f*x+e)/(-c*f+d*e+f)^2/(d*e-(1+c)*f)^2
```

Mathematica [A] (verified)

Time = 0.20 (sec) , antiderivative size = 174, normalized size of antiderivative = 1.04

$$\int \frac{a + b \operatorname{coth}^{-1}(c + dx)}{(e + fx)^3} dx = \frac{1}{4} \left(-\frac{2a}{f(e + fx)^2} + \frac{2bd}{(d^2e^2 - 2cdef + (-1 + c^2)f^2)(e + fx)} - \frac{2b \operatorname{coth}^{-1}(c + dx)}{f(e + fx)^2} - \frac{bd^2 \log(1 - c - dx)}{f(de + f - cf)^2} + \frac{bd^2 \log(1 + c + dx)}{f(-de + f + cf)^2} - \frac{4bd^2(de - cf) \log(e + fx)}{(d^2e^2 - 2cdef + (-1 + c^2)f^2)^2} \right)$$

input `Integrate[(a + b*ArcCoth[c + d*x])/(e + f*x)^3,x]`

output
$$\begin{aligned} &((-2*a)/(f*(e + f*x)^2) + (2*b*d)/((d^2*e^2 - 2*c*d*e*f + (-1 + c^2)*f^2)* \\ &(e + f*x)) - (2*b*ArcCoth[c + d*x])/(f*(e + f*x)^2) - (b*d^2*Log[1 - c - d \\ &*x])/(f*(d*e + f - c*f)^2) + (b*d^2*Log[1 + c + d*x])/(f*(-(d*e) + f + c*f \\ &)^2) - (4*b*d^2*(d*e - c*f)*Log[e + f*x])/(d^2*e^2 - 2*c*d*e*f + (-1 + c^2 \\ &)*f^2)^2)/4 \end{aligned}$$

Rubi [A] (verified)

Time = 0.50 (sec) , antiderivative size = 170, normalized size of antiderivative = 1.02, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {6660, 2081, 1141, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} &\int \frac{a + b \coth^{-1}(c + dx)}{(e + fx)^3} dx \\ &\quad \downarrow \text{6660} \\ &\frac{bd \int \frac{1}{(e+fx)^2(1-(c+dx)^2)} dx}{2f} - \frac{a + b \coth^{-1}(c + dx)}{2f(e + fx)^2} \\ &\quad \downarrow \text{2081} \\ &\frac{bd \int \frac{1}{(e+fx)^2(-c^2-2dxc-d^2x^2+1)} dx}{2f} - \frac{a + b \coth^{-1}(c + dx)}{2f(e + fx)^2} \\ &\quad \downarrow \text{1141} \\ &\frac{bd^3 \int \left(\frac{2(de-cf)f^2}{d(de-cf+f)^2(de-(c+1)f)^2(e+fx)} + \frac{f^2}{d^2(de-cf+f)(de-(c+1)f)(e+fx)^2} - \frac{1}{2(de-cf+f)^2(-c-dx+1)} - \frac{1}{2(de-(c+1)f)^2(c+dx)} \right) dx}{2f} \\ &\quad - \frac{a + b \coth^{-1}(c + dx)}{2f(e + fx)^2} \\ &\quad \downarrow \text{2009} \end{aligned}$$

$$\frac{a + b \operatorname{coth}^{-1}(c + dx)}{2f(e + fx)^2} - \frac{bd^3 \left(-\frac{f}{d^2(e+fx)(-cf+de+f)(de-(c+1)f)} + \frac{2f(de-cf)\log(e+fx)}{d(-cf+de+f)^2(de-(c+1)f)^2} + \frac{\log(-c-dx+1)}{2d(-cf+de+f)^2} - \frac{\log(c+dx+1)}{2d(de-(c+1)f)^2} \right)}{2f}$$

input `Int[(a + b*ArcCoth[c + d*x])/(e + f*x)^3,x]`

output `-1/2*(a + b*ArcCoth[c + d*x])/(f*(e + f*x)^2) - (b*d^3*(-f/(d^2*(d*e + f - c*f)*(d*e - (1 + c)*f)*(e + f*x))) + Log[1 - c - d*x]/(2*d*(d*e + f - c*f)^2) - Log[1 + c + d*x]/(2*d*(d*e - (1 + c)*f)^2) + (2*f*(d*e - c*f)*Log[e + f*x])/(d*(d*e + f - c*f)^2*(d*e - (1 + c)*f)^2))/(2*f)`

Defintions of rubi rules used

rule 1141 `Int[((d_.) + (e_.)*(x_.))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[1/c^p Int[ExpandIntegrand[(d + e*x)^m*(b/2 - q/2 + c*x)^p*(b/2 + q/2 + c*x)^p, x], x], x] /; EqQ[p, -1] || !FractionalPowerFactorQ[q] /; FreeQ[{a, b, c, d, e}, x] && ILtQ[p, 0] && IntegerQ[m] && NiceSqrtQ[b^2 - 4*a*c]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2081 `Int[(u_)^(m_.)*(v_)^(p_.), x_Symbol] := Int[ExpandToSum[u, x]^m*ExpandToSum[v, x]^p, x] /; FreeQ[{m, p}, x] && LinearQ[u, x] && QuadraticQ[v, x] && !(LinearMatchQ[u, x] && QuadraticMatchQ[v, x])`

rule 6660 `Int[((a_.) + ArcCoth[(c_) + (d_.)*(x_)])*(b_.))^(p_.)*((e_.) + (f_.)*(x_.))^(m_), x_Symbol] := Simp[(e + f*x)^(m + 1)*((a + b*ArcCoth[c + d*x])^p/(f*(m + 1))), x] - Simp[b*d*(p/(f*(m + 1))) Int[(e + f*x)^(m + 1)*((a + b*ArcCoth[c + d*x])^(p - 1)/(1 - (c + d*x)^2)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && ILtQ[m, -1]`

Maple [A] (verified)

Time = 1.00 (sec) , antiderivative size = 198, normalized size of antiderivative = 1.19

method	result
parts	$-\frac{a}{2(fx+e)^2 f} + \frac{b \left(-\frac{d^3 \operatorname{arccoth}(dx+c)}{2(f(dx+c)-cf+de)^2 f} - \frac{d^3 \left(-\frac{f}{(cf-de-f)(cf-de+f)(f(dx+c)-cf+de)} - \frac{2f(cf-de) \ln(f(dx+c)-cf+de)}{(cf-de-f)^2 (cf-de+f)^2} \right)}{d} \right)}{d}$
derivativedivides	$-\frac{a d^3}{2(cf-de-f(dx+c))^2 f} - b d^3 \left(\frac{\operatorname{arccoth}(dx+c)}{2(cf-de-f(dx+c))^2 f} + \frac{\frac{f}{(cf-de-f)(cf-de+f)(cf-de-f(dx+c))} - \frac{2f(cf-de) \ln(cf-de-f(dx+c)-cf+de)}{(cf-de-f)^2 (cf-de+f)^2}}{d} \right)$
default	$-\frac{a d^3}{2(cf-de-f(dx+c))^2 f} - b d^3 \left(\frac{\operatorname{arccoth}(dx+c)}{2(cf-de-f(dx+c))^2 f} + \frac{\frac{f}{(cf-de-f)(cf-de+f)(cf-de-f(dx+c))} - \frac{2f(cf-de) \ln(cf-de-f(dx+c)-cf+de)}{(cf-de-f)^2 (cf-de+f)^2}}{d} \right)$
parallelrisch	$\frac{4 \ln(dx+c-1) x b d^5 e^2 f^3 + 2 \ln(fx+e) b c d^4 e^2 f^3 - 2 \ln(dx+c-1) b c d^4 e^2 f^3 - 4 \operatorname{arccoth}(dx+c) b c d^3 e f^4 - 2 x b c d^4 e f^4 - 2 x^2}{d}$
risch	Expression too large to display

input `int((a+b*arccoth(d*x+c))/(f*x+e)^3,x,method=_RETURNVERBOSE)`

output `-1/2*a/(f*x+e)^2/f+b/d*(-1/2*d^3/(f*(d*x+c)-c*f+d*e)^2/f*arccoth(d*x+c)-1/2*d^3/f*(-f/(c*f-d*e-f)/(c*f-d*e+f)/(f*(d*x+c)-c*f+d*e)-2*f*(c*f-d*e)/(c*f-d*e-f)^2/(c*f-d*e+f)^2*ln(f*(d*x+c)-c*f+d*e)+1/2/(c*f-d*e-f)^2*ln(d*x+c-1))-1/2/(c*f-d*e+f)^2*ln(d*x+c+1))`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 833 vs. 2(159) = 318.

Time = 0.82 (sec) , antiderivative size = 833, normalized size of antiderivative = 4.99

$$\int \frac{a + b \operatorname{coth}^{-1}(c + dx)}{(e + fx)^3} dx = \text{Too large to display}$$

input `integrate((a+b*arccoth(d*x+c))/(f*x+e)^3,x, algorithm="fricas")`

output

```

-1/4*(2*a*d^4*e^4 - 2*(4*a*c + b)*d^3*e^3*f + 4*(3*a*c^2 + b*c - a)*d^2*e^
2*f^2 - 2*(4*a*c^3 + b*c^2 - 4*a*c - b)*d*e*f^3 + 2*(a*c^4 - 2*a*c^2 + a)*
f^4 - 2*(b*d^3*e^2*f^2 - 2*b*c*d^2*e*f^3 + (b*c^2 - b)*d*f^4)*x - (b*d^4*e
^4 - 2*(b*c - b)*d^3*e^3*f + (b*c^2 - 2*b*c + b)*d^2*e^2*f^2 + (b*d^4*e^2*
f^2 - 2*(b*c - b)*d^3*e*f^3 + (b*c^2 - 2*b*c + b)*d^2*f^4)*x^2 + 2*(b*d^4*
e^3*f - 2*(b*c - b)*d^3*e^2*f^2 + (b*c^2 - 2*b*c + b)*d^2*e*f^3)*x*log(d*
x + c + 1) + (b*d^4*e^4 - 2*(b*c + b)*d^3*e^3*f + (b*c^2 + 2*b*c + b)*d^2*
e^2*f^2 + (b*d^4*e^2*f^2 - 2*(b*c + b)*d^3*e*f^3 + (b*c^2 + 2*b*c + b)*d^2
*f^4)*x^2 + 2*(b*d^4*e^3*f - 2*(b*c + b)*d^3*e^2*f^2 + (b*c^2 + 2*b*c + b)
*d^2*e*f^3)*x*log(d*x + c - 1) + 4*(b*d^3*e^3*f - b*c*d^2*e^2*f^2 + (b*d^
3*e*f^3 - b*c*d^2*f^4)*x^2 + 2*(b*d^3*e^2*f^2 - b*c*d^2*e*f^3)*x)*log(f*x
+ e) + (b*d^4*e^4 - 4*b*c*d^3*e^3*f + 2*(3*b*c^2 - b)*d^2*e^2*f^2 - 4*(b*c
^3 - b*c)*d*e*f^3 + (b*c^4 - 2*b*c^2 + b)*f^4)*log((d*x + c + 1)/(d*x + c
- 1)))/(d^4*e^6*f - 4*c*d^3*e^5*f^2 + 2*(3*c^2 - 1)*d^2*e^4*f^3 - 4*(c^3 -
c)*d*e^3*f^4 + (c^4 - 2*c^2 + 1)*e^2*f^5 + (d^4*e^4*f^3 - 4*c*d^3*e^3*f^4
+ 2*(3*c^2 - 1)*d^2*e^2*f^5 - 4*(c^3 - c)*d*e*f^6 + (c^4 - 2*c^2 + 1)*f^7
)*x^2 + 2*(d^4*e^5*f^2 - 4*c*d^3*e^4*f^3 + 2*(3*c^2 - 1)*d^2*e^3*f^4 - 4*(
c^3 - c)*d*e^2*f^5 + (c^4 - 2*c^2 + 1)*e*f^6)*x)

```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 19859 vs. $2(141) = 282$.

Time = 10.38 (sec) , antiderivative size = 19859, normalized size of antiderivative = 118.92

$$\int \frac{a + b \operatorname{coth}^{-1}(c + dx)}{(e + fx)^3} dx = \text{Too large to display}$$

input

```
integrate((a+b*acoth(d*x+c))/(f*x+e)**3,x)
```

output

```
Piecewise((-a + b*acoth(c))/(2*e**2*f + 4*e*f**2*x + 2*f**3*x**2), Eq(d,
0)), ((a*x + b*c*acoth(c + d*x)/d + b*x*acoth(c + d*x) + b*log(c/d + x + 1
/d)/d - b*acoth(c + d*x)/d)/e**3, Eq(f, 0)), (-4*a*f**2/(8*e**2*f**3 + 16*
e*f**4*x + 8*f**5*x**2) + b*d**2*e**2*acoth(d*e/f + d*x - 1)/(8*e**2*f**3
+ 16*e*f**4*x + 8*f**5*x**2) + 2*b*d**2*e*f*x*acoth(d*e/f + d*x - 1)/(8*e
**2*f**3 + 16*e*f**4*x + 8*f**5*x**2) + b*d**2*f**2*x**2*acoth(d*e/f + d*x
- 1)/(8*e**2*f**3 + 16*e*f**4*x + 8*f**5*x**2) - b*d*e*f/(8*e**2*f**3 + 16
*e*f**4*x + 8*f**5*x**2) - b*d*f**2*x/(8*e**2*f**3 + 16*e*f**4*x + 8*f**5*
x**2) - 4*b*f**2*acoth(d*e/f + d*x - 1)/(8*e**2*f**3 + 16*e*f**4*x + 8*f**
5*x**2) - b*f**2/(8*e**2*f**3 + 16*e*f**4*x + 8*f**5*x**2), Eq(c, (d*e - f
)/f)), (-4*a*f**2/(8*e**2*f**3 + 16*e*f**4*x + 8*f**5*x**2) + b*d**2*e**2*
acoth(d*e/f + d*x + 1)/(8*e**2*f**3 + 16*e*f**4*x + 8*f**5*x**2) + 2*b*d**
2*e*f*x*acoth(d*e/f + d*x + 1)/(8*e**2*f**3 + 16*e*f**4*x + 8*f**5*x**2) +
b*d**2*f**2*x**2*acoth(d*e/f + d*x + 1)/(8*e**2*f**3 + 16*e*f**4*x + 8*f**
5*x**2) - b*d*e*f/(8*e**2*f**3 + 16*e*f**4*x + 8*f**5*x**2) - b*d*f**2*x/
(8*e**2*f**3 + 16*e*f**4*x + 8*f**5*x**2) - 4*b*f**2*acoth(d*e/f + d*x + 1
)/(8*e**2*f**3 + 16*e*f**4*x + 8*f**5*x**2) + b*f**2/(8*e**2*f**3 + 16*e*f
**4*x + 8*f**5*x**2), Eq(c, (d*e + f)/f)), (-a*c**4*f**4/(2*c**4*e**2*f**5
+ 4*c**4*e*f**6*x + 2*c**4*f**7*x**2 - 8*c**3*d*e**3*f**4 - 16*c**3*d*e**
2*f**5*x - 8*c**3*d*e*f**6*x**2 + 12*c**2*d**2*e**4*f**3 + 24*c**2*d**2...
```

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 291, normalized size of antiderivative = 1.74

$$\int \frac{a + b \coth^{-1}(c + dx)}{(e + fx)^3} dx$$

$$= \frac{1}{4} \left(d \left(\frac{d \log(dx + c + 1)}{d^2 e^2 f - 2(c + 1) d e f^2 + (c^2 + 2c + 1) f^3} - \frac{d \log(dx + c - 1)}{d^2 e^2 f - 2(c - 1) d e f^2 + (c^2 - 2c + 1) f^3} - \frac{d^4 e^4 - 4}{2(f^3 x^2 + 2 e f^2 x + e^2 f)} \right) \right)$$

input

```
integrate((a+b*arccoth(d*x+c))/(f*x+e)^3,x, algorithm="maxima")
```

output

```
1/4*(d*(d*log(d*x + c + 1)/(d^2*e^2*f - 2*(c + 1)*d*e*f^2 + (c^2 + 2*c + 1)*f^3) - d*log(d*x + c - 1)/(d^2*e^2*f - 2*(c - 1)*d*e*f^2 + (c^2 - 2*c + 1)*f^3) - 4*(d^2*e - c*d*f)*log(f*x + e)/(d^4*e^4 - 4*c*d^3*e^3*f + 2*(3*c^2 - 1)*d^2*e^2*f^2 - 4*(c^3 - c)*d*e*f^3 + (c^4 - 2*c^2 + 1)*f^4) + 2/(d^2*e^3 - 2*c*d*e^2*f + (c^2 - 1)*e*f^2 + (d^2*e^2*f - 2*c*d*e*f^2 + (c^2 - 1)*f^3)*x)) - 2*arccoth(d*x + c)/(f^3*x^2 + 2*e*f^2*x + e^2*f))*b - 1/2*a/(f^3*x^2 + 2*e*f^2*x + e^2*f)
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2562 vs. $2(159) = 318$.

Time = 0.20 (sec) , antiderivative size = 2562, normalized size of antiderivative = 15.34

$$\int \frac{a + b \operatorname{coth}^{-1}(c + dx)}{(e + fx)^3} dx = \text{Too large to display}$$

input

```
integrate((a+b*arccoth(d*x+c))/(f*x+e)^3,x, algorithm="giac")
```

output

```
-1/2*((c + 1)*d - (c - 1)*d)*((b*d^2*e - b*c*d*f)*log((d*x + c + 1)*d*e/(d
*x + c - 1) - d*e - (d*x + c + 1)*c*f/(d*x + c - 1) + c*f + (d*x + c + 1)*
f/(d*x + c - 1) + f)/(d^4*e^4 - 4*c*d^3*e^3*f + 6*c^2*d^2*e^2*f^2 - 4*c^3*
d*e*f^3 + c^4*f^4 - 2*d^2*e^2*f^2 + 4*c*d*e*f^3 - 2*c^2*f^4 + f^4) - ((d*x
+ c + 1)*b*d^2*e/(d*x + c - 1) - b*d^2*e - (d*x + c + 1)*b*c*d*f/(d*x + c
- 1) + b*c*d*f + (d*x + c + 1)*b*d*f/(d*x + c - 1))*log((d*x + c + 1)/(d*
x + c - 1))/((d*x + c + 1)^2*d^4*e^4/(d*x + c - 1)^2 - 2*(d*x + c + 1)*d^4
*e^4/(d*x + c - 1) + d^4*e^4 - 4*(d*x + c + 1)^2*c*d^3*e^3*f/(d*x + c - 1)
^2 + 8*(d*x + c + 1)*c*d^3*e^3*f/(d*x + c - 1) - 4*c*d^3*e^3*f + 6*(d*x +
c + 1)^2*c^2*d^2*e^2*f^2/(d*x + c - 1)^2 - 12*(d*x + c + 1)*c^2*d^2*e^2*f^
2/(d*x + c - 1) + 6*c^2*d^2*e^2*f^2 - 4*(d*x + c + 1)^2*c^3*d*e*f^3/(d*x +
c - 1)^2 + 8*(d*x + c + 1)*c^3*d*e*f^3/(d*x + c - 1) - 4*c^3*d*e*f^3 + (d
*x + c + 1)^2*c^4*f^4/(d*x + c - 1)^2 - 2*(d*x + c + 1)*c^4*f^4/(d*x + c -
1) + c^4*f^4 + 4*(d*x + c + 1)^2*d^3*e^3*f/(d*x + c - 1)^2 - 4*(d*x + c +
1)*d^3*e^3*f/(d*x + c - 1) - 12*(d*x + c + 1)^2*c*d^2*e^2*f^2/(d*x + c -
1)^2 + 12*(d*x + c + 1)*c*d^2*e^2*f^2/(d*x + c - 1) + 12*(d*x + c + 1)^2*c
^2*d*e*f^3/(d*x + c - 1)^2 - 12*(d*x + c + 1)*c^2*d*e*f^3/(d*x + c - 1) -
4*(d*x + c + 1)^2*c^3*f^4/(d*x + c - 1)^2 + 4*(d*x + c + 1)*c^3*f^4/(d*x +
c - 1) + 6*(d*x + c + 1)^2*d^2*e^2*f^2/(d*x + c - 1)^2 - 2*d^2*e^2*f^2 -
12*(d*x + c + 1)^2*c*d*e*f^3/(d*x + c - 1)^2 + 4*c*d*e*f^3 + 6*(d*x + c...
```

Mupad [B] (verification not implemented)

Time = 5.72 (sec) , antiderivative size = 422, normalized size of antiderivative = 2.53

$$\int \frac{a + b \coth^{-1}(c + dx)}{(e + fx)^3} dx = \frac{b \ln\left(1 - \frac{1}{c+dx}\right)}{2f(2e^2 + 4efx + 2f^2x^2)} - \frac{\ln(e + fx)(bd^3e - bcd^2f)}{c^4f^4 - 4c^3def^3 + 6c^2d^2e^2f^2 - 2c^2f^4 - 4cd^3e^3f + 4cde f^3 + d^4e^4 - 2d^2e^2f^2 + f^4} - \frac{-ac^2f^2 + 2acdef - ad^2e^2 + bdef + af^2}{-c^2f^2 + 2cdef - d^2e^2 + f^2} + \frac{bdf^2x}{-c^2f^2 + 2cdef - d^2e^2 + f^2} - \frac{2e^2f + 4ef^2x + 2f^3x^2}{bd^2 \ln(c + dx - 1)} - \frac{4c^2f^3 - 8cdef^2 - 8cf^3 + 4d^2e^2f + 8def^2 + 4f^3}{bd^2 \ln(c + dx + 1)} + \frac{bd^2 \ln\left(\frac{1}{c+dx} + 1\right)}{4c^2f^3 - 8cdef^2 + 8cf^3 + 4d^2e^2f - 8def^2 + 4f^3} - \frac{b \ln\left(\frac{1}{c+dx} + 1\right)}{4f(e^2 + 2efx + f^2x^2)}$$

input

```
int((a + b*acoth(c + d*x))/(e + f*x)^3,x)
```

output

```
(b*log(1 - 1/(c + d*x)))/(2*f*(2*e^2 + 2*f^2*x^2 + 4*e*f*x)) - (log(e + f*x)*(b*d^3*e - b*c*d^2*f))/(f^4 - 2*c^2*f^4 + c^4*f^4 + d^4*e^4 - 2*d^2*e^2*f^2 + 4*c*d*e*f^3 + 6*c^2*d^2*e^2*f^2 - 4*c*d^3*e^3*f - 4*c^3*d*e*f^3) - ((a*f^2 - a*c^2*f^2 - a*d^2*e^2 + b*d*e*f + 2*a*c*d*e*f)/(f^2 - c^2*f^2 - d^2*e^2 + 2*c*d*e*f) + (b*d*f^2*x)/(f^2 - c^2*f^2 - d^2*e^2 + 2*c*d*e*f))/(2*e^2*f + 2*f^3*x^2 + 4*e*f^2*x) - (b*d^2*log(c + d*x - 1))/(4*f^3 - 8*c*f^3 + 4*c^2*f^3 + 4*d^2*e^2*f + 8*d*e*f^2 - 8*c*d*e*f^2) + (b*d^2*log(c + d*x + 1))/(8*c*f^3 + 4*f^3 + 4*c^2*f^3 + 4*d^2*e^2*f - 8*d*e*f^2 - 8*c*d*e*f^2) - (b*log(1/(c + d*x) + 1))/(4*f*(e^2 + f^2*x^2 + 2*e*f*x))
```

Reduce [B] (verification not implemented)

Time = 0.17 (sec) , antiderivative size = 2159, normalized size of antiderivative = 12.93

$$\int \frac{a + b \coth^{-1}(c + dx)}{(e + fx)^3} dx = \text{Too large to display}$$

input

```
int((a+b*acoth(d*x+c))/(f*x+e)^3,x)
```


output

```
(4*acoth(c + d*x)*b*c**4*e*f**5*x + 2*acoth(c + d*x)*b*c**4*f**6*x**2 - 16
*acoth(c + d*x)*b*c**3*d*e**2*f**4*x - 8*acoth(c + d*x)*b*c**3*d*e*f**5*x*
*2 + 24*acoth(c + d*x)*b*c**2*d**2*e**3*f**3*x + 12*acoth(c + d*x)*b*c**2*
d**2*e**2*f**4*x**2 - 8*acoth(c + d*x)*b*c**2*e*f**5*x - 4*acoth(c + d*x)*
b*c**2*f**6*x**2 - 16*acoth(c + d*x)*b*c*d**3*e**4*f**2*x - 8*acoth(c + d*
x)*b*c*d**3*e**3*f**3*x**2 + 16*acoth(c + d*x)*b*c*d*e**2*f**4*x + 8*acoth
(c + d*x)*b*c*d*e*f**5*x**2 + 4*acoth(c + d*x)*b*d**4*e**5*f*x + 2*acoth(c
+ d*x)*b*d**4*e**4*f**2*x**2 - 8*acoth(c + d*x)*b*d**2*e**3*f**3*x - 4*ac
oth(c + d*x)*b*d**2*e**2*f**4*x**2 + 4*acoth(c + d*x)*b*e*f**5*x + 2*acoth
(c + d*x)*b*f**6*x**2 - log(c + d*x - 1)*b*c**4*e**2*f**4 - 2*log(c + d*x
- 1)*b*c**4*e*f**5*x - log(c + d*x - 1)*b*c**4*f**6*x**2 + 4*log(c + d*x -
1)*b*c**3*d*e**3*f**3 + 8*log(c + d*x - 1)*b*c**3*d*e**2*f**4*x + 4*log(c
+ d*x - 1)*b*c**3*d*e*f**5*x**2 - 5*log(c + d*x - 1)*b*c**2*d**2*e**4*f**
2 - 10*log(c + d*x - 1)*b*c**2*d**2*e**3*f**3*x - 5*log(c + d*x - 1)*b*c**
2*d**2*e**2*f**4*x**2 + 2*log(c + d*x - 1)*b*c**2*e**2*f**4 + 4*log(c + d*
x - 1)*b*c**2*e*f**5*x + 2*log(c + d*x - 1)*b*c**2*f**6*x**2 + 2*log(c + d
*x - 1)*b*c*d**3*e**5*f + 4*log(c + d*x - 1)*b*c*d**3*e**4*f**2*x + 2*log(
c + d*x - 1)*b*c*d**3*e**3*f**3*x**2 + 2*log(c + d*x - 1)*b*c*d**2*e**4*f*
*2 + 4*log(c + d*x - 1)*b*c*d**2*e**3*f**3*x + 2*log(c + d*x - 1)*b*c*d**2
*e**2*f**4*x**2 - 4*log(c + d*x - 1)*b*c*d*e**3*f**3 - 8*log(c + d*x - ...
```

3.28 $\int (e + fx)^2 (a + b \coth^{-1}(c + dx))^2 dx$

Optimal result	241
Mathematica [B] (warning: unable to verify)	242
Rubi [A] (verified)	243
Maple [B] (verified)	245
Fricas [F]	246
Sympy [F]	247
Maxima [B] (verification not implemented)	247
Giac [F]	248
Mupad [F(-1)]	249
Reduce [F]	249

Optimal result

Integrand size = 20, antiderivative size = 374

$$\begin{aligned}
 & \int (e + fx)^2 (a + b \coth^{-1}(c + dx))^2 dx \\
 &= \frac{b^2 f^2 x}{3d^2} + \frac{2abf(de - cf)x}{d^2} + \frac{2b^2 f(de - cf)(c + dx) \coth^{-1}(c + dx)}{d^3} \\
 &+ \frac{bf^2(c + dx)^2 (a + b \coth^{-1}(c + dx))}{3d^3} \\
 &- \frac{(de - cf)(d^2 e^2 - 2cdef + (3 + c^2) f^2) (a + b \coth^{-1}(c + dx))^2}{3d^3 f} \\
 &+ \frac{(3d^2 e^2 - 6cdef + (1 + 3c^2) f^2) (a + b \coth^{-1}(c + dx))^2}{3d^3} \\
 &+ \frac{(e + fx)^3 (a + b \coth^{-1}(c + dx))^2}{3f} - \frac{b^2 f^2 \operatorname{arctanh}(c + dx)}{3d^3} \\
 &- \frac{2b(3d^2 e^2 - 6cdef + (1 + 3c^2) f^2) (a + b \coth^{-1}(c + dx)) \log\left(\frac{2}{1 - c - dx}\right)}{3d^3} \\
 &+ \frac{b^2 f(de - cf) \log(1 - (c + dx)^2)}{d^3} \\
 &- \frac{b^2(3d^2 e^2 - 6cdef + (1 + 3c^2) f^2) \operatorname{PolyLog}\left(2, -\frac{1 + c + dx}{1 - c - dx}\right)}{3d^3}
 \end{aligned}$$

output

```

1/3*b^2*f^2*x/d^2+2*a*b*f*(-c*f+d*e)*x/d^2+2*b^2*f*(-c*f+d*e)*(d*x+c)*arcc
oth(d*x+c)/d^3+1/3*b*f^2*(d*x+c)^2*(a+b*arccoth(d*x+c))/d^3-1/3*(-c*f+d*e)
*(d^2*e^2-2*c*d*e*f+(c^2+3)*f^2)*(a+b*arccoth(d*x+c))^2/d^3/f+1/3*(3*d^2*e
^2-6*c*d*e*f+(3*c^2+1)*f^2)*(a+b*arccoth(d*x+c))^2/d^3+1/3*(f*x+e)^3*(a+b*
arccoth(d*x+c))^2/f-1/3*b^2*f^2*arctanh(d*x+c)/d^3-2/3*b*(3*d^2*e^2-6*c*d*
e*f+(3*c^2+1)*f^2)*(a+b*arccoth(d*x+c))*ln(2/(-d*x-c+1))/d^3+b^2*f*(-c*f+d
*e)*ln(1-(d*x+c)^2)/d^3-1/3*b^2*(3*d^2*e^2-6*c*d*e*f+(3*c^2+1)*f^2)*polylo
g(2,-(d*x+c+1)/(-d*x-c+1))/d^3

```

Mathematica [B] (warning: unable to verify)

Leaf count is larger than twice the leaf count of optimal. 1078 vs. 2(374) = 748.

Time = 6.91 (sec) , antiderivative size = 1078, normalized size of antiderivative = 2.88

$$\int (e + fx)^2 (a + b \coth^{-1}(c + dx))^2 dx = \text{Too large to display}$$

input

```
Integrate[(e + f*x)^2*(a + b*ArcCoth[c + d*x])^2,x]
```

output

```

a^2*e^2*x + a^2*e*f*x^2 + (a^2*f^2*x^3)/3 + (a*b*(2*x*(3*e^2 + 3*e*f*x + f
^2*x^2)*ArcCoth[c + d*x] + (d*f*x*(6*d*e - 4*c*f + d*f*x) - (-1 + c)*(3*d^
2*e^2 - 3*(-1 + c)*d*e*f + (-1 + c)^2*f^2)*Log[1 - c - d*x] + (1 + c)*(3*d
^2*e^2 - 3*(1 + c)*d*e*f + (1 + c)^2*f^2)*Log[1 + c + d*x])/d^3)/3 - (2*b
^2*e*f*(1 - (c + d*x)^2)*(((c + d*x)*ArcCoth[c + d*x])/d^2 - (c*(c + d*x)*
ArcCoth[c + d*x]^2)/d^2 + ((c + d*x)^2*(1 - (c + d*x)^(-2))*ArcCoth[c + d*
x]^2)/(2*d^2) - Log[1/((c + d*x)*Sqrt[1 - (c + d*x)^(-2)]])/d^2 + (2*c*(Ar
cCoth[c + d*x]^2/2 + ArcCoth[c + d*x]*Log[1 - E^(-2*ArcCoth[c + d*x])]) - P
olyLog[2, E^(-2*ArcCoth[c + d*x])/2])/d^2)/((c + d*x)^2*(1 - (c + d*x)^(-
2))) + (b^2*e^2*(1 - (c + d*x)^2)*(ArcCoth[c + d*x]*(ArcCoth[c + d*x] - (
c + d*x)*ArcCoth[c + d*x] + 2*Log[1 - E^(-2*ArcCoth[c + d*x])]) - PolyLog[
2, E^(-2*ArcCoth[c + d*x])]))/(d*(c + d*x)^2*(1 - (c + d*x)^(-2))) - (b^2*
f^2*(c + d*x)*Sqrt[1 - (c + d*x)^(-2)]*(1 - (c + d*x)^2)*((4*ArcCoth[c + d
*x])/((c + d*x)*Sqrt[1 - (c + d*x)^(-2)]) + (3*ArcCoth[c + d*x]^2)/((c + d
*x)*Sqrt[1 - (c + d*x)^(-2)]) - (12*c*ArcCoth[c + d*x]^2)/((c + d*x)*Sqrt[
1 - (c + d*x)^(-2)]) + (9*c^2*ArcCoth[c + d*x]^2)/((c + d*x)*Sqrt[1 - (c +
d*x)^(-2)]) + (-1 + 6*c*ArcCoth[c + d*x] + 3*ArcCoth[c + d*x]^2 - 3*c^2*Ar
cCoth[c + d*x]^2)/Sqrt[1 - (c + d*x)^(-2)] + Cosh[3*ArcCoth[c + d*x]] - 6
*c*ArcCoth[c + d*x]*Cosh[3*ArcCoth[c + d*x]] + ArcCoth[c + d*x]^2*Cosh[3*Ar
cCoth[c + d*x]] + 3*c^2*ArcCoth[c + d*x]^2*Cosh[3*ArcCoth[c + d*x]] + ...

```

Rubi [A] (verified)

Time = 0.82 (sec) , antiderivative size = 374, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {6662, 27, 6481, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (e + fx)^2 (a + b \coth^{-1}(c + dx))^2 dx \\
 & \quad \downarrow \text{6662} \\
 & \int \frac{\left(d\left(e - \frac{cf}{d}\right) + f(c + dx)\right)^2 (a + b \coth^{-1}(c + dx))^2}{d^2} d(c + dx) \\
 & \quad \downarrow \text{27}
 \end{aligned}$$

$$\frac{\int (de - cf + f(c + dx))^2 (a + b \coth^{-1}(c + dx))^2 d(c + dx)}{d^3}$$

↓ 6481

$$\frac{\frac{(f(c+dx)-cf+de)^3(a+b\coth^{-1}(c+dx))^2}{3f} - \frac{2bf\left(-((c+dx)(a+b\coth^{-1}(c+dx))f^3)-3(de-cf)(a+b\coth^{-1}(c+dx))f^2+\frac{(de-cf)(d^2e^2-2cdf)}{3f}\right)}{d^3}}{d^3}$$

↓ 2009

$$\frac{\frac{(f(c+dx)-cf+de)^3(a+b\coth^{-1}(c+dx))^2}{3f} - \frac{2b\left(-\frac{f((3c^2+1)f^2-6cdf+3d^2e^2)(a+b\coth^{-1}(c+dx))^2}{2b}+\frac{(de-cf)((c^2+3)f^2-2cdf+d^2e^2)(a+b\coth^{-1}(c+dx))^2}{2b}\right)}{d^3}}{d^3}$$

input `Int[(e + f*x)^2*(a + b*ArcCoth[c + d*x])^2,x]`

output

```
(((d*e - c*f + f*(c + d*x))^3*(a + b*ArcCoth[c + d*x])^2)/(3*f) - (2*b*(-1/2*(b*f^3*(c + d*x)) - 3*a*f^2*(d*e - c*f)*(c + d*x) - 3*b*f^2*(d*e - c*f)*(c + d*x)*ArcCoth[c + d*x] - (f^3*(c + d*x)^2*(a + b*ArcCoth[c + d*x])))/2 + ((d*e - c*f)*(d^2*e^2 - 2*c*d*e*f + (3 + c^2)*f^2)*(a + b*ArcCoth[c + d*x])^2)/(2*b) - (f*(3*d^2*e^2 - 6*c*d*e*f + (1 + 3*c^2)*f^2)*(a + b*ArcCoth[c + d*x])^2)/(2*b) + (b*f^3*ArcTanh[c + d*x])/2 + f*(3*d^2*e^2 - 6*c*d*e*f + (1 + 3*c^2)*f^2)*(a + b*ArcCoth[c + d*x])*Log[2/(1 - c - d*x)] - (3*b*f^2*(d*e - c*f)*Log[1 - (c + d*x)^2])/2 + (b*f*(3*d^2*e^2 - 6*c*d*e*f + (1 + 3*c^2)*f^2)*PolyLog[2, -((1 + c + d*x)/(1 - c - d*x))])/2)/(3*f))/d^3
```

Defintions of rubi rules used

rule 27 `Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_)] /; FreeQ[b, x]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 6481

```
Int[((a_.) + ArcCoth[(c_.)*(x_.)]*(b_.))^(p_.)*((d_.) + (e_.)*(x_.))^(q_.), x_Symbol]
:> Simp[(d + e*x)^(q + 1)*((a + b*ArcCoth[c*x])^p/(e*(q + 1))), x] -
Simp[b*c*(p/(e*(q + 1))) Int[ExpandIntegrand[(a + b*ArcCoth[c*x])^(p - 1),
(d + e*x)^(q + 1)/(1 - c^2*x^2), x], x], x] /; FreeQ[{a, b, c, d, e}, x]
&& IGtQ[p, 1] && IntegerQ[q] && NeQ[q, -1]
```

rule 6662

```
Int[((a_.) + ArcCoth[(c_.) + (d_.)*(x_.)]*(b_.))^(p_.)*((e_.) + (f_.)*(x_.))^(m_.), x_Symbol]
:> Simp[1/d Subst[Int[((d*e - c*f)/d + f*(x/d))^m*(a + b*ArcCoth[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x]
&& IGtQ[p, 0]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1410 vs. $2(358) = 716$.

Time = 0.85 (sec) , antiderivative size = 1411, normalized size of antiderivative = 3.77

method	result	size
parts	Expression too large to display	1411
derivativedivides	Expression too large to display	1412
default	Expression too large to display	1412
risch	Expression too large to display	1685

input

```
int((f*x+e)^2*(a+b*arccoth(d*x+c))^2,x,method=_RETURNVERBOSE)
```

output

```

1/3*a^2*(f*x+e)^3/f+b^2/d*(1/3/d^2*f^2*arccoth(d*x+c)^2*(d*x+c)^3-1/d^2*f^
2*arccoth(d*x+c)^2*(d*x+c)^2*c+1/d*f*arccoth(d*x+c)^2*(d*x+c)^2*e+1/d^2*f^
2*arccoth(d*x+c)^2*(d*x+c)*c^2-2/d*f*arccoth(d*x+c)^2*(d*x+c)*c*e+arccoth(
d*x+c)^2*(d*x+c)*e^2-1/3/d^2*f^2*arccoth(d*x+c)^2*c^3+1/d*f*arccoth(d*x+c)
^2*c^2*e-arccoth(d*x+c)^2*c*e^2+1/3*d/f*arccoth(d*x+c)^2*e^3+2/3/d^2/f*(1/
2*arccoth(d*x+c)*f^3*(d*x+c)^2+1/2*arccoth(d*x+c)*ln(d*x+c-1)*f^3+1/2*arcc
oth(d*x+c)*ln(d*x+c+1)*f^3-3*arccoth(d*x+c)*c*f^3*(d*x+c)-1/2*arccoth(d*x+
c)*ln(d*x+c-1)*c^3*f^3+1/2*arccoth(d*x+c)*ln(d*x+c-1)*d^3*e^3+3/2*arccoth(
d*x+c)*ln(d*x+c-1)*c^2*f^3-3/2*arccoth(d*x+c)*ln(d*x+c-1)*c*f^3+1/2*arccot
h(d*x+c)*ln(d*x+c+1)*c^3*f^3-1/2*arccoth(d*x+c)*ln(d*x+c+1)*d^3*e^3+3/2*ar
ccoth(d*x+c)*ln(d*x+c+1)*c^2*f^3+3/2*arccoth(d*x+c)*ln(d*x+c+1)*c*f^3+3/2*
arccoth(d*x+c)*ln(d*x+c+1)*c*d^2*e^2*f-3*arccoth(d*x+c)*ln(d*x+c+1)*c*d*e*
f^2+3/2*arccoth(d*x+c)*ln(d*x+c-1)*c^2*d*e*f^2-3/2*arccoth(d*x+c)*ln(d*x+c
-1)*c*d^2*e^2*f-3*arccoth(d*x+c)*ln(d*x+c-1)*c*d*e*f^2-3/2*arccoth(d*x+c)*
ln(d*x+c+1)*c^2*d*e*f^2+3*arccoth(d*x+c)*d*e*f^2*(d*x+c)+3/2*arccoth(d*x+c
)*ln(d*x+c-1)*d^2*e^2*f+3/2*arccoth(d*x+c)*ln(d*x+c-1)*d*e*f^2+3/2*arccoth
(d*x+c)*ln(d*x+c+1)*d^2*e^2*f-3/2*arccoth(d*x+c)*ln(d*x+c+1)*d*e*f^2+1/2*f
^2*(f*(d*x+c)+1/2*(-6*c*f+6*d*e+f)*ln(d*x+c-1)-1/2*(6*c*f-6*d*e+f)*ln(d*x+
c+1))+1/2*(-c^3*f^3+3*c^2*d*e*f^2-3*c*d^2*e^2*f+d^3*e^3+3*c^2*f^3-6*c*d*e*
f^2+3*d^2*e^2*f-3*c*f^3+3*d*e*f^2+f^3)*(1/4*ln(d*x+c-1)^2-1/2*dilog(1/2...

```

Fricas [F]

$$\int (e + fx)^2 (a + b \operatorname{coth}^{-1}(c + dx))^2 dx = \int (fx + e)^2 (b \operatorname{arccoth}(dx + c) + a)^2 dx$$

input

```
integrate((f*x+e)^2*(a+b*arccoth(d*x+c))^2,x, algorithm="fricas")
```

output

```

integral(a^2*f^2*x^2 + 2*a^2*e*f*x + a^2*e^2 + (b^2*f^2*x^2 + 2*b^2*e*f*x
+ b^2*e^2)*arccoth(d*x + c)^2 + 2*(a*b*f^2*x^2 + 2*a*b*e*f*x + a*b*e^2)*ar
ccoth(d*x + c), x)

```

Sympy [F]

$$\int (e + fx)^2 (a + b \coth^{-1}(c + dx))^2 dx = \int (a + b \operatorname{acoth}(c + dx))^2 (e + fx)^2 dx$$

input `integrate((f*x+e)**2*(a+b*acoth(d*x+c))**2,x)`

output `Integral((a + b*acoth(c + d*x))**2*(e + f*x)**2, x)`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 791 vs. $2(350) = 700$.

Time = 0.24 (sec) , antiderivative size = 791, normalized size of antiderivative = 2.11

$$\int (e + fx)^2 (a + b \coth^{-1}(c + dx))^2 dx = \text{Too large to display}$$

input `integrate((f*x+e)^2*(a+b*arccoth(d*x+c))^2,x, algorithm="maxima")`

output

```

1/3*a^2*f^2*x^3 + a^2*e*f*x^2 + (2*x^2*arccoth(d*x + c) + d*(2*x/d^2 - (c^
2 + 2*c + 1)*log(d*x + c + 1)/d^3 + (c^2 - 2*c + 1)*log(d*x + c - 1)/d^3))
*a*b*e*f + 1/3*(2*x^3*arccoth(d*x + c) + d*((d*x^2 - 4*c*x)/d^3 + (c^3 + 3
*c^2 + 3*c + 1)*log(d*x + c + 1)/d^4 - (c^3 - 3*c^2 + 3*c - 1)*log(d*x + c
- 1)/d^4))*a*b*f^2 + a^2*e^2*x + (2*(d*x + c)*arccoth(d*x + c) + log(-(d*
x + c)^2 + 1))*a*b*e^2/d - 1/3*(3*d^2*e^2 - 6*c*d*e*f + 3*c^2*f^2 + f^2)*(
log(d*x + c - 1)*log(1/2*d*x + 1/2*c + 1/2) + dilog(-1/2*d*x - 1/2*c + 1/2
))*b^2/d^3 - 1/6*(5*c^2*f^2 - 6*d*e*f - 6*(d*e*f - f^2)*c + f^2)*b^2*log(d
*x + c + 1)/d^3 + 1/12*(4*b^2*d*f^2*x + (b^2*d^3*f^2*x^3 + 3*b^2*d^3*e*f*x
^2 + 3*b^2*d^3*e^2*x + (c^3*f^2 + 3*d^2*e^2 - 3*(d*e*f - f^2)*c^2 - 3*d*e*
f + 3*(d^2*e^2 - 2*d*e*f + f^2)*c + f^2)*b^2)*log(d*x + c + 1)^2 + (b^2*d^
3*f^2*x^3 + 3*b^2*d^3*e*f*x^2 + 3*b^2*d^3*e^2*x + (c^3*f^2 - 3*d^2*e^2 - 3
*(d*e*f + f^2)*c^2 - 3*d*e*f + 3*(d^2*e^2 + 2*d*e*f + f^2)*c - f^2)*b^2)*l
og(d*x + c - 1)^2 + 2*(b^2*d^2*f^2*x^2 + 2*(3*d^2*e*f - 2*c*d*f^2)*b^2*x -
(b^2*d^3*f^2*x^3 + 3*b^2*d^3*e*f*x^2 + 3*b^2*d^3*e^2*x + (c^3*f^2 - 3*d^2
*e^2 - 3*(d*e*f + f^2)*c^2 - 3*d*e*f + 3*(d^2*e^2 + 2*d*e*f + f^2)*c - f^2
)*b^2)*log(d*x + c - 1))*log(d*x + c + 1) - 2*(b^2*d^2*f^2*x^2 + 2*(3*d^2*
e*f - 2*c*d*f^2)*b^2*x - (5*c^2*f^2 + 6*d*e*f - 6*(d*e*f + f^2)*c + f^2)*b
^2)*log(d*x + c - 1))/d^3

```

Giac [F]

$$\int (e + fx)^2 (a + b \operatorname{coth}^{-1}(c + dx))^2 dx = \int (fx + e)^2 (b \operatorname{arccoth}(dx + c) + a)^2 dx$$

input

```
integrate((f*x+e)^2*(a+b*arccoth(d*x+c))^2,x, algorithm="giac")
```

output

```
integrate((f*x + e)^2*(b*arccoth(d*x + c) + a)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int (e + fx)^2 (a + b \coth^{-1}(c + dx))^2 dx = \int (e + fx)^2 (a + b \operatorname{acoth}(c + dx))^2 dx$$

input `int((e + f*x)^2*(a + b*acoth(c + d*x))^2,x)`output `int((e + f*x)^2*(a + b*acoth(c + d*x))^2, x)`**Reduce [F]**

$$\int (e + fx)^2 (a + b \coth^{-1}(c + dx))^2 dx = \text{Too large to display}$$

input `int((f*x+e)^2*(a+b*acoth(d*x+c))^2,x)`

output

```
( - 2*acoth(c + d*x)**2*b**2*c**3*f**2 + 3*acoth(c + d*x)**2*b**2*c**2*d*e
*f + 2*acoth(c + d*x)**2*b**2*c*f**2 + 3*acoth(c + d*x)**2*b**2*d**3*e**2*
x + 3*acoth(c + d*x)**2*b**2*d**3*e*f*x**2 + acoth(c + d*x)**2*b**2*d**3*f
**2*x**3 - 3*acoth(c + d*x)**2*b**2*d*e*f + 2*acoth(c + d*x)*a*b*c**3*f**2
- 6*acoth(c + d*x)*a*b*c**2*d*e*f + 6*acoth(c + d*x)*a*b*c**2*f**2 + 6*ac
oth(c + d*x)*a*b*c*d**2*e**2 - 12*acoth(c + d*x)*a*b*c*d*e*f + 6*acoth(c +
d*x)*a*b*c*f**2 + 6*acoth(c + d*x)*a*b*d**3*e**2*x + 6*acoth(c + d*x)*a*b
*d**3*e*f*x**2 + 2*acoth(c + d*x)*a*b*d**3*f**2*x**3 + 6*acoth(c + d*x)*a*
b*d**2*e**2 - 6*acoth(c + d*x)*a*b*d*e*f + 2*acoth(c + d*x)*a*b*f**2 + 5*a
coth(c + d*x)*b**2*c**2*f**2 - 6*acoth(c + d*x)*b**2*c*d*e*f + 4*acoth(c +
d*x)*b**2*c*d*f**2*x + 6*acoth(c + d*x)*b**2*c*f**2 - 6*acoth(c + d*x)*b*
**2*d**2*e*f*x - acoth(c + d*x)*b**2*d**2*f**2*x**2 - 6*acoth(c + d*x)*b**2
*d*e*f + acoth(c + d*x)*b**2*f**2 - 6*int((acoth(c + d*x)*x)/(c**2 + 2*c*d
*x + d**2*x**2 - 1),x)*b**2*c**2*d**2*f**2 + 12*int((acoth(c + d*x)*x)/(c*
**2 + 2*c*d*x + d**2*x**2 - 1),x)*b**2*c*d**3*e*f - 6*int((acoth(c + d*x)*x
)/(c**2 + 2*c*d*x + d**2*x**2 - 1),x)*b**2*d**4*e**2 - 2*int((acoth(c + d*
x)*x)/(c**2 + 2*c*d*x + d**2*x**2 - 1),x)*b**2*d**2*f**2 - 6*log(c + d*x -
1)*a*b*c**2*f**2 + 12*log(c + d*x - 1)*a*b*c*d*e*f - 6*log(c + d*x - 1)*a
*b*d**2*e**2 - 2*log(c + d*x - 1)*a*b*f**2 - 6*log(c + d*x - 1)*b**2*c*f**
2 + 6*log(c + d*x - 1)*b**2*d*e*f + 3*a**2*d**3*e**2*x + 3*a**2*d**3*e...
```

3.29 $\int (e + fx) (a + b \coth^{-1}(c + dx))^2 dx$

Optimal result	251
Mathematica [A] (verified)	252
Rubi [A] (verified)	252
Maple [B] (verified)	254
Fricas [F]	255
Sympy [F]	255
Maxima [A] (verification not implemented)	256
Giac [F]	256
Mupad [F(-1)]	257
Reduce [F]	257

Optimal result

Integrand size = 18, antiderivative size = 221

$$\begin{aligned} & \int (e + fx) (a + b \coth^{-1}(c + dx))^2 dx \\ &= \frac{abfx}{d} + \frac{b^2 f(c + dx) \coth^{-1}(c + dx)}{d^2} + \frac{(de - cf) (a + b \coth^{-1}(c + dx))^2}{d^2} \\ & \quad - \frac{(d^2 e^2 - 2cdef + (1 + c^2) f^2) (a + b \coth^{-1}(c + dx))^2}{2d^2 f} \\ & \quad + \frac{(e + fx)^2 (a + b \coth^{-1}(c + dx))^2}{2f} \\ & \quad - \frac{2b(de - cf) (a + b \coth^{-1}(c + dx)) \log\left(\frac{2}{1 - c - dx}\right)}{d^2} \\ & \quad + \frac{b^2 f \log(1 - (c + dx)^2)}{2d^2} - \frac{b^2 (de - cf) \text{PolyLog}\left(2, -\frac{1 + c + dx}{1 - c - dx}\right)}{d^2} \end{aligned}$$

output

```
a*b*f*x/d+b^2*f*(d*x+c)*arccoth(d*x+c)/d^2+(-c*f+d*e)*(a+b*arccoth(d*x+c))
^2/d^2-1/2*(d^2*e^2-2*c*d*e*f+(c^2+1)*f^2)*(a+b*arccoth(d*x+c))^2/d^2/f+1/
2*(f*x+e)^2*(a+b*arccoth(d*x+c))^2/f-2*b*(-c*f+d*e)*(a+b*arccoth(d*x+c))*l
n(2/(-d*x-c+1))/d^2+1/2*b^2*f*ln(1-(d*x+c)^2)/d^2-b^2*(-c*f+d*e)*polylog(2
,-(d*x+c+1)/(-d*x-c+1))/d^2
```

Mathematica [A] (verified)

Time = 0.85 (sec) , antiderivative size = 295, normalized size of antiderivative = 1.33

$$\int (e + fx) (a + b \coth^{-1}(c + dx))^2 dx$$

$$= \frac{2a^2cde + 2abcf - a^2c^2f + 2a^2d^2ex + 2abdfx + a^2d^2fx^2 + b^2(-1 + c + dx)(2de + f - cf + dfx) \coth^{-1}(c + dx)}{d^2}$$

input

```
Integrate[(e + f*x)*(a + b*ArcCoth[c + d*x])^2,x]
```

output

```
(2*a^2*c*d*e + 2*a*b*c*f - a^2*c^2*f + 2*a^2*d^2*e*x + 2*a*b*d*f*x + a^2*d^2*f*x^2 + b^2*(-1 + c + d*x)*(2*d*e + f - c*f + d*f*x)*ArcCoth[c + d*x]^2 + 2*b*ArcCoth[c + d*x]*(-(c + d*x)*(-(b*f) + a*c*f - a*d*(2*e + f*x))) - 2*b*(d*e - c*f)*Log[1 - E^(-2*ArcCoth[c + d*x])]) + a*b*f*Log[1 - c - d*x] - a*b*f*Log[1 + c + d*x] - 4*a*b*d*e*Log[1/((c + d*x)*Sqrt[1 - (c + d*x)^(-2)])] - 2*b^2*f*Log[1/((c + d*x)*Sqrt[1 - (c + d*x)^(-2)])] + 4*a*b*c*f*Log[1/((c + d*x)*Sqrt[1 - (c + d*x)^(-2)])] + 2*b^2*(d*e - c*f)*PolyLog[2, E^(-2*ArcCoth[c + d*x])])/(2*d^2)
```

Rubi [A] (verified)

Time = 0.66 (sec) , antiderivative size = 231, normalized size of antiderivative = 1.05, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {6662, 27, 6481, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (e + fx) (a + b \coth^{-1}(c + dx))^2 dx$$

$$\downarrow 6662$$

$$\int \frac{\left(d\left(e - \frac{cf}{d}\right) + f(c + dx)\right) (a + b \coth^{-1}(c + dx))^2}{d} d(c + dx)$$

$$\downarrow 27$$

$$\frac{\int (de - cf + f(c + dx)) (a + b \coth^{-1}(c + dx))^2 d(c + dx)}{d^2}$$

↓ 6481

$$\frac{\frac{(f(c+dx)-cf+de)^2(a+b\coth^{-1}(c+dx))^2}{2f} - \frac{b \int \left(\frac{(d^2e^2 - 2cdf e + (c^2+1)f^2 + 2f(de-cf)(c+dx))(a+b\coth^{-1}(c+dx))}{1-(c+dx)^2} - f^2(a+b\coth^{-1}(c+dx)) \right) d(c+dx)}{f}}{d^2}}$$

↓ 2009

$$\frac{\frac{(f(c+dx)-cf+de)^2(a+b\coth^{-1}(c+dx))^2}{2f} - \frac{b \left(\frac{((c^2+1)f^2 - 2cdf e + d^2e^2)(a+b\coth^{-1}(c+dx))^2}{2b} - \frac{f(de-cf)(a+b\coth^{-1}(c+dx))^2}{b} + 2f(de-cf) \log \left(\frac{1-c-dx}{1-c+d^2x} \right) \right)}{d^2}}$$

input

```
Int[(e + f*x)*(a + b*ArcCoth[c + d*x])^2,x]
```

output

```
((((d*e - c*f + f*(c + d*x))^2*(a + b*ArcCoth[c + d*x])^2)/(2*f) - (b*(-(a*f^2*(c + d*x)) - b*f^2*(c + d*x)*ArcCoth[c + d*x] - (f*(d*e - c*f)*(a + b*ArcCoth[c + d*x])^2)/b + ((d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2)*(a + b*ArcCoth[c + d*x])^2)/(2*b) + 2*f*(d*e - c*f)*(a + b*ArcCoth[c + d*x])*Log[2/(1 - c - d*x)] - (b*f^2*Log[1 - (c + d*x)^2])/2 + b*f*(d*e - c*f)*PolyLog[2, -((1 + c + d*x)/(1 - c - d*x)])))/f)/d^2
```

Defintions of rubi rules used

rule 27

```
Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 6481

```
Int[((a_.) + ArcCoth[(c_.)*(x_.)]*(b_.))^(p_.)*((d_.) + (e_.)*(x_.))^(q_.), x_Symbol]
:> Simp[(d + e*x)^(q + 1)*((a + b*ArcCoth[c*x])^p/(e*(q + 1))), x] -
Simp[b*c*(p/(e*(q + 1))) Int[ExpandIntegrand[(a + b*ArcCoth[c*x])^(p - 1),
(d + e*x)^(q + 1)/(1 - c^2*x^2), x], x], x] /; FreeQ[{a, b, c, d, e}, x]
&& IGtQ[p, 1] && IntegerQ[q] && NeQ[q, -1]
```

rule 6662

```
Int[((a_.) + ArcCoth[(c_.) + (d_.)*(x_.)]*(b_.))^(p_.)*((e_.) + (f_.)*(x_.))^(m_.), x_Symbol]
:> Simp[1/d Subst[Int[((d*e - c*f)/d + f*(x/d))^m*(a + b*ArcCoth[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x]
&& IGtQ[p, 0]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 449 vs. 2(215) = 430.

Time = 0.62 (sec) , antiderivative size = 450, normalized size of antiderivative = 2.04

method	result
parts	$a^2 \left(\frac{1}{2} f x^2 + ex \right) + \frac{b^2 \left(\frac{\operatorname{arccoth}(dx+c)^2(dx+c)^2 f}{2d} - \frac{\operatorname{arccoth}(dx+c)^2 c f(dx+c)}{d} + \operatorname{arccoth}(dx+c)^2 e(dx+c) + \frac{\operatorname{arccoth}(dx+c)}{2} f(dx+c)^2 - a \right)}{d}$
derivativedivides	$\frac{a^2 \left(f c(dx+c) - e d(dx+c) - \frac{f(dx+c)^2}{2} \right)}{d} - \frac{b^2 \left(\operatorname{arccoth}(dx+c)^2 f c(dx+c) - \operatorname{arccoth}(dx+c)^2 e d(dx+c) - \frac{\operatorname{arccoth}(dx+c)^2 f(dx+c)^2}{2} - a \right)}{d}$
default	$\frac{a^2 \left(f c(dx+c) - e d(dx+c) - \frac{f(dx+c)^2}{2} \right)}{d} - \frac{b^2 \left(\operatorname{arccoth}(dx+c)^2 f c(dx+c) - \operatorname{arccoth}(dx+c)^2 e d(dx+c) - \frac{\operatorname{arccoth}(dx+c)^2 f(dx+c)^2}{2} - a \right)}{d}$
risch	$-\frac{b^2 f \ln(dx+c-1)x}{2d} - \frac{b^2(-d^2 f x^2 - 2d^2 ex + c^2 f - 2cde + 2cf - 2de + f) \ln(dx+c+1)^2}{8d^2} + \frac{b \ln(dx+c+1)ae}{d} - \frac{baf}{d^2}$

input

```
int((f*x+e)*(a+b*arccoth(d*x+c))^2,x,method=_RETURNVERBOSE)
```

output

```
a^2*(1/2*f*x^2+e*x)+b^2/d*(1/2/d*arccoth(d*x+c)^2*(d*x+c)^2*f-1/d*arccoth(d*x+c)^2*c*f*(d*x+c)+arccoth(d*x+c)^2*e*(d*x+c)+1/d*(arccoth(d*x+c)*f*(d*x+c)-arccoth(d*x+c)*ln(d*x+c-1)*c*f+arccoth(d*x+c)*ln(d*x+c-1)*d*e+1/2*arccoth(d*x+c)*ln(d*x+c-1)*f-arccoth(d*x+c)*ln(d*x+c+1)*c*f+arccoth(d*x+c)*ln(d*x+c+1)*d*e-1/2*arccoth(d*x+c)*ln(d*x+c+1)*f+1/2*ln(d*x+c-1)*f+1/2*ln(d*x+c+1)*f+1/2*(-2*c*f+2*d*e+f)*(1/4*ln(d*x+c-1)^2-1/2*dilog(1/2*d*x+1/2*c+1/2)-1/2*ln(d*x+c-1)*ln(1/2*d*x+1/2*c+1/2))+1/2*(-2*c*f+2*d*e-f)*(-1/4*ln(d*x+c+1)^2+1/2*(ln(d*x+c+1)-ln(1/2*d*x+1/2*c+1/2))*ln(-1/2*d*x-1/2*c+1/2)-1/2*dilog(1/2*d*x+1/2*c+1/2))))+2*a*b/d*(1/2/d*arccoth(d*x+c)*(d*x+c)^2*f-1/d*arccoth(d*x+c)*c*f*(d*x+c)+arccoth(d*x+c)*e*(d*x+c)+1/2/d*(f*(d*x+c)+1/2*(-2*c*f+2*d*e+f)*ln(d*x+c-1)-1/2*(2*c*f-2*d*e+f)*ln(d*x+c+1)))
```

Fricas [F]

$$\int (e + fx) (a + b \coth^{-1}(c + dx))^2 dx = \int (fx + e)(b \operatorname{arccoth}(dx + c) + a)^2 dx$$

input

```
integrate((f*x+e)*(a+b*arccoth(d*x+c))^2,x, algorithm="fricas")
```

output

```
integral(a^2*f*x + a^2*e + (b^2*f*x + b^2*e)*arccoth(d*x + c)^2 + 2*(a*b*f*x + a*b*e)*arccoth(d*x + c), x)
```

Sympy [F]

$$\int (e + fx) (a + b \coth^{-1}(c + dx))^2 dx = \int (a + b \operatorname{acoth}(c + dx))^2 (e + fx) dx$$

input

```
integrate((f*x+e)*(a+b*acoth(d*x+c))**2,x)
```

output

```
Integral((a + b*acoth(c + d*x))**2*(e + f*x), x)
```


Maxima [A] (verification not implemented)

Time = 0.24 (sec) , antiderivative size = 400, normalized size of antiderivative = 1.81

$$\int (e + fx) (a + b \coth^{-1}(c + dx))^2 dx = \frac{1}{2} a^2 f x^2 + \frac{1}{2} \left(2 x^2 \operatorname{arccoth}(dx + c) + d \left(\frac{2x}{d^2} - \frac{(c^2 + 2c + 1) \log(dx + c + 1)}{d^3} + \frac{(c^2 - 2c + 1) \log(dx + c - 1)}{d^3} \right) \right) + a^2 e x + \frac{(2(dx + c) \operatorname{arccoth}(dx + c) + \log(-(dx + c)^2 + 1)) a b e}{d} - \frac{(de - cf) (\log(dx + c - 1) \log(\frac{1}{2} dx + \frac{1}{2} c + \frac{1}{2})) + \operatorname{Li}_2(-\frac{1}{2} dx - \frac{1}{2} c + \frac{1}{2}) b^2}{d^2} + \frac{(cf + f) b^2 \log(dx + c + 1)}{2 d^2} + \frac{(b^2 d^2 f x^2 + 2 b^2 d^2 e x - (c^2 f - 2(de - f)c - 2de + f) b^2) \log(dx + c + 1)^2 + (b^2 d^2 f x^2 + 2 b^2 d^2 e x - (c^2 f - 2(de - f)c - 2de + f) b^2) \log(dx + c - 1)^2}{d^2}$$

input `integrate((f*x+e)*(a+b*arccoth(d*x+c))^2,x, algorithm="maxima")`

output `1/2*a^2*f*x^2 + 1/2*(2*x^2*arccoth(d*x + c) + d*(2*x/d^2 - (c^2 + 2*c + 1)*log(d*x + c + 1)/d^3 + (c^2 - 2*c + 1)*log(d*x + c - 1)/d^3))*a*b*f + a^2*e*x + (2*(d*x + c)*arccoth(d*x + c) + log(-(d*x + c)^2 + 1))*a*b*e/d - (d*e - c*f)*(log(d*x + c - 1)*log(1/2*d*x + 1/2*c + 1/2) + dilog(-1/2*d*x - 1/2*c + 1/2))*b^2/d^2 + 1/2*(c*f + f)*b^2*log(d*x + c + 1)/d^2 + 1/8*((b^2*d^2*f*x^2 + 2*b^2*d^2*e*x - (c^2*f - 2*(d*e - f)*c - 2*d*e + f)*b^2)*log(d*x + c + 1)^2 + (b^2*d^2*f*x^2 + 2*b^2*d^2*e*x - (c^2*f - 2*(d*e + f)*c + 2*d*e + f)*b^2)*log(d*x + c - 1)^2 + 2*(2*b^2*d*f*x - (b^2*d^2*f*x^2 + 2*b^2*d^2*e*x - (c^2*f - 2*(d*e + f)*c + 2*d*e + f)*b^2)*log(d*x + c - 1))*log(d*x + c + 1) - 4*(b^2*d*f*x + (c*f - f)*b^2)*log(d*x + c - 1))/d^2`

Giac [F]

$$\int (e + fx) (a + b \coth^{-1}(c + dx))^2 dx = \int (fx + e)(b \operatorname{arccoth}(dx + c) + a)^2 dx$$

input `integrate((f*x+e)*(a+b*arccoth(d*x+c))^2,x, algorithm="giac")`

3.30 $\int (a + b \operatorname{coth}^{-1}(c + dx))^2 dx$

Optimal result	258
Mathematica [A] (verified)	259
Rubi [A] (verified)	259
Maple [A] (verified)	261
Fricas [F]	262
Sympy [F]	262
Maxima [F]	263
Giac [F]	263
Mupad [F(-1)]	263
Reduce [F]	264

Optimal result

Integrand size = 12, antiderivative size = 97

$$\int (a + b \operatorname{coth}^{-1}(c + dx))^2 dx = \frac{(a + b \operatorname{coth}^{-1}(c + dx))^2}{d} + \frac{(c + dx)(a + b \operatorname{coth}^{-1}(c + dx))^2}{d} - \frac{2b(a + b \operatorname{coth}^{-1}(c + dx)) \log\left(\frac{2}{1-c-dx}\right)}{d} - \frac{b^2 \operatorname{PolyLog}\left(2, -\frac{1+c+dx}{1-c-dx}\right)}{d}$$

output

```
(a+b*arccoth(d*x+c))^2/d+(d*x+c)*(a+b*arccoth(d*x+c))^2/d-2*b*(a+b*arccoth
(d*x+c))*ln(2/(-d*x-c+1))/d-b^2*polylog(2,-(d*x+c+1)/(-d*x-c+1))/d
```

Mathematica [A] (verified)

Time = 0.14 (sec) , antiderivative size = 111, normalized size of antiderivative = 1.14

$$\int (a + b \coth^{-1}(c + dx))^2 dx$$

$$= \frac{b^2(-1 + c + dx) \coth^{-1}(c + dx)^2 + 2b \coth^{-1}(c + dx) \left(ac + adx - b \log \left(1 - e^{-2 \coth^{-1}(c+dx)} \right) \right) + a \left(ac + adx - b \log \left(1 - e^{-2 \coth^{-1}(c+dx)} \right) \right)}{d}$$

input `Integrate[(a + b*ArcCoth[c + d*x])^2,x]`

output `(b^2*(-1 + c + d*x)*ArcCoth[c + d*x]^2 + 2*b*ArcCoth[c + d*x]*(a*c + a*d*x - b*Log[1 - E^(-2*ArcCoth[c + d*x])]) + a*(a*c + a*d*x - 2*b*Log[1/((c + d*x)*Sqrt[1 - (c + d*x)^(-2)]))]) + b^2*PolyLog[2, E^(-2*ArcCoth[c + d*x])])/d`

Rubi [A] (verified)

Time = 0.52 (sec) , antiderivative size = 93, normalized size of antiderivative = 0.96, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {6654, 6437, 6547, 6471, 2849, 2752}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (a + b \coth^{-1}(c + dx))^2 dx$$

$$\downarrow \text{6654}$$

$$\frac{\int (a + b \coth^{-1}(c + dx))^2 d(c + dx)}{d}$$

$$\downarrow \text{6437}$$

$$\frac{(c + dx) (a + b \coth^{-1}(c + dx))^2 - 2b \int \frac{(c+dx)(a+b \coth^{-1}(c+dx))}{1-(c+dx)^2} d(c + dx)}{d}$$

$$\downarrow \text{6547}$$

$$\frac{(c+dx)(a+b\coth^{-1}(c+dx))^2 - 2b\left(\int \frac{a+b\coth^{-1}(c+dx)}{-c-dx+1} d(c+dx) - \frac{(a+b\coth^{-1}(c+dx))^2}{2b}\right)}{d}$$

↓ 6471

$$\frac{(c+dx)(a+b\coth^{-1}(c+dx))^2 - 2b\left(-b\int \frac{\log\left(\frac{2}{-c-dx+1}\right)}{1-(c+dx)^2} d(c+dx) - \frac{(a+b\coth^{-1}(c+dx))^2}{2b} + \log\left(\frac{2}{-c-dx+1}\right)(a+b\coth^{-1}(c+dx))\right)}{d}$$

↓ 2849

$$\frac{(c+dx)(a+b\coth^{-1}(c+dx))^2 - 2b\left(b\int \frac{\log\left(\frac{2}{-c-dx+1}\right)}{1-\frac{2}{-c-dx+1}} d\frac{1}{-c-dx+1} - \frac{(a+b\coth^{-1}(c+dx))^2}{2b} + \log\left(\frac{2}{-c-dx+1}\right)(a+b\coth^{-1}(c+dx))\right)}{d}$$

↓ 2752

$$\frac{(c+dx)(a+b\coth^{-1}(c+dx))^2 - 2b\left(-\frac{(a+b\coth^{-1}(c+dx))^2}{2b} + \log\left(\frac{2}{-c-dx+1}\right)(a+b\coth^{-1}(c+dx)) + \frac{1}{2}b\text{PolyLog}\right)}{d}$$

input `Int[(a + b*ArcCoth[c + d*x])^2,x]`

output `((c + d*x)*(a + b*ArcCoth[c + d*x])^2 - 2*b*(-1/2*(a + b*ArcCoth[c + d*x])^2/b + (a + b*ArcCoth[c + d*x])*Log[2/(1 - c - d*x)] + (b*PolyLog[2, 1 - 2/(1 - c - d*x)])/2))/d`

Defintions of rubi rules used

rule 2752 `Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] := Simp[(-e^(-1))*PolyLog[2, 1 - c*x], x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]`

rule 2849 `Int[Log[(c_.)/((d_) + (e_.)*(x_))]/((f_) + (g_.)*(x_)^2), x_Symbol] := Simp[-e/g Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]`

```
rule 6437 Int[((a_.) + ArcCoth[(c_.)*(x_)^(n_.)]*(b_.))^(p_.), x_Symbol] := Simp[x*(a
+ b*ArcCoth[c*x^n])^p, x] - Simp[b*c*n*p Int[x^n*((a + b*ArcCoth[c*x^n])
^(p - 1)/(1 - c^2*x^(2*n))), x], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[p, 0]
&& (EqQ[n, 1] || EqQ[p, 1])
```

```
rule 6471 Int[((a_.) + ArcCoth[(c_.)*(x_)*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symbol
] := Simp[(-a + b*ArcCoth[c*x])^p*(Log[2/(1 + e*(x/d))]/e), x] + Simp[b*c
*(p/e) Int[(a + b*ArcCoth[c*x])^(p - 1)*(Log[2/(1 + e*(x/d))]/(1 - c^2*x^
2)), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 - e^2
, 0]
```

```
rule 6547 Int[(((a_.) + ArcCoth[(c_.)*(x_)]*(b_.))^(p_.)*(x_))/((d_) + (e_.)*(x_)^2),
x_Symbol] := Simp[(a + b*ArcCoth[c*x])^(p + 1)/(b*e*(p + 1)), x] + Simp[1/
(c*d) Int[(a + b*ArcCoth[c*x])^p/(1 - c*x), x], x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[c^2*d + e, 0] && IGtQ[p, 0]
```

```
rule 6654 Int[((a_.) + ArcCoth[(c_) + (d_.)*(x_)]*(b_.))^(p_.), x_Symbol] := Simp[1/d
Subst[Int[(a + b*ArcCoth[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d
}, x] && IGtQ[p, 0]
```

Maple [A] (verified)

Time = 0.53 (sec) , antiderivative size = 174, normalized size of antiderivative = 1.79

method	result
parts	$a^2x + \frac{b^2 \left(\operatorname{arccoth}(dx+c)^2(dx+c-1) + 2 \operatorname{arccoth}(dx+c)^2 - 2 \operatorname{arccoth}(dx+c) \ln \left(1 - \frac{1}{\sqrt{\frac{dx+c-1}{dx+c+1}}} \right) - 2 \operatorname{polylog} \left(2, \sqrt{\frac{dx}{dx+c}} \right) \right)}{d}$
derivativedivides	$\frac{(dx+c)a^2+b^2 \left(\operatorname{arccoth}(dx+c)^2(dx+c-1) + 2 \operatorname{arccoth}(dx+c)^2 - 2 \operatorname{arccoth}(dx+c) \ln \left(1 - \frac{1}{\sqrt{\frac{dx+c-1}{dx+c+1}}} \right) - 2 \operatorname{polylog} \left(2, \sqrt{\frac{dx}{dx+c}} \right) \right)}{d}$
default	$\frac{(dx+c)a^2+b^2 \left(\operatorname{arccoth}(dx+c)^2(dx+c-1) + 2 \operatorname{arccoth}(dx+c)^2 - 2 \operatorname{arccoth}(dx+c) \ln \left(1 - \frac{1}{\sqrt{\frac{dx+c-1}{dx+c+1}}} \right) - 2 \operatorname{polylog} \left(2, \sqrt{\frac{dx}{dx+c}} \right) \right)}{d}$
risch	$\frac{\ln(dx+c-1)^2 b^2 c}{4d} - \ln(dx+c-1) abx + \frac{\ln(dx+c-1) ab}{d} + \frac{ab \ln(dx+c+1)}{d} - \frac{b^2 \ln(dx+c-1) \ln \left(\frac{dx}{2} + \frac{c}{2} + 1 \right)}{d}$

input `int((a+b*arccoth(d*x+c))^2,x,method=_RETURNVERBOSE)`

output `a^2*x+b^2/d*(arccoth(d*x+c)^2*(d*x+c-1)+2*arccoth(d*x+c)^2-2*arccoth(d*x+c)*ln(1-1/((d*x+c-1)/(d*x+c+1))^(1/2))-2*polylog(2,1/((d*x+c-1)/(d*x+c+1))^(1/2))-2*arccoth(d*x+c)*ln(1+1/((d*x+c-1)/(d*x+c+1))^(1/2))-2*polylog(2,-1/((d*x+c-1)/(d*x+c+1))^(1/2)))+2*a*b/d*((d*x+c)*arccoth(d*x+c)+1/2*ln((d*x+c)^2-1))`

Fricas [F]

$$\int (a + b \coth^{-1}(c + dx))^2 dx = \int (b \operatorname{arccoth}(dx + c) + a)^2 dx$$

input `integrate((a+b*arccoth(d*x+c))^2,x, algorithm="fricas")`

output `integral(b^2*arccoth(d*x + c)^2 + 2*a*b*arccoth(d*x + c) + a^2, x)`

Sympy [F]

$$\int (a + b \coth^{-1}(c + dx))^2 dx = \int (a + b \operatorname{acoth}(c + dx))^2 dx$$

input `integrate((a+b*acoth(d*x+c))**2,x)`

output `Integral((a + b*acoth(c + d*x))**2, x)`

Maxima [F]

$$\int (a + b \coth^{-1}(c + dx))^2 dx = \int (b \operatorname{arccoth}(dx + c) + a)^2 dx$$

input `integrate((a+b*arccoth(d*x+c))^2,x, algorithm="maxima")`

output `a^2*x + 1/4*b^2*((d*x*log(d*x + c - 1))^2 + (d*x + c + 1)*log(d*x + c + 1)^2 - 2*(d*x + c - 1)*log(d*x + c + 1)*log(d*x + c - 1))/d + integrate(2*(c^2 + (c*d - 3*d)*x - 2*c + 1)*log(d*x + c - 1)/(d^2*x^2 + 2*c*d*x + c^2 - 1), x) + (2*(d*x + c)*arccoth(d*x + c) + log(-(d*x + c)^2 + 1))*a*b/d`

Giac [F]

$$\int (a + b \coth^{-1}(c + dx))^2 dx = \int (b \operatorname{arccoth}(dx + c) + a)^2 dx$$

input `integrate((a+b*arccoth(d*x+c))^2,x, algorithm="giac")`

output `integrate((b*arccoth(d*x + c) + a)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int (a + b \coth^{-1}(c + dx))^2 dx = \int (a + b \operatorname{acoth}(c + dx))^2 dx$$

input `int((a + b*acoth(c + d*x))^2,x)`

output `int((a + b*acoth(c + d*x))^2, x)`

Reduce [F]

$$\int (a + b \operatorname{coth}^{-1}(c + dx))^2 dx$$

$$= \frac{a \operatorname{coth}(dx + c)^2 b^2 dx + 2a \operatorname{coth}(dx + c) abc + 2a \operatorname{coth}(dx + c) abdx + 2a \operatorname{coth}(dx + c) ab - 2 \left(\int \frac{a \operatorname{coth}(dx + c)}{d^2 x^2 + 2cdx + c^2} dx \right)}{d}$$

input

```
int((a+b*acoth(d*x+c))^2,x)
```

output

```
(acoth(c + d*x)**2*b**2*d*x + 2*acoth(c + d*x)*a*b*c + 2*acoth(c + d*x)*a*
b*d*x + 2*acoth(c + d*x)*a*b - 2*int((acoth(c + d*x)*x)/(c**2 + 2*c*d*x +
d**2*x**2 - 1),x)*b**2*d**2 - 2*log(c + d*x - 1)*a*b + a**2*d*x)/d
```

3.31
$$\int \frac{(a+b \operatorname{coth}^{-1}(c+dx))^2}{e+fx} dx$$

Optimal result	265
Mathematica [C] (warning: unable to verify)	266
Rubi [A] (verified)	267
Maple [C] (warning: unable to verify)	268
Fricas [F]	269
Sympy [F]	270
Maxima [F]	270
Giac [F]	271
Mupad [F(-1)]	271
Reduce [F]	271

Optimal result

Integrand size = 20, antiderivative size = 214

$$\begin{aligned} & \int \frac{(a+b \operatorname{coth}^{-1}(c+dx))^2}{e+fx} dx \\ &= -\frac{(a+b \operatorname{coth}^{-1}(c+dx))^2 \log\left(\frac{2}{1+c+dx}\right)}{f} \\ & \quad + \frac{(a+b \operatorname{coth}^{-1}(c+dx))^2 \log\left(\frac{2d(e+fx)}{(de+f-cf)(1+c+dx)}\right)}{f} \\ & \quad + \frac{b(a+b \operatorname{coth}^{-1}(c+dx)) \operatorname{PolyLog}\left(2, 1-\frac{2}{1+c+dx}\right)}{f} \\ & \quad - \frac{b(a+b \operatorname{coth}^{-1}(c+dx)) \operatorname{PolyLog}\left(2, 1-\frac{2d(e+fx)}{(de+f-cf)(1+c+dx)}\right)}{f} \\ & \quad + \frac{b^2 \operatorname{PolyLog}\left(3, 1-\frac{2}{1+c+dx}\right)}{2f} - \frac{b^2 \operatorname{PolyLog}\left(3, 1-\frac{2d(e+fx)}{(de+f-cf)(1+c+dx)}\right)}{2f} \end{aligned}$$

output

```
-(a+b*arccoth(d*x+c))^2*ln(2/(d*x+c+1))/f+(a+b*arccoth(d*x+c))^2*ln(2*d*(f*x+e)/(-c*f+d*e+f)/(d*x+c+1))/f+b*(a+b*arccoth(d*x+c))*polylog(2,1-2/(d*x+c+1))/f-b*(a+b*arccoth(d*x+c))*polylog(2,1-2*d*(f*x+e)/(-c*f+d*e+f)/(d*x+c+1))/f+1/2*b^2*polylog(3,1-2/(d*x+c+1))/f-1/2*b^2*polylog(3,1-2*d*(f*x+e)/(-c*f+d*e+f)/(d*x+c+1))/f
```

Mathematica [C] (warning: unable to verify)

Result contains complex when optimal does not.

Time = 13.00 (sec) , antiderivative size = 1767, normalized size of antiderivative = 8.26

$$\int \frac{(a + b \operatorname{coth}^{-1}(c + dx))^2}{e + fx} dx = \text{Too large to display}$$

input `Integrate[(a + b*ArcCoth[c + d*x])^2/(e + f*x),x]`

output

```
(a^2*Log[e + f*x])/f + 2*a*b*(((ArcCoth[c + d*x] - ArcTanh[c + d*x])*Log[e
+ f*x])/f - (I*(I*ArcTanh[c + d*x]*(-Log[1/Sqrt[1 - (c + d*x)^2]] + Log[I
*Sinh[ArcTanh[(d*e - c*f)/f] + ArcTanh[c + d*x]]])) + ((-I)*(I*ArcTanh[(d*e
- c*f)/f] + I*ArcTanh[c + d*x])^2 - (I/4)*(Pi - (2*I)*ArcTanh[c + d*x])^2
+ 2*(I*ArcTanh[(d*e - c*f)/f] + I*ArcTanh[c + d*x])*Log[1 - E^((2*I)*(I*A
rcTanh[(d*e - c*f)/f] + I*ArcTanh[c + d*x]))] + (Pi - (2*I)*ArcTanh[c + d
*x])*Log[1 - E^(I*(Pi - (2*I)*ArcTanh[c + d*x]))] - (Pi - (2*I)*ArcTanh[c +
d*x])*Log[2*Sin[(Pi - (2*I)*ArcTanh[c + d*x])/2]] - 2*(I*ArcTanh[(d*e - c
*f)/f] + I*ArcTanh[c + d*x])*Log[(2*I)*Sinh[ArcTanh[(d*e - c*f)/f] + ArcTa
nh[c + d*x]])] - I*PolyLog[2, E^((2*I)*(I*ArcTanh[(d*e - c*f)/f] + I*ArcTan
h[c + d*x]))] - I*PolyLog[2, E^(I*(Pi - (2*I)*ArcTanh[c + d*x]))]/2)/f)
- (b^2*(d*e - c*f + f*(c + d*x))*(1 - (c + d*x)^2)*(-1/24*(I*f*Pi^3 - 8*d*
e*ArcCoth[c + d*x]^3 - 8*f*ArcCoth[c + d*x]^3 + 8*c*f*ArcCoth[c + d*x]^3 +
24*f*ArcCoth[c + d*x]^2*Log[1 - E^(2*ArcCoth[c + d*x])] + 24*f*ArcCoth[c
+ d*x]*PolyLog[2, E^(2*ArcCoth[c + d*x])] - 12*f*PolyLog[3, E^(2*ArcCoth[c
+ d*x])])/f^2 + ((-(d*e) - f + c*f)*(-(d*e) + f + c*f)*(2*d*e*ArcCoth[c +
d*x]^3 - 6*f*ArcCoth[c + d*x]^3 - 2*c*f*ArcCoth[c + d*x]^3 - (4*d*e*Sqrt[
(d^2*e^2 - 2*c*d*e*f + (-1 + c^2)*f^2)/(d*e - c*f)]^2)*ArcCoth[c + d*x]^3)/
E^ArcTanh[f/(d*e - c*f)] + (4*c*f*Sqrt[(d^2*e^2 - 2*c*d*e*f + (-1 + c^2)*f
^2)/(d*e - c*f)]^2)*ArcCoth[c + d*x]^3)/E^ArcTanh[f/(d*e - c*f)] + (6*I)...
```

Rubi [A] (verified)

Time = 0.44 (sec) , antiderivative size = 241, normalized size of antiderivative = 1.13, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {6662, 27, 6475}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{(a + b \coth^{-1}(c + dx))^2}{e + fx} dx \\
 & \quad \downarrow \text{6662} \\
 & \int \frac{d(a+b \coth^{-1}(c+dx))^2}{d(e-\frac{cf}{d})+f(c+dx)} d(c+dx) \\
 & \quad \downarrow \text{27} \\
 & \int \frac{(a + b \coth^{-1}(c + dx))^2}{f(c + dx) - cf + de} d(c + dx) \\
 & \quad \downarrow \text{6475} \\
 & -\frac{b(a + b \coth^{-1}(c + dx)) \operatorname{PolyLog}\left(2, 1 - \frac{2(de - cf + f(c + dx))}{(de - cf + f)(c + dx + 1)}\right)}{f} + \\
 & \quad \frac{(a + b \coth^{-1}(c + dx))^2 \log\left(\frac{2(f(c + dx) - cf + de)}{(c + dx + 1)(-cf + de + f)}\right)}{f} + \\
 & \frac{b \operatorname{PolyLog}\left(2, 1 - \frac{2}{c + dx + 1}\right) (a + b \coth^{-1}(c + dx))}{f} - \frac{\log\left(\frac{2}{c + dx + 1}\right) (a + b \coth^{-1}(c + dx))^2}{f} - \\
 & \frac{b^2 \operatorname{PolyLog}\left(3, 1 - \frac{2(de - cf + f(c + dx))}{(de - cf + f)(c + dx + 1)}\right)}{2f} + \frac{b^2 \operatorname{PolyLog}\left(3, 1 - \frac{2}{c + dx + 1}\right)}{2f}
 \end{aligned}$$

input

```
Int[(a + b*ArcCoth[c + d*x])^2/(e + f*x),x]
```

output

```

-(((a + b*ArcCoth[c + d*x])^2*Log[2/(1 + c + d*x)]/f) + ((a + b*ArcCoth[c
+ d*x])^2*Log[(2*(d*e - c*f + f*(c + d*x))]/((d*e + f - c*f)*(1 + c + d*x
))))/f + (b*(a + b*ArcCoth[c + d*x])*PolyLog[2, 1 - 2/(1 + c + d*x)]/f -
(b*(a + b*ArcCoth[c + d*x])*PolyLog[2, 1 - (2*(d*e - c*f + f*(c + d*x))]/(
(d*e + f - c*f)*(1 + c + d*x)))]/f + (b^2*PolyLog[3, 1 - 2/(1 + c + d*x)]
)/(2*f) - (b^2*PolyLog[3, 1 - (2*(d*e - c*f + f*(c + d*x))]/((d*e + f - c*f
)*(1 + c + d*x)))]/(2*f)

```

Defintions of rubi rules used

rule 27

```

Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !Ma
tchQ[F_x, (b_)*(G_x_) /; FreeQ[b, x]]

```

rule 6475

```

Int[((a_.) + ArcCoth[(c_.)*(x_)])*(b_.))^2/((d_.) + (e_.)*(x_)), x_Symbol] :=
Simp[(-(a + b*ArcCoth[c*x])^2)*(Log[2/(1 + c*x)]/e), x] + (Simp[(a + b*Arc
Coth[c*x])^2*(Log[2*c*((d + e*x)/((c*d + e)*(1 + c*x)))]/e), x] + Simp[b*(a
+ b*ArcCoth[c*x])*PolyLog[2, 1 - 2/(1 + c*x)]/e), x] - Simp[b*(a + b*ArcC
oth[c*x])*PolyLog[2, 1 - 2*c*((d + e*x)/((c*d + e)*(1 + c*x)))]/e), x] + S
imp[b^2*(PolyLog[3, 1 - 2/(1 + c*x)]/(2*e)), x] - Simp[b^2*(PolyLog[3, 1 -
2*c*((d + e*x)/((c*d + e)*(1 + c*x)))]/(2*e)), x]) /; FreeQ[{a, b, c, d, e}
, x] && NeQ[c^2*d^2 - e^2, 0]

```

rule 6662

```

Int[((a_.) + ArcCoth[(c_.) + (d_.)*(x_)])*(b_.))^(p_.)*((e_.) + (f_.)*(x_))^(
m_.), x_Symbol] := Simp[1/d Subst[Int[((d*e - c*f)/d + f*(x/d))^m*(a + b*
ArcCoth[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IG
tQ[p, 0]

```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 11.08 (sec) , antiderivative size = 1603, normalized size of antiderivative = 7.49

method	result	size
derivativedivides	Expression too large to display	1603
default	Expression too large to display	1603
parts	Expression too large to display	1681

input `int((a+b*arccoth(d*x+c))^2/(f*x+e),x,method=_RETURNVERBOSE)`

output

```
1/d*(a^2*d*ln(c*f-d*e-f*(d*x+c))/f-b^2*d*(-ln(c*f-d*e-f*(d*x+c))/f*arccoth
(d*x+c)^2-2/f*(-1/2*arccoth(d*x+c)^2*ln(f*c*((d*x+c+1)/(d*x+c-1)-1)+(-(d*x
+c+1)/(d*x+c-1)+1)*e*d+(-(d*x+c+1)/(d*x+c-1)-1)*f)+1/4*I*Pi*csgn(I*(f*c*((
d*x+c+1)/(d*x+c-1)-1)+(-(d*x+c+1)/(d*x+c-1)+1)*e*d+(-(d*x+c+1)/(d*x+c-1)-1
)*f)/((d*x+c+1)/(d*x+c-1)-1))*(csgn(I*(f*c*((d*x+c+1)/(d*x+c-1)-1)+(-(d*x+
c+1)/(d*x+c-1)+1)*e*d+(-(d*x+c+1)/(d*x+c-1)-1)*f))*csgn(I/((d*x+c+1)/(d*x+
c-1)-1))-csgn(I*(f*c*((d*x+c+1)/(d*x+c-1)-1)+(-(d*x+c+1)/(d*x+c-1)+1)*e*d+
(-(d*x+c+1)/(d*x+c-1)-1)*f)/((d*x+c+1)/(d*x+c-1)-1))*csgn(I/((d*x+c+1)/(d*
x+c-1)-1))-csgn(I*(f*c*((d*x+c+1)/(d*x+c-1)-1)+(-(d*x+c+1)/(d*x+c-1)+1)*e*
d+(-(d*x+c+1)/(d*x+c-1)-1)*f))*csgn(I*(f*c*((d*x+c+1)/(d*x+c-1)-1)+(-(d*x+
c+1)/(d*x+c-1)+1)*e*d+(-(d*x+c+1)/(d*x+c-1)-1)*f)/((d*x+c+1)/(d*x+c-1)-1))
+csgn(I*(f*c*((d*x+c+1)/(d*x+c-1)-1)+(-(d*x+c+1)/(d*x+c-1)+1)*e*d+(-(d*x+c
+1)/(d*x+c-1)-1)*f)/((d*x+c+1)/(d*x+c-1)-1))^2*arccoth(d*x+c)^2+1/2*arcco
th(d*x+c)^2*ln((d*x+c+1)/(d*x+c-1)-1)-1/2*arccoth(d*x+c)^2*ln(1+1/((d*x+c-
1)/(d*x+c+1))^(1/2))-arccoth(d*x+c)*polylog(2,-1/((d*x+c-1)/(d*x+c+1))^(1/
2))+polylog(3,-1/((d*x+c-1)/(d*x+c+1))^(1/2))-1/2*arccoth(d*x+c)^2*ln(1-1/
((d*x+c-1)/(d*x+c+1))^(1/2))-arccoth(d*x+c)*polylog(2,1/((d*x+c-1)/(d*x+c+
1))^(1/2))+polylog(3,1/((d*x+c-1)/(d*x+c+1))^(1/2))+1/2*f*c/(c*f-d*e-f)*ar
ccth(d*x+c)^2*ln(1-(c*f-d*e-f)/(d*x+c-1)*(d*x+c+1)/(c*f-d*e+f))+1/2*f*c/(
c*f-d*e-f)*arccoth(d*x+c)*polylog(2,(c*f-d*e-f)/(d*x+c-1)*(d*x+c+1)/(c*...
```

Fricas [F]

$$\int \frac{(a + b \coth^{-1}(c + dx))^2}{e + fx} dx = \int \frac{(b \operatorname{arccoth}(dx + c) + a)^2}{fx + e} dx$$

input `integrate((a+b*arccoth(d*x+c))^2/(f*x+e),x, algorithm="fricas")`

output `integral((b^2*arccoth(d*x + c)^2 + 2*a*b*arccoth(d*x + c) + a^2)/(f*x + e), x)`

Sympy [F]

$$\int \frac{(a + b \coth^{-1}(c + dx))^2}{e + fx} dx = \int \frac{(a + b \operatorname{arccoth}(c + dx))^2}{e + fx} dx$$

input `integrate((a+b*acoth(d*x+c))**2/(f*x+e),x)`

output `Integral((a + b*acoth(c + d*x))**2/(e + f*x), x)`

Maxima [F]

$$\int \frac{(a + b \coth^{-1}(c + dx))^2}{e + fx} dx = \int \frac{(b \operatorname{arccoth}(dx + c) + a)^2}{fx + e} dx$$

input `integrate((a+b*arccoth(d*x+c))^2/(f*x+e),x, algorithm="maxima")`

output `a^2*log(f*x + e)/f + integrate(1/4*b^2*(log(1/(d*x + c) + 1) - log(-1/(d*x + c) + 1))^2/(f*x + e) + a*b*(log(1/(d*x + c) + 1) - log(-1/(d*x + c) + 1))/(f*x + e), x)`

Giac [F]

$$\int \frac{(a + b \coth^{-1}(c + dx))^2}{e + fx} dx = \int \frac{(b \operatorname{arccoth}(dx + c) + a)^2}{fx + e} dx$$

input `integrate((a+b*arccoth(d*x+c))^2/(f*x+e),x, algorithm="giac")`

output `integrate((b*arccoth(d*x + c) + a)^2/(f*x + e), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{(a + b \coth^{-1}(c + dx))^2}{e + fx} dx = \int \frac{(a + b \operatorname{acoth}(c + dx))^2}{e + fx} dx$$

input `int((a + b*acoth(c + d*x))^2/(e + f*x),x)`

output `int((a + b*acoth(c + d*x))^2/(e + f*x), x)`

Reduce [F]

$$\begin{aligned} & \int \frac{(a + b \coth^{-1}(c + dx))^2}{e + fx} dx \\ &= \frac{2 \left(\int \frac{\operatorname{acoth}(dx+c)}{fx+e} dx \right) abf + \left(\int \frac{\operatorname{acoth}(dx+c)^2}{fx+e} dx \right) b^2f + \log(fx + e) a^2}{f} \end{aligned}$$

input `int((a+b*acoth(d*x+c))^2/(f*x+e),x)`

output `(2*int(acoth(c + d*x)/(e + f*x),x)*a*b*f + int(acoth(c + d*x)**2/(e + f*x),x)*b**2*f + log(e + f*x)*a**2)/f`

3.32
$$\int \frac{(a+b \operatorname{coth}^{-1}(c+dx))^2}{(e+fx)^2} dx$$

Optimal result	272
Mathematica [C] (warning: unable to verify)	273
Rubi [A] (verified)	274
Maple [A] (verified)	276
Fricas [F]	277
Sympy [F]	277
Maxima [F]	278
Giac [F]	278
Mupad [F(-1)]	279
Reduce [F]	279

Optimal result

Integrand size = 20, antiderivative size = 401

$$\int \frac{(a+b \operatorname{coth}^{-1}(c+dx))^2}{(e+fx)^2} dx = -\frac{(a+b \operatorname{coth}^{-1}(c+dx))^2}{f(e+fx)} + \frac{bd(a+b \operatorname{coth}^{-1}(c+dx)) \log\left(\frac{2}{1-c-dx}\right)}{f(de+f-cf)} - \frac{bd(a+b \operatorname{coth}^{-1}(c+dx)) \log\left(\frac{2}{1+c+dx}\right)}{f(de-(1+c)f)} + \frac{2bd(a+b \operatorname{coth}^{-1}(c+dx)) \log\left(\frac{2}{1+c+dx}\right)}{(de+f-cf)(de-(1+c)f)} - \frac{2bd(a+b \operatorname{coth}^{-1}(c+dx)) \log\left(\frac{2d(e+fx)}{(de+f-cf)(1+c+dx)}\right)}{(de+f-cf)(de-(1+c)f)} + \frac{b^2d \operatorname{PolyLog}\left(2, -\frac{1+c+dx}{1-c-dx}\right)}{2f(de+f-cf)} + \frac{b^2d \operatorname{PolyLog}\left(2, 1 - \frac{2}{1+c+dx}\right)}{2f(de-(1+c)f)} - \frac{b^2d \operatorname{PolyLog}\left(2, 1 - \frac{2}{1+c+dx}\right)}{(de+f-cf)(de-(1+c)f)} + \frac{b^2d \operatorname{PolyLog}\left(2, 1 - \frac{2d(e+fx)}{(de+f-cf)(1+c+dx)}\right)}{(de+f-cf)(de-(1+c)f)}$$

output

```

-(a+b*arccoth(d*x+c))^2/f/(f*x+e)+b*d*(a+b*arccoth(d*x+c))*ln(2/(-d*x-c+1)
)/f/(-c*f+d*e+f)-b*d*(a+b*arccoth(d*x+c))*ln(2/(d*x+c+1))/f/(d*e-(1+c)*f)+
2*b*d*(a+b*arccoth(d*x+c))*ln(2/(d*x+c+1))/(-c*f+d*e+f)/(d*e-(1+c)*f)-2*b*
d*(a+b*arccoth(d*x+c))*ln(2*d*(f*x+e)/(-c*f+d*e+f)/(d*x+c+1))/(-c*f+d*e+f)
/(d*e-(1+c)*f)+1/2*b^2*d*polylog(2,-(d*x+c+1)/(-d*x-c+1))/f/(-c*f+d*e+f)+1
/2*b^2*d*polylog(2,1-2/(d*x+c+1))/f/(d*e-(1+c)*f)-b^2*d*polylog(2,1-2/(d*x
+c+1))/(-c*f+d*e+f)/(d*e-(1+c)*f)+b^2*d*polylog(2,1-2*d*(f*x+e)/(-c*f+d*e+
f)/(d*x+c+1))/(-c*f+d*e+f)/(d*e-(1+c)*f)

```

Mathematica [C] (warning: unable to verify)

Result contains complex when optimal does not.

Time = 5.57 (sec) , antiderivative size = 470, normalized size of antiderivative = 1.17

$$\int \frac{(a + b \coth^{-1}(c + dx))^2}{(e + fx)^2} dx$$

$$= -\frac{a^2}{f} + \frac{2ab \left((f - c^2 f + d^2 e x + c d (e - f x)) \coth^{-1}(c + dx) - d(e + f x) \log \left(-\frac{d(e + f x)}{(c + dx) \sqrt{1 - \frac{1}{(c + dx)^2}}} \right) \right)}{(de + f - cf)(de - (1 + c)f)} + \frac{b^2 d(e + f x)(1 - (c + dx)^2)}{e - (de + c)}$$

input

```
Integrate[(a + b*ArcCoth[c + d*x])^2/(e + f*x)^2,x]
```

output

```

(-(a^2/f) + (2*a*b*((f - c^2*f + d^2*e*x + c*d*(e - f*x))*ArcCoth[c + d*x]
- d*(e + f*x)*Log[-((d*(e + f*x))/((c + d*x)*Sqrt[1 - (c + d*x)^(-2)])]))
)/((d*e + f - c*f)*(d*e - (1 + c)*f)) + (b^2*d*(e + f*x)*(1 - (c + d*x)^2)
*((E^ArcTanh[f/(-(d*e) + c*f)]*ArcCoth[c + d*x]^2)/((-d*e) + c*f)*Sqrt[1
- f^2/(d*e - c*f)^2] + ArcCoth[c + d*x]^2/(d*e + d*f*x) + (f*((-I)*Pi*Log
[1 + E^(2*ArcCoth[c + d*x])] - 2*ArcTanh[f/(-(d*e) + c*f)]*Log[1 - E^(-2*(
ArcCoth[c + d*x] + ArcTanh[f/(d*e - c*f)])]) + ArcCoth[c + d*x]*(I*Pi + 2*
ArcTanh[f/(d*e - c*f)] + 2*Log[1 - E^(-2*(ArcCoth[c + d*x] + ArcTanh[f/(d*
e - c*f)])])) + I*Pi*Log[1/Sqrt[1 - (c + d*x)^(-2)]] + 2*ArcTanh[f/(-(d*e)
+ c*f)]*Log[I*Sinh[ArcCoth[c + d*x] + ArcTanh[f/(d*e - c*f)]]] - PolyLog[
2, E^(-2*(ArcCoth[c + d*x] + ArcTanh[f/(d*e - c*f)])])))/(d^2*e^2 - 2*c*d*
e*f + (-1 + c^2)*f^2))/((c + d*x)^2*(f - f/(c + d*x)^2))/(e + f*x)

```

Rubi [A] (verified)

Time = 1.90 (sec) , antiderivative size = 491, normalized size of antiderivative = 1.22, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {6660, 7292, 6672, 27, 7276, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{(a + b \coth^{-1}(c + dx))^2}{(e + fx)^2} dx \\
 & \quad \downarrow \text{6660} \\
 & \frac{2bd \int \frac{a+b \coth^{-1}(c+dx)}{(e+fx)(1-(c+dx)^2)} dx}{f} - \frac{(a + b \coth^{-1}(c + dx))^2}{f(e + fx)} \\
 & \quad \downarrow \text{7292} \\
 & \frac{2bd \int \frac{a+b \coth^{-1}(c+dx)}{(e+fx)(-c^2-2dxc-d^2x^2+1)} dx}{f} - \frac{(a + b \coth^{-1}(c + dx))^2}{f(e + fx)} \\
 & \quad \downarrow \text{6672} \\
 & \frac{2b \int \frac{d(a+b \coth^{-1}(c+dx))}{(d(e-\frac{cf}{d})+f(c+dx))(1-(c+dx)^2)} d(c + dx)}{f} - \frac{(a + b \coth^{-1}(c + dx))^2}{f(e + fx)} \\
 & \quad \downarrow \text{27} \\
 & \frac{2bd \int \frac{a+b \coth^{-1}(c+dx)}{(de-cf+f(c+dx))(1-(c+dx)^2)} d(c + dx)}{f} - \frac{(a + b \coth^{-1}(c + dx))^2}{f(e + fx)} \\
 & \quad \downarrow \text{7276} \\
 & \frac{2bd \int \left(-\frac{a}{(c+dx-1)(c+dx+1)(de-cf+f(c+dx))} - \frac{b \coth^{-1}(c+dx)}{(c+dx-1)(c+dx+1)(de-cf+f(c+dx))} \right) d(c + dx)}{f} - \\
 & \quad \frac{(a + b \coth^{-1}(c + dx))^2}{f(e + fx)} \\
 & \quad \downarrow \text{2009}
 \end{aligned}$$

$$2bd \left(-\frac{a \log(-c-dx+1)}{2(-cf+de+f)} + \frac{a \log(c+dx+1)}{2(de-(c+1)f)} - \frac{af \log(f(c+dx)-cf+de)}{(-cf+de+f)(de-(c+1)f)} + \frac{b \operatorname{PolyLog}\left(2, -\frac{c+dx+1}{-c-dx+1}\right)}{4(-cf+de+f)} + \frac{b \operatorname{PolyLog}\left(2, 1-\frac{2}{c+dx+1}\right)}{4(-cf+de-f)} - \frac{bf}{2(-cf+de+f)} \right) \\ \frac{(a + b \operatorname{coth}^{-1}(c + dx))^2}{f(e + fx)}$$

input `Int[(a + b*ArcCoth[c + d*x])^2/(e + f*x)^2,x]`

output `-((a + b*ArcCoth[c + d*x])^2/(f*(e + f*x))) + (2*b*d*((b*ArcCoth[c + d*x]*Log[2/(1 - c - d*x)])/(2*(d*e + f - c*f)) - (a*Log[1 - c - d*x])/(2*(d*e + f - c*f)) - (b*ArcCoth[c + d*x]*Log[2/(1 + c + d*x)])/(2*(d*e - f - c*f)) + (b*f*ArcCoth[c + d*x]*Log[2/(1 + c + d*x)])/((d*e + f - c*f)*(d*e - (1 + c)*f)) + (a*Log[1 + c + d*x])/(2*(d*e - (1 + c)*f)) - (a*f*Log[d*e - c*f + f*(c + d*x)])/((d*e + f - c*f)*(d*e - (1 + c)*f)) - (b*f*ArcCoth[c + d*x]*Log[(2*(d*e - c*f + f*(c + d*x)))/((d*e + f - c*f)*(1 + c + d*x))])/((d*e + f - c*f)*(d*e - (1 + c)*f)) + (b*PolyLog[2, -((1 + c + d*x)/(1 - c - d*x))])/((4*(d*e + f - c*f)) + (b*PolyLog[2, 1 - 2/(1 + c + d*x)])/(4*(d*e - f - c*f)) - (b*f*PolyLog[2, 1 - 2/(1 + c + d*x)])/(2*(d*e + f - c*f)*(d*e - (1 + c)*f)) + (b*f*PolyLog[2, 1 - (2*(d*e - c*f + f*(c + d*x)))/((d*e + f - c*f)*(1 + c + d*x))])/((2*(d*e + f - c*f)*(d*e - (1 + c)*f))))/f`

Defintions of rubi rules used

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 6660 `Int[((a_) + ArcCoth[(c_) + (d_)*(x_)])*(b_)^(p_)*((e_) + (f_)*(x_))^(m_), x_Symbol] := Simp[(e + f*x)^(m + 1)*((a + b*ArcCoth[c + d*x])^p/(f*(m + 1))), x] - Simp[b*d*(p/(f*(m + 1))) Int[(e + f*x)^(m + 1)*((a + b*ArcCoth[c + d*x])^(p - 1)/(1 - (c + d*x)^2)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && ILtQ[m, -1]`

```
rule 6672 Int[((a_.) + ArcCoth[(c_) + (d_.)*(x_)]*(b_.))^(p_.)*((e_.) + (f_.)*(x_))^(
m_.)*((A_.) + (B_.)*(x_) + (C_.)*(x_)^2)^(q_.), x_Symbol] := Simp[1/d Sub
st[Int[((d*e - c*f)/d + f*(x/d))^m*(-C/d^2 + (C/d^2)*x^2)^q*(a + b*ArcCoth[
x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, p, q}, x
] && EqQ[B*(1 - c^2) + 2*A*c*d, 0] && EqQ[2*c*C - B*d, 0]
```

```
rule 7276 Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionE
xpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ
[n, 0]
```

```
rule 7292 Int[u_, x_Symbol] := With[{v = NormalizeIntegrand[u, x]}, Int[v, x] /; v !=
= u]
```

Maple [A] (verified)

Time = 2.02 (sec) , antiderivative size = 590, normalized size of antiderivative = 1.47

method	result
parts	$-\frac{a^2}{(fx+e)f} + b^2 \left(-\frac{d^2 \operatorname{arccoth}(dx+c)^2}{(f(dx+c)-cf+de)f} - \frac{2d^2 \left(\frac{\operatorname{arccoth}(dx+c)f \ln(f(dx+c)-cf+de)}{(cf-de-f)(cf-de+f)} - \frac{\operatorname{arccoth}(dx+c) \ln(dx+c-1)}{2cf-2de-2f} + \frac{\operatorname{arccoth}(dx+c) \ln(dx+c+1)}{2cf-2de+2f} \right)}{(cf-de-f)(dx+c)f} \right)$
derivativedivides	$\frac{a^2 d^2}{(cf-de-f(dx+c))f} + b^2 d^2 \left(\frac{\operatorname{arccoth}(dx+c)^2}{(cf-de-f(dx+c))f} + \frac{-2 \operatorname{arccoth}(dx+c) f \ln(cf-de-f(dx+c))}{(cf-de-f)(cf-de+f)} - \frac{2 \operatorname{arccoth}(dx+c) \ln(dx+c+1)}{2cf-2de+2f} + \frac{2 \operatorname{arccoth}(dx+c) \ln(dx+c-1)}{2cf-2de-2f} \right)$
default	$\frac{a^2 d^2}{(cf-de-f(dx+c))f} + b^2 d^2 \left(\frac{\operatorname{arccoth}(dx+c)^2}{(cf-de-f(dx+c))f} + \frac{-2 \operatorname{arccoth}(dx+c) f \ln(cf-de-f(dx+c))}{(cf-de-f)(cf-de+f)} - \frac{2 \operatorname{arccoth}(dx+c) \ln(dx+c+1)}{2cf-2de+2f} + \frac{2 \operatorname{arccoth}(dx+c) \ln(dx+c-1)}{2cf-2de-2f} \right)$

input `int((a+b*arccoth(d*x+c))^2/(f*x+e)^2,x,method=_RETURNVERBOSE)`

output
$$-a^2/(f*x+e)/f+b^2/d*(-d^2/(f*(d*x+c)-c*f+d*e)/f*arccoth(d*x+c)^2-2*d^2/f*(arccoth(d*x+c)*f/(c*f-d*e-f)/(c*f-d*e+f)*ln(f*(d*x+c)-c*f+d*e)-arccoth(d*x+c)/(2*c*f-2*d*e-2*f)*ln(d*x+c-1)+arccoth(d*x+c)/(2*c*f-2*d*e+2*f)*ln(d*x+c+1)+1/(c*f-d*e-f)/(c*f-d*e+f)*(1/2*f*(dilog((f*(d*x+c)-f)/(c*f-d*e-f))+ln(f*(d*x+c)-c*f+d*e)*ln((f*(d*x+c)-f)/(c*f-d*e-f)))-1/2*f*(dilog((f*(d*x+c)+f)/(c*f-d*e+f))+ln(f*(d*x+c)-c*f+d*e)*ln((f*(d*x+c)+f)/(c*f-d*e+f))))-1/2/(c*f-d*e-f)*(1/4*ln(d*x+c-1)^2-1/2*dilog(1/2*d*x+1/2*c+1/2)-1/2*ln(d*x+c-1)*ln(1/2*d*x+1/2*c+1/2))+1/2/(c*f-d*e+f)*(-1/4*ln(d*x+c+1)^2+1/2*(ln(d*x+c+1)-ln(1/2*d*x+1/2*c+1/2))*ln(-1/2*d*x-1/2*c+1/2)-1/2*dilog(1/2*d*x+1/2*c+1/2))))-2*a*b*d/(d*f*x+d*e)/f*arccoth(d*x+c)-2*a*b*d/(c*f-d*e-f)/(c*f-d*e+f)*ln(f*(d*x+c)-c*f+d*e)+2*a*b*d/f/(2*c*f-2*d*e-2*f)*ln(d*x+c-1)-2*a*b*d/f/(2*c*f-2*d*e+2*f)*ln(d*x+c+1)$$

Fricas [F]

$$\int \frac{(a + b \coth^{-1}(c + dx))^2}{(e + fx)^2} dx = \int \frac{(b \operatorname{arccoth}(dx + c) + a)^2}{(fx + e)^2} dx$$

input `integrate((a+b*arccoth(d*x+c))^2/(f*x+e)^2,x, algorithm="fricas")`

output `integral((b^2*arccoth(d*x + c)^2 + 2*a*b*arccoth(d*x + c) + a^2)/(f^2*x^2 + 2*e*f*x + e^2), x)`

Sympy [F]

$$\int \frac{(a + b \coth^{-1}(c + dx))^2}{(e + fx)^2} dx = \int \frac{(a + b \operatorname{acoth}(c + dx))^2}{(e + fx)^2} dx$$

input `integrate((a+b*acoth(d*x+c))**2/(f*x+e)**2,x)`

output `Integral((a + b*acoth(c + d*x))**2/(e + f*x)**2, x)`

Maxima [F]

$$\int \frac{(a + b \operatorname{coth}^{-1}(c + dx))^2}{(e + fx)^2} dx = \int \frac{(b \operatorname{arccoth}(dx + c) + a)^2}{(fx + e)^2} dx$$

input `integrate((a+b*arccoth(d*x+c))^2/(f*x+e)^2,x, algorithm="maxima")`

output `(d*(log(d*x + c + 1)/(d*e*f - (c + 1)*f^2) - log(d*x + c - 1)/(d*e*f - (c - 1)*f^2) - 2*log(f*x + e)/(d^2*e^2 - 2*c*d*e*f + (c^2 - 1)*f^2)) - 2*arccoth(d*x + c)/(f^2*x + e*f))*a*b - 1/4*b^2*(log(d*x + c + 1)^2/(f^2*x + e*f) + integrate(-((d*f*x + c*f + f)*log(d*x + c - 1)^2 + 2*(d*f*x + d*e - (d*f*x + c*f + f)*log(d*x + c - 1))*log(d*x + c + 1))/(d*f^3*x^3 + c*e^2*f + e^2*f + (2*d*e*f^2 + c*f^3 + f^3)*x^2 + (d*e^2*f + 2*c*e*f^2 + 2*e*f^2)*x), x)) - a^2/(f^2*x + e*f)`

Giac [F]

$$\int \frac{(a + b \operatorname{coth}^{-1}(c + dx))^2}{(e + fx)^2} dx = \int \frac{(b \operatorname{arccoth}(dx + c) + a)^2}{(fx + e)^2} dx$$

input `integrate((a+b*arccoth(d*x+c))^2/(f*x+e)^2,x, algorithm="giac")`

output `integrate((b*arccoth(d*x + c) + a)^2/(f*x + e)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{(a + b \coth^{-1}(c + dx))^2}{(e + fx)^2} dx = \int \frac{(a + b \operatorname{acoth}(c + dx))^2}{(e + fx)^2} dx$$

input `int((a + b*acoth(c + d*x))^2/(e + f*x)^2,x)`output `int((a + b*acoth(c + d*x))^2/(e + f*x)^2, x)`**Reduce [F]**

$$\int \frac{(a + b \coth^{-1}(c + dx))^2}{(e + fx)^2} dx = \text{too large to display}$$

input `int((a+b*acoth(d*x+c))^2/(f*x+e)^2,x)`

output

```
( - acoth(c + d*x)**2*b**2*c**4*e*f**3 + 2*acoth(c + d*x)**2*b**2*c**3*d*e
**2*f**2 - acoth(c + d*x)**2*b**2*c**2*d**2*e**3*f - acoth(c + d*x)**2*b**
2*c**2*d**2*e**2*f**2*x + 2*acoth(c + d*x)**2*b**2*c**2*e*f**3 + 2*acoth(c
+ d*x)**2*b**2*c*d**3*e**3*f*x - 2*acoth(c + d*x)**2*b**2*c*d*e**2*f**2 -
acoth(c + d*x)**2*b**2*d**4*e**4*x + acoth(c + d*x)**2*b**2*d**2*e**3*f +
acoth(c + d*x)**2*b**2*d**2*e**2*f**2*x - acoth(c + d*x)**2*b**2*e*f**3 +
2*acoth(c + d*x)*a*b*c**4*f**4*x - 4*acoth(c + d*x)*a*b*c**3*d*e*f**3*x -
4*acoth(c + d*x)*a*b*c**2*f**4*x + 4*acoth(c + d*x)*a*b*c*d**3*e**3*f*x +
4*acoth(c + d*x)*a*b*c*d*e*f**3*x - 2*acoth(c + d*x)*a*b*d**4*e**4*x + 2*
acoth(c + d*x)*a*b*f**4*x + 2*acoth(c + d*x)*b**2*c**2*d*e*f**3*x - 4*acot
h(c + d*x)*b**2*c*d**2*e**2*f**2*x + 2*acoth(c + d*x)*b**2*d**3*e**3*f*x -
2*acoth(c + d*x)*b**2*d*e*f**3*x + 2*int((acoth(c + d*x)*x)/(c**4*e**2*f*
*2 + 2*c**4*e*f**3*x + c**4*f**4*x**2 + 2*c**3*d*e**2*f**2*x + 4*c**3*d*e*
f**3*x**2 + 2*c**3*d*f**4*x**3 - c**2*d**2*e**4 - 2*c**2*d**2*e**3*f*x + 2
*c**2*d**2*e*f**3*x**3 + c**2*d**2*f**4*x**4 - 2*c**2*e**2*f**2 - 4*c**2*e
*f**3*x - 2*c**2*f**4*x**2 - 2*c*d**3*e**4*x - 4*c*d**3*e**3*f*x**2 - 2*c*
d**3*e**2*f**2*x**3 - 2*c*d*e**2*f**2*x - 4*c*d*e*f**3*x**2 - 2*c*d*f**4*x
**3 - d**4*e**4*x**2 - 2*d**4*e**3*f*x**3 - d**4*e**2*f**2*x**4 + d**2*e**
4 + 2*d**2*e**3*f*x - 2*d**2*e*f**3*x**3 - d**2*f**4*x**4 + e**2*f**2 + 2*
e*f**3*x + f**4*x**2),x)*b**2*c**6*d*e**2*f**6 + 2*int((acoth(c + d*x)*...
```

3.33 $\int (e + fx)^2 (a + b \coth^{-1}(c + dx))^3 dx$

Optimal result	282
Mathematica [C] (warning: unable to verify)	283
Rubi [A] (verified)	284
Maple [C] (warning: unable to verify)	286
Fricas [F]	287
Sympy [F]	287
Maxima [F]	287
Giac [F]	288
Mupad [F(-1)]	289
Reduce [F]	289

Optimal result

Integrand size = 20, antiderivative size = 546

$$\begin{aligned}
& \int (e + fx)^2 (a + b \coth^{-1}(c + dx))^3 dx \\
&= \frac{ab^2 f^2 x}{d^2} + \frac{b^3 f^2 (c + dx) \coth^{-1}(c + dx)}{d^3} - \frac{bf^2 (a + b \coth^{-1}(c + dx))^2}{2d^3} \\
&+ \frac{3bf(de - cf)(a + b \coth^{-1}(c + dx))^2}{d^3} \\
&+ \frac{3bf(de - cf)(c + dx)(a + b \coth^{-1}(c + dx))^2}{d^3} \\
&+ \frac{bf^2(c + dx)^2(a + b \coth^{-1}(c + dx))^2}{2d^3} \\
&- \frac{(de - cf)(d^2 e^2 - 2cdef + (3 + c^2)f^2)(a + b \coth^{-1}(c + dx))^3}{3d^3 f} \\
&+ \frac{(3d^2 e^2 - 6cdef + (1 + 3c^2)f^2)(a + b \coth^{-1}(c + dx))^3}{3d^3} \\
&+ \frac{(e + fx)^3 (a + b \coth^{-1}(c + dx))^3}{3f} \\
&- \frac{6b^2 f(de - cf)(a + b \coth^{-1}(c + dx)) \log\left(\frac{2}{1 - c - dx}\right)}{d^3} \\
&- \frac{b(3d^2 e^2 - 6cdef + (1 + 3c^2)f^2)(a + b \coth^{-1}(c + dx))^2 \log\left(\frac{2}{1 - c - dx}\right)}{d^3} \\
&+ \frac{b^3 f^2 \log(1 - (c + dx)^2)}{2d^3} - \frac{3b^3 f(de - cf) \text{PolyLog}\left(2, -\frac{1+c+dx}{1-c-dx}\right)}{d^3} \\
&- \frac{b^2(3d^2 e^2 - 6cdef + (1 + 3c^2)f^2)(a + b \coth^{-1}(c + dx)) \text{PolyLog}\left(2, 1 - \frac{2}{1 - c - dx}\right)}{d^3} \\
&+ \frac{b^3(3d^2 e^2 - 6cdef + (1 + 3c^2)f^2) \text{PolyLog}\left(3, 1 - \frac{2}{1 - c - dx}\right)}{2d^3}
\end{aligned}$$

output

```

a*b^2*f^2*x/d^2+b^3*f^2*(d*x+c)*arccoth(d*x+c)/d^3-1/2*b*f^2*(a+b*arccoth(
d*x+c))^2/d^3+3*b*f*(-c*f+d*e)*(a+b*arccoth(d*x+c))^2/d^3+3*b*f*(-c*f+d*e)
*(d*x+c)*(a+b*arccoth(d*x+c))^2/d^3+1/2*b*f^2*(d*x+c)^2*(a+b*arccoth(d*x+c
))^2/d^3-1/3*(-c*f+d*e)*(d^2*e^2-2*c*d*e*f+(c^2+3)*f^2)*(a+b*arccoth(d*x+c
))^3/d^3/f+1/3*(3*d^2*e^2-6*c*d*e*f+(3*c^2+1)*f^2)*(a+b*arccoth(d*x+c))^3/
d^3+1/3*(f*x+e)^3*(a+b*arccoth(d*x+c))^3/f-6*b^2*f*(-c*f+d*e)*(a+b*arccoth
(d*x+c))*ln(2/(-d*x-c+1))/d^3-b*(3*d^2*e^2-6*c*d*e*f+(3*c^2+1)*f^2)*(a+b*a
rccoth(d*x+c))^2*ln(2/(-d*x-c+1))/d^3+1/2*b^3*f^2*ln(1-(d*x+c)^2)/d^3-3*b^
3*f*(-c*f+d*e)*polylog(2,-(d*x+c+1)/(-d*x-c+1))/d^3-b^2*(3*d^2*e^2-6*c*d*e
*f+(3*c^2+1)*f^2)*(a+b*arccoth(d*x+c))*polylog(2,1-2/(-d*x-c+1))/d^3+1/2*b
^3*(3*d^2*e^2-6*c*d*e*f+(3*c^2+1)*f^2)*polylog(3,1-2/(-d*x-c+1))/d^3

```

Mathematica [C] (warning: unable to verify)

Result contains complex when optimal does not.

Time = 8.79 (sec) , antiderivative size = 2574, normalized size of antiderivative = 4.71

$$\int (e + fx)^2 (a + b \operatorname{coth}^{-1}(c + dx))^3 dx = \text{Result too large to show}$$

input

```
Integrate[(e + f*x)^2*(a + b*ArcCoth[c + d*x])^3,x]
```

output

```
(a^2*(a*d^2*e^2 + 3*b*d*e*f - 2*b*c*f^2)*x)/d^2 + (a^2*f*(2*a*d*e + b*f)*x^2)/(2*d) + (a^3*f^2*x^3)/3 + a^2*b*x*(3*e^2 + 3*e*f*x + f^2*x^2)*ArcCoth[c + d*x] + ((3*a^2*b*d^2*e^2 - 3*a^2*b*c*d^2*e^2 + 3*a^2*b*d*e*f - 6*a^2*b*c*d*e*f + 3*a^2*b*c^2*d*e*f + a^2*b*f^2 - 3*a^2*b*c*f^2 + 3*a^2*b*c^2*f^2 - a^2*b*c^3*f^2)*Log[1 - c - d*x])/(2*d^3) + ((3*a^2*b*d^2*e^2 + 3*a^2*b*c*d^2*e^2 - 3*a^2*b*d*e*f - 6*a^2*b*c*d*e*f - 3*a^2*b*c^2*d*e*f + a^2*b*f^2 + 3*a^2*b*c*f^2 + 3*a^2*b*c^2*f^2 + a^2*b*c^3*f^2)*Log[1 + c + d*x])/(2*d^3) - (6*a*b^2*e*f*(1 - (c + d*x)^2)*((c + d*x)*ArcCoth[c + d*x])/d^2 - (c*(c + d*x)*ArcCoth[c + d*x]^2)/d^2 + ((c + d*x)^2*(1 - (c + d*x)^(-2))*ArcCoth[c + d*x]^2)/(2*d^2) - Log[1/((c + d*x)*Sqrt[1 - (c + d*x)^(-2)])])/d^2 + (2*c*(ArcCoth[c + d*x]^2/2 + ArcCoth[c + d*x]*Log[1 - E^(-2*ArcCoth[c + d*x])]) - PolyLog[2, E^(-2*ArcCoth[c + d*x])]/2))/d^2)/((c + d*x)^2*(1 - (c + d*x)^(-2))) + (3*a*b^2*e^2*(1 - (c + d*x)^2)*(ArcCoth[c + d*x]*(ArcCoth[c + d*x] - (c + d*x)*ArcCoth[c + d*x] + 2*Log[1 - E^(-2*ArcCoth[c + d*x])])) - PolyLog[2, E^(-2*ArcCoth[c + d*x])])/(d*(c + d*x)^2*(1 - (c + d*x)^(-2))) + (b^3*e^2*(1 - (c + d*x)^2)*(ArcCoth[c + d*x]^2*(ArcCoth[c + d*x] - (c + d*x)*ArcCoth[c + d*x] + 3*Log[1 - E^(-2*ArcCoth[c + d*x])])) - 3*ArcCoth[c + d*x]*PolyLog[2, E^(-2*ArcCoth[c + d*x])]) - (3*PolyLog[3, E^(-2*ArcCoth[c + d*x])]/2))/(d*(c + d*x)^2*(1 - (c + d*x)^(-2))) - (b^3*e*f*(1 - (c + d*x)^2)*(ArcCoth[c + d*x]*(-3*ArcCoth[c + d*x] + 2*c*ArcCoth[c...
```

Rubi [A] (verified)

Time = 1.20 (sec) , antiderivative size = 533, normalized size of antiderivative = 0.98, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {6662, 27, 6481, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (e + fx)^2 (a + b \coth^{-1}(c + dx))^3 dx$$

$$\downarrow 6662$$

$$\int \frac{\left(d\left(e - \frac{cf}{d}\right) + f(c + dx)\right)^2 (a + b \coth^{-1}(c + dx))^3}{d^2} d(c + dx)$$

$$\downarrow 27$$

$$\frac{f(de - cf + f(c + dx))^2 (a + b \operatorname{coth}^{-1}(c + dx))^3 d(c + dx)}{d^3}$$

↓ 6481

$$\frac{\frac{(f(c+dx)-cf+de)^3(a+b \operatorname{coth}^{-1}(c+dx))^3}{3f} - b f \left(-((c+dx)(a+b \operatorname{coth}^{-1}(c+dx))^2 f^3) - 3(de-cf)(a+b \operatorname{coth}^{-1}(c+dx))^2 f^2 + \frac{(de-cf)(d^2 e^2 - 2c)}{f} \right)}{d^3}}$$

↓ 2009

$$\frac{\frac{(f(c+dx)-cf+de)^3(a+b \operatorname{coth}^{-1}(c+dx))^3}{3f} - b \left(b f ((3c^2+1)f^2 - 6cdf + 3d^2 e^2) \operatorname{PolyLog}\left(2, 1 - \frac{2}{-c-dx+1}\right) (a+b \operatorname{coth}^{-1}(c+dx)) - \frac{f((3c^2+1)f^2 - 6cdf + 3d^2 e^2)}{f} \right)}{d^3}}$$

input

```
Int[(e + f*x)^2*(a + b*ArcCoth[c + d*x])^3,x]
```

output

```
((d*e - c*f + f*(c + d*x))^3*(a + b*ArcCoth[c + d*x])^3)/(3*f) - (b*(-(a*b*f^3*(c + d*x)) - b^2*f^3*(c + d*x)*ArcCoth[c + d*x] + (f^3*(a + b*ArcCoth[c + d*x])^2)/2 - 3*f^2*(d*e - c*f)*(a + b*ArcCoth[c + d*x])^2 - 3*f^2*(d*e - c*f)*(c + d*x)*(a + b*ArcCoth[c + d*x])^2 - (f^3*(c + d*x)^2*(a + b*ArcCoth[c + d*x])^2)/2 + ((d*e - c*f)*(d^2*e^2 - 2*c*d*e*f + (3 + c^2)*f^2)*(a + b*ArcCoth[c + d*x])^3)/(3*b) - (f*(3*d^2*e^2 - 6*c*d*e*f + (1 + 3*c^2)*f^2)*(a + b*ArcCoth[c + d*x])^3)/(3*b) + 6*b*f^2*(d*e - c*f)*(a + b*ArcCoth[c + d*x])*Log[2/(1 - c - d*x)] + f*(3*d^2*e^2 - 6*c*d*e*f + (1 + 3*c^2)*f^2)*(a + b*ArcCoth[c + d*x])^2*Log[2/(1 - c - d*x)] - (b^2*f^3*Log[1 - (c + d*x)^2])/2 + 3*b^2*f^2*(d*e - c*f)*PolyLog[2, -((1 + c + d*x)/(1 - c - d*x))] + b*f*(3*d^2*e^2 - 6*c*d*e*f + (1 + 3*c^2)*f^2)*(a + b*ArcCoth[c + d*x])*PolyLog[2, 1 - 2/(1 - c - d*x)] - (b^2*f*(3*d^2*e^2 - 6*c*d*e*f + (1 + 3*c^2)*f^2)*PolyLog[3, 1 - 2/(1 - c - d*x)]/2)/f)/d^3
```

Defintions of rubi rules used

rule 27 `Int[(a_)*(Fx), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx) /; FreeQ[b, x]]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 6481 `Int[((a_.) + ArcCoth[(c_.)*(x_.)]*(b_.))^ (p_.)*((d_.) + (e_.)*(x_.))^(q_.), x_Symbol] := Simp[(d + e*x)^(q + 1)*((a + b*ArcCoth[c*x])^p/(e*(q + 1))), x] - Simp[b*c*(p/(e*(q + 1))) Int[ExpandIntegrand[(a + b*ArcCoth[c*x])^(p - 1), (d + e*x)^(q + 1)/(1 - c^2*x^2), x], x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 1] && IntegerQ[q] && NeQ[q, -1]`

rule 6662 `Int[((a_.) + ArcCoth[(c_) + (d_.)*(x_.)]*(b_.))^ (p_.)*((e_.) + (f_.)*(x_.))^(m_.), x_Symbol] := Simp[1/d Subst[Int[((d*e - c*f)/d + f*(x/d))^m*(a + b*ArcCoth[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[p, 0]`

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 26.44 (sec) , antiderivative size = 8597, normalized size of antiderivative = 15.75

method	result	size
derivativedivides	Expression too large to display	8597
default	Expression too large to display	8597
parts	Expression too large to display	8610

input `int((f*x+e)^2*(a+b*arccoth(d*x+c))^3,x,method=_RETURNVERBOSE)`

output `result too large to display`

Fricas [F]

$$\int (e + fx)^2 (a + b \coth^{-1}(c + dx))^3 dx = \int (fx + e)^2 (b \operatorname{arccoth}(dx + c) + a)^3 dx$$

input `integrate((f*x+e)^2*(a+b*arccoth(d*x+c))^3,x, algorithm="fricas")`

output `integral(a^3*f^2*x^2 + 2*a^3*e*f*x + a^3*e^2 + (b^3*f^2*x^2 + 2*b^3*e*f*x + b^3*e^2)*arccoth(d*x + c)^3 + 3*(a*b^2*f^2*x^2 + 2*a*b^2*e*f*x + a*b^2*e^2)*arccoth(d*x + c)^2 + 3*(a^2*b*f^2*x^2 + 2*a^2*b*e*f*x + a^2*b*e^2)*arccoth(d*x + c), x)`

Sympy [F]

$$\int (e + fx)^2 (a + b \coth^{-1}(c + dx))^3 dx = \int (a + b \operatorname{acoth}(c + dx))^3 (e + fx)^2 dx$$

input `integrate((f*x+e)**2*(a+b*acoth(d*x+c))**3,x)`

output `Integral((a + b*acoth(c + d*x))**3*(e + f*x)**2, x)`

Maxima [F]

$$\int (e + fx)^2 (a + b \coth^{-1}(c + dx))^3 dx = \int (fx + e)^2 (b \operatorname{arccoth}(dx + c) + a)^3 dx$$

input `integrate((f*x+e)^2*(a+b*arccoth(d*x+c))^3,x, algorithm="maxima")`

output

```

1/3*a^3*f^2*x^3 + a^3*e*f*x^2 + 3/2*(2*x^2*arccoth(d*x + c) + d*(2*x/d^2 -
(c^2 + 2*c + 1)*log(d*x + c + 1)/d^3 + (c^2 - 2*c + 1)*log(d*x + c - 1)/d
^3))*a^2*b*e*f + 1/2*(2*x^3*arccoth(d*x + c) + d*((d*x^2 - 4*c*x)/d^3 + (c
^3 + 3*c^2 + 3*c + 1)*log(d*x + c + 1)/d^4 - (c^3 - 3*c^2 + 3*c - 1)*log(d
*x + c - 1)/d^4))*a^2*b*f^2 + a^3*e^2*x + 3/2*(2*(d*x + c)*arccoth(d*x + c
) + log(-(d*x + c)^2 + 1))*a^2*b*e^2/d + 1/24*((b^3*d^3*f^2*x^3 + 3*b^3*d^
3*e*f*x^2 + 3*b^3*d^3*e^2*x + (c^3*f^2 + 3*d^2*e^2 - 3*(d*e*f - f^2)*c^2 -
3*d*e*f + 3*(d^2*e^2 - 2*d*e*f + f^2)*c + f^2)*b^3)*log(d*x + c + 1)^3 +
3*(2*a*b^2*d^3*f^2*x^3 + (6*a*b^2*d^3*e*f + b^3*d^2*f^2)*x^2 + 2*(3*a*b^2*
d^3*e^2 + (3*d^2*e*f - 2*c*d*f^2)*b^3)*x - (b^3*d^3*f^2*x^3 + 3*b^3*d^3*e*
f*x^2 + 3*b^3*d^3*e^2*x + (c^3*f^2 - 3*d^2*e^2 - 3*(d*e*f + f^2)*c^2 - 3*d
*e*f + 3*(d^2*e^2 + 2*d*e*f + f^2)*c - f^2)*b^3)*log(d*x + c - 1))*log(d*x
+ c + 1)^2)/d^3 + integrate(-1/8*((b^3*d^3*f^2*x^3 + (2*d^3*e*f + c*d^2*f
^2 + d^2*f^2)*b^3*x^2 + (d^3*e^2 + 2*c*d^2*e*f + 2*d^2*e*f)*b^3*x + (c*d^2
*e^2 + d^2*e^2)*b^3)*log(d*x + c - 1)^3 - 6*(a*b^2*d^3*f^2*x^3 + (2*d^3*e*
f + c*d^2*f^2 + d^2*f^2)*a*b^2*x^2 + (d^3*e^2 + 2*c*d^2*e*f + 2*d^2*e*f)*a
*b^2*x + (c*d^2*e^2 + d^2*e^2)*a*b^2)*log(d*x + c - 1)^2 + (4*a*b^2*d^3*f^
2*x^3 + 2*(6*a*b^2*d^3*e*f + b^3*d^2*f^2)*x^2 - 3*(b^3*d^3*f^2*x^3 + (2*d^
3*e*f + c*d^2*f^2 + d^2*f^2)*b^3*x^2 + (d^3*e^2 + 2*c*d^2*e*f + 2*d^2*e*f)
*b^3*x + (c*d^2*e^2 + d^2*e^2)*b^3)*log(d*x + c - 1)^2 + 4*(3*a*b^2*d^3...

```

Giac [F]

$$\int (e + fx)^2 (a + b \operatorname{coth}^{-1}(c + dx))^3 dx = \int (fx + e)^2 (b \operatorname{arccoth}(dx + c) + a)^3 dx$$

input

```
integrate((f*x+e)^2*(a+b*arccoth(d*x+c))^3,x, algorithm="giac")
```

output

```
integrate((f*x + e)^2*(b*arccoth(d*x + c) + a)^3, x)
```

Mupad [F(-1)]

Timed out.

$$\int (e + fx)^2 (a + b \coth^{-1}(c + dx))^3 dx = \int (e + fx)^2 (a + b \operatorname{acoth}(c + dx))^3 dx$$

input `int((e + f*x)^2*(a + b*acoth(c + d*x))^3,x)`output `int((e + f*x)^2*(a + b*acoth(c + d*x))^3, x)`**Reduce [F]**

$$\int (e + fx)^2 (a + b \coth^{-1}(c + dx))^3 dx = \text{Too large to display}$$

input `int((f*x+e)^2*(a+b*acoth(d*x+c))^3,x)`

output

```
( - 4*acoth(c + d*x)**3*b**3*c**3*f**2 + 6*acoth(c + d*x)**3*b**3*c**2*d*e
*f + 4*acoth(c + d*x)**3*b**3*c*f**2 + 6*acoth(c + d*x)**3*b**3*d**3*e**2*
x + 6*acoth(c + d*x)**3*b**3*d**3*e*f*x**2 + 2*acoth(c + d*x)**3*b**3*d**3
*f**2*x**3 - 6*acoth(c + d*x)**3*b**3*d*e*f - 12*acoth(c + d*x)**2*a*b**2*
c**3*f**2 + 18*acoth(c + d*x)**2*a*b**2*c**2*d*e*f + 12*acoth(c + d*x)**2*
a*b**2*c*f**2 + 18*acoth(c + d*x)**2*a*b**2*d**3*e**2*x + 18*acoth(c + d*x
)**2*a*b**2*d**3*e*f*x**2 + 6*acoth(c + d*x)**2*a*b**2*d**3*f**2*x**3 - 18
*acoth(c + d*x)**2*a*b**2*d*e*f - 3*acoth(c + d*x)**2*b**3*c**2*f**2 + 12*
acoth(c + d*x)**2*b**3*c*d*f**2*x - 18*acoth(c + d*x)**2*b**3*d**2*e*f*x -
3*acoth(c + d*x)**2*b**3*d**2*f**2*x**2 + 3*acoth(c + d*x)**2*b**3*f**2 +
6*acoth(c + d*x)*a**2*b*c**3*f**2 - 18*acoth(c + d*x)*a**2*b*c**2*d*e*f +
18*acoth(c + d*x)*a**2*b*c**2*f**2 + 18*acoth(c + d*x)*a**2*b*c*d**2*e**2
- 36*acoth(c + d*x)*a**2*b*c*d*e*f + 18*acoth(c + d*x)*a**2*b*c*f**2 + 18
*acoth(c + d*x)*a**2*b*d**3*e**2*x + 18*acoth(c + d*x)*a**2*b*d**3*e*f*x**
2 + 6*acoth(c + d*x)*a**2*b*d**3*f**2*x**3 + 18*acoth(c + d*x)*a**2*b*d**2
*e**2 - 18*acoth(c + d*x)*a**2*b*d*e*f + 6*acoth(c + d*x)*a**2*b*f**2 + 30
*acoth(c + d*x)*a*b**2*c**2*f**2 - 36*acoth(c + d*x)*a*b**2*c*d*e*f + 24*a
coth(c + d*x)*a*b**2*c*d*f**2*x + 36*acoth(c + d*x)*a*b**2*c*f**2 - 36*aco
th(c + d*x)*a*b**2*d**2*e*f*x - 6*acoth(c + d*x)*a*b**2*d**2*f**2*x**2 - 3
6*acoth(c + d*x)*a*b**2*d*e*f + 6*acoth(c + d*x)*a*b**2*f**2 + 6*acoth(...
```

3.34 $\int (e + fx) (a + b \coth^{-1}(c + dx))^3 dx$

Optimal result	291
Mathematica [C] (verified)	292
Rubi [A] (verified)	293
Maple [C] (warning: unable to verify)	295
Fricas [F]	295
Sympy [F]	296
Maxima [F]	296
Giac [F]	297
Mupad [F(-1)]	297
Reduce [F]	298

Optimal result

Integrand size = 18, antiderivative size = 326

$$\begin{aligned}
 & \int (e + fx) (a + b \coth^{-1}(c + dx))^3 dx \\
 &= \frac{3bf(a + b \coth^{-1}(c + dx))^2}{2d^2} + \frac{3bf(c + dx)(a + b \coth^{-1}(c + dx))^2}{2d^2} \\
 &+ \frac{(de - cf)(a + b \coth^{-1}(c + dx))^3}{d^2} \\
 &- \frac{(d^2e^2 - 2cdef + (1 + c^2)f^2)(a + b \coth^{-1}(c + dx))^3}{2d^2f} \\
 &+ \frac{(e + fx)^2(a + b \coth^{-1}(c + dx))^3}{2f} - \frac{3b^2f(a + b \coth^{-1}(c + dx)) \log\left(\frac{2}{1-c-dx}\right)}{d^2} \\
 &- \frac{3b(de - cf)(a + b \coth^{-1}(c + dx))^2 \log\left(\frac{2}{1-c-dx}\right)}{d^2} - \frac{3b^3f \operatorname{PolyLog}\left(2, -\frac{1+c+dx}{1-c-dx}\right)}{2d^2} \\
 &- \frac{3b^2(de - cf)(a + b \coth^{-1}(c + dx)) \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-c-dx}\right)}{d^2} \\
 &+ \frac{3b^3(de - cf) \operatorname{PolyLog}\left(3, 1 - \frac{2}{1-c-dx}\right)}{2d^2}
 \end{aligned}$$

output

```

3/2*b*f*(a+b*arccoth(d*x+c))^2/d^2+3/2*b*f*(d*x+c)*(a+b*arccoth(d*x+c))^2/
d^2+(-c*f+d*e)*(a+b*arccoth(d*x+c))^3/d^2-1/2*(d^2*e^2-2*c*d*e*f+(c^2+1)*f
^2)*(a+b*arccoth(d*x+c))^3/d^2/f+1/2*(f*x+e)^2*(a+b*arccoth(d*x+c))^3/f-3*
b^2*f*(a+b*arccoth(d*x+c))*ln(2/(-d*x-c+1))/d^2-3*b*(-c*f+d*e)*(a+b*arccot
h(d*x+c))^2*ln(2/(-d*x-c+1))/d^2-3/2*b^3*f*polylog(2,-(d*x+c+1)/(-d*x-c+1)
)/d^2-3*b^2*(-c*f+d*e)*(a+b*arccoth(d*x+c))*polylog(2,1-2/(-d*x-c+1))/d^2+
3/2*b^3*(-c*f+d*e)*polylog(3,1-2/(-d*x-c+1))/d^2

```

Mathematica [C] (verified)

Result contains complex when optimal does not.

Time = 3.58 (sec) , antiderivative size = 600, normalized size of antiderivative = 1.84

$$\int (e + fx) (a + b \coth^{-1}(c + dx))^3 dx$$

$$= \frac{2a^2(2ade + 3bf - 2acf)(c + dx) + 2a^3f(c + dx)^2 - 6a^2b(c + dx)(cf - d(2e + fx)) \coth^{-1}(c + dx) + 3b^2f(c + dx)^2}{d^2}$$

input

```
Integrate[(e + f*x)*(a + b*ArcCoth[c + d*x])^3,x]
```

output

```
(2*a^2*(2*a*d*e + 3*b*f - 2*a*c*f)*(c + d*x) + 2*a^3*f*(c + d*x)^2 - 6*a^2
*b*(c + d*x)*(c*f - d*(2*e + f*x))*ArcCoth[c + d*x] + 3*a^2*b*(2*d*e + f -
2*c*f)*Log[1 - c - d*x] + 3*a^2*b*(2*d*e - (1 + 2*c)*f)*Log[1 + c + d*x]
+ 12*a*b^2*f*((c + d*x)*ArcCoth[c + d*x] + ((-1 + (c + d*x)^2)*ArcCoth[c +
d*x]^2)/2 - Log[1/((c + d*x)*Sqrt[1 - (c + d*x)^(-2)])]) + 12*a*b^2*d*e*(
ArcCoth[c + d*x]*((-1 + c + d*x)*ArcCoth[c + d*x] - 2*Log[1 - E^(-2*ArcCoth
[c + d*x])]) + PolyLog[2, E^(-2*ArcCoth[c + d*x])]) - 12*a*b^2*c*f*(ArcCo
th[c + d*x]*((-1 + c + d*x)*ArcCoth[c + d*x] - 2*Log[1 - E^(-2*ArcCoth[c +
d*x])]) + PolyLog[2, E^(-2*ArcCoth[c + d*x])]) + 2*b^3*f*(ArcCoth[c + d*x
]*(3*(-1 + c + d*x)*ArcCoth[c + d*x] + (-1 + c^2 + 2*c*d*x + d^2*x^2)*ArcC
oth[c + d*x]^2 - 6*Log[1 - E^(-2*ArcCoth[c + d*x])]) + 3*PolyLog[2, E^(-2*
ArcCoth[c + d*x])]) + 4*b^3*d*e*((-1/8*I)*Pi^3 + ArcCoth[c + d*x]^3 + (c +
d*x)*ArcCoth[c + d*x]^3 - 3*ArcCoth[c + d*x]^2*Log[1 - E^(2*ArcCoth[c + d
*x])]) - 3*ArcCoth[c + d*x]*PolyLog[2, E^(2*ArcCoth[c + d*x])]) + (3*PolyLog
[3, E^(2*ArcCoth[c + d*x])])/2) - 4*b^3*c*f*((-1/8*I)*Pi^3 + ArcCoth[c + d
*x]^3 + (c + d*x)*ArcCoth[c + d*x]^3 - 3*ArcCoth[c + d*x]^2*Log[1 - E^(2*A
rcCoth[c + d*x])]) - 3*ArcCoth[c + d*x]*PolyLog[2, E^(2*ArcCoth[c + d*x])])
+ (3*PolyLog[3, E^(2*ArcCoth[c + d*x])])/2))/(4*d^2)
```

Rubi [A] (verified)

Time = 0.91 (sec) , antiderivative size = 324, normalized size of antiderivative = 0.99, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {6662, 27, 6481, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (e + fx) (a + b \coth^{-1}(c + dx))^3 dx \\
 & \quad \downarrow \text{6662} \\
 & \int \frac{(d(e - \frac{cf}{d}) + f(c + dx))(a + b \coth^{-1}(c + dx))^3}{d} d(c + dx) \\
 & \quad \downarrow \text{27} \\
 & \int \frac{(de - cf + f(c + dx))(a + b \coth^{-1}(c + dx))^3}{d^2} d(c + dx)
 \end{aligned}$$

↓ 6481

$$\frac{(f(c+dx)-cf+de)^2(a+b \operatorname{coth}^{-1}(c+dx))^3}{2f} - \frac{3b \int \left(\frac{(d^2 e^2 - 2c d f e + (c^2 + 1) f^2 + 2f(de - cf)(c + dx))(a + b \operatorname{coth}^{-1}(c + dx))^2}{1 - (c + dx)^2} - f^2 (a + b \operatorname{coth}^{-1}(c + dx))^2 \right)}{d^2}{2f}$$

↓ 2009

$$\frac{(f(c+dx)-cf+de)^2(a+b \operatorname{coth}^{-1}(c+dx))^3}{2f} - \frac{3b \left(\frac{((c^2+1)f^2 - 2c d e f + d^2 e^2)(a + b \operatorname{coth}^{-1}(c + dx))^3}{3b} + 2b f (de - cf) \operatorname{PolyLog} \left(2, 1 - \frac{2}{-c - dx + 1} \right) (a + b \operatorname{coth}^{-1}(c + dx))^2 \right)}{d^2}$$

input `Int[(e + f*x)*(a + b*ArcCoth[c + d*x])^3,x]`

output `((d*e - c*f + f*(c + d*x))^2*(a + b*ArcCoth[c + d*x])^3)/(2*f) - (3*b*(-f^2*(a + b*ArcCoth[c + d*x])^2) - f^2*(c + d*x)*(a + b*ArcCoth[c + d*x])^2 - (2*f*(d*e - c*f)*(a + b*ArcCoth[c + d*x])^3)/(3*b) + ((d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2)*(a + b*ArcCoth[c + d*x])^3)/(3*b) + 2*b*f^2*(a + b*ArcCoth[c + d*x])*Log[2/(1 - c - d*x)] + 2*f*(d*e - c*f)*(a + b*ArcCoth[c + d*x])^2*Log[2/(1 - c - d*x)] + b^2*f^2*PolyLog[2, -((1 + c + d*x)/(1 - c - d*x))] + 2*b*f*(d*e - c*f)*(a + b*ArcCoth[c + d*x])*PolyLog[2, 1 - 2/(1 - c - d*x)] - b^2*f*(d*e - c*f)*PolyLog[3, 1 - 2/(1 - c - d*x)])/(2*f)/d^2`

Defintions of rubi rules used

rule 27 `Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_)] /; FreeQ[b, x]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 6481

```
Int[((a_.) + ArcCoth[(c_.)*(x_.)]*(b_.))^(p_.)*((d_.) + (e_.)*(x_.))^(q_.), x_Symbol]
:= Simp[(d + e*x)^(q + 1)*((a + b*ArcCoth[c*x])^p/(e*(q + 1))), x] -
Simp[b*c*(p/(e*(q + 1))) Int[ExpandIntegrand[(a + b*ArcCoth[c*x])^(p - 1),
(d + e*x)^(q + 1)/(1 - c^2*x^2), x], x], x] /; FreeQ[{a, b, c, d, e}, x]
&& IGtQ[p, 1] && IntegerQ[q] && NeQ[q, -1]
```

rule 6662

```
Int[((a_.) + ArcCoth[(c_.) + (d_.)*(x_.)]*(b_.))^(p_.)*((e_.) + (f_.)*(x_.))^(m_.), x_Symbol]
:= Simp[1/d Subst[Int[((d*e - c*f)/d + f*(x/d))^m*(a + b*ArcCoth[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x]
&& IGtQ[p, 0]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 6.74 (sec) , antiderivative size = 7658, normalized size of antiderivative = 23.49

method	result	size
parts	Expression too large to display	7658
derivativedivides	Expression too large to display	7664
default	Expression too large to display	7664

input

```
int((f*x+e)*(a+b*arccoth(d*x+c))^3,x,method=_RETURNVERBOSE)
```

output

```
result too large to display
```

Fricas [F]

$$\int (e + fx) (a + b \operatorname{coth}^{-1}(c + dx))^3 dx = \int (fx + e)(b \operatorname{arccoth}(dx + c) + a)^3 dx$$

input

```
integrate((f*x+e)*(a+b*arccoth(d*x+c))^3,x, algorithm="fricas")
```


output

```
integral(a^3*f*x + a^3*e + (b^3*f*x + b^3*e)*arccoth(d*x + c)^3 + 3*(a*b^2
*f*x + a*b^2*e)*arccoth(d*x + c)^2 + 3*(a^2*b*f*x + a^2*b*e)*arccoth(d*x +
c), x)
```

Sympy [F]

$$\int (e + fx) (a + b \operatorname{coth}^{-1}(c + dx))^3 dx = \int (a + b \operatorname{arccoth}(c + dx))^3 (e + fx) dx$$

input

```
integrate((f*x+e)*(a+b*acoth(d*x+c))**3,x)
```

output

```
Integral((a + b*acoth(c + d*x))**3*(e + f*x), x)
```

Maxima [F]

$$\int (e + fx) (a + b \operatorname{coth}^{-1}(c + dx))^3 dx = \int (fx + e)(b \operatorname{arccoth}(dx + c) + a)^3 dx$$

input

```
integrate((f*x+e)*(a+b*arccoth(d*x+c))^3,x, algorithm="maxima")
```

output

```

1/2*a^3*f*x^2 + 3/4*(2*x^2*arccoth(d*x + c) + d*(2*x/d^2 - (c^2 + 2*c + 1)
*log(d*x + c + 1)/d^3 + (c^2 - 2*c + 1)*log(d*x + c - 1)/d^3))*a^2*b*f + a
^3*e*x + 3/2*(2*(d*x + c)*arccoth(d*x + c) + log(-(d*x + c)^2 + 1))*a^2*b*
e/d + 1/16*((b^3*d^2*f*x^2 + 2*b^3*d^2*e*x - (c^2*f - 2*(d*e - f)*c - 2*d*
e + f)*b^3)*log(d*x + c + 1)^3 + 3*(2*a*b^2*d^2*f*x^2 + 2*(2*a*b^2*d^2*e +
b^3*d*f)*x - (b^3*d^2*f*x^2 + 2*b^3*d^2*e*x - (c^2*f - 2*(d*e + f)*c + 2*
d*e + f)*b^3)*log(d*x + c - 1))*log(d*x + c + 1)^2)/d^2 + integrate(-1/8*(
(b^3*d^2*f*x^2 + (d^2*e + c*d*f + d*f)*b^3*x + (c*d*e + d*e)*b^3)*log(d*x
+ c - 1)^3 - 6*(a*b^2*d^2*f*x^2 + (d^2*e + c*d*f + d*f)*a*b^2*x + (c*d*e +
d*e)*a*b^2)*log(d*x + c - 1)^2 + 3*(2*a*b^2*d^2*f*x^2 - (b^3*d^2*f*x^2 +
(d^2*e + c*d*f + d*f)*b^3*x + (c*d*e + d*e)*b^3)*log(d*x + c - 1)^2 + 2*(2
*a*b^2*d^2*e + b^3*d*f)*x + (4*(c*d*e + d*e)*a*b^2 + (c^2*f - 2*(d*e + f)*
c + 2*d*e + f)*b^3 + (4*a*b^2*d^2*f - b^3*d^2*f)*x^2 - 2*(b^3*d^2*e - 2*(d
^2*e + c*d*f + d*f)*a*b^2)*x)*log(d*x + c - 1))*log(d*x + c + 1))/(d^2*x +
c*d + d), x)

```

Giac [F]

$$\int (e + fx) (a + b \operatorname{coth}^{-1}(c + dx))^3 dx = \int (fx + e)(b \operatorname{arccoth}(dx + c) + a)^3 dx$$

input

```
integrate((f*x+e)*(a+b*arccoth(d*x+c))^3,x, algorithm="giac")
```

output

```
integrate((f*x + e)*(b*arccoth(d*x + c) + a)^3, x)
```

Mupad [F(-1)]

Timed out.

$$\int (e + fx) (a + b \operatorname{coth}^{-1}(c + dx))^3 dx = \int (e + fx) (a + b \operatorname{acoth}(c + dx))^3 dx$$

input

```
int((e + f*x)*(a + b*acoth(c + d*x))^3,x)
```

output

```
int((e + f*x)*(a + b*acoth(c + d*x))^3, x)
```

Reduce [F]

$$\int (e + fx) (a + b \coth^{-1}(c + dx))^3 dx$$

$$= \frac{6 \left(\int \frac{\operatorname{acoth}(dx+c)x}{d^2x^2+2cdx+c^2-1} dx \right) b^3 d^2 f - 6 \left(\int \frac{\operatorname{acoth}(dx+c)^2 x}{d^2x^2+2cdx+c^2-1} dx \right) b^3 d^3 e + \operatorname{acoth}(dx+c)^3 b^3 c^2 f - \operatorname{acoth}(dx+c)^3 b^3}{1}$$

input `int((f*x+e)*(a+b*acoth(d*x+c))^3,x)`

output

```
(acoth(c + d*x)**3*b**3*c**2*f + 2*acoth(c + d*x)**3*b**3*d**2*e*x + acoth(c + d*x)**3*b**3*d**2*f*x**2 - acoth(c + d*x)**3*b**3*f + 3*acoth(c + d*x)**2*a*b**2*c**2*f + 6*acoth(c + d*x)**2*a*b**2*d**2*e*x + 3*acoth(c + d*x)**2*a*b**2*d**2*f*x**2 - 3*acoth(c + d*x)**2*a*b**2*f - 3*acoth(c + d*x)*2*b**3*d*f*x - 3*acoth(c + d*x)*a**2*b*c**2*f + 6*acoth(c + d*x)*a**2*b*c*d*e - 6*acoth(c + d*x)*a**2*b*c*f + 6*acoth(c + d*x)*a**2*b*d**2*e*x + 3*acoth(c + d*x)*a**2*b*d**2*f*x**2 + 6*acoth(c + d*x)*a**2*b*d*e - 3*acoth(c + d*x)*a**2*b*f - 6*acoth(c + d*x)*a*b**2*c*f - 6*acoth(c + d*x)*a*b**2*d*f*x - 6*acoth(c + d*x)*a*b**2*f + 12*int((acoth(c + d*x)*x)/(c**2 + 2*c*d*x + d**2*x**2 - 1),x)*a*b**2*c*d**2*f - 12*int((acoth(c + d*x)*x)/(c**2 + 2*c*d*x + d**2*x**2 - 1),x)*a*b**2*d**3*e + 6*int((acoth(c + d*x)*x)/(c**2 + 2*c*d*x + d**2*x**2 - 1),x)*b**3*d**2*f + 6*int((acoth(c + d*x)**2*x)/(c**2 + 2*c*d*x + d**2*x**2 - 1),x)*b**3*c*d**2*f - 6*int((acoth(c + d*x)**2*x)/(c**2 + 2*c*d*x + d**2*x**2 - 1),x)*b**3*d**3*e + 6*log(c + d*x - 1)*a**2*b*c*f - 6*log(c + d*x - 1)*a**2*b*d*e + 6*log(c + d*x - 1)*a*b**2*f + 2*a**3*d**2*e*x + a**3*d**2*f*x**2 - 3*a**2*b*d*f*x)/(2*d**2)
```

3.35 $\int (a + b \coth^{-1}(c + dx))^3 dx$

Optimal result	299
Mathematica [C] (verified)	300
Rubi [A] (verified)	300
Maple [B] (verified)	303
Fricas [F]	303
Sympy [F]	304
Maxima [F]	304
Giac [F]	305
Mupad [F(-1)]	305
Reduce [F]	305

Optimal result

Integrand size = 12, antiderivative size = 132

$$\int (a + b \coth^{-1}(c + dx))^3 dx = \frac{(a + b \coth^{-1}(c + dx))^3}{d} + \frac{(c + dx)(a + b \coth^{-1}(c + dx))^3}{d} - \frac{3b(a + b \coth^{-1}(c + dx))^2 \log\left(\frac{2}{1-c-dx}\right)}{d} - \frac{3b^2(a + b \coth^{-1}(c + dx)) \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-c-dx}\right)}{d} + \frac{3b^3 \operatorname{PolyLog}\left(3, 1 - \frac{2}{1-c-dx}\right)}{2d}$$

output

```
(a+b*arccoth(d*x+c))^3/d+(d*x+c)*(a+b*arccoth(d*x+c))^3/d-3*b*(a+b*arccoth
(d*x+c))^2*ln(2/(-d*x-c+1))/d-3*b^2*(a+b*arccoth(d*x+c))*polylog(2,1-2/(-d
*x-c+1))/d+3/2*b^3*polylog(3,1-2/(-d*x-c+1))/d
```

Mathematica [C] (verified)

Result contains complex when optimal does not.

Time = 0.23 (sec) , antiderivative size = 208, normalized size of antiderivative = 1.58

$$\int (a + b \coth^{-1}(c + dx))^3 dx$$

$$= \frac{2a^3(c + dx) + 6a^2b(c + dx) \coth^{-1}(c + dx) + 3a^2b \log(1 - (c + dx)^2) + 6ab^2 \left(\coth^{-1}(c + dx) \left((-1 + c + dx) \operatorname{ArcCoth}[c + dx] - 2 \operatorname{Log}[1 - E^{-2 \operatorname{ArcCoth}[c + dx]}] \right) + \operatorname{PolyLog}[2, E^{-2 \operatorname{ArcCoth}[c + dx]}] \right) + 2b^3 \left((-1/8 I) \pi^3 + \operatorname{ArcCoth}[c + dx]^3 + (c + dx) \operatorname{ArcCoth}[c + dx]^3 - 3 \operatorname{ArcCoth}[c + dx]^2 \operatorname{Log}[1 - E^{2 \operatorname{ArcCoth}[c + dx]}] - 3 \operatorname{ArcCoth}[c + dx] \operatorname{PolyLog}[2, E^{2 \operatorname{ArcCoth}[c + dx]}] + (3 \operatorname{PolyLog}[3, E^{2 \operatorname{ArcCoth}[c + dx]}]) \right)}{2d}$$

input

```
Integrate[(a + b*ArcCoth[c + d*x])^3,x]
```

output

```
(2*a^3*(c + d*x) + 6*a^2*b*(c + d*x)*ArcCoth[c + d*x] + 3*a^2*b*Log[1 - (c + d*x)^2] + 6*a*b^2*(ArcCoth[c + d*x]*((-1 + c + d*x)*ArcCoth[c + d*x] - 2*Log[1 - E^(-2*ArcCoth[c + d*x])]) + PolyLog[2, E^(-2*ArcCoth[c + d*x])]) + 2*b^3*((-1/8*I)*Pi^3 + ArcCoth[c + d*x]^3 + (c + d*x)*ArcCoth[c + d*x]^3 - 3*ArcCoth[c + d*x]^2*Log[1 - E^(2*ArcCoth[c + d*x])] - 3*ArcCoth[c + d*x]*PolyLog[2, E^(2*ArcCoth[c + d*x])] + (3*PolyLog[3, E^(2*ArcCoth[c + d*x])]))/(2*d)
```

Rubi [A] (verified)

Time = 0.75 (sec) , antiderivative size = 130, normalized size of antiderivative = 0.98, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {6654, 6437, 6547, 6471, 6621, 7164}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (a + b \coth^{-1}(c + dx))^3 dx$$

$$\downarrow \text{6654}$$

$$\int \frac{(a + b \coth^{-1}(c + dx))^3 d(c + dx)}{d}$$

$$\downarrow \text{6437}$$

$$\frac{(c + dx) (a + b \operatorname{coth}^{-1}(c + dx))^3 - 3b \int \frac{(c+dx)(a+b \operatorname{coth}^{-1}(c+dx))^2}{1-(c+dx)^2} d(c + dx)}{d}$$

↓ 6547

$$\frac{(c + dx) (a + b \operatorname{coth}^{-1}(c + dx))^3 - 3b \left(\int \frac{(a+b \operatorname{coth}^{-1}(c+dx))^2}{-c-dx+1} d(c + dx) - \frac{(a+b \operatorname{coth}^{-1}(c+dx))^3}{3b} \right)}{d}$$

↓ 6471

$$\frac{(c + dx) (a + b \operatorname{coth}^{-1}(c + dx))^3 - 3b \left(-2b \int \frac{(a+b \operatorname{coth}^{-1}(c+dx)) \log\left(\frac{2}{-c-dx+1}\right)}{1-(c+dx)^2} d(c + dx) - \frac{(a+b \operatorname{coth}^{-1}(c+dx))^3}{3b} + \log \right)}{d}$$

↓ 6621

$$\frac{(c + dx) (a + b \operatorname{coth}^{-1}(c + dx))^3 - 3b \left(-2b \left(\frac{1}{2} b \int \frac{\operatorname{PolyLog}\left(2, 1 - \frac{2}{-c-dx+1}\right)}{1-(c+dx)^2} d(c + dx) - \frac{1}{2} \operatorname{PolyLog}\left(2, 1 - \frac{2}{-c-dx+1}\right) \right) \right)}{d}$$

↓ 7164

$$\frac{(c + dx) (a + b \operatorname{coth}^{-1}(c + dx))^3 - 3b \left(-2b \left(\frac{1}{4} b \operatorname{PolyLog}\left(3, 1 - \frac{2}{-c-dx+1}\right) - \frac{1}{2} \operatorname{PolyLog}\left(2, 1 - \frac{2}{-c-dx+1}\right) \right) (a + b \right)}{d}$$

input

```
Int[(a + b*ArcCoth[c + d*x])^3,x]
```

output

```
((c + d*x)*(a + b*ArcCoth[c + d*x])^3 - 3*b*(-1/3*(a + b*ArcCoth[c + d*x])^3/b + (a + b*ArcCoth[c + d*x])^2*Log[2/(1 - c - d*x)] - 2*b*(-1/2*((a + b*ArcCoth[c + d*x])*PolyLog[2, 1 - 2/(1 - c - d*x)]) + (b*PolyLog[3, 1 - 2/(1 - c - d*x]))/4))/d
```

Definitions of rubi rules used

rule 6437 $\text{Int}[\{(a_.) + \text{ArcCoth}[(c_.)(x_)^{(n_.)}] * (b_.)\}^{(p_.)}, x_Symbol] \rightarrow \text{Simp}[x*(a + b*\text{ArcCoth}[c*x^n])^p, x] - \text{Simp}[b*c*n*p \text{ Int}[x^n*((a + b*\text{ArcCoth}[c*x^n])^{(p-1)/(1-c^2*x^{(2*n)})}), x], x] /; \text{FreeQ}\{a, b, c, n\}, x\} \&\& \text{IGtQ}[p, 0] \&\& (\text{EqQ}[n, 1] \mid \mid \text{EqQ}[p, 1])$

rule 6471 $\text{Int}[\{(a_.) + \text{ArcCoth}[(c_.)(x_)] * (b_.)\}^{(p_.)}/\{(d_) + (e_.)(x_)\}, x_Symbol] \rightarrow \text{Simp}[(-a + b*\text{ArcCoth}[c*x])^p * (\text{Log}[2/(1 + e*(x/d))]/e), x] + \text{Simp}[b*c*(p/e) \text{ Int}[(a + b*\text{ArcCoth}[c*x])^{(p-1)} * (\text{Log}[2/(1 + e*(x/d))]/(1 - c^2*x^2)), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{IGtQ}[p, 0] \&\& \text{EqQ}[c^2*d^2 - e^2, 0]$

rule 6547 $\text{Int}[\{(a_.) + \text{ArcCoth}[(c_.)(x_)] * (b_.)\}^{(p_.)} * (x_)/\{(d_) + (e_.)(x_)^2\}, x_Symbol] \rightarrow \text{Simp}[(a + b*\text{ArcCoth}[c*x])^{(p+1)}/(b*e*(p+1)), x] + \text{Simp}[1/(c*d) \text{ Int}[(a + b*\text{ArcCoth}[c*x])^p/(1 - c*x), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{IGtQ}[p, 0]$

rule 6621 $\text{Int}[(\text{Log}[u_] * \{(a_.) + \text{ArcCoth}[(c_.)(x_)] * (b_.)\}^{(p_.)})/\{(d_) + (e_.)(x_)^2\}, x_Symbol] \rightarrow \text{Simp}[(-a + b*\text{ArcCoth}[c*x])^p * (\text{PolyLog}[2, 1 - u]/(2*c*d)), x] + \text{Simp}[b*(p/2) \text{ Int}[(a + b*\text{ArcCoth}[c*x])^{(p-1)} * (\text{PolyLog}[2, 1 - u]/(d + e*x^2)), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{IGtQ}[p, 0] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{EqQ}[(1 - u)^2 - (1 - 2/(1 - c*x))^2, 0]$

rule 6654 $\text{Int}[\{(a_.) + \text{ArcCoth}[(c_) + (d_.)(x_)] * (b_.)\}^{(p_.)}, x_Symbol] \rightarrow \text{Simp}[1/d \text{ Subst}[\text{Int}[(a + b*\text{ArcCoth}[x])^p, x], x, c + d*x], x] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{IGtQ}[p, 0]$

rule 7164 $\text{Int}[(u_)*\text{PolyLog}[n_, v_], x_Symbol] \rightarrow \text{With}\{w = \text{DerivativeDivides}[v, u*v, x]\}, \text{Simp}[w*\text{PolyLog}[n + 1, v], x] /; \text{!FalseQ}[w]\} /; \text{FreeQ}[n, x]$

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 371 vs. $2(130) = 260$.

Time = 1.01 (sec) , antiderivative size = 372, normalized size of antiderivative = 2.82

method	result
derivativedivides	$(dx+c)a^3+b^3 \left(\operatorname{arccoth}(dx+c)^3(dx+c-1)+2\operatorname{arccoth}(dx+c)^3-3\operatorname{arccoth}(dx+c)^2 \ln \left(1+\frac{1}{\sqrt{\frac{dx+c-1}{dx+c+1}}} \right) -6 \operatorname{arccoth}(dx+c) \right)$
default	$(dx+c)a^3+b^3 \left(\operatorname{arccoth}(dx+c)^3(dx+c-1)+2\operatorname{arccoth}(dx+c)^3-3\operatorname{arccoth}(dx+c)^2 \ln \left(1+\frac{1}{\sqrt{\frac{dx+c-1}{dx+c+1}}} \right) -6 \operatorname{arccoth}(dx+c) \right)$
parts	$a^3x + \frac{b^3}{a^2} \left(\operatorname{arccoth}(dx+c)^3(dx+c-1)+2\operatorname{arccoth}(dx+c)^3-3\operatorname{arccoth}(dx+c)^2 \ln \left(1+\frac{1}{\sqrt{\frac{dx+c-1}{dx+c+1}}} \right) -6 \operatorname{arccoth}(dx+c) \right)$

input `int((a+b*arccoth(d*x+c))^3,x,method=_RETURNVERBOSE)`

output `1/d*((d*x+c)*a^3+b^3*(arccoth(d*x+c)^3*(d*x+c-1)+2*arccoth(d*x+c)^3-3*arccoth(d*x+c)^2*ln(1+1/((d*x+c-1)/(d*x+c+1))^(1/2)))-6*arccoth(d*x+c)*polylog(2,-1/((d*x+c-1)/(d*x+c+1))^(1/2))+6*polylog(3,-1/((d*x+c-1)/(d*x+c+1))^(1/2))-3*arccoth(d*x+c)^2*ln(1-1/((d*x+c-1)/(d*x+c+1))^(1/2))-6*arccoth(d*x+c)*polylog(2,1/((d*x+c-1)/(d*x+c+1))^(1/2))+6*polylog(3,1/((d*x+c-1)/(d*x+c+1))^(1/2)))+3*a*b^2*(arccoth(d*x+c)^2*(d*x+c-1)+2*arccoth(d*x+c)^2-2*arccoth(d*x+c)*ln(1-1/((d*x+c-1)/(d*x+c+1))^(1/2))-2*polylog(2,1/((d*x+c-1)/(d*x+c+1))^(1/2))-2*arccoth(d*x+c)*ln(1+1/((d*x+c-1)/(d*x+c+1))^(1/2))-2*polylog(2,-1/((d*x+c-1)/(d*x+c+1))^(1/2)))+3*a^2*b*((d*x+c)*arccoth(d*x+c)+1/2*ln((d*x+c)^2-1)))`

Fricas [F]

$$\int (a + b \operatorname{coth}^{-1}(c + dx))^3 dx = \int (b \operatorname{arccoth}(dx + c) + a)^3 dx$$

input `integrate((a+b*arccoth(d*x+c))^3,x, algorithm="fricas")`

output `integral(b^3*arccoth(d*x + c)^3 + 3*a*b^2*arccoth(d*x + c)^2 + 3*a^2*b*arccoth(d*x + c) + a^3, x)`

Sympy [F]

$$\int (a + b \operatorname{coth}^{-1}(c + dx))^3 dx = \int (a + b \operatorname{acoth}(c + dx))^3 dx$$

input `integrate((a+b*acoth(d*x+c))**3,x)`

output `Integral((a + b*acoth(c + d*x))**3, x)`

Maxima [F]

$$\int (a + b \operatorname{coth}^{-1}(c + dx))^3 dx = \int (b \operatorname{arcoth}(dx + c) + a)^3 dx$$

input `integrate((a+b*arccoth(d*x+c))^3,x, algorithm="maxima")`

output `a^3*x + 3/2*(2*(d*x + c)*arccoth(d*x + c) + log(-(d*x + c)^2 + 1))*a^2*b/d + 1/8*((b^3*d*x + b^3*(c + 1))*log(d*x + c + 1)^3 + 3*(2*a*b^2*d*x - (b^3*d*x + b^3*(c - 1))*log(d*x + c - 1))*log(d*x + c + 1)^2)/d + integrate(-1/8*((b^3*d*x + b^3*(c + 1))*log(d*x + c - 1)^3 - 6*(a*b^2*d*x + a*b^2*(c + 1))*log(d*x + c - 1)^2 + 3*(4*a*b^2*d*x - (b^3*d*x + b^3*(c + 1))*log(d*x + c - 1)^2 + 2*(2*a*b^2*(c + 1) - b^3*(c - 1) + (2*a*b^2*d - b^3*d)*x)*log(d*x + c - 1))*log(d*x + c + 1))/(d*x + c + 1), x)`

Giac [F]

$$\int (a + b \coth^{-1}(c + dx))^3 dx = \int (b \operatorname{arccoth}(dx + c) + a)^3 dx$$

input `integrate((a+b*arccoth(d*x+c))^3,x, algorithm="giac")`

output `integrate((b*arccoth(d*x + c) + a)^3, x)`

Mupad [F(-1)]

Timed out.

$$\int (a + b \coth^{-1}(c + dx))^3 dx = \int (a + b \operatorname{acoth}(c + dx))^3 dx$$

input `int((a + b*acoth(c + d*x))^3,x)`

output `int((a + b*acoth(c + d*x))^3, x)`

Reduce [F]

$$\int (a + b \coth^{-1}(c + dx))^3 dx$$

$$= \frac{a \operatorname{coth}(dx + c)^3 b^3 dx + 3 \operatorname{coth}(dx + c)^2 a b^2 dx + 3 \operatorname{coth}(dx + c) a^2 b c + 3 \operatorname{coth}(dx + c) a^2 b dx + 3 \operatorname{coth}(d$$

input `int((a+b*acoth(d*x+c))^3,x)`

output

```
(acoth(c + d*x)**3*b**3*d*x + 3*acoth(c + d*x)**2*a*b**2*d*x + 3*acoth(c +
d*x)*a**2*b*c + 3*acoth(c + d*x)*a**2*b*d*x + 3*acoth(c + d*x)*a**2*b - 6
*int((acoth(c + d*x)*x)/(c**2 + 2*c*d*x + d**2*x**2 - 1),x)*a*b**2*d**2 -
3*int((acoth(c + d*x)**2*x)/(c**2 + 2*c*d*x + d**2*x**2 - 1),x)*b**3*d**2
- 3*log(c + d*x - 1)*a**2*b + a**3*d*x)/d
```

$$3.36 \quad \int \frac{(a+b \coth^{-1}(c+dx))^3}{e+fx} dx$$

Optimal result	307
Mathematica [C] (warning: unable to verify)	308
Rubi [A] (verified)	309
Maple [C] (warning: unable to verify)	311
Fricas [F]	312
Sympy [F]	313
Maxima [F]	313
Giac [F]	313
Mupad [F(-1)]	314
Reduce [F]	314

Optimal result

Integrand size = 20, antiderivative size = 308

$$\begin{aligned}
& \int \frac{(a+b \coth^{-1}(c+dx))^3}{e+fx} dx \\
&= -\frac{(a+b \coth^{-1}(c+dx))^3 \log\left(\frac{2}{1+c+dx}\right)}{f} \\
&+ \frac{(a+b \coth^{-1}(c+dx))^3 \log\left(\frac{2d(e+fx)}{(de+f-cf)(1+c+dx)}\right)}{f} \\
&+ \frac{3b(a+b \coth^{-1}(c+dx))^2 \operatorname{PolyLog}\left(2, 1 - \frac{2}{1+c+dx}\right)}{2f} \\
&- \frac{3b(a+b \coth^{-1}(c+dx))^2 \operatorname{PolyLog}\left(2, 1 - \frac{2d(e+fx)}{(de+f-cf)(1+c+dx)}\right)}{2f} \\
&+ \frac{3b^2(a+b \coth^{-1}(c+dx)) \operatorname{PolyLog}\left(3, 1 - \frac{2}{1+c+dx}\right)}{2f} \\
&- \frac{3b^2(a+b \coth^{-1}(c+dx)) \operatorname{PolyLog}\left(3, 1 - \frac{2d(e+fx)}{(de+f-cf)(1+c+dx)}\right)}{2f} \\
&+ \frac{3b^3 \operatorname{PolyLog}\left(4, 1 - \frac{2}{1+c+dx}\right)}{4f} - \frac{3b^3 \operatorname{PolyLog}\left(4, 1 - \frac{2d(e+fx)}{(de+f-cf)(1+c+dx)}\right)}{4f}
\end{aligned}$$

output

```

-(a+b*arccoth(d*x+c))^3*ln(2/(d*x+c+1))/f+(a+b*arccoth(d*x+c))^3*ln(2*d*(f
*x+e)/(-c*f+d*e+f)/(d*x+c+1))/f+3/2*b*(a+b*arccoth(d*x+c))^2*polylog(2,1-2
/(d*x+c+1))/f-3/2*b*(a+b*arccoth(d*x+c))^2*polylog(2,1-2*d*(f*x+e)/(-c*f+d
*e+f)/(d*x+c+1))/f+3/2*b^2*(a+b*arccoth(d*x+c))*polylog(3,1-2/(d*x+c+1))/f
-3/2*b^2*(a+b*arccoth(d*x+c))*polylog(3,1-2*d*(f*x+e)/(-c*f+d*e+f)/(d*x+c+
1))/f+3/4*b^3*polylog(4,1-2/(d*x+c+1))/f-3/4*b^3*polylog(4,1-2*d*(f*x+e)/(
-c*f+d*e+f)/(d*x+c+1))/f

```

Mathematica [C] (warning: unable to verify)

Result contains complex when optimal does not.

Time = 22.97 (sec) , antiderivative size = 3317, normalized size of antiderivative = 10.77

$$\int \frac{(a + b \operatorname{coth}^{-1}(c + dx))^3}{e + fx} dx = \text{Result too large to show}$$

input

```
Integrate[(a + b*ArcCoth[c + d*x])^3/(e + f*x),x]
```

output

```
(a^3*Log[e + f*x])/f + 3*a^2*b*(((ArcCoth[c + d*x] - ArcTanh[c + d*x])*Log
[e + f*x])/f - (I*(I*ArcTanh[c + d*x]*(-Log[1/Sqrt[1 - (c + d*x)^2]] + Log
[I*Sinh[ArcTanh[(d*e - c*f)/f] + ArcTanh[c + d*x]]]) + ((-I)*(I*ArcTanh[(d
*e - c*f)/f] + I*ArcTanh[c + d*x])^2 - (I/4)*(Pi - (2*I)*ArcTanh[c + d*x])
^2 + 2*(I*ArcTanh[(d*e - c*f)/f] + I*ArcTanh[c + d*x])*Log[1 - E^((2*I)*(I
*ArcTanh[(d*e - c*f)/f] + I*ArcTanh[c + d*x]))] + (Pi - (2*I)*ArcTanh[c +
d*x])*Log[1 - E^(I*(Pi - (2*I)*ArcTanh[c + d*x]))] - (Pi - (2*I)*ArcTanh[c
+ d*x])*Log[2*Sin[(Pi - (2*I)*ArcTanh[c + d*x])/2]] - 2*(I*ArcTanh[(d*e -
c*f)/f] + I*ArcTanh[c + d*x])*Log[(2*I)*Sinh[ArcTanh[(d*e - c*f)/f] + Arc
Tanh[c + d*x]]) - I*PolyLog[2, E^((2*I)*(I*ArcTanh[(d*e - c*f)/f] + I*ArcT
anh[c + d*x]))] - I*PolyLog[2, E^(I*(Pi - (2*I)*ArcTanh[c + d*x]))]/2))/f
) - (3*a*b^2*(d*e - c*f + f*(c + d*x))*(1 - (c + d*x)^2)*(-1/24*(I*f*Pi^3
- 8*d*e*ArcCoth[c + d*x]^3 - 8*f*ArcCoth[c + d*x]^3 + 8*c*f*ArcCoth[c + d
*x]^3 + 24*f*ArcCoth[c + d*x]^2*Log[1 - E^(2*ArcCoth[c + d*x])] + 24*f*ArcC
oth[c + d*x]*PolyLog[2, E^(2*ArcCoth[c + d*x])] - 12*f*PolyLog[3, E^(2*Arc
Coth[c + d*x])])/f^2 + ((-(d*e) - f + c*f)*(-(d*e) + f + c*f)*(2*d*e*ArcCo
th[c + d*x]^3 - 6*f*ArcCoth[c + d*x]^3 - 2*c*f*ArcCoth[c + d*x]^3 - (4*d*e
*sqrt[(d^2*e^2 - 2*c*d*e*f + (-1 + c^2)*f^2)/(d*e - c*f]^2)*ArcCoth[c + d
*x]^3)/E^ArcTanh[f/(d*e - c*f)] + (4*c*f*sqrt[(d^2*e^2 - 2*c*d*e*f + (-1 +
c^2)*f^2)/(d*e - c*f]^2)*ArcCoth[c + d*x]^3)/E^ArcTanh[f/(d*e - c*f)] + ...
```

Rubi [A] (verified)

Time = 0.51 (sec) , antiderivative size = 344, normalized size of antiderivative = 1.12, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {6662, 27, 6477}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(a + b \coth^{-1}(c + dx))^3}{e + fx} dx$$

$$\downarrow \text{6662}$$

$$\int \frac{d(a + b \coth^{-1}(c + dx))^3}{d(e - \frac{cf}{d}) + f(c + dx)} d(c + dx)$$

$$\frac{d}{d}$$

$$\downarrow \text{27}$$

$$\begin{aligned}
& \int \frac{(a + b \coth^{-1}(c + dx))^3}{f(c + dx) - cf + de} d(c + dx) \\
& \quad \downarrow 6477 \\
& - \frac{3b^2(a + b \coth^{-1}(c + dx)) \operatorname{PolyLog}\left(3, 1 - \frac{2(de - cf + f(c + dx))}{(de - cf + f)(c + dx + 1)}\right)}{2f} + \\
& \quad \frac{3b^2 \operatorname{PolyLog}\left(3, 1 - \frac{2}{c + dx + 1}\right) (a + b \coth^{-1}(c + dx))}{2f} - \\
& \quad \frac{3b(a + b \coth^{-1}(c + dx))^2 \operatorname{PolyLog}\left(2, 1 - \frac{2(de - cf + f(c + dx))}{(de - cf + f)(c + dx + 1)}\right)}{2f} + \\
& \quad \frac{(a + b \coth^{-1}(c + dx))^3 \log\left(\frac{2(f(c + dx) - cf + de)}{(c + dx + 1)(-cf + de + f)}\right)}{f} + \\
& \frac{3b \operatorname{PolyLog}\left(2, 1 - \frac{2}{c + dx + 1}\right) (a + b \coth^{-1}(c + dx))^2 \log\left(\frac{2}{c + dx + 1}\right) (a + b \coth^{-1}(c + dx))^3}{2f} - \frac{f}{f} \\
& \frac{3b^3 \operatorname{PolyLog}\left(4, 1 - \frac{2(de - cf + f(c + dx))}{(de - cf + f)(c + dx + 1)}\right)}{4f} + \frac{3b^3 \operatorname{PolyLog}\left(4, 1 - \frac{2}{c + dx + 1}\right)}{4f}
\end{aligned}$$

input

```
Int[(a + b*ArcCoth[c + d*x])^3/(e + f*x),x]
```

output

```

-(((a + b*ArcCoth[c + d*x])^3*Log[2/(1 + c + d*x)]/f) + ((a + b*ArcCoth[c
+ d*x])^3*Log[(2*(d*e - c*f + f*(c + d*x))]/((d*e + f - c*f)*(1 + c + d*x
)))]/f + (3*b*(a + b*ArcCoth[c + d*x])^2*PolyLog[2, 1 - 2/(1 + c + d*x)]/
(2*f) - (3*b*(a + b*ArcCoth[c + d*x])^2*PolyLog[2, 1 - (2*(d*e - c*f + f*(
c + d*x))]/((d*e + f - c*f)*(1 + c + d*x))]/(2*f) + (3*b^2*(a + b*ArcCoth
[c + d*x])*PolyLog[3, 1 - 2/(1 + c + d*x)]/(2*f) - (3*b^2*(a + b*ArcCoth[
c + d*x])*PolyLog[3, 1 - (2*(d*e - c*f + f*(c + d*x))]/((d*e + f - c*f)*(1
+ c + d*x))]/(2*f) + (3*b^3*PolyLog[4, 1 - 2/(1 + c + d*x)]/(4*f) - (3*
b^3*PolyLog[4, 1 - (2*(d*e - c*f + f*(c + d*x))]/((d*e + f - c*f)*(1 + c +
d*x)))]/(4*f)

```

Definitions of rubi rules used

rule 27 $\text{Int}[(a_*)(Fx_), x_Symbol] \rightarrow \text{Simp}[a \text{ Int}[Fx, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[Fx, (b_*)(Gx_)] /; \text{FreeQ}[b, x]$

rule 6477 $\text{Int}[((a_.) + \text{ArcCoth}[(c_.)(x_)]*(b_.))^3/((d_.) + (e_.)(x_)), x_Symbol] \rightarrow \text{Simp}[(-a + b*\text{ArcCoth}[c*x])^3*(\text{Log}[2/(1 + c*x)]/e), x] + (\text{Simp}[a + b*\text{ArcCoth}[c*x])^3*(\text{Log}[2*c*((d + e*x)/((c*d + e)*(1 + c*x)))]/e), x] + \text{Simp}[3*b*(a + b*\text{ArcCoth}[c*x])^2*(\text{PolyLog}[2, 1 - 2/(1 + c*x)]/(2*e)), x] - \text{Simp}[3*b*(a + b*\text{ArcCoth}[c*x])^2*(\text{PolyLog}[2, 1 - 2*c*((d + e*x)/((c*d + e)*(1 + c*x)))]/(2*e)), x] + \text{Simp}[3*b^2*(a + b*\text{ArcCoth}[c*x])*(\text{PolyLog}[3, 1 - 2/(1 + c*x)]/(2*e)), x] - \text{Simp}[3*b^2*(a + b*\text{ArcCoth}[c*x])*(\text{PolyLog}[3, 1 - 2*c*((d + e*x)/((c*d + e)*(1 + c*x)))]/(2*e)), x] + \text{Simp}[3*b^3*(\text{PolyLog}[4, 1 - 2/(1 + c*x)]/(4*e)), x] - \text{Simp}[3*b^3*(\text{PolyLog}[4, 1 - 2*c*((d + e*x)/((c*d + e)*(1 + c*x)))]/(4*e)), x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[c^2*d^2 - e^2, 0]$

rule 6662 $\text{Int}[((a_.) + \text{ArcCoth}[(c_.) + (d_.)(x_)]*(b_.))^{(p_.)*((e_.) + (f_.)(x_))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[1/d \text{ Subst}[\text{Int}[(d*e - c*f)/d + f*(x/d)]^m*(a + b*\text{ArcCoth}[x])^p, x], x, c + d*x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \ \&\& \ \text{IntegerQ}[p, 0]$

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 13.08 (sec) , antiderivative size = 3250, normalized size of antiderivative = 10.55

method	result	size
derivativeldivides	Expression too large to display	3250
default	Expression too large to display	3250
parts	Expression too large to display	3419

input $\text{int}((a+b*\text{arccoth}(d*x+c))^3/(f*x+e), x, \text{method}=_RETURNVERBOSE)$

output

```

1/d*(a^3*d*ln(c*f-d*e-f*(d*x+c))/f-b^3*d*(-ln(c*f-d*e-f*(d*x+c))/f*arccoth
(d*x+c)^3-3/f*(-1/3*arccoth(d*x+c)^3*ln(f*c*((d*x+c+1)/(d*x+c-1)-1)+(-d*x
+c+1)/(d*x+c-1)+1)*e*d+(-d*x+c+1)/(d*x+c-1)-1)*f)+1/6*I*Pi*csgn(I*(f*c*((
d*x+c+1)/(d*x+c-1)-1)+(-d*x+c+1)/(d*x+c-1)+1)*e*d+(-d*x+c+1)/(d*x+c-1)-1
)*f)/((d*x+c+1)/(d*x+c-1)-1))*(csgn(I*(f*c*((d*x+c+1)/(d*x+c-1)-1)+(-d*x+
c+1)/(d*x+c-1)+1)*e*d+(-d*x+c+1)/(d*x+c-1)-1)*f))*csgn(I/((d*x+c+1)/(d*x+
c-1)-1))-csgn(I*(f*c*((d*x+c+1)/(d*x+c-1)-1)+(-d*x+c+1)/(d*x+c-1)+1)*e*d+
(-d*x+c+1)/(d*x+c-1)-1)*f)/((d*x+c+1)/(d*x+c-1)-1))*csgn(I/((d*x+c+1)/(d*
x+c-1)-1))-csgn(I*(f*c*((d*x+c+1)/(d*x+c-1)-1)+(-d*x+c+1)/(d*x+c-1)+1)*e*
d+(-d*x+c+1)/(d*x+c-1)-1)*f))*csgn(I*(f*c*((d*x+c+1)/(d*x+c-1)-1)+(-d*x+
c+1)/(d*x+c-1)+1)*e*d+(-d*x+c+1)/(d*x+c-1)-1)*f)/((d*x+c+1)/(d*x+c-1)-1))
+csgn(I*(f*c*((d*x+c+1)/(d*x+c-1)-1)+(-d*x+c+1)/(d*x+c-1)+1)*e*d+(-d*x+c
+1)/(d*x+c-1)-1)*f)/((d*x+c+1)/(d*x+c-1)-1))^2)*arccoth(d*x+c)^3+1/3*arcco
th(d*x+c)^3*ln((d*x+c+1)/(d*x+c-1)-1)-1/3*arccoth(d*x+c)^3*ln(1+1/((d*x+c-
1)/(d*x+c+1))^(1/2))-arccoth(d*x+c)^2*polylog(2,-1/((d*x+c-1)/(d*x+c+1))^(
1/2))+2*arccoth(d*x+c)*polylog(3,-1/((d*x+c-1)/(d*x+c+1))^(1/2))-2*polylog
(4,-1/((d*x+c-1)/(d*x+c+1))^(1/2))-1/3*arccoth(d*x+c)^3*ln(1-1/((d*x+c-1)/
(d*x+c+1))^(1/2))-arccoth(d*x+c)^2*polylog(2,1/((d*x+c-1)/(d*x+c+1))^(1/2)
)+2*arccoth(d*x+c)*polylog(3,1/((d*x+c-1)/(d*x+c+1))^(1/2))-2*polylog(4,1/
((d*x+c-1)/(d*x+c+1))^(1/2))+1/3*f*c/(c*f-d*e-f)*arccoth(d*x+c)^3*ln(1-...

```

Fricas [F]

$$\int \frac{(a + b \operatorname{coth}^{-1}(c + dx))^3}{e + fx} dx = \int \frac{(b \operatorname{arccoth}(dx + c) + a)^3}{fx + e} dx$$

input

```
integrate((a+b*arccoth(d*x+c))^3/(f*x+e),x, algorithm="fricas")
```

output

```
integral((b^3*arccoth(d*x + c)^3 + 3*a*b^2*arccoth(d*x + c)^2 + 3*a^2*b*ar
ccth(d*x + c) + a^3)/(f*x + e), x)
```

Sympy [F]

$$\int \frac{(a + b \coth^{-1}(c + dx))^3}{e + fx} dx = \int \frac{(a + b \operatorname{arccoth}(c + dx))^3}{e + fx} dx$$

input `integrate((a+b*acoth(d*x+c))**3/(f*x+e),x)`

output `Integral((a + b*acoth(c + d*x))**3/(e + f*x), x)`

Maxima [F]

$$\int \frac{(a + b \coth^{-1}(c + dx))^3}{e + fx} dx = \int \frac{(b \operatorname{arccoth}(dx + c) + a)^3}{fx + e} dx$$

input `integrate((a+b*arccoth(d*x+c))^3/(f*x+e),x, algorithm="maxima")`

output `a^3*log(f*x + e)/f + integrate(1/8*b^3*(log(1/(d*x + c) + 1) - log(-1/(d*x + c) + 1))^3/(f*x + e) + 3/4*a*b^2*(log(1/(d*x + c) + 1) - log(-1/(d*x + c) + 1))^2/(f*x + e) + 3/2*a^2*b*(log(1/(d*x + c) + 1) - log(-1/(d*x + c) + 1))/(f*x + e), x)`

Giac [F]

$$\int \frac{(a + b \coth^{-1}(c + dx))^3}{e + fx} dx = \int \frac{(b \operatorname{arccoth}(dx + c) + a)^3}{fx + e} dx$$

input `integrate((a+b*arccoth(d*x+c))^3/(f*x+e),x, algorithm="giac")`

output `integrate((b*arccoth(d*x + c) + a)^3/(f*x + e), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{(a + b \coth^{-1}(c + dx))^3}{e + fx} dx = \int \frac{(a + b \operatorname{acoth}(c + dx))^3}{e + fx} dx$$

input `int((a + b*acoth(c + d*x))^3/(e + f*x),x)`output `int((a + b*acoth(c + d*x))^3/(e + f*x), x)`**Reduce [F]**

$$\int \frac{(a + b \coth^{-1}(c + dx))^3}{e + fx} dx$$

$$= \frac{3 \left(\int \frac{\operatorname{acoth}(dx+c)}{fx+e} dx \right) a^2 b f + \left(\int \frac{\operatorname{acoth}(dx+c)^3}{fx+e} dx \right) b^3 f + 3 \left(\int \frac{\operatorname{acoth}(dx+c)^2}{fx+e} dx \right) a b^2 f + \log(fx + e) a^3}{f}$$

input `int((a+b*acoth(d*x+c))^3/(f*x+e),x)`output `(3*int(acoth(c + d*x)/(e + f*x),x)*a**2*b*f + int(acoth(c + d*x)**3/(e + f*x),x)*b**3*f + 3*int(acoth(c + d*x)**2/(e + f*x),x)*a*b**2*f + log(e + f*x)*a**3)/f`

$$3.37 \quad \int \frac{(a+b \operatorname{coth}^{-1}(c+dx))^3}{(e+fx)^2} dx$$

Optimal result	316
Mathematica [C] (warning: unable to verify)	317
Rubi [A] (verified)	318
Maple [C] (warning: unable to verify)	321
Fricas [F]	322
Sympy [F]	323
Maxima [F]	323
Giac [F]	324
Mupad [F(-1)]	324
Reduce [F]	324

Optimal result

Integrand size = 20, antiderivative size = 634

$$\begin{aligned}
& \int \frac{(a + b \coth^{-1}(c + dx))^3}{(e + fx)^2} dx \\
&= -\frac{(a + b \coth^{-1}(c + dx))^3}{f(e + fx)} + \frac{3bd(a + b \coth^{-1}(c + dx))^2 \log\left(\frac{2}{1-c-dx}\right)}{2f(de + f - cf)} \\
&\quad - \frac{3bd(a + b \coth^{-1}(c + dx))^2 \log\left(\frac{2}{1+c+dx}\right)}{2f(de - (1 + c)f)} \\
&\quad + \frac{3bd(a + b \coth^{-1}(c + dx))^2 \log\left(\frac{2}{1+c+dx}\right)}{(de + f - cf)(de - (1 + c)f)} \\
&\quad - \frac{3bd(a + b \coth^{-1}(c + dx))^2 \log\left(\frac{2d(e+fx)}{(de+f-cf)(1+c+dx)}\right)}{(de + f - cf)(de - (1 + c)f)} \\
&\quad + \frac{3b^2d(a + b \coth^{-1}(c + dx)) \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-c-dx}\right)}{2f(de + f - cf)} \\
&\quad + \frac{3b^2d(a + b \coth^{-1}(c + dx)) \operatorname{PolyLog}\left(2, 1 - \frac{2}{1+c+dx}\right)}{2f(de - (1 + c)f)} \\
&\quad - \frac{3b^2d(a + b \coth^{-1}(c + dx)) \operatorname{PolyLog}\left(2, 1 - \frac{2}{1+c+dx}\right)}{(de + f - cf)(de - (1 + c)f)} \\
&\quad + \frac{3b^2d(a + b \coth^{-1}(c + dx)) \operatorname{PolyLog}\left(2, 1 - \frac{2d(e+fx)}{(de+f-cf)(1+c+dx)}\right)}{(de + f - cf)(de - (1 + c)f)} \\
&\quad - \frac{3b^3d \operatorname{PolyLog}\left(3, 1 - \frac{2}{1-c-dx}\right)}{4f(de + f - cf)} + \frac{3b^3d \operatorname{PolyLog}\left(3, 1 - \frac{2}{1+c+dx}\right)}{4f(de - (1 + c)f)} \\
&\quad - \frac{3b^3d \operatorname{PolyLog}\left(3, 1 - \frac{2}{1+c+dx}\right)}{2(de + f - cf)(de - (1 + c)f)} + \frac{3b^3d \operatorname{PolyLog}\left(3, 1 - \frac{2d(e+fx)}{(de+f-cf)(1+c+dx)}\right)}{2(de + f - cf)(de - (1 + c)f)}
\end{aligned}$$

output

```

-(a+b*arccoth(d*x+c))^3/f/(f*x+e)+3/2*b*d*(a+b*arccoth(d*x+c))^2*ln(2/(-d*
x-c+1))/f/(-c*f+d*e+f)-3/2*b*d*(a+b*arccoth(d*x+c))^2*ln(2/(d*x+c+1))/f/(d
*e-(1+c)*f)+3*b*d*(a+b*arccoth(d*x+c))^2*ln(2/(d*x+c+1))/(-c*f+d*e+f)/(d*e
-(1+c)*f)-3*b*d*(a+b*arccoth(d*x+c))^2*ln(2*d*(f*x+e)/(-c*f+d*e+f)/(d*x+c+
1))/(-c*f+d*e+f)/(d*e-(1+c)*f)+3/2*b^2*d*(a+b*arccoth(d*x+c))*polylog(2,1-
2/(-d*x-c+1))/f/(-c*f+d*e+f)+3/2*b^2*d*(a+b*arccoth(d*x+c))*polylog(2,1-2/
(d*x+c+1))/f/(d*e-(1+c)*f)-3*b^2*d*(a+b*arccoth(d*x+c))*polylog(2,1-2/(d*x
+c+1))/(-c*f+d*e+f)/(d*e-(1+c)*f)+3*b^2*d*(a+b*arccoth(d*x+c))*polylog(2,1
-2*d*(f*x+e)/(-c*f+d*e+f)/(d*x+c+1))/(-c*f+d*e+f)/(d*e-(1+c)*f)-3/4*b^3*d*
polylog(3,1-2/(-d*x-c+1))/f/(-c*f+d*e+f)+3/4*b^3*d*polylog(3,1-2/(d*x+c+1)
)/f/(d*e-(1+c)*f)-3/2*b^3*d*polylog(3,1-2/(d*x+c+1))/(-c*f+d*e+f)/(d*e-(1+
c)*f)+3/2*b^3*d*polylog(3,1-2*d*(f*x+e)/(-c*f+d*e+f)/(d*x+c+1))/(-c*f+d*e+
f)/(d*e-(1+c)*f)

```

Mathematica [C] (warning: unable to verify)

Result contains complex when optimal does not.

Time = 13.13 (sec) , antiderivative size = 1945, normalized size of antiderivative = 3.07

$$\int \frac{(a + b \operatorname{coth}^{-1}(c + dx))^3}{(e + fx)^2} dx = \text{Too large to display}$$

input

```
Integrate[(a + b*ArcCoth[c + d*x])^3/(e + f*x)^2,x]
```

output

```

-(a^3/(f*(e + f*x))) - (3*a^2*b*ArcCoth[c + d*x])/(f*(e + f*x)) + (3*a^2*b
*d*Log[1 - c - d*x])/(2*f*(-(d*e) - f + c*f)) - (3*a^2*b*d*Log[1 + c + d*x
])/ (2*f*(-(d*e) + f + c*f)) - (3*a^2*b*d*Log[e + f*x])/(d^2*e^2 - 2*c*d*e*
f - f^2 + c^2*f^2) + (3*a*b^2*(1 - (c + d*x)^2)*(f/Sqrt[1 - (c + d*x)^(-2)
] + (d*e - c*f)/((c + d*x)*Sqrt[1 - (c + d*x)^(-2)]))^2*((E^ArcTanh[f/(-(d
*e) + c*f)]*ArcCoth[c + d*x]^2)/((- (d*e) + c*f)*Sqrt[1 - f^2/(d*e - c*f)^2
]) + ArcCoth[c + d*x]^2/((c + d*x)*Sqrt[1 - (c + d*x)^(-2)]*(f/Sqrt[1 - (c
+ d*x)^(-2)] + (d*e - c*f)/((c + d*x)*Sqrt[1 - (c + d*x)^(-2)]))) + (f*(I
*Pi*ArcCoth[c + d*x] + 2*ArcCoth[c + d*x]*ArcTanh[f/(d*e - c*f)] - I*Pi*Lo
g[1 + E^(2*ArcCoth[c + d*x])]) + 2*ArcCoth[c + d*x]*Log[1 - E^(-2*(ArcCoth[
c + d*x] + ArcTanh[f/(d*e - c*f)])]) - 2*ArcTanh[f/(-(d*e) + c*f)]*Log[1 -
E^(-2*(ArcCoth[c + d*x] + ArcTanh[f/(d*e - c*f)])]) + I*Pi*Log[1/Sqrt[1 -
(c + d*x)^(-2)]] + 2*ArcTanh[f/(-(d*e) + c*f)]*Log[I*Sinh[ArcCoth[c + d*x
] + ArcTanh[f/(d*e - c*f)]]] - PolyLog[2, E^(-2*(ArcCoth[c + d*x] + ArcTan
h[f/(d*e - c*f)])])]/(d^2*e^2 - 2*c*d*e*f + (-1 + c^2)*f^2))/ (d*f*(e + f
*x)^2 - (b^3*(1 - (c + d*x)^2)*(f/Sqrt[1 - (c + d*x)^(-2)] + (d*e - c*f)/
((c + d*x)*Sqrt[1 - (c + d*x)^(-2)]))^2*((d*ArcCoth[c + d*x]^3)/(f*(c + d
*x)*Sqrt[1 - (c + d*x)^(-2)]*(-(f/Sqrt[1 - (c + d*x)^(-2)]) - (d*e)/((c + d
*x)*Sqrt[1 - (c + d*x)^(-2)]) + (c*f)/((c + d*x)*Sqrt[1 - (c + d*x)^(-2)]
)) - (d*(2*d*e*ArcCoth[c + d*x]^3 - 6*f*ArcCoth[c + d*x]^3 - 2*c*f*ArcC...

```

Rubi [A] (verified)

Time = 2.88 (sec) , antiderivative size = 1085, normalized size of antiderivative = 1.71, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {6660, 7292, 6672, 27, 7276, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(a + b \coth^{-1}(c + dx))^3}{(e + fx)^2} dx$$

$$\downarrow 6660$$

$$\frac{3bd \int \frac{(a + b \coth^{-1}(c + dx))^2}{(e + fx)(1 - (c + dx)^2)} dx}{f} - \frac{(a + b \coth^{-1}(c + dx))^3}{f(e + fx)}$$

$$\downarrow 7292$$

$$\frac{3bd \int \frac{(a+b \coth^{-1}(c+dx))^2}{(e+fx)(-c^2-2dxc-d^2x^2+1)} dx}{f} - \frac{(a+b \coth^{-1}(c+dx))^3}{f(e+fx)}$$

↓ 6672

$$\frac{3b \int \frac{d(a+b \coth^{-1}(c+dx))^2}{(d(e-\frac{cf}{d})+f(c+dx))(1-(c+dx)^2)} d(c+dx)}{f} - \frac{(a+b \coth^{-1}(c+dx))^3}{f(e+fx)}$$

↓ 27

$$\frac{3bd \int \frac{(a+b \coth^{-1}(c+dx))^2}{(de-cf+f(c+dx))(1-(c+dx)^2)} d(c+dx)}{f} - \frac{(a+b \coth^{-1}(c+dx))^3}{f(e+fx)}$$

↓ 7276

$$\frac{3bd \int \left(-\frac{a^2}{(c+dx-1)(c+dx+1)(de-cf+f(c+dx))} - \frac{2b \coth^{-1}(c+dx)a}{(c+dx-1)(c+dx+1)(de-cf+f(c+dx))} - \frac{b^2 \coth^{-1}(c+dx)^2}{(c+dx-1)(c+dx+1)(de-cf+f(c+dx))} \right) d(c+dx)}{f} - \frac{(a+b \coth^{-1}(c+dx))^3}{f(e+fx)}$$

↓ 2009

$$\frac{3bd \left(-\frac{\log(-c-dx+1)a^2}{2(de-cf+f)} + \frac{\log(c+dx+1)a^2}{2(de-(c+1)f)} - \frac{f \log(de-cf+f(c+dx))a^2}{(de-cf+f)(de-(c+1)f)} + \frac{b \coth^{-1}(c+dx) \log\left(\frac{-2}{-c-dx+1}\right)a}{de-cf+f} - \frac{b \coth^{-1}(c+dx) \log\left(\frac{2}{c+dx+1}\right)a}{de-cf-f} \right)}{f} - \frac{(a+b \coth^{-1}(c+dx))^3}{f(e+fx)}$$

input `Int[(a + b*ArcCoth[c + d*x])^3/(e + f*x)^2,x]`

output

```

-((a + b*ArcCoth[c + d*x])^3/(f*(e + f*x))) + (3*b*d*((a*b*ArcCoth[c + d*x]
]*Log[2/(1 - c - d*x)])/(d*e + f - c*f) + (b^2*ArcCoth[c + d*x]^2*Log[2/(1
- c - d*x)])/(2*(d*e + f - c*f)) - (a^2*Log[1 - c - d*x])/(2*(d*e + f - c
*f)) - (a*b*ArcCoth[c + d*x]*Log[2/(1 + c + d*x)])/(d*e - f - c*f) + (2*a*
b*f*ArcCoth[c + d*x]*Log[2/(1 + c + d*x)])/((d*e + f - c*f)*(d*e - (1 + c)
*f)) - (b^2*ArcCoth[c + d*x]^2*Log[2/(1 + c + d*x)])/(2*(d*e - f - c*f)) +
(b^2*f*ArcCoth[c + d*x]^2*Log[2/(1 + c + d*x)])/((d*e + f - c*f)*(d*e - (
1 + c)*f)) + (a^2*Log[1 + c + d*x])/(2*(d*e - (1 + c)*f)) - (a^2*f*Log[d*e
- c*f + f*(c + d*x)])/((d*e + f - c*f)*(d*e - (1 + c)*f)) - (2*a*b*f*ArcC
oth[c + d*x]*Log[(2*(d*e - c*f + f*(c + d*x))]/((d*e + f - c*f)*(1 + c + d
*x)))]/((d*e + f - c*f)*(d*e - (1 + c)*f)) - (b^2*f*ArcCoth[c + d*x]^2*Log
[(2*(d*e - c*f + f*(c + d*x))]/((d*e + f - c*f)*(1 + c + d*x)))]/((d*e + f
- c*f)*(d*e - (1 + c)*f)) + (a*b*PolyLog[2, -((1 + c + d*x)/(1 - c - d*x)
)])/(2*(d*e + f - c*f)) + (b^2*ArcCoth[c + d*x]*PolyLog[2, 1 - 2/(1 - c -
d*x)])/(2*(d*e + f - c*f)) + (a*b*PolyLog[2, 1 - 2/(1 + c + d*x)])/(2*(d*e
- f - c*f)) - (a*b*f*PolyLog[2, 1 - 2/(1 + c + d*x)])/((d*e + f - c*f)*(d
*e - (1 + c)*f)) + (b^2*ArcCoth[c + d*x]*PolyLog[2, 1 - 2/(1 + c + d*x)])/
(2*(d*e - f - c*f)) - (b^2*f*ArcCoth[c + d*x]*PolyLog[2, 1 - 2/(1 + c + d*
x)])/((d*e + f - c*f)*(d*e - (1 + c)*f)) + (a*b*f*PolyLog[2, 1 - (2*(d*e -
c*f + f*(c + d*x))]/((d*e + f - c*f)*(1 + c + d*x)))]/((d*e + f - c*f)...

```

Defintions of rubi rules used

rule 27

```

Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !Ma
tchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]

```

rule 2009

```

Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]

```

rule 6660

```

Int[((a_.) + ArcCoth[(c_) + (d_.)*(x_)])*(b_.))^ (p_.)*((e_.) + (f_.)*(x_))^(
m_), x_Symbol] := Simp[(e + f*x)^(m + 1)*((a + b*ArcCoth[c + d*x])^p/(f*(m
+ 1))), x] - Simp[b*d*(p/(f*(m + 1))) Int[(e + f*x)^(m + 1)*((a + b*ArcCo
th[c + d*x])^(p - 1)/(1 - (c + d*x)^2)), x], x] /; FreeQ[{a, b, c, d, e, f}
, x] && IGtQ[p, 0] && ILtQ[m, -1]

```

rule 6672

```
Int[((a_.) + ArcCoth[(c_) + (d_.)*(x_)]*(b_.))^(p_.)*((e_.) + (f_.)*(x_))^(
m_.)*((A_.) + (B_.)*(x_) + (C_.)*(x_)^2)^(q_.), x_Symbol] := Simp[1/d Sub
st[Int[((d*e - c*f)/d + f*(x/d))^m*(-C/d^2 + (C/d^2)*x^2)^q*(a + b*ArcCoth[
x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, p, q}, x
] && EqQ[B*(1 - c^2) + 2*A*c*d, 0] && EqQ[2*c*C - B*d, 0]
```

rule 7276

```
Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionE
xpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ
[n, 0]
```

rule 7292

```
Int[u_, x_Symbol] := With[{v = NormalizeIntegrand[u, x]}, Int[v, x] /; v !=
= u]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 13.83 (sec) , antiderivative size = 4101, normalized size of antiderivative = 6.47

method	result	size
derivativedivides	Expression too large to display	4101
default	Expression too large to display	4101
parts	Expression too large to display	4252

input

```
int((a+b*arccoth(d*x+c))^3/(f*x+e)^2,x,method=_RETURNVERBOSE)
```

output

```

1/d*(a^3*d^2/(c*f-d*e-f*(d*x+c))/f+b^3*d^2*(1/(c*f-d*e-f*(d*x+c))/f*arccot
h(d*x+c)^3+3/f*(-1/(c*f-d*e-f)^2/(c*f-d*e+f)*f^2*c*arccoth(d*x+c)*polylog(
2,(c*f-d*e-f)/(d*x+c-1)*(d*x+c+1)/(c*f-d*e+f))-1/2/(c*f-d*e-f)^2/(c*f-d*e+
f)*f*e*d*polylog(3,(c*f-d*e-f)/(d*x+c-1)*(d*x+c+1)/(c*f-d*e+f))-1/(c*f-d*e
-f)^2/(c*f-d*e+f)*f^2*c*arccoth(d*x+c)^2*ln(1-(c*f-d*e-f)/(d*x+c-1)*(d*x+c
+1)/(c*f-d*e+f))+1/2*I/(c*f-d*e-f)/(c*f-d*e+f)*Pi*csgn(I/((d*x+c-1)/(d*x+c
+1))^(1/2))*csgn(I*(d*x+c+1)/(d*x+c-1))^2*c*f*arccoth(d*x+c)^2-1/4*I/(c*f-
d*e-f)/(c*f-d*e+f)*Pi*csgn(I/((d*x+c+1)/(d*x+c-1)-1))*csgn(I/(d*x+c-1)*(d*
x+c+1)/((d*x+c+1)/(d*x+c-1)-1))^2*d*e*arccoth(d*x+c)^2-1/4*I/(c*f-d*e-f)/(
c*f-d*e+f)*Pi*csgn(I*(d*x+c+1)/(d*x+c-1))*csgn(I/(d*x+c-1)*(d*x+c+1)/((d*x
+c+1)/(d*x+c-1)-1))^2*d*e*arccoth(d*x+c)^2+1/4*I/(c*f-d*e-f)/(c*f-d*e+f)*P
i*csgn(I/((d*x+c+1)/(d*x+c-1)-1))*csgn(I*(d*x+c+1)/(d*x+c-1))*csgn(I/(d*x+
c-1)*(d*x+c+1)/((d*x+c+1)/(d*x+c-1)-1))*f*arccoth(d*x+c)^2+1/4*I/(c*f-d*e-
f)/(c*f-d*e+f)*Pi*csgn(I/((d*x+c+1)/(d*x+c-1)-1))*csgn(I/(d*x+c-1)*(d*x+c
+1)/((d*x+c+1)/(d*x+c-1)-1))^2*c*f*arccoth(d*x+c)^2+1/4*I/(c*f-d*e-f)/(c*f-
d*e+f)*Pi*csgn(I/((d*x+c-1)/(d*x+c+1))^(1/2))^2*csgn(I*(d*x+c+1)/(d*x+c-1)
)*d*e*arccoth(d*x+c)^2-1/2*I/(c*f-d*e-f)/(c*f-d*e+f)*Pi*csgn(I/((d*x+c-1)/
(d*x+c+1))^(1/2))*csgn(I*(d*x+c+1)/(d*x+c-1))^2*d*e*arccoth(d*x+c)^2-arcco
th(d*x+c)^2*f/(c*f-d*e-f)/(c*f-d*e+f)*ln(c*f-d*e-f*(d*x+c))-1/2/(c*f-d*e-f
)^2/(c*f-d*e+f)*f^2*polylog(3,(c*f-d*e-f)/(d*x+c-1)*(d*x+c+1)/(c*f-d*e+...

```

Fricas [F]

$$\int \frac{(a + b \operatorname{coth}^{-1}(c + dx))^3}{(e + fx)^2} dx = \int \frac{(b \operatorname{arccoth}(dx + c) + a)^3}{(fx + e)^2} dx$$

input

```
integrate((a+b*arccoth(d*x+c))^3/(f*x+e)^2,x, algorithm="fricas")
```

output

```

integral((b^3*arccoth(d*x + c)^3 + 3*a*b^2*arccoth(d*x + c)^2 + 3*a^2*b*ar
ccth(d*x + c) + a^3)/(f^2*x^2 + 2*e*f*x + e^2), x)

```

Sympy [F]

$$\int \frac{(a + b \coth^{-1}(c + dx))^3}{(e + fx)^2} dx = \int \frac{(a + b \operatorname{acoth}(c + dx))^3}{(e + fx)^2} dx$$

input `integrate((a+b*acoth(d*x+c))**3/(f*x+e)**2,x)`

output `Integral((a + b*acoth(c + d*x))**3/(e + f*x)**2, x)`

Maxima [F]

$$\int \frac{(a + b \coth^{-1}(c + dx))^3}{(e + fx)^2} dx = \int \frac{(b \operatorname{arccoth}(dx + c) + a)^3}{(fx + e)^2} dx$$

input `integrate((a+b*arccoth(d*x+c))^3/(f*x+e)^2,x, algorithm="maxima")`

output `3/2*(d*(log(d*x + c + 1)/(d*e*f - (c + 1)*f^2) - log(d*x + c - 1)/(d*e*f - (c - 1)*f^2) - 2*log(f*x + e)/(d^2*e^2 - 2*c*d*e*f + (c^2 - 1)*f^2)) - 2*arccoth(d*x + c)/(f^2*x + e*f))*a^2*b - a^3/(f^2*x + e*f) + 1/8*(((d^2*e*f - c*d*f^2 + d*f^2)*b^3*x + (c*d*e*f - c^2*f^2 + d*e*f + f^2)*b^3)*log(d*x + c + 1)^3 - 3*(2*(d^2*e^2 - 2*c*d*e*f + c^2*f^2 - f^2)*a*b^2 + ((d^2*e*f - c*d*f^2 - d*f^2)*b^3*x + (c*d*e*f - c^2*f^2 - d*e*f + f^2)*b^3)*log(d*x + c - 1))*log(d*x + c + 1)^2)/(d^2*e^3*f - 2*c*d*e^2*f^2 + c^2*e*f^3 - e*f^3 + (d^2*e^2*f^2 - 2*c*d*e*f^3 + c^2*f^4 - f^4)*x) + integrate(-1/8*(((d^2*e*f - c*d*f^2 + d*f^2)*b^3*x + (c*d*e*f - c^2*f^2 + d*e*f + f^2)*b^3)*log(d*x + c - 1)^3 - 6*(((d^2*e*f - c*d*f^2 + d*f^2)*a*b^2*x + (c*d*e*f - c^2*f^2 + d*e*f + f^2)*a*b^2)*log(d*x + c - 1)^2 - 3*(4*(d^2*e*f - c*d*f^2 + d*f^2)*a*b^2*x + 4*(d^2*e^2 - c*d*e*f + d*e*f)*a*b^2 + ((d^2*e*f - c*d*f^2 + d*f^2)*b^3*x + (c*d*e*f - c^2*f^2 + d*e*f + f^2)*b^3)*log(d*x + c - 1)^2 + 2*(b^3*d^2*f^2*x^2 - 2*(c*d*e*f - c^2*f^2 + d*e*f + f^2)*a*b^2 + (c*d*e*f - d*e*f)*b^3 - (2*(d^2*e*f - c*d*f^2 + d*f^2)*a*b^2 - (d^2*e*f + c*d*f^2 - d*f^2)*b^3)*x)*log(d*x + c - 1))*log(d*x + c + 1))/(c*d*e^3*f - c^2*e^2*f^2 + d*e^3*f + e^2*f^2 + (d^2*e*f^3 - c*d*f^4 + d*f^4)*x^3 + (2*d^2*e^2*f^2 - c*d*e*f^3 - c^2*f^4 + 3*d*e*f^3 + f^4)*x^2 + (d^2*e^3*f + c*d*e^2*f^2 - 2*c^2*e*f^3 + 3*d*e^2*f^2 + 2*e*f^3)*x), x)`

Giac [F]

$$\int \frac{(a + b \coth^{-1}(c + dx))^3}{(e + fx)^2} dx = \int \frac{(b \operatorname{arccoth}(dx + c) + a)^3}{(fx + e)^2} dx$$

input `integrate((a+b*arccoth(d*x+c))^3/(f*x+e)^2,x, algorithm="giac")`

output `integrate((b*arccoth(d*x + c) + a)^3/(f*x + e)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{(a + b \coth^{-1}(c + dx))^3}{(e + fx)^2} dx = \int \frac{(a + b \operatorname{acoth}(c + dx))^3}{(e + fx)^2} dx$$

input `int((a + b*acoth(c + d*x))^3/(e + f*x)^2,x)`

output `int((a + b*acoth(c + d*x))^3/(e + f*x)^2, x)`

Reduce [F]

$$\int \frac{(a + b \coth^{-1}(c + dx))^3}{(e + fx)^2} dx = \text{too large to display}$$

input `int((a+b*acoth(d*x+c))^3/(f*x+e)^2,x)`

output

```
( - 4*acoth(c + d*x)**3*b**3*c**6*e*f**5 + 16*acoth(c + d*x)**3*b**3*c**5*
d**2*f**4 - 24*acoth(c + d*x)**3*b**3*c**4*d**2*e**3*f**3 - 4*acoth(c +
d*x)**3*b**3*c**4*d**2*e**2*f**4*x + 8*acoth(c + d*x)**3*b**3*c**4*e*f**5
+ 16*acoth(c + d*x)**3*b**3*c**3*d**3*e**4*f**2 + 16*acoth(c + d*x)**3*b**
3*c**3*d**3*e**3*f**3*x - 24*acoth(c + d*x)**3*b**3*c**3*d**2*f**4 - 4*a
coth(c + d*x)**3*b**3*c**2*d**4*e**5*f - 24*acoth(c + d*x)**3*b**3*c**2*d
**4*e**4*f**2*x + 28*acoth(c + d*x)**3*b**3*c**2*d**2*e**3*f**3 + 4*acoth(c
+ d*x)**3*b**3*c**2*d**2*e**2*f**4*x - 4*acoth(c + d*x)**3*b**3*c**2*e*f
**5 + 16*acoth(c + d*x)**3*b**3*c*d**5*e**5*f*x - 16*acoth(c + d*x)**3*b**3
*c*d**3*e**4*f**2 - 8*acoth(c + d*x)**3*b**3*c*d**3*e**3*f**3*x + 8*acoth(
c + d*x)**3*b**3*c*d**2*f**4 - 4*acoth(c + d*x)**3*b**3*d**6*e**6*x + 4*
acoth(c + d*x)**3*b**3*d**4*e**5*f + 4*acoth(c + d*x)**3*b**3*d**4*e**4*f
**2*x - 4*acoth(c + d*x)**3*b**3*d**2*e**3*f**3 - 12*acoth(c + d*x)**2*a*b
**2*c**6*e*f**5 + 48*acoth(c + d*x)**2*a*b**2*c**5*d**2*f**4 - 72*acoth(c
+ d*x)**2*a*b**2*c**4*d**2*e**3*f**3 - 12*acoth(c + d*x)**2*a*b**2*c**4*d
**2*e**2*f**4*x + 24*acoth(c + d*x)**2*a*b**2*c**4*e*f**5 + 48*acoth(c + d
*x)**2*a*b**2*c**3*d**3*e**4*f**2 + 48*acoth(c + d*x)**2*a*b**2*c**3*d**3*
e**3*f**3*x - 72*acoth(c + d*x)**2*a*b**2*c**3*d**2*f**4 - 12*acoth(c +
d*x)**2*a*b**2*c**2*d**4*e**5*f - 72*acoth(c + d*x)**2*a*b**2*c**2*d**4*e
**4*f**2*x + 84*acoth(c + d*x)**2*a*b**2*c**2*d**2*e**3*f**3 + 12*acoth(...
```

3.38 $\int (e + fx)^m (a + b \operatorname{coth}^{-1}(c + dx)) dx$

Optimal result	326
Mathematica [F]	327
Rubi [A] (verified)	327
Maple [F]	329
Fricas [F]	329
Sympy [F]	329
Maxima [F]	330
Giac [F]	330
Mupad [F(-1)]	330
Reduce [F]	331

Optimal result

Integrand size = 18, antiderivative size = 162

$$\begin{aligned} & \int (e + fx)^m (a + b \operatorname{coth}^{-1}(c + dx)) dx \\ &= \frac{(e + fx)^{1+m} (a + b \operatorname{coth}^{-1}(c + dx))}{f(1 + m)} \\ & \quad + \frac{bd(e + fx)^{2+m} \operatorname{Hypergeometric2F1}\left(1, 2 + m, 3 + m, \frac{d(e+fx)}{de-f-cf}\right)}{2f(de - (1 + c)f)(1 + m)(2 + m)} \\ & \quad - \frac{bd(e + fx)^{2+m} \operatorname{Hypergeometric2F1}\left(1, 2 + m, 3 + m, \frac{d(e+fx)}{de+f-cf}\right)}{2f(de + f - cf)(1 + m)(2 + m)} \end{aligned}$$

output

```
(f*x+e)^(1+m)*(a+b*arccoth(d*x+c))/f/(1+m)+1/2*b*d*(f*x+e)^(2+m)*hypergeom
([1, 2+m], [3+m], d*(f*x+e)/(-c*f+d*e-f))/f/(d*e-(1+c)*f)/(1+m)/(2+m)-1/2*b*
d*(f*x+e)^(2+m)*hypergeom([1, 2+m], [3+m], d*(f*x+e)/(-c*f+d*e+f))/f/(-c*f+d
*e+f)/(1+m)/(2+m)
```

Mathematica [F]

$$\int (e + fx)^m (a + b \coth^{-1}(c + dx)) dx = \int (e + fx)^m (a + b \coth^{-1}(c + dx)) dx$$

input `Integrate[(e + f*x)^m*(a + b*ArcCoth[c + d*x]),x]`

output `Integrate[(e + f*x)^m*(a + b*ArcCoth[c + d*x]), x]`

Rubi [A] (verified)

Time = 0.50 (sec) , antiderivative size = 222, normalized size of antiderivative = 1.37, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {6662, 6479, 485, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int (e + fx)^m (a + b \coth^{-1}(c + dx)) dx \\ & \quad \downarrow \text{6662} \\ & \frac{\int \left(e - \frac{cf}{d} + \frac{f(c+dx)}{d} \right)^m (a + b \coth^{-1}(c + dx)) d(c + dx)}{d} \\ & \quad \downarrow \text{6479} \\ & \frac{\frac{d(a+b \coth^{-1}(c+dx)) \left(\frac{f(c+dx)}{d} - \frac{cf}{d} + e \right)^{m+1}}{f(m+1)} - \frac{bd \int \frac{\left(e - \frac{cf}{d} + \frac{f(c+dx)}{d} \right)^{m+1}}{1-(c+dx)^2} d(c+dx)}{f(m+1)}}{d} \\ & \quad \downarrow \text{485} \\ & \frac{\frac{d(a+b \coth^{-1}(c+dx)) \left(\frac{f(c+dx)}{d} - \frac{cf}{d} + e \right)^{m+1}}{f(m+1)} - bd \int \left(\frac{\left(e - \frac{cf}{d} + \frac{f(c+dx)}{d} \right)^{m+1}}{2(-c-dx+1)} + \frac{\left(e - \frac{cf}{d} + \frac{f(c+dx)}{d} \right)^{m+1}}{2(c+dx+1)} \right) d(c+dx)}{f(m+1)}}{d} \\ & \quad \downarrow \text{2009} \end{aligned}$$

$$\frac{d(a+b \coth^{-1}(c+dx)) \left(\frac{f(c+dx)}{d} - \frac{cf}{d} + e\right)^{m+1}}{f^{(m+1)}} - \frac{bd \left(\frac{d\left(\frac{f(c+dx)}{d} - \frac{cf}{d} + e\right)^{m+2} \operatorname{Hypergeometric2F1}\left(1, m+2, m+3, \frac{de-cf+f(c+dx)}{de-cf+f}\right)}{2(m+2)(-cf+de+f)}\right)}{d} - \frac{d\left(\frac{f(c+dx)}{d} - \frac{cf}{d} + e\right)^{m+1}}{f^{(m+1)}}$$

input `Int[(e + f*x)^m*(a + b*ArcCoth[c + d*x]),x]`

output `((d*(e - (c*f)/d + (f*(c + d*x))/d)^(1 + m)*(a + b*ArcCoth[c + d*x]))/(f*(1 + m)) - (b*d*(-1/2*(d*(e - (c*f)/d + (f*(c + d*x))/d)^(2 + m)*Hypergeometric2F1[1, 2 + m, 3 + m, (d*e - c*f + f*(c + d*x))/(d*e - f - c*f)]/(d*e - (1 + c)*f)*(2 + m)) + (d*(e - (c*f)/d + (f*(c + d*x))/d)^(2 + m)*Hypergeometric2F1[1, 2 + m, 3 + m, (d*e - c*f + f*(c + d*x))/(d*e + f - c*f)]/(2*(d*e + f - c*f)*(2 + m))))/(f*(1 + m))/d`

Defintions of rubi rules used

rule 485 `Int[((c_) + (d_)*(x_))^(n_)/((a_) + (b_)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^n, 1/(a + b*x^2), x], x] /; FreeQ[{a, b, c, d, n}, x] && !IntegerQ[2*n]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 6479 `Int[((a_) + ArcCoth[(c_)*(x_)]*(b_.))*((d_) + (e_.)*(x_))^(q_.), x_Symbol] := Simp[(d + e*x)^(q + 1)*((a + b*ArcCoth[c*x])/(e*(q + 1))), x] - Simp[b*(c/(e*(q + 1))) Int[(d + e*x)^(q + 1)/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[q, -1]`

rule 6662 `Int[((a_) + ArcCoth[(c_) + (d_)*(x_)]*(b_.))^(p_.)*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := Simp[1/d Subst[Int[((d*e - c*f)/d + f*(x/d))^m*(a + b*ArcCoth[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[p, 0]`

Maple [F]

$$\int (fx + e)^m (a + b \operatorname{arccoth}(dx + c)) dx$$

input `int((f*x+e)^m*(a+b*arccoth(d*x+c)),x)`

output `int((f*x+e)^m*(a+b*arccoth(d*x+c)),x)`

Fricas [F]

$$\int (e + fx)^m (a + b \operatorname{coth}^{-1}(c + dx)) dx = \int (b \operatorname{arccoth}(dx + c) + a)(fx + e)^m dx$$

input `integrate((f*x+e)^m*(a+b*arccoth(d*x+c)),x, algorithm="fricas")`

output `integral((b*arccoth(d*x + c) + a)*(f*x + e)^m, x)`

Sympy [F]

$$\int (e + fx)^m (a + b \operatorname{coth}^{-1}(c + dx)) dx = \int (a + b \operatorname{acoth}(c + dx))(e + fx)^m dx$$

input `integrate((f*x+e)**m*(a+b*acoth(d*x+c)),x)`

output `Integral((a + b*acoth(c + d*x))*(e + f*x)**m, x)`

Maxima [F]

$$\int (e + fx)^m (a + b \coth^{-1}(c + dx)) dx = \int (b \operatorname{arccoth}(dx + c) + a)(fx + e)^m dx$$

input `integrate((f*x+e)^m*(a+b*arccoth(d*x+c)),x, algorithm="maxima")`

output `1/2*b*((f*x + e)*(f*x + e)^m*log(d*x + c + 1)/(f*(m + 1)) - integrate((d*f*x + d*e + (d*f*(m + 1)*x + c*f*(m + 1) + f*(m + 1))*log(d*x + c - 1))*(f*x + e)^m/(d*f*(m + 1)*x + c*f*(m + 1) + f*(m + 1)), x)) + (f*x + e)^(m + 1)*a/(f*(m + 1))`

Giac [F]

$$\int (e + fx)^m (a + b \coth^{-1}(c + dx)) dx = \int (b \operatorname{arccoth}(dx + c) + a)(fx + e)^m dx$$

input `integrate((f*x+e)^m*(a+b*arccoth(d*x+c)),x, algorithm="giac")`

output `integrate((b*arccoth(d*x + c) + a)*(f*x + e)^m, x)`

Mupad [F(-1)]

Timed out.

$$\int (e + fx)^m (a + b \coth^{-1}(c + dx)) dx = \int (e + fx)^m (a + b \operatorname{acoth}(c + dx)) dx$$

input `int((e + f*x)^m*(a + b*acoth(c + d*x)),x)`

output `int((e + f*x)^m*(a + b*acoth(c + d*x)), x)`

Reduce [F]

$$\int (e + fx)^m (a + b \coth^{-1}(c + dx)) dx = \text{Too large to display}$$

input `int((f*x+e)^m*(a+b*acoth(d*x+c)),x)`

output

```
((e + f*x)**m*acoth(c + d*x)*b*c*e**m + (e + f*x)**m*acoth(c + d*x)*b*c*f*m
*x + (e + f*x)**m*a*c*e**m + (e + f*x)**m*a*c*f*m*x - (e + f*x)**m*b*e + in
t((e + f*x)**m/(c**2*e**m + c**2*e + c**2*f*m*x + c**2*f*x + 2*c*d*e**m*x +
2*c*d*e*x + 2*c*d*f*m*x**2 + 2*c*d*f*x**2 + d**2*e**m*x**2 + d**2*e*x**2 +
d**2*f*m*x**3 + d**2*f*x**3 - e*m - e - f*m*x - f*x),x)*b*c**2*e*f*m**2 +
int((e + f*x)**m/(c**2*e**m + c**2*e + c**2*f*m*x + c**2*f*x + 2*c*d*e**m*x
+ 2*c*d*e*x + 2*c*d*f*m*x**2 + 2*c*d*f*x**2 + d**2*e**m*x**2 + d**2*e*x**2
+ d**2*f*m*x**3 + d**2*f*x**3 - e*m - e - f*m*x - f*x),x)*b*c**2*e*f*m - i
nt((e + f*x)**m/(c**2*e**m + c**2*e + c**2*f*m*x + c**2*f*x + 2*c*d*e**m*x +
2*c*d*e*x + 2*c*d*f*m*x**2 + 2*c*d*f*x**2 + d**2*e**m*x**2 + d**2*e*x**2 +
d**2*f*m*x**3 + d**2*f*x**3 - e*m - e - f*m*x - f*x),x)*b*c*d*e**2*m**2 -
int((e + f*x)**m/(c**2*e**m + c**2*e + c**2*f*m*x + c**2*f*x + 2*c*d*e**m*x
+ 2*c*d*e*x + 2*c*d*f*m*x**2 + 2*c*d*f*x**2 + d**2*e**m*x**2 + d**2*e*x**2
+ d**2*f*m*x**3 + d**2*f*x**3 - e*m - e - f*m*x - f*x),x)*b*c*d*e**2*m -
int((e + f*x)**m/(c**2*e**m + c**2*e + c**2*f*m*x + c**2*f*x + 2*c*d*e**m*x
+ 2*c*d*e*x + 2*c*d*f*m*x**2 + 2*c*d*f*x**2 + d**2*e**m*x**2 + d**2*e*x**2
+ d**2*f*m*x**3 + d**2*f*x**3 - e*m - e - f*m*x - f*x),x)*b*e*f*m**2 - int
((e + f*x)**m/(c**2*e**m + c**2*e + c**2*f*m*x + c**2*f*x + 2*c*d*e**m*x + 2
*c*d*e*x + 2*c*d*f*m*x**2 + 2*c*d*f*x**2 + d**2*e**m*x**2 + d**2*e*x**2 + d
**2*f*m*x**3 + d**2*f*x**3 - e*m - e - f*m*x - f*x),x)*b*e*f*m - int(((...
```

3.39 $\int (e + fx)^m (a + b \coth^{-1}(c + dx))^2 dx$

Optimal result	332
Mathematica [N/A]	332
Rubi [N/A]	333
Maple [N/A]	333
Fricas [N/A]	334
Sympy [F(-1)]	334
Maxima [N/A]	334
Giac [N/A]	335
Mupad [N/A]	335
Reduce [N/A]	336

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int (e + fx)^m (a + b \coth^{-1}(c + dx))^2 dx = \text{Int}\left((e + fx)^m (a + b \coth^{-1}(c + dx))^2, x\right)$$

output `Defer(Int)((f*x+e)^m*(a+b*arccoth(d*x+c))^2,x)`

Mathematica [N/A]

Not integrable

Time = 2.01 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (e + fx)^m (a + b \coth^{-1}(c + dx))^2 dx = \int (e + fx)^m (a + b \coth^{-1}(c + dx))^2 dx$$

input `Integrate[(e + f*x)^m*(a + b*ArcCoth[c + d*x])^2,x]`

output `Integrate[(e + f*x)^m*(a + b*ArcCoth[c + d*x])^2, x]`

Rubi [N/A]

Not integrable

Time = 0.32 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (e + fx)^m (a + b \coth^{-1}(c + dx))^2 dx$$

$$\downarrow 6662$$

$$\frac{\int \left(e - \frac{cf}{d} + \frac{f(c+dx)}{d} \right)^m (a + b \coth^{-1}(c + dx))^2 d(c + dx)}{d}$$

$$\downarrow 6652$$

$$\frac{\int \left(e - \frac{cf}{d} + \frac{f(c+dx)}{d} \right)^m (a + b \coth^{-1}(c + dx))^2 d(c + dx)}{d}$$

input `Int[(e + f*x)^m*(a + b*ArcCoth[c + d*x])^2,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.25 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int (fx + e)^m (a + b \operatorname{arccoth}(dx + c))^2 dx$$

input `int((f*x+e)^m*(a+b*arccoth(d*x+c))^2,x)`

output `int((f*x+e)^m*(a+b*arccoth(d*x+c))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.10 (sec) , antiderivative size = 36, normalized size of antiderivative = 1.80

$$\int (e + fx)^m (a + b \coth^{-1}(c + dx))^2 dx = \int (b \operatorname{arccoth}(dx + c) + a)^2 (fx + e)^m dx$$

input `integrate((f*x+e)^m*(a+b*arccoth(d*x+c))^2,x, algorithm="fricas")`

output `integral((b^2*arccoth(d*x + c)^2 + 2*a*b*arccoth(d*x + c) + a^2)*(f*x + e)^m, x)`

Sympy [F(-1)]

Timed out.

$$\int (e + fx)^m (a + b \coth^{-1}(c + dx))^2 dx = \text{Timed out}$$

input `integrate((f*x+e)**m*(a+b*acoth(d*x+c))**2,x)`

output `Timed out`

Maxima [N/A]

Not integrable

Time = 2.18 (sec) , antiderivative size = 253, normalized size of antiderivative = 12.65

$$\int (e + fx)^m (a + b \coth^{-1}(c + dx))^2 dx = \int (b \operatorname{arccoth}(dx + c) + a)^2 (fx + e)^m dx$$

input `integrate((f*x+e)^m*(a+b*arccoth(d*x+c))^2,x, algorithm="maxima")`

output

```
1/4*(b^2*f*x + b^2*e)*(f*x + e)^m*log(d*x + c + 1)^2/(f*(m + 1)) + (f*x +
e)^(m + 1)*a^2/(f*(m + 1)) - integrate(-1/4*((b^2*d*f*(m + 1)*x + (c*f*(m
+ 1) + f*(m + 1))*b^2)*log(d*x + c - 1)^2 - 2*(b^2*d*e - 2*(c*f*(m + 1) +
f*(m + 1))*a*b - (2*a*b*d*f*(m + 1) - b^2*d*f)*x + (b^2*d*f*(m + 1)*x + (c
*f*(m + 1) + f*(m + 1))*b^2)*log(d*x + c - 1))*log(d*x + c + 1) - 4*(a*b*d
*f*(m + 1)*x + (c*f*(m + 1) + f*(m + 1))*a*b)*log(d*x + c - 1))*(f*x + e)^
m/(d*f*(m + 1)*x + c*f*(m + 1) + f*(m + 1)), x)
```

Giac [N/A]

Not integrable

Time = 0.18 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (e + fx)^m (a + b \operatorname{coth}^{-1}(c + dx))^2 dx = \int (b \operatorname{arccoth}(dx + c) + a)^2 (fx + e)^m dx$$

input

```
integrate((f*x+e)^m*(a+b*arccoth(d*x+c))^2,x, algorithm="giac")
```

output

```
integrate((b*arccoth(d*x + c) + a)^2*(f*x + e)^m, x)
```

Mupad [N/A]

Not integrable

Time = 3.66 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (e + fx)^m (a + b \operatorname{coth}^{-1}(c + dx))^2 dx = \int (e + fx)^m (a + b \operatorname{acoth}(c + dx))^2 dx$$

input

```
int((e + f*x)^m*(a + b*acoth(c + d*x))^2,x)
```

output

```
int((e + f*x)^m*(a + b*acoth(c + d*x))^2, x)
```


Reduce [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 22801, normalized size of antiderivative = 1140.05

$$\int (e + fx)^m (a + b \coth^{-1}(c + dx))^2 dx = \text{Too large to display}$$

input `int((f*x+e)^m*(a+b*acoth(d*x+c))^2,x)`

output

```
((e + f*x)**m*acoth(c + d*x)**2*b**2*c**4*d*e*f*m**2 + (e + f*x)**m*acoth(c + d*x)**2*b**2*c**4*d*f**2*m**2*x - (e + f*x)**m*acoth(c + d*x)**2*b**2*c**2*d*e*f*m**2 - (e + f*x)**m*acoth(c + d*x)**2*b**2*c**2*d*f**2*m**2*x + 2*(e + f*x)**m*acoth(c + d*x)*a*b*c**4*d*e*f*m**2 + 2*(e + f*x)**m*acoth(c + d*x)*a*b*c**4*d*f**2*m**2*x - 2*(e + f*x)**m*acoth(c + d*x)*a*b*c**2*d*e*f*m**2 - 2*(e + f*x)**m*acoth(c + d*x)*a*b*c**2*d*f**2*m**2*x + 2*(e + f*x)**m*acoth(c + d*x)*b**2*c**4*f**2*m - 2*(e + f*x)**m*acoth(c + d*x)*b**2*c**3*d*e*f*m - 2*(e + f*x)**m*acoth(c + d*x)*b**2*c**2*d**2*e**2*m - 2*(e + f*x)**m*acoth(c + d*x)*b**2*c**2*f**2*m + 2*(e + f*x)**m*acoth(c + d*x)*b**2*c*d*e*f*m + (e + f*x)**m*a**2*c**4*d*e*f*m**2 + (e + f*x)**m*a**2*c**4*d*f**2*m**2*x - (e + f*x)**m*a**2*c**2*d*e*f*m**2 - (e + f*x)**m*a**2*c**2*d*f**2*m**2*x - 2*(e + f*x)**m*a*b*c**4*f**2*m + 2*(e + f*x)**m*a*b*c**2*f**2*m - 2*(e + f*x)**m*b**2*c**3*f**2 + (e + f*x)**m*b**2*c**2*d*e*f + (e + f*x)**m*b**2*c*d**2*e**2 + 2*(e + f*x)**m*b**2*c*f**2 - (e + f*x)*m*b**2*d*e*f + int((e + f*x)**m/(c**4*e*m + c**4*e + c**4*f*m*x + c**4*f*x + 2*c**3*d*e*m*x + 2*c**3*d*e*x + 2*c**3*d*f*m*x**2 + 2*c**3*d*f*x**2 + c**2*d**2*e*m*x**2 + c**2*d**2*e*x**2 + c**2*d**2*f*m*x**3 + c**2*d**2*f*x**3 - 2*c**2*e*m - 2*c**2*e - 2*c**2*f*m*x - 2*c**2*f*x - 2*c*d*e*m*x - 2*c*d*e*x - 2*c*d*f*m*x**2 - 2*c*d*f*x**2 - d**2*e*m*x**2 - d**2*e*x**2 - d**2*f*m*x**3 - d**2*f*x**3 + e*m + e + f*m*x + f*x),x)*b**2*c**7*f**3*m...
```

3.40 $\int (e + fx)^m (a + b \coth^{-1}(c + dx))^3 dx$

Optimal result	337
Mathematica [N/A]	337
Rubi [N/A]	338
Maple [N/A]	338
Fricas [N/A]	339
Sympy [F(-1)]	339
Maxima [N/A]	339
Giac [N/A]	340
Mupad [N/A]	340
Reduce [N/A]	341

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int (e + fx)^m (a + b \coth^{-1}(c + dx))^3 dx = \text{Int}\left((e + fx)^m (a + b \coth^{-1}(c + dx))^3, x\right)$$

output

```
Defer(Int)((f*x+e)^m*(a+b*arccoth(d*x+c))^3,x)
```

Mathematica [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (e + fx)^m (a + b \coth^{-1}(c + dx))^3 dx = \int (e + fx)^m (a + b \coth^{-1}(c + dx))^3 dx$$

input

```
Integrate[(e + f*x)^m*(a + b*ArcCoth[c + d*x])^3,x]
```

output

```
Integrate[(e + f*x)^m*(a + b*ArcCoth[c + d*x])^3, x]
```

Rubi [N/A]

Not integrable

Time = 0.33 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (e + fx)^m (a + b \coth^{-1}(c + dx))^3 dx$$

$$\downarrow 6662$$

$$\frac{\int \left(e - \frac{cf}{d} + \frac{f(c+dx)}{d} \right)^m (a + b \coth^{-1}(c + dx))^3 d(c + dx)}{d}$$

$$\downarrow 6652$$

$$\frac{\int \left(e - \frac{cf}{d} + \frac{f(c+dx)}{d} \right)^m (a + b \coth^{-1}(c + dx))^3 d(c + dx)}{d}$$

input `Int[(e + f*x)^m*(a + b*ArcCoth[c + d*x])^3,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.25 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int (fx + e)^m (a + b \operatorname{arccoth}(dx + c))^3 dx$$

input `int((f*x+e)^m*(a+b*arccoth(d*x+c))^3,x)`

output `int((f*x+e)^m*(a+b*arccoth(d*x+c))^3,x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 52, normalized size of antiderivative = 2.60

$$\int (e + fx)^m (a + b \coth^{-1}(c + dx))^3 dx = \int (b \operatorname{arccoth}(dx + c) + a)^3 (fx + e)^m dx$$

input `integrate((f*x+e)^m*(a+b*arccoth(d*x+c))^3,x, algorithm="fricas")`

output `integral((b^3*arccoth(d*x + c)^3 + 3*a*b^2*arccoth(d*x + c)^2 + 3*a^2*b*arccoth(d*x + c) + a^3)*(f*x + e)^m, x)`

Sympy [F(-1)]

Timed out.

$$\int (e + fx)^m (a + b \coth^{-1}(c + dx))^3 dx = \text{Timed out}$$

input `integrate((f*x+e)**m*(a+b*acoth(d*x+c))**3,x)`

output `Timed out`

Maxima [N/A]

Not integrable

Time = 3.88 (sec) , antiderivative size = 418, normalized size of antiderivative = 20.90

$$\int (e + fx)^m (a + b \coth^{-1}(c + dx))^3 dx = \int (b \operatorname{arccoth}(dx + c) + a)^3 (fx + e)^m dx$$

input `integrate((f*x+e)^m*(a+b*arccoth(d*x+c))^3,x, algorithm="maxima")`

output

```
1/8*(b^3*f*x + b^3*e)*(f*x + e)^m*log(d*x + c + 1)^3/(f*(m + 1)) + (f*x +
e)^(m + 1)*a^3/(f*(m + 1)) - integrate(1/8*((b^3*d*f*(m + 1)*x + (c*f*(m +
1) + f*(m + 1))*b^3)*log(d*x + c - 1)^3 + 3*(b^3*d*e - 2*(c*f*(m + 1) + f
*(m + 1))*a*b^2 - (2*a*b^2*d*f*(m + 1) - b^3*d*f)*x + (b^3*d*f*(m + 1)*x +
(c*f*(m + 1) + f*(m + 1))*b^3)*log(d*x + c - 1))*log(d*x + c + 1)^2 - 6*(
a*b^2*d*f*(m + 1)*x + (c*f*(m + 1) + f*(m + 1))*a*b^2)*log(d*x + c - 1)^2
- 3*(4*a^2*b*d*f*(m + 1)*x + 4*(c*f*(m + 1) + f*(m + 1))*a^2*b + (b^3*d*f*
(m + 1)*x + (c*f*(m + 1) + f*(m + 1))*b^3)*log(d*x + c - 1)^2 - 4*(a*b^2*d
*f*(m + 1)*x + (c*f*(m + 1) + f*(m + 1))*a*b^2)*log(d*x + c - 1))*log(d*x
+ c + 1) + 12*(a^2*b*d*f*(m + 1)*x + (c*f*(m + 1) + f*(m + 1))*a^2*b)*log(
d*x + c - 1)*(f*x + e)^m/(d*f*(m + 1)*x + c*f*(m + 1) + f*(m + 1)), x)
```

Giac [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (e + fx)^m (a + b \operatorname{coth}^{-1}(c + dx))^3 dx = \int (b \operatorname{arccoth}(dx + c) + a)^3 (fx + e)^m dx$$

input

```
integrate((f*x+e)^m*(a+b*arccoth(d*x+c))^3,x, algorithm="giac")
```

output

```
integrate((b*arccoth(d*x + c) + a)^3*(f*x + e)^m, x)
```

Mupad [N/A]

Not integrable

Time = 3.73 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (e + fx)^m (a + b \operatorname{coth}^{-1}(c + dx))^3 dx = \int (e + fx)^m (a + b \operatorname{acoth}(c + dx))^3 dx$$

input

```
int((e + f*x)^m*(a + b*acoth(c + d*x))^3,x)
```

output

```
int((e + f*x)^m*(a + b*acoth(c + d*x))^3, x)
```

Reduce [N/A]

Not integrable

Time = 0.41 (sec) , antiderivative size = 55220, normalized size of antiderivative = 2761.00

$$\int (e + fx)^m (a + b \coth^{-1}(c + dx))^3 dx = \text{Too large to display}$$

input `int((f*x+e)^m*(a+b*acoth(d*x+c))^3,x)`

output

```
(2*(e + f*x)**m*acoth(c + d*x)**3*b**3*c**5*d*e*f**m**3 + 2*(e + f*x)**m*acoth(c + d*x)**3*b**3*c**5*d*f**2*m**3*x - 2*(e + f*x)**m*acoth(c + d*x)**3*b**3*c**3*d*e*f**m**3 - 2*(e + f*x)**m*acoth(c + d*x)**3*b**3*c**3*d*f**2*m**3*x + 6*(e + f*x)**m*acoth(c + d*x)**2*a*b**2*c**5*d*e*f**m**3 + 6*(e + f*x)**m*acoth(c + d*x)**2*a*b**2*c**5*d*f**2*m**3*x - 6*(e + f*x)**m*acoth(c + d*x)**2*a*b**2*c**3*d*e*f**m**3 - 6*(e + f*x)**m*acoth(c + d*x)**2*a*b**2*c**3*d*f**2*m**3*x + 6*(e + f*x)**m*acoth(c + d*x)**2*b**3*c**5*f**2*m**2 - 6*(e + f*x)**m*acoth(c + d*x)**2*b**3*c**4*d*e*f**m**2 - 6*(e + f*x)**m*acoth(c + d*x)**2*b**3*c**3*d**2*e**2*m**2 - 6*(e + f*x)**m*acoth(c + d*x)**2*b**3*c**3*f**2*m**2 + 6*(e + f*x)**m*acoth(c + d*x)**2*b**3*c**2*d*e*f**m**2 + 6*(e + f*x)**m*acoth(c + d*x)*a**2*b*c**5*d*e*f**m**3 + 6*(e + f*x)**m*acoth(c + d*x)*a**2*b*c**5*d*f**2*m**3*x - 6*(e + f*x)**m*acoth(c + d*x)*a**2*b*c**3*d*e*f**m**3 - 6*(e + f*x)**m*acoth(c + d*x)*a**2*b*c**3*d*f**2*m**3*x + 12*(e + f*x)**m*acoth(c + d*x)*a*b**2*c**5*f**2*m**2 - 12*(e + f*x)**m*acoth(c + d*x)*a*b**2*c**4*d*e*f**m**2 - 12*(e + f*x)**m*acoth(c + d*x)*a*b**2*c**3*d**2*e**2*m**2 - 12*(e + f*x)**m*acoth(c + d*x)*a*b**2*c**3*f**2*m**2 + 12*(e + f*x)**m*acoth(c + d*x)*a*b**2*c**2*d*e*f**m**2 - 6*(e + f*x)**m*acoth(c + d*x)*b**3*c**4*f**2*m + 18*(e + f*x)**m*acoth(c + d*x)*b**3*c**3*d*e*f**m + 6*(e + f*x)**m*acoth(c + d*x)*b**3*c**2*d**2*e**2*m + 6*(e + f*x)**m*acoth(c + d*x)*b**3*c**2*f**2*m - 6*(e + f*x)**m...
```

3.41 $\int \frac{\coth^{-1}(a+bx)}{c+dx^3} dx$

Optimal result	343
Mathematica [A] (verified)	344
Rubi [B] (verified)	345
Maple [C] (warning: unable to verify)	353
Fricas [F]	354
Sympy [F(-1)]	354
Maxima [F]	355
Giac [F]	355
Mupad [F(-1)]	355
Reduce [F]	356

Optimal result

Integrand size = 16, antiderivative size = 649

$$\begin{aligned}
\int \frac{\coth^{-1}(a+bx)}{c+dx^3} dx = & -\frac{\coth^{-1}(a+bx) \log\left(\frac{2}{1+a+bx}\right)}{3c^{2/3}\sqrt[3]{d}} \\
& + \frac{\sqrt[3]{-1} \coth^{-1}(a+bx) \log\left(\frac{2}{1+a+bx}\right)}{3c^{2/3}\sqrt[3]{d}} \\
& - \frac{(-1)^{2/3} \coth^{-1}(a+bx) \log\left(\frac{2}{1+a+bx}\right)}{3c^{2/3}\sqrt[3]{d}} \\
& + \frac{\coth^{-1}(a+bx) \log\left(\frac{2b\left(\sqrt[3]{c}+\sqrt[3]{dx}\right)}{\left(b\sqrt[3]{c}+(1-a)\sqrt[3]{d}\right)(1+a+bx)}\right)}{3c^{2/3}\sqrt[3]{d}} \\
& + \frac{(-1)^{2/3} \coth^{-1}(a+bx) \log\left(\frac{2b\left(\sqrt[3]{c}-\sqrt[3]{-1}\sqrt[3]{dx}\right)}{\left(b\sqrt[3]{c}-\sqrt[3]{-1}(1-a)\sqrt[3]{d}\right)(1+a+bx)}\right)}{3c^{2/3}\sqrt[3]{d}} \\
& - \frac{\sqrt[3]{-1} \coth^{-1}(a+bx) \log\left(\frac{2b\left(\sqrt[3]{c}+(-1)^{2/3}\sqrt[3]{dx}\right)}{\left(b\sqrt[3]{c}+(-1)^{2/3}(1-a)\sqrt[3]{d}\right)(1+a+bx)}\right)}{3c^{2/3}\sqrt[3]{d}} \\
& + \frac{\text{PolyLog}\left(2, 1 - \frac{2}{1+a+bx}\right)}{6c^{2/3}\sqrt[3]{d}} - \frac{\sqrt[3]{-1} \text{PolyLog}\left(2, 1 - \frac{2}{1+a+bx}\right)}{6c^{2/3}\sqrt[3]{d}} \\
& + \frac{(-1)^{2/3} \text{PolyLog}\left(2, 1 - \frac{2}{1+a+bx}\right)}{6c^{2/3}\sqrt[3]{d}} \\
& - \frac{\text{PolyLog}\left(2, 1 - \frac{2b\left(\sqrt[3]{c}+\sqrt[3]{dx}\right)}{\left(b\sqrt[3]{c}+(1-a)\sqrt[3]{d}\right)(1+a+bx)}\right)}{6c^{2/3}\sqrt[3]{d}} \\
& - \frac{(-1)^{2/3} \text{PolyLog}\left(2, 1 - \frac{2b\left(\sqrt[3]{c}-\sqrt[3]{-1}\sqrt[3]{dx}\right)}{\left(b\sqrt[3]{c}-\sqrt[3]{-1}(1-a)\sqrt[3]{d}\right)(1+a+bx)}\right)}{6c^{2/3}\sqrt[3]{d}} \\
& - \frac{\sqrt[3]{-1} \text{PolyLog}\left(2, 1 - \frac{2b\left(\sqrt[3]{c}+(-1)^{2/3}\sqrt[3]{dx}\right)}{\left(b\sqrt[3]{c}+(-1)^{2/3}(1-a)\sqrt[3]{d}\right)(1+a+bx)}\right)}{6c^{2/3}\sqrt[3]{d}}
\end{aligned}$$

output

```

-1/3*arccoth(b*x+a)*ln(2/(b*x+a+1))/c^(2/3)/d^(1/3)+1/3*(-1)^(1/3)*arccoth
(b*x+a)*ln(2/(b*x+a+1))/c^(2/3)/d^(1/3)-1/3*(-1)^(2/3)*arccoth(b*x+a)*ln(2
/(b*x+a+1))/c^(2/3)/d^(1/3)+1/3*arccoth(b*x+a)*ln(2*b*(c^(1/3)+d^(1/3)*x)/
(b*c^(1/3)+(1-a)*d^(1/3)))/(b*x+a+1))/c^(2/3)/d^(1/3)+1/3*(-1)^(2/3)*arccot
h(b*x+a)*ln(2*b*(c^(1/3)-(-1)^(1/3)*d^(1/3)*x)/(b*c^(1/3)-(-1)^(1/3)*(1-a)
*d^(1/3)))/(b*x+a+1))/c^(2/3)/d^(1/3)-1/3*(-1)^(1/3)*arccoth(b*x+a)*ln(2*b*
(c^(1/3)+(-1)^(2/3)*d^(1/3)*x)/(b*c^(1/3)+(-1)^(2/3)*(1-a)*d^(1/3)))/(b*x+a
+1))/c^(2/3)/d^(1/3)+1/6*polylog(2,1-2/(b*x+a+1))/c^(2/3)/d^(1/3)-1/6*(-1)
^(1/3)*polylog(2,1-2/(b*x+a+1))/c^(2/3)/d^(1/3)+1/6*(-1)^(2/3)*polylog(2,1
-2/(b*x+a+1))/c^(2/3)/d^(1/3)-1/6*polylog(2,1-2*b*(c^(1/3)+d^(1/3)*x)/(b*c
^(1/3)+(1-a)*d^(1/3)))/(b*x+a+1))/c^(2/3)/d^(1/3)-1/6*(-1)^(2/3)*polylog(2,
1-2*b*(c^(1/3)-(-1)^(1/3)*d^(1/3)*x)/(b*c^(1/3)-(-1)^(1/3)*(1-a)*d^(1/3))/
(b*x+a+1))/c^(2/3)/d^(1/3)+1/6*(-1)^(1/3)*polylog(2,1-2*b*(c^(1/3)+(-1)^(2
/3)*d^(1/3)*x)/(b*c^(1/3)+(-1)^(2/3)*(1-a)*d^(1/3)))/(b*x+a+1))/c^(2/3)/d^(
1/3)

```

Mathematica [A] (verified)

Time = 0.75 (sec) , antiderivative size = 931, normalized size of antiderivative = 1.43

$$\int \frac{\coth^{-1}(a + bx)}{c + dx^3} dx = \text{Too large to display}$$

input

```
Integrate[ArcCoth[a + b*x]/(c + d*x^3),x]
```

output

```
(Log[-((d^(1/3)*(-1 + a + b*x))/(b*c^(1/3) - (-1 + a)*d^(1/3)))]*Log[-c^(1/3) - d^(1/3)*x] - Log[(-1 + a + b*x)/(a + b*x)]*Log[-c^(1/3) - d^(1/3)*x] - Log[-((d^(1/3)*(1 + a + b*x))/(b*c^(1/3) - (1 + a)*d^(1/3)))]*Log[-c^(1/3) - d^(1/3)*x] + Log[(1 + a + b*x)/(a + b*x)]*Log[-c^(1/3) - d^(1/3)*x] + (-1)^(2/3)*Log[((-1)^(1/3)*d^(1/3)*(-1 + a + b*x))/(b*c^(1/3) + (-1)^(1/3)*(-1 + a)*d^(1/3)]*Log[-c^(1/3) + (-1)^(1/3)*d^(1/3)*x] - (-1)^(2/3)*Log[(-1 + a + b*x)/(a + b*x)]*Log[-c^(1/3) + (-1)^(1/3)*d^(1/3)*x] - (-1)^(2/3)*Log[((-1)^(1/3)*d^(1/3)*(1 + a + b*x))/(b*c^(1/3) + (-1)^(1/3)*(1 + a)*d^(1/3)]*Log[-c^(1/3) + (-1)^(1/3)*d^(1/3)*x] + (-1)^(2/3)*Log[(1 + a + b*x)/(a + b*x)]*Log[-c^(1/3) + (-1)^(1/3)*d^(1/3)*x] - (-1)^(1/3)*Log[((-1)^(2/3)*d^(1/3)*(-1 + a + b*x))/(-b*c^(1/3) + (-1)^(2/3)*(-1 + a)*d^(1/3))] *Log[-c^(1/3) - (-1)^(2/3)*d^(1/3)*x] + (-1)^(1/3)*Log[(-1 + a + b*x)/(a + b*x)]*Log[-c^(1/3) - (-1)^(2/3)*d^(1/3)*x] + (-1)^(1/3)*Log[((-1)^(2/3)*d^(1/3)*(1 + a + b*x))/(-b*c^(1/3) + (-1)^(2/3)*(1 + a)*d^(1/3))] *Log[-c^(1/3) - (-1)^(2/3)*d^(1/3)*x] - (-1)^(1/3)*Log[(1 + a + b*x)/(a + b*x)] *Log[-c^(1/3) - (-1)^(2/3)*d^(1/3)*x] + PolyLog[2, (b*(c^(1/3) + d^(1/3)*x))/(b*c^(1/3) - (-1 + a)*d^(1/3))] - PolyLog[2, (b*(c^(1/3) + d^(1/3)*x))/(b*c^(1/3) - (1 + a)*d^(1/3))] + (-1)^(2/3)*PolyLog[2, (b*(c^(1/3) - (-1)^(1/3)*d^(1/3)*x))/(b*c^(1/3) + (-1)^(1/3)*(-1 + a)*d^(1/3))] - (-1)^(2/3)*PolyLog[2, (b*(c^(1/3) - (-1)^(1/3)*d^(1/3)*x))/(b*c^(1/3) + (-1)^(1/3)...
```

Rubi [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1811 vs. $2(649) = 1298$.

Time = 2.98 (sec) , antiderivative size = 1811, normalized size of antiderivative = 2.79, number of steps used = 13, number of rules used = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.750$, Rules used = {6666, 2993, 750, 16, 1142, 25, 27, 1082, 217, 1103, 2856, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\coth^{-1}(a + bx)}{c + dx^3} dx$$

$$\downarrow \text{6666}$$

$$\frac{1}{2} \int \frac{\log\left(\frac{a+bx+1}{a+bx}\right)}{dx^3 + c} dx - \frac{1}{2} \int \frac{\log\left(\frac{-a-bx+1}{a+bx}\right)}{dx^3 + c} dx$$

$$\downarrow \text{2993}$$

$$\frac{1}{2} \left(\left(\log(-a - bx + 1) - \log\left(-\frac{-a - bx + 1}{a + bx}\right) - \log(a + bx) \right) \int \frac{1}{dx^3 + c} dx - \int \frac{\log(-a - bx + 1)}{dx^3 + c} dx + \int \frac{\log(a + bx)}{dx^3 + c} dx \right) \\ \frac{1}{2} \left(\left(\log(a + bx) - \log(a + bx + 1) + \log\left(\frac{a + bx + 1}{a + bx}\right) \right) \int \frac{1}{dx^3 + c} dx - \int \frac{\log(a + bx)}{dx^3 + c} dx + \int \frac{\log(a + bx + 1)}{dx^3 + c} dx \right)$$

↓ 750

$$\frac{1}{2} \left(\left(\log(-a - bx + 1) - \log\left(-\frac{-a - bx + 1}{a + bx}\right) - \log(a + bx) \right) \left(\frac{\int \frac{2\sqrt[3]{c} - \sqrt[3]{dx}}{d^{2/3}x^2 - \sqrt[3]{c}\sqrt[3]{dx} + c^{2/3}} dx}{3c^{2/3}} + \frac{\int \frac{1}{\sqrt[3]{dx} + \sqrt[3]{c}} dx}{3c^{2/3}} \right) - \int \frac{\log(-a - bx + 1)}{dx^3 + c} dx \right) \\ \frac{1}{2} \left(\left(\log(a + bx) - \log(a + bx + 1) + \log\left(\frac{a + bx + 1}{a + bx}\right) \right) \left(\frac{\int \frac{2\sqrt[3]{c} - \sqrt[3]{dx}}{d^{2/3}x^2 - \sqrt[3]{c}\sqrt[3]{dx} + c^{2/3}} dx}{3c^{2/3}} + \frac{\int \frac{1}{\sqrt[3]{dx} + \sqrt[3]{c}} dx}{3c^{2/3}} \right) - \int \frac{\log(a + bx)}{dx^3 + c} dx \right)$$

↓ 16

$$\frac{1}{2} \left(\left(\log(-a - bx + 1) - \log\left(-\frac{-a - bx + 1}{a + bx}\right) - \log(a + bx) \right) \left(\frac{\int \frac{2\sqrt[3]{c} - \sqrt[3]{dx}}{d^{2/3}x^2 - \sqrt[3]{c}\sqrt[3]{dx} + c^{2/3}} dx}{3c^{2/3}} + \frac{\log(\sqrt[3]{c} + \sqrt[3]{dx})}{3c^{2/3}\sqrt[3]{d}} \right) - \int \frac{\log(-a - bx + 1)}{dx^3 + c} dx \right) \\ \frac{1}{2} \left(\left(\log(a + bx) - \log(a + bx + 1) + \log\left(\frac{a + bx + 1}{a + bx}\right) \right) \left(\frac{\int \frac{2\sqrt[3]{c} - \sqrt[3]{dx}}{d^{2/3}x^2 - \sqrt[3]{c}\sqrt[3]{dx} + c^{2/3}} dx}{3c^{2/3}} + \frac{\log(\sqrt[3]{c} + \sqrt[3]{dx})}{3c^{2/3}\sqrt[3]{d}} \right) - \int \frac{\log(a + bx)}{dx^3 + c} dx \right)$$

↓ 1142

$$\frac{1}{2} \left(\left(\log(-a - bx + 1) - \log\left(-\frac{-a - bx + 1}{a + bx}\right) - \log(a + bx) \right) \left(\frac{\frac{3}{2}\sqrt[3]{c} \int \frac{1}{d^{2/3}x^2 - \sqrt[3]{c}\sqrt[3]{dx} + c^{2/3}} dx - \frac{\int \frac{\sqrt[3]{d}(\sqrt[3]{c} - \sqrt[3]{dx})}{d^{2/3}x^2 - \sqrt[3]{c}\sqrt[3]{dx} + c^{2/3}} dx}{2\sqrt[3]{d}}}{3c^{2/3}} \right) - \int \frac{\log(-a - bx + 1)}{dx^3 + c} dx \right) \\ \frac{1}{2} \left(\left(\log(a + bx) - \log(a + bx + 1) + \log\left(\frac{a + bx + 1}{a + bx}\right) \right) \left(\frac{\frac{3}{2}\sqrt[3]{c} \int \frac{1}{d^{2/3}x^2 - \sqrt[3]{c}\sqrt[3]{dx} + c^{2/3}} dx - \frac{\int \frac{\sqrt[3]{d}(\sqrt[3]{c} - \sqrt[3]{dx})}{d^{2/3}x^2 - \sqrt[3]{c}\sqrt[3]{dx} + c^{2/3}} dx}{2\sqrt[3]{d}}}{3c^{2/3}} \right) - \int \frac{\log(a + bx)}{dx^3 + c} dx \right)$$

↓ 25

$$\frac{1}{2} \left(\log(-a - bx + 1) - \log\left(-\frac{-a - bx + 1}{a + bx}\right) - \log(a + bx) \right) \left(\frac{\frac{3}{2} \sqrt[3]{c} \int \frac{1}{d^{2/3}x^2 - \sqrt[3]{c}\sqrt[3]{dx+c^{2/3}}} dx + \frac{\int \frac{\sqrt[3]{d}(\sqrt[3]{c-2} \sqrt[3]{d})}{d^{2/3}x^2 - \sqrt[3]{c}\sqrt[3]{d}}{2\sqrt[3]{d}}} dx}{3c^{2/3}} \right)$$

$$\frac{1}{2} \left(\log(a + bx) - \log(a + bx + 1) + \log\left(\frac{a + bx + 1}{a + bx}\right) \right) \left(\frac{\frac{3}{2} \sqrt[3]{c} \int \frac{1}{d^{2/3}x^2 - \sqrt[3]{c}\sqrt[3]{dx+c^{2/3}}} dx + \frac{\int \frac{\sqrt[3]{d}(\sqrt[3]{c-2} \sqrt[3]{d})}{d^{2/3}x^2 - \sqrt[3]{c}\sqrt[3]{d}}{2\sqrt[3]{d}}} dx}{3c^{2/3}} \right)$$

↓ 27

$$\frac{1}{2} \left(\log(-a - bx + 1) - \log\left(-\frac{-a - bx + 1}{a + bx}\right) - \log(a + bx) \right) \left(\frac{\frac{3}{2} \sqrt[3]{c} \int \frac{1}{d^{2/3}x^2 - \sqrt[3]{c}\sqrt[3]{dx+c^{2/3}}} dx + \frac{1}{2} \int \frac{\sqrt[3]{c-2}}{d^{2/3}x^2 - \sqrt[3]{c}}}{3c^{2/3}} \right)$$

$$\frac{1}{2} \left(\log(a + bx) - \log(a + bx + 1) + \log\left(\frac{a + bx + 1}{a + bx}\right) \right) \left(\frac{\frac{3}{2} \sqrt[3]{c} \int \frac{1}{d^{2/3}x^2 - \sqrt[3]{c}\sqrt[3]{dx+c^{2/3}}} dx + \frac{1}{2} \int \frac{\sqrt[3]{c-2} \sqrt[3]{d}}{d^{2/3}x^2 - \sqrt[3]{c}\sqrt[3]{d}}}{3c^{2/3}} \right)$$

↓ 1082

$$\begin{array}{c}
 \frac{1}{2} \left(\log(-a - bx + 1) - \log\left(-\frac{-a - bx + 1}{a + bx}\right) - \log(a + bx) \right) \\
 \frac{1}{2} \left(\log(a + bx) - \log(a + bx + 1) + \log\left(\frac{a + bx + 1}{a + bx}\right) \right)
 \end{array}
 \left(
 \begin{array}{c}
 \frac{1}{2} \int \frac{\sqrt[3]{c-2}\sqrt[3]{d}x}{d^{2/3}x^2 - \sqrt[3]{c}\sqrt[3]{d}x + c^{2/3}} dx + \frac{3 \int \frac{1}{\left(1 - \frac{2\sqrt[3]{d}x}{\sqrt[3]{c}}\right)^2 - 3} dx}{3c^{2/3}\sqrt[3]{d}} \\
 \frac{1}{2} \int \frac{\sqrt[3]{c-2}\sqrt[3]{d}x}{d^{2/3}x^2 - \sqrt[3]{c}\sqrt[3]{d}x + c^{2/3}} dx + \frac{3 \int \frac{1}{\left(1 - \frac{2\sqrt[3]{d}x}{\sqrt[3]{c}}\right)^2 - 3} d\left(1 - \frac{2\sqrt[3]{d}x}{\sqrt[3]{c}}\right)}{3c^{2/3}\sqrt[3]{d}}
 \end{array}
 \right)
 \downarrow 217$$

$$\begin{array}{c}
 \frac{1}{2} \left(\log(-a - bx + 1) - \log\left(-\frac{-a - bx + 1}{a + bx}\right) - \log(a + bx) \right) \\
 \frac{1}{2} \left(\log(a + bx) - \log(a + bx + 1) + \log\left(\frac{a + bx + 1}{a + bx}\right) \right)
 \end{array}
 \left(
 \begin{array}{c}
 \frac{1}{2} \int \frac{\sqrt[3]{c-2}\sqrt[3]{d}x}{d^{2/3}x^2 - \sqrt[3]{c}\sqrt[3]{d}x + c^{2/3}} dx - \frac{\sqrt{3} \arctan\left(\frac{1 - \frac{2\sqrt[3]{d}x}{\sqrt[3]{c}}}{\frac{\sqrt[3]{c}}{\sqrt{3}}}\right)}{\sqrt[3]{d}} \\
 \frac{1}{2} \int \frac{\sqrt[3]{c-2}\sqrt[3]{d}x}{d^{2/3}x^2 - \sqrt[3]{c}\sqrt[3]{d}x + c^{2/3}} dx - \frac{\sqrt{3} \arctan\left(\frac{1 - \frac{2\sqrt[3]{d}x}{\sqrt[3]{c}}}{\frac{\sqrt[3]{c}}{\sqrt{3}}}\right)}{\sqrt[3]{d}} +
 \end{array}
 \right)
 \downarrow 1103$$

$$\left(\begin{array}{l} \frac{1}{2} \left[- \int \frac{\log(-a - bx + 1)}{dx^3 + c} dx + \int \frac{\log(a + bx)}{dx^3 + c} dx + \left(\log(-a - bx + 1) - \log \left(-\frac{-a - bx + 1}{a + bx} \right) - \log(a + bx) \right) \right] \\ \\ \frac{1}{2} \left[- \int \frac{\log(a + bx)}{dx^3 + c} dx + \int \frac{\log(a + bx + 1)}{dx^3 + c} dx + \left(\log(a + bx) - \log(a + bx + 1) + \log \left(\frac{a + bx + 1}{a + bx} \right) \right) \right] \end{array} \right)$$

↓ 2856

$$\left(\begin{array}{l} \frac{1}{2} \left[- \int \left(\frac{\log(-a - bx + 1)}{3c^{2/3} (-\sqrt[3]{dx} - \sqrt[3]{c})} - \frac{\log(-a - bx + 1)}{3c^{2/3} (\sqrt[3]{-1}\sqrt[3]{dx} - \sqrt[3]{c})} - \frac{\log(-a - bx + 1)}{3c^{2/3} (-(-1)^{2/3}\sqrt[3]{dx} - \sqrt[3]{c})} \right) dx + \int \left(\frac{\log(a + bx)}{3c^{2/3} (-\sqrt[3]{dx} - \sqrt[3]{c})} - \frac{\log(a + bx)}{3c^{2/3} (\sqrt[3]{-1}\sqrt[3]{dx} - \sqrt[3]{c})} - \frac{\log(a + bx)}{3c^{2/3} (-(-1)^{2/3}\sqrt[3]{dx} - \sqrt[3]{c})} \right) dx + \int \left(\frac{\log(a + bx)}{3c^{2/3} (-\sqrt[3]{dx} - \sqrt[3]{c})} \right) \right] \end{array} \right)$$

↓ 2009

$$\left(\begin{array}{l} \frac{1}{2} \left[\frac{\log(-a - bx + 1) \log\left(\frac{b(\sqrt[3]{d}x + \sqrt[3]{c})}{\sqrt[3]{d}(1-a) + b\sqrt[3]{c}}\right)}{3c^{2/3}\sqrt[3]{d}} + \frac{\log(a + bx) \log\left(\frac{b(\sqrt[3]{d}x + \sqrt[3]{c})}{b\sqrt[3]{c} - a\sqrt[3]{d}}\right)}{3c^{2/3}\sqrt[3]{d}} - \frac{(-1)^{2/3} \log(-a - bx + 1) \log\left(\frac{b(\sqrt[3]{d}x + \sqrt[3]{c})}{b\sqrt[3]{c} - a\sqrt[3]{d}}\right)}{3c^{2/3}\sqrt[3]{d}} \right. \\ \left. \frac{1}{2} \left[\frac{\log(a + bx) \log\left(\frac{b(\sqrt[3]{d}x + \sqrt[3]{c})}{b\sqrt[3]{c} - a\sqrt[3]{d}}\right)}{3c^{2/3}\sqrt[3]{d}} + \frac{\log(a + bx + 1) \log\left(\frac{b(\sqrt[3]{d}x + \sqrt[3]{c})}{b\sqrt[3]{c} - (a+1)\sqrt[3]{d}}\right)}{3c^{2/3}\sqrt[3]{d}} - \frac{(-1)^{2/3} \log(a + bx) \log\left(\frac{b(\sqrt[3]{d}x + \sqrt[3]{c})}{b\sqrt[3]{c} - (a+1)\sqrt[3]{d}}\right)}{3c^{2/3}\sqrt[3]{d}} \right] \right)$$

input `Int[ArcCoth[a + b*x]/(c + d*x^3), x]`

output

$$\begin{aligned} & (-1/3 * (\text{Log}[1 - a - b*x] * \text{Log}[(b*(c^{1/3}) + d^{1/3}*x)/(b*c^{1/3} + (1 - a)*d^{1/3})]) / (c^{2/3}*d^{1/3}) + (\text{Log}[a + b*x] * \text{Log}[(b*(c^{1/3}) + d^{1/3}*x) / (b*c^{1/3} - a*d^{1/3})]) / (3*c^{2/3}*d^{1/3}) - ((-1)^{2/3} * \text{Log}[1 - a - b*x] * \text{Log}[(b*(c^{1/3}) - (-1)^{1/3}*d^{1/3}*x) / (b*c^{1/3} - (-1)^{1/3}*(1 - a)*d^{1/3})]) / (3*c^{2/3}*d^{1/3}) + ((-1)^{2/3} * \text{Log}[a + b*x] * \text{Log}[(b*(c^{1/3}) - (-1)^{1/3}*d^{1/3}*x) / (b*c^{1/3} + (-1)^{1/3}*a*d^{1/3})]) / (3*c^{2/3}*d^{1/3}) + ((-1)^{1/3} * \text{Log}[1 - a - b*x] * \text{Log}[(b*(c^{1/3}) + (-1)^{2/3}*d^{1/3}*x) / (b*c^{1/3} + (-1)^{2/3}*(1 - a)*d^{1/3})]) / (3*c^{2/3}*d^{1/3}) - ((-1)^{1/3} * \text{Log}[a + b*x] * \text{Log}[(b*(c^{1/3}) + (-1)^{2/3}*d^{1/3}*x) / (b*c^{1/3} - (-1)^{2/3}*a*d^{1/3})]) / (3*c^{2/3}*d^{1/3}) + (\text{Log}[1 - a - b*x] - \text{Log}[-((1 - a - b*x)/(a + b*x))] - \text{Log}[a + b*x]) * (\text{Log}[c^{1/3} + d^{1/3}*x] / (3*c^{2/3}*d^{1/3}) + (-((\text{Sqrt}[3]*\text{ArcTan}[(1 - (2*d^{1/3}*x)/c^{1/3})]/\text{Sqrt}[3])/d^{1/3}) - \text{Log}[c^{2/3} - c^{1/3}*d^{1/3}*x + d^{2/3}*x^2]/(2*d^{1/3})) / (3*c^{2/3})) - \text{PolyLog}[2, (d^{1/3}*(1 - a - b*x))/(b*c^{1/3} + (1 - a)*d^{1/3})] / (3*c^{2/3}*d^{1/3}) - ((-1)^{2/3} * \text{PolyLog}[2, -(((-1)^{1/3}*d^{1/3}*(1 - a - b*x))/(b*c^{1/3} - (-1)^{1/3}*(1 - a)*d^{1/3}))]) / (3*c^{2/3}*d^{1/3}) + ((-1)^{1/3} * \text{PolyLog}[2, ((-1)^{2/3}*d^{1/3}*(1 - a - b*x))/(b*c^{1/3} + (-1)^{2/3}*(1 - a)*d^{1/3})]) / (3*c^{2/3}*d^{1/3}) + \text{PolyLog}[2, -((d^{1/3}*(a + b*x))/(b*c^{1/3} - a*d^{1/3}))] / (3*c^{2/3}*d^{1/3}) + ((-1)^{2/3} * \text{PolyLog}[2, ((-1)^{1/3}*d^{1/3}*(a + b*x))/(b*c^{1/3} + (-1)^{1/3}*a*d^{1/3})]) / (3*c^{2/3}*d^{1/3}) \end{aligned}$$

Defintions of rubi rules used

rule 16

$$\text{Int}[(c_)/((a_)+(b_)*(x_)), x_Symbol] \rightarrow \text{Simp}[c*(\text{Log}[\text{RemoveContent}[a + b*x, x]]/b), x] /; \text{FreeQ}\{a, b, c\}, x]$$

rule 25

$$\text{Int}[-(F_x), x_Symbol] \rightarrow \text{Simp}[\text{Identity}[-1] \quad \text{Int}[F_x, x], x]$$

rule 27

$$\text{Int}[(a_)*(F_x), x_Symbol] \rightarrow \text{Simp}[a \quad \text{Int}[F_x, x], x] /; \text{FreeQ}[a, x] \&\& \text{!MatchQ}[F_x, (b_)*(G_x)] /; \text{FreeQ}[b, x]$$

rule 217

$$\text{Int}[(a_)+(b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(-(\text{Rt}[-a, 2]*\text{Rt}[-b, 2])^{-1}) * \text{ArcTan}[\text{Rt}[-b, 2]*(x/\text{Rt}[-a, 2])], x] /; \text{FreeQ}\{a, b\}, x \&\& \text{PosQ}[a/b] \& \& (\text{LtQ}[a, 0] \parallel \text{LtQ}[b, 0])$$

rule 750 $\text{Int}[(a_ + (b_ \cdot x)^3)^{-1}, x_Symbol] \rightarrow \text{Simp}[1/(3 \cdot \text{Rt}[a, 3]^2) \text{Int}[1/(\text{Rt}[a, 3] + \text{Rt}[b, 3] \cdot x), x], x] + \text{Simp}[1/(3 \cdot \text{Rt}[a, 3]^2) \text{Int}[(2 \cdot \text{Rt}[a, 3] - \text{Rt}[b, 3] \cdot x)/(\text{Rt}[a, 3]^2 - \text{Rt}[a, 3] \cdot \text{Rt}[b, 3] \cdot x + \text{Rt}[b, 3]^2 \cdot x^2), x], x] /;$
 $\text{FreeQ}[\{a, b\}, x]$

rule 1082 $\text{Int}[(a_ + (b_ \cdot x) + (c_ \cdot x)^2)^{-1}, x_Symbol] \rightarrow \text{With}[\{q = 1 - 4 \cdot \text{Simplify}[a \cdot (c/b^2)]\}, \text{Simp}[-2/b \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + 2 \cdot c \cdot (x/b)], x] /;$
 $\text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4 \cdot a \cdot c]) /;$
 $\text{FreeQ}[\{a, b, c\}, x]$

rule 1103 $\text{Int}[(d_ + (e_ \cdot x))/(a_ + (b_ \cdot x) + (c_ \cdot x)^2), x_Symbol] \rightarrow \text{Simp}[d \cdot (\text{Log}[\text{RemoveContent}[a + b \cdot x + c \cdot x^2, x]]/b), x] /;$
 $\text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2 \cdot c \cdot d - b \cdot e, 0]$

rule 1142 $\text{Int}[(d_ + (e_ \cdot x))/(a_ + (b_ \cdot x) + (c_ \cdot x)^2), x_Symbol] \rightarrow \text{Simp}[(2 \cdot c \cdot d - b \cdot e)/(2 \cdot c) \text{Int}[1/(a + b \cdot x + c \cdot x^2), x], x] + \text{Simp}[e/(2 \cdot c) \text{Int}[(b + 2 \cdot c \cdot x)/(a + b \cdot x + c \cdot x^2), x], x] /;$
 $\text{FreeQ}[\{a, b, c, d, e\}, x]$

rule 2009 $\text{Int}[u_, x_Symbol] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] /;$
 $\text{SumQ}[u]$

rule 2856 $\text{Int}[(a_ + \text{Log}[(c_ \cdot (d_ + (e_ \cdot x)^{n_}) \cdot (b_ \cdot x)^{p_}) \cdot ((f_ + (g_ \cdot x)^r))^{q_})], x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b \cdot \text{Log}[c \cdot (d + e \cdot x)^n])^p, (f + g \cdot x^r)^q, x], x] /;$
 $\text{FreeQ}[\{a, b, c, d, e, f, g, n, r\}, x] \ \&\& \ \text{IntegerQ}[p, 0] \ \&\& \ \text{IntegerQ}[q] \ \&\& \ (\text{GtQ}[q, 0] \ || \ (\text{IntegerQ}[r] \ \&\& \ \text{NeQ}[r, 1]))$

rule 2993 $\text{Int}[\text{Log}[(e_ \cdot (f_ \cdot (a_ + (b_ \cdot x)^{p_}) \cdot (c_ + (d_ \cdot x)^{q_}))^{r_}) \cdot (\text{RFx}_)], x_Symbol] \rightarrow \text{Simp}[p \cdot r \text{Int}[\text{RFx} \cdot \text{Log}[a + b \cdot x], x], x] + (\text{Simp}[q \cdot r \text{Int}[\text{RFx} \cdot \text{Log}[c + d \cdot x], x], x] - \text{Simp}[(p \cdot r \cdot \text{Log}[a + b \cdot x] + q \cdot r \cdot \text{Log}[c + d \cdot x] - \text{Log}[e \cdot (f \cdot (a + b \cdot x)^p \cdot (c + d \cdot x)^q)^r]) \text{Int}[\text{RFx}, x], x]) /;$
 $\text{FreeQ}[\{a, b, c, d, e, f, p, q, r\}, x] \ \&\& \ \text{RationalFunctionQ}[\text{RFx}, x] \ \&\& \ \text{NeQ}[b \cdot c - a \cdot d, 0] \ \&\& \ !\text{MatchQ}[\text{RFx}, (u_ \cdot (a + b \cdot x)^{m_}) \cdot (c + d \cdot x)^{n_}] /;$
 $\text{IntegersQ}[m, n]$

rule 6666

```
Int[ArcCoth[(c_) + (d_.)*(x_)]/((e_) + (f_.)*(x_)^(n_.)), x_Symbol] := Simp
[1/2 Int[Log[(1 + c + d*x)/(c + d*x)]/(e + f*x^n), x], x] - Simp[1/2 In
t[Log[(-1 + c + d*x)/(c + d*x)]/(e + f*x^n), x], x] /; FreeQ[{c, d, e, f},
x] && RationalQ[n]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 1.05 (sec) , antiderivative size = 260, normalized size of antiderivative = 0.40

method	result
risch	$b^2 \left(\frac{\sum_{R1=RootOf(dZ^3+(-3ad+3d)Z^2+(3da^2-6ad+3d)Z-a^3d+b^3c+3da^2-3ad+d)} \frac{\ln(bx+a-1) \ln\left(\frac{-bx+R1-a}{R1}\right)}{R1^2-2R1} \right) \frac{1}{6d}$
derivativdivides	$b^3 \left(\frac{\sum_{R=RootOf(dZ^3-3adZ^2+3da^2Z-a^3d+b^3c)} \frac{\ln\left(\frac{bx-R+a}{R}\right)}{R^2+2Ra-a^2} \right) \operatorname{arccoth}(bx+a)$
default	$b^3 \left(\frac{\sum_{R=RootOf(dZ^3-3adZ^2+3da^2Z-a^3d+b^3c)} \frac{\ln\left(\frac{bx-R+a}{R}\right)}{R^2+2Ra-a^2} \right) \operatorname{arccoth}(bx+a)$

input `int(arccoth(b*x+a)/(d*x^3+c),x,method=_RETURNVERBOSE)`

output `-1/6*b^2/d*sum(1/(_R1^2-2*_R1*a+a^2+2*_R1-2*a+1)*(ln(b*x+a-1)*ln((-b*x+_R1-a+1)/_R1)+dilog((-b*x+_R1-a+1)/_R1)),_R1=RootOf(d*_Z^3+(-3*a*d+3*d)*_Z^2+(3*a^2*d-6*a*d+3*d)*_Z-a^3*d+b^3*c+3*d*a^2-3*a*d+d))+1/6*b^2/d*sum(1/(_R1^2-2*_R1*a+a^2-2*_R1+2*a+1)*(ln(b*x+a+1)*ln((-b*x+_R1-a-1)/_R1)+dilog((-b*x+_R1-a-1)/_R1)),_R1=RootOf(d*_Z^3+(-3*a*d-3*d)*_Z^2+(3*a^2*d+6*a*d+3*d)*_Z-a^3*d+b^3*c-3*d*a^2-3*a*d-d))`

Fricas [F]

$$\int \frac{\coth^{-1}(a + bx)}{c + dx^3} dx = \int \frac{\operatorname{arccoth}(bx + a)}{dx^3 + c} dx$$

input `integrate(arccoth(b*x+a)/(d*x^3+c),x, algorithm="fricas")`

output `integral(arccoth(b*x + a)/(d*x^3 + c), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\coth^{-1}(a + bx)}{c + dx^3} dx = \text{Timed out}$$

input `integrate(acoath(b*x+a)/(d*x**3+c),x)`

output `Timed out`

Maxima [F]

$$\int \frac{\coth^{-1}(a + bx)}{c + dx^3} dx = \int \frac{\operatorname{arccoth}(bx + a)}{dx^3 + c} dx$$

input `integrate(arccoth(b*x+a)/(d*x^3+c),x, algorithm="maxima")`

output `integrate(arccoth(b*x + a)/(d*x^3 + c), x)`

Giac [F]

$$\int \frac{\coth^{-1}(a + bx)}{c + dx^3} dx = \int \frac{\operatorname{arccoth}(bx + a)}{dx^3 + c} dx$$

input `integrate(arccoth(b*x+a)/(d*x^3+c),x, algorithm="giac")`

output `sage0*x`

Mupad [F(-1)]

Timed out.

$$\int \frac{\coth^{-1}(a + bx)}{c + dx^3} dx = \int \frac{\operatorname{acoth}(a + bx)}{dx^3 + c} dx$$

input `int(acoth(a + b*x)/(c + d*x^3),x)`

output `int(acoth(a + b*x)/(c + d*x^3), x)`

Reduce [F]

$$\int \frac{\coth^{-1}(a + bx)}{c + dx^3} dx = \int \frac{\operatorname{acoth}(bx + a)}{dx^3 + c} dx$$

input `int(acoth(b*x+a)/(d*x^3+c),x)`

output `int(acoth(a + b*x)/(c + d*x**3),x)`

3.42 $\int \frac{\coth^{-1}(a+bx)}{c+dx^2} dx$

Optimal result	357
Mathematica [A] (verified)	358
Rubi [B] (verified)	358
Maple [A] (verified)	362
Fricas [F]	363
Sympy [F(-1)]	363
Maxima [C] (verification not implemented)	363
Giac [F]	364
Mupad [F(-1)]	364
Reduce [F]	365

Optimal result

Integrand size = 16, antiderivative size = 287

$$\int \frac{\coth^{-1}(a+bx)}{c+dx^2} dx = \frac{\coth^{-1}(a+bx) \log\left(\frac{2b(\sqrt{-c}-\sqrt{dx})}{(b\sqrt{-c}-(1-a)\sqrt{d})(1+abx)}\right)}{2\sqrt{-c}\sqrt{d}} - \frac{\coth^{-1}(a+bx) \log\left(\frac{2b(\sqrt{-c}+\sqrt{dx})}{(b\sqrt{-c}+(1-a)\sqrt{d})(1+abx)}\right)}{2\sqrt{-c}\sqrt{d}} - \frac{\text{PolyLog}\left(2, 1 - \frac{2b(\sqrt{-c}-\sqrt{dx})}{(b\sqrt{-c}-(1-a)\sqrt{d})(1+abx)}\right)}{4\sqrt{-c}\sqrt{d}} + \frac{\text{PolyLog}\left(2, 1 - \frac{2b(\sqrt{-c}+\sqrt{dx})}{(b\sqrt{-c}+(1-a)\sqrt{d})(1+abx)}\right)}{4\sqrt{-c}\sqrt{d}}$$

output

```
1/2*arccoth(b*x+a)*ln(2*b*((-c)^(1/2)-d^(1/2)*x)/(b*(-c)^(1/2)-(1-a)*d^(1/2)))/(b*x+a+1))/(-c)^(1/2)/d^(1/2)-1/2*arccoth(b*x+a)*ln(2*b*((-c)^(1/2)+d^(1/2)*x)/(b*(-c)^(1/2)+(1-a)*d^(1/2)))/(b*x+a+1))/(-c)^(1/2)/d^(1/2)-1/4*polylog(2,1-2*b*((-c)^(1/2)-d^(1/2)*x)/(b*(-c)^(1/2)-(1-a)*d^(1/2)))/(b*x+a+1)))/(-c)^(1/2)/d^(1/2)+1/4*polylog(2,1-2*b*((-c)^(1/2)+d^(1/2)*x)/(b*(-c)^(1/2)+(1-a)*d^(1/2)))/(b*x+a+1))/(-c)^(1/2)/d^(1/2)
```

Mathematica [A] (verified)

Time = 0.36 (sec) , antiderivative size = 529, normalized size of antiderivative = 1.84

$$\int \frac{\coth^{-1}(a + bx)}{c + dx^2} dx$$

$$= \frac{\log\left(\frac{\sqrt{d}(-1+a+bx)}{b\sqrt{-c+(-1+a)\sqrt{d}}}\right) \log\left(\sqrt{-c} - \sqrt{dx}\right) - \log\left(\frac{-1+a+bx}{a+bx}\right) \log\left(\sqrt{-c} - \sqrt{dx}\right) - \log\left(\frac{\sqrt{d}(1+a+bx)}{b\sqrt{-c+(1+a)\sqrt{d}}}\right) \log\left(\sqrt{-c} + \sqrt{dx}\right) - \log\left(\frac{1+a+bx}{a+bx}\right) \log\left(\sqrt{-c} + \sqrt{dx}\right)}{2}$$

input `Integrate[ArcCoth[a + b*x]/(c + d*x^2), x]`

output

```
(Log[(Sqrt[d]*(-1 + a + b*x))/(b*Sqrt[-c] + (-1 + a)*Sqrt[d])]*Log[Sqrt[-c] - Sqrt[d]*x] - Log[(-1 + a + b*x)/(a + b*x)]*Log[Sqrt[-c] - Sqrt[d]*x] - Log[(Sqrt[d]*(1 + a + b*x))/(b*Sqrt[-c] + (1 + a)*Sqrt[d])]*Log[Sqrt[-c] - Sqrt[d]*x] + Log[(1 + a + b*x)/(a + b*x)]*Log[Sqrt[-c] - Sqrt[d]*x] - Log[-((Sqrt[d]*(-1 + a + b*x))/(b*Sqrt[-c] - (-1 + a)*Sqrt[d]))]*Log[Sqrt[-c] + Sqrt[d]*x] + Log[(-1 + a + b*x)/(a + b*x)]*Log[Sqrt[-c] + Sqrt[d]*x] + Log[-((Sqrt[d]*(1 + a + b*x))/(b*Sqrt[-c] - (1 + a)*Sqrt[d]))]*Log[Sqrt[-c] + Sqrt[d]*x] - Log[(1 + a + b*x)/(a + b*x)]*Log[Sqrt[-c] + Sqrt[d]*x] + PolyLog[2, (b*(Sqrt[-c] - Sqrt[d]*x))/(b*Sqrt[-c] + (-1 + a)*Sqrt[d])] - PolyLog[2, (b*(Sqrt[-c] - Sqrt[d]*x))/(b*Sqrt[-c] + (1 + a)*Sqrt[d])] - PolyLog[2, (b*(Sqrt[-c] + Sqrt[d]*x))/(b*Sqrt[-c] - (-1 + a)*Sqrt[d])] + PolyLog[2, (b*(Sqrt[-c] + Sqrt[d]*x))/(b*Sqrt[-c] - (1 + a)*Sqrt[d])]/(4*Sqrt[-c]*Sqrt[d])
```

Rubi [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 709 vs. 2(287) = 574.

Time = 1.47 (sec) , antiderivative size = 709, normalized size of antiderivative = 2.47, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$, Rules used = {6666, 2976, 2804, 2009, 2977, 2804, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\coth^{-1}(a+bx)}{c+dx^2} dx \\
 & \quad \downarrow \text{6666} \\
 & \frac{1}{2} \int \frac{\log\left(\frac{a+bx+1}{a+bx}\right)}{dx^2+c} dx - \frac{1}{2} \int \frac{\log\left(\frac{-a-bx+1}{a+bx}\right)}{dx^2+c} dx \\
 & \quad \downarrow \text{2976} \\
 & -\frac{1}{2}b \int \frac{\log\left(\frac{a+bx+1}{a+bx}\right)}{d(a+1)^2 + \frac{(da^2+b^2c)(a+bx+1)^2}{(a+bx)^2} + b^2c - \frac{2(cb^2+a(a+1)d)(a+bx+1)}{a+bx}} d \frac{a+bx+1}{a+bx} - \\
 & \quad \frac{1}{2} \int \frac{\log\left(\frac{-a-bx+1}{a+bx}\right)}{dx^2+c} dx \\
 & \quad \downarrow \text{2804} \\
 & -\frac{1}{2}b \int \left(\frac{(da^2+b^2c) \log\left(\frac{a+bx+1}{a+bx}\right)}{b\sqrt{-c}\sqrt{d} \left(2da^2+2da+2b^2c - \frac{2(da^2+b^2c)(a+bx+1)}{a+bx} - 2b\sqrt{-c}\sqrt{d}\right)} + \frac{(da^2+b^2c) \log\left(\frac{-a-bx+1}{a+bx}\right)}{b\sqrt{-c}\sqrt{d} \left(-2da^2-2da-2b^2c + \frac{2(-a-bx+1)(a+bx)}{a+bx}\right)} \right) dx \\
 & \quad \frac{1}{2} \int \frac{\log\left(\frac{-a-bx+1}{a+bx}\right)}{dx^2+c} dx \\
 & \quad \downarrow \text{2009} \\
 & -\frac{1}{2} \int \frac{\log\left(\frac{-a-bx+1}{a+bx}\right)}{dx^2+c} dx - \\
 & \frac{1}{2}b \left(\frac{\text{PolyLog}\left(2, \frac{(da^2+b^2c)(a+bx+1)}{(cb^2-\sqrt{-c}\sqrt{d}b+a(a+1)d)(a+bx)}\right)}{2b\sqrt{-c}\sqrt{d}} + \frac{\text{PolyLog}\left(2, \frac{(da^2+b^2c)(a+bx+1)}{(cb^2+\sqrt{-c}\sqrt{d}b+a(a+1)d)(a+bx)}\right)}{2b\sqrt{-c}\sqrt{d}} - \frac{\log\left(\frac{a+bx+1}{a+bx}\right)}{a+bx} \right) dx \\
 & \quad \downarrow \text{2977} \\
 & \frac{1}{2}b \int \frac{\log\left(\frac{-a-bx+1}{a+bx}\right)}{d(1-a)^2 + b^2c + \frac{2(b^2c-(1-a)ad)(-a-bx+1)}{a+bx} + \frac{(da^2+b^2c)(-a-bx+1)^2}{(a+bx)^2}} d \frac{-a-bx+1}{a+bx} - \\
 & \frac{1}{2}b \left(\frac{\text{PolyLog}\left(2, \frac{(da^2+b^2c)(a+bx+1)}{(cb^2-\sqrt{-c}\sqrt{d}b+a(a+1)d)(a+bx)}\right)}{2b\sqrt{-c}\sqrt{d}} + \frac{\text{PolyLog}\left(2, \frac{(da^2+b^2c)(a+bx+1)}{(cb^2+\sqrt{-c}\sqrt{d}b+a(a+1)d)(a+bx)}\right)}{2b\sqrt{-c}\sqrt{d}} - \frac{\log\left(\frac{a+bx+1}{a+bx}\right)}{a+bx} \right) dx \\
 & \quad \downarrow \text{2804}
 \end{aligned}$$

$$\frac{1}{2}b \int \left(\frac{(da^2 + b^2c) \log\left(-\frac{-a-bx+1}{a+bx}\right)}{b\sqrt{-c}\sqrt{d} \left(-2da^2 + 2da - 2b^2c - 2b\sqrt{-c}\sqrt{d} - \frac{2(da^2+b^2c)(-a-bx+1)}{a+bx}\right)} + \frac{(da^2 + b^2c) \log\left(\frac{a+bx+1}{a+bx}\right)}{b\sqrt{-c}\sqrt{d} (2da^2 - 2da + 2b^2c - 2b\sqrt{-c}\sqrt{d} - \frac{2(da^2+b^2c)(a+bx+1)}{a+bx})} \right)$$

$$\frac{1}{2}b \left(-\frac{\text{PolyLog}\left(2, \frac{(da^2+b^2c)(a+bx+1)}{(cb^2-\sqrt{-c}\sqrt{d}b+a(a+1)d)(a+bx)}\right)}{2b\sqrt{-c}\sqrt{d}} + \frac{\text{PolyLog}\left(2, \frac{(da^2+b^2c)(a+bx+1)}{(cb^2+\sqrt{-c}\sqrt{d}b+a(a+1)d)(a+bx)}\right)}{2b\sqrt{-c}\sqrt{d}} - \frac{\log\left(\frac{a+bx+1}{a+bx}\right)}{2b\sqrt{-c}\sqrt{d}} \right)$$

↓ 2009

$$\frac{1}{2}b \left(\frac{\text{PolyLog}\left(2, -\frac{(da^2+b^2c)(-a-bx+1)}{(cb^2-\sqrt{-c}\sqrt{d}b-(1-a)ad)(a+bx)}\right)}{2b\sqrt{-c}\sqrt{d}} - \frac{\text{PolyLog}\left(2, -\frac{(da^2+b^2c)(-a-bx+1)}{(cb^2+\sqrt{-c}\sqrt{d}b-(1-a)ad)(a+bx)}\right)}{2b\sqrt{-c}\sqrt{d}} + \frac{\log\left(-\frac{-a-bx}{a+bx}\right)}{2b\sqrt{-c}\sqrt{d}} \right)$$

$$\frac{1}{2}b \left(-\frac{\text{PolyLog}\left(2, \frac{(da^2+b^2c)(a+bx+1)}{(cb^2-\sqrt{-c}\sqrt{d}b+a(a+1)d)(a+bx)}\right)}{2b\sqrt{-c}\sqrt{d}} + \frac{\text{PolyLog}\left(2, \frac{(da^2+b^2c)(a+bx+1)}{(cb^2+\sqrt{-c}\sqrt{d}b+a(a+1)d)(a+bx)}\right)}{2b\sqrt{-c}\sqrt{d}} - \frac{\log\left(\frac{a+bx+1}{a+bx}\right)}{2b\sqrt{-c}\sqrt{d}} \right)$$

input Int[ArcCoth[a + b*x]/(c + d*x^2), x]

output

```
(b*((Log[-((1 - a - b*x)/(a + b*x))]*Log[1 + ((b^2*c + a^2*d)*(1 - a - b*x))]/((b^2*c - b*Sqrt[-c]*Sqrt[d] - (1 - a)*a*d)*(a + b*x)))]/(2*b*Sqrt[-c]*Sqrt[d]) - (Log[-((1 - a - b*x)/(a + b*x))]*Log[1 + ((b^2*c + a^2*d)*(1 - a - b*x))]/((b^2*c + b*Sqrt[-c]*Sqrt[d] - (1 - a)*a*d)*(a + b*x)))]/(2*b*Sqrt[-c]*Sqrt[d]) + PolyLog[2, -((b^2*c + a^2*d)*(1 - a - b*x))]/((b^2*c - b*Sqrt[-c]*Sqrt[d] - (1 - a)*a*d)*(a + b*x)))]/(2*b*Sqrt[-c]*Sqrt[d]) - PolyLog[2, -((b^2*c + a^2*d)*(1 - a - b*x))]/((b^2*c + b*Sqrt[-c]*Sqrt[d] - (1 - a)*a*d)*(a + b*x)))]/(2*b*Sqrt[-c]*Sqrt[d]))/2 - (b*(-1/2*(Log[(1 + a + b*x)/(a + b*x)]*Log[1 - ((b^2*c + a^2*d)*(1 + a + b*x))]/((b^2*c - b*Sqrt[-c]*Sqrt[d] + a*(1 + a)*d)*(a + b*x)))]/(b*Sqrt[-c]*Sqrt[d]) + (Log[(1 + a + b*x)/(a + b*x)]*Log[1 - ((b^2*c + a^2*d)*(1 + a + b*x))]/((b^2*c + b*Sqrt[-c]*Sqrt[d] + a*(1 + a)*d)*(a + b*x)))]/(2*b*Sqrt[-c]*Sqrt[d]) - PolyLog[2, ((b^2*c + a^2*d)*(1 + a + b*x))]/((b^2*c - b*Sqrt[-c]*Sqrt[d] + a*(1 + a)*d)*(a + b*x)))]/(2*b*Sqrt[-c]*Sqrt[d]) + PolyLog[2, ((b^2*c + a^2*d)*(1 + a + b*x))]/((b^2*c + b*Sqrt[-c]*Sqrt[d] + a*(1 + a)*d)*(a + b*x)))]/(2*b*Sqrt[-c]*Sqrt[d]))/2
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2804

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^ (p_.)*(RFx_), x_Symbol] := With[{u = ExpandIntegrand[(a + b*Log[c*x^n])^p, RFx, x]}, Int[u, x] /; SumQ[u] /; FreeQ[{a, b, c, n}, x] && RationalFunctionQ[RFx, x] && IGtQ[p, 0]
```

rule 2976

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_))]^(n_.)]*(B_.))^ (p_.)*(P2x_)^(m_.), x_Symbol] := With[{f = Coeff[P2x, x, 0], g = Coeff[P2x, x, 1], h = Coeff[P2x, x, 2]}, Simp[(b*c - a*d) Subst[Int[(b^2*f - a*b*g + a^2*h - (2*b*d*f - b*c*g - a*d*g + 2*a*c*h)*x + (d^2*f - c*d*g + c^2*h)*x^2]^m*((A + B*Log[e*x^n])^p/(b - d*x)^(2*(m + 1))), x], x, (a + b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, A, B, n}, x] && PolyQ[P2x, x, 2] && NeQ[b*c - a*d, 0] && IntegerQ[m] && IGtQ[p, 0]
```

rule 2977

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_.))^(n_.)*((c_.) + (d_.)*(x_.))^(mn_
)]*(B_.))^(p_.)*(P2x_)^(m_.), x_Symbol] := With[{f = Coeff[P2x, x, 0], g =
Coeff[P2x, x, 1], h = Coeff[P2x, x, 2]}, Simp[(b*c - a*d) Subst[Int[(b^2*
f - a*b*g + a^2*h - (2*b*d*f - b*c*g - a*d*g + 2*a*c*h)*x + (d^2*f - c*d*g
+ c^2*h)*x^2]^m*((A + B*Log[e*x^n])^p/(b - d*x)^(2*(m + 1))), x], x, (a + b
*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, A, B, n}, x] && PolyQ[P2x, x,
2] && EqQ[n + mn, 0] && IGtQ[n, 0] && NeQ[b*c - a*d, 0] && IntegerQ[m] && I
GtQ[p, 0]
```

rule 6666

```
Int[ArcCoth[(c_) + (d_.)*(x_)]/((e_) + (f_.)*(x_)^(n_.)), x_Symbol] := Simp
[1/2 Int[Log[(1 + c + d*x)/(c + d*x)]/(e + f*x^n), x], x] - Simp[1/2 In
t[Log[(-1 + c + d*x)/(c + d*x)]/(e + f*x^n), x], x] /; FreeQ[{c, d, e, f},
x] && RationalQ[n]
```

Maple [A] (verified)

Time = 0.81 (sec) , antiderivative size = 426, normalized size of antiderivative = 1.48

method	result
risch	$-\frac{\ln(bx+a-1)\ln\left(\frac{b\sqrt{-cd}-(bx+a-1)d+ad-d}{b\sqrt{-cd}+ad-d}\right)}{4\sqrt{-cd}} + \frac{\ln(bx+a-1)\ln\left(\frac{b\sqrt{-cd}+(bx+a-1)d-ad+d}{b\sqrt{-cd}-ad+d}\right)}{4\sqrt{-cd}} - \frac{\operatorname{dilog}\left(\frac{b\sqrt{-cd}-(bx+a-1)d+ad-d}{b\sqrt{-cd}+ad-d}\right)}{4\sqrt{-cd}}$
derivativedivides	Expression too large to display
default	Expression too large to display

input

```
int(arccoth(b*x+a)/(d*x^2+c),x,method=_RETURNVERBOSE)
```

output

```
-1/4*ln(b*x+a-1)/(-c*d)^(1/2)*ln((b*(-c*d)^(1/2)-(b*x+a-1)*d+a*d-d)/(b*(-c
*d)^(1/2)+a*d-d))+1/4*ln(b*x+a-1)/(-c*d)^(1/2)*ln((b*(-c*d)^(1/2)+(b*x+a-1
)*d-a*d+d)/(b*(-c*d)^(1/2)-a*d+d))-1/4/(-c*d)^(1/2)*dilog((b*(-c*d)^(1/2)-
(b*x+a-1)*d+a*d-d)/(b*(-c*d)^(1/2)+a*d-d))+1/4/(-c*d)^(1/2)*dilog((b*(-c*d
)^(1/2)+(b*x+a-1)*d-a*d+d)/(b*(-c*d)^(1/2)-a*d+d))+1/4*ln(b*x+a+1)/(-c*d)^(
1/2)*ln((b*(-c*d)^(1/2)-(b*x+a+1)*d+a*d+d)/(b*(-c*d)^(1/2)+a*d+d))-1/4*ln
(b*x+a+1)/(-c*d)^(1/2)*ln((b*(-c*d)^(1/2)+(b*x+a+1)*d-a*d-d)/(b*(-c*d)^(1/
2)-a*d-d))+1/4/(-c*d)^(1/2)*dilog((b*(-c*d)^(1/2)-(b*x+a+1)*d+a*d+d)/(b*(-
c*d)^(1/2)+a*d+d))-1/4/(-c*d)^(1/2)*dilog((b*(-c*d)^(1/2)+(b*x+a+1)*d-a*d-
d)/(b*(-c*d)^(1/2)-a*d-d))
```

Fricas [F]

$$\int \frac{\coth^{-1}(a + bx)}{c + dx^2} dx = \int \frac{\operatorname{arccoth}(bx + a)}{dx^2 + c} dx$$

input `integrate(arccoth(b*x+a)/(d*x^2+c),x, algorithm="fricas")`

output `integral(arccoth(b*x + a)/(d*x^2 + c), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\coth^{-1}(a + bx)}{c + dx^2} dx = \text{Timed out}$$

input `integrate(acoth(b*x+a)/(d*x**2+c),x)`

output `Timed out`

Maxima [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.24 (sec) , antiderivative size = 591, normalized size of antiderivative = 2.06

$$\int \frac{\coth^{-1}(a + bx)}{c + dx^2} dx = \text{Too large to display}$$

input `integrate(arccoth(b*x+a)/(d*x^2+c),x, algorithm="maxima")`

output

```

arccoth(b*x + a)*arctan(d*x/sqrt(c*d))/sqrt(c*d) + 1/4*((arctan2((b^2*x +
(a + 1)*b)*sqrt(c)*sqrt(d)/(b^2*c + (a^2 + 2*a + 1)*d), ((a + 1)*b*d*x + (
a^2 + 2*a + 1)*d)/(b^2*c + (a^2 + 2*a + 1)*d)) - arctan2((b^2*x + (a - 1)*
b)*sqrt(c)*sqrt(d)/(b^2*c + (a^2 - 2*a + 1)*d), ((a - 1)*b*d*x + (a^2 - 2*
a + 1)*d)/(b^2*c + (a^2 - 2*a + 1)*d))*log(d*x^2 + c) - arctan(sqrt(d)*x/
sqrt(c))*log((b^2*d*x^2 + 2*(a + 1)*b*d*x + (a^2 + 2*a + 1)*d)/(b^2*c + (a
^2 + 2*a + 1)*d)) + arctan(sqrt(d)*x/sqrt(c))*log((b^2*d*x^2 + 2*(a - 1)*b
*d*x + (a^2 - 2*a + 1)*d)/(b^2*c + (a^2 - 2*a + 1)*d)) - I*dilog(((a - 1)*
b*d*x + b^2*c + (I*b^2*x + (-I*a + I)*b)*sqrt(c)*sqrt(d))/(b^2*c + 2*(-I*a
+ I)*b*sqrt(c)*sqrt(d) - (a^2 - 2*a + 1)*d)) + I*dilog(((a - 1)*b*d*x + b
^2*c - (I*b^2*x + (-I*a + I)*b)*sqrt(c)*sqrt(d))/(b^2*c - 2*(-I*a + I)*b*s
qrt(c)*sqrt(d) - (a^2 - 2*a + 1)*d)) + I*dilog(((a + 1)*b*d*x + b^2*c + (I
*b^2*x + (-I*a - I)*b)*sqrt(c)*sqrt(d))/(b^2*c + 2*(-I*a - I)*b*sqrt(c)*sq
rt(d) - (a^2 + 2*a + 1)*d)) - I*dilog(((a + 1)*b*d*x + b^2*c - (I*b^2*x +
(-I*a - I)*b)*sqrt(c)*sqrt(d))/(b^2*c - 2*(-I*a - I)*b*sqrt(c)*sqrt(d) - (
a^2 + 2*a + 1)*d)))/sqrt(c*d)

```

Giac [F]

$$\int \frac{\coth^{-1}(a + bx)}{c + dx^2} dx = \int \frac{\operatorname{arccoth}(bx + a)}{dx^2 + c} dx$$

input

```
integrate(arccoth(b*x+a)/(d*x^2+c),x, algorithm="giac")
```

output

```
integrate(arccoth(b*x + a)/(d*x^2 + c), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\coth^{-1}(a + bx)}{c + dx^2} dx = \int \frac{\operatorname{acoth}(a + bx)}{dx^2 + c} dx$$

input

```
int(acoth(a + b*x)/(c + d*x^2),x)
```

output `int(acoth(a + b*x)/(c + d*x^2), x)`

Reduce [F]

$$\int \frac{\coth^{-1}(a + bx)}{c + dx^2} dx = \int \frac{\operatorname{acoth}(bx + a)}{dx^2 + c} dx$$

input `int(acoth(b*x+a)/(d*x^2+c), x)`

output `int(acoth(a + b*x)/(c + d*x**2), x)`

3.43 $\int \frac{\operatorname{coth}^{-1}(a+bx)}{c+dx} dx$

Optimal result	366
Mathematica [A] (verified)	367
Rubi [A] (verified)	367
Maple [A] (verified)	370
Fricas [F]	370
Sympy [F]	371
Maxima [A] (verification not implemented)	371
Giac [F]	372
Mupad [F(-1)]	372
Reduce [F]	372

Optimal result

Integrand size = 14, antiderivative size = 120

$$\int \frac{\operatorname{coth}^{-1}(a+bx)}{c+dx} dx = -\frac{\operatorname{coth}^{-1}(a+bx) \log\left(\frac{2}{1+a+bx}\right)}{d} + \frac{\operatorname{coth}^{-1}(a+bx) \log\left(\frac{2b(c+dx)}{(bc+d-ad)(1+a+bx)}\right)}{d} + \frac{\operatorname{PolyLog}\left(2, 1 - \frac{2}{1+a+bx}\right)}{2d} - \frac{\operatorname{PolyLog}\left(2, 1 - \frac{2b(c+dx)}{(bc+d-ad)(1+a+bx)}\right)}{2d}$$

output

```
-arccoth(b*x+a)*ln(2/(b*x+a+1))/d+arccoth(b*x+a)*ln(2*b*(d*x+c)/(-a*d+b*c+d)/(b*x+a+1))/d+1/2*polylog(2,1-2/(b*x+a+1))/d-1/2*polylog(2,1-2*b*(d*x+c)/(-a*d+b*c+d)/(b*x+a+1))/d
```

Mathematica [A] (verified)

Time = 0.04 (sec) , antiderivative size = 185, normalized size of antiderivative = 1.54

$$\int \frac{\coth^{-1}(a + bx)}{c + dx} dx = \frac{\log\left(\frac{d(1-a-bx)}{bc+d-ad}\right) \log(c + dx)}{2d} - \frac{\log\left(\frac{-1+a+bx}{a+bx}\right) \log(c + dx)}{2d}$$

$$- \frac{\log\left(-\frac{d(1+a+bx)}{bc-d-ad}\right) \log(c + dx)}{2d} + \frac{\log\left(\frac{1+a+bx}{a+bx}\right) \log(c + dx)}{2d}$$

$$- \frac{\text{PolyLog}\left(2, \frac{b(c+dx)}{bc-d-ad}\right)}{2d} + \frac{\text{PolyLog}\left(2, \frac{b(c+dx)}{bc+d-ad}\right)}{2d}$$

input

```
Integrate[ArcCoth[a + b*x]/(c + d*x), x]
```

output

```
(Log[(d*(1 - a - b*x))/(b*c + d - a*d)]*Log[c + d*x])/(2*d) - (Log[(-1 + a + b*x)/(a + b*x)]*Log[c + d*x])/(2*d) - (Log[-((d*(1 + a + b*x))/(b*c - d - a*d))]*Log[c + d*x])/(2*d) + (Log[(1 + a + b*x)/(a + b*x)]*Log[c + d*x])/(2*d) - PolyLog[2, (b*(c + d*x))/(b*c - d - a*d)]/(2*d) + PolyLog[2, (b*(c + d*x))/(b*c + d - a*d)]/(2*d)
```

Rubi [A] (verified)

Time = 0.52 (sec) , antiderivative size = 138, normalized size of antiderivative = 1.15, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {6662, 27, 6473, 2849, 2752, 2897}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\coth^{-1}(a + bx)}{c + dx} dx$$

$$\downarrow \text{6662}$$

$$\int \frac{b \coth^{-1}(a+bx)}{b\left(c-\frac{ad}{b}\right)+d(a+bx)} d(a + bx)$$

$$\frac{\hspace{10em}}{b}$$

$$\downarrow \text{27}$$

$$\begin{aligned}
& \int \frac{\coth^{-1}(a+bx)}{d(a+bx)-ad+bc} d(a+bx) \\
& \quad \downarrow \text{6473} \\
& -\frac{\int \frac{\log\left(\frac{2(bc-ad+d(a+bx))}{(bc-ad+d)(a+bx+1)}\right)}{1-(a+bx)^2} d(a+bx)}{d} + \frac{\int \frac{\log\left(\frac{2}{a+bx+1}\right)}{1-(a+bx)^2} d(a+bx)}{d} + \\
& \frac{\coth^{-1}(a+bx) \log\left(\frac{2(d(a+bx)-ad+bc)}{(a+bx+1)(-ad+bc+d)}\right)}{d} - \frac{\log\left(\frac{2}{a+bx+1}\right) \coth^{-1}(a+bx)}{d} \\
& \quad \downarrow \text{2849} \\
& -\frac{\int \frac{\log\left(\frac{2(bc-ad+d(a+bx))}{(bc-ad+d)(a+bx+1)}\right)}{1-(a+bx)^2} d(a+bx)}{d} + \frac{\int \frac{\log\left(\frac{2}{a+bx+1}\right)}{1-\frac{2}{a+bx+1}} d\frac{1}{a+bx+1}}{d} + \\
& \frac{\coth^{-1}(a+bx) \log\left(\frac{2(d(a+bx)-ad+bc)}{(a+bx+1)(-ad+bc+d)}\right)}{d} - \frac{\log\left(\frac{2}{a+bx+1}\right) \coth^{-1}(a+bx)}{d} \\
& \quad \downarrow \text{2752} \\
& -\frac{\int \frac{\log\left(\frac{2(bc-ad+d(a+bx))}{(bc-ad+d)(a+bx+1)}\right)}{1-(a+bx)^2} d(a+bx)}{d} + \frac{\coth^{-1}(a+bx) \log\left(\frac{2(d(a+bx)-ad+bc)}{(a+bx+1)(-ad+bc+d)}\right)}{d} + \\
& \frac{\text{PolyLog}\left(2, 1 - \frac{2}{a+bx+1}\right)}{2d} - \frac{\log\left(\frac{2}{a+bx+1}\right) \coth^{-1}(a+bx)}{d} \\
& \quad \downarrow \text{2897} \\
& -\frac{\text{PolyLog}\left(2, 1 - \frac{2(bc-ad+d(a+bx))}{(bc-ad+d)(a+bx+1)}\right)}{2d} + \frac{\coth^{-1}(a+bx) \log\left(\frac{2(d(a+bx)-ad+bc)}{(a+bx+1)(-ad+bc+d)}\right)}{d} + \\
& \frac{\text{PolyLog}\left(2, 1 - \frac{2}{a+bx+1}\right)}{2d} - \frac{\log\left(\frac{2}{a+bx+1}\right) \coth^{-1}(a+bx)}{d}
\end{aligned}$$

input `Int[ArcCoth[a + b*x]/(c + d*x), x]`

output `-((ArcCoth[a + b*x]*Log[2/(1 + a + b*x)]/d) + (ArcCoth[a + b*x]*Log[(2*(b*c - a*d + d*(a + b*x))]/((b*c + d - a*d)*(1 + a + b*x))]/d) + PolyLog[2, 1 - 2/(1 + a + b*x)]/(2*d) - PolyLog[2, 1 - (2*(b*c - a*d + d*(a + b*x)))/((b*c + d - a*d)*(1 + a + b*x))]/(2*d)`

Definitions of rubi rules used

- rule 27 $\text{Int}[(a_*)(Fx_), x_Symbol] \rightarrow \text{Simp}[a \text{ Int}[Fx, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[Fx, (b_*)(Gx_)] /; \text{FreeQ}[b, x]$
- rule 2752 $\text{Int}[\text{Log}[(c_*)(x_)]/((d_) + (e_*)(x_)), x_Symbol] \rightarrow \text{Simp}[(-e^{(-1)})*\text{PolyLog}[2, 1 - c*x], x] /; \text{FreeQ}[\{c, d, e\}, x] \ \&\& \ \text{EqQ}[e + c*d, 0]$
- rule 2849 $\text{Int}[\text{Log}[(c_)/((d_) + (e_*)(x_))]/((f_) + (g_*)(x_)^2), x_Symbol] \rightarrow \text{Simp}[-e/g \text{ Subst}[\text{Int}[\text{Log}[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; \text{FreeQ}[\{c, d, e, f, g\}, x] \ \&\& \ \text{EqQ}[c, 2*d] \ \&\& \ \text{EqQ}[e^2*f + d^2*g, 0]$
- rule 2897 $\text{Int}[\text{Log}[u_]*(Pq_)^{(m_.)}, x_Symbol] \rightarrow \text{With}[\{C = \text{FullSimplify}[Pq^m*((1 - u)/D[u, x])]\}, \text{Simp}[C*\text{PolyLog}[2, 1 - u], x] /; \text{FreeQ}[C, x] /; \text{IntegerQ}[m] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{RationalFunctionQ}[u, x] \ \&\& \ \text{LeQ}[\text{RationalFunctionExponents}[u, x][[2]], \text{Expon}[Pq, x]]]$
- rule 6473 $\text{Int}[(a_.) + \text{ArcCoth}[(c_*)(x_)]*(b_.))/((d_) + (e_*)(x_)), x_Symbol] \rightarrow \text{Simp}[(-a + b*\text{ArcCoth}[c*x])*(\text{Log}[2/(1 + c*x)]/e), x] + (\text{Simp}[(a + b*\text{ArcCoth}[c*x])*(\text{Log}[2*c*((d + e*x)/((c*d + e)*(1 + c*x))])]/e), x] + \text{Simp}[b*(c/e) \text{Int}[\text{Log}[2/(1 + c*x)]/(1 - c^2*x^2), x], x] - \text{Simp}[b*(c/e) \text{Int}[\text{Log}[2*c*((d + e*x)/((c*d + e)*(1 + c*x)))]/(1 - c^2*x^2), x], x)] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[c^2*d^2 - e^2, 0]$
- rule 6662 $\text{Int}[(a_.) + \text{ArcCoth}[(c_) + (d_*)(x_)]*(b_.))^{(p_.)*((e_.) + (f_*)(x_))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[1/d \text{ Subst}[\text{Int}[(d*e - c*f)/d + f*(x/d)]^m*(a + b*\text{ArcCoth}[x])^p, x], x, c + d*x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \ \&\& \ \text{IntegerQ}[p, 0]$

Maple [A] (verified)

Time = 1.88 (sec) , antiderivative size = 164, normalized size of antiderivative = 1.37

method	result
risch	$-\frac{\operatorname{dilog}\left(\frac{(bx+a-1)d-ad+cb+d}{-ad+cb+d}\right)}{2d} - \frac{\ln(bx+a-1)\ln\left(\frac{(bx+a-1)d-ad+cb+d}{-ad+cb+d}\right)}{2d} + \frac{\operatorname{dilog}\left(\frac{(bx+a+1)d-ad+cb-d}{-ad+cb-d}\right)}{2d} + \frac{\ln(bx+a+1)\ln\left(\frac{(bx+a+1)d-ad+cb-d}{-ad+cb-d}\right)}{2d}$
parts	$\frac{\ln(dx+c)\operatorname{arccoth}(bx+a)}{d} + \frac{d\left(\operatorname{dilog}\left(\frac{ad-cb+b(dx+c)-d}{ad-cb-d}\right) + \frac{\ln(dx+c)\ln\left(\frac{ad-cb+b(dx+c)-d}{ad-cb-d}\right)}{b}\right)}{2}$
derivativedivides	$\frac{b\ln(ad-cb-d(bx+a))\operatorname{arccoth}(bx+a)}{d} - \frac{d\left(\operatorname{dilog}\left(\frac{-d(bx+a)+d}{-ad+cb+d}\right) + \ln(ad-cb-d(bx+a))\ln\left(\frac{-d(bx+a)+d}{-ad+cb+d}\right)\right)}{2} + \frac{d\left(\operatorname{dilog}\left(\frac{-d(bx+a)+d}{-ad+cb+d}\right)\right)}{d^2}$
default	$\frac{b\ln(ad-cb-d(bx+a))\operatorname{arccoth}(bx+a)}{d} - \frac{d\left(\operatorname{dilog}\left(\frac{-d(bx+a)+d}{-ad+cb+d}\right) + \ln(ad-cb-d(bx+a))\ln\left(\frac{-d(bx+a)+d}{-ad+cb+d}\right)\right)}{2} + \frac{d\left(\operatorname{dilog}\left(\frac{-d(bx+a)+d}{-ad+cb+d}\right)\right)}{d^2}$

input `int(arccoth(b*x+a)/(d*x+c),x,method=_RETURNVERBOSE)`

output `-1/2*dilog(((b*x+a-1)*d-a*d+c*b+d)/(-a*d+b*c+d))/d-1/2*ln(b*x+a-1)*ln(((b*x+a-1)*d-a*d+c*b+d)/(-a*d+b*c+d))/d+1/2*dilog(((b*x+a+1)*d-a*d+c*b-d)/(-a*d+b*c-d))/d+1/2*ln(b*x+a+1)*ln(((b*x+a+1)*d-a*d+c*b-d)/(-a*d+b*c-d))/d`

Fricas [F]

$$\int \frac{\coth^{-1}(a + bx)}{c + dx} dx = \int \frac{\operatorname{arccoth}(bx + a)}{dx + c} dx$$

input `integrate(arccoth(b*x+a)/(d*x+c),x, algorithm="fricas")`

output `integral(arccoth(b*x + a)/(d*x + c), x)`

Sympy [F]

$$\int \frac{\coth^{-1}(a + bx)}{c + dx} dx = \int \frac{\operatorname{acoth}(a + bx)}{c + dx} dx$$

input `integrate(acoath(b*x+a)/(d*x+c), x)`

output `Integral(acoath(a + b*x)/(c + d*x), x)`

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 192, normalized size of antiderivative = 1.60

$$\int \frac{\coth^{-1}(a + bx)}{c + dx} dx =$$

$$-\frac{1}{2} b \left(\frac{\log(bx + a - 1) \log\left(\frac{bdx + ad - d}{bc - ad + d} + 1\right) + \operatorname{Li}_2\left(-\frac{bdx + ad - d}{bc - ad + d}\right)}{bd} - \frac{\log(bx + a + 1) \log\left(\frac{bdx + ad + d}{bc - ad - d} + 1\right) + \operatorname{Li}_2\left(\frac{bdx + ad + d}{bc - ad - d}\right)}{bd} \right)$$

$$- \frac{b \left(\frac{\log(bx + a + 1)}{b} - \frac{\log(bx + a - 1)}{b} \right) \log(dx + c)}{2d} + \frac{\operatorname{arccoth}(bx + a) \log(dx + c)}{d}$$

input `integrate(arccoath(b*x+a)/(d*x+c), x, algorithm="maxima")`

output `-1/2*b*((log(b*x + a - 1)*log((b*d*x + a*d - d)/(b*c - a*d + d) + 1) + dilog(-(b*d*x + a*d - d)/(b*c - a*d + d)))/(b*d) - (log(b*x + a + 1)*log((b*d*x + a*d + d)/(b*c - a*d - d) + 1) + dilog(-(b*d*x + a*d + d)/(b*c - a*d - d)))/(b*d)) - 1/2*b*(log(b*x + a + 1)/b - log(b*x + a - 1)/b)*log(d*x + c)/d + arccoath(b*x + a)*log(d*x + c)/d`

Giac [F]

$$\int \frac{\coth^{-1}(a + bx)}{c + dx} dx = \int \frac{\operatorname{arccoth}(bx + a)}{dx + c} dx$$

input `integrate(arccoth(b*x+a)/(d*x+c),x, algorithm="giac")`

output `integrate(arccoth(b*x + a)/(d*x + c), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\coth^{-1}(a + bx)}{c + dx} dx = \int \frac{\operatorname{acoth}(a + bx)}{c + dx} dx$$

input `int(acoth(a + b*x)/(c + d*x),x)`

output `int(acoth(a + b*x)/(c + d*x), x)`

Reduce [F]

$$\int \frac{\coth^{-1}(a + bx)}{c + dx} dx = \int \frac{\operatorname{acoth}(bx + a)}{dx + c} dx$$

input `int(acoth(b*x+a)/(d*x+c),x)`

output `int(acoth(a + b*x)/(c + d*x),x)`

3.44 $\int \frac{\coth^{-1}(a+bx)}{c+\frac{d}{x}} dx$

Optimal result	373
Mathematica [C] (warning: unable to verify)	374
Rubi [A] (verified)	374
Maple [A] (verified)	377
Fricas [F]	378
Sympy [F]	379
Maxima [A] (verification not implemented)	379
Giac [F]	380
Mupad [F(-1)]	380
Reduce [F]	380

Optimal result

Integrand size = 16, antiderivative size = 292

$$\int \frac{\coth^{-1}(a+bx)}{c+\frac{d}{x}} dx = \frac{(1-a-bx) \log\left(-\frac{1-a-bx}{a+bx}\right)}{2bc} + \frac{\log(a+bx)}{2bc}$$

$$+ \frac{\log(1+a+bx)}{2bc} + \frac{(a+bx) \log\left(\frac{1+a+bx}{a+bx}\right)}{2bc}$$

$$- \frac{d \log\left(\frac{c(1-a-bx)}{c-ac+bd}\right) \log(d+cx)}{2c^2} + \frac{d \log\left(-\frac{1-a-bx}{a+bx}\right) \log(d+cx)}{2c^2}$$

$$+ \frac{d \log\left(\frac{c(1+a+bx)}{c+ac-bd}\right) \log(d+cx)}{2c^2} - \frac{d \log\left(\frac{1+a+bx}{a+bx}\right) \log(d+cx)}{2c^2}$$

$$+ \frac{d \operatorname{PolyLog}\left(2, -\frac{b(d+cx)}{c+ac-bd}\right)}{2c^2} - \frac{d \operatorname{PolyLog}\left(2, \frac{b(d+cx)}{c-ac+bd}\right)}{2c^2}$$

output

```
1/2*(-b*x-a+1)*ln(-(-b*x-a+1)/(b*x+a))/b/c+1/2*ln(b*x+a)/b/c+1/2*ln(b*x+a+
1)/b/c+1/2*(b*x+a)*ln((b*x+a+1)/(b*x+a))/b/c-1/2*d*ln(c*(-b*x-a+1)/(-a*c+b
*d+c))*ln(c*x+d)/c^2+1/2*d*ln(-(-b*x-a+1)/(b*x+a))*ln(c*x+d)/c^2+1/2*d*ln(
c*(b*x+a+1)/(a*c-b*d+c))*ln(c*x+d)/c^2-1/2*d*ln((b*x+a+1)/(b*x+a))*ln(c*x+
d)/c^2+1/2*d*polylog(2,-b*(c*x+d)/(a*c-b*d+c))/c^2-1/2*d*polylog(2,b*(c*x+
d)/(-a*c+b*d+c))/c^2
```

Mathematica [C] (warning: unable to verify)

Result contains complex when optimal does not.

Time = 3.51 (sec) , antiderivative size = 502, normalized size of antiderivative = 1.72

$$\int \frac{\coth^{-1}(a + bx)}{c + \frac{d}{x}} dx$$

$$= \frac{2ac^2 \coth^{-1}(a + bx) - ibcd\pi \coth^{-1}(a + bx) + 2bc^2x \coth^{-1}(a + bx) + bcd \coth^{-1}(a + bx)^2 + abcd \coth^{-1}(a + bx)}{c^2 + cd/x + d^2/x^2}$$

input `Integrate[ArcCoth[a + b*x]/(c + d/x),x]`

output

```
(2*a*c^2*ArcCoth[a + b*x] - I*b*c*d*Pi*ArcCoth[a + b*x] + 2*b*c^2*x*ArcCoth[a + b*x] + b*c*d*ArcCoth[a + b*x]^2 + a*b*c*d*ArcCoth[a + b*x]^2 - b^2*d^2*ArcCoth[a + b*x]^2 - a*b*c*d*Sqrt[1 - c^2/(a*c - b*d)^2]*E^ArcTanh[c/(a*c - b*d)]*ArcCoth[a + b*x]^2 + b^2*d^2*Sqrt[1 - c^2/(a*c - b*d)^2]*E^ArcTanh[c/(a*c - b*d)]*ArcCoth[a + b*x]^2 + 2*b*c*d*ArcCoth[a + b*x]*ArcTanh[c/(a*c - b*d)] + 2*b*c*d*ArcCoth[a + b*x]*Log[1 - E^(-2*ArcCoth[a + b*x])] + I*b*c*d*Pi*Log[1 + E^(2*ArcCoth[a + b*x])] - 2*b*c*d*ArcCoth[a + b*x]*Log[1 - E^(-2*ArcCoth[a + b*x] + 2*ArcTanh[c/(a*c - b*d)])] + 2*b*c*d*ArcTanh[c/(a*c - b*d)]*Log[1 - E^(-2*ArcCoth[a + b*x] + 2*ArcTanh[c/(a*c - b*d)])] - I*b*c*d*Pi*Log[1/Sqrt[1 - (a + b*x)^(-2)]] - 2*c^2*Log[1/((a + b*x)*Sqrt[1 - (a + b*x)^(-2)])] - 2*b*c*d*ArcTanh[c/(a*c - b*d)]*Log[I*Sinh[ArcCoth[a + b*x] - ArcTanh[c/(a*c - b*d)]]] - b*c*d*PolyLog[2, E^(-2*ArcCoth[a + b*x]) + b*c*d*PolyLog[2, E^(-2*ArcCoth[a + b*x] + 2*ArcTanh[c/(a*c - b*d)])])]/(2*b*c^3)
```

Rubi [A] (verified)

Time = 1.04 (sec) , antiderivative size = 436, normalized size of antiderivative = 1.49, number of steps used = 7, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$, Rules used = {6666, 2993, 772, 49, 2009, 2856, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\coth^{-1}(a+bx)}{c+\frac{d}{x}} dx$$

↓ 6666

$$\frac{1}{2} \int \frac{\log\left(\frac{a+bx+1}{a+bx}\right)}{c+\frac{d}{x}} dx - \frac{1}{2} \int \frac{\log\left(-\frac{-a-bx+1}{a+bx}\right)}{c+\frac{d}{x}} dx$$

↓ 2993

$$\frac{1}{2} \left(\left(\log(-a-bx+1) - \log\left(-\frac{-a-bx+1}{a+bx}\right) - \log(a+bx) \right) \int \frac{1}{c+\frac{d}{x}} dx - \int \frac{\log(-a-bx+1)}{c+\frac{d}{x}} dx + \int \frac{\log(a+bx)}{c+\frac{d}{x}} dx \right) \\ + \frac{1}{2} \left(\left(\log(a+bx) - \log(a+bx+1) + \log\left(\frac{a+bx+1}{a+bx}\right) \right) \int \frac{1}{c+\frac{d}{x}} dx - \int \frac{\log(a+bx)}{c+\frac{d}{x}} dx + \int \frac{\log(a+bx+1)}{c+\frac{d}{x}} dx \right)$$

↓ 772

$$\frac{1}{2} \left(\left(\log(-a-bx+1) - \log\left(-\frac{-a-bx+1}{a+bx}\right) - \log(a+bx) \right) \int \frac{x}{d+cx} dx - \int \frac{\log(-a-bx+1)}{c+\frac{d}{x}} dx + \int \frac{\log(a+bx)}{c+\frac{d}{x}} dx \right) \\ + \frac{1}{2} \left(\left(\log(a+bx) - \log(a+bx+1) + \log\left(\frac{a+bx+1}{a+bx}\right) \right) \int \frac{x}{d+cx} dx - \int \frac{\log(a+bx)}{c+\frac{d}{x}} dx + \int \frac{\log(a+bx+1)}{c+\frac{d}{x}} dx \right)$$

↓ 49

$$\frac{1}{2} \left(\left(\log(-a-bx+1) - \log\left(-\frac{-a-bx+1}{a+bx}\right) - \log(a+bx) \right) \int \left(\frac{1}{c} - \frac{d}{c(d+cx)} \right) dx - \int \frac{\log(-a-bx+1)}{c+\frac{d}{x}} dx + \int \frac{\log(a+bx)}{c+\frac{d}{x}} dx \right) \\ + \frac{1}{2} \left(\left(\log(a+bx) - \log(a+bx+1) + \log\left(\frac{a+bx+1}{a+bx}\right) \right) \int \left(\frac{1}{c} - \frac{d}{c(d+cx)} \right) dx - \int \frac{\log(a+bx)}{c+\frac{d}{x}} dx + \int \frac{\log(a+bx+1)}{c+\frac{d}{x}} dx \right)$$

↓ 2009

$$\frac{1}{2} \left(- \int \frac{\log(-a-bx+1)}{c+\frac{d}{x}} dx + \int \frac{\log(a+bx)}{c+\frac{d}{x}} dx + \left(\log(-a-bx+1) - \log\left(-\frac{-a-bx+1}{a+bx}\right) - \log(a+bx) \right) \left(\frac{x}{c} - \frac{d}{c(d+cx)} \right) \right) \\ + \frac{1}{2} \left(- \int \frac{\log(a+bx)}{c+\frac{d}{x}} dx + \int \frac{\log(a+bx+1)}{c+\frac{d}{x}} dx + \left(\log(a+bx) - \log(a+bx+1) + \log\left(\frac{a+bx+1}{a+bx}\right) \right) \left(\frac{x}{c} - \frac{d}{c(d+cx)} \right) \right)$$

↓ 2856

$$\frac{1}{2} \left(- \int \left(\frac{\log(-a - bx + 1)}{c} - \frac{d \log(-a - bx + 1)}{c(d + cx)} \right) dx + \int \left(\frac{\log(a + bx)}{c} - \frac{d \log(a + bx)}{c(d + cx)} \right) dx + \left(\log(-a - bx) - \log(a + bx) \right) \right)$$

$$\frac{1}{2} \left(- \int \left(\frac{\log(a + bx)}{c} - \frac{d \log(a + bx)}{c(d + cx)} \right) dx + \int \left(\frac{\log(a + bx + 1)}{c} - \frac{d \log(a + bx + 1)}{c(d + cx)} \right) dx + \left(\log(a + bx) - \log(a + bx + 1) \right) \right)$$

↓ 2009

$$\frac{1}{2} \left(\frac{d \operatorname{PolyLog} \left(2, \frac{c(-a - bx + 1)}{-ac + c + bd} \right)}{c^2} - \frac{d \operatorname{PolyLog} \left(2, \frac{c(a + bx)}{ac - bd} \right)}{c^2} + \frac{d \log(-a - bx + 1) \log \left(\frac{b(cx + d)}{-ac + bd + c} \right)}{c^2} + \left(\log(-a - bx) - \log(a + bx) \right) \right)$$

$$\frac{1}{2} \left(\frac{d \operatorname{PolyLog} \left(2, \frac{c(a + bx)}{ac - bd} \right)}{c^2} - \frac{d \operatorname{PolyLog} \left(2, \frac{c(a + bx + 1)}{ac + c - bd} \right)}{c^2} + \frac{d \log(a + bx) \log \left(-\frac{b(cx + d)}{ac - bd} \right)}{c^2} + \left(\log(a + bx) - \log(a + bx + 1) \right) \right)$$

input `Int[ArcCoth[a + b*x]/(c + d/x),x]`

output

```
((1 - a - b*x)*Log[1 - a - b*x])/(b*c) + ((a + b*x)*Log[a + b*x])/(b*c) +
(Log[1 - a - b*x] - Log[-((1 - a - b*x)/(a + b*x))] - Log[a + b*x])*(x/c
- (d*Log[d + c*x])/c^2) - (d*Log[a + b*x]*Log[-((b*(d + c*x))/(a*c - b*d))
])/c^2 + (d*Log[1 - a - b*x]*Log[(b*(d + c*x))/(c - a*c + b*d)]/c^2 + (d*
PolyLog[2, (c*(1 - a - b*x))/(c - a*c + b*d)]/c^2 - (d*PolyLog[2, (c*(a +
b*x))/(a*c - b*d)]/c^2)/2 + (-((a + b*x)*Log[a + b*x])/(b*c)) + ((1 + a
+ b*x)*Log[1 + a + b*x])/(b*c) + (Log[a + b*x] - Log[1 + a + b*x] + Log[(
1 + a + b*x)/(a + b*x)])*(x/c - (d*Log[d + c*x])/c^2) + (d*Log[a + b*x]*Lo
g[-((b*(d + c*x))/(a*c - b*d))])/c^2 - (d*Log[1 + a + b*x]*Log[-((b*(d + c
*x))/(c + a*c - b*d))])/c^2 + (d*PolyLog[2, (c*(a + b*x))/(a*c - b*d)]/c^
2 - (d*PolyLog[2, (c*(1 + a + b*x))/(c + a*c - b*d)]/c^2)/2
```

Defintions of rubi rules used

rule 49 `Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.), x_Symbol] := Int`
`[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]`
`&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]`

rule 772 `Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[x^(n*p)*(b + a/x^n)^p,`
`x] /; FreeQ[{a, b}, x] && ILtQ[n, 0] && IntegerQ[p]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2856 `Int[((a_) + Log[(c_)*((d_) + (e_)*(x_)^(n_))]*(b_))^(p_)*((f_) + (g_)*(x_)^(r_))^(q_), x_Symbol] := Int[ExpandIntegrand[(a + b*Log[c*(d + e*x)^(n)])^p, (f + g*x^r)^q, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, r}, x] && IntegerQ[p, 0] && IntegerQ[q] && (GtQ[q, 0] || (IntegerQ[r] && NeQ[r, 1]))`

rule 2993 `Int[Log[(e_)*((f_)*((a_) + (b_)*(x_)^(p_))*((c_) + (d_)*(x_)^(q_))^(r_)]*(RFx_), x_Symbol] := Simp[p*r Int[RFx*Log[a + b*x], x], x] + (Simp[q*r Int[RFx*Log[c + d*x], x], x] - Simp[(p*r*Log[a + b*x] + q*r*Log[c + d*x] - Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]) Int[RFx, x], x]) /; FreeQ[{a, b, c, d, e, f, p, q, r}, x] && RationalFunctionQ[RFx, x] && NeQ[b*c - a*d, 0] && !MatchQ[RFx, (u_)*(a + b*x)^(m_)*(c + d*x)^(n_)] /; IntegersQ[m, n]`

rule 6666 `Int[ArcCoth[(c_) + (d_)*(x_)]/((e_) + (f_)*(x_)^(n_)), x_Symbol] := Simp[1/2 Int[Log[(1 + c + d*x)/(c + d*x)]/(e + f*x^n), x], x] - Simp[1/2 Int[Log[(-1 + c + d*x)/(c + d*x)]/(e + f*x^n), x], x] /; FreeQ[{c, d, e, f}, x] && RationalQ[n]`

Maple [A] (verified)

Time = 1.89 (sec) , antiderivative size = 259, normalized size of antiderivative = 0.89

method	result
parts	$\frac{\operatorname{arccoth}(bx+a)x}{c} - \frac{\operatorname{arccoth}(bx+a)d \ln(cx+d)}{c^2} + b \left(-\frac{(a-1) \ln(ac-bd+b(cx+d)-c)}{2b^2} - \frac{(-a-1) \ln(ac-bd+b(cx+d)+c)}{2b^2} - d \right)$
risch	$\frac{\ln(bx+a+1)x}{2c} + \frac{\ln(bx+a+1)a}{2bc} + \frac{\ln(bx+a+1)}{2bc} - \frac{1}{bc} - \frac{d \operatorname{dilog}\left(\frac{c(bx+a+1)-ac+bd-c}{-ac+bd-c}\right)}{2c^2} - \frac{d \ln(bx+a+1) \ln\left(\frac{c(bx+a+1)-ac+bd-c}{-ac+bd-c}\right)}{2c^2}$
derivativeldivides	$\frac{\operatorname{arccoth}(bx+a)(bx+a)}{c} - \frac{\operatorname{arccoth}(bx+a)db \ln(ac-bd-c(bx+a))}{c^2} - \frac{\ln(a^2c^2-2abcd+b^2d^2-2ac(ac-bd-c(bx+a))+2bd(ac-bd-c(bx+a)))}{2}$
default	$\frac{\operatorname{arccoth}(bx+a)(bx+a)}{c} - \frac{\operatorname{arccoth}(bx+a)db \ln(ac-bd-c(bx+a))}{c^2} - \frac{\ln(a^2c^2-2abcd+b^2d^2-2ac(ac-bd-c(bx+a))+2bd(ac-bd-c(bx+a)))}{2}$

```
input int(arccoth(b*x+a)/(c+d/x),x,method=_RETURNVERBOSE)
```

```
output arccoth(b*x+a)*x/c-arccoth(b*x+a)/c^2*d*ln(c*x+d)+b/c*(-1/2*(a-1)/b^2*ln(a*c-b*d+b*(c*x+d)-c)-1/2*(-a-1)/b^2*ln(a*c-b*d+b*(c*x+d)+c)-d*(1/2/c*(dilog((a*c-b*d+b*(c*x+d)-c)/(a*c-b*d-c))/b+ln(c*x+d)*ln((a*c-b*d+b*(c*x+d)-c)/(a*c-b*d-c))/b)-1/2/c*(dilog((a*c-b*d+b*(c*x+d)+c)/(a*c-b*d+c))/b+ln(c*x+d)*ln((a*c-b*d+b*(c*x+d)+c)/(a*c-b*d+c))/b))
```

Fricas [F]

$$\int \frac{\coth^{-1}(a + bx)}{c + \frac{d}{x}} dx = \int \frac{\operatorname{arccoth}(bx + a)}{c + \frac{d}{x}} dx$$

```
input integrate(arccoth(b*x+a)/(c+d/x),x, algorithm="fricas")
```

```
output integral(x*arccoth(b*x + a)/(c*x + d), x)
```

Sympy [F]

$$\int \frac{\coth^{-1}(a + bx)}{c + \frac{d}{x}} dx = \int \frac{x \operatorname{acoth}(a + bx)}{cx + d} dx$$

input `integrate(acoath(b*x+a)/(c+d/x),x)`

output `Integral(x*acoath(a + b*x)/(c*x + d), x)`

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 192, normalized size of antiderivative = 0.66

$$\begin{aligned} & \int \frac{\coth^{-1}(a + bx)}{c + \frac{d}{x}} dx \\ &= \frac{1}{2} b \left(\frac{(\log(cx + d) \log\left(\frac{bcx+bd}{ac-bd+c} + 1\right) + \operatorname{Li}_2\left(-\frac{bcx+bd}{ac-bd+c}\right)) d}{bc^2} - \frac{(\log(cx + d) \log\left(\frac{bcx+bd}{ac-bd-c} + 1\right) + \operatorname{Li}_2\left(-\frac{bcx+bd}{ac-bd-c}\right)) d}{bc^2} \right. \\ & \quad \left. + \left(\frac{x}{c} - \frac{d \log(cx + d)}{c^2} \right) \operatorname{arccoth}(bx + a) \right) \end{aligned}$$

input `integrate(arccoath(b*x+a)/(c+d/x),x, algorithm="maxima")`

output `1/2*b*((log(c*x + d)*log((b*c*x + b*d)/(a*c - b*d + c) + 1) + dilog(-(b*c*x + b*d)/(a*c - b*d + c)))*d/(b*c^2) - (log(c*x + d)*log((b*c*x + b*d)/(a*c - b*d - c) + 1) + dilog(-(b*c*x + b*d)/(a*c - b*d - c)))*d/(b*c^2) + (a + 1)*log(b*x + a + 1)/(b^2*c) - (a - 1)*log(b*x + a - 1)/(b^2*c) + (x/c - d*log(c*x + d)/c^2)*arccoath(b*x + a)`

Giac [F]

$$\int \frac{\coth^{-1}(a + bx)}{c + \frac{d}{x}} dx = \int \frac{\operatorname{arccoth}(bx + a)}{c + \frac{d}{x}} dx$$

input `integrate(arccoth(b*x+a)/(c+d/x),x, algorithm="giac")`

output `integrate(arccoth(b*x + a)/(c + d/x), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\coth^{-1}(a + bx)}{c + \frac{d}{x}} dx = \int \frac{\operatorname{acoth}(a + bx)}{c + \frac{d}{x}} dx$$

input `int(acoth(a + b*x)/(c + d/x),x)`

output `int(acoth(a + b*x)/(c + d/x), x)`

Reduce [F]

$$\int \frac{\coth^{-1}(a + bx)}{c + \frac{d}{x}} dx = \int \frac{\operatorname{acoth}(bx + a) x}{cx + d} dx$$

input `int(acoth(b*x+a)/(c+d/x),x)`

output `int((acoth(a + b*x)*x)/(c*x + d),x)`

$$3.45 \quad \int \frac{\coth^{-1}(a+bx)}{c+\frac{d}{x^2}} dx$$

Optimal result	382
Mathematica [A] (verified)	383
Rubi [A] (verified)	384
Maple [A] (verified)	388
Fricas [F]	388
Sympy [F(-1)]	389
Maxima [C] (verification not implemented)	389
Giac [F]	390
Mupad [F(-1)]	390
Reduce [F]	391

Optimal result

Integrand size = 16, antiderivative size = 742

$$\begin{aligned}
& \int \frac{\coth^{-1}(a+bx)}{c + \frac{d}{x^2}} dx \\
&= \frac{(1-a-bx) \log(-1+a+bx)}{2bc} \\
&+ \frac{x(\log(-1+a+bx) - \log(-\frac{1-a-bx}{a+bx}) - \log(a+bx))}{2c} \\
&- \frac{\sqrt{d} \arctan\left(\frac{\sqrt{cx}}{\sqrt{d}}\right) (\log(-1+a+bx) - \log(-\frac{1-a-bx}{a+bx}) - \log(a+bx))}{2c^{3/2}} \\
&+ \frac{(1+a+bx) \log(1+a+bx)}{2bc} + \frac{x(\log(a+bx) - \log(1+a+bx) + \log(\frac{1+a+bx}{a+bx}))}{2c} \\
&- \frac{\sqrt{d} \arctan\left(\frac{\sqrt{cx}}{\sqrt{d}}\right) (\log(a+bx) - \log(1+a+bx) + \log(\frac{1+a+bx}{a+bx}))}{2c^{3/2}} \\
&+ \frac{\sqrt{d} \log(-1+a+bx) \log\left(-\frac{b(\sqrt{d}-\sqrt{-cx})}{(1-a)\sqrt{-c-b\sqrt{d}}}\right)}{4(-c)^{3/2}} \\
&- \frac{\sqrt{d} \log(1+a+bx) \log\left(\frac{b(\sqrt{d}-\sqrt{-cx})}{(1+a)\sqrt{-c+b\sqrt{d}}}\right)}{4(-c)^{3/2}} \\
&+ \frac{\sqrt{d} \log(1+a+bx) \log\left(-\frac{b(\sqrt{d}+\sqrt{-cx})}{(1+a)\sqrt{-c-b\sqrt{d}}}\right)}{4(-c)^{3/2}} \\
&- \frac{\sqrt{d} \log(-1+a+bx) \log\left(\frac{b(\sqrt{d}+\sqrt{-cx})}{(1-a)\sqrt{-c+b\sqrt{d}}}\right)}{4(-c)^{3/2}} \\
&+ \frac{\sqrt{d} \operatorname{PolyLog}\left(2, \frac{\sqrt{-c}(1-a-bx)}{\sqrt{-c-a}\sqrt{-c-b\sqrt{d}}}\right)}{4(-c)^{3/2}} - \frac{\sqrt{d} \operatorname{PolyLog}\left(2, \frac{\sqrt{-c}(1-a-bx)}{(1-a)\sqrt{-c+b\sqrt{d}}}\right)}{4(-c)^{3/2}} \\
&+ \frac{\sqrt{d} \operatorname{PolyLog}\left(2, \frac{\sqrt{-c}(1+a+bx)}{(1+a)\sqrt{-c-b\sqrt{d}}}\right)}{4(-c)^{3/2}} - \frac{\sqrt{d} \operatorname{PolyLog}\left(2, \frac{\sqrt{-c}(1+a+bx)}{(1+a)\sqrt{-c+b\sqrt{d}}}\right)}{4(-c)^{3/2}}
\end{aligned}$$

output

```

1/2*(-b*x-a+1)*ln(b*x+a-1)/b/c+1/2*x*(ln(b*x+a-1)-ln(-(-b*x-a+1)/(b*x+a))-
ln(b*x+a))/c-1/2*d^(1/2)*arctan(c^(1/2)*x/d^(1/2))*(ln(b*x+a-1)-ln(-(-b*x-
a+1)/(b*x+a))-ln(b*x+a))/c^(3/2)+1/2*(b*x+a+1)*ln(b*x+a+1)/b/c+1/2*x*(ln(b
*x+a)-ln(b*x+a+1)+ln((b*x+a+1)/(b*x+a)))/c-1/2*d^(1/2)*arctan(c^(1/2)*x/d^
(1/2))*(ln(b*x+a)-ln(b*x+a+1)+ln((b*x+a+1)/(b*x+a)))/c^(3/2)+1/4*d^(1/2)*l
n(b*x+a-1)*ln(-b*(d^(1/2)-(-c)^(1/2)*x)/((1-a)*(-c)^(1/2)-b*d^(1/2)))/(-c)
^(3/2)-1/4*d^(1/2)*ln(b*x+a+1)*ln(b*(d^(1/2)-(-c)^(1/2)*x)/((1+a)*(-c)^(1/
2)+b*d^(1/2)))/(-c)^(3/2)+1/4*d^(1/2)*ln(b*x+a+1)*ln(-b*(d^(1/2)+(-c)^(1/2
)*x)/((1+a)*(-c)^(1/2)-b*d^(1/2)))/(-c)^(3/2)-1/4*d^(1/2)*ln(b*x+a-1)*ln(b
*(d^(1/2)+(-c)^(1/2)*x)/((1-a)*(-c)^(1/2)+b*d^(1/2)))/(-c)^(3/2)+1/4*d^(1/
2)*polylog(2,(-c)^(1/2)*(-b*x-a+1)/((-c)^(1/2)-a*(-c)^(1/2)-b*d^(1/2)))/(-
c)^(3/2)-1/4*d^(1/2)*polylog(2,(-c)^(1/2)*(-b*x-a+1)/((1-a)*(-c)^(1/2)+b*d
^(1/2)))/(-c)^(3/2)+1/4*d^(1/2)*polylog(2,(-c)^(1/2)*(b*x+a+1)/((1+a)*(-c)
^(1/2)-b*d^(1/2)))/(-c)^(3/2)-1/4*d^(1/2)*polylog(2,(-c)^(1/2)*(b*x+a+1)/
(1+a)*(-c)^(1/2)+b*d^(1/2)))/(-c)^(3/2)

```

Mathematica [A] (verified)

Time = 0.57 (sec) , antiderivative size = 843, normalized size of antiderivative = 1.14

$$\int \frac{\coth^{-1}(a + bx)}{c + \frac{d}{x^2}} dx$$

$$= \frac{2c \log\left(\frac{-1+a+bx}{a+bx}\right) - 2ac \log\left(\frac{-1+a+bx}{a+bx}\right) - 2bcx \log\left(\frac{-1+a+bx}{a+bx}\right) + 4c \log(a + bx) + 2c \log\left(\frac{1+a+bx}{a+bx}\right) + 2ac \log\left(\frac{1+a+bx}{a+bx}\right)}{}$$

input

```
Integrate[ArcCoth[a + b*x]/(c + d/x^2),x]
```


output

```
(2*c*Log[(-1 + a + b*x)/(a + b*x)] - 2*a*c*Log[(-1 + a + b*x)/(a + b*x)] -
2*b*c*x*Log[(-1 + a + b*x)/(a + b*x)] + 4*c*Log[a + b*x] + 2*c*Log[(1 + a
+ b*x)/(a + b*x)] + 2*a*c*Log[(1 + a + b*x)/(a + b*x)] + 2*b*c*x*Log[(1 +
a + b*x)/(a + b*x)] - b*Sqrt[-c]*Sqrt[d]*Log[(Sqrt[-c]*(-1 + a + b*x))/(-
Sqrt[-c] + a*Sqrt[-c] + b*Sqrt[d])]*Log[Sqrt[d] - Sqrt[-c]*x] + b*Sqrt[-c]
*Sqrt[d]*Log[(-1 + a + b*x)/(a + b*x)]*Log[Sqrt[d] - Sqrt[-c]*x] + b*Sqrt[
-c]*Sqrt[d]*Log[(Sqrt[-c]*(1 + a + b*x))/((1 + a)*Sqrt[-c] + b*Sqrt[d])]*L
og[Sqrt[d] - Sqrt[-c]*x] - b*Sqrt[-c]*Sqrt[d]*Log[(1 + a + b*x)/(a + b*x)]
*Log[Sqrt[d] - Sqrt[-c]*x] + b*Sqrt[-c]*Sqrt[d]*Log[(Sqrt[-c]*(1 - a - b*x
))/(-((-1 + a)*Sqrt[-c]) + b*Sqrt[d])]*Log[Sqrt[d] + Sqrt[-c]*x] - b*Sqrt[
-c]*Sqrt[d]*Log[(-1 + a + b*x)/(a + b*x)]*Log[Sqrt[d] + Sqrt[-c]*x] - b*Sq
rt[-c]*Sqrt[d]*Log[(Sqrt[-c]*(1 + a + b*x))/((1 + a)*Sqrt[-c] - b*Sqrt[d])
]*Log[Sqrt[d] + Sqrt[-c]*x] + b*Sqrt[-c]*Sqrt[d]*Log[(1 + a + b*x)/(a + b
*x)]*Log[Sqrt[d] + Sqrt[-c]*x] - b*Sqrt[-c]*Sqrt[d]*PolyLog[2, (b*(Sqrt[d]
- Sqrt[-c]*x))/(-Sqrt[-c] + a*Sqrt[-c] + b*Sqrt[d])] + b*Sqrt[-c]*Sqrt[d]*
PolyLog[2, (b*(Sqrt[d] - Sqrt[-c]*x))/(Sqrt[-c] + a*Sqrt[-c] + b*Sqrt[d])]
- b*Sqrt[-c]*Sqrt[d]*PolyLog[2, -((b*(Sqrt[d] + Sqrt[-c]*x))/(Sqrt[-c] +
a*Sqrt[-c] - b*Sqrt[d]))] + b*Sqrt[-c]*Sqrt[d]*PolyLog[2, (b*(Sqrt[d] + Sq
rt[-c]*x))/(Sqrt[-c] - a*Sqrt[-c] + b*Sqrt[d])])/(4*b*c^2)
```

Rubi [A] (verified)

Time = 2.11 (sec) , antiderivative size = 1165, normalized size of antiderivative = 1.57, number of steps used = 7, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$, Rules used = {6666, 2993, 772, 262, 218, 2856, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\coth^{-1}(a + bx)}{c + \frac{d}{x^2}} dx$$

$$\downarrow \text{6666}$$

$$\frac{1}{2} \int \frac{\log\left(\frac{a+bx+1}{a+bx}\right)}{c + \frac{d}{x^2}} dx - \frac{1}{2} \int \frac{\log\left(\frac{-a-bx+1}{a+bx}\right)}{c + \frac{d}{x^2}} dx$$

$$\downarrow \text{2993}$$

$$\frac{1}{2} \left(\left(\log(-a - bx + 1) - \log\left(-\frac{-a - bx + 1}{a + bx}\right) - \log(a + bx) \right) \int \frac{1}{c + \frac{d}{x^2}} dx - \int \frac{\log(-a - bx + 1)}{c + \frac{d}{x^2}} dx + \int \frac{\log(a + bx)}{c + \frac{d}{x^2}} dx \right) \\ \frac{1}{2} \left(\left(\log(a + bx) - \log(a + bx + 1) + \log\left(\frac{a + bx + 1}{a + bx}\right) \right) \int \frac{1}{c + \frac{d}{x^2}} dx - \int \frac{\log(a + bx)}{c + \frac{d}{x^2}} dx + \int \frac{\log(a + bx + 1)}{c + \frac{d}{x^2}} dx \right)$$

↓ 772

$$\frac{1}{2} \left(\left(\log(-a - bx + 1) - \log\left(-\frac{-a - bx + 1}{a + bx}\right) - \log(a + bx) \right) \int \frac{x^2}{cx^2 + d} dx - \int \frac{\log(-a - bx + 1)}{c + \frac{d}{x^2}} dx + \int \frac{\log(a + bx)}{c + \frac{d}{x^2}} dx \right) \\ \frac{1}{2} \left(\left(\log(a + bx) - \log(a + bx + 1) + \log\left(\frac{a + bx + 1}{a + bx}\right) \right) \int \frac{x^2}{cx^2 + d} dx - \int \frac{\log(a + bx)}{c + \frac{d}{x^2}} dx + \int \frac{\log(a + bx + 1)}{c + \frac{d}{x^2}} dx \right)$$

↓ 262

$$\frac{1}{2} \left(\left(\log(-a - bx + 1) - \log\left(-\frac{-a - bx + 1}{a + bx}\right) - \log(a + bx) \right) \left(\frac{x}{c} - \frac{d \int \frac{1}{cx^2 + d} dx}{c} \right) - \int \frac{\log(-a - bx + 1)}{c + \frac{d}{x^2}} dx + \int \frac{\log(a + bx)}{c + \frac{d}{x^2}} dx \right) \\ \frac{1}{2} \left(\left(\log(a + bx) - \log(a + bx + 1) + \log\left(\frac{a + bx + 1}{a + bx}\right) \right) \left(\frac{x}{c} - \frac{d \int \frac{1}{cx^2 + d} dx}{c} \right) - \int \frac{\log(a + bx)}{c + \frac{d}{x^2}} dx + \int \frac{\log(a + bx + 1)}{c + \frac{d}{x^2}} dx \right)$$

↓ 218

$$\frac{1}{2} \left(- \int \frac{\log(-a - bx + 1)}{c + \frac{d}{x^2}} dx + \int \frac{\log(a + bx)}{c + \frac{d}{x^2}} dx + \left(\log(-a - bx + 1) - \log\left(-\frac{-a - bx + 1}{a + bx}\right) - \log(a + bx) \right) \left(\frac{x}{c} - \frac{d \int \frac{1}{cx^2 + d} dx}{c} \right) \right) \\ \frac{1}{2} \left(- \int \frac{\log(a + bx)}{c + \frac{d}{x^2}} dx + \int \frac{\log(a + bx + 1)}{c + \frac{d}{x^2}} dx + \left(\log(a + bx) - \log(a + bx + 1) + \log\left(\frac{a + bx + 1}{a + bx}\right) \right) \left(\frac{x}{c} - \frac{d \int \frac{1}{cx^2 + d} dx}{c} \right) \right)$$

↓ 2856

$$\frac{1}{2} \left(- \int \left(\frac{\log(-a - bx + 1)}{c} - \frac{d \log(-a - bx + 1)}{c(cx^2 + d)} \right) dx + \int \left(\frac{\log(a + bx)}{c} - \frac{d \log(a + bx)}{c(cx^2 + d)} \right) dx + \left(\log(-a - bx + 1) - \log\left(-\frac{-a - bx + 1}{a + bx}\right) - \log(a + bx) \right) \left(\frac{x}{c} - \frac{d \int \frac{1}{cx^2 + d} dx}{c} \right) \right) \\ \frac{1}{2} \left(- \int \left(\frac{\log(a + bx)}{c} - \frac{d \log(a + bx)}{c(cx^2 + d)} \right) dx + \int \left(\frac{\log(a + bx + 1)}{c} - \frac{d \log(a + bx + 1)}{c(cx^2 + d)} \right) dx + \left(\log(a + bx) - \log(a + bx + 1) + \log\left(\frac{a + bx + 1}{a + bx}\right) \right) \left(\frac{x}{c} - \frac{d \int \frac{1}{cx^2 + d} dx}{c} \right) \right)$$

↓ 2009

$$\frac{1}{2} \left(\frac{(-a - bx + 1) \log(-a - bx + 1)}{bc} + \frac{\sqrt{d} \log \left(-\frac{b(\sqrt{d} - \sqrt{-cx})}{(1-a)\sqrt{-c} - b\sqrt{d}} \right) \log(-a - bx + 1)}{2(-c)^{3/2}} - \frac{\sqrt{d} \log \left(\frac{b(\sqrt{-cx} + \sqrt{d})}{\sqrt{-c}(1-a) + b\sqrt{d}} \right) \log(-a - bx + 1)}{2(-c)^{3/2}} \right) \\ - \frac{1}{2} \left(\frac{(a + bx) \log(a + bx)}{bc} + \frac{\sqrt{d} \log \left(\frac{b(\sqrt{d} - \sqrt{-cx})}{\sqrt{-c}a + b\sqrt{d}} \right) \log(a + bx)}{2(-c)^{3/2}} - \frac{\sqrt{d} \log \left(-\frac{b(\sqrt{-cx} + \sqrt{d})}{a\sqrt{-c} - b\sqrt{d}} \right) \log(a + bx)}{2(-c)^{3/2}} + \frac{(a + bx) \log(a + bx)}{bc} \right)$$

input `Int[ArcCoth[a + b*x]/(c + d/x^2),x]`

output

```
((((1 - a - b*x)*Log[1 - a - b*x])/(b*c) + (x/c - (Sqrt[d]*ArcTan[(Sqrt[c]*x)/Sqrt[d]])/c^(3/2))*
(Log[1 - a - b*x] - Log[-((1 - a - b*x)/(a + b*x))] - Log[a + b*x]) + ((a + b*x)*Log[a + b*x])/(b*c) + (Sqrt[d]*Log[1 - a - b*x]*Log[-((b*(Sqrt[d] - Sqrt[-c]*x))/((1 - a)*Sqrt[-c] - b*Sqrt[d]))]/(2*(-c)^(3/2)) - (Sqrt[d]*Log[a + b*x]*Log[(b*(Sqrt[d] - Sqrt[-c]*x))/(a*Sqrt[-c] + b*Sqrt[d])])/(2*(-c)^(3/2)) + (Sqrt[d]*Log[a + b*x]*Log[-((b*(Sqrt[d] + Sqrt[-c]*x))/((1 - a)*Sqrt[-c] + b*Sqrt[d]))]/(2*(-c)^(3/2)) + (Sqrt[d]*PolyLog[2, (Sqrt[-c]*(1 - a - b*x))/(Sqrt[-c] - a*Sqrt[-c] - b*Sqrt[d])])/(2*(-c)^(3/2)) - (Sqrt[d]*PolyLog[2, (Sqrt[-c]*(1 - a - b*x))/((1 - a)*Sqrt[-c] + b*Sqrt[d])])/(2*(-c)^(3/2)) + (Sqrt[d]*PolyLog[2, (Sqrt[-c]*(a + b*x))/(a*Sqrt[-c] - b*Sqrt[d])])/(2*(-c)^(3/2)) - (Sqrt[d]*PolyLog[2, (Sqrt[-c]*(a + b*x))/(a*Sqrt[-c] + b*Sqrt[d])])/(2*(-c)^(3/2)))/2 + (-(((a + b*x)*Log[a + b*x])/(b*c)) + ((1 + a + b*x)*Log[1 + a + b*x])/(b*c) + (x/c - (Sqrt[d]*ArcTan[(Sqrt[c]*x)/Sqrt[d]])/c^(3/2))*(Log[a + b*x] - Log[1 + a + b*x] + Log[(1 + a + b*x)/(a + b*x])) + (Sqrt[d]*Log[a + b*x]*Log[(b*(Sqrt[d] - Sqrt[-c]*x))/(a*Sqrt[-c] + b*Sqrt[d])])/(2*(-c)^(3/2)) - (Sqrt[d]*Log[1 + a + b*x]*Log[(b*(Sqrt[d] - Sqrt[-c]*x))/((1 + a)*Sqrt[-c] + b*Sqrt[d])])/(2*(-c)^(3/2)) - (Sqrt[d]*Log[a + b*x]*Log[-((b*(Sqrt[d] + Sqrt[-c]*x))/(a*Sqrt[-c] - b*Sqrt[d]))]/(2*(-c)^(3/2)))
```

Definitions of rubi rules used

rule 218 $\text{Int}[(a_+) + (b_+)(x_+)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]/a) * \text{ArcTan}[x/\text{Rt}[a/b, 2]], x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b]$

rule 262 $\text{Int}[(c_+)(x_+)^m * (a_+ + (b_+)(x_+)^2)^p, x_Symbol] \rightarrow \text{Simp}[c * (c * x)^{m-1} * (a + b * x^2)^{p+1} / (b * (m + 2 * p + 1)), x] - \text{Simp}[a * c^2 * (m - 1) / (b * (m + 2 * p + 1)) \ \text{Int}[(c * x)^{m-2} * (a + b * x^2)^p, x], x] /; \text{FreeQ}\{a, b, c, p\}, x \ \&\& \ \text{GtQ}[m, 2 - 1] \ \&\& \ \text{NeQ}[m + 2 * p + 1, 0] \ \&\& \ \text{IntBinomialQ}[a, b, c, 2, m, p, x]$

rule 772 $\text{Int}[(a_+) + (b_+)(x_+)^{n_+})^p, x_Symbol] \rightarrow \text{Int}[x^{n * p} * (b + a / x^n)^p, x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{ILtQ}[n, 0] \ \&\& \ \text{IntegerQ}[p]$

rule 2009 $\text{Int}[u_+, x_Symbol] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] /; \text{SumQ}[u]$

rule 2856 $\text{Int}[(a_+ + \text{Log}[(c_+) * (d_+) + (e_+)(x_+)^{n_+}] * (b_+))^{p_+} * ((f_+) + (g_+)(x_+)^{r_+})^{q_+}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b * \text{Log}[c * (d + e * x^n)])^p, (f + g * x^r)^q, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, n, r\}, x \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ \text{IntegerQ}[q] \ \&\& \ (\text{GtQ}[q, 0] \ || \ (\text{IntegerQ}[r] \ \&\& \ \text{NeQ}[r, 1]))$

rule 2993 $\text{Int}[\text{Log}[(e_+) * ((f_+) * (a_+) + (b_+)(x_+)^p) * ((c_+) + (d_+)(x_+)^q)]^{r_+} * (\text{RFX}_+), x_Symbol] \rightarrow \text{Simp}[p * r \ \text{Int}[\text{RFX} * \text{Log}[a + b * x], x], x] + (\text{Simp}[q * r \ \text{Int}[\text{RFX} * \text{Log}[c + d * x], x], x] - \text{Simp}[(p * r * \text{Log}[a + b * x] + q * r * \text{Log}[c + d * x] - \text{Log}[e * (f * (a + b * x)^p * (c + d * x)^q)^r]) \ \text{Int}[\text{RFX}, x], x]) /; \text{FreeQ}\{a, b, c, d, e, f, p, q, r\}, x \ \&\& \ \text{RationalFunctionQ}[\text{RFX}, x] \ \&\& \ \text{NeQ}[b * c - a * d, 0] \ \&\& \ !\text{MatchQ}[\text{RFX}, (u_+) * (a + b * x)^m * (c + d * x)^n] /; \text{IntegersQ}[m, n]$

rule 6666 $\text{Int}[\text{ArcCoth}[(c_+) + (d_+)(x_+)] / ((e_+) + (f_+)(x_+)^{n_+}), x_Symbol] \rightarrow \text{Simp}[1/2 \ \text{Int}[\text{Log}[(1 + c + d * x) / (c + d * x)] / (e + f * x^n), x], x] - \text{Simp}[1/2 \ \text{Int}[\text{Log}[(-1 + c + d * x) / (c + d * x)] / (e + f * x^n), x], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{RationalQ}[n]$

Maple [A] (verified)

Time = 1.81 (sec) , antiderivative size = 554, normalized size of antiderivative = 0.75

method	result
risch	$\frac{\ln(bx+a+1)x}{2c} + \frac{\ln(bx+a+1)a}{2bc} + \frac{\ln(bx+a+1)}{2bc} - \frac{1}{bc} - \frac{d \ln(bx+a+1) \ln\left(\frac{b\sqrt{-cd}-c(bx+a+1)+ac+c}{b\sqrt{-cd}+ac+c}\right)}{4c\sqrt{-cd}} + \frac{d \ln(bx+a+1)}{4c\sqrt{-cd}}$
derivativdivides	Expression too large to display
default	Expression too large to display

input `int(arccoth(b*x+a)/(c+d/x^2),x,method=_RETURNVERBOSE)`

output $\frac{1}{2} \frac{c \ln(bx+a+1) x + 1}{2} \frac{b}{c} \ln(bx+a+1) a + \frac{1}{2} \frac{b}{c} \ln(bx+a+1) / b - \frac{1}{c} - \frac{1}{4} \frac{d}{c} \frac{c \ln(bx+a+1)}{(-cd)^{1/2}} \ln\left(\frac{b(-cd)^{1/2} - c(bx+a+1) + ac+c}{b(-cd)^{1/2} + ac+c}\right) + \frac{1}{4} \frac{d}{c} \frac{c \ln(bx+a+1)}{(-cd)^{1/2}} \ln\left(\frac{b(-cd)^{1/2} + c(bx+a+1) - ac-c}{b(-cd)^{1/2} - ac-c}\right) - \frac{1}{4} \frac{d}{c} \frac{1}{(-cd)^{1/2}} \operatorname{dilog}\left(\frac{b(-cd)^{1/2} - c(bx+a+1) + ac+c}{b(-cd)^{1/2} + ac+c}\right) + \frac{1}{4} \frac{d}{c} \frac{1}{(-cd)^{1/2}} \operatorname{dilog}\left(\frac{b(-cd)^{1/2} + c(bx+a+1) - ac-c}{b(-cd)^{1/2} - ac-c}\right) - \frac{1}{2} \frac{c \ln(bx+a-1) x - 1}{2} \frac{b}{c} \ln(bx+a-1) a + \frac{1}{2} \frac{b}{c} \ln(bx+a-1) + \frac{1}{4} \frac{d}{c} \frac{c \ln(bx+a-1)}{(-cd)^{1/2}} \ln\left(\frac{b(-cd)^{1/2} - c(bx+a-1) + ac-c}{b(-cd)^{1/2} + ac-c}\right) - \frac{1}{4} \frac{d}{c} \frac{c \ln(bx+a-1)}{(-cd)^{1/2}} \ln\left(\frac{b(-cd)^{1/2} + c(bx+a-1) - ac+c}{b(-cd)^{1/2} - ac+c}\right) + \frac{1}{4} \frac{d}{c} \frac{1}{(-cd)^{1/2}} \operatorname{dilog}\left(\frac{b(-cd)^{1/2} - c(bx+a-1) + ac-c}{b(-cd)^{1/2} + ac-c}\right) - \frac{1}{4} \frac{d}{c} \frac{1}{(-cd)^{1/2}} \operatorname{dilog}\left(\frac{b(-cd)^{1/2} + c(bx+a-1) - ac+c}{b(-cd)^{1/2} - ac+c}\right)$

Fricas [F]

$$\int \frac{\coth^{-1}(a + bx)}{c + \frac{d}{x^2}} dx = \int \frac{\operatorname{arccoth}\left(\frac{bx+a}{c + \frac{d}{x^2}}\right)}{c + \frac{d}{x^2}} dx$$

input `integrate(arccoth(b*x+a)/(c+d/x^2),x, algorithm="fricas")`

output `integral(x^2*arccoth(b*x + a)/(c*x^2 + d), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\coth^{-1}(a + bx)}{c + \frac{d}{x^2}} dx = \text{Timed out}$$

input `integrate(acoath(b*x+a)/(c+d/x**2),x)`

output `Timed out`

Maxima [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.20 (sec) , antiderivative size = 651, normalized size of antiderivative = 0.88

$$\int \frac{\coth^{-1}(a + bx)}{c + \frac{d}{x^2}} dx = \text{Too large to display}$$

input `integrate(arccoath(b*x+a)/(c+d/x^2),x, algorithm="maxima")`

output

```

-(d*arctan(c*x/sqrt(c*d))/(sqrt(c*d)*c) - x/c)*arccoth(b*x + a) + 1/4*(2*(
a + 1)*c*log(b*x + a + 1) - 2*(a - 1)*c*log(b*x + a - 1) + (b*arctan(sqrt(
c)*x/sqrt(d))*log((b^2*c*x^2 + 2*(a + 1)*b*c*x + (a^2 + 2*a + 1)*c)/(b^2*d
+ (a^2 + 2*a + 1)*c)) - b*arctan(sqrt(c)*x/sqrt(d))*log((b^2*c*x^2 + 2*(a
- 1)*b*c*x + (a^2 - 2*a + 1)*c)/(b^2*d + (a^2 - 2*a + 1)*c)) + I*b*dilog(
((a - 1)*b*c*x + b^2*d + (I*b^2*x + (-I*a + I)*b)*sqrt(c)*sqrt(d))/(2*(-I*
a + I)*b*sqrt(c)*sqrt(d) + b^2*d - (a^2 - 2*a + 1)*c)) - I*b*dilog(-((a -
1)*b*c*x + b^2*d - (I*b^2*x + (-I*a + I)*b)*sqrt(c)*sqrt(d))/(2*(-I*a + I)
*b*sqrt(c)*sqrt(d) - b^2*d + (a^2 - 2*a + 1)*c)) - I*b*dilog(((a + 1)*b*c*
x + b^2*d + (I*b^2*x + (-I*a - I)*b)*sqrt(c)*sqrt(d))/(2*(-I*a - I)*b*sqrt
(c)*sqrt(d) + b^2*d - (a^2 + 2*a + 1)*c)) + I*b*dilog(-((a + 1)*b*c*x + b^
2*d - (I*b^2*x + (-I*a - I)*b)*sqrt(c)*sqrt(d))/(2*(-I*a - I)*b*sqrt(c)*sq
rt(d) - b^2*d + (a^2 + 2*a + 1)*c)) - (b*arctan2((b^2*x + (a + 1)*b)*sqrt(
c)*sqrt(d)/(b^2*d + (a^2 + 2*a + 1)*c), ((a + 1)*b*c*x + (a^2 + 2*a + 1)*c
)/(b^2*d + (a^2 + 2*a + 1)*c)) - b*arctan2((b^2*x + (a - 1)*b)*sqrt(c)*sq
rt(d)/(b^2*d + (a^2 - 2*a + 1)*c), ((a - 1)*b*c*x + (a^2 - 2*a + 1)*c)/(b^2
*d + (a^2 - 2*a + 1)*c))) * log(c*x^2 + d) * sqrt(c) * sqrt(d) / (b*c^2)

```

Giac [F]

$$\int \frac{\coth^{-1}(a + bx)}{c + \frac{d}{x^2}} dx = \int \frac{\operatorname{arccoth}(bx + a)}{c + \frac{d}{x^2}} dx$$

input

```
integrate(arccoth(b*x+a)/(c+d/x^2),x, algorithm="giac")
```

output

```
integrate(arccoth(b*x + a)/(c + d/x^2), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\coth^{-1}(a + bx)}{c + \frac{d}{x^2}} dx = \int \frac{\operatorname{acoth}(a + bx)}{c + \frac{d}{x^2}} dx$$

input

```
int(acoth(a + b*x)/(c + d/x^2),x)
```

output `int(acoth(a + b*x)/(c + d/x^2), x)`

Reduce [F]

$$\int \frac{\coth^{-1}(a + bx)}{c + \frac{d}{x^2}} dx = \int \frac{\operatorname{acoth}(bx + a) x^2}{c x^2 + d} dx$$

input `int(acoth(b*x+a)/(c+d/x^2),x)`

output `int((acoth(a + b*x)*x**2)/(c*x**2 + d),x)`

3.46 $\int \frac{\coth^{-1}(a+bx)}{c+d\sqrt{x}} dx$

Optimal result	393
Mathematica [A] (verified)	394
Rubi [A] (verified)	394
Maple [A] (verified)	397
Fricas [F]	398
Sympy [F(-1)]	398
Maxima [F]	398
Giac [F]	399
Mupad [F(-1)]	399
Reduce [F]	399

Optimal result

Integrand size = 18, antiderivative size = 619

$$\int \frac{\coth^{-1}(a + bx)}{c + d\sqrt{x}} dx = \frac{2\sqrt{1+a} \arctan\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{1+a}}\right)}{\sqrt{bd}} - \frac{2\sqrt{1-a} \operatorname{arctanh}\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{1-a}}\right)}{\sqrt{bd}}$$

$$+ \frac{c \log\left(\frac{d(\sqrt{1-a}-\sqrt{b}\sqrt{x})}{\sqrt{bc}+\sqrt{1-ad}}\right) \log(c + d\sqrt{x})}{d^2}$$

$$- \frac{c \log\left(\frac{d(\sqrt{1-a}+\sqrt{b}\sqrt{x})}{\sqrt{bc}+\sqrt{1-ad}}\right) \log(c + d\sqrt{x})}{d^2}$$

$$+ \frac{c \log\left(-\frac{d(\sqrt{1-a}+\sqrt{b}\sqrt{x})}{\sqrt{bc}-\sqrt{1-ad}}\right) \log(c + d\sqrt{x})}{d^2}$$

$$- \frac{c \log\left(-\frac{d(\sqrt{1-a}-\sqrt{b}\sqrt{x})}{\sqrt{bc}-\sqrt{1-ad}}\right) \log(c + d\sqrt{x})}{d^2}$$

$$- \frac{\sqrt{x} \log\left(-\frac{1-a-bx}{a+bx}\right)}{d} + \frac{c \log(c + d\sqrt{x}) \log\left(-\frac{1-a-bx}{a+bx}\right)}{d^2}$$

$$+ \frac{\sqrt{x} \log\left(\frac{1+a+bx}{a+bx}\right)}{d} - \frac{c \log(c + d\sqrt{x}) \log\left(\frac{1+a+bx}{a+bx}\right)}{d^2}$$

$$+ \frac{c \operatorname{PolyLog}\left(2, \frac{\sqrt{b}(c+d\sqrt{x})}{\sqrt{bc}-\sqrt{1-ad}}\right)}{d^2} + \frac{c \operatorname{PolyLog}\left(2, \frac{\sqrt{b}(c+d\sqrt{x})}{\sqrt{bc}+\sqrt{1-ad}}\right)}{d^2}$$

$$- \frac{c \operatorname{PolyLog}\left(2, \frac{\sqrt{b}(c+d\sqrt{x})}{\sqrt{bc}-\sqrt{1-ad}}\right)}{d^2} - \frac{c \operatorname{PolyLog}\left(2, \frac{\sqrt{b}(c+d\sqrt{x})}{\sqrt{bc}+\sqrt{1-ad}}\right)}{d^2}$$

output

```
2*(1+a)^(1/2)*arctan(b^(1/2)*x^(1/2)/(1+a)^(1/2))/b^(1/2)/d-2*(1-a)^(1/2)*
arctanh(b^(1/2)*x^(1/2)/(1-a)^(1/2))/b^(1/2)/d+c*ln(d*((-1-a)^(1/2)-b^(1/2)
)*x^(1/2))/(b^(1/2)*c+(-1-a)^(1/2)*d)*ln(c+d*x^(1/2))/d^2-c*ln(d*((1-a)^(
1/2)-b^(1/2)*x^(1/2))/(b^(1/2)*c+(1-a)^(1/2)*d))*ln(c+d*x^(1/2))/d^2+c*ln(
-d*((-1-a)^(1/2)+b^(1/2)*x^(1/2))/(b^(1/2)*c-(-1-a)^(1/2)*d))*ln(c+d*x^(1/
2))/d^2-c*ln(-d*((1-a)^(1/2)+b^(1/2)*x^(1/2))/(b^(1/2)*c-(1-a)^(1/2)*d))*l
n(c+d*x^(1/2))/d^2-x^(1/2)*ln(-(-b*x-a+1)/(b*x+a))/d+c*ln(c+d*x^(1/2))*ln(
-(-b*x-a+1)/(b*x+a))/d^2+x^(1/2)*ln((b*x+a+1)/(b*x+a))/d-c*ln(c+d*x^(1/2))
*ln((b*x+a+1)/(b*x+a))/d^2+c*polylog(2,b^(1/2)*(c+d*x^(1/2))/(b^(1/2)*c-(-
1-a)^(1/2)*d))/d^2+c*polylog(2,b^(1/2)*(c+d*x^(1/2))/(b^(1/2)*c+(-1-a)^(1/
2)*d))/d^2-c*polylog(2,b^(1/2)*(c+d*x^(1/2))/(b^(1/2)*c-(1-a)^(1/2)*d))/d^
2-c*polylog(2,b^(1/2)*(c+d*x^(1/2))/(b^(1/2)*c+(1-a)^(1/2)*d))/d^2
```

Mathematica [A] (verified)

Time = 0.43 (sec) , antiderivative size = 575, normalized size of antiderivative = 0.93

$$\int \frac{\coth^{-1}(a + bx)}{c + d\sqrt{x}} dx = \frac{2\sqrt{1+ad}\arctan\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{1+a}}\right)}{\sqrt{b}} - \frac{2\sqrt{1-ad}\operatorname{arctanh}\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{1-a}}\right)}{\sqrt{b}} + c \log\left(\frac{d(\sqrt{-1-a}-\sqrt{b}\sqrt{x})}{\sqrt{bc}+\sqrt{-1-ad}}\right) \log(c + d\sqrt{x}) - c \log\left(\frac{d(\sqrt{1-a}-\sqrt{b}\sqrt{x})}{\sqrt{bc}+\sqrt{1-a}}\right)$$

input

```
Integrate[ArcCoth[a + b*x]/(c + d*Sqrt[x]),x]
```

output

```
((2*Sqrt[1 + a]*d*ArcTan[(Sqrt[b]*Sqrt[x])/Sqrt[1 + a]])/Sqrt[b] - (2*Sqrt[1 - a]*d*ArcTanh[(Sqrt[b]*Sqrt[x])/Sqrt[1 - a]])/Sqrt[b] + c*Log[(d*(Sqrt[-1 - a] - Sqrt[b]*Sqrt[x]))/(Sqrt[b]*c + Sqrt[-1 - a]*d)]*Log[c + d*Sqrt[x]] - c*Log[(d*(Sqrt[1 - a] - Sqrt[b]*Sqrt[x]))/(Sqrt[b]*c + Sqrt[1 - a]*d)]*Log[c + d*Sqrt[x]] + c*Log[(d*(Sqrt[-1 - a] + Sqrt[b]*Sqrt[x]))/(-(Sqrt[b]*c) + Sqrt[-1 - a]*d)]*Log[c + d*Sqrt[x]] - c*Log[(d*(Sqrt[1 - a] + Sqrt[b]*Sqrt[x]))/(-(Sqrt[b]*c) + Sqrt[1 - a]*d)]*Log[c + d*Sqrt[x]] - d*Sqrt[x]*Log[(-1 + a + b*x)/(a + b*x)] + c*Log[c + d*Sqrt[x]]*Log[(-1 + a + b*x)/(a + b*x)] + d*Sqrt[x]*Log[(1 + a + b*x)/(a + b*x)] - c*Log[c + d*Sqrt[x]]*Log[(1 + a + b*x)/(a + b*x)] + c*PolyLog[2, (Sqrt[b]*(c + d*Sqrt[x]))/(Sqrt[b]*c - Sqrt[-1 - a]*d)] + c*PolyLog[2, (Sqrt[b]*(c + d*Sqrt[x]))/(Sqrt[b]*c + Sqrt[-1 - a]*d)] - c*PolyLog[2, (Sqrt[b]*(c + d*Sqrt[x]))/(Sqrt[b]*c - Sqrt[1 - a]*d)] - c*PolyLog[2, (Sqrt[b]*(c + d*Sqrt[x]))/(Sqrt[b]*c + Sqrt[1 - a]*d)]/d^2
```

Rubi [A] (verified)

Time = 2.28 (sec) , antiderivative size = 619, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {6666, 7267, 3008, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
& \int \frac{\coth^{-1}(a+bx)}{c+d\sqrt{x}} dx \\
& \quad \downarrow \text{6666} \\
& \frac{1}{2} \int \frac{\log\left(\frac{a+bx+1}{a+bx}\right)}{c+d\sqrt{x}} dx - \frac{1}{2} \int \frac{\log\left(-\frac{-a-bx+1}{a+bx}\right)}{c+d\sqrt{x}} dx \\
& \quad \downarrow \text{7267} \\
& \int \frac{\sqrt{x} \log\left(\frac{a+bx+1}{a+bx}\right)}{c+d\sqrt{x}} d\sqrt{x} - \int \frac{\sqrt{x} \log\left(-\frac{-a-bx+1}{a+bx}\right)}{c+d\sqrt{x}} d\sqrt{x} \\
& \quad \downarrow \text{3008} \\
& \int \left(\frac{\log\left(\frac{a+bx+1}{a+bx}\right)}{d} - \frac{c \log\left(\frac{a+bx+1}{a+bx}\right)}{d(c+d\sqrt{x})} \right) d\sqrt{x} - \\
& \int \left(\frac{\log\left(-\frac{-a-bx+1}{a+bx}\right)}{d} - \frac{c \log\left(-\frac{-a-bx+1}{a+bx}\right)}{d(c+d\sqrt{x})} \right) d\sqrt{x} \\
& \quad \downarrow \text{2009} \\
& \frac{2\sqrt{a+1} \arctan\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{a+1}}\right)}{\sqrt{bd}} - \frac{2\sqrt{1-a} \operatorname{arctanh}\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{1-a}}\right)}{\sqrt{bd}} + \frac{c \operatorname{PolyLog}\left(2, \frac{\sqrt{b}(c+d\sqrt{x})}{\sqrt{bc}-\sqrt{-a-1}d}\right)}{d^2} + \\
& \frac{c \operatorname{PolyLog}\left(2, \frac{\sqrt{b}(c+d\sqrt{x})}{\sqrt{bc}+\sqrt{-a-1}d}\right)}{d^2} - \frac{c \operatorname{PolyLog}\left(2, \frac{\sqrt{b}(c+d\sqrt{x})}{\sqrt{bc}-\sqrt{1-ad}}\right)}{d^2} - \frac{c \operatorname{PolyLog}\left(2, \frac{\sqrt{b}(c+d\sqrt{x})}{\sqrt{bc}+\sqrt{1-ad}}\right)}{d^2} + \\
& \frac{c \log(c+d\sqrt{x}) \log\left(\frac{d(\sqrt{-a-1}-\sqrt{b}\sqrt{x})}{\sqrt{-a-1}d+\sqrt{bc}}\right)}{d^2} - \frac{c \log(c+d\sqrt{x}) \log\left(\frac{d(\sqrt{1-a}-\sqrt{b}\sqrt{x})}{\sqrt{1-ad}+\sqrt{bc}}\right)}{d^2} + \\
& \frac{c \log(c+d\sqrt{x}) \log\left(-\frac{d(\sqrt{-a-1}+\sqrt{b}\sqrt{x})}{\sqrt{bc}-\sqrt{-a-1}d}\right)}{d^2} - \frac{c \log(c+d\sqrt{x}) \log\left(-\frac{d(\sqrt{1-a}+\sqrt{b}\sqrt{x})}{\sqrt{bc}-\sqrt{1-ad}}\right)}{d^2} + \\
& \frac{c \log\left(-\frac{-a-bx+1}{a+bx}\right) \log(c+d\sqrt{x})}{d^2} - \frac{c \log\left(\frac{a+bx+1}{a+bx}\right) \log(c+d\sqrt{x})}{d^2} - \frac{\sqrt{x} \log\left(-\frac{-a-bx+1}{a+bx}\right)}{d} + \\
& \frac{\sqrt{x} \log\left(\frac{a+bx+1}{a+bx}\right)}{d}
\end{aligned}$$

input

```
Int[ArcCoth[a + b*x]/(c + d*Sqrt[x]), x]
```

output

$$\begin{aligned} & (2\sqrt{1+a}\operatorname{ArcTan}[\sqrt{b}\sqrt{x}]/\sqrt{1+a}]/(\sqrt{b}d) - (2\sqrt{1-a}\operatorname{ArcTanh}[\sqrt{b}\sqrt{x}]/\sqrt{1-a}]/(\sqrt{b}d) + (c\operatorname{Log}[(d(\sqrt{-1-a} - \sqrt{b}\sqrt{x}))/(\sqrt{b}c + \sqrt{-1-a}d)]\operatorname{Log}[c + d\sqrt{x}])/d^2 - (c\operatorname{Log}[(d(\sqrt{1-a} - \sqrt{b}\sqrt{x}))/(\sqrt{b}c + \sqrt{1-a}d)]\operatorname{Log}[c + d\sqrt{x}])/d^2 + (c\operatorname{Log}[-(d(\sqrt{-1-a} + \sqrt{b}\sqrt{x}))/(\sqrt{b}c - \sqrt{-1-a}d)]\operatorname{Log}[c + d\sqrt{x}])/d^2 - (c\operatorname{Log}[-(d(\sqrt{1-a} + \sqrt{b}\sqrt{x}))/(\sqrt{b}c - \sqrt{1-a}d)]\operatorname{Log}[c + d\sqrt{x}])/d^2 - (\sqrt{x}\operatorname{Log}[-((1-a-bx)/(a+bx))])/d + (c\operatorname{Log}[c + d\sqrt{x}]\operatorname{Log}[-((1-a-bx)/(a+bx))])/d^2 + (\sqrt{x}\operatorname{Log}[(1+a+bx)/(a+bx)])/d - (c\operatorname{Log}[c + d\sqrt{x}]\operatorname{Log}[(1+a+bx)/(a+bx)])/d^2 + (c\operatorname{PolyLog}[2, (\sqrt{b}(c + d\sqrt{x}))/(\sqrt{b}c - \sqrt{-1-a}d)])/d^2 + (c\operatorname{PolyLog}[2, (\sqrt{b}(c + d\sqrt{x}))/(\sqrt{b}c + \sqrt{-1-a}d)])/d^2 - (c\operatorname{PolyLog}[2, (\sqrt{b}(c + d\sqrt{x}))/(\sqrt{b}c - \sqrt{1-a}d)])/d^2 - (c\operatorname{PolyLog}[2, (\sqrt{b}(c + d\sqrt{x}))/(\sqrt{b}c + \sqrt{1-a}d)])/d^2 \end{aligned}$$
Defintions of rubi rules used

rule 2009

$$\operatorname{Int}[u_, x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{IntSum}[u, x], x] \;/; \operatorname{SumQ}[u]$$

rule 3008

$$\operatorname{Int}[(a_.) + \operatorname{Log}[(c_.)(\operatorname{RFx}_.)^{(p_.)}](b_.)^{(n_.)}(\operatorname{RGx}_.), x_Symbol] \rightarrow \operatorname{With}[\{u = \operatorname{ExpandIntegrand}[(a + b\operatorname{Log}[c\operatorname{RFx}^p])^n, \operatorname{RGx}, x]\}, \operatorname{Int}[u, x] \;/; \operatorname{SumQ}[u]] \;/; \operatorname{FreeQ}\{a, b, c, p\}, x] \ \&\& \operatorname{RationalFunctionQ}[\operatorname{RFx}, x] \ \&\& \operatorname{RationalFunctionQ}[\operatorname{RGx}, x] \ \&\& \operatorname{IGtQ}[n, 0]$$

rule 6666

$$\operatorname{Int}[\operatorname{ArcCoth}[(c_) + (d_)(x_)]/((e_) + (f_)(x_)^{(n_.)}), x_Symbol] \rightarrow \operatorname{Simp}[1/2 \operatorname{Int}[\operatorname{Log}[(1 + c + d*x)/(c + d*x)]/(e + f*x^n), x], x] - \operatorname{Simp}[1/2 \operatorname{Int}[\operatorname{Log}[(-1 + c + d*x)/(c + d*x)]/(e + f*x^n), x], x] \;/; \operatorname{FreeQ}\{c, d, e, f\}, x] \ \&\& \operatorname{RationalQ}[n]$$

rule 7267

$$\operatorname{Int}[u_, x_Symbol] \rightarrow \operatorname{With}[\{lst = \operatorname{SubstForFractionalPowerOfLinear}[u, x]\}, \operatorname{Simp}[lst[[2]]*lst[[4]] \operatorname{Subst}[\operatorname{Int}[lst[[1]], x], x, lst[[3]]^{(1/lst[[2]])}], x] \;/; \operatorname{!FalseQ}[lst] \ \&\& \operatorname{SubstForFractionalPowerQ}[u, lst[[3]], x]$$

Maple [A] (verified)

Time = 0.42 (sec) , antiderivative size = 646, normalized size of antiderivative = 1.04

method	result
derivativedivides	$\frac{2 \operatorname{arccoth}(bx+a)\sqrt{x}}{d} - \frac{2 \operatorname{arccoth}(bx+a)c \ln(c+d\sqrt{x})}{d^2} + \frac{4b}{d^2} \left(\frac{(1+a) \arctan\left(\frac{-2cb+2b(c+d\sqrt{x})}{2\sqrt{ab}d^2+b d^2}\right)}{2b\sqrt{ab}d^2+b d^2} + \frac{(1-a) \arctan\left(\frac{-2cb+2b(c+d\sqrt{x})}{2\sqrt{ab}d^2+b d^2}\right)}{2b\sqrt{ab}d^2+b d^2} \right)$
default	$\frac{2 \operatorname{arccoth}(bx+a)\sqrt{x}}{d} - \frac{2 \operatorname{arccoth}(bx+a)c \ln(c+d\sqrt{x})}{d^2} + \frac{4b}{d^2} \left(\frac{(1+a) \arctan\left(\frac{-2cb+2b(c+d\sqrt{x})}{2\sqrt{ab}d^2+b d^2}\right)}{2b\sqrt{ab}d^2+b d^2} + \frac{(1-a) \arctan\left(\frac{-2cb+2b(c+d\sqrt{x})}{2\sqrt{ab}d^2+b d^2}\right)}{2b\sqrt{ab}d^2+b d^2} \right)$

input `int(arccoth(b*x+a)/(c+d*x^(1/2)),x,method=_RETURNVERBOSE)`

output

```

2*arccoth(b*x+a)/d*x^(1/2)-2*arccoth(b*x+a)*c/d^2*ln(c+d*x^(1/2))+4*b/d^2*
(d^2*(1/2*(1+a)/b/(a*b*d^2+b*d^2)^(1/2)*arctan(1/2*(-2*c*b+2*b*(c+d*x^(1/2)
)))/(a*b*d^2+b*d^2)^(1/2))+1/2*(1-a)/b/(a*b*d^2-b*d^2)^(1/2)*arctan(1/2*(-
2*c*b+2*b*(c+d*x^(1/2)))/(a*b*d^2-b*d^2)^(1/2))+c*d^2*(1/2/d^2*(1/2*ln(c+
d*x^(1/2))*(ln((c*b-b*(c+d*x^(1/2))+(-a*b*d^2-b*d^2)^(1/2))/(c*b+(-a*b*d^2
-b*d^2)^(1/2)))+ln((-c*b+b*(c+d*x^(1/2))+(-a*b*d^2-b*d^2)^(1/2))/(-c*b+(-a
*b*d^2-b*d^2)^(1/2))))/b+1/2*(dilog((c*b-b*(c+d*x^(1/2))+(-a*b*d^2-b*d^2)^(
1/2))/(c*b+(-a*b*d^2-b*d^2)^(1/2))+dilog((-c*b+b*(c+d*x^(1/2))+(-a*b*d^2
-b*d^2)^(1/2))/(-c*b+(-a*b*d^2-b*d^2)^(1/2))))/b)+1/2/d^2*(-1/2*ln(c+d*x^(
1/2))*(ln((c*b-b*(c+d*x^(1/2))+(-a*b*d^2+b*d^2)^(1/2))/(c*b+(-a*b*d^2+b*d^
2)^(1/2)))+ln((-c*b+b*(c+d*x^(1/2))+(-a*b*d^2+b*d^2)^(1/2))/(-c*b+(-a*b*d^
2+b*d^2)^(1/2))))/b-1/2*(dilog((c*b-b*(c+d*x^(1/2))+(-a*b*d^2+b*d^2)^(1/2)
)/(c*b+(-a*b*d^2+b*d^2)^(1/2))+dilog((-c*b+b*(c+d*x^(1/2))+(-a*b*d^2+b*d^
2)^(1/2))/(-c*b+(-a*b*d^2+b*d^2)^(1/2))))/b)))

```

Fricas [F]

$$\int \frac{\coth^{-1}(a + bx)}{c + d\sqrt{x}} dx = \int \frac{\operatorname{arccoth}(bx + a)}{d\sqrt{x} + c} dx$$

input `integrate(arccoth(b*x+a)/(c+d*x^(1/2)),x, algorithm="fricas")`

output `integral((d*sqrt(x)*arccoth(b*x + a) - c*arccoth(b*x + a))/(d^2*x - c^2), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\coth^{-1}(a + bx)}{c + d\sqrt{x}} dx = \text{Timed out}$$

input `integrate(acoth(b*x+a)/(c+d*x**(1/2)),x)`

output `Timed out`

Maxima [F]

$$\int \frac{\coth^{-1}(a + bx)}{c + d\sqrt{x}} dx = \int \frac{\operatorname{arccoth}(bx + a)}{d\sqrt{x} + c} dx$$

input `integrate(arccoth(b*x+a)/(c+d*x^(1/2)),x, algorithm="maxima")`

output `integrate(arccoth(b*x + a)/(d*sqrt(x) + c), x)`

Giac [F]

$$\int \frac{\coth^{-1}(a + bx)}{c + d\sqrt{x}} dx = \int \frac{\operatorname{arccoth}(bx + a)}{d\sqrt{x} + c} dx$$

input `integrate(arccoth(b*x+a)/(c+d*x^(1/2)),x, algorithm="giac")`

output `integrate(arccoth(b*x + a)/(d*sqrt(x) + c), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\coth^{-1}(a + bx)}{c + d\sqrt{x}} dx = \int \frac{\operatorname{acoth}(a + bx)}{c + d\sqrt{x}} dx$$

input `int(acoth(a + b*x)/(c + d*x^(1/2)),x)`

output `int(acoth(a + b*x)/(c + d*x^(1/2)), x)`

Reduce [F]

$$\int \frac{\coth^{-1}(a + bx)}{c + d\sqrt{x}} dx = \int \frac{\operatorname{acoth}(bx + a)}{\sqrt{x}d + c} dx$$

input `int(acoth(b*x+a)/(c+d*x^(1/2)),x)`

output `int(acoth(a + b*x)/(sqrt(x)*d + c),x)`

$$3.47 \quad \int \frac{\coth^{-1}(a+bx)}{c+\frac{d}{\sqrt{x}}} dx$$

Optimal result	401
Mathematica [A] (verified)	402
Rubi [A] (verified)	403
Maple [A] (verified)	406
Fricas [F]	407
Sympy [F(-1)]	407
Maxima [F]	408
Giac [F]	408
Mupad [F(-1)]	408
Reduce [F]	409

Optimal result

Integrand size = 18, antiderivative size = 725

$$\begin{aligned}
\int \frac{\coth^{-1}(a+bx)}{c+\frac{d}{\sqrt{x}}} dx = & -\frac{2\sqrt{1+ad} \arctan\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{1+a}}\right)}{\sqrt{bc^2}} + \frac{2\sqrt{1-ad} \operatorname{arctanh}\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{1-a}}\right)}{\sqrt{bc^2}} \\
& - \frac{d^2 \log\left(\frac{c(\sqrt{-1-a}-\sqrt{b}\sqrt{x})}{\sqrt{-1-ac}+\sqrt{bd}}\right) \log(d+c\sqrt{x})}{c^3} \\
& + \frac{d^2 \log\left(\frac{c(\sqrt{1-a}-\sqrt{b}\sqrt{x})}{\sqrt{1-ac}+\sqrt{bd}}\right) \log(d+c\sqrt{x})}{c^3} \\
& - \frac{d^2 \log\left(\frac{c(\sqrt{-1-a}+\sqrt{b}\sqrt{x})}{\sqrt{-1-ac}-\sqrt{bd}}\right) \log(d+c\sqrt{x})}{c^3} \\
& + \frac{d^2 \log\left(\frac{c(\sqrt{1-a}+\sqrt{b}\sqrt{x})}{\sqrt{1-ac}-\sqrt{bd}}\right) \log(d+c\sqrt{x})}{c^3} + \frac{d\sqrt{x} \log\left(-\frac{1-a-bx}{a+bx}\right)}{c^2} \\
& + \frac{(1-a-bx) \log\left(-\frac{1-a-bx}{a+bx}\right)}{2bc} - \frac{d^2 \log(d+c\sqrt{x}) \log\left(-\frac{1-a-bx}{a+bx}\right)}{c^3} \\
& + \frac{\log(a+bx)}{bc} - \frac{d\sqrt{x} \log\left(\frac{1+a+bx}{a+bx}\right)}{c^2} \\
& + \frac{(1+a+bx) \log\left(\frac{1+a+bx}{a+bx}\right)}{2bc} + \frac{d^2 \log(d+c\sqrt{x}) \log\left(\frac{1+a+bx}{a+bx}\right)}{c^3} \\
& - \frac{d^2 \operatorname{PolyLog}\left(2, -\frac{\sqrt{b}(d+c\sqrt{x})}{\sqrt{-1-ac}-\sqrt{bd}}\right)}{c^3} + \frac{d^2 \operatorname{PolyLog}\left(2, -\frac{\sqrt{b}(d+c\sqrt{x})}{\sqrt{1-ac}-\sqrt{bd}}\right)}{c^3} \\
& - \frac{d^2 \operatorname{PolyLog}\left(2, \frac{\sqrt{b}(d+c\sqrt{x})}{\sqrt{-1-ac}+\sqrt{bd}}\right)}{c^3} + \frac{d^2 \operatorname{PolyLog}\left(2, \frac{\sqrt{b}(d+c\sqrt{x})}{\sqrt{1-ac}+\sqrt{bd}}\right)}{c^3}
\end{aligned}$$

output

```

-2*(1+a)^(1/2)*d*arctan(b^(1/2)*x^(1/2)/(1+a)^(1/2))/b^(1/2)/c^2+2*(1-a)^(
1/2)*d*arctanh(b^(1/2)*x^(1/2)/(1-a)^(1/2))/b^(1/2)/c^2-d^2*ln(c*((-1-a)^(
1/2)-b^(1/2)*x^(1/2))/((-1-a)^(1/2)*c+b^(1/2)*d))*ln(d+c*x^(1/2))/c^3+d^2*
ln(c*((-1-a)^(1/2)-b^(1/2)*x^(1/2))/((-1-a)^(1/2)*c+b^(1/2)*d))*ln(d+c*x^(1/
2))/c^3-d^2*ln(c*((-1-a)^(1/2)+b^(1/2)*x^(1/2))/((-1-a)^(1/2)*c-b^(1/2)*d)
)*ln(d+c*x^(1/2))/c^3+d^2*ln(c*((-1-a)^(1/2)+b^(1/2)*x^(1/2))/((-1-a)^(1/2)*
c-b^(1/2)*d))*ln(d+c*x^(1/2))/c^3+d*x^(1/2)*ln(-(-b*x-a+1)/(b*x+a))/c^2+1/
2*(-b*x-a+1)*ln(-(-b*x-a+1)/(b*x+a))/b/c-d^2*ln(d+c*x^(1/2))*ln(-(-b*x-a+1
)/(b*x+a))/c^3+ln(b*x+a)/b/c-d*x^(1/2)*ln((b*x+a+1)/(b*x+a))/c^2+1/2*(b*x+
a+1)*ln((b*x+a+1)/(b*x+a))/b/c+d^2*ln(d+c*x^(1/2))*ln((b*x+a+1)/(b*x+a))/c
^3-d^2*polylog(2,-b^(1/2)*(d+c*x^(1/2))/((-1-a)^(1/2)*c-b^(1/2)*d))/c^3+d^
2*polylog(2,-b^(1/2)*(d+c*x^(1/2))/((-1-a)^(1/2)*c-b^(1/2)*d))/c^3-d^2*poly
log(2,b^(1/2)*(d+c*x^(1/2))/((-1-a)^(1/2)*c+b^(1/2)*d))/c^3+d^2*polylog(2,
b^(1/2)*(d+c*x^(1/2))/((-1-a)^(1/2)*c+b^(1/2)*d))/c^3

```

Mathematica [A] (verified)

Time = 0.44 (sec) , antiderivative size = 719, normalized size of antiderivative = 0.99

$$\int \frac{\coth^{-1}(a + bx)}{c + \frac{d}{\sqrt{x}}} dx$$

$$= \frac{-4\sqrt{1+a}\sqrt{bcd} \arctan\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{1+a}}\right) + 4\sqrt{1-a}\sqrt{bcd} \operatorname{arctanh}\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{1-a}}\right) - 2bd^2 \log\left(\frac{c(\sqrt{-1-a}-\sqrt{b}\sqrt{x})}{\sqrt{-1-ac+\sqrt{bd}}}\right) \log(d+c\sqrt{x})}{1}$$

input

```
Integrate[ArcCoth[a + b*x]/(c + d/Sqrt[x]),x]
```

output

```
(-4*Sqrt[1 + a]*Sqrt[b]*c*d*ArcTan[(Sqrt[b]*Sqrt[x])/Sqrt[1 + a]] + 4*Sqrt
[1 - a]*Sqrt[b]*c*d*ArcTanh[(Sqrt[b]*Sqrt[x])/Sqrt[1 - a]] - 2*b*d^2*Log[(
c*(Sqrt[-1 - a] - Sqrt[b]*Sqrt[x]))/(Sqrt[-1 - a]*c + Sqrt[b]*d)]*Log[d +
c*Sqrt[x]] + 2*b*d^2*Log[(c*(Sqrt[1 - a] - Sqrt[b]*Sqrt[x]))/(Sqrt[1 - a]*
c + Sqrt[b]*d)]*Log[d + c*Sqrt[x]] - 2*b*d^2*Log[(c*(Sqrt[-1 - a] + Sqrt[b]
)*Sqrt[x]))/(Sqrt[-1 - a]*c - Sqrt[b]*d)]*Log[d + c*Sqrt[x]] + 2*b*d^2*Log
[(c*(Sqrt[1 - a] + Sqrt[b]*Sqrt[x]))/(Sqrt[1 - a]*c - Sqrt[b]*d)]*Log[d +
c*Sqrt[x]] + c^2*Log[1 - a - b*x] - a*c^2*Log[1 - a - b*x] + 2*b*c*d*Sqrt[
x]*Log[(-1 + a + b*x)/(a + b*x)] - b*c^2*x*Log[(-1 + a + b*x)/(a + b*x)] -
2*b*d^2*Log[d + c*Sqrt[x]]*Log[(-1 + a + b*x)/(a + b*x)] + c^2*Log[1 + a
+ b*x] + a*c^2*Log[1 + a + b*x] - 2*b*c*d*Sqrt[x]*Log[(1 + a + b*x)/(a + b
*x)] + b*c^2*x*Log[(1 + a + b*x)/(a + b*x)] + 2*b*d^2*Log[d + c*Sqrt[x]]*L
og[(1 + a + b*x)/(a + b*x)] - 2*b*d^2*PolyLog[2, (Sqrt[b]*(d + c*Sqrt[x]))
]/(-(Sqrt[-1 - a]*c) + Sqrt[b]*d)] - 2*b*d^2*PolyLog[2, (Sqrt[b]*(d + c*Sqr
t[x]))/(Sqrt[-1 - a]*c + Sqrt[b]*d)] + 2*b*d^2*PolyLog[2, (Sqrt[b]*(d + c*
Sqrt[x]))/(-(Sqrt[1 - a]*c) + Sqrt[b]*d)] + 2*b*d^2*PolyLog[2, (Sqrt[b]*(d
+ c*Sqrt[x]))/(Sqrt[1 - a]*c + Sqrt[b]*d))]/(2*b*c^3)
```

Rubi [A] (verified)

Time = 2.65 (sec) , antiderivative size = 738, normalized size of antiderivative = 1.02, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {6666, 7267, 3008, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\coth^{-1}(a + bx)}{c + \frac{d}{\sqrt{x}}} dx$$

$$\downarrow \text{6666}$$

$$\frac{1}{2} \int \frac{\log\left(\frac{a+bx+1}{a+bx}\right)}{c + \frac{d}{\sqrt{x}}} dx - \frac{1}{2} \int \frac{\log\left(\frac{-a-bx+1}{a+bx}\right)}{c + \frac{d}{\sqrt{x}}} dx$$

$$\downarrow \text{7267}$$

$$\int \frac{x \log\left(\frac{a+bx+1}{a+bx}\right)}{\sqrt{xc} + d} d\sqrt{x} - \int \frac{x \log\left(\frac{-a-bx+1}{a+bx}\right)}{\sqrt{xc} + d} d\sqrt{x}$$

$$\begin{aligned}
 & \int \left(\frac{\log\left(\frac{a+bx+1}{a+bx}\right) d^2}{c^2(\sqrt{xc}+d)} - \frac{\log\left(\frac{a+bx+1}{a+bx}\right) d}{c^2} + \frac{\sqrt{x} \log\left(\frac{a+bx+1}{a+bx}\right)}{c} \right) d\sqrt{x} - \\
 & \int \left(\frac{\log\left(\frac{-a-bx+1}{a+bx}\right) d^2}{c^2(\sqrt{xc}+d)} - \frac{\log\left(\frac{-a-bx+1}{a+bx}\right) d}{c^2} + \frac{\sqrt{x} \log\left(\frac{-a-bx+1}{a+bx}\right)}{c} \right) d\sqrt{x} \\
 & \downarrow \text{3008} \\
 & \frac{2\sqrt{a+1}d \arctan\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{a+1}}\right)}{\sqrt{bc}^2} + \frac{2\sqrt{1-a}d \operatorname{arctanh}\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{1-a}}\right)}{\sqrt{bc}^2} - \frac{d^2 \operatorname{PolyLog}\left(2, -\frac{\sqrt{b}(\sqrt{xc}+d)}{\sqrt{-a-1c-\sqrt{bd}}}\right)}{c^3} + \\
 & \frac{d^2 \operatorname{PolyLog}\left(2, -\frac{\sqrt{b}(\sqrt{xc}+d)}{\sqrt{1-ac-\sqrt{bd}}}\right)}{c^3} - \frac{d^2 \operatorname{PolyLog}\left(2, \frac{\sqrt{b}(\sqrt{xc}+d)}{\sqrt{-a-1c+\sqrt{bd}}}\right)}{c^3} + \\
 & \frac{d^2 \operatorname{PolyLog}\left(2, \frac{\sqrt{b}(\sqrt{xc}+d)}{\sqrt{1-ac+\sqrt{bd}}}\right)}{c^3} - \frac{d^2 \log(c\sqrt{x}+d) \log\left(\frac{c(\sqrt{-a-1}-\sqrt{b}\sqrt{x})}{\sqrt{-a-1c+\sqrt{bd}}}\right)}{c^3} + \\
 & \frac{d^2 \log(c\sqrt{x}+d) \log\left(\frac{c(\sqrt{1-a}-\sqrt{b}\sqrt{x})}{\sqrt{1-ac+\sqrt{bd}}}\right)}{c^3} - \frac{d^2 \log(c\sqrt{x}+d) \log\left(\frac{c(\sqrt{-a-1}+\sqrt{b}\sqrt{x})}{\sqrt{-a-1c-\sqrt{bd}}}\right)}{c^3} + \\
 & \frac{d^2 \log(c\sqrt{x}+d) \log\left(\frac{c(\sqrt{1-a}+\sqrt{b}\sqrt{x})}{\sqrt{1-ac-\sqrt{bd}}}\right)}{c^3} - \frac{d^2 \log\left(-\frac{a-bx+1}{a+bx}\right) \log(c\sqrt{x}+d)}{c^3} + \\
 & \frac{d^2 \log\left(\frac{a+bx+1}{a+bx}\right) \log(c\sqrt{x}+d)}{c^3} + \frac{d\sqrt{x} \log\left(-\frac{a-bx+1}{a+bx}\right)}{c^2} - \frac{d\sqrt{x} \log\left(\frac{a+bx+1}{a+bx}\right)}{c^2} + \\
 & \frac{(1-a) \log(-a-bx+1)}{2bc} - \frac{x \log\left(-\frac{a-bx+1}{a+bx}\right)}{2c} + \frac{(a+1) \log(a+bx+1)}{2bc} + \frac{x \log\left(\frac{a+bx+1}{a+bx}\right)}{2c}
 \end{aligned}$$

input `Int[ArcCoth[a + b*x]/(c + d/Sqrt[x]), x]`

output

$$\begin{aligned}
& (-2\sqrt{1+a}d\operatorname{ArcTan}[\sqrt{b}\sqrt{x}]/\sqrt{1+a}]/(\sqrt{b}c^2) + (2\sqrt{1-a}d\operatorname{ArcTanh}[\sqrt{b}\sqrt{x}]/\sqrt{1-a}]/(\sqrt{b}c^2) - (d^2\operatorname{Log}[(c(\sqrt{-1-a} - \sqrt{b}\sqrt{x}))/(\sqrt{-1-a}c + \sqrt{b}d)] * \\
& \operatorname{Log}[d + c\sqrt{x}])/c^3 + (d^2\operatorname{Log}[(c(\sqrt{1-a} - \sqrt{b}\sqrt{x}))/(\sqrt{1-a}c + \sqrt{b}d)] * \\
& \operatorname{Log}[d + c\sqrt{x}])/c^3 - (d^2\operatorname{Log}[(c(\sqrt{-1-a} + \sqrt{b}\sqrt{x}))/(\sqrt{-1-a}c - \sqrt{b}d)] * \\
& \operatorname{Log}[d + c\sqrt{x}])/c^3 + (d^2\operatorname{Log}[(c(\sqrt{1-a} + \sqrt{b}\sqrt{x}))/(\sqrt{1-a}c - \sqrt{b}d)] * \\
& \operatorname{Log}[d + c\sqrt{x}])/c^3 + ((1-a)\operatorname{Log}[1-a-bx])/(2bc) + (d\sqrt{x} * \operatorname{Log}[-((1-a-bx)/(a+bx))])/c^2 - (x * \operatorname{Log}[-((1-a-bx)/(a+bx))])/ \\
& (2c) - (d^2\operatorname{Log}[d + c\sqrt{x}] * \operatorname{Log}[-((1-a-bx)/(a+bx))])/c^3 + ((1+a)\operatorname{Log}[1+a+bx])/(2bc) - (d\sqrt{x} * \operatorname{Log}[(1+a+bx)/(a+bx)])/c^2 + (x * \operatorname{Log}[(1+a+bx)/(a+bx)])/ \\
& (2c) + (d^2\operatorname{Log}[d + c\sqrt{x}] * \operatorname{Log}[(1+a+bx)/(a+bx)])/c^3 - (d^2\operatorname{PolyLog}[2, -(\sqrt{b}(d + c\sqrt{x}))/(\sqrt{-1-a}c - \sqrt{b}d)])/c^3 + (d^2\operatorname{PolyLog}[2, -(\sqrt{b}(d + c\sqrt{x}))/(\sqrt{1-a}c - \sqrt{b}d)])/c^3 - (d^2\operatorname{PolyLog}[2, (\sqrt{b}(d + c\sqrt{x}))/(\sqrt{-1-a}c + \sqrt{b}d)])/c^3 + (d^2\operatorname{PolyLog}[2, (\sqrt{b}(d + c\sqrt{x}))/(\sqrt{1-a}c + \sqrt{b}d)])/c^3
\end{aligned}$$

Defintions of rubi rules used

rule 2009

$$\operatorname{Int}[u_, x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{IntSum}[u, x], x] \;/; \operatorname{SumQ}[u]$$

rule 3008

$$\operatorname{Int}[(a + \operatorname{Log}[c * (\operatorname{RFx})^{(p)}] * (b))^{(n)} * (\operatorname{RGx}), x_Symbol] \rightarrow \operatorname{With}[\{u = \operatorname{ExpandIntegrand}[(a + b * \operatorname{Log}[c * \operatorname{RFx}^p])^{(n)}, \operatorname{RGx}, x]\}, \operatorname{Int}[u, x] \;/; \operatorname{SumQ}[u] \;/; \operatorname{FreeQ}[\{a, b, c, p\}, x] \&\& \operatorname{RationalFunctionQ}[\operatorname{RFx}, x] \&\& \operatorname{RationalFunctionQ}[\operatorname{RGx}, x] \&\& \operatorname{IGtQ}[n, 0]$$

rule 6666

$$\operatorname{Int}[\operatorname{ArcCoth}[(c + (d * x)] / ((e + (f * x)^n)), x_Symbol] \rightarrow \operatorname{Simp}[1/2 \operatorname{Int}[\operatorname{Log}[(1 + c + d * x) / (c + d * x)] / (e + f * x^n), x], x] - \operatorname{Simp}[1/2 \operatorname{Int}[\operatorname{Log}[(-1 + c + d * x) / (c + d * x)] / (e + f * x^n), x], x] \;/; \operatorname{FreeQ}[\{c, d, e, f\}, x] \&\& \operatorname{RationalQ}[n]$$

rule 7267

$$\operatorname{Int}[u_, x_Symbol] \rightarrow \operatorname{With}[\{lst = \operatorname{SubstForFractionalPowerOfLinear}[u, x]\}, \operatorname{Simp}[lst[[2]] * lst[[4]] \operatorname{Subst}[\operatorname{Int}[lst[[1]], x], x, lst[[3]]^{(1/lst[[2])}], x] \;/; \operatorname{!FalseQ}[lst] \&\& \operatorname{SubstForFractionalPowerQ}[u, lst[[3]], x]$$

Maple [A] (verified)

Time = 0.42 (sec) , antiderivative size = 752, normalized size of antiderivative = 1.04

method	result
derivativedivides	$\frac{\operatorname{arccoth}(bx+a)x}{c} - \frac{2 \operatorname{arccoth}(bx+a)d\sqrt{x}}{c^2} + \frac{2 \operatorname{arccoth}(bx+a)d^2 \ln(d+c\sqrt{x})}{c^3} + \left(\frac{(a-1)}{c} \left(-\frac{\ln(ac^2+bd^2-2d\sqrt{c^2x+bd})}{c} \right) \right)$
default	$\frac{\operatorname{arccoth}(bx+a)x}{c} - \frac{2 \operatorname{arccoth}(bx+a)d\sqrt{x}}{c^2} + \frac{2 \operatorname{arccoth}(bx+a)d^2 \ln(d+c\sqrt{x})}{c^3} + \left(\frac{(a-1)}{c} \left(-\frac{\ln(ac^2+bd^2-2d\sqrt{c^2x+bd})}{c} \right) \right)$

input `int(arccoth(b*x+a)/(c+d/x^(1/2)),x,method=_RETURNVERBOSE)`

output

```

arccoth(b*x+a)*x/c-2*arccoth(b*x+a)/c^2*d*x^(1/2)+2*arccoth(b*x+a)*d^2/c^3
*ln(d+c*x^(1/2))+4*b/c^2*(-1/2*c*(-1/2*(a-1)/b*(-1/2/b*ln(a*c^2+b*d^2-2*b*
d*(d+c*x^(1/2))+b*(d+c*x^(1/2))^2-c^2)+2*d/(a*b*c^2-b*c^2)^(1/2)*arctan(1/
2*(-2*b*d+2*b*(d+c*x^(1/2)))/(a*b*c^2-b*c^2)^(1/2)))+1/2*(1+a)/b*(-1/2/b*ln
(a*c^2+b*d^2-2*b*d*(d+c*x^(1/2))+b*(d+c*x^(1/2))^2+c^2)+2*d/(a*b*c^2+b*c^
2)^(1/2)*arctan(1/2*(-2*b*d+2*b*(d+c*x^(1/2)))/(a*b*c^2+b*c^2)^(1/2)))-c*
d^2*(1/2/c^2*(-1/2*ln(d+c*x^(1/2))*(ln((b*d-b*(d+c*x^(1/2))+(-a*b*c^2+b*c^
2)^(1/2))/(b*d+(-a*b*c^2+b*c^2)^(1/2)))+ln((-b*d+b*(d+c*x^(1/2))+(-a*b*c^2
+b*c^2)^(1/2))/(-b*d+(-a*b*c^2+b*c^2)^(1/2))))/b-1/2*(dilog((b*d-b*(d+c*x^
(1/2))+(-a*b*c^2+b*c^2)^(1/2))/(b*d+(-a*b*c^2+b*c^2)^(1/2)))+dilog((-b*d+b
*(d+c*x^(1/2))+(-a*b*c^2+b*c^2)^(1/2))/(-b*d+(-a*b*c^2+b*c^2)^(1/2)))/b)+
1/2/c^2*(1/2*ln(d+c*x^(1/2))*(ln((b*d-b*(d+c*x^(1/2))+(-a*b*c^2-b*c^2)^(1/
2))/(b*d+(-a*b*c^2-b*c^2)^(1/2)))+ln((-b*d+b*(d+c*x^(1/2))+(-a*b*c^2-b*c^2
)^(1/2))/(-b*d+(-a*b*c^2-b*c^2)^(1/2))))/b+1/2*(dilog((b*d-b*(d+c*x^(1/2)
+(-a*b*c^2-b*c^2)^(1/2))/(b*d+(-a*b*c^2-b*c^2)^(1/2)))+dilog((-b*d+b*(d+c*
x^(1/2))+(-a*b*c^2-b*c^2)^(1/2))/(-b*d+(-a*b*c^2-b*c^2)^(1/2))))/b))

```

Fricas [F]

$$\int \frac{\coth^{-1}(a + bx)}{c + \frac{d}{\sqrt{x}}} dx = \int \frac{\operatorname{arccoth}(bx + a)}{c + \frac{d}{\sqrt{x}}} dx$$

input

```
integrate(arccoth(b*x+a)/(c+d/x^(1/2)),x, algorithm="fricas")
```

output

```
integral((c*x*arccoth(b*x + a) - d*sqrt(x)*arccoth(b*x + a))/(c^2*x - d^2)
, x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{\coth^{-1}(a + bx)}{c + \frac{d}{\sqrt{x}}} dx = \text{Timed out}$$

input

```
integrate(a*coth(b*x+a)/(c+d/x**(1/2)),x)
```


output Timed out

Maxima [F]

$$\int \frac{\coth^{-1}(a + bx)}{c + \frac{d}{\sqrt{x}}} dx = \int \frac{\operatorname{arccoth}(bx + a)}{c + \frac{d}{\sqrt{x}}} dx$$

input `integrate(arccoth(b*x+a)/(c+d/x^(1/2)),x, algorithm="maxima")`

output `1/2*((b*x + a + 1)*log(b*x + a + 1) - (b*x + a - 1)*log(b*x + a - 1))/(b*c) - 1/2*integrate((d*log(b*x + a + 1) - d*log(b*x + a - 1))/(c^2*sqrt(x) + c*d), x)`

Giac [F]

$$\int \frac{\coth^{-1}(a + bx)}{c + \frac{d}{\sqrt{x}}} dx = \int \frac{\operatorname{arccoth}(bx + a)}{c + \frac{d}{\sqrt{x}}} dx$$

input `integrate(arccoth(b*x+a)/(c+d/x^(1/2)),x, algorithm="giac")`

output `integrate(arccoth(b*x + a)/(c + d/sqrt(x)), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\coth^{-1}(a + bx)}{c + \frac{d}{\sqrt{x}}} dx = \int \frac{\operatorname{acoth}(a + bx)}{c + \frac{d}{\sqrt{x}}} dx$$

input `int(acoth(a + b*x)/(c + d/x^(1/2)),x)`

output `int(acoth(a + b*x)/(c + d/x^(1/2)), x)`

Reduce [F]

$$\int \frac{\coth^{-1}(a + bx)}{c + \frac{d}{\sqrt{x}}} dx = \int \frac{\sqrt{x} \operatorname{acoth}(bx + a)}{\sqrt{x}c + d} dx$$

input `int(acoth(b*x+a)/(c+d/x^(1/2)), x)`

output `int((sqrt(x)*acoth(a + b*x))/(sqrt(x)*c + d), x)`

3.48
$$\int \frac{a+b \operatorname{coth}^{-1}(c+dx)}{e+f\sqrt{x}} dx$$

Optimal result	411
Mathematica [A] (verified)	412
Rubi [F]	413
Maple [A] (verified)	414
Fricas [F]	415
Sympy [F(-1)]	415
Maxima [F]	416
Giac [F]	416
Mupad [F(-1)]	416
Reduce [F]	417

Optimal result

Integrand size = 22, antiderivative size = 652

$$\begin{aligned}
\int \frac{a + b \coth^{-1}(c + dx)}{e + f\sqrt{x}} dx = & \frac{2a\sqrt{x}}{f} + \frac{2b\sqrt{1+c} \arctan\left(\frac{\sqrt{d}\sqrt{x}}{\sqrt{1+c}}\right)}{\sqrt{d}f} \\
& - \frac{2b\sqrt{1-c} \operatorname{arctanh}\left(\frac{\sqrt{d}\sqrt{x}}{\sqrt{1-c}}\right)}{\sqrt{d}f} \\
& + \frac{be \log\left(\frac{f(\sqrt{1-c}-\sqrt{d}\sqrt{x})}{\sqrt{de}+\sqrt{1-c}f}\right) \log(e + f\sqrt{x})}{f^2} \\
& - \frac{be \log\left(\frac{f(\sqrt{1-c}+\sqrt{d}\sqrt{x})}{\sqrt{de}+\sqrt{1-c}f}\right) \log(e + f\sqrt{x})}{f^2} \\
& + \frac{be \log\left(-\frac{f(\sqrt{1-c}+\sqrt{d}\sqrt{x})}{\sqrt{de}-\sqrt{1-c}f}\right) \log(e + f\sqrt{x})}{f^2} \\
& - \frac{be \log\left(-\frac{f(\sqrt{1-c}-\sqrt{d}\sqrt{x})}{\sqrt{de}-\sqrt{1-c}f}\right) \log(e + f\sqrt{x})}{f^2} \\
& - \frac{b\sqrt{x} \log\left(-\frac{1-c-dx}{c+dx}\right)}{f} \\
& - \frac{e \log(e + f\sqrt{x}) \left(a - b \log\left(-\frac{1-c-dx}{c+dx}\right)\right)}{f^2} \\
& + \frac{b\sqrt{x} \log\left(\frac{1+c+dx}{c+dx}\right)}{f} - \frac{e \log(e + f\sqrt{x}) \left(a + b \log\left(\frac{1+c+dx}{c+dx}\right)\right)}{f^2} \\
& + \frac{be \operatorname{PolyLog}\left(2, \frac{\sqrt{d}(e+f\sqrt{x})}{\sqrt{de}-\sqrt{1-c}f}\right)}{f^2} \\
& + \frac{be \operatorname{PolyLog}\left(2, \frac{\sqrt{d}(e+f\sqrt{x})}{\sqrt{de}+\sqrt{1-c}f}\right)}{f^2} \\
& - \frac{be \operatorname{PolyLog}\left(2, \frac{\sqrt{d}(e+f\sqrt{x})}{\sqrt{de}-\sqrt{1-c}f}\right)}{f^2} \\
& - \frac{be \operatorname{PolyLog}\left(2, \frac{\sqrt{d}(e+f\sqrt{x})}{\sqrt{de}+\sqrt{1-c}f}\right)}{f^2}
\end{aligned}$$

output

```

2*a*x^(1/2)/f+2*b*(1+c)^(1/2)*arctan(d^(1/2)*x^(1/2)/(1+c)^(1/2))/d^(1/2)/
f-2*b*(1-c)^(1/2)*arctanh(d^(1/2)*x^(1/2)/(1-c)^(1/2))/d^(1/2)/f+b*e*ln(f*
((-1-c)^(1/2)-d^(1/2)*x^(1/2))/(d^(1/2)*e+(-1-c)^(1/2)*f))*ln(e+f*x^(1/2))
/f^2-b*e*ln(f*((1-c)^(1/2)-d^(1/2)*x^(1/2))/(d^(1/2)*e+(1-c)^(1/2)*f))*ln(
e+f*x^(1/2))/f^2+b*e*ln(-f*((-1-c)^(1/2)+d^(1/2)*x^(1/2))/(d^(1/2)*e-(-1-c)
)^(1/2)*f))*ln(e+f*x^(1/2))/f^2-b*e*ln(-f*((1-c)^(1/2)+d^(1/2)*x^(1/2))/(d
^(1/2)*e-(1-c)^(1/2)*f))*ln(e+f*x^(1/2))/f^2-b*x^(1/2)*ln(-(-d*x-c+1)/(d*x
+c))/f-e*ln(e+f*x^(1/2))*(a-b*ln(-(-d*x-c+1)/(d*x+c)))/f^2+b*x^(1/2)*ln((d
*x+c+1)/(d*x+c))/f-e*ln(e+f*x^(1/2))*(a+b*ln((d*x+c+1)/(d*x+c)))/f^2+b*e*p
olylog(2,d^(1/2)*(e+f*x^(1/2))/(d^(1/2)*e-(-1-c)^(1/2)*f))/f^2+b*e*polylog
(2,d^(1/2)*(e+f*x^(1/2))/(d^(1/2)*e+(-1-c)^(1/2)*f))/f^2-b*e*polylog(2,d^(
1/2)*(e+f*x^(1/2))/(d^(1/2)*e-(1-c)^(1/2)*f))/f^2-b*e*polylog(2,d^(1/2)*(e
+f*x^(1/2))/(d^(1/2)*e+(1-c)^(1/2)*f))/f^2

```

Mathematica [A] (verified)

Time = 10.34 (sec) , antiderivative size = 602, normalized size of antiderivative = 0.92

$$\int \frac{a + b \coth^{-1}(c + dx)}{e + f\sqrt{x}} dx$$

$$= \frac{2a(f\sqrt{x} - e \log(e + f\sqrt{x})) + b \left(\frac{2\sqrt{1+cf} \arctan\left(\frac{\sqrt{d}\sqrt{x}}{\sqrt{1+c}}\right)}{\sqrt{d}} - \frac{2\sqrt{1-cf} \operatorname{arctanh}\left(\frac{\sqrt{d}\sqrt{x}}{\sqrt{1-c}}\right)}{\sqrt{d}} + e \log\left(\frac{f(\sqrt{-1-c}-\sqrt{d}\sqrt{x})}{\sqrt{de+\sqrt{-1-cf}}}\right) \right)}{f^2}$$

input

```
Integrate[(a + b*ArcCoth[c + d*x])/(e + f*Sqrt[x]),x]
```

output

```
(2*a*(f*Sqrt[x] - e*Log[e + f*Sqrt[x]]) + b*((2*Sqrt[1 + c]*f*ArcTan[(Sqrt[d]*Sqrt[x])/Sqrt[1 + c]])/Sqrt[d] - (2*Sqrt[1 - c]*f*ArcTanh[(Sqrt[d]*Sqrt[x])/Sqrt[1 - c]])/Sqrt[d] + e*Log[(f*(Sqrt[-1 - c] - Sqrt[d]*Sqrt[x]))/(Sqrt[d]*e + Sqrt[-1 - c]*f)]*Log[e + f*Sqrt[x]] - e*Log[(f*(Sqrt[1 - c] - Sqrt[d]*Sqrt[x]))/(Sqrt[d]*e + Sqrt[1 - c]*f)]*Log[e + f*Sqrt[x]] + e*Log[(f*(Sqrt[-1 - c] + Sqrt[d]*Sqrt[x]))/(-(Sqrt[d]*e) + Sqrt[-1 - c]*f)]*Log[e + f*Sqrt[x]] - e*Log[(f*(Sqrt[1 - c] + Sqrt[d]*Sqrt[x]))/(-(Sqrt[d]*e) + Sqrt[1 - c]*f)]*Log[e + f*Sqrt[x]] - f*Sqrt[x]*Log[(-1 + c + d*x)/(c + d*x)] + e*Log[e + f*Sqrt[x]]*Log[(-1 + c + d*x)/(c + d*x)] + f*Sqrt[x]*Log[(1 + c + d*x)/(c + d*x)] - e*Log[e + f*Sqrt[x]]*Log[(1 + c + d*x)/(c + d*x)] + e*PolyLog[2, (Sqrt[d]*(e + f*Sqrt[x]))/(Sqrt[d]*e - Sqrt[-1 - c]*f)] + e*PolyLog[2, (Sqrt[d]*(e + f*Sqrt[x]))/(Sqrt[d]*e + Sqrt[-1 - c]*f)] - e*PolyLog[2, (Sqrt[d]*(e + f*Sqrt[x]))/(Sqrt[d]*e - Sqrt[1 - c]*f)] - e*PolyLog[2, (Sqrt[d]*(e + f*Sqrt[x]))/(Sqrt[d]*e + Sqrt[1 - c]*f)))/f^2
```

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{a + b \coth^{-1}(c + dx)}{e + f\sqrt{x}} dx \\
 & \quad \downarrow \text{7267} \\
 & 2 \int \frac{\sqrt{x}(a + b \coth^{-1}(c + dx))}{e + f\sqrt{x}} d\sqrt{x} \\
 & \quad \downarrow \text{7293} \\
 & 2 \int \left(\frac{\sqrt{x}a}{e + f\sqrt{x}} + \frac{b\sqrt{x} \coth^{-1}(c + dx)}{e + f\sqrt{x}} \right) d\sqrt{x} \\
 & \quad \downarrow \text{2009} \\
 & 2 \left(-\frac{be \int \frac{\coth^{-1}(c+dx)}{e+f\sqrt{x}} d\sqrt{x}}{f} - \frac{ae \log(e + f\sqrt{x})}{f^2} + \frac{a\sqrt{x}}{f} + \frac{b\sqrt{c+1} \arctan\left(\frac{\sqrt{d}\sqrt{x}}{\sqrt{c+1}}\right)}{\sqrt{d}f} - \frac{b\sqrt{1-c} \operatorname{arctanh}\left(\frac{\sqrt{d}\sqrt{x}}{\sqrt{1-c}}\right)}{\sqrt{d}f} \right) +
 \end{aligned}$$

input

```
Int[(a + b*ArcCoth[c + d*x])/(e + f*Sqrt[x]),x]
```

output \$Aborted

Maple [A] (verified)

Time = 0.58 (sec) , antiderivative size = 673, normalized size of antiderivative = 1.03

method	result
derivativedivides	$\frac{2a\sqrt{x}}{f} - \frac{2ae \ln(e+f\sqrt{x})}{f^2} + 2b \left(\frac{\operatorname{arccoth}(dx+c)\sqrt{x}}{f} - \frac{\operatorname{arccoth}(dx+c)e \ln(e+f\sqrt{x})}{f^2} + \frac{2d \left(f^2 \frac{(c+1) \arctan\left(\frac{-2}{2d\sqrt{cd}}\right)}{2d\sqrt{cd}} \right)}{f^2} \right)$
default	$\frac{2a\sqrt{x}}{f} - \frac{2ae \ln(e+f\sqrt{x})}{f^2} + 2b \left(\frac{\operatorname{arccoth}(dx+c)\sqrt{x}}{f} - \frac{\operatorname{arccoth}(dx+c)e \ln(e+f\sqrt{x})}{f^2} + \frac{2d \left(f^2 \frac{(c+1) \arctan\left(\frac{-2}{2d\sqrt{cd}}\right)}{2d\sqrt{cd}} \right)}{f^2} \right)$
parts	$a \left(\frac{2\sqrt{x}}{f} - \frac{e \ln(e+f\sqrt{x})}{f^2} + \frac{e \ln(f\sqrt{x}-e)}{f^2} - \frac{e \ln(f^2x-e^2)}{f^2} \right) + b \left(\frac{2 \operatorname{arccoth}(dx+c)\sqrt{x}}{f} - \frac{2 \operatorname{arccoth}(dx+c)e \ln(e+f\sqrt{x})}{f^2} \right)$

input int((a+b*arccoth(d*x+c))/(e+f*x^(1/2)),x,method=_RETURNVERBOSE)

output

```
2*a*x^(1/2)/f-2*a*e/f^2*ln(e+f*x^(1/2))+2*b*(arccoth(d*x+c)/f*x^(1/2)-arccoth(d*x+c)*e/f^2*ln(e+f*x^(1/2))+2*d/f^2*(f^2*(1/2*(c+1)/d/(c*d*f^2+d*f^2)^(1/2)*arctan(1/2*(-2*d*e+2*(e+f*x^(1/2))*d)/(c*d*f^2+d*f^2)^(1/2))+1/2*(-c+1)/d/(c*d*f^2-d*f^2)^(1/2)*arctan(1/2*(-2*d*e+2*(e+f*x^(1/2))*d)/(c*d*f^2-d*f^2)^(1/2)))+e*f^2*(1/2/f^2*(1/2*ln(e+f*x^(1/2))*(ln((d*e-(e+f*x^(1/2))*d+(-c*d*f^2-d*f^2)^(1/2))/(d*e+(-c*d*f^2-d*f^2)^(1/2)))+ln((-d*e+(e+f*x^(1/2))*d+(-c*d*f^2-d*f^2)^(1/2))/(-d*e+(-c*d*f^2-d*f^2)^(1/2)))))/d+1/2*(dilog((d*e-(e+f*x^(1/2))*d+(-c*d*f^2-d*f^2)^(1/2))/(d*e+(-c*d*f^2-d*f^2)^(1/2)))+dilog((-d*e+(e+f*x^(1/2))*d+(-c*d*f^2-d*f^2)^(1/2))/(-d*e+(-c*d*f^2-d*f^2)^(1/2))))/d)+1/2/f^2*(-1/2*ln(e+f*x^(1/2))*(ln((d*e-(e+f*x^(1/2))*d+(-c*d*f^2+d*f^2)^(1/2))/(d*e+(-c*d*f^2+d*f^2)^(1/2)))+ln((-d*e+(e+f*x^(1/2))*d+(-c*d*f^2+d*f^2)^(1/2))/(-d*e+(-c*d*f^2+d*f^2)^(1/2)))))/d-1/2*(dilog((d*e-(e+f*x^(1/2))*d+(-c*d*f^2+d*f^2)^(1/2))/(d*e+(-c*d*f^2+d*f^2)^(1/2)))+dilog((-d*e+(e+f*x^(1/2))*d+(-c*d*f^2+d*f^2)^(1/2))/(-d*e+(-c*d*f^2+d*f^2)^(1/2))))/d))))
```

Fricas [F]

$$\int \frac{a + b \operatorname{coth}^{-1}(c + dx)}{e + f\sqrt{x}} dx = \int \frac{b \operatorname{arccoth}(dx + c) + a}{f\sqrt{x} + e} dx$$

input

```
integrate((a+b*arccoth(d*x+c))/(e+f*x^(1/2)),x, algorithm="fricas")
```

output

```
integral(-(b*e*arccoth(d*x + c) + a*e - (b*f*arccoth(d*x + c) + a*f)*sqrt(x))/(f^2*x - e^2), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{a + b \operatorname{coth}^{-1}(c + dx)}{e + f\sqrt{x}} dx = \text{Timed out}$$

input

```
integrate((a+b*acoth(d*x+c))/(e+f*x**(1/2)),x)
```


output Timed out

Maxima [F]

$$\int \frac{a + b \coth^{-1}(c + dx)}{e + f\sqrt{x}} dx = \int \frac{b \operatorname{arccoth}(dx + c) + a}{f\sqrt{x} + e} dx$$

input `integrate((a+b*arccoth(d*x+c))/(e+f*x^(1/2)),x, algorithm="maxima")`

output `-2*a*(e*log(f*sqrt(x) + e)/f^2 - sqrt(x)/f) + b*integrate(1/2*log(1/(d*x + c) + 1)/(f*sqrt(x) + e), x) - b*integrate(1/2*log(-1/(d*x + c) + 1)/(f*sqrt(x) + e), x)`

Giac [F]

$$\int \frac{a + b \coth^{-1}(c + dx)}{e + f\sqrt{x}} dx = \int \frac{b \operatorname{arccoth}(dx + c) + a}{f\sqrt{x} + e} dx$$

input `integrate((a+b*arccoth(d*x+c))/(e+f*x^(1/2)),x, algorithm="giac")`

output `integrate((b*arccoth(d*x + c) + a)/(f*sqrt(x) + e), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{a + b \coth^{-1}(c + dx)}{e + f\sqrt{x}} dx = \int \frac{a + b \operatorname{acoth}(c + dx)}{e + f\sqrt{x}} dx$$

input `int((a + b*acoth(c + d*x))/(e + f*x^(1/2)),x)`

output `int((a + b*acoth(c + d*x))/(e + f*x^(1/2)), x)`

Reduce [F]

$$\int \frac{a + b \operatorname{coth}^{-1}(c + dx)}{e + f\sqrt{x}} dx = \frac{2\sqrt{x}af + \left(\int \frac{\operatorname{acoth}(dx+c)}{\sqrt{x}f+e} dx\right)bf^2 - 2\log(\sqrt{x}f + e)ae}{f^2}$$

input `int((a+b*acoth(d*x+c))/(e+f*x^(1/2)),x)`

output `(2*sqrt(x)*a*f + int(acoth(c + d*x)/(sqrt(x)*f + e),x)*b*f**2 - 2*log(sqrt(x)*f + e)*a*e)/f**2`

$$3.49 \quad \int \frac{a+b \operatorname{coth}^{-1}(c+dx)}{e+fx+gx^2} dx$$

Optimal result	418
Mathematica [A] (verified)	419
Rubi [A] (verified)	420
Maple [B] (verified)	421
Fricas [F]	422
Sympy [F(-1)]	423
Maxima [F(-2)]	423
Giac [F]	423
Mupad [F(-1)]	424
Reduce [F]	424

Optimal result

Integrand size = 23, antiderivative size = 366

$$\begin{aligned} & \int \frac{a+b \operatorname{coth}^{-1}(c+dx)}{e+fx+gx^2} dx \\ &= \frac{(a+b \operatorname{coth}^{-1}(c+dx)) \log\left(-\frac{2(2cg-d(f-\sqrt{f^2-4eg}))-2g(c+dx)}{(df+2g-2cg-d\sqrt{f^2-4eg})(1+c+dx)}\right)}{\sqrt{f^2-4eg}} \\ & \quad - \frac{(a+b \operatorname{coth}^{-1}(c+dx)) \log\left(-\frac{2(2cg-d(f+\sqrt{f^2-4eg}))-2g(c+dx)}{(2(1-c)g+d(f+\sqrt{f^2-4eg}))(1+c+dx)}\right)}{\sqrt{f^2-4eg}} \\ & \quad - \frac{b \operatorname{PolyLog}\left(2, 1 + \frac{2(2cg-d(f-\sqrt{f^2-4eg}))-2g(c+dx)}{(df+2g-2cg-d\sqrt{f^2-4eg})(1+c+dx)}\right)}{2\sqrt{f^2-4eg}} \\ & \quad + \frac{b \operatorname{PolyLog}\left(2, 1 + \frac{2(2cg-d(f+\sqrt{f^2-4eg}))-2g(c+dx)}{(2(1-c)g+d(f+\sqrt{f^2-4eg}))(1+c+dx)}\right)}{2\sqrt{f^2-4eg}} \end{aligned}$$

output

```
(a+b*arccoth(d*x+c))*ln((-4*c*g+2*d*(f-(-4*e*g+f^2)^(1/2))+4*g*(d*x+c))/(d
*f+2*g-2*c*g-d*(-4*e*g+f^2)^(1/2))/(d*x+c+1))/(-4*e*g+f^2)^(1/2)-(a+b*arcc
oth(d*x+c))*ln((-4*c*g+2*d*(f+(-4*e*g+f^2)^(1/2))+4*g*(d*x+c))/(2*(1-c)*g+
d*(f+(-4*e*g+f^2)^(1/2)))/(d*x+c+1))/(-4*e*g+f^2)^(1/2)-1/2*b*polylog(2,1+
2*(2*c*g-d*(f-(-4*e*g+f^2)^(1/2))-2*g*(d*x+c))/(d*f+2*g-2*c*g-d*(-4*e*g+f^
2)^(1/2))/(d*x+c+1))/(-4*e*g+f^2)^(1/2)+1/2*b*polylog(2,1+2*(2*c*g-d*(f+(-
4*e*g+f^2)^(1/2))-2*g*(d*x+c))/(2*(1-c)*g+d*(f+(-4*e*g+f^2)^(1/2)))/(d*x+c
+1))/(-4*e*g+f^2)^(1/2)
```

Mathematica [A] (verified)

Time = 0.63 (sec) , antiderivative size = 633, normalized size of antiderivative = 1.73

$$\int \frac{a + b \coth^{-1}(c + dx)}{e + fx + gx^2} dx =$$

$$4a \operatorname{arctanh}\left(\frac{f+2gx}{\sqrt{f^2-4eg}}\right) - b \log\left(\frac{2g(-1+c+dx)}{2(-1+c)g+d(-f+\sqrt{f^2-4eg})}\right) \log(f - \sqrt{f^2-4eg} + 2gx) + b \log\left(\frac{-1+c+dx}{c+dx}\right)$$

input

```
Integrate[(a + b*ArcCoth[c + d*x])/(e + f*x + g*x^2),x]
```

output

```
-1/2*(4*a*ArcTanh[(f + 2*g*x)/Sqrt[f^2 - 4*e*g]] - b*Log[(2*g*(-1 + c + d*
x))/(2*(-1 + c)*g + d*(-f + Sqrt[f^2 - 4*e*g]))]*Log[f - Sqrt[f^2 - 4*e*g]
+ 2*g*x] + b*Log[(-1 + c + d*x)/(c + d*x)]*Log[f - Sqrt[f^2 - 4*e*g] + 2*
g*x] + b*Log[(2*g*(1 + c + d*x))/(2*(1 + c)*g + d*(-f + Sqrt[f^2 - 4*e*g]
))*Log[f - Sqrt[f^2 - 4*e*g] + 2*g*x] - b*Log[(1 + c + d*x)/(c + d*x)]*Log
[f - Sqrt[f^2 - 4*e*g] + 2*g*x] + b*Log[(2*g*(-1 + c + d*x))/(2*(-1 + c)*g
- d*(f + Sqrt[f^2 - 4*e*g]))]*Log[f + Sqrt[f^2 - 4*e*g] + 2*g*x] - b*Log[
(-1 + c + d*x)/(c + d*x)]*Log[f + Sqrt[f^2 - 4*e*g] + 2*g*x] - b*Log[(2*g*
(1 + c + d*x))/(2*(1 + c)*g - d*(f + Sqrt[f^2 - 4*e*g]))]*Log[f + Sqrt[f^2
- 4*e*g] + 2*g*x] + b*Log[(1 + c + d*x)/(c + d*x)]*Log[f + Sqrt[f^2 - 4*e
*g] + 2*g*x] + b*PolyLog[2, (d*(-f + Sqrt[f^2 - 4*e*g] - 2*g*x))/(2*(1 + c
)*g + d*(-f + Sqrt[f^2 - 4*e*g]))] - b*PolyLog[2, (d*(f - Sqrt[f^2 - 4*e*g
] + 2*g*x))/(d*f + 2*g - 2*c*g - d*Sqrt[f^2 - 4*e*g])] + b*PolyLog[2, (d*(
f + Sqrt[f^2 - 4*e*g] + 2*g*x))/(-2*(-1 + c)*g + d*(f + Sqrt[f^2 - 4*e*g]
))] - b*PolyLog[2, (d*(f + Sqrt[f^2 - 4*e*g] + 2*g*x))/(-2*(1 + c)*g + d*(f
+ Sqrt[f^2 - 4*e*g]))])/Sqrt[f^2 - 4*e*g]
```

Rubi [A] (verified)

Time = 1.15 (sec) , antiderivative size = 395, normalized size of antiderivative = 1.08, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {7279, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{a + b \coth^{-1}(c + dx)}{e + fx + gx^2} dx \\
 & \quad \downarrow \text{7279} \\
 & \int \left(\frac{a}{e + fx + gx^2} + \frac{b \coth^{-1}(c + dx)}{e + fx + gx^2} \right) dx \\
 & \quad \downarrow \text{2009} \\
 & \frac{2a \operatorname{arctanh}\left(\frac{f+2gx}{\sqrt{f^2-4eg}}\right)}{\sqrt{f^2-4eg}} - \frac{b \operatorname{PolyLog}\left(2, \frac{2(2cg-2(c+dx)g-d(f-\sqrt{f^2-4eg}))}{(fd-\sqrt{f^2-4eg}d-2cg+2g)(c+dx+1)} + 1\right)}{2\sqrt{f^2-4eg}} + \\
 & \quad \frac{b \operatorname{PolyLog}\left(2, \frac{2(2cg-2(c+dx)g-d(f+\sqrt{f^2-4eg}))}{(2(1-c)g+d(f+\sqrt{f^2-4eg}))(c+dx+1)} + 1\right)}{2\sqrt{f^2-4eg}} + \\
 & \quad \frac{b \coth^{-1}(c + dx) \log\left(-\frac{2(-2g(c+dx)+2cg-d(f-\sqrt{f^2-4eg}))}{(c+dx+1)(-2cg-d\sqrt{f^2-4eg}+df+2g)}\right)}{\sqrt{f^2-4eg}} - \\
 & \quad \frac{b \coth^{-1}(c + dx) \log\left(-\frac{2(-2g(c+dx)+2cg-d(\sqrt{f^2-4eg}+f))}{(c+dx+1)(2(1-c)g+d(\sqrt{f^2-4eg}+f))}\right)}{\sqrt{f^2-4eg}}
 \end{aligned}$$

input

```
Int[(a + b*ArcCoth[c + d*x])/(e + f*x + g*x^2), x]
```

output

```
(-2*a*ArcTanh[(f + 2*g*x)/Sqrt[f^2 - 4*e*g])/Sqrt[f^2 - 4*e*g] + (b*ArcCoth[c + d*x]*Log[(-2*(2*c*g - d*(f - Sqrt[f^2 - 4*e*g]) - 2*g*(c + d*x)))/((d*f + 2*g - 2*c*g - d*Sqrt[f^2 - 4*e*g])*(1 + c + d*x))])/Sqrt[f^2 - 4*e*g] - (b*ArcCoth[c + d*x]*Log[(-2*(2*c*g - d*(f + Sqrt[f^2 - 4*e*g]) - 2*g*(c + d*x)))/((2*(1 - c)*g + d*(f + Sqrt[f^2 - 4*e*g]))*(1 + c + d*x))])/Sqrt[f^2 - 4*e*g] - (b*PolyLog[2, 1 + (2*(2*c*g - d*(f - Sqrt[f^2 - 4*e*g]) - 2*g*(c + d*x)))/((d*f + 2*g - 2*c*g - d*Sqrt[f^2 - 4*e*g])*(1 + c + d*x))])/((2*Sqrt[f^2 - 4*e*g]) + (b*PolyLog[2, 1 + (2*(2*c*g - d*(f + Sqrt[f^2 - 4*e*g]) - 2*g*(c + d*x)))/((2*(1 - c)*g + d*(f + Sqrt[f^2 - 4*e*g]))*(1 + c + d*x))])/((2*Sqrt[f^2 - 4*e*g])
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 7279

```
Int[(u_)/((a_.) + (b_.)*(x_)^(n_.) + (c_.)*(x_)^(n2_.)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a + b*x^n + c*x^(2*n)), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b, c}, x] && EqQ[n2, 2*n] && IGtQ[n, 0]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 819 vs. 2(336) = 672.
Time = 1.82 (sec) , antiderivative size = 820, normalized size of antiderivative = 2.24

method	result
risch	$\frac{2da \arctan\left(\frac{2(dx+c-1)g-2cg+df+2g}{\sqrt{4d^2eg-d^2f^2}}\right)}{\sqrt{4d^2eg-d^2f^2}} - \frac{db \ln(dx+c-1) \ln\left(\frac{-2(dx+c-1)g+2cg-df+\sqrt{-4d^2eg+d^2f^2-2g}}{2cg-df-2g+\sqrt{-4d^2eg+d^2f^2}}\right)}{2\sqrt{-4d^2eg+d^2f^2}} + \frac{db \ln(dx+c-1)}{2\sqrt{-4d^2eg+d^2f^2}}$
parts	Expression too large to display
derivativeldivides	Expression too large to display
default	Expression too large to display

input

```
int((a+b*arccoth(d*x+c))/(g*x^2+f*x+e),x,method=_RETURNVERBOSE)
```

output

```

2*d*a/(4*d^2*e*g-d^2*f^2)^(1/2)*arctan((2*(d*x+c-1)*g-2*c*g+d*f+2*g)/(4*d^
2*e*g-d^2*f^2)^(1/2))-1/2*d*b*ln(d*x+c-1)/(-4*d^2*e*g+d^2*f^2)^(1/2)*ln((-
2*(d*x+c-1)*g+2*c*g-d*f+(-4*d^2*e*g+d^2*f^2)^(1/2)-2*g)/(2*c*g-d*f-2*g+(-4
*d^2*e*g+d^2*f^2)^(1/2)))+1/2*d*b*ln(d*x+c-1)/(-4*d^2*e*g+d^2*f^2)^(1/2)*l
n((2*(d*x+c-1)*g-2*c*g+d*f+(-4*d^2*e*g+d^2*f^2)^(1/2)+2*g)/(-2*c*g+d*f+(-4
*d^2*e*g+d^2*f^2)^(1/2)+2*g))-1/2*d*b/(-4*d^2*e*g+d^2*f^2)^(1/2)*dilog((-2
*(d*x+c-1)*g+2*c*g-d*f+(-4*d^2*e*g+d^2*f^2)^(1/2)-2*g)/(2*c*g-d*f-2*g+(-4*
d^2*e*g+d^2*f^2)^(1/2)))+1/2*d*b/(-4*d^2*e*g+d^2*f^2)^(1/2)*dilog((2*(d*x+
c-1)*g-2*c*g+d*f+(-4*d^2*e*g+d^2*f^2)^(1/2)+2*g)/(-2*c*g+d*f+(-4*d^2*e*g+d
^2*f^2)^(1/2)+2*g))+1/2*b*d*ln(d*x+c+1)/(-4*d^2*e*g+d^2*f^2)^(1/2)*ln((-2*
(d*x+c+1)*g+2*c*g-d*f+(-4*d^2*e*g+d^2*f^2)^(1/2)+2*g)/(2*c*g-d*f+2*g+(-4*d
^2*e*g+d^2*f^2)^(1/2)))-1/2*b*d*ln(d*x+c+1)/(-4*d^2*e*g+d^2*f^2)^(1/2)*ln(
(2*(d*x+c+1)*g-2*c*g+d*f+(-4*d^2*e*g+d^2*f^2)^(1/2)-2*g)/(-2*c*g+d*f+(-4*d
^2*e*g+d^2*f^2)^(1/2)-2*g))+1/2*b*d/(-4*d^2*e*g+d^2*f^2)^(1/2)*dilog((-2*(
d*x+c+1)*g+2*c*g-d*f+(-4*d^2*e*g+d^2*f^2)^(1/2)+2*g)/(2*c*g-d*f+2*g+(-4*d
^2*e*g+d^2*f^2)^(1/2)))-1/2*b*d/(-4*d^2*e*g+d^2*f^2)^(1/2)*dilog((2*(d*x+c+
1)*g-2*c*g+d*f+(-4*d^2*e*g+d^2*f^2)^(1/2)-2*g)/(-2*c*g+d*f+(-4*d^2*e*g+d^2
*f^2)^(1/2)-2*g))

```

Fricas [F]

$$\int \frac{a + b \operatorname{coth}^{-1}(c + dx)}{e + fx + gx^2} dx = \int \frac{b \operatorname{arccoth}(dx + c) + a}{gx^2 + fx + e} dx$$

input

```
integrate((a+b*arccoth(d*x+c))/(g*x^2+f*x+e),x, algorithm="fricas")
```

output

```
integral((b*arccoth(d*x + c) + a)/(g*x^2 + f*x + e), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{a + b \coth^{-1}(c + dx)}{e + fx + gx^2} dx = \text{Timed out}$$

input `integrate((a+b*acoth(d*x+c))/(g*x**2+f*x+e),x)`

output `Timed out`

Maxima [F(-2)]

Exception generated.

$$\int \frac{a + b \coth^{-1}(c + dx)}{e + fx + gx^2} dx = \text{Exception raised: ValueError}$$

input `integrate((a+b*arccoth(d*x+c))/(g*x^2+f*x+e),x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*e*g-f^2>0)', see `assume?` for more deta`

Giac [F]

$$\int \frac{a + b \coth^{-1}(c + dx)}{e + fx + gx^2} dx = \int \frac{b \operatorname{arccoth}(dx + c) + a}{gx^2 + fx + e} dx$$

input `integrate((a+b*arccoth(d*x+c))/(g*x^2+f*x+e),x, algorithm="giac")`

output `integrate((b*arccoth(d*x + c) + a)/(g*x^2 + f*x + e), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{a + b \coth^{-1}(c + dx)}{e + fx + gx^2} dx = \int \frac{a + b \operatorname{acoth}(c + dx)}{gx^2 + fx + e} dx$$

input `int((a + b*acoth(c + d*x))/(e + f*x + g*x^2), x)`output `int((a + b*acoth(c + d*x))/(e + f*x + g*x^2), x)`**Reduce [F]**

$$\int \frac{a + b \coth^{-1}(c + dx)}{e + fx + gx^2} dx = \text{Too large to display}$$

input `int((a+b*acoth(d*x+c))/(g*x^2+f*x+e), x)`

output

```

(4*acoth(c + d*x)**2*b*c*e*g - acoth(c + d*x)**2*b*c*f**2 + 2*sqrt(4*e*g -
f**2)*atan((f + 2*g*x)/sqrt(4*e*g - f**2))*a*f + 4*int(acoth(c + d*x)/(c*
**2*e + c**2*f*x + c**2*g*x**2 + 2*c*d*e*x + 2*c*d*f*x**2 + 2*c*d*g*x**3 +
d**2*e*x**2 + d**2*f*x**3 + d**2*g*x**4 - e - f*x - g*x**2),x)*b*c**2*e*f*
g - int(acoth(c + d*x)/(c**2*e + c**2*f*x + c**2*g*x**2 + 2*c*d*e*x + 2*c*
d*f*x**2 + 2*c*d*g*x**3 + d**2*e*x**2 + d**2*f*x**3 + d**2*g*x**4 - e - f*
x - g*x**2),x)*b*c**2*f**3 - 8*int(acoth(c + d*x)/(c**2*e + c**2*f*x + c**
2*g*x**2 + 2*c*d*e*x + 2*c*d*f*x**2 + 2*c*d*g*x**3 + d**2*e*x**2 + d**2*f*
x**3 + d**2*g*x**4 - e - f*x - g*x**2),x)*b*c*d*e**2*g + 2*int(acoth(c + d
*x)/(c**2*e + c**2*f*x + c**2*g*x**2 + 2*c*d*e*x + 2*c*d*f*x**2 + 2*c*d*g*
x**3 + d**2*e*x**2 + d**2*f*x**3 + d**2*g*x**4 - e - f*x - g*x**2),x)*b*c*
d*e*f**2 - 4*int(acoth(c + d*x)/(c**2*e + c**2*f*x + c**2*g*x**2 + 2*c*d*e
*x + 2*c*d*f*x**2 + 2*c*d*g*x**3 + d**2*e*x**2 + d**2*f*x**3 + d**2*g*x**4
- e - f*x - g*x**2),x)*b*e*f*g + int(acoth(c + d*x)/(c**2*e + c**2*f*x +
c**2*g*x**2 + 2*c*d*e*x + 2*c*d*f*x**2 + 2*c*d*g*x**3 + d**2*e*x**2 + d**2
*f*x**3 + d**2*g*x**4 - e - f*x - g*x**2),x)*b*f**3 - 8*int((acoth(c + d*x
)*x**2)/(c**2*e + c**2*f*x + c**2*g*x**2 + 2*c*d*e*x + 2*c*d*f*x**2 + 2*c*
d*g*x**3 + d**2*e*x**2 + d**2*f*x**3 + d**2*g*x**4 - e - f*x - g*x**2),x)*
b*c*d*e*g**2 + 2*int((acoth(c + d*x)*x**2)/(c**2*e + c**2*f*x + c**2*g*x**
2 + 2*c*d*e*x + 2*c*d*f*x**2 + 2*c*d*g*x**3 + d**2*e*x**2 + d**2*f*x**3...

```

3.50 $\int \frac{a+b \operatorname{coth}^{-1}(c+dx)}{e+fx^2+gx^4} dx$

Optimal result	426
Mathematica [B] (warning: unable to verify)	427
Rubi [B] (warning: unable to verify)	428
Maple [C] (warning: unable to verify)	431
Fricas [F]	432
Sympy [F(-1)]	432
Maxima [F]	432
Giac [F]	433
Mupad [F(-1)]	433
Reduce [F]	433

Optimal result

Integrand size = 25, antiderivative size = 1135

$$\int \frac{a + b \operatorname{coth}^{-1}(c + dx)}{e + fx^2 + gx^4} dx = \text{Too large to display}$$

output

```

-1/2*g^(1/2)*(a+b*arccoth(d*x+c))*ln(-2*d*((-f-(-4*e*g+f^2)^(1/2))^(1/2)-g
^(1/2)*x*2^(1/2))/(2^(1/2)*(1-c)*g^(1/2)-d*(-f-(-4*e*g+f^2)^(1/2))^(1/2))/
(d*x+c+1))*2^(1/2)/(-4*e*g+f^2)^(1/2)/(-f-(-4*e*g+f^2)^(1/2))^(1/2)+1/2*g^
(1/2)*(a+b*arccoth(d*x+c))*ln(-2*d*((-f+(-4*e*g+f^2)^(1/2))^(1/2)-g^(1/2)*
x*2^(1/2))/(2^(1/2)*(1-c)*g^(1/2)-d*(-f+(-4*e*g+f^2)^(1/2))^(1/2))/(d*x+c+
1))*2^(1/2)/(-4*e*g+f^2)^(1/2)/(-f+(-4*e*g+f^2)^(1/2))^(1/2)+1/2*g^(1/2)*(
a+b*arccoth(d*x+c))*ln(2*d*((-f-(-4*e*g+f^2)^(1/2))^(1/2)+g^(1/2)*x*2^(1/2
)))/(2^(1/2)*(1-c)*g^(1/2)+d*(-f-(-4*e*g+f^2)^(1/2))^(1/2))/(d*x+c+1))*2^(1
/2)/(-4*e*g+f^2)^(1/2)/(-f-(-4*e*g+f^2)^(1/2))^(1/2)-1/2*g^(1/2)*(a+b*arcc
oth(d*x+c))*ln(2*d*((-f+(-4*e*g+f^2)^(1/2))^(1/2)+g^(1/2)*x*2^(1/2))/(2^(1
/2)*(1-c)*g^(1/2)+d*(-f+(-4*e*g+f^2)^(1/2))^(1/2))/(d*x+c+1))*2^(1/2)/(-4*
e*g+f^2)^(1/2)/(-f+(-4*e*g+f^2)^(1/2))^(1/2)+1/4*b*g^(1/2)*polylog(2,1+2*d
*(-f-(-4*e*g+f^2)^(1/2))^(1/2)-g^(1/2)*x*2^(1/2))/(2^(1/2)*(1-c)*g^(1/2)-
d*(-f-(-4*e*g+f^2)^(1/2))^(1/2))/(d*x+c+1))*2^(1/2)/(-4*e*g+f^2)^(1/2)/(-f
-(-4*e*g+f^2)^(1/2))^(1/2)-1/4*b*g^(1/2)*polylog(2,1+2*d*((-f+(-4*e*g+f^2)
^(1/2))^(1/2)-g^(1/2)*x*2^(1/2))/(2^(1/2)*(1-c)*g^(1/2)-d*(-f+(-4*e*g+f^2)
^(1/2))^(1/2))/(d*x+c+1))*2^(1/2)/(-4*e*g+f^2)^(1/2)/(-f+(-4*e*g+f^2)^(1/2
))^(1/2)-1/4*b*g^(1/2)*polylog(2,1-2*d*((-f-(-4*e*g+f^2)^(1/2))^(1/2)+g^(1
/2)*x*2^(1/2))/(2^(1/2)*(1-c)*g^(1/2)+d*(-f-(-4*e*g+f^2)^(1/2))^(1/2))/(d*
x+c+1))*2^(1/2)/(-4*e*g+f^2)^(1/2)/(-f-(-4*e*g+f^2)^(1/2))^(1/2)+1/4*b*...

```

Mathematica [B] (warning: unable to verify)

Leaf count is larger than twice the leaf count of optimal. 3087 vs. 2(1135) = 2270.

Time = 4.76 (sec) , antiderivative size = 3087, normalized size of antiderivative = 2.72

$$\int \frac{a + b \coth^{-1}(c + dx)}{e + fx^2 + gx^4} dx = \text{Result too large to show}$$

input

```
Integrate[(a + b*ArcCoth[c + d*x])/(e + f*x^2 + g*x^4),x]
```

output

```
(Sqrt[g]*(4*a*Sqrt[-f + Sqrt[f^2 - 4*e*g]]*Sqrt[-(f + Sqrt[f^2 - 4*e*g])^2
]*ArcTan[(Sqrt[2]*Sqrt[g]*x)/Sqrt[f - Sqrt[f^2 - 4*e*g]]] - 4*a*Sqrt[-f -
Sqrt[f^2 - 4*e*g]]*Sqrt[-(f - Sqrt[f^2 - 4*e*g])^2]*ArcTan[(Sqrt[2]*Sqrt[g
]*x)/Sqrt[f + Sqrt[f^2 - 4*e*g]]] - b*Sqrt[-(f - Sqrt[f^2 - 4*e*g])^2]*Sqr
t[f + Sqrt[f^2 - 4*e*g]]*Log[(Sqrt[2]*Sqrt[g]*(-1 + c + d*x))/(Sqrt[2]*(-1
+ c)*Sqrt[g] + d*Sqrt[-f - Sqrt[f^2 - 4*e*g]])]*Log[Sqrt[-f - Sqrt[f^2 -
4*e*g]] - Sqrt[2]*Sqrt[g]*x] + b*Sqrt[-(f - Sqrt[f^2 - 4*e*g])^2]*Sqrt[f +
Sqrt[f^2 - 4*e*g]]*Log[(-1 + c + d*x)/(c + d*x)]*Log[Sqrt[-f - Sqrt[f^2 -
4*e*g]] - Sqrt[2]*Sqrt[g]*x] + b*Sqrt[-(f - Sqrt[f^2 - 4*e*g])^2]*Sqrt[f
+ Sqrt[f^2 - 4*e*g]]*Log[(Sqrt[2]*Sqrt[g]*(1 + c + d*x))/(Sqrt[2]*(1 + c)*
Sqrt[g] + d*Sqrt[-f - Sqrt[f^2 - 4*e*g]])]*Log[Sqrt[-f - Sqrt[f^2 - 4*e*g]
] - Sqrt[2]*Sqrt[g]*x] - b*Sqrt[-(f - Sqrt[f^2 - 4*e*g])^2]*Sqrt[f + Sqrt[
f^2 - 4*e*g]]*Log[(1 + c + d*x)/(c + d*x)]*Log[Sqrt[-f - Sqrt[f^2 - 4*e*g]
] - Sqrt[2]*Sqrt[g]*x] + b*Sqrt[f - Sqrt[f^2 - 4*e*g]]*Sqrt[-(f + Sqrt[f^2
- 4*e*g])^2]*Log[(Sqrt[2]*Sqrt[g]*(-1 + c + d*x))/(Sqrt[2]*(-1 + c)*Sqrt[
g] + d*Sqrt[-f + Sqrt[f^2 - 4*e*g]])]*Log[Sqrt[-f + Sqrt[f^2 - 4*e*g]] - S
qrt[2]*Sqrt[g]*x] - b*Sqrt[f - Sqrt[f^2 - 4*e*g]]*Sqrt[-(f + Sqrt[f^2 - 4*
e*g])^2]*Log[(-1 + c + d*x)/(c + d*x)]*Log[Sqrt[-f + Sqrt[f^2 - 4*e*g]] -
Sqrt[2]*Sqrt[g]*x] - b*Sqrt[f - Sqrt[f^2 - 4*e*g]]*Sqrt[-(f + Sqrt[f^2 - 4
*e*g])^2]*Log[(Sqrt[2]*Sqrt[g]*(1 + c + d*x))/(Sqrt[2]*(1 + c)*Sqrt[g] ...
```

Rubi [B] (warning: unable to verify)

Leaf count is larger than twice the leaf count of optimal. 2792 vs. 2(1135) = 2270.

Time = 7.81 (sec) , antiderivative size = 2792, normalized size of antiderivative = 2.46, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$, Rules used = {7279, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{a + b \coth^{-1}(c + dx)}{e + fx^2 + gx^4} dx$$

↓ 7279

$$\int \left(\frac{a}{e + fx^2 + gx^4} + \frac{b \coth^{-1}(c + dx)}{e + fx^2 + gx^4} \right) dx$$

↓ 2009

$$\begin{aligned}
 & \frac{\sqrt{2a}\sqrt{g} \arctan\left(\frac{\sqrt{2}\sqrt{gx}}{\sqrt{f-\sqrt{f^2-4eg}}}\right)}{\sqrt{f^2-4eg}\sqrt{f-\sqrt{f^2-4eg}}} - \frac{\sqrt{2a}\sqrt{g} \arctan\left(\frac{\sqrt{2}\sqrt{gx}}{\sqrt{f+\sqrt{f^2-4eg}}}\right)}{\sqrt{f^2-4eg}\sqrt{f+\sqrt{f^2-4eg}}} - \\
 & \frac{b\sqrt{g} \log\left(-\frac{-c-dx+1}{c+dx}\right) \log\left(1 - \frac{(2gc^2+d^2(f-\sqrt{f^2-4eg}))(-c-dx+1)}{\left(-\left((f-\sqrt{f^2-4eg})d^2\right)-\sqrt{2}\sqrt{g}\sqrt{f^2-4eg}-fd+2(1-c)cg\right)(c+dx)}\right)}{2\sqrt{2}\sqrt{f^2-4eg}\sqrt{\sqrt{f^2-4eg}-f}} + \\
 & \frac{b\sqrt{g} \log\left(-\frac{-c-dx+1}{c+dx}\right) \log\left(1 - \frac{(2gc^2+d^2(f-\sqrt{f^2-4eg}))(-c-dx+1)}{\left(-\left((f-\sqrt{f^2-4eg})d^2\right)+\sqrt{2}\sqrt{g}\sqrt{f^2-4eg}-fd+2(1-c)cg\right)(c+dx)}\right)}{2\sqrt{2}\sqrt{f^2-4eg}\sqrt{\sqrt{f^2-4eg}-f}} + \\
 & \frac{b\sqrt{g} \log\left(-\frac{-c-dx+1}{c+dx}\right) \log\left(1 - \frac{(2gc^2+d^2(f+\sqrt{f^2-4eg}))(-c-dx+1)}{\left(-\left((f+\sqrt{f^2-4eg})d^2\right)-\sqrt{2}\sqrt{g}\sqrt{-f-\sqrt{f^2-4eg}}d+2(1-c)cg\right)(c+dx)}\right)}{2\sqrt{2}\sqrt{f^2-4eg}\sqrt{-f-\sqrt{f^2-4eg}}} - \\
 & \frac{b\sqrt{g} \log\left(-\frac{-c-dx+1}{c+dx}\right) \log\left(1 - \frac{(2gc^2+d^2(f+\sqrt{f^2-4eg}))(-c-dx+1)}{\left(-\left((f+\sqrt{f^2-4eg})d^2\right)+\sqrt{2}\sqrt{g}\sqrt{-f-\sqrt{f^2-4eg}}d+2(1-c)cg\right)(c+dx)}\right)}{2\sqrt{2}\sqrt{f^2-4eg}\sqrt{-f-\sqrt{f^2-4eg}}} + \\
 & \frac{b\sqrt{g} \log\left(\frac{c+dx+1}{c+dx}\right) \log\left(1 - \frac{(2gc^2+d^2(f-\sqrt{f^2-4eg}))(c+dx+1)}{\left((f-\sqrt{f^2-4eg})d^2-\sqrt{2}\sqrt{g}\sqrt{f^2-4eg}-fd+2c(c+1)g\right)(c+dx)}\right)}{2\sqrt{2}\sqrt{f^2-4eg}\sqrt{\sqrt{f^2-4eg}-f}} - \\
 & \frac{b\sqrt{g} \log\left(\frac{c+dx+1}{c+dx}\right) \log\left(1 - \frac{(2gc^2+d^2(f-\sqrt{f^2-4eg}))(c+dx+1)}{\left((f-\sqrt{f^2-4eg})d^2+\sqrt{2}\sqrt{g}\sqrt{f^2-4eg}-fd+2c(c+1)g\right)(c+dx)}\right)}{2\sqrt{2}\sqrt{f^2-4eg}\sqrt{\sqrt{f^2-4eg}-f}} - \\
 & \frac{b\sqrt{g} \log\left(\frac{c+dx+1}{c+dx}\right) \log\left(1 - \frac{(2gc^2+d^2(f+\sqrt{f^2-4eg}))(c+dx+1)}{\left((f+\sqrt{f^2-4eg})d^2-\sqrt{2}\sqrt{g}\sqrt{-f-\sqrt{f^2-4eg}}d+2c(c+1)g\right)(c+dx)}\right)}{2\sqrt{2}\sqrt{f^2-4eg}\sqrt{-f-\sqrt{f^2-4eg}}} + \\
 & \frac{b\sqrt{g} \log\left(\frac{c+dx+1}{c+dx}\right) \log\left(1 - \frac{(2gc^2+d^2(f+\sqrt{f^2-4eg}))(c+dx+1)}{\left((f+\sqrt{f^2-4eg})d^2+\sqrt{2}\sqrt{g}\sqrt{-f-\sqrt{f^2-4eg}}d+2c(c+1)g\right)(c+dx)}\right)}{2\sqrt{2}\sqrt{f^2-4eg}\sqrt{-f-\sqrt{f^2-4eg}}} - \\
 & \frac{b\sqrt{g} \operatorname{PolyLog}\left(2, \frac{(2gc^2+d^2(f-\sqrt{f^2-4eg}))(-c-dx+1)}{\left(-\left((f-\sqrt{f^2-4eg})d^2\right)-\sqrt{2}\sqrt{g}\sqrt{f^2-4eg}-fd+2(1-c)cg\right)(c+dx)}\right)}{2\sqrt{2}\sqrt{f^2-4eg}\sqrt{\sqrt{f^2-4eg}-f}} + \\
 & \frac{b\sqrt{g} \operatorname{PolyLog}\left(2, \frac{(2gc^2+d^2(f-\sqrt{f^2-4eg}))(-c-dx+1)}{\left(-\left((f-\sqrt{f^2-4eg})d^2\right)+\sqrt{2}\sqrt{g}\sqrt{f^2-4eg}-fd+2(1-c)cg\right)(c+dx)}\right)}{2\sqrt{2}\sqrt{f^2-4eg}\sqrt{\sqrt{f^2-4eg}-f}} +
 \end{aligned}$$

input `Int[(a + b*ArcCoth[c + d*x])/(e + f*x^2 + g*x^4),x]`

output `(Sqrt[2]*a*Sqrt[g]*ArcTan[(Sqrt[2]*Sqrt[g]*x)/Sqrt[f - Sqrt[f^2 - 4*e*g]])/(Sqrt[f^2 - 4*e*g]*Sqrt[f - Sqrt[f^2 - 4*e*g]]) - (Sqrt[2]*a*Sqrt[g]*ArcTan[(Sqrt[2]*Sqrt[g]*x)/Sqrt[f + Sqrt[f^2 - 4*e*g]])/(Sqrt[f^2 - 4*e*g]*Sqrt[f + Sqrt[f^2 - 4*e*g]]) - (b*Sqrt[g]*Log[-((1 - c - d*x)/(c + d*x))]*Log[1 - ((2*c^2*g + d^2*(f - Sqrt[f^2 - 4*e*g]))*(1 - c - d*x))/((2*(1 - c)*c*g - d^2*(f - Sqrt[f^2 - 4*e*g]) - Sqrt[2]*d*Sqrt[g]*Sqrt[-f + Sqrt[f^2 - 4*e*g]))*(c + d*x))]/(2*Sqrt[2]*Sqrt[f^2 - 4*e*g]*Sqrt[-f + Sqrt[f^2 - 4*e*g]]) + (b*Sqrt[g]*Log[-((1 - c - d*x)/(c + d*x))]*Log[1 - ((2*c^2*g + d^2*(f - Sqrt[f^2 - 4*e*g]))*(1 - c - d*x))/((2*(1 - c)*c*g - d^2*(f - Sqrt[f^2 - 4*e*g]) + Sqrt[2]*d*Sqrt[g]*Sqrt[-f + Sqrt[f^2 - 4*e*g]))*(c + d*x))]/(2*Sqrt[2]*Sqrt[f^2 - 4*e*g]*Sqrt[-f + Sqrt[f^2 - 4*e*g]]) + (b*Sqrt[g]*Log[-((1 - c - d*x)/(c + d*x))]*Log[1 - ((2*c^2*g + d^2*(f + Sqrt[f^2 - 4*e*g]))*(1 - c - d*x))/((2*(1 - c)*c*g - Sqrt[2]*d*Sqrt[g]*Sqrt[-f - Sqrt[f^2 - 4*e*g]) - d^2*(f + Sqrt[f^2 - 4*e*g]))*(c + d*x))]/(2*Sqrt[2]*Sqrt[f^2 - 4*e*g]*Sqrt[-f - Sqrt[f^2 - 4*e*g]]) - (b*Sqrt[g]*Log[-((1 - c - d*x)/(c + d*x))]*Log[1 - ((2*c^2*g + d^2*(f + Sqrt[f^2 - 4*e*g]))*(1 - c - d*x))/((2*(1 - c)*c*g + Sqrt[2]*d*Sqrt[g]*Sqrt[-f - Sqrt[f^2 - 4*e*g]) - d^2*(f + Sqrt[f^2 - 4*e*g]))*(c + d*x))]/(2*Sqrt[2]*Sqrt[f^2 - 4*e*g]*Sqrt[-f - Sqrt[f^2 - 4*e*g]]) + (b*Sqrt[g]*Log[(1 + c + d*x)/(c + d*x)]*Log[1 - ((2*c^2*g + d^2*(f - Sqrt[f^2 - 4*e*g]))*(1 + c + d*x))/((2*c*(1 + c)...`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 7279 `Int[(u_)/((a_.) + (b_.)*(x_)^(n_.) + (c_.)*(x_)^(n2_.)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a + b*x^n + c*x^(2*n)), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b, c}, x] && EqQ[n2, 2*n] && IGtQ[n, 0]`

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 2.19 (sec) , antiderivative size = 718, normalized size of antiderivative = 0.63

method	result
risch	$d^3 a \left(\frac{\sum_{-R=\text{RootOf}(g-Z^4+(-4cg+4g)-Z^3+(6c^2g+d^2f-12cg+6g)-Z^2+(-4c^3g-2cd^2f+12c^2g+2d^2f-12cg+4g)-Z+c^4g+c^2e}}{1} \right)$
parts	Expression too large to display
derivativedivides	Expression too large to display
default	Expression too large to display

input

```
int((a+b*arccoth(d*x+c))/(g*x^4+f*x^2+e),x,method=_RETURNVERBOSE)
```

output

```
1/2*d^3*a*sum(1/(2*_R^3*g-6*_R^2*c*g+6*_R*c^2*g+_R*d^2*f-2*c^3*g-c*d^2*f+6*_R^2*g-12*_R*c*g+6*c^2*g+d^2*f+6*_R*g-6*c*g+2*g)*ln(d*x-_R+c-1),_R=RootOf(g*_Z^4+(-4*c*g+4*g)*_Z^3+(6*c^2*g+d^2*f-12*c*g+6*g)*_Z^2+(-4*c^3*g-2*c*d^2*f+12*c^2*g+2*d^2*f-12*c*g+4*g)*_Z+c^4*g+c^2*d^2*f+e*d^4-4*c^3*g-2*c*d^2*f+6*c^2*g+d^2*f-4*c*g+g))-1/4*d^3*b*sum(1/(2*_R1^3*g-6*_R1^2*c*g+6*_R1*c^2*g+_R1*d^2*f-2*c^3*g-c*d^2*f+6*_R1^2*g-12*_R1*c*g+6*c^2*g+d^2*f+6*_R1*g-6*c*g+2*g)*(ln(d*x+c-1)*ln((-d*x+_R1-c+1)/_R1)+dilog((-d*x+_R1-c+1)/_R1)),_R1=RootOf(g*_Z^4+(-4*c*g+4*g)*_Z^3+(6*c^2*g+d^2*f-12*c*g+6*g)*_Z^2+(-4*c^3*g-2*c*d^2*f+12*c^2*g+2*d^2*f-12*c*g+4*g)*_Z+c^4*g+c^2*d^2*f+e*d^4-4*c^3*g-2*c*d^2*f+6*c^2*g+d^2*f-4*c*g+g))+1/4*b*d^3*sum(1/(2*_R1^3*g-6*_R1^2*c*g+6*_R1*c^2*g+_R1*d^2*f-2*c^3*g-c*d^2*f-6*_R1^2*g+12*_R1*c*g-6*c^2*g-d^2*f+6*_R1*g-6*c*g-2*g)*(ln(d*x+c+1)*ln((-d*x+_R1-c-1)/_R1)+dilog((-d*x+_R1-c-1)/_R1)),_R1=RootOf(g*_Z^4+(-4*c*g-4*g)*_Z^3+(6*c^2*g+d^2*f+12*c*g+6*g)*_Z^2+(-4*c^3*g-2*c*d^2*f-12*c^2*g-2*d^2*f-12*c*g-4*g)*_Z+c^4*g+c^2*d^2*f+e*d^4+4*c^3*g+2*c*d^2*f+6*c^2*g+d^2*f+4*c*g+g))
```


Fricas [F]

$$\int \frac{a + b \operatorname{coth}^{-1}(c + dx)}{e + fx^2 + gx^4} dx = \int \frac{b \operatorname{arccoth}(dx + c) + a}{gx^4 + fx^2 + e} dx$$

input `integrate((a+b*arccoth(d*x+c))/(g*x^4+f*x^2+e),x, algorithm="fricas")`

output `integral((b*arccoth(d*x + c) + a)/(g*x^4 + f*x^2 + e), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{a + b \operatorname{coth}^{-1}(c + dx)}{e + fx^2 + gx^4} dx = \text{Timed out}$$

input `integrate((a+b*acoth(d*x+c))/(g*x**4+f*x**2+e),x)`

output `Timed out`

Maxima [F]

$$\int \frac{a + b \operatorname{coth}^{-1}(c + dx)}{e + fx^2 + gx^4} dx = \int \frac{b \operatorname{arccoth}(dx + c) + a}{gx^4 + fx^2 + e} dx$$

input `integrate((a+b*arccoth(d*x+c))/(g*x^4+f*x^2+e),x, algorithm="maxima")`

output `integrate((b*arccoth(d*x + c) + a)/(g*x^4 + f*x^2 + e), x)`

Giac [F]

$$\int \frac{a + b \coth^{-1}(c + dx)}{e + fx^2 + gx^4} dx = \int \frac{b \operatorname{arccoth}(dx + c) + a}{gx^4 + fx^2 + e} dx$$

input `integrate((a+b*arccoth(d*x+c))/(g*x^4+f*x^2+e),x, algorithm="giac")`

output `sage0*x`

Mupad [F(-1)]

Timed out.

$$\int \frac{a + b \coth^{-1}(c + dx)}{e + fx^2 + gx^4} dx = \int \frac{a + b \operatorname{acoth}(c + dx)}{gx^4 + fx^2 + e} dx$$

input `int((a + b*acoth(c + d*x))/(e + f*x^2 + g*x^4),x)`

output `int((a + b*acoth(c + d*x))/(e + f*x^2 + g*x^4), x)`

Reduce [F]

$$\int \frac{a + b \coth^{-1}(c + dx)}{e + fx^2 + gx^4} dx$$

$$= \frac{2\sqrt{e} \sqrt{2\sqrt{g} \sqrt{e} + f} \operatorname{atan}\left(\frac{\sqrt{2\sqrt{g} \sqrt{e} - f - 2\sqrt{g}x}}{\sqrt{2\sqrt{g} \sqrt{e} + f}}\right) af - 4\sqrt{g} \sqrt{2\sqrt{g} \sqrt{e} + f} \operatorname{atan}\left(\frac{\sqrt{2\sqrt{g} \sqrt{e} - f - 2\sqrt{g}x}}{\sqrt{2\sqrt{g} \sqrt{e} + f}}\right) ae - 2\sqrt{e}}{\dots}$$

input `int((a+b*acoth(d*x+c))/(g*x^4+f*x^2+e),x)`

output

```
(2*sqrt(e)*sqrt(2*sqrt(g)*sqrt(e) + f)*atan((sqrt(2*sqrt(g)*sqrt(e) - f) -
2*sqrt(g)*x)/sqrt(2*sqrt(g)*sqrt(e) + f))*a*f - 4*sqrt(g)*sqrt(2*sqrt(g)*
sqrt(e) + f)*atan((sqrt(2*sqrt(g)*sqrt(e) - f) - 2*sqrt(g)*x)/sqrt(2*sqrt(
g)*sqrt(e) + f))*a*e - 2*sqrt(e)*sqrt(2*sqrt(g)*sqrt(e) + f)*atan((sqrt(2*
sqrt(g)*sqrt(e) - f) + 2*sqrt(g)*x)/sqrt(2*sqrt(g)*sqrt(e) + f))*a*f + 4*s
qrt(g)*sqrt(2*sqrt(g)*sqrt(e) + f)*atan((sqrt(2*sqrt(g)*sqrt(e) - f) + 2*s
qrt(g)*x)/sqrt(2*sqrt(g)*sqrt(e) + f))*a*e - sqrt(e)*sqrt(2*sqrt(g)*sqrt(e
) - f)*log(-sqrt(2*sqrt(g)*sqrt(e) - f)*x + sqrt(e) + sqrt(g)*x**2)*a*f
+ sqrt(e)*sqrt(2*sqrt(g)*sqrt(e) - f)*log(sqrt(2*sqrt(g)*sqrt(e) - f)*x +
sqrt(e) + sqrt(g)*x**2)*a*f - 2*sqrt(g)*sqrt(2*sqrt(g)*sqrt(e) - f)*log(-
sqrt(2*sqrt(g)*sqrt(e) - f)*x + sqrt(e) + sqrt(g)*x**2)*a*e + 2*sqrt(g)*s
qrt(2*sqrt(g)*sqrt(e) - f)*log(sqrt(2*sqrt(g)*sqrt(e) - f)*x + sqrt(e) + s
qrt(g)*x**2)*a*e + 16*int(acoth(c + d*x)/(e + f*x**2 + g*x**4),x)*b*e**2*g
- 4*int(acoth(c + d*x)/(e + f*x**2 + g*x**4),x)*b*e*f**2)/(4*e*(4*e*g - f
**2))
```

CHAPTER 4

APPENDIX

4.1	Listing of Grading functions	435
4.2	Links to plain text integration problems used in this report for each CAS .	453

4.1 Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* Nasser: April 7, 2022. add second output which gives reason for the grade *)
(*                               Small rewrite of logic in main function to make it*)
(*                               match Maple's logic. No change in functionality otherwise*)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)
```

```

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] := Module[{expnResult,expnOptimal,leafCountResult,leafCountOptimal},
  expnResult = ExpnType[result];
  expnOptimal = ExpnType[optimal];
  leafCountResult = LeafCount[result];
  leafCountOptimal = LeafCount[optimal];

  (*Print["expnResult=",expnResult," expnOptimal=",expnOptimal];*)
  If[expnResult<=expnOptimal,
    If[Not[FreeQ[result,Complex]], (*result contains complex*)
      If[Not[FreeQ[optimal,Complex]], (*optimal contains complex*)
        If[leafCountResult<=2*leafCountOptimal,
          finalresult={"A",""}
          ,(*ELSE*)
          finalresult={"B","Both result and optimal contain complex but leaf count
          ]
        ,(*ELSE*)
        finalresult={"C","Result contains complex when optimal does not."}
      ]
    ,(*ELSE*)(*result does not contains complex*)
    If[leafCountResult<=2*leafCountOptimal,
      finalresult={"A",""}
      ,(*ELSE*)
      finalresult={"B","Leaf count is larger than twice the leaf count of optimal.
    ]
  ]
  ,(*ELSE*)(*expnResult>expnOptimal*)
  If[FreeQ[result,Integrate] && FreeQ[result,Int],
    finalresult={"C","Result contains higher order function than in optimal. Order "
  ,

```

```

        finalresult={"F","Contains unresolved integral."}
    ]
];

finalresult
]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
  If[ListQ[expn],
    Max[Map[ExpnType,expn]],
  If[Head[expn]===Power,
    If[IntegerQ[expn[[2]]],
      ExpnType[expn[[1]]],
    If[Head[expn[[2]]]===Rational,
      If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
        1,
        Max[ExpnType[expn[[1]],2]],
      Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
    If[Head[expn]===Plus || Head[expn]===Times,
      Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
    If[ElementaryFunctionQ[Head[expn]],
      Max[3,ExpnType[expn[[1]]]],
    If[SpecialFunctionQ[Head[expn]],
      Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
    If[HypergeometricFunctionQ[Head[expn]],

```

```

    Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 5]],
    If [AppellFunctionQ [Head [expn]],
      Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 6]],
      If [Head [expn] === RootSum,
        Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 7]],
        If [Head [expn] === Integrate || Head [expn] === Int,
          Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 8]],
          9]]]]]]]]]]]]

```

```

ElementaryFunctionQ [func_] :=
  MemberQ [{
    Exp, Log,
    Sin, Cos, Tan, Cot, Sec, Csc,
    ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,
    Sinh, Cosh, Tanh, Coth, Sech, Csch,
    ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
  }, func]

```

```

SpecialFunctionQ [func_] :=
  MemberQ [{
    Erf, Erfc, Erfi,
    FresnelS, FresnelC,
    ExpIntegralE, ExpIntegralEi, LogIntegral,
    SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
    Gamma, LogGamma, PolyGamma,
    Zeta, PolyLog, ProductLog,
    EllipticF, EllipticE, EllipticPi
  }, func]

```

```

HypergeometricFunctionQ [func_] :=
  MemberQ [{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]

```

```

AppellFunctionQ [func_] :=
  MemberQ [{AppellF1}, func]

```

Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
#                   if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
#
#                   see problem 156, file Apostol_Problems
#Nasser 4/07/2022  add second output which gives reason for the grade

GradeAntiderivative := proc(result,optimal)
local leaf_count_result,
      leaf_count_optimal,
      ExpnType_result,
      ExpnType_optimal,
      debug:=false;

      leaf_count_result:=leafcount(result);
      #do NOT call ExpnType() if leaf size is too large. Recursion problem
      if leaf_count_result > 500000 then
          return "B","result has leaf size over 500,000. Avoiding possible recursion issue";
      fi;

      leaf_count_optimal := leafcount(optimal);
      ExpnType_result    := ExpnType(result);
      ExpnType_optimal   := ExpnType(optimal);

      if debug then
          print("ExpnType_result",ExpnType_result," ExpnType_optimal=",ExpnType_optimal);
      fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
#     is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal

```



```

#   antiderivative
#   "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F","Result contains unresolved integral";
fi;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;
    if is_contains_complex(result) then
        if is_contains_complex(optimal) then
            if debug then
                print("both result and optimal complex");
            fi;
            if leaf_count_result<=2*leaf_count_optimal then
                return "A"," ";
            else
                return "B",cat("Both result and optimal contain complex but leaf count of
                                convert(leaf_count_result,string)," vs. $2 (" ,
                                convert(leaf_count_optimal,string)," ) = ",convert(2*leaf

            end if
        else #result contains complex but optimal is not
            if debug then
                print("result contains complex but optimal is not");
            fi;
            return "C","Result contains complex when optimal does not.";
        fi;
    else # result do not contain complex
        # this assumes optimal do not as well. No check is needed here.
        if debug then
            print("result do not contain complex, this assumes optimal do not as well
        fi;

```

```

        if leaf_count_result<=2*leaf_count_optimal then
            if debug then
                print("leaf_count_result<=2*leaf_count_optimal");
            fi;
            return "A"," ";
        else
            if debug then
                print("leaf_count_result>2*leaf_count_optimal");
            fi;
            return "B",cat("Leaf count of result is larger than twice the leaf count of
                            convert(leaf_count_result,string)," $ vs. $2(",
                            convert(leaf_count_optimal,string),")=",convert(2*leaf_co
            fi;
        fi;
    else #ExpnType(result) > ExpnType(optimal)
        if debug then
            print("ExpnType(result) > ExpnType(optimal)");
        fi;
        return "C",cat("Result contains higher order function than in optimal. Order ",
                        convert(ExpnType_result,string)," vs. order ",
                        convert(ExpnType_optimal,string),".");
    fi;
end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false
#
#Nasser 032417
is_contains_complex:= proc(expression)
    return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function

```

```

# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'+'') or type(expn,'*') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  elif HypergeometricFunctionQ(op(0,expn)) then
    max(5,apply(max,map(ExpnType,[op(expn)])))
  elif AppellFunctionQ(op(0,expn)) then
    max(6,apply(max,map(ExpnType,[op(expn)])))
  elif op(0,expn)='int' then
    max(8,apply(max,map(ExpnType,[op(expn)]))) else
  9

```

```

    end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func, [
    exp, log, ln,
    sin, cos, tan, cot, sec, csc,
    arcsin, arccos, arctan, arccot, arcsec, arccsc,
    sinh, cosh, tanh, coth, sech, csch,
    arcsinh, arccosh, arctanh, arccoth, arcsech, arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func, [
    erf, erfc, erfi,
    FresnelS, FresnelC,
    Ei, Ei, Li, Si, Ci, Shi, Chi,
    GAMMA, lnGAMMA, Psi, Zeta, polylog, dilog, LambertW,
    EllipticF, EllipticE, EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func, [Hypergeometric1F1, hypergeom, HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func, [AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u), op(2..nops(u),u))
  end if
end proc:

#leafcount(u) returns the number of nodes in u.

```

```
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc:
```

Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
#      Port of original Maple grading function by
#      Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#      added 'exp_polar'
from sympy import *

def leaf_count(expr):
  #sympy do not have leaf count function. This is approximation
  return round(1.7*count_ops(expr))

def is_sqrt(expr):
  if isinstance(expr,Pow):
    if expr.args[1] == Rational(1,2):
      return True
    else:
      return False
  else:
    return False

def is_elementary_function(func):
  return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
    asinh,acosh,atanh,acoth,asech,acsch
  ]

def is_special_function(func):
  return func in [ erf,erfc,erfi,
    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
    gamma,loggamma,digamma,zeta,polylog,LambertW,
    elliptic_f,elliptic_e,elliptic_pi,exp_polar
  ]
```

```

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
        else:
            return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+') or type(expn,'*')

```

```

    m1 = expnType(expn.args[0])
    m2 = expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
    return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif is_appell_function(expn.func):
    m1 = max(map(expnType, list(expn.args)))
    return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif isinstance(expn,RootSum):
    m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
    return max(7,m1)
elif str(expn).find("Integral") != -1:
    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    #print("Enter grade_antiderivative for sagemath")
    #print("Enter grade_antiderivative, result=",result," optimal=",optimal)

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    #print("leaf_count_result=",leaf_count_result)
    #print("leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        grade = "F"
        grade_annotation = ""

```

```

else:
    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    grade = "A"
                    grade_annotation = ""
                else:
                    grade = "B"
                    grade_annotation = "Both result and optimal contain complex but leaf count of result is lar
            else: #result contains complex but optimal is not
                grade = "C"
                grade_annotation = "Result contains complex when optimal does not."
        else: # result do not contain complex, this assumes optimal do not as well
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = ""
            else:
                grade = "B"
                grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(
        else:
            grade = "C"
            grade_annotation = "Result contains higher order function than in optimal. Order "+str(ExpnType

#print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```

SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#       Albert Rich to use with Sagemath. This is used to
#       grade Fracas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#       'arctan2', 'floor', 'abs', 'log_integral'
#June 4, 2022 Made default grade_annotation "none" instead of "" due
#       issue later when reading the file.
#July 14, 2022. Added ellipticF. This is until they fix sagemath, then remove it.

```



```

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    #print("Enter tree_size, expr is ",expr)

    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    #debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arcoth','arcsech','arcsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:

```

```

    if m:
        print ("func ", func , " is elementary_function")
    else:
        print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    #debug=False
    if debug:
        print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','sinh_integral',
        'Chi','cosh_integral','gamma','log_gamma','psi','zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e','ellipticF',
        'elliptic_pi','exp_integral_e','log_integral',
        'weierstrassPInverse','weierstrass','weierstrassP','weierstrassZeta',
        'weierstrassPPrime','weierstrassSigma']

    if debug:
        print ("m=",m)
    if m:
        print ("func ", func , " is special_function")
    else:
        print ("func ", func , " is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U']

def is_appell_function(func):
    return func.name() in ['hypergeometric'] #[appellf1] can't find this in sagemath

def is_atom(expn):

    #debug=False

```

```

if debug:
    print ("Enter is_atom, expn=",expn)

if not hasattr(expn, 'parent'):
    return False

#thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic
try:
    if expn.parent() is SR:
        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().gens()

    return False

except AttributeError as error:
    print ("Exception,AttributeError in is_atom")
    print ("caught exception" , type(error).__name__ )
    return False

def expnType(expn):

    if debug:
        print (">>>>>Enter expnType, expn=", expn)
        print (">>>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #instance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
    elif expn.operator() == operator.pow: #instance(expn,Pow)
        if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer)

```

```

    return expnType(expn.operands()[0]) #expnType(expn.args[0])
elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],Rational)
    if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],Rational)
        return 1
    else:
        return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
else:
    return max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1])) #max(3,expnType(expn
elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #isinstance(expn,Add) or isins
    m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
    m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
    #is checked before calling the grading function that is passed.
    #but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

if debug:
    print ("Enter grade_antiderivative for sagemath")
    print ("Enter grade_antiderivative, result=",result)
    print ("Enter grade_antiderivative, optimal=",optimal)
    print ("type(anti)=", type(result))
    print ("type(optimal)=", type(optimal))

```

```

leaf_count_result = tree_size(result) #leaf_count(result)
leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

#if debug: print ("leaf_count_result=", leaf_count_result, "leaf_count_optimal=",leaf_count_optimal)

expnType_result = expnType(result)
expnType_optimal = expnType(optimal)

if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",expnType_optimal)

if expnType_result <= expnType_optimal:
    if result.has(I):
        if optimal.has(I): #both result and optimal complex
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = "none"
            else:
                grade = "B"
                grade_annotation = "Both result and optimal contain complex but leaf count of result is larger"
        else: #result contains complex but optimal is not
            grade = "C"
            grade_annotation = "Result contains complex when optimal does not."
    else: # result do not contain complex, this assumes optimal do not as well
        if leaf_count_result <= 2*leaf_count_optimal:
            grade = "A"
            grade_annotation = "none"
        else:
            grade = "B"
            grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(leaf_count_result - 2*leaf_count_optimal)
else:
    grade = "C"
    grade_annotation = "Result contains higher order function than in optimal. Order "+str(expnType_result - expnType_optimal)

print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```

4.2 Links to plain text integration problems used in this report for each CAS

1. Mathematica integration problems as .m file
2. Maple integration problems as .txt file
3. Sagemath integration problems as .sage file
4. Reduce integration problems as .txt file
5. Mupad integration problems as .txt file
6. Sympy integration problems as .py file