

# Computer Algebra Independent Integration Tests

Summer 2024

8-Special-functions/352-8.3

Nasser M. Abbasi

May 18, 2024

Compiled on May 18, 2024 at 12:55am

# Contents

<b>1</b>	<b>Introduction</b>	<b>4</b>
1.1	Listing of CAS systems tested . . . . .	5
1.2	Results . . . . .	6
1.3	Time and leaf size Performance . . . . .	10
1.4	Performance based on number of rules Rubi used . . . . .	12
1.5	Performance based on number of steps Rubi used . . . . .	13
1.6	Solved integrals histogram based on leaf size of result . . . . .	14
1.7	Solved integrals histogram based on CPU time used . . . . .	15
1.8	Leaf size vs. CPU time used . . . . .	16
1.9	list of integrals with no known antiderivative . . . . .	17
1.10	List of integrals solved by CAS but has no known antiderivative . . . . .	17
1.11	list of integrals solved by CAS but failed verification . . . . .	17
1.12	Timing . . . . .	18
1.13	Verification . . . . .	18
1.14	Important notes about some of the results . . . . .	19
1.15	Current tree layout of integration tests . . . . .	22
1.16	Design of the test system . . . . .	23
<b>2</b>	<b>detailed summary tables of results</b>	<b>24</b>
2.1	List of integrals sorted by grade for each CAS . . . . .	25
2.2	Detailed conclusion table per each integral for all CAS systems . . . . .	29
2.3	Detailed conclusion table specific for Rubi results . . . . .	48
<b>3</b>	<b>Listing of integrals</b>	<b>51</b>
3.1	$\int x^3 \text{ExpIntegralEi}(bx) dx$ . . . . .	54
3.2	$\int x^2 \text{ExpIntegralEi}(bx) dx$ . . . . .	60
3.3	$\int x \text{ExpIntegralEi}(bx) dx$ . . . . .	66
3.4	$\int \text{ExpIntegralEi}(bx) dx$ . . . . .	72
3.5	$\int \frac{\text{ExpIntegralEi}(bx)}{x} dx$ . . . . .	77
3.6	$\int \frac{\text{ExpIntegralEi}(bx)}{x^2} dx$ . . . . .	83
3.7	$\int \frac{\text{ExpIntegralEi}(bx)}{x^3} dx$ . . . . .	88

---

3.8	$\int \frac{\text{ExpIntegralEi}(bx)}{x^4} dx$	93
3.9	$\int x^2 \text{ExpIntegralEi}(bx)^2 dx$	99
3.10	$\int x \text{ExpIntegralEi}(bx)^2 dx$	106
3.11	$\int \text{ExpIntegralEi}(bx)^2 dx$	112
3.12	$\int \frac{\text{ExpIntegralEi}(bx)^2}{x} dx$	117
3.13	$\int \frac{\text{ExpIntegralEi}(bx)^2}{x^2} dx$	122
3.14	$\int (dx)^m \text{ExpIntegralEi}(bx)^3 dx$	127
3.15	$\int (dx)^m \text{ExpIntegralEi}(bx)^2 dx$	132
3.16	$\int (dx)^m \text{ExpIntegralEi}(bx) dx$	137
3.17	$\int \frac{(dx)^m}{\text{ExpIntegralEi}(bx)} dx$	143
3.18	$\int \frac{(dx)^m}{\text{ExpIntegralEi}(bx)^2} dx$	148
3.19	$\int x^3 \text{ExpIntegralEi}(a + bx) dx$	153
3.20	$\int x^2 \text{ExpIntegralEi}(a + bx) dx$	159
3.21	$\int x \text{ExpIntegralEi}(a + bx) dx$	165
3.22	$\int \text{ExpIntegralEi}(a + bx) dx$	170
3.23	$\int \frac{\text{ExpIntegralEi}(a+bx)}{x} dx$	175
3.24	$\int \frac{\text{ExpIntegralEi}(a+bx)}{x^2} dx$	180
3.25	$\int \frac{\text{ExpIntegralEi}(a+bx)}{x^3} dx$	185
3.26	$\int x^2 \text{ExpIntegralEi}(a + bx)^2 dx$	190
3.27	$\int x \text{ExpIntegralEi}(a + bx)^2 dx$	201
3.28	$\int \text{ExpIntegralEi}(a + bx)^2 dx$	209
3.29	$\int \frac{\text{ExpIntegralEi}(a+bx)^2}{x} dx$	214
3.30	$\int \frac{\text{ExpIntegralEi}(a+bx)^2}{x^2} dx$	219
3.31	$\int x^2 \text{ExpIntegralEi}(a + bx)^3 dx$	224
3.32	$\int x \text{ExpIntegralEi}(a + bx)^3 dx$	229
3.33	$\int \text{ExpIntegralEi}(a + bx)^3 dx$	234
3.34	$\int \frac{\text{ExpIntegralEi}(a+bx)^3}{x} dx$	239
3.35	$\int \frac{\text{ExpIntegralEi}(a+bx)^3}{x^2} dx$	244
3.36	$\int (c + dx)^m \text{ExpIntegralEi}(a + bx)^3 dx$	249
3.37	$\int (c + dx)^m \text{ExpIntegralEi}(a + bx)^2 dx$	254
3.38	$\int (c + dx)^m \text{ExpIntegralEi}(a + bx) dx$	259
3.39	$\int \frac{(c+dx)^m}{\text{ExpIntegralEi}(a+bx)} dx$	264
3.40	$\int \frac{(c+dx)^m}{\text{ExpIntegralEi}(a+bx)^2} dx$	269
3.41	$\int x^2 \text{ExpIntegralEi}(d(a + b \log(cx^n))) dx$	274
3.42	$\int x \text{ExpIntegralEi}(d(a + b \log(cx^n))) dx$	279
3.43	$\int \text{ExpIntegralEi}(d(a + b \log(cx^n))) dx$	284
3.44	$\int \frac{\text{ExpIntegralEi}(d(a+b \log(cx^n)))}{x} dx$	289
3.45	$\int \frac{\text{ExpIntegralEi}(d(a+b \log(cx^n)))}{x^2} dx$	295

---

3.46	$\int \frac{\text{ExpIntegralEi}(d(a+b \log(cx^n)))}{x^3} dx$	300
3.47	$\int (ex)^m \text{ExpIntegralEi}(d(a + b \log(cx^n))) dx$	305
3.48	$\int \frac{e^{bx} \text{ExpIntegralEi}(bx)}{x^3} dx$	310
3.49	$\int \frac{e^{bx} \text{ExpIntegralEi}(bx)}{x^2} dx$	316
3.50	$\int \frac{e^{bx} \text{ExpIntegralEi}(bx)}{x} dx$	321
3.51	$\int e^{bx} \text{ExpIntegralEi}(bx) dx$	326
3.52	$\int e^{bx} x \text{ExpIntegralEi}(bx) dx$	331
3.53	$\int e^{bx} x^2 \text{ExpIntegralEi}(bx) dx$	337
3.54	$\int e^{bx} x^3 \text{ExpIntegralEi}(bx) dx$	344
3.55	$\int e^{a+bx} x^3 \text{ExpIntegralEi}(c + dx) dx$	352
3.56	$\int e^{a+bx} x^2 \text{ExpIntegralEi}(c + dx) dx$	364
3.57	$\int e^{a+bx} x \text{ExpIntegralEi}(c + dx) dx$	373
3.58	$\int e^{a+bx} \text{ExpIntegralEi}(c + dx) dx$	380
3.59	$\int \frac{e^{a+bx} \text{ExpIntegralEi}(c+dx)}{x} dx$	385
3.60	$\int \frac{e^{a+bx} \text{ExpIntegralEi}(c+dx)}{x^2} dx$	390
3.61	$\int \frac{e^{a+bx} \text{ExpIntegralEi}(c+dx)}{x^3} dx$	396
3.62	$\int x^2 \text{LogIntegral}(bx) dx$	402
3.63	$\int x \text{LogIntegral}(bx) dx$	407
3.64	$\int \text{LogIntegral}(bx) dx$	412
3.65	$\int \frac{\text{LogIntegral}(bx)}{x} dx$	417
3.66	$\int \frac{\text{LogIntegral}(bx)}{x^2} dx$	421
3.67	$\int \frac{\text{LogIntegral}(bx)}{x^3} dx$	426
3.68	$\int (dx)^m \text{LogIntegral}(bx) dx$	431
3.69	$\int x^2 \text{LogIntegral}(a + bx) dx$	436
3.70	$\int x \text{LogIntegral}(a + bx) dx$	441
3.71	$\int \text{LogIntegral}(a + bx) dx$	446
3.72	$\int \frac{\text{LogIntegral}(a+bx)}{x} dx$	451
3.73	$\int \frac{\text{LogIntegral}(a+bx)}{x^2} dx$	456
3.74	$\int (dx)^m \text{LogIntegral}(a + bx) dx$	461
<b>4</b>	<b>Appendix</b>	<b>466</b>
4.1	Listing of Grading functions	466
4.2	Links to plain text integration problems used in this report for each CAS484	

# CHAPTER 1

## INTRODUCTION

1.1	Listing of CAS systems tested . . . . .	5
1.2	Results . . . . .	6
1.3	Time and leaf size Performance . . . . .	10
1.4	Performance based on number of rules Rubi used . . . . .	12
1.5	Performance based on number of steps Rubi used . . . . .	13
1.6	Solved integrals histogram based on leaf size of result . . . . .	14
1.7	Solved integrals histogram based on CPU time used . . . . .	15
1.8	Leaf size vs. CPU time used . . . . .	16
1.9	list of integrals with no known antiderivative . . . . .	17
1.10	List of integrals solved by CAS but has no known antiderivative . . . . .	17
1.11	list of integrals solved by CAS but failed verification . . . . .	17
1.12	Timing . . . . .	18
1.13	Verification . . . . .	18
1.14	Important notes about some of the results . . . . .	19
1.15	Current tree layout of integration tests . . . . .	22
1.16	Design of the test system . . . . .	23

This report gives the result of running the computer algebra independent integration test. The download section in on the main webpage contains links to download the problems in plain text format used for all CAS systems. The number of integrals in this report is [ 74 ]. This is test number [ 352 ].

## 1.1 Listing of CAS systems tested

The following are the CAS systems tested:

1. Mathematica 14 (January 9, 2024) on windows 10 pro.
2. Rubi 4.17.3 (Sept 25, 2023) on Mathematica 14 on windows 10m pro.
3. Maple 2024 (March 1, 2024) on windows 10 pro.
4. Maxima 5.47 (June 1, 2023) using Lisp SBCL 2.4.0 on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
5. FriCAS 1.3.10 built with sbcl 2.3.11 (January 10, 2024) on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
6. Giac/Xcas 1.9.0-99 on Linux via sagemath 10.3.
7. Sympy 1.12 using Python 3.11.6 (Nov 14 2023, 09:36:21) [GCC 13.2.1 20230801] on Linux Manjaro 23.1.2 KDE.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 on windows 10.
9. Reduce CSL rev 6687 (January 9, 2024) on Linux Manjaro 23.1.2 KDE.

Maxima and Fricas and Giac are called using Sagemath. This was done using Sagemath `integrate` command by changing the name of the algorithm to use the different CAS systems.

Sympy was run directly in Python not via sagemath.

Reduce was called directly.

## 1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed. If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in the table below reflects the above.

System	% solved	% Failed
Rubi	100.00 ( 74 )	0.00 ( 0 )
Fricas	98.65 ( 73 )	1.35 ( 1 )
Mathematica	97.30 ( 72 )	2.70 ( 2 )
Maple	86.49 ( 64 )	13.51 ( 10 )
Giac	72.97 ( 54 )	27.03 ( 20 )
Mupad	63.51 ( 47 )	36.49 ( 27 )
Maxima	56.76 ( 42 )	43.24 ( 32 )
Reduce	51.35 ( 38 )	48.65 ( 36 )
Sympy	44.59 ( 33 )	55.41 ( 41 )

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> <li>1. antiderivative contains a hypergeometric function and the optimal antiderivative does not.</li> <li>2. antiderivative contains a special function and the optimal antiderivative does not.</li> <li>3. antiderivative contains the imaginary unit and the optimal antiderivative does not.</li> </ol>
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	66.216	0.000	0.000	33.784
Fricas	64.865	0.000	1.351	33.784
Mathematica	63.514	0.000	0.000	36.486
Maple	45.946	5.405	1.351	47.297
Giac	36.486	2.703	0.000	60.811
Maxima	21.622	1.351	0.000	77.027
Sympy	17.568	0.000	2.703	79.730
Mupad	0.000	33.784	0.000	66.216
Reduce	0.000	17.568	0.000	82.432

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the grades of the CAS systems.



The following table shows the distribution of the different types of failures for each CAS. There are 3 types failures. The first is when CAS returns the input within the time limit, which means it could not solve it. This is the typical failure and given as **F**.

The second failure is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned **F(-1)**.

The third is due to an exception generated, indicated as **F(-2)**. This most likely indicates an interface problem between sageMath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in the CAS itself. This type of error requires more investigation to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00	0.00	0.00
Fricas	1	100.00	0.00	0.00
Mathematica	2	100.00	0.00	0.00
Maple	10	100.00	0.00	0.00
Giac	20	100.00	0.00	0.00
Mupad	27	0.00	100.00	0.00
Maxima	32	100.00	0.00	0.00
Sympy	41	63.41	36.59	0.00
Reduce	36	100.00	0.00	0.00

Table 1.4: Failure statistics for each CAS

## 1.3 Time and leaf size Performance

The table below summarizes the performance of each CAS system in terms of time used and leaf size of results.

Mean size is the average leaf size produced by the CAS (before any normalization). The Normalized mean is relative to the mean size of the optimal anti-derivative given in the input files.

For example, if CAS has **Normalized mean** of 3, then the mean size of its leaf size is 3 times as large as the mean size of the optimal leaf size.

Median size is value of leaf size where half the values are larger than this and half are smaller (before any normalization). i.e. The Middle value.

Similarly the **Normalized median** is relative to the median leaf size of the optimal.

For example, if a CAS has Normalized median of 1.2, then its median is 1.2 as large as the median leaf size of the optimal.

System	Mean time (sec)
Maxima	0.05
Maple	0.06
Mupad	0.07
Fricas	0.08
Giac	0.12
Mathematica	0.16
Reduce	0.20
Rubi	0.38
Sympy	6.57

Table 1.5: Time performance for each CAS

System	Mean size	Normalized mean	Median size	Normalized median
Maxima	18.69	1.04	18.00	1.12
Mupad	21.62	0.96	14.00	1.12
Reduce	23.55	1.33	18.00	1.17
Mathematica	39.58	0.94	27.00	1.00
Fricas	48.23	1.02	30.00	1.06
Rubi	60.07	1.05	32.50	1.00
Maple	60.48	1.03	23.00	1.00
Giac	67.37	1.08	20.50	1.08
Sympy	213.94	4.46	12.00	1.00

Table 1.6: Leaf size performance for each CAS

## 1.4 Performance based on number of rules Rubi used

This section shows how each CAS performed based on the number of rules Rubi needed to solve the same integral. One diagram is given for each CAS.

On the  $y$  axis is the percentage solved which Rubi itself needed the number of rules given the  $x$  axis. These plots show that as more rules are needed then most CAS system percentage of solving decreases which indicates the integral is becoming more complicated to solve.




Figure 1.1: Solving statistics per number of Rubi rules used

## 1.5 Performance based on number of steps Rubi used

This section shows how each CAS performed based on the number of steps Rubi needed to solve the same integral. Note that the number of steps Rubi needed can be much higher than the number of rules, as the same rule could be used more than once.




Figure 1.2: Solving statistics per number of Rubi steps used

The above diagram show that the precentage of solved intergals decreases for most CAS systems as the number of steps increases. As expected, for integrals that required less steps by Rubi, CAS systems had more success which indicates the integral was not as hard to solve. As Rubi needed more steps to solve the integral, the solved percentage decreased for most CAS systems which indicates the integral is becoming harder to solve.

## 1.6 Solved integrals histogram based on leaf size of result

The following shows the distribution of solved integrals for each CAS system based on leaf size of the antiderivatives produced by each CAS. It shows that most integrals solved produced leaf size less than about 100 to 150. The bin size used is 40.




Figure 1.3: Solved integrals based on leaf size distribution

## 1.7 Solved integrals histogram based on CPU time used

The following shows the distribution of solved integrals for each CAS system based on CPU time used in seconds. The bin size used is 0.1 second.




Figure 1.4: Solved integrals histogram based on CPU time used

## 1.8 Leaf size vs. CPU time used

The following shows the relation between the CPU time used to solve an integral and the leaf size of the antiderivative.

The result for Fricas, Maxima and Giac is shifted more to the right than the other CAS system due to the use of sagemath to call them, which causes an initial slight delay in the timing to start the integration due to overhead of starting a new process each time. This should also be taken into account when looking at the timing of these three CAS systems. Direct calls not using sagemath would result in faster timings, but current implementation uses sagemath as this makes testing much easier to do.




Figure 1.5: Leaf size vs. CPU time. Full range

## 1.9 list of integrals with no known antiderivative

{12, 13, 14, 15, 17, 18, 23, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 59, 60, 61, 72, 73, 74}

## 1.10 List of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {13}

Sympy {}

Giac {}

Reduce {}

Mupad {72, 73, 74}

## 1.11 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not necessarily mean that the anti-derivative is wrong as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it possible to do further investigation to determine why the result could not be verified.

Rubi {44}

Mathematica {}

Maple {}

**Maxima** Verification phase not currently implemented.

**Fricas** Verification phase not currently implemented.

**Sympy** Verification phase not currently implemented.

**Giac** Verification phase not currently implemented.

**Reduce** Verification phase not currently implemented.

**Mupad** Verification phase not currently implemented.

## 1.12 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each `integrate` call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of_int', int(expr,x)),output='realtime'
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A `time limit` of 3 CPU minutes was used for each integral. If the `integrate` command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out was not counted in the final statistics.

## 1.13 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica.

Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative was correct.

Verification phase also had 3 minutes time out. An integral whose result was not verified could still be correct, but further investigation is needed on those integrals. These integrals were marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

## 1.14 Important notes about some of the results

### Important note about Maxima results

Since tests were run in a batch mode, and using an automated script, then any integral where Maxima needed an interactive response from the user to answer a question during the evaluation of the integral will fail.

The exception raised is `ValueError`. Therefore Maxima results is lower than what would result if Maxima was run directly and each question was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the `Timofeev` test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate the cause of error.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'  
'display2d : false'  
'domain : complex'  
'keepfloat : true'  
'load(to_poly_solve)'  
'load(simplify_sum)'  
'load(abs_integrate)' 'load(diag)'
```

SageMath automatic loading of Maxima `abs_integrate` was found to cause some problems. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib  
maxima_lib.set('extra_definite_integration_methods', '[]')  
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

## Important note about FriCAS result

There were few integrals which failed due to SageMath interface and not because FriCAS system could not do the integration.

These will fail With error `Exception raised: NotImplementedError.`

The number of such cases seems to be very small. About 1 or 2 percent of all integrals. These can be identified by looking at the exception message given in the result.

## Important note about finding leaf size of antiderivative

For Mathematica, Rubi, and Maple, the builtin system function `LeafSize` was used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy antiderivative was determined using the following function, thanks to user `slelievre` at [https://ask.sagemath.org/question/57123/could-we-have-a-leaf\\_count-function-in-base-sagemath/](https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/)

```
def tree_size(expr):
    """
    Return the tree size of this expression.
    """

    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which was called directly from Python, the following code was used to obtain the leafsize of its result

```
try:  
    # 1.7 is a fudge factor since it is low side from actual leaf count  
    leafCount = round(1.7*count_ops(anti))  
  
except Exception as ee:  
    leafCount = 1
```

## Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative. Maple was used to determine the leaf size of Mupad output by post processing Mupad result.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.

The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')  
the_variable = evalin(symengine, 'x')  
anti = int(integrand, the_variable)
```

Which gives  $\sin(x)^2/2$

## 1.15 Current tree layout of integration tests





Figure 1.6: CAS integration tests tree

## 1.16 Design of the test system

The following diagram gives a high level view of the current test build system.



## CHAPTER 2

### DETAILED SUMMARY TABLES OF RESULTS

2.1	List of integrals sorted by grade for each CAS . . . . .	25
2.2	Detailed conclusion table per each integral for all CAS systems . . . . .	29
2.3	Detailed conclusion table specific for Rubi results . . . . .	48

## 2.1 List of integrals sorted by grade for each CAS

Rubi . . . . .	25
Mma . . . . .	25
Maple . . . . .	26
Fricas . . . . .	26
Maxima . . . . .	26
Giac . . . . .	27
Mupad . . . . .	27
Sympy . . . . .	27
Reduce . . . . .	28

### Rubi

**A grade** { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 16, 19, 20, 21, 22, 24, 25, 26, 27, 28, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71 }

**B grade** { }

**C grade** { }

**F normal fail** { }

**F(-1) timeout fail** { }

**F(-2) exception fail** { }

### Mma

**A grade** { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 16, 19, 20, 21, 22, 24, 25, 26, 27, 28, 41, 42, 43, 44, 45, 46, 47, 50, 51, 52, 53, 54, 55, 56, 57, 58, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71 }

**B grade** { }

**C grade** { }

**F normal fail** { 48, 49 }

**F(-1) timeout fail** { }

**F(-2) exception fail** { }

**Maple**

**A grade** { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 19, 20, 21, 22, 24, 25, 27, 28, 44, 50, 51, 52, 53, 54, 62, 63, 64, 65, 66, 67, 69, 70, 71 }

**B grade** { 55, 56, 57, 58 }

**C grade** { 16 }

**F normal fail** { 26, 41, 42, 43, 45, 46, 47, 48, 49, 68 }

**F(-1) timeout fail** { }

**F(-2) exception fail** { }

**Fricas**

**A grade** { 1, 2, 3, 4, 6, 7, 8, 9, 10, 11, 16, 19, 20, 21, 22, 24, 25, 26, 27, 28, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71 }

**B grade** { }

**C grade** { 13 }

**F normal fail** { 5 }

**F(-1) timeout fail** { }

**F(-2) exception fail** { }

**Maxima**

**A grade** { 1, 2, 3, 4, 6, 7, 8, 22, 44, 50, 62, 63, 64, 66, 67, 71 }

**B grade** { 65 }

**C grade** { }

**F normal fail** { 5, 9, 10, 11, 16, 19, 20, 21, 24, 25, 26, 27, 28, 41, 42, 43, 45, 46, 47, 48, 49, 51, 52, 53, 54, 55, 56, 57, 58, 68, 69, 70 }

**F(-1) timeout fail** { }

**F(-2) exception fail** { }

## Giac

**A grade** { 1, 2, 3, 4, 6, 7, 8, 9, 10, 11, 19, 20, 21, 22, 24, 25, 41, 42, 43, 44, 50, 51, 52, 53, 54, 57, 58 }

**B grade** { 55, 56 }

**C grade** { }

**F normal fail** { 5, 16, 26, 27, 28, 45, 46, 47, 48, 49, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71 }

**F(-1) timeout fail** { }

**F(-2) exception fail** { }

## Mupad

**A grade** { }

**B grade** { 1, 2, 3, 4, 6, 7, 8, 20, 21, 22, 44, 50, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74 }

**C grade** { }

**F normal fail** { }

**F(-1) timeout fail** { 5, 9, 10, 11, 16, 19, 24, 25, 26, 27, 28, 41, 42, 43, 45, 46, 47, 48, 49, 51, 52, 53, 54, 55, 56, 57, 58 }

**F(-2) exception fail** { }

## Sympy

**A grade** { 1, 2, 3, 4, 6, 7, 8, 19, 20, 21, 22, 50, 66 }

**B grade** { }

**C grade** { 5, 16 }

**F normal fail** { 9, 10, 11, 24, 25, 26, 27, 28, 43, 44, 48, 49, 51, 52, 53, 54, 58, 62, 63, 64, 65, 67, 68, 69, 70, 71 }

**F(-1) timeout fail** { 36, 37, 38, 39, 40, 41, 42, 45, 46, 47, 55, 56, 57, 60, 61 }

**F(-2) exception fail** { }

## Reduce

**A grade** { }

**B grade** { 1, 2, 3, 4, 6, 7, 8, 44, 50, 64, 65, 66, 71 }

**C grade** { }

**F normal fail** { 5, 9, 10, 11, 16, 19, 20, 21, 22, 24, 25, 26, 27, 28, 41, 42, 43, 45, 46, 47, 48, 49, 51, 52, 53, 54, 55, 56, 57, 58, 62, 63, 67, 68, 69, 70 }

**F(-1) timeout fail** { }

**F(-2) exception fail** { }

## 2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by the table below. The elapsed time is in seconds. For failed result it is given as **F(-1)** if the failure was due to timeout. It is given as **F(-2)** if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given as **F**.

In this table, the column **N.S.** means **normalized size** and is defined as  $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$ . To make the table fit the page, the name **Mathematica** was abbreviated to **MMA**.

Problem 1	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	67	74	44	54	40	44	68	40	59	53
N.S.	1	1.10	0.66	0.81	0.60	0.66	1.01	0.60	0.88	0.79
time (sec)	N/A	0.450	0.023	0.161	0.026	0.079	0.370	0.113	0.230	0.217

Problem 2	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	52	56	36	42	32	36	53	32	46	42
N.S.	1	1.08	0.69	0.81	0.62	0.69	1.02	0.62	0.88	0.81
time (sec)	N/A	0.247	0.012	0.042	0.023	0.074	0.273	0.108	0.201	0.065

Problem 3	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	37	37	28	30	24	28	36	24	31	29
N.S.	1	1.00	0.76	0.81	0.65	0.76	0.97	0.65	0.84	0.78
time (sec)	N/A	0.203	0.010	0.035	0.023	0.076	0.191	0.109	0.180	0.063

Problem 4	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	17	17	17	17	18	18	17	16	19	16
N.S.	1	1.00	1.00	1.00	1.06	1.06	1.00	0.94	1.12	0.94
time (sec)	N/A	0.147	0.005	0.012	0.022	0.065	0.091	0.108	0.208	0.052

Problem 5	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	F	C	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	45	45	51	58	0	0	180	0	10	0
N.S.	1	1.00	1.13	1.29	0.00	0.00	4.00	0.00	0.22	0.00
time (sec)	N/A	0.223	0.020	0.036	0.000	0.000	0.654	0.000	0.223	0.000

Problem 6	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	26	26	22	25	18	21	19	28	25	21
N.S.	1	1.00	0.85	0.96	0.69	0.81	0.73	1.08	0.96	0.81
time (sec)	N/A	0.214	0.007	0.020	0.062	0.075	0.107	0.109	0.194	0.054

Problem 7	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	48	51	34	38	21	31	39	41	39	36
N.S.	1	1.06	0.71	0.79	0.44	0.65	0.81	0.85	0.81	0.75
time (sec)	N/A	0.254	0.009	0.048	0.066	0.075	0.210	0.114	0.226	0.059

Problem 8	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	63	69	41	50	21	38	53	53	52	48
N.S.	1	1.10	0.65	0.79	0.33	0.60	0.84	0.84	0.83	0.76
time (sec)	N/A	0.303	0.010	0.069	0.061	0.077	0.271	0.107	0.209	0.061

Problem 9	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	A	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	105	130	66	79	0	62	0	67	12	0
N.S.	1	1.24	0.63	0.75	0.00	0.59	0.00	0.64	0.11	0.00
time (sec)	N/A	0.598	0.019	0.050	0.000	0.075	0.000	0.115	0.187	0.000

Problem 10	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	A	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	65	70	50	55	0	46	0	50	10	0
N.S.	1	1.08	0.77	0.85	0.00	0.71	0.00	0.77	0.15	0.00
time (sec)	N/A	0.364	0.012	0.022	0.000	0.075	0.000	0.117	0.185	0.000

Problem 11	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	A	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	33	35	33	33	0	31	0	32	8	0
N.S.	1	1.06	1.00	1.00	0.00	0.94	0.00	0.97	0.24	0.00
time (sec)	N/A	0.242	0.009	0.013	0.000	0.073	0.000	0.111	0.241	0.000

Problem 12	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	10	10	12	10	12	12	8	12	12	12
N.S.	1	1.00	1.20	1.00	1.20	1.20	0.80	1.20	1.20	1.20
time (sec)	N/A	0.166	0.068	0.011	0.049	0.076	0.341	0.110	0.217	0.041

Problem 13	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	C	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	10	10	12	10	12	43	10	12	12	12
N.S.	1	1.00	1.20	1.00	1.20	4.30	1.00	1.20	1.20	1.20
time (sec)	N/A	0.172	0.064	0.007	0.049	0.087	0.293	0.105	0.184	0.046

Problem 14	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	12	12	14	12	14	14	12	14	16	14
N.S.	1	1.00	1.17	1.00	1.17	1.17	1.00	1.17	1.33	1.17
time (sec)	N/A	0.170	0.034	0.013	0.055	0.080	2.863	0.121	0.200	0.051

Problem 15	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	12	12	14	12	14	14	12	14	16	14
N.S.	1	1.00	1.17	1.00	1.17	1.17	1.00	1.17	1.33	1.17
time (sec)	N/A	0.176	0.127	0.006	0.048	0.077	1.056	0.110	0.209	0.038

Problem 16	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	F	A	C	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	52	52	40	95	0	41	5938	0	60	0
N.S.	1	1.00	0.77	1.83	0.00	0.79	114.19	0.00	1.15	0.00
time (sec)	N/A	0.214	0.025	0.048	0.000	0.082	28.993	0.000	0.193	0.000

Problem 17	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	12	12	14	12	14	14	10	14	16	14
N.S.	1	1.00	1.17	1.00	1.17	1.17	0.83	1.17	1.33	1.17
time (sec)	N/A	0.177	0.021	0.004	0.050	0.070	0.349	0.110	0.190	0.030

Problem 18	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	12	12	14	12	14	14	12	14	16	14
N.S.	1	1.00	1.17	1.00	1.17	1.17	1.00	1.17	1.33	1.17
time (sec)	N/A	0.173	0.378	0.003	0.051	0.070	0.624	0.105	0.233	0.036

Problem 19	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	A	A	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	194	175	86	144	0	78	204	142	12	0
N.S.	1	0.90	0.44	0.74	0.00	0.40	1.05	0.73	0.06	0.00
time (sec)	N/A	0.453	0.029	0.069	0.000	0.082	12.390	0.116	0.195	0.000

Problem 20	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	<b>F</b>	A	A	A	<b>F</b>	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	124	113	57	103	0	52	131	89	12	94
N.S.	1	0.91	0.46	0.83	0.00	0.42	1.06	0.72	0.10	0.76
time (sec)	N/A	0.368	0.021	0.039	0.000	0.077	5.620	0.115	0.173	0.155

Problem 21	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	<b>F</b>	A	A	A	<b>F</b>	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	74	70	43	55	0	42	76	54	10	55
N.S.	1	0.95	0.58	0.74	0.00	0.57	1.03	0.73	0.14	0.74
time (sec)	N/A	0.301	0.017	0.027	0.000	0.067	2.386	0.116	0.176	0.115

Problem 22	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	<b>F</b>	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	28	28	26	26	25	25	32	30	8	64
N.S.	1	1.00	0.93	0.93	0.89	0.89	1.14	1.07	0.29	2.29
time (sec)	N/A	0.163	0.010	0.016	0.023	0.072	0.779	0.111	0.221	0.075

Problem 23	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	10	10	12	10	12	12	8	12	12	12
N.S.	1	1.00	1.20	1.00	1.20	1.20	0.80	1.20	1.20	1.20
time (sec)	N/A	0.156	0.050	0.012	0.093	0.072	1.053	0.107	0.209	0.043

Problem 24	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	A	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	36	37	31	43	0	30	0	33	12	0
N.S.	1	1.03	0.86	1.19	0.00	0.83	0.00	0.92	0.33	0.00
time (sec)	N/A	0.371	0.014	0.038	0.000	0.087	0.000	0.115	0.174	0.000

Problem 25	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	A	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	82	71	60	75	0	56	0	60	12	0
N.S.	1	0.87	0.73	0.91	0.00	0.68	0.00	0.73	0.15	0.00
time (sec)	N/A	0.413	0.023	0.053	0.000	0.077	0.000	0.113	0.190	0.000

Problem 26	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	A	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	286	404	105	0	0	101	0	0	14	0
N.S.	1	1.41	0.37	0.00	0.00	0.35	0.00	0.00	0.05	0.00
time (sec)	N/A	2.295	0.209	0.000	0.000	0.078	0.000	0.000	0.211	0.000

Problem 27	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	A	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	152	177	76	105	0	75	0	0	12	0
N.S.	1	1.16	0.50	0.69	0.00	0.49	0.00	0.00	0.08	0.00
time (sec)	N/A	0.896	0.054	0.059	0.000	0.080	0.000	0.000	0.196	0.000

Problem 28	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	A	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	49	51	44	46	0	44	0	0	10	0
N.S.	1	1.04	0.90	0.94	0.00	0.90	0.00	0.00	0.20	0.00
time (sec)	N/A	0.271	0.007	0.030	0.000	0.076	0.000	0.000	0.199	0.000

Problem 29	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	12	12	14	12	14	14	10	14	14	14
N.S.	1	1.00	1.17	1.00	1.17	1.17	0.83	1.17	1.17	1.17
time (sec)	N/A	0.172	0.096	0.006	0.051	0.074	1.765	0.119	0.187	0.046

Problem 30	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	12	12	14	12	14	14	12	14	14	14
N.S.	1	1.00	1.17	1.00	1.17	1.17	1.00	1.17	1.17	1.17
time (sec)	N/A	0.171	0.123	0.012	0.056	0.073	9.171	0.124	0.214	0.065

Problem 31	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	12	12	14	12	14	14	12	14	14	14
N.S.	1	1.00	1.17	1.00	1.17	1.17	1.00	1.17	1.17	1.17
time (sec)	N/A	0.172	0.029	0.006	0.052	0.079	37.275	0.134	0.192	0.099

Problem 32	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	10	10	12	10	12	12	10	12	12	12
N.S.	1	1.00	1.20	1.00	1.20	1.20	1.00	1.20	1.20	1.20
time (sec)	N/A	0.164	0.027	0.010	0.050	0.073	20.943	0.134	0.189	0.088

Problem 33	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	8	8	10	8	10	10	8	10	10	10
N.S.	1	1.00	1.25	1.00	1.25	1.25	1.00	1.25	1.25	1.25
time (sec)	N/A	0.195	0.012	0.004	0.047	0.098	10.363	0.118	0.202	0.106

Problem 34	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	12	12	14	12	14	14	10	14	14	14
N.S.	1	1.00	1.17	1.00	1.17	1.17	0.83	1.17	1.17	1.17
time (sec)	N/A	0.168	0.020	0.006	0.054	0.075	2.701	0.124	0.198	0.052

Problem 35	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	12	12	14	12	14	14	12	14	14	14
N.S.	1	1.00	1.17	1.00	1.17	1.17	1.00	1.17	1.17	1.17
time (sec)	N/A	0.169	0.026	0.006	0.052	0.073	22.577	0.135	0.201	0.076

Problem 36	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	16	16	18	16	18	18	0	18	18	18
N.S.	1	1.00	1.12	1.00	1.12	1.12	0.00	1.12	1.12	1.12
time (sec)	N/A	0.185	0.078	0.039	0.051	0.086	0.000	0.146	0.182	0.066

Problem 37	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	16	16	18	16	18	18	0	18	18	18
N.S.	1	1.00	1.12	1.00	1.12	1.12	0.00	1.12	1.12	1.12
time (sec)	N/A	0.181	0.723	0.018	0.055	0.080	0.000	0.128	0.226	0.057

Problem 38	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	14	14	16	14	16	16	0	16	16	16
N.S.	1	1.00	1.14	1.00	1.14	1.14	0.00	1.14	1.14	1.14
time (sec)	N/A	0.421	0.520	0.017	0.052	0.081	0.000	0.114	0.187	0.055

Problem 39	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	16	16	18	16	18	18	0	18	18	18
N.S.	1	1.00	1.12	1.00	1.12	1.12	0.00	1.12	1.12	1.12
time (sec)	N/A	0.185	0.028	0.019	0.054	0.074	0.000	0.113	0.200	0.037

Problem 40	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	16	16	18	16	18	18	0	18	18	18
N.S.	1	1.00	1.12	1.00	1.12	1.12	0.00	1.12	1.12	1.12
time (sec)	N/A	0.187	4.695	0.017	0.055	0.076	0.000	0.115	0.220	0.062

Problem 41	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	A	F(-1)	A	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	74	92	69	0	0	83	0	79	20	0
N.S.	1	1.24	0.93	0.00	0.00	1.12	0.00	1.07	0.27	0.00
time (sec)	N/A	0.320	0.119	0.000	0.000	0.086	0.000	0.142	0.211	0.000

Problem 42	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	A	F(-1)	A	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	74	92	69	0	0	83	0	79	18	0
N.S.	1	1.24	0.93	0.00	0.00	1.12	0.00	1.07	0.24	0.00
time (sec)	N/A	0.309	0.101	0.000	0.000	0.092	0.000	0.143	0.182	0.000

Problem 43	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	A	F	A	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	65	82	64	0	0	75	0	70	16	0
N.S.	1	1.26	0.98	0.00	0.00	1.15	0.00	1.08	0.25	0.00
time (sec)	N/A	0.302	0.085	0.000	0.000	0.085	0.000	0.126	0.184	0.000

Problem 44	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	<span style="color:red">F</span>	A	B	B
verified	N/A	No	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	56	45	52	56	51	59	0	61	69	71
N.S.	1	0.80	0.93	1.00	0.91	1.05	0.00	1.09	1.23	1.27
time (sec)	N/A	0.243	0.033	0.244	0.030	0.081	0.000	0.113	0.201	0.152

Problem 45	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	<span style="color:red">F</span>	<span style="color:red">F</span>	A	<span style="color:red">F(-1)</span>	<span style="color:red">F</span>	<span style="color:red">F</span>	<span style="color:red">F(-1)</span>
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	68	68	64	0	0	83	0	0	20	0
N.S.	1	1.00	0.94	0.00	0.00	1.22	0.00	0.00	0.29	0.00
time (sec)	N/A	0.310	0.096	0.000	0.000	0.086	0.000	0.000	0.198	0.000

Problem 46	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	<span style="color:red">F</span>	<span style="color:red">F</span>	A	<span style="color:red">F(-1)</span>	<span style="color:red">F</span>	<span style="color:red">F</span>	<span style="color:red">F(-1)</span>
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	76	76	69	0	0	87	0	0	20	0
N.S.	1	1.00	0.91	0.00	0.00	1.14	0.00	0.00	0.26	0.00
time (sec)	N/A	0.318	0.105	0.000	0.000	0.098	0.000	0.000	0.193	0.000

Problem 47	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	<span style="color:red">F</span>	<span style="color:red">F</span>	A	<span style="color:red">F(-1)</span>	<span style="color:red">F</span>	<span style="color:red">F</span>	<span style="color:red">F(-1)</span>
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	100	116	88	0	0	117	0	0	24	0
N.S.	1	1.16	0.88	0.00	0.00	1.17	0.00	0.00	0.24	0.00
time (sec)	N/A	0.349	0.172	0.000	0.000	0.092	0.000	0.000	0.214	0.000

Problem 48	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	F	F	F	A	F	F	F	F(-1)
verified	N/A	Yes	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	82	107	0	0	0	60	0	0	15	0
N.S.	1	1.30	0.00	0.00	0.00	0.73	0.00	0.00	0.18	0.00
time (sec)	N/A	0.629	0.000	0.000	0.000	0.082	0.000	0.000	0.214	0.000

Problem 49	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	F	F	F	A	F	F	F	F(-1)
verified	N/A	Yes	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	45	45	0	0	0	41	0	0	15	0
N.S.	1	1.00	0.00	0.00	0.00	0.91	0.00	0.00	0.33	0.00
time (sec)	N/A	0.341	0.000	0.000	0.000	0.082	0.000	0.000	0.178	0.000

Problem 50	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	10	10	10	9	8	8	7	8	8	8
N.S.	1	1.00	1.00	0.90	0.80	0.80	0.70	0.80	0.80	0.80
time (sec)	N/A	0.169	0.003	0.020	0.031	0.070	0.124	0.112	0.203	0.042

Problem 51	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	A	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	24	24	24	21	0	21	0	23	12	0
N.S.	1	1.00	1.00	0.88	0.00	0.88	0.00	0.96	0.50	0.00
time (sec)	N/A	0.187	0.008	0.032	0.000	0.072	0.000	0.113	0.230	0.000

Problem 52	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	A	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	51	57	41	41	0	35	0	38	13	0
N.S.	1	1.12	0.80	0.80	0.00	0.69	0.00	0.75	0.25	0.00
time (sec)	N/A	0.297	0.011	0.052	0.000	0.068	0.000	0.112	0.192	0.000

Problem 53	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	A	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	112	52	63	0	49	0	55	15	0
N.S.	1	1.35	0.63	0.76	0.00	0.59	0.00	0.66	0.18	0.00
time (sec)	N/A	0.512	0.016	0.063	0.000	0.079	0.000	0.112	0.189	0.000

Problem 54	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	A	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	112	189	68	89	0	64	0	75	15	0
N.S.	1	1.69	0.61	0.79	0.00	0.57	0.00	0.67	0.13	0.00
time (sec)	N/A	0.875	0.020	0.099	0.000	0.076	0.000	0.113	0.180	0.000

Problem 55	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	A	F(-1)	B	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	433	444	224	965	0	505	0	1154	21	0
N.S.	1	1.03	0.52	2.23	0.00	1.17	0.00	2.67	0.05	0.00
time (sec)	N/A	2.534	0.379	0.723	0.000	0.086	0.000	0.133	0.213	0.000

Problem 56	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	A	F(-1)	B	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	238	252	133	523	0	269	0	565	21	0
N.S.	1	1.06	0.56	2.20	0.00	1.13	0.00	2.37	0.09	0.00
time (sec)	N/A	1.383	0.186	0.342	0.000	0.091	0.000	0.126	0.180	0.000

Problem 57	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	A	F(-1)	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	117	127	91	233	0	118	0	217	19	0
N.S.	1	1.09	0.78	1.99	0.00	1.01	0.00	1.85	0.16	0.00
time (sec)	N/A	0.698	0.095	0.217	0.000	0.075	0.000	0.122	0.215	0.000

Problem 58	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	A	F	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	47	47	45	99	0	55	0	59	18	0
N.S.	1	1.00	0.96	2.11	0.00	1.17	0.00	1.26	0.38	0.00
time (sec)	N/A	0.280	0.032	0.144	0.000	0.078	0.000	0.114	0.211	0.000

Problem 59	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	17	19	16	18	18	17	18	21	18
N.S.	1	1.00	1.12	0.94	1.06	1.06	1.00	1.06	1.24	1.06
time (sec)	N/A	0.224	0.291	0.031	0.080	0.075	25.302	0.116	0.191	0.074

Problem 60	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	17	19	16	18	18	0	18	21	18
N.S.	1	1.00	1.12	0.94	1.06	1.06	0.00	1.06	1.24	1.06
time (sec)	N/A	0.883	0.436	0.035	0.079	0.075	0.000	0.108	0.174	0.118

Problem 61	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	17	19	16	18	18	0	18	21	18
N.S.	1	1.00	1.12	0.94	1.06	1.06	0.00	1.06	1.24	1.06
time (sec)	N/A	1.773	0.578	0.039	0.074	0.078	0.000	0.113	0.198	0.124

Problem 62	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	F	F	F	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	26	26	26	24	22	27	0	0	11	10
N.S.	1	1.00	1.00	0.92	0.85	1.04	0.00	0.00	0.42	0.38
time (sec)	N/A	0.217	0.036	0.069	0.067	0.077	0.000	0.000	0.186	0.072

Problem 63	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	F	F	F	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	26	26	26	24	22	27	0	0	9	8
N.S.	1	1.00	1.00	0.92	0.85	1.04	0.00	0.00	0.35	0.31
time (sec)	N/A	0.210	0.015	0.032	0.066	0.075	0.000	0.000	0.216	0.060

Problem 64	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	<span style="color:red">F</span>	<span style="color:red">F</span>	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	19	19	19	20	21	22	0	0	22	6
N.S.	1	1.00	1.00	1.05	1.11	1.16	0.00	0.00	1.16	0.32
time (sec)	N/A	0.152	0.014	0.012	0.023	0.076	0.000	0.000	0.221	0.072

Problem 65	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	A	<span style="color:red">F</span>	<span style="color:red">F</span>	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	14	14	14	16	31	14	0	0	15	14
N.S.	1	1.00	1.00	1.14	2.21	1.00	0.00	0.00	1.07	1.00
time (sec)	N/A	0.162	0.004	0.066	0.079	0.068	0.000	0.000	0.208	0.062

Problem 66	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	<span style="color:red">F</span>	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	17	17	17	18	17	19	14	0	20	25
N.S.	1	1.00	1.00	1.06	1.00	1.12	0.82	0.00	1.18	1.47
time (sec)	N/A	0.183	0.005	0.027	0.022	0.075	0.154	0.000	0.205	0.094

Problem 67	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	<span style="color:red">F</span>	<span style="color:red">F</span>	<span style="color:red">F</span>	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	26	26	26	22	22	27	0	0	30	10
N.S.	1	1.00	1.00	0.85	0.85	1.04	0.00	0.00	1.15	0.38
time (sec)	N/A	0.214	0.016	0.047	0.068	0.072	0.000	0.000	0.195	0.055

Problem 68	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	<b>F</b>	<b>F</b>	A	<b>F</b>	<b>F</b>	<b>F</b>	B
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	57	57	45	0	0	50	0	0	15	12
N.S.	1	1.00	0.79	0.00	0.00	0.88	0.00	0.00	0.26	0.21
time (sec)	N/A	0.259	0.136	0.000	0.000	0.077	0.000	0.000	0.204	0.044

Problem 69	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	<b>F</b>	A	<b>F</b>	<b>F</b>	<b>F</b>	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	77	79	69	73	0	117	0	0	13	12
N.S.	1	1.03	0.90	0.95	0.00	1.52	0.00	0.00	0.17	0.16
time (sec)	N/A	0.344	0.054	0.115	0.000	0.073	0.000	0.000	0.197	0.079

Problem 70	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	<b>F</b>	A	<b>F</b>	<b>F</b>	<b>F</b>	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	61	54	59	0	76	0	0	11	10
N.S.	1	1.02	0.90	0.98	0.00	1.27	0.00	0.00	0.18	0.17
time (sec)	N/A	0.283	0.065	0.059	0.000	0.071	0.000	0.000	0.297	0.062

Problem 71	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	<b>F</b>	<b>F</b>	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	30	30	34	29	28	36	0	0	35	8
N.S.	1	1.00	1.13	0.97	0.93	1.20	0.00	0.00	1.17	0.27
time (sec)	N/A	0.160	0.031	0.027	0.023	0.072	0.000	0.000	0.228	0.112

Problem 72	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	B
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	10	10	12	10	12	12	8	12	42	12
N.S.	1	1.00	1.20	1.00	1.20	1.20	0.80	1.20	4.20	1.20
time (sec)	N/A	0.156	0.009	0.071	0.055	0.067	0.448	0.104	0.192	0.051

Problem 73	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	B
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	10	10	12	10	12	12	10	12	53	12
N.S.	1	1.00	1.20	1.00	1.20	1.20	1.00	1.20	5.30	1.20
time (sec)	N/A	0.195	0.142	0.135	0.072	0.072	0.774	0.106	0.223	0.105

Problem 74	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	B
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	12	12	14	12	14	14	12	14	17	14
N.S.	1	1.00	1.17	1.00	1.17	1.17	1.00	1.17	1.42	1.17
time (sec)	N/A	0.217	0.494	0.030	0.046	0.077	26.235	0.111	0.235	0.052

## 2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi only. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio  $\frac{\text{number of rules}}{\text{integrand size}}$  is also given. The larger this ratio is, the harder the integral is to solve. In this test file, problem number [26] had the largest ratio of [1.250000000000000]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	6	6	1.10	8	0.750
2	A	5	5	1.08	8	0.625
3	A	4	4	1.00	6	0.667
4	A	1	1	1.00	4	0.250
5	A	2	2	1.00	8	0.250
6	A	4	4	1.00	8	0.500
7	A	5	5	1.06	8	0.625
8	A	6	6	1.10	8	0.750
9	A	11	11	1.24	10	1.100
10	A	7	7	1.08	8	0.875
11	A	4	4	1.06	6	0.667
12	N/A	1	0	1.00	10	0.000
13	N/A	1	0	1.00	10	0.000
14	N/A	1	0	1.00	12	0.000
15	N/A	1	0	1.00	12	0.000
16	A	4	4	1.00	10	0.400
17	N/A	1	0	1.00	12	0.000
18	N/A	1	0	1.00	12	0.000
19	A	3	3	0.90	10	0.300
20	A	3	3	0.91	10	0.300

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
21	A	3	3	0.95	8	0.375
22	A	1	1	1.00	6	0.167
23	N/A	1	0	1.00	10	0.000
24	A	3	3	1.03	10	0.300
25	A	3	3	0.87	10	0.300
26	A	15	15	1.41	12	1.250
27	A	9	9	1.16	10	0.900
28	A	3	3	1.04	8	0.375
29	N/A	1	0	1.00	12	0.000
30	N/A	1	0	1.00	12	0.000
31	N/A	1	0	1.00	12	0.000
32	N/A	1	0	1.00	10	0.000
33	N/A	3	0	1.00	8	0.000
34	N/A	1	0	1.00	12	0.000
35	N/A	1	0	1.00	12	0.000
36	N/A	1	0	1.00	16	0.000
37	N/A	1	0	1.00	16	0.000
38	N/A	2	0	1.00	14	0.000
39	N/A	1	0	1.00	16	0.000
40	N/A	1	0	1.00	16	0.000
41	A	4	3	1.24	17	0.176
42	A	4	3	1.24	15	0.200
43	A	5	4	1.26	13	0.308
44	A	4	3	0.80	17	0.176
45	A	4	3	1.00	17	0.176
46	A	4	3	1.00	17	0.176
47	A	4	3	1.16	19	0.158
48	A	10	10	1.30	13	0.769
49	A	5	5	1.00	13	0.385
50	A	1	1	1.00	13	0.077
51	A	3	3	1.00	10	0.300

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
52	A	6	6	1.12	11	0.545
53	A	10	10	1.35	13	0.769
54	A	15	15	1.69	13	1.154
55	A	11	11	1.03	17	0.647
56	A	8	8	1.06	17	0.471
57	A	5	5	1.09	15	0.333
58	A	2	2	1.00	14	0.143
59	N/A	1	0	1.00	17	0.000
60	N/A	4	0	1.00	17	0.000
61	N/A	5	0	1.00	17	0.000
62	A	4	3	1.00	8	0.375
63	A	4	3	1.00	6	0.500
64	A	1	1	1.00	4	0.250
65	A	1	1	1.00	8	0.125
66	A	4	3	1.00	8	0.375
67	A	4	3	1.00	8	0.375
68	A	4	3	1.00	10	0.300
69	A	3	3	1.03	10	0.300
70	A	3	3	1.02	8	0.375
71	A	1	1	1.00	6	0.167
72	N/A	1	0	1.00	10	0.000
73	N/A	2	0	1.00	10	0.000
74	N/A	2	0	1.00	12	0.000

# CHAPTER 3

## LISTING OF INTEGRALS

3.1	$\int x^3 \operatorname{ExpIntegralEi}(bx) dx$	54
3.2	$\int x^2 \operatorname{ExpIntegralEi}(bx) dx$	60
3.3	$\int x \operatorname{ExpIntegralEi}(bx) dx$	66
3.4	$\int \operatorname{ExpIntegralEi}(bx) dx$	72
3.5	$\int \frac{\operatorname{ExpIntegralEi}(bx)}{x} dx$	77
3.6	$\int \frac{\operatorname{ExpIntegralEi}(bx)}{x^2} dx$	83
3.7	$\int \frac{\operatorname{ExpIntegralEi}(bx)}{x^3} dx$	88
3.8	$\int \frac{\operatorname{ExpIntegralEi}(bx)}{x^4} dx$	93
3.9	$\int x^2 \operatorname{ExpIntegralEi}(bx)^2 dx$	99
3.10	$\int x \operatorname{ExpIntegralEi}(bx)^2 dx$	106
3.11	$\int \operatorname{ExpIntegralEi}(bx)^2 dx$	112
3.12	$\int \frac{\operatorname{ExpIntegralEi}(bx)^2}{x} dx$	117
3.13	$\int \frac{\operatorname{ExpIntegralEi}(bx)^2}{x^2} dx$	122
3.14	$\int (dx)^m \operatorname{ExpIntegralEi}(bx)^3 dx$	127
3.15	$\int (dx)^m \operatorname{ExpIntegralEi}(bx)^2 dx$	132
3.16	$\int (dx)^m \operatorname{ExpIntegralEi}(bx) dx$	137
3.17	$\int \frac{(dx)^m}{\operatorname{ExpIntegralEi}(bx)} dx$	143
3.18	$\int \frac{(dx)^m}{\operatorname{ExpIntegralEi}(bx)^2} dx$	148
3.19	$\int x^3 \operatorname{ExpIntegralEi}(a + bx) dx$	153
3.20	$\int x^2 \operatorname{ExpIntegralEi}(a + bx) dx$	159
3.21	$\int x \operatorname{ExpIntegralEi}(a + bx) dx$	165
3.22	$\int \operatorname{ExpIntegralEi}(a + bx) dx$	170
3.23	$\int \frac{\operatorname{ExpIntegralEi}(a+bx)}{x} dx$	175
3.24	$\int \frac{\operatorname{ExpIntegralEi}(a+bx)}{x^2} dx$	180
3.25	$\int \frac{\operatorname{ExpIntegralEi}(a+bx)}{x^3} dx$	185
3.26	$\int x^2 \operatorname{ExpIntegralEi}(a + bx)^2 dx$	190

3.27 $\int x \operatorname{ExpIntegralEi}(a + bx)^2 dx$	201
3.28 $\int \operatorname{ExpIntegralEi}(a + bx)^2 dx$	209
3.29 $\int \frac{\operatorname{ExpIntegralEi}(a+bx)^2}{x} dx$	214
3.30 $\int \frac{\operatorname{ExpIntegralEi}(a+bx)^2}{x^2} dx$	219
3.31 $\int x^2 \operatorname{ExpIntegralEi}(a + bx)^3 dx$	224
3.32 $\int x \operatorname{ExpIntegralEi}(a + bx)^3 dx$	229
3.33 $\int \operatorname{ExpIntegralEi}(a + bx)^3 dx$	234
3.34 $\int \frac{\operatorname{ExpIntegralEi}(a+bx)^3}{x} dx$	239
3.35 $\int \frac{\operatorname{ExpIntegralEi}(a+bx)^3}{x^2} dx$	244
3.36 $\int (c + dx)^m \operatorname{ExpIntegralEi}(a + bx)^3 dx$	249
3.37 $\int (c + dx)^m \operatorname{ExpIntegralEi}(a + bx)^2 dx$	254
3.38 $\int (c + dx)^m \operatorname{ExpIntegralEi}(a + bx) dx$	259
3.39 $\int \frac{(c+dx)^m}{\operatorname{ExpIntegralEi}(a+bx)} dx$	264
3.40 $\int \frac{(c+dx)^m}{\operatorname{ExpIntegralEi}(a+bx)^2} dx$	269
3.41 $\int x^2 \operatorname{ExpIntegralEi}(d(a + b \log(cx^n))) dx$	274
3.42 $\int x \operatorname{ExpIntegralEi}(d(a + b \log(cx^n))) dx$	279
3.43 $\int \operatorname{ExpIntegralEi}(d(a + b \log(cx^n))) dx$	284
3.44 $\int \frac{\operatorname{ExpIntegralEi}(d(a+b \log(cx^n)))}{x} dx$	289
3.45 $\int \frac{\operatorname{ExpIntegralEi}(d(a+b \log(cx^n)))}{x^2} dx$	295
3.46 $\int \frac{\operatorname{ExpIntegralEi}(d(a+b \log(cx^n)))}{x^3} dx$	300
3.47 $\int (ex)^m \operatorname{ExpIntegralEi}(d(a + b \log(cx^n))) dx$	305
3.48 $\int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x^3} dx$	310
3.49 $\int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x^2} dx$	316
3.50 $\int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x} dx$	321
3.51 $\int e^{bx} \operatorname{ExpIntegralEi}(bx) dx$	326
3.52 $\int e^{bx} x \operatorname{ExpIntegralEi}(bx) dx$	331
3.53 $\int e^{bx} x^2 \operatorname{ExpIntegralEi}(bx) dx$	337
3.54 $\int e^{bx} x^3 \operatorname{ExpIntegralEi}(bx) dx$	344
3.55 $\int e^{a+bx} x^3 \operatorname{ExpIntegralEi}(c + dx) dx$	352
3.56 $\int e^{a+bx} x^2 \operatorname{ExpIntegralEi}(c + dx) dx$	364
3.57 $\int e^{a+bx} x \operatorname{ExpIntegralEi}(c + dx) dx$	373
3.58 $\int e^{a+bx} \operatorname{ExpIntegralEi}(c + dx) dx$	380
3.59 $\int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{x} dx$	385
3.60 $\int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{x^2} dx$	390
3.61 $\int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{x^3} dx$	396
3.62 $\int x^2 \operatorname{LogIntegral}(bx) dx$	402
3.63 $\int x \operatorname{LogIntegral}(bx) dx$	407
3.64 $\int \operatorname{LogIntegral}(bx) dx$	412

3.65	$\int \frac{\text{LogIntegral}(bx)}{x} dx$	417
3.66	$\int \frac{\text{LogIntegral}(bx)}{x^2} dx$	421
3.67	$\int \frac{\text{LogIntegral}(bx)}{x^3} dx$	426
3.68	$\int (dx)^m \text{LogIntegral}(bx) dx$	431
3.69	$\int x^2 \text{LogIntegral}(a + bx) dx$	436
3.70	$\int x \text{LogIntegral}(a + bx) dx$	441
3.71	$\int \text{LogIntegral}(a + bx) dx$	446
3.72	$\int \frac{\text{LogIntegral}(a+bx)}{x} dx$	451
3.73	$\int \frac{\text{LogIntegral}(a+bx)}{x^2} dx$	456
3.74	$\int (dx)^m \text{LogIntegral}(a + bx) dx$	461

### 3.1 $\int x^3 \text{ExpIntegralEi}(bx) dx$

Optimal result . . . . .	54
Mathematica [A] (verified) . . . . .	54
Rubi [A] (verified) . . . . .	55
Maple [A] (verified) . . . . .	57
Fricas [A] (verification not implemented) . . . . .	57
Sympy [A] (verification not implemented) . . . . .	58
Maxima [A] (verification not implemented) . . . . .	58
Giac [A] (verification not implemented) . . . . .	58
Mupad [B] (verification not implemented) . . . . .	59
Reduce [B] (verification not implemented) . . . . .	59

#### Optimal result

Integrand size = 8, antiderivative size = 67

$$\int x^3 \text{ExpIntegralEi}(bx) dx = \frac{3e^{bx}}{2b^4} - \frac{3e^{bx}x}{2b^3} + \frac{3e^{bx}x^2}{4b^2} - \frac{e^{bx}x^3}{4b} + \frac{1}{4}x^4 \text{ExpIntegralEi}(bx)$$

output 
$$\frac{3/2\exp(b*x)/b^4-3/2\exp(b*x)*x/b^3+3/4\exp(b*x)*x^2/b^2-1/4\exp(b*x)*x^3/b+1/4*x^4*Ei(b*x)}{b}$$

#### Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 44, normalized size of antiderivative = 0.66

$$\int x^3 \text{ExpIntegralEi}(bx) dx = \frac{1}{4} \left( \frac{e^{bx}(6 - 6bx + 3b^2x^2 - b^3x^3)}{b^4} + x^4 \text{ExpIntegralEi}(bx) \right)$$

input 
$$\text{Integrate}[x^3 \text{ExpIntegralEi}[b*x], x]$$

output 
$$\frac{((E^(b*x)*(6 - 6*b*x + 3*b^2*x^2 - b^3*x^3))/b^4 + x^4*ExpIntegralEi[b*x])}{4}$$

## Rubi [A] (verified)

Time = 0.45 (sec) , antiderivative size = 74, normalized size of antiderivative = 1.10, number of steps used = 6, number of rules used = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.750$ , Rules used = {7039, 27, 2607, 2607, 2607, 2624}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x^3 \operatorname{ExpIntegralEi}(bx) dx \\
 & \downarrow \textcolor{blue}{7039} \\
 & \frac{1}{4}x^4 \operatorname{ExpIntegralEi}(bx) - \frac{1}{4}b \int \frac{e^{bx}x^3}{b} dx \\
 & \downarrow \textcolor{blue}{27} \\
 & \frac{1}{4}x^4 \operatorname{ExpIntegralEi}(bx) - \frac{1}{4} \int e^{bx}x^3 dx \\
 & \downarrow \textcolor{blue}{2607} \\
 & \frac{1}{4} \left( \frac{3 \int e^{bx}x^2 dx}{b} - \frac{x^3e^{bx}}{b} \right) + \frac{1}{4}x^4 \operatorname{ExpIntegralEi}(bx) \\
 & \downarrow \textcolor{blue}{2607} \\
 & \frac{1}{4} \left( \frac{3 \left( \frac{x^2e^{bx}}{b} - \frac{2 \int e^{bx}xdx}{b} \right)}{b} - \frac{x^3e^{bx}}{b} \right) + \frac{1}{4}x^4 \operatorname{ExpIntegralEi}(bx) \\
 & \downarrow \textcolor{blue}{2607} \\
 & \frac{1}{4} \left( \frac{3 \left( \frac{x^2e^{bx}}{b} - \frac{2 \left( \frac{xe^{bx}}{b} - \frac{\int e^{bx}dx}{b} \right)}{b} \right)}{b} - \frac{x^3e^{bx}}{b} \right) + \frac{1}{4}x^4 \operatorname{ExpIntegralEi}(bx) \\
 & \downarrow \textcolor{blue}{2624}
 \end{aligned}$$

$$\frac{1}{4} \left( \frac{3 \left( \frac{x^2 e^{bx}}{b} - \frac{2 \left( \frac{x e^{bx}}{b} - \frac{e^{bx}}{b^2} \right)}{b} \right)}{b} - \frac{x^3 e^{bx}}{b} \right) + \frac{1}{4} x^4 \text{ExpIntegralEi}(bx)$$

input `Int[x^3*ExpIntegralEi[b*x], x]`

output `(-((E^(b*x)*x^3)/b) + (3*((E^(b*x)*x^2)/b - (2*(-(E^(b*x)/b^2) + (E^(b*x)*x)/b))/b))/b)/4 + (x^4*ExpIntegralEi[b*x])/4`

### Definitions of rubi rules used

rule 27 `Int[(a_)*(Fx_), x_Symbol] :> Simplify[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]`

rule 2607 `Int[((b_)*(F_)^((g_)*(e_)+(f_)*(x_)))^((n_.)*(c_.)+(d_.)*(x_.))^((m_.), x_Symbol) :> Simplify[(c + d*x)^m*((b*F^(g*(e + f*x)))^n/(f*g*n*Log[F])), x] - Simplify[d*(m/(f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*(b*F^(g*(e + f*x)))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2*m] && !TrueQ[$UseGamma]`

rule 2624 `Int[((F_)^(v_))^((n_.), x_Symbol) :> Simplify[(F^v)^n/(n*Log[F]*D[v, x]), x] /; FreeQ[{F, n}, x] && LinearQ[v, x]`

rule 7039 `Int[ExpIntegralEi[(a_.)+(b_.)*(x_.)]*((c_.)+(d_.)*(x_.))^((m_.), x_Symbol) :> Simplify[(c + d*x)^(m + 1)*(ExpIntegralEi[a + b*x]/(d*(m + 1))), x] - Simplify[b/(d*(m + 1)) Int[(c + d*x)^(m + 1)*(E^(a + b*x)/(a + b*x)), x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]`

**Maple [A] (verified)**

Time = 0.16 (sec) , antiderivative size = 54, normalized size of antiderivative = 0.81

method	result	size
parts	$\frac{x^4 \expIntegral(bx)}{4} - \frac{e^{bx} b^3 x^3 - 3b^2 x^2 e^{bx} + 6bx e^{bx} - 6 e^{bx}}{4b^4}$	55
derivativedivides	$\frac{\expIntegral(bx) b^4 x^4}{4} - \frac{e^{bx} b^3 x^3 + 3b^2 x^2 e^{bx} - 3bx e^{bx} + 3 e^{bx}}{b^4}$	55
default	$\frac{\expIntegral(bx) b^4 x^4}{4} - \frac{e^{bx} b^3 x^3 + 3b^2 x^2 e^{bx} - 3bx e^{bx} + 3 e^{bx}}{b^4}$	55
parallelrisch	$\frac{\expIntegral(bx) b^4 x^4 - e^{bx} b^3 x^3 + 3b^2 x^2 e^{bx} - 6bx e^{bx} + 6 e^{bx}}{4b^4}$	55
meijerg	$-\frac{(-\frac{1}{4} + \gamma + \ln(x) + \ln(-b)) x^4 b^4}{4} - \frac{b^4 x^4}{16} + \frac{3}{2} - \frac{(-5b^3 x^3 + 15b^2 x^2 - 30bx + 30) e^{bx}}{b^2} - \frac{x^4 b^4 (-\gamma - \ln(-bx) - \expIntegral_1(-bx))}{4}$	88

input `int(x^3*Ei(b*x),x,method=_RETURNVERBOSE)`

output  $\frac{1}{4}x^4 Ei(bx) - \frac{1}{4}b^4 (\exp(bx)*b^3 x^3 - 3*b^2 x^2 * \exp(bx) + 6*b*x * \exp(bx) - 6*\exp(bx))$

**Fricas [A] (verification not implemented)**

Time = 0.08 (sec) , antiderivative size = 44, normalized size of antiderivative = 0.66

$$\int x^3 \text{ExpIntegralEi}(bx) dx = \frac{b^4 x^4 \text{Ei}(bx) - (b^3 x^3 - 3 b^2 x^2 + 6 bx - 6) e^{(bx)}}{4 b^4}$$

input `integrate(x^3*Ei(b*x),x, algorithm="fricas")`

output  $\frac{1}{4}*(b^4*x^4*Ei(b*x) - (b^3*x^3 - 3*b^2*x^2 + 6*b*x - 6)*e^(b*x))/b^4$

**Sympy [A] (verification not implemented)**

Time = 0.37 (sec) , antiderivative size = 68, normalized size of antiderivative = 1.01

$$\int x^3 \operatorname{ExpIntegralEi}(bx) dx = \begin{cases} \frac{x^4 \operatorname{Ei}(bx)}{4} - \frac{x^3 e^{bx}}{4b} + \frac{3x^2 e^{bx}}{4b^2} - \frac{3x e^{bx}}{2b^3} + \frac{3e^{bx}}{2b^4} & \text{for } b \neq 0 \\ -\infty x^4 & \text{otherwise} \end{cases}$$

input `integrate(x**3*Ei(b*x), x)`

output `Piecewise((x**4*Ei(b*x)/4 - x**3*exp(b*x)/(4*b) + 3*x**2*exp(b*x)/(4*b**2) - 3*x*exp(b*x)/(2*b**3) + 3*exp(b*x)/(2*b**4), Ne(b, 0)), (-oo*x**4, True))`

**Maxima [A] (verification not implemented)**

Time = 0.03 (sec) , antiderivative size = 40, normalized size of antiderivative = 0.60

$$\int x^3 \operatorname{ExpIntegralEi}(bx) dx = \frac{1}{4} x^4 \operatorname{Ei}(bx) - \frac{(b^3 x^3 - 3 b^2 x^2 + 6 b x - 6) e^{(bx)}}{4 b^4}$$

input `integrate(x^3*Ei(b*x), x, algorithm="maxima")`

output `1/4*x^4*Ei(b*x) - 1/4*(b^3*x^3 - 3*b^2*x^2 + 6*b*x - 6)*e^(b*x)/b^4`

**Giac [A] (verification not implemented)**

Time = 0.11 (sec) , antiderivative size = 40, normalized size of antiderivative = 0.60

$$\int x^3 \operatorname{ExpIntegralEi}(bx) dx = \frac{1}{4} x^4 \operatorname{Ei}(bx) - \frac{(b^3 x^3 - 3 b^2 x^2 + 6 b x - 6) e^{(bx)}}{4 b^4}$$

input `integrate(x^3*Ei(b*x), x, algorithm="giac")`

output `1/4*x^4*Ei(b*x) - 1/4*(b^3*x^3 - 3*b^2*x^2 + 6*b*x - 6)*e^(b*x)/b^4`

**Mupad [B] (verification not implemented)**

Time = 0.22 (sec) , antiderivative size = 53, normalized size of antiderivative = 0.79

$$\int x^3 \text{ExpIntegralEi}(bx) dx = \frac{\frac{3e^{bx}}{2} + \frac{3b^2 x^2 e^{bx}}{4} - \frac{b^3 x^3 e^{bx}}{4} - \frac{3bx e^{bx}}{2}}{b^4} + \frac{x^4 \text{ei}(bx)}{4}$$

input `int(x^3*ei(b*x),x)`

output `((3*exp(b*x))/2 + (3*b^2*x^2*exp(b*x))/4 - (b^3*x^3*exp(b*x))/4 - (3*b*x*exp(b*x))/2)/b^4 + (x^4*ei(b*x))/4`

**Reduce [B] (verification not implemented)**

Time = 0.23 (sec) , antiderivative size = 59, normalized size of antiderivative = 0.88

$$\int x^3 \text{ExpIntegralEi}(bx) dx = \frac{ei(bx) b^4 x^4 - e^{bx} b^3 x^3 + 3e^{bx} b^2 x^2 - 6e^{bx} bx + 6e^{bx}}{4b^4}$$

input `int(x^3*Ei(b*x),x)`

output `(ei(b*x)*b**4*x**4 - e**(b*x)*b**3*x**3 + 3*e**(b*x)*b**2*x**2 - 6*e**(b*x))*b*x + 6*e**(b*x))/(4*b**4)`

## 3.2 $\int x^2 \operatorname{ExpIntegralEi}(bx) dx$

Optimal result . . . . .	60
Mathematica [A] (verified) . . . . .	60
Rubi [A] (verified) . . . . .	61
Maple [A] (verified) . . . . .	62
Fricas [A] (verification not implemented) . . . . .	63
Sympy [A] (verification not implemented) . . . . .	63
Maxima [A] (verification not implemented) . . . . .	64
Giac [A] (verification not implemented) . . . . .	64
Mupad [B] (verification not implemented) . . . . .	64
Reduce [B] (verification not implemented) . . . . .	65

### Optimal result

Integrand size = 8, antiderivative size = 52

$$\int x^2 \operatorname{ExpIntegralEi}(bx) dx = -\frac{2e^{bx}}{3b^3} + \frac{2e^{bx}x}{3b^2} - \frac{e^{bx}x^2}{3b} + \frac{1}{3}x^3 \operatorname{ExpIntegralEi}(bx)$$

output 
$$-2/3*\exp(b*x)/b^3+2/3*\exp(b*x)*x/b^2-1/3*\exp(b*x)*x^2/b+1/3*x^3*\operatorname{Ei}(b*x)$$

### Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 36, normalized size of antiderivative = 0.69

$$\int x^2 \operatorname{ExpIntegralEi}(bx) dx = \frac{1}{3} \left( -\frac{e^{bx}(2 - 2bx + b^2x^2)}{b^3} + x^3 \operatorname{ExpIntegralEi}(bx) \right)$$

input 
$$\operatorname{Integrate}[x^2 \operatorname{ExpIntegralEi}[b*x], x]$$

output 
$$(-(E^(b*x)*(2 - 2*b*x + b^2*x^2))/b^3) + x^3 \operatorname{ExpIntegralEi}[b*x])/3$$

## Rubi [A] (verified)

Time = 0.25 (sec) , antiderivative size = 56, normalized size of antiderivative = 1.08, number of steps used = 5, number of rules used = 5,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$ , Rules used = {7039, 27, 2607, 2607, 2624}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x^2 \operatorname{ExpIntegralEi}(bx) dx \\
 & \downarrow \textcolor{blue}{7039} \\
 & \frac{1}{3}x^3 \operatorname{ExpIntegralEi}(bx) - \frac{1}{3}b \int \frac{e^{bx}x^2}{b} dx \\
 & \downarrow \textcolor{blue}{27} \\
 & \frac{1}{3}x^3 \operatorname{ExpIntegralEi}(bx) - \frac{1}{3} \int e^{bx}x^2 dx \\
 & \downarrow \textcolor{blue}{2607} \\
 & \frac{1}{3} \left( \frac{2 \int e^{bx}x dx}{b} - \frac{x^2 e^{bx}}{b} \right) + \frac{1}{3}x^3 \operatorname{ExpIntegralEi}(bx) \\
 & \downarrow \textcolor{blue}{2607} \\
 & \frac{1}{3} \left( \frac{2 \left( \frac{xe^{bx}}{b} - \frac{\int e^{bx}dx}{b} \right)}{b} - \frac{x^2 e^{bx}}{b} \right) + \frac{1}{3}x^3 \operatorname{ExpIntegralEi}(bx) \\
 & \downarrow \textcolor{blue}{2624} \\
 & \frac{1}{3} \left( \frac{2 \left( \frac{xe^{bx}}{b} - \frac{e^{bx}}{b^2} \right)}{b} - \frac{x^2 e^{bx}}{b} \right) + \frac{1}{3}x^3 \operatorname{ExpIntegralEi}(bx)
 \end{aligned}$$

input `Int[x^2*ExpIntegralEi[b*x],x]`

output `(-((E^(b*x)*x^2)/b) + (2*(-(E^(b*x)/b^2) + (E^(b*x)*x)/b))/b)/3 + (x^3*ExpIntegralEi[b*x])/3`

### Definitions of rubi rules used

rule 27  $\text{Int}[(a_*)(F_x_), x_{\text{Symbol}}] \rightarrow \text{Simp}[a \text{ Int}[F_x, x], x] /; \text{FreeQ}[a, x] \&& \text{!MatchQ}[F_x, (b_*)(G_x_) /; \text{FreeQ}[b, x]]$

rule 2607  $\text{Int}[((b_*)(F_))^((g_*)(e_*) + (f_*)(x_)))^((n_*)(c_*) + (d_*)(x_))^((m_*)_*, x_{\text{Symbol}}) \rightarrow \text{Simp}[(c + d*x)^m ((b*F^g (e + f*x))^n / (f*g*n*\text{Log}[F])), x] - \text{Simp}[d*(m/(f*g*n*\text{Log}[F])) \text{ Int}[(c + d*x)^(m - 1)*(b*F^g (e + f*x))^n, x] /; \text{FreeQ}[\{F, b, c, d, e, f, g, n\}, x] \&& \text{GtQ}[m, 0] \&& \text{IntegerQ}[2*m] \&& \text{!TrueQ}[$UseGamma]$

rule 2624  $\text{Int}[(F_*)^v, x_{\text{Symbol}}] \rightarrow \text{Simp}[(F^v)^n / (n*\text{Log}[F]*D[v, x]), x] /; \text{FreeQ}[\{F, n\}, x] \&& \text{LinearQ}[v, x]$

rule 7039  $\text{Int}[\text{ExpIntegralEi}[(a_*) + (b_*)(x_)]*((c_*) + (d_*)(x_))^m, x_{\text{Symbol}}] \rightarrow \text{Simp}[(c + d*x)^(m + 1)*(\text{ExpIntegralEi}[a + b*x]/(d*(m + 1))), x] - \text{Simp}[b/(d*(m + 1)) \text{ Int}[(c + d*x)^(m + 1)*(E^(a + b*x)/(a + b*x)), x], x] /; \text{FreeQ}[\{a, b, c, d, m\}, x] \&& \text{NeQ}[m, -1]$

### Maple [A] (verified)

Time = 0.04 (sec), antiderivative size = 42, normalized size of antiderivative = 0.81

method	result	size
parts	$\frac{x^3 \expIntegral(bx)}{3} - \frac{b^2 x^2 e^{bx} - 2 b x e^{bx} + 2 e^{bx}}{3 b^3}$	42
derivativedivides	$\frac{\frac{b^3 x^3 \expIntegral(bx)}{3} - \frac{b^2 x^2 e^{bx}}{3} + \frac{2 b x e^{bx}}{3} - \frac{2 e^{bx}}{3}}{b^3}$	44
default	$\frac{\frac{b^3 x^3 \expIntegral(bx)}{3} - \frac{b^2 x^2 e^{bx}}{3} + \frac{2 b x e^{bx}}{3} - \frac{2 e^{bx}}{3}}{b^3}$	44
parallelrisch	$\frac{b^3 x^3 \expIntegral(bx) - b^2 x^2 e^{bx} + 2 b x e^{bx} - 2 e^{bx}}{3 b^3}$	44
meijerg	$\frac{\left(-\frac{1}{3} + \gamma + \ln(x) + \ln(-b)\right)x^3 b^3}{3} + \frac{b^3 x^3}{9} + \frac{2}{3} - \frac{(4b^2 x^2 - 8bx + 8)e^{bx}}{b^3} + \frac{b^3 x^3 (-\gamma - \ln(-bx) - \expIntegral_1(-bx))}{3}$	79

input `int(x^2*Ei(b*x), x, method=_RETURNVERBOSE)`

output  $\frac{1}{3}x^3Ei(bx) - \frac{1}{3}b^3(x^2Ei(bx) - 2bx^2e^{bx} + 2be^{bx})$

### Fricas [A] (verification not implemented)

Time = 0.07 (sec), antiderivative size = 36, normalized size of antiderivative = 0.69

$$\int x^2 \text{ExpIntegralEi}(bx) dx = \frac{b^3 x^3 \text{Ei}(bx) - (b^2 x^2 - 2bx + 2)e^{bx}}{3b^3}$$

input `integrate(x^2*Ei(b*x), x, algorithm="fricas")`

output  $\frac{1}{3}(b^3x^3Ei(bx) - (b^2x^2 - 2bx + 2)e^{bx})/b^3$

### Sympy [A] (verification not implemented)

Time = 0.27 (sec), antiderivative size = 53, normalized size of antiderivative = 1.02

$$\int x^2 \text{ExpIntegralEi}(bx) dx = \begin{cases} \frac{x^3 \text{Ei}(bx)}{3} - \frac{x^2 e^{bx}}{3b} + \frac{2x e^{bx}}{3b^2} - \frac{2e^{bx}}{3b^3} & \text{for } b \neq 0 \\ -\infty x^3 & \text{otherwise} \end{cases}$$

input `integrate(x**2*Ei(b*x), x)`

output  $\text{Piecewise}\left(\left(\frac{x^3 \text{Ei}(bx)}{3} - \frac{x^2 \exp(bx)}{3b} + \frac{2x \exp(bx)}{3b^2} - \frac{2 \exp(bx)}{3b^3}, Ne(b, 0)\right), \left(-\infty * x^3, True\right)\right)$

**Maxima [A] (verification not implemented)**

Time = 0.02 (sec) , antiderivative size = 32, normalized size of antiderivative = 0.62

$$\int x^2 \operatorname{ExpIntegralEi}(bx) dx = \frac{1}{3} x^3 \operatorname{Ei}(bx) - \frac{(b^2 x^2 - 2bx + 2)e^{(bx)}}{3 b^3}$$

input `integrate(x^2*Ei(b*x),x, algorithm="maxima")`

output `1/3*x^3*Ei(b*x) - 1/3*(b^2*x^2 - 2*b*x + 2)*e^(b*x)/b^3`

**Giac [A] (verification not implemented)**

Time = 0.11 (sec) , antiderivative size = 32, normalized size of antiderivative = 0.62

$$\int x^2 \operatorname{ExpIntegralEi}(bx) dx = \frac{1}{3} x^3 \operatorname{Ei}(bx) - \frac{(b^2 x^2 - 2bx + 2)e^{(bx)}}{3 b^3}$$

input `integrate(x^2*Ei(b*x),x, algorithm="giac")`

output `1/3*x^3*Ei(b*x) - 1/3*(b^2*x^2 - 2*b*x + 2)*e^(b*x)/b^3`

**Mupad [B] (verification not implemented)**

Time = 0.07 (sec) , antiderivative size = 42, normalized size of antiderivative = 0.81

$$\int x^2 \operatorname{ExpIntegralEi}(bx) dx = \frac{x^3 \operatorname{ei}(bx)}{3} - \frac{\frac{2 e^{bx}}{3} + \frac{b^2 x^2 e^{bx}}{3} - \frac{2 b x e^{bx}}{3}}{b^3}$$

input `int(x^2*ei(b*x),x)`

output `(x^3*ei(b*x))/3 - ((2*exp(b*x))/3 + (b^2*x^2*exp(b*x))/3 - (2*b*x*exp(b*x))/3)/b^3`

**Reduce [B] (verification not implemented)**

Time = 0.20 (sec) , antiderivative size = 46, normalized size of antiderivative = 0.88

$$\int x^2 \text{ExpIntegralEi}(bx) dx = \frac{ei(bx) b^3 x^3 - e^{bx} b^2 x^2 + 2e^{bx} bx - 2e^{bx}}{3b^3}$$

input `int(x^2*Ei(b*x),x)`

output `(ei(b*x)*b**3*x**3 - e**(b*x)*b**2*x**2 + 2*e**(b*x)*b*x - 2*e**(b*x))/(3*b**3)`

### 3.3 $\int x \operatorname{ExpIntegralEi}(bx) dx$

Optimal result . . . . .	66
Mathematica [A] (verified) . . . . .	66
Rubi [A] (verified) . . . . .	67
Maple [A] (verified) . . . . .	68
Fricas [A] (verification not implemented)	69
Sympy [A] (verification not implemented)	69
Maxima [A] (verification not implemented)	70
Giac [A] (verification not implemented)	70
Mupad [B] (verification not implemented)	70
Reduce [B] (verification not implemented)	71

#### Optimal result

Integrand size = 6, antiderivative size = 37

$$\int x \operatorname{ExpIntegralEi}(bx) dx = \frac{e^{bx}}{2b^2} - \frac{e^{bx}x}{2b} + \frac{1}{2}x^2 \operatorname{ExpIntegralEi}(bx)$$

output `1/2*exp(b*x)/b^2-1/2*exp(b*x)*x/b+1/2*x^2*Ei(b*x)`

#### Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 28, normalized size of antiderivative = 0.76

$$\int x \operatorname{ExpIntegralEi}(bx) dx = \frac{1}{2} \left( \frac{e^{bx}(1 - bx)}{b^2} + x^2 \operatorname{ExpIntegralEi}(bx) \right)$$

input `Integrate[x*ExpIntegralEi[b*x], x]`

output `((E^(b*x)*(1 - b*x))/b^2 + x^2*ExpIntegralEi[b*x])/2`

## Rubi [A] (verified)

Time = 0.20 (sec) , antiderivative size = 37, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$ , Rules used = {7039, 27, 2607, 2624}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x \operatorname{ExpIntegralEi}(bx) dx \\
 & \downarrow \textcolor{blue}{7039} \\
 & \frac{1}{2}x^2 \operatorname{ExpIntegralEi}(bx) - \frac{1}{2}b \int \frac{e^{bx}x}{b} dx \\
 & \downarrow \textcolor{blue}{27} \\
 & \frac{1}{2}x^2 \operatorname{ExpIntegralEi}(bx) - \frac{1}{2} \int e^{bx} x dx \\
 & \downarrow \textcolor{blue}{2607} \\
 & \frac{1}{2} \left( \frac{\int e^{bx} dx}{b} - \frac{x e^{bx}}{b} \right) + \frac{1}{2}x^2 \operatorname{ExpIntegralEi}(bx) \\
 & \downarrow \textcolor{blue}{2624} \\
 & \frac{1}{2} \left( \frac{e^{bx}}{b^2} - \frac{x e^{bx}}{b} \right) + \frac{1}{2}x^2 \operatorname{ExpIntegralEi}(bx)
 \end{aligned}$$

input `Int[x*ExpIntegralEi[b*x],x]`

output `(E^(b*x)/b^2 - (E^(b*x)*x)/b)/2 + (x^2*ExpIntegralEi[b*x])/2`

### Definitions of rubi rules used

rule 27  $\text{Int}[(a_*)(F_x_), x_{\text{Symbol}}] \rightarrow \text{Simp}[a \text{ Int}[F_x, x], x] /; \text{FreeQ}[a, x] \&& \text{!MatchQ}[F_x, (b_*)(G_x_) /; \text{FreeQ}[b, x]]$

rule 2607  $\text{Int}[((b_*)(F_))^((g_*)(e_*) + (f_*)(x_)))^((n_*)(c_*) + (d_*)(x_))^(m_*, x_{\text{Symbol}}) \rightarrow \text{Simp}[(c + d*x)^m * ((b*F^(g*(e + f*x)))^n / (f*g*n*\text{Log}[F])), x] - \text{Simp}[d*(m/(f*g*n*\text{Log}[F])) \text{ Int}[(c + d*x)^(m - 1)*(b*F^(g*(e + f*x)))^n, x] /; \text{FreeQ}[\{F, b, c, d, e, f, g, n\}, x] \&& \text{GtQ}[m, 0] \&& \text{IntegerQ}[2*m] \&& \text{!TrueQ}[$UseGamma]$

rule 2624  $\text{Int}[(F_*)^v_*^n, x_{\text{Symbol}}] \rightarrow \text{Simp}[(F^v)^n / (n*\text{Log}[F]*D[v, x]), x] /; \text{FreeQ}[\{F, n\}, x] \&& \text{LinearQ}[v, x]$

rule 7039  $\text{Int}[\text{ExpIntegralEi}[(a_*) + (b_*)(x_)]*((c_*) + (d_*)(x_))^(m_*, x_{\text{Symbol}}) \rightarrow \text{Simp}[(c + d*x)^(m + 1)*(\text{ExpIntegralEi}[a + b*x]/(d*(m + 1))), x] - \text{Simp}[b/(d*(m + 1)) \text{ Int}[(c + d*x)^(m + 1)*(E^(a + b*x)/(a + b*x)), x], x] /; \text{FreeQ}[\{a, b, c, d, m\}, x] \&& \text{NeQ}[m, -1]$

### Maple [A] (verified)

Time = 0.04 (sec), antiderivative size = 30, normalized size of antiderivative = 0.81

method	result	size
parallelrisch	$\frac{b^2 x^2 \expIntegral(bx) - bx e^{bx} + e^{bx}}{2b^2}$	30
parts	$\frac{x^2 \expIntegral(bx)}{2} - \frac{bx e^{bx} - e^{bx}}{2b^2}$	30
derivativedivides	$\frac{b^2 x^2 \expIntegral(bx) - \frac{bx e^{bx}}{2} + \frac{e^{bx}}{2}}{b^2}$	32
default	$\frac{b^2 x^2 \expIntegral(bx) - \frac{bx e^{bx}}{2} + \frac{e^{bx}}{2}}{b^2}$	32
meijerg	$-\frac{\left(-\frac{1}{2} + \gamma + \ln(x) + \ln(-b)\right)x^2 b^2}{2} - \frac{b^2 x^2}{4} + \frac{1}{2} - \frac{(-3bx + 3)e^{bx}}{b^2} - \frac{b^2 x^2 (-\gamma - \ln(-bx) - \expIntegral_1(-bx))}{2}$	72

input `int(x*Ei(b*x), x, method=_RETURNVERBOSE)`

output  $1/2*(b^2*x^2*Ei(b*x) - b*x*exp(b*x) + exp(b*x))/b^2$

### Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 28, normalized size of antiderivative = 0.76

$$\int x \text{ExpIntegralEi}(bx) dx = \frac{b^2 x^2 \text{Ei}(bx) - (bx - 1)e^{(bx)}}{2 b^2}$$

input `integrate(x*Ei(b*x),x, algorithm="fricas")`

output  $1/2*(b^2*x^2*Ei(b*x) - (b*x - 1)*e^{(b*x)})/b^2$

### Sympy [A] (verification not implemented)

Time = 0.19 (sec) , antiderivative size = 36, normalized size of antiderivative = 0.97

$$\int x \text{ExpIntegralEi}(bx) dx = \begin{cases} \frac{x^2 \text{Ei}(bx)}{2} - \frac{x e^{bx}}{2b} + \frac{e^{bx}}{2b^2} & \text{for } b \neq 0 \\ -\infty x^2 & \text{otherwise} \end{cases}$$

input `integrate(x*Ei(b*x),x)`

output  $\text{Piecewise}((x^{**2}*Ei(b*x)/2 - x*exp(b*x)/(2*b) + exp(b*x)/(2*b**2), Ne(b, 0)), (-oo*x**2, True))$

**Maxima [A] (verification not implemented)**

Time = 0.02 (sec) , antiderivative size = 24, normalized size of antiderivative = 0.65

$$\int x \operatorname{ExpIntegralEi}(bx) dx = \frac{1}{2} x^2 \operatorname{Ei}(bx) - \frac{(bx - 1)e^{(bx)}}{2 b^2}$$

input `integrate(x*Ei(b*x),x, algorithm="maxima")`

output `1/2*x^2*Ei(b*x) - 1/2*(b*x - 1)*e^(b*x)/b^2`

**Giac [A] (verification not implemented)**

Time = 0.11 (sec) , antiderivative size = 24, normalized size of antiderivative = 0.65

$$\int x \operatorname{ExpIntegralEi}(bx) dx = \frac{1}{2} x^2 \operatorname{Ei}(bx) - \frac{(bx - 1)e^{(bx)}}{2 b^2}$$

input `integrate(x*Ei(b*x),x, algorithm="giac")`

output `1/2*x^2*Ei(b*x) - 1/2*(b*x - 1)*e^(b*x)/b^2`

**Mupad [B] (verification not implemented)**

Time = 0.06 (sec) , antiderivative size = 29, normalized size of antiderivative = 0.78

$$\int x \operatorname{ExpIntegralEi}(bx) dx = \frac{\frac{e^{bx}}{2} - \frac{bx e^{bx}}{2}}{b^2} + \frac{x^2 \operatorname{ei}(bx)}{2}$$

input `int(x*ei(b*x),x)`

output `(exp(b*x)/2 - (b*x*exp(b*x))/2)/b^2 + (x^2*ei(b*x))/2`

**Reduce [B] (verification not implemented)**

Time = 0.18 (sec) , antiderivative size = 31, normalized size of antiderivative = 0.84

$$\int x \operatorname{ExpIntegralEi}(bx) dx = \frac{ei(bx) b^2 x^2 - e^{bx} bx + e^{bx}}{2b^2}$$

input `int(x*Ei(b*x),x)`

output `(ei(b*x)*b**2*x**2 - e**(b*x)*b*x + e**(b*x))/(2*b**2)`

## 3.4 $\int \text{ExpIntegralEi}(bx) dx$

Optimal result . . . . .	72
Mathematica [A] (verified) . . . . .	72
Rubi [A] (verified) . . . . .	73
Maple [A] (verified) . . . . .	74
Fricas [A] (verification not implemented)	74
Sympy [A] (verification not implemented)	75
Maxima [A] (verification not implemented)	75
Giac [A] (verification not implemented)	75
Mupad [B] (verification not implemented)	76
Reduce [B] (verification not implemented)	76

### Optimal result

Integrand size = 4, antiderivative size = 17

$$\int \text{ExpIntegralEi}(bx) dx = -\frac{e^{bx}}{b} + x \text{ExpIntegralEi}(bx)$$

output `-exp(b*x)/b+x*Ei(b*x)`

### Mathematica [A] (verified)

Time = 0.00 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.00

$$\int \text{ExpIntegralEi}(bx) dx = -\frac{e^{bx}}{b} + x \text{ExpIntegralEi}(bx)$$

input `Integrate[ExpIntegralEi[b*x],x]`

output `-(E^(b*x)/b) + x*ExpIntegralEi[b*x]`

## Rubi [A] (verified)

Time = 0.15 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {7036}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \text{ExpIntegralEi}(bx) dx$$

↓ 7036

$$x \text{ExpIntegralEi}(bx) - \frac{e^{bx}}{b}$$

input `Int[ExpIntegralEi[b*x], x]`

output `-(E^(b*x)/b) + x*ExpIntegralEi[b*x]`

### Definitions of rubi rules used

rule 7036 `Int[ExpIntegralEi[(a_.) + (b_..)*(x_)], x_Symbol] :> Simp[(a + b*x)*(ExpIntegralEi[a + b*x]/b), x] - Simp[E^(a + b*x)/b, x] /; FreeQ[{a, b}, x]`

**Maple [A] (verified)**

Time = 0.01 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.00

method	result	size
parts	$-\frac{e^{bx}}{b} + x \expIntegral(bx)$	17
derivativedivides	$\frac{bx \expIntegral(bx) - e^{bx}}{b}$	19
default	$\frac{bx \expIntegral(bx) - e^{bx}}{b}$	19
parallelrisch	$\frac{bx \expIntegral(bx) - e^{bx}}{b}$	19
meijerg	$\frac{(\gamma - 1 + \ln(x) + \ln(-b))xb + bx + 1 - e^{bx} + bx(-\gamma - \ln(-bx) - \expIntegral_1(-bx))}{b}$	50

input `int(Ei(b*x), x, method=_RETURNVERBOSE)`

output  $-\exp(b*x)/b + x*\text{Ei}(b*x)$

**Fricas [A] (verification not implemented)**

Time = 0.06 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.06

$$\int \text{ExpIntegralEi}(bx) dx = \frac{bx\text{Ei}(bx) - e^{(bx)}}{b}$$

input `integrate(Ei(b*x), x, algorithm="fricas")`

output  $(b*x*\text{Ei}(b*x) - e^{(b*x)})/b$

**Sympy [A] (verification not implemented)**

Time = 0.09 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.00

$$\int \text{ExpIntegralEi}(bx) dx = \begin{cases} x \text{Ei}(bx) - \frac{e^{bx}}{b} & \text{for } b \neq 0 \\ -\infty x & \text{otherwise} \end{cases}$$

input `integrate(Ei(b*x),x)`

output `Piecewise((x*Ei(b*x) - exp(b*x)/b, Ne(b, 0)), (-oo*x, True))`

**Maxima [A] (verification not implemented)**

Time = 0.02 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.06

$$\int \text{ExpIntegralEi}(bx) dx = \frac{bx \text{Ei}(bx) - e^{(bx)}}{b}$$

input `integrate(Ei(b*x),x, algorithm="maxima")`

output `(b*x*Ei(b*x) - e^(b*x))/b`

**Giac [A] (verification not implemented)**

Time = 0.11 (sec) , antiderivative size = 16, normalized size of antiderivative = 0.94

$$\int \text{ExpIntegralEi}(bx) dx = x \text{Ei}(bx) - \frac{e^{(bx)}}{b}$$

input `integrate(Ei(b*x),x, algorithm="giac")`

output `x*Ei(b*x) - e^(b*x)/b`

**Mupad [B] (verification not implemented)**

Time = 0.05 (sec) , antiderivative size = 16, normalized size of antiderivative = 0.94

$$\int \text{ExpIntegralEi}(bx) dx = x \text{ei}(bx) - \frac{e^{bx}}{b}$$

input `int(ei(b*x),x)`

output `x*ei(b*x) - exp(b*x)/b`

**Reduce [B] (verification not implemented)**

Time = 0.21 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.12

$$\int \text{ExpIntegralEi}(bx) dx = \frac{ei(bx) bx - e^{bx}}{b}$$

input `int(Ei(b*x),x)`

output `(ei(b*x)*b*x - e**(b*x))/b`

### 3.5 $\int \frac{\text{ExpIntegralEi}(bx)}{x} dx$

Optimal result	77
Mathematica [A] (verified)	77
Rubi [A] (verified)	78
Maple [A] (verified)	79
Fricas [F]	79
Sympy [C] (verification not implemented)	80
Maxima [F]	81
Giac [F]	81
Mupad [F(-1)]	81
Reduce [F]	82

#### Optimal result

Integrand size = 8, antiderivative size = 45

$$\begin{aligned} \int \frac{\text{ExpIntegralEi}(bx)}{x} dx &= bx {}_3F_3(1, 1, 1; 2, 2, 2; bx) + \gamma \log(x) \\ &\quad + (\text{ExpIntegralE}(1, -bx) + \text{ExpIntegralEi}(bx)) \log(x) \\ &\quad + \frac{1}{2} \log^2(-bx) \end{aligned}$$

output  $b*x*\text{hypergeom}([1, 1, 1], [2, 2, 2], b*x) + \text{gamma}*\ln(x) + (\text{Ei}(1, -b*x) + \text{Ei}(b*x))*\ln(x) + 1/2*\ln(-b*x)^2$

#### Mathematica [A] (verified)

Time = 0.02 (sec), antiderivative size = 51, normalized size of antiderivative = 1.13

$$\begin{aligned} \int \frac{\text{ExpIntegralEi}(bx)}{x} dx &= bx {}_3F_3(1, 1, 1; 2, 2, 2; bx) + \frac{1}{2} \log(x)(2\gamma + 2 \text{ExpIntegralEi}(bx) \\ &\quad + 2\Gamma(0, -bx) - \log(x) + 2 \log(-bx)) \end{aligned}$$

input `Integrate[ExpIntegralEi[b*x]/x, x]`

output  $b*x*\text{HypergeometricPFQ}[\{1, 1, 1\}, \{2, 2, 2\}, b*x] + (\text{Log}[x]*(2*\text{EulerGamma} + 2*\text{ExpIntegralEi}[b*x] + 2*\text{Gamma}[0, -(b*x)] - \text{Log}[x] + 2*\text{Log}[-(b*x)]))/2$

## Rubi [A] (verified)

Time = 0.22 (sec) , antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {7037, 7029}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{\text{ExpIntegralEi}(bx)}{x} dx \\ & \downarrow 7037 \\ & \log(x)(\text{ExpIntegralE}(1, -bx) + \text{ExpIntegralEi}(bx)) - \int \frac{\text{ExpIntegralE}(1, -bx)}{x} dx \\ & \downarrow 7029 \\ & bx {}_3F_3(1, 1, 1; 2, 2, 2; bx) + \log(x)(\text{ExpIntegralE}(1, -bx) + \text{ExpIntegralEi}(bx)) + \frac{1}{2} \log^2(-bx) + \gamma \log(x) \end{aligned}$$

input  $\text{Int}[\text{ExpIntegralEi}[b*x]/x, x]$

output  $b*x*\text{HypergeometricPFQ}[\{1, 1, 1\}, \{2, 2, 2\}, b*x] + \text{EulerGamma}*\text{Log}[x] + (\text{ExpIntegralE}[1, -(b*x)] + \text{ExpIntegralEi}[b*x])*\text{Log}[x] + \text{Log}[-(b*x)]^2/2$

### Definitions of rubi rules used

rule 7029  $\text{Int}[\text{ExpIntegralE}[1, (b_*)*(x_*)]/(x_), \text{x\_Symbol}] \rightarrow \text{Simp}[b*x*\text{HypergeometricP}\\ FQ[\{1, 1, 1\}, \{2, 2, 2\}, (-b)*x], x] + (-\text{Simp}[\text{EulerGamma}*\text{Log}[x], x] - \text{Simp}[(1/2)*\text{Log}[b*x]^2, x]) /; \text{FreeQ}[b, x]$

rule 7037  $\text{Int}[\text{ExpIntegralEi}[(b_*)*(x_*)]/(x_), \text{x\_Symbol}] \rightarrow \text{Simp}[\text{Log}[x]*(\text{ExpIntegralEi}[b*x] + \text{ExpIntegralE}[1, (-b)*x]), x] - \text{Int}[\text{ExpIntegralE}[1, (-b)*x]/x, x] /; \text{FreeQ}[b, x]$

### Maple [A] (verified)

Time = 0.04 (sec) , antiderivative size = 58, normalized size of antiderivative = 1.29

method	result
meijerg	$\ln(x)\ln(-b) + \frac{\gamma^2}{2} + \ln(-b)\gamma + \gamma\ln(x) + \frac{\pi^2}{12} + \frac{\ln(x)^2}{2} + \frac{\ln(-b)^2}{2} + bx \text{hypergeom}([1, 1, 1], [2, 2, 2], -bx)$

input  $\text{int}(\text{Ei}(b*x)/x, x, \text{method}=\text{RETURNVERBOSE})$

output  $\ln(x)*\ln(-b)+1/2*\text{gamma}^2+\ln(-b)*\text{gamma}+\text{gamma}*\ln(x)+1/12*\text{Pi}^2+1/2*\ln(x)^2+1/2*\ln(-b)^2+b*x*\text{hypergeom}([1, 1, 1], [2, 2, 2], b*x)$

### Fricas [F]

$$\int \frac{\text{ExpIntegralEi}(bx)}{x} dx = \int \frac{\text{Ei}(bx)}{x} dx$$

input  $\text{integrate}(\text{Ei}(b*x)/x, x, \text{algorithm}=\text{"fricas"})$

output  $\text{integral}(\text{Ei}(b*x)/x, x)$

## Sympy [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.65 (sec) , antiderivative size = 180, normalized size of antiderivative = 4.00

$$\int \frac{\text{ExpIntegralEi}(bx)}{x} dx$$

$$= \begin{cases} bx_3F_3\left(\begin{matrix} 1, 1, 1 \\ 2, 2, 2 \end{matrix} \middle| bx\right) + i\pi \log\left(\frac{1}{x}\right) - i\pi \log(x) + \frac{\log(bx)^2}{2} + \gamma \log(bx) + i\pi \log(bx) \\ bx_3F_3\left(\begin{matrix} 1, 1, 1 \\ 2, 2, 2 \end{matrix} \middle| bx\right) - i\pi \log(x) + \frac{\log(bx)^2}{2} + \gamma \log(bx) + i\pi \log(bx) \\ bx_3F_3\left(\begin{matrix} 1, 1, 1 \\ 2, 2, 2 \end{matrix} \middle| bx\right) + i\pi \log\left(\frac{1}{x}\right) + \frac{\log(bx)^2}{2} + \gamma \log(bx) + i\pi \log(bx) \\ bx_3F_3\left(\begin{matrix} 1, 1, 1 \\ 2, 2, 2 \end{matrix} \middle| bx\right) + i\pi G_{2,2}^{2,0}\left(\begin{matrix} 1, 1 \\ 0, 0 \end{matrix} \middle| x\right) - i\pi G_{2,2}^{0,2}\left(\begin{matrix} 1, 1 \\ 0, 0 \end{matrix} \middle| x\right) + \frac{\log(bx)^2}{2} + \gamma \log(bx) + i\pi \log(bx) \end{cases}$$

input `integrate(Ei(b*x)/x, x)`

output `Piecewise((b*x*hyper((1, 1, 1), (2, 2, 2), b*x) + I*pi*log(1/x) - I*pi*log(x) + log(b*x)**2/2 + EulerGamma*log(b*x) + I*pi*log(b*x), (Abs(x) < 1) & (1/Abs(x) < 1)), (b*x*hyper((1, 1, 1), (2, 2, 2), b*x) - I*pi*log(x) + log(b*x)**2/2 + EulerGamma*log(b*x) + I*pi*log(b*x), Abs(x) < 1), (b*x*hyper((1, 1, 1), (2, 2, 2), b*x) + I*pi*log(1/x) + log(b*x)**2/2 + EulerGamma*log(b*x) + I*pi*log(b*x), 1/Abs(x) < 1), (b*x*hyper((1, 1, 1), (2, 2, 2), b*x) + I*pi*meijerg(((0, 0), (1, 1)), ((0, 0), ()), x) - I*pi*meijerg(((1, 1), ()), ((0, 0), (0, 0)), x) + log(b*x)**2/2 + EulerGamma*log(b*x) + I*pi*log(b*x), True))`

**Maxima [F]**

$$\int \frac{\text{ExpIntegralEi}(bx)}{x} dx = \int \frac{\text{Ei}(bx)}{x} dx$$

input `integrate(Ei(b*x)/x,x, algorithm="maxima")`

output `integrate(Ei(b*x)/x, x)`

**Giac [F]**

$$\int \frac{\text{ExpIntegralEi}(bx)}{x} dx = \int \frac{\text{Ei}(bx)}{x} dx$$

input `integrate(Ei(b*x)/x,x, algorithm="giac")`

output `integrate(Ei(b*x)/x, x)`

**Mupad [F(-1)]**

Timed out.

$$\int \frac{\text{ExpIntegralEi}(bx)}{x} dx = \int \frac{\text{ei}(bx)}{x} dx$$

input `int(ei(b*x)/x,x)`

output `int(ei(b*x)/x, x)`

**Reduce [F]**

$$\int \frac{\text{ExpIntegralEi}(bx)}{x} dx = \int \frac{ei(bx)}{x} dx$$

input `int(Ei(b*x)/x,x)`

output `int(ei(b*x)/x,x)`

## 3.6 $\int \frac{\text{ExpIntegralEi}(bx)}{x^2} dx$

Optimal result . . . . .	83
Mathematica [A] (verified) . . . . .	83
Rubi [A] (verified) . . . . .	84
Maple [A] (verified) . . . . .	85
Fricas [A] (verification not implemented) . . . . .	86
Sympy [A] (verification not implemented) . . . . .	86
Maxima [A] (verification not implemented) . . . . .	86
Giac [A] (verification not implemented) . . . . .	87
Mupad [B] (verification not implemented) . . . . .	87
Reduce [B] (verification not implemented) . . . . .	87

### Optimal result

Integrand size = 8, antiderivative size = 26

$$\int \frac{\text{ExpIntegralEi}(bx)}{x^2} dx = -\frac{e^{bx}}{x} + b \text{ExpIntegralEi}(bx) - \frac{\text{ExpIntegralEi}(bx)}{x}$$

output -exp(b\*x)/x+b\*Ei(b\*x)-Ei(b\*x)/x

### Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 22, normalized size of antiderivative = 0.85

$$\int \frac{\text{ExpIntegralEi}(bx)}{x^2} dx = \frac{-e^{bx} + (-1 + bx) \text{ExpIntegralEi}(bx)}{x}$$

input Integrate[ExpIntegralEi[b\*x]/x^2,x]

output (-E^(b\*x) + (-1 + b\*x)\*ExpIntegralEi[b\*x])/x

## Rubi [A] (verified)

Time = 0.21 (sec) , antiderivative size = 26, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {7039, 27, 2608, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\text{ExpIntegralEi}(bx)}{x^2} dx \\
 & \quad \downarrow \text{7039} \\
 & b \int \frac{e^{bx}}{bx^2} dx - \frac{\text{ExpIntegralEi}(bx)}{x} \\
 & \quad \downarrow \text{27} \\
 & \int \frac{e^{bx}}{x^2} dx - \frac{\text{ExpIntegralEi}(bx)}{x} \\
 & \quad \downarrow \text{2608} \\
 & b \int \frac{e^{bx}}{x} dx - \frac{\text{ExpIntegralEi}(bx)}{x} - \frac{e^{bx}}{x} \\
 & \quad \downarrow \text{2609} \\
 & b \text{ExpIntegralEi}(bx) - \frac{\text{ExpIntegralEi}(bx)}{x} - \frac{e^{bx}}{x}
 \end{aligned}$$

input `Int[ExpIntegralEi[b*x]/x^2,x]`

output `-(E^(b*x)/x) + b*ExpIntegralEi[b*x] - ExpIntegralEi[b*x]/x`

### Definitions of rubi rules used

rule 27  $\text{Int}[(a_1)*(F_x), x_{\text{Symbol}}] \rightarrow \text{Simp}[a_1 \text{Int}[F_x, x], x] /; \text{FreeQ}[a_1, x] \& \text{!MatchQ}[F_x, (b_1)*(G_x) /; \text{FreeQ}[b_1, x]]$

rule 2608  $\text{Int}[((b_1)*(F_1)^((g_1)*(e_1) + (f_1)*(x_1)))^((n_1)*((c_1) + (d_1)*(x_1))^((m_1)), x_{\text{Symbol}}] \rightarrow \text{Simp}[(c_1 + d_1*x)^{(m_1 + 1)}*((b_1*F_1^{(g_1*(e_1 + f_1*x))})^n_1/(d_1*(m_1 + 1))), x] - \text{Simp}[f_1*g_1*n_1*(\text{Log}[F_1]/(d_1*(m_1 + 1))) \text{Int}[(c_1 + d_1*x)^{(m_1 + 1)}*(b_1*F_1^{(g_1*(e_1 + f_1*x))})^n_1, x], x] /; \text{FreeQ}[\{F_1, b_1, c_1, d_1, e_1, f_1, g_1, n_1\}, x] \& \text{LtQ}[m_1, -1] \& \text{IntegerQ}[2*m_1] \& \text{!TrueQ}[\$UseGamma]$

rule 2609  $\text{Int}[(F_1)^((g_1)*(e_1) + (f_1)*(x_1))/((c_1) + (d_1)*(x_1)), x_{\text{Symbol}}] \rightarrow \text{Simp}[(F_1^{(g_1*(e_1 - c_1*(f_1/d_1)))/d_1})*\text{ExpIntegralEi}[f_1*g_1*(c_1 + d_1*x)*(\text{Log}[F_1]/d_1)], x] /; \text{FreeQ}[\{F_1, c_1, d_1, e_1, f_1, g_1\}, x] \& \text{!TrueQ}[\$UseGamma]$

rule 7039  $\text{Int}[\text{ExpIntegralEi}[(a_1) + (b_1)*(x_1)]*((c_1) + (d_1)*(x_1))^((m_1), x_{\text{Symbol}}] \rightarrow \text{Simp}[(c_1 + d_1*x)^{(m_1 + 1)}*\text{ExpIntegralEi}[a_1 + b_1*x]/(d_1*(m_1 + 1)), x] - \text{Simp}[b_1/(d_1*(m_1 + 1)) \text{Int}[(c_1 + d_1*x)^{(m_1 + 1)}*(E^{(a_1 + b_1*x)/(a_1 + b_1*x)}), x], x] /; \text{FreeQ}[\{a_1, b_1, c_1, d_1, m_1\}, x] \& \text{NeQ}[m_1, -1]$

### Maple [A] (verified)

Time = 0.02 (sec) , antiderivative size = 25, normalized size of antiderivative = 0.96

method	result
parallelrisch	$\frac{bx \expIntegral(bx) - \expIntegral(bx) - e^{bx}}{x}$
parts	$-\frac{\expIntegral(bx)}{x} + b \left( -\frac{e^{bx}}{bx} - \expIntegral_1(-bx) \right)$
derivativedivides	$b \left( -\frac{\expIntegral(bx)}{bx} - \frac{e^{bx}}{bx} - \expIntegral_1(-bx) \right)$
default	$b \left( -\frac{\expIntegral(bx)}{bx} - \frac{e^{bx}}{bx} - \expIntegral_1(-bx) \right)$
meijerg	$b \left( -\frac{1+\gamma+\ln(x)+\ln(-b)}{xb} + \gamma - 2 + \ln(x) + \ln(-b) + \frac{8bx+4}{4bx} - \frac{e^{bx}}{bx} - \frac{(-4bx+4)(-\gamma-\ln(-bx)-\expIntegral(bx))}{4bx} \right)$

input  $\text{int}(\text{Ei}(b*x)/x^2, x, \text{method}=\text{_RETURNVERBOSE})$

output  $\frac{1}{x^2} \text{ExpIntegralEi}(bx) - \frac{(bx-1)\text{Ei}(bx) - e^{bx}}{x}$

### Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 21, normalized size of antiderivative = 0.81

$$\int \frac{\text{ExpIntegralEi}(bx)}{x^2} dx = \frac{(bx-1)\text{Ei}(bx) - e^{bx}}{x}$$

input `integrate(Ei(b*x)/x^2,x, algorithm="fricas")`

output  $\frac{((bx-1)\text{Ei}(bx) - e^{bx})}{x}$

### Sympy [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.73

$$\int \frac{\text{ExpIntegralEi}(bx)}{x^2} dx = b\text{Ei}(bx) - \frac{e^{bx}}{x} - \frac{\text{Ei}(bx)}{x}$$

input `integrate(Ei(b*x)/x**2,x)`

output  $b*\text{Ei}(bx) - \frac{e^{bx}}{x} - \frac{\text{Ei}(bx)}{x}$

### Maxima [A] (verification not implemented)

Time = 0.06 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.69

$$\int \frac{\text{ExpIntegralEi}(bx)}{x^2} dx = b\Gamma(-1, -bx) - \frac{\text{Ei}(bx)}{x}$$

input `integrate(Ei(b*x)/x^2,x, algorithm="maxima")`

output  $b*\text{gamma}(-1, -bx) - \frac{\text{Ei}(bx)}{x}$

**Giac [A] (verification not implemented)**

Time = 0.11 (sec) , antiderivative size = 28, normalized size of antiderivative = 1.08

$$\int \frac{\text{ExpIntegralEi}(bx)}{x^2} dx = \frac{bx\text{Ei}(bx) - e^{bx}}{x} - \frac{\text{Ei}(bx)}{x}$$

input `integrate(Ei(b*x)/x^2,x, algorithm="giac")`

output `(b*x*Ei(b*x) - e^(b*x))/x - Ei(b*x)/x`

**Mupad [B] (verification not implemented)**

Time = 0.05 (sec) , antiderivative size = 21, normalized size of antiderivative = 0.81

$$\int \frac{\text{ExpIntegralEi}(bx)}{x^2} dx = b \text{ei}(bx) - \frac{\text{ei}(bx) + e^{bx}}{x}$$

input `int(ei(b*x)/x^2,x)`

output `b*ei(b*x) - (ei(b*x) + exp(b*x))/x`

**Reduce [B] (verification not implemented)**

Time = 0.19 (sec) , antiderivative size = 25, normalized size of antiderivative = 0.96

$$\int \frac{\text{ExpIntegralEi}(bx)}{x^2} dx = \frac{ei(bx) bx - ei(bx) - e^{bx}}{x}$$

input `int(Ei(b*x)/x^2,x)`

output `(ei(b*x)*b*x - ei(b*x) - e**(b*x))/x`

### 3.7 $\int \frac{\text{ExpIntegralEi}(bx)}{x^3} dx$

Optimal result . . . . .	88
Mathematica [A] (verified) . . . . .	88
Rubi [A] (verified) . . . . .	89
Maple [A] (verified) . . . . .	90
Fricas [A] (verification not implemented) . . . . .	91
Sympy [A] (verification not implemented) . . . . .	91
Maxima [A] (verification not implemented) . . . . .	91
Giac [A] (verification not implemented) . . . . .	92
Mupad [B] (verification not implemented) . . . . .	92
Reduce [B] (verification not implemented) . . . . .	92

#### Optimal result

Integrand size = 8, antiderivative size = 48

$$\int \frac{\text{ExpIntegralEi}(bx)}{x^3} dx = -\frac{e^{bx}}{4x^2} - \frac{be^{bx}}{4x} + \frac{1}{4}b^2 \text{ExpIntegralEi}(bx) - \frac{\text{ExpIntegralEi}(bx)}{2x^2}$$

output 
$$-1/4*\exp(b*x)/x^2-1/4*b*\exp(b*x)/x+1/4*b^2*\text{Ei}(b*x)-1/2*\text{Ei}(b*x)/x^2$$

#### Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 34, normalized size of antiderivative = 0.71

$$\int \frac{\text{ExpIntegralEi}(bx)}{x^3} dx = \frac{-e^{bx}(1 + bx) + (-2 + b^2x^2)\text{ExpIntegralEi}(bx)}{4x^2}$$

input `Integrate[ExpIntegralEi[b*x]/x^3, x]`

output 
$$(-E^{(b*x)}*(1 + b*x)) + (-2 + b^2*x^2)*\text{ExpIntegralEi}(b*x)/(4*x^2)$$

## Rubi [A] (verified)

Time = 0.25 (sec) , antiderivative size = 51, normalized size of antiderivative = 1.06, number of steps used = 5, number of rules used = 5,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$ , Rules used = {7039, 27, 2608, 2608, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\text{ExpIntegralEi}(bx)}{x^3} dx \\
 & \quad \downarrow \textcolor{blue}{7039} \\
 & \frac{1}{2} b \int \frac{e^{bx}}{bx^3} dx - \frac{\text{ExpIntegralEi}(bx)}{2x^2} \\
 & \quad \downarrow \textcolor{blue}{27} \\
 & \frac{1}{2} \int \frac{e^{bx}}{x^3} dx - \frac{\text{ExpIntegralEi}(bx)}{2x^2} \\
 & \quad \downarrow \textcolor{blue}{2608} \\
 & \frac{1}{2} \left( \frac{1}{2} b \int \frac{e^{bx}}{x^2} dx - \frac{e^{bx}}{2x^2} \right) - \frac{\text{ExpIntegralEi}(bx)}{2x^2} \\
 & \quad \downarrow \textcolor{blue}{2608} \\
 & \frac{1}{2} \left( \frac{1}{2} b \left( b \int \frac{e^{bx}}{x} dx - \frac{e^{bx}}{x} \right) - \frac{e^{bx}}{2x^2} \right) - \frac{\text{ExpIntegralEi}(bx)}{2x^2} \\
 & \quad \downarrow \textcolor{blue}{2609} \\
 & \frac{1}{2} \left( \frac{1}{2} b \left( b \text{ExpIntegralEi}(bx) - \frac{e^{bx}}{x} \right) - \frac{e^{bx}}{2x^2} \right) - \frac{\text{ExpIntegralEi}(bx)}{2x^2}
 \end{aligned}$$

input `Int[ExpIntegralEi[b*x]/x^3, x]`

output `-1/2*ExpIntegralEi[b*x]/x^2 + (-1/2*E^(b*x)/x^2 + (b*(-(E^(b*x)/x) + b*ExpIntegralEi[b*x]))/2)/2`

### Definitions of rubi rules used

rule 27  $\text{Int}[(a_)*(F_x_), x_{\text{Symbol}}] \rightarrow \text{Simp}[a \text{ Int}[F_x, x], x] /; \text{FreeQ}[a, x] \& \text{ !MatchQ}[F_x, (b_)*(G_x_) /; \text{FreeQ}[b, x]]$

rule 2608  $\text{Int}[((b_)*(F_))^((g_)*(e_*) + (f_)*(x_)))^((n_)*(c_*) + (d_)*(x_))^(m_), x_{\text{Symbol}}] \rightarrow \text{Simp}[(c + d*x)^(m + 1)*((b*F^((g*(e + f*x)))^n)/(d*(m + 1))), x] - \text{Simp}[f*g*n*(\text{Log}[F]/(d*(m + 1))) \text{ Int}[(c + d*x)^(m + 1)*(b*F^((g*(e + f*x)))^n), x], x] /; \text{FreeQ}[\{F, b, c, d, e, f, g, n\}, x] \& \text{ LtQ}[m, -1] \& \text{ IntegerQ}[2*m] \& \text{ !TrueQ}[\$UseGamma]$

rule 2609  $\text{Int}[(F_)^((g_)*(e_*) + (f_)*(x_))/((c_*) + (d_)*(x_)), x_{\text{Symbol}}] \rightarrow \text{Simp}[(F^((g*(e - c*(f/d))))/d)*\text{ExpIntegralEi}[f*g*(c + d*x)*(\text{Log}[F]/d)], x] /; \text{FreeQ}[\{F, c, d, e, f, g\}, x] \& \text{ !TrueQ}[\$UseGamma]$

rule 7039  $\text{Int}[\text{ExpIntegralEi}[(a_*) + (b_)*(x_)]*((c_*) + (d_)*(x_))^(m_), x_{\text{Symbol}}] \rightarrow \text{Simp}[(c + d*x)^(m + 1)*(\text{ExpIntegralEi}[a + b*x]/(d*(m + 1))), x] - \text{Simp}[b/(d*(m + 1)) \text{ Int}[(c + d*x)^(m + 1)*(E^((a + b*x)/(a + b*x))), x], x] /; \text{FreeQ}[\{a, b, c, d, m\}, x] \& \text{ NeQ}[m, -1]$

### Maple [A] (verified)

Time = 0.05 (sec) , antiderivative size = 38, normalized size of antiderivative = 0.79

method	result
parallelrisch	$\frac{b^2 x^2 \expIntegral(bx) - bx e^{bx} - 2 \expIntegral(bx) - e^{bx}}{4x^2}$
parts	$-\frac{\expIntegral(bx)}{2x^2} + \frac{b^2 \left(-\frac{e^{bx}}{2b^2 x^2} - \frac{e^{bx}}{2bx} - \frac{\expIntegral_1(-bx)}{2}\right)}{2}$
derivativedivides	$b^2 \left(-\frac{\expIntegral(bx)}{2b^2 x^2} - \frac{e^{bx}}{4b^2 x^2} - \frac{e^{bx}}{4bx} - \frac{\expIntegral_1(-bx)}{4}\right)$
default	$b^2 \left(-\frac{\expIntegral(bx)}{2b^2 x^2} - \frac{e^{bx}}{4b^2 x^2} - \frac{e^{bx}}{4bx} - \frac{\expIntegral_1(-bx)}{4}\right)$
meijerg	$-b^2 \left(\frac{\frac{1}{2} + \gamma + \ln(x) + \ln(-b)}{2x^2 b^2} + \frac{1}{xb} + \frac{1}{2} - \frac{\gamma}{4} - \frac{\ln(x)}{4} - \frac{\ln(-b)}{4} - \frac{18b^2 x^2 + 36bx + 9}{36b^2 x^2} + \frac{(9bx + 9)e^{bx}}{36b^2 x^2} + \frac{(-9b^2 x^2 - 18bx - 9)e^{-bx}}{36b^2 x^2}\right)$

input  $\text{int}(\text{Ei}(b*x)/x^3, x, \text{method}=\text{_RETURNVERBOSE})$

output  $\frac{1}{4}/x^2*(b^2*x^2*Ei(b*x)-b*x*exp(b*x)-2*Ei(b*x)-exp(b*x))$

### Fricas [A] (verification not implemented)

Time = 0.07 (sec) , antiderivative size = 31, normalized size of antiderivative = 0.65

$$\int \frac{\text{ExpIntegralEi}(bx)}{x^3} dx = \frac{(b^2 x^2 - 2) \text{Ei}(bx) - (bx + 1) e^{(bx)}}{4 x^2}$$

input `integrate(Ei(b*x)/x^3,x, algorithm="fricas")`

output  $\frac{1}{4}*((b^2*x^2 - 2)*\text{Ei}(b*x) - (b*x + 1)*e^{(b*x)})/x^2$

### Sympy [A] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 39, normalized size of antiderivative = 0.81

$$\int \frac{\text{ExpIntegralEi}(bx)}{x^3} dx = \frac{b^2 \text{Ei}(bx)}{4} - \frac{b e^{bx}}{4x} - \frac{e^{bx}}{4x^2} - \frac{\text{Ei}(bx)}{2x^2}$$

input `integrate(Ei(b*x)/x**3,x)`

output  $b^{*2}*\text{Ei}(b*x)/4 - b*\text{exp}(b*x)/(4*x) - \text{exp}(b*x)/(4*x^{*2}) - \text{Ei}(b*x)/(2*x^{*2})$

### Maxima [A] (verification not implemented)

Time = 0.07 (sec) , antiderivative size = 21, normalized size of antiderivative = 0.44

$$\int \frac{\text{ExpIntegralEi}(bx)}{x^3} dx = -\frac{1}{2} b^2 \Gamma(-2, -bx) - \frac{\text{Ei}(bx)}{2 x^2}$$

input `integrate(Ei(b*x)/x^3,x, algorithm="maxima")`

output  $-1/2*b^2*gamma(-2, -b*x) - 1/2*\text{Ei}(b*x)/x^2$

**Giac [A] (verification not implemented)**

Time = 0.11 (sec) , antiderivative size = 41, normalized size of antiderivative = 0.85

$$\int \frac{\text{ExpIntegralEi}(bx)}{x^3} dx = \frac{b^2 x^2 \text{Ei}(bx) - b x e^{(bx)} - e^{(bx)}}{4 x^2} - \frac{\text{Ei}(bx)}{2 x^2}$$

input `integrate(Ei(b*x)/x^3,x, algorithm="giac")`

output `1/4*(b^2*x^2*Ei(b*x) - b*x*e^(b*x) - e^(b*x))/x^2 - 1/2*Ei(b*x)/x^2`

**Mupad [B] (verification not implemented)**

Time = 0.06 (sec) , antiderivative size = 36, normalized size of antiderivative = 0.75

$$\int \frac{\text{ExpIntegralEi}(bx)}{x^3} dx = \frac{b^2 \text{ei}(bx)}{4} - \frac{\frac{\text{ei}(bx)}{2} + \frac{e^{bx}}{4} + \frac{b x e^{bx}}{4}}{x^2}$$

input `int(ei(b*x)/x^3,x)`

output `(b^2*ei(b*x))/4 - (ei(b*x)/2 + exp(b*x)/4 + (b*x*exp(b*x))/4)/x^2`

**Reduce [B] (verification not implemented)**

Time = 0.23 (sec) , antiderivative size = 39, normalized size of antiderivative = 0.81

$$\int \frac{\text{ExpIntegralEi}(bx)}{x^3} dx = \frac{ei(bx) b^2 x^2 - 2 ei(bx) - e^{bx} b x - e^{bx}}{4 x^2}$$

input `int(Ei(b*x)/x^3,x)`

output `(ei(b*x)*b**2*x**2 - 2*ei(b*x) - e**(b*x)*b*x - e**(b*x))/(4*x**2)`

### 3.8 $\int \frac{\text{ExpIntegralEi}(bx)}{x^4} dx$

Optimal result . . . . .	93
Mathematica [A] (verified) . . . . .	93
Rubi [A] (verified) . . . . .	94
Maple [A] (verified) . . . . .	96
Fricas [A] (verification not implemented)	96
Sympy [A] (verification not implemented)	97
Maxima [A] (verification not implemented)	97
Giac [A] (verification not implemented)	97
Mupad [B] (verification not implemented)	98
Reduce [B] (verification not implemented)	98

#### Optimal result

Integrand size = 8, antiderivative size = 63

$$\int \frac{\text{ExpIntegralEi}(bx)}{x^4} dx = -\frac{e^{bx}}{9x^3} - \frac{be^{bx}}{18x^2} - \frac{b^2 e^{bx}}{18x} + \frac{1}{18} b^3 \text{ExpIntegralEi}(bx) - \frac{\text{ExpIntegralEi}(bx)}{3x^3}$$

output 
$$\begin{aligned} & -1/9*\exp(b*x)/x^3 - 1/18*b*\exp(b*x)/x^2 - 1/18*b^2*\exp(b*x)/x + 1/18*b^3*\text{Ei}(b*x) \\ & - 1/3*\text{Ei}(b*x)/x^3 \end{aligned}$$

#### Mathematica [A] (verified)

Time = 0.01 (sec), antiderivative size = 41, normalized size of antiderivative = 0.65

$$\int \frac{\text{ExpIntegralEi}(bx)}{x^4} dx = \frac{-e^{bx}(2 + bx + b^2 x^2) + (-6 + b^3 x^3) \text{ExpIntegralEi}(bx)}{18x^3}$$

input  $\text{Integrate}[\text{ExpIntegralEi}[b*x]/x^4, x]$

output 
$$(-E^(b*x)*(2 + b*x + b^2*x^2)) + (-6 + b^3*x^3)*\text{ExpIntegralEi}[b*x]/(18*x^3)$$

## Rubi [A] (verified)

Time = 0.30 (sec) , antiderivative size = 69, normalized size of antiderivative = 1.10, number of steps used = 6, number of rules used = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.750$ , Rules used = {7039, 27, 2608, 2608, 2608, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\text{ExpIntegralEi}(bx)}{x^4} dx \\
 & \quad \downarrow \text{7039} \\
 & \frac{1}{3}b \int \frac{e^{bx}}{bx^4} dx - \frac{\text{ExpIntegralEi}(bx)}{3x^3} \\
 & \quad \downarrow \text{27} \\
 & \frac{1}{3} \int \frac{e^{bx}}{x^4} dx - \frac{\text{ExpIntegralEi}(bx)}{3x^3} \\
 & \quad \downarrow \text{2608} \\
 & \frac{1}{3} \left( \frac{1}{3}b \int \frac{e^{bx}}{x^3} dx - \frac{e^{bx}}{3x^3} \right) - \frac{\text{ExpIntegralEi}(bx)}{3x^3} \\
 & \quad \downarrow \text{2608} \\
 & \frac{1}{3} \left( \frac{1}{3}b \left( \frac{1}{2}b \int \frac{e^{bx}}{x^2} dx - \frac{e^{bx}}{2x^2} \right) - \frac{e^{bx}}{3x^3} \right) - \frac{\text{ExpIntegralEi}(bx)}{3x^3} \\
 & \quad \downarrow \text{2608} \\
 & \frac{1}{3} \left( \frac{1}{3}b \left( \frac{1}{2}b \left( b \int \frac{e^{bx}}{x} dx - \frac{e^{bx}}{x} \right) - \frac{e^{bx}}{2x^2} \right) - \frac{e^{bx}}{3x^3} \right) - \frac{\text{ExpIntegralEi}(bx)}{3x^3} \\
 & \quad \downarrow \text{2609} \\
 & \frac{1}{3} \left( \frac{1}{3}b \left( \frac{1}{2}b \left( b \text{ExpIntegralEi}(bx) - \frac{e^{bx}}{x} \right) - \frac{e^{bx}}{2x^2} \right) - \frac{e^{bx}}{3x^3} \right) - \frac{\text{ExpIntegralEi}(bx)}{3x^3}
 \end{aligned}$$

input

output

$$-1/3 \text{ExpIntegralEi}[b*x]/x^3 + (-1/3 E^{-b*x}/x^3 + (b*(-1/2 E^{-b*x}/x^2 + (b*(-(E^{-b*x}/x) + b \text{ExpIntegralEi}[b*x]))/2))/3)/3$$

### Defintions of rubi rules used

rule 27

$$\text{Int}[(a_*)*(F_x_), x_{\text{Symbol}}] \rightarrow \text{Simp}[a \text{Int}[F_x, x], x] /; \text{FreeQ}[a, x] \& \text{!}\text{MatchQ}[F_x, (b_*)*(G_x_)] /; \text{FreeQ}[b, x]$$

rule 2608

$$\text{Int}[((b_*)*(F_-)^((g_-)*(e_-) + (f_-)*(x_-)))^{(n_-)*(c_-) + (d_-)*(x_-)}^{(m_-)}, x_{\text{Symbol}}] \rightarrow \text{Simp}[(c + d*x)^{(m + 1)*((b*F^{-g*(e + f*x)})^n/(d*(m + 1)))}, x] - \text{Simp}[f*g*n*(\text{Log}[F]/(d*(m + 1))) \text{Int}[(c + d*x)^{(m + 1)*(b*F^{-g*(e + f*x)})^n}, x], x] /; \text{FreeQ}[\{F, b, c, d, e, f, g, n\}, x] \& \text{LtQ}[m, -1] \& \text{IntegerQ}[2*m] \& \text{!TrueQ}[\$UseGamma]$$

rule 2609

$$\text{Int}[(F_-)^((g_-)*(e_-) + (f_-)*(x_-))/((c_-) + (d_-)*(x_-)), x_{\text{Symbol}}] \rightarrow \text{Simp}[(F^{-g*(e - c*(f/d))}/d)*\text{ExpIntegralEi}[f*g*(c + d*x)*(\text{Log}[F]/d)], x] /; \text{FreeQ}[\{F, c, d, e, f, g\}, x] \& \text{!TrueQ}[\$UseGamma]$$

rule 7039

$$\text{Int}[\text{ExpIntegralEi}[(a_*) + (b_*)*(x_-)]*((c_-) + (d_-)*(x_-))^{(m_-)}, x_{\text{Symbol}}] \rightarrow \text{Simp}[(c + d*x)^{(m + 1)*(\text{ExpIntegralEi}[a + b*x]/(d*(m + 1)))}, x] - \text{Simp}[b/(d*(m + 1)) \text{Int}[(c + d*x)^{(m + 1)*(E^{-a + b*x}/(a + b*x))}, x], x] /; \text{FreeQ}[\{a, b, c, d, m\}, x] \& \text{NeQ}[m, -1]$$

**Maple [A] (verified)**

Time = 0.07 (sec) , antiderivative size = 50, normalized size of antiderivative = 0.79

method	result
parallelrisch	$\frac{b^3 x^3 \exp(\text{Integral}(bx)) - b^2 x^2 e^{bx} - bx e^{bx} - 6 \exp(\text{Integral}(bx)) - 2 e^{bx}}{18x^3}$
parts	$-\frac{\exp(\text{Integral}(bx))}{3x^3} + \frac{b^3 \left( -\frac{e^{bx}}{3b^3 x^3} - \frac{e^{bx}}{6b^2 x^2} - \frac{e^{bx}}{6bx} - \frac{\exp(\text{Integral}_1(-bx))}{6} \right)}{3}$
derivativedivides	$b^3 \left( -\frac{\exp(\text{Integral}(bx))}{3b^3 x^3} - \frac{e^{bx}}{9b^3 x^3} - \frac{e^{bx}}{18b^2 x^2} - \frac{e^{bx}}{18bx} - \frac{\exp(\text{Integral}_1(-bx))}{18} \right)$
default	$b^3 \left( -\frac{\exp(\text{Integral}(bx))}{3b^3 x^3} - \frac{e^{bx}}{9b^3 x^3} - \frac{e^{bx}}{18b^2 x^2} - \frac{e^{bx}}{18bx} - \frac{\exp(\text{Integral}_1(-bx))}{18} \right)$
meijerg	$b^3 \left( -\frac{\frac{1}{3} + \gamma + \ln(x) + \ln(-b)}{3x^3 b^3} - \frac{1}{2x^2 b^2} - \frac{1}{4xb} - \frac{13}{108} + \frac{\gamma}{18} + \frac{\ln(x)}{18} + \frac{\ln(-b)}{18} + \frac{104b^3 x^3 + 216b^2 x^2 + 432bx + 96}{864b^3 x^3} \right)$

input `int(Ei(b*x)/x^4, x, method=_RETURNVERBOSE)`

output 
$$\frac{1}{18}/x^3*(b^3*x^3*Ei(b*x)-b^2*x^2*exp(b*x)-b*x*exp(b*x)-6*Ei(b*x)-2*exp(b*x))$$

**Fricas [A] (verification not implemented)**

Time = 0.08 (sec) , antiderivative size = 38, normalized size of antiderivative = 0.60

$$\int \frac{\text{ExpIntegralEi}(bx)}{x^4} dx = \frac{(b^3 x^3 - 6) \text{Ei}(bx) - (b^2 x^2 + bx + 2) e^{(bx)}}{18 x^3}$$

input `integrate(Ei(b*x)/x^4, x, algorithm="fricas")`

output 
$$\frac{1}{18}*((b^3*x^3 - 6)*Ei(b*x) - (b^2*x^2 + b*x + 2)*e^(b*x))/x^3$$

**Sympy [A] (verification not implemented)**

Time = 0.27 (sec) , antiderivative size = 53, normalized size of antiderivative = 0.84

$$\int \frac{\text{ExpIntegralEi}(bx)}{x^4} dx = \frac{b^3 \text{Ei}(bx)}{18} - \frac{b^2 e^{bx}}{18x} - \frac{b e^{bx}}{18x^2} - \frac{e^{bx}}{9x^3} - \frac{\text{Ei}(bx)}{3x^3}$$

input `integrate(Ei(b*x)/x**4,x)`

output `b**3*Ei(b*x)/18 - b**2*exp(b*x)/(18*x) - b*exp(b*x)/(18*x**2) - exp(b*x)/(9*x**3) - Ei(b*x)/(3*x**3)`

**Maxima [A] (verification not implemented)**

Time = 0.06 (sec) , antiderivative size = 21, normalized size of antiderivative = 0.33

$$\int \frac{\text{ExpIntegralEi}(bx)}{x^4} dx = \frac{1}{3} b^3 \Gamma(-3, -bx) - \frac{\text{Ei}(bx)}{3x^3}$$

input `integrate(Ei(b*x)/x^4,x, algorithm="maxima")`

output `1/3*b^3*gamma(-3, -b*x) - 1/3*Ei(b*x)/x^3`

**Giac [A] (verification not implemented)**

Time = 0.11 (sec) , antiderivative size = 53, normalized size of antiderivative = 0.84

$$\int \frac{\text{ExpIntegralEi}(bx)}{x^4} dx = \frac{b^3 x^3 \text{Ei}(bx) - b^2 x^2 e^{(bx)} - b x e^{(bx)} - 2 e^{(bx)}}{18 x^3} - \frac{\text{Ei}(bx)}{3 x^3}$$

input `integrate(Ei(b*x)/x^4,x, algorithm="giac")`

output `1/18*(b^3*x^3*Ei(b*x) - b^2*x^2*e^(b*x) - b*x*e^(b*x) - 2*e^(b*x))/x^3 - 1/3*Ei(b*x)/x^3`

**Mupad [B] (verification not implemented)**

Time = 0.06 (sec) , antiderivative size = 48, normalized size of antiderivative = 0.76

$$\int \frac{\text{ExpIntegralEi}(bx)}{x^4} dx = \frac{b^3 \text{ei}(bx)}{18} - \frac{\frac{\text{ei}(bx)}{3} + \frac{e^{bx}}{9} + \frac{b^2 x^2 e^{bx}}{18} + \frac{b x e^{bx}}{18}}{x^3}$$

input `int(ei(b*x)/x^4,x)`

output  $(b^3 \text{ei}(bx))/18 - (\text{ei}(bx)/3 + \exp(bx)/9 + (b^2 x^2 \exp(bx))/18 + (b x \exp(bx))/18)/x^3$

**Reduce [B] (verification not implemented)**

Time = 0.21 (sec) , antiderivative size = 52, normalized size of antiderivative = 0.83

$$\int \frac{\text{ExpIntegralEi}(bx)}{x^4} dx = \frac{ei(bx) b^3 x^3 - 6 ei(bx) - e^{bx} b^2 x^2 - e^{bx} b x - 2 e^{bx}}{18 x^3}$$

input `int(Ei(b*x)/x^4,x)`

output  $(\text{ei}(b x) * b^{**3} * x^{**3} - 6 * \text{ei}(b x) - e^{**(\text{b} * x)} * b^{**2} * x^{**2} - e^{**(\text{b} * x)} * b * x - 2 * e^{**(\text{b} * x)}) / (18 * x^{**3})$

## 3.9 $\int x^2 \operatorname{ExpIntegralEi}(bx)^2 dx$

Optimal result . . . . .	99
Mathematica [A] (verified) . . . . .	99
Rubi [A] (verified) . . . . .	100
Maple [A] (verified) . . . . .	103
Fricas [A] (verification not implemented)	104
Sympy [F]	104
Maxima [F]	104
Giac [A] (verification not implemented) . . . . .	105
Mupad [F(-1)] . . . . .	105
Reduce [F]	105

### Optimal result

Integrand size = 10, antiderivative size = 105

$$\begin{aligned} \int x^2 \operatorname{ExpIntegralEi}(bx)^2 dx = & -\frac{5e^{2bx}}{6b^3} + \frac{e^{2bx}x}{3b^2} - \frac{4e^{bx} \operatorname{ExpIntegralEi}(bx)}{3b^3} \\ & + \frac{4e^{bx}x \operatorname{ExpIntegralEi}(bx)}{3b^2} - \frac{2e^{bx}x^2 \operatorname{ExpIntegralEi}(bx)}{3b} \\ & + \frac{1}{3}x^3 \operatorname{ExpIntegralEi}(bx)^2 + \frac{4 \operatorname{ExpIntegralEi}(2bx)}{3b^3} \end{aligned}$$

output

```
-5/6*exp(2*b*x)/b^3+1/3*exp(2*b*x)*x/b^2-4/3*exp(b*x)*Ei(b*x)/b^3+4/3*exp(b*x)*x*Ei(b*x)/b^2-2/3*exp(b*x)*x^2*Ei(b*x)/b+1/3*x^3*Ei(b*x)^2+4/3*Ei(2*b*x)/b^3
```

### Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 66, normalized size of antiderivative = 0.63

$$\begin{aligned} \int x^2 \operatorname{ExpIntegralEi}(bx)^2 dx \\ = \frac{e^{2bx}(-5 + 2bx) - 4e^{bx}(2 - 2bx + b^2x^2) \operatorname{ExpIntegralEi}(bx) + 2b^3x^3 \operatorname{ExpIntegralEi}(bx)^2 + 8 \operatorname{ExpIntegralEi}(2bx)}{6b^3} \end{aligned}$$

input

```
Integrate[x^2*ExpIntegralEi[b*x]^2,x]
```

output 
$$(E^{(2*b*x)*(-5 + 2*b*x)} - 4*E^{(b*x)*(2 - 2*b*x + b^2*x^2)}*ExpIntegralEi[b*x] + 2*b^3*x^3*ExpIntegralEi[b*x]^2 + 8*ExpIntegralEi[2*b*x])/(6*b^3)$$

## Rubi [A] (verified)

Time = 0.60 (sec), antiderivative size = 130, normalized size of antiderivative = 1.24, number of steps used = 11, number of rules used = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 1.100$ , Rules used = {7041, 7044, 27, 2607, 2624, 7044, 27, 2624, 7043, 27, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x^2 \operatorname{ExpIntegralEi}(bx)^2 dx \\
 & \downarrow \textcolor{blue}{7041} \\
 & \frac{1}{3}x^3 \operatorname{ExpIntegralEi}(bx)^2 - \frac{2}{3} \int e^{bx} x^2 \operatorname{ExpIntegralEi}(bx) dx \\
 & \downarrow \textcolor{blue}{7044} \\
 & \frac{1}{3}x^3 \operatorname{ExpIntegralEi}(bx)^2 - \\
 & \frac{2}{3} \left( -\frac{2 \int e^{bx} x \operatorname{ExpIntegralEi}(bx) dx}{b} - \int \frac{e^{2bx} x}{b} dx + \frac{x^2 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right) \\
 & \downarrow \textcolor{blue}{27} \\
 & \frac{1}{3}x^3 \operatorname{ExpIntegralEi}(bx)^2 - \\
 & \frac{2}{3} \left( -\frac{2 \int e^{bx} x \operatorname{ExpIntegralEi}(bx) dx}{b} - \int \frac{e^{2bx} x dx}{b} + \frac{x^2 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right) \\
 & \downarrow \textcolor{blue}{2607} \\
 & \frac{1}{3}x^3 \operatorname{ExpIntegralEi}(bx)^2 - \\
 & \frac{2}{3} \left( -\frac{2 \int e^{bx} x \operatorname{ExpIntegralEi}(bx) dx}{b} - \frac{\frac{xe^{2bx}}{2b} - \frac{\int e^{2bx} dx}{2b}}{b} + \frac{x^2 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right) \\
 & \downarrow \textcolor{blue}{2624}
 \end{aligned}$$

$$\begin{aligned}
& \frac{1}{3}x^3 \operatorname{ExpIntegralEi}(bx)^2 - \\
& \frac{2}{3} \left( -\frac{2 \int e^{bx} x \operatorname{ExpIntegralEi}(bx) dx}{b} - \frac{\frac{x e^{2bx}}{2b} - \frac{e^{2bx}}{4b^2}}{b} + \frac{x^2 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right) \\
& \quad \downarrow \textcolor{blue}{7044} \\
& \frac{1}{3}x^3 \operatorname{ExpIntegralEi}(bx)^2 - \\
& \frac{2}{3} \left( -\frac{2 \left( -\frac{\int e^{bx} \operatorname{ExpIntegralEi}(bx) dx}{b} - \int \frac{e^{2bx}}{b} dx + \frac{x e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right)}{b} - \frac{\frac{x e^{2bx}}{2b} - \frac{e^{2bx}}{4b^2}}{b} + \frac{x^2 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right) \\
& \quad \downarrow \textcolor{blue}{27} \\
& \frac{1}{3}x^3 \operatorname{ExpIntegralEi}(bx)^2 - \\
& \frac{2}{3} \left( -\frac{2 \left( -\frac{\int e^{bx} \operatorname{ExpIntegralEi}(bx) dx}{b} - \frac{\int e^{2bx} dx}{b} + \frac{x e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right)}{b} - \frac{\frac{x e^{2bx}}{2b} - \frac{e^{2bx}}{4b^2}}{b} + \frac{x^2 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right) \\
& \quad \downarrow \textcolor{blue}{2624} \\
& \frac{1}{3}x^3 \operatorname{ExpIntegralEi}(bx)^2 - \\
& \frac{2}{3} \left( -\frac{2 \left( -\frac{\int e^{bx} \operatorname{ExpIntegralEi}(bx) dx}{b} - \frac{e^{2bx}}{2b^2} + \frac{x e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right)}{b} - \frac{\frac{x e^{2bx}}{2b} - \frac{e^{2bx}}{4b^2}}{b} + \frac{x^2 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right) \\
& \quad \downarrow \textcolor{blue}{7043} \\
& \frac{1}{3}x^3 \operatorname{ExpIntegralEi}(bx)^2 - \\
& \frac{2}{3} \left( -\frac{2 \left( -\frac{\frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} - \int \frac{e^{2bx}}{bx} dx}{b} - \frac{e^{2bx}}{2b^2} + \frac{x e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right)}{b} - \frac{\frac{x e^{2bx}}{2b} - \frac{e^{2bx}}{4b^2}}{b} + \frac{x^2 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right) \\
& \quad \downarrow \textcolor{blue}{27} \\
& \frac{1}{3}x^3 \operatorname{ExpIntegralEi}(bx)^2 - \\
& \frac{2}{3} \left( -\frac{2 \left( -\frac{\frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} - \int \frac{e^{2bx}}{x} dx}{b} - \frac{e^{2bx}}{2b^2} + \frac{x e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right)}{b} - \frac{\frac{x e^{2bx}}{2b} - \frac{e^{2bx}}{4b^2}}{b} + \frac{x^2 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right)
\end{aligned}$$

$$\frac{1}{3}x^3 \text{ExpIntegralEi}(bx)^2 - \\ \frac{2}{3} \left( -\frac{2 \left( -\frac{e^{2bx}}{2b^2} + \frac{x e^{bx} \text{ExpIntegralEi}(bx)}{b} - \frac{\frac{e^{bx} \text{ExpIntegralEi}(bx)}{b} - \frac{\text{ExpIntegralEi}(2bx)}{b}}{b} \right)}{b} - \frac{x e^{2bx}}{2b} - \frac{e^{2bx}}{4b^2} + \frac{x^2 e^{bx} \text{ExpIntegralEi}(bx)}{b} \right)$$

input `Int[x^2*ExpIntegralEi[b*x]^2,x]`

output  $(x^3 \text{ExpIntegralEi}[b*x]^2)/3 - (2*(-((-1/4 E^(2*b*x))/b^2 + (E^(2*b*x)*x)/(2*b))/b) + (E^(b*x)*x^2 \text{ExpIntegralEi}[b*x])/b - (2*(-1/2 E^(2*b*x))/b^2 + (E^(b*x)*x \text{ExpIntegralEi}[b*x])/b - ((E^(b*x) \text{ExpIntegralEi}[b*x])/b - \text{ExpIntegralEi}[2*b*x]/b)/b))/b))/3$

### Defintions of rubi rules used

rule 27 `Int[(a_)*(Fx_), x_Symbol] :> Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]`

rule 2607 `Int[((b_)*(F_))^((g_)*(e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.*)(x_))^(m_.), x_Symbol] :> Simp[(c + d*x)^m*((b*F^(g*(e + f*x)))^n/(f*g*n*Log[F])), x] - Simp[d*(m/(f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*(b*F^(g*(e + f*x)))^n, x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2*m] && !TrueQ[$UseGamma]`

rule 2609 `Int[(F_)^((g_)*(e_.) + (f_.*)(x_))/((c_.) + (d_.*)(x_)), x_Symbol] :> Simp[(F^(g*(e - c*(f/d)))/d)*ExpIntegralEi[f*g*(c + d*x)*(Log[F]/d)], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[$UseGamma]`

rule 2624 `Int[(F_)^(v_.)^n, x_Symbol] :> Simp[(F^v)^n/(n*Log[F]*D[v, x]), x] /; FreeQ[{F, n}, x] && LinearQ[v, x]`

rule 7041  $\text{Int}[\text{ExpIntegralEi}[(b_*)*(x_*)]^2*(x_*)^{(m_)}, x_{\text{Symbol}}] \rightarrow \text{Simp}[x^{(m+1)}*(\text{ExpIntegralEi}[b*x]^2/(m+1)), x] - \text{Simp}[2/(m+1) \text{Int}[x^m * E^{(b*x)} * \text{ExpIntegralEi}[b*x], x], x] /; \text{FreeQ}[b, x] \&& \text{IGtQ}[m, 0]$

rule 7043  $\text{Int}[E^{(a_*) + (b_*)*(x_*)} * \text{ExpIntegralEi}[(c_*) + (d_*)*(x_*)], x_{\text{Symbol}}] \rightarrow \text{Simp}[E^{(a+b*x)} * (\text{ExpIntegralEi}[c+d*x]/b), x] - \text{Simp}[d/b \text{Int}[E^{(a+c+(b+d)*x)/(c+d*x)}, x], x] /; \text{FreeQ}[\{a, b, c, d\}, x]$

rule 7044  $\text{Int}[E^{(a_*) + (b_*)*(x_*)} * \text{ExpIntegralEi}[(c_*) + (d_*)*(x_*)] * (x_*)^{(m_)}, x_{\text{Symbol}}] \rightarrow \text{Simp}[x^m * E^{(a+b*x)} * (\text{ExpIntegralEi}[c+d*x]/b), x] + (-\text{Simp}[d/b \text{Int}[x^m * (E^{(a+c+(b+d)*x)/(c+d*x)}), x], x] - \text{Simp}[m/b \text{Int}[x^{(m-1)} * E^{(a+b*x)} * \text{ExpIntegralEi}[c+d*x], x], x]) /; \text{FreeQ}[\{a, b, c, d\}, x] \&& \text{IGtQ}[m, 0]$

## Maple [A] (verified)

Time = 0.05 (sec) , antiderivative size = 79, normalized size of antiderivative = 0.75

method	result	size
derivativedivides	$\frac{\expIntegral(bx)^2 b^3 x^3}{3} - 2 \expIntegral(bx) \left( \frac{b^2 x^2 e^{bx}}{3} - \frac{2 b x e^{bx}}{3} + \frac{2 e^{bx}}{3} \right) + \frac{e^{2 b x} b x}{3} - \frac{5 e^{2 b x}}{6} - \frac{4 \expIntegral_1(-2 b x)}{3}$	79
default	$\frac{\expIntegral(bx)^2 b^3 x^3}{3} - 2 \expIntegral(bx) \left( \frac{b^2 x^2 e^{bx}}{3} - \frac{2 b x e^{bx}}{3} + \frac{2 e^{bx}}{3} \right) + \frac{e^{2 b x} b x}{3} - \frac{5 e^{2 b x}}{6} - \frac{4 \expIntegral_1(-2 b x)}{3}$	79

input `int(x^2*Ei(b*x)^2,x,method=_RETURNVERBOSE)`

output 
$$\frac{1}{b^3} \left( \frac{1}{3} Ei(b*x)^2 b^3 x^3 - 2 Ei(b*x) \left( \frac{1}{3} b^2 x^2 e^{bx} - \frac{2 b x e^{bx}}{3} + \frac{2 e^{bx}}{3} \right) + \frac{e^{2 b x} b x}{3} - \frac{5 e^{2 b x}}{6} - \frac{4 \expIntegral_1(-2 b x)}{3} \right)$$

**Fricas [A] (verification not implemented)**

Time = 0.08 (sec) , antiderivative size = 62, normalized size of antiderivative = 0.59

$$\int x^2 \text{ExpIntegralEi}(bx)^2 dx \\ = \frac{2 b^3 x^3 \text{Ei}(bx)^2 - 4 (b^2 x^2 - 2 b x + 2) \text{Ei}(bx) e^{(bx)} + (2 b x - 5) e^{(2 b x)} + 8 \text{Ei}(2 b x)}{6 b^3}$$

input `integrate(x^2*Ei(b*x)^2,x, algorithm="fricas")`

output `1/6*(2*b^3*x^3*Ei(b*x)^2 - 4*(b^2*x^2 - 2*b*x + 2)*Ei(b*x)*e^(b*x) + (2*b*x - 5)*e^(2*b*x) + 8*Ei(2*b*x))/b^3`

**Sympy [F]**

$$\int x^2 \text{ExpIntegralEi}(bx)^2 dx = \int x^2 \text{Ei}^2(bx) dx$$

input `integrate(x**2*Ei(b*x)**2,x)`

output `Integral(x**2*Ei(b*x)**2, x)`

**Maxima [F]**

$$\int x^2 \text{ExpIntegralEi}(bx)^2 dx = \int x^2 \text{Ei}(bx)^2 dx$$

input `integrate(x^2*Ei(b*x)^2,x, algorithm="maxima")`

output `integrate(x^2*Ei(b*x)^2, x)`

**Giac [A] (verification not implemented)**

Time = 0.11 (sec) , antiderivative size = 67, normalized size of antiderivative = 0.64

$$\int x^2 \text{ExpIntegralEi}(bx)^2 dx = \frac{1}{3} x^3 \text{Ei}(bx)^2 - \frac{2(b^2 x^2 - 2bx + 2)\text{Ei}(bx) e^{(bx)}}{3b^3} + \frac{2bxe^{(2bx)} + 8\text{Ei}(2bx) - 5e^{(2bx)}}{6b^3}$$

input `integrate(x^2*Ei(b*x)^2,x, algorithm="giac")`

output `1/3*x^3*Ei(b*x)^2 - 2/3*(b^2*x^2 - 2*b*x + 2)*Ei(b*x)*e^(b*x)/b^3 + 1/6*(2*b*x*e^(2*b*x) + 8*Ei(2*b*x) - 5*e^(2*b*x))/b^3`

**Mupad [F(-1)]**

Timed out.

$$\int x^2 \text{ExpIntegralEi}(bx)^2 dx = \int x^2 \text{ei}(bx)^2 dx$$

input `int(x^2*ei(b*x)^2,x)`

output `int(x^2*ei(b*x)^2, x)`

**Reduce [F]**

$$\int x^2 \text{ExpIntegralEi}(bx)^2 dx = \int \text{ei}(bx)^2 x^2 dx$$

input `int(x^2*Ei(b*x)^2,x)`

output `int(ei(b*x)**2*x**2,x)`

## 3.10 $\int x \operatorname{ExpIntegralEi}(bx)^2 dx$

Optimal result . . . . .	106
Mathematica [A] (verified) . . . . .	106
Rubi [A] (verified) . . . . .	107
Maple [A] (verified) . . . . .	109
Fricas [A] (verification not implemented)	109
Sympy [F]	110
Maxima [F]	110
Giac [A] (verification not implemented) . . . . .	110
Mupad [F(-1)] . . . . .	111
Reduce [F]	111

### Optimal result

Integrand size = 8, antiderivative size = 65

$$\begin{aligned} \int x \operatorname{ExpIntegralEi}(bx)^2 dx &= \frac{e^{2bx}}{2b^2} + \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{b^2} - \frac{e^{bx} x \operatorname{ExpIntegralEi}(bx)}{b} \\ &\quad + \frac{1}{2} x^2 \operatorname{ExpIntegralEi}(bx)^2 - \frac{\operatorname{ExpIntegralEi}(2bx)}{b^2} \end{aligned}$$

output  $1/2*\exp(2*b*x)/b^2+\exp(b*x)*\text{Ei}(b*x)/b^2-\exp(b*x)*x*\text{Ei}(b*x)/b+1/2*x^2*\text{Ei}(b*x)^2-\text{Ei}(2*b*x)/b^2$

### Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 50, normalized size of antiderivative = 0.77

$$\begin{aligned} &\int x \operatorname{ExpIntegralEi}(bx)^2 dx \\ &= \frac{e^{2bx} - 2e^{bx}(-1 + bx) \operatorname{ExpIntegralEi}(bx) + b^2 x^2 \operatorname{ExpIntegralEi}(bx)^2 - 2 \operatorname{ExpIntegralEi}(2bx)}{2b^2} \end{aligned}$$

input `Integrate[x*ExpIntegralEi[b*x]^2, x]`

output 
$$(E^{(2*b*x)} - 2*E^{(b*x)}*(-1 + b*x)*ExpIntegralEi[b*x] + b^2*x^2*ExpIntegralEi[b*x]^2 - 2*ExpIntegralEi[2*b*x])/(2*b^2)$$

## Rubi [A] (verified)

Time = 0.36 (sec) , antiderivative size = 70, normalized size of antiderivative = 1.08, number of steps used = 7, number of rules used = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.875$ , Rules used = {7041, 7044, 27, 2624, 7043, 27, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x \operatorname{ExpIntegralEi}(bx)^2 dx \\
 \downarrow 7041 \\
 & \frac{1}{2}x^2 \operatorname{ExpIntegralEi}(bx)^2 - \int e^{bx} x \operatorname{ExpIntegralEi}(bx) dx \\
 \downarrow 7044 \\
 & \frac{\int e^{bx} \operatorname{ExpIntegralEi}(bx) dx}{b} + \int \frac{e^{2bx}}{b} dx + \frac{1}{2}x^2 \operatorname{ExpIntegralEi}(bx)^2 - \frac{x e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \\
 \downarrow 27 \\
 & \frac{\int e^{bx} \operatorname{ExpIntegralEi}(bx) dx}{b} + \frac{\int e^{2bx} dx}{b} + \frac{1}{2}x^2 \operatorname{ExpIntegralEi}(bx)^2 - \frac{x e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \\
 \downarrow 2624 \\
 & \frac{\int e^{bx} \operatorname{ExpIntegralEi}(bx) dx}{b} + \frac{e^{2bx}}{2b^2} + \frac{1}{2}x^2 \operatorname{ExpIntegralEi}(bx)^2 - \frac{x e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \\
 \downarrow 7043 \\
 & \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} - \frac{\int \frac{e^{2bx}}{bx} dx}{b} + \frac{e^{2bx}}{2b^2} + \frac{1}{2}x^2 \operatorname{ExpIntegralEi}(bx)^2 - \frac{x e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \\
 \downarrow 27 \\
 & \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} - \frac{\int \frac{e^{2bx}}{x} dx}{b} + \frac{e^{2bx}}{2b^2} + \frac{1}{2}x^2 \operatorname{ExpIntegralEi}(bx)^2 - \frac{x e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \\
 \downarrow 2609
 \end{aligned}$$

$$\frac{e^{2bx}}{2b^2} + \frac{1}{2}x^2 \text{ExpIntegralEi}(bx)^2 - \frac{xe^{bx} \text{ExpIntegralEi}(bx)}{b} + \frac{\frac{e^{bx} \text{ExpIntegralEi}(bx)}{b} - \frac{\text{ExpIntegralEi}(2bx)}{b}}{b}$$

input `Int[x*ExpIntegralEi[b*x]^2, x]`

output `E^(2*b*x)/(2*b^2) - (E^(b*x)*x*ExpIntegralEi[b*x])/b + (x^2*ExpIntegralEi[b*x]^2)/2 + ((E^(b*x)*ExpIntegralEi[b*x])/b - ExpIntegralEi[2*b*x]/b)/b`

### Definitions of rubi rules used

rule 27 `Int[(a_)*(Fx_), x_Symbol] :> Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]`

rule 2609 `Int[(F_)^((g_.)*(e_.) + (f_.)*(x_.)) /((c_.) + (d_.)*(x_.)), x_Symbol] :> Simp[(F^(g*(e - c*(f/d)))/d)*ExpIntegralEi[f*g*(c + d*x)*(Log[F]/d)], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[$UseGamma]`

rule 2624 `Int[((F_)^(v_.))^n_, x_Symbol] :> Simp[(F^v)^n/(n*Log[F]*D[v, x]), x] /; FreeQ[{F, n}, x] && LinearQ[v, x]`

rule 7041 `Int[ExpIntegralEi[(b_.)*(x_.)]^2*(x_.)^(m_.), x_Symbol] :> Simp[x^(m + 1)*(ExpIntegralEi[b*x]^2/(m + 1)), x] - Simp[2/(m + 1) Int[x^m*E^(b*x)*ExpIntegralEi[b*x], x], x] /; FreeQ[b, x] && IGtQ[m, 0]`

rule 7043 `Int[E^((a_.) + (b_.)*(x_.))*ExpIntegralEi[(c_.) + (d_.)*(x_.)], x_Symbol] :> Simp[E^(a + b*x)*(ExpIntegralEi[c + d*x]/b), x] - Simp[d/b Int[E^(a + c + (b + d)*x)/(c + d*x), x], x] /; FreeQ[{a, b, c, d}, x]`

rule 7044

```
Int[E^((a_.) + (b_.)*(x_))*ExpIntegralEi[(c_.) + (d_.*x_)]*(x_)^(m_.), x_
Symbol] :> Simp[x^m*E^(a + b*x)*(ExpIntegralEi[c + d*x]/b), x] + (-Simp[d/b
Int[x^m*(E^(a + c + (b + d)*x)/(c + d*x)), x], x] - Simp[m/b Int[x^(m
- 1)*E^(a + b*x)*ExpIntegralEi[c + d*x], x], x]) /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0]
```

**Maple [A] (verified)**

Time = 0.02 (sec) , antiderivative size = 55, normalized size of antiderivative = 0.85

method	result	size
derivativedivides	$\frac{b^2 x^2 \exp(\text{Integral}(bx))^2}{2} - 2 \exp(\text{Integral}(bx)) \left( \frac{bx e^{bx}}{2} - \frac{e^{bx}}{2} \right) + \frac{e^{2bx}}{2} + \exp(\text{Integral}_1(-2bx))$	55
default	$\frac{b^2 x^2 \exp(\text{Integral}(bx))^2}{2} - 2 \exp(\text{Integral}(bx)) \left( \frac{bx e^{bx}}{2} - \frac{e^{bx}}{2} \right) + \frac{e^{2bx}}{2} + \exp(\text{Integral}_1(-2bx))$	55

input `int(x*Ei(b*x)^2,x,method=_RETURNVERBOSE)`output `1/b^2*(1/2*b^2*x^2*Ei(b*x)^2-2*Ei(b*x)*(1/2*b*x*exp(b*x)-1/2*exp(b*x))+1/2*exp(b*x)^2+Ei(1,-2*b*x))`**Fricas [A] (verification not implemented)**

Time = 0.08 (sec) , antiderivative size = 46, normalized size of antiderivative = 0.71

$$\int x \text{ExpIntegralEi}(bx)^2 dx = \frac{b^2 x^2 \text{Ei}(bx)^2 - 2 (bx - 1) \text{Ei}(bx) e^{(bx)} - 2 \text{Ei}(2 bx) + e^{(2 bx)}}{2 b^2}$$

input `integrate(x*Ei(b*x)^2,x, algorithm="fricas")`output `1/2*(b^2*x^2*Ei(b*x)^2 - 2*(b*x - 1)*Ei(b*x)*e^(b*x) - 2*Ei(2*b*x) + e^(2*b*x))/b^2`

**Sympy [F]**

$$\int x \operatorname{ExpIntegralEi}(bx)^2 dx = \int x \operatorname{Ei}^2(bx) dx$$

input `integrate(x*Ei(b*x)**2, x)`

output `Integral(x*Ei(b*x)**2, x)`

**Maxima [F]**

$$\int x \operatorname{ExpIntegralEi}(bx)^2 dx = \int x \operatorname{Ei}(bx)^2 dx$$

input `integrate(x*Ei(b*x)^2, x, algorithm="maxima")`

output `integrate(x*Ei(b*x)^2, x)`

**Giac [A] (verification not implemented)**

Time = 0.12 (sec) , antiderivative size = 50, normalized size of antiderivative = 0.77

$$\int x \operatorname{ExpIntegralEi}(bx)^2 dx = \frac{1}{2} x^2 \operatorname{Ei}(bx)^2 - \frac{(bx - 1)\operatorname{Ei}(bx) e^{(bx)}}{b^2} - \frac{2\operatorname{Ei}(2bx) - e^{(2bx)}}{2b^2}$$

input `integrate(x*Ei(b*x)^2, x, algorithm="giac")`

output `1/2*x^2*Ei(b*x)^2 - (b*x - 1)*Ei(b*x)*e^(b*x)/b^2 - 1/2*(2*Ei(2*b*x) - e^(2*b*x))/b^2`

**Mupad [F(-1)]**

Timed out.

$$\int x \operatorname{ExpIntegralEi}(bx)^2 dx = \int x \operatorname{ei}(bx)^2 dx$$

input `int(x*ei(b*x)^2,x)`

output `int(x*ei(b*x)^2, x)`

**Reduce [F]**

$$\int x \operatorname{ExpIntegralEi}(bx)^2 dx = \int ei(bx)^2 x dx$$

input `int(x*Ei(b*x)^2,x)`

output `int(ei(b*x)**2*x,x)`

### 3.11 $\int \text{ExpIntegralEi}(bx)^2 dx$

Optimal result . . . . .	112
Mathematica [A] (verified) . . . . .	112
Rubi [A] (verified) . . . . .	113
Maple [A] (verified) . . . . .	114
Fricas [A] (verification not implemented)	115
Sympy [F]	115
Maxima [F]	115
Giac [A] (verification not implemented) . . . . .	116
Mupad [F(-1)] . . . . .	116
Reduce [F]	116

#### Optimal result

Integrand size = 6, antiderivative size = 33

$$\int \text{ExpIntegralEi}(bx)^2 dx = -\frac{2e^{bx} \text{ExpIntegralEi}(bx)}{b} + x \text{ExpIntegralEi}(bx)^2 + \frac{2 \text{ExpIntegralEi}(2bx)}{b}$$

output 
$$-2*\exp(b*x)*\text{Ei}(b*x)/b + x*\text{Ei}(b*x)^2 + 2*\text{Ei}(2*b*x)/b$$

#### Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 33, normalized size of antiderivative = 1.00

$$\int \text{ExpIntegralEi}(bx)^2 dx = -\frac{2e^{bx} \text{ExpIntegralEi}(bx)}{b} + x \text{ExpIntegralEi}(bx)^2 + \frac{2 \text{ExpIntegralEi}(2bx)}{b}$$

input `Integrate[ExpIntegralEi[b*x]^2, x]`

output 
$$-\frac{2 e^{\text{b} x} \text{ExpIntegralEi}(\text{b} x)}{\text{b}} + x \text{ExpIntegralEi}(\text{b} x)^2 + \frac{(2 \text{ExpIntegralEi}(2 \text{b} x))}{\text{b}}$$

## Rubi [A] (verified)

Time = 0.24 (sec) , antiderivative size = 35, normalized size of antiderivative = 1.06, number of steps used = 4, number of rules used = 4,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$ , Rules used = {7040, 7043, 27, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \text{ExpIntegralEi}(bx)^2 dx \\
 & \downarrow \textcolor{blue}{7040} \\
 & x \text{ExpIntegralEi}(bx)^2 - 2 \int e^{bx} \text{ExpIntegralEi}(bx) dx \\
 & \downarrow \textcolor{blue}{7043} \\
 & x \text{ExpIntegralEi}(bx)^2 - 2 \left( \frac{e^{bx} \text{ExpIntegralEi}(bx)}{b} - \int \frac{e^{2bx}}{bx} dx \right) \\
 & \downarrow \textcolor{blue}{27} \\
 & x \text{ExpIntegralEi}(bx)^2 - 2 \left( \frac{e^{bx} \text{ExpIntegralEi}(bx)}{b} - \frac{\int \frac{e^{2bx}}{x} dx}{b} \right) \\
 & \downarrow \textcolor{blue}{2609} \\
 & x \text{ExpIntegralEi}(bx)^2 - 2 \left( \frac{e^{bx} \text{ExpIntegralEi}(bx)}{b} - \frac{\text{ExpIntegralEi}(2bx)}{b} \right)
 \end{aligned}$$

input `Int[ExpIntegralEi[b*x]^2, x]`

output `x*ExpIntegralEi[b*x]^2 - 2*((E^(b*x)*ExpIntegralEi[b*x])/b - ExpIntegralEi[2*b*x]/b)`

### Definitions of rubi rules used

rule 27  $\text{Int}[(a_*)(F_x_), x_{\text{Symbol}}] \rightarrow \text{Simp}[a \text{ Int}[F_x, x], x] /; \text{FreeQ}[a, x] \&& \text{!MatchQ}[F_x, (b_*)(G_x_) /; \text{FreeQ}[b, x]]$

rule 2609  $\text{Int}[(F_*)^{(g_*)((e_*) + (f_*)(x_*))}/((c_*) + (d_*)(x_)), x_{\text{Symbol}}] \rightarrow \text{Simp}[(F^*(g*(e - c*(f/d)))/d)*\text{ExpIntegralEi}[f*g*(c + d*x)*(Log[F]/d)], x] /; \text{FreeQ}[\{F, c, d, e, f, g\}, x] \&& \text{!TrueQ}[\$UseGamma]$

rule 7040  $\text{Int}[\text{ExpIntegralEi}[(a_*) + (b_*)(x_*)]^2, x_{\text{Symbol}}] \rightarrow \text{Simp}[(a + b*x)*(\text{ExpIntegralEi}[a + b*x]^2/b), x] - \text{Simp}[2 \text{ Int}[E^*(a + b*x)*\text{ExpIntegralEi}[a + b*x], x], x] /; \text{FreeQ}[\{a, b\}, x]$

rule 7043  $\text{Int}[E^*((a_*) + (b_*)(x_))*\text{ExpIntegralEi}[(c_*) + (d_*)(x_*)], x_{\text{Symbol}}] \rightarrow \text{Simp}[E^*(a + b*x)*(\text{ExpIntegralEi}[c + d*x]/b), x] - \text{Simp}[d/b \text{ Int}[E^*(a + c + (b + d)*x)/(c + d*x), x], x] /; \text{FreeQ}[\{a, b, c, d\}, x]$

### Maple [A] (verified)

Time = 0.01 (sec) , antiderivative size = 33, normalized size of antiderivative = 1.00

method	result	size
derivativeDivides	$\frac{bx \exp(\text{Integral}(bx)^2 - 2 e^{bx} \exp(\text{Integral}(bx) - 2 \exp(\text{Integral}_1(-2bx))}{b}$	33
default	$\frac{bx \exp(\text{Integral}(bx)^2 - 2 e^{bx} \exp(\text{Integral}(bx) - 2 \exp(\text{Integral}_1(-2bx))}{b}$	33

input `int(Ei(b*x)^2, x, method=_RETURNVERBOSE)`

output `1/b*(b*x*Ei(b*x)^2 - 2*exp(b*x)*Ei(b*x) - 2*Ei(1, -2*b*x))`

**Fricas [A] (verification not implemented)**

Time = 0.07 (sec) , antiderivative size = 31, normalized size of antiderivative = 0.94

$$\int \text{ExpIntegralEi}(bx)^2 dx = \frac{bx \text{Ei}(bx)^2 - 2 \text{Ei}(bx) e^{(bx)} + 2 \text{Ei}(2bx)}{b}$$

input `integrate(Ei(b*x)^2, x, algorithm="fricas")`

output `(b*x*Ei(b*x)^2 - 2*Ei(b*x)*e^(b*x) + 2*Ei(2*b*x))/b`

**Sympy [F]**

$$\int \text{ExpIntegralEi}(bx)^2 dx = \int \text{Ei}^2(bx) dx$$

input `integrate(Ei(b*x)**2, x)`

output `Integral(Ei(b*x)**2, x)`

**Maxima [F]**

$$\int \text{ExpIntegralEi}(bx)^2 dx = \int \text{Ei}(bx)^2 dx$$

input `integrate(Ei(b*x)^2, x, algorithm="maxima")`

output `integrate(Ei(b*x)^2, x)`

**Giac [A] (verification not implemented)**

Time = 0.11 (sec) , antiderivative size = 32, normalized size of antiderivative = 0.97

$$\int \text{ExpIntegralEi}(bx)^2 dx = x \text{Ei}(bx)^2 - \frac{2 \text{Ei}(bx) e^{(bx)}}{b} + \frac{2 \text{Ei}(2bx)}{b}$$

input `integrate(Ei(b*x)^2,x, algorithm="giac")`

output `x*Ei(b*x)^2 - 2*Ei(b*x)*e^(b*x)/b + 2*Ei(2*b*x)/b`

**Mupad [F(-1)]**

Timed out.

$$\int \text{ExpIntegralEi}(bx)^2 dx = \int \text{ei}(bx)^2 dx$$

input `int(ei(b*x)^2,x)`

output `int(ei(b*x)^2, x)`

**Reduce [F]**

$$\int \text{ExpIntegralEi}(bx)^2 dx = \int \text{ei}(bx)^2 dx$$

input `int(Ei(b*x)^2,x)`

output `int(ei(b*x)**2,x)`

**3.12**       $\int \frac{\text{ExpIntegralEi}(bx)^2}{x} dx$

Optimal result . . . . .	117
Mathematica [N/A] . . . . .	117
Rubi [N/A] . . . . .	118
Maple [N/A] . . . . .	118
Fricas [N/A] . . . . .	119
Sympy [N/A] . . . . .	119
Maxima [N/A] . . . . .	119
Giac [N/A] . . . . .	120
Mupad [N/A] . . . . .	120
Reduce [N/A] . . . . .	121

## Optimal result

Integrand size = 10, antiderivative size = 10

$$\int \frac{\text{ExpIntegralEi}(bx)^2}{x} dx = \text{Int}\left(\frac{\text{ExpIntegralEi}(bx)^2}{x}, x\right)$$

output `Defer(Int)(Ei(b*x)^2/x,x)`

## Mathematica [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\text{ExpIntegralEi}(bx)^2}{x} dx = \int \frac{\text{ExpIntegralEi}(bx)^2}{x} dx$$

input `Integrate[ExpIntegralEi[b*x]^2/x,x]`

output `Integrate[ExpIntegralEi[b*x]^2/x, x]`

**Rubi [N/A]**

Not integrable

Time = 0.17 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\text{ExpIntegralEi}(bx)^2}{x} dx$$

$\downarrow$  7299

$$\int \frac{\text{ExpIntegralEi}(bx)^2}{x} dx$$

input `Int[ExpIntegralEi[b*x]^2/x, x]`

output `$Aborted`

**Maple [N/A]**

Not integrable

Time = 0.01 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{\expIntegral(bx)^2}{x} dx$$

input `int(Ei(b*x)^2/x, x)`

output `int(Ei(b*x)^2/x, x)`

**Fricas [N/A]**

Not integrable

Time = 0.08 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\text{ExpIntegralEi}(bx)^2}{x} dx = \int \frac{\text{Ei}(bx)^2}{x} dx$$

input `integrate(Ei(b*x)^2/x, x, algorithm="fricas")`

output `integral(Ei(b*x)^2/x, x)`

**Sympy [N/A]**

Not integrable

Time = 0.34 (sec) , antiderivative size = 8, normalized size of antiderivative = 0.80

$$\int \frac{\text{ExpIntegralEi}(bx)^2}{x} dx = \int \frac{\text{Ei}^2(bx)}{x} dx$$

input `integrate(Ei(b*x)**2/x, x)`

output `Integral(Ei(b*x)**2/x, x)`

**Maxima [N/A]**

Not integrable

Time = 0.05 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\text{ExpIntegralEi}(bx)^2}{x} dx = \int \frac{\text{Ei}(bx)^2}{x} dx$$

input `integrate(Ei(b*x)^2/x, x, algorithm="maxima")`

output `integrate(Ei(b*x)^2/x, x)`

## Giac [N/A]

Not integrable

Time = 0.11 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\text{ExpIntegralEi}(bx)^2}{x} dx = \int \frac{\text{Ei}(bx)^2}{x} dx$$

input `integrate(Ei(b*x)^2/x,x, algorithm="giac")`

output `integrate(Ei(b*x)^2/x, x)`

## Mupad [N/A]

Not integrable

Time = 0.04 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\text{ExpIntegralEi}(bx)^2}{x} dx = \int \frac{\text{ei}(b x)^2}{x} dx$$

input `int(ei(b*x)^2/x,x)`

output `int(ei(b*x)^2/x, x)`

**Reduce [N/A]**

Not integrable

Time = 0.22 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\text{ExpIntegralEi}(bx)^2}{x} dx = \int \frac{ei(bx)^2}{x} dx$$

input `int(Ei(b*x)^2/x, x)`

output `int(ei(b*x)**2/x, x)`

**3.13**       $\int \frac{\text{ExpIntegralEi}(bx)^2}{x^2} dx$

Optimal result . . . . .	122
Mathematica [N/A] . . . . .	122
Rubi [N/A] . . . . .	123
Maple [N/A] . . . . .	123
Fricas [C] (verification not implemented) . . . . .	124
Sympy [N/A] . . . . .	124
Maxima [N/A] . . . . .	124
Giac [N/A] . . . . .	125
Mupad [N/A] . . . . .	125
Reduce [N/A] . . . . .	126

## Optimal result

Integrand size = 10, antiderivative size = 10

$$\int \frac{\text{ExpIntegralEi}(bx)^2}{x^2} dx = \text{Int}\left(\frac{\text{ExpIntegralEi}(bx)^2}{x^2}, x\right)$$

output `Defer(Int)(Ei(b*x)^2/x^2,x)`

## Mathematica [N/A]

Not integrable

Time = 0.06 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\text{ExpIntegralEi}(bx)^2}{x^2} dx = \int \frac{\text{ExpIntegralEi}(bx)^2}{x^2} dx$$

input `Integrate[ExpIntegralEi[b*x]^2/x^2,x]`

output `Integrate[ExpIntegralEi[b*x]^2/x^2, x]`

**Rubi [N/A]**

Not integrable

Time = 0.17 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\text{ExpIntegralEi}(bx)^2}{x^2} dx$$

↓ 7299

$$\int \frac{\text{ExpIntegralEi}(bx)^2}{x^2} dx$$

input `Int[ExpIntegralEi[b*x]^2/x^2,x]`

output `$Aborted`

**Maple [N/A]**

Not integrable

Time = 0.01 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{\expIntegral(bx)^2}{x^2} dx$$

input `int(Ei(b*x)^2/x^2,x)`

output `int(Ei(b*x)^2/x^2,x)`

## Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 4 vs. order 1.

Time = 0.09 (sec) , antiderivative size = 43, normalized size of antiderivative = 4.30

$$\int \frac{\text{ExpIntegralEi}(bx)^2}{x^2} dx = \frac{4bx\text{Ei}(2bx) + (bx - 1)\text{Ei}(bx)^2 - 2\text{Ei}(bx)e^{(bx)} - 2e^{(2bx)}}{x}$$

input `integrate(Ei(b*x)^2/x^2,x, algorithm="fricas")`

output 
$$\frac{(4b*x*\text{Ei}(2b*x) + (b*x - 1)*\text{Ei}(b*x)^2 - 2*\text{Ei}(b*x)*e^{(b*x)} - 2*e^{(2b*x)})}{x}$$

## Sympy [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{\text{ExpIntegralEi}(bx)^2}{x^2} dx = \int \frac{\text{Ei}^2(bx)}{x^2} dx$$

input `integrate(Ei(b*x)**2/x**2,x)`

output `Integral(Ei(b*x)**2/x**2, x)`

## Maxima [N/A]

Not integrable

Time = 0.05 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\text{ExpIntegralEi}(bx)^2}{x^2} dx = \int \frac{\text{Ei}(bx)^2}{x^2} dx$$

input `integrate(Ei(b*x)^2/x^2,x, algorithm="maxima")`

output `integrate(Ei(b*x)^2/x^2, x)`

## Giac [N/A]

Not integrable

Time = 0.11 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\text{ExpIntegralEi}(bx)^2}{x^2} dx = \int \frac{\text{Ei}(bx)^2}{x^2} dx$$

input `integrate(Ei(b*x)^2/x^2,x, algorithm="giac")`

output `integrate(Ei(b*x)^2/x^2, x)`

## Mupad [N/A]

Not integrable

Time = 0.05 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\text{ExpIntegralEi}(bx)^2}{x^2} dx = \int \frac{\text{ei}(b x)^2}{x^2} dx$$

input `int(ei(b*x)^2/x^2,x)`

output `int(ei(b*x)^2/x^2, x)`

**Reduce [N/A]**

Not integrable

Time = 0.18 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\text{ExpIntegralEi}(bx)^2}{x^2} dx = \int \frac{ei(bx)^2}{x^2} dx$$

input `int(Ei(b*x)^2/x^2,x)`

output `int(ei(b*x)**2/x**2,x)`

### 3.14 $\int (dx)^m \text{ExpIntegralEi}(bx)^3 dx$

Optimal result . . . . .	127
Mathematica [N/A] . . . . .	127
Rubi [N/A] . . . . .	128
Maple [N/A] . . . . .	128
Fricas [N/A] . . . . .	129
Sympy [N/A] . . . . .	129
Maxima [N/A] . . . . .	129
Giac [N/A] . . . . .	130
Mupad [N/A] . . . . .	130
Reduce [N/A] . . . . .	131

#### Optimal result

Integrand size = 12, antiderivative size = 12

$$\int (dx)^m \text{ExpIntegralEi}(bx)^3 dx = x^{-m} (dx)^m \text{Int}(x^m \text{ExpIntegralEi}(bx)^3, x)$$

output `(d*x)^m*Defe $r$ (Int)(x^m*Ei(b*x)^3,x)/(x^m)`

#### Mathematica [N/A]

Not integrable

Time = 0.03 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int (dx)^m \text{ExpIntegralEi}(bx)^3 dx = \int (dx)^m \text{ExpIntegralEi}(bx)^3 dx$$

input `Integrate[(d*x)^m*ExpIntegralEi[b*x]^3,x]`

output `Integrate[(d*x)^m*ExpIntegralEi[b*x]^3, x]`

**Rubi [N/A]**

Not integrable

Time = 0.17 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \text{ExpIntegralEi}(bx)^3(dx)^m dx$$

↓ 7299

$$\int \text{ExpIntegralEi}(bx)^3(dx)^m dx$$

input `Int [(d*x)^m*ExpIntegralEi [b*x]^3,x]`

output `$Aborted`

**Maple [N/A]**

Not integrable

Time = 0.01 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int (dx)^m \expIntegral(bx)^3 dx$$

input `int((d*x)^m*Ei(b*x)^3,x)`

output `int((d*x)^m*Ei(b*x)^3,x)`

**Fricas [N/A]**

Not integrable

Time = 0.08 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int (dx)^m \text{ExpIntegralEi}(bx)^3 dx = \int (dx)^m \text{Ei}(bx)^3 dx$$

input `integrate((d*x)^m*Ei(b*x)^3,x, algorithm="fricas")`

output `integral((d*x)^m*Ei(b*x)^3, x)`

**Sympy [N/A]**

Not integrable

Time = 2.86 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int (dx)^m \text{ExpIntegralEi}(bx)^3 dx = \int (dx)^m \text{Ei}^3(bx) dx$$

input `integrate((d*x)**m*Ei(b*x)**3,x)`

output `Integral((d*x)**m*Ei(b*x)**3, x)`

**Maxima [N/A]**

Not integrable

Time = 0.05 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int (dx)^m \text{ExpIntegralEi}(bx)^3 dx = \int (dx)^m \text{Ei}(bx)^3 dx$$

input `integrate((d*x)^m*Ei(b*x)^3,x, algorithm="maxima")`

output `integrate((d*x)^m*Ei(b*x)^3, x)`

## Giac [N/A]

Not integrable

Time = 0.12 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int (dx)^m \text{ExpIntegralEi}(bx)^3 dx = \int (dx)^m \text{Ei}(bx)^3 dx$$

input `integrate((d*x)^m*Ei(b*x)^3,x, algorithm="giac")`

output `integrate((d*x)^m*Ei(b*x)^3, x)`

## Mupad [N/A]

Not integrable

Time = 0.05 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int (dx)^m \text{ExpIntegralEi}(bx)^3 dx = \int \text{ei}(bx)^3 (d x)^m dx$$

input `int(ei(b*x)^3*(d*x)^m,x)`

output `int(ei(b*x)^3*(d*x)^m, x)`

**Reduce [N/A]**

Not integrable

Time = 0.20 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.33

$$\int (dx)^m \text{ExpIntegralEi}(bx)^3 dx = d^m \left( \int x^m e i(bx)^3 dx \right)$$

input `int((d*x)^m*Ei(b*x)^3,x)`

output `d**m*int(x**m*ei(b*x)**3,x)`

### 3.15 $\int (dx)^m \text{ExpIntegralEi}(bx)^2 dx$

Optimal result . . . . .	132
Mathematica [N/A] . . . . .	132
Rubi [N/A] . . . . .	133
Maple [N/A] . . . . .	133
Fricas [N/A] . . . . .	134
Sympy [N/A] . . . . .	134
Maxima [N/A] . . . . .	134
Giac [N/A] . . . . .	135
Mupad [N/A] . . . . .	135
Reduce [N/A] . . . . .	136

#### Optimal result

Integrand size = 12, antiderivative size = 12

$$\int (dx)^m \text{ExpIntegralEi}(bx)^2 dx = x^{-m} (dx)^m \text{Int}(x^m \text{ExpIntegralEi}(bx)^2, x)$$

output `(d*x)^m*Defe $r$ (Int)(x^m*Ei(b*x)^2,x)/(x^m)`

#### Mathematica [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int (dx)^m \text{ExpIntegralEi}(bx)^2 dx = \int (dx)^m \text{ExpIntegralEi}(bx)^2 dx$$

input `Integrate[(d*x)^m*ExpIntegralEi[b*x]^2,x]`

output `Integrate[(d*x)^m*ExpIntegralEi[b*x]^2, x]`

**Rubi [N/A]**

Not integrable

Time = 0.18 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \text{ExpIntegralEi}(bx)^2(dx)^m dx$$

↓ 7299

$$\int \text{ExpIntegralEi}(bx)^2(dx)^m dx$$

input `Int [(d*x)^m*ExpIntegralEi [b*x]^2,x]`

output `$Aborted`

**Maple [N/A]**

Not integrable

Time = 0.01 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int (dx)^m \expIntegral(bx)^2 dx$$

input `int((d*x)^m*Ei(b*x)^2,x)`

output `int((d*x)^m*Ei(b*x)^2,x)`

**Fricas [N/A]**

Not integrable

Time = 0.08 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int (dx)^m \text{ExpIntegralEi}(bx)^2 dx = \int (dx)^m \text{Ei}(bx)^2 dx$$

input `integrate((d*x)^m*Ei(b*x)^2,x, algorithm="fricas")`

output `integral((d*x)^m*Ei(b*x)^2, x)`

**Sympy [N/A]**

Not integrable

Time = 1.06 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int (dx)^m \text{ExpIntegralEi}(bx)^2 dx = \int (dx)^m \text{Ei}^2(bx) dx$$

input `integrate((d*x)**m*Ei(b*x)**2,x)`

output `Integral((d*x)**m*Ei(b*x)**2, x)`

**Maxima [N/A]**

Not integrable

Time = 0.05 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int (dx)^m \text{ExpIntegralEi}(bx)^2 dx = \int (dx)^m \text{Ei}(bx)^2 dx$$

input `integrate((d*x)^m*Ei(b*x)^2,x, algorithm="maxima")`

output `integrate((d*x)^m*Ei(b*x)^2, x)`

## Giac [N/A]

Not integrable

Time = 0.11 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int (dx)^m \text{ExpIntegralEi}(bx)^2 dx = \int (dx)^m \text{Ei}(bx)^2 dx$$

input `integrate((d*x)^m*Ei(b*x)^2,x, algorithm="giac")`

output `integrate((d*x)^m*Ei(b*x)^2, x)`

## Mupad [N/A]

Not integrable

Time = 0.04 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int (dx)^m \text{ExpIntegralEi}(bx)^2 dx = \int \text{ei}(bx)^2 (d x)^m dx$$

input `int(ei(b*x)^2*(d*x)^m,x)`

output `int(ei(b*x)^2*(d*x)^m, x)`

**Reduce [N/A]**

Not integrable

Time = 0.21 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.33

$$\int (dx)^m \text{ExpIntegralEi}(bx)^2 dx = d^m \left( \int x^m e i(bx)^2 dx \right)$$

input `int((d*x)^m*Ei(b*x)^2,x)`

output `d**m*int(x**m*ei(b*x)**2,x)`

## 3.16 $\int (dx)^m \text{ExpIntegralEi}(bx) dx$

Optimal result . . . . .	137
Mathematica [A] (verified) . . . . .	137
Rubi [A] (verified) . . . . .	138
Maple [C] (verified) . . . . .	139
Fricas [A] (verification not implemented)	140
Sympy [C] (verification not implemented)	140
Maxima [F]	141
Giac [F]	142
Mupad [F(-1)]	142
Reduce [F]	142

### Optimal result

Integrand size = 10, antiderivative size = 52

$$\begin{aligned} \int (dx)^m \text{ExpIntegralEi}(bx) dx &= \frac{(dx)^{1+m} \text{ExpIntegralEi}(bx)}{d(1+m)} \\ &\quad - \frac{(-bx)^{-m} (dx)^m \Gamma(1+m, -bx)}{b(1+m)} \end{aligned}$$

output  $(d*x)^{(1+m)}*Ei(b*x)/d/(1+m)-(d*x)^m*GAMMA(1+m,-b*x)/b/(1+m)/((-b*x)^m)$

### Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 40, normalized size of antiderivative = 0.77

$$\begin{aligned} &\int (dx)^m \text{ExpIntegralEi}(bx) dx \\ &= \frac{(dx)^m (bx \text{ExpIntegralEi}(bx) - (-bx)^{-m} \Gamma(1+m, -bx))}{b(1+m)} \end{aligned}$$

input  $\text{Integrate}[(d*x)^m*\text{ExpIntegralEi}[b*x],x]$

output  $((d*x)^m * (b*x * \text{ExpIntegralEi}[b*x] - \text{Gamma}[1 + m, -(b*x)] / (-b*x)^m) / (b*(1 + m))$

## Rubi [A] (verified)

Time = 0.21 (sec), antiderivative size = 52, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$ , Rules used = {7039, 8, 27, 2612}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \text{ExpIntegralEi}(bx)(dx)^m dx \\
 & \downarrow 7039 \\
 & \frac{\text{ExpIntegralEi}(bx)(dx)^{m+1}}{d(m+1)} - \frac{b \int \frac{e^{bx}(dx)^{m+1}}{bx} dx}{d(m+1)} \\
 & \downarrow 8 \\
 & \frac{\text{ExpIntegralEi}(bx)(dx)^{m+1}}{d(m+1)} - \frac{b \int \frac{e^{bx}(dx)^m}{b} dx}{m+1} \\
 & \downarrow 27 \\
 & \frac{\text{ExpIntegralEi}(bx)(dx)^{m+1}}{d(m+1)} - \frac{\int e^{bx}(dx)^m dx}{m+1} \\
 & \downarrow 2612 \\
 & \frac{\text{ExpIntegralEi}(bx)(dx)^{m+1}}{d(m+1)} - \frac{(-bx)^{-m}(dx)^m \Gamma(m+1, -bx)}{b(m+1)}
 \end{aligned}$$

input  $\text{Int}[(d*x)^m * \text{ExpIntegralEi}[b*x], x]$

output  $((d*x)^{(1+m)} * \text{ExpIntegralEi}[b*x]) / (d*(1+m)) - ((d*x)^m * \text{Gamma}[1 + m, -(b*x)]) / (b*(1 + m) * (-b*x)^m)$

### Definitions of rubi rules used

rule 8  $\text{Int}[(u_*)*(x_*)^m*((a_*)*(x_*)^p), x_{\text{Symbol}}] \rightarrow \text{Simp}[1/a^m \text{Int}[u*(a*x)^{m+p}, x], x] /; \text{FreeQ}[\{a, m, p\}, x] \&& \text{IntegerQ}[m]$

rule 27  $\text{Int}[(a_*)(Fx_*)_{\text{Symbol}}] \rightarrow \text{Simp}[a \text{Int}[Fx, x], x] /; \text{FreeQ}[a, x] \&& \text{!MatchQ}[Fx, (b_*)(Gx_*) /; \text{FreeQ}[b, x]]$

rule 2612  $\text{Int}[(F_*)^{(g_*)*((e_*) + (f_*)*(x_*))*((c_*) + (d_*)*(x_*)^m), x_{\text{Symbol}}] \rightarrow \text{Simp}[(-F^g*(e - c*(f/d)))*((c + d*x)^{\text{FracPart}[m]} / (d*(-f)*g*(\text{Log}[F]/d)))^{(\text{IntPart}[m] + 1)}*((-f)*g*\text{Log}[F]*((c + d*x)/d))^{\text{FracPart}[m]})*\text{Gamma}[m + 1, ((-f)*g*(\text{Log}[F]/d))*(c + d*x)], x] /; \text{FreeQ}[\{F, c, d, e, f, g, m\}, x] \&& \text{!IntegerQ}[m]$

rule 7039  $\text{Int}[\text{ExpIntegralEi}[(a_*) + (b_*)*(x_*)]*((c_*) + (d_*)*(x_*)^m), x_{\text{Symbol}}] \rightarrow \text{Simp}[(c + d*x)^(m + 1)*(\text{ExpIntegralEi}[a + b*x]/(d*(m + 1))), x] - \text{Simp}[b/(d*(m + 1)) \text{Int}[(c + d*x)^(m + 1)*(E^(a + b*x)/(a + b*x)), x], x] /; \text{FreeQ}[\{a, b, c, d, m\}, x] \&& \text{NeQ}[m, -1]$

### Maple [C] (verified)

Result contains higher order function than in optimal. Order 5 vs. order 4.

Time = 0.05 (sec), antiderivative size = 95, normalized size of antiderivative = 1.83

method	result	size
meijerg	$\frac{(dx)^m x^{-m} (-b)^{-m} \left( -\frac{(\Psi(1+m)+\gamma-\Psi(2+m)+\ln(x)+\ln(-b))x^{1+m}(-b)^{1+m}}{1+m} + \frac{x^{2+m} b^2 (-b)^m \text{hypergeom}([1,1,2+m],[2,2,m+3],bx)}{2+m} \right)}{b}$	95

input `int((d*x)^m*Ei(b*x), x, method=_RETURNVERBOSE)`

output 
$$(d*x)^m x^{-m} (-b)^{-m} / b * (-(\text{Psi}(1+m) + \gamma - \text{Psi}(2+m) + \ln(x) + \ln(-b)) * x^{(1+m)} * (-b)^{(1+m)} / (1+m) + 1 / (2+m) * x^{(2+m)} * b^{2m} * \text{hypergeom}([1, 1, 2+m], [2, 2, m+3], b*x))$$

**Fricas [A] (verification not implemented)**

Time = 0.08 (sec) , antiderivative size = 41, normalized size of antiderivative = 0.79

$$\int (dx)^m \text{ExpIntegralEi}(bx) dx = \frac{(dx)^m bx \text{Ei}(bx) - \frac{\Gamma(m+1, -bx)}{(-\frac{b}{d})^m}}{bm + b}$$

input `integrate((d*x)^m*Ei(b*x),x, algorithm="fricas")`

output `((d*x)^m*b*x*Ei(b*x) - gamma(m + 1, -b*x)/(-b/d)^m)/(b*m + b)`

**Sympy [C] (verification not implemented)**

Result contains complex when optimal does not.

Time = 28.99 (sec) , antiderivative size = 5938, normalized size of antiderivative = 114.19

$$\int (dx)^m \text{ExpIntegralEi}(bx) dx = \text{Too large to display}$$

input `integrate((d*x)**m*Ei(b*x),x)`

output

```
Piecewise((( -1)**m*b**2*b**m*b**(-m - 1)*d**m*m*x**2*x**m*log(b*x)*gamma(m + 2)*gamma(m + 3)/((-1)**m*b**m**2*x*gamma(m + 2)*gamma(m + 3) + 2*(-1)**m*b*m*x*gamma(m + 2)*gamma(m + 3) + (-1)**m*b*x*gamma(m + 2)*gamma(m + 3)) + (-1)**m*EulerGamma*b**2*b**m*b**(-m - 1)*d**m*m*x**2*x**m*gamma(m + 2)*gamma(m + 3)/((-1)**m*b**m**2*x*gamma(m + 2)*gamma(m + 3) + 2*(-1)**m*b*m*x*gamma(m + 2)*gamma(m + 3) + (-1)**m*b*x*gamma(m + 2)*gamma(m + 3)) + (-1)*m*I*pi*b**2*b**m*b**(-m - 1)*d**m*m*x**2*x**m*gamma(m + 2)*gamma(m + 3)/((-1)**m*b**m**2*x*gamma(m + 2)*gamma(m + 3) + 2*(-1)**m*b*m*x*gamma(m + 2)*gamma(m + 3) + (-1)**m*b*x*gamma(m + 2)*gamma(m + 3)) + (-1)**m*b**2*b**m*b**(-m - 1)*d**m*x**2*x**m*log(b*x)*gamma(m + 2)*gamma(m + 3)/((-1)**m*b**m**2*x*gamma(m + 2)*gamma(m + 3) + 2*(-1)**m*b*m*x*gamma(m + 2)*gamma(m + 3) + (-1)**m*b*x*gamma(m + 2)*gamma(m + 3)) - (-1)**m*b**2*b**m*b**(-m - 1)*d**m*x**2*x**m*gamma(m + 2)*gamma(m + 3) + 2*(-1)**m*b*m*x*gamma(m + 2)*gamma(m + 3) + (-1)**m*b*x*gamma(m + 2)*gamma(m + 3) + (-1)**m*EulerGamma*b**2*b**m*b**(-m - 1)*d**m*x**2*x**m*gamma(m + 2)*gamma(m + 3) + (-1)**m*b*x*gamma(m + 2)*gamma(m + 3)/((-1)**m*b**m**2*x*gamma(m + 2)*gamma(m + 3) + 2*(-1)**m*b*m*x*gamma(m + 2)*gamma(m + 3) + (-1)**m*b*x*gamma(m + 2)*gamma(m + 3)) + (-1)**m*I*pi*b**2*b**m*b**(-m - 1)*d**m*x**2*x**m*gamma(m + 2)*gamma(m + 3)/((-1)**m*b**m**2*x*gamma(m + 2)*gamma(m + 3) + 2*(-1)**m*b*m*x*gamma(m + 2)*gamma(m + 3) + (-1)**m*b*x*gamma(m + 2)*gamma(m + 3)) + (-1)**m*b*x*gamma(m + 2)*gamma(m + 3) + (-1)**m*b*x*gamma(m + 2)*gamma(m + 3)...
```

## Maxima [F]

$$\int (dx)^m \text{ExpIntegralEi}(bx) dx = \int (dx)^m \text{Ei}(bx) dx$$

input

```
integrate((d*x)^m*Ei(b*x),x, algorithm="maxima")
```

output

```
integrate((d*x)^m*Ei(b*x), x)
```

**Giac [F]**

$$\int (dx)^m \text{ExpIntegralEi}(bx) dx = \int (dx)^m \text{Ei}(bx) dx$$

input `integrate((d*x)^m*Ei(b*x),x, algorithm="giac")`

output `integrate((d*x)^m*Ei(b*x), x)`

**Mupad [F(-1)]**

Timed out.

$$\int (dx)^m \text{ExpIntegralEi}(bx) dx = \int \text{ei}(b x) (d x)^m dx$$

input `int(ei(b*x)*(d*x)^m,x)`

output `int(ei(b*x)*(d*x)^m, x)`

**Reduce [F]**

$$\begin{aligned} & \int (dx)^m \text{ExpIntegralEi}(bx) dx \\ &= \frac{d^m \left( x^m \text{ei}(bx) bx + x^m \text{ei}(bx) m - x^m e^{bx} - \left( \int \frac{x^m \text{ei}(bx)}{x} dx \right) m^2 \right)}{b(m+1)} \end{aligned}$$

input `int((d*x)^m*Ei(b*x),x)`

output `(d**m*(x**m*ei(b*x)*b*x + x**m*ei(b*x)*m - x**m*e***(b*x) - int((x**m*ei(b*x))/x,x)**m**2))/(b*(m + 1))`

**3.17**  $\int \frac{(dx)^m}{\text{ExpIntegralEi}(bx)} dx$

Optimal result . . . . .	143
Mathematica [N/A] . . . . .	143
Rubi [N/A] . . . . .	144
Maple [N/A] . . . . .	144
Fricas [N/A] . . . . .	145
Sympy [N/A] . . . . .	145
Maxima [N/A] . . . . .	145
Giac [N/A] . . . . .	146
Mupad [N/A] . . . . .	146
Reduce [N/A] . . . . .	147

## Optimal result

Integrand size = 12, antiderivative size = 12

$$\int \frac{(dx)^m}{\text{ExpIntegralEi}(bx)} dx = x^{-m} (dx)^m \text{Int}\left(\frac{x^m}{\text{ExpIntegralEi}(bx)}, x\right)$$

output `(d*x)^m*Defer(Int)(x^m/Ei(b*x),x)/(x^m)`

## Mathematica [N/A]

Not integrable

Time = 0.02 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{(dx)^m}{\text{ExpIntegralEi}(bx)} dx = \int \frac{(dx)^m}{\text{ExpIntegralEi}(bx)} dx$$

input `Integrate[(d*x)^m/ExpIntegralEi[b*x],x]`

output `Integrate[(d*x)^m/ExpIntegralEi[b*x], x]`

**Rubi [N/A]**

Not integrable

Time = 0.18 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(dx)^m}{\text{ExpIntegralEi}(bx)} dx$$

↓ 7299

$$\int \frac{(dx)^m}{\text{ExpIntegralEi}(bx)} dx$$

input `Int[(d*x)^m/ExpIntegralEi[b*x],x]`

output `$Aborted`

**Maple [N/A]**

Not integrable

Time = 0.00 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{(dx)^m}{\expIntegral(bx)} dx$$

input `int((d*x)^m/Ei(b*x),x)`

output `int((d*x)^m/Ei(b*x),x)`

**Fricas [N/A]**

Not integrable

Time = 0.07 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{(dx)^m}{\text{ExpIntegralEi}(bx)} dx = \int \frac{(dx)^m}{\text{Ei}(bx)} dx$$

input `integrate((d*x)^m/Ei(b*x),x, algorithm="fricas")`

output `integral((d*x)^m/Ei(b*x), x)`

**Sympy [N/A]**

Not integrable

Time = 0.35 (sec) , antiderivative size = 10, normalized size of antiderivative = 0.83

$$\int \frac{(dx)^m}{\text{ExpIntegralEi}(bx)} dx = \int \frac{(dx)^m}{\text{Ei}(bx)} dx$$

input `integrate((d*x)**m/Ei(b*x),x)`

output `Integral((d*x)**m/Ei(b*x), x)`

**Maxima [N/A]**

Not integrable

Time = 0.05 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{(dx)^m}{\text{ExpIntegralEi}(bx)} dx = \int \frac{(dx)^m}{\text{Ei}(bx)} dx$$

input `integrate((d*x)^m/Ei(b*x),x, algorithm="maxima")`

output `integrate((d*x)^m/Ei(b*x), x)`

## Giac [N/A]

Not integrable

Time = 0.11 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{(dx)^m}{\text{ExpIntegralEi}(bx)} dx = \int \frac{(dx)^m}{\text{Ei}(bx)} dx$$

input `integrate((d*x)^m/Ei(b*x),x, algorithm="giac")`

output `integrate((d*x)^m/Ei(b*x), x)`

## Mupad [N/A]

Not integrable

Time = 0.03 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{(dx)^m}{\text{ExpIntegralEi}(bx)} dx = \int \frac{(d x)^m}{\text{ei}(b x)} dx$$

input `int((d*x)^m/ei(b*x),x)`

output `int((d*x)^m/ei(b*x), x)`

**Reduce [N/A]**

Not integrable

Time = 0.19 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.33

$$\int \frac{(dx)^m}{\text{ExpIntegralEi}(bx)} dx = d^m \left( \int \frac{x^m}{ei(bx)} dx \right)$$

input `int((d*x)^m/Ei(b*x),x)`

output `d**m*int(x**m/ei(b*x),x)`

**3.18**  $\int \frac{(dx)^m}{\text{ExpIntegralEi}(bx)^2} dx$

Optimal result . . . . .	148
Mathematica [N/A] . . . . .	148
Rubi [N/A] . . . . .	149
Maple [N/A] . . . . .	149
Fricas [N/A] . . . . .	150
Sympy [N/A] . . . . .	150
Maxima [N/A] . . . . .	150
Giac [N/A] . . . . .	151
Mupad [N/A] . . . . .	151
Reduce [N/A] . . . . .	152

## Optimal result

Integrand size = 12, antiderivative size = 12

$$\int \frac{(dx)^m}{\text{ExpIntegralEi}(bx)^2} dx = x^{-m} (dx)^m \text{Int}\left(\frac{x^m}{\text{ExpIntegralEi}(bx)^2}, x\right)$$

output `(d*x)^m*Defer(Int)(x^m/Ei(b*x)^2,x)/(x^m)`

## Mathematica [N/A]

Not integrable

Time = 0.38 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{(dx)^m}{\text{ExpIntegralEi}(bx)^2} dx = \int \frac{(dx)^m}{\text{ExpIntegralEi}(bx)^2} dx$$

input `Integrate[(d*x)^m/ExpIntegralEi[b*x]^2,x]`

output `Integrate[(d*x)^m/ExpIntegralEi[b*x]^2, x]`

**Rubi [N/A]**

Not integrable

Time = 0.17 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(dx)^m}{\text{ExpIntegralEi}(bx)^2} dx$$

↓ 7299

$$\int \frac{(dx)^m}{\text{ExpIntegralEi}(bx)^2} dx$$

input `Int[(d*x)^m/ExpIntegralEi[b*x]^2,x]`

output `$Aborted`

**Maple [N/A]**

Not integrable

Time = 0.00 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{(dx)^m}{\expIntegral(bx)^2} dx$$

input `int((d*x)^m/Ei(b*x)^2,x)`

output `int((d*x)^m/Ei(b*x)^2,x)`

**Fricas [N/A]**

Not integrable

Time = 0.07 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{(dx)^m}{\text{ExpIntegralEi}(bx)^2} dx = \int \frac{(dx)^m}{\text{Ei}(bx)^2} dx$$

input `integrate((d*x)^m/Ei(b*x)^2,x, algorithm="fricas")`

output `integral((d*x)^m/Ei(b*x)^2, x)`

**Sympy [N/A]**

Not integrable

Time = 0.62 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{(dx)^m}{\text{ExpIntegralEi}(bx)^2} dx = \int \frac{(dx)^m}{\text{Ei}^2(bx)} dx$$

input `integrate((d*x)**m/Ei(b*x)**2,x)`

output `Integral((d*x)**m/Ei(b*x)**2, x)`

**Maxima [N/A]**

Not integrable

Time = 0.05 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{(dx)^m}{\text{ExpIntegralEi}(bx)^2} dx = \int \frac{(dx)^m}{\text{Ei}(bx)^2} dx$$

input `integrate((d*x)^m/Ei(b*x)^2,x, algorithm="maxima")`

output `integrate((d*x)^m/Ei(b*x)^2, x)`

## Giac [N/A]

Not integrable

Time = 0.11 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{(dx)^m}{\text{ExpIntegralEi}(bx)^2} dx = \int \frac{(dx)^m}{\text{Ei}(bx)^2} dx$$

input `integrate((d*x)^m/Ei(b*x)^2,x, algorithm="giac")`

output `integrate((d*x)^m/Ei(b*x)^2, x)`

## Mupad [N/A]

Not integrable

Time = 0.04 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{(dx)^m}{\text{ExpIntegralEi}(bx)^2} dx = \int \frac{(dx)^m}{\text{ei}(bx)^2} dx$$

input `int((d*x)^m/ei(b*x)^2,x)`

output `int((d*x)^m/ei(b*x)^2, x)`

**Reduce [N/A]**

Not integrable

Time = 0.23 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.33

$$\int \frac{(dx)^m}{\text{ExpIntegralEi}(bx)^2} dx = d^m \left( \int \frac{x^m}{ei(bx)^2} dx \right)$$

input `int((d*x)^m/Ei(b*x)^2,x)`

output `d**m*int(x**m/ei(b*x)**2,x)`

### 3.19 $\int x^3 \operatorname{ExpIntegralEi}(a + bx) dx$

Optimal result . . . . .	153
Mathematica [A] (verified) . . . . .	154
Rubi [A] (verified) . . . . .	154
Maple [A] (verified) . . . . .	155
Fricas [A] (verification not implemented)	156
Sympy [A] (verification not implemented)	157
Maxima [F]	157
Giac [A] (verification not implemented) . . . . .	158
Mupad [F(-1)] . . . . .	158
Reduce [F] . . . . .	158

#### Optimal result

Integrand size = 10, antiderivative size = 194

$$\begin{aligned} \int x^3 \operatorname{ExpIntegralEi}(a + bx) dx = & \frac{3e^{a+bx}}{2b^4} + \frac{ae^{a+bx}}{2b^4} + \frac{a^2 e^{a+bx}}{4b^4} + \frac{a^3 e^{a+bx}}{4b^4} - \frac{3e^{a+bx}x}{2b^3} \\ & - \frac{ae^{a+bx}x}{2b^3} - \frac{a^2 e^{a+bx}x}{4b^3} + \frac{3e^{a+bx}x^2}{4b^2} + \frac{ae^{a+bx}x^2}{4b^2} \\ & - \frac{e^{a+bx}x^3}{4b} - \frac{a^4 \operatorname{ExpIntegralEi}(a + bx)}{4b^4} \\ & + \frac{1}{4}x^4 \operatorname{ExpIntegralEi}(a + bx) \end{aligned}$$

output

```
3/2*exp(b*x+a)/b^4+1/2*a*exp(b*x+a)/b^4+1/4*a^2*exp(b*x+a)/b^4+1/4*a^3*exp(b*x+a)/b^4-3/2*exp(b*x+a)*x/b^3-1/2*a*exp(b*x+a)*x/b^3-1/4*a^2*exp(b*x+a)*x/b^3+3/4*exp(b*x+a)*x^2/b^2+1/4*a*exp(b*x+a)*x^2/b^2-1/4*exp(b*x+a)*x^3/b-1/4*a^4*Ei(b*x+a)/b^4+1/4*x^4*Ei(b*x+a)
```

**Mathematica [A] (verified)**

Time = 0.03 (sec) , antiderivative size = 86, normalized size of antiderivative = 0.44

$$\int x^3 \text{ExpIntegralEi}(a + bx) dx \\ = \frac{e^{a+bx}(6 + a^3 - 6bx + 3b^2x^2 - b^3x^3 + a^2(1 - bx) + a(2 - 2bx + b^2x^2)) + (-a^4 + b^4x^4) \text{ExpIntegralEi}(a + bx)}{4b^4}$$

input `Integrate[x^3*ExpIntegralEi[a + b*x], x]`

output  $(E^{(a + b*x)}*(6 + a^3 - 6*b*x + 3*b^2*x^2 - b^3*x^3 + a^2*(1 - b*x) + a*(2 - 2*b*x + b^2*x^2)) + (-a^4 + b^4*x^4)*\text{ExpIntegralEi}[a + b*x])/(4*b^4)$

**Rubi [A] (verified)**

Time = 0.45 (sec) , antiderivative size = 175, normalized size of antiderivative = 0.90, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {7039, 2629, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int x^3 \text{ExpIntegralEi}(a + bx) dx \\ & \downarrow 7039 \\ & \frac{1}{4}x^4 \text{ExpIntegralEi}(a + bx) - \frac{1}{4}b \int \frac{e^{a+bx}x^4}{a + bx} dx \\ & \downarrow 2629 \\ & \frac{1}{4}x^4 \text{ExpIntegralEi}(a + bx) - \\ & \frac{1}{4}b \int \left( \frac{e^{a+bx}a^4}{b^4(a + bx)} - \frac{e^{a+bx}a^3}{b^4} + \frac{e^{a+bx}xa^2}{b^3} - \frac{e^{a+bx}x^2a}{b^2} + \frac{e^{a+bx}x^3}{b} \right) dx \\ & \downarrow 2009 \end{aligned}$$

$$\frac{1}{4}x^4 \text{ExpIntegralEi}(a + bx) - \frac{1}{4}b\left(\frac{a^4 \text{ExpIntegralEi}(a + bx)}{b^5} - \frac{a^3 e^{a+bx}}{b^5} - \frac{a^2 e^{a+bx}}{b^5} + \frac{a^2 x e^{a+bx}}{b^4} - \frac{2 a e^{a+bx}}{b^5} - \frac{6 e^{a+bx}}{b^5} + \frac{2 a x e^{a+bx}}{b^4} + \frac{6 x e^{a+bx}}{b^4} - \right)$$

input `Int[x^3*ExpIntegralEi[a + b*x], x]`

output 
$$(x^4 \text{ExpIntegralEi}[a + b*x])/4 - (b*((-6*E^(a + b*x))/b^5 - (2*a*E^(a + b*x))/b^5 - (a^2*E^(a + b*x))/b^5 - (a^3*E^(a + b*x))/b^5 + (6*E^(a + b*x)*x)/b^4 + (2*a*E^(a + b*x)*x)/b^4 + (a^2*E^(a + b*x)*x)/b^4 - (3*E^(a + b*x)*x^2)/b^3 - (a*E^(a + b*x)*x^2)/b^3 + (E^(a + b*x)*x^3)/b^2 + (a^4*\text{ExpIntegralEi}[a + b*x])/b^5))/4$$

### Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2629 `Int[(F_)^v*(Px_)*((d_.) + (e_)*(x_.))^m_, x_Symbol] :> Int[ExpandIntegrand[F^v, Px*(d + e*x)^m, x], x] /; FreeQ[{F, d, e, m}, x] && PolynomialQ[Px, x] && LinearQ[v, x] && !TrueQ[$UseGamma]`

rule 7039 `Int[ExpIntegralEi[(a_.) + (b_)*(x_.)]*((c_.) + (d_)*(x_.))^m_, x_Symbol] :> Simp[(c + d*x)^(m + 1)*(ExpIntegralEi[a + b*x]/(d*(m + 1))), x] - Simp[b/(d*(m + 1)) Int[(c + d*x)^(m + 1)*(E^(a + b*x)/(a + b*x)), x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[m, -1]`

### Maple [A] (verified)

Time = 0.07 (sec), antiderivative size = 144, normalized size of antiderivative = 0.74

method	result
parallelrisch	$\frac{\expIntegral(bx+a)b^4x^4 - e^{bx+a}x^3b^3 + e^{bx+a}x^2b^2a + 3e^{bx+a}x^2b^2 - xe^{bx+a}a^2b - \expIntegral_1(bx+a)a^4 - 2xe^{bx+a}ab + e^{bx+a}}{4b^4}$
derivativedivides	$\frac{\expIntegral(bx+a)\frac{b^4x^4}{4} - \frac{e^{bx+a}(bx+a)^3}{4} + \frac{3(bx+a)^2e^{bx+a}}{4} - \frac{3(bx+a)e^{bx+a}}{2} + \frac{3e^{bx+a}}{2} + \frac{a^4 \expIntegral_1(-bx-a)}{4} + e^{bx+a}a^3 - \frac{3}{b^4}}{b^4}$
default	$\frac{\expIntegral(bx+a)\frac{b^4x^4}{4} - \frac{e^{bx+a}(bx+a)^3}{4} + \frac{3(bx+a)^2e^{bx+a}}{4} - \frac{3(bx+a)e^{bx+a}}{2} + \frac{3e^{bx+a}}{2} + \frac{a^4 \expIntegral_1(-bx-a)}{4} + e^{bx+a}a^3 - \frac{3}{b^4}}{b^4}$
parts	$\frac{x^4 \expIntegral(bx+a)}{4} - \frac{e^{bx+a}(bx+a)^3 - 3(bx+a)^2e^{bx+a} + 6(bx+a)e^{bx+a} - 6e^{bx+a} - a^4 \expIntegral_1(-bx-a) - 4e^{bx+a}}{4b^4}$

input `int(x^3*Ei(b*x+a),x,method=_RETURNVERBOSE)`

output  $\frac{1}{4}((Ei(b*x+a)*b^4*x^4 - \exp(b*x+a)*x^3*b^3 + \exp(b*x+a)*x^2*b^2*a + 3*\exp(b*x+a)*x^2*b^2 - x*\exp(b*x+a)*a^2*b - Ei(b*x+a)*a^4 - 2*x*\exp(b*x+a)*a*b + \exp(b*x+a)*a^3 - 6*x*b*\exp(b*x+a) + \exp(b*x+a)*a^2 + 2*a*\exp(b*x+a) + 6*\exp(b*x+a))/b^4$

### Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 78, normalized size of antiderivative = 0.40

$$\int x^3 \text{ExpIntegralEi}(a + bx) dx \\ = \frac{(b^4x^4 - a^4)\text{Ei}(bx + a) - (b^3x^3 - (a + 3)b^2x^2 - a^3 + (a^2 + 2a + 6)bx - a^2 - 2a - 6)e^{(bx+a)}}{4b^4}$$

input `integrate(x^3*Ei(b*x+a),x, algorithm="fricas")`

output  $\frac{1}{4}((b^4*x^4 - a^4)*\text{Ei}(b*x + a) - (b^3*x^3 - (a + 3)*b^2*x^2 - a^3 + (a^2 + 2*a + 6)*b*x - a^2 - 2*a - 6)*e^{(b*x + a)})/b^4$

## Sympy [A] (verification not implemented)

Time = 12.39 (sec) , antiderivative size = 204, normalized size of antiderivative = 1.05

$$\int x^3 \operatorname{ExpIntegralEi}(a + bx) dx$$

$$= \begin{cases} -\frac{a^4 \operatorname{Ei}(a+bx)}{4b^4} + \frac{a^3 e^a e^{bx}}{4b^4} - \frac{a^2 x e^a e^{bx}}{4b^3} + \frac{a^2 e^a e^{bx}}{4b^4} + \frac{a x^2 e^a e^{bx}}{4b^2} - \frac{a x e^a e^{bx}}{2b^3} + \frac{a e^a e^{bx}}{2b^4} + \frac{x^4 \operatorname{Ei}(a+bx)}{4} - \frac{x^3 e^a e^{bx}}{4b} + \frac{3x^2 e^a e^{bx}}{4b^2} \\ \frac{x^4 \operatorname{Ei}(a)}{4} \end{cases}$$

input `integrate(x**3*Ei(b*x+a),x)`

output `Piecewise((-a**4*Ei(a + b*x)/(4*b**4) + a**3*exp(a)*exp(b*x)/(4*b**4) - a**2*x*exp(a)*exp(b*x)/(4*b**3) + a**2*exp(a)*exp(b*x)/(4*b**4) + a*x**2*exp(a)*exp(b*x)/(4*b**2) - a*x*exp(a)*exp(b*x)/(2*b**3) + a*exp(a)*exp(b*x)/(2*b**4) + x**4*Ei(a + b*x)/4 - x**3*exp(a)*exp(b*x)/(4*b) + 3*x**2*exp(a)*exp(b*x)/(4*b**2) - 3*x*exp(a)*exp(b*x)/(2*b**3) + 3*exp(a)*exp(b*x)/(2*b**4), Ne(b, 0)), (x**4*Ei(a)/4, True))`

## Maxima [F]

$$\int x^3 \operatorname{ExpIntegralEi}(a + bx) dx = \int x^3 \operatorname{Ei}(bx + a) dx$$

input `integrate(x^3*Ei(b*x+a),x, algorithm="maxima")`

output `integrate(x^3*Ei(b*x + a), x)`

**Giac [A] (verification not implemented)**

Time = 0.12 (sec) , antiderivative size = 142, normalized size of antiderivative = 0.73

$$\int x^3 \text{ExpIntegralEi}(a + bx) dx = \frac{1}{4} x^4 \text{Ei}(bx + a) - \frac{b^3 x^3 e^{(bx+a)} - ab^2 x^2 e^{(bx+a)} + a^4 \text{Ei}(bx + a) + a^2 b x e^{(bx+a)} - 3 b^2 x^2 e^{(bx+a)} - a^3 e^{(bx+a)} + 2 a b x e^{(bx+a)} - a^4}{4 b^4}$$

input `integrate(x^3*Ei(b*x+a),x, algorithm="giac")`

output  $\frac{1/4*x^4*Ei(b*x + a) - 1/4*(b^3*x^3*e^(b*x + a) - a*b^2*x^2*e^(b*x + a) + a^4*Ei(b*x + a) + a^2*b*x*e^(b*x + a) - 3*b^2*x^2*e^(b*x + a) - a^3*e^(b*x + a) + 2*a*b*x*e^(b*x + a) - a^2*e^(b*x + a) + 6*b*x*e^(b*x + a) - 2*a*e^(b*x + a) - 6*e^(b*x + a))/b^4}{b^4}$

**Mupad [F(-1)]**

Timed out.

$$\int x^3 \text{ExpIntegralEi}(a + bx) dx = \int x^3 \text{ei}(a + b x) dx$$

input `int(x^3*ei(a + b*x),x)`

output `int(x^3*ei(a + b*x), x)`

**Reduce [F]**

$$\int x^3 \text{ExpIntegralEi}(a + bx) dx = \int ei(bx + a) x^3 dx$$

input `int(x^3*Ei(b*x+a),x)`

output `int(ei(a + b*x)*x**3,x)`

## 3.20 $\int x^2 \operatorname{ExpIntegralEi}(a + bx) dx$

Optimal result . . . . .	159
Mathematica [A] (verified) . . . . .	159
Rubi [A] (verified) . . . . .	160
Maple [A] (verified) . . . . .	161
Fricas [A] (verification not implemented)	162
Sympy [A] (verification not implemented)	162
Maxima [F]	163
Giac [A] (verification not implemented) . . . . .	163
Mupad [B] (verification not implemented) . . . . .	163
Reduce [F] . . . . .	164

### Optimal result

Integrand size = 10, antiderivative size = 124

$$\begin{aligned} \int x^2 \operatorname{ExpIntegralEi}(a + bx) dx = & -\frac{2e^{a+bx}}{3b^3} - \frac{ae^{a+bx}}{3b^3} - \frac{a^2 e^{a+bx}}{3b^3} + \frac{2e^{a+bx}x}{3b^2} \\ & + \frac{ae^{a+bx}x}{3b^2} - \frac{e^{a+bx}x^2}{3b} + \frac{a^3 \operatorname{ExpIntegralEi}(a + bx)}{3b^3} \\ & + \frac{1}{3}x^3 \operatorname{ExpIntegralEi}(a + bx) \end{aligned}$$

output

```
-2/3*exp(b*x+a)/b^3-1/3*a*exp(b*x+a)/b^3-1/3*a^2*exp(b*x+a)/b^3+2/3*exp(b*x+a)*x/b^2+1/3*a*exp(b*x+a)*x/b^2-1/3*exp(b*x+a)*x^2/b+1/3*a^3*Ei(b*x+a)/b^3+1/3*x^3*Ei(b*x+a)
```

### Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 57, normalized size of antiderivative = 0.46

$$\begin{aligned} \int x^2 \operatorname{ExpIntegralEi}(a + bx) dx \\ = \frac{-e^{a+bx}(2 + a + a^2 - 2bx - abx + b^2x^2) + (a^3 + b^3x^3) \operatorname{ExpIntegralEi}(a + bx)}{3b^3} \end{aligned}$$

input

```
Integrate[x^2*ExpIntegralEi[a + b*x], x]
```

output 
$$\frac{(-E^a(a + b*x)*(2 + a + a^2 - 2*b*x - a*b*x + b^2*x^2)) + (a^3 + b^3*x^3)*\text{ExpIntegralEi}(a + b*x)}{(3*b^3)}$$

## Rubi [A] (verified)

Time = 0.37 (sec), antiderivative size = 113, normalized size of antiderivative = 0.91, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {7039, 2629, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x^2 \text{ExpIntegralEi}(a + bx) dx \\
 & \downarrow \textcolor{blue}{7039} \\
 & \frac{1}{3}x^3 \text{ExpIntegralEi}(a + bx) - \frac{1}{3}b \int \frac{e^{a+bx}x^3}{a + bx} dx \\
 & \downarrow \textcolor{blue}{2629} \\
 & \frac{1}{3}x^3 \text{ExpIntegralEi}(a + bx) - \frac{1}{3}b \int \left( -\frac{e^{a+bx}a^3}{b^3(a + bx)} + \frac{e^{a+bx}a^2}{b^3} - \frac{e^{a+bx}xa}{b^2} + \frac{e^{a+bx}x^2}{b} \right) dx \\
 & \downarrow \textcolor{blue}{2009} \\
 & \frac{1}{3}x^3 \text{ExpIntegralEi}(a + bx) - \\
 & \frac{1}{3}b \left( -\frac{a^3 \text{ExpIntegralEi}(a + bx)}{b^4} + \frac{a^2 e^{a+bx}}{b^4} + \frac{a e^{a+bx}}{b^4} + \frac{2 e^{a+bx}}{b^4} - \frac{a x e^{a+bx}}{b^3} - \frac{2 x e^{a+bx}}{b^3} + \frac{x^2 e^{a+bx}}{b^2} \right)
 \end{aligned}$$

input 
$$\text{Int}[x^2 \text{ExpIntegralEi}[a + b*x], x]$$

output 
$$\begin{aligned} & \frac{(x^3 \text{ExpIntegralEi}[a + b*x])/3 - (b*((2*E^a(a + b*x))/b^4 + (a*E^a(a + b*x))/b^4 + (a^2*E^a(a + b*x))/b^4 - (2*E^a(a + b*x)*x)/b^3 - (a*E^a(a + b*x)*x)/b^3 + (E^a(a + b*x)*x^2)/b^2 - (a^3 \text{ExpIntegralEi}[a + b*x])/b^4))/3}{b^4} \end{aligned}$$

## Definitions of rubi rules used

rule 2009  $\text{Int}[u_, \ x\_\text{Symbol}] \rightarrow \text{Simp}[\text{IntSum}[u, \ x], \ x] /; \ \text{SumQ}[u]$

rule 2629  $\text{Int}[(F_*)^v * (P_x_*)^d * ((d_*) + (e_*)^m), \ x\_\text{Symbol}] \rightarrow \text{Int}[\text{ExpandIntegrand}[F^v, P_x*(d + e*x)^m, x], \ x] /; \ \text{FreeQ}[\{F, d, e, m\}, x] \ \&& \ \text{PolynomialQ}[P_x, x] \ \&& \ \text{LinearQ}[v, x] \ \&& \ !\text{TrueQ}[\$UseGamma]$

rule 7039  $\text{Int}[\text{ExpIntegralEi}[(a_*) + (b_*)^x] * ((c_*) + (d_*)^x)^m, \ x\_\text{Symbol}] \rightarrow \text{Simp}[(c + d*x)^(m + 1) * (\text{ExpIntegralEi}[a + b*x]/(d*(m + 1))), x] - \text{Simp}[b/(d*(m + 1)) \ \text{Int}[(c + d*x)^(m + 1) * (E^(a + b*x)/(a + b*x)), x], x] /; \ \text{FreeQ}[\{a, b, c, d, m\}, x] \ \&& \ \text{NeQ}[m, -1]$

## Maple [A] (verified)

Time = 0.04 (sec) , antiderivative size = 103, normalized size of antiderivative = 0.83

method	result
parallelrisch	$\frac{x^3 \exp(\text{Integral}(bx+a)) a b^3 - e^{bx+a} x^2 b^2 a + x e^{bx+a} a^2 b + \exp(\text{Integral}(bx+a)) a^4 + 2 x e^{bx+a} a b - e^{bx+a} a^3 - e^{bx+a} a^2 - 2 a e^{bx+a}}{3 b^3 a}$
parts	$\frac{x^3 \exp(\text{Integral}(bx+a))}{3} - \frac{(bx+a)^2 e^{bx+a} - 2(bx+a) e^{bx+a} + 2 e^{bx+a} + 3 e^{bx+a} a^2 + a^3 \exp(\text{Integral}_1(-bx-a) - 3a((bx+a)))}{3 b^3}$
derivativedivides	$\frac{b^3 x^3 \exp(\text{Integral}(bx+a)) - a^3 \exp(\text{Integral}_1(-bx-a)) - (bx+a)^2 e^{bx+a}}{b^3} + \frac{2(bx+a) e^{bx+a}}{3} - \frac{2 e^{bx+a}}{3} - e^{bx+a} a^2 + a((bx+a) e^{bx+a} - a^3)$
default	$\frac{b^3 x^3 \exp(\text{Integral}(bx+a)) - a^3 \exp(\text{Integral}_1(-bx-a)) - (bx+a)^2 e^{bx+a}}{b^3} + \frac{2(bx+a) e^{bx+a}}{3} - \frac{2 e^{bx+a}}{3} - e^{bx+a} a^2 + a((bx+a) e^{bx+a} - a^3)$

input  $\text{int}(x^2 * \text{Ei}(b*x+a), x, \text{method}=\text{_RETURNVERBOSE})$

output  $\frac{1}{3} * (x^3 * \text{Ei}(b*x+a) * a * b^3 - \exp(b*x+a) * x^2 * b^2 * a + x * \exp(b*x+a) * a^2 * b + \text{Ei}(b*x+a) * a^4 + 2 * x * \exp(b*x+a) * a * b - \exp(b*x+a) * a^3 - \exp(b*x+a) * a^2 - 2 * a * \exp(b*x+a)) / b^3 / a$

**Fricas [A] (verification not implemented)**

Time = 0.08 (sec) , antiderivative size = 52, normalized size of antiderivative = 0.42

$$\int x^2 \operatorname{ExpIntegralEi}(a + bx) dx \\ = \frac{(b^3 x^3 + a^3) \operatorname{Ei}(bx + a) - (b^2 x^2 - (a + 2)bx + a^2 + a + 2)e^{(bx+a)}}{3 b^3}$$

input `integrate(x^2*Ei(b*x+a),x, algorithm="fricas")`

output  $\frac{1}{3}((b^3 x^3 + a^3) \operatorname{Ei}(bx + a) - (b^2 x^2 - (a + 2)bx + a^2 + a + 2)e^{(bx+a)})/b^3$

**Sympy [A] (verification not implemented)**

Time = 5.62 (sec) , antiderivative size = 131, normalized size of antiderivative = 1.06

$$\int x^2 \operatorname{ExpIntegralEi}(a + bx) dx \\ = \begin{cases} \frac{a^3 \operatorname{Ei}(a+bx)}{3b^3} - \frac{a^2 e^a e^{bx}}{3b^3} + \frac{a x e^a e^{bx}}{3b^2} - \frac{a e^a e^{bx}}{3b^3} + \frac{x^3 \operatorname{Ei}(a+bx)}{3} - \frac{x^2 e^a e^{bx}}{3b} + \frac{2 x e^a e^{bx}}{3b^2} - \frac{2 e^a e^{bx}}{3b^3} & \text{for } b \neq 0 \\ \frac{x^3 \operatorname{Ei}(a)}{3} & \text{otherwise} \end{cases}$$

input `integrate(x**2*Ei(b*x+a),x)`

output  $\operatorname{Piecewise}\left(\left(\frac{a^3 \operatorname{Ei}(a+b x)}{3 b^3}-\frac{a^2 \exp (a) \exp (b x)}{3 b^3}+\frac{a x \exp (a) \exp (b x)}{3 b^2}-\frac{a \exp (a) \exp (b x)}{3 b^3}+\frac{x^3 \operatorname{Ei}(a+b x)}{3}-\frac{x^2 \exp (a) \exp (b x)}{3 b}+\frac{2 x \exp (a) \exp (b x)}{3 b^2}-\frac{2 \exp (a) \exp (b x)}{3 b^3}, \text{Ne}(b, 0)\right), \left(\frac{x^3 \operatorname{Ei}(a)}{3}, \text{True}\right)\right)$

**Maxima [F]**

$$\int x^2 \operatorname{ExpIntegralEi}(a + bx) dx = \int x^2 \operatorname{Ei}(bx + a) dx$$

input `integrate(x^2*Ei(b*x+a),x, algorithm="maxima")`

output `integrate(x^2*Ei(b*x + a), x)`

**Giac [A] (verification not implemented)**

Time = 0.11 (sec) , antiderivative size = 89, normalized size of antiderivative = 0.72

$$\int x^2 \operatorname{ExpIntegralEi}(a + bx) dx = \frac{1}{3} x^3 \operatorname{Ei}(bx + a) - \frac{b^2 x^2 e^{(bx+a)} - a^3 \operatorname{Ei}(bx + a) - abxe^{(bx+a)} + a^2 e^{(bx+a)} - 2 bxe^{(bx+a)} + ae^{(bx+a)} + 2 e^{(bx+a)}}{3 b^3}$$

input `integrate(x^2*Ei(b*x+a),x, algorithm="giac")`

output `1/3*x^3*Ei(b*x + a) - 1/3*(b^2*x^2*e^(b*x + a) - a^3*Ei(b*x + a) - a*b*x*e^(b*x + a) + a^2*e^(b*x + a) - 2*b*x*e^(b*x + a) + a*e^(b*x + a) + 2*e^(b*x + a))/b^3`

**Mupad [B] (verification not implemented)**

Time = 0.16 (sec) , antiderivative size = 94, normalized size of antiderivative = 0.76

$$\begin{aligned} & \int x^2 \operatorname{ExpIntegralEi}(a + bx) dx \\ &= \frac{x^3 \operatorname{ei}(a + b x)}{3} - \frac{\frac{2 e^{a+b x}}{3} + \frac{a e^{a+b x}}{3} - \frac{a^3 \operatorname{ei}(a+b x)}{3} + \frac{a^2 e^{a+b x}}{3} - b \left( \frac{2 x e^{a+b x}}{3} + \frac{a x e^{a+b x}}{3} \right) + \frac{b^2 x^2 e^{a+b x}}{3}}{b^3} \end{aligned}$$

input `int(x^2*ei(a + b*x),x)`

output 
$$\frac{(x^3 \operatorname{Ei}(a + bx))}{3} - \frac{(2 \operatorname{exp}(a + bx))}{3} + \frac{(a \operatorname{exp}(a + bx))}{3} - \frac{(a^3 \operatorname{Ei}(a + bx))}{3} + \frac{(a^2 \operatorname{exp}(a + bx))}{3} - b \cdot \frac{(2x \operatorname{exp}(a + bx))}{3} + \frac{(a x \operatorname{exp}(a + bx))}{3} + \frac{(b^2 x^2 \operatorname{exp}(a + bx))}{3} / b^3$$

## Reduce [F]

$$\int x^2 \operatorname{ExpIntegralEi}(a + bx) dx = \int ei(bx + a) x^2 dx$$

input `int(x^2*Ei(b*x+a),x)`

output `int(ei(a + b*x)*x**2,x)`

## 3.21 $\int x \operatorname{ExpIntegralEi}(a + bx) dx$

Optimal result . . . . .	165
Mathematica [A] (verified) . . . . .	165
Rubi [A] (verified) . . . . .	166
Maple [A] (verified) . . . . .	167
Fricas [A] (verification not implemented)	167
Sympy [A] (verification not implemented)	168
Maxima [F]	168
Giac [A] (verification not implemented)	168
Mupad [B] (verification not implemented)	169
Reduce [F]	169

### Optimal result

Integrand size = 8, antiderivative size = 74

$$\begin{aligned} \int x \operatorname{ExpIntegralEi}(a + bx) dx = & \frac{e^{a+bx}}{2b^2} + \frac{ae^{a+bx}}{2b^2} - \frac{e^{a+bx}x}{2b} - \frac{a^2 \operatorname{ExpIntegralEi}(a + bx)}{2b^2} \\ & + \frac{1}{2}x^2 \operatorname{ExpIntegralEi}(a + bx) \end{aligned}$$

output 
$$\frac{1}{2} \operatorname{exp}(b*x+a)/b^2 + \frac{1}{2} a \operatorname{exp}(b*x+a)/b^2 - \frac{1}{2} \operatorname{exp}(b*x+a)*x/b - \frac{1}{2} a^2 \operatorname{Ei}(b*x+a)/b^2 + \frac{1}{2} x^2 \operatorname{Ei}(b*x+a)$$

### Mathematica [A] (verified)

Time = 0.02 (sec), antiderivative size = 43, normalized size of antiderivative = 0.58

$$\int x \operatorname{ExpIntegralEi}(a + bx) dx = \frac{e^{a+bx}(1 + a - bx) + (-a^2 + b^2x^2) \operatorname{ExpIntegralEi}(a + bx)}{2b^2}$$

input 
$$\operatorname{Integrate}[x \operatorname{ExpIntegralEi}[a + b*x], x]$$

output 
$$(E^(a + b*x)*(1 + a - b*x) + (-a^2 + b^2*x^2)*\operatorname{ExpIntegralEi}[a + b*x])/(2*b^2)$$

## Rubi [A] (verified)

Time = 0.30 (sec), antiderivative size = 70, normalized size of antiderivative = 0.95, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {7039, 2629, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x \operatorname{ExpIntegralEi}(a + bx) dx \\
 & \downarrow \textcolor{blue}{7039} \\
 & \frac{1}{2} x^2 \operatorname{ExpIntegralEi}(a + bx) - \frac{1}{2} b \int \frac{e^{a+bx} x^2}{a + bx} dx \\
 & \downarrow \textcolor{blue}{2629} \\
 & \frac{1}{2} x^2 \operatorname{ExpIntegralEi}(a + bx) - \frac{1}{2} b \int \left( \frac{e^{a+bx} a^2}{b^2(a + bx)} - \frac{e^{a+bx} a}{b^2} + \frac{e^{a+bx} x}{b} \right) dx \\
 & \downarrow \textcolor{blue}{2009} \\
 & \frac{1}{2} x^2 \operatorname{ExpIntegralEi}(a + bx) - \frac{1}{2} b \left( \frac{a^2 \operatorname{ExpIntegralEi}(a + bx)}{b^3} - \frac{ae^{a+bx}}{b^3} - \frac{e^{a+bx}}{b^3} + \frac{xe^{a+bx}}{b^2} \right)
 \end{aligned}$$

input `Int[x*ExpIntegralEi[a + b*x],x]`

output `(x^2*ExpIntegralEi[a + b*x])/2 - (b*(-(E^(a + b*x)/b^3) - (a*E^(a + b*x))/b^3 + (E^(a + b*x)*x)/b^2 + (a^2*ExpIntegralEi[a + b*x])/b^3))/2`

### Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2629 `Int[(F_)^v*(Px_)*(d_.) + (e_.)*(x_.))^m_, x_Symbol] :> Int[ExpandIntegrand[F^v, Px*(d + e*x)^m, x], x] /; FreeQ[{F, d, e, m}, x] && PolynomialQ[Px, x] && LinearQ[v, x] && !TrueQ[$UseGamma]`

rule 7039

```
Int[ExpIntegralEi[(a_.) + (b_.)*(x_)]*((c_.) + (d_.*(x_))^m_.), x_Symbol]
  :> Simp[(c + d*x)^(m + 1)*(ExpIntegralEi[a + b*x]/(d*(m + 1))), x] - Simp[
  b/(d*(m + 1)) Int[(c + d*x)^(m + 1)*(E^(a + b*x)/(a + b*x)), x], x] /; Fr
  eeQ[{a, b, c, d, m}, x] && NeQ[m, -1]
```

**Maple [A] (verified)**

Time = 0.03 (sec) , antiderivative size = 55, normalized size of antiderivative = 0.74

method	result	size
parallelrisc	$\frac{x^2 \expIntegral(bx+a) b^2 - xb e^{bx+a} - \expIntegral(bx+a) a^2 + a e^{bx+a} + e^{bx+a}}{2b^2}$	55
derivativedivides	$\frac{\expIntegral(bx+a) \left(\frac{(bx+a)^2}{2} - a(bx+a)\right) - \frac{(bx+a)e^{bx+a}}{2} + \frac{e^{bx+a}}{2} + a e^{bx+a}}{b^2}$	60
default	$\frac{\expIntegral(bx+a) \left(\frac{(bx+a)^2}{2} - a(bx+a)\right) - \frac{(bx+a)e^{bx+a}}{2} + \frac{e^{bx+a}}{2} + a e^{bx+a}}{b^2}$	60
parts	$\frac{x^2 \expIntegral(bx+a)}{2} - \frac{(bx+a)e^{bx+a} - e^{bx+a} - a^2 \expIntegral_1(-bx-a) - 2a e^{bx+a}}{2b^2}$	63

input `int(x*Ei(b*x+a),x,method=_RETURNVERBOSE)`output  $\frac{1}{2} \left( x^2 Ei(b*x+a)*b^2 - x*b*\exp(b*x+a) - Ei(b*x+a)*a^2 + a*\exp(b*x+a) + \exp(b*x+a) \right) / b^2$ **Fricas [A] (verification not implemented)**

Time = 0.07 (sec) , antiderivative size = 42, normalized size of antiderivative = 0.57

$$\int x \text{ExpIntegralEi}(a + bx) dx = \frac{(b^2 x^2 - a^2) \text{Ei}(bx + a) - (bx - a - 1) e^{(bx+a)}}{2 b^2}$$

input `integrate(x*Ei(b*x+a),x, algorithm="fricas")`output  $\frac{1}{2} ((b^2 x^2 - a^2) \text{Ei}(b*x + a) - (b*x - a - 1) e^{(b*x + a)}) / b^2$

**Sympy [A] (verification not implemented)**

Time = 2.39 (sec) , antiderivative size = 76, normalized size of antiderivative = 1.03

$$\int x \operatorname{ExpIntegralEi}(a + bx) dx$$

$$= \begin{cases} -\frac{a^2 \operatorname{Ei}(a+bx)}{2b^2} + \frac{ae^a e^{bx}}{2b^2} + \frac{x^2 \operatorname{Ei}(a+bx)}{2} - \frac{xe^a e^{bx}}{2b} + \frac{e^a e^{bx}}{2b^2} & \text{for } b \neq 0 \\ \frac{x^2 \operatorname{Ei}(a)}{2} & \text{otherwise} \end{cases}$$

input `integrate(x*Ei(b*x+a),x)`

output `Piecewise((-a**2*Ei(a + b*x)/(2*b**2) + a*exp(a)*exp(b*x)/(2*b**2) + x**2*Ei(a + b*x)/2 - x*exp(a)*exp(b*x)/(2*b) + exp(a)*exp(b*x)/(2*b**2), Ne(b, 0)), (x**2*Ei(a)/2, True))`

**Maxima [F]**

$$\int x \operatorname{ExpIntegralEi}(a + bx) dx = \int x \operatorname{Ei}(bx + a) dx$$

input `integrate(x*Ei(b*x+a),x, algorithm="maxima")`

output `integrate(x*Ei(b*x + a), x)`

**Giac [A] (verification not implemented)**

Time = 0.12 (sec) , antiderivative size = 54, normalized size of antiderivative = 0.73

$$\int x \operatorname{ExpIntegralEi}(a + bx) dx = \frac{1}{2} x^2 \operatorname{Ei}(bx + a) - \frac{a^2 \operatorname{Ei}(bx + a) + bxe^{(bx+a)} - ae^{(bx+a)} - e^{(bx+a)}}{2b^2}$$

input `integrate(x*Ei(b*x+a),x, algorithm="giac")`

output  $\frac{1}{2}x^2Ei(bx + a) - \frac{1}{2}(a^2Ei(bx + a) + bx^2e^{bx+a}) - a^2e^{bx+a} - e^{bx+a})/b^2$

### Mupad [B] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 55, normalized size of antiderivative = 0.74

$$\int x \text{ExpIntegralEi}(a + bx) dx = \frac{\frac{e^{a+bx}}{2} + \frac{a e^{a+bx}}{2} - \frac{a^2 \text{ei}(a+bx)}{2} - \frac{bx e^{a+bx}}{2}}{b^2} + \frac{x^2 \text{ei}(a + bx)}{2}$$

input `int(x*ei(a + b*x),x)`

output  $(\exp(a + bx)/2 + (a*\exp(a + bx))/2 - (a^2*ei(a + bx))/2 - (b*x*\exp(a + bx))/2)/b^2 + (x^2*ei(a + bx))/2$

### Reduce [F]

$$\int x \text{ExpIntegralEi}(a + bx) dx = \int ei(bx + a) x dx$$

input `int(x*Ei(b*x+a),x)`

output `int(ei(a + b*x)*x,x)`

## 3.22 $\int \text{ExpIntegralEi}(a + bx) dx$

Optimal result . . . . .	170
Mathematica [A] (verified) . . . . .	170
Rubi [A] (verified) . . . . .	171
Maple [A] (verified) . . . . .	171
Fricas [A] (verification not implemented)	172
Sympy [A] (verification not implemented)	172
Maxima [A] (verification not implemented)	173
Giac [A] (verification not implemented)	173
Mupad [B] (verification not implemented)	173
Reduce [F]	174

### Optimal result

Integrand size = 6, antiderivative size = 28

$$\int \text{ExpIntegralEi}(a + bx) dx = -\frac{e^{a+bx}}{b} + \frac{(a + bx) \text{ExpIntegralEi}(a + bx)}{b}$$

output `-exp(b*x+a)/b+(b*x+a)*Ei(b*x+a)/b`

### Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 26, normalized size of antiderivative = 0.93

$$\int \text{ExpIntegralEi}(a + bx) dx = \frac{-e^{a+bx} + (a + bx) \text{ExpIntegralEi}(a + bx)}{b}$$

input `Integrate[ExpIntegralEi[a + b*x], x]`

output `(-E^(a + b*x) + (a + b*x)*ExpIntegralEi[a + b*x])/b`

## Rubi [A] (verified)

Time = 0.16 (sec) , antiderivative size = 28, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {7036}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \text{ExpIntegralEi}(a + bx) dx \\ & \downarrow \text{7036} \\ & \frac{(a + bx) \text{ExpIntegralEi}(a + bx)}{b} - \frac{e^{a+bx}}{b} \end{aligned}$$

input `Int[ExpIntegralEi[a + b*x], x]`

output `-(E^(a + b*x)/b) + ((a + b*x)*ExpIntegralEi[a + b*x])/b`

### Definitions of rubi rules used

rule 7036 `Int[ExpIntegralEi[(a_.) + (b_..)*(x_)], x_Symbol] :> Simp[(a + b*x)*(ExpIntegralEi[a + b*x]/b), x] - Simp[E^(a + b*x)/b, x] /; FreeQ[{a, b}, x]`

## Maple [A] (verified)

Time = 0.02 (sec) , antiderivative size = 26, normalized size of antiderivative = 0.93

method	result	size
derivativeDivides	$\frac{\expIntegral(bx+a)(bx+a)-e^{bx+a}}{b}$	26
default	$\frac{\expIntegral(bx+a)(bx+a)-e^{bx+a}}{b}$	26
parts	$x \expIntegral(bx+a) - \frac{a \expIntegral_1(-bx-a)+e^{bx+a}}{b}$	34
parallelRisch	$\frac{x \expIntegral(bx+a)ab+\expIntegral(bx+a)a^2-a e^{bx+a}}{ab}$	38

input `int(Ei(b*x+a),x,method=_RETURNVERBOSE)`

output `1/b*(Ei(b*x+a)*(b*x+a)-exp(b*x+a))`

### Fricas [A] (verification not implemented)

Time = 0.07 (sec) , antiderivative size = 25, normalized size of antiderivative = 0.89

$$\int \text{ExpIntegralEi}(a + bx) dx = \frac{(bx + a)\text{Ei}(bx + a) - e^{(bx+a)}}{b}$$

input `integrate(Ei(b*x+a),x, algorithm="fricas")`

output `((b*x + a)*Ei(b*x + a) - e^(b*x + a))/b`

### Sympy [A] (verification not implemented)

Time = 0.78 (sec) , antiderivative size = 32, normalized size of antiderivative = 1.14

$$\int \text{ExpIntegralEi}(a + bx) dx = \begin{cases} \frac{a \text{Ei}(a+bx)}{b} + x \text{Ei}(a + bx) - \frac{e^a e^{bx}}{b} & \text{for } b \neq 0 \\ x \text{Ei}(a) & \text{otherwise} \end{cases}$$

input `integrate(Ei(b*x+a),x)`

output `Piecewise((a*Ei(a + b*x)/b + x*Ei(a + b*x) - exp(a)*exp(b*x)/b, Ne(b, 0)), (x*Ei(a), True))`

**Maxima [A] (verification not implemented)**

Time = 0.02 (sec) , antiderivative size = 25, normalized size of antiderivative = 0.89

$$\int \text{ExpIntegralEi}(a + bx) dx = \frac{(bx + a)\text{Ei}(bx + a) - e^{(bx+a)}}{b}$$

input `integrate(Ei(b*x+a),x, algorithm="maxima")`

output  $((b*x + a)*\text{Ei}(b*x + a) - e^{(b*x + a)})/b$

**Giac [A] (verification not implemented)**

Time = 0.11 (sec) , antiderivative size = 30, normalized size of antiderivative = 1.07

$$\int \text{ExpIntegralEi}(a + bx) dx = x\text{Ei}(bx + a) + \frac{a\text{Ei}(bx + a) - e^{(bx+a)}}{b}$$

input `integrate(Ei(b*x+a),x, algorithm="giac")`

output  $x*\text{Ei}(b*x + a) + (a*\text{Ei}(b*x + a) - e^{(b*x + a)})/b$

**Mupad [B] (verification not implemented)**

Time = 0.08 (sec) , antiderivative size = 64, normalized size of antiderivative = 2.29

$$\begin{aligned} \int \text{ExpIntegralEi}(a + bx) dx \\ = \frac{\frac{a^2 \text{ei}(a+b x)}{b} - x e^{a+b x} + 2 a x \text{ei}(a+b x) + b x^2 \text{ei}(a+b x) - \frac{a e^{a+b x}}{b}}{a+b x} \end{aligned}$$

input `int(ei(a + b*x),x)`

output  $((a^2*\text{ei}(a + b*x))/b - x*\exp(a + b*x) + 2*a*x*\text{ei}(a + b*x) + b*x^2*\text{ei}(a + b*x) - (a*\exp(a + b*x))/b)/(a + b*x)$

**Reduce [F]**

$$\int \text{ExpIntegralEi}(a + bx) dx = \int ei(bx + a) dx$$

input `int(Ei(b*x+a),x)`

output `int(ei(a + b*x),x)`

**3.23**       $\int \frac{\text{ExpIntegralEi}(a+bx)}{x} dx$

Optimal result . . . . .	175
Mathematica [N/A] . . . . .	175
Rubi [N/A] . . . . .	176
Maple [N/A] . . . . .	176
Fricas [N/A] . . . . .	177
Sympy [N/A] . . . . .	177
Maxima [N/A] . . . . .	177
Giac [N/A] . . . . .	178
Mupad [N/A] . . . . .	178
Reduce [N/A] . . . . .	179

## Optimal result

Integrand size = 10, antiderivative size = 10

$$\int \frac{\text{ExpIntegralEi}(a + bx)}{x} dx = \text{Int}\left(\frac{\text{ExpIntegralEi}(a + bx)}{x}, x\right)$$

output `Defer(Int)(Ei(b*x+a)/x,x)`

## Mathematica [N/A]

Not integrable

Time = 0.05 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\text{ExpIntegralEi}(a + bx)}{x} dx = \int \frac{\text{ExpIntegralEi}(a + bx)}{x} dx$$

input `Integrate[ExpIntegralEi[a + b*x]/x, x]`

output `Integrate[ExpIntegralEi[a + b*x]/x, x]`

**Rubi [N/A]**

Not integrable

Time = 0.16 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\text{ExpIntegralEi}(a + bx)}{x} dx$$

↓ 7038

$$\int \frac{\text{ExpIntegralEi}(a + bx)}{x} dx$$

input `Int[ExpIntegralEi[a + b*x]/x, x]`

output `$Aborted`

**Maple [N/A]**

Not integrable

Time = 0.01 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{\expIntegral(bx + a)}{x} dx$$

input `int(Ei(b*x+a)/x, x)`

output `int(Ei(b*x+a)/x, x)`

**Fricas [N/A]**

Not integrable

Time = 0.07 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\text{ExpIntegralEi}(a + bx)}{x} dx = \int \frac{\text{Ei}(bx + a)}{x} dx$$

input `integrate(Ei(b*x+a)/x,x, algorithm="fricas")`

output `integral(Ei(b*x + a)/x, x)`

**Sympy [N/A]**

Not integrable

Time = 1.05 (sec) , antiderivative size = 8, normalized size of antiderivative = 0.80

$$\int \frac{\text{ExpIntegralEi}(a + bx)}{x} dx = \int \frac{\text{Ei}(a + bx)}{x} dx$$

input `integrate(Ei(b*x+a)/x,x)`

output `Integral(Ei(a + b*x)/x, x)`

**Maxima [N/A]**

Not integrable

Time = 0.09 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\text{ExpIntegralEi}(a + bx)}{x} dx = \int \frac{\text{Ei}(bx + a)}{x} dx$$

input `integrate(Ei(b*x+a)/x,x, algorithm="maxima")`

output `integrate(Ei(b*x + a)/x, x)`

## Giac [N/A]

Not integrable

Time = 0.11 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\text{ExpIntegralEi}(a + bx)}{x} dx = \int \frac{\text{Ei}(bx + a)}{x} dx$$

input `integrate(Ei(b*x+a)/x,x, algorithm="giac")`

output `integrate(Ei(b*x + a)/x, x)`

## Mupad [N/A]

Not integrable

Time = 0.04 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\text{ExpIntegralEi}(a + bx)}{x} dx = \int \frac{\text{ei}(a + b x)}{x} dx$$

input `int(ei(a + b*x)/x,x)`

output `int(ei(a + b*x)/x, x)`

**Reduce [N/A]**

Not integrable

Time = 0.21 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\text{ExpIntegralEi}(a + bx)}{x} dx = \int \frac{ei(bx + a)}{x} dx$$

input `int(Ei(b*x+a)/x,x)`

output `int(ei(a + b*x)/x,x)`

**3.24**       $\int \frac{\text{ExpIntegralEi}(a+bx)}{x^2} dx$

Optimal result	180
Mathematica [A] (verified)	180
Rubi [A] (verified)	181
Maple [A] (verified)	182
Fricas [A] (verification not implemented)	182
Sympy [F]	183
Maxima [F]	183
Giac [A] (verification not implemented)	183
Mupad [F(-1)]	184
Reduce [F]	184

## Optimal result

Integrand size = 10, antiderivative size = 36

$$\int \frac{\text{ExpIntegralEi}(a + bx)}{x^2} dx = \frac{be^a \text{ExpIntegralEi}(bx)}{a} - \frac{b \text{ExpIntegralEi}(a + bx)}{a} - \frac{\text{ExpIntegralEi}(a + bx)}{x}$$

output b\*exp(a)\*Ei(b\*x)/a-b\*Ei(b\*x+a)/a-Ei(b\*x+a)/x

## Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 31, normalized size of antiderivative = 0.86

$$\int \frac{\text{ExpIntegralEi}(a + bx)}{x^2} dx = \frac{be^a x \text{ExpIntegralEi}(bx) - (a + bx) \text{ExpIntegralEi}(a + bx)}{ax}$$

input Integrate[ExpIntegralEi[a + b\*x]/x^2,x]

output (b\*E^a\*x\*ExpIntegralEi[b\*x] - (a + b\*x)\*ExpIntegralEi[a + b\*x])/(a\*x)

## Rubi [A] (verified)

Time = 0.37 (sec) , antiderivative size = 37, normalized size of antiderivative = 1.03, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {7039, 7293, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\text{ExpIntegralEi}(a + bx)}{x^2} dx \\
 & \quad \downarrow \textcolor{blue}{7039} \\
 & b \int \frac{e^{a+bx}}{x(a+bx)} dx - \frac{\text{ExpIntegralEi}(a + bx)}{x} \\
 & \quad \downarrow \textcolor{blue}{7293} \\
 & b \int \left( \frac{e^{a+bx}}{ax} - \frac{be^{a+bx}}{a(a+bx)} \right) dx - \frac{\text{ExpIntegralEi}(a + bx)}{x} \\
 & \quad \downarrow \textcolor{blue}{2009} \\
 & b \left( \frac{e^a \text{ExpIntegralEi}(bx)}{a} - \frac{\text{ExpIntegralEi}(a + bx)}{a} \right) - \frac{\text{ExpIntegralEi}(a + bx)}{x}
 \end{aligned}$$

input `Int[ExpIntegralEi[a + b*x]/x^2, x]`

output `-(ExpIntegralEi[a + b*x]/x) + b*((E^a*ExpIntegralEi[b*x])/a - ExpIntegralEi[a + b*x]/a)`

### Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]`

rule 7039 `Int[ExpIntegralEi[(a_.) + (b_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_), x_Symbol]
 :> Simp[(c + d*x)^(m + 1)*(ExpIntegralEi[a + b*x]/(d*(m + 1))), x] - Simp[
 b/(d*(m + 1)) Int[(c + d*x)^(m + 1)*(E^(a + b*x)/(a + b*x)), x], x] /; Fr
 eeQ[{a, b, c, d, m}, x] && NeQ[m, -1]`

rule 7293

```
Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

**Maple [A] (verified)**

Time = 0.04 (sec) , antiderivative size = 43, normalized size of antiderivative = 1.19

method	result	size
parts	$-\frac{\text{expIntegral}(bx+a)}{x} + b\left(-\frac{e^a \text{expIntegral}_1(-bx)}{a} + \frac{\text{expIntegral}_1(-bx-a)}{a}\right)$	43
derivativedivides	$b\left(-\frac{\text{expIntegral}(bx+a)}{bx} - \frac{e^a \text{expIntegral}_1(-bx)}{a} + \frac{\text{expIntegral}_1(-bx-a)}{a}\right)$	45
default	$b\left(-\frac{\text{expIntegral}(bx+a)}{bx} - \frac{e^a \text{expIntegral}_1(-bx)}{a} + \frac{\text{expIntegral}_1(-bx-a)}{a}\right)$	45

input `int(Ei(b*x+a)/x^2,x,method=_RETURNVERBOSE)`output `-Ei(b*x+a)/x+b*(-1/a*exp(a)*Ei(1,-b*x)+1/a*Ei(1,-b*x-a))`**Fricas [A] (verification not implemented)**

Time = 0.09 (sec) , antiderivative size = 30, normalized size of antiderivative = 0.83

$$\int \frac{\text{ExpIntegralEi}(a + bx)}{x^2} dx = \frac{bx \text{Ei}(bx) e^a - (bx + a) \text{Ei}(bx + a)}{ax}$$

input `integrate(Ei(b*x+a)/x^2,x, algorithm="fricas")`output `(b*x*Ei(b*x)*e^a - (b*x + a)*Ei(b*x + a))/(a*x)`

**Sympy [F]**

$$\int \frac{\text{ExpIntegralEi}(a + bx)}{x^2} dx = \int \frac{\text{Ei}(a + bx)}{x^2} dx$$

input `integrate(Ei(b*x+a)/x**2,x)`

output `Integral(Ei(a + b*x)/x**2, x)`

**Maxima [F]**

$$\int \frac{\text{ExpIntegralEi}(a + bx)}{x^2} dx = \int \frac{\text{Ei}(bx + a)}{x^2} dx$$

input `integrate(Ei(b*x+a)/x^2,x, algorithm="maxima")`

output `integrate(Ei(b*x + a)/x^2, x)`

**Giac [A] (verification not implemented)**

Time = 0.11 (sec) , antiderivative size = 33, normalized size of antiderivative = 0.92

$$\int \frac{\text{ExpIntegralEi}(a + bx)}{x^2} dx = \frac{(\text{Ei}(bx) e^a - \text{Ei}(bx + a))b}{a} - \frac{\text{Ei}(bx + a)}{x}$$

input `integrate(Ei(b*x+a)/x^2,x, algorithm="giac")`

output `(Ei(b*x)*e^a - Ei(b*x + a))*b/a - Ei(b*x + a)/x`

**Mupad [F(-1)]**

Timed out.

$$\int \frac{\text{ExpIntegralEi}(a + bx)}{x^2} dx = \int \frac{\text{ei}(a + b x)}{x^2} dx$$

input `int(ei(a + b*x)/x^2,x)`

output `int(ei(a + b*x)/x^2, x)`

**Reduce [F]**

$$\int \frac{\text{ExpIntegralEi}(a + bx)}{x^2} dx = \int \frac{ei(bx + a)}{x^2} dx$$

input `int(Ei(b*x+a)/x^2,x)`

output `int(ei(a + b*x)/x**2,x)`

**3.25**       $\int \frac{\text{ExpIntegralEi}(a+bx)}{x^3} dx$

Optimal result	185
Mathematica [A] (verified)	185
Rubi [A] (verified)	186
Maple [A] (verified)	187
Fricas [A] (verification not implemented)	188
Sympy [F]	188
Maxima [F]	188
Giac [A] (verification not implemented)	189
Mupad [F(-1)]	189
Reduce [F]	189

## Optimal result

Integrand size = 10, antiderivative size = 82

$$\begin{aligned} \int \frac{\text{ExpIntegralEi}(a + bx)}{x^3} dx = & -\frac{be^{a+bx}}{2ax} - \frac{b^2 e^a \text{ExpIntegralEi}(bx)}{2a^2} \\ & + \frac{b^2 e^a \text{ExpIntegralEi}(bx)}{2a} \\ & + \frac{b^2 \text{ExpIntegralEi}(a + bx)}{2a^2} - \frac{\text{ExpIntegralEi}(a + bx)}{2x^2} \end{aligned}$$

output 
$$-\frac{1}{2} b \exp(b x + a) / a / x - \frac{1}{2} b^2 \exp(a) \text{Ei}(b x) / a^2 + \frac{1}{2} b^2 \exp(a) \text{Ei}(b x) / a + \frac{1}{2} b^2 \exp(b x + a) / a^2 - \frac{1}{2} \text{Ei}(b x + a) / x^2$$

## Mathematica [A] (verified)

Time = 0.02 (sec), antiderivative size = 60, normalized size of antiderivative = 0.73

$$\begin{aligned} & \int \frac{\text{ExpIntegralEi}(a + bx)}{x^3} dx \\ &= \frac{-abe^{a+bx}x + (-1 + a)b^2e^ax^2\text{ExpIntegralEi}(bx) + (-a^2 + b^2x^2)\text{ExpIntegralEi}(a + bx)}{2a^2x^2} \end{aligned}$$

input `Integrate[ExpIntegralEi[a + b*x]/x^3,x]`

output 
$$\frac{(-a*b*E^{(a+b*x)*x} + (-1+a)*b^2*E^a*x^2*ExpIntegralEi[b*x] + (-a^2+b^2*x^2)*ExpIntegralEi[a+b*x])/(2*a^2*x^2)}$$

## Rubi [A] (verified)

Time = 0.41 (sec) , antiderivative size = 71, normalized size of antiderivative = 0.87, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {7039, 7293, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\text{ExpIntegralEi}(a+bx)}{x^3} dx \\
 & \downarrow 7039 \\
 & \frac{1}{2}b \int \frac{e^{a+bx}}{x^2(a+bx)} dx - \frac{\text{ExpIntegralEi}(a+bx)}{2x^2} \\
 & \downarrow 7293 \\
 & \frac{1}{2}b \int \left( \frac{e^{a+bx}b^2}{a^2(a+bx)} - \frac{e^{a+bx}b}{a^2x} + \frac{e^{a+bx}}{ax^2} \right) dx - \frac{\text{ExpIntegralEi}(a+bx)}{2x^2} \\
 & \downarrow 2009 \\
 & \frac{1}{2}b \left( -\frac{e^{ab}\text{ExpIntegralEi}(bx)}{a^2} + \frac{b\text{ExpIntegralEi}(a+bx)}{a^2} + \frac{e^{ab}\text{ExpIntegralEi}(bx)}{a} - \frac{e^{a+bx}}{ax} \right) - \\
 & \quad \frac{\text{ExpIntegralEi}(a+bx)}{2x^2}
 \end{aligned}$$

input 
$$\text{Int}[\text{ExpIntegralEi}[a+b*x]/x^3, x]$$

output 
$$\frac{-1/2*\text{ExpIntegralEi}[a+b*x]/x^2 + (b*(-(E^{(a+b*x)/(a*x)}) - (b*E^a*\text{ExpIntegralEi}[b*x])/a^2 + (b*E^a*\text{ExpIntegralEi}[b*x])/a + (b*\text{ExpIntegralEi}[a+b*x])/a^2))/2}{x^3}$$

### Definitions of rubi rules used

rule 2009  $\text{Int}[u_, \ x\_\text{Symbol}] \rightarrow \text{Simp}[\text{IntSum}[u, \ x], \ x] /; \ \text{SumQ}[u]$

rule 7039  $\text{Int}[\text{ExpIntegralEi}[(a_.) + (b_.)*(x_.)]*((c_.) + (d_.)*(x_.))^m_, \ x\_\text{Symbol}] \rightarrow \text{Simp}[(c + d*x)^{m + 1} * (\text{ExpIntegralEi}[a + b*x]/(d*(m + 1))), \ x] - \text{Simp}[b/(d*(m + 1)) \text{Int}[(c + d*x)^{m + 1} * (\text{E}^a(a + b*x)/(a + b*x)), \ x], \ x] /; \ \text{FreeQ}[\{a, \ b, \ c, \ d, \ m\}, \ x] \ \&\& \ \text{NeQ}[m, \ -1]$

rule 7293  $\text{Int}[u_, \ x\_\text{Symbol}] \rightarrow \text{With}[\{v = \text{ExpandIntegrand}[u, \ x]\}, \ \text{Int}[v, \ x] /; \ \text{SumQ}[v]]$

### Maple [A] (verified)

Time = 0.05 (sec), antiderivative size = 75, normalized size of antiderivative = 0.91

method	result
parts	$-\frac{\expIntegral(bx+a)}{2x^2} + \frac{b^2 \left( \frac{e^a \expIntegral_1(-bx)}{a^2} + \frac{-\frac{e^{bx+a}}{bx} - e^a \expIntegral_1(-bx)}{a} - \frac{\expIntegral_1(-bx-a)}{a^2} \right)}{2}$
derivativedivides	$b^2 \left( -\frac{\expIntegral(bx+a)}{2b^2 x^2} + \frac{e^a \expIntegral_1(-bx)}{2a^2} + \frac{-\frac{e^{bx+a}}{bx} - e^a \expIntegral_1(-bx)}{2a} - \frac{\expIntegral_1(-bx-a)}{2a^2} \right)$
default	$b^2 \left( -\frac{\expIntegral(bx+a)}{2b^2 x^2} + \frac{e^a \expIntegral_1(-bx)}{2a^2} + \frac{-\frac{e^{bx+a}}{bx} - e^a \expIntegral_1(-bx)}{2a} - \frac{\expIntegral_1(-bx-a)}{2a^2} \right)$

input  $\text{int}(\text{Ei}(b*x+a)/x^3, x, \text{method}=\text{RETURNVERBOSE})$

output 
$$\begin{aligned} &-1/2*\text{Ei}(b*x+a)/x^2+1/2*b^2*(1/a^2*\exp(a)*\text{Ei}(1,-b*x)+1/a*(-\exp(b*x+a)/b/x-\exp(a)*\text{Ei}(1,-b*x))-1/a^2*\text{Ei}(1,-b*x-a)) \end{aligned}$$

**Fricas [A] (verification not implemented)**

Time = 0.08 (sec) , antiderivative size = 56, normalized size of antiderivative = 0.68

$$\int \frac{\text{ExpIntegralEi}(a + bx)}{x^3} dx \\ = \frac{(a - 1)b^2 x^2 \text{Ei}(bx) e^a - abx e^{(bx+a)} + (b^2 x^2 - a^2) \text{Ei}(bx + a)}{2 a^2 x^2}$$

input `integrate(Ei(b*x+a)/x^3,x, algorithm="fricas")`

output `1/2*((a - 1)*b^2*x^2*Ei(b*x)*e^a - a*b*x*e^(b*x + a) + (b^2*x^2 - a^2)*Ei(b*x + a))/(a^2*x^2)`

**Sympy [F]**

$$\int \frac{\text{ExpIntegralEi}(a + bx)}{x^3} dx = \int \frac{\text{Ei}(a + bx)}{x^3} dx$$

input `integrate(Ei(b*x+a)/x**3,x)`

output `Integral(Ei(a + b*x)/x**3, x)`

**Maxima [F]**

$$\int \frac{\text{ExpIntegralEi}(a + bx)}{x^3} dx = \int \frac{\text{Ei}(bx + a)}{x^3} dx$$

input `integrate(Ei(b*x+a)/x^3,x, algorithm="maxima")`

output `integrate(Ei(b*x + a)/x^3, x)`

**Giac [A] (verification not implemented)**

Time = 0.11 (sec) , antiderivative size = 60, normalized size of antiderivative = 0.73

$$\int \frac{\text{ExpIntegralEi}(a + bx)}{x^3} dx$$

$$= \frac{(abx\text{Ei}(bx) e^a - bx\text{Ei}(bx) e^a + bx\text{Ei}(bx + a) - ae^{(bx+a)})b}{2 a^2 x}$$

$$- \frac{\text{Ei}(bx + a)}{2 x^2}$$

input `integrate(Ei(b*x+a)/x^3,x, algorithm="giac")`

output `1/2*(a*b*x*Ei(b*x)*e^a - b*x*Ei(b*x)*e^a + b*x*Ei(b*x + a) - a*e^(b*x + a))*b/(a^2*x) - 1/2*Ei(b*x + a)/x^2`

**Mupad [F(-1)]**

Timed out.

$$\int \frac{\text{ExpIntegralEi}(a + bx)}{x^3} dx = \int \frac{\text{ei}(a + b x)}{x^3} dx$$

input `int(ei(a + b*x)/x^3,x)`

output `int(ei(a + b*x)/x^3, x)`

**Reduce [F]**

$$\int \frac{\text{ExpIntegralEi}(a + bx)}{x^3} dx = \int \frac{\text{ei}(bx + a)}{x^3} dx$$

input `int(Ei(b*x+a)/x^3,x)`

output `int(ei(a + b*x)/x**3,x)`

**3.26**       $\int x^2 \operatorname{ExpIntegralEi}(a + bx)^2 dx$ 

Optimal result . . . . .	191
Mathematica [A] (verified) . . . . .	192
Rubi [A] (verified) . . . . .	192
Maple [F] . . . . .	198
Fricas [A] (verification not implemented)	198
Sympy [F] . . . . .	199
Maxima [F] . . . . .	199
Giac [F] . . . . .	199
Mupad [F(-1)] . . . . .	200
Reduce [F] . . . . .	200

## Optimal result

Integrand size = 12, antiderivative size = 286

$$\int x^2 \operatorname{ExpIntegralEi}(a + bx)^2 dx = -\frac{5e^{2a+2bx}}{6b^3} - \frac{2ae^{2a+2bx}}{3b^3} + \frac{e^{2a+2bx}x}{3b^2} \\ - \frac{4e^{a+bx} \operatorname{ExpIntegralEi}(a + bx)}{3b^3} \\ - \frac{2ae^{a+bx} \operatorname{ExpIntegralEi}(a + bx)}{3b^3} \\ - \frac{2a^2e^{a+bx} \operatorname{ExpIntegralEi}(a + bx)}{3b^3} \\ + \frac{4e^{a+bx}x \operatorname{ExpIntegralEi}(a + bx)}{3b^2} \\ + \frac{2ae^{a+bx}x \operatorname{ExpIntegralEi}(a + bx)}{3b^2} \\ - \frac{2e^{a+bx}x^2 \operatorname{ExpIntegralEi}(a + bx)}{3b} \\ - \frac{a^2x \operatorname{ExpIntegralEi}(a + bx)^2}{3b^2} \\ + \frac{1}{3}x^3 \operatorname{ExpIntegralEi}(a + bx)^2 \\ + \frac{a^2(a + bx) \operatorname{ExpIntegralEi}(a + bx)^2}{3b^3} \\ + \frac{4 \operatorname{ExpIntegralEi}(2(a + bx))}{3b^3} \\ + \frac{2a \operatorname{ExpIntegralEi}(2(a + bx))}{b^3} \\ + \frac{2a^2 \operatorname{ExpIntegralEi}(2(a + bx))}{b^3}$$

output

```
-5/6*exp(2*b*x+2*a)/b^3-2/3*a*exp(2*b*x+2*a)/b^3+1/3*exp(2*b*x+2*a)*x/b^2-
4/3*exp(b*x+a)*Ei(b*x+a)/b^3-2/3*a*exp(b*x+a)*Ei(b*x+a)/b^3-2/3*a^2*exp(b*
x+a)*Ei(b*x+a)/b^3+4/3*exp(b*x+a)*x*Ei(b*x+a)/b^2+2/3*a*exp(b*x+a)*x*Ei(b*
x+a)/b^2-2/3*exp(b*x+a)*x^2*Ei(b*x+a)/b-1/3*a^2*x*Ei(b*x+a)^2/b^2+1/3*x^3*
Ei(b*x+a)^2+1/3*a^2*(b*x+a)*Ei(b*x+a)^2/b^3+4/3*Ei(2*b*x+2*a)/b^3+2*a*Ei(2*
b*x+2*a)/b^3+2*a^2*Ei(2*b*x+2*a)/b^3
```

**Mathematica [A] (verified)**

Time = 0.21 (sec) , antiderivative size = 105, normalized size of antiderivative = 0.37

$$\int x^2 \operatorname{ExpIntegralEi}(a + bx)^2 dx \\ = \frac{e^{2(a+bx)}(-5 - 4a + 2bx) - 4e^{a+bx}(2 + a + a^2 - 2bx - abx + b^2x^2) \operatorname{ExpIntegralEi}(a + bx) + 2(a^3 + b^3x^3)}{6b^3}$$

input `Integrate[x^2*ExpIntegralEi[a + b*x]^2, x]`

output  $(E^{(2*(a + b*x))}*(-5 - 4*a + 2*b*x) - 4*E^{(a + b*x)}*(2 + a + a^2 - 2*b*x - a*b*x + b^2*x^2)*\operatorname{ExpIntegralEi}[a + b*x] + 2*(a^3 + b^3*x^3)*\operatorname{ExpIntegralEi}[a + b*x]^2 + 4*(2 + 3*a + 3*a^2)*\operatorname{ExpIntegralEi}[2*(a + b*x)])/(6*b^3)$

**Rubi [A] (verified)**

Time = 2.29 (sec) , antiderivative size = 404, normalized size of antiderivative = 1.41, number of steps used = 15, number of rules used = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 1.250$ , Rules used = {7042, 7042, 7040, 7043, 2609, 7044, 2629, 2009, 7043, 2609, 7044, 2629, 2009, 7043, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^2 \operatorname{ExpIntegralEi}(a + bx)^2 dx \\ \downarrow 7042 \\ -\frac{2}{3} \int e^{a+bx} x^2 \operatorname{ExpIntegralEi}(a + bx) dx - \frac{2a \int x \operatorname{ExpIntegralEi}(a + bx)^2 dx}{3b} + \\ \frac{1}{3} x^3 \operatorname{ExpIntegralEi}(a + bx)^2 + \frac{ax^2 \operatorname{ExpIntegralEi}(a + bx)^2}{3b} \\ \downarrow 7042$$

$$\begin{aligned}
& -\frac{2}{3} \int e^{a+bx} x^2 \operatorname{ExpIntegralEi}(a+bx) dx - \\
& 2a \left( - \int e^{a+bx} x \operatorname{ExpIntegralEi}(a+bx) dx - \frac{a \int \operatorname{ExpIntegralEi}(a+bx)^2 dx}{2b} + \frac{1}{2} x^2 \operatorname{ExpIntegralEi}(a+bx)^2 + \frac{ax \operatorname{ExpIntegralEi}(a+bx)}{2b} \right. \\
& \quad \left. \frac{1}{3} x^3 \operatorname{ExpIntegralEi}(a+bx)^2 + \frac{ax^2 \operatorname{ExpIntegralEi}(a+bx)^2}{3b} \right) \\
& \quad \downarrow \textcolor{blue}{7040} \\
& - \frac{2a \left( - \frac{a \left( \frac{(a+bx) \operatorname{ExpIntegralEi}(a+bx)^2}{b} - 2 \int e^{a+bx} \operatorname{ExpIntegralEi}(a+bx) dx \right)}{2b} - \int e^{a+bx} x \operatorname{ExpIntegralEi}(a+bx) dx + \frac{1}{2} x^2 \operatorname{ExpIntegralEi}(a+bx)^2 \right.} \\
& \quad \left. \frac{3b}{2} \int e^{a+bx} x^2 \operatorname{ExpIntegralEi}(a+bx) dx + \frac{1}{3} x^3 \operatorname{ExpIntegralEi}(a+bx)^2 + \frac{ax^2 \operatorname{ExpIntegralEi}(a+bx)^2}{3b} \right) \\
& \quad \downarrow \textcolor{blue}{7043} \\
& - \frac{2a \left( - \frac{a \left( \frac{(a+bx) \operatorname{ExpIntegralEi}(a+bx)^2}{b} - 2 \left( \frac{e^{a+bx} \operatorname{ExpIntegralEi}(a+bx)}{b} - \int \frac{e^{2a+2bx}}{a+bx} dx \right) \right)}{2b} - \int e^{a+bx} x \operatorname{ExpIntegralEi}(a+bx) dx + \frac{1}{2} x^2 \operatorname{ExpIntegralEi}(a+bx)^2 \right.} \\
& \quad \left. \frac{3b}{2} \int e^{a+bx} x^2 \operatorname{ExpIntegralEi}(a+bx) dx + \frac{1}{3} x^3 \operatorname{ExpIntegralEi}(a+bx)^2 + \frac{ax^2 \operatorname{ExpIntegralEi}(a+bx)^2}{3b} \right) \\
& \quad \downarrow \textcolor{blue}{2609} \\
& - \frac{2a \left( - \int e^{a+bx} x \operatorname{ExpIntegralEi}(a+bx) dx + \frac{1}{2} x^2 \operatorname{ExpIntegralEi}(a+bx)^2 + \frac{ax \operatorname{ExpIntegralEi}(a+bx)}{2b} - \frac{a \left( \frac{(a+bx) \operatorname{ExpIntegralEi}(a+bx)^2}{b} - 2 \left( \frac{e^{a+bx} \operatorname{ExpIntegralEi}(a+bx)}{b} - \int \frac{e^{2a+2bx}}{a+bx} dx \right) \right)}{2b} \right.} \\
& \quad \left. \frac{3b}{2} \int e^{a+bx} x^2 \operatorname{ExpIntegralEi}(a+bx) dx + \frac{1}{3} x^3 \operatorname{ExpIntegralEi}(a+bx)^2 + \frac{ax^2 \operatorname{ExpIntegralEi}(a+bx)^2}{3b} \right) \\
& \quad \downarrow \textcolor{blue}{7044}
\end{aligned}$$

$$\begin{aligned}
& \frac{2a \left( \frac{\int e^{a+bx} \text{ExpIntegralEi}(a+bx) dx}{b} + \int \frac{e^{2a+2bx} x}{a+bx} dx + \frac{1}{2} x^2 \text{ExpIntegralEi}(a+bx)^2 + \frac{ax \text{ExpIntegralEi}(a+bx)^2}{2b} - \frac{xe^{a+bx} \text{ExpIntegralEi}(a+bx)}{b} \right)}{3b} \\
& - \frac{2 \left( -\frac{2 \int e^{a+bx} x \text{ExpIntegralEi}(a+bx) dx}{b} - \int \frac{e^{2a+2bx} x^2}{a+bx} dx + \frac{x^2 e^{a+bx} \text{ExpIntegralEi}(a+bx)}{b} \right) + \frac{1}{3} x^3 \text{ExpIntegralEi}(a+bx)^2 + \frac{ax^2 \text{ExpIntegralEi}(a+bx)^2}{3b}}{3b} \\
& \quad \downarrow \text{2629}
\end{aligned}$$
  

$$\begin{aligned}
& -\frac{2}{3} \left( -\int \left( \frac{e^{2a+2bx} a^2}{b^2(a+bx)} - \frac{e^{2a+2bx} a}{b^2} + \frac{e^{2a+2bx} x}{b} \right) dx - \frac{2 \int e^{a+bx} x \text{ExpIntegralEi}(a+bx) dx}{b} + \frac{x^2 e^{a+bx} \text{ExpIntegralEi}(a+bx)}{b} \right) \\
& + \frac{2a \left( \frac{\int e^{a+bx} \text{ExpIntegralEi}(a+bx) dx}{b} + \int \left( \frac{e^{2a+2bx}}{b} - \frac{ae^{2a+2bx}}{b(a+bx)} \right) dx + \frac{1}{2} x^2 \text{ExpIntegralEi}(a+bx)^2 + \frac{ax \text{ExpIntegralEi}(a+bx)^2}{2b} \right)}{3b} \\
& \quad \downarrow \text{2009}
\end{aligned}$$
  

$$\begin{aligned}
& -\frac{2}{3} \left( -\frac{2 \int e^{a+bx} x \text{ExpIntegralEi}(a+bx) dx}{b} - \frac{a^2 \text{ExpIntegralEi}(2(a+bx))}{b^3} + \frac{ae^{2a+2bx}}{2b^3} + \frac{e^{2a+2bx}}{4b^3} - \frac{xe^{2a+2bx}}{2b^2} + \right. \\
& \left. + \frac{2a \left( \frac{\int e^{a+bx} \text{ExpIntegralEi}(a+bx) dx}{b} - \frac{a \text{ExpIntegralEi}(2(a+bx))}{b^2} + \frac{e^{2a+2bx}}{2b^2} + \frac{1}{2} x^2 \text{ExpIntegralEi}(a+bx)^2 + \frac{ax \text{ExpIntegralEi}(a+bx)^2}{2b} \right)}{3b} \right) \\
& \quad \downarrow \text{7043}
\end{aligned}$$
  

$$\begin{aligned}
& -\frac{2}{3} \left( -\frac{2 \int e^{a+bx} x \text{ExpIntegralEi}(a+bx) dx}{b} - \frac{a^2 \text{ExpIntegralEi}(2(a+bx))}{b^3} + \frac{ae^{2a+2bx}}{2b^3} + \frac{e^{2a+2bx}}{4b^3} - \frac{xe^{2a+2bx}}{2b^2} + \right. \\
& \left. + \frac{2a \left( \frac{e^{a+bx} \text{ExpIntegralEi}(a+bx)}{b} - \int \frac{e^{2a+2bx}}{a+bx} dx - \frac{a \text{ExpIntegralEi}(2(a+bx))}{b^2} + \frac{e^{2a+2bx}}{2b^2} + \frac{1}{2} x^2 \text{ExpIntegralEi}(a+bx)^2 + \frac{ax \text{ExpIntegralEi}(a+bx)^2}{2b} \right)}{3b} \right) \\
& \quad \downarrow \text{2609}
\end{aligned}$$

$$\begin{aligned}
& -\frac{2}{3} \left( -\frac{2 \int e^{a+bx} x \operatorname{ExpIntegralEi}(a+bx) dx}{b} - \frac{a^2 \operatorname{ExpIntegralEi}(2(a+bx))}{b^3} + \frac{ae^{2a+2bx}}{2b^3} + \frac{e^{2a+2bx}}{4b^3} - \frac{xe^{2a+2bx}}{2b^2} + \right. \\
& \left. 2a \left( -\frac{a \operatorname{ExpIntegralEi}(2(a+bx))}{b^2} + \frac{e^{2a+2bx}}{2b^2} + \frac{1}{2}x^2 \operatorname{ExpIntegralEi}(a+bx)^2 + \frac{ax \operatorname{ExpIntegralEi}(a+bx)^2}{2b} - \frac{xe^{a+bx} \operatorname{ExpIntegralEi}(a+bx)}{b} \right) \right)
\end{aligned}$$

$$\frac{1}{3}x^3 \operatorname{ExpIntegralEi}(a+bx)^2 + \frac{ax^2 \operatorname{ExpIntegralEi}(a+bx)^2}{3b}$$

↓ 7044

$$\begin{aligned}
& -\frac{2}{3} \left( -\frac{2 \left( -\frac{\int e^{a+bx} \operatorname{ExpIntegralEi}(a+bx) dx}{b} - \int \frac{e^{2a+2bx} x}{a+bx} dx + \frac{xe^{a+bx} \operatorname{ExpIntegralEi}(a+bx)}{b} \right)}{b} - \frac{a^2 \operatorname{ExpIntegralEi}(2(a+bx))}{b^3} \right. \\
& \left. 2a \left( -\frac{a \operatorname{ExpIntegralEi}(2(a+bx))}{b^2} + \frac{e^{2a+2bx}}{2b^2} + \frac{1}{2}x^2 \operatorname{ExpIntegralEi}(a+bx)^2 + \frac{ax \operatorname{ExpIntegralEi}(a+bx)^2}{2b} - \frac{xe^{a+bx} \operatorname{ExpIntegralEi}(a+bx)}{b} \right) \right)
\end{aligned}$$

$$\frac{1}{3}x^3 \operatorname{ExpIntegralEi}(a+bx)^2 + \frac{ax^2 \operatorname{ExpIntegralEi}(a+bx)^2}{3b}$$

↓ 2629

$$\begin{aligned}
& -\frac{2}{3} \left( -\frac{2 \left( -\frac{\int e^{a+bx} \operatorname{ExpIntegralEi}(a+bx) dx}{b} - \int \left( \frac{e^{2a+2bx}}{b} - \frac{ae^{2a+2bx}}{b(a+bx)} \right) dx + \frac{xe^{a+bx} \operatorname{ExpIntegralEi}(a+bx)}{b} \right)}{b} - \frac{a^2 \operatorname{ExpIntegralEi}(2(a+bx))}{b^3} \right. \\
& \left. 2a \left( -\frac{a \operatorname{ExpIntegralEi}(2(a+bx))}{b^2} + \frac{e^{2a+2bx}}{2b^2} + \frac{1}{2}x^2 \operatorname{ExpIntegralEi}(a+bx)^2 + \frac{ax \operatorname{ExpIntegralEi}(a+bx)^2}{2b} - \frac{xe^{a+bx} \operatorname{ExpIntegralEi}(a+bx)}{b} \right) \right)
\end{aligned}$$

$$\frac{1}{3}x^3 \operatorname{ExpIntegralEi}(a+bx)^2 + \frac{ax^2 \operatorname{ExpIntegralEi}(a+bx)^2}{3b}$$

↓ 2009

$$\begin{aligned}
& -\frac{2}{3} \left( -\frac{2 \left( -\frac{\int e^{a+bx} \operatorname{ExpIntegralEi}(a+bx) dx}{b} + \frac{a \operatorname{ExpIntegralEi}(2(a+bx))}{b^2} - \frac{e^{2a+2bx}}{2b^2} + \frac{xe^{a+bx} \operatorname{ExpIntegralEi}(a+bx)}{b} \right)}{b} - \frac{a^2 \operatorname{ExpIntegralEi}(2(a+bx))}{b^3} \right. \\
& \left. 2a \left( -\frac{a \operatorname{ExpIntegralEi}(2(a+bx))}{b^2} + \frac{e^{2a+2bx}}{2b^2} + \frac{1}{2}x^2 \operatorname{ExpIntegralEi}(a+bx)^2 + \frac{ax \operatorname{ExpIntegralEi}(a+bx)^2}{2b} - \frac{xe^{a+bx} \operatorname{ExpIntegralEi}(a+bx)}{b} \right) \right)
\end{aligned}$$

$$\frac{1}{3}x^3 \operatorname{ExpIntegralEi}(a+bx)^2 + \frac{ax^2 \operatorname{ExpIntegralEi}(a+bx)^2}{3b}$$

↓ 7043

$$\begin{aligned} & -\frac{2}{3} \left( -\frac{2 \left( -\frac{\frac{e^{a+bx} \operatorname{ExpIntegralEi}(a+bx)}{b} - \int \frac{e^{2a+2bx}}{a+bx} dx}{b} + \frac{a \operatorname{ExpIntegralEi}(2(a+bx))}{b^2} - \frac{e^{2a+2bx}}{2b^2} + \frac{x e^{a+bx} \operatorname{ExpIntegralEi}(a+bx)}{b} \right)}{b} - \frac{a^2}{a^2} \right. \\ & \left. 2a \left( -\frac{a \operatorname{ExpIntegralEi}(2(a+bx))}{b^2} + \frac{e^{2a+2bx}}{2b^2} + \frac{1}{2} x^2 \operatorname{ExpIntegralEi}(a+bx)^2 + \frac{ax \operatorname{ExpIntegralEi}(a+bx)^2}{2b} - \frac{x e^{a+bx} \operatorname{ExpIntegralEi}(a+bx)}{b} \right) \right) \end{aligned}$$

$$\frac{1}{3} x^3 \operatorname{ExpIntegralEi}(a+bx)^2 + \frac{ax^2 \operatorname{ExpIntegralEi}(a+bx)^2}{3b}$$

↓ 2609

$$\begin{aligned} & -\frac{2}{3} \left( -\frac{a^2 \operatorname{ExpIntegralEi}(2(a+bx))}{b^3} + \frac{ae^{2a+2bx}}{2b^3} + \frac{e^{2a+2bx}}{4b^3} - \frac{2 \left( \frac{a \operatorname{ExpIntegralEi}(2(a+bx))}{b^2} - \frac{e^{2a+2bx}}{2b^2} + \frac{x e^{a+bx} \operatorname{ExpIntegralEi}(a+bx)}{b} \right)}{b} \right. \\ & \left. 2a \left( -\frac{a \operatorname{ExpIntegralEi}(2(a+bx))}{b^2} + \frac{e^{2a+2bx}}{2b^2} + \frac{1}{2} x^2 \operatorname{ExpIntegralEi}(a+bx)^2 + \frac{ax \operatorname{ExpIntegralEi}(a+bx)^2}{2b} - \frac{x e^{a+bx} \operatorname{ExpIntegralEi}(a+bx)}{b} \right) \right) \end{aligned}$$

$$\frac{1}{3} x^3 \operatorname{ExpIntegralEi}(a+bx)^2 + \frac{ax^2 \operatorname{ExpIntegralEi}(a+bx)^2}{3b}$$

input `Int[x^2*ExpIntegralEi[a + b*x]^2,x]`

output

$$\begin{aligned}
 & (a*x^2*ExpIntegralEi[a + b*x]^2)/(3*b) + (x^3*ExpIntegralEi[a + b*x]^2)/3 \\
 & - (2*a*(E^(2*a + 2*b*x))/(2*b^2) - (E^(a + b*x)*x*ExpIntegralEi[a + b*x])/b \\
 & + (a*x*ExpIntegralEi[a + b*x]^2)/(2*b) + (x^2*ExpIntegralEi[a + b*x]^2)/2 \\
 & - (a*ExpIntegralEi[2*(a + b*x)])/b^2 + ((E^(a + b*x)*ExpIntegralEi[a + b*x])/b - ExpIntegralEi[2*(a + b*x)]/b) \\
 & - (a*((a + b*x)*ExpIntegralEi[a + b*x])/b + ExpIntegralEi[2*(a + b*x)]/b))/((3*b)) \\
 & - (2*(E^(2*a + 2*b*x)/(4*b^3) + (a*E^(2*a + 2*b*x))/(2*b^3) - (E^(2*a + 2*b*x)*x)/(2*b^2) + (E^(a + b*x)*x^2*ExpIntegralEi[a + b*x])/b - (a^2*ExpIntegralEi[2*(a + b*x)])/b^3 - (2*(-1/2*E^(2*a + 2*b*x))/b^2 + (E^(a + b*x)*x*ExpIntegralEi[a + b*x])/b + (a*ExpIntegralEi[2*(a + b*x)])/b^2 - ((E^(a + b*x)*ExpIntegralEi[a + b*x])/b - ExpIntegralEi[2*(a + b*x)]/b))/b))/3
 \end{aligned}$$

### Definitions of rubi rules used

rule 2009  $\text{Int}[u_, x\_\text{Symbol}] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] /; \text{SumQ}[u]$

rule 2609  $\text{Int}[(F_*)^((g_*)(e_*) + (f_*)(x_))/((c_*) + (d_*)(x_)), x\_\text{Symbol}] \rightarrow \text{Simp}[(F^g*(e - c*(f/d))/d)*\text{ExpIntegralEi}[f*g*(c + d*x)*(Log[F]/d)], x] /; \text{FreeQ}[\{F, c, d, e, f, g\}, x] \& \text{!TrueQ}[\$UseGamma]$

rule 2629  $\text{Int}[(F_*)^v*(P_x_)*(d_*) + (e_*)(x_))^{(m_)}, x\_\text{Symbol}] \rightarrow \text{Int}[\text{ExpandIntegrand}[F^v, P_x*(d + e*x)^m, x], x] /; \text{FreeQ}[\{F, d, e, m\}, x] \& \text{PolynomialQ}[P_x, x] \& \text{LinearQ}[v, x] \& \text{!TrueQ}[\$UseGamma]$

rule 7040  $\text{Int}[\text{ExpIntegralEi}[(a_*) + (b_*)(x_)]^2, x\_\text{Symbol}] \rightarrow \text{Simp}[(a + b*x)*(\text{ExpIntegralEi}[a + b*x]^2/b), x] - \text{Simp}[2 \text{Int}[E^(a + b*x)*\text{ExpIntegralEi}[a + b*x], x], x] /; \text{FreeQ}[\{a, b\}, x]$

rule 7042  $\text{Int}[\text{ExpIntegralEi}[(a_*) + (b_*)(x_)]^{2*(x_)}^{(m_)}, x\_\text{Symbol}] \rightarrow \text{Simp}[x^{(m + 1)}*(\text{ExpIntegralEi}[a + b*x]^2/(m + 1)), x] + (\text{Simp}[a*x^m*\text{ExpIntegralEi}[a + b*x]^2/(b*(m + 1))), x] - \text{Simp}[2/(m + 1) \text{Int}[x^m*E^(a + b*x)*\text{ExpIntegralEi}[a + b*x], x], x] - \text{Simp}[a*(m/(b*(m + 1))) \text{Int}[x^{(m - 1)}*\text{ExpIntegralEi}[a + b*x]^2, x], x] /; \text{FreeQ}[\{a, b\}, x] \& \text{IGtQ}[m, 0]$

rule 7043

```
Int[E^((a_.) + (b_ .)*(x_ .))*ExpIntegralEi[(c_ .) + (d_ .)*(x_ .)], x_Symbol] :>
Simp[E^(a + b*x)*(ExpIntegralEi[c + d*x]/b), x] - Simp[d/b Int[E^(a + c +
(b + d)*x)/(c + d*x), x], x] /; FreeQ[{a, b, c, d}, x]
```

rule 7044

```
Int[E^((a_.) + (b_ .)*(x_ .))*ExpIntegralEi[(c_ .) + (d_ .)*(x_ .)]*(x_)^(m_.), x_
Symbol] :> Simp[x^m*E^(a + b*x)*(ExpIntegralEi[c + d*x]/b), x] + (-Simp[d/b
Int[x^m*(E^(a + c + (b + d)*x)/(c + d*x)), x], x] - Simp[m/b Int[x^(m
- 1)*E^(a + b*x)*ExpIntegralEi[c + d*x], x], x]) /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0]
```

**Maple [F]**

$$\int x^2 \expIntegral{(bx+a)^2} dx$$

input `int(x^2*Ei(b*x+a)^2,x)`output `int(x^2*Ei(b*x+a)^2,x)`**Fricas [A] (verification not implemented)**

Time = 0.08 (sec) , antiderivative size = 101, normalized size of antiderivative = 0.35

$$\begin{aligned} & \int x^2 \operatorname{ExpIntegralEi}(a + bx)^2 dx \\ &= \frac{2(b^3 x^3 + a^3) \operatorname{Ei}(bx + a)^2 - 4(b^2 x^2 - (a + 2)bx + a^2 + a + 2) \operatorname{Ei}(bx + a) e^{(bx+a)} + 4(3a^2 + 3a + 2) \operatorname{Ei}(2bx + 2a) e^{(bx+a)}}{6b^3} \end{aligned}$$

input `integrate(x^2*Ei(b*x+a)^2,x, algorithm="fricas")`

output `1/6*(2*(b^3*x^3 + a^3)*Ei(b*x + a)^2 - 4*(b^2*x^2 - (a + 2)*b*x + a^2 + a + 2)*Ei(b*x + a)*e^(b*x + a) + 4*(3*a^2 + 3*a + 2)*Ei(2*b*x + 2*a) + (2*b*x - 4*a - 5)*e^(2*b*x + 2*a))/b^3`

**Sympy [F]**

$$\int x^2 \operatorname{ExpIntegralEi}(a + bx)^2 dx = \int x^2 \operatorname{Ei}^2(a + bx) dx$$

input `integrate(x**2*Ei(b*x+a)**2, x)`

output `Integral(x**2*Ei(a + b*x)**2, x)`

**Maxima [F]**

$$\int x^2 \operatorname{ExpIntegralEi}(a + bx)^2 dx = \int x^2 \operatorname{Ei}(bx + a)^2 dx$$

input `integrate(x^2*Ei(b*x+a)^2, x, algorithm="maxima")`

output `integrate(x^2*Ei(b*x + a)^2, x)`

**Giac [F]**

$$\int x^2 \operatorname{ExpIntegralEi}(a + bx)^2 dx = \int x^2 \operatorname{Ei}(bx + a)^2 dx$$

input `integrate(x^2*Ei(b*x+a)^2, x, algorithm="giac")`

output `integrate(x^2*Ei(b*x + a)^2, x)`

**Mupad [F(-1)]**

Timed out.

$$\int x^2 \operatorname{ExpIntegralEi}(a + bx)^2 dx = \int x^2 \operatorname{ei}(a + b x)^2 dx$$

input `int(x^2*ei(a + b*x)^2,x)`

output `int(x^2*ei(a + b*x)^2, x)`

**Reduce [F]**

$$\int x^2 \operatorname{ExpIntegralEi}(a + bx)^2 dx = \int \operatorname{ei}(bx + a)^2 x^2 dx$$

input `int(x^2*Ei(b*x+a)^2,x)`

output `int(ei(a + b*x)**2*x**2,x)`

### 3.27 $\int x \operatorname{ExpIntegralEi}(a + bx)^2 dx$

Optimal result . . . . .	201
Mathematica [A] (verified) . . . . .	202
Rubi [A] (verified) . . . . .	202
Maple [A] (verified) . . . . .	205
Fricas [A] (verification not implemented)	206
Sympy [F]	206
Maxima [F]	207
Giac [F]	207
Mupad [F(-1)]	207
Reduce [F]	208

#### Optimal result

Integrand size = 10, antiderivative size = 152

$$\begin{aligned} \int x \operatorname{ExpIntegralEi}(a + bx)^2 dx = & \frac{e^{2a+2bx}}{2b^2} + \frac{e^{a+bx} \operatorname{ExpIntegralEi}(a + bx)}{b^2} \\ & + \frac{ae^{a+bx} \operatorname{ExpIntegralEi}(a + bx)}{b^2} \\ & - \frac{e^{a+bx} x \operatorname{ExpIntegralEi}(a + bx)}{b} \\ & + \frac{ax \operatorname{ExpIntegralEi}(a + bx)^2}{2b} \\ & + \frac{1}{2} x^2 \operatorname{ExpIntegralEi}(a + bx)^2 \\ & - \frac{a(a + bx) \operatorname{ExpIntegralEi}(a + bx)^2}{2b^2} \\ & - \frac{\operatorname{ExpIntegralEi}(2(a + bx))}{b^2} \\ & - \frac{2a \operatorname{ExpIntegralEi}(2(a + bx))}{b^2} \end{aligned}$$

output

```
1/2*exp(2*b*x+2*a)/b^2+exp(b*x+a)*Ei(b*x+a)/b^2+a*exp(b*x+a)*Ei(b*x+a)/b^2
-exp(b*x+a)*x*Ei(b*x+a)/b+1/2*a*x*Ei(b*x+a)^2/b+1/2*x^2*Ei(b*x+a)^2-1/2*a*
(b*x+a)*Ei(b*x+a)^2/b^2-Ei(2*b*x+2*a)/b^2-2*a*Ei(2*b*x+2*a)/b^2
```

## Mathematica [A] (verified)

Time = 0.05 (sec) , antiderivative size = 76, normalized size of antiderivative = 0.50

$$\int x \operatorname{ExpIntegralEi}(a + bx)^2 dx \\ = \frac{e^{2(a+bx)} + 2e^{a+bx}(1 + a - bx) \operatorname{ExpIntegralEi}(a + bx) + (-a^2 + b^2x^2) \operatorname{ExpIntegralEi}(a + bx)^2 - 2(1 + 2a - 2bx) \operatorname{ExpIntegralEi}(a + bx)}{2b^2}$$

input `Integrate[x*ExpIntegralEi[a + b*x]^2,x]`

output  $(E^{(2*(a + b*x))} + 2*E^{(a + b*x)}*(1 + a - b*x)*\operatorname{ExpIntegralEi}[a + b*x] + (-a^2 + b^2*x^2)*\operatorname{ExpIntegralEi}[a + b*x]^2 - 2*(1 + 2*a)*\operatorname{ExpIntegralEi}[2*(a + b*x)])/(2*b^2)$

## Rubi [A] (verified)

Time = 0.90 (sec) , antiderivative size = 177, normalized size of antiderivative = 1.16, number of steps used = 9, number of rules used = 9,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.900, Rules used = {7042, 7040, 7043, 2609, 7044, 2629, 2009, 7043, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x \operatorname{ExpIntegralEi}(a + bx)^2 dx \\ \downarrow 7042 \\ - \int e^{a+bx} x \operatorname{ExpIntegralEi}(a + bx) dx - \frac{a \int \operatorname{ExpIntegralEi}(a + bx)^2 dx}{2b} + \\ \frac{1}{2} x^2 \operatorname{ExpIntegralEi}(a + bx)^2 + \frac{ax \operatorname{ExpIntegralEi}(a + bx)^2}{2b} \\ \downarrow 7040 \\ - \frac{a \left( \frac{(a+bx) \operatorname{ExpIntegralEi}(a+bx)^2}{b} - 2 \int e^{a+bx} \operatorname{ExpIntegralEi}(a + bx) dx \right)}{2b} - \\ \int e^{a+bx} x \operatorname{ExpIntegralEi}(a + bx) dx + \frac{1}{2} x^2 \operatorname{ExpIntegralEi}(a + bx)^2 + \frac{ax \operatorname{ExpIntegralEi}(a + bx)^2}{2b}$$

$$\begin{aligned}
& \frac{\downarrow 7043}{a \left( \frac{(a+bx) \operatorname{ExpIntegralEi}(a+bx)^2}{b} - 2 \left( \frac{e^{a+bx} \operatorname{ExpIntegralEi}(a+bx)}{b} - \int \frac{e^{2a+2bx}}{a+bx} dx \right) \right) -} \\
& \frac{2b}{\int e^{a+bx} x \operatorname{ExpIntegralEi}(a+bx) dx + \frac{1}{2} x^2 \operatorname{ExpIntegralEi}(a+bx)^2 + \frac{ax \operatorname{ExpIntegralEi}(a+bx)^2}{2b}} - \\
& \frac{\downarrow 2609}{- \int e^{a+bx} x \operatorname{ExpIntegralEi}(a+bx) dx + \frac{1}{2} x^2 \operatorname{ExpIntegralEi}(a+bx)^2 +} \\
& \frac{ax \operatorname{ExpIntegralEi}(a+bx)^2}{2b} - \\
& \frac{a \left( \frac{(a+bx) \operatorname{ExpIntegralEi}(a+bx)^2}{b} - 2 \left( \frac{e^{a+bx} \operatorname{ExpIntegralEi}(a+bx)}{b} - \frac{\operatorname{ExpIntegralEi}(2(a+bx))}{b} \right) \right)}{2b} \\
& \frac{\downarrow 7044}{\int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(a+bx)}{b} dx + \int \frac{e^{2a+2bx} x}{a+bx} dx + \frac{1}{2} x^2 \operatorname{ExpIntegralEi}(a+bx)^2 +} \\
& \frac{ax \operatorname{ExpIntegralEi}(a+bx)^2}{2b} - \frac{xe^{a+bx} \operatorname{ExpIntegralEi}(a+bx)}{b} - \\
& \frac{a \left( \frac{(a+bx) \operatorname{ExpIntegralEi}(a+bx)^2}{b} - 2 \left( \frac{e^{a+bx} \operatorname{ExpIntegralEi}(a+bx)}{b} - \frac{\operatorname{ExpIntegralEi}(2(a+bx))}{b} \right) \right)}{2b} \\
& \frac{\downarrow 2629}{\int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(a+bx)}{b} dx + \int \left( \frac{e^{2a+2bx}}{b} - \frac{ae^{2a+2bx}}{b(a+bx)} \right) dx + \frac{1}{2} x^2 \operatorname{ExpIntegralEi}(a+bx)^2 +} \\
& \frac{ax \operatorname{ExpIntegralEi}(a+bx)^2}{2b} - \frac{xe^{a+bx} \operatorname{ExpIntegralEi}(a+bx)}{b} - \\
& \frac{a \left( \frac{(a+bx) \operatorname{ExpIntegralEi}(a+bx)^2}{b} - 2 \left( \frac{e^{a+bx} \operatorname{ExpIntegralEi}(a+bx)}{b} - \frac{\operatorname{ExpIntegralEi}(2(a+bx))}{b} \right) \right)}{2b} \\
& \frac{\downarrow 2009}{\int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(a+bx)}{b} dx - \frac{a \operatorname{ExpIntegralEi}(2(a+bx))}{b^2} + \frac{e^{2a+2bx}}{2b^2} +} \\
& \frac{\frac{1}{2} x^2 \operatorname{ExpIntegralEi}(a+bx)^2 + \frac{ax \operatorname{ExpIntegralEi}(a+bx)^2}{2b} - \frac{xe^{a+bx} \operatorname{ExpIntegralEi}(a+bx)}{b}}{a \left( \frac{(a+bx) \operatorname{ExpIntegralEi}(a+bx)^2}{b} - 2 \left( \frac{e^{a+bx} \operatorname{ExpIntegralEi}(a+bx)}{b} - \frac{\operatorname{ExpIntegralEi}(2(a+bx))}{b} \right) \right)} \\
& \frac{\downarrow 7043}{2b}
\end{aligned}$$

$$\begin{aligned}
 & \frac{\frac{e^{a+bx} \text{ExpIntegralEi}(a+bx)}{b} - \int \frac{e^{2a+2bx}}{a+bx} dx}{b} - \frac{a \text{ExpIntegralEi}(2(a+bx))}{b^2} + \frac{e^{2a+2bx}}{2b^2} + \\
 & \frac{\frac{1}{2}x^2 \text{ExpIntegralEi}(a+bx)^2 + \frac{ax \text{ExpIntegralEi}(a+bx)^2}{2b} - \frac{xe^{a+bx} \text{ExpIntegralEi}(a+bx)}{b}}{a \left( \frac{(a+bx) \text{ExpIntegralEi}(a+bx)^2}{b} - 2 \left( \frac{e^{a+bx} \text{ExpIntegralEi}(a+bx)}{b} - \frac{\text{ExpIntegralEi}(2(a+bx))}{b} \right) \right)} - \\
 & \frac{2b}{2b} \downarrow \text{2609} \\
 & - \frac{a \text{ExpIntegralEi}(2(a+bx))}{b^2} + \frac{e^{2a+2bx}}{2b^2} + \frac{1}{2}x^2 \text{ExpIntegralEi}(a+bx)^2 + \\
 & \frac{ax \text{ExpIntegralEi}(a+bx)^2}{2b} - \frac{xe^{a+bx} \text{ExpIntegralEi}(a+bx)}{b} + \\
 & \frac{\frac{2b}{b} \text{ExpIntegralEi}(a+bx) - \frac{\text{ExpIntegralEi}(2(a+bx))}{b}}{2b} - \\
 & a \left( \frac{(a+bx) \text{ExpIntegralEi}(a+bx)^2}{b} - 2 \left( \frac{e^{a+bx} \text{ExpIntegralEi}(a+bx)}{b} - \frac{\text{ExpIntegralEi}(2(a+bx))}{b} \right) \right)
 \end{aligned}$$

input `Int[x*ExpIntegralEi[a + b*x]^2, x]`

output `E^(2*a + 2*b*x)/(2*b^2) - (E^(a + b*x)*x*ExpIntegralEi[a + b*x])/b + (a*x*ExpIntegralEi[a + b*x]^2)/(2*b) + (x^2*ExpIntegralEi[a + b*x]^2)/2 - (a*ExpIntegralEi[2*(a + b*x)])/b^2 + ((E^(a + b*x)*ExpIntegralEi[a + b*x])/b - ExpIntegralEi[2*(a + b*x)]/b)/b - (a*((a + b*x)*ExpIntegralEi[a + b*x]^2)/b - 2*((E^(a + b*x)*ExpIntegralEi[a + b*x])/b - ExpIntegralEi[2*(a + b*x)]/b))/((2*b))`

### Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2609 `Int[(F_)^((g_.)*(e_.) + (f_)*(x_))/((c_.) + (d_)*(x_)), x_Symbol] :> Simpl[(F^g*(e - c*(f/d))/d)*ExpIntegralEi[f*g*(c + d*x)*(Log[F]/d)], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[$UseGamma]`

rule 2629  $\text{Int}[(F_{\_})^{(v_{\_})} \cdot (P_{x\_})^{(d_{\_})} + (e_{\_})^{(x_{\_})}]^{(m_{\_})}, x_{\text{Symbol}}] \rightarrow \text{Int}[\text{ExpandIntegrand}[F^v, P_x \cdot (d + e \cdot x)^m, x], x] /; \text{FreeQ}[\{F, d, e, m\}, x] \&& \text{PolynomialQ}[P_x, x] \&& \text{LinearQ}[v, x] \&& \text{!TrueQ}[\$UseGamma]$

rule 7040  $\text{Int}[\text{ExpIntegralEi}[(a_{\_}) + (b_{\_}) \cdot (x_{\_})]^2, x_{\text{Symbol}}] \rightarrow \text{Simp}[(a + b \cdot x) \cdot (\text{ExpIntegralEi}[a + b \cdot x]^2/b), x] - \text{Simp}[2 \cdot \text{Int}[E^{(a + b \cdot x)} \cdot \text{ExpIntegralEi}[a + b \cdot x], x], x] /; \text{FreeQ}[\{a, b\}, x]$

rule 7042  $\text{Int}[\text{ExpIntegralEi}[(a_{\_}) + (b_{\_}) \cdot (x_{\_})]^2 \cdot (x_{\_})^{(m_{\_})}, x_{\text{Symbol}}] \rightarrow \text{Simp}[x^{(m+1)} \cdot (\text{ExpIntegralEi}[a + b \cdot x]^2/(m+1)), x] + (\text{Simp}[a \cdot x^m \cdot (\text{ExpIntegralEi}[a + b \cdot x]^2/(b \cdot (m+1))), x] - \text{Simp}[2/(m+1) \cdot \text{Int}[x^m \cdot E^{(a+b \cdot x)} \cdot \text{ExpIntegralEi}[a+b \cdot x], x], x] - \text{Simp}[a \cdot (m/(b \cdot (m+1))) \cdot \text{Int}[x^{(m-1)} \cdot \text{ExpIntegralEi}[a+b \cdot x]^2, x], x]) /; \text{FreeQ}[\{a, b\}, x] \&& \text{IGtQ}[m, 0]$

rule 7043  $\text{Int}[E^{(a_{\_}) + (b_{\_}) \cdot (x_{\_})} \cdot \text{ExpIntegralEi}[(c_{\_}) + (d_{\_}) \cdot (x_{\_})], x_{\text{Symbol}}] \rightarrow \text{Simp}[E^{(a + b \cdot x)} \cdot (\text{ExpIntegralEi}[c + d \cdot x]/b), x] - \text{Simp}[d/b \cdot \text{Int}[E^{(a+c+(b+d) \cdot x)/(c+d \cdot x)}, x], x] /; \text{FreeQ}[\{a, b, c, d\}, x]$

rule 7044  $\text{Int}[E^{(a_{\_}) + (b_{\_}) \cdot (x_{\_})} \cdot \text{ExpIntegralEi}[(c_{\_}) + (d_{\_}) \cdot (x_{\_})] \cdot (x_{\_})^{(m_{\_})}, x_{\text{Symbol}}] \rightarrow \text{Simp}[x^m \cdot E^{(a+b \cdot x)} \cdot (\text{ExpIntegralEi}[c+d \cdot x]/b), x] + (-\text{Simp}[d/b \cdot \text{Int}[x^m \cdot (E^{(a+c+(b+d) \cdot x)/(c+d \cdot x)}), x], x] - \text{Simp}[m/b \cdot \text{Int}[x^{(m-1)} \cdot E^{(a+b \cdot x)} \cdot \text{ExpIntegralEi}[c+d \cdot x], x], x]) /; \text{FreeQ}[\{a, b, c, d\}, x] \&& \text{IGtQ}[m, 0]$

## Maple [A] (verified)

Time = 0.06 (sec) , antiderivative size = 105, normalized size of antiderivative = 0.69

method	result
derivativedivides	$\frac{\text{expIntegral}(bx+a)^2 \left(\frac{(bx+a)^2}{2}-a(bx+a)\right)-2 \text{expIntegral}(bx+a) \left(\frac{(bx+a) e^{bx+a}}{2}-\frac{e^{bx+a}}{2}-a e^{bx+a}\right)+\frac{e^{2bx+2a}}{2}+\text{expInt}_1(bx+a) \left(\frac{(bx+a)^2}{2}-a(bx+a)\right)}{b^2}$
default	$\frac{\text{expIntegral}(bx+a)^2 \left(\frac{(bx+a)^2}{2}-a(bx+a)\right)-2 \text{expIntegral}(bx+a) \left(\frac{(bx+a) e^{bx+a}}{2}-\frac{e^{bx+a}}{2}-a e^{bx+a}\right)+\frac{e^{2bx+2a}}{2}+\text{expInt}_1(bx+a) \left(\frac{(bx+a)^2}{2}-a(bx+a)\right)}{b^2}$

input `int(x*Ei(b*x+a)^2,x,method=_RETURNVERBOSE)`

output 
$$\frac{1/b^2(Ei(b*x+a)^2*(1/2*(b*x+a)^2-a*(b*x+a))-2*Ei(b*x+a)*(1/2*(b*x+a)*exp(b*x+a)-1/2*exp(b*x+a)-a*exp(b*x+a))+1/2*exp(b*x+a)^2+Ei(1,-2*b*x-2*a)+2*a*Ei(1,-2*b*x-2*a))}{2}$$

### Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 75, normalized size of antiderivative = 0.49

$$\begin{aligned} & \int x \operatorname{ExpIntegralEi}(a + bx)^2 dx \\ &= \frac{(b^2 x^2 - a^2) \operatorname{Ei}(bx + a)^2 - 2(bx - a - 1) \operatorname{Ei}(bx + a) e^{(bx+a)} - 2(2a + 1) \operatorname{Ei}(2bx + 2a) + e^{(2bx+2a)}}{2b^2} \end{aligned}$$

input `integrate(x*Ei(b*x+a)^2,x, algorithm="fricas")`

output 
$$\frac{1/2*((b^2*x^2 - a^2)*\operatorname{Ei}(bx + a)^2 - 2*(bx - a - 1)*\operatorname{Ei}(bx + a)*e^{(bx+a)} - 2*(2a + 1)*\operatorname{Ei}(2bx + 2a) + e^{(2bx+2a)})}{b^2}$$

### Sympy [F]

$$\int x \operatorname{ExpIntegralEi}(a + bx)^2 dx = \int x \operatorname{Ei}^2(a + bx) dx$$

input `integrate(x*Ei(b*x+a)**2,x)`

output `Integral(x*Ei(a + b*x)**2, x)`

**Maxima [F]**

$$\int x \operatorname{ExpIntegralEi}(a + bx)^2 dx = \int x \operatorname{Ei}(bx + a)^2 dx$$

input `integrate(x*Ei(b*x+a)^2,x, algorithm="maxima")`

output `integrate(x*Ei(b*x + a)^2, x)`

**Giac [F]**

$$\int x \operatorname{ExpIntegralEi}(a + bx)^2 dx = \int x \operatorname{Ei}(bx + a)^2 dx$$

input `integrate(x*Ei(b*x+a)^2,x, algorithm="giac")`

output `integrate(x*Ei(b*x + a)^2, x)`

**Mupad [F(-1)]**

Timed out.

$$\int x \operatorname{ExpIntegralEi}(a + bx)^2 dx = \int x \operatorname{ei}(a + b x)^2 dx$$

input `int(x*ei(a + b*x)^2,x)`

output `int(x*ei(a + b*x)^2, x)`

**Reduce [F]**

$$\int x \operatorname{ExpIntegralEi}(a + bx)^2 dx = \int ei(bx + a)^2 x dx$$

input `int(x*Ei(b*x+a)^2,x)`

output `int(ei(a + b*x)**2*x,x)`

## 3.28 $\int \text{ExpIntegralEi}(a + bx)^2 dx$

Optimal result . . . . .	209
Mathematica [A] (verified) . . . . .	209
Rubi [A] (verified) . . . . .	210
Maple [A] (verified) . . . . .	211
Fricas [A] (verification not implemented)	212
Sympy [F]	212
Maxima [F]	212
Giac [F]	213
Mupad [F(-1)]	213
Reduce [F]	213

### Optimal result

Integrand size = 8, antiderivative size = 49

$$\begin{aligned} \int \text{ExpIntegralEi}(a + bx)^2 dx &= -\frac{2e^{a+bx} \text{ExpIntegralEi}(a + bx)}{b} \\ &\quad + \frac{(a + bx) \text{ExpIntegralEi}(a + bx)^2}{b} \\ &\quad + \frac{2 \text{ExpIntegralEi}(2(a + bx))}{b} \end{aligned}$$

output  $-2*\exp(b*x+a)*\text{Ei}(b*x+a)/b+(b*x+a)*\text{Ei}(b*x+a)^2/b+2*\text{Ei}(2*b*x+2*a)/b$

### Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 44, normalized size of antiderivative = 0.90

$$\begin{aligned} \int \text{ExpIntegralEi}(a + bx)^2 dx \\ = \frac{-2e^{a+bx} \text{ExpIntegralEi}(a + bx) + (a + bx) \text{ExpIntegralEi}(a + bx)^2 + 2 \text{ExpIntegralEi}(2(a + bx))}{b} \end{aligned}$$

input  $\text{Integrate}[\text{ExpIntegralEi}[a + b*x]^2, x]$

output 
$$\frac{(-2e^{(a+bx)} \operatorname{ExpIntegralEi}[a+bx] + (a+bx) \operatorname{ExpIntegralEi}[a+bx]^2 + 2 \operatorname{ExpIntegralEi}[2(a+bx)])}{b}$$

## Rubi [A] (verified)

Time = 0.27 (sec), antiderivative size = 51, normalized size of antiderivative = 1.04, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {7040, 7043, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \operatorname{ExpIntegralEi}(a+bx)^2 dx \\
 & \downarrow \textcolor{blue}{7040} \\
 & \frac{(a+bx) \operatorname{ExpIntegralEi}(a+bx)^2}{b} - 2 \int e^{a+bx} \operatorname{ExpIntegralEi}(a+bx) dx \\
 & \downarrow \textcolor{blue}{7043} \\
 & \frac{(a+bx) \operatorname{ExpIntegralEi}(a+bx)^2}{b} - 2 \left( \frac{e^{a+bx} \operatorname{ExpIntegralEi}(a+bx)}{b} - \int \frac{e^{2a+2bx}}{a+bx} dx \right) \\
 & \downarrow \textcolor{blue}{2609} \\
 & \frac{(a+bx) \operatorname{ExpIntegralEi}(a+bx)^2}{b} - \\
 & 2 \left( \frac{e^{a+bx} \operatorname{ExpIntegralEi}(a+bx)}{b} - \frac{\operatorname{ExpIntegralEi}(2(a+bx))}{b} \right)
 \end{aligned}$$

input 
$$\operatorname{Int}[\operatorname{ExpIntegralEi}[a+bx]^2, x]$$

output 
$$\frac{((a+bx) \operatorname{ExpIntegralEi}[a+bx]^2)/b - 2*((e^{(a+bx)} \operatorname{ExpIntegralEi}[a+bx])/b - \operatorname{ExpIntegralEi}[2(a+bx)]/b)}$$

### Definitions of rubi rules used

rule 2609  $\text{Int}[(F_{\cdot})^((g_{\cdot})*(e_{\cdot}) + (f_{\cdot})*(x_{\cdot}))) / ((c_{\cdot}) + (d_{\cdot})*(x_{\cdot}))], x_{\text{Symbol}} \rightarrow \text{Simp}[(F^g(e - c*(f/d))/d)*\text{ExpIntegralEi}[f*g*(c + d*x)*(Log[F]/d)], x] /; \text{FreeQ}[\{F, c, d, e, f, g\}, x] \& \text{!TrueQ}[\$UseGamma]$

rule 7040  $\text{Int}[\text{ExpIntegralEi}[(a_{\cdot}) + (b_{\cdot})*(x_{\cdot})]^2, x_{\text{Symbol}}] \rightarrow \text{Simp}[(a + b*x)*(\text{ExpIntegralEi}[a + b*x]^2/b), x] - \text{Simp}[2 \text{Int}[E^{(a + b*x)}*\text{ExpIntegralEi}[a + b*x], x], x] /; \text{FreeQ}[\{a, b\}, x]$

rule 7043  $\text{Int}[E^{(a_{\cdot}) + (b_{\cdot})*(x_{\cdot})}*\text{ExpIntegralEi}[(c_{\cdot}) + (d_{\cdot})*(x_{\cdot})], x_{\text{Symbol}}] \rightarrow \text{Simp}[E^{(a + b*x)}*(\text{ExpIntegralEi}[c + d*x]/b), x] - \text{Simp}[d/b \text{Int}[E^{(a + c + (b + d)*x)/(c + d*x)}, x], x] /; \text{FreeQ}[\{a, b, c, d\}, x]$

### Maple [A] (verified)

Time = 0.03 (sec) , antiderivative size = 46, normalized size of antiderivative = 0.94

method	result	size
derivativeDivides	$\frac{\expIntegral(bx+a)^2(bx+a)-2\expIntegral(bx+a)e^{bx+a}-2\expIntegral_1(-2bx-2a)}{b}$	46
default	$\frac{\expIntegral(bx+a)^2(bx+a)-2\expIntegral(bx+a)e^{bx+a}-2\expIntegral_1(-2bx-2a)}{b}$	46

input `int(Ei(b*x+a)^2,x,method=_RETURNVERBOSE)`

output  $1/b*(\text{Ei}(b*x+a)^2*(b*x+a)-2*\text{Ei}(b*x+a)*\exp(b*x+a)-2*\text{Ei}(1, -2*b*x-2*a))$

**Fricas [A] (verification not implemented)**

Time = 0.08 (sec) , antiderivative size = 44, normalized size of antiderivative = 0.90

$$\int \text{ExpIntegralEi}(a+bx)^2 dx = \frac{(bx+a)\text{Ei}(bx+a)^2 - 2\text{Ei}(bx+a)e^{(bx+a)} + 2\text{Ei}(2bx+2a)}{b}$$

input `integrate(Ei(b*x+a)^2,x, algorithm="fricas")`

output  $\frac{((b*x + a)*\text{Ei}(b*x + a)^2 - 2*\text{Ei}(b*x + a)*e^{(b*x + a)} + 2*\text{Ei}(2*b*x + 2*a))}{b}$

**Sympy [F]**

$$\int \text{ExpIntegralEi}(a+bx)^2 dx = \int \text{Ei}^2(a+bx) dx$$

input `integrate(Ei(b*x+a)**2,x)`

output `Integral(Ei(a + b*x)**2, x)`

**Maxima [F]**

$$\int \text{ExpIntegralEi}(a+bx)^2 dx = \int \text{Ei}(bx+a)^2 dx$$

input `integrate(Ei(b*x+a)^2,x, algorithm="maxima")`

output `integrate(Ei(b*x + a)^2, x)`

**Giac [F]**

$$\int \text{ExpIntegralEi}(a + bx)^2 dx = \int \text{Ei}(bx + a)^2 dx$$

input `integrate(Ei(b*x+a)^2,x, algorithm="giac")`

output `integrate(Ei(b*x + a)^2, x)`

**Mupad [F(-1)]**

Timed out.

$$\int \text{ExpIntegralEi}(a + bx)^2 dx = \int \text{ei}(a + b x)^2 dx$$

input `int(ei(a + b*x)^2,x)`

output `int(ei(a + b*x)^2, x)`

**Reduce [F]**

$$\int \text{ExpIntegralEi}(a + bx)^2 dx = \int \text{ei}(bx + a)^2 dx$$

input `int(Ei(b*x+a)^2,x)`

output `int(ei(a + b*x)**2,x)`

**3.29**       $\int \frac{\text{ExpIntegralEi}(a+bx)^2}{x} dx$

Optimal result . . . . .	214
Mathematica [N/A] . . . . .	214
Rubi [N/A] . . . . .	215
Maple [N/A] . . . . .	215
Fricas [N/A] . . . . .	216
Sympy [N/A] . . . . .	216
Maxima [N/A] . . . . .	216
Giac [N/A] . . . . .	217
Mupad [N/A] . . . . .	217
Reduce [N/A] . . . . .	218

## Optimal result

Integrand size = 12, antiderivative size = 12

$$\int \frac{\text{ExpIntegralEi}(a + bx)^2}{x} dx = \text{Int}\left(\frac{\text{ExpIntegralEi}(a + bx)^2}{x}, x\right)$$

output Defer(Int)(Ei(b\*x+a)^2/x,x)

## Mathematica [N/A]

Not integrable

Time = 0.10 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{\text{ExpIntegralEi}(a + bx)^2}{x} dx = \int \frac{\text{ExpIntegralEi}(a + bx)^2}{x} dx$$

input Integrate[ExpIntegralEi[a + b\*x]^2/x, x]

output Integrate[ExpIntegralEi[a + b\*x]^2/x, x]

**Rubi [N/A]**

Not integrable

Time = 0.17 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\text{ExpIntegralEi}(a + bx)^2}{x} dx$$

↓ 7299

$$\int \frac{\text{ExpIntegralEi}(a + bx)^2}{x} dx$$

input `Int[ExpIntegralEi[a + b*x]^2/x, x]`

output `$Aborted`

**Maple [N/A]**

Not integrable

Time = 0.01 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{\expIntegral(bx + a)^2}{x} dx$$

input `int(Ei(b*x+a)^2/x, x)`

output `int(Ei(b*x+a)^2/x, x)`

**Fricas [N/A]**

Not integrable

Time = 0.07 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{\text{ExpIntegralEi}(a + bx)^2}{x} dx = \int \frac{\text{Ei}(bx + a)^2}{x} dx$$

input `integrate(Ei(b*x+a)^2/x,x, algorithm="fricas")`

output `integral(Ei(b*x + a)^2/x, x)`

**Sympy [N/A]**

Not integrable

Time = 1.76 (sec) , antiderivative size = 10, normalized size of antiderivative = 0.83

$$\int \frac{\text{ExpIntegralEi}(a + bx)^2}{x} dx = \int \frac{\text{Ei}^2(a + bx)}{x} dx$$

input `integrate(Ei(b*x+a)**2/x,x)`

output `Integral(Ei(a + b*x)**2/x, x)`

**Maxima [N/A]**

Not integrable

Time = 0.05 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{\text{ExpIntegralEi}(a + bx)^2}{x} dx = \int \frac{\text{Ei}(bx + a)^2}{x} dx$$

input `integrate(Ei(b*x+a)^2/x,x, algorithm="maxima")`

output `integrate(Ei(b*x + a)^2/x, x)`

## Giac [N/A]

Not integrable

Time = 0.12 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{\text{ExpIntegralEi}(a + bx)^2}{x} dx = \int \frac{\text{Ei}(bx + a)^2}{x} dx$$

input `integrate(Ei(b*x+a)^2/x,x, algorithm="giac")`

output `integrate(Ei(b*x + a)^2/x, x)`

## Mupad [N/A]

Not integrable

Time = 0.05 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{\text{ExpIntegralEi}(a + bx)^2}{x} dx = \int \frac{\text{ei}(a + b x)^2}{x} dx$$

input `int(ei(a + b*x)^2/x,x)`

output `int(ei(a + b*x)^2/x, x)`

**Reduce [N/A]**

Not integrable

Time = 0.19 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{\text{ExpIntegralEi}(a + bx)^2}{x} dx = \int \frac{ei(bx + a)^2}{x} dx$$

input `int(Ei(b*x+a)^2/x,x)`

output `int(ei(a + b*x)**2/x,x)`

**3.30**       $\int \frac{\text{ExpIntegralEi}(a+bx)^2}{x^2} dx$

Optimal result . . . . .	219
Mathematica [N/A] . . . . .	219
Rubi [N/A] . . . . .	220
Maple [N/A] . . . . .	220
Fricas [N/A] . . . . .	221
Sympy [N/A] . . . . .	221
Maxima [N/A] . . . . .	221
Giac [N/A] . . . . .	222
Mupad [N/A] . . . . .	222
Reduce [N/A] . . . . .	223

## Optimal result

Integrand size = 12, antiderivative size = 12

$$\int \frac{\text{ExpIntegralEi}(a + bx)^2}{x^2} dx = \text{Int}\left(\frac{\text{ExpIntegralEi}(a + bx)^2}{x^2}, x\right)$$

output `Defer(Int)(Ei(b*x+a)^2/x^2,x)`

## Mathematica [N/A]

Not integrable

Time = 0.12 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{\text{ExpIntegralEi}(a + bx)^2}{x^2} dx = \int \frac{\text{ExpIntegralEi}(a + bx)^2}{x^2} dx$$

input `Integrate[ExpIntegralEi[a + b*x]^2/x^2,x]`

output `Integrate[ExpIntegralEi[a + b*x]^2/x^2, x]`

**Rubi [N/A]**

Not integrable

Time = 0.17 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\text{ExpIntegralEi}(a + bx)^2}{x^2} dx$$

↓ 7299

$$\int \frac{\text{ExpIntegralEi}(a + bx)^2}{x^2} dx$$

input `Int[ExpIntegralEi[a + b*x]^2/x^2, x]`

output `$Aborted`

**Maple [N/A]**

Not integrable

Time = 0.01 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{\expIntegral(bx + a)^2}{x^2} dx$$

input `int(Ei(b*x+a)^2/x^2, x)`

output `int(Ei(b*x+a)^2/x^2, x)`

**Fricas [N/A]**

Not integrable

Time = 0.07 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{\text{ExpIntegralEi}(a + bx)^2}{x^2} dx = \int \frac{\text{Ei}(bx + a)^2}{x^2} dx$$

input `integrate(Ei(b*x+a)^2/x^2,x, algorithm="fricas")`

output `integral(Ei(b*x + a)^2/x^2, x)`

**Sympy [N/A]**

Not integrable

Time = 9.17 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{\text{ExpIntegralEi}(a + bx)^2}{x^2} dx = \int \frac{\text{Ei}^2(a + bx)}{x^2} dx$$

input `integrate(Ei(b*x+a)**2/x**2,x)`

output `Integral(Ei(a + b*x)**2/x**2, x)`

**Maxima [N/A]**

Not integrable

Time = 0.06 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{\text{ExpIntegralEi}(a + bx)^2}{x^2} dx = \int \frac{\text{Ei}(bx + a)^2}{x^2} dx$$

input `integrate(Ei(b*x+a)^2/x^2,x, algorithm="maxima")`

output `integrate(Ei(b*x + a)^2/x^2, x)`

## Giac [N/A]

Not integrable

Time = 0.12 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{\text{ExpIntegralEi}(a + bx)^2}{x^2} dx = \int \frac{\text{Ei}(bx + a)^2}{x^2} dx$$

input `integrate(Ei(b*x+a)^2/x^2,x, algorithm="giac")`

output `integrate(Ei(b*x + a)^2/x^2, x)`

## Mupad [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{\text{ExpIntegralEi}(a + bx)^2}{x^2} dx = \int \frac{\text{ei}(a + b x)^2}{x^2} dx$$

input `int(ei(a + b*x)^2/x^2,x)`

output `int(ei(a + b*x)^2/x^2, x)`

**Reduce [N/A]**

Not integrable

Time = 0.21 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{\text{ExpIntegralEi}(a + bx)^2}{x^2} dx = \int \frac{ei(bx + a)^2}{x^2} dx$$

input `int(Ei(b*x+a)^2/x^2,x)`

output `int(ei(a + b*x)**2/x**2,x)`

### 3.31 $\int x^2 \operatorname{ExpIntegralEi}(a + bx)^3 dx$

Optimal result . . . . .	224
Mathematica [N/A] . . . . .	224
Rubi [N/A] . . . . .	225
Maple [N/A] . . . . .	225
Fricas [N/A] . . . . .	226
Sympy [N/A] . . . . .	226
Maxima [N/A] . . . . .	226
Giac [N/A] . . . . .	227
Mupad [N/A] . . . . .	227
Reduce [N/A] . . . . .	228

#### Optimal result

Integrand size = 12, antiderivative size = 12

$$\int x^2 \operatorname{ExpIntegralEi}(a + bx)^3 dx = \operatorname{Int}(x^2 \operatorname{ExpIntegralEi}(a + bx)^3, x)$$

output `Defer(Int)(x^2*Ei(b*x+a)^3,x)`

#### Mathematica [N/A]

Not integrable

Time = 0.03 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int x^2 \operatorname{ExpIntegralEi}(a + bx)^3 dx = \int x^2 \operatorname{ExpIntegralEi}(a + bx)^3 dx$$

input `Integrate[x^2*ExpIntegralEi[a + b*x]^3,x]`

output `Integrate[x^2*ExpIntegralEi[a + b*x]^3, x]`

**Rubi [N/A]**

Not integrable

Time = 0.17 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^2 \operatorname{ExpIntegralEi}(a + bx)^3 dx$$

↓ 7299

$$\int x^2 \operatorname{ExpIntegralEi}(a + bx)^3 dx$$

input `Int[x^2*ExpIntegralEi[a + b*x]^3,x]`

output `$Aborted`

**Maple [N/A]**

Not integrable

Time = 0.01 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int x^2 \operatorname{expIntegral} (bx + a)^3 dx$$

input `int(x^2*Ei(b*x+a)^3,x)`

output `int(x^2*Ei(b*x+a)^3,x)`

**Fricas [N/A]**

Not integrable

Time = 0.08 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int x^2 \text{ExpIntegralEi}(a + bx)^3 dx = \int x^2 \text{Ei}(bx + a)^3 dx$$

input `integrate(x^2*Ei(b*x+a)^3,x, algorithm="fricas")`

output `integral(x^2*Ei(b*x + a)^3, x)`

**Sympy [N/A]**

Not integrable

Time = 37.27 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int x^2 \text{ExpIntegralEi}(a + bx)^3 dx = \int x^2 \text{Ei}^3(a + bx) dx$$

input `integrate(x**2*Ei(b*x+a)**3,x)`

output `Integral(x**2*Ei(a + b*x)**3, x)`

**Maxima [N/A]**

Not integrable

Time = 0.05 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int x^2 \text{ExpIntegralEi}(a + bx)^3 dx = \int x^2 \text{Ei}(bx + a)^3 dx$$

input `integrate(x^2*Ei(b*x+a)^3,x, algorithm="maxima")`

output `integrate(x^2*Ei(b*x + a)^3, x)`

## Giac [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int x^2 \text{ExpIntegralEi}(a + bx)^3 dx = \int x^2 \text{Ei}(bx + a)^3 dx$$

input `integrate(x^2*Ei(b*x+a)^3,x, algorithm="giac")`

output `integrate(x^2*Ei(b*x + a)^3, x)`

## Mupad [N/A]

Not integrable

Time = 0.10 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int x^2 \text{ExpIntegralEi}(a + bx)^3 dx = \int x^2 \text{ei}(a + b x)^3 dx$$

input `int(x^2*ei(a + b*x)^3,x)`

output `int(x^2*ei(a + b*x)^3, x)`

**Reduce [N/A]**

Not integrable

Time = 0.19 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int x^2 \text{ExpIntegralEi}(a + bx)^3 dx = \int ei(bx + a)^3 x^2 dx$$

input `int(x^2*Ei(b*x+a)^3,x)`

output `int(ei(a + b*x)**3*x**2,x)`

### 3.32 $\int x \operatorname{ExpIntegralEi}(a + bx)^3 dx$

Optimal result . . . . .	229
Mathematica [N/A] . . . . .	229
Rubi [N/A] . . . . .	230
Maple [N/A] . . . . .	230
Fricas [N/A] . . . . .	231
Sympy [N/A] . . . . .	231
Maxima [N/A] . . . . .	231
Giac [N/A] . . . . .	232
Mupad [N/A] . . . . .	232
Reduce [N/A] . . . . .	233

#### Optimal result

Integrand size = 10, antiderivative size = 10

$$\int x \operatorname{ExpIntegralEi}(a + bx)^3 dx = \operatorname{Int}(x \operatorname{ExpIntegralEi}(a + bx)^3, x)$$

output `Defer(Int)(x*Ei(b*x+a)^3,x)`

#### Mathematica [N/A]

Not integrable

Time = 0.03 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int x \operatorname{ExpIntegralEi}(a + bx)^3 dx = \int x \operatorname{ExpIntegralEi}(a + bx)^3 dx$$

input `Integrate[x*ExpIntegralEi[a + b*x]^3,x]`

output `Integrate[x*ExpIntegralEi[a + b*x]^3, x]`

**Rubi [N/A]**

Not integrable

Time = 0.16 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x \operatorname{ExpIntegralEi}(a + bx)^3 dx$$

$\downarrow$  7299

$$\int x \operatorname{ExpIntegralEi}(a + bx)^3 dx$$

input `Int[x*ExpIntegralEi[a + b*x]^3,x]`

output `$Aborted`

**Maple [N/A]**

Not integrable

Time = 0.01 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int x \operatorname{expIntegral} (bx + a)^3 dx$$

input `int(x*Ei(b*x+a)^3,x)`

output `int(x*Ei(b*x+a)^3,x)`

**Fricas [N/A]**

Not integrable

Time = 0.07 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int x \text{ExpIntegralEi}(a + bx)^3 dx = \int x \text{Ei}(bx + a)^3 dx$$

input `integrate(x*Ei(b*x+a)^3,x, algorithm="fricas")`

output `integral(x*Ei(b*x + a)^3, x)`

**Sympy [N/A]**

Not integrable

Time = 20.94 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int x \text{ExpIntegralEi}(a + bx)^3 dx = \int x \text{Ei}^3(a + bx) dx$$

input `integrate(x*Ei(b*x+a)**3,x)`

output `Integral(x*Ei(a + b*x)**3, x)`

**Maxima [N/A]**

Not integrable

Time = 0.05 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int x \text{ExpIntegralEi}(a + bx)^3 dx = \int x \text{Ei}(bx + a)^3 dx$$

input `integrate(x*Ei(b*x+a)^3,x, algorithm="maxima")`

output `integrate(x*Ei(b*x + a)^3, x)`

## Giac [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int x \text{ExpIntegralEi}(a + bx)^3 dx = \int x \text{Ei}(bx + a)^3 dx$$

input `integrate(x*Ei(b*x+a)^3,x, algorithm="giac")`

output `integrate(x*Ei(b*x + a)^3, x)`

## Mupad [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int x \text{ExpIntegralEi}(a + bx)^3 dx = \int x \text{ei}(a + b x)^3 dx$$

input `int(x*ei(a + b*x)^3,x)`

output `int(x*ei(a + b*x)^3, x)`

**Reduce [N/A]**

Not integrable

Time = 0.19 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int x \operatorname{ExpIntegralEi}(a + bx)^3 dx = \int ei(bx + a)^3 x dx$$

input `int(x*Ei(b*x+a)^3,x)`

output `int(ei(a + b*x)**3*x,x)`

### 3.33 $\int \text{ExpIntegralEi}(a + bx)^3 dx$

Optimal result . . . . .	234
Mathematica [N/A] . . . . .	234
Rubi [N/A] . . . . .	235
Maple [N/A] . . . . .	235
Fricas [N/A] . . . . .	236
Sympy [N/A] . . . . .	236
Maxima [N/A] . . . . .	236
Giac [N/A] . . . . .	237
Mupad [N/A] . . . . .	237
Reduce [N/A] . . . . .	238

#### Optimal result

Integrand size = 8, antiderivative size = 8

$$\int \text{ExpIntegralEi}(a + bx)^3 dx = \text{Int}(\text{ExpIntegralEi}(a + bx)^3, x)$$

output `Defer(Int)(Ei(b*x+a)^3,x)`

#### Mathematica [N/A]

Not integrable

Time = 0.01 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.25

$$\int \text{ExpIntegralEi}(a + bx)^3 dx = \int \text{ExpIntegralEi}(a + bx)^3 dx$$

input `Integrate[ExpIntegralEi[a + b*x]^3,x]`

output `Integrate[ExpIntegralEi[a + b*x]^3, x]`

**Rubi [N/A]**

Not integrable

Time = 0.20 (sec) , antiderivative size = 8, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \text{ExpIntegralEi}(a + bx)^3 dx \\ & \quad \downarrow \textcolor{blue}{7281} \\ & \frac{\int \text{ExpIntegralEi}(a + bx)^3 d(a + bx)}{b} \\ & \quad \downarrow \textcolor{blue}{7299} \\ & \frac{\int \text{ExpIntegralEi}(a + bx)^3 d(a + bx)}{b} \end{aligned}$$

input `Int[ExpIntegralEi[a + b*x]^3,x]`

output `$Aborted`

**Maple [N/A]**

Not integrable

Time = 0.00 (sec) , antiderivative size = 8, normalized size of antiderivative = 1.00

$$\int \text{expIntegral}(bx + a)^3 dx$$

input `int(Ei(b*x+a)^3,x)`

output `int(Ei(b*x+a)^3,x)`

**Fricas [N/A]**

Not integrable

Time = 0.10 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.25

$$\int \text{ExpIntegralEi}(a + bx)^3 dx = \int \text{Ei}(bx + a)^3 dx$$

input `integrate(Ei(b*x+a)^3,x, algorithm="fricas")`

output `integral(Ei(b*x + a)^3, x)`

**Sympy [N/A]**

Not integrable

Time = 10.36 (sec) , antiderivative size = 8, normalized size of antiderivative = 1.00

$$\int \text{ExpIntegralEi}(a + bx)^3 dx = \int \text{Ei}^3(a + bx) dx$$

input `integrate(Ei(b*x+a)**3,x)`

output `Integral(Ei(a + b*x)**3, x)`

**Maxima [N/A]**

Not integrable

Time = 0.05 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.25

$$\int \text{ExpIntegralEi}(a + bx)^3 dx = \int \text{Ei}(bx + a)^3 dx$$

input `integrate(Ei(b*x+a)^3,x, algorithm="maxima")`

output `integrate(Ei(b*x + a)^3, x)`

## Giac [N/A]

Not integrable

Time = 0.12 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.25

$$\int \text{ExpIntegralEi}(a + bx)^3 dx = \int \text{Ei}(bx + a)^3 dx$$

input `integrate(Ei(b*x+a)^3,x, algorithm="giac")`

output `integrate(Ei(b*x + a)^3, x)`

## Mupad [N/A]

Not integrable

Time = 0.11 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.25

$$\int \text{ExpIntegralEi}(a + bx)^3 dx = \int \text{ei}(a + b x)^3 dx$$

input `int(ei(a + b*x)^3,x)`

output `int(ei(a + b*x)^3, x)`

**Reduce [N/A]**

Not integrable

Time = 0.20 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.25

$$\int \text{ExpIntegralEi}(a + bx)^3 dx = \int ei(bx + a)^3 dx$$

input `int(Ei(b*x+a)^3,x)`

output `int(ei(a + b*x)**3,x)`

**3.34**       $\int \frac{\text{ExpIntegralEi}(a+bx)^3}{x} dx$

Optimal result . . . . .	239
Mathematica [N/A] . . . . .	239
Rubi [N/A] . . . . .	240
Maple [N/A] . . . . .	240
Fricas [N/A] . . . . .	241
Sympy [N/A] . . . . .	241
Maxima [N/A] . . . . .	241
Giac [N/A] . . . . .	242
Mupad [N/A] . . . . .	242
Reduce [N/A] . . . . .	243

## Optimal result

Integrand size = 12, antiderivative size = 12

$$\int \frac{\text{ExpIntegralEi}(a + bx)^3}{x} dx = \text{Int}\left(\frac{\text{ExpIntegralEi}(a + bx)^3}{x}, x\right)$$

output Defer(Int)(Ei(b\*x+a)^3/x,x)

## Mathematica [N/A]

Not integrable

Time = 0.02 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{\text{ExpIntegralEi}(a + bx)^3}{x} dx = \int \frac{\text{ExpIntegralEi}(a + bx)^3}{x} dx$$

input Integrate[ExpIntegralEi[a + b\*x]^3/x, x]

output Integrate[ExpIntegralEi[a + b\*x]^3/x, x]

**Rubi [N/A]**

Not integrable

Time = 0.17 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\text{ExpIntegralEi}(a + bx)^3}{x} dx$$

↓ 7299

$$\int \frac{\text{ExpIntegralEi}(a + bx)^3}{x} dx$$

input `Int[ExpIntegralEi[a + b*x]^3/x, x]`

output `$Aborted`

**Maple [N/A]**

Not integrable

Time = 0.01 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{\expIntegral(bx + a)^3}{x} dx$$

input `int(Ei(b*x+a)^3/x, x)`

output `int(Ei(b*x+a)^3/x, x)`

**Fricas [N/A]**

Not integrable

Time = 0.08 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{\text{ExpIntegralEi}(a + bx)^3}{x} dx = \int \frac{\text{Ei}(bx + a)^3}{x} dx$$

input `integrate(Ei(b*x+a)^3/x,x, algorithm="fricas")`

output `integral(Ei(b*x + a)^3/x, x)`

**Sympy [N/A]**

Not integrable

Time = 2.70 (sec) , antiderivative size = 10, normalized size of antiderivative = 0.83

$$\int \frac{\text{ExpIntegralEi}(a + bx)^3}{x} dx = \int \frac{\text{Ei}^3(a + bx)}{x} dx$$

input `integrate(Ei(b*x+a)**3/x,x)`

output `Integral(Ei(a + b*x)**3/x, x)`

**Maxima [N/A]**

Not integrable

Time = 0.05 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{\text{ExpIntegralEi}(a + bx)^3}{x} dx = \int \frac{\text{Ei}(bx + a)^3}{x} dx$$

input `integrate(Ei(b*x+a)^3/x,x, algorithm="maxima")`

output `integrate(Ei(b*x + a)^3/x, x)`

## Giac [N/A]

Not integrable

Time = 0.12 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{\text{ExpIntegralEi}(a + bx)^3}{x} dx = \int \frac{\text{Ei}(bx + a)^3}{x} dx$$

input `integrate(Ei(b*x+a)^3/x,x, algorithm="giac")`

output `integrate(Ei(b*x + a)^3/x, x)`

## Mupad [N/A]

Not integrable

Time = 0.05 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{\text{ExpIntegralEi}(a + bx)^3}{x} dx = \int \frac{\text{ei}(a + b x)^3}{x} dx$$

input `int(ei(a + b*x)^3/x,x)`

output `int(ei(a + b*x)^3/x, x)`

**Reduce [N/A]**

Not integrable

Time = 0.20 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{\text{ExpIntegralEi}(a + bx)^3}{x} dx = \int \frac{ei(bx + a)^3}{x} dx$$

input `int(Ei(b*x+a)^3/x,x)`

output `int(ei(a + b*x)**3/x,x)`

**3.35**       $\int \frac{\text{ExpIntegralEi}(a+bx)^3}{x^2} dx$

Optimal result . . . . .	244
Mathematica [N/A] . . . . .	244
Rubi [N/A] . . . . .	245
Maple [N/A] . . . . .	245
Fricas [N/A] . . . . .	246
Sympy [N/A] . . . . .	246
Maxima [N/A] . . . . .	246
Giac [N/A] . . . . .	247
Mupad [N/A] . . . . .	247
Reduce [N/A] . . . . .	248

## Optimal result

Integrand size = 12, antiderivative size = 12

$$\int \frac{\text{ExpIntegralEi}(a + bx)^3}{x^2} dx = \text{Int}\left(\frac{\text{ExpIntegralEi}(a + bx)^3}{x^2}, x\right)$$

output `Defer(Int)(Ei(b*x+a)^3/x^2,x)`

## Mathematica [N/A]

Not integrable

Time = 0.03 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{\text{ExpIntegralEi}(a + bx)^3}{x^2} dx = \int \frac{\text{ExpIntegralEi}(a + bx)^3}{x^2} dx$$

input `Integrate[ExpIntegralEi[a + b*x]^3/x^2,x]`

output `Integrate[ExpIntegralEi[a + b*x]^3/x^2, x]`

**Rubi [N/A]**

Not integrable

Time = 0.17 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\text{ExpIntegralEi}(a + bx)^3}{x^2} dx$$

↓ 7299

$$\int \frac{\text{ExpIntegralEi}(a + bx)^3}{x^2} dx$$

input `Int[ExpIntegralEi[a + b*x]^3/x^2, x]`

output `$Aborted`

**Maple [N/A]**

Not integrable

Time = 0.01 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{\expIntegral(bx + a)^3}{x^2} dx$$

input `int(Ei(b*x+a)^3/x^2, x)`

output `int(Ei(b*x+a)^3/x^2, x)`

**Fricas [N/A]**

Not integrable

Time = 0.07 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{\text{ExpIntegralEi}(a + bx)^3}{x^2} dx = \int \frac{\text{Ei}(bx + a)^3}{x^2} dx$$

input `integrate(Ei(b*x+a)^3/x^2,x, algorithm="fricas")`

output `integral(Ei(b*x + a)^3/x^2, x)`

**Sympy [N/A]**

Not integrable

Time = 22.58 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{\text{ExpIntegralEi}(a + bx)^3}{x^2} dx = \int \frac{\text{Ei}^3(a + bx)}{x^2} dx$$

input `integrate(Ei(b*x+a)**3/x**2,x)`

output `Integral(Ei(a + b*x)**3/x**2, x)`

**Maxima [N/A]**

Not integrable

Time = 0.05 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{\text{ExpIntegralEi}(a + bx)^3}{x^2} dx = \int \frac{\text{Ei}(bx + a)^3}{x^2} dx$$

input `integrate(Ei(b*x+a)^3/x^2,x, algorithm="maxima")`

output `integrate(Ei(b*x + a)^3/x^2, x)`

## Giac [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{\text{ExpIntegralEi}(a + bx)^3}{x^2} dx = \int \frac{\text{Ei}(bx + a)^3}{x^2} dx$$

input `integrate(Ei(b*x+a)^3/x^2,x, algorithm="giac")`

output `integrate(Ei(b*x + a)^3/x^2, x)`

## Mupad [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{\text{ExpIntegralEi}(a + bx)^3}{x^2} dx = \int \frac{\text{ei}(a + b x)^3}{x^2} dx$$

input `int(ei(a + b*x)^3/x^2,x)`

output `int(ei(a + b*x)^3/x^2, x)`

**Reduce [N/A]**

Not integrable

Time = 0.20 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{\text{ExpIntegralEi}(a + bx)^3}{x^2} dx = \int \frac{ei(bx + a)^3}{x^2} dx$$

input `int(Ei(b*x+a)^3/x^2,x)`

output `int(ei(a + b*x)**3/x**2,x)`

### 3.36 $\int (c + dx)^m \operatorname{ExpIntegralEi}(a + bx)^3 dx$

Optimal result	249
Mathematica [N/A]	249
Rubi [N/A]	250
Maple [N/A]	250
Fricas [N/A]	251
Sympy [F(-1)]	251
Maxima [N/A]	251
Giac [N/A]	252
Mupad [N/A]	252
Reduce [N/A]	252

#### Optimal result

Integrand size = 16, antiderivative size = 16

$$\int (c + dx)^m \operatorname{ExpIntegralEi}(a + bx)^3 dx = \operatorname{Int}((c + dx)^m \operatorname{ExpIntegralEi}(a + bx)^3, x)$$

output `Defer(Int)((d*x+c)^m*Ei(b*x+a)^3,x)`

#### Mathematica [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int (c + dx)^m \operatorname{ExpIntegralEi}(a + bx)^3 dx = \int (c + dx)^m \operatorname{ExpIntegralEi}(a + bx)^3 dx$$

input `Integrate[(c + d*x)^m*ExpIntegralEi[a + b*x]^3,x]`

output `Integrate[(c + d*x)^m*ExpIntegralEi[a + b*x]^3, x]`

**Rubi [N/A]**

Not integrable

Time = 0.18 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \text{ExpIntegralEi}(a + bx)^3(c + dx)^m dx$$

↓ 7299

$$\int \text{ExpIntegralEi}(a + bx)^3(c + dx)^m dx$$

input `Int[(c + d*x)^m*ExpIntegralEi[a + b*x]^3,x]`

output `$Aborted`

**Maple [N/A]**

Not integrable

Time = 0.04 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int (dx + c)^m \expIntegral(bx + a)^3 dx$$

input `int((d*x+c)^m*Ei(b*x+a)^3,x)`

output `int((d*x+c)^m*Ei(b*x+a)^3,x)`

**Fricas [N/A]**

Not integrable

Time = 0.09 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int (c + dx)^m \text{ExpIntegralEi}(a + bx)^3 dx = \int (dx + c)^m \text{Ei}(bx + a)^3 dx$$

input `integrate((d*x+c)^m*Ei(b*x+a)^3,x, algorithm="fricas")`

output `integral((d*x + c)^m*Ei(b*x + a)^3, x)`

**Sympy [F(-1)]**

Timed out.

$$\int (c + dx)^m \text{ExpIntegralEi}(a + bx)^3 dx = \text{Timed out}$$

input `integrate((d*x+c)**m*Ei(b*x+a)**3,x)`

output `Timed out`

**Maxima [N/A]**

Not integrable

Time = 0.05 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int (c + dx)^m \text{ExpIntegralEi}(a + bx)^3 dx = \int (dx + c)^m \text{Ei}(bx + a)^3 dx$$

input `integrate((d*x+c)^m*Ei(b*x+a)^3,x, algorithm="maxima")`

output `integrate((d*x + c)^m*Ei(b*x + a)^3, x)`

**Giac [N/A]**

Not integrable

Time = 0.15 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int (c + dx)^m \text{ExpIntegralEi}(a + bx)^3 dx = \int (dx + c)^m \text{Ei}(bx + a)^3 dx$$

input `integrate((d*x+c)^m*Ei(b*x+a)^3,x, algorithm="giac")`

output `integrate((d*x + c)^m*Ei(b*x + a)^3, x)`

**Mupad [N/A]**

Not integrable

Time = 0.07 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int (c + dx)^m \text{ExpIntegralEi}(a + bx)^3 dx = \int \text{ei}(a + b x)^3 (c + d x)^m dx$$

input `int(ei(a + b*x)^3*(c + d*x)^m,x)`

output `int(ei(a + b*x)^3*(c + d*x)^m, x)`

**Reduce [N/A]**

Not integrable

Time = 0.18 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int (c + dx)^m \text{ExpIntegralEi}(a + bx)^3 dx = \int (dx + c)^m \text{ei}(bx + a)^3 dx$$

input `int((d*x+c)^m*Ei(b*x+a)^3,x)`

```
output int((c + d*x)**m*ei(a + b*x)**3,x)
```

### 3.37 $\int (c + dx)^m \operatorname{ExpIntegralEi}(a + bx)^2 dx$

Optimal result	254
Mathematica [N/A]	254
Rubi [N/A]	255
Maple [N/A]	255
Fricas [N/A]	256
Sympy [F(-1)]	256
Maxima [N/A]	256
Giac [N/A]	257
Mupad [N/A]	257
Reduce [N/A]	257

#### Optimal result

Integrand size = 16, antiderivative size = 16

$$\int (c + dx)^m \operatorname{ExpIntegralEi}(a + bx)^2 dx = \operatorname{Int}((c + dx)^m \operatorname{ExpIntegralEi}(a + bx)^2, x)$$

output `Defer(Int)((d*x+c)^m*Ei(b*x+a)^2,x)`

#### Mathematica [N/A]

Not integrable

Time = 0.72 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int (c + dx)^m \operatorname{ExpIntegralEi}(a + bx)^2 dx = \int (c + dx)^m \operatorname{ExpIntegralEi}(a + bx)^2 dx$$

input `Integrate[(c + d*x)^m*ExpIntegralEi[a + b*x]^2,x]`

output `Integrate[(c + d*x)^m*ExpIntegralEi[a + b*x]^2, x]`

**Rubi [N/A]**

Not integrable

Time = 0.18 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \text{ExpIntegralEi}(a + bx)^2(c + dx)^m dx$$

↓ 7299

$$\int \text{ExpIntegralEi}(a + bx)^2(c + dx)^m dx$$

input `Int[(c + d*x)^m*ExpIntegralEi[a + b*x]^2,x]`

output `$Aborted`

**Maple [N/A]**

Not integrable

Time = 0.02 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int (dx + c)^m \expIntegral(bx + a)^2 dx$$

input `int((d*x+c)^m*Ei(b*x+a)^2,x)`

output `int((d*x+c)^m*Ei(b*x+a)^2,x)`

**Fricas [N/A]**

Not integrable

Time = 0.08 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int (c + dx)^m \text{ExpIntegralEi}(a + bx)^2 dx = \int (dx + c)^m \text{Ei}(bx + a)^2 dx$$

input `integrate((d*x+c)^m*Ei(b*x+a)^2,x, algorithm="fricas")`

output `integral((d*x + c)^m*Ei(b*x + a)^2, x)`

**Sympy [F(-1)]**

Timed out.

$$\int (c + dx)^m \text{ExpIntegralEi}(a + bx)^2 dx = \text{Timed out}$$

input `integrate((d*x+c)**m*Ei(b*x+a)**2,x)`

output `Timed out`

**Maxima [N/A]**

Not integrable

Time = 0.06 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int (c + dx)^m \text{ExpIntegralEi}(a + bx)^2 dx = \int (dx + c)^m \text{Ei}(bx + a)^2 dx$$

input `integrate((d*x+c)^m*Ei(b*x+a)^2,x, algorithm="maxima")`

output `integrate((d*x + c)^m*Ei(b*x + a)^2, x)`

**Giac [N/A]**

Not integrable

Time = 0.13 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int (c + dx)^m \text{ExpIntegralEi}(a + bx)^2 dx = \int (dx + c)^m \text{Ei}(bx + a)^2 dx$$

input `integrate((d*x+c)^m*Ei(b*x+a)^2,x, algorithm="giac")`

output `integrate((d*x + c)^m*Ei(b*x + a)^2, x)`

**Mupad [N/A]**

Not integrable

Time = 0.06 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int (c + dx)^m \text{ExpIntegralEi}(a + bx)^2 dx = \int \text{ei}(a + b x)^2 (c + d x)^m dx$$

input `int(ei(a + b*x)^2*(c + d*x)^m,x)`

output `int(ei(a + b*x)^2*(c + d*x)^m, x)`

**Reduce [N/A]**

Not integrable

Time = 0.23 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int (c + dx)^m \text{ExpIntegralEi}(a + bx)^2 dx = \int (dx + c)^m \text{ei}(bx + a)^2 dx$$

input `int((d*x+c)^m*Ei(b*x+a)^2,x)`

```
output int((c + d*x)**m*ei(a + b*x)**2,x)
```

### 3.38 $\int (c + dx)^m \text{ExpIntegralEi}(a + bx) dx$

Optimal result	259
Mathematica [N/A]	259
Rubi [N/A]	260
Maple [N/A]	261
Fricas [N/A]	261
Sympy [F(-1)]	261
Maxima [N/A]	262
Giac [N/A]	262
Mupad [N/A]	262
Reduce [N/A]	263

#### Optimal result

Integrand size = 14, antiderivative size = 14

$$\int (c + dx)^m \text{ExpIntegralEi}(a + bx) dx = \frac{(c + dx)^{1+m} \text{ExpIntegralEi}(a + bx)}{d(1 + m)} - \frac{b \text{Int}\left(\frac{e^{a+bx}(c+dx)^{1+m}}{a+bx}, x\right)}{d(1 + m)}$$

output  $(d*x+c)^{(1+m)}*Ei(b*x+a)/d/(1+m)-b*DefeR(Int)(exp(b*x+a)*(d*x+c)^{(1+m)}/(b*x+a),x)/d/(1+m)$

#### Mathematica [N/A]

Not integrable

Time = 0.52 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.14

$$\int (c + dx)^m \text{ExpIntegralEi}(a + bx) dx = \int (c + dx)^m \text{ExpIntegralEi}(a + bx) dx$$

input `Integrate[(c + d*x)^m*ExpIntegralEi[a + b*x], x]`

output  $\text{Integrate}[(c + d*x)^m * \text{ExpIntegralEi}[a + b*x], x]$

## Rubi [N/A]

Not integrable

Time = 0.42 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \text{ExpIntegralEi}(a + bx)(c + dx)^m dx \\ & \downarrow \textcolor{blue}{7039} \\ & \frac{\text{ExpIntegralEi}(a + bx)(c + dx)^{m+1}}{d(m + 1)} - \frac{b \int \frac{e^{a+bx}(c+dx)^{m+1}}{a+bx} dx}{d(m + 1)} \\ & \downarrow \textcolor{blue}{7299} \\ & \frac{\text{ExpIntegralEi}(a + bx)(c + dx)^{m+1}}{d(m + 1)} - \frac{b \int \frac{e^{a+bx}(c+dx)^{m+1}}{a+bx} dx}{d(m + 1)} \end{aligned}$$

input  $\text{Int}[(c + d*x)^m * \text{ExpIntegralEi}[a + b*x], x]$

output  $\$Aborted$

**Maple [N/A]**

Not integrable

Time = 0.02 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.00

$$\int (dx + c)^m \expIntegral(bx + a) dx$$

input `int((d*x+c)^m*Ei(b*x+a),x)`

output `int((d*x+c)^m*Ei(b*x+a),x)`

**Fricas [N/A]**

Not integrable

Time = 0.08 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.14

$$\int (c + dx)^m \text{ExpIntegralEi}(a + bx) dx = \int (dx + c)^m \text{Ei}(bx + a) dx$$

input `integrate((d*x+c)^m*Ei(b*x+a),x, algorithm="fricas")`

output `integral((d*x + c)^m*Ei(b*x + a), x)`

**Sympy [F(-1)]**

Timed out.

$$\int (c + dx)^m \text{ExpIntegralEi}(a + bx) dx = \text{Timed out}$$

input `integrate((d*x+c)**m*Ei(b*x+a),x)`

output `Timed out`

**Maxima [N/A]**

Not integrable

Time = 0.05 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.14

$$\int (c + dx)^m \text{ExpIntegralEi}(a + bx) dx = \int (dx + c)^m \text{Ei}(bx + a) dx$$

input `integrate((d*x+c)^m*Ei(b*x+a),x, algorithm="maxima")`

output `integrate((d*x + c)^m*Ei(b*x + a), x)`

**Giac [N/A]**

Not integrable

Time = 0.11 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.14

$$\int (c + dx)^m \text{ExpIntegralEi}(a + bx) dx = \int (dx + c)^m \text{Ei}(bx + a) dx$$

input `integrate((d*x+c)^m*Ei(b*x+a),x, algorithm="giac")`

output `integrate((d*x + c)^m*Ei(b*x + a), x)`

**Mupad [N/A]**

Not integrable

Time = 0.05 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.14

$$\int (c + dx)^m \text{ExpIntegralEi}(a + bx) dx = \int \text{ei}(a + b x) (c + d x)^m dx$$

input `int(ei(a + b*x)*(c + d*x)^m,x)`

output `int(ei(a + b*x)*(c + d*x)^m, x)`

## Reduce [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.14

$$\int (c + dx)^m \text{ExpIntegralEi}(a + bx) dx = \int (dx + c)^m ei(bx + a) dx$$

input `int((d*x+c)^m*Ei(b*x+a),x)`

output `int((c + d*x)**m*ei(a + b*x),x)`

**3.39**  $\int \frac{(c+dx)^m}{\text{ExpIntegralEi}(a+bx)} dx$

Optimal result . . . . .	264
Mathematica [N/A] . . . . .	264
Rubi [N/A] . . . . .	265
Maple [N/A] . . . . .	265
Fricas [N/A] . . . . .	266
Sympy [F(-1)] . . . . .	266
Maxima [N/A] . . . . .	266
Giac [N/A] . . . . .	267
Mupad [N/A] . . . . .	267
Reduce [N/A] . . . . .	267

## Optimal result

Integrand size = 16, antiderivative size = 16

$$\int \frac{(c+dx)^m}{\text{ExpIntegralEi}(a+bx)} dx = \text{Int}\left(\frac{(c+dx)^m}{\text{ExpIntegralEi}(a+bx)}, x\right)$$

output `Defer(Int)((d*x+c)^m/Ei(b*x+a),x)`

## Mathematica [N/A]

Not integrable

Time = 0.03 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{(c+dx)^m}{\text{ExpIntegralEi}(a+bx)} dx = \int \frac{(c+dx)^m}{\text{ExpIntegralEi}(a+bx)} dx$$

input `Integrate[(c + d*x)^m/ExpIntegralEi[a + b*x], x]`

output `Integrate[(c + d*x)^m/ExpIntegralEi[a + b*x], x]`

**Rubi [N/A]**

Not integrable

Time = 0.18 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(c + dx)^m}{\text{ExpIntegralEi}(a + bx)} dx$$

↓ 7299

$$\int \frac{(c + dx)^m}{\text{ExpIntegralEi}(a + bx)} dx$$

input `Int[(c + d*x)^m/ExpIntegralEi[a + b*x],x]`

output `$Aborted`

**Maple [N/A]**

Not integrable

Time = 0.02 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int \frac{(dx + c)^m}{\expIntegral(bx + a)} dx$$

input `int((d*x+c)^m/Ei(b*x+a),x)`

output `int((d*x+c)^m/Ei(b*x+a),x)`

**Fricas [N/A]**

Not integrable

Time = 0.07 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{(c + dx)^m}{\text{ExpIntegralEi}(a + bx)} dx = \int \frac{(dx + c)^m}{\text{Ei}(bx + a)} dx$$

input `integrate((d*x+c)^m/Ei(b*x+a),x, algorithm="fricas")`

output `integral((d*x + c)^m/Ei(b*x + a), x)`

**Sympy [F(-1)]**

Timed out.

$$\int \frac{(c + dx)^m}{\text{ExpIntegralEi}(a + bx)} dx = \text{Timed out}$$

input `integrate((d*x+c)**m/Ei(b*x+a),x)`

output `Timed out`

**Maxima [N/A]**

Not integrable

Time = 0.05 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{(c + dx)^m}{\text{ExpIntegralEi}(a + bx)} dx = \int \frac{(dx + c)^m}{\text{Ei}(bx + a)} dx$$

input `integrate((d*x+c)^m/Ei(b*x+a),x, algorithm="maxima")`

output `integrate((d*x + c)^m/Ei(b*x + a), x)`

**Giac [N/A]**

Not integrable

Time = 0.11 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{(c + dx)^m}{\text{ExpIntegralEi}(a + bx)} dx = \int \frac{(dx + c)^m}{\text{Ei}(bx + a)} dx$$

input `integrate((d*x+c)^m/Ei(b*x+a),x, algorithm="giac")`

output `integrate((d*x + c)^m/Ei(b*x + a), x)`

**Mupad [N/A]**

Not integrable

Time = 0.04 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{(c + dx)^m}{\text{ExpIntegralEi}(a + bx)} dx = \int \frac{(c + d x)^m}{\text{ei}(a + b x)} dx$$

input `int((c + d*x)^m/ei(a + b*x),x)`

output `int((c + d*x)^m/ei(a + b*x), x)`

**Reduce [N/A]**

Not integrable

Time = 0.20 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{(c + dx)^m}{\text{ExpIntegralEi}(a + bx)} dx = \int \frac{(dx + c)^m}{\text{ei}(bx + a)} dx$$

input `int((d*x+c)^m/Ei(b*x+a),x)`

```
output int((c + d*x)**m/erf(a + b*x),x)
```

**3.40**  $\int \frac{(c+dx)^m}{\text{ExpIntegralEi}(a+bx)^2} dx$

Optimal result	269
Mathematica [N/A]	269
Rubi [N/A]	270
Maple [N/A]	270
Fricas [N/A]	271
Sympy [F(-1)]	271
Maxima [N/A]	271
Giac [N/A]	272
Mupad [N/A]	272
Reduce [N/A]	272

## Optimal result

Integrand size = 16, antiderivative size = 16

$$\int \frac{(c+dx)^m}{\text{ExpIntegralEi}(a+bx)^2} dx = \text{Int}\left(\frac{(c+dx)^m}{\text{ExpIntegralEi}(a+bx)^2}, x\right)$$

output `Defer(Int)((d*x+c)^m/Ei(b*x+a)^2,x)`

## Mathematica [N/A]

Not integrable

Time = 4.69 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{(c+dx)^m}{\text{ExpIntegralEi}(a+bx)^2} dx = \int \frac{(c+dx)^m}{\text{ExpIntegralEi}(a+bx)^2} dx$$

input `Integrate[(c + d*x)^m/ExpIntegralEi[a + b*x]^2,x]`

output `Integrate[(c + d*x)^m/ExpIntegralEi[a + b*x]^2, x]`

**Rubi [N/A]**

Not integrable

Time = 0.19 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(c + dx)^m}{\text{ExpIntegralEi}(a + bx)^2} dx$$

↓ 7299

$$\int \frac{(c + dx)^m}{\text{ExpIntegralEi}(a + bx)^2} dx$$

input `Int[(c + d*x)^m/ExpIntegralEi[a + b*x]^2,x]`

output `$Aborted`

**Maple [N/A]**

Not integrable

Time = 0.02 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int \frac{(dx + c)^m}{\expIntegral(bx + a)^2} dx$$

input `int((d*x+c)^m/Ei(b*x+a)^2,x)`

output `int((d*x+c)^m/Ei(b*x+a)^2,x)`

**Fricas [N/A]**

Not integrable

Time = 0.08 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{(c + dx)^m}{\text{ExpIntegralEi}(a + bx)^2} dx = \int \frac{(dx + c)^m}{\text{Ei}(bx + a)^2} dx$$

input `integrate((d*x+c)^m/Ei(b*x+a)^2,x, algorithm="fricas")`

output `integral((d*x + c)^m/Ei(b*x + a)^2, x)`

**Sympy [F(-1)]**

Timed out.

$$\int \frac{(c + dx)^m}{\text{ExpIntegralEi}(a + bx)^2} dx = \text{Timed out}$$

input `integrate((d*x+c)**m/Ei(b*x+a)**2,x)`

output `Timed out`

**Maxima [N/A]**

Not integrable

Time = 0.05 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{(c + dx)^m}{\text{ExpIntegralEi}(a + bx)^2} dx = \int \frac{(dx + c)^m}{\text{Ei}(bx + a)^2} dx$$

input `integrate((d*x+c)^m/Ei(b*x+a)^2,x, algorithm="maxima")`

output `integrate((d*x + c)^m/Ei(b*x + a)^2, x)`

**Giac [N/A]**

Not integrable

Time = 0.12 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{(c + dx)^m}{\text{ExpIntegralEi}(a + bx)^2} dx = \int \frac{(dx + c)^m}{\text{Ei}(bx + a)^2} dx$$

input `integrate((d*x+c)^m/Ei(b*x+a)^2,x, algorithm="giac")`

output `integrate((d*x + c)^m/Ei(b*x + a)^2, x)`

**Mupad [N/A]**

Not integrable

Time = 0.06 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{(c + dx)^m}{\text{ExpIntegralEi}(a + bx)^2} dx = \int \frac{(c + d x)^m}{\text{ei}(a + b x)^2} dx$$

input `int((c + d*x)^m/ei(a + b*x)^2,x)`

output `int((c + d*x)^m/ei(a + b*x)^2, x)`

**Reduce [N/A]**

Not integrable

Time = 0.22 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{(c + dx)^m}{\text{ExpIntegralEi}(a + bx)^2} dx = \int \frac{(dx + c)^m}{\text{ei}(bx + a)^2} dx$$

input `int((d*x+c)^m/Ei(b*x+a)^2,x)`

```
output int((c + d*x)**m/erf(a + b*x)**2,x)
```

### 3.41 $\int x^2 \operatorname{ExpIntegralEi}(d(a + b \log(cx^n))) dx$

Optimal result	274
Mathematica [A] (verified)	274
Rubi [A] (verified)	275
Maple [F]	276
Fricas [A] (verification not implemented)	276
Sympy [F(-1)]	277
Maxima [F]	277
Giac [A] (verification not implemented)	278
Mupad [F(-1)]	278
Reduce [F]	278

#### Optimal result

Integrand size = 17, antiderivative size = 74

$$\begin{aligned} & \int x^2 \operatorname{ExpIntegralEi}(d(a + b \log(cx^n))) dx \\ &= \frac{1}{3} x^3 \operatorname{ExpIntegralEi}(d(a + b \log(cx^n))) \\ &\quad - \frac{1}{3} e^{-\frac{3a}{bn}} x^3 (cx^n)^{-3/n} \operatorname{ExpIntegralEi}\left(\frac{(3 + bdn)(a + b \log(cx^n))}{bn}\right) \end{aligned}$$

output 
$$\frac{1}{3}x^3 \operatorname{ExpIntegralEi}(d(a + b \ln(cx^n))) - \frac{1}{3}x^3 \operatorname{ExpIntegralEi}\left(\frac{(3 + bdn)(a + b \ln(cx^n))}{bn}\right)$$

#### Mathematica [A] (verified)

Time = 0.12 (sec), antiderivative size = 69, normalized size of antiderivative = 0.93

$$\begin{aligned} & \int x^2 \operatorname{ExpIntegralEi}(d(a + b \log(cx^n))) dx \\ &= \frac{1}{3} x^3 \left( \operatorname{ExpIntegralEi}(d(a + b \log(cx^n))) \right. \\ &\quad \left. - e^{-\frac{3a}{bn}} (cx^n)^{-3/n} \operatorname{ExpIntegralEi}\left(\frac{(3 + bdn)(a + b \log(cx^n))}{bn}\right) \right) \end{aligned}$$

input  $\text{Integrate}[x^2 \text{ExpIntegralEi}[d*(a + b*\log[c*x^n])], x]$

output  $(x^3 \text{ExpIntegralEi}[d*(a + b*\log[c*x^n])] - \text{ExpIntegralEi}[(3 + b*d*n)*(a + b*\log[c*x^n]))/(b*n)]/(E^{((3*a)/(b*n))*(c*x^n)^(3/n))})/3$

## Rubi [A] (verified)

Time = 0.32 (sec), antiderivative size = 92, normalized size of antiderivative = 1.24, number of steps used = 4, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.176, Rules used = {7048, 2747, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x^2 \text{ExpIntegralEi}(d(a + b \log(cx^n))) dx \\
 & \quad \downarrow \textcolor{blue}{7048} \\
 & \frac{1}{3} x^3 \text{ExpIntegralEi}(d(a + b \log(cx^n))) - \frac{1}{3} b n e^{ad} x^{-bdn} (cx^n)^{bd} \int \frac{x^{bdn+2}}{a + b \log(cx^n)} dx \\
 & \quad \downarrow \textcolor{blue}{2747} \\
 & \frac{1}{3} x^3 \text{ExpIntegralEi}(d(a + b \log(cx^n))) - \frac{1}{3} b x^3 e^{ad} (cx^n)^{bd - \frac{bdn+3}{n}} \int \frac{(cx^n)^{\frac{bdn+3}{n}}}{a + b \log(cx^n)} d \log(cx^n) \\
 & \quad \downarrow \textcolor{blue}{2609} \\
 & \frac{1}{3} x^3 \text{ExpIntegralEi}(d(a + b \log(cx^n))) - \\
 & \quad \frac{1}{3} x^3 e^{ad - a(\frac{3}{bn} + d)} (cx^n)^{bd - \frac{bdn+3}{n}} \text{ExpIntegralEi}\left(\frac{(bdn+3)(a + b \log(cx^n))}{bn}\right)
 \end{aligned}$$

input  $\text{Int}[x^2 \text{ExpIntegralEi}[d*(a + b*\log[c*x^n])], x]$

output  $(x^3 \text{ExpIntegralEi}[d*(a + b*\log[c*x^n])])/3 - (E^{(a*d - a*(d + 3/(b*n)))} * x^{3*(c*x^n)^(b*d - (3 + b*d*n)/n)} * \text{ExpIntegralEi}[(3 + b*d*n)*(a + b*\log[c*x^n]))/(b*n)])/3$

### Definitions of rubi rules used

rule 2609  $\text{Int}[(F_{\cdot})^((g_{\cdot})*(e_{\cdot}) + (f_{\cdot})*(x_{\cdot}))) / ((c_{\cdot}) + (d_{\cdot})*(x_{\cdot}))], x_{\text{Symbol}} \rightarrow \text{Simp}[(F^g(e - c*(f/d))/d)*\text{ExpIntegralEi}[f*g*(c + d*x)*(Log[F]/d)], x] /; \text{FreeQ}[\{F, c, d, e, f, g\}, x] \& \text{TrueQ}[\$UseGamma]$

rule 2747  $\text{Int}[((a_{\cdot}) + \text{Log}[(c_{\cdot})*(x_{\cdot})^{(n_{\cdot})}]*b_{\cdot})^{(p_{\cdot})}*((d_{\cdot})*(x_{\cdot}))^{(m_{\cdot})}, x_{\text{Symbol}}] \rightarrow \text{Simp}[(d*x)^{(m+1)}/(d*n*(c*x^n)^{(m+1)/n}) \text{Subst}[\text{Int}[E^{((m+1)/n)}*x)*(a+b*x)^p, x], x, \text{Log}[c*x^n]], x] /; \text{FreeQ}[\{a, b, c, d, m, n, p\}, x]$

rule 7048  $\text{Int}[\text{ExpIntegralEi}[(a_{\cdot}) + \text{Log}[(c_{\cdot})*(x_{\cdot})^{(n_{\cdot})}]*b_{\cdot})*(d_{\cdot})*((e_{\cdot})*(x_{\cdot}))^{(m_{\cdot})}, x_{\text{Symbol}}] \rightarrow \text{Simp}[(e*x)^{(m+1)}*\text{ExpIntegralEi}[d*(a+b*\text{Log}[c*x^n])/(e*(m+1)), x] - \text{Simp}[b*n*E^{(a*d)*((c*x^n)^{(b*d})/((m+1)*(e*x)^{(b*d*n)})}] \text{Int}[(e*x)^{(m+b*d*n)}/(a+b*\text{Log}[c*x^n]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, m, n\}, x] \& \text{NeQ}[m, -1]$

### Maple [F]

$$\int x^2 \expIntegral(d(a + b \ln(cx^n))) dx$$

input  $\text{int}(x^2 * \text{Ei}(d * (a + b * \ln(c * x^n))), x)$

output  $\text{int}(x^2 * \text{Ei}(d * (a + b * \ln(c * x^n))), x)$

### Fricas [A] (verification not implemented)

Time = 0.09 (sec), antiderivative size = 83, normalized size of antiderivative = 1.12

$$\begin{aligned} & \int x^2 \text{ExpIntegralEi}(d(a + b \log(cx^n))) dx \\ &= \frac{1}{3} x^3 \text{Ei}(bd \log(cx^n) + ad) \\ & - \frac{1}{3} \text{Ei}\left(\frac{abdn + (b^2 dn + 3b) \log(c) + (b^2 dn^2 + 3bn) \log(x) + 3a}{bn}\right) e^{\left(-\frac{3(b \log(c) + a)}{bn}\right)} \end{aligned}$$

input `integrate(x^2*Ei(d*(a+b*log(c*x^n))),x, algorithm="fricas")`

output  $\frac{1}{3}x^3Ei(b*d*\log(cx^n) + a*d) - \frac{1}{3}Ei((a*b*d*n + (b^2*d*n + 3*b)*\log(c) + (b^2*d*n^2 + 3*b*n)*\log(x) + 3*a)/(b*n))*e^{-3*(b*\log(c) + a)/(b*n)}$

## Sympy [F(-1)]

Timed out.

$$\int x^2 \text{ExpIntegralEi}(d(a + b \log(cx^n))) dx = \text{Timed out}$$

input `integrate(x**2*Ei(d*(a+b*ln(c*x**n))),x)`

output Timed out

## Maxima [F]

$$\int x^2 \text{ExpIntegralEi}(d(a + b \log(cx^n))) dx = \int x^2 Ei((b \log(cx^n) + a)d) dx$$

input `integrate(x^2*Ei(d*(a+b*log(c*x^n))),x, algorithm="maxima")`

output `integrate(x^2*Ei((b*log(c*x^n) + a)*d), x)`

**Giac [A] (verification not implemented)**

Time = 0.14 (sec) , antiderivative size = 79, normalized size of antiderivative = 1.07

$$\begin{aligned} & \int x^2 \operatorname{ExpIntegralEi}(d(a + b \log(cx^n))) dx \\ &= \frac{1}{3} x^3 \operatorname{Ei}(bdn \log(x) + bd \log(c) + ad) \\ & - \frac{\operatorname{Ei}\left(bdn \log(x) + bd \log(c) + ad + \frac{3 \log(c)}{n} + \frac{3a}{bn} + 3 \log(x)\right) e^{-\frac{3a}{bn}}}{3c^{\frac{3}{n}}} \end{aligned}$$

input `integrate(x^2*Ei(d*(a+b*log(c*x^n))),x, algorithm="giac")`

output `1/3*x^3*Ei(b*d*n*log(x) + b*d*log(c) + a*d) - 1/3*Ei(b*d*n*log(x) + b*d*log(c) + a*d + 3*log(c)/n + 3*a/(b*n) + 3*log(x))*e^(-3*a/(b*n))/c^(3/n)`

**Mupad [F(-1)]**

Timed out.

$$\int x^2 \operatorname{ExpIntegralEi}(d(a + b \log(cx^n))) dx = \int x^2 \operatorname{ei}(d(a + b \ln(cx^n))) dx$$

input `int(x^2*ei(d*(a + b*log(c*x^n))),x)`

output `int(x^2*ei(d*(a + b*log(c*x^n))), x)`

**Reduce [F]**

$$\int x^2 \operatorname{ExpIntegralEi}(d(a + b \log(cx^n))) dx = \int \operatorname{ei}(\log(x^n c) bd + ad) x^2 dx$$

input `int(x^2*Ei(d*(a+b*log(c*x^n))),x)`

output `int(ei(log(x**n*c)*b*d + a*d)*x**2,x)`

## 3.42 $\int x \operatorname{ExpIntegralEi}(d(a + b \log(cx^n))) dx$

Optimal result . . . . .	279
Mathematica [A] (verified) . . . . .	279
Rubi [A] (verified) . . . . .	280
Maple [F] . . . . .	281
Fricas [A] (verification not implemented) . . . . .	281
Sympy [F(-1)] . . . . .	282
Maxima [F] . . . . .	282
Giac [A] (verification not implemented) . . . . .	283
Mupad [F(-1)] . . . . .	283
Reduce [F] . . . . .	283

### Optimal result

Integrand size = 15, antiderivative size = 74

$$\begin{aligned} & \int x \operatorname{ExpIntegralEi}(d(a + b \log(cx^n))) dx \\ &= \frac{1}{2} x^2 \operatorname{ExpIntegralEi}(d(a + b \log(cx^n))) \\ &\quad - \frac{1}{2} e^{-\frac{2a}{bn}} x^2 (cx^n)^{-2/n} \operatorname{ExpIntegralEi}\left(\frac{(2 + bdn)(a + b \log(cx^n))}{bn}\right) \end{aligned}$$

output 
$$1/2*x^2*Ei(d*(a+b*ln(c*x^n)))-1/2*x^2*Ei((b*d*n+2)*(a+b*ln(c*x^n))/b/n)/ex p(2*a/b/n)/((c*x^n)^(2/n))$$

### Mathematica [A] (verified)

Time = 0.10 (sec) , antiderivative size = 69, normalized size of antiderivative = 0.93

$$\begin{aligned} & \int x \operatorname{ExpIntegralEi}(d(a + b \log(cx^n))) dx \\ &= \frac{1}{2} x^2 \left( \operatorname{ExpIntegralEi}(d(a + b \log(cx^n))) \right. \\ &\quad \left. - e^{-\frac{2a}{bn}} (cx^n)^{-2/n} \operatorname{ExpIntegralEi}\left(\frac{(2 + bdn)(a + b \log(cx^n))}{bn}\right) \right) \end{aligned}$$

input  $\text{Integrate}[x \cdot \text{ExpIntegralEi}[d*(a + b*\log[c*x^n])], x]$

output  $(x^2 \cdot \text{ExpIntegralEi}[d*(a + b*\log[c*x^n])] - \text{ExpIntegralEi}[(2 + b*d*n)*(a + b*\log[c*x^n]))/(b*n)]/(E^{((2*a)/(b*n))} \cdot (c*x^n)^{(2/n)}))/2$

## Rubi [A] (verified)

Time = 0.31 (sec), antiderivative size = 92, normalized size of antiderivative = 1.24, number of steps used = 4, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.200, Rules used = {7048, 2747, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x \text{ExpIntegralEi}(d(a + b \log(cx^n))) dx \\
 & \quad \downarrow \textcolor{blue}{7048} \\
 & \frac{1}{2} x^2 \text{ExpIntegralEi}(d(a + b \log(cx^n))) - \frac{1}{2} b n e^{ad} x^{-bdn} (cx^n)^{bd} \int \frac{x^{bdn+1}}{a + b \log(cx^n)} dx \\
 & \quad \downarrow \textcolor{blue}{2747} \\
 & \frac{1}{2} x^2 \text{ExpIntegralEi}(d(a + b \log(cx^n))) - \frac{1}{2} b x^2 e^{ad} (cx^n)^{bd - \frac{bdn+2}{n}} \int \frac{(cx^n)^{\frac{bdn+2}{n}}}{a + b \log(cx^n)} d \log(cx^n) \\
 & \quad \downarrow \textcolor{blue}{2609} \\
 & \frac{1}{2} x^2 \text{ExpIntegralEi}(d(a + b \log(cx^n))) - \\
 & \quad \frac{1}{2} x^2 e^{ad - a(\frac{2}{bn} + d)} (cx^n)^{bd - \frac{bdn+2}{n}} \text{ExpIntegralEi}\left(\frac{(bdn+2)(a + b \log(cx^n))}{bn}\right)
 \end{aligned}$$

input  $\text{Int}[x \cdot \text{ExpIntegralEi}[d*(a + b*\log[c*x^n])], x]$

output  $(x^2 \cdot \text{ExpIntegralEi}[d*(a + b*\log[c*x^n])])/2 - (E^{(a*d - a*(d + 2/(b*n)))} \cdot x^{2*(c*x^n)^(b*d - (2 + b*d*n)/n)} \cdot \text{ExpIntegralEi}[(2 + b*d*n)*(a + b*\log[c*x^n]))/(b*n)])/2$

### Definitions of rubi rules used

rule 2609  $\text{Int}[(F_{\cdot})^((g_{\cdot})*(e_{\cdot}) + (f_{\cdot})*(x_{\cdot}))) / ((c_{\cdot}) + (d_{\cdot})*(x_{\cdot}))], x_{\text{Symbol}} \rightarrow \text{Simp}[(F^g(e - c*(f/d))/d)*\text{ExpIntegralEi}[f*g*(c + d*x)*(Log[F]/d)], x] /; \text{FreeQ}[\{F, c, d, e, f, g\}, x] \& \text{TrueQ}[\$UseGamma]$

rule 2747  $\text{Int}[((a_{\cdot}) + \text{Log}[(c_{\cdot})*(x_{\cdot})^{(n_{\cdot})}]*b_{\cdot})^{(p_{\cdot})}*((d_{\cdot})*(x_{\cdot}))^{(m_{\cdot})}, x_{\text{Symbol}}] \rightarrow \text{Simp}[(d*x)^{(m+1)} / (d*n*(c*x^n)^{(m+1)/n}) \text{Subst}[\text{Int}[E^{((m+1)/n)}*x)*(a+b*x)^p, x], x, \text{Log}[c*x^n]], x] /; \text{FreeQ}[\{a, b, c, d, m, n, p\}, x]$

rule 7048  $\text{Int}[\text{ExpIntegralEi}[(a_{\cdot}) + \text{Log}[(c_{\cdot})*(x_{\cdot})^{(n_{\cdot})}]*b_{\cdot})*(d_{\cdot})*((e_{\cdot})*(x_{\cdot}))^{(m_{\cdot})}, x_{\text{Symbol}}] \rightarrow \text{Simp}[(e*x)^{(m+1)} * (\text{ExpIntegralEi}[d*(a+b*\text{Log}[c*x^n]) / (e*(m+1))], x) - \text{Simp}[b*n*E^{(a*d)*((c*x^n)^{(b*d}) / ((m+1)*(e*x)^{(b*d*n)})}] \text{Int}[(e*x)^{(m+b*d*n)} / (a+b*\text{Log}[c*x^n]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, m, n\}, x] \& \text{NeQ}[m, -1]$

### Maple [F]

$$\int x \expIntegral(d(a + b \ln(cx^n))) dx$$

input  $\text{int}(x*\text{Ei}(d*(a+b*\ln(c*x^n))), x)$

output  $\text{int}(x*\text{Ei}(d*(a+b*\ln(c*x^n))), x)$

### Fricas [A] (verification not implemented)

Time = 0.09 (sec), antiderivative size = 83, normalized size of antiderivative = 1.12

$$\begin{aligned} & \int x \text{ExpIntegralEi}(d(a + b \log(cx^n))) dx \\ &= \frac{1}{2} x^2 \text{Ei}(bd \log(cx^n) + ad) \\ & - \frac{1}{2} \text{Ei}\left(\frac{abdn + (b^2dn + 2b)\log(c) + (b^2dn^2 + 2bn)\log(x) + 2a}{bn}\right) e^{\left(-\frac{2(b \log(c) + a)}{bn}\right)} \end{aligned}$$

input `integrate(x*Ei(d*(a+b*log(c*x^n))),x, algorithm="fricas")`

output  $\frac{1}{2}x^2Ei(b*d\log(cx^n) + a*d) - \frac{1}{2}Ei((a*b*d*n + (b^2*d*n + 2*b)*\log(c) + (b^2*d*n^2 + 2*b*n)*\log(x) + 2*a)/(b*n))*e^{(-2*(b*\log(c) + a)/(b*n))}$

## Sympy [F(-1)]

Timed out.

$$\int x \text{ExpIntegralEi}(d(a + b \log(cx^n))) dx = \text{Timed out}$$

input `integrate(x*Ei(d*(a+b*ln(c*x**n))),x)`

output Timed out

## Maxima [F]

$$\int x \text{ExpIntegralEi}(d(a + b \log(cx^n))) dx = \int x \text{Ei}((b \log(cx^n) + a)d) dx$$

input `integrate(x*Ei(d*(a+b*log(c*x^n))),x, algorithm="maxima")`

output `integrate(x*Ei((b*log(c*x^n) + a)*d), x)`

**Giac [A] (verification not implemented)**

Time = 0.14 (sec) , antiderivative size = 79, normalized size of antiderivative = 1.07

$$\begin{aligned} & \int x \operatorname{ExpIntegralEi}(d(a + b \log(cx^n))) dx \\ &= \frac{1}{2} x^2 \operatorname{Ei}(bdn \log(x) + bd \log(c) + ad) \\ & - \frac{\operatorname{Ei}\left(bdn \log(x) + bd \log(c) + ad + \frac{2 \log(c)}{n} + \frac{2a}{bn} + 2 \log(x)\right) e^{-\frac{2a}{bn}}}{2 c^{\frac{2}{n}}} \end{aligned}$$

input `integrate(x*Ei(d*(a+b*log(c*x^n))),x, algorithm="giac")`

output `1/2*x^2*Ei(b*d*n*log(x) + b*d*log(c) + a*d) - 1/2*Ei(b*d*n*log(x) + b*d*log(c) + a*d + 2*log(c)/n + 2*a/(b*n) + 2*log(x))*e^(-2*a/(b*n))/c^(2/n)`

**Mupad [F(-1)]**

Timed out.

$$\int x \operatorname{ExpIntegralEi}(d(a + b \log(cx^n))) dx = \int x \operatorname{ei}(d(a + b \ln(cx^n))) dx$$

input `int(x*ei(d*(a + b*log(c*x^n))),x)`

output `int(x*ei(d*(a + b*log(c*x^n))), x)`

**Reduce [F]**

$$\int x \operatorname{ExpIntegralEi}(d(a + b \log(cx^n))) dx = \int ei(\log(x^n c) bd + ad) x dx$$

input `int(x*Ei(d*(a+b*log(c*x^n))),x)`

output `int(ei(log(x**n*c)*b*d + a*d)*x,x)`

### 3.43 $\int \text{ExpIntegralEi}(d(a + b \log(cx^n))) dx$

Optimal result . . . . .	284
Mathematica [A] (verified) . . . . .	284
Rubi [A] (verified) . . . . .	285
Maple [F] . . . . .	286
Fricas [A] (verification not implemented) . . . . .	287
Sympy [F] . . . . .	287
Maxima [F] . . . . .	287
Giac [A] (verification not implemented) . . . . .	288
Mupad [F(-1)] . . . . .	288
Reduce [F] . . . . .	288

#### Optimal result

Integrand size = 13, antiderivative size = 65

$$\begin{aligned} & \int \text{ExpIntegralEi}(d(a + b \log(cx^n))) dx \\ &= x \text{ExpIntegralEi}(d(a + b \log(cx^n))) \\ &\quad - e^{-\frac{a}{bn}} x(cx^n)^{-1/n} \text{ExpIntegralEi}\left(\frac{(1 + bdn)(a + b \log(cx^n))}{bn}\right) \end{aligned}$$

output x\*Ei(d\*(a+b\*ln(c\*x^n)))-x\*Ei((b\*d\*n+1)\*(a+b\*ln(c\*x^n))/b/n)/exp(a/b/n)/((c\*x^n)^(1/n))

#### Mathematica [A] (verified)

Time = 0.08 (sec) , antiderivative size = 64, normalized size of antiderivative = 0.98

$$\begin{aligned} & \int \text{ExpIntegralEi}(d(a + b \log(cx^n))) dx \\ &= x \left( \text{ExpIntegralEi}(d(a + b \log(cx^n))) \right. \\ &\quad \left. - e^{-\frac{a}{bn}} (cx^n)^{-1/n} \text{ExpIntegralEi}\left(\frac{(1 + bdn)(a + b \log(cx^n))}{bn}\right) \right) \end{aligned}$$

input `Integrate[ExpIntegralEi[d*(a + b*Log[c*x^n])], x]`

output  $x \cdot (\text{ExpIntegralEi}[d \cdot (a + b \cdot \log[c \cdot x^n])] - \text{ExpIntegralEi}[(1 + b \cdot d \cdot n) \cdot (a + b \cdot \log[c \cdot x^n])] / (b \cdot n)] / (E^{(a/(b \cdot n))} \cdot (c \cdot x^n)^{-n})$

## Rubi [A] (verified)

Time = 0.30 (sec), antiderivative size = 82, normalized size of antiderivative = 1.26, number of steps used = 5, number of rules used = 4,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.308, Rules used = {7046, 34, 2747, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \text{ExpIntegralEi}(d(a + b \log(cx^n))) \, dx \\
 & \quad \downarrow \textcolor{blue}{7046} \\
 & x \text{ExpIntegralEi}(d(a + b \log(cx^n))) - bne^{ad} \int \frac{(cx^n)^{bd}}{a + b \log(cx^n)} \, dx \\
 & \quad \downarrow \textcolor{blue}{34} \\
 & x \text{ExpIntegralEi}(d(a + b \log(cx^n))) - bne^{ad} x^{-bdn} (cx^n)^{bd} \int \frac{x^{bdn}}{a + b \log(cx^n)} \, dx \\
 & \quad \downarrow \textcolor{blue}{2747} \\
 & x \text{ExpIntegralEi}(d(a + b \log(cx^n))) - bxe^{ad} (cx^n)^{bd - \frac{bdn+1}{n}} \int \frac{(cx^n)^{\frac{bdn+1}{n}}}{a + b \log(cx^n)} d \log(cx^n) \\
 & \quad \downarrow \textcolor{blue}{2609} \\
 & x \text{ExpIntegralEi}(d(a + b \log(cx^n))) - \\
 & xe^{ad - a(\frac{1}{bn} + d)} (cx^n)^{bd - \frac{bdn+1}{n}} \text{ExpIntegralEi}\left(\frac{(bdn+1)(a + b \log(cx^n))}{bn}\right)
 \end{aligned}$$

input `Int[ExpIntegralEi[d*(a + b*Log[c*x^n])], x]`

output  $x^* \text{ExpIntegralEi}[d*(a + b*\ln[c*x^n])] - E^{(a*d - a*(d + 1/(b*n)))*x*(c*x^n)} \\ )^(b*d - (1 + b*d*n)/n)*\text{ExpIntegralEi}[((1 + b*d*n)*(a + b*\ln[c*x^n]))/(b*n)]$

### Defintions of rubi rules used

rule 34  $\text{Int}[(u_*)*((a_*)*(x_)^(m_))^(p_), x\_Symbol] :> \text{Simp}[a^{\text{IntPart}[p]}*(a*x^m)^F \\ ractPart[p]/x^(m*\text{FracPart}[p])] \quad \text{Int}[u*x^(m*p), x], x] /; \text{FreeQ}[\{a, m, p\}, x] \&& \text{!IntegerQ}[p]$

rule 2609  $\text{Int}[(F_*)^((g_*)*((e_*) + (f_*)*(x_))/((c_*) + (d_*)*(x_)), x\_Symbol] :> \text{Si} \\ mp[(F^g*(e - c*(f/d))/d)*\text{ExpIntegralEi}[f*g*(c + d*x)*(Log[F]/d)], x] /; \text{FreeQ}[\{F, c, d, e, f, g\}, x] \&& \text{!TrueQ}[\$UseGamma]$

rule 2747  $\text{Int}[(a_*) + \text{Log}[(c_*)*(x_)^(n_*)]*(b_*)^(p_)*((d_*)*(x_))^(m_*, x\_Symbol) \\ ] :> \text{Simp}[(d*x)^(m + 1)/(d*n*(c*x^n)^(m + 1/n)) \quad \text{Subst}[\text{Int}[E^{((m + 1)/n} \\ )*x)*(a + b*x)^p, x], x, \text{Log}[c*x^n]], x] /; \text{FreeQ}[\{a, b, c, d, m, n, p\}, x]$

rule 7046  $\text{Int}[\text{ExpIntegralEi}[(a_*) + \text{Log}[(c_*)*(x_)^(n_*)]*(b_*)*(d_*)], x\_Symbol] : \\ > \text{Simp}[x*\text{ExpIntegralEi}[d*(a + b*\ln[c*x^n])], x] - \text{Simp}[b*n*E^{(a*d)} \quad \text{Int}[(c*x^n)^(b*d)/(a + b*\ln[c*x^n]), x], x] /; \text{FreeQ}[\{a, b, c, d, n\}, x]$

### Maple [F]

$$\int \text{expIntegral}(d(a + b \ln(cx^n))) dx$$

input `int(Ei(d*(a+b*ln(c*x^n))),x)`

output `int(Ei(d*(a+b*ln(c*x^n))),x)`

**Fricas [A] (verification not implemented)**

Time = 0.09 (sec) , antiderivative size = 75, normalized size of antiderivative = 1.15

$$\begin{aligned} & \int \text{ExpIntegralEi}(d(a + b \log(cx^n))) \, dx \\ &= x \text{Ei}(bd \log(cx^n) + ad) \\ &\quad - \text{Ei}\left(\frac{abdn + (b^2dn + b) \log(c) + (b^2dn^2 + bn) \log(x) + a}{bn}\right) e^{-\frac{b \log(c) + a}{bn}} \end{aligned}$$

input `integrate(Ei(d*(a+b*log(c*x^n))),x, algorithm="fricas")`

output `x*Ei(b*d*log(c*x^n) + a*d) - Ei((a*b*d*n + (b^2*d*n + b)*log(c) + (b^2*d*n^2 + b*n)*log(x) + a)/(b*n))*e^(-(b*log(c) + a)/(b*n))`

**Sympy [F]**

$$\int \text{ExpIntegralEi}(d(a + b \log(cx^n))) \, dx = \int \text{Ei}(d(a + b \log(cx^n))) \, dx$$

input `integrate(Ei(d*(a+b*ln(c*x**n))),x)`

output `Integral(Ei(d*(a + b*log(c*x**n))), x)`

**Maxima [F]**

$$\int \text{ExpIntegralEi}(d(a + b \log(cx^n))) \, dx = \int \text{Ei}((b \log(cx^n) + a)d) \, dx$$

input `integrate(Ei(d*(a+b*log(c*x^n))),x, algorithm="maxima")`

output `integrate(Ei((b*log(c*x^n) + a)*d), x)`

**Giac [A] (verification not implemented)**

Time = 0.13 (sec) , antiderivative size = 70, normalized size of antiderivative = 1.08

$$\int \text{ExpIntegralEi}(d(a + b \log(cx^n))) \, dx$$

$$= x \text{Ei}(bdn \log(x) + bd \log(c) + ad)$$

$$- \frac{\text{Ei}\left(bdn \log(x) + bd \log(c) + ad + \frac{\log(c)}{n} + \frac{a}{bn} + \log(x)\right) e^{-\frac{a}{bn}}}{c^{(\frac{1}{n})}}$$

input `integrate(Ei(d*(a+b*log(c*x^n))),x, algorithm="giac")`

output `x*Ei(b*d*n*log(x) + b*d*log(c) + a*d) - Ei(b*d*n*log(x) + b*d*log(c) + a*d + log(c)/n + a/(b*n) + log(x))*e^(-a/(b*n))/c^(1/n)`

**Mupad [F(-1)]**

Timed out.

$$\int \text{ExpIntegralEi}(d(a + b \log(cx^n))) \, dx = \int \text{ei}(d(a + b \ln(cx^n))) \, dx$$

input `int(ei(d*(a + b*log(c*x^n))),x)`

output `int(ei(d*(a + b*log(c*x^n))), x)`

**Reduce [F]**

$$\int \text{ExpIntegralEi}(d(a + b \log(cx^n))) \, dx = \int \text{ei}(\log(x^n c) bd + ad) \, dx$$

input `int(Ei(d*(a+b*log(c*x^n))),x)`

output `int(ei(log(x**n*c)*b*d + a*d),x)`

**3.44**       $\int \frac{\text{ExpIntegralEi}(d(a+b \log(cx^n)))}{x} dx$

Optimal result . . . . .	289
Mathematica [A] (verified) . . . . .	289
Rubi [A] (warning: unable to verify) . . . . .	290
Maple [A] (verified) . . . . .	291
Fricas [A] (verification not implemented) . . . . .	292
Sympy [F] . . . . .	292
Maxima [A] (verification not implemented) . . . . .	292
Giac [A] (verification not implemented) . . . . .	293
Mupad [B] (verification not implemented) . . . . .	293
Reduce [B] (verification not implemented) . . . . .	294

## Optimal result

Integrand size = 17, antiderivative size = 56

$$\begin{aligned} & \int \frac{\text{ExpIntegralEi}(d(a + b \log(cx^n)))}{x} dx \\ &= -\frac{e^{ad}(cx^n)^{bd}}{bdn} + \frac{\text{ExpIntegralEi}(d(a + b \log(cx^n)))(a + b \log(cx^n))}{bn} \end{aligned}$$

output -exp(a\*d)\*(c\*x^n)^(b\*d)/b/d/n+Ei(d\*(a+b\*ln(c\*x^n)))\*(a+b\*ln(c\*x^n))/b/n

## Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 52, normalized size of antiderivative = 0.93

$$\begin{aligned} & \int \frac{\text{ExpIntegralEi}(d(a + b \log(cx^n)))}{x} dx \\ &= \frac{-e^{ad}(cx^n)^{bd} + d \text{ExpIntegralEi}(d(a + b \log(cx^n)))(a + b \log(cx^n))}{bdn} \end{aligned}$$

input Integrate[ExpIntegralEi[d\*(a + b\*Log[c\*x^n])]/x,x]

output 
$$\frac{(-E^{(a+d)}(c*x^n)^{(b+d)} + d*ExpIntegralEi[d*(a + b*Log[c*x^n])]*(a + b*L og[c*x^n]))/(b*d*n)}$$

### Rubi [A] (warning: unable to verify)

Time = 0.24 (sec) , antiderivative size = 45, normalized size of antiderivative = 0.80, number of steps used = 4, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$ , Rules used = {3039, 7281, 7036}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\text{ExpIntegralEi}(d(a + b \log(cx^n)))}{x} dx \\
 & \quad \downarrow \textcolor{blue}{3039} \\
 & \int \frac{\text{ExpIntegralEi}(d(a + b \log(cx^n))) d \log(cx^n)}{n} \\
 & \quad \downarrow \textcolor{blue}{7281} \\
 & \int \frac{\text{ExpIntegralEi}(ad + b \log(cx^n) d) d(ad + b \log(cx^n) d)}{bdn} \\
 & \quad \downarrow \textcolor{blue}{7036} \\
 & \frac{(ad + bd \log(cx^n)) \text{ExpIntegralEi}(ad + b \log(cx^n) d) - cx^n}{bdn}
 \end{aligned}$$

input 
$$\text{Int}[\text{ExpIntegralEi}[d*(a + b*Log[c*x^n])]/x, x]$$

output 
$$\frac{(-c*x^n) + \text{ExpIntegralEi}[a*d + b*d*Log[c*x^n]]*(a*d + b*d*Log[c*x^n]))/(b*d*n)}$$

### Definitions of rubi rules used

rule 3039  $\text{Int}[u_, x_\text{Symbol}] \rightarrow \text{With}[\{\text{lst} = \text{FunctionOfLog}[\text{Cancel}[x*u], x]\}, \text{Simp}[1/\text{lst}[[3]] \text{Subst}[\text{Int}[\text{lst}[[1]], x], x, \text{Log}[\text{lst}[[2]]], x] /; \text{!FalseQ}[\text{lst}]] /; \text{NonsumQ}[u]$

rule 7036  $\text{Int}[\text{ExpIntegralEi}[(a_.) + (b_.)*(x_)], x_\text{Symbol}] \rightarrow \text{Simp}[(a + b*x)*(\text{ExpIntegralEi}[a + b*x]/b), x] - \text{Simp}[E^{\text{a}+\text{b}\text{x}}/b, x] /; \text{FreeQ}[\{a, b\}, x]$

rule 7281  $\text{Int}[u_, x_\text{Symbol}] \rightarrow \text{With}[\{\text{lst} = \text{FunctionOfLinear}[u, x]\}, \text{Simp}[1/\text{lst}[[3]] \text{Subst}[\text{Int}[\text{lst}[[1]], x], x, \text{lst}[[2]] + \text{lst}[[3]]*x], x] /; \text{!FalseQ}[\text{lst}]$

### Maple [A] (verified)

Time = 0.24 (sec) , antiderivative size = 56, normalized size of antiderivative = 1.00

method	result
derivativedivides	$\frac{\expIntegral(ad+\ln(cx^n)bd)(ad+\ln(cx^n)bd)-e^{ad+\ln(cx^n)bd}}{nbd}$
default	$\frac{\expIntegral(ad+\ln(cx^n)bd)(ad+\ln(cx^n)bd)-e^{ad+\ln(cx^n)bd}}{nbd}$
parallelrisch	$-\frac{-\ln(cx^n)\expIntegral(d(a+b\ln(cx^n)))b^2d-\expIntegral(d(a+b\ln(cx^n)))abd+e^{d(a+b\ln(cx^n))}b}{b^2dn}$
parts	$\ln(x)\expIntegral(d(a+b\ln(cx^n)))-bn\left(\frac{(\ln(cx^n)-n\ln(x))\expIntegral_1(-\ln(x)bdn-d(b\ln(cx^n))}{bn^2}\right)$

input  $\text{int}(\text{Ei}(d*(a+b*\ln(c*x^n)))/x, x, \text{method}=\text{_RETURNVERBOSE})$

output  $1/n/b/d*(\text{Ei}(a*d+\ln(cx^n)*b*d)*(a*d+\ln(cx^n)*b*d)-\exp(a*d+\ln(cx^n)*b*d))$

**Fricas [A] (verification not implemented)**

Time = 0.08 (sec) , antiderivative size = 59, normalized size of antiderivative = 1.05

$$\int \frac{\text{ExpIntegralEi}(d(a + b \log(cx^n)))}{x} dx \\ = \frac{(bdn \log(x) + bd \log(c) + ad)\text{Ei}(bd \log(cx^n) + ad) - e^{(bdn \log(x) + bd \log(c) + ad)}}{bdn}$$

input `integrate(Ei(d*(a+b*log(c*x^n)))/x,x, algorithm="fricas")`

output  $((b*d*n*\log(x) + b*d*\log(c) + a*d)*\text{Ei}(b*d*\log(c*x^n) + a*d) - e^{(b*d*n*\log(x) + b*d*\log(c) + a*d)})/(b*d*n)$

**Sympy [F]**

$$\int \frac{\text{ExpIntegralEi}(d(a + b \log(cx^n)))}{x} dx = \int \frac{\text{Ei}(ad + bd \log(cx^n))}{x} dx$$

input `integrate(Ei(d*(a+b*log(c*x**n)))/x,x)`

output `Integral(Ei(a*d + b*d*log(c*x**n))/x, x)`

**Maxima [A] (verification not implemented)**

Time = 0.03 (sec) , antiderivative size = 51, normalized size of antiderivative = 0.91

$$\int \frac{\text{ExpIntegralEi}(d(a + b \log(cx^n)))}{x} dx \\ = \frac{(b \log(cx^n) + a)d\text{Ei}((b \log(cx^n) + a)d) - e^{((b \log(cx^n) + a)d)}}{bdn}$$

input `integrate(Ei(d*(a+b*log(c*x^n)))/x,x, algorithm="maxima")`

output 
$$\frac{((b \log(cx^n) + a)*d*Ei((b \log(cx^n) + a)*d) - e^{(b \log(cx^n) + a)*d})}{(b*d*n)}$$

### Giac [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 61, normalized size of antiderivative = 1.09

$$\int \frac{\text{ExpIntegralEi}(d(a + b \log(cx^n)))}{x} dx \\ = \frac{(bdn \log(x) + bd \log(c) + ad) \text{Ei}(bdn \log(x) + bd \log(c) + ad) - e^{(bdn \log(x) + bd \log(c) + ad)}}{bdn}$$

input `integrate(Ei(d*(a+b*log(c*x^n)))/x,x, algorithm="giac")`

output 
$$\frac{((b*d*n*\log(x) + b*d*\log(c) + a*d)*\text{Ei}(b*d*n*\log(x) + b*d*\log(c) + a*d) - e^{(b*d*n*\log(x) + b*d*\log(c) + a*d)})}{(b*d*n)}$$

### Mupad [B] (verification not implemented)

Time = 0.15 (sec) , antiderivative size = 71, normalized size of antiderivative = 1.27

$$\int \frac{\text{ExpIntegralEi}(d(a + b \log(cx^n)))}{x} dx = \frac{\text{ei}(ad + bd \ln(cx^n)) \ln(cx^n)}{n} \\ + \frac{a \text{ei}(ad + bd \ln(cx^n))}{bn} - \frac{e^{ad} (cx^n)^{bd}}{bdn}$$

input `int(ei(d*(a + b*log(c*x^n)))/x,x)`

output 
$$\frac{(\text{ei}(a*d + b*d*\log(cx^n))*\log(cx^n))/n + (a*\text{ei}(a*d + b*d*\log(cx^n)))/(b*n) - (\exp(a*d)*(c*x^n)^(b*d))/(b*d*n)}$$

**Reduce [B] (verification not implemented)**

Time = 0.20 (sec) , antiderivative size = 69, normalized size of antiderivative = 1.23

$$\int \frac{\text{ExpIntegralEi}(d(a + b \log(cx^n)))}{x} dx \\ = \frac{ei(\log(x^n c) bd + ad) \log(x^n c) bd + ei(\log(x^n c) bd + ad) ad - x^{bdn} e^{ad} c^{bd}}{bdn}$$

input `int(Ei(d*(a+b*log(c*x^n)))/x,x)`

output `(ei(log(x**n*c)*b*d + a*d)*log(x**n*c)*b*d + ei(log(x**n*c)*b*d + a*d)*a*d  
- x**((b*d*n)*e**((a*d)*c**((b*d))))/(b*d*n)`

**3.45**  $\int \frac{\text{ExpIntegralEi}(d(a+b \log(cx^n)))}{x^2} dx$

Optimal result	295
Mathematica [A] (verified)	295
Rubi [A] (verified)	296
Maple [F]	297
Fricas [A] (verification not implemented)	297
Sympy [F(-1)]	298
Maxima [F]	298
Giac [F]	298
Mupad [F(-1)]	299
Reduce [F]	299

## Optimal result

Integrand size = 17, antiderivative size = 68

$$\begin{aligned} & \int \frac{\text{ExpIntegralEi}(d(a+b \log(cx^n)))}{x^2} dx \\ &= -\frac{\text{ExpIntegralEi}(d(a+b \log(cx^n)))}{x} \\ &+ \frac{e^{\frac{a}{bn}} (cx^n)^{\frac{1}{n}} \text{ExpIntegralEi}\left(-\frac{(1-bdn)(a+b \log(cx^n))}{bn}\right)}{x} \end{aligned}$$

output 
$$-\text{Ei}(d*(a+b*\ln(c*x^n)))/x + \exp(a/b/n)*(c*x^n)^(1/n)*\text{Ei}(-(b*d*n+1)*(a+b*\ln(c*x^n))/b/n)/x$$

## Mathematica [A] (verified)

Time = 0.10 (sec), antiderivative size = 64, normalized size of antiderivative = 0.94

$$\begin{aligned} & \int \frac{\text{ExpIntegralEi}(d(a+b \log(cx^n)))}{x^2} dx \\ &= \frac{-\text{ExpIntegralEi}(d(a+b \log(cx^n))) + e^{\frac{a}{bn}} (cx^n)^{\frac{1}{n}} \text{ExpIntegralEi}\left(\frac{(-1+bdn)(a+b \log(cx^n))}{bn}\right)}{x} \end{aligned}$$

input  $\text{Integrate}[\text{ExpIntegralEi}[d*(a + b*\log[c*x^n])]/x^2, x]$

output  $(-\text{ExpIntegralEi}[d*(a + b*\log[c*x^n])] + E^{(a/(b*n))}*(c*x^n)^n^{-1}*\text{ExpIntegralEi}[((-1 + b*d*n)*(a + b*\log[c*x^n]))/(b*n)])/x$

## Rubi [A] (verified)

Time = 0.31 (sec), antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.176, Rules used = {7048, 2747, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\text{ExpIntegralEi}(d(a + b \log(cx^n)))}{x^2} dx \\
 & \quad \downarrow \text{7048} \\
 & bne^{ad} x^{-bdn} (cx^n)^{bd} \int \frac{x^{bdn-2}}{a + b \log(cx^n)} dx - \frac{\text{ExpIntegralEi}(d(a + b \log(cx^n)))}{x} \\
 & \quad \downarrow \text{2747} \\
 & \frac{be^{ad} (cx^n)^{\frac{1}{n}} \int \frac{(cx^n)^{-\frac{1-bdn}{n}}}{a+b \log(cx^n)} d \log(cx^n)}{x} - \frac{\text{ExpIntegralEi}(d(a + b \log(cx^n)))}{x} \\
 & \quad \downarrow \text{2609} \\
 & \frac{e^{\frac{a}{bn}} (cx^n)^{\frac{1}{n}} \text{ExpIntegralEi}\left(-\frac{(1-bdn)(a+b \log(cx^n))}{bn}\right)}{x} - \frac{\text{ExpIntegralEi}(d(a + b \log(cx^n)))}{x}
 \end{aligned}$$

input  $\text{Int}[\text{ExpIntegralEi}[d*(a + b*\log[c*x^n])]/x^2, x]$

output  $-(\text{ExpIntegralEi}[d*(a + b*\log[c*x^n])]/x) + (E^{(a/(b*n))}*(c*x^n)^n^{-1}*\text{ExpIntegralEi}[-(((1 - b*d*n)*(a + b*\log[c*x^n]))/(b*n))])/x$

### Definitions of rubi rules used

rule 2609  $\text{Int}[(F_{\_})^((g_{\_})*(e_{\_}) + (f_{\_})*(x_{\_}))/((c_{\_}) + (d_{\_})*(x_{\_})), x_{\text{Symbol}}] \rightarrow \text{Simp}[(F^g(e - c*(f/d))/d)*\text{ExpIntegralEi}[f*g*(c + d*x)*(Log[F]/d)], x] /; \text{FreeQ}[\{F, c, d, e, f, g\}, x] \& \text{TrueQ}[\$UseGamma]$

rule 2747  $\text{Int}[((a_{\_}) + \text{Log}[(c_{\_})*(x_{\_})^{(n_{\_})}]*b_{\_})^{(p_{\_})}*((d_{\_})*(x_{\_}))^{(m_{\_})}, x_{\text{Symbol}}] \rightarrow \text{Simp}[(d*x)^{(m+1)}/(d*n*(c*x^n)^{(m+1)/n}) \text{Subst}[\text{Int}[E^{((m+1)/n)}*x)*(a+b*x)^p, x], x, \text{Log}[c*x^n]], x] /; \text{FreeQ}[\{a, b, c, d, m, n, p\}, x]$

rule 7048  $\text{Int}[\text{ExpIntegralEi}[(a_{\_}) + \text{Log}[(c_{\_})*(x_{\_})^{(n_{\_})}]*b_{\_})*(d_{\_})*((e_{\_})*(x_{\_}))^{(m_{\_})}, x_{\text{Symbol}}] \rightarrow \text{Simp}[(e*x)^{(m+1)}*\text{ExpIntegralEi}[d*(a+b*\text{Log}[c*x^n])/((e*(m+1))), x] - \text{Simp}[b*n*E^{(a*d)*((c*x^n)^{(b*d})/((m+1)*(e*x)^(b*d*n))}] \text{Int}[(e*x)^{(m+b*d*n)}/(a+b*\text{Log}[c*x^n]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, m, n\}, x] \& \text{NeQ}[m, -1]$

### Maple [F]

$$\int \frac{\expIntegral(d(a + b \ln(cx^n)))}{x^2} dx$$

input  $\text{int}(\text{Ei}(d*(a+b*\ln(c*x^n)))/x^2, x)$

output  $\text{int}(\text{Ei}(d*(a+b*\ln(c*x^n)))/x^2, x)$

### Fricas [A] (verification not implemented)

Time = 0.09 (sec), antiderivative size = 83, normalized size of antiderivative = 1.22

$$\begin{aligned} & \int \frac{\text{ExpIntegralEi}(d(a + b \log(cx^n)))}{x^2} dx \\ &= \frac{x \text{Ei}\left(\frac{abdn + (b^2 dn - b) \log(c) + (b^2 dn^2 - bn) \log(x) - a}{bn}\right) e^{\left(\frac{b \log(c) + a}{bn}\right)} - \text{Ei}(bd \log(cx^n) + ad)}{x} \end{aligned}$$

input  $\text{integrate}(\text{Ei}(d*(a+b*\log(c*x^n)))/x^2, x, \text{algorithm}=\text{"fricas"})$

output 
$$(x \operatorname{Ei}((a*b*d*n + (b^2*d*n - b)*\log(c) + (b^2*d*n^2 - b*n)*\log(x) - a)/(b*n)) * e^{((b*\log(c) + a)/(b*n))} - \operatorname{Ei}(b*d*\log(c*x^n) + a*d))/x$$

## Sympy [F(-1)]

Timed out.

$$\int \frac{\operatorname{ExpIntegralEi}(d(a + b \log(cx^n)))}{x^2} dx = \text{Timed out}$$

input `integrate(Ei(d*(a+b*log(c*x**n)))/x**2,x)`

output Timed out

## Maxima [F]

$$\int \frac{\operatorname{ExpIntegralEi}(d(a + b \log(cx^n)))}{x^2} dx = \int \frac{\operatorname{Ei}((b \log(cx^n) + a)d)}{x^2} dx$$

input `integrate(Ei(d*(a+b*log(c*x^n)))/x^2,x, algorithm="maxima")`

output `integrate(Ei((b*log(c*x^n) + a)*d)/x^2, x)`

## Giac [F]

$$\int \frac{\operatorname{ExpIntegralEi}(d(a + b \log(cx^n)))}{x^2} dx = \int \frac{\operatorname{Ei}((b \log(cx^n) + a)d)}{x^2} dx$$

input `integrate(Ei(d*(a+b*log(c*x^n)))/x^2,x, algorithm="giac")`

output `integrate(Ei((b*log(c*x^n) + a)*d)/x^2, x)`

**Mupad [F(-1)]**

Timed out.

$$\int \frac{\text{ExpIntegralEi}(d(a + b \log(cx^n)))}{x^2} dx = \int \frac{\text{ei}(d(a + b \ln(cx^n)))}{x^2} dx$$

input `int(ei(d*(a + b*log(c*x^n)))/x^2,x)`

output `int(ei(d*(a + b*log(c*x^n)))/x^2, x)`

**Reduce [F]**

$$\int \frac{\text{ExpIntegralEi}(d(a + b \log(cx^n)))}{x^2} dx = \int \frac{ei(\log(x^n c) bd + ad)}{x^2} dx$$

input `int(Ei(d*(a+b*log(c*x^n)))/x^2,x)`

output `int(ei(log(x**n*c)*b*d + a*d)/x**2,x)`

**3.46**       $\int \frac{\text{ExpIntegralEi}(d(a+b \log(cx^n)))}{x^3} dx$

Optimal result . . . . .	300
Mathematica [A] (verified) . . . . .	300
Rubi [A] (verified) . . . . .	301
Maple [F] . . . . .	302
Fricas [A] (verification not implemented) . . . . .	302
Sympy [F(-1)] . . . . .	303
Maxima [F] . . . . .	303
Giac [F] . . . . .	303
Mupad [F(-1)] . . . . .	304
Reduce [F] . . . . .	304

## Optimal result

Integrand size = 17, antiderivative size = 76

$$\begin{aligned} & \int \frac{\text{ExpIntegralEi}(d(a + b \log(cx^n)))}{x^3} dx \\ &= -\frac{\text{ExpIntegralEi}(d(a + b \log(cx^n)))}{2x^2} \\ &+ \frac{e^{\frac{2a}{bn}} (cx^n)^{2/n} \text{ExpIntegralEi}\left(-\frac{(2-bdn)(a+b \log(cx^n))}{bn}\right)}{2x^2} \end{aligned}$$

output 
$$-1/2*\text{Ei}(d*(a+b*\ln(c*x^n))/x^2)+1/2*\exp(2*a/b/n)*(c*x^n)^(2/n)*\text{Ei}(-(b*d*n+2)*(a+b*\ln(c*x^n))/b/n)/x^2$$

## Mathematica [A] (verified)

Time = 0.10 (sec) , antiderivative size = 69, normalized size of antiderivative = 0.91

$$\begin{aligned} & \int \frac{\text{ExpIntegralEi}(d(a + b \log(cx^n)))}{x^3} dx = \\ &-\frac{\text{ExpIntegralEi}(d(a + b \log(cx^n))) - e^{\frac{2a}{bn}} (cx^n)^{2/n} \text{ExpIntegralEi}\left(\frac{(-2+bdn)(a+b \log(cx^n))}{bn}\right)}{2x^2} \end{aligned}$$

input  $\text{Integrate}[\text{ExpIntegralEi}[d*(a + b*\log[c*x^n])]/x^3, x]$

output 
$$\begin{aligned} & -\frac{1}{2} \left( \text{ExpIntegralEi}[d*(a + b*\log[c*x^n])] - E^{((2*a)/(b*n))} * (c*x^n)^{(2/n)} * \right. \\ & \left. \text{ExpIntegralEi}[((-2 + b*d*n)*(a + b*\log[c*x^n]))/(b*n)] \right) / x^2 \end{aligned}$$

## Rubi [A] (verified)

Time = 0.32 (sec), antiderivative size = 76, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$ , Rules used = {7048, 2747, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{\text{ExpIntegralEi}(d(a + b \log(cx^n)))}{x^3} dx \\ & \quad \downarrow 7048 \\ & \frac{1}{2} b n e^{ad} x^{-bdn} (cx^n)^{bd} \int \frac{x^{bdn-3}}{a + b \log(cx^n)} dx - \frac{\text{ExpIntegralEi}(d(a + b \log(cx^n)))}{2x^2} \\ & \quad \downarrow 2747 \\ & \frac{b e^{ad} (cx^n)^{2/n} \int \frac{(cx^n)^{-\frac{2-bdn}{n}}}{a+b \log(cx^n)} d \log(cx^n)}{2x^2} - \frac{\text{ExpIntegralEi}(d(a + b \log(cx^n)))}{2x^2} \\ & \quad \downarrow 2609 \\ & \frac{e^{\frac{2a}{bn}} (cx^n)^{2/n} \text{ExpIntegralEi}\left(-\frac{(2-bdn)(a+b \log(cx^n))}{bn}\right)}{2x^2} - \frac{\text{ExpIntegralEi}(d(a + b \log(cx^n)))}{2x^2} \end{aligned}$$

input  $\text{Int}[\text{ExpIntegralEi}[d*(a + b*\log[c*x^n])]/x^3, x]$

output 
$$\begin{aligned} & -\frac{1}{2} \text{ExpIntegralEi}[d*(a + b*\log[c*x^n])]/x^2 + (E^{((2*a)/(b*n))} * (c*x^n)^{(2/n)} * \\ & \text{ExpIntegralEi}[-(((2 - b*d*n)*(a + b*\log[c*x^n]))/(b*n))])/(2*x^2) \end{aligned}$$

### Definitions of rubi rules used

rule 2609  $\text{Int}[(F_{\_})^((g_{\_})*(e_{\_}) + (f_{\_})*(x_{\_}))/((c_{\_}) + (d_{\_})*(x_{\_})), x_{\text{Symbol}}] \rightarrow \text{Simp}[(F^g(e - c*(f/d))/d)*\text{ExpIntegralEi}[f*g*(c + d*x)*(Log[F]/d)], x] /; \text{FreeQ}[\{F, c, d, e, f, g\}, x] \& \text{TrueQ}[\$UseGamma]$

rule 2747  $\text{Int}[((a_{\_}) + \text{Log}[(c_{\_})*(x_{\_})^{(n_{\_})}]*b_{\_})^{(p_{\_})}*((d_{\_})*(x_{\_}))^{(m_{\_})}, x_{\text{Symbol}}] \rightarrow \text{Simp}[(d*x)^{(m+1)}/(d*n*(c*x^n)^{(m+1)/n}) \text{Subst}[\text{Int}[E^{((m+1)/n)}*x)*(a+b*x)^p, x], x, \text{Log}[c*x^n]], x] /; \text{FreeQ}[\{a, b, c, d, m, n, p\}, x]$

rule 7048  $\text{Int}[\text{ExpIntegralEi}[(a_{\_}) + \text{Log}[(c_{\_})*(x_{\_})^{(n_{\_})}]*b_{\_})*(d_{\_})*((e_{\_})*(x_{\_}))^{(m_{\_})}, x_{\text{Symbol}}] \rightarrow \text{Simp}[(e*x)^{(m+1)}*\text{ExpIntegralEi}[d*(a+b*\text{Log}[c*x^n])/((e*(m+1))), x] - \text{Simp}[b*n*E^{(a*d)*((c*x^n)^{(b*d})/((m+1)*(e*x)^(b*d*n))}] \text{Int}[(e*x)^{(m+b*d*n)}/(a+b*\text{Log}[c*x^n]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, m, n\}, x] \& \text{NeQ}[m, -1]$

### Maple [F]

$$\int \frac{\expIntegral(d(a + b \ln(cx^n)))}{x^3} dx$$

input  $\text{int}(\text{Ei}(d*(a+b*\ln(c*x^n)))/x^3, x)$

output  $\text{int}(\text{Ei}(d*(a+b*\ln(c*x^n)))/x^3, x)$

### Fricas [A] (verification not implemented)

Time = 0.10 (sec), antiderivative size = 87, normalized size of antiderivative = 1.14

$$\begin{aligned} & \int \frac{\text{ExpIntegralEi}(d(a + b \log(cx^n)))}{x^3} dx \\ &= \frac{x^2 \text{Ei}\left(\frac{abdn + (b^2 dn - 2b) \log(c) + (b^2 dn^2 - 2bn) \log(x) - 2a}{bn}\right) e^{\left(\frac{2(b \log(c) + a)}{bn}\right)} - \text{Ei}(bd \log(cx^n) + ad)}{2x^2} \end{aligned}$$

input  $\text{integrate}(\text{Ei}(d*(a+b*\log(c*x^n)))/x^3, x, \text{algorithm}=\text{"fricas"})$

output 
$$\frac{1}{2} \left( x^2 \operatorname{Ei}(a b d n + (b^2 d n - 2 b) \log(c) + (b^2 d n^2 - 2 b n) \log(x) - 2 a) / (b n) \right) e^{(2(b \log(c) + a) / (b n))} - \operatorname{Ei}(b d \log(c x^n) + a d) / x^2$$

## Sympy [F(-1)]

Timed out.

$$\int \frac{\operatorname{ExpIntegralEi}(d(a + b \log(cx^n)))}{x^3} dx = \text{Timed out}$$

input `integrate(Ei(d*(a+b*log(c*x^n)))/x**3,x)`

output Timed out

## Maxima [F]

$$\int \frac{\operatorname{ExpIntegralEi}(d(a + b \log(cx^n)))}{x^3} dx = \int \frac{\operatorname{Ei}((b \log(cx^n) + a)d)}{x^3} dx$$

input `integrate(Ei(d*(a+b*log(c*x^n)))/x^3,x, algorithm="maxima")`

output `integrate(Ei((b*log(c*x^n) + a)*d)/x^3, x)`

## Giac [F]

$$\int \frac{\operatorname{ExpIntegralEi}(d(a + b \log(cx^n)))}{x^3} dx = \int \frac{\operatorname{Ei}((b \log(cx^n) + a)d)}{x^3} dx$$

input `integrate(Ei(d*(a+b*log(c*x^n)))/x^3,x, algorithm="giac")`

output `integrate(Ei((b*log(c*x^n) + a)*d)/x^3, x)`

**Mupad [F(-1)]**

Timed out.

$$\int \frac{\text{ExpIntegralEi}(d(a + b \log(cx^n)))}{x^3} dx = \int \frac{\text{ei}(d(a + b \ln(cx^n)))}{x^3} dx$$

input `int(ei(d*(a + b*log(c*x^n)))/x^3,x)`

output `int(ei(d*(a + b*log(c*x^n)))/x^3, x)`

**Reduce [F]**

$$\int \frac{\text{ExpIntegralEi}(d(a + b \log(cx^n)))}{x^3} dx = \int \frac{ei(\log(x^n c) bd + ad)}{x^3} dx$$

input `int(Ei(d*(a+b*log(c*x^n)))/x^3,x)`

output `int(ei(log(x**n*c)*b*d + a*d)/x**3,x)`

**3.47**

$$\int (ex)^m \operatorname{ExpIntegralEi}(d(a + b \log(cx^n))) dx$$

Optimal result . . . . .	305
Mathematica [A] (verified) . . . . .	305
Rubi [A] (verified) . . . . .	306
Maple [F] . . . . .	307
Fricas [A] (verification not implemented)	308
Sympy [F(-1)] . . . . .	308
Maxima [F] . . . . .	308
Giac [F] . . . . .	309
Mupad [F(-1)] . . . . .	309
Reduce [F] . . . . .	309

## Optimal result

Integrand size = 19, antiderivative size = 100

$$\begin{aligned} & \int (ex)^m \operatorname{ExpIntegralEi}(d(a + b \log(cx^n))) dx \\ &= \frac{(ex)^{1+m} \operatorname{ExpIntegralEi}(d(a + b \log(cx^n)))}{e(1+m)} \\ &\quad - \frac{e^{-\frac{a(1+m)}{bn}} (ex)^{1+m} (cx^n)^{-\frac{1+m}{n}} \operatorname{ExpIntegralEi}\left(\frac{(1+m+bdbn)(a+b \log(cx^n))}{bn}\right)}{e(1+m)} \end{aligned}$$

output  $(e*x)^(1+m)*Ei(d*(a+b*ln(c*x^n)))/e/(1+m)-(e*x)^(1+m)*Ei((b*d*n+m+1)*(a+b*ln(c*x^n))/b/n)/e/exp(a*(1+m)/b/n)/(1+m)/((c*x^n)^(1+m)/n))$

## Mathematica [A] (verified)

Time = 0.17 (sec) , antiderivative size = 88, normalized size of antiderivative = 0.88

$$\begin{aligned} & \int (ex)^m \operatorname{ExpIntegralEi}(d(a + b \log(cx^n))) dx \\ &= \frac{(ex)^m \left( x \operatorname{ExpIntegralEi}(d(a + b \log(cx^n))) - e^{-\frac{(1+m)(a-bn \log(x)+b \log(cx^n))}{bn}} x^{-m} \operatorname{ExpIntegralEi}\left(\frac{(1+m+bdbn)(a+b \log(cx^n))}{bn}\right) \right)}{1+m} \end{aligned}$$

input  $\text{Integrate}[(e*x)^m * \text{ExpIntegralEi}[d*(a + b*\log[c*x^n])], x]$

output  $((e*x)^m * (x * \text{ExpIntegralEi}[d*(a + b*\log[c*x^n])] - \text{ExpIntegralEi}[(1 + m + b*d*n)*(a + b*\log[c*x^n])/(b*n)] / (E^{((1 + m)*(a - b*n*\log[x] + b*\log[c*x^n]))/(b*n)*x^m}))) / (1 + m)$

## Rubi [A] (verified)

Time = 0.35 (sec), antiderivative size = 116, normalized size of antiderivative = 1.16, number of steps used = 4, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {7048, 2747, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (ex)^m \text{ExpIntegralEi}(d(a + b \log(cx^n))) dx \\
 & \downarrow \textcolor{blue}{7048} \\
 & \frac{(ex)^{m+1} \text{ExpIntegralEi}(d(a + b \log(cx^n)))}{e(m+1)} - \frac{b n e^{ad} (cx^n)^{bd} (ex)^{-bdn} \int \frac{(ex)^{m+bdn}}{a+b \log(cx^n)} dx}{m+1} \\
 & \downarrow \textcolor{blue}{2747} \\
 & \frac{(ex)^{m+1} \text{ExpIntegralEi}(d(a + b \log(cx^n)))}{e(m+1)} - \\
 & \frac{b e^{ad} (ex)^{m+1} (cx^n)^{bd - \frac{bdn+m+1}{n}} \int \frac{(cx^n)^{\frac{m+bdn+1}{n}}}{a+b \log(cx^n)} d \log(cx^n)}{e(m+1)} \\
 & \downarrow \textcolor{blue}{2609} \\
 & \frac{(ex)^{m+1} \text{ExpIntegralEi}(d(a + b \log(cx^n)))}{e(m+1)} - \\
 & \frac{(ex)^{m+1} e^{ad - \frac{a(bdn+m+1)}{bn}} (cx^n)^{bd - \frac{bdn+m+1}{n}} \text{ExpIntegralEi}\left(\frac{(m+bdn+1)(a+b \log(cx^n))}{bn}\right)}{e(m+1)}
 \end{aligned}$$

input  $\text{Int}[(e*x)^m * \text{ExpIntegralEi}[d*(a + b*\log[c*x^n])], x]$

output 
$$\frac{((e*x)^{(1+m)}*ExpIntegralEi[d*(a+b*Log[c*x^n])])/(e^{(1+m)}) - (E^{(a*d - (a*(1+m+b*d*n))/(b*n))}*(e*x)^{(1+m)}*(c*x^n)^{(b*d - (1+m+b*d*n)/n)}*ExpIntegralEi[((1+m+b*d*n)*(a+b*Log[c*x^n]))/(b*n)])/(e^{(1+m)})}{}$$

### Defintions of rubi rules used

rule 2609 
$$Int[(F_{\_})^((g_{\_})*((e_{\_}) + (f_{\_})*(x_{\_}))) / ((c_{\_}) + (d_{\_})*(x_{\_})), x_{\_Symbol}] \rightarrow Simp[(F^{(g*(e - c*(f/d)))}/d)*ExpIntegralEi[f*g*(c + d*x)*(Log[F]/d)], x] /; FreeQ[{F, c, d, e, f, g}, x] \&& !TrueQ[$UseGamma]$$

rule 2747 
$$Int[((a_{\_}) + Log[(c_{\_})*(x_{\_})^(n_{\_})]*(b_{\_}))^{(p_{\_})}*((d_{\_})*(x_{\_}))^{(m_{\_})}, x_{\_Symbol}] \rightarrow Simp[(d*x)^(m+1)/(d*n*(c*x^n)^(m+1/n)) Subst[Int[E^((m+1)/n)*x)*(a+b*x)^p, x], x, Log[c*x^n]], x] /; FreeQ[{a, b, c, d, m, n, p}, x]$$

rule 7048 
$$Int[ExpIntegralEi[((a_{\_}) + Log[(c_{\_})*(x_{\_})^(n_{\_})]*(b_{\_}))*((d_{\_})*((e_{\_})*(x_{\_}))^{(m_{\_})}), x_{\_Symbol}] \rightarrow Simp[(e*x)^(m+1)*(ExpIntegralEi[d*(a+b*Log[c*x^n])]/(e*(m+1))), x] - Simp[b*n*E^(a*d)*((c*x^n)^(b*d))/((m+1)*(e*x)^(b*d*n))) Int[(e*x)^(m+b*d*n)/(a+b*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] \&& NeQ[m, -1]$$

### Maple [F]

$$\int (ex)^m \expIntegral(d(a + b \ln(cx^n))) dx$$

input 
$$\text{int}((e*x)^m * \text{Ei}(d*(a+b*\ln(c*x^n))), x)$$

output 
$$\text{int}((e*x)^m * \text{Ei}(d*(a+b*\ln(c*x^n))), x)$$

## Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 117, normalized size of antiderivative = 1.17

$$\int (ex)^m \operatorname{ExpIntegralEi}(d(a + b \log(cx^n))) dx$$

$$= \frac{x \operatorname{Ei}(bd \log(cx^n) + ad) e^{(m \log(e) + m \log(x))} - \operatorname{Ei}\left(\frac{abd n + am + (b^2 d n + b m + b) \log(c) + (b^2 d n^2 + (b m + b) n) \log(x) + a}{b n}\right) e^{\left(\frac{b m n \log(e) + a m}{b n}\right)}}{m + 1}$$

input `integrate((e*x)^m*Ei(d*(a+b*log(c*x^n))),x, algorithm="fricas")`

output 
$$(x * \operatorname{Ei}(b * d * \log(c * x^n) + a * d) * e^{(m * \log(e) + m * \log(x))} - \operatorname{Ei}((a * b * d * n + a * m + (b^2 * d * n + b * m + b) * \log(c) + (b^2 * d * n^2 + (b * m + b) * n) * \log(x) + a) / (b * n)) * e^{((b * m * n * \log(e) - a * m - (b * m + b) * \log(c) - a) / (b * n))}) / (m + 1)$$

## Sympy [F(-1)]

Timed out.

$$\int (ex)^m \operatorname{ExpIntegralEi}(d(a + b \log(cx^n))) dx = \text{Timed out}$$

input `integrate((e*x)**m*Ei(d*(a+b*ln(c*x**n))),x)`

output `Timed out`

## Maxima [F]

$$\int (ex)^m \operatorname{ExpIntegralEi}(d(a + b \log(cx^n))) dx = \int (ex)^m \operatorname{Ei}((b \log(cx^n) + a)d) dx$$

input `integrate((e*x)^m*Ei(d*(a+b*log(c*x^n))),x, algorithm="maxima")`

output `integrate((e*x)^m*Ei((b*log(c*x^n) + a)*d), x)`

**Giac [F]**

$$\int (ex)^m \text{ExpIntegralEi}(d(a + b \log(cx^n))) \, dx = \int (ex)^m \text{Ei}((b \log(cx^n) + a)d) \, dx$$

input `integrate((e*x)^m*Ei(d*(a+b*log(c*x^n))),x, algorithm="giac")`

output `integrate((e*x)^m*Ei((b*log(c*x^n) + a)*d), x)`

**Mupad [F(-1)]**

Timed out.

$$\int (ex)^m \text{ExpIntegralEi}(d(a + b \log(cx^n))) \, dx = \int \text{ei}(d(a + b \ln(cx^n))) (e x)^m \, dx$$

input `int(ei(d*(a + b*log(c*x^n)))*(e*x)^m,x)`

output `int(ei(d*(a + b*log(c*x^n)))*(e*x)^m, x)`

**Reduce [F]**

$$\int (ex)^m \text{ExpIntegralEi}(d(a + b \log(cx^n))) \, dx = e^m \left( \int x^m \text{ei}(\log(x^n c) bd + ad) \, dx \right)$$

input `int((e*x)^m*Ei(d*(a+b*log(c*x^n))),x)`

output `e**m**int(x**m*ei(log(x**n*c)*b*d + a*d),x)`

$$3.48 \quad \int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x^3} dx$$

Optimal result . . . . .	310
Mathematica [F] . . . . .	310
Rubi [A] (verified) . . . . .	311
Maple [F] . . . . .	313
Fricas [A] (verification not implemented) . . . . .	314
Sympy [F] . . . . .	314
Maxima [F] . . . . .	314
Giac [F] . . . . .	315
Mupad [F(-1)] . . . . .	315
Reduce [F] . . . . .	315

## Optimal result

Integrand size = 13, antiderivative size = 82

$$\begin{aligned} \int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x^3} dx = & -\frac{e^{2bx}}{4x^2} - \frac{be^{2bx}}{x} - \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{2x^2} \\ & - \frac{be^{bx} \operatorname{ExpIntegralEi}(bx)}{2x} + \frac{1}{4} b^2 \operatorname{ExpIntegralEi}(bx)^2 \\ & + 2b^2 \operatorname{ExpIntegralEi}(2bx) \end{aligned}$$

output 
$$-1/4*\exp(2*b*x)/x^2-b*\exp(2*b*x)/x-1/2*\exp(b*x)*\operatorname{Ei}(b*x)/x^2-1/2*b*\exp(b*x)*\operatorname{Ei}(b*x)/x+1/4*b^2*\operatorname{Ei}(b*x)^2+2+b^2*\operatorname{Ei}(2*b*x)$$

## Mathematica [F]

$$\int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x^3} dx = \int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x^3} dx$$

input  $\operatorname{Integrate}[(E^{(b*x)}*\operatorname{ExpIntegralEi}[b*x])/x^3, x]$

output  $\operatorname{Integrate}[(E^{(b*x)}*\operatorname{ExpIntegralEi}[b*x])/x^3, x]$

## Rubi [A] (verified)

Time = 0.63 (sec) , antiderivative size = 107, normalized size of antiderivative = 1.30, number of steps used = 10, number of rules used = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.769$ , Rules used = {7045, 27, 2608, 2608, 2609, 7045, 27, 2608, 2609, 7237}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x^3} dx \\
 & \quad \downarrow \textcolor{blue}{7045} \\
 & \frac{1}{2} b \int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x^2} dx + \frac{1}{2} b \int \frac{e^{2bx}}{bx^3} dx - \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{2x^2} \\
 & \quad \downarrow \textcolor{blue}{27} \\
 & \frac{1}{2} b \int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x^2} dx + \frac{1}{2} \int \frac{e^{2bx}}{x^3} dx - \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{2x^2} \\
 & \quad \downarrow \textcolor{blue}{2608} \\
 & \frac{1}{2} b \int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x^2} dx + \frac{1}{2} \left( b \int \frac{e^{2bx}}{x^2} dx - \frac{e^{2bx}}{2x^2} \right) - \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{2x^2} \\
 & \quad \downarrow \textcolor{blue}{2608} \\
 & \frac{1}{2} b \int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x^2} dx + \frac{1}{2} \left( b \left( 2b \int \frac{e^{2bx}}{x} dx - \frac{e^{2bx}}{x} \right) - \frac{e^{2bx}}{2x^2} \right) - \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{2x^2} \\
 & \quad \downarrow \textcolor{blue}{2609} \\
 & \frac{1}{2} b \int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x^2} dx - \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{2x^2} + \\
 & \quad \frac{1}{2} \left( b \left( 2b \operatorname{ExpIntegralEi}(2bx) - \frac{e^{2bx}}{x} \right) - \frac{e^{2bx}}{2x^2} \right) \\
 & \quad \downarrow \textcolor{blue}{7045} \\
 & \frac{1}{2} b \left( b \int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x} dx + b \int \frac{e^{2bx}}{bx^2} dx - \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x} \right) - \\
 & \quad \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{2x^2} + \frac{1}{2} \left( b \left( 2b \operatorname{ExpIntegralEi}(2bx) - \frac{e^{2bx}}{x} \right) - \frac{e^{2bx}}{2x^2} \right) \\
 & \quad \downarrow \textcolor{blue}{27}
 \end{aligned}$$

$$\begin{aligned}
& \frac{1}{2} b \left( b \int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x} dx + \int \frac{e^{2bx}}{x^2} dx - \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x} \right) - \\
& \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{2x^2} + \frac{1}{2} \left( b \left( 2b \operatorname{ExpIntegralEi}(2bx) - \frac{e^{2bx}}{x} \right) - \frac{e^{2bx}}{2x^2} \right) \\
& \quad \downarrow \text{2608} \\
& \frac{1}{2} b \left( b \int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x} dx + 2b \int \frac{e^{2bx}}{x} dx - \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x} - \frac{e^{2bx}}{x} \right) - \\
& \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{2x^2} + \frac{1}{2} \left( b \left( 2b \operatorname{ExpIntegralEi}(2bx) - \frac{e^{2bx}}{x} \right) - \frac{e^{2bx}}{2x^2} \right) \\
& \quad \downarrow \text{2609} \\
& \frac{1}{2} b \left( b \int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x} dx - \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x} + 2b \operatorname{ExpIntegralEi}(2bx) - \frac{e^{2bx}}{x} \right) - \\
& \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{2x^2} + \frac{1}{2} \left( b \left( 2b \operatorname{ExpIntegralEi}(2bx) - \frac{e^{2bx}}{x} \right) - \frac{e^{2bx}}{2x^2} \right) \\
& \quad \downarrow \text{7237} \\
& -\frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{2x^2} + \frac{1}{2} \left( b \left( 2b \operatorname{ExpIntegralEi}(2bx) - \frac{e^{2bx}}{x} \right) - \frac{e^{2bx}}{2x^2} \right) + \\
& \frac{1}{2} b \left( \frac{1}{2} b \operatorname{ExpIntegralEi}(bx)^2 - \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x} + 2b \operatorname{ExpIntegralEi}(2bx) - \frac{e^{2bx}}{x} \right)
\end{aligned}$$

input `Int[(E^(b*x)*ExpIntegralEi[b*x])/x^3,x]`

output `-1/2*(E^(b*x)*ExpIntegralEi[b*x])/x^2 + (b*(-(E^(2*b*x))/x) - (E^(b*x)*ExpIntegralEi[b*x]))/x + (b*ExpIntegralEi[b*x]^2)/2 + 2*b*ExpIntegralEi[2*b*x])/2 + (-1/2*E^(2*b*x)/x^2 + b*(-(E^(2*b*x))/x) + 2*b*ExpIntegralEi[2*b*x]))/2`

### Defintions of rubi rules used

rule 27 `Int[(a_)*(Fx_), x_Symbol] :> Simpl[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]]`

rule 2608  $\text{Int}[(b_*)*(F_*)^{(g_*)*((e_*) + (f_*)*(x_*))})^{(n_*)*((c_*) + (d_*)*(x_*))^{(m_*)}}, x_{\text{Symbol}}] \rightarrow \text{Simp}[(c + d*x)^{(m + 1)*((b*F^{(g*(e + f*x))})^n/(d*(m + 1)))}, x] - \text{Simp}[f*g*n*(\text{Log}[F]/(d*(m + 1))) \text{Int}[(c + d*x)^{(m + 1)*(b*F^{(g*(e + f*x))})^n}, x], x]; \text{FreeQ}[\{F, b, c, d, e, f, g, n\}, x] \& \text{LtQ}[m, -1] \&& \text{IntegerQ}[2*m] \&& \text{!TrueQ}[\$UseGamma]$

rule 2609  $\text{Int}[(F_*)^{(g_*)*((e_*) + (f_*)*(x_*))}/((c_*) + (d_*)*(x_)), x_{\text{Symbol}}] \rightarrow \text{Simp}[(F^{(g*(e - c*(f/d)))}/d)*\text{ExpIntegralEi}[f*g*(c + d*x)*(\text{Log}[F]/d)], x]; \text{FreeQ}[\{F, c, d, e, f, g\}, x] \&& \text{!TrueQ}[\$UseGamma]$

rule 7045  $\text{Int}[E^{(a_*) + (b_*)*(x_*)}*\text{ExpIntegralEi}[(c_*) + (d_*)*(x_*)]*(x_*)^{(m_*)}, x_{\text{Symbol}}] \rightarrow \text{Simp}[x^{(m + 1)*E^{(a + b*x)}*\text{ExpIntegralEi}[c + d*x]/(m + 1)}, x] + (-\text{Simp}[b/(m + 1) \text{Int}[x^{(m + 1)*E^{(a + b*x)}*\text{ExpIntegralEi}[c + d*x]}, x], x] - \text{Simp}[d/(m + 1) \text{Int}[x^{(m + 1)*(E^{(a + c + (b + d)*x)/(c + d*x))}], x])]; \text{FreeQ}[\{a, b, c, d\}, x] \&& \text{ILtQ}[m, -1]$

rule 7237  $\text{Int}[(u_*)*(y_*)^{(m_*)}, x_{\text{Symbol}}] \rightarrow \text{With}[\{q = \text{DerivativeDivides}[y, u, x]\}, \text{Simp}[q*(y^{(m + 1)/(m + 1)}), x]; \text{!FalseQ}[q]] \&& \text{FreeQ}[m, x] \&& \text{NeQ}[m, -1]$

## Maple [F]

$$\int \frac{e^{bx} \expIntegral(bx)}{x^3} dx$$

input  $\text{int}(\exp(b*x)*\text{Ei}(b*x)/x^3, x)$

output  $\text{int}(\exp(b*x)*\text{Ei}(b*x)/x^3, x)$

## Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 60, normalized size of antiderivative = 0.73

$$\int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x^3} dx = \frac{b^2 x^2 \operatorname{Ei}(bx)^2 + 8 b^2 x^2 \operatorname{Ei}(2bx) - 2(bx+1)\operatorname{Ei}(bx)e^{(bx)} - (4bx+1)e^{(2bx)}}{4x^2}$$

input `integrate(exp(b*x)*Ei(b*x)/x^3,x, algorithm="fricas")`

output  $\frac{1}{4} (b^2 x^2 \operatorname{Ei}(bx)^2 + 8 b^2 x^2 \operatorname{Ei}(2bx) - 2(bx+1)\operatorname{Ei}(bx)e^{(bx)} - (4bx+1)e^{(2bx)}) / x^2$

## Sympy [F]

$$\int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x^3} dx = \int \frac{e^{bx} \operatorname{Ei}(bx)}{x^3} dx$$

input `integrate(exp(b*x)*Ei(b*x)/x**3,x)`

output `Integral(exp(b*x)*Ei(b*x)/x**3, x)`

## Maxima [F]

$$\int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x^3} dx = \int \frac{\operatorname{Ei}(bx)e^{(bx)}}{x^3} dx$$

input `integrate(exp(b*x)*Ei(b*x)/x^3,x, algorithm="maxima")`

output `integrate(Ei(b*x)*e^(b*x)/x^3, x)`

**Giac [F]**

$$\int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x^3} dx = \int \frac{\operatorname{Ei}(bx) e^{(bx)}}{x^3} dx$$

input `integrate(exp(b*x)*Ei(b*x)/x^3,x, algorithm="giac")`

output `integrate(Ei(b*x)*e^(b*x)/x^3, x)`

**Mupad [F(-1)]**

Timed out.

$$\int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x^3} dx = \int \frac{e^{bx} \operatorname{ei}(bx)}{x^3} dx$$

input `int((exp(b*x)*ei(b*x))/x^3,x)`

output `int((exp(b*x)*ei(b*x))/x^3, x)`

**Reduce [F]**

$$\int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x^3} dx = \int \frac{e^{bx} \operatorname{ei}(bx)}{x^3} dx$$

input `int(exp(b*x)*Ei(b*x)/x^3,x)`

output `int((e**(b*x)*ei(b*x))/x**3,x)`

$$3.49 \quad \int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x^2} dx$$

Optimal result . . . . .	316
Mathematica [F] . . . . .	316
Rubi [A] (verified) . . . . .	317
Maple [F] . . . . .	318
Fricas [A] (verification not implemented) . . . . .	319
Sympy [F] . . . . .	319
Maxima [F] . . . . .	319
Giac [F] . . . . .	320
Mupad [F(-1)] . . . . .	320
Reduce [F] . . . . .	320

## Optimal result

Integrand size = 13, antiderivative size = 45

$$\begin{aligned} \int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x^2} dx = & -\frac{e^{2bx}}{x} - \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x} \\ & + \frac{1}{2} b \operatorname{ExpIntegralEi}(bx)^2 + 2b \operatorname{ExpIntegralEi}(2bx) \end{aligned}$$

output  $-\exp(2*b*x)/x - \exp(b*x)*\text{Ei}(b*x)/x + 1/2*b*\text{Ei}(b*x)^2 + 2*b*\text{Ei}(2*b*x)$

## Mathematica [F]

$$\int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x^2} dx = \int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x^2} dx$$

input `Integrate[(E^(b*x)*ExpIntegralEi[b*x])/x^2, x]`

output `Integrate[(E^(b*x)*ExpIntegralEi[b*x])/x^2, x]`

## Rubi [A] (verified)

Time = 0.34 (sec) , antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$ , Rules used = {7045, 27, 2608, 2609, 7237}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x^2} dx \\
 & \downarrow \textcolor{blue}{7045} \\
 b \int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x} dx + b \int \frac{e^{2bx}}{bx^2} dx - \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x} \\
 & \downarrow \textcolor{blue}{27} \\
 b \int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x} dx + \int \frac{e^{2bx}}{x^2} dx - \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x} \\
 & \downarrow \textcolor{blue}{2608} \\
 b \int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x} dx + 2b \int \frac{e^{2bx}}{x} dx - \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x} - \frac{e^{2bx}}{x} \\
 & \downarrow \textcolor{blue}{2609} \\
 b \int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x} dx - \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x} + 2b \operatorname{ExpIntegralEi}(2bx) - \frac{e^{2bx}}{x} \\
 & \downarrow \textcolor{blue}{7237} \\
 \frac{1}{2} b \operatorname{ExpIntegralEi}(bx)^2 - \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x} + 2b \operatorname{ExpIntegralEi}(2bx) - \frac{e^{2bx}}{x}
 \end{aligned}$$

input `Int [(E^(b*x)*ExpIntegralEi[b*x])/x^2,x]`

output `-(E^(2*b*x)/x) - (E^(b*x)*ExpIntegralEi[b*x])/x + (b*ExpIntegralEi[b*x]^2)/2 + 2*b*ExpIntegralEi[2*b*x]`

### Definitions of rubi rules used

rule 27  $\text{Int}[(a_*)(F_x_), x_{\text{Symbol}}] \rightarrow \text{Simp}[a \text{ Int}[F_x, x], x] /; \text{FreeQ}[a, x] \& \text{ !MatchQ}[F_x, (b_*)(G_x_) /; \text{FreeQ}[b, x]]$

rule 2608  $\text{Int}[((b_*)(F_))^((g_*)(e_*) + (f_*)(x_)))^((n_*)(c_*) + (d_*)(x_))^{(m_*)}, x_{\text{Symbol}}] \rightarrow \text{Simp}[(c + d*x)^{(m + 1)} * ((b*F^{(g*(e + f*x))})^n / (d*(m + 1)))^{(m_*)}, x] - \text{Simp}[f*g*n*(\text{Log}[F]/(d*(m + 1))) \text{ Int}[(c + d*x)^{(m + 1)} * (b*F^{(g*(e + f*x))})^n, x], x] /; \text{FreeQ}[\{F, b, c, d, e, f, g, n\}, x] \& \text{ LtQ}[m, -1] \& \text{ IntegerQ}[2*m] \& \text{ !TrueQ}[\$UseGamma]$

rule 2609  $\text{Int}[(F_)^((g_*)(e_*) + (f_*)(x_))/((c_*) + (d_*)(x_)), x_{\text{Symbol}}] \rightarrow \text{Simp}[(F^{(g*(e - c*(f/d)))}/d)*\text{ExpIntegralEi}[f*g*(c + d*x)*(\text{Log}[F]/d)], x] /; \text{FreeQ}[\{F, c, d, e, f, g\}, x] \& \text{ !TrueQ}[\$UseGamma]$

rule 7045  $\text{Int}[E^{(a_*) + (b_*)(x_*)} * \text{ExpIntegralEi}[(c_*) + (d_*)(x_*)] * (x_*)^{(m_*)}, x_{\text{Symbol}}] \rightarrow \text{Simp}[x^{(m + 1)} * E^{(a + b*x)} * (\text{ExpIntegralEi}[c + d*x]/(m + 1)), x] + (-\text{Simp}[b/(m + 1) \text{ Int}[x^{(m + 1)} * E^{(a + b*x)} * \text{ExpIntegralEi}[c + d*x], x], x] - \text{Simp}[d/(m + 1) \text{ Int}[x^{(m + 1)} * (E^{(a + c + (b + d)*x)}/(c + d*x)), x], x]) /; \text{FreeQ}[\{a, b, c, d\}, x] \& \text{ ILtQ}[m, -1]$

rule 7237  $\text{Int}[(u_*)(y_*)^{(m_*)}, x_{\text{Symbol}}] \rightarrow \text{With}[\{q = \text{DerivativeDivides}[y, u, x]\}, \text{Simp}[q*(y^{(m + 1)/(m + 1)}), x] /; \text{ !FalseQ}[q]] /; \text{FreeQ}[m, x] \& \text{ NeQ}[m, -1]$

### Maple [F]

$$\int \frac{e^{bx} \expIntegral(bx)}{x^2} dx$$

input `int(exp(b*x)*Ei(b*x)/x^2,x)`

output `int(exp(b*x)*Ei(b*x)/x^2,x)`

**Fricas [A] (verification not implemented)**

Time = 0.08 (sec) , antiderivative size = 41, normalized size of antiderivative = 0.91

$$\int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x^2} dx = \frac{bx \operatorname{Ei}(bx)^2 + 4bx \operatorname{Ei}(2bx) - 2 \operatorname{Ei}(bx) e^{(bx)} - 2e^{(2bx)}}{2x}$$

input `integrate(exp(b*x)*Ei(b*x)/x^2,x, algorithm="fricas")`

output `1/2*(b*x*Ei(b*x)^2 + 4*b*x*Ei(2*b*x) - 2*Ei(b*x)*e^(b*x) - 2*e^(2*b*x))/x`

**Sympy [F]**

$$\int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x^2} dx = \int \frac{e^{bx} \operatorname{Ei}(bx)}{x^2} dx$$

input `integrate(exp(b*x)*Ei(b*x)/x**2,x)`

output `Integral(exp(b*x)*Ei(b*x)/x**2, x)`

**Maxima [F]**

$$\int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x^2} dx = \int \frac{\operatorname{Ei}(bx) e^{(bx)}}{x^2} dx$$

input `integrate(exp(b*x)*Ei(b*x)/x^2,x, algorithm="maxima")`

output `integrate(Ei(b*x)*e^(b*x)/x^2, x)`

**Giac [F]**

$$\int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x^2} dx = \int \frac{\operatorname{Ei}(bx) e^{(bx)}}{x^2} dx$$

input `integrate(exp(b*x)*Ei(b*x)/x^2,x, algorithm="giac")`

output `integrate(Ei(b*x)*e^(b*x)/x^2, x)`

**Mupad [F(-1)]**

Timed out.

$$\int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x^2} dx = \int \frac{e^{bx} \operatorname{ei}(bx)}{x^2} dx$$

input `int((exp(b*x)*ei(b*x))/x^2,x)`

output `int((exp(b*x)*ei(b*x))/x^2, x)`

**Reduce [F]**

$$\int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x^2} dx = \int \frac{e^{bx} \operatorname{ei}(bx)}{x^2} dx$$

input `int(exp(b*x)*Ei(b*x)/x^2,x)`

output `int((e**(b*x)*ei(b*x))/x**2,x)`

**3.50**       $\int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x} dx$

Optimal result . . . . .	321
Mathematica [A] (verified) . . . . .	321
Rubi [A] (verified) . . . . .	322
Maple [A] (verified) . . . . .	322
Fricas [A] (verification not implemented)	323
Sympy [A] (verification not implemented)	323
Maxima [A] (verification not implemented)	324
Giac [A] (verification not implemented)	324
Mupad [B] (verification not implemented)	324
Reduce [B] (verification not implemented)	325

## Optimal result

Integrand size = 13, antiderivative size = 10

$$\int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x} dx = \frac{\operatorname{ExpIntegralEi}(bx)^2}{2}$$

output 1/2\*Ei(b\*x)^2

## Mathematica [A] (verified)

Time = 0.00 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x} dx = \frac{\operatorname{ExpIntegralEi}(bx)^2}{2}$$

input Integrate[(E^(b\*x)\*ExpIntegralEi[b\*x])/x,x]

output ExpIntegralEi[b\*x]^2/2

## Rubi [A] (verified)

Time = 0.17 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.077$ , Rules used = {7237}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x} dx$$

↓ 7237

$$\frac{\operatorname{ExpIntegralEi}(bx)^2}{2}$$

input `Int[(E^(b*x)*ExpIntegralEi[b*x])/x,x]`

output `ExpIntegralEi[b*x]^2/2`

### Definitions of rubi rules used

rule 7237 `Int[(u_)*(y_)^(m_.), x_Symbol] :> With[{q = DerivativeDivides[y, u, x]}, Si  
mp[q*(y^(m + 1)/(m + 1)), x] /; !FalseQ[q]] /; FreeQ[m, x] && NeQ[m, -1]`

## Maple [A] (verified)

Time = 0.02 (sec) , antiderivative size = 9, normalized size of antiderivative = 0.90

method	result	size
derivativeDivides	$\frac{\expIntegral(bx)^2}{2}$	9
default	$\frac{\expIntegral(bx)^2}{2}$	9
parallelRisch	$\frac{\expIntegral(bx)^2}{2}$	9

input `int(exp(b*x)*Ei(b*x)/x,x,method=_RETURNVERBOSE)`

output `1/2*Ei(b*x)^2`

### Fricas [A] (verification not implemented)

Time = 0.07 (sec) , antiderivative size = 8, normalized size of antiderivative = 0.80

$$\int \frac{e^{bx} \text{ExpIntegralEi}(bx)}{x} dx = \frac{1}{2} \text{Ei}(bx)^2$$

input `integrate(exp(b*x)*Ei(b*x)/x,x, algorithm="fricas")`

output `1/2*Ei(b*x)^2`

### Sympy [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 7, normalized size of antiderivative = 0.70

$$\int \frac{e^{bx} \text{ExpIntegralEi}(bx)}{x} dx = \frac{\text{Ei}^2(bx)}{2}$$

input `integrate(exp(b*x)*Ei(b*x)/x,x)`

output `Ei(b*x)**2/2`

**Maxima [A] (verification not implemented)**

Time = 0.03 (sec) , antiderivative size = 8, normalized size of antiderivative = 0.80

$$\int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x} dx = \frac{1}{2} \operatorname{Ei}(bx)^2$$

input `integrate(exp(b*x)*Ei(b*x)/x,x, algorithm="maxima")`

output `1/2*Ei(b*x)^2`

**Giac [A] (verification not implemented)**

Time = 0.11 (sec) , antiderivative size = 8, normalized size of antiderivative = 0.80

$$\int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x} dx = \frac{1}{2} \operatorname{Ei}(bx)^2$$

input `integrate(exp(b*x)*Ei(b*x)/x,x, algorithm="giac")`

output `1/2*Ei(b*x)^2`

**Mupad [B] (verification not implemented)**

Time = 0.04 (sec) , antiderivative size = 8, normalized size of antiderivative = 0.80

$$\int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x} dx = \frac{\operatorname{ei}(bx)^2}{2}$$

input `int((exp(b*x)*ei(b*x))/x,x)`

output `ei(b*x)^2/2`

**Reduce [B] (verification not implemented)**

Time = 0.20 (sec) , antiderivative size = 8, normalized size of antiderivative = 0.80

$$\int \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{x} dx = \frac{ei(bx)^2}{2}$$

input `int(exp(b*x)*Ei(b*x)/x,x)`

output `ei(b*x)**2/2`

### 3.51 $\int e^{bx} \text{ExpIntegralEi}(bx) dx$

Optimal result . . . . .	326
Mathematica [A] (verified) . . . . .	326
Rubi [A] (verified) . . . . .	327
Maple [A] (verified) . . . . .	328
Fricas [A] (verification not implemented)	328
Sympy [F] . . . . .	329
Maxima [F] . . . . .	329
Giac [A] (verification not implemented) . . . . .	329
Mupad [F(-1)] . . . . .	330
Reduce [F] . . . . .	330

#### Optimal result

Integrand size = 10, antiderivative size = 24

$$\int e^{bx} \text{ExpIntegralEi}(bx) dx = \frac{e^{bx} \text{ExpIntegralEi}(bx)}{b} - \frac{\text{ExpIntegralEi}(2bx)}{b}$$

output exp(b\*x)\*Ei(b\*x)/b-Ei(2\*b\*x)/b

#### Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.00

$$\int e^{bx} \text{ExpIntegralEi}(bx) dx = \frac{e^{bx} \text{ExpIntegralEi}(bx)}{b} - \frac{\text{ExpIntegralEi}(2bx)}{b}$$

input Integrate[E^(b\*x)\*ExpIntegralEi[b\*x],x]

output (E^(b\*x)\*ExpIntegralEi[b\*x])/b - ExpIntegralEi[2\*b\*x]/b

## Rubi [A] (verified)

Time = 0.19 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {7043, 27, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int e^{bx} \operatorname{ExpIntegralEi}(bx) dx \\
 & \downarrow \textcolor{blue}{7043} \\
 & \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} - \int \frac{e^{2bx}}{bx} dx \\
 & \downarrow \textcolor{blue}{27} \\
 & \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} - \frac{\int \frac{e^{2bx}}{x} dx}{b} \\
 & \downarrow \textcolor{blue}{2609} \\
 & \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} - \frac{\operatorname{ExpIntegralEi}(2bx)}{b}
 \end{aligned}$$

input `Int[E^(b*x)*ExpIntegralEi[b*x], x]`

output `(E^(b*x)*ExpIntegralEi[b*x])/b - ExpIntegralEi[2*b*x]/b`

### Definitions of rubi rules used

rule 27 `Int[(a_)*(Fx_), x_Symbol] :> Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]]`

rule 2609 `Int[(F_)^((g_.)*(e_.) + (f_)*(x_)))/((c_.) + (d_)*(x_)), x_Symbol] :> Simplify[(F^(g*(e - c*(f/d)))/d)*ExpIntegralEi[f*g*(c + d*x)*(Log[F]/d)], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[$UseGamma]`

rule 7043

```
Int[E^((a_.) + (b_.)*(x_.))*ExpIntegralEi[(c_.) + (d_.)*(x_)], x_Symbol] :>
Simp[E^(a + b*x)*(ExpIntegralEi[c + d*x]/b), x] - Simp[d/b Int[E^(a + c +
(b + d)*x)/(c + d*x), x], x] /; FreeQ[{a, b, c, d}, x]
```

**Maple [A] (verified)**

Time = 0.03 (sec) , antiderivative size = 21, normalized size of antiderivative = 0.88

method	result	size
derivativedivides	$\frac{e^{bx} \expIntegral(bx) + \expIntegral_1(-2bx)}{b}$	21
default	$\frac{e^{bx} \expIntegral(bx) + \expIntegral_1(-2bx)}{b}$	21

input `int(exp(b*x)*Ei(b*x),x,method=_RETURNVERBOSE)`output  $1/b * (\exp(b*x)*\text{Ei}(b*x) + \text{Ei}(1, -2*b*x))$ **Fricas [A] (verification not implemented)**

Time = 0.07 (sec) , antiderivative size = 21, normalized size of antiderivative = 0.88

$$\int e^{bx} \text{ExpIntegralEi}(bx) dx = \frac{\text{Ei}(bx) e^{(bx)} - \text{Ei}(2bx)}{b}$$

input `integrate(exp(b*x)*Ei(b*x),x, algorithm="fricas")`output  $(\text{Ei}(b*x)*e^{(b*x)} - \text{Ei}(2*b*x))/b$

**Sympy [F]**

$$\int e^{bx} \text{ExpIntegralEi}(bx) dx = \int e^{bx} \text{Ei}(bx) dx$$

input `integrate(exp(b*x)*Ei(b*x),x)`

output `Integral(exp(b*x)*Ei(b*x), x)`

**Maxima [F]**

$$\int e^{bx} \text{ExpIntegralEi}(bx) dx = \int \text{Ei}(bx) e^{(bx)} dx$$

input `integrate(exp(b*x)*Ei(b*x),x, algorithm="maxima")`

output `integrate(Ei(b*x)*e^(b*x), x)`

**Giac [A] (verification not implemented)**

Time = 0.11 (sec) , antiderivative size = 23, normalized size of antiderivative = 0.96

$$\int e^{bx} \text{ExpIntegralEi}(bx) dx = \frac{\text{Ei}(bx) e^{(bx)}}{b} - \frac{\text{Ei}(2bx)}{b}$$

input `integrate(exp(b*x)*Ei(b*x),x, algorithm="giac")`

output `Ei(b*x)*e^(b*x)/b - Ei(2*b*x)/b`

**Mupad [F(-1)]**

Timed out.

$$\int e^{bx} \text{ExpIntegralEi}(bx) dx = \int e^{bx} \text{ei}(bx) dx$$

input `int(exp(b*x)*ei(b*x),x)`

output `int(exp(b*x)*ei(b*x), x)`

**Reduce [F]**

$$\int e^{bx} \text{ExpIntegralEi}(bx) dx = \int e^{bx} \text{ei}(bx) dx$$

input `int(exp(b*x)*Ei(b*x),x)`

output `int(e**(b*x)*ei(b*x),x)`

## 3.52 $\int e^{bx} x \operatorname{ExpIntegralEi}(bx) dx$

Optimal result . . . . .	331
Mathematica [A] (verified) . . . . .	331
Rubi [A] (verified) . . . . .	332
Maple [A] (verified) . . . . .	334
Fricas [A] (verification not implemented)	334
Sympy [F]	334
Maxima [F]	335
Giac [A] (verification not implemented) . . . . .	335
Mupad [F(-1)] . . . . .	335
Reduce [F]	336

### Optimal result

Integrand size = 11, antiderivative size = 51

$$\begin{aligned}\int e^{bx} x \operatorname{ExpIntegralEi}(bx) dx = & -\frac{e^{2bx}}{2b^2} - \frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{b^2} \\ & + \frac{e^{bx} x \operatorname{ExpIntegralEi}(bx)}{b} + \frac{\operatorname{ExpIntegralEi}(2bx)}{b^2}\end{aligned}$$

output 
$$\begin{aligned}-1/2*\exp(2*b*x)/b^2-\exp(b*x)*\operatorname{Ei}(b*x)/b^2+\exp(b*x)*x*\operatorname{Ei}(b*x)/b+\operatorname{Ei}(2*b*x)/b^2\end{aligned}$$

### Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 41, normalized size of antiderivative = 0.80

$$\begin{aligned}\int e^{bx} x \operatorname{ExpIntegralEi}(bx) dx = & -\frac{e^{2bx}}{2b^2} + \frac{e^{bx}(-1 + bx) \operatorname{ExpIntegralEi}(bx)}{b^2} \\ & + \frac{\operatorname{ExpIntegralEi}(2bx)}{b^2}\end{aligned}$$

input  $\operatorname{Integrate}[E^{(b*x)}*x*\operatorname{ExpIntegralEi}[b*x], x]$

output 
$$-1/2*E^{(2*b*x)}/b^2 + (E^{(b*x)}*(-1 + b*x)*ExpIntegralEi[b*x])/b^2 + ExpIntegralEi[2*b*x]/b^2$$

## Rubi [A] (verified)

Time = 0.30 (sec), antiderivative size = 57, normalized size of antiderivative = 1.12, number of steps used = 6, number of rules used = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.545$ , Rules used = {7044, 27, 2624, 7043, 27, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int xe^{bx} \operatorname{ExpIntegralEi}(bx) dx \\
 & \downarrow \textcolor{blue}{7044} \\
 & -\frac{\int e^{bx} \operatorname{ExpIntegralEi}(bx) dx}{b} - \int \frac{e^{2bx}}{b} dx + \frac{xe^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \\
 & \downarrow \textcolor{blue}{27} \\
 & -\frac{\int e^{bx} \operatorname{ExpIntegralEi}(bx) dx}{b} - \frac{\int e^{2bx} dx}{b} + \frac{xe^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \\
 & \downarrow \textcolor{blue}{2624} \\
 & -\frac{\int e^{bx} \operatorname{ExpIntegralEi}(bx) dx}{b} - \frac{e^{2bx}}{2b^2} + \frac{xe^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \\
 & \downarrow \textcolor{blue}{7043} \\
 & -\frac{\frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} - \int \frac{e^{2bx}}{bx} dx}{b} - \frac{e^{2bx}}{2b^2} + \frac{xe^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \\
 & \downarrow \textcolor{blue}{27} \\
 & -\frac{\frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} - \frac{\int \frac{e^{2bx}}{x} dx}{b}}{b} - \frac{e^{2bx}}{2b^2} + \frac{xe^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \\
 & \downarrow \textcolor{blue}{2609} \\
 & -\frac{e^{2bx}}{2b^2} + \frac{xe^{bx} \operatorname{ExpIntegralEi}(bx)}{b} - \frac{\frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} - \frac{\operatorname{ExpIntegralEi}(2bx)}{b}}{b}
 \end{aligned}$$

input  $\text{Int}[E^{(b*x)}*x*\text{ExpIntegralEi}[b*x], x]$

output  $-1/2 E^{(2*b*x)}/b^2 + (E^{(b*x)}*x*\text{ExpIntegralEi}[b*x])/b - ((E^{(b*x)}*\text{ExpIntegralEi}[b*x])/b - \text{ExpIntegralEi}[2*b*x]/b)/b$

### Definitions of rubi rules used

rule 27  $\text{Int}[(a_*)*(F_{x\_}), x\_Symbol] \rightarrow \text{Simp}[a \text{ Int}[F_x, x], x] /; \text{FreeQ}[a, x] \&& \text{!MatchQ}[F_x, (b_*)*(G_x_) /; \text{FreeQ}[b, x]]$

rule 2609  $\text{Int}[(F_{\_})^{((g\_)*(e\_)+(f\_)*(x\_))}/((c\_)+(d\_)*(x\_)), x\_Symbol] \rightarrow \text{Simp}[(F^g*(e - c*(f/d))/d)*\text{ExpIntegralEi}[f*g*(c + d*x)*(Log[F]/d)], x] /; \text{FreeQ}[\{F, c, d, e, f, g\}, x] \&& \text{!TrueQ}[\$UseGamma]$

rule 2624  $\text{Int}[(F_{\_})^{(v\_)}^{(n\_)}, x\_Symbol] \rightarrow \text{Simp}[(F^v)^n/(n*\text{Log}[F]*D[v, x]), x] /; \text{FreeQ}[\{F, n\}, x] \&& \text{LinearQ}[v, x]$

rule 7043  $\text{Int}[E^{(a\_)+(b\_)*(x\_)}*\text{ExpIntegralEi}[(c\_)+(d\_)*(x\_)], x\_Symbol] \rightarrow \text{Simp}[E^{(a+b*x)}*(\text{ExpIntegralEi}[c+d*x]/b), x] - \text{Simp}[d/b \text{ Int}[E^{(a+c+(b+d)*x)/(c+d*x)}, x], x] /; \text{FreeQ}[\{a, b, c, d\}, x]$

rule 7044  $\text{Int}[E^{(a\_)+(b\_)*(x\_)}*\text{ExpIntegralEi}[(c\_)+(d\_)*(x\_)]*(x\_)^{(m\_)}, x\_Symbol] \rightarrow \text{Simp}[x^m*E^{(a+b*x)}*(\text{ExpIntegralEi}[c+d*x]/b), x] + (-\text{Simp}[d/b \text{ Int}[x^m*(E^{(a+c+(b+d)*x)/(c+d*x)}, x], x] - \text{Simp}[m/b \text{ Int}[x^{(m-1)}*E^{(a+b*x)}*\text{ExpIntegralEi}[c+d*x], x], x]) /; \text{FreeQ}[\{a, b, c, d\}, x] \&& \text{IGtQ}[m, 0]$

**Maple [A] (verified)**

Time = 0.05 (sec) , antiderivative size = 41, normalized size of antiderivative = 0.80

method	result	size
derivativedivides	$\frac{\expIntegral(bx)(bx e^{bx} - e^{bx}) - \frac{e^{2bx}}{2} - \expIntegral_1(-2bx)}{b^2}$	41
default	$\frac{\expIntegral(bx)(bx e^{bx} - e^{bx}) - \frac{e^{2bx}}{2} - \expIntegral_1(-2bx)}{b^2}$	41

input `int(exp(b*x)*x*x*Ei(b*x),x,method=_RETURNVERBOSE)`

output `1/b^2*(Ei(b*x)*(b*x*exp(b*x)-exp(b*x))-1/2*exp(b*x)^2-Ei(1,-2*b*x))`

**Fricas [A] (verification not implemented)**

Time = 0.07 (sec) , antiderivative size = 35, normalized size of antiderivative = 0.69

$$\int e^{bx} x \operatorname{ExpIntegralEi}(bx) dx = \frac{2(bx - 1)\operatorname{Ei}(bx) e^{(bx)} + 2\operatorname{Ei}(2bx) - e^{(2bx)}}{2b^2}$$

input `integrate(exp(b*x)*x*x*Ei(b*x),x, algorithm="fricas")`

output `1/2*(2*(b*x - 1)*Ei(b*x)*e^(b*x) + 2*Ei(2*b*x) - e^(2*b*x))/b^2`

**Sympy [F]**

$$\int e^{bx} x \operatorname{ExpIntegralEi}(bx) dx = \int x e^{bx} \operatorname{Ei}(bx) dx$$

input `integrate(exp(b*x)*x*x*Ei(b*x),x)`

output `Integral(x*exp(b*x)*Ei(b*x), x)`

**Maxima [F]**

$$\int e^{bx} x \operatorname{ExpIntegralEi}(bx) dx = \int x \operatorname{Ei}(bx) e^{(bx)} dx$$

input `integrate(exp(b*x)*x*Ei(b*x),x, algorithm="maxima")`

output `integrate(x*Ei(b*x)*e^(b*x), x)`

**Giac [A] (verification not implemented)**

Time = 0.11 (sec) , antiderivative size = 38, normalized size of antiderivative = 0.75

$$\int e^{bx} x \operatorname{ExpIntegralEi}(bx) dx = \frac{(bx - 1)\operatorname{Ei}(bx) e^{(bx)}}{b^2} + \frac{2\operatorname{Ei}(2bx) - e^{(2bx)}}{2b^2}$$

input `integrate(exp(b*x)*x*Ei(b*x),x, algorithm="giac")`

output `(b*x - 1)*Ei(b*x)*e^(b*x)/b^2 + 1/2*(2*Ei(2*b*x) - e^(2*b*x))/b^2`

**Mupad [F(-1)]**

Timed out.

$$\int e^{bx} x \operatorname{ExpIntegralEi}(bx) dx = \int x e^{bx} \operatorname{ei}(bx) dx$$

input `int(x*exp(b*x)*ei(b*x),x)`

output `int(x*exp(b*x)*ei(b*x), x)`

**Reduce [F]**

$$\int e^{bx} x \operatorname{ExpIntegralEi}(bx) dx = \int e^{bx} ei(bx) x dx$$

input `int(exp(b*x)*x*Ei(b*x),x)`

output `int(e**(b*x)*ei(b*x)*x,x)`

### 3.53 $\int e^{bx} x^2 \operatorname{ExpIntegralEi}(bx) dx$

Optimal result	337
Mathematica [A] (verified)	337
Rubi [A] (verified)	338
Maple [A] (verified)	341
Fricas [A] (verification not implemented)	341
Sympy [F]	342
Maxima [F]	342
Giac [A] (verification not implemented)	342
Mupad [F(-1)]	343
Reduce [F]	343

#### Optimal result

Integrand size = 13, antiderivative size = 83

$$\begin{aligned} \int e^{bx} x^2 \operatorname{ExpIntegralEi}(bx) dx = & \frac{5e^{2bx}}{4b^3} - \frac{e^{2bx}x}{2b^2} + \frac{2e^{bx} \operatorname{ExpIntegralEi}(bx)}{b^3} \\ & - \frac{2e^{bx}x \operatorname{ExpIntegralEi}(bx)}{b^2} \\ & + \frac{e^{bx}x^2 \operatorname{ExpIntegralEi}(bx)}{b} - \frac{2 \operatorname{ExpIntegralEi}(2bx)}{b^3} \end{aligned}$$

output 
$$\frac{5/4 \cdot \exp(2 \cdot b \cdot x)}{b^3} - \frac{1/2 \cdot \exp(2 \cdot b \cdot x) \cdot x}{b^2} + \frac{2 \cdot \exp(b \cdot x) \cdot \operatorname{Ei}(b \cdot x)}{b^3} - \frac{2 \cdot \exp(b \cdot x) \cdot x \cdot \operatorname{Ei}(b \cdot x)}{b^2} + \frac{\exp(b \cdot x) \cdot x^2 \cdot \operatorname{Ei}(b \cdot x)}{b} - \frac{2 \cdot \operatorname{Ei}(2 \cdot b \cdot x)}{b^3}$$

#### Mathematica [A] (verified)

Time = 0.02 (sec), antiderivative size = 52, normalized size of antiderivative = 0.63

$$\begin{aligned} & \int e^{bx} x^2 \operatorname{ExpIntegralEi}(bx) dx \\ &= \frac{e^{2bx}(5 - 2bx) + 4e^{bx}(2 - 2bx + b^2x^2) \operatorname{ExpIntegralEi}(bx) - 8 \operatorname{ExpIntegralEi}(2bx)}{4b^3} \end{aligned}$$

input `Integrate[E^(b*x)*x^2*ExpIntegralEi[b*x], x]`

output 
$$(E^{(2*b*x)}*(5 - 2*b*x) + 4*E^{(b*x)}*(2 - 2*b*x + b^2*x^2)*ExpIntegralEi[b*x] - 8*ExpIntegralEi[2*b*x])/(4*b^3)$$

## Rubi [A] (verified)

Time = 0.51 (sec), antiderivative size = 112, normalized size of antiderivative = 1.35, number of steps used = 10, number of rules used = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.769$ , Rules used = {7044, 27, 2607, 2624, 7044, 27, 2624, 7043, 27, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x^2 e^{bx} \operatorname{ExpIntegralEi}(bx) dx \\
 & \downarrow 7044 \\
 & -\frac{2 \int e^{bx} x \operatorname{ExpIntegralEi}(bx) dx}{b} - \int \frac{e^{2bx} x}{b} dx + \frac{x^2 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \\
 & \downarrow 27 \\
 & -\frac{2 \int e^{bx} x \operatorname{ExpIntegralEi}(bx) dx}{b} - \frac{\int e^{2bx} x dx}{b} + \frac{x^2 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \\
 & \downarrow 2607 \\
 & -\frac{2 \int e^{bx} x \operatorname{ExpIntegralEi}(bx) dx}{b} - \frac{\frac{xe^{2bx}}{2b} - \frac{\int e^{2bx} dx}{2b}}{b} + \frac{x^2 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \\
 & \downarrow 2624 \\
 & -\frac{2 \int e^{bx} x \operatorname{ExpIntegralEi}(bx) dx}{b} - \frac{\frac{xe^{2bx}}{2b} - \frac{e^{2bx}}{4b^2}}{b} + \frac{x^2 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \\
 & \downarrow 7044 \\
 & -\frac{2 \left( -\frac{\int e^{bx} \operatorname{ExpIntegralEi}(bx) dx}{b} - \frac{\int e^{2bx} dx}{b} + \frac{xe^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right)}{b} - \frac{\frac{xe^{2bx}}{2b} - \frac{e^{2bx}}{4b^2}}{b} + \\
 & \quad \frac{x^2 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \\
 & \downarrow 27
 \end{aligned}$$

$$\begin{aligned}
 & -\frac{2 \left( -\frac{\int e^{bx} \operatorname{ExpIntegralEi}(bx) dx}{b} - \frac{\int e^{2bx} dx}{b} + \frac{x e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right)}{x^2 e^{bx} \operatorname{ExpIntegralEi}(bx)} - \frac{\frac{x e^{2bx}}{2b} - \frac{e^{2bx}}{4b^2}}{b} + \\
 & \quad \downarrow \text{2624} \\
 & -\frac{2 \left( -\frac{\int e^{bx} \operatorname{ExpIntegralEi}(bx) dx}{b} - \frac{e^{2bx}}{2b^2} + \frac{x e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right)}{x^2 e^{bx} \operatorname{ExpIntegralEi}(bx)} - \frac{\frac{x e^{2bx}}{2b} - \frac{e^{2bx}}{4b^2}}{b} + \\
 & \quad \downarrow \text{7043} \\
 & -\frac{2 \left( -\frac{\frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} - \int \frac{e^{2bx}}{bx} dx}{b} - \frac{e^{2bx}}{2b^2} + \frac{x e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right)}{x^2 e^{bx} \operatorname{ExpIntegralEi}(bx)} - \frac{\frac{x e^{2bx}}{2b} - \frac{e^{2bx}}{4b^2}}{b} + \\
 & \quad \downarrow \text{27} \\
 & -\frac{2 \left( -\frac{\frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} - \int \frac{e^{2bx}}{x} dx}{b} - \frac{e^{2bx}}{2b^2} + \frac{x e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right)}{x^2 e^{bx} \operatorname{ExpIntegralEi}(bx)} - \frac{\frac{x e^{2bx}}{2b} - \frac{e^{2bx}}{4b^2}}{b} + \\
 & \quad \downarrow \text{2609} \\
 & -\frac{2 \left( -\frac{e^{2bx}}{2b^2} + \frac{x e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} - \frac{\frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} - \frac{\operatorname{ExpIntegralEi}(2bx)}{b}}{b} \right)}{x^2 e^{bx} \operatorname{ExpIntegralEi}(bx)} - \frac{\frac{x e^{2bx}}{2b} - \frac{e^{2bx}}{4b^2}}{b} +
 \end{aligned}$$

input `Int [E^(b*x)*x^2*ExpIntegralEi[b*x], x]`

output `-((-1/4*E^(2*b*x))/b^2 + (E^(2*b*x)*x)/(2*b))/b + (E^(b*x)*x^2*ExpIntegralEi[b*x])/b - (2*(-1/2*E^(2*b*x)/b^2 + (E^(b*x)*x*ExpIntegralEi[b*x])/b - (E^(b*x)*ExpIntegralEi[b*x])/b - ExpIntegralEi[2*b*x]/b))/b)`

### Definitions of rubi rules used

rule 27  $\text{Int}[(a_*)(F_x_), \ x\_Symbol] \rightarrow \text{Simp}[a \ \text{Int}[F_x, \ x], \ x] /; \ \text{FreeQ}[a, \ x] \ \&\& \ \text{!MatchQ}[F_x, \ (b_*)(G_x_) /; \ \text{FreeQ}[b, \ x]]$

rule 2607  $\text{Int}[((b_*)(F_))^((g_*)(e_*) + (f_*)(x_)))^((n_*)(c_*) + (d_*)(x_))^{(m_*)}, \ x\_Symbol] \rightarrow \text{Simp}[(c + d*x)^m ((b*F^g*(e + f*x))^n / (f*g*n*\text{Log}[F])), \ x] - \text{Simp}[d*(m/(f*g*n*\text{Log}[F])) \ \text{Int}[(c + d*x)^{(m - 1)} * (b*F^g*(e + f*x))^{n - 1}, \ x] /; \ \text{FreeQ}[\{F, \ b, \ c, \ d, \ e, \ f, \ g, \ n\}, \ x] \ \&\& \ \text{GtQ}[m, \ 0] \ \&\& \ \text{IntegerQ}[2*m] \ \&\& \ \text{!TrueQ}[\$UseGamma]$

rule 2609  $\text{Int}[(F_*)^{(g_*)(e_*) + (f_*)(x_*)} / ((c_*) + (d_*)(x_)), \ x\_Symbol] \rightarrow \text{Simp}[(F^g*(e - c*(f/d))/d)*\text{ExpIntegralEi}[f*g*(c + d*x)*(Log[F]/d)], \ x] /; \ \text{FreeQ}[\{F, \ c, \ d, \ e, \ f, \ g\}, \ x] \ \&\& \ \text{!TrueQ}[\$UseGamma]$

rule 2624  $\text{Int}[(F_v)^{(n_*)}, \ x\_Symbol] \rightarrow \text{Simp}[(F^v)^n / (n*\text{Log}[F]*D[v, \ x]), \ x] /; \ \text{FreeQ}[\{F, \ n\}, \ x] \ \&\& \ \text{LinearQ}[v, \ x]$

rule 7043  $\text{Int}[E^{(a_*) + (b_*)(x_*)} * \text{ExpIntegralEi}[(c_*) + (d_*)(x_*)], \ x\_Symbol] \rightarrow \text{Simp}[E^{(a + b*x)} * (\text{ExpIntegralEi}[c + d*x]/b), \ x] - \text{Simp}[d/b \ \text{Int}[E^{(a + c + (b + d)*x)/(c + d*x)}, \ x] /; \ \text{FreeQ}[\{a, \ b, \ c, \ d\}, \ x]$

rule 7044  $\text{Int}[E^{(a_*) + (b_*)(x_*)} * \text{ExpIntegralEi}[(c_*) + (d_*)(x_*)] * (x_*)^{(m_*)}, \ x\_Symbol] \rightarrow \text{Simp}[x^m * E^{(a + b*x)} * (\text{ExpIntegralEi}[c + d*x]/b), \ x] + (-\text{Simp}[d/b \ \text{Int}[x^m * (E^{(a + c + (b + d)*x)/(c + d*x)}, \ x], \ x] - \text{Simp}[m/b \ \text{Int}[x^{(m - 1)} * E^{(a + b*x)} * \text{ExpIntegralEi}[c + d*x], \ x], \ x]) /; \ \text{FreeQ}[\{a, \ b, \ c, \ d\}, \ x] \ \&\& \ \text{IGtQ}[m, \ 0]$

**Maple [A] (verified)**

Time = 0.06 (sec) , antiderivative size = 63, normalized size of antiderivative = 0.76

method	result	size
derivativedivides	$\frac{\expIntegral(bx)(b^2x^2e^{bx}-2bx e^{bx}+2 e^{bx})-\frac{e^{2bx} bx}{2}+\frac{5 e^{2bx}}{4}+2 \expIntegral_1(-2bx)}{b^3}$	63
default	$\frac{\expIntegral(bx)(b^2x^2e^{bx}-2bx e^{bx}+2 e^{bx})-\frac{e^{2bx} bx}{2}+\frac{5 e^{2bx}}{4}+2 \expIntegral_1(-2bx)}{b^3}$	63

input `int(exp(b*x)*x^2*Ei(b*x),x,method=_RETURNVERBOSE)`

output 
$$\frac{1}{b^3}(\text{Ei}(b*x)*(b^2x^2\exp(b*x)-2*b*x*\exp(b*x)+2*\exp(b*x))-1/2*\exp(b*x)^2*b*x+5/4*\exp(b*x)^2+2*\text{Ei}(1,-2*b*x))$$

**Fricas [A] (verification not implemented)**

Time = 0.08 (sec) , antiderivative size = 49, normalized size of antiderivative = 0.59

$$\begin{aligned} & \int e^{bx} x^2 \text{ExpIntegralEi}(bx) dx \\ &= \frac{4(b^2 x^2 - 2 b x + 2) \text{Ei}(b x) e^{(b x)} - (2 b x - 5) e^{(2 b x)} - 8 \text{Ei}(2 b x)}{4 b^3} \end{aligned}$$

input `integrate(exp(b*x)*x^2*Ei(b*x),x, algorithm="fricas")`

output 
$$\frac{1/4*(4*(b^2*x^2 - 2*b*x + 2)*\text{Ei}(b*x)*e^(b*x) - (2*b*x - 5)*e^(2*b*x) - 8*\text{Ei}(2*b*x))/b^3}{b^3}$$

**Sympy [F]**

$$\int e^{bx} x^2 \operatorname{ExpIntegralEi}(bx) dx = \int x^2 e^{bx} \operatorname{Ei}(bx) dx$$

input `integrate(exp(b*x)*x**2*Ei(b*x), x)`

output `Integral(x**2*exp(b*x)*Ei(b*x), x)`

**Maxima [F]**

$$\int e^{bx} x^2 \operatorname{ExpIntegralEi}(bx) dx = \int x^2 \operatorname{Ei}(bx) e^{(bx)} dx$$

input `integrate(exp(b*x)*x^2*Ei(b*x), x, algorithm="maxima")`

output `integrate(x^2*Ei(b*x)*e^(b*x), x)`

**Giac [A] (verification not implemented)**

Time = 0.11 (sec) , antiderivative size = 55, normalized size of antiderivative = 0.66

$$\begin{aligned} \int e^{bx} x^2 \operatorname{ExpIntegralEi}(bx) dx &= \frac{(b^2 x^2 - 2 b x + 2) \operatorname{Ei}(bx) e^{(bx)}}{b^3} \\ &\quad - \frac{2 b x e^{(2 bx)} + 8 \operatorname{Ei}(2 bx) - 5 e^{(2 bx)}}{4 b^3} \end{aligned}$$

input `integrate(exp(b*x)*x^2*Ei(b*x), x, algorithm="giac")`

output `(b^2*x^2 - 2*b*x + 2)*Ei(b*x)*e^(b*x)/b^3 - 1/4*(2*b*x*e^(2*b*x) + 8*Ei(2*b*x) - 5*e^(2*b*x))/b^3`

**Mupad [F(-1)]**

Timed out.

$$\int e^{bx} x^2 \text{ExpIntegralEi}(bx) dx = \int x^2 e^{bx} \text{ei}(bx) dx$$

input `int(x^2*exp(b*x)*ei(b*x),x)`

output `int(x^2*exp(b*x)*ei(b*x), x)`

**Reduce [F]**

$$\int e^{bx} x^2 \text{ExpIntegralEi}(bx) dx = \int e^{bx} \text{ei}(bx) x^2 dx$$

input `int(exp(b*x)*x^2*Ei(b*x),x)`

output `int(e**(b*x)*ei(b*x)*x**2,x)`

### 3.54 $\int e^{bx} x^3 \operatorname{ExpIntegralEi}(bx) dx$

Optimal result . . . . .	344
Mathematica [A] (verified) . . . . .	344
Rubi [A] (verified) . . . . .	345
Maple [A] (verified) . . . . .	349
Fricas [A] (verification not implemented)	349
Sympy [F]	350
Maxima [F]	350
Giac [A] (verification not implemented) . . . . .	350
Mupad [F(-1)] . . . . .	351
Reduce [F]	351

#### Optimal result

Integrand size = 13, antiderivative size = 112

$$\begin{aligned} \int e^{bx} x^3 \operatorname{ExpIntegralEi}(bx) dx = & -\frac{4e^{2bx}}{b^4} + \frac{2e^{2bx}x}{b^3} - \frac{e^{2bx}x^2}{2b^2} - \frac{6e^{bx} \operatorname{ExpIntegralEi}(bx)}{b^4} \\ & + \frac{6e^{bx}x \operatorname{ExpIntegralEi}(bx)}{b^3} - \frac{3e^{bx}x^2 \operatorname{ExpIntegralEi}(bx)}{b^2} \\ & + \frac{e^{bx}x^3 \operatorname{ExpIntegralEi}(bx)}{b} + \frac{6 \operatorname{ExpIntegralEi}(2bx)}{b^4} \end{aligned}$$

output

```
-4*exp(2*b*x)/b^4+2*exp(2*b*x)*x/b^3-1/2*exp(2*b*x)*x^2/b^2-6*exp(b*x)*Ei(b*x)/b^4+6*exp(b*x)*x*Ei(b*x)/b^3-3*exp(b*x)*x^2*Ei(b*x)/b^2+exp(b*x)*x^3*Ei(b*x)/b+6*Ei(2*b*x)/b^4
```

#### Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 68, normalized size of antiderivative = 0.61

$$\begin{aligned} \int e^{bx} x^3 \operatorname{ExpIntegralEi}(bx) dx \\ = \frac{-e^{2bx}(8 - 4bx + b^2x^2) + 2e^{bx}(-6 + 6bx - 3b^2x^2 + b^3x^3) \operatorname{ExpIntegralEi}(bx) + 12 \operatorname{ExpIntegralEi}(2bx)}{2b^4} \end{aligned}$$

input

```
Integrate[E^(b*x)*x^3*ExpIntegralEi[b*x], x]
```

output

$$(-(E^{(2*b*x)}*(8 - 4*b*x + b^2*x^2)) + 2*E^{(b*x)}*(-6 + 6*b*x - 3*b^2*x^2 + b^3*x^3)*ExpIntegralEi[b*x] + 12*ExpIntegralEi[2*b*x])/(2*b^4)$$

## Rubi [A] (verified)

Time = 0.88 (sec) , antiderivative size = 189, normalized size of antiderivative = 1.69, number of steps used = 15, number of rules used = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 1.154$ , Rules used = {7044, 27, 2607, 2607, 2624, 7044, 27, 2607, 2624, 7044, 27, 2624, 7043, 27, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x^3 e^{bx} \operatorname{ExpIntegralEi}(bx) dx \\
 & \downarrow \textcolor{blue}{7044} \\
 & -\frac{3 \int e^{bx} x^2 \operatorname{ExpIntegralEi}(bx) dx}{b} - \int \frac{e^{2bx} x^2}{b} dx + \frac{x^3 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \\
 & \downarrow \textcolor{blue}{27} \\
 & -\frac{3 \int e^{bx} x^2 \operatorname{ExpIntegralEi}(bx) dx}{b} - \frac{\int e^{2bx} x^2 dx}{b} + \frac{x^3 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \\
 & \downarrow \textcolor{blue}{2607} \\
 & -\frac{3 \int e^{bx} x^2 \operatorname{ExpIntegralEi}(bx) dx}{b} - \frac{\frac{x^2 e^{2bx}}{2b} - \frac{\int e^{2bx} x dx}{b}}{b} + \frac{x^3 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \\
 & \downarrow \textcolor{blue}{2607} \\
 & -\frac{3 \int e^{bx} x^2 \operatorname{ExpIntegralEi}(bx) dx}{b} - \frac{\frac{x^2 e^{2bx}}{2b} - \frac{\frac{x e^{2bx}}{2b} - \frac{\int e^{2bx} dx}{2b}}{b}}{b} + \frac{x^3 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \\
 & \downarrow \textcolor{blue}{2624} \\
 & -\frac{3 \int e^{bx} x^2 \operatorname{ExpIntegralEi}(bx) dx}{b} - \frac{\frac{x^2 e^{2bx}}{2b} - \frac{\frac{x e^{2bx}}{2b} - \frac{e^{2bx}}{4b^2}}{b}}{b} + \frac{x^3 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \\
 & \downarrow \textcolor{blue}{7044}
 \end{aligned}$$

$$\begin{aligned}
& - \frac{3 \left( -\frac{2 \int e^{bx} x \operatorname{ExpIntegralEi}(bx) dx}{b} - \int \frac{e^{2bx}}{b} dx + \frac{x^2 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right)}{b} - \frac{\frac{x^2 e^{2bx}}{2b} - \frac{x e^{2bx} - e^{2bx}}{4b^2}}{b} + \\
& \quad \frac{b}{x^3 e^{bx} \operatorname{ExpIntegralEi}(bx)} \\
& \quad \downarrow 27 \\
& - \frac{3 \left( -\frac{2 \int e^{bx} x \operatorname{ExpIntegralEi}(bx) dx}{b} - \int \frac{e^{2bx}}{b} dx + \frac{x^2 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right)}{b} - \frac{\frac{x^2 e^{2bx}}{2b} - \frac{x e^{2bx} - e^{2bx}}{4b^2}}{b} + \\
& \quad \frac{b}{x^3 e^{bx} \operatorname{ExpIntegralEi}(bx)} \\
& \quad \downarrow 2607 \\
& - \frac{3 \left( -\frac{2 \int e^{bx} x \operatorname{ExpIntegralEi}(bx) dx}{b} - \frac{\frac{x e^{2bx} - \int e^{2bx} dx}{2b}}{b} + \frac{x^2 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right)}{b} - \\
& \quad \frac{\frac{x^2 e^{2bx}}{2b} - \frac{x e^{2bx} - e^{2bx}}{4b^2}}{b} + \frac{x^3 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \\
& \quad \downarrow 2624 \\
& - \frac{3 \left( -\frac{2 \int e^{bx} x \operatorname{ExpIntegralEi}(bx) dx}{b} - \frac{\frac{x e^{2bx} - e^{2bx}}{2b}}{b} + \frac{x^2 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right)}{b} - \frac{\frac{x^2 e^{2bx}}{2b} - \frac{x e^{2bx} - e^{2bx}}{4b^2}}{b} + \\
& \quad \frac{b}{x^3 e^{bx} \operatorname{ExpIntegralEi}(bx)} \\
& \quad \downarrow 7044 \\
& - \frac{3 \left( -\frac{2 \left( -\frac{\int e^{bx} \operatorname{ExpIntegralEi}(bx) dx}{b} - \int \frac{e^{2bx}}{b} dx + \frac{x e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right)}{b} - \frac{\frac{x e^{2bx} - e^{2bx}}{2b}}{b} + \frac{x^2 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right)}{b} - \\
& \quad \frac{\frac{x^2 e^{2bx}}{2b} - \frac{x e^{2bx} - e^{2bx}}{4b^2}}{b} + \frac{x^3 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \\
& \quad \downarrow 27 \\
& - \frac{3 \left( -\frac{2 \left( -\frac{\int e^{bx} \operatorname{ExpIntegralEi}(bx) dx}{b} - \int \frac{e^{2bx} dx}{b} + \frac{x e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right)}{b} - \frac{\frac{x e^{2bx} - e^{2bx}}{2b}}{b} + \frac{x^2 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right)}{b} - \\
& \quad \frac{\frac{x^2 e^{2bx}}{2b} - \frac{x e^{2bx} - e^{2bx}}{4b^2}}{b} + \frac{x^3 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b}
\end{aligned}$$

$$\begin{aligned}
 & \downarrow 2624 \\
 - & \frac{3 \left( -\frac{2 \left( -\frac{\int e^{bx} \operatorname{ExpIntegralEi}(bx) dx}{b} - \frac{e^{2bx}}{2b^2} + \frac{x e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right)}{b} - \frac{\frac{x e^{2bx}}{2b} - \frac{e^{2bx}}{4b^2}}{b} + \frac{x^2 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right)}{b} - \\
 & \frac{\frac{x^2 e^{2bx}}{2b} - \frac{\frac{x e^{2bx}}{2b} - \frac{e^{2bx}}{4b^2}}{b} + \frac{x^3 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b}}{b} \\
 & \downarrow 7043 \\
 - & \frac{3 \left( -\frac{2 \left( -\frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} - \frac{\int e^{2bx} dx}{b} - \frac{e^{2bx}}{2b^2} + \frac{x e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right)}{b} - \frac{\frac{x e^{2bx}}{2b} - \frac{e^{2bx}}{4b^2}}{b} + \frac{x^2 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right)}{b} - \\
 & \frac{\frac{x^2 e^{2bx}}{2b} - \frac{\frac{x e^{2bx}}{2b} - \frac{e^{2bx}}{4b^2}}{b} + \frac{x^3 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b}}{b} \\
 & \downarrow 27 \\
 - & \frac{3 \left( -\frac{2 \left( -\frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} - \frac{\int \frac{e^{2bx}}{x} dx}{b} - \frac{e^{2bx}}{2b^2} + \frac{x e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right)}{b} - \frac{\frac{x e^{2bx}}{2b} - \frac{e^{2bx}}{4b^2}}{b} + \frac{x^2 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right)}{b} - \\
 & \frac{\frac{x^2 e^{2bx}}{2b} - \frac{\frac{x e^{2bx}}{2b} - \frac{e^{2bx}}{4b^2}}{b} + \frac{x^3 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b}}{b} \\
 & \downarrow 2609 \\
 - & \frac{3 \left( -\frac{2 \left( -\frac{e^{2bx}}{2b^2} + \frac{x e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} - \frac{\frac{e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} - \frac{\operatorname{ExpIntegralEi}(2bx)}{b}}{b} \right)}{b} - \frac{\frac{x e^{2bx}}{2b} - \frac{e^{2bx}}{4b^2}}{b} + \frac{x^2 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b} \right)}{b} - \\
 & \frac{\frac{x^2 e^{2bx}}{2b} - \frac{\frac{x e^{2bx}}{2b} - \frac{e^{2bx}}{4b^2}}{b} + \frac{x^3 e^{bx} \operatorname{ExpIntegralEi}(bx)}{b}}{b}
 \end{aligned}$$

input `Int[E^(b*x)*x^3*ExpIntegralEi[b*x],x]`

output

$$-\left(\left(\left(E^{(2 b x)} x^2\right)/(2 b)-(-1/4 E^{(2 b x})/b^2+(E^{(2 b x}) x)/(2 b))/b\right)/b+\left(E^{(b x}) x^3 \text{ExpIntegralEi}[b x]\right)/b-\left(3 \left(-\left(-1/4 E^{(2 b x})/b^2+(E^{(2 b x}) x)/(2 b)\right)/b+\left(E^{(b x}) x^2 \text{ExpIntegralEi}[b x]\right)/b-\left(2 \left(-1/2 E^{(2 b x})/b^2+(E^{(b x}) x \text{ExpIntegralEi}[b x]\right)/b-\left(E^{(b x}) \text{ExpIntegralEi}[2 b x]\right)/b\right)/b\right)\right)/b$$

### Definitions of rubi rules used

rule 27

$$\text{Int}[(a_*)*(Fx_), x\_Symbol] \rightarrow \text{Simp}[a \text{Int}[Fx, x], x] /; \text{FreeQ}[a, x] \&& \text{!MatchQ}[Fx, (b_*)*(Gx_) /; \text{FreeQ}[b, x]]$$

rule 2607

$$\text{Int}[((b_*)*(F_))^((g_*)*((e_*) + (f_*)*(x_)))^((n_*)*((c_*) + (d_*)*(x_)))^((m_*) , x\_Symbol) \rightarrow \text{Simp}[(c + d*x)^m ((b*F^g (e + f*x))^n / (f*g*n*Log[F])), x] - \text{Simp}[d*(m/(f*g*n*Log[F])) \text{Int}[(c + d*x)^(m - 1) ((b*F^g (e + f*x))^n, x), x] /; \text{FreeQ}[\{F, b, c, d, e, f, g, n\}, x] \&& \text{GtQ}[m, 0] \&& \text{IntegerQ}[2*m] \&& \text{!TrueQ}[$UseGamma]$$

rule 2609

$$\text{Int}[(F_)^((g_*)*((e_*) + (f_*)*(x_)))/((c_*) + (d_*)*(x_)), x\_Symbol] \rightarrow \text{Simp}[(F^g (e - c*(f/d))/d)*\text{ExpIntegralEi}[f*g*(c + d*x)*(Log[F]/d)], x] /; \text{FreeQ}[\{F, c, d, e, f, g\}, x] \&& \text{!TrueQ}[$UseGamma]$$

rule 2624

$$\text{Int}[(F_)^{(v_*)}^{(n_*)}, x\_Symbol] \rightarrow \text{Simp}[(F^v)^n / (n*Log[F]*D[v, x]), x] /; \text{FreeQ}[\{F, n\}, x] \&& \text{LinearQ}[v, x]$$

rule 7043

$$\text{Int}[E^{(a_*) + (b_*)*(x_*)}*\text{ExpIntegralEi}[(c_*) + (d_*)*(x_*)], x\_Symbol] \rightarrow \text{Simp}[E^{(a + b*x)}*(\text{ExpIntegralEi}[c + d*x]/b), x] - \text{Simp}[d/b \text{Int}[E^{(a + c + (b + d)*x)/(c + d*x)}, x], x] /; \text{FreeQ}[\{a, b, c, d\}, x]$$

rule 7044

$$\text{Int}[E^{(a_*) + (b_*)*(x_*)}*\text{ExpIntegralEi}[(c_*) + (d_*)*(x_*)]*(x_*)^((m_*) , x\_Symbol) \rightarrow \text{Simp}[x^m E^{(a + b*x)}*(\text{ExpIntegralEi}[c + d*x]/b), x] + (-\text{Simp}[d/b \text{Int}[x^m * (E^{(a + c + (b + d)*x)/(c + d*x)}, x], x] - \text{Simp}[m/b \text{Int}[x^{(m - 1)} * E^{(a + b*x)} * \text{ExpIntegralEi}[c + d*x], x], x]) /; \text{FreeQ}[\{a, b, c, d\}, x] \&& \text{IGtQ}[m, 0]$$

**Maple [A] (verified)**

Time = 0.10 (sec) , antiderivative size = 89, normalized size of antiderivative = 0.79

method	result	size
derivativedivides	$\frac{\expIntegral(bx)(e^{bx}b^3x^3 - 3b^2x^2e^{bx} + 6bx e^{bx} - 6 e^{bx}) - \frac{e^{2bx}b^2x^2}{2} + 2e^{2bx}bx - 4e^{2bx} - 6 \expIntegral_1(-2bx)}{b^4}$	89
default	$\frac{\expIntegral(bx)(e^{bx}b^3x^3 - 3b^2x^2e^{bx} + 6bx e^{bx} - 6 e^{bx}) - \frac{e^{2bx}b^2x^2}{2} + 2e^{2bx}bx - 4e^{2bx} - 6 \expIntegral_1(-2bx)}{b^4}$	89

input `int(exp(b*x)*x^3*Ei(b*x),x,method=_RETURNVERBOSE)`

output 
$$\frac{1}{b^4}(\text{Ei}(b*x)(\exp(b*x)*b^3x^3 - 3b^2x^2e^{bx} + 6bx e^{bx} - 6 e^{bx}) - \frac{1}{2}\exp(b*x)^2b^2x^2 + 2\exp(b*x)^2b*x - 4\exp(b*x)^2 - 6\text{Ei}(1, -2b*x))$$

**Fricas [A] (verification not implemented)**

Time = 0.08 (sec) , antiderivative size = 64, normalized size of antiderivative = 0.57

$$\begin{aligned} & \int e^{bx}x^3 \text{ExpIntegralEi}(bx) dx \\ &= \frac{2(b^3x^3 - 3b^2x^2 + 6bx - 6)\text{Ei}(bx)e^{(bx)} - (b^2x^2 - 4bx + 8)e^{(2bx)} + 12\text{Ei}(2bx)}{2b^4} \end{aligned}$$

input `integrate(exp(b*x)*x^3*Ei(b*x),x, algorithm="fricas")`

output 
$$\frac{1}{2}(2(b^3x^3 - 3b^2x^2 + 6bx - 6)\text{Ei}(b*x)e^{(b*x)} - (b^2x^2 - 4bx + 8)e^{(2b*x)} + 12\text{Ei}(2b*x))/b^4$$

**Sympy [F]**

$$\int e^{bx} x^3 \operatorname{ExpIntegralEi}(bx) dx = \int x^3 e^{bx} \operatorname{Ei}(bx) dx$$

input `integrate(exp(b*x)*x**3*Ei(b*x), x)`

output `Integral(x**3*exp(b*x)*Ei(b*x), x)`

**Maxima [F]**

$$\int e^{bx} x^3 \operatorname{ExpIntegralEi}(bx) dx = \int x^3 \operatorname{Ei}(bx) e^{(bx)} dx$$

input `integrate(exp(b*x)*x^3*Ei(b*x), x, algorithm="maxima")`

output `integrate(x^3*Ei(b*x)*e^(b*x), x)`

**Giac [A] (verification not implemented)**

Time = 0.11 (sec) , antiderivative size = 75, normalized size of antiderivative = 0.67

$$\begin{aligned} \int e^{bx} x^3 \operatorname{ExpIntegralEi}(bx) dx &= \frac{(b^3 x^3 - 3 b^2 x^2 + 6 b x - 6) \operatorname{Ei}(bx) e^{(bx)}}{b^4} \\ &\quad - \frac{b^2 x^2 e^{(2bx)} - 4 b x e^{(2bx)} - 12 \operatorname{Ei}(2bx) + 8 e^{(2bx)}}{2 b^4} \end{aligned}$$

input `integrate(exp(b*x)*x^3*Ei(b*x), x, algorithm="giac")`

output `(b^3*x^3 - 3*b^2*x^2 + 6*b*x - 6)*Ei(b*x)*e^(b*x)/b^4 - 1/2*(b^2*x^2*e^(2*b*x) - 4*b*x*e^(2*b*x) - 12*Ei(2*b*x) + 8*e^(2*b*x))/b^4`

**Mupad [F(-1)]**

Timed out.

$$\int e^{bx} x^3 \text{ExpIntegralEi}(bx) dx = \int x^3 e^{bx} \text{ei}(bx) dx$$

input `int(x^3*exp(b*x)*ei(b*x),x)`

output `int(x^3*exp(b*x)*ei(b*x), x)`

**Reduce [F]**

$$\int e^{bx} x^3 \text{ExpIntegralEi}(bx) dx = \int e^{bx} \text{ei}(bx) x^3 dx$$

input `int(exp(b*x)*x^3*Ei(b*x),x)`

output `int(e**(b*x)*ei(b*x)*x**3,x)`

**3.55**       $\int e^{a+bx}x^3 \operatorname{ExpIntegralEi}(c+dx) dx$ 

Optimal result . . . . .	353
Mathematica [A] (verified) . . . . .	354
Rubi [A] (verified) . . . . .	354
Maple [B] (verified) . . . . .	359
Fricas [A] (verification not implemented)	360
Sympy [F(-1)] . . . . .	361
Maxima [F] . . . . .	361
Giac [B] (verification not implemented) . . . . .	362
Mupad [F(-1)] . . . . .	363
Reduce [F] . . . . .	363

## Optimal result

Integrand size = 17, antiderivative size = 433

$$\begin{aligned}
 \int e^{a+bx} x^3 \operatorname{ExpIntegralEi}(c + dx) dx = & -\frac{2e^{a+c+(b+d)x}}{b(b+d)^3} - \frac{3e^{a+c+(b+d)x}}{b^2(b+d)^2} - \frac{ce^{a+c+(b+d)x}}{bd(b+d)^2} \\
 & - \frac{6e^{a+c+(b+d)x}}{b^3(b+d)} - \frac{c^2 e^{a+c+(b+d)x}}{bd^2(b+d)} - \frac{3ce^{a+c+(b+d)x}}{b^2d(b+d)} \\
 & + \frac{2e^{a+c+(b+d)x}x}{b(b+d)^2} + \frac{3e^{a+c+(b+d)x}x}{b^2(b+d)} + \frac{ce^{a+c+(b+d)x}x}{bd(b+d)} \\
 & - \frac{e^{a+c+(b+d)x}x^2}{b(b+d)} - \frac{6e^{a+bx} \operatorname{ExpIntegralEi}(c + dx)}{b^4} \\
 & + \frac{6e^{a+bx}x \operatorname{ExpIntegralEi}(c + dx)}{b^3} \\
 & - \frac{3e^{a+bx}x^2 \operatorname{ExpIntegralEi}(c + dx)}{b^2} \\
 & + \frac{e^{a+bx}x^3 \operatorname{ExpIntegralEi}(c + dx)}{b} \\
 & + \frac{6e^{a-\frac{bc}{d}} \operatorname{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{b^4} \\
 & + \frac{c^3 e^{a-\frac{bc}{d}} \operatorname{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{bd^3} \\
 & + \frac{3c^2 e^{a-\frac{bc}{d}} \operatorname{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{b^2 d^2} \\
 & + \frac{6ce^{a-\frac{bc}{d}} \operatorname{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{b^3 d}
 \end{aligned}$$

output

```

-2*exp(a+c+(b+d)*x)/b/(b+d)^3-3*exp(a+c+(b+d)*x)/b^2/(b+d)^2-c*exp(a+c+(b+d)*x)/b/d/(b+d)^2-6*exp(a+c+(b+d)*x)/b^3/(b+d)-c^2*exp(a+c+(b+d)*x)/b/d^2/(b+d)-3*c*exp(a+c+(b+d)*x)/b^2/d/(b+d)+2*exp(a+c+(b+d)*x)*x/b/(b+d)^2+3*exp(a+c+(b+d)*x)*x/b^2/(b+d)+c*exp(a+c+(b+d)*x)*x/b/d/(b+d)-exp(a+c+(b+d)*x)*x^2/b/(b+d)-6*exp(b*x+a)*Ei(d*x+c)/b^4+6*exp(b*x+a)*x*Ei(d*x+c)/b^3-3*exp(b*x+a)*x^2*Ei(d*x+c)/b^2+exp(b*x+a)*x^3*Ei(d*x+c)/b+6*exp(a-b*c/d)*Ei((b+d)*(d*x+c)/d)/b^4+c^3*exp(a-b*c/d)*Ei((b+d)*(d*x+c)/d)/b/d^3+3*c^2*exp(a-b*c/d)*Ei((b+d)*(d*x+c)/d)/b^3/d

```

**Mathematica [A] (verified)**

Time = 0.38 (sec) , antiderivative size = 224, normalized size of antiderivative = 0.52

$$\int e^{a+bx} x^3 \text{ExpIntegralEi}(c + dx) dx$$

$$= e^a \left( e^{bx} (-6 + 6bx - 3b^2x^2 + b^3x^3) \text{ExpIntegralEi}(c + dx) + \frac{e^{-\frac{bc}{d}} \left( -bde^{\frac{(b+d)(c+dx)}{d}} (6d^4 + 3bd^3(5+c-dx) + b^4(c^2-cdx+3cd^2)) \right)}{b^4} \right)$$

input `Integrate[E^(a + b*x)*x^3*ExpIntegralEi[c + d*x], x]`

output 
$$(E^a (E^(b*x)*(-6 + 6*b*x - 3*b^2*x^2 + b^3*x^3)*\text{ExpIntegralEi}[c + d*x] + (-b*d*E^(((b + d)*(c + d*x))/d)*(6*d^4 + 3*b*d^3*(5 + c - d*x) + b^4*(c^2 - c*d*x + d^2*x^2) + b^2*d^2*(11 + c^2 - 8*d*x + d^2*x^2 + c*(7 - d*x)) + b^3*d*(2*c^2 + c*(4 - 2*d*x) + d*x*(-5 + 2*d*x))) + (b + d)^3*(b^3*c^3 + 3*b^2*c^2*d + 6*b*c*d^2 + 6*d^3)*\text{ExpIntegralEi[((b + d)*(c + d*x))/d]})/(d^3*(b + d)^3*E^((b*c)/d))))/b^4$$

**Rubi [A] (verified)**

Time = 2.53 (sec) , antiderivative size = 444, normalized size of antiderivative = 1.03, number of steps used = 11, number of rules used = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.647$ , Rules used = {7044, 2629, 2009, 7044, 2629, 2009, 7044, 2629, 2009, 7043, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^3 e^{a+bx} \text{ExpIntegralEi}(c + dx) dx$$

$$\downarrow 7044$$

$$-\frac{3 \int e^{a+bx} x^2 \text{ExpIntegralEi}(c + dx) dx}{b} - \frac{d \int \frac{e^{a+c+(b+d)x} x^3}{c+dx} dx}{b} + \frac{x^3 e^{a+bx} \text{ExpIntegralEi}(c + dx)}{b}$$

$$\downarrow 2629$$

$$\begin{aligned}
& \frac{d \int \left( -\frac{e^{a+c+(b+d)x} c^3}{d^3(c+dx)} + \frac{e^{a+c+(b+d)x} c^2}{d^3} - \frac{e^{a+c+(b+d)x} xc}{d^2} + \frac{e^{a+c+(b+d)x} x^2}{d} \right) dx}{3 \int e^{a+bx} x^2 \text{ExpIntegralEi}(c+dx) dx} - \\
& \frac{b}{b} \downarrow \text{2009} \\
& \frac{3 \int e^{a+bx} x^2 \text{ExpIntegralEi}(c+dx) dx}{b} - \\
& d \left( -\frac{c^3 e^{a-\frac{bc}{d}} \text{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{d^4} + \frac{c^2 e^{a+x(b+d)+c}}{d^3(b+d)} + \frac{ce^{a+x(b+d)+c}}{d^2(b+d)^2} - \frac{cxe^{a+x(b+d)+c}}{d^2(b+d)} + \frac{x^2 e^{a+x(b+d)+c}}{d(b+d)} + \frac{2e^{a+x(b+d)+c}}{d(b+d)^3} - \right. \\
& \frac{b}{b} \downarrow \text{7044} \\
& \frac{3 \left( -\frac{2 \int e^{a+bx} x \text{ExpIntegralEi}(c+dx) dx}{b} - \frac{d \int \frac{e^{a+c+(b+d)x} x^2}{c+dx} dx}{b} + \frac{x^2 e^{a+bx} \text{ExpIntegralEi}(c+dx)}{b} \right)}{b} - \\
& d \left( -\frac{c^3 e^{a-\frac{bc}{d}} \text{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{d^4} + \frac{c^2 e^{a+x(b+d)+c}}{d^3(b+d)} + \frac{ce^{a+x(b+d)+c}}{d^2(b+d)^2} - \frac{cxe^{a+x(b+d)+c}}{d^2(b+d)} + \frac{x^2 e^{a+x(b+d)+c}}{d(b+d)} + \frac{2e^{a+x(b+d)+c}}{d(b+d)^3} - \right. \\
& \frac{b}{b} \downarrow \text{2629} \\
& \frac{3 \left( -\frac{d \int \left( \frac{e^{a+c+(b+d)x} c^2}{d^2(c+dx)} - \frac{e^{a+c+(b+d)x} c}{d^2} + \frac{e^{a+c+(b+d)x} x}{d} \right) dx}{b} - \frac{2 \int e^{a+bx} x \text{ExpIntegralEi}(c+dx) dx}{b} + \frac{x^2 e^{a+bx} \text{ExpIntegralEi}(c+dx)}{b} \right)}{b} - \\
& d \left( -\frac{c^3 e^{a-\frac{bc}{d}} \text{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{d^4} + \frac{c^2 e^{a+x(b+d)+c}}{d^3(b+d)} + \frac{ce^{a+x(b+d)+c}}{d^2(b+d)^2} - \frac{cxe^{a+x(b+d)+c}}{d^2(b+d)} + \frac{x^2 e^{a+x(b+d)+c}}{d(b+d)} + \frac{2e^{a+x(b+d)+c}}{d(b+d)^3} - \right. \\
& \frac{b}{b} \downarrow \text{2009}
\end{aligned}$$

$$\begin{aligned}
& - \frac{3 \left( \frac{d \left( \frac{c^2 e^{a-\frac{bc}{d}} \text{ExpIntegralEi} \left( \frac{(b+d)(c+dx)}{d} \right) - ce^{a+x(b+d)+c}}{d^3} - \frac{e^{a+x(b+d)+c}}{d^2(b+d)} + \frac{xe^{a+x(b+d)+c}}{d(b+d)^2} + \frac{xe^{a+x(b+d)+c}}{d(b+d)} \right)}{b} + \frac{x^3 e^{a+bx} \text{ExpIntegralEi}(c+dx)}{b} \right)}{d \left( -\frac{c^3 e^{a-\frac{bc}{d}} \text{ExpIntegralEi} \left( \frac{(b+d)(c+dx)}{d} \right)}{d^4} + \frac{c^2 e^{a+x(b+d)+c}}{d^3(b+d)} + \frac{ce^{a+x(b+d)+c}}{d^2(b+d)^2} - \frac{cxe^{a+x(b+d)+c}}{d^2(b+d)} + \frac{x^2 e^{a+x(b+d)+c}}{d(b+d)} + \frac{2e^{a+x(b+d)+c}}{d(b+d)^3} - \frac{c^2 e^{a-\frac{bc}{d}} \text{ExpIntegralEi} \left( \frac{(b+d)(c+dx)}{d} \right)}{d^3} - ce^{a+x(b+d)+c} \right)} \\
& \quad \downarrow \textcolor{blue}{7044} \\
& - \frac{3 \left( \frac{2 \left( -\int e^{a+bx} \text{ExpIntegralEi}(c+dx) dx - \frac{d \int e^{a+c+(b+d)x} x dx}{b} + xe^{a+bx} \text{ExpIntegralEi}(c+dx) \right)}{b} - d \left( \frac{c^2 e^{a-\frac{bc}{d}} \text{ExpIntegralEi} \left( \frac{(b+d)(c+dx)}{d} \right)}{d^3} - ce^{a+x(b+d)+c} \right) \right)}{d \left( -\frac{c^3 e^{a-\frac{bc}{d}} \text{ExpIntegralEi} \left( \frac{(b+d)(c+dx)}{d} \right)}{d^4} + \frac{c^2 e^{a+x(b+d)+c}}{d^3(b+d)} + \frac{ce^{a+x(b+d)+c}}{d^2(b+d)^2} - \frac{cxe^{a+x(b+d)+c}}{d^2(b+d)} + \frac{x^2 e^{a+x(b+d)+c}}{d(b+d)} + \frac{2e^{a+x(b+d)+c}}{d(b+d)^3} - \frac{c^2 e^{a-\frac{bc}{d}} \text{ExpIntegralEi} \left( \frac{(b+d)(c+dx)}{d} \right)}{d^3} - ce^{a+x(b+d)+c} \right)} \\
& \quad \downarrow \textcolor{blue}{2629} \\
& - \frac{3 \left( \frac{2 \left( -\int e^{a+bx} \text{ExpIntegralEi}(c+dx) dx - \frac{d \int \left( \frac{e^{a+c+(b+d)x}}{d} - \frac{ce^{a+c+(b+d)x}}{d(c+dx)} \right) dx}{b} + xe^{a+bx} \text{ExpIntegralEi}(c+dx) \right)}{b} - d \left( \frac{c^2 e^{a-\frac{bc}{d}} \text{ExpIntegralEi} \left( \frac{(b+d)(c+dx)}{d} \right)}{d^3} - ce^{a+x(b+d)+c} \right) \right)}{d \left( -\frac{c^3 e^{a-\frac{bc}{d}} \text{ExpIntegralEi} \left( \frac{(b+d)(c+dx)}{d} \right)}{d^4} + \frac{c^2 e^{a+x(b+d)+c}}{d^3(b+d)} + \frac{ce^{a+x(b+d)+c}}{d^2(b+d)^2} - \frac{cxe^{a+x(b+d)+c}}{d^2(b+d)} + \frac{x^2 e^{a+x(b+d)+c}}{d(b+d)} + \frac{2e^{a+x(b+d)+c}}{d(b+d)^3} - \frac{c^2 e^{a-\frac{bc}{d}} \text{ExpIntegralEi} \left( \frac{(b+d)(c+dx)}{d} \right)}{d^3} - ce^{a+x(b+d)+c} \right)} \\
& \quad \downarrow \textcolor{blue}{2009}
\end{aligned}$$

$$\begin{aligned}
& - \frac{3}{d} \left( \frac{2}{b} \left( \frac{2 \left( \frac{-\int e^{a+bx} \text{ExpIntegralEi}(c+dx) dx}{b} - \frac{d \left( \frac{e^{a+x(b+d)+c}}{d(b+d)} - \frac{ce^{a-\frac{bc}{d}} \text{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{d^2} \right)}{b} + \frac{xe^{a+bx} \text{ExpIntegralEi}(c+dx)}{b} \right)}{b} \right) - \frac{d \left( \frac{c^3 e^{a-\frac{bc}{d}} \text{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{d^4} + \frac{c^2 e^{a+x(b+d)+c}}{d^3(b+d)} + \frac{ce^{a+x(b+d)+c}}{d^2(b+d)^2} - \frac{cxe^{a+x(b+d)+c}}{d^2(b+d)} + \frac{x^2 e^{a+x(b+d)+c}}{d(b+d)} + \frac{2e^{a+x(b+d)+c}}{d(b+d)^3} - \frac{b}{x^3 e^{a+bx} \text{ExpIntegralEi}(c+dx)} \right)}{b} \right. \\
& \quad \left. \downarrow 7043 \right) \\
& - \frac{3}{d} \left( \frac{2}{b} \left( \frac{-\frac{e^{a+bx} \text{ExpIntegralEi}(c+dx)}{b} - \frac{d \int \frac{e^{a+c+(b+d)x}}{c+dx} dx}{b}}{b} - \frac{d \left( \frac{e^{a+x(b+d)+c}}{d(b+d)} - \frac{ce^{a-\frac{bc}{d}} \text{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{d^2} \right)}{b} + \frac{xe^{a+bx} \text{ExpIntegralEi}(c+dx)}{b} \right) - \frac{d \left( \frac{c^3 e^{a-\frac{bc}{d}} \text{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{d^4} + \frac{c^2 e^{a+x(b+d)+c}}{d^3(b+d)} + \frac{ce^{a+x(b+d)+c}}{d^2(b+d)^2} - \frac{cxe^{a+x(b+d)+c}}{d^2(b+d)} + \frac{x^2 e^{a+x(b+d)+c}}{d(b+d)} + \frac{2e^{a+x(b+d)+c}}{d(b+d)^3} - \frac{b}{x^3 e^{a+bx} \text{ExpIntegralEi}(c+dx)} \right)}{b} \right. \\
& \quad \left. \downarrow 2609 \right)
\end{aligned}$$

$$\begin{aligned}
 & - \frac{3}{d} \left( - \frac{d \left( \frac{c^2 e^{a-\frac{bc}{d}} \text{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right) - ce^{a+x(b+d)+c} - \frac{e^{a+x(b+d)+c}}{d(b+d)^2} + \frac{xe^{a+x(b+d)+c}}{d(b+d)} }{d^3} \right)}{b} \right. \\
 & \quad \left. - \frac{2}{d} \left( - \frac{d \left( \frac{e^{a+x(b+d)+c}}{d(b+d)} - \frac{ce^{a-\frac{bc}{d}} \text{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{d^2} \right)}{b} \right. \right. \\
 & \quad \left. \left. - \frac{d \left( - \frac{c^3 e^{a-\frac{bc}{d}} \text{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right) + \frac{c^2 e^{a+x(b+d)+c}}{d^3(b+d)} + \frac{ce^{a+x(b+d)+c}}{d^2(b+d)^2} - \frac{cxe^{a+x(b+d)+c}}{d^2(b+d)} + \frac{x^2 e^{a+x(b+d)+c}}{d(b+d)} + \frac{2e^{a+x(b+d)+c}}{d(b+d)^3} - \frac{e^{a+x(b+d)+c}}{d^4} }{d^4} \right)}{b} \right) \right. \\
 & \quad \left. \left. \frac{x^3 e^{a+bx} \text{ExpIntegralEi}(c+dx)}{b} \right) \right)
 \end{aligned}$$

input  $\text{Int}[E^a (a + b*x)*x^3 \text{ExpIntegralEi}[c + d*x], x]$

output

$$\begin{aligned}
 & (E^a (a + b*x)*x^3 \text{ExpIntegralEi}[c + d*x])/b - (d*((2*E^a (a + c + (b + d)*x)) \\
 & /(d*(b + d)^3) + (c*E^a (a + c + (b + d)*x))/(d^2*(b + d)^2) + (c^2*E^a (a + c \\
 & + (b + d)*x))/(d^3*(b + d)) - (2*E^a (a + c + (b + d)*x)*x)/(d*(b + d)^2) - \\
 & (c*E^a (a + c + (b + d)*x)*x)/(d^2*(b + d)) + (E^a (a + c + (b + d)*x)*x^2)/ \\
 & (d*(b + d)) - (c^3*E^a (a - (b*c)/d)*\text{ExpIntegralEi}[(b + d)*(c + d*x))/d])/d^4) \\
 & /b - (3*((E^a (a + b*x)*x^2 \text{ExpIntegralEi}[c + d*x]))/b - (d*(-(E^a (a + c + \\
 & (b + d)*x)/(d*(b + d)^2)) - (c*E^a (a + c + (b + d)*x))/(d^2*(b + d)) + (E^a ( \\
 & a + c + (b + d)*x)*x)/(d*(b + d)) + (c^2*E^a (a - (b*c)/d)*\text{ExpIntegralEi}[(b \\
 & + d)*(c + d*x))/d])/d^3))/b - (2*((E^a (a + b*x)*x \text{ExpIntegralEi}[c + d*x]))/ \\
 & b - ((E^a (a + b*x)*\text{ExpIntegralEi}[c + d*x])/b - (E^a (a - (b*c)/d)*\text{ExpIntegral} \\
 & \text{Ei}[(b + d)*(c + d*x))/d])/b - (d*(E^a (a + c + (b + d)*x)/(d*(b + d)) - \\
 & (c*E^a (a - (b*c)/d)*\text{ExpIntegralEi}[(b + d)*(c + d*x))/d])/d^2))/b))/b))
 \end{aligned}$$

### Definitions of rubi rules used

rule 2009  $\text{Int}[u_, \ x\_\text{Symbol}] \rightarrow \text{Simp}[\text{IntSum}[u, \ x], \ x] /; \ \text{SumQ}[u]$

rule 2609  $\text{Int}[(F_*)^((g_*)*((e_*) + (f_*)*(x_)))/((c_*) + (d_*)*(x_)), \ x\_\text{Symbol}] \rightarrow \text{Simp}[(F^*(g*(e - c*(f/d)))/d)*\text{ExpIntegralEi}[f*g*(c + d*x)*(Log[F]/d)], \ x] /; \ \text{FreeQ}[\{F, \ c, \ d, \ e, \ f, \ g\}, \ x] \ \& \ \text{TrueQ}[\$UseGamma]$

rule 2629  $\text{Int}[(F_*)^((v_*)*(Px_*)*((d_*) + (e_*)*(x_))^m), \ x\_\text{Symbol}] \rightarrow \text{Int}[\text{ExpandIntegrand}[F^v, \ Px*(d + e*x)^m, \ x], \ x] /; \ \text{FreeQ}[\{F, \ d, \ e, \ m\}, \ x] \ \& \ \text{PolynomialQ}[Px, \ x] \ \& \ \text{LinearQ}[v, \ x] \ \& \ \text{TrueQ}[\$UseGamma]$

rule 7043  $\text{Int}[E^((a_*) + (b_*)*(x_))*\text{ExpIntegralEi}[(c_*) + (d_*)*(x_)], \ x\_\text{Symbol}] \rightarrow \text{Simp}[E^*(a + b*x)*(\text{ExpIntegralEi}[c + d*x]/b), \ x] - \text{Simp}[d/b \ \text{Int}[E^*(a + c + (b + d)*x)/(c + d*x), \ x], \ x] /; \ \text{FreeQ}[\{a, \ b, \ c, \ d\}, \ x]$

rule 7044  $\text{Int}[E^((a_*) + (b_*)*(x_))*\text{ExpIntegralEi}[(c_*) + (d_*)*(x_)]*(x_)^m, \ x\_\text{Symbol}] \rightarrow \text{Simp}[x^m*E^*(a + b*x)*(\text{ExpIntegralEi}[c + d*x]/b), \ x] + (-\text{Simp}[d/b \ \text{Int}[x^m*(E^*(a + c + (b + d)*x)/(c + d*x)), \ x], \ x] - \text{Simp}[m/b \ \text{Int}[x^(m - 1)*E^*(a + b*x)*\text{ExpIntegralEi}[c + d*x], \ x], \ x]) /; \ \text{FreeQ}[\{a, \ b, \ c, \ d\}, \ x] \ \& \ \text{IGtQ}[m, \ 0]$

### Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 964 vs.  $2(415) = 830$ .

Time = 0.72 (sec) , antiderivative size = 965, normalized size of antiderivative = 2.23

method	result	size
default	Expression too large to display	965

input  $\text{int}(\exp(b*x+a)*x^3*\text{Ei}(d*x+c), \ x, \ \text{method}=\text{\_RETURNVERBOSE})$

output

$$\begin{aligned}
 & (-\text{Ei}(d*x+c)/d^2/b*(\exp(1/d*b*(d*x+c)+(a*d-b*c)/d)/b^3*d^3*a^3-1/b^3*d^3*(\exp(1/d*b*(d*x+c)+(a*d-b*c)/d)*(1/d*b*(d*x+c)+(a*d-b*c)/d)^3-3*(1/d*b*(d*x+c)+(a*d-b*c)/d)^2*\exp(1/d*b*(d*x+c)+(a*d-b*c)/d)+6*(1/d*b*(d*x+c)+(a*d-b*c)/d)*\exp(1/d*b*(d*x+c)+(a*d-b*c)/d)-6*\exp(1/d*b*(d*x+c)+(a*d-b*c)/d))-3/b^3*d^3*a^2*((1/d*b*(d*x+c)+(a*d-b*c)/d)*\exp(1/d*b*(d*x+c)+(a*d-b*c)/d)-\exp(1/d*b*(d*x+c)+(a*d-b*c)/d))+3/b^3*d^3*a*((1/d*b*(d*x+c)+(a*d-b*c)/d)^2*\exp(1/d*b*(d*x+c)+(a*d-b*c)/d)-2*(1/d*b*(d*x+c)+(a*d-b*c)/d)*\exp(1/d*b*(d*x+c)+(a*d-b*c)/d)+2*\exp(1/d*b*(d*x+c)+(a*d-b*c)/d)))+1/d^2/b*(-\exp(a)/\exp(b*c/d)*c^3*\text{Ei}(1,-(1+b/d)*(d*x+c))-\exp(a)/\exp(b*c/d)/(1+b/d)^3*((1+b/d)^2*(d*x+c)^2*\exp((1+b/d)*(d*x+c))-2*(1+b/d)*(d*x+c)*\exp((1+b/d)*(d*x+c))+2*\exp((1+b/d)*(d*x+c))-3*\exp(a)/\exp(b*c/d)*c^2*\exp((1+b/d)*(d*x+c))/(1+b/d)-6/b^2*d^2*\exp(a)/\exp(b*c/d)*\exp((1+b/d)*(d*x+c))/(1+b/d)+3*\exp(a)/\exp(b*c/d)*c/(1+b/d)^2*((1+b/d)*(d*x+c)*\exp((1+b/d)*(d*x+c))-\exp((1+b/d)*(d*x+c)))-6/b*d*\exp(a)/\exp(b*c/d)*c*\exp((1+b/d)*(d*x+c))/(1+b/d)-6/b^3*d^3*\exp(a)/\exp(b*c/d)*\text{Ei}(1,-(1+b/d)*(d*x+c))+3/b*d*\exp(a)/\exp(b*c/d)/(1+b/d)^2*((1+b/d)*(d*x+c)*\exp((1+b/d)*(d*x+c))-\exp((1+b/d)*(d*x+c)))-6/b^2*d^2*\exp(a)/\exp(b*c/d)*c^2*\text{Ei}(1,-(1+b/d)*(d*x+c))-3/b*d*\exp(a)/\exp(b*c/d)*c^2*\text{Ei}(1,-(1+b/d)*(d*x+c))))/d
 \end{aligned}$$
**Fricas [A] (verification not implemented)**

Time = 0.09 (sec) , antiderivative size = 505, normalized size of antiderivative = 1.17

$$\int e^{a+bx} x^3 \text{ExpIntegralEi}(c + dx) dx =$$

$$\frac{(6 b^3 d^3 + 18 b^2 d^4 + 18 b d^5 + 6 d^6 - (b^6 d^3 + 3 b^5 d^4 + 3 b^4 d^5 + b^3 d^6)x^3 + 3(b^5 d^3 + 3 b^4 d^4 + 3 b^3 d^5 + b^2 d^6)x^2)}{b^3 d^3}$$

input `integrate(exp(b*x+a)*x^3*Ei(d*x+c),x, algorithm="fricas")`

output

$$-((6*b^3*d^3 + 18*b^2*d^4 + 18*b*d^5 + 6*d^6 - (b^6*d^3 + 3*b^5*d^4 + 3*b^4*d^5 + b^3*d^6)*x^3 + 3*(b^5*d^3 + 3*b^4*d^4 + 3*b^3*d^5 + b^2*d^6)*x^2 - 6*(b^4*d^3 + 3*b^3*d^4 + 3*b^2*d^5 + b*d^6)*x)*Ei(d*x + c)*e^(b*x + a) - (b^6*c^3 + 6*(b*c + 3*b)*d^5 + 6*d^6 + 3*(b^2*c^2 + 6*b^2*c + 6*b^2)*d^4 + (b^3*c^3 + 9*b^3*c^2 + 18*b^3*c + 6*b^3)*d^3 + 3*(b^4*c^3 + 3*b^4*c^2 + 2*b^4*c)*d^2 + 3*(b^5*c^3 + b^5*c^2)*d)*Ei((b*c + c*d + (b*d + d^2)*x)/d)*e^(-(b*c - a*d)/d) + (b^5*c^2*d + 6*b*d^5 + 3*(b^2*c + 5*b^2)*d^4 + (b^3*c^2 + 7*b^3*c + 11*b^3)*d^3 + 2*(b^4*c^2 + 2*b^4*c)*d^2 + (b^5*d^3 + 2*b^4*d^4 + b^3*d^5)*x^2 - (b^5*c*d^2 + 3*b^2*d^5 + (b^3*c + 8*b^3)*d^4 + (2*b^4*c + 5*b^4)*d^3)*x)*e^(b*x + d*x + a + c))/(b^7*d^3 + 3*b^6*d^4 + 3*b^5*d^5 + b^4*d^6)$$

## Sympy [F(-1)]

Timed out.

$$\int e^{a+bx} x^3 \text{ExpIntegralEi}(c + dx) dx = \text{Timed out}$$

input

```
integrate(exp(b*x+a)*x**3*Ei(d*x+c),x)
```

output

Timed out

## Maxima [F]

$$\int e^{a+bx} x^3 \text{ExpIntegralEi}(c + dx) dx = \int x^3 \text{Ei}(dx + c) e^{(bx+a)} dx$$

input

```
integrate(exp(b*x+a)*x^3*Ei(d*x+c),x, algorithm="maxima")
```

output

```
integrate(x^3*Ei(d*x + c)*e^(b*x + a), x)
```

**Giac [B] (verification not implemented)**

Leaf count of result is larger than twice the leaf count of optimal. 1154 vs.  $2(415) = 830$ .

Time = 0.13 (sec) , antiderivative size = 1154, normalized size of antiderivative = 2.67

$$\int e^{a+bx} x^3 \text{ExpIntegralEi}(c + dx) dx = \text{Too large to display}$$

input `integrate(exp(b*x+a)*x^3*Ei(d*x+c),x, algorithm="giac")`

output

```

-(b^5*d^3*x^2*e^(b*x + d*x + a + c) + 2*b^4*d^4*x^2*e^(b*x + d*x + a + c)
+ b^3*d^5*x^2*e^(b*x + d*x + a + c) - b^6*c^3*Ei((b*d*x + d^2*x + b*c + c*
d)/d)*e^(a + c - (b*c + c*d)/d) - 3*b^5*c^3*d*Ei((b*d*x + d^2*x + b*c + c*
d)/d)*e^(a + c - (b*c + c*d)/d) - 3*b^4*c^3*d^2*Ei((b*d*x + d^2*x + b*c +
c*d)/d)*e^(a + c - (b*c + c*d)/d) - b^3*c^3*d^3*Ei((b*d*x + d^2*x + b*c +
c*d)/d)*e^(a + c - (b*c + c*d)/d) - b^5*c*d^2*x*e^(b*x + d*x + a + c) - 2*
b^4*c*d^3*x*e^(b*x + d*x + a + c) - b^3*c*d^4*x*e^(b*x + d*x + a + c) - 3*
b^5*c^2*d*Ei((b*d*x + d^2*x + b*c + c*d)/d)*e^(a + c - (b*c + c*d)/d) - 9*
b^4*c^2*d^2*Ei((b*d*x + d^2*x + b*c + c*d)/d)*e^(a + c - (b*c + c*d)/d) -
9*b^3*c^2*d^3*Ei((b*d*x + d^2*x + b*c + c*d)/d)*e^(a + c - (b*c + c*d)/d)
- 3*b^2*c^2*d^4*Ei((b*d*x + d^2*x + b*c + c*d)/d)*e^(a + c - (b*c + c*d)/d)
+ b^5*c^2*d*e^(b*x + d*x + a + c) + 2*b^4*c^2*d^2*e^(b*x + d*x + a + c)
+ b^3*c^2*d^3*e^(b*x + d*x + a + c) - 5*b^4*d^3*x*e^(b*x + d*x + a + c) -
8*b^3*d^4*x*e^(b*x + d*x + a + c) - 3*b^2*d^5*x*e^(b*x + d*x + a + c) - 6*
b^4*c*d^2*Ei((b*d*x + d^2*x + b*c + c*d)/d)*e^(a + c - (b*c + c*d)/d) - 18*
b^3*c*d^3*Ei((b*d*x + d^2*x + b*c + c*d)/d)*e^(a + c - (b*c + c*d)/d) - 1
8*b^2*c*d^4*Ei((b*d*x + d^2*x + b*c + c*d)/d)*e^(a + c - (b*c + c*d)/d) -
6*b*c*d^5*Ei((b*d*x + d^2*x + b*c + c*d)/d)*e^(a + c - (b*c + c*d)/d) + 4*
b^4*c*d^2*e^(b*x + d*x + a + c) + 7*b^3*c*d^3*e^(b*x + d*x + a + c) + 3*b^
2*c*d^4*e^(b*x + d*x + a + c) - 6*b^3*d^3*Ei((b*d*x + d^2*x + b*c + c*d...

```

**Mupad [F(-1)]**

Timed out.

$$\int e^{a+bx} x^3 \text{ExpIntegralEi}(c + dx) dx = \int x^3 \text{ei}(c + dx) e^{a+bx} dx$$

input `int(x^3*ei(c + d*x)*exp(a + b*x),x)`

output `int(x^3*ei(c + d*x)*exp(a + b*x), x)`

**Reduce [F]**

$$\int e^{a+bx} x^3 \text{ExpIntegralEi}(c + dx) dx = e^a \left( \int e^{bx} \text{ei}(dx + c) x^3 dx \right)$$

input `int(exp(b*x+a)*x^3*Ei(d*x+c),x)`

output `e**a*int(e**(b*x)*ei(c + d*x)*x**3,x)`

### 3.56 $\int e^{a+bx}x^2 \operatorname{ExpIntegralEi}(c+dx) dx$

Optimal result . . . . .	364
Mathematica [A] (verified) . . . . .	365
Rubi [A] (verified) . . . . .	365
Maple [B] (verified) . . . . .	369
Fricas [A] (verification not implemented)	369
Sympy [F(-1)] . . . . .	370
Maxima [F] . . . . .	370
Giac [B] (verification not implemented) . . . . .	371
Mupad [F(-1)] . . . . .	371
Reduce [F] . . . . .	372

#### Optimal result

Integrand size = 17, antiderivative size = 238

$$\begin{aligned} \int e^{a+bx}x^2 \operatorname{ExpIntegralEi}(c+dx) dx = & \frac{e^{a+c+(b+d)x}}{b(b+d)^2} + \frac{2e^{a+c+(b+d)x}}{b^2(b+d)} + \frac{ce^{a+c+(b+d)x}}{bd(b+d)} \\ & - \frac{e^{a+c+(b+d)x}x}{b(b+d)} + \frac{2e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{b^3} \\ & - \frac{2e^{a+bx}x \operatorname{ExpIntegralEi}(c+dx)}{b^2} \\ & + \frac{e^{a+bx}x^2 \operatorname{ExpIntegralEi}(c+dx)}{b} \\ & - \frac{2e^{a-\frac{bc}{d}} \operatorname{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{b^3} \\ & - \frac{c^2 e^{a-\frac{bc}{d}} \operatorname{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{bd^2} \\ & - \frac{2ce^{a-\frac{bc}{d}} \operatorname{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{b^2d} \end{aligned}$$

output

```
exp(a+c+(b+d)*x)/b/(b+d)^2+2*exp(a+c+(b+d)*x)/b^2/(b+d)+c*exp(a+c+(b+d)*x)
/b/d/(b+d)-exp(a+c+(b+d)*x)*x/b/(b+d)+2*exp(b*x+a)*Ei(d*x+c)/b^3-2*exp(b*x
+a)*x*Ei(d*x+c)/b^2+exp(b*x+a)*x^2*Ei(d*x+c)/b-2*exp(a-b*c/d)*Ei((b+d)*(d*
x+c)/d)/b^3-c^2*exp(a-b*c/d)*Ei((b+d)*(d*x+c)/d)/b/d^2-2*c*exp(a-b*c/d)*Ei
((b+d)*(d*x+c)/d)/b^2/d
```

**Mathematica [A] (verified)**

Time = 0.19 (sec) , antiderivative size = 133, normalized size of antiderivative = 0.56

$$\begin{aligned} & \int e^{a+bx} x^2 \operatorname{ExpIntegralEi}(c + dx) dx \\ &= \frac{e^a \left( e^{bx} (2 - 2bx + b^2 x^2) \operatorname{ExpIntegralEi}(c + dx) + \frac{e^{-\frac{bc}{d}} \left( bde^{\frac{(b+d)(c+dx)}{d}} (2d^2 + b^2(c-dx) + bd(3+c-dx)) - (b+d)^2(b^2 c^2 + 2bcc) \right)}{d^2(b+d)^2} \right)}{b^3} \end{aligned}$$

input `Integrate[E^(a + b*x)*x^2*ExpIntegralEi[c + d*x], x]`

output 
$$\begin{aligned} & (E^a (E^{b*x} ((2 - 2*b*x + b^2*x^2) * \operatorname{ExpIntegralEi}[c + d*x] + (b*d*E^((b + d)*(c + d*x))/d) * (2*d^2 + b^2*(c - d*x) + b*d*(3 + c - d*x)) - (b + d)^2 * (b^2*c^2 + 2*b*c*d + 2*d^2) * \operatorname{ExpIntegralEi}[(b + d)*(c + d*x)/d])) / (d^2*(b + d)^2 * E^{(b*c)/d})) ) / b^3 \end{aligned}$$

**Rubi [A] (verified)**

Time = 1.38 (sec) , antiderivative size = 252, normalized size of antiderivative = 1.06, number of steps used = 8, number of rules used = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$ , Rules used = {7044, 2629, 2009, 7044, 2629, 2009, 7043, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int x^2 e^{a+bx} \operatorname{ExpIntegralEi}(c + dx) dx \\ & \downarrow \textcolor{blue}{7044} \\ & - \frac{2 \int e^{a+bx} x \operatorname{ExpIntegralEi}(c + dx) dx}{b} - \frac{d \int \frac{e^{a+c+(b+d)x} x^2}{c+dx} dx}{b} + \frac{x^2 e^{a+bx} \operatorname{ExpIntegralEi}(c + dx)}{b} \\ & \downarrow \textcolor{blue}{2629} \end{aligned}$$

$$\begin{aligned}
& - \frac{d \int \left( \frac{e^{a+c+(b+d)x} c^2}{d^2(c+dx)} - \frac{e^{a+c+(b+d)x} c}{d^2} + \frac{e^{a+c+(b+d)x} x}{d} \right) dx}{b} - \frac{2 \int e^{a+bx} x \operatorname{ExpIntegralEi}(c+dx) dx}{b} + \\
& \quad \frac{x^2 e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{b} \\
& \quad \downarrow \textcolor{blue}{2009} \\
& - \frac{2 \int e^{a+bx} x \operatorname{ExpIntegralEi}(c+dx) dx}{b} - \\
& \frac{d \left( \frac{c^2 e^{a-\frac{bc}{d}} \operatorname{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{d^3} - \frac{ce^{a+x(b+d)+c}}{d^2(b+d)} - \frac{e^{a+x(b+d)+c}}{d(b+d)^2} + \frac{xe^{a+x(b+d)+c}}{d(b+d)} \right)}{b} + \\
& \quad \frac{x^2 e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{b} \\
& \quad \downarrow \textcolor{blue}{7044} \\
& - \frac{2 \left( - \frac{\int e^{a+bx} \operatorname{ExpIntegralEi}(c+dx) dx}{b} - \frac{d \int \frac{e^{a+c+(b+d)x}}{c+dx} dx}{b} + \frac{xe^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{b} \right)}{b} - \\
& \frac{d \left( \frac{c^2 e^{a-\frac{bc}{d}} \operatorname{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{d^3} - \frac{ce^{a+x(b+d)+c}}{d^2(b+d)} - \frac{e^{a+x(b+d)+c}}{d(b+d)^2} + \frac{xe^{a+x(b+d)+c}}{d(b+d)} \right)}{b} + \\
& \quad \frac{x^2 e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{b} \\
& \quad \downarrow \textcolor{blue}{2629} \\
& - \frac{2 \left( - \frac{\int e^{a+bx} \operatorname{ExpIntegralEi}(c+dx) dx}{b} - \frac{d \int \left( \frac{e^{a+c+(b+d)x}}{d} - \frac{ce^{a+c+(b+d)x}}{d(c+dx)} \right) dx}{b} + \frac{xe^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{b} \right)}{b} - \\
& \frac{d \left( \frac{c^2 e^{a-\frac{bc}{d}} \operatorname{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{d^3} - \frac{ce^{a+x(b+d)+c}}{d^2(b+d)} - \frac{e^{a+x(b+d)+c}}{d(b+d)^2} + \frac{xe^{a+x(b+d)+c}}{d(b+d)} \right)}{b} + \\
& \quad \frac{x^2 e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{b} \\
& \quad \downarrow \textcolor{blue}{2009}
\end{aligned}$$

$$\begin{aligned}
 & - \frac{2 \left( - \frac{\int e^{a+bx} \text{ExpIntegralEi}(c+dx) dx}{b} - \frac{d \left( \frac{e^{a+x(b+d)+c}}{d(b+d)} - \frac{ce^{a-\frac{bc}{d}} \text{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{d^2} \right)}{b} + \frac{xe^{a+bx} \text{ExpIntegralEi}(c+dx)}{b} \right)}{d \left( \frac{c^2 e^{a-\frac{bc}{d}} \text{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{d^3} - \frac{ce^{a+x(b+d)+c}}{d^2(b+d)} - \frac{e^{a+x(b+d)+c}}{d(b+d)^2} + \frac{xe^{a+x(b+d)+c}}{d(b+d)} \right)} + \\
 & \quad \frac{x^2 e^{a+bx} \text{ExpIntegralEi}(c+dx)}{b} \\
 & \quad \downarrow \textcolor{blue}{7043} \\
 & - \frac{2 \left( - \frac{\frac{e^{a+bx} \text{ExpIntegralEi}(c+dx)}{b}}{b} - \frac{d \int \frac{e^{a+c+(b+d)x}}{c+dx} dx}{b} - \frac{d \left( \frac{e^{a+x(b+d)+c}}{d(b+d)} - \frac{ce^{a-\frac{bc}{d}} \text{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{d^2} \right)}{b} + \frac{xe^{a+bx} \text{ExpIntegralEi}(c+dx)}{b} \right)}{d \left( \frac{c^2 e^{a-\frac{bc}{d}} \text{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{d^3} - \frac{ce^{a+x(b+d)+c}}{d^2(b+d)} - \frac{e^{a+x(b+d)+c}}{d(b+d)^2} + \frac{xe^{a+x(b+d)+c}}{d(b+d)} \right)} + \\
 & \quad \frac{x^2 e^{a+bx} \text{ExpIntegralEi}(c+dx)}{b} \\
 & \quad \downarrow \textcolor{blue}{2609} \\
 & - \frac{d \left( \frac{c^2 e^{a-\frac{bc}{d}} \text{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{d^3} - \frac{ce^{a+x(b+d)+c}}{d^2(b+d)} - \frac{e^{a+x(b+d)+c}}{d(b+d)^2} + \frac{xe^{a+x(b+d)+c}}{d(b+d)} \right)}{d \left( \frac{e^{a+x(b+d)+c}}{d(b+d)} - \frac{ce^{a-\frac{bc}{d}} \text{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{d^2} \right)} + \frac{xe^{a+bx} \text{ExpIntegralEi}(c+dx)}{b} - \frac{\frac{e^{a+bx} \text{ExpIntegralEi}(c+dx)}{b} - \frac{e^{a-\frac{bc}{d}} \text{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{b}}{b}
 \end{aligned}$$

input Int [E^(a + b\*x)\*x^2\*ExpIntegralEi[c + d\*x], x]

output

$$(E^{(a + b*x)}*x^2*ExpIntegralEi[c + d*x])/b - (d*(-(E^{(a + c + (b + d)*x})/(d*(b + d)^2)) - (c*E^{(a + c + (b + d)*x})/(d^2*(b + d)) + (E^{(a + c + (b + d)*x})/(d*(b + d)) + (c^2*E^{(a - (b*c)/d})*ExpIntegralEi[((b + d)*(c + d)*x)/d])/d^3))/b - (2*((E^{(a + b*x)}*x*ExpIntegralEi[c + d*x])/b - ((E^{(a + b*x})*ExpIntegralEi[c + d*x])/b - (E^{(a - (b*c)/d})*ExpIntegralEi[((b + d)*(c + d*x))/d])/b - (d*(E^{(a + c + (b + d)*x})/(d*(b + d)) - (c*E^{(a - (b*c)/d})*ExpIntegralEi[((b + d)*(c + d*x))/d])/d^2))/b))/b$$

### Definitions of rubi rules used

rule 2009  $\text{Int}[u_, x\_\text{Symbol}] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] /; \text{SumQ}[u]$

rule 2609  $\text{Int}[(F_*)^((g_*)*((e_*) + (f_*)*(x_))/((c_*) + (d_*)*(x_)), x\_\text{Symbol}] \rightarrow \text{Simp}[(F^g*(e - c*(f/d))/d)*ExpIntegralEi[f*g*(c + d*x)*(Log[F]/d)], x] /; F \neq Q\{F, c, d, e, f, g\}, x] \& !\text{TrueQ}[\$UseGamma]$

rule 2629  $\text{Int}[(F_*)^((v_*)*(Px_*)*((d_*) + (e_*)*(x_))^m, x\_\text{Symbol}] \rightarrow \text{Int}[\text{ExpandIntegrand}[F^v, Px*(d + e*x)^m, x], x] /; \text{FreeQ}\{F, d, e, m\}, x] \& \text{PolynomialQ}[Px, x] \& \text{LinearQ}[v, x] \& !\text{TrueQ}[\$UseGamma]$

rule 7043  $\text{Int}[E^{(a_*) + (b_*)*(x_*)}*ExpIntegralEi[(c_*) + (d_*)*(x_*)], x\_\text{Symbol}] \rightarrow \text{Simp}[E^{(a + b*x)}*(ExpIntegralEi[c + d*x]/b), x] - \text{Simp}[d/b \text{ Int}[E^{(a + c + (b + d)*x)/(c + d*x)}, x], x] /; \text{FreeQ}\{a, b, c, d\}, x]$

rule 7044  $\text{Int}[E^{(a_*) + (b_*)*(x_*)}*ExpIntegralEi[(c_*) + (d_*)*(x_*)]*x^{(m_*)}, x\_\text{Symbol}] \rightarrow \text{Simp}[x^m*E^{(a + b*x)}*(ExpIntegralEi[c + d*x]/b), x] + (-\text{Simp}[d/b \text{ Int}[x^m*(E^{(a + c + (b + d)*x)/(c + d*x)}, x], x] - \text{Simp}[m/b \text{ Int}[x^{(m - 1)}*E^{(a + b*x)}*ExpIntegralEi[c + d*x], x], x]) /; \text{FreeQ}\{a, b, c, d\}, x] \& IGtQ[m, 0]$

**Maple [B] (verified)**

Leaf count of result is larger than twice the leaf count of optimal. 522 vs.  $2(228) = 456$ .

Time = 0.34 (sec) , antiderivative size = 523, normalized size of antiderivative = 2.20

method	result
default	$\text{expIntegral}(dx+c) \left( \frac{e^{\frac{b(dx+c)}{d}} + \frac{ad-bc}{d}}{b^2} d^2 a^2 + \frac{d^2 \left( \left( \frac{b(dx+c)}{d} + \frac{ad-bc}{d} \right)^2 e^{\frac{b(dx+c)}{d}} + \frac{ad-bc}{d} - 2 \left( \frac{b(dx+c)}{d} + \frac{ad-bc}{d} \right) e^{\frac{b(dx+c)}{d}} + \frac{ad-bc}{d} + 2 e^{\frac{b(dx+c)}{d}} \right)}{b^2} \right) db$

input `int(exp(b*x+a)*x^2*Ei(d*x+c),x,method=_RETURNVERBOSE)`

output 
$$\begin{aligned} & (\text{Ei}(d*x+c)/d/b * (\exp(1/d*b*(d*x+c)+(a*d-b*c)/d)/b^2*d^2*a^2+1/b^2*d^2*((1/d \\ & *b*(d*x+c)+(a*d-b*c)/d)^2*\exp(1/d*b*(d*x+c)+(a*d-b*c)/d)-2*(1/d*b*(d*x+c)+ \\ & (a*d-b*c)/d)*\exp(1/d*b*(d*x+c)+(a*d-b*c)/d)+2*\exp(1/d*b*(d*x+c)+(a*d-b*c)/ \\ & d))-2/b^2*d^2*a*((1/d*b*(d*x+c)+(a*d-b*c)/d)*\exp(1/d*b*(d*x+c)+(a*d-b*c)/d \\ & )-\exp(1/d*b*(d*x+c)+(a*d-b*c)/d)))-1/d/b*(\exp(a)/\exp(b*c/d)/(1+b/d)^2*((1+ \\ & b/d)*(d*x+c)*\exp((1+b/d)*(d*x+c))-\exp((1+b/d)*(d*x+c)))-\exp(a)/\exp(b*c/d)* \\ & c^2*\text{Ei}(1,-(1+b/d)*(d*x+c))-2*\exp(a)/\exp(b*c/d)*c*\exp((1+b/d)*(d*x+c))/(1+b \\ & /d)-2/b*d*\exp(a)/\exp(b*c/d)*\exp((1+b/d)*(d*x+c))/(1+b/d)-2/b^2*d^2*\exp(a)/ \\ & \exp(b*c/d)*\text{Ei}(1,-(1+b/d)*(d*x+c))-2/b*d*\exp(a)/\exp(b*c/d)*c*\text{Ei}(1,-(1+b/d)* \\ & (d*x+c)))/d \end{aligned}$$

**Fricas [A] (verification not implemented)**

Time = 0.09 (sec) , antiderivative size = 269, normalized size of antiderivative = 1.13

$$\int e^{a+bx} x^2 \text{ExpIntegralEi}(c + dx) dx = \frac{(2 b^2 d^2 + 4 b d^3 + 2 d^4 + (b^4 d^2 + 2 b^3 d^3 + b^2 d^4)x^2 - 2 (b^3 d^2 + 2 b^2 d^3 + b d^4)x)\text{Ei}(dx + c) e^{(bx+a)} - (b^4 c^2 +$$

input `integrate(exp(b*x+a)*x^2*Ei(d*x+c),x, algorithm="fricas")`

output

$$\begin{aligned} & ((2*b^2*d^2 + 4*b*d^3 + 2*d^4 + (b^4*d^2 + 2*b^3*d^3 + b^2*d^4)*x)*Ei(d*x + c)*e^{(b*x + a)} - (b^4*c^2 + 2*(b*c + 2*b)*d^3 + 2*d^4 + (b^2*c^2 + 4*b^2*c + 2*b^2)*d^2 + 2*(b^3*c^2 + b^3*c)*d)*Ei((b*c + c*d + (b*d + d^2)*x)/d)*e^{(-(b*c - a*d)/d)} + (b^3*c*d + 2*b*d^3 + (b^2*c + 3*b^2)*d^2 - (b^3*d^2 + b^2*d^3)*x)*e^{(b*x + d*x + a + c)})/(b^5*d^2 + 2*b^4*d^3 + b^3*d^4) \end{aligned}$$

## Sympy [F(-1)]

Timed out.

$$\int e^{a+bx} x^2 \text{ExpIntegralEi}(c + dx) dx = \text{Timed out}$$

input

```
integrate(exp(b*x+a)*x**2*Ei(d*x+c),x)
```

output

Timed out

## Maxima [F]

$$\int e^{a+bx} x^2 \text{ExpIntegralEi}(c + dx) dx = \int x^2 \text{Ei}(dx + c) e^{(bx+a)} dx$$

input

```
integrate(exp(b*x+a)*x^2*Ei(d*x+c),x, algorithm="maxima")
```

output

```
integrate(x^2*Ei(d*x + c)*e^(b*x + a), x)
```

**Giac [B] (verification not implemented)**

Leaf count of result is larger than twice the leaf count of optimal. 565 vs.  $2(228) = 456$ .

Time = 0.13 (sec), antiderivative size = 565, normalized size of antiderivative = 2.37

$$\int e^{a+bx} x^2 \text{ExpIntegralEi}(c + dx) dx =$$

$$-\frac{b^4 c^2 \text{Ei}\left(\frac{b d x + d^2 x + b c + c d}{d}\right) e^{\left(a+c-\frac{b c+c d}{d}\right)} + 2 b^3 c^2 d \text{Ei}\left(\frac{b d x + d^2 x + b c + c d}{d}\right) e^{\left(a+c-\frac{b c+c d}{d}\right)} + b^2 c^2 d^2 \text{Ei}\left(\frac{b d x + d^2 x + b c + c d}{d}\right) e^{\left(a+c-\frac{b c+c d}{d}\right)}}{b^3}$$

$$+ \frac{(b^2 x^2 - 2 b x + 2) \text{Ei}(dx + c) e^{(bx+a)}}{b^3}$$

input `integrate(exp(b*x+a)*x^2*Ei(d*x+c),x, algorithm="giac")`

output

$$-(b^4 c^2 \text{Ei}((b d x + d^2 x + b c + c d)/d) * e^{(a+c-(b c + c d)/d)} + 2 b^3 c^2 d \text{Ei}((b d x + d^2 x + b c + c d)/d) * e^{(a+c-(b c + c d)/d)} + b^2 c^2 d^2 \text{Ei}((b d x + d^2 x + b c + c d)/d) * e^{(a+c-(b c + c d)/d)} + b^3 d^2 \text{Ei}((b d x + d^2 x + b c + c d)/d) * e^{(a+c-(b c + c d)/d)} + 2 b^2 c^3 d \text{Ei}((b d x + d^2 x + b c + c d)/d) * e^{(a+c-(b c + c d)/d)} + 4 b^2 c^2 d^2 \text{Ei}((b d x + d^2 x + b c + c d)/d) * e^{(a+c-(b c + c d)/d)} + 2 b^2 c^3 d^3 \text{Ei}((b d x + d^2 x + b c + c d)/d) * e^{(a+c-(b c + c d)/d)} - b^3 c^2 d \text{Ei}((b d x + d^2 x + b c + c d)/d) * e^{(a+c-(b c + c d)/d)} - b^3 c^3 d \text{Ei}((b d x + d^2 x + b c + c d)/d) * e^{(a+c-(b c + c d)/d)} - b^2 c^2 d^2 \text{Ei}((b d x + d^2 x + b c + c d)/d) * e^{(a+c-(b c + c d)/d)} + 2 b^2 c^2 d^3 \text{Ei}((b d x + d^2 x + b c + c d)/d) * e^{(a+c-(b c + c d)/d)} + 4 b^2 c d^3 \text{Ei}((b d x + d^2 x + b c + c d)/d) * e^{(a+c-(b c + c d)/d)} + 2 d^4 \text{Ei}((b d x + d^2 x + b c + c d)/d) * e^{(a+c-(b c + c d)/d)} - 3 b^2 c^2 d^2 \text{Ei}((b d x + d^2 x + b c + c d)/d) * e^{(a+c-(b c + c d)/d)} - 2 b^2 c d^3 \text{Ei}((b d x + d^2 x + b c + c d)/d) * e^{(a+c-(b c + c d)/d)}) / (b^5 d^2 + 2 b^4 d^3 + b^3 d^4) + (b^2 x^2 - 2 b^2 x + 2) \text{Ei}(d x + c) * e^{(b x + a)} / b^3$$
**Mupad [F(-1)]**

Timed out.

$$\int e^{a+bx} x^2 \text{ExpIntegralEi}(c + dx) dx = \int x^2 \text{ei}(c + d x) e^{a+b x} dx$$

input `int(x^2*ei(c + d*x)*exp(a + b*x),x)`

output `int(x^2*ei(c + d*x)*exp(a + b*x), x)`

## Reduce [F]

$$\int e^{a+bx} x^2 \operatorname{ExpIntegralEi}(c + dx) dx = e^a \left( \int e^{bx} ei(dx + c) x^2 dx \right)$$

input `int(exp(b*x+a)*x^2*Ei(d*x+c),x)`

output `e**a*int(e**(b*x)*ei(c + d*x)*x**2,x)`

### 3.57 $\int e^{a+bx}x \operatorname{ExpIntegralEi}(c+dx) dx$

Optimal result . . . . .	373
Mathematica [A] (verified) . . . . .	374
Rubi [A] (verified) . . . . .	374
Maple [B] (verified) . . . . .	376
Fricas [A] (verification not implemented)	377
Sympy [F(-1)] . . . . .	377
Maxima [F] . . . . .	377
Giac [A] (verification not implemented) . . . . .	378
Mupad [F(-1)] . . . . .	378
Reduce [F] . . . . .	379

#### Optimal result

Integrand size = 15, antiderivative size = 117

$$\begin{aligned} \int e^{a+bx}x \operatorname{ExpIntegralEi}(c+dx) dx = & -\frac{e^{a+c+(b+d)x}}{b(b+d)} - \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{b^2} \\ & + \frac{e^{a+bx}x \operatorname{ExpIntegralEi}(c+dx)}{b} \\ & + \frac{e^{a-\frac{bc}{d}} \operatorname{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{b^2} \\ & + \frac{ce^{a-\frac{bc}{d}} \operatorname{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{bd} \end{aligned}$$

output

```
-exp(a+c+(b+d)*x)/b/(b+d)-exp(b*x+a)*Ei(d*x+c)/b^2+exp(b*x+a)*x*Ei(d*x+c)/
b+exp(a-b*c/d)*Ei((b+d)*(d*x+c)/d)/b^2+c*exp(a-b*c/d)*Ei((b+d)*(d*x+c)/d)/
b/d
```

**Mathematica [A] (verified)**

Time = 0.10 (sec) , antiderivative size = 91, normalized size of antiderivative = 0.78

$$\int e^{a+bx} x \operatorname{ExpIntegralEi}(c + dx) dx \\ = \frac{e^{a-\frac{bc}{d}} \left( -bde^{\frac{(b+d)(c+dx)}{d}} + d(b+d)e^{b(\frac{c}{d}+x)} (-1 + bx) \operatorname{ExpIntegralEi}(c + dx) + (b+d)(bc+d) \operatorname{ExpIntegralEi}(c + dx) \right)}{b^2 d(b+d)}$$

input `Integrate[E^(a + b*x)*x*ExpIntegralEi[c + d*x], x]`

output  $(E^a (a - (b*c)/d)*(-(b*d*E^(((b + d)*(c + d*x))/d)) + d*(b + d)*E^{(b*(c/d + x))}*(-1 + b*x)*\operatorname{ExpIntegralEi}[c + d*x] + (b + d)*(b*c + d)*\operatorname{ExpIntegralEi}[(b + d)*(c + d*x))/d]))/(b^2*d*(b + d))$

**Rubi [A] (verified)**

Time = 0.70 (sec) , antiderivative size = 127, normalized size of antiderivative = 1.09, number of steps used = 5, number of rules used = 5,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {7044, 2629, 2009, 7043, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int xe^{a+bx} \operatorname{ExpIntegralEi}(c + dx) dx \\ \downarrow 7044 \\ - \frac{\int e^{a+bx} \operatorname{ExpIntegralEi}(c + dx) dx}{b} - \frac{d \int \frac{e^{a+c+(b+d)x} x}{c+dx} dx}{b} + \frac{xe^{a+bx} \operatorname{ExpIntegralEi}(c + dx)}{b} \\ \downarrow 2629 \\ - \frac{\int e^{a+bx} \operatorname{ExpIntegralEi}(c + dx) dx}{b} - \frac{d \int \left( \frac{e^{a+c+(b+d)x}}{d} - \frac{ce^{a+c+(b+d)x}}{d(c+dx)} \right) dx}{b} + \\ \frac{xe^{a+bx} \operatorname{ExpIntegralEi}(c + dx)}{b} \\ \downarrow 2009$$

$$\begin{aligned}
 & - \frac{\int e^{a+bx} \text{ExpIntegralEi}(c+dx) dx}{b} - \frac{d \left( \frac{e^{a+x(b+d)+c}}{d(b+d)} - \frac{ce^{a-\frac{bc}{d}} \text{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{d^2} \right)}{b} + \\
 & \quad \frac{xe^{a+bx} \text{ExpIntegralEi}(c+dx)}{b} \\
 & \quad \downarrow \text{7043} \\
 & \quad \frac{\frac{e^{a+bx} \text{ExpIntegralEi}(c+dx)}{b} - \frac{d \int \frac{e^{a+c+(b+d)x}}{c+dx} dx}{b}}{b} - \\
 & \quad \frac{d \left( \frac{e^{a+x(b+d)+c}}{d(b+d)} - \frac{ce^{a-\frac{bc}{d}} \text{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{d^2} \right)}{b} + \frac{xe^{a+bx} \text{ExpIntegralEi}(c+dx)}{b} \\
 & \quad \downarrow \text{2609} \\
 & \quad \frac{d \left( \frac{e^{a+x(b+d)+c}}{d(b+d)} - \frac{ce^{a-\frac{bc}{d}} \text{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{d^2} \right)}{b} + \frac{xe^{a+bx} \text{ExpIntegralEi}(c+dx)}{b} - \\
 & \quad \frac{\frac{e^{a+bx} \text{ExpIntegralEi}(c+dx)}{b} - \frac{e^{a-\frac{bc}{d}} \text{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{b}}{b}
 \end{aligned}$$

input `Int[E^(a + b*x)*x*ExpIntegralEi[c + d*x], x]`

output `(E^(a + b*x)*x*ExpIntegralEi[c + d*x])/b - ((E^(a + b*x)*ExpIntegralEi[c + d*x])/b - (E^(a - (b*c)/d)*ExpIntegralEi[((b + d)*(c + d*x))/d])/b) - (d*(E^(a + c + (b + d)*x)/(d*(b + d)) - (c*E^(a - (b*c)/d)*ExpIntegralEi[((b + d)*(c + d*x))/d])/d^2))/b`

### Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2609 `Int[(F_)^((g_.)*(e_.) + (f_)*(x_))/((c_.) + (d_)*(x_)), x_Symbol] :> Si  
mp[(F^(g*(e - c*(f/d)))/d)*ExpIntegralEi[f*g*(c + d*x)*(Log[F]/d)], x] /; F  
reeQ[{F, c, d, e, f, g}, x] && !TrueQ[$UseGamma]`

rule 2629  $\text{Int}[(F_{\_})^{(v_{\_})} \cdot (P_{x\_}) \cdot ((d_{\_}) + (e_{\_}) \cdot (x_{\_}))^{(m_{\_})}, x_{\text{Symbol}}] \Rightarrow \text{Int}[\text{ExpandIntegrand}[F^v, P_x \cdot (d + e \cdot x)^m, x], x] /; \text{FreeQ}\{F, d, e, m\}, x \&& \text{PolynomialQ}[P_x, x] \&& \text{LinearQ}[v, x] \&& \text{!TrueQ}[\$UseGamma]$

rule 7043  $\text{Int}[E^{(a_{\_}) + (b_{\_}) \cdot (x_{\_})} \cdot \text{ExpIntegralEi}[(c_{\_}) + (d_{\_}) \cdot (x_{\_})], x_{\text{Symbol}}] \Rightarrow \text{Simp}[E^{(a + b \cdot x)} \cdot (\text{ExpIntegralEi}[c + d \cdot x]/b), x] - \text{Simp}[d/b \cdot \text{Int}[E^{(a + c + (b + d) \cdot x)/(c + d \cdot x)}, x], x] /; \text{FreeQ}\{a, b, c, d\}, x]$

rule 7044  $\text{Int}[E^{(a_{\_}) + (b_{\_}) \cdot (x_{\_})} \cdot \text{ExpIntegralEi}[(c_{\_}) + (d_{\_}) \cdot (x_{\_})] \cdot (x_{\_})^{(m_{\_})}, x_{\text{Symbol}}] \Rightarrow \text{Simp}[x^m \cdot E^{(a + b \cdot x)} \cdot (\text{ExpIntegralEi}[c + d \cdot x]/b), x] + (-\text{Simp}[d/b \cdot \text{Int}[x^m \cdot (E^{(a + c + (b + d) \cdot x)/(c + d \cdot x)}), x], x] - \text{Simp}[m/b \cdot \text{Int}[x^{(m-1)} \cdot E^{(a + b \cdot x)} \cdot \text{ExpIntegralEi}[c + d \cdot x], x], x]) /; \text{FreeQ}\{a, b, c, d\}, x \&& \text{IGtQ}[m, 0]$

## Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 232 vs.  $2(112) = 224$ .

Time = 0.22 (sec), antiderivative size = 233, normalized size of antiderivative = 1.99

method	result
default	$\int \frac{\exp(\frac{b(dx+c)}{d}) + \frac{ad-bc}{d} da}{b} - \frac{d \left( \left( \frac{b(dx+c)}{d} + \frac{ad-bc}{d} \right) e^{\frac{b(dx+c)}{d}} + \frac{ad-bc}{d} - e^{\frac{b(dx+c)}{d}} + \frac{ad-bc}{d} \right)}{b} + \frac{-e^a e^{-\frac{bc}{d}} c \exp(\text{Integral1}[-($

input  $\text{int}(\exp(b \cdot x + a) \cdot x^c \cdot \text{Ei}(d \cdot x + c), x, \text{method}=\text{RETURNVERBOSE})$

output 
$$\begin{aligned} & (-\text{Ei}(d \cdot x + c)/b \cdot (\exp(1/d \cdot b \cdot (d \cdot x + c) + (a \cdot d - b \cdot c)/d)/b \cdot d \cdot a - 1/b \cdot d \cdot ((1/d \cdot b \cdot (d \cdot x + c) + (a \cdot d - b \cdot c)/d) \cdot \exp(1/d \cdot b \cdot (d \cdot x + c) + (a \cdot d - b \cdot c)/d) - \exp(1/d \cdot b \cdot (d \cdot x + c) + (a \cdot d - b \cdot c)/d)) + 1/b \cdot (-\exp(a)/\exp(b \cdot c/d) \cdot c \cdot \text{Ei}(1, -(1+b/d) \cdot (d \cdot x + c)) - 1/b \cdot d \cdot \exp(a)/\exp(b \cdot c/d) \cdot \text{Ei}(1, -(1+b/d) \cdot (d \cdot x + c)) - \exp(a)/\exp(b \cdot c/d) \cdot \exp((1+b/d) \cdot (d \cdot x + c))/(1+b/d))) / d \end{aligned}$$

**Fricas [A] (verification not implemented)**

Time = 0.08 (sec) , antiderivative size = 118, normalized size of antiderivative = 1.01

$$\int e^{a+bx} x \operatorname{ExpIntegralEi}(c + dx) dx =$$

$$-\frac{bde^{(bx+dx+a+c)} + (bd + d^2 - (b^2d + bd^2)x)\operatorname{Ei}(dx + c)e^{(bx+a)} - (b^2c + (bc + b)d + d^2)\operatorname{Ei}\left(\frac{bc+cd+(bd+d^2)x}{d}\right)}{b^3d + b^2d^2}$$

input `integrate(exp(b*x+a)*x*Ei(d*x+c),x, algorithm="fricas")`

output  $-(b*d*e^{(b*x + d*x + a + c)} + (b*d + d^2 - (b^2*d + b*d^2)*x)*\operatorname{Ei}(d*x + c)*e^{(b*x + a)} - (b^2*c + (b*c + b)*d + d^2)*\operatorname{Ei}((b*c + c*d + (b*d + d^2)*x)/d)*e^{(-(b*c - a*d)/d)})/(b^3*d + b^2*d^2)$

**Sympy [F(-1)]**

Timed out.

$$\int e^{a+bx} x \operatorname{ExpIntegralEi}(c + dx) dx = \text{Timed out}$$

input `integrate(exp(b*x+a)*x*Ei(d*x+c),x)`

output `Timed out`

**Maxima [F]**

$$\int e^{a+bx} x \operatorname{ExpIntegralEi}(c + dx) dx = \int x \operatorname{Ei}(dx + c) e^{(bx+a)} dx$$

input `integrate(exp(b*x+a)*x*Ei(d*x+c),x, algorithm="maxima")`

output `integrate(x*Ei(d*x + c)*e^(b*x + a), x)`

**Giac [A] (verification not implemented)**

Time = 0.12 (sec) , antiderivative size = 217, normalized size of antiderivative = 1.85

$$\int e^{a+bx} x \operatorname{ExpIntegralEi}(c + dx) dx = \frac{(bx - 1)\operatorname{Ei}(dx + c) e^{(bx+a)}}{b^2}$$

$$+ \frac{b^2 c \operatorname{Ei}\left(\frac{bdx+d^2x+bc+cd}{d}\right) e^{\left(a+c-\frac{bc+cd}{d}\right)} + bcd \operatorname{Ei}\left(\frac{bdx+d^2x+bc+cd}{d}\right) e^{\left(a+c-\frac{bc+cd}{d}\right)} + bd \operatorname{Ei}\left(\frac{bdx+d^2x+bc+cd}{d}\right) e^{\left(a+c-\frac{bc+cd}{d}\right)}}{b^3 d + b^2 d^2}$$

input `integrate(exp(b*x+a)*x*Ei(d*x+c),x, algorithm="giac")`

output 
$$(b*x - 1)*\operatorname{Ei}(d*x + c)*e^{(b*x + a)}/b^2 + (b^2*c*\operatorname{Ei}((b*d*x + d^2*x + b*c + c*d)/d)*e^{(a + c - (b*c + c*d)/d)} + b*c*d*\operatorname{Ei}((b*d*x + d^2*x + b*c + c*d)/d)*e^{(a + c - (b*c + c*d)/d)} + b*d*\operatorname{Ei}((b*d*x + d^2*x + b*c + c*d)/d)*e^{(a + c - (b*c + c*d)/d)} + d^2*\operatorname{Ei}((b*d*x + d^2*x + b*c + c*d)/d)*e^{(a + c - (b*c + c*d)/d)} - b*d*e^{(b*x + d*x + a + c)})/(b^3*d + b^2*d^2)$$

**Mupad [F(-1)]**

Timed out.

$$\int e^{a+bx} x \operatorname{ExpIntegralEi}(c + dx) dx = \int x \operatorname{ei}(c + d x) e^{a+b x} dx$$

input `int(x*ei(c + d*x)*exp(a + b*x),x)`

output `int(x*ei(c + d*x)*exp(a + b*x), x)`

**Reduce [F]**

$$\int e^{a+bx} x \operatorname{ExpIntegralEi}(c + dx) dx = e^a \left( \int e^{bx} ei(dx + c) x dx \right)$$

input `int(exp(b*x+a)*x*Ei(d*x+c),x)`

output `e**a*int(e**(b*x)*ei(c + d*x)*x,x)`

### 3.58 $\int e^{a+bx} \text{ExpIntegralEi}(c + dx) dx$

Optimal result	380
Mathematica [A] (verified)	380
Rubi [A] (verified)	381
Maple [B] (verified)	382
Fricas [A] (verification not implemented)	382
Sympy [F]	383
Maxima [F]	383
Giac [A] (verification not implemented)	383
Mupad [F(-1)]	384
Reduce [F]	384

#### Optimal result

Integrand size = 14, antiderivative size = 47

$$\int e^{a+bx} \text{ExpIntegralEi}(c + dx) dx = \frac{e^{a+bx} \text{ExpIntegralEi}(c + dx)}{b} - \frac{e^{a-\frac{bc}{d}} \text{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{b}$$

output `exp(b*x+a)*Ei(d*x+c)/b-exp(a-b*c/d)*Ei((b+d)*(d*x+c)/d)/b`

#### Mathematica [A] (verified)

Time = 0.03 (sec), antiderivative size = 45, normalized size of antiderivative = 0.96

$$\int e^{a+bx} \text{ExpIntegralEi}(c + dx) dx = \frac{e^{a+bx} \text{ExpIntegralEi}(c + dx) - e^{a-\frac{bc}{d}} \text{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{b}$$

input `Integrate[E^(a + b*x)*ExpIntegralEi[c + d*x], x]`

output  $(E^a (a + b*x) * \text{ExpIntegralEi}[c + d*x] - E^a (a - (b*c)/d) * \text{ExpIntegralEi}[((b + d)*(c + d*x))/d])/b$

## Rubi [A] (verified)

Time = 0.28 (sec), antiderivative size = 47, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {7043, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int e^{a+bx} \text{ExpIntegralEi}(c + dx) dx \\ & \downarrow \text{7043} \\ & \frac{e^{a+bx} \text{ExpIntegralEi}(c + dx)}{b} - \frac{d \int \frac{e^{a+c+(b+d)x}}{c+dx} dx}{b} \\ & \downarrow \text{2609} \\ & \frac{e^{a+bx} \text{ExpIntegralEi}(c + dx)}{b} - \frac{e^{a-\frac{bc}{d}} \text{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{b} \end{aligned}$$

input  $\text{Int}[E^a (a + b*x) * \text{ExpIntegralEi}[c + d*x], x]$

output  $(E^a (a + b*x) * \text{ExpIntegralEi}[c + d*x])/b - (E^a (a - (b*c)/d) * \text{ExpIntegralEi}[((b + d)*(c + d*x))/d])/b$

### Definitions of rubi rules used

rule 2609  $\text{Int}[(F_{\_})^((g_{\_})*(e_{\_}) + (f_{\_})*(x_{\_}))/((c_{\_}) + (d_{\_})*(x_{\_})), x_{\text{Symbol}}] \Rightarrow \text{Simp}[(F^g(e - c*(f/d)))/d]*\text{ExpIntegralEi}[f*g*(c + d*x)*(Log[F]/d)], x] /; \text{FreeQ}[\{F, c, d, e, f, g\}, x] \& \text{TrueQ}[\$UseGamma]$

rule 7043  $\text{Int}[E^{(a_{\_}) + (b_{\_})*(x_{\_})})*\text{ExpIntegralEi}[(c_{\_}) + (d_{\_})*(x_{\_})], x_{\text{Symbol}}] \Rightarrow \text{Simp}[E^{(a + b*x)}*(\text{ExpIntegralEi}[c + d*x]/b), x] - \text{Simp}[d/b \text{Int}[E^{(a + c + (b + d)*x)/(c + d*x)}, x], x] /; \text{FreeQ}[\{a, b, c, d\}, x]$

### Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 98 vs.  $2(45) = 90$ .

Time = 0.14 (sec) , antiderivative size = 99, normalized size of antiderivative = 2.11

method	result	size
default	$\frac{\exp(\text{Integral}(dx+c))}{b} e^{\frac{ad-bc+b(dx+c)}{d}} + \frac{d e^{-\frac{-ad+bc}{d}} \exp(\text{Integral}_1(-\left(1+\frac{b}{d}\right)(dx+c)-\frac{ad-bc}{d}-\frac{-ad+bc}{d}))}{d}$	99

input `int(exp(b*x+a)*Ei(d*x+c), x, method=_RETURNVERBOSE)`

output  $(Ei(d*x+c)/b*d*\exp((a*d-b*c+b*(d*x+c))/d)+1/b*d*\exp(-(-a*d+b*c)/d)*Ei(1,-(1+b/d)*(d*x+c)-(a*d-b*c)/d-(-a*d+b*c)/d))/d$

### Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 55, normalized size of antiderivative = 1.17

$$\int e^{a+bx} \text{ExpIntegralEi}(c + dx) dx = \frac{\text{Ei}(dx + c) e^{(bx+a)} - \text{Ei}\left(\frac{bc+cd+(bd+d^2)x}{d}\right) e^{\left(-\frac{bc-ad}{d}\right)}}{b}$$

input `integrate(exp(b*x+a)*Ei(d*x+c), x, algorithm="fricas")`

output 
$$\frac{(\text{Ei}(d*x + c)*e^{(b*x + a)} - \text{Ei}((b*c + c*d + (b*d + d^2)*x)/d)*e^{(-(b*c - a*d)/d)})/b}{b}$$

## Sympy [F]

$$\int e^{a+bx} \text{ExpIntegralEi}(c + dx) dx = e^a \int e^{bx} \text{Ei}(c + dx) dx$$

input `integrate(exp(b*x+a)*Ei(d*x+c), x)`

output `exp(a)*Integral(exp(b*x)*Ei(c + d*x), x)`

## Maxima [F]

$$\int e^{a+bx} \text{ExpIntegralEi}(c + dx) dx = \int \text{Ei}(dx + c) e^{(bx+a)} dx$$

input `integrate(exp(b*x+a)*Ei(d*x+c), x, algorithm="maxima")`

output `integrate(Ei(d*x + c)*e^(b*x + a), x)`

## Giac [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 59, normalized size of antiderivative = 1.26

$$\int e^{a+bx} \text{ExpIntegralEi}(c + dx) dx = \frac{\text{Ei}(dx + c) e^{(bx+a)}}{b} - \frac{\text{Ei}\left(\frac{bdx+d^2x+bc+cd}{d}\right) e^{\left(a+c-\frac{bc+cd}{d}\right)}}{b}$$

input `integrate(exp(b*x+a)*Ei(d*x+c), x, algorithm="giac")`

output  $Ei(d*x + c)*e^{(b*x + a)/b} - Ei((b*d*x + d^2*x + b*c + c*d)/d)*e^{(a + c - (b*c + c*d)/d)/b}$

### Mupad [F(-1)]

Timed out.

$$\int e^{a+bx} \text{ExpIntegralEi}(c + dx) dx = \int ei(c + dx) e^{a+bx} dx$$

input `int(ei(c + d*x)*exp(a + b*x),x)`

output `int(ei(c + d*x)*exp(a + b*x), x)`

### Reduce [F]

$$\int e^{a+bx} \text{ExpIntegralEi}(c + dx) dx = e^a \left( \int e^{bx} ei(dx + c) dx \right)$$

input `int(exp(b*x+a)*Ei(d*x+c),x)`

output `e**a*int(e**(b*x)*ei(c + d*x),x)`

**3.59**       $\int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{x} dx$

Optimal result . . . . .	385
Mathematica [N/A] . . . . .	385
Rubi [N/A] . . . . .	386
Maple [N/A] . . . . .	386
Fricas [N/A] . . . . .	387
Sympy [N/A] . . . . .	387
Maxima [N/A] . . . . .	387
Giac [N/A] . . . . .	388
Mupad [N/A] . . . . .	388
Reduce [N/A] . . . . .	389

## Optimal result

Integrand size = 17, antiderivative size = 17

$$\int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{x} dx = \operatorname{Int}\left(\frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{x}, x\right)$$

output `Defer(Int)(exp(b*x+a)*Ei(d*x+c)/x,x)`

## Mathematica [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.12

$$\int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{x} dx = \int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{x} dx$$

input `Integrate[(E^(a + b*x)*ExpIntegralEi[c + d*x])/x,x]`

output `Integrate[(E^(a + b*x)*ExpIntegralEi[c + d*x])/x, x]`

**Rubi [N/A]**

Not integrable

Time = 0.22 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{e^{a+bx} \text{ExpIntegralEi}(c + dx)}{x} dx$$

↓ 7299

$$\int \frac{e^{a+bx} \text{ExpIntegralEi}(c + dx)}{x} dx$$

input `Int[(E^(a + b*x)*ExpIntegralEi[c + d*x])/x,x]`

output `$Aborted`

**Maple [N/A]**

Not integrable

Time = 0.03 (sec) , antiderivative size = 16, normalized size of antiderivative = 0.94

$$\int \frac{e^{bx+a} \text{expIntegral}(dx + c)}{x} dx$$

input `int(exp(b*x+a)*Ei(d*x+c)/x,x)`

output `int(exp(b*x+a)*Ei(d*x+c)/x,x)`

**Fricas [N/A]**

Not integrable

Time = 0.07 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.06

$$\int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c + dx)}{x} dx = \int \frac{\operatorname{Ei}(dx + c) e^{(bx+a)}}{x} dx$$

input `integrate(exp(b*x+a)*Ei(d*x+c)/x,x, algorithm="fricas")`

output `integral(Ei(d*x + c)*e^(b*x + a)/x, x)`

**Sympy [N/A]**

Not integrable

Time = 25.30 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.00

$$\int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c + dx)}{x} dx = e^a \int \frac{e^{bx} \operatorname{Ei}(c + dx)}{x} dx$$

input `integrate(exp(b*x+a)*Ei(d*x+c)/x,x)`

output `exp(a)*Integral(exp(b*x)*Ei(c + d*x)/x, x)`

**Maxima [N/A]**

Not integrable

Time = 0.08 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.06

$$\int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c + dx)}{x} dx = \int \frac{\operatorname{Ei}(dx + c) e^{(bx+a)}}{x} dx$$

input `integrate(exp(b*x+a)*Ei(d*x+c)/x,x, algorithm="maxima")`

output `integrate(Ei(d*x + c)*e^(b*x + a)/x, x)`

## Giac [N/A]

Not integrable

Time = 0.12 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.06

$$\int \frac{e^{a+bx} \text{ExpIntegralEi}(c + dx)}{x} dx = \int \frac{\text{Ei}(dx + c) e^{(bx+a)}}{x} dx$$

input `integrate(exp(b*x+a)*Ei(d*x+c)/x,x, algorithm="giac")`

output `integrate(Ei(d*x + c)*e^(b*x + a)/x, x)`

## Mupad [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.06

$$\int \frac{e^{a+bx} \text{ExpIntegralEi}(c + dx)}{x} dx = \int \frac{\text{ei}(c + d x) e^{a+b x}}{x} dx$$

input `int((ei(c + d*x)*exp(a + b*x))/x,x)`

output `int((ei(c + d*x)*exp(a + b*x))/x, x)`

**Reduce [N/A]**

Not integrable

Time = 0.19 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.24

$$\int \frac{e^{a+bx} \text{ExpIntegralEi}(c + dx)}{x} dx = e^a \left( \int \frac{e^{bx} ei(dx + c)}{x} dx \right)$$

input `int(exp(b*x+a)*Ei(d*x+c)/x,x)`

output `e**a*int((e**(b*x)*ei(c + d*x))/x,x)`

**3.60**       $\int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{x^2} dx$

Optimal result . . . . .	390
Mathematica [N/A] . . . . .	391
Rubi [N/A] . . . . .	391
Maple [N/A] . . . . .	392
Fricas [N/A] . . . . .	393
Sympy [F(-1)] . . . . .	393
Maxima [N/A] . . . . .	393
Giac [N/A] . . . . .	394
Mupad [N/A] . . . . .	394
Reduce [N/A] . . . . .	394

## Optimal result

Integrand size = 17, antiderivative size = 17

$$\begin{aligned} \int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{x^2} dx &= \frac{de^{a+c} \operatorname{ExpIntegralEi}((b+d)x)}{c} \\ &\quad - \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{x} \\ &\quad - \frac{de^{a-\frac{bc}{d}} \operatorname{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{c} \\ &\quad + b \operatorname{Int}\left(\frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{x}, x\right) \end{aligned}$$

output  $d*\exp(a+c)*\operatorname{Ei}((b+d)*x)/c - \exp(b*x+a)*\operatorname{Ei}(d*x+c)/x - d*\exp(a-b*c/d)*\operatorname{Ei}((b+d)*(d*x+c)/d)/c + b*\operatorname{Defer}(\operatorname{Int})(\exp(b*x+a)*\operatorname{Ei}(d*x+c)/x, x)$

**Mathematica [N/A]**

Not integrable

Time = 0.44 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.12

$$\int \frac{e^{a+bx} \text{ExpIntegralEi}(c + dx)}{x^2} dx = \int \frac{e^{a+bx} \text{ExpIntegralEi}(c + dx)}{x^2} dx$$

input `Integrate[(E^(a + b*x)*ExpIntegralEi[c + d*x])/x^2, x]`

output `Integrate[(E^(a + b*x)*ExpIntegralEi[c + d*x])/x^2, x]`

**Rubi [N/A]**

Not integrable

Time = 0.88 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{e^{a+bx} \text{ExpIntegralEi}(c + dx)}{x^2} dx \\
 & \quad \downarrow \textcolor{blue}{7045} \\
 & b \int \frac{e^{a+bx} \text{ExpIntegralEi}(c + dx)}{x} dx + d \int \frac{e^{a+c+(b+d)x}}{x(c + dx)} dx - \frac{e^{a+bx} \text{ExpIntegralEi}(c + dx)}{x} \\
 & \quad \downarrow \textcolor{blue}{7293} \\
 & b \int \frac{e^{a+bx} \text{ExpIntegralEi}(c + dx)}{x} dx + d \int \left( \frac{e^{a+c+(b+d)x}}{cx} - \frac{de^{a+c+(b+d)x}}{c(c + dx)} \right) dx - \\
 & \quad \frac{e^{a+bx} \text{ExpIntegralEi}(c + dx)}{x} \\
 & \quad \downarrow \textcolor{blue}{2009}
 \end{aligned}$$

$$\begin{aligned}
 & b \int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c + dx)}{x} dx - \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c + dx)}{x} + \\
 & d \left( \frac{e^{a+c} \operatorname{ExpIntegralEi}((b+d)x)}{c} - \frac{e^{a-\frac{bc}{d}} \operatorname{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{c} \right) \\
 & \quad \downarrow \text{7299} \\
 & b \int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c + dx)}{x} dx - \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c + dx)}{x} + \\
 & d \left( \frac{e^{a+c} \operatorname{ExpIntegralEi}((b+d)x)}{c} - \frac{e^{a-\frac{bc}{d}} \operatorname{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{c} \right)
 \end{aligned}$$

input `Int[(E^(a + b*x)*ExpIntegralEi[c + d*x])/x^2,x]`

output `$Aborted`

### Maple [N/A]

Not integrable

Time = 0.04 (sec), antiderivative size = 16, normalized size of antiderivative = 0.94

$$\int \frac{e^{bx+a} \operatorname{expIntegral}(dx+c)}{x^2} dx$$

input `int(exp(b*x+a)*Ei(d*x+c)/x^2,x)`

output `int(exp(b*x+a)*Ei(d*x+c)/x^2,x)`

**Fricas [N/A]**

Not integrable

Time = 0.07 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.06

$$\int \frac{e^{a+bx} \text{ExpIntegralEi}(c + dx)}{x^2} dx = \int \frac{\text{Ei}(dx + c) e^{(bx+a)}}{x^2} dx$$

input `integrate(exp(b*x+a)*Ei(d*x+c)/x^2,x, algorithm="fricas")`

output `integral(Ei(d*x + c)*e^(b*x + a)/x^2, x)`

**Sympy [F(-1)]**

Timed out.

$$\int \frac{e^{a+bx} \text{ExpIntegralEi}(c + dx)}{x^2} dx = \text{Timed out}$$

input `integrate(exp(b*x+a)*Ei(d*x+c)/x**2,x)`

output `Timed out`

**Maxima [N/A]**

Not integrable

Time = 0.08 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.06

$$\int \frac{e^{a+bx} \text{ExpIntegralEi}(c + dx)}{x^2} dx = \int \frac{\text{Ei}(dx + c) e^{(bx+a)}}{x^2} dx$$

input `integrate(exp(b*x+a)*Ei(d*x+c)/x^2,x, algorithm="maxima")`

output `integrate(Ei(d*x + c)*e^(b*x + a)/x^2, x)`

**Giac [N/A]**

Not integrable

Time = 0.11 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.06

$$\int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c + dx)}{x^2} dx = \int \frac{\operatorname{Ei}(dx + c) e^{(bx+a)}}{x^2} dx$$

input `integrate(exp(b*x+a)*Ei(d*x+c)/x^2,x, algorithm="giac")`

output `integrate(Ei(d*x + c)*e^(b*x + a)/x^2, x)`

**Mupad [N/A]**

Not integrable

Time = 0.12 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.06

$$\int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c + dx)}{x^2} dx = \int \frac{\operatorname{ei}(c + d x) e^{a+b x}}{x^2} dx$$

input `int((ei(c + d*x)*exp(a + b*x))/x^2,x)`

output `int((ei(c + d*x)*exp(a + b*x))/x^2, x)`

**Reduce [N/A]**

Not integrable

Time = 0.17 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.24

$$\int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c + dx)}{x^2} dx = e^a \left( \int \frac{e^{bx} \operatorname{ei}(dx + c)}{x^2} dx \right)$$

input `int(exp(b*x+a)*Ei(d*x+c)/x^2,x)`

```
output e**a*int((e**(b*x)*ei(c + d*x))/x**2,x)
```

$$\mathbf{3.61} \quad \int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{x^3} dx$$

Optimal result . . . . .	396
Mathematica [N/A] . . . . .	397
Rubi [N/A] . . . . .	397
Maple [N/A] . . . . .	399
Fricas [N/A] . . . . .	399
Sympy [F(-1)] . . . . .	400
Maxima [N/A] . . . . .	400
Giac [N/A] . . . . .	400
Mupad [N/A] . . . . .	401
Reduce [N/A] . . . . .	401

## Optimal result

Integrand size = 17, antiderivative size = 17

$$\begin{aligned} \int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{x^3} dx = & -\frac{de^{a+c+(b+d)x}}{2cx} + \frac{bde^{a+c} \operatorname{ExpIntegralEi}((b+d)x)}{2c} \\ & - \frac{d^2 e^{a+c} \operatorname{ExpIntegralEi}((b+d)x)}{2c^2} \\ & + \frac{d(b+d)e^{a+c} \operatorname{ExpIntegralEi}((b+d)x)}{2c} \\ & - \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{2x^2} \\ & - \frac{be^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{2x} \\ & - \frac{bde^{a-\frac{bc}{d}} \operatorname{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{2c} \\ & + \frac{d^2 e^{a-\frac{bc}{d}} \operatorname{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{2c^2} \\ & + \frac{1}{2} b^2 \operatorname{Int}\left(\frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{x}, x\right) \end{aligned}$$

output

$$\begin{aligned} & -\frac{1}{2}d \exp(a+c+(b+d)x)/c/x + \frac{1}{2}b/d \exp(a+c) \operatorname{Ei}((b+d)x)/c - \frac{1}{2}d^2 \exp(a+c) \\ & \cdot \operatorname{Ei}((b+d)x)/c^2 + \frac{1}{2}d(b+d) \exp(a+c) \operatorname{Ei}((b+d)x)/c - \frac{1}{2} \exp(bx+a) \operatorname{Ei}(dx \\ & + c)/x^2 - \frac{1}{2}b \exp(bx+a) \operatorname{Ei}(dx+c)/x - \frac{1}{2}b/d \exp(a-b/c/d) \operatorname{Ei}((b+d)(d/x+c) \\ & /d)/c + \frac{1}{2}d^2 \exp(a-b/c/d) \operatorname{Ei}((b+d)(d/x+c)/d)/c^2 + \frac{1}{2}b^2 \operatorname{Defer}(\operatorname{Int})(\exp(bx+a) \\ & \cdot \operatorname{Ei}(dx+c)/x, x) \end{aligned}$$

## Mathematica [N/A]

Not integrable

Time = 0.58 (sec), antiderivative size = 19, normalized size of antiderivative = 1.12

$$\int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{x^3} dx = \int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{x^3} dx$$

input

```
Integrate[(E^(a + b*x)*ExpIntegralEi[c + d*x])/x^3, x]
```

output

```
Integrate[(E^(a + b*x)*ExpIntegralEi[c + d*x])/x^3, x]
```

## Rubi [N/A]

Not integrable

Time = 1.77 (sec), antiderivative size = 17, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{x^3} dx \\ & \quad \downarrow \text{7045} \\ & \frac{1}{2}b \int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{x^2} dx + \frac{1}{2}d \int \frac{e^{a+c+(b+d)x}}{x^2(c+dx)} dx - \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{2x^2} \end{aligned}$$

↓ 7045

$$\frac{1}{2}b \left( b \int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{x} dx + d \int \frac{e^{a+c+(b+d)x}}{x(c+dx)} dx - \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{x} \right) + \\ \frac{1}{2}d \int \frac{e^{a+c+(b+d)x}}{x^2(c+dx)} dx - \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{2x^2}$$

↓ 7293

$$\frac{1}{2}d \int \left( \frac{e^{a+c+(b+d)x} d^2}{c^2(c+dx)} - \frac{e^{a+c+(b+d)x} d}{c^2 x} + \frac{e^{a+c+(b+d)x}}{cx^2} \right) dx + \\ \frac{1}{2}b \left( b \int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{x} dx + d \int \left( \frac{e^{a+c+(b+d)x}}{cx} - \frac{de^{a+c+(b+d)x}}{c(c+dx)} \right) dx - \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{x} \right. \\ \left. \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{2x^2} \right)$$

↓ 2009

$$\frac{1}{2}b \left( b \int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{x} dx - \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{x} \right) + d \left( \frac{e^{a+c} \operatorname{ExpIntegralEi}((b+d)x)}{c} - \frac{e^{a+c} \operatorname{ExpIntegralEi}((b+d)x)}{c} \right. \\ \left. \frac{1}{2}d \left( -\frac{de^{a+c} \operatorname{ExpIntegralEi}((b+d)x)}{c^2} + \frac{de^{a-\frac{bc}{d}} \operatorname{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{c^2} + \frac{e^{a+c}(b+d) \operatorname{ExpIntegralEi}((b+d)x)}{c} \right. \right. \\ \left. \left. \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{2x^2} \right) \right)$$

↓ 7299

$$\frac{1}{2}b \left( b \int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{x} dx - \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{x} \right) + d \left( \frac{e^{a+c} \operatorname{ExpIntegralEi}((b+d)x)}{c} - \frac{e^{a+c} \operatorname{ExpIntegralEi}((b+d)x)}{c} \right. \\ \left. \frac{1}{2}d \left( -\frac{de^{a+c} \operatorname{ExpIntegralEi}((b+d)x)}{c^2} + \frac{de^{a-\frac{bc}{d}} \operatorname{ExpIntegralEi}\left(\frac{(b+d)(c+dx)}{d}\right)}{c^2} + \frac{e^{a+c}(b+d) \operatorname{ExpIntegralEi}((b+d)x)}{c} \right. \right. \\ \left. \left. \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c+dx)}{2x^2} \right) \right)$$

input `Int[(E^(a + b*x)*ExpIntegralEi[c + d*x])/x^3,x]`

output \$Aborted

## Maple [N/A]

Not integrable

Time = 0.04 (sec) , antiderivative size = 16, normalized size of antiderivative = 0.94

$$\int \frac{e^{bx+a} \expIntegral(dx+c)}{x^3} dx$$

input int(exp(b\*x+a)\*Ei(d\*x+c)/x^3,x)

output int(exp(b\*x+a)\*Ei(d\*x+c)/x^3,x)

## Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.06

$$\int \frac{e^{a+bx} \text{ExpIntegralEi}(c+dx)}{x^3} dx = \int \frac{\text{Ei}(dx+c) e^{(bx+a)}}{x^3} dx$$

input integrate(exp(b\*x+a)\*Ei(d\*x+c)/x^3,x, algorithm="fricas")

output integral(Ei(d\*x + c)\*e^(b\*x + a)/x^3, x)

**Sympy [F(-1)]**

Timed out.

$$\int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c + dx)}{x^3} dx = \text{Timed out}$$

input `integrate(exp(b*x+a)*Ei(d*x+c)/x**3,x)`

output `Timed out`

**Maxima [N/A]**

Not integrable

Time = 0.07 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.06

$$\int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c + dx)}{x^3} dx = \int \frac{\operatorname{Ei}(dx + c) e^{(bx+a)}}{x^3} dx$$

input `integrate(exp(b*x+a)*Ei(d*x+c)/x^3,x, algorithm="maxima")`

output `integrate(Ei(d*x + c)*e^(b*x + a)/x^3, x)`

**Giac [N/A]**

Not integrable

Time = 0.11 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.06

$$\int \frac{e^{a+bx} \operatorname{ExpIntegralEi}(c + dx)}{x^3} dx = \int \frac{\operatorname{Ei}(dx + c) e^{(bx+a)}}{x^3} dx$$

input `integrate(exp(b*x+a)*Ei(d*x+c)/x^3,x, algorithm="giac")`

output `integrate(Ei(d*x + c)*e^(b*x + a)/x^3, x)`

**Mupad [N/A]**

Not integrable

Time = 0.12 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.06

$$\int \frac{e^{a+bx} \text{ExpIntegralEi}(c + dx)}{x^3} dx = \int \frac{\text{ei}(c + d x) e^{a+b x}}{x^3} dx$$

input `int((ei(c + d*x)*exp(a + b*x))/x^3,x)`

output `int((ei(c + d*x)*exp(a + b*x))/x^3, x)`

**Reduce [N/A]**

Not integrable

Time = 0.20 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.24

$$\int \frac{e^{a+bx} \text{ExpIntegralEi}(c + dx)}{x^3} dx = e^a \left( \int \frac{e^{bx} \text{ei}(dx + c)}{x^3} dx \right)$$

input `int(exp(b*x+a)*Ei(d*x+c)/x^3,x)`

output `e**a*int((e**(b*x)*ei(c + d*x))/x**3,x)`

## 3.62 $\int x^2 \operatorname{LogIntegral}(bx) dx$

Optimal result . . . . .	402
Mathematica [A] (verified) . . . . .	402
Rubi [A] (verified) . . . . .	403
Maple [A] (verified) . . . . .	404
Fricas [A] (verification not implemented)	404
Sympy [F]	405
Maxima [A] (verification not implemented)	405
Giac [F]	405
Mupad [B] (verification not implemented)	406
Reduce [F]	406

### Optimal result

Integrand size = 8, antiderivative size = 26

$$\int x^2 \operatorname{LogIntegral}(bx) dx = -\frac{\operatorname{ExpIntegralEi}(4 \log(bx))}{3b^3} + \frac{1}{3}x^3 \operatorname{LogIntegral}(bx)$$

output -1/3\*Ei(4\*ln(b\*x))/b^3+1/3\*x^3\*Li(b\*x)

### Mathematica [A] (verified)

Time = 0.04 (sec) , antiderivative size = 26, normalized size of antiderivative = 1.00

$$\int x^2 \operatorname{LogIntegral}(bx) dx = -\frac{\operatorname{ExpIntegralEi}(4 \log(bx))}{3b^3} + \frac{1}{3}x^3 \operatorname{LogIntegral}(bx)$$

input Integrate[x^2\*LogIntegral[b\*x], x]

output -1/3\*ExpIntegralEi[4\*Log[b\*x]]/b^3 + (x^3\*LogIntegral[b\*x])/3

## Rubi [A] (verified)

Time = 0.22 (sec), antiderivative size = 26, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {7052, 2746, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x^2 \operatorname{LogIntegral}(bx) dx \\
 \downarrow \textcolor{blue}{7052} \\
 & \frac{1}{3}x^3 \operatorname{LogIntegral}(bx) - \frac{1}{3}b \int \frac{x^3}{\log(bx)} dx \\
 \downarrow \textcolor{blue}{2746} \\
 & \frac{1}{3}x^3 \operatorname{LogIntegral}(bx) - \frac{\int \frac{b^4 x^4}{\log(bx)} d \log(bx)}{3b^3} \\
 \downarrow \textcolor{blue}{2609} \\
 & \frac{1}{3}x^3 \operatorname{LogIntegral}(bx) - \frac{\operatorname{ExpIntegralEi}(4 \log(bx))}{3b^3}
 \end{aligned}$$

input `Int[x^2*LogIntegral[b*x], x]`

output `-1/3*ExpIntegralEi[4*Log[b*x]]/b^3 + (x^3*LogIntegral[b*x])/3`

### Definitions of rubi rules used

rule 2609 `Int[(F_)^((g_)*(e_)+(f_)*(x_))/((c_)+(d_)*(x_)), x_Symbol] := Simp[(F^(g*(e - c*(f/d)))/d)*ExpIntegralEi[f*g*(c + d*x)*(Log[F]/d)], x]; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[$UseGamma]`

rule 2746 `Int[((a_)+Log[(c_)*(x_)]*(b_))^((p_)*(x_)^(m_)), x_Symbol] := Simp[1/c^(m+1)*Subst[Int[E^((m+1)*x)*(a+b*x)^p, x], x, Log[c*x]], x]; FreeQ[{a, b, c, p}, x] && IntegerQ[m]`

rule 7052

```
Int[LogIntegral[(a_.) + (b_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_), x_Symbol] :
> Simp[(c + d*x)^(m + 1)*(LogIntegral[a + b*x]/(d*(m + 1))), x] - Simp[b/(d
*(m + 1)) Int[(c + d*x)^(m + 1)/Log[a + b*x], x], x] /; FreeQ[{a, b, c, d
, m}, x] && NeQ[m, -1]
```

**Maple [A] (verified)**

Time = 0.07 (sec), antiderivative size = 24, normalized size of antiderivative = 0.92

method	result	size
parts	$\frac{x^3 \text{Li}(bx)}{3} + \frac{\text{expIntegral}_1(-4 \ln(bx))}{3b^3}$	24
derivativedivides	$\frac{b^3 x^3 \text{expIntegral}(\ln(bx))}{3} + \frac{\text{expIntegral}_1(-4 \ln(bx))}{b^3}$	29
default	$\frac{b^3 x^3 \text{expIntegral}(\ln(bx))}{3} + \frac{\text{expIntegral}_1(-4 \ln(bx))}{b^3}$	29

input `int(x^2*Li(b*x),x,method=_RETURNVERBOSE)`output `1/3*x^3*Li(b*x)+1/3/b^3*Ei(1,-4*ln(b*x))`**Fricas [A] (verification not implemented)**

Time = 0.08 (sec), antiderivative size = 27, normalized size of antiderivative = 1.04

$$\int x^2 \text{LogIntegral}(bx) dx = \frac{b^3 x^3 \log\_integral(bx) - \log\_integral(b^4 x^4)}{3 b^3}$$

input `integrate(x^2*log_integral(b*x),x, algorithm="fricas")`output `1/3*(b^3*x^3*log_integral(b*x) - log_integral(b^4*x^4))/b^3`

**Sympy [F]**

$$\int x^2 \operatorname{LogIntegral}(bx) dx = \int x^2 \operatorname{Li}(bx) dx$$

input `integrate(x**2*Li(b*x),x)`

output `Integral(x**2*Li(b*x), x)`

**Maxima [A] (verification not implemented)**

Time = 0.07 (sec) , antiderivative size = 22, normalized size of antiderivative = 0.85

$$\int x^2 \operatorname{LogIntegral}(bx) dx = \frac{1}{3} x^3 \log_{\text{integral}}(bx) - \frac{\operatorname{Ei}(4 \log(bx))}{3 b^3}$$

input `integrate(x^2*log_integral(b*x),x, algorithm="maxima")`

output `1/3*x^3*log_integral(b*x) - 1/3*Ei(4*log(b*x))/b^3`

**Giac [F]**

$$\int x^2 \operatorname{LogIntegral}(bx) dx = \int x^2 \log_{\text{integral}}(bx) dx$$

input `integrate(x^2*log_integral(b*x),x, algorithm="giac")`

output `integrate(x^2*log_integral(b*x), x)`

**Mupad [B] (verification not implemented)**

Time = 0.07 (sec) , antiderivative size = 10, normalized size of antiderivative = 0.38

$$\int x^2 \text{LogIntegral}(bx) dx = \int x^2 \text{logint}(b x) dx$$

input `int(x^2*logint(b*x),x)`

output `int(x^2*logint(b*x), x)`

**Reduce [F]**

$$\int x^2 \text{LogIntegral}(bx) dx = \int ei(\log(bx)) x^2 dx$$

input `int(x^2*Li(b*x),x)`

output `int(ei(log(b*x))*x**2,x)`

## 3.63 $\int x \operatorname{LogIntegral}(bx) dx$

Optimal result . . . . .	407
Mathematica [A] (verified) . . . . .	407
Rubi [A] (verified) . . . . .	408
Maple [A] (verified) . . . . .	409
Fricas [A] (verification not implemented)	409
Sympy [F]	410
Maxima [A] (verification not implemented)	410
Giac [F]	410
Mupad [B] (verification not implemented)	411
Reduce [F]	411

### Optimal result

Integrand size = 6, antiderivative size = 26

$$\int x \operatorname{LogIntegral}(bx) dx = -\frac{\operatorname{ExpIntegralEi}(3 \log(bx))}{2b^2} + \frac{1}{2}x^2 \operatorname{LogIntegral}(bx)$$

output -1/2\*Ei(3\*ln(b\*x))/b^2+1/2\*x^2\*Li(b\*x)

### Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 26, normalized size of antiderivative = 1.00

$$\int x \operatorname{LogIntegral}(bx) dx = -\frac{\operatorname{ExpIntegralEi}(3 \log(bx))}{2b^2} + \frac{1}{2}x^2 \operatorname{LogIntegral}(bx)$$

input Integrate[x\*LogIntegral[b\*x],x]

output -1/2\*ExpIntegralEi[3\*Log[b\*x]]/b^2 + (x^2\*LogIntegral[b\*x])/2

## Rubi [A] (verified)

Time = 0.21 (sec), antiderivative size = 26, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {7052, 2746, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x \operatorname{LogIntegral}(bx) dx \\
 \downarrow \textcolor{blue}{7052} \\
 & \frac{1}{2}x^2 \operatorname{LogIntegral}(bx) - \frac{1}{2}b \int \frac{x^2}{\log(bx)} dx \\
 \downarrow \textcolor{blue}{2746} \\
 & \frac{1}{2}x^2 \operatorname{LogIntegral}(bx) - \frac{\int \frac{b^3 x^3}{\log(bx)} d \log(bx)}{2b^2} \\
 \downarrow \textcolor{blue}{2609} \\
 & \frac{1}{2}x^2 \operatorname{LogIntegral}(bx) - \frac{\operatorname{ExpIntegralEi}(3 \log(bx))}{2b^2}
 \end{aligned}$$

input `Int[x*LogIntegral[b*x], x]`

output `-1/2*ExpIntegralEi[3*Log[b*x]]/b^2 + (x^2*LogIntegral[b*x])/2`

### Definitions of rubi rules used

rule 2609 `Int[(F_)^((g_ .)*(e_ .) + (f_ .)*(x_ ))/((c_ .) + (d_ .)*(x_ )), x_Symbol] :> Si  
mp[(F^(g*(e - c*(f/d)))/d)*ExpIntegralEi[f*g*(c + d*x)*(Log[F]/d)], x] /; F  
reeQ[{F, c, d, e, f, g}, x] && !TrueQ[$UseGamma]`

rule 2746 `Int[((a_ .) + Log[(c_ .)*(x_ )]*(b_ .))^((p_ .)*(x_ )^(m_ .)), x_Symbol] :> Simp[1/c^  
(m + 1) Subst[Int[E^((m + 1)*x)*(a + b*x)^p, x], x, Log[c*x]], x] /; Free  
Q[{a, b, c, p}, x] && IntegerQ[m]`

rule 7052

```
Int[LogIntegral[(a_.) + (b_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_), x_Symbol] :
> Simp[(c + d*x)^(m + 1)*(LogIntegral[a + b*x]/(d*(m + 1))), x] - Simp[b/(d
*m + 1)) Int[(c + d*x)^(m + 1)/Log[a + b*x], x], x] /; FreeQ[{a, b, c, d
, m}, x] && NeQ[m, -1]
```

**Maple [A] (verified)**

Time = 0.03 (sec), antiderivative size = 24, normalized size of antiderivative = 0.92

method	result	size
parts	$\frac{x^2 \text{Li}(bx)}{2} + \frac{\text{expIntegral}_1(-3 \ln(bx))}{2b^2}$	24
derivativedivides	$\frac{b^2 x^2 \text{expIntegral}(\ln(bx))}{2} + \frac{\text{expIntegral}_1(-3 \ln(bx))}{b^2}$	29
default	$\frac{b^2 x^2 \text{expIntegral}(\ln(bx))}{2} + \frac{\text{expIntegral}_1(-3 \ln(bx))}{b^2}$	29

input `int(x*Li(b*x),x,method=_RETURNVERBOSE)`output `1/2*x^2*Li(b*x)+1/2/b^2*Ei(1,-3*ln(b*x))`**Fricas [A] (verification not implemented)**

Time = 0.07 (sec), antiderivative size = 27, normalized size of antiderivative = 1.04

$$\int x \text{LogIntegral}(bx) dx = \frac{b^2 x^2 \log\text{integral}(bx) - \log\text{integral}(b^3 x^3)}{2 b^2}$$

input `integrate(x*log_integral(b*x),x, algorithm="fricas")`output `1/2*(b^2*x^2*log_integral(b*x) - log_integral(b^3*x^3))/b^2`

**Sympy [F]**

$$\int x \operatorname{LogIntegral}(bx) dx = \int x \operatorname{Li}(bx) dx$$

input `integrate(x*Li(b*x),x)`

output `Integral(x*Li(b*x), x)`

**Maxima [A] (verification not implemented)**

Time = 0.07 (sec) , antiderivative size = 22, normalized size of antiderivative = 0.85

$$\int x \operatorname{LogIntegral}(bx) dx = \frac{1}{2} x^2 \log_{\text{integral}}(bx) - \frac{\operatorname{Ei}(3 \log(bx))}{2 b^2}$$

input `integrate(x*log_integral(b*x),x, algorithm="maxima")`

output `1/2*x^2*log_integral(b*x) - 1/2*Ei(3*log(b*x))/b^2`

**Giac [F]**

$$\int x \operatorname{LogIntegral}(bx) dx = \int x \log_{\text{integral}}(bx) dx$$

input `integrate(x*log_integral(b*x),x, algorithm="giac")`

output `integrate(x*log_integral(b*x), x)`

**Mupad [B] (verification not implemented)**

Time = 0.06 (sec) , antiderivative size = 8, normalized size of antiderivative = 0.31

$$\int x \operatorname{LogIntegral}(bx) dx = \int x \operatorname{logint}(bx) dx$$

input `int(x*logint(b*x),x)`

output `int(x*logint(b*x), x)`

**Reduce [F]**

$$\int x \operatorname{LogIntegral}(bx) dx = \int ei(\log(bx)) x dx$$

input `int(x*Li(b*x),x)`

output `int(ei(log(b*x))*x,x)`

## 3.64 $\int \text{LogIntegral}(bx) dx$

Optimal result . . . . .	412
Mathematica [A] (verified) . . . . .	412
Rubi [A] (verified) . . . . .	413
Maple [A] (verified) . . . . .	413
Fricas [A] (verification not implemented)	414
Sympy [F]	414
Maxima [A] (verification not implemented)	415
Giac [F]	415
Mupad [B] (verification not implemented)	415
Reduce [B] (verification not implemented)	416

### Optimal result

Integrand size = 4, antiderivative size = 19

$$\int \text{LogIntegral}(bx) dx = -\frac{\text{ExpIntegralEi}(2 \log(bx))}{b} + x \text{LogIntegral}(bx)$$

output -Ei(2\*ln(b\*x))/b+x\*Li(b\*x)

### Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00

$$\int \text{LogIntegral}(bx) dx = -\frac{\text{ExpIntegralEi}(2 \log(bx))}{b} + x \text{LogIntegral}(bx)$$

input Integrate[LogIntegral[b\*x], x]

output -(ExpIntegralEi[2\*Log[b\*x]]/b) + x\*LogIntegral[b\*x]

## Rubi [A] (verified)

Time = 0.15 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {7049}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \text{LogIntegral}(bx) dx$$

$\downarrow$  7049  
 $x \text{LogIntegral}(bx) - \frac{\text{ExpIntegralEi}(2 \log(bx))}{b}$

input `Int[LogIntegral[b*x], x]`

output `-(ExpIntegralEi[2*Log[b*x]]/b) + x*LogIntegral[b*x]`

### Definitions of rubi rules used

rule 7049 `Int[LogIntegral[(a_.) + (b_)*(x_)], x_Symbol] :> Simp[(a + b*x)*(LogIntegral[a + b*x]/b), x] - Simp[ExpIntegralEi[2*Log[a + b*x]]/b, x] /; FreeQ[{a, b}, x]`

## Maple [A] (verified)

Time = 0.01 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.05

method	result	size
parts	$x \text{Li}(bx) + \frac{\text{expIntegral}_1(-2 \ln(bx))}{b}$	20
derivativedivides	$\frac{bx \text{expIntegral}(\ln(bx)) + \text{expIntegral}_1(-2 \ln(bx))}{b}$	22
default	$\frac{bx \text{expIntegral}(\ln(bx)) + \text{expIntegral}_1(-2 \ln(bx))}{b}$	22

input `int(Li(b*x),x,method=_RETURNVERBOSE)`

output `x*Li(b*x)+1/b*Ei(1,-2*ln(b*x))`

### Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.16

$$\int \text{LogIntegral}(bx) dx = \frac{bx \log_{\text{integral}}(bx) - \log_{\text{integral}}(b^2 x^2)}{b}$$

input `integrate(log_integral(b*x),x, algorithm="fricas")`

output `(b*x*log_integral(b*x) - log_integral(b^2*x^2))/b`

### Sympy [F]

$$\int \text{LogIntegral}(bx) dx = \int \text{Li}(bx) dx$$

input `integrate(Li(b*x),x)`

output `Integral(Li(b*x), x)`

**Maxima [A] (verification not implemented)**

Time = 0.02 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \text{LogIntegral}(bx) dx = \frac{bx \log_{\text{integral}}(bx) - \text{Ei}(2 \log(bx))}{b}$$

input `integrate(log_integral(b*x),x, algorithm="maxima")`

output `(b*x*log_integral(b*x) - Ei(2*log(b*x)))/b`

**Giac [F]**

$$\int \text{LogIntegral}(bx) dx = \int \log_{\text{integral}}(bx) dx$$

input `integrate(log_integral(b*x),x, algorithm="giac")`

output `integrate(log_integral(b*x), x)`

**Mupad [B] (verification not implemented)**

Time = 0.07 (sec) , antiderivative size = 6, normalized size of antiderivative = 0.32

$$\int \text{LogIntegral}(bx) dx = \int \text{logint}(b x) dx$$

input `int(logint(b*x),x)`

output `int(logint(b*x), x)`

**Reduce [B] (verification not implemented)**

Time = 0.22 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.16

$$\int \text{LogIntegral}(bx) dx = \frac{ei(\log(bx)) bx - ei(2\log(bx))}{b}$$

input `int(Li(b*x),x)`

output `(ei(log(b*x))*b*x - ei(2*log(b*x)))/b`

### 3.65 $\int \frac{\text{LogIntegral}(bx)}{x} dx$

Optimal result . . . . .	417
Mathematica [A] (verified) . . . . .	417
Rubi [A] (verified) . . . . .	418
Maple [A] (verified) . . . . .	418
Fricas [A] (verification not implemented) . . . . .	419
Sympy [F] . . . . .	419
Maxima [B] (verification not implemented) . . . . .	419
Giac [F] . . . . .	420
Mupad [B] (verification not implemented) . . . . .	420
Reduce [B] (verification not implemented) . . . . .	420

#### Optimal result

Integrand size = 8, antiderivative size = 14

$$\int \frac{\text{LogIntegral}(bx)}{x} dx = -bx + \log(bx) \text{LogIntegral}(bx)$$

output -b\*x+ln(b\*x)\*Li(b\*x)

#### Mathematica [A] (verified)

Time = 0.00 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.00

$$\int \frac{\text{LogIntegral}(bx)}{x} dx = -bx + \log(bx) \text{LogIntegral}(bx)$$

input Integrate[LogIntegral[b\*x]/x,x]

output -(b\*x) + Log[b\*x]\*LogIntegral[b\*x]

## Rubi [A] (verified)

Time = 0.16 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {7050}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\text{LogIntegral}(bx)}{x} dx$$

↓ 7050

$$\text{LogIntegral}(bx) \log(bx) - bx$$

input `Int[LogIntegral[b*x]/x,x]`

output `-(b*x) + Log[b*x]*LogIntegral[b*x]`

### Definitions of rubi rules used

rule 7050 `Int[LogIntegral[(b_)*(x_)]/(x_), x_Symbol] :> Simp[(-b)*x, x] + Simp[Log[b*x]*LogIntegral[b*x], x] /; FreeQ[b, x]`

## Maple [A] (verified)

Time = 0.07 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.14

method	result	size
derivativeDivides	$\text{expIntegral}(\ln(bx)) \ln(bx) - bx$	16
default	$\text{expIntegral}(\ln(bx)) \ln(bx) - bx$	16
parts	$\ln(x) \text{Li}(bx) - b(x + (\ln(bx) - \ln(x)) e^{-\ln(bx)+\ln(x)}) \text{expIntegral}_1(-\ln(bx))$	42

input `int(Li(b*x)/x,x,method=_RETURNVERBOSE)`

output  $Ei(\ln(b*x)) * \ln(b*x) - b*x$

### Fricas [A] (verification not implemented)

Time = 0.07 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.00

$$\int \frac{\text{LogIntegral}(bx)}{x} dx = -bx + \log(bx) \log_{\text{integral}}(bx)$$

input `integrate(log_integral(b*x)/x,x, algorithm="fricas")`

output  $-b*x + \log(b*x) * \log_{\text{integral}}(b*x)$

### Sympy [F]

$$\int \frac{\text{LogIntegral}(bx)}{x} dx = \int \frac{\text{Li}(bx)}{x} dx$$

input `integrate(Li(b*x)/x,x)`

output `Integral(Li(b*x)/x, x)`

### Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 31 vs.  $2(14) = 28$ .

Time = 0.08 (sec) , antiderivative size = 31, normalized size of antiderivative = 2.21

$$\begin{aligned} \int \frac{\text{LogIntegral}(bx)}{x} dx &= -bx + Ei(\log(bx)) \log(bx) \\ &\quad - Ei(\log(bx)) \log(x) + \log(x) \log_{\text{integral}}(bx) \end{aligned}$$

input `integrate(log_integral(b*x)/x,x, algorithm="maxima")`

output 
$$-b*x + \text{Ei}(\log(b*x))*\log(b*x) - \text{Ei}(\log(b*x))*\log(x) + \log(x)*\log_{\text{integral}}(b*x)$$

### Giac [F]

$$\int \frac{\text{LogIntegral}(bx)}{x} dx = \int \frac{\log_{\text{integral}}(bx)}{x} dx$$

input `integrate(log_integral(b*x)/x,x, algorithm="giac")`

output `integrate(log_integral(b*x)/x, x)`

### Mupad [B] (verification not implemented)

Time = 0.06 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.00

$$\int \frac{\text{LogIntegral}(bx)}{x} dx = \text{logint}(b*x) \ln(b*x) - b*x$$

input `int(logint(b*x)/x,x)`

output `logint(b*x)*log(b*x) - b*x`

### Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.07

$$\int \frac{\text{LogIntegral}(bx)}{x} dx = \text{ei}(\log(b*x)) \log(b*x) - b*x$$

input `int(Li(b*x)/x,x)`

output `ei(log(b*x))*log(b*x) - b*x`

## 3.66 $\int \frac{\text{LogIntegral}(bx)}{x^2} dx$

Optimal result . . . . .	421
Mathematica [A] (verified) . . . . .	421
Rubi [A] (verified) . . . . .	422
Maple [A] (verified) . . . . .	423
Fricas [A] (verification not implemented)	423
Sympy [A] (verification not implemented)	424
Maxima [A] (verification not implemented)	424
Giac [F]	424
Mupad [B] (verification not implemented)	425
Reduce [B] (verification not implemented)	425

### Optimal result

Integrand size = 8, antiderivative size = 17

$$\int \frac{\text{LogIntegral}(bx)}{x^2} dx = b \log(\log(bx)) - \frac{\text{LogIntegral}(bx)}{x}$$

output `b*ln(ln(b*x))-Li(b*x)/x`

### Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.00

$$\int \frac{\text{LogIntegral}(bx)}{x^2} dx = b \log(\log(bx)) - \frac{\text{LogIntegral}(bx)}{x}$$

input `Integrate[LogIntegral[b*x]/x^2,x]`

output `b*Log[Log[b*x]] - LogIntegral[b*x]/x`

## Rubi [A] (verified)

Time = 0.18 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {7052, 2739, 14}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\text{LogIntegral}(bx)}{x^2} dx \\
 & \quad \downarrow \text{7052} \\
 & b \int \frac{1}{x \log(bx)} dx - \frac{\text{LogIntegral}(bx)}{x} \\
 & \quad \downarrow \text{2739} \\
 & b \int \frac{1}{\log(bx)} d \log(bx) - \frac{\text{LogIntegral}(bx)}{x} \\
 & \quad \downarrow \text{14} \\
 & b \log(\log(bx)) - \frac{\text{LogIntegral}(bx)}{x}
 \end{aligned}$$

input `Int[LogIntegral[b*x]/x^2, x]`

output `b*Log[Log[b*x]] - LogIntegral[b*x]/x`

### Definitions of rubi rules used

rule 14 `Int[(a_)/(x_), x_Symbol] :> Simp[a*Log[x], x] /; FreeQ[a, x]`

rule 2739 `Int[((a_.) + Log[(c_)*(x_)^(n_.)]*(b_.))^(p_.)/(x_), x_Symbol] :> Simp[1/(b*n) Subst[Int[x^p, x], x, a + b*Log[c*x^n]], x] /; FreeQ[{a, b, c, n, p}, x]`

rule 7052

```
Int[LogIntegral[(a_.) + (b_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_), x_Symbol] :
> Simp[(c + d*x)^(m + 1)*(LogIntegral[a + b*x]/(d*(m + 1))), x] - Simp[b/(d
*m + 1)) Int[(c + d*x)^(m + 1)/Log[a + b*x], x], x] /; FreeQ[{a, b, c, d
, m}, x] && NeQ[m, -1]
```

**Maple [A] (verified)**

Time = 0.03 (sec), antiderivative size = 18, normalized size of antiderivative = 1.06

method	result	size
parts	$b \ln(\ln(bx)) - \frac{\text{Li}(bx)}{x}$	18
parallelisch	$\frac{\ln(\ln(bx))bx - \text{Li}(bx)}{x}$	20
derivativedivides	$-\frac{-\ln(\ln(bx))bx + \text{expIntegral}(\ln(bx))}{x}$	21
default	$-\frac{-\ln(\ln(bx))bx + \text{expIntegral}(\ln(bx))}{x}$	21

input `int(Li(b*x)/x^2, x, method=_RETURNVERBOSE)`

output `b*ln(ln(b*x))-Li(b*x)/x`

**Fricas [A] (verification not implemented)**

Time = 0.08 (sec), antiderivative size = 19, normalized size of antiderivative = 1.12

$$\int \frac{\text{LogIntegral}(bx)}{x^2} dx = \frac{bx \log(\log(bx)) - \text{log\_integral}(bx)}{x}$$

input `integrate(log_integral(b*x)/x^2, x, algorithm="fricas")`

output `(b*x*log(log(b*x)) - log_integral(b*x))/x`

**Sympy [A] (verification not implemented)**

Time = 0.15 (sec) , antiderivative size = 14, normalized size of antiderivative = 0.82

$$\int \frac{\text{LogIntegral}(bx)}{x^2} dx = b \log(\log(bx)) - \frac{\text{Li}(bx)}{x}$$

input `integrate(Li(b*x)/x**2,x)`

output `b*log(log(b*x)) - Li(b*x)/x`

**Maxima [A] (verification not implemented)**

Time = 0.02 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.00

$$\int \frac{\text{LogIntegral}(bx)}{x^2} dx = b \log(\log(bx)) - \frac{\text{log\_integral}(bx)}{x}$$

input `integrate(log_integral(b*x)/x^2,x, algorithm="maxima")`

output `b*log(log(b*x)) - log_integral(b*x)/x`

**Giac [F]**

$$\int \frac{\text{LogIntegral}(bx)}{x^2} dx = \int \frac{\text{log\_integral}(bx)}{x^2} dx$$

input `integrate(log_integral(b*x)/x^2,x, algorithm="giac")`

output `integrate(log_integral(b*x)/x^2, x)`

**Mupad [B] (verification not implemented)**

Time = 0.09 (sec) , antiderivative size = 25, normalized size of antiderivative = 1.47

$$\int \frac{\text{LogIntegral}(bx)}{x^2} dx = -b (\ln(x) - \ln(x \ln(bx))) - \frac{\text{logint}(bx)}{x}$$

input `int(logint(b*x)/x^2,x)`

output `- b*(log(x) - log(x*log(b*x))) - logint(b*x)/x`

**Reduce [B] (verification not implemented)**

Time = 0.21 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.18

$$\int \frac{\text{LogIntegral}(bx)}{x^2} dx = \frac{-ei(\log(bx)) + \log(\log(bx)) bx}{x}$$

input `int(Li(b*x)/x^2,x)`

output `( - ei(log(b*x)) + log(log(b*x))*b*x)/x`

**3.67**       $\int \frac{\text{LogIntegral}(bx)}{x^3} dx$

Optimal result . . . . .	426
Mathematica [A] (verified) . . . . .	426
Rubi [A] (verified) . . . . .	427
Maple [A] (verified) . . . . .	428
Fricas [A] (verification not implemented) . . . . .	428
Sympy [F] . . . . .	429
Maxima [A] (verification not implemented) . . . . .	429
Giac [F] . . . . .	429
Mupad [B] (verification not implemented) . . . . .	430
Reduce [F] . . . . .	430

## Optimal result

Integrand size = 8, antiderivative size = 26

$$\int \frac{\text{LogIntegral}(bx)}{x^3} dx = \frac{1}{2} b^2 \text{ExpIntegralEi}(-\log(bx)) - \frac{\text{LogIntegral}(bx)}{2x^2}$$

output 1/2\*b^2\*Ei(-ln(b\*x))-1/2\*Li(b\*x)/x^2

## Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 26, normalized size of antiderivative = 1.00

$$\int \frac{\text{LogIntegral}(bx)}{x^3} dx = \frac{1}{2} b^2 \text{ExpIntegralEi}(-\log(bx)) - \frac{\text{LogIntegral}(bx)}{2x^2}$$

input Integrate[LogIntegral[b\*x]/x^3,x]

output (b^2\*ExpIntegralEi[-Log[b\*x]])/2 - LogIntegral[b\*x]/(2\*x^2)

## Rubi [A] (verified)

Time = 0.21 (sec), antiderivative size = 26, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {7052, 2746, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\text{LogIntegral}(bx)}{x^3} dx \\
 & \downarrow \textcolor{blue}{7052} \\
 & \frac{1}{2} b \int \frac{1}{x^2 \log(bx)} dx - \frac{\text{LogIntegral}(bx)}{2x^2} \\
 & \downarrow \textcolor{blue}{2746} \\
 & \frac{1}{2} b^2 \int \frac{1}{bx \log(bx)} d \log(bx) - \frac{\text{LogIntegral}(bx)}{2x^2} \\
 & \downarrow \textcolor{blue}{2609} \\
 & \frac{1}{2} b^2 \text{ExpIntegralEi}(-\log(bx)) - \frac{\text{LogIntegral}(bx)}{2x^2}
 \end{aligned}$$

input `Int[LogIntegral[b*x]/x^3, x]`

output `(b^2*ExpIntegralEi[-Log[b*x]])/2 - LogIntegral[b*x]/(2*x^2)`

### Definitions of rubi rules used

rule 2609 `Int[(F_)^((g_)*(e_)+(f_)*(x_))/((c_)+(d_)*(x_)), x_Symbol] :> Si  
mp[(F^(g*(e - c*(f/d)))/d)*ExpIntegralEi[f*g*(c + d*x)*(Log[F]/d)], x] /; F  
reeQ[{F, c, d, e, f, g}, x] && !TrueQ[$UseGamma]`

rule 2746 `Int[((a_)+Log[(c_)*(x_)]*(b_))^((p_)*(x_)^(m_)), x_Symbol] :> Simp[1/c^  
(m+1) Subst[Int[E^((m+1)*x)*(a+b*x)^p, x], x, Log[c*x]], x] /; Free  
Q[{a, b, c, p}, x] && IntegerQ[m]`

rule 7052

```
Int[LogIntegral[(a_.) + (b_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_), x_Symbol] :
> Simp[(c + d*x)^(m + 1)*(LogIntegral[a + b*x]/(d*(m + 1))), x] - Simp[b/(d
*(m + 1)) Int[(c + d*x)^(m + 1)/Log[a + b*x], x], x] /; FreeQ[{a, b, c, d
, m}, x] && NeQ[m, -1]
```

**Maple [A] (verified)**

Time = 0.05 (sec), antiderivative size = 22, normalized size of antiderivative = 0.85

method	result	size
parts	$-\frac{\text{Li}(bx)}{2x^2} - \frac{b^2 \exp\text{Integral}_1(\ln(bx))}{2}$	22
derivativedivides	$b^2 \left( -\frac{\exp\text{Integral}(\ln(bx))}{2b^2 x^2} - \frac{\exp\text{Integral}_1(\ln(bx))}{2} \right)$	27
default	$b^2 \left( -\frac{\exp\text{Integral}(\ln(bx))}{2b^2 x^2} - \frac{\exp\text{Integral}_1(\ln(bx))}{2} \right)$	27

input `int(Li(b*x)/x^3, x, method=_RETURNVERBOSE)`output `-1/2*Li(b*x)/x^2-1/2*b^2*Ei(1, ln(b*x))`**Fricas [A] (verification not implemented)**

Time = 0.07 (sec), antiderivative size = 27, normalized size of antiderivative = 1.04

$$\int \frac{\text{LogIntegral}(bx)}{x^3} dx = \frac{b^2 x^2 \log\text{integral}\left(\frac{1}{bx}\right) - \log\text{integral}(bx)}{2 x^2}$$

input `integrate(log_integral(b*x)/x^3, x, algorithm="fricas")`output `1/2*(b^2*x^2*log_integral(1/(b*x)) - log_integral(b*x))/x^2`

**Sympy [F]**

$$\int \frac{\text{LogIntegral}(bx)}{x^3} dx = \int \frac{\text{Li}(bx)}{x^3} dx$$

input `integrate(Li(b*x)/x**3,x)`

output `Integral(Li(b*x)/x**3, x)`

**Maxima [A] (verification not implemented)**

Time = 0.07 (sec) , antiderivative size = 22, normalized size of antiderivative = 0.85

$$\int \frac{\text{LogIntegral}(bx)}{x^3} dx = \frac{1}{2} b^2 \text{Ei}(-\log(bx)) - \frac{\log\_integral(bx)}{2x^2}$$

input `integrate(log_integral(b*x)/x^3,x, algorithm="maxima")`

output `1/2*b^2*Ei(-log(b*x)) - 1/2*log_integral(b*x)/x^2`

**Giac [F]**

$$\int \frac{\text{LogIntegral}(bx)}{x^3} dx = \int \frac{\log\_integral(bx)}{x^3} dx$$

input `integrate(log_integral(b*x)/x^3,x, algorithm="giac")`

output `integrate(log_integral(b*x)/x^3, x)`

**Mupad [B] (verification not implemented)**

Time = 0.06 (sec) , antiderivative size = 10, normalized size of antiderivative = 0.38

$$\int \frac{\text{LogIntegral}(bx)}{x^3} dx = \int \frac{\text{logint}(bx)}{x^3} dx$$

input `int(logint(b*x)/x^3,x)`

output `int(logint(b*x)/x^3, x)`

**Reduce [F]**

$$\int \frac{\text{LogIntegral}(bx)}{x^3} dx = \frac{-ei(\log(bx)) + \left( \int \frac{1}{\log(bx)x^2} dx \right) b x^2}{2x^2}$$

input `int(Li(b*x)/x^3,x)`

output `( - ei(log(b*x)) + int(1/(log(b*x)*x**2),x)*b*x**2)/(2*x**2)`

## 3.68 $\int (dx)^m \text{LogIntegral}(bx) dx$

Optimal result . . . . .	431
Mathematica [A] (verified) . . . . .	431
Rubi [A] (verified) . . . . .	432
Maple [F] . . . . .	433
Fricas [A] (verification not implemented) . . . . .	433
Sympy [F] . . . . .	434
Maxima [F] . . . . .	434
Giac [F] . . . . .	434
Mupad [B] (verification not implemented) . . . . .	435
Reduce [F] . . . . .	435

### Optimal result

Integrand size = 10, antiderivative size = 57

$$\begin{aligned} \int (dx)^m \text{LogIntegral}(bx) dx &= -\frac{b(bx)^{-2-m} (dx)^{2+m} \text{ExpIntegralEi}((2+m)\log(bx))}{d^2(1+m)} \\ &\quad + \frac{(dx)^{1+m} \text{LogIntegral}(bx)}{d(1+m)} \end{aligned}$$

output 
$$-\frac{b*(b*x)^{-2-m}*(d*x)^{2+m}*\text{Ei}((2+m)*\ln(b*x))/d^2/(1+m)+(d*x)^{1+m}*\text{Li}(b*x)}{d/(1+m)}$$

### Mathematica [A] (verified)

Time = 0.14 (sec), antiderivative size = 45, normalized size of antiderivative = 0.79

$$\begin{aligned} \int (dx)^m \text{LogIntegral}(bx) dx \\ = \frac{(bx)^{-m} (dx)^m (-\text{ExpIntegralEi}((2+m)\log(bx)) + bx(bx)^m \text{LogIntegral}(bx))}{b(1+m)} \end{aligned}$$

input `Integrate[(d*x)^m*LogIntegral[b*x],x]`

output  $\frac{((d*x)^m * (-ExpIntegralEi[(2 + m)*Log[b*x]] + b*x*(b*x)^m * LogIntegral[b*x]))}{(b*(1 + m)*(b*x)^m)}$

## Rubi [A] (verified)

Time = 0.26 (sec) , antiderivative size = 57, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {7052, 2747, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \text{LogIntegral}(bx)(dx)^m dx \\
 & \downarrow \textcolor{blue}{7052} \\
 & \frac{\text{LogIntegral}(bx)(dx)^{m+1}}{d(m+1)} - \frac{b \int \frac{(dx)^{m+1}}{\log(bx)} dx}{d(m+1)} \\
 & \downarrow \textcolor{blue}{2747} \\
 & \frac{\text{LogIntegral}(bx)(dx)^{m+1}}{d(m+1)} - \frac{b(bx)^{-m-2}(dx)^{m+2} \int \frac{(bx)^{m+2}}{\log(bx)} d\log(bx)}{d^2(m+1)} \\
 & \downarrow \textcolor{blue}{2609} \\
 & \frac{\text{LogIntegral}(bx)(dx)^{m+1}}{d(m+1)} - \frac{b(bx)^{-m-2}(dx)^{m+2} \text{ExpIntegralEi}((m+2)\log(bx))}{d^2(m+1)}
 \end{aligned}$$

input  $\text{Int}[(d*x)^m * \text{LogIntegral}[b*x], x]$

output  $-\frac{((b*(b*x)^{-2 - m}*(d*x)^(2 + m)*\text{ExpIntegralEi}[(2 + m)*\text{Log}[b*x]])/(d^{2*(1 + m)})) + ((d*x)^(1 + m)*\text{LogIntegral}[b*x])/(d*(1 + m))}{(d^2*(1 + m))}$

### Definitions of rubi rules used

rule 2609  $\text{Int}[(F_{\cdot})^((g_{\cdot})*(e_{\cdot}) + (f_{\cdot})*(x_{\cdot}))) / ((c_{\cdot}) + (d_{\cdot})*(x_{\cdot}))], x_{\text{Symbol}} \rightarrow \text{Simp}[(F^g(e - c*(f/d))/d)*\text{ExpIntegralEi}[f*g*(c + d*x)*(Log[F]/d)], x] /; \text{FreeQ}[\{F, c, d, e, f, g\}, x] \& \text{TrueQ}[\$UseGamma]$

rule 2747  $\text{Int}[((a_{\cdot}) + \text{Log}[(c_{\cdot})*(x_{\cdot})^{(n_{\cdot})}]* (b_{\cdot}))^{(p_{\cdot})}*((d_{\cdot})*(x_{\cdot}))^{(m_{\cdot})}], x_{\text{Symbol}} \rightarrow \text{Simp}[(d*x)^{(m+1)} / (d*n*(c*x^n)^{(m+1)/n}) \text{Subst}[\text{Int}[E^{((m+1)/n)}*x)*(a+b*x)^p, x], x, \text{Log}[c*x^n]], x] /; \text{FreeQ}[\{a, b, c, d, m, n, p\}, x]$

rule 7052  $\text{Int}[\text{LogIntegral}[(a_{\cdot}) + (b_{\cdot})*(x_{\cdot})]*((c_{\cdot}) + (d_{\cdot})*(x_{\cdot}))^{(m_{\cdot})}], x_{\text{Symbol}} \rightarrow \text{Simp}[(c + d*x)^{(m+1)}*\text{LogIntegral}[a + b*x]/(d*(m+1))), x] - \text{Simp}[b/(d*(m+1)) \text{Int}[(c + d*x)^{(m+1)}/\text{Log}[a + b*x], x], x] /; \text{FreeQ}[\{a, b, c, d, m\}, x] \& \text{NeQ}[m, -1]$

### Maple [F]

$$\int (dx)^m \text{Li}(bx) dx$$

input `int((d*x)^m*Li(b*x),x)`

output `int((d*x)^m*Li(b*x),x)`

### Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 50, normalized size of antiderivative = 0.88

$$\begin{aligned} & \int (dx)^m \text{LogIntegral}(bx) dx \\ &= \frac{bxe^{(m \log(bx) + m \log(\frac{d}{b}))} \text{log\_integral}(bx) - (\frac{d}{b})^m \text{Ei}((m+2) \log(bx))}{bm + b} \end{aligned}$$

input `integrate((d*x)^m*log_integral(b*x),x, algorithm="fricas")`

output 
$$(b*x*e^{(m*\log(b*x) + m*\log(d/b))*\log\_integral(b*x)} - (d/b)^m * Ei((m + 2)*\log(b*x)))/(b^m + b)$$

## Sympy [F]

$$\int (dx)^m \text{LogIntegral}(bx) dx = \int (dx)^m \text{Li}(bx) dx$$

input `integrate((d*x)**m*Li(b*x),x)`

output `Integral((d*x)**m*Li(b*x), x)`

## Maxima [F]

$$\int (dx)^m \text{LogIntegral}(bx) dx = \int (dx)^m \log\_integral(bx) dx$$

input `integrate((d*x)^m*log_integral(b*x),x, algorithm="maxima")`

output `integrate((d*x)^m*log_integral(b*x), x)`

## Giac [F]

$$\int (dx)^m \text{LogIntegral}(bx) dx = \int (dx)^m \log\_integral(bx) dx$$

input `integrate((d*x)^m*log_integral(b*x),x, algorithm="giac")`

output `integrate((d*x)^m*log_integral(b*x), x)`

**Mupad [B] (verification not implemented)**

Time = 0.04 (sec) , antiderivative size = 12, normalized size of antiderivative = 0.21

$$\int (dx)^m \operatorname{LogIntegral}(bx) dx = \int \operatorname{logint}(bx) (dx)^m dx$$

input `int(logint(b*x)*(d*x)^m,x)`

output `int(logint(b*x)*(d*x)^m, x)`

**Reduce [F]**

$$\int (dx)^m \operatorname{LogIntegral}(bx) dx = d^m \left( \int x^m \operatorname{ei}(\log(bx)) dx \right)$$

input `int((d*x)^m*Li(b*x),x)`

output `d**m*int(x**m*ei(log(b*x)),x)`

## 3.69 $\int x^2 \operatorname{LogIntegral}(a + bx) dx$

Optimal result . . . . .	436
Mathematica [A] (verified) . . . . .	436
Rubi [A] (verified) . . . . .	437
Maple [A] (verified) . . . . .	438
Fricas [A] (verification not implemented)	439
Sympy [F]	439
Maxima [F]	439
Giac [F]	440
Mupad [B] (verification not implemented)	440
Reduce [F]	440

### Optimal result

Integrand size = 10, antiderivative size = 77

$$\begin{aligned} \int x^2 \operatorname{LogIntegral}(a + bx) dx = & -\frac{a^2 \operatorname{ExpIntegralEi}(2 \log(a + bx))}{b^3} \\ & + \frac{a \operatorname{ExpIntegralEi}(3 \log(a + bx))}{b^3} \\ & - \frac{\operatorname{ExpIntegralEi}(4 \log(a + bx))}{3b^3} \\ & + \frac{a^3 \operatorname{LogIntegral}(a + bx)}{3b^3} + \frac{1}{3}x^3 \operatorname{LogIntegral}(a + bx) \end{aligned}$$

output

$$-\text{a}^2 \operatorname{Ei}(2 \ln(b*x+a)) / b^3 + \text{a} \operatorname{Ei}(3 \ln(b*x+a)) / b^3 - 1/3 \operatorname{Ei}(4 \ln(b*x+a)) / b^3 + 1/3 \text{*a}^3 \operatorname{Li}(b*x+a) / b^3 + 1/3 \text{*x}^3 \operatorname{Li}(b*x+a)$$

### Mathematica [A] (verified)

Time = 0.05 (sec), antiderivative size = 69, normalized size of antiderivative = 0.90

$$\begin{aligned} \int x^2 \operatorname{LogIntegral}(a + bx) dx = & \\ & -\frac{-a^3 \operatorname{ExpIntegralEi}(\log(a + bx)) + 3a^2 \operatorname{ExpIntegralEi}(2 \log(a + bx)) - 3a \operatorname{ExpIntegralEi}(3 \log(a + bx))}{3b^3} \\ & + \frac{1}{3}x^3 \operatorname{LogIntegral}(a + bx) \end{aligned}$$

input `Integrate[x^2*LogIntegral[a + b*x],x]`

output 
$$\frac{-1/3*(-(a^3*ExpIntegralEi[Log[a + b*x]]) + 3*a^2*ExpIntegralEi[2*Log[a + b*x]] - 3*a*ExpIntegralEi[3*Log[a + b*x]] + ExpIntegralEi[4*Log[a + b*x]])/b^3 + (x^3*LogIntegral[a + b*x])/3}{b^3}$$

## Rubi [A] (verified)

Time = 0.34 (sec) , antiderivative size = 79, normalized size of antiderivative = 1.03, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {7052, 2846, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x^2 \operatorname{LogIntegral}(a + bx) dx \\
 & \downarrow \textcolor{blue}{7052} \\
 & \frac{1}{3} x^3 \operatorname{LogIntegral}(a + bx) - \frac{1}{3} b \int \frac{x^3}{\log(a + bx)} dx \\
 & \qquad \downarrow \textcolor{blue}{2846} \\
 & \frac{1}{3} x^3 \operatorname{LogIntegral}(a + bx) - \\
 & \frac{1}{3} b \int \left( -\frac{a^3}{b^3 \log(a + bx)} + \frac{3(a + bx)a^2}{b^3 \log(a + bx)} - \frac{3(a + bx)^2a}{b^3 \log(a + bx)} + \frac{(a + bx)^3}{b^3 \log(a + bx)} \right) dx \\
 & \qquad \downarrow \textcolor{blue}{2009} \\
 & \frac{1}{3} x^3 \operatorname{LogIntegral}(a + bx) - \\
 & \frac{1}{3} b \left( -\frac{a^3 \operatorname{LogIntegral}(a + bx)}{b^4} + \frac{3a^2 \operatorname{ExpIntegralEi}(2 \log(a + bx))}{b^4} - \frac{3a \operatorname{ExpIntegralEi}(3 \log(a + bx))}{b^4} + \frac{\operatorname{ExpIntegralEi}(4 \log(a + bx))}{b^4} \right)
 \end{aligned}$$

input `Int[x^2*LogIntegral[a + b*x],x]`

output 
$$(x^3 \text{LogIntegral}[a + b*x])/3 - (b*((3*a^2 \text{ExpIntegralEi}[2 \text{Log}[a + b*x]]))/b^4 - (3*a \text{ExpIntegralEi}[3 \text{Log}[a + b*x]])/b^4 + \text{ExpIntegralEi}[4 \text{Log}[a + b*x]]/b^4 - (a^3 \text{LogIntegral}[a + b*x])/b^4)/3$$

### Defintions of rubi rules used

rule 2009 
$$\text{Int}[u_, x_\text{Symbol}] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] /; \text{SumQ}[u]$$

rule 2846 
$$\text{Int}[(f_.) + (g_.)*(x_.)^{(q_.)}/((a_.) + \text{Log}[(c_.)*(d_.) + (e_.)*(x_.)^{(n_.)}]*^{(b_.)}), x_\text{Symbol}] \rightarrow \text{Int}[\text{ExpandIntegrand}[(f + g*x)^q/(a + b*\text{Log}[c*(d + e*x)^n]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, n\}, x] \& \text{NeQ}[e*f - d*g, 0] \& \text{IGtQ}[q, 0]$$

rule 7052 
$$\text{Int}[\text{LogIntegral}[(a_.) + (b_.)*(x_.)]*((c_.) + (d_.)*(x_.))^{(m_.)}, x_\text{Symbol}] \rightarrow \text{Simp}[(c + d*x)^{(m + 1)}*\text{LogIntegral}[a + b*x]/(d*(m + 1))), x] - \text{Simp}[b/(d*(m + 1)) \text{Int}[(c + d*x)^{(m + 1)}/\text{Log}[a + b*x], x], x] /; \text{FreeQ}[\{a, b, c, d, m\}, x] \& \text{NeQ}[m, -1]$$

### Maple [A] (verified)

Time = 0.12 (sec) , antiderivative size = 73, normalized size of antiderivative = 0.95

method	result
parts	$\frac{x^3 \text{Li}(bx+a)}{3} - \frac{a^3 \text{expIntegral}_1(-\ln(bx+a)) - 3a^2 \text{expIntegral}_1(-2\ln(bx+a)) + 3a \text{expIntegral}_1(-3\ln(bx+a)) - \text{expIntegral}_1(-4\ln(bx+a))}{3b^3}$
derivativedivides	$\frac{-\text{expIntegral}(\ln(bx+a))a^3}{3} + \text{expIntegral}(\ln(bx+a))a^2(bx+a) - \text{expIntegral}(\ln(bx+a))a(bx+a)^2 + \frac{\text{expIntegral}(\ln(bx+a))(bx+a)^3}{3}$
default	$\frac{-\text{expIntegral}(\ln(bx+a))a^3}{3} + \text{expIntegral}(\ln(bx+a))a^2(bx+a) - \text{expIntegral}(\ln(bx+a))a(bx+a)^2 + \frac{\text{expIntegral}(\ln(bx+a))(bx+a)^3}{3}$

input 
$$\text{int}(x^2 \text{Li}(b*x+a), x, \text{method}=\text{_RETURNVERBOSE})$$

output 
$$1/3*x^3*\text{Li}(b*x+a) - 1/3/b^3*(a^3*\text{Ei}(1, -\ln(b*x+a)) - 3*a^2*\text{Ei}(1, -2*\ln(b*x+a)) + 3*a*\text{Ei}(1, -3*\ln(b*x+a)) - \text{Ei}(1, -4*\ln(b*x+a)))$$

**Fricas [A] (verification not implemented)**

Time = 0.07 (sec) , antiderivative size = 117, normalized size of antiderivative = 1.52

$$\int x^2 \operatorname{LogIntegral}(a + bx) dx =$$

$$-\frac{3 a^2 \log_{\text{integral}}(b^2 x^2 + 2 a b x + a^2) - 3 a \log_{\text{integral}}(b^3 x^3 + 3 a b^2 x^2 + 3 a^2 b x + a^3) - (b^3 x^3 + a^3) \log_{\text{integral}}(b x + a)}{3 b^3}$$

input `integrate(x^2*log_integral(b*x+a),x, algorithm="fricas")`

output 
$$-\frac{1}{3} \left( 3 a^2 \log_{\text{integral}}(b^2 x^2 + 2 a b x + a^2) - 3 a \log_{\text{integral}}(b^3 x^3 + a^3) \right) - \frac{(b^3 x^3 + a^3) \log_{\text{integral}}(b x + a) + \log_{\text{integral}}(b^4 x^4 + 4 a b^3 x^3 + 6 a^2 b^2 x^2 + 4 a^3 b x + a^4)}{b^3}$$

**Sympy [F]**

$$\int x^2 \operatorname{LogIntegral}(a + bx) dx = \int x^2 \operatorname{Li}(a + bx) dx$$

input `integrate(x**2*Li(b*x+a),x)`

output `Integral(x**2*Li(a + b*x), x)`

**Maxima [F]**

$$\int x^2 \operatorname{LogIntegral}(a + bx) dx = \int x^2 \log_{\text{integral}}(bx + a) dx$$

input `integrate(x^2*log_integral(b*x+a),x, algorithm="maxima")`

output `integrate(x^2*log_integral(b*x + a), x)`

**Giac [F]**

$$\int x^2 \operatorname{LogIntegral}(a + bx) dx = \int x^2 \log_{\text{integral}}(bx + a) dx$$

input `integrate(x^2*log_integral(b*x+a),x, algorithm="giac")`

output `integrate(x^2*log_integral(b*x + a), x)`

**Mupad [B] (verification not implemented)**

Time = 0.08 (sec) , antiderivative size = 12, normalized size of antiderivative = 0.16

$$\int x^2 \operatorname{LogIntegral}(a + bx) dx = \int x^2 \operatorname{logint}(a + b x) dx$$

input `int(x^2*logint(a + b*x),x)`

output `int(x^2*logint(a + b*x), x)`

**Reduce [F]**

$$\int x^2 \operatorname{LogIntegral}(a + bx) dx = \int ei(\log(bx + a)) x^2 dx$$

input `int(x^2*Li(b*x+a),x)`

output `int(ei(log(a + b*x))*x**2,x)`

### 3.70 $\int x \operatorname{LogIntegral}(a + bx) dx$

Optimal result . . . . .	441
Mathematica [A] (verified) . . . . .	441
Rubi [A] (verified) . . . . .	442
Maple [A] (verified) . . . . .	443
Fricas [A] (verification not implemented)	444
Sympy [F]	444
Maxima [F]	444
Giac [F]	445
Mupad [B] (verification not implemented)	445
Reduce [F]	445

#### Optimal result

Integrand size = 8, antiderivative size = 60

$$\begin{aligned} \int x \operatorname{LogIntegral}(a + bx) dx = & \frac{a \operatorname{ExpIntegralEi}(2 \log(a + bx))}{b^2} \\ & - \frac{\operatorname{ExpIntegralEi}(3 \log(a + bx))}{2b^2} \\ & - \frac{a^2 \operatorname{LogIntegral}(a + bx)}{2b^2} + \frac{1}{2} x^2 \operatorname{LogIntegral}(a + bx) \end{aligned}$$

output  $\frac{a \operatorname{Ei}(2 \ln(bx+a))}{b^2} - \frac{a^2 \operatorname{Ei}(3 \ln(bx+a))}{2b^2} - \frac{a^2 \operatorname{Li}(bx+a)}{2b^2} + \frac{1}{2} x^2 \operatorname{Li}(bx+a)$

#### Mathematica [A] (verified)

Time = 0.07 (sec) , antiderivative size = 54, normalized size of antiderivative = 0.90

$$\begin{aligned} \int x \operatorname{LogIntegral}(a + bx) dx = & \\ & - \frac{a^2 \operatorname{ExpIntegralEi}(\log(a + bx)) - 2a \operatorname{ExpIntegralEi}(2 \log(a + bx)) + \operatorname{ExpIntegralEi}(3 \log(a + bx))}{2b^2} \\ & + \frac{1}{2} x^2 \operatorname{LogIntegral}(a + bx) \end{aligned}$$

input `Integrate[x*LogIntegral[a + b*x], x]`

output 
$$\begin{aligned} & -\frac{1}{2}(a^2 \text{ExpIntegralEi}[\log(a + bx)] - 2a \text{ExpIntegralEi}[2\log(a + bx)] \\ & + \text{ExpIntegralEi}[3\log(a + bx)])/b^2 + (x^2 \text{LogIntegral}[a + bx])/2 \end{aligned}$$

## Rubi [A] (verified)

Time = 0.28 (sec), antiderivative size = 61, normalized size of antiderivative = 1.02, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {7052, 2846, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int x \text{LogIntegral}(a + bx) dx \\ & \downarrow \text{7052} \\ & \frac{1}{2}x^2 \text{LogIntegral}(a + bx) - \frac{1}{2}b \int \frac{x^2}{\log(a + bx)} dx \\ & \downarrow \text{2846} \\ & \frac{1}{2}x^2 \text{LogIntegral}(a + bx) - \frac{1}{2}b \int \left( \frac{a^2}{b^2 \log(a + bx)} - \frac{2(a + bx)a}{b^2 \log(a + bx)} + \frac{(a + bx)^2}{b^2 \log(a + bx)} \right) dx \\ & \downarrow \text{2009} \\ & \frac{1}{2}x^2 \text{LogIntegral}(a + bx) - \\ & \frac{1}{2}b \left( \frac{a^2 \text{LogIntegral}(a + bx)}{b^3} - \frac{2a \text{ExpIntegralEi}(2 \log(a + bx))}{b^3} + \frac{\text{ExpIntegralEi}(3 \log(a + bx))}{b^3} \right) \end{aligned}$$

input `Int[x*LogIntegral[a + b*x], x]`

output 
$$(x^2 \text{LogIntegral}[a + bx])/2 - (b * ((-2a \text{ExpIntegralEi}[2 \log[a + bx]])/b^3 + \text{ExpIntegralEi}[3 \log[a + bx]]/b^3 + (a^2 \text{LogIntegral}[a + bx])/b^3))/2$$

### Definitions of rubi rules used

rule 2009  $\text{Int}[u_, \ x\_\text{Symbol}] \rightarrow \text{Simp}[\text{IntSum}[u, \ x], \ x] /; \ \text{SumQ}[u]$

rule 2846  $\text{Int}[(f_.) + (g_.)*(x_.)^{(q_.)} / ((a_.) + \text{Log}[(c_.)*(d_.) + (e_.)*(x_.)^{(n_.)}]*b_.), \ x\_\text{Symbol}] \rightarrow \text{Int}[\text{ExpandIntegrand}[(f + g*x)^q / (a + b*\text{Log}[c*(d + e*x)^n]), \ x], \ x] /; \ \text{FreeQ}[\{a, \ b, \ c, \ d, \ e, \ f, \ g, \ n\}, \ x] \ \& \ \text{NeQ}[e*f - d*g, \ 0] \ \& \ \text{IGtQ}[q, \ 0]$

rule 7052  $\text{Int}[\text{LogIntegral}[(a_.) + (b_.)*(x_.)]*((c_.) + (d_.)*(x_.))^m, \ x\_\text{Symbol}] \rightarrow \text{Simp}[(c + d*x)^(m + 1)*(\text{LogIntegral}[a + b*x]/(d*(m + 1))), \ x] - \text{Simp}[b/(d*(m + 1)) \ \text{Int}[(c + d*x)^(m + 1)/\text{Log}[a + b*x], \ x], \ x] /; \ \text{FreeQ}[\{a, \ b, \ c, \ d, \ m\}, \ x] \ \& \ \text{NeQ}[m, \ -1]$

### Maple [A] (verified)

Time = 0.06 (sec) , antiderivative size = 59, normalized size of antiderivative = 0.98

method	result
parts	$\frac{x^2 \text{Li}(bx+a)}{2} - \frac{-a^2 \exp(\text{Integral}_1(-\ln(bx+a)) + 2a \exp(\text{Integral}_1(-2\ln(bx+a)) - \exp(\text{Integral}_1(-3\ln(bx+a))))}{2b^2}$
derivativedivides	$\frac{\exp(\text{Integral}(\ln(bx+a))(bx+a)^2)}{2} - \exp(\text{Integral}(\ln(bx+a))a(bx+a) + \frac{\exp(\text{Integral}_1(-3\ln(bx+a)))}{2}) - a \exp(\text{Integral}_1(-2\ln(bx+a)))$
default	$\frac{\exp(\text{Integral}(\ln(bx+a))(bx+a)^2)}{2} - \exp(\text{Integral}(\ln(bx+a))a(bx+a) + \frac{\exp(\text{Integral}_1(-3\ln(bx+a)))}{2}) - a \exp(\text{Integral}_1(-2\ln(bx+a)))$

input  $\text{int}(x*\text{Li}(b*x+a), x, \text{method}=\text{_RETURNVERBOSE})$

output  $1/2*x^2*\text{Li}(b*x+a) - 1/2/b^2*(-a^2*\text{Ei}(1, -\ln(b*x+a)) + 2*a*\text{Ei}(1, -2*\ln(b*x+a)) - \text{Ei}(1, -3*\ln(b*x+a)))$

**Fricas [A] (verification not implemented)**

Time = 0.07 (sec) , antiderivative size = 76, normalized size of antiderivative = 1.27

$$\int x \operatorname{LogIntegral}(a + bx) dx = \frac{2 a \log_{\text{integral}}(b^2 x^2 + 2 a b x + a^2) + (b^2 x^2 - a^2) \log_{\text{integral}}(bx + a) - \log_{\text{integral}}(b^3 x^3 + 3 a b^2 x^2 + 3 a^2 b x + a^3)}{2 b^2}$$

input `integrate(x*log_integral(b*x+a),x, algorithm="fricas")`

output `1/2*(2*a*log_integral(b^2*x^2 + 2*a*b*x + a^2) + (b^2*x^2 - a^2)*log_integral(b*x + a) - log_integral(b^3*x^3 + 3*a*b^2*x^2 + 3*a^2*b*x + a^3))/b^2`

**Sympy [F]**

$$\int x \operatorname{LogIntegral}(a + bx) dx = \int x \operatorname{Li}(a + bx) dx$$

input `integrate(x*Li(b*x+a),x)`

output `Integral(x*Li(a + b*x), x)`

**Maxima [F]**

$$\int x \operatorname{LogIntegral}(a + bx) dx = \int x \log_{\text{integral}}(bx + a) dx$$

input `integrate(x*log_integral(b*x+a),x, algorithm="maxima")`

output `integrate(x*log_integral(b*x + a), x)`

**Giac [F]**

$$\int x \operatorname{LogIntegral}(a + bx) dx = \int x \log\_integral(bx + a) dx$$

input `integrate(x*log_integral(b*x+a),x, algorithm="giac")`

output `integrate(x*log_integral(b*x + a), x)`

**Mupad [B] (verification not implemented)**

Time = 0.06 (sec) , antiderivative size = 10, normalized size of antiderivative = 0.17

$$\int x \operatorname{LogIntegral}(a + bx) dx = \int x \operatorname{logint}(a + b x) dx$$

input `int(x*logint(a + b*x),x)`

output `int(x*logint(a + b*x), x)`

**Reduce [F]**

$$\int x \operatorname{LogIntegral}(a + bx) dx = \int ei(\log(bx + a)) x dx$$

input `int(x*Li(b*x+a),x)`

output `int(ei(log(a + b*x))*x,x)`

## 3.71 $\int \text{LogIntegral}(a + bx) dx$

Optimal result . . . . .	446
Mathematica [A] (verified) . . . . .	446
Rubi [A] (verified) . . . . .	447
Maple [A] (verified) . . . . .	448
Fricas [A] (verification not implemented)	448
Sympy [F]	449
Maxima [A] (verification not implemented)	449
Giac [F]	449
Mupad [B] (verification not implemented)	450
Reduce [B] (verification not implemented)	450

### Optimal result

Integrand size = 6, antiderivative size = 30

$$\begin{aligned} & \int \text{LogIntegral}(a + bx) dx \\ &= -\frac{\text{ExpIntegralEi}(2 \log(a + bx))}{b} + \frac{(a + bx) \text{LogIntegral}(a + bx)}{b} \end{aligned}$$

output  $-\text{Ei}(2 \ln(b*x+a))/b + (b*x+a)*\text{Li}(b*x+a)/b$

### Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 34, normalized size of antiderivative = 1.13

$$\begin{aligned} & \int \text{LogIntegral}(a + bx) dx \\ &= -\frac{-a \text{ExpIntegralEi}(\log(a + bx)) + \text{ExpIntegralEi}(2 \log(a + bx))}{b} \\ &+ x \text{LogIntegral}(a + bx) \end{aligned}$$

input `Integrate[LogIntegral[a + b*x], x]`

output 
$$-\left(\left(-\left(a \operatorname{ExpIntegralEi}[\log[a + b x]]\right) + \operatorname{ExpIntegralEi}[2 \log[a + b x]]\right)/b\right) + x \operatorname{LogIntegral}[a + b x]$$

## Rubi [A] (verified)

Time = 0.16 (sec), antiderivative size = 30, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {7049}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \operatorname{LogIntegral}(a + b x) dx \\ & \downarrow \textcolor{blue}{7049} \\ & \frac{(a + b x) \operatorname{LogIntegral}(a + b x)}{b} - \frac{\operatorname{ExpIntegralEi}(2 \log(a + b x))}{b} \end{aligned}$$

input  $\operatorname{Int}[\operatorname{LogIntegral}[a + b x], x]$

output 
$$-\left(\operatorname{ExpIntegralEi}[2 \log[a + b x]]/b\right) + ((a + b x) * \operatorname{LogIntegral}[a + b x])/b$$

### Definitions of rubi rules used

rule 7049

```
Int[LogIntegral[(a_.) + (b_.)*(x_)], x_Symbol] :> Simp[(a + b*x)*(LogIntegral[a + b*x]/b), x] - Simp[ExpIntegralEi[2*Log[a + b*x]]/b, x] /; FreeQ[{a, b}, x]
```

### Maple [A] (verified)

Time = 0.03 (sec) , antiderivative size = 29, normalized size of antiderivative = 0.97

method	result	size
derivativedivides	$\frac{\text{expIntegral}(\ln(bx+a))(bx+a)+\text{expIntegral}_1(-2 \ln(bx+a))}{b}$	29
default	$\frac{\text{expIntegral}(\ln(bx+a))(bx+a)+\text{expIntegral}_1(-2 \ln(bx+a))}{b}$	29
parts	$x \text{ Li}(bx + a) - \frac{-\text{expIntegral}_1(-2 \ln(bx+a))+a \text{ expIntegral}_1(-\ln(bx+a))}{b}$	40

input `int(Li(b*x+a), x, method=_RETURNVERBOSE)`

output `1/b*(Ei(ln(b*x+a))*(b*x+a)+Ei(1, -2*ln(b*x+a)))`

### Fricas [A] (verification not implemented)

Time = 0.07 (sec) , antiderivative size = 36, normalized size of antiderivative = 1.20

$$\begin{aligned} & \int \text{LogIntegral}(a + bx) dx \\ &= \frac{(bx + a) \log\_integral(bx + a) - \log\_integral(b^2 x^2 + 2 abx + a^2)}{b} \end{aligned}$$

input `integrate(log_integral(b*x+a), x, algorithm="fricas")`

output `((b*x + a)*log_integral(b*x + a) - log_integral(b^2*x^2 + 2*a*b*x + a^2))/b`

**Sympy [F]**

$$\int \text{LogIntegral}(a + bx) dx = \int \text{Li}(a + bx) dx$$

input `integrate(Li(b*x+a),x)`

output `Integral(Li(a + b*x), x)`

**Maxima [A] (verification not implemented)**

Time = 0.02 (sec) , antiderivative size = 28, normalized size of antiderivative = 0.93

$$\int \text{LogIntegral}(a + bx) dx = \frac{(bx + a) \log_{\text{integral}}(bx + a) - \text{Ei}(2 \log(bx + a))}{b}$$

input `integrate(log_integral(b*x+a),x, algorithm="maxima")`

output `((b*x + a)*log_integral(b*x + a) - Ei(2*log(b*x + a)))/b`

**Giac [F]**

$$\int \text{LogIntegral}(a + bx) dx = \int \log_{\text{integral}}(bx + a) dx$$

input `integrate(log_integral(b*x+a),x, algorithm="giac")`

output `integrate(log_integral(b*x + a), x)`

**Mupad [B] (verification not implemented)**

Time = 0.11 (sec) , antiderivative size = 8, normalized size of antiderivative = 0.27

$$\int \text{LogIntegral}(a + bx) dx = \int \text{logint}(a + b x) dx$$

input `int(logint(a + b*x),x)`

output `int(logint(a + b*x), x)`

**Reduce [B] (verification not implemented)**

Time = 0.23 (sec) , antiderivative size = 35, normalized size of antiderivative = 1.17

$$\int \text{LogIntegral}(a + bx) dx = \frac{ei(\log(bx + a)) a + ei(\log(bx + a)) bx - ei(2 \log(bx + a))}{b}$$

input `int(Li(b*x+a),x)`

output `(ei(log(a + b*x))*a + ei(log(a + b*x))*b*x - ei(2*log(a + b*x)))/b`

## 3.72 $\int \frac{\text{LogIntegral}(a+bx)}{x} dx$

Optimal result . . . . .	451
Mathematica [N/A] . . . . .	451
Rubi [N/A] . . . . .	452
Maple [N/A] . . . . .	452
Fricas [N/A] . . . . .	453
Sympy [N/A] . . . . .	453
Maxima [N/A] . . . . .	453
Giac [N/A] . . . . .	454
Mupad [B] (verification not implemented) . . . . .	454
Reduce [N/A] . . . . .	454

### Optimal result

Integrand size = 10, antiderivative size = 10

$$\int \frac{\text{LogIntegral}(a + bx)}{x} dx = \text{Int}\left(\frac{\text{LogIntegral}(a + bx)}{x}, x\right)$$

output `Defer(Int)(Li(b*x+a)/x,x)`

### Mathematica [N/A]

Not integrable

Time = 0.01 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\text{LogIntegral}(a + bx)}{x} dx = \int \frac{\text{LogIntegral}(a + bx)}{x} dx$$

input `Integrate[LogIntegral[a + b*x]/x,x]`

output `Integrate[LogIntegral[a + b*x]/x, x]`

**Rubi [N/A]**

Not integrable

Time = 0.16 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\text{LogIntegral}(a + bx)}{x} dx$$

↓ 7051

$$\int \frac{\text{LogIntegral}(a + bx)}{x} dx$$

input `Int[LogIntegral[a + b*x]/x, x]`

output `$Aborted`

**Maple [N/A]**

Not integrable

Time = 0.07 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{\text{Li}(bx + a)}{x} dx$$

input `int(Li(b*x+a)/x, x)`

output `int(Li(b*x+a)/x, x)`

**Fricas [N/A]**

Not integrable

Time = 0.07 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\text{LogIntegral}(a + bx)}{x} dx = \int \frac{\log\_integral(bx + a)}{x} dx$$

input `integrate(log_integral(b*x+a)/x,x, algorithm="fricas")`

output `integral(log_integral(b*x + a)/x, x)`

**Sympy [N/A]**

Not integrable

Time = 0.45 (sec) , antiderivative size = 8, normalized size of antiderivative = 0.80

$$\int \frac{\text{LogIntegral}(a + bx)}{x} dx = \int \frac{\text{Li}(a + bx)}{x} dx$$

input `integrate(Li(b*x+a)/x,x)`

output `Integral(Li(a + b*x)/x, x)`

**Maxima [N/A]**

Not integrable

Time = 0.06 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\text{LogIntegral}(a + bx)}{x} dx = \int \frac{\log\_integral(bx + a)}{x} dx$$

input `integrate(log_integral(b*x+a)/x,x, algorithm="maxima")`

output `integrate(log_integral(b*x + a)/x, x)`

## Giac [N/A]

Not integrable

Time = 0.10 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\text{LogIntegral}(a + bx)}{x} dx = \int \frac{\log\_integral(bx + a)}{x} dx$$

input `integrate(log_integral(b*x+a)/x,x, algorithm="giac")`

output `integrate(log_integral(b*x + a)/x, x)`

## Mupad [B] (verification not implemented)

Time = 0.05 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\text{LogIntegral}(a + bx)}{x} dx = \int \frac{\text{logint}(a + b x)}{x} dx$$

input `int(logint(a + b*x)/x,x)`

output `int(logint(a + b*x)/x, x)`

## Reduce [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 42, normalized size of antiderivative = 4.20

$$\int \frac{\text{LogIntegral}(a + bx)}{x} dx = ei(\log(bx + a)) \log(bx + a) + \left( \int \frac{ei(\log(bx + a))}{b x^2 + ax} dx \right) a - bx$$

input `int(Li(b*x+a)/x,x)`

output `ei(log(a + b*x))*log(a + b*x) + int(ei(log(a + b*x))/(a*x + b*x**2),x)*a - b*x`

### 3.73 $\int \frac{\text{LogIntegral}(a+bx)}{x^2} dx$

Optimal result . . . . .	456
Mathematica [N/A] . . . . .	456
Rubi [N/A] . . . . .	457
Maple [N/A] . . . . .	457
Fricas [N/A] . . . . .	458
Sympy [N/A] . . . . .	458
Maxima [N/A] . . . . .	458
Giac [N/A] . . . . .	459
Mupad [B] (verification not implemented) . . . . .	459
Reduce [N/A] . . . . .	459

#### Optimal result

Integrand size = 10, antiderivative size = 10

$$\int \frac{\text{LogIntegral}(a+bx)}{x^2} dx = -\frac{\text{LogIntegral}(a+bx)}{x} + b \text{Int}\left(\frac{1}{x \log(a+bx)}, x\right)$$

output `-Li(b*x+a)/x+b*DefeR(Int)(1/x/ln(b*x+a),x)`

#### Mathematica [N/A]

Not integrable

Time = 0.14 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\text{LogIntegral}(a+bx)}{x^2} dx = \int \frac{\text{LogIntegral}(a+bx)}{x^2} dx$$

input `Integrate[LogIntegral[a + b*x]/x^2, x]`

output `Integrate[LogIntegral[a + b*x]/x^2, x]`

**Rubi [N/A]**

Not integrable

Time = 0.20 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{\text{LogIntegral}(a + bx)}{x^2} dx \\ & \quad \downarrow \textcolor{blue}{7052} \\ & b \int \frac{1}{x \log(a + bx)} dx - \frac{\text{LogIntegral}(a + bx)}{x} \\ & \quad \downarrow \textcolor{blue}{2867} \\ & b \int \frac{1}{x \log(a + bx)} dx - \frac{\text{LogIntegral}(a + bx)}{x} \end{aligned}$$

input `Int[LogIntegral[a + b*x]/x^2,x]`

output `$Aborted`

**Maple [N/A]**

Not integrable

Time = 0.14 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{\text{Li}(bx + a)}{x^2} dx$$

input `int(Li(b*x+a)/x^2,x)`

output `int(Li(b*x+a)/x^2,x)`

**Fricas [N/A]**

Not integrable

Time = 0.07 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\text{LogIntegral}(a + bx)}{x^2} dx = \int \frac{\log\_integral(bx + a)}{x^2} dx$$

input `integrate(log_integral(b*x+a)/x^2,x, algorithm="fricas")`

output `integral(log_integral(b*x + a)/x^2, x)`

**Sympy [N/A]**

Not integrable

Time = 0.77 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{\text{LogIntegral}(a + bx)}{x^2} dx = \int \frac{\text{Li}(a + bx)}{x^2} dx$$

input `integrate(Li(b*x+a)/x**2,x)`

output `Integral(Li(a + b*x)/x**2, x)`

**Maxima [N/A]**

Not integrable

Time = 0.07 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\text{LogIntegral}(a + bx)}{x^2} dx = \int \frac{\log\_integral(bx + a)}{x^2} dx$$

input `integrate(log_integral(b*x+a)/x^2,x, algorithm="maxima")`

output `integrate(log_integral(b*x + a)/x^2, x)`

## Giac [N/A]

Not integrable

Time = 0.11 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\text{LogIntegral}(a + bx)}{x^2} dx = \int \frac{\log\_integral(bx + a)}{x^2} dx$$

input `integrate(log_integral(b*x+a)/x^2,x, algorithm="giac")`

output `integrate(log_integral(b*x + a)/x^2, x)`

## Mupad [B] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\text{LogIntegral}(a + bx)}{x^2} dx = \int \frac{\text{logint}(a + b x)}{x^2} dx$$

input `int(logint(a + b*x)/x^2,x)`

output `int(logint(a + b*x)/x^2, x)`

## Reduce [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 53, normalized size of antiderivative = 5.30

$$\begin{aligned} & \int \frac{\text{LogIntegral}(a + bx)}{x^2} dx \\ &= \frac{-ei(\log(bx + a)) + \left( \int \frac{1}{\log(bx+a)ax+\log(bx+a)b x^2} dx \right) abx + \log(\log(bx + a)) bx}{x} \end{aligned}$$

input `int(Li(b*x+a)/x^2,x)`

output `( - ei(log(a + b*x)) + int(1/(log(a + b*x)*a*x + log(a + b*x)*b*x**2),x)*a *b*x + log(log(a + b*x))*b*x)/x`

### 3.74 $\int (dx)^m \operatorname{LogIntegral}(a + bx) dx$

Optimal result . . . . .	461
Mathematica [N/A] . . . . .	461
Rubi [N/A] . . . . .	462
Maple [N/A] . . . . .	462
Fricas [N/A] . . . . .	463
Sympy [N/A] . . . . .	463
Maxima [N/A] . . . . .	463
Giac [N/A] . . . . .	464
Mupad [B] (verification not implemented) . . . . .	464
Reduce [N/A] . . . . .	464

#### Optimal result

Integrand size = 12, antiderivative size = 12

$$\int (dx)^m \operatorname{LogIntegral}(a + bx) dx = \frac{(dx)^{1+m} \operatorname{LogIntegral}(a + bx)}{d(1 + m)} - \frac{b \operatorname{Int}\left(\frac{(dx)^{1+m}}{\log(a+bx)}, x\right)}{d(1 + m)}$$

output  $(d*x)^{(1+m)}*Li(b*x+a)/d/(1+m)-b*Defe r(Int)((d*x)^{(1+m)}/ln(b*x+a),x)/d/(1+m)$

#### Mathematica [N/A]

Not integrable

Time = 0.49 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int (dx)^m \operatorname{LogIntegral}(a + bx) dx = \int (dx)^m \operatorname{LogIntegral}(a + bx) dx$$

input `Integrate[(d*x)^m*LogIntegral[a + b*x], x]`

output `Integrate[(d*x)^m*LogIntegral[a + b*x], x]`

**Rubi [N/A]**

Not integrable

Time = 0.22 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int (dx)^m \operatorname{LogIntegral}(a + bx) dx \\ & \downarrow 7052 \\ & \frac{(dx)^{m+1} \operatorname{LogIntegral}(a + bx)}{d(m+1)} - \frac{b \int \frac{(dx)^{m+1}}{\log(a+bx)} dx}{d(m+1)} \\ & \downarrow 2867 \\ & \frac{(dx)^{m+1} \operatorname{LogIntegral}(a + bx)}{d(m+1)} - \frac{b \int \frac{(dx)^{m+1}}{\log(a+bx)} dx}{d(m+1)} \end{aligned}$$

input `Int[(d*x)^m*LogIntegral[a + b*x],x]`

output `$Aborted`

**Maple [N/A]**

Not integrable

Time = 0.03 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int (dx)^m \operatorname{Li}(bx + a) dx$$

input `int((d*x)^m*Li(b*x+a),x)`

output `int((d*x)^m*Li(b*x+a),x)`

**Fricas [N/A]**

Not integrable

Time = 0.08 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int (dx)^m \text{LogIntegral}(a + bx) dx = \int (dx)^m \log\_integral(bx + a) dx$$

input `integrate((d*x)^m*log_integral(b*x+a),x, algorithm="fricas")`

output `integral((d*x)^m*log_integral(b*x + a), x)`

**Sympy [N/A]**

Not integrable

Time = 26.23 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int (dx)^m \text{LogIntegral}(a + bx) dx = \int (dx)^m \text{Li}(a + bx) dx$$

input `integrate((d*x)**m*Li(b*x+a),x)`

output `Integral((d*x)**m*Li(a + b*x), x)`

**Maxima [N/A]**

Not integrable

Time = 0.05 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int (dx)^m \text{LogIntegral}(a + bx) dx = \int (dx)^m \log\_integral(bx + a) dx$$

input `integrate((d*x)^m*log_integral(b*x+a),x, algorithm="maxima")`

output `integrate((d*x)^m*log_integral(b*x + a), x)`

### Giac [N/A]

Not integrable

Time = 0.11 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int (dx)^m \text{LogIntegral}(a + bx) dx = \int (dx)^m \log_{\text{integral}}(bx + a) dx$$

input `integrate((d*x)^m*log_integral(b*x+a),x, algorithm="giac")`

output `integrate((d*x)^m*log_integral(b*x + a), x)`

### Mupad [B] (verification not implemented)

Time = 0.05 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int (dx)^m \text{LogIntegral}(a + bx) dx = \int \text{logint}(a + b x) (d x)^m dx$$

input `int(logint(a + b*x)*(d*x)^m,x)`

output `int(logint(a + b*x)*(d*x)^m, x)`

### Reduce [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.42

$$\int (dx)^m \text{LogIntegral}(a + bx) dx = d^m \left( \int x^m e i(\log(bx + a)) dx \right)$$

input `int((d*x)^m*Li(b*x+a),x)`

output `d**m*int(x**m*ei(log(a + b*x)),x)`

# CHAPTER 4

## APPENDIX

4.1 Listing of Grading functions . . . . .	466
4.2 Links to plain text integration problems used in this report for each CAS .	484

### 4.1 Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

#### Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* Nasser: April 7,2022. add second output which gives reason for the grade *)
(*                               Small rewrite of logic in main function to make it*)
(*                               match Maple's logic. No change in functionality otherwise*)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)
```

```
(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] := Module[{expnResult,expnOptimal,leafCountResult,leaf
expnResult = ExpnType[result];
expnOptimal = ExpnType[optimal];
leafCountResult = LeafCount[result];
leafCountOptimal = LeafCount[optimal];

(*Print["expnResult=",expnResult," expnOptimal=",expnOptimal];*)
If[expnResult<=expnOptimal,
  If[Not[FreeQ[result,Complex]], (*result contains complex*)
    If[Not[FreeQ[optimal,Complex]], (*optimal contains complex*)
      If[leafCountResult<=2*leafCountOptimal,
        finalresult={"A","");
        ,(*ELSE*)
        finalresult={"B","Both result and optimal contain complex but leaf count
      ]
      ,(*ELSE*)
      finalresult={"C","Result contains complex when optimal does not."}
    ]
    ,(*ELSE*) (*result does not contains complex*)
    If[leafCountResult<=2*leafCountOptimal,
      finalresult={"A","");
      ,(*ELSE*)
      finalresult={"B","Leaf count is larger than twice the leaf count of optimal.
    ]
    ,(*ELSE*) (*expnResult>expnOptimal*)
    If[FreeQ[result,Integrate] && FreeQ[result,Int],
      finalresult={"C","Result contains higher order function than in optimal. Order "}
      ,
      finalresult={"C","Result contains higher order function than in optimal. Order "}
    ]
  ]
]
]
```

```

        finalresult={"F","Contains unresolved integral."}
    ]
];

finalresult
]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hypergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

```

```

ExpnType[expn_] :=
If[AtomQ[expn],
  1,
  If[ListQ[expn],
    Max[Map[ExpnType, expn]],
    If[Head[expn] === Power,
      If[IntegerQ[expn[[2]]],
        ExpnType[expn[[1]]],
        If[Head[expn[[2]]] === Rational,
          If[IntegerQ[expn[[1]]] || Head[expn[[1]]] === Rational,
            1,
            Max[ExpnType[expn[[1]]], 2]],
          Max[ExpnType[expn[[1]]], ExpnType[expn[[2]]], 3]]],
      If[Head[expn] === Plus || Head[expn] === Times,
        Max[ExpnType[First[expn]], ExpnType[Rest[expn]]],
        If[ElementaryFunctionQ[Head[expn]],
          Max[3, ExpnType[expn[[1]]]],
          If[SpecialFunctionQ[Head[expn]],
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 4]],
            If[HypergeometricFunctionQ[Head[expn]],
              Max[ExpnType[expn[[1]]], ExpnType[expn[[2]]], 3],
              Max[ExpnType[expn[[1]]], ExpnType[expn[[2]]], ExpnType[expn[[3]]]]]]]]]]]

```

```
Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],  
If[AppellFunctionQ[Head[expn]],  
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],6]],  
If[Head[expn]==RootSum,  
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],  
If[Head[expn]==Integrate || Head[expn]==Int,  
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],8]],  
9]]]]]]]]]]]
```

```
ElementaryFunctionQ[func_] :=  
MemberQ[{  
Exp, Log,  
Sin, Cos, Tan, Cot, Sec, Csc,  
ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,  
Sinh, Cosh, Tanh, Coth, Sech, Csch,  
ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch  
} , func]
```

```
SpecialFunctionQ[func_] :=  
MemberQ[{  
Erf, Erfc, Erfi,  
FresnelS, FresnelC,  
ExpIntegralE, ExpIntegralEi, LogIntegral,  

```

```
HypergeometricFunctionQ[func_] :=  
MemberQ[{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]
```

```
AppellFunctionQ[func_] :=  
MemberQ[{AppellF1}, func]
```

## Maple grading function

```
# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#           if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
#           see problem 156, file Apostol_Problems
#Nasser 4/07/2022 add second output which gives reason for the grade

GradeAntiderivative := proc(result,optimal)
local leaf_count_result,
      leaf_count_optimal,
      ExpnType_result,
      ExpnType_optimal,
      debug:=false;

leaf_count_result:=leafcount(result);
#do NOT call ExpnType() if leaf size is too large. Recursion problem
if leaf_count_result > 500000 then
    return "B","result has leaf size over 500,000. Avoiding possible recursion issue
fi;

leaf_count_optimal := leafcount(optimal);
ExpnType_result := ExpnType(result);
ExpnType_optimal := ExpnType(optimal);

if debug then
    print("ExpnType_result",ExpnType_result," ExpnType_optimal=",ExpnType_optimal);
fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
#   "F" if the result fails to integrate an expression that
#       is integrable
#   "C" if result involves higher level functions than necessary
#   "B" if result is more than twice the size of the optimal
```

```
#      antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F","Result contains unresolved integral";
fi;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;
    if is_contains_complex(result) then
        if is_contains_complex(optimal) then
            if debug then
                print("both result and optimal complex");
            fi;
            if leaf_count_result<=2*leaf_count_optimal then
                return "A"," ";
            else
                return "B",cat("Both result and optimal contain complex but leaf count of
                           convert(leaf_count_result,string)," vs. $2 (
                           convert(leaf_count_optimal,string)," ) = ",convert(2*leaf
                           end if
            else #result contains complex but optimal is not
                if debug then
                    print("result contains complex but optimal is not");
                fi;
                return "C","Result contains complex when optimal does not.";
            fi;
        else # result do not contain complex
            # this assumes optimal do not as well. No check is needed here.
            if debug then
                print("result do not contain complex, this assumes optimal do not as well");
            fi;
```

```

        if leaf_count_result<=2*leaf_count_optimal then
            if debug then
                print("leaf_count_result<=2*leaf_count_optimal");
            fi;
            return "A"," ";
        else
            if debug then
                print("leaf_count_result>2*leaf_count_optimal");
            fi;
            return "B",cat("Leaf count of result is larger than twice the leaf count of
                           convert(leaf_count_result,string),\"$ vs. \$2(", 
                           convert(leaf_count_optimal,string),")=",convert(2*leaf_co
                           fi;
            fi;
        else #ExpnType(result) > ExpnType(optimal)
            if debug then
                print("ExpnType(result) > ExpnType(optimal)");
            fi;
            return "C",cat("Result contains higher order function than in optimal. Order ",
                           convert(ExpnType_result,string)," vs. order ",
                           convert(ExpnType_optimal,string),"."));
        fi;

    end proc:

    #

    # is_contains_complex(result)
    # takes expressions and returns true if it contains "I" else false
    #
    #Nasser 032417
    is_contains_complex:= proc(expression)
        return (has(expression,I));
    end proc:

    # The following summarizes the type number assigned an expression
    # based on the functions it involves
    # 1 = rational function
    # 2 = algebraic function
    # 3 = elementary function
    # 4 = special function
    # 5 = hypergeometric function

```

```
# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
    if type(expn,'atomic') then
        1
    elif type(expn,'list') then
        apply(max,map(ExpnType,expn))
    elif type(expn,'sqrt') then
        if type(op(1,expn),'rational') then
            1
        else
            max(2,ExpnType(op(1,expn)))
        end if
    elif type(expn,'`^`') then
        if type(op(2,expn),'integer') then
            ExpnType(op(1,expn))
        elif type(op(2,expn),'rational') then
            if type(op(1,expn),'rational') then
                1
            else
                max(2,ExpnType(op(1,expn)))
            end if
        else
            max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
        end if
    elif type(expn,'`+`') or type(expn,'`*`') then
        max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif ElementaryFunctionQ(op(0,expn)) then
        max(3,ExpnType(op(1,expn)))
    elif SpecialFunctionQ(op(0,expn)) then
        max(4,apply(max,map(ExpnType,[op(expn)])))
    elif HypergeometricFunctionQ(op(0,expn)) then
        max(5,apply(max,map(ExpnType,[op(expn)])))
    elif AppellFunctionQ(op(0,expn)) then
        max(6,apply(max,map(ExpnType,[op(expn)])))
    elif op(0,expn)='int' then
        max(8,apply(max,map(ExpnType,[op(expn)]))) else
9
```

```
end if
end proc:

ElementaryFunctionQ := proc(func)
member(func,[
    exp,log,ln,
    sin,cos,tan,cot,sec,csc,
    arcsin,arccos,arctan,arccot,arcsec,arccsc,
    sinh,cosh,tanh,coth,sech,csch,
    arccsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
member(func,[
    erf,erfc,erfi,
    FresnelS,FresnelC,
    Ei,Ei,Li,Si,Ci,Shi,Chi,
    GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
    EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
member(func,[AppellF1])
end proc:

# u is a sum or product.  rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
if nops(u)=2 then
    op(2,u)
else
    apply(op(0,u),op(2..nops(u),u))
end if
end proc:

#leafcount(u) returns the number of nodes in u.
```

```
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
    MmaTranslator[Mma][LeafCount](u);
end proc:
```

## Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
#          Port of original Maple grading function by
#          Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#          added 'exp_polar'
from sympy import *

def leaf_count(expr):
    #sympy do not have leaf count function. This is approximation
    return round(1.7*count_ops(expr))

def is_sqrt(expr):
    if isinstance(expr,Pow):
        if expr.args[1] == Rational(1,2):
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
        asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
        asinh,acosh,atanh,acoth,asech,acsch
    ]

def is_special_function(func):
    return func in [ erf,erfc,erfi,
        fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
        gamma,loggamma,digamma,zeta,polylog,LambertW,
        elliptic_f,elliptic_e,elliptic_pi,exp_polar
    ]
```

```
def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False
    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'`^`)
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
        else:
            return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'`+') or type(expn,'`*')
```

```

m1 = expnType(expn.args[0])
m2 = expnType(list(expn.args[1:]))
return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
    return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif is_appell_function(expn.func):
    m1 = max(map(expnType, list(expn.args)))
    return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif isinstance(expn,RootSum):
    m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]]
    return max(7,m1)
elif str(expn).find("Integral") != -1:
    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

#print ("Enter grade_antiderivative for sagemode")
#print("Enter grade_antiderivative, result=",result, " optimal=",optimal)

leaf_count_result = leaf_count(result)
leaf_count_optimal = leaf_count(optimal)

#print("leaf_count_result=",leaf_count_result)
#print("leaf_count_optimal=",leaf_count_optimal)

expnType_result = expnType(result)
expnType_optimal = expnType(optimal)

if str(result).find("Integral") != -1:
    grade = "F"
    grade_annotation = ""

```

```

else:
    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    grade = "A"
                    grade_annotation = ""
                else:
                    grade = "B"
                    grade_annotation = "Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. "+str(grade)
                else: #result contains complex but optimal is not
                    grade = "C"
                    grade_annotation = "Result contains complex when optimal does not."
            else: # result do not contain complex, this assumes optimal do not as well
                if leaf_count_result <= 2*leaf_count_optimal:
                    grade = "A"
                    grade_annotation = ""
                else:
                    grade = "B"
                    grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(grade)
            else:
                grade = "C"
                grade_annotation = "Result contains higher order function than in optimal. Order "+str(grade)

#print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```

## SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
# Albert Rich to use with Sagemath. This is used to
# grade Fricas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
# 'arctan2','floor','abs','log_integral'
#June 4, 2022 Made default grade_annotation "none" instead of "" due
# issue later when reading the file.
#July 14, 2022. Added ellipticF. This is until they fix sagemath, then remove it.

```

```
from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    """
    Return the tree size of this expression.
    """
    #print("Enter tree_size, expr is ",expr)

    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    #debug=False
    m = func.name() in ['exp','log','ln',
                        'sin','cos','tan','cot','sec','csc',
                        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
                        'sinh','cosh','tanh','coth','sech','csch',
                        'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
                        'arctan2','floor','abs'
                       ]
    if debug:
```

```

if m:
    print ("func ", func , " is elementary_function")
else:
    print ("func ", func , " is NOT elementary_function")

return m

def is_special_function(func):
    #debug=False
    if debug:
        print ("type(func)=", type(func))

m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','sinh_integral'
'Chi','cosh_integral','gamma','log_gamma','psi','zeta',
'polylog','lambert_w','elliptic_f','elliptic_e','ellipticF',
'elliptic_pi','exp_integral_e','log_integral',
'veierstrassPInverse','weierstrass','weierstrassP','weierstrassZeta',
'veierstrassPPrime','weierstrassSigma']

if debug:
    print ("m=",m)
    if m:
        print ("func ", func , " is special_function")
    else:
        print ("func ", func , " is NOT special_function")

return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U']

def is_appell_function(func):
    return func.name() in ['hypergeometric']  #[appellf1] can't find this in sagemath

def is_atom(expn):
    #debug=False

```

```

if debug:
    print ("Enter is_atom, expn=",expn)

if not hasattr(expn, 'parent'):
    return False

#thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic
try:
    if expn.parent() is SR:
        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(), "base_ring") and hasattr(expn.parent(), "gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().gens()

    return False

except AttributeError as error:
    print("Exception,AttributeError in is_atom")
    print ("caught exception" , type(error).__name__)
    return False


def expnType(expn):

    if debug:
        print (">>>>Enter expnType, expn=", expn)
        print (">>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(isinstance(expn.args[0], Rational)):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
    elif expn.operator() == operator.pow: #isinstance(expn,Pow)
        if type(expn.operands()[1])==Integer: #isinstance(expn.args[1], Integer)

```

```

        return expnType(expn.operands()[0])  #expnType(expn.args[0])
    elif type(expn.operands()[1]) == Rational: #isinstance(expn.args[1],Rational)
        if type(expn.operands()[0]) == Rational: #isinstance(expn.args[0],Rational)
            return 1
        else:
            return max(2,expnType(expn.operands()[0]))  #max(2,expnType(expn.args[0]))
    else:
        return max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))  #max(3,expnType(expn.args[0]),expnType(expn.args[1]))
    elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #isinstance(expn,Add) or isinstance(expn,Mul)
        m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
        m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
        return max(m1,m2)  #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.operator()): #is_elementary_function(expn.func)
        return max(3,expnType(expn.operands()[0]))
    elif is_special_function(expn.operator()): #is_special_function(expn.func)
        m1 = max(map(expnType, expn.operands()))      #max(map(expnType, list(expn.args)))
        return max(4,m1)  #max(4,m1)
    elif is_hypergeometric_function(expn.operator()): #is_hypergeometric_function(expn.func)
        m1 = max(map(expnType, expn.operands()))      #max(map(expnType, list(expn.args)))
        return max(5,m1)  #max(5,m1)
    elif is_appell_function(expn.operator()):
        m1 = max(map(expnType, expn.operands()))      #max(map(expnType, list(expn.args)))
        return max(6,m1)  #max(6,m1)
    elif str(expn).find("Integral") != -1: #this will never happen, since it
        #is checked before calling the grading function that is passed.
        #but kept it here.
        m1 = max(map(expnType, expn.operands()))      #max(map(expnType, list(expn.args)))
        return max(8,m1)  #max(5,apply(max,map(ExpnType,[op(expn)])))
    else:
        return 9

#main function
def grade_antiderivative(result,optimal):

    if debug:
        print ("Enter grade_antiderivative for sageMath")
        print("Enter grade_antiderivative, result=",result)
        print("Enter grade_antiderivative, optimal=",optimal)
        print("type(anti)=",type(result))
        print("type(optimal)=",type(optimal))

```

```
leaf_count_result = tree_size(result) #leaf_count(result)
leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

#if debug: print ("leaf_count_result=", leaf_count_result, "leaf_count_optimal=",leaf_count_optimal)

expnType_result = expnType(result)
expnType_optimal = expnType(optimal)

if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",expnType_optimal)

if expnType_result <= expnType_optimal:
    if result.has(I):
        if optimal.has(I): #both result and optimal complex
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation ="none"
            else:
                grade = "B"
                grade_annotation ="Both result and optimal contain complex but leaf count of result is larger"
        else: #result contains complex but optimal is not
            grade = "C"
            grade_annotation ="Result contains complex when optimal does not."
    else: # result do not contain complex, this assumes optimal do not as well
        if leaf_count_result <= 2*leaf_count_optimal:
            grade = "A"
            grade_annotation ="none"
        else:
            grade = "B"
            grade_annotation ="Leaf count of result is larger than twice the leaf count of optimal. "+str(leaf_count_result)+"/"+str(leaf_count_optimal)
    else:
        grade = "C"
        grade_annotation ="Result contains higher order function than in optimal. Order "+str(expnType_result)+"/"+str(expnType_optimal)

print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation
```

## 4.2 Links to plain text integration problems used in this report for each CAS

1. Mathematica integration problems as .m file
2. Maple integration problems as .txt file
3. Sagemath integration problems as .sage file
4. Reduce integration problems as .txt file
5. Mupad integration problems as .txt file
6. Sympy integration problems as .py file